

October 2013

Volume 20 Number 2

Editors: Kaye Wilson,
Donna Jennings & Sarah Le Leu
email: schedule@pharmac.govt.nz
Telephone +64 4 460 4990
Facsimile +64 4 460 4995
Level 9, 40 Mercer Street
PO Box 10 254 Wellington

Freephone Information Line
0800 66 00 50 (9am – 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and TeX.
XML version of the Schedule available from www.pharmac.govt.nz/schedule/archive/

Programmers

Anrik Drenth & John Geering
email: texschedule@pharmac.govt.nz

©Pharmaceutical Management Agency



ISSN 1179-3686 pdf
ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC **2**

Section A **General Rules** **11**

Section B

Alimentary Tract & Metabolism	24
Blood & Blood Forming Organs	44
Cardiovascular System	51
Dermatologicals	63
Genito Urinary System	74
Hormone Preparations – Systemic	80
Infections – Agents For Systemic Use	88
Musculoskeletal System	110
Nervous System	118
Oncology Agents & Immunosuppressants	147
Respiratory System & Allergies	177
Sensory Organs	184
Various	188

Section C **Extemporaneous Compounds (ECPs)** **189**

Section D **Special Foods** **196**

Section E

Practitioner's Supply Orders	216
Rural Areas	220

Section F **Dispensing Period Exemptions** **221**

Section G **Safety Cap Medicines** **223**

Section I **National Immunisation Schedule** **226**

Index **228**

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. In particular, Board members decide on the strategic direction of PHARMAC and may decide which community pharmaceuticals should be subsidised and at what levels, and determine national prices for some pharmaceuticals to be purchased by and used in DHB Hospitals, and whether or not special conditions are to be applied to such purchases.

Members of the PHARMAC Board

Stuart McLauchlan
Jens Mueller

Kura Denness
Jan White

David Kerr

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

The following attend PHARMAC's Board meetings as observers

- Murray Georgel, CE MidCentral DHB
- Kate Russell, Chair Consumer Advisory Committee
- Sisira Jayathissa, Chair Pharmacology and Therapeutics Advisory Committee (PTAC)

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;

- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC and the Pharmaceutical Schedule:

PHARMAC manages the national Pharmaceutical Schedule, which lists:

- Pharmaceuticals available in the community and subsidised by the Government with funding from the Pharmaceutical Budget; and
- some Pharmaceuticals purchased by DHBs for use in their hospitals, and includes those Hospital Pharmaceuticals for which national prices have been negotiated by PHARMAC.

In the community approximately 1848 Pharmaceuticals are subsidised by the Government. Most are available to all eligible people within New Zealand on prescription by a medical doctor. Some are listed with guidelines or conditions such as 'only if prescribed for a dialysis patient' or 'Special Authority - Retail Pharmacy', to ensure that Pharmaceuticals are used by those people who are most likely to benefit from them. Pharmaceuticals provided to patients for use while in DHB hospitals are not covered by Sections A to G of the Pharmaceutical Schedule.

Section H of the Pharmaceutical Schedule is not a comprehensive list of Pharmaceuticals that are used within the DHB Hospitals. Section H of the Pharmaceutical Schedule includes Pharmaceuticals that can be purchased at a national price by DHBs for use in their hospitals. These are referred to as National Contract Pharmaceuticals.

A list of Discretionary Community Supply Pharmaceuticals, in Section H of the Pharmaceutical Schedule, identifies those products that currently are not subsidised from the Pharmaceutical Budget as Community Pharmaceuticals in Sections A to G of the Pharmaceutical Schedule but which DHBs can at their discretion fund for use in the community from their own budgets Hospital Pharmaceuticals in the Community approval.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Sisira Jayathissa	MMBS, MMedSc (Clin Epi), MD, FRCP (Lon, Edin), FRACP, FAFPHM, FNZCPHM, Dip Clin Epi, Dip OHP, DipHSM, MBS, Chair
Chris Cameron	MBChB, FRACP, Mclin Pharm
Melissa Copland	PhD, BPharm(Hons), RegPharmNZ, FNZCP
Stuart Dalziel	MBChB, PhD, FRACP
Ian Hosford	MBChB, FRANZCP, psychiatrist
George Laking	PhD, MD, FRACP
Dee Mangin	MBChB, DPH, RNZCGP
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician
Marius Rademaker	BM (Soton), FRCP (Edn), FRACP DM
Jane Thomas	MBChB, FANZGL
Mark Weatherall	BA, MBChB, MAppStats, FRACP
Sean Hanna	MB ChB, FRNZCGP, FRACGP, PGDipGP, PGCertClinEd

Contact PTAC C/- PTAC Secretary, Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

PHARMAC's consumer advisors

Consumer Advisory Committee (CAC)

The Consumer Advisory Committee is an advisory committee to the PHARMAC Board. It provides written reports to the Board, and its Chair attends Board meetings as an observer to report on the activities and findings of the Committee, and to comment on consumer issues. While accountable to the Board, the Committee's general working relationship is with the staff of PHARMAC.

The Committee is made up of people from a range of backgrounds and interests including the health of Māori people, Pacific peoples, older people, women and mental health.

For current membership of the Consumer Advisory Committee, visit our website. The Consumer Advisory Committee can be contacted by email: CAC@pharmac.govt.nz, or you can write to the Consumer Advisory Committee at PHARMAC's postal address.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section **A** lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section **B** lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section **C** lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals that will be subsidised when extemporaneously compounded.
- Section **D** lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section **E** Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section **E** Part II lists rural areas for the purpose of PSOs.
- Section **F** lists the Community Pharmaceuticals dispensing period exemptions.
- Section **G** lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level. Where a Community Pharmaceutical is used in more than one therapeutic area, they may be cross-referenced.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section H lists Pharmaceuticals that can be used in DHB Hospitals, and is split into the following parts:

- Part I lists the rules in relation to use of Pharmaceuticals by DHB Hospitals.
- Part II lists Hospital Pharmaceuticals that are funded for use in DHB Hospitals. These are classified based on the Anatomical Therapeutic Chemical (ATC) system used for Community Pharmaceuticals. It also provides information on any national contracts that exist, and an indication of which products have Hospital Supply Status (HSS).
- Part III lists Optional Pharmaceuticals for which national contracts exist, and DHB Hospitals may choose to fund. These are listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance Limit (DV Limit).

The index located at the back of the Section H can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level.

Community Pharmaceuticals are listed in a separate publication with Sections A to I (excluding Section H).

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example

ANATOMICAL HEADING			
		Subsidy (Manufacturer's Price) \$	Fully Brand or Subsidised Generic Per ✓ Manufacturer
THERAPEUTIC HEADING			
CHEMICAL			
▲ Presentation, form and strength	10.00	100	Brand A ✓ Brand B
Presentation - Available on a PSO	15.00	50	✓ Brand C
⊕ Presentation - Retail pharmacy-specialist	18.00	250 mL OP	✓ Brand D
a) Prescriptions must be written by a paediatrician or paediatric cardiologist; or b) on the recommendation of a paediatrician or a paediatric cardiologist			
CHEMICAL			
⊗ Presentation, form and strength	26.53	100	Brand E
(35.27)			
Sole Supply			
✓ Fully Subsidised			
▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.			

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Practitioner's Supply Order

Safety cap

Conditions of and restrictions on prescribing (including Special Authority where it applies)

Three months or six months, as applicable, dispensed all-at-once

Brand or manufacturer's name

Sole subsidised supply product

Fully subsidised product

Original Pack - Subsidy is rounded up to a multiple of whole packs

Quantity the Subsidy applies to

Subsidy paid on a product before mark-ups and GST

Manufacturer's Price if different from Subsidy

Glossary

Units of Measure

gram	g	microgram.....	mcg	millimole.....	mmol
kilogram	kg	milligram	mg	unit.....	u
international unit	iu	millilitre.....	ml		

Abbreviations

Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Cap	Infusion	Inf	Tablet	Tab
Cream.....	Crm	Injection.....	Inj	Tincture.....	Tinc
Device.....	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible.....	Disp	Liquid	Liq	System.....	TDDS
Effervescent.....	Eff	Long Acting.....	LA		
Emulsion.....	Emul	Ointment	Oint		
Enteric Coated.....	EC	Sachet	Sach		
Gelatinous	Gel	Solution.....	Soln		

BSO	Bulk Supply Order.
CBS	Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.
CE	Compounded Extemporaneously.
CPD	Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
ECP	Extemporaneously Compounded Preparation.
HSS	Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
OP	Original Pack – subsidy is rounded up to a multiple at whole packs.
PSO	Practitioner's Supply Order.
<u>Sole Subsidised</u>	
Supplier	Only brand of this medicine subsidised.
XPharm	Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.
▲	Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
*	Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
‡	Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
✓	Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
S29	This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:

- be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
- be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

Definitions		
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements
[HP3]	Subsidised when dispensed from pharmacies that have a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.	Available from selected pharmacies that have an exclusive contract to dispense Special Foods.
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Available from selected pharmacies that have an exclusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.

Patient costs

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a ✓ in the product's Schedule listing.

SALBUTAMOL Aerosol inhaler 100 mcg per dose.....	3.80 (6.00)	✓ Fully subsidised brand Higher priced brand
---	----------------	---

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 January 2013, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$5 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$5 co-payments.

Prescriptions from the following providers are approved for \$5 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, ophthalmologists and orthopaedics) who write a prescription for a patient receiving a publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general practice provided the person is eligible for publicly funded health and disability services and the general practice is part of a PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

$$\text{Manufacturer's surcharge to patient} = (\text{price} - \text{subsidy}) \times 1.86$$

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surcharge of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the relevant DHB hospital Funder from its own budget. Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) are funded through the Combined Pharmaceutical Budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the prescriber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131
Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and Medical Council registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Named Patient Pharmaceutical Assessment policy

The Named Patient Pharmaceutical Assessment (NPPA) Policy is PHARMAC's process for considering applications about named patients seeking funding for treatments not listed on the Schedule, either at all or for the named patient's clinical circumstances. For PHARMAC to perform its legislative function of maintaining and managing a Schedule that applies consistently throughout New Zealand, the NPPA Policy will, and must, operate in a way that does not undermine the Schedule decision making process. Together, the Schedule process and the NPPA Policy, ensure there is a pathway for consideration of an individual's clinical circumstances. If an individual has a set of clinical circumstances not covered by the NPPA Policy, the Schedule decision making process is available. It is not the purpose of the NPPA Policy to provide access to every treatment not listed on the Schedule.

There are two main pathways by which named patients can be considered for funding under the NPPA Policy. PHARMAC will exercise its discretion to determine the most appropriate pathway for an application under the NPPA Policy based on the information that is provided.

Information concerning NPPA in hospital use can be found at <http://www.pharmac.health.nz/tools-resources/forms/named-patient-pharmaceutical-assessment-nppa-forms>.

PHARMAC will assess applications that meet the prerequisites described below according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions. For more information on NPPA, or to apply, visit the PHARMAC website at <http://www.pharmac.govt.nz/nppa>, or call the Panel Coordinators at 0800 60 00 50 option 3.

Unusual Clinical Circumstance (UCC)

The purpose of the Unusual Clinical Circumstances (UCC) pathway is to provide a process for consideration for funding for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule. The prerequisite requirements for UCC consideration are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that are so unusual that PHARMAC is unlikely to consider listing treatments for these on the Schedule; and
- Generally, PHARMAC has not already considered/is not considering, through the Schedule decision making process, the treatment for the patient's clinical circumstances, or has not considered the treatment at all.

Urgent Assessment (UA)

The purpose of the Urgent Assessment (UA) pathway is to provide a process for PHARMAC to consider funding treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing. The prerequisite requirements for UA are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that may be experienced by a population group (either currently or over time); and
- The patient has serious clinical circumstances and not receiving the treatment within six to 12 months would lead to either a significant deterioration in a serious clinical condition or the patient would miss the opportunity for significant improvement in clinical outcome (length or quality of life); and
- The treatment has either not been prioritised by PHARMAC, or if it has, PHARMAC has funded the treatment under the NPPA Policy for the same clinical circumstances prior to prioritisation.
- PHARMAC has not declined to list, on the Schedule, this treatment for these clinical circumstances.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 October 2013 and is to be referred to as the Pharmaceutical Schedule Volume 20 Number 2, 2013. Distribution will be from 20 October 2013. This Schedule comes into force on 1 October 2013.

PART I INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"180 Day Lot" means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria" means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

- a) have limited physical mobility;
- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act" means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee" means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy" means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Annotation" means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.

"Authority to Substitute" means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order" means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

“Class B Controlled Drug” means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

“Community Pharmaceutical” means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

“Contractor” means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

“Controlled Drug” means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

“Cost, Brand, Source of Supply” means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor’s annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

“Dentist” means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

“Diabetes Nurse Prescriber” means a registered nurse practising in diabetes health who has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981, and who is practicing in an approved DHB demonstration site.

“Dietitian” means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

“DHB” means an organisation established as a District Health Board by or under Section 19 of the Act.

“DHB Hospital” means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

“Dispensing Frequency Rule” means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

“Doctor” means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

“DV Limit” means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

“DV Pharmaceutical” means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

“Endorsements” - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as “certified condition”, or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes “certified condition” as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

“Funder” means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

“GST” means goods and services tax under the Goods and Services Tax Act 1985.

“Hospital Care Operator” means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

“Hospital Pharmaceuticals” means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

“Hospital Pharmacy” means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

“Hospital Pharmacy-Specialist” means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words “recommended by [name of specialist and year of authorisation]” and signed by the Practitioner, or
 - ii) endorsed with the word ‘protocol’ which means “initiated in accordance with DHB hospital approved protocol”,

- iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words “recommended by [name of specialist and date of authorisation], confirmed by [practitioner]”. Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

“As recommended by a Specialist” to be interpreted as either:

- a)
 - i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

“**Hospital Pharmacy-Specialist Prescription**” means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a “specialist” means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

“**HSS**” means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

“**In Combination**” means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

“**Individual DV Limit**” means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital’s Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

“**Licensed Hospital**” means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

“**Lot**” means a quantity of a Community Pharmaceutical supplied in one dispensing.

“**Manufacturer’s Price**” means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

“**Maternity hospital**” means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

“**Midwife**” means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

“**Month**” means a period of 30 consecutive days.

“**Monthly Lot**” means the quantity of a Community Pharmaceutical required for the number of days’ treatment covered by the Prescription, being up to 30 consecutive days’ treatment;

“**Named Patient Pharmaceutical Assessment Advisory Panel**” means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at <http://www.pharmac.govt.nz/healthpros/EC/ECForms>)

“**National Contract Pharmaceutical**” means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

“**National DV Limit**” means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

“**National Immunisation Schedule**” means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

“**Not In Combination**” means that no Subsidy is available for any Prescription containing the Community Pharmaceutical

SECTION A: GENERAL RULES

in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

“Nurse Prescriber” means a nurse registered with the Nursing Council and who holds a current annual practising certificate under the HPCA Act 2003 and who is approved by the Nursing Council, to prescribe specified prescription medicines relating to his/her scope of practice including, for the avoidance of doubt, a Diabetes Nurse Prescriber.

“Optional Pharmaceuticals” means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

“Optometrist” means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is authorised by regulations under the Medicines Act 1981 and approved by the Optometrists and Dispensing Opticians Board to prescribe specified medicines.

“Outpatient”, in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

“PCT” means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

“PCT only” means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

“Penal Institution” means a penal institution, as that term is defined in The Penal Institutions Act 1954;

“PHARMAC” means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

“Pharmaceutical” means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to H of the Schedule.

“Pharmaceutical Benefits” means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

“Pharmaceutical Budget” means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

“Pharmaceutical Cancer Treatment” means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a “PCT” or “PCT only” Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

“Pharmacist Prescriber” means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

“Pharmacist” means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practising certificate under the HPCA Act 2003.

“Practitioner” means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

“Practitioner's Supply Order” means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

“Prescription” means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

“Prescription Medicine” means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

“Private Hospital” means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

“Residential Disability Care Institution” means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

“Rest Home” means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

“Restricted Medicine” means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

“Retail Pharmacy-Specialist” means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - i) endorsed with the words “recommended by [name of Specialist and year of authorisation]” and signed by the Practitioner, or
 - ii) endorsed with the word ‘protocol’ which means “initiated in accordance with DHB hospital approved protocol”, or
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words “recommended by [name of specialist and year of authorisation], confirmed by [practitioner]”. Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

“As recommended by a Specialist” to be interpreted as either:

- a)
 - i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

“Retail Pharmacy-Specialist Prescription” means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist. For the purposes of this definition, a “specialist” means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

“Schedule” means this Pharmaceutical Schedule and all its sections and appendices.

“Special Authority” means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

“Specialist”, in relation to a Prescription, means a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that Prescription in the course of practising in that area of medicine; or
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of medicine; or
- d) the doctor writes the Prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

“Subsidy” means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

“Supply Order” means a Bulk Supply Order or a Practitioner's Supply Order.

“Unapproved Indication” means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

“Unlisted Pharmaceutical” means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H part II

“Unusual Clinical Circumstances (UCC)” means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

“Urgent Assessment (UA)” means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient’s clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:

- a) the singular includes the plural; and
- b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:

- 2.1.1 clauses 2.2 of the Schedule; and
- 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
- 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;

2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:

- 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
- 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
- 2.2.3 in the absence of the standards prescribed in clauses 2.3.1 and 2.3.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
- 2.2.4 in the absence of the standards prescribed in clauses 2.3.1, 2.3.2 and 2.3.3, are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III

PERIOD AND QUANTITY OF SUPPLY

3.1 **Doctors’, Dentists’, Dietitians’, Midwives’, Nurse Prescribers’, Optometrists and Pharmacist Prescribers’ Prescriptions (other than oral contraceptives)**

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for

an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:

- a) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
- b) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - A) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - B) both:
 - 1) the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - 2) every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.

3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:

- a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
- b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.

3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:

- a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
- b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.

3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

3.2.1 The prescribing Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:

- a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
- b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.

3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.

3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:

- a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
- b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- b) an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- c) any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg: if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.

3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:

- a) special foods, as listed in Section D; or
- b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian,

providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.

3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

3.6 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

3.6.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
 - b) any other Community Pharmaceutical listed below:
aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir, ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,
- 3.6.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).
- Note: A list of Diabetes Nurse Prescribers will be published periodically in the Update of the Pharmaceutical Schedule for the duration of an initial pilot scheme. After this period there will be no approved DHB demonstration sites and hence no Diabetes Nurse Prescribers.

PART IV DISPENSING FREQUENCY RULE

The Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency rule defines patient groups or medicines eligible for more frequent dispensing periods; and the conditions that must be met to enable any claim for payment of handling fees for the additional dispensings made.

"Frequent Dispensing" means:

- for a Community Pharmaceutical referred to in Section F Part I, dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- for any other Community Pharmaceutical, where any of 4.1, 4.2 or 4.3 of Part IV apply, dispensing in quantities less than a Monthly Lot

NOTE patients who have had more frequent dispensings due to being "intellectually impaired, frail, infirm or unable to manage their medicines" will continue to receive the same frequency of dispensings until they are assessed to see if they are eligible for additional support under the Long-Term Condition (LTC) service. The structure of the remainder fee payment provides funding for pharmacy to continue to provide more frequent dispensings for patients until they are assessed.

4.1 Frequent Dispensings for persons in residential care

4.1.1 Pharmaceuticals can be dispensed in quantities of not less than 28 days to:

- any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
- a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply (except under conditions outlined in 4.2.2 below); and
- b) the prescribing Practitioner or dispensing pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.

4.1.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.2.2 below.

4.2 Frequent Dispensings for trial periods or safety medicines

4.2.1 If a Pharmacist considers more frequent dispensing is required, this can occur as follows:

- For Long Term Condition (LTC) patients dispensing frequency can occur as often as the dispensing pharmacist deems appropriate to meet the patients compliance and adherence needs;
- For non-LTC patients the dispensing frequency should be no more often than monthly. If Frequent Dispensing more often than monthly is necessary for non-LTC patients, prescriber approval is required. Verbal approval is acceptable, provided that it is annotated by the pharmacist on the Prescription and

dated.

NOTE this rule does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement, Pharmaceutical Schedule or under rule 4.2.2 Trial Periods or rule 4.2.3 safety and co-prescribed medicines below.

Pharmacy would claim handling fees only on repeats under the above scenarios.

Prescribers can request, and pharmacists may dispense a higher frequency of dispensing in the following circumstances:

4.2.2 Trial Periods

The Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only);

and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial"; and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.2.3 Safety and co-prescribed medicines

a) The Community Pharmaceutical is any of the following:

- i) a tri-cyclic antidepressant; or
- ii) an antipsychotic; or
- iii) a benzodiazepine; or
- iv) a Class B Controlled Drug; or
- v) codeine (includes combination products)
- vi) buprenorphine with naloxone

All of the following conditions must be met:

The Community Pharmaceutical has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.1 above.

The prescribing Practitioner has:

- Assessed clinical risk and determined the patient requires Frequent Dispensing; and
- Specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

b) The Community Pharmaceutical is co-prescribed with one of the Community Pharmaceuticals listed in 4.2.3(a) above and has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.1 above. The dispensing pharmacist has:

- Assessed clinical risk and determined the patient requires Frequent Dispensing;
- Annotated the Prescription with the amended dispensing quantity and frequency.

4.3 Frequent Dispensing for Pharmaceutical Supply Management

4.3.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:

a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and

b) the dispensing pharmacist has:

- i) clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
- ii) initialled the annotation in their own handwriting; and
- iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V

MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 **Record Keeping**

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.

5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.

5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 **Pharmaceutical Cancer Treatments**

5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.

5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:

- a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
- b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
- c) is being used and funded as part of a paediatric oncology service; or
- d) was being used to treat the patient in question prior to 1 July 2005.

5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:

- a) Part 1;
- b) clauses 2.1 to 2.3;
- c) clauses 3.1 to 3.4; and
- d) clause 5.4,

of Section A of the Schedule

5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.

5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.

5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical

inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 **Practitioners prescribing unapproved Pharmaceuticals**

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 **Substitution**

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 **Alteration to Presentation of Pharmaceutical Dispensed**

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 **Conflict in Provisions**

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	4.50	30	✓ Gaviscon Infant
SIMETHICONE			
* Oral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml	1.50 (4.26)	500 ml	Mylanda P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	1.50 (4.95)	500 ml	Acidex
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE			
* Tab 600 mg	12.56	100	✓ Alu-Tab
CALCIUM CARBONATE			
Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement	39.00	500 ml	✓ Roxane
Only when prescribed for children under 12 years of age for use as a phosphate binding agent and the prescription is endorsed accordingly.			
Antidiarrhoeals			
Agents Which Reduce Motility			
DIPHENOXYLATE HYDROCHLORIDE WITH ATROPINE SULPHATE			
* Tab 2.5 mg with atropine sulphate 25 mcg	3.90	100	✓ Diastop
<i>(Diastop Tab 2.5 mg with atropine sulphate 25 mcg to be delisted 1 February 2014)</i>			
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO			
* Tab 2 mg	8.95	400	✓ Nodia
* Cap 2 mg	8.95	400	✓ Diamide Relief
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg – Special Authority see SA1155 on the next page – Retail pharmacy	166.50	90	✓ Entocort CIR

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA1155 Special Authority for Subsidy

Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
 - 2 Any of the following:
 - 2.1 Diabetes; or
 - 2.2 Cushingoid habitus; or
 - 2.3 Osteoporosis where there is significant risk of fracture; or
 - 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
 - 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
 - 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
 - 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)	25.30	21.1 g OP	✓ Colifoam
---	-------	-----------	-------------------

MESALAZINE

Tab 400 mg	49.50	100	✓ Asacol
Tab EC 500 mg	49.50	100	✓ Asamax
Tab long-acting 500 mg	59.05	100	✓ Pentasa
Modified release granules, 1 g sachet	141.72	120 OP	✓ Pentasa
Enema 1 g per 100 ml	44.12	7	✓ Pentasa
Suppos 500 mg	22.80	20	✓ Asacol
Suppos 1 g	50.96	28	✓ Pentasa

OLSALAZINE

Tab 500 mg	59.86	100	✓ Dipentum
Cap 250 mg	31.51	100	✓ Dipentum

SODIUM CROMOGLYCATE

Cap 100 mg	89.21	100	✓ Nalcrom
------------------	-------	-----	------------------

SULPHASALAZINE

* Tab 500 mg – For sulphasalazine oral liquid formulation refer, page 190	11.68	100	✓ Salazopyrin
* Tab EC 500 mg	12.89	100	✓ Salazopyrin EN

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cinchocaine hydrochloride 5 mg per g	6.35	30 g OP	✓ Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and cinchocaine hydrochloride 1 mg	2.66	12	✓ Ultraproct

HYDROCORTISONE WITH CINCHOCAINE

Oint 5 mg with cinchocaine hydrochloride 5 mg per g	15.00	30 g OP	✓ Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g	9.90	12	✓ Proctosedyl

Management of Anal Fissures

GLYCERYL TRINITRATE – Special Authority see SA1329 below – Retail pharmacy

* Oint 0.2%	22.00	30 g OP	✓ Rectogesic
-------------------	-------	---------	---------------------

►SA1329 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

Antispasmodics and Other Agents Altering Gut Motility

HYOSCINE N-BUTYLBROMIDE

* Tab 10 mg	1.48	20	✓ Gastrosoothe
* Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	9.57	5	✓ Buscopan

MEBEVERINE HYDROCHLORIDE

* Tab 135 mg	18.00	90	✓ Colofac
--------------------	-------	----	------------------

Antulcerants

Antisecretory and Cytoprotective

MISOPROSTOL

* Tab 200 mcg	52.70	120	✓ Cytotec
---------------------	-------	-----	------------------

Helicobacter Pylori Eradication

CLARITHROMYCIN

Tab 500 mg – Subsidy by endorsement	10.95	14	✓ Apo-Clarithromycin
a) Maximum of 14 tab per prescription			
b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.			

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxycillin or metronidazole.

H2 Antagonists

CIMETIDINE – Only on a prescription

* Tab 200 mg	5.00 (7.50)	100	Apo-Cimetidine
* Tab 400 mg	10.00 (12.00)	100	Apo-Cimetidine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
RANITIDINE HYDROCHLORIDE – Only on a prescription				
* Tab 150 mg	6.79	250	✓	Arrow-Ranitidine
* Tab 300 mg	9.34	250	✓	Arrow-Ranitidine
* Oral liq 150 mg per 10 ml	5.92	300 ml	✓	Peptisoothe
* Inj 25 mg per ml, 2 ml	8.75	5	✓	Zantac

Proton Pump Inhibitors

LANSOPRAZOLE				
* Cap 15 mg	2.00	28	✓	Solox
* Cap 30 mg	2.32	28	✓	Solox
OMEPRAZOLE				
For omeprazole suspension refer, page 193				
* Cap 10 mg	2.91	90	✓	Omezol Relief
* Cap 20 mg	3.78	90	✓	Omezol Relief
* Cap 40 mg	5.57	90	✓	Omezol Relief
* Powder – Only in combination	42.50	5 g	✓	Midwest
Only in extemporaneously compounded omeprazole suspension.				
* Inj 40 mg	28.65	5	✓	Dr Reddy's Omeprazole
PANTOPRAZOLE				
* Tab 20 mg	1.23	28	✓	Dr Reddy's Pantoprazole
* Tab 40 mg	1.54	28	✓	Dr Reddy's Pantoprazole

Site Protective Agents

BISMUTH TRIOXIDE				
Tab 120 mg	32.50	112	✓	De Nol ^{S29}
SUCRALFATE				
Tab 1 g	35.50 (48.28)	120		Carafate

Diabetes

Hyperglycaemic Agents

DIAZOXIDE – Special Authority see SA1320 below – Retail pharmacy				
Cap 25 mg – For diazoxide oral liquid formulation refer, page 190				
110.00	100	✓	Proglicem ^{S29}	
280.00	100	✓	Proglicem ^{S29}	

►SA1320 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

GLUCAGON HYDROCHLORIDE				
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	32.00	1	✓	Glucagen Hypokit

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Insulin - Short-acting Preparations				
INSULIN NEUTRAL				
▲ Inj human 100 u per ml	25.26	10 ml OP	✓	Actrapid
			✓	Humulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓	Actrapid Penfill
			✓	Humulin R
Insulin - Intermediate-acting Preparations				
INSULIN ASPART WITH INSULIN ASPART PROTAMINE				
▲ Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	✓	NovoMix 30 FlexPen
INSULIN ISOPHANE				
▲ Inj human 100 u per ml	17.68	10 ml OP	✓	Humulin NPH
			✓	Protaphane
▲ Inj human 100 u per ml, 3 ml	29.86	5	✓	Humulin NPH
			✓	Protaphane Penfill
INSULIN ISOPHANE WITH INSULIN NEUTRAL				
▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	✓	Humulin 30/70
			✓	Mixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓	Humulin 30/70
			✓	PenMix 30
			✓	PenMix 40
			✓	PenMix 50
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE				
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml	42.66	5	✓	Humalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml	42.66	5	✓	Humalog Mix 50
Insulin - Long-acting Preparations				
INSULIN GLARGINE				
▲ Inj 100 u per ml, 10 ml	63.00	1	✓	Lantus
▲ Inj 100 u per ml, 3 ml	94.50	5	✓	Lantus
▲ Inj 100 u per ml, 3 ml disposable pen	94.50	5	✓	Lantus SoloStar
Insulin - Rapid Acting Preparations				
INSULIN ASPART				
▲ Inj 100 u per ml, 3 ml	51.19	5	✓	NovoRapid Penfill
▲ Inj 100 u per ml, 10 ml	30.03	1	✓	NovoRapid
INSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	✓	Apidra
▲ Inj 100 u per ml, 3 ml	46.07	5	✓	Apidra
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	✓	Apidra SoloStar
INSULIN LISPRO				
▲ Inj 100 u per ml, 10 ml	34.92	10 ml OP	✓	Humalog
▲ Inj 100 u per ml, 3 ml	59.52	5	✓	Humalog

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Alpha Glucosidase Inhibitors

ACARBOSE

* Tab 50 mg	9.82	90	✓ <u>Accarb</u>
* Tab 100 mg	15.83	90	✓ <u>Accarb</u>

Oral Hypoglycaemic Agents

GLIBENCLAMIDE

* Tab 5 mg	5.00	100	✓ <u>Daonil</u>
------------------	------	-----	-----------------

GLICLAZIDE

* Tab 80 mg	17.60	500	✓ <u>Apo-Gliclazide</u>
-------------------	-------	-----	-------------------------

GLIPIZIDE

* Tab 5 mg	3.00	100	✓ <u>Minidiab</u>
------------------	------	-----	-------------------

METFORMIN HYDROCHLORIDE

* Tab immediate-release 500 mg	12.30	1,000	✓ <u>Apotex</u>
* Tab immediate-release 850 mg	10.10	500	✓ <u>Apotex</u>

PIOGLITAZONE

* Tab 15 mg	1.50	28	✓ <u>Pizaccord</u>
* Tab 30 mg	2.50	28	✓ <u>Pizaccord</u>
* Tab 45 mg	3.50	28	✓ <u>Pizaccord</u>

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO

Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis and is at risk of future episodes. Only one meter per patient will be subsidised every 5 years.

Meter	40.00	1	✓ <u>Freestyle Optium</u>
-------------	-------	---	---------------------------

KETONE BLOOD BETA-KETONE ELECTRODES

a) Maximum of 20 strip per prescription

b) Up to 10 strip available on a PSO

Test strip – Not on a BSO	15.50	10 strip OP	✓ <u>Freestyle Optium Ketone</u>
---------------------------------	-------	-------------	----------------------------------

SODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription

* Test strip – Not on a BSO	6.00	50 strip OP	✓ <u>Accu-Chek Ketur-Test</u>
	14.14		✓ <u>Ketostix</u>

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by endorsement

- Up to 1 pack available on a PSO
- Maximum of 1 pack per prescription
- A diagnostic blood glucose test meter is subsidised for a patient who:
 - is receiving insulin or sulphonylurea therapy; or
 - is pregnant with diabetes; or
 - is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
 - has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome.

Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test

strips	20.00	1 OP	✓ <u>CareSens II</u>
			✓ <u>CareSens N</u>
			✓ <u>CareSens N POP</u>

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP – Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed with insulin or a sulphonylurea but are on a different prescription and endorsed accordingly; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips – Note differing brand requirements

below	10.56	50 test OP	✓ <u>CareSens</u>
	28.75		✓ <u>CareSens N</u>
			✓ <u>Accu-Chek Performa</u>
			✓ <u>Freestyle Optium</u>

a) Accu-Chek Performa brand: Special Authority see SA1294 below – Retail pharmacy

b) Freestyle Optium brand: Special Authority see SA1291 below – Retail pharmacy

c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

►SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> and can be sent to:

PHARMAC

PO Box 10 254

Wellington

Facsimile: (04) 974 4788

Email: bgstrips@pharmac.govt.nz

►SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> and can be sent to:

PHARMAC

PO Box 10 254

Wellington

Facsimile: (04) 974 4788

Email: bgstrips@pharmac.govt.nz

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed with insulin or a sulphonylurea but are on a different prescription and endorsed accordingly; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

SensoCard blood glucose test strips are subsidised only if prescribed for a patient who is severely visually impaired and is using a SensoCard Plus Talking Blood Glucose Monitor.

Blood glucose test strips26.20 50 test OP ✓ **SensoCard**

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly.

INSULIN PEN NEEDLES – Maximum of 100 dev per prescription

* 29 g × 12.7 mm	3.15	30	✓ B-D Micro-Fine
	10.50	100	✓ B-D Micro-Fine
* 31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
* 31 g × 6 mm	10.50	100	✓ ABM
	(26.00)		NovoFine
* 31 g × 8 mm	3.15	30	✓ B-D Micro-Fine
	10.50	100	✓ B-D Micro-Fine
			✓ ABM
* 32 g × 4 mm	10.50	100	✓ B-D Micro-Fine

INSULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE – Maximum of 100 dev per prescription

* Syringe 0.3 ml with 29 g × 12.7 mm needle	1.30	10	
	(1.99)		B-D Ultra Fine
	13.00	100	✓ B-D Ultra Fine
* Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	✓ ABM
	1.30	10	
	(1.99)		B-D Ultra Fine II
	13.00	100	✓ B-D Ultra Fine II
* Syringe 0.5 ml with 29 g × 12.7 mm needle	1.30	10	
	(1.99)		B-D Ultra Fine
	13.00	100	✓ B-D Ultra Fine
* Syringe 0.5 ml with 31 g × 8 mm needle	1.30	10	
	(1.99)		B-D Ultra Fine II
	13.00	100	✓ B-D Ultra Fine II
* Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100	✓ ABM
	1.30	10	
	(1.99)		B-D Ultra Fine
	13.00	100	✓ B-D Ultra Fine
* Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ ABM
	1.30	10	
	(1.99)		B-D Ultra Fine II
	13.00	100	✓ B-D Ultra Fine II

(ABM Syringe 0.3 ml with 31 g × 8 mm needle to be delisted 1 December 2013)

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Insulin Pumps

INSULIN PUMP – Special Authority see SA1237 below – Retail pharmacy

a) Maximum of 1 dev per prescription			
b) Only on a prescription			
c) Maximum of 1 insulin pump per patient each four year period.			
Min basal rate 0.025 U/h; black colour	4,500.00	1	✓ Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	✓ Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	✓ Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	✓ Animas Vibe
Min basal rate 0.025 U/h; silver colour	4,500.00	1	✓ Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	✓ Paradigm 522
			✓ Paradigm 722

►SA1237 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The IPP Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 974 7806
PO Box 10 254	Email: ipp@pharmac.govt.nz

Wellington

Insulin Pump Consumables

►SA1240 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The IPP Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 974 7806
PO Box 10 254	Email: ipp@pharmac.govt.nz

Wellington

INSULIN PUMP ACCESSORIES – Special Authority see SA1240 above – Retail pharmacy

a) Maximum of 1 cap per prescription			
b) Only on a prescription			
c) Maximum of 1 prescription per 180 days.			
Battery cap	32.00	1	✓ Animas Battery Cap

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

INSULIN PUMP INFUSION SET (STEEL CANNULA) – Special Authority see SA1240 on the previous page – Retail pharmacy

a) Maximum of 3 sets per prescription

b) Only on a prescription

c) Maximum of 13 infusion sets will be funded per year.

10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×

10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-884
--------------------------	--------	------	--------------------------------------

10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×

10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-883
-------------------------------------	--------	------	-------------------------

10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×

10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-886
--------------------------	--------	------	--------------------------------------

10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×

10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-885
-------------------------------------	--------	------	-------------------------

6 mm steel cannula; straight insertion; 60 cm grey line × 10

with 10 needles	130.00	1 OP	✓ Contact-D
-----------------------	--------	------	--------------------

6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×

10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-864
--------------------------	--------	------	--------------------------------------

6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×

10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-863
-------------------------------------	--------	------	-------------------------

6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×

10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-866
--------------------------	--------	------	--------------------------------------

6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×

10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-865
-------------------------------------	--------	------	-------------------------

8 mm steel cannula; straight insertion; 110 cm grey line × 10

with 10 needles	130.00	1 OP	✓ Contact-D
-----------------------	--------	------	--------------------

8 mm steel cannula; straight insertion; 60 cm grey line × 10

with 10 needles	130.00	1 OP	✓ Contact-D
-----------------------	--------	------	--------------------

8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×

10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-874
--------------------------	--------	------	--------------------------------------

8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×

10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-873
-------------------------------------	--------	------	-------------------------

8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×

10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-876
--------------------------	--------	------	--------------------------------------

8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×

10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-875
-------------------------------------	--------	------	-------------------------

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) – Special Authority see SA1240 on page 32 – Retail pharmacy			
a) Maximum of 3 sets per prescription			
b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
13 mm teflon cannula; angle insertion; insertion device; 110 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset 30
13 mm teflon cannula; angle insertion; insertion device; 60 cm blue line × 10 with 10 needles	140.00	1 OP	✓ Inset 30
13 mm teflon cannula; angle insertion; insertion device; 60 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset 30
13 mm teflon cannula; angle insertion; insertion device; 60 cm pink line × 10 with 10 needles	140.00	1 OP	✓ Inset 30
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) – Special Authority see SA1240 on page 32 – Retail pharmacy			
a) Maximum of 3 sets per prescription			
b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
13 mm teflon cannula; angel insertion; 60 cm grey line × 5 with 10 needles	120.00	1 OP	✓ Comfort Short
13 mm teflon cannula; angle insertion; 120 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-382
13 mm teflon cannula; angle insertion; 45 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-368
13 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-381
13 mm teflon cannula; angle insertion; 80 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-383
17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-377
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm grey line × 5 with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-378
17 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-384

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) – Special Authority
see SA1240 on page 32 – Retail pharmacy

a) Maximum of 3 sets per prescription

b) Only on a prescription

c) Maximum of 13 infusion sets will be funded per year.

6 mm teflon cannula; straight insertion; insertion device; 110

cm grey line × 10 with 10 needles 140.00 1 OP ✓ Inset II

6 mm teflon cannula; straight insertion; insertion device; 45

cm blue tubing × 10 with 10 needles 130.00 1 OP ✓ Paradigm Mio
MMT-941

6 mm teflon cannula; straight insertion; insertion device; 45

cm pink tubing × 10 with 10 needles 130.00 1 OP ✓ Paradigm Mio
MMT-921

6 mm teflon cannula; straight insertion; insertion device; 60

cm blue tubing × 10 with 10 needles 130.00 1 OP ✓ Paradigm Mio
MMT-943

6 mm teflon cannula; straight insertion; insertion device; 60

cm pink tubing × 10 with 10 needles 130.00 1 OP ✓ Paradigm Mio
MMT-923

6 mm teflon cannula; straight insertion; insertion device; 80

cm blue tubing × 10 with 10 needles 130.00 1 OP ✓ Paradigm Mio
MMT-945

6 mm teflon cannula; straight insertion; insertion device; 80

cm clear tubing × 10 with 10 needles 130.00 1 OP ✓ Paradigm Mio
MMT-965

6 mm teflon cannula; straight insertion; insertion device; 80

cm pink tubing × 10 with 10 needles 130.00 1 OP ✓ Paradigm Mio
MMT-925

6 mm teflon cannula; straight insertion; insertion device; 60

cm blue line × 10 with 10 needles 140.00 1 OP ✓ Inset II

6 mm teflon cannula; straight insertion; insertion device; 60

cm grey line × 10 with 10 needles 140.00 1 OP ✓ Inset II

6 mm teflon cannula; straight insertion; insertion device; 60

cm pink line × 10 with 10 needles 140.00 1 OP ✓ Inset II

9 mm teflon cannula; straight insertion; insertion device; 60

cm blue line × 10 with 10 needles 140.00 1 OP ✓ Inset II

9 mm teflon cannula; straight insertion; insertion device; 60

cm grey line × 10 with 10 needles 140.00 1 OP ✓ Inset II

9 mm teflon cannula; straight insertion; insertion device; 60

cm pink line × 10 with 10 needles 140.00 1 OP ✓ Inset II

9 mm teflon cannula; straight insertion; insertion device; 80

cm clear tubing × 10 with 10 needles 130.00 1 OP ✓ Paradigm Mio
MMT-975

9 mm teflon cannula; straight insertion; insertion device; 110

cm grey line × 10 with 10 needles 140.00 1 OP ✓ Inset II

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) – Special Authority see SA1240 on page 32 – Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Quick-Set MMT-398
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	✓	Quick-Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Quick-Set MMT-399
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	✓	Quick-Set MMT-393
6 mm teflon cannula; straight insertion; 80 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Quick-Set MMT-387
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Quick-Set MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	✓	Quick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Quick-Set MMT-397
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	✓	Quick-Set MMT-392
9 mm teflon cannula; straight insertion; 80 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Quick-Set MMT-386
INSULIN PUMP RESERVOIR – Special Authority see SA1240 on page 32 – Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 packs of reservoir sets will be funded per year.				
10 × luer lock conversion cartridges 1.8 ml for Paradigm pumps	50.00	1 OP	✓	ADR Cartridge 1.8
10 × luer lock conversion cartridges 3.0 ml for Paradigm pumps	50.00	1 OP	✓	ADR Cartridge 3.0
Cartridge 200 U, luer lock × 10	50.00	1 OP	✓	Animas Cartridge
Cartridge for 5 and 7 series pump; 1.8 ml × 10	50.00	1 OP	✓	Paradigm 1.8 Reservoir
Cartridge for 7 series pump; 3.0 ml × 10	50.00	1 OP	✓	Paradigm 3.0 Reservoir
Syringe and cartridge for 50X pump, 3.0 ml × 10	50.00	1 OP	✓	50X 3.0 Reservoir

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Digestives Including Enzymes

PANCREATIC ENZYME

Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease	34.93	100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease	94.38	100	✓ Creon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease	94.40	100	✓ Panzytrat

URSODEOXYCHOLIC ACID – Special Authority see SA1383 below – Retail pharmacy

Cap 250 mg – For ursodeoxycholic acid oral liquid formula- tion refer, page 190.....	71.50	100	✓ Ursosan
---	-------	-----	-----------

►SA1383 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner.

Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogeneic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription

* Powder for oral soln	5.51	500 g OP	✓ Konsyl-D
------------------------------	------	----------	-------------------

MUCILAGINOUS LAXATIVES WITH STIMULANTS

* Dry	2.41	200 g OP	
	(8.72)		Normacol Plus
	6.02	500 g OP	
	(17.32)		Normacol Plus

Faecal Softeners

DOCUSATE SODIUM – Only on a prescription

* Cap 50 mg	2.57	100	✓ Laxofast 50
* Cap 120 mg	3.48	100	✓ Laxofast 120
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl

DOCUSATE SODIUM WITH SENNOSIDES

* Tab 50 mg with total sennosides 8 mg	6.38	200	✓ Laxsol
--	------	-----	-----------------

POLOXAMER – Only on a prescription

Not funded for use in the ear.

* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
------------------------	------	----------	------------------

Osmotic Laxatives

GLYCEROL

* Suppos 3.6 g – Only on a prescription	6.50	20	✓ PSM
---	------	----	--------------

LACTULOSE – Only on a prescription

* Oral liq 10 g per 15 ml	7.68	1,000 ml	✓ Laevolac
---------------------------------	------	----------	-------------------

MACROGOL 3350 – Special Authority see SA0891 below – Retail pharmacy

Powder 13.125 g, sachets – Maximum of 60 sach per pre-			
scription	10.00	30	✓ Lax-Sachets
	18.14		✓ Movicol

(Movicol Powder 13.125 g, sachets to be delisted 1 December 2013)

►SA0891 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months where the patient has problematic constipation requiring intervention with a per rectal preparation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SODIUM ACID PHOSPHATE – Only on a prescription				
Enema 16% with sodium phosphate 8%	2.50	1	✓	Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE – Only on a prescription				
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml, 5 ml	19.95	50	✓	Micolette
Stimulant Laxatives				
BISACODYL – Only on a prescription				
* Tab 5 mg	4.99	200	✓	Lax-Tab
* Suppos 5 mg	3.00	6	✓	Dulcolax
* Suppos 10 mg	3.00	6	✓	Dulcolax
DANTHRON WITH POLOXAMER – Only on a prescription				
Note: Only for the prevention or treatment of constipation in the terminally ill.				
Oral liq 25 mg with poloxamer 200 mg per 5 ml	21.30	300 ml	✓	Pinorax
Oral liq 75 mg with poloxamer 1 g per 5 ml	43.60	300 ml	✓	Pinorax Forte
SENNA – Only on a prescription				
* Tab, standardised	0.43	20		
	(1.72)			Senokot
	2.17	100		
	(6.16)			Senokot

Metabolic Disorder Agents

Gaucher's Disease

IMIGLUCERASE – Special Authority see SA0473 below – Retail pharmacy

Inj 40 iu per ml, 200 iu vial	1,072.00	1	✓	Cerezyme
Inj 40 iu per ml, 400 iu vial	2,144.00	1	✓	Cerezyme

►SA0473 | Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Co-ordinator, Gaucher's Treatment Panel	Phone: (04) 460 4990
PHARMAC, PO Box 10 254	Facsimile: (04) 916 7571
Wellington	Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE				
Soln 0.15%	3.60	200 ml		
	(8.50)			Difflam
	9.00	500 ml		
	(17.01)			Difflam
CHLORHEXIDINE GLUCONATE				
Mouthwash 0.2%	2.68	200 ml OP	✓	healthE

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE				
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06 (5.62)	15 g OP		Bonjela
SODIUM CARBOXYMETHYLCELLULOSE				
With pectin and gelatin paste	17.20 1.52 (3.60)	56 g OP 5 g OP	✓	Stomahesive
	4.55 (7.90)	15 g OP		Orabase
With pectin and gelatin powder	8.48 (10.95)	28 g OP		Orabase Stomahesive
TRIAMCINOLONE ACETONIDE				
0.1% in Dental Paste USP	4.34	5 g OP	✓	Oracort

Oropharyngeal Anti-infectives

AMPHOTERICIN B				
Lozenges 10 mg	5.86	20	✓	Fungilin
MICONAZOLE				
Oral gel 20 mg per g	4.95	40 g OP	✓	Decozol
NYSTATIN				
Oral liq 100,000 u per ml	3.19	24 ml OP	✓	Niostat

Other Oral Agents

For folinic mouthwash, pilocarpine oral liquid or saliva substitute formula refer, page 193

HYDROGEN PEROXIDE				
* Soln 10 vol – Maximum of 200 ml per prescription.....	1.28	100 ml	✓	PSM
THYMOL GLYCERIN				
* Compound, BPC	9.15	500 ml	✓	PSM

Vitamins

Alpha tocopheryl acetate is available fully subsidised for specific patients at the Medical Director of PHARMAC's discretion. Refer to PHARMAC website www.pharmac.govt.nz for the "Alpha tocopheryl acetate information sheet and application form".

Vitamin A

VITAMIN A WITH VITAMINS D AND C				
* Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	4.50	10 ml OP	✓	Vitadol C

Vitamin B

HYDROXOCOBALAMIN				
* Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO	5.10	3	✓	ABM Hydroxocobalamin
PYRIDOXINE HYDROCHLORIDE				
a) No more than 100 mg per dose				
b) Only on a prescription				
* Tab 25 mg – No patient co-payment payable	2.20	90	✓	PyridoxADE
* Tab 50 mg	12.16	500	✓	Apo-Pyridoxine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
THIAMINE HYDROCHLORIDE – Only on a prescription				
* Tab 50 mg	5.62	100	✓	Apo-Thiamine
VITAMIN B COMPLEX				
* Tab, strong, BPC	4.30	500	✓	B-PlexADE
			✓	Bplex
(B-PlexADE Tab, strong, BPC to be delisted 1 January 2014)				
Vitamin C				
ASCORBIC ACID				
a) No more than 100 mg per dose				
b) Only on a prescription				
* Tab 100 mg	7.00	500	✓	Cvite
			✓	Vitala-C
(Vitala-C Tab 100 mg to be delisted 1 January 2014)				
Vitamin D				
ALFACALCIDOL				
* Cap 0.25 mcg	26.32	100	✓	One-Alpha
* Cap 1 mcg	87.98	100	✓	One-Alpha
* Oral drops 2 mcg per ml	60.68	20 ml OP	✓	One-Alpha
CALCITRIOL				
* Cap 0.25 mcg	3.03	30	✓	Airflow
	10.10	100	✓	Calcitriol-AFT
* Cap 0.5 mcg	5.62	30	✓	Airflow
	18.73	100	✓	Calcitriol-AFT
* Oral liq 1 mcg per ml	39.40	10 ml OP	✓	Rocaltrol solution
(Rocaltrol solution Oral liq 1 mcg per ml to be delisted 1 February 2014)				
CHOLECALCIFEROL				
* Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription	7.76	12	✓	Cal-d-Forte
Multivitamin Preparations				
MULTIVITAMINS – Special Authority see SA1036 below – Retail pharmacy				
* Powder	72.00	200 g OP	✓	Paediatric Seravit
▶SA1036 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.				
Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.				
VITAMINS				
* Tab (BPC cap strength)	7.60	1,000	✓	MultiADE
			✓	Mvite
* Cap (fat soluble vitamins A, D, E, K) – Special Authority see SA1002 on the next page – Retail pharmacy	23.40	60	✓	Vitabdeck
(MultiADE Tab (BPC cap strength) to be delisted 1 January 2014)				

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Minerals

Calcium

CALCIUM CARBONATE

* Tab eff 1.75 g (1 g elemental)	6.21	30	✓ Calsource
* Tab 1.25 g (500 mg elemental)	6.38	250	✓ Arrow-Calcium

CALCIUM GLUCONATE

* Inj 10%, 10 ml	21.40	10	✓ Mayne
------------------------	-------	----	----------------

Fluoride

SODIUM FLUORIDE

* Tab 1.1 mg (0.5 mg elemental)	5.00	100	✓ PSM
---------------------------------------	------	-----	--------------

Iodine

POTASSIUM IODATE

* Tab 256 mcg (150 mcg elemental iodine)	6.53	90	✓ NeuroKare
--	------	----	--------------------

Iron

FERROUS FUMARATE

* Tab 200 mg (65 mg elemental)	4.35	100	✓ Ferro-tab
--------------------------------------	------	-----	--------------------

FERROUS FUMARATE WITH FOLIC ACID

* Tab 310 mg (100 mg elemental) with folic acid 350 mcg	4.75	60	✓ Ferro-F-Tabs
---	------	----	-----------------------

FERROUS SULPHATE

* Tab long-acting 325 mg (105 mg elemental)	1.01	30	
	(4.26)		Ferrograd
	5.06	150	
	(15.58)		Ferrograd
* ‡ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)	10.30	500 ml	✓ Ferodan

FERROUS SULPHATE WITH FOLIC ACID

* Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg	1.80	30	
	(4.29)		Ferrograd F

IRON POLYMALTOSE

* Inj 50 mg per ml, 2 ml	19.90	5	✓ Ferrum H
--------------------------------	-------	---	-------------------

Magnesium

For magnesium hydroxide mixture refer, page 193

MAGNESIUM SULPHATE

* Inj 2 mmol per ml, 5 ml	18.35	10	✓ Martindale
	26.60		✓ Mayne

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Zinc				
ZINC SULPHATE				
* Cap 137.4 mg (50 mg elemental)	11.00	100	✓	<u>Zincaps</u>

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Antianaemics

Hypoplastic and Haemolytic

►SA0922 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Both:
 - 1.1 patient in chronic renal failure; and
 - 1.2 Haemoglobin \leq 100g/L; and
- 2 Any of the following:
 - 2.1 Both:
 - 2.1.1 patient is not diabetic; and
 - 2.1.2 glomerular filtration rate \leq 30ml/min; or
 - 2.2 Both:
 - 2.2.1 patient is diabetic; and
 - 2.2.2 glomerular filtration rate \leq 45ml/min; or
 - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockcroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = $(140 - \text{age}) \times \text{Ideal Body Weight (kg)} / 814 \times \text{serum creatinine (mmol/l)}$

GFR (ml/min) (female) = Estimated GFR (male) \times 0.85

ERYTHROPOIETIN ALPHA – Special Authority see SA0922 above – Retail pharmacy

Inj human recombinant 1,000 iu, prefilled syringe	48.68	6	✓ Eprex
Inj human recombinant 2,000 iu, prefilled syringe	120.18	6	✓ Eprex
Inj human recombinant 3,000 iu, prefilled syringe	166.87	6	✓ Eprex
Inj human recombinant 4,000 iu, prefilled syringe	193.13	6	✓ Eprex
Inj human recombinant 5,000 iu, prefilled syringe	243.26	6	✓ Eprex
Inj human recombinant 6,000 iu, prefilled syringe	291.92	6	✓ Eprex
Inj human recombinant 10,000 iu, prefilled syringe	395.18	6	✓ Eprex

ERYTHROPOIETIN BETA – Special Authority see SA0922 above – Retail pharmacy

Inj 2,000 iu, prefilled syringe	120.18	6	✓ NeoRecormon
Inj 3,000 iu, prefilled syringe	166.87	6	✓ NeoRecormon
Inj 4,000 iu, prefilled syringe	193.13	6	✓ NeoRecormon
Inj 5,000 iu, prefilled syringe	243.26	6	✓ NeoRecormon
Inj 6,000 iu, prefilled syringe	291.29	6	✓ NeoRecormon
Inj 10,000 iu, prefilled syringe	395.18	6	✓ NeoRecormon

Megaloblastic

FOLIC ACID

* Tab 0.8 mg	19.80	1,000	✓ Apo-Folic Acid
* Tab 5 mg	10.21	500	✓ Apo-Folic Acid
Oral liq 50 mcg per ml	24.00	25 ml OP	✓ Biomed

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Antifibrinolytics, Haemostatics and Local Sclerosants

SODIUM TETRADECYL SULPHATE

* Inj 3% 2 ml	28.50 (73.00)	5	Fibro-vein
---------------------	------------------	---	------------

TRANEXAMIC ACID

Tab 500 mg	32.92	100	✓ Cyklokapon
------------------	-------	-----	--------------

Vitamin K

PHYTOMENADIONE

Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8.00	5	✓ Konaktion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO	9.21	5	✓ Konaktion MM

Antithrombotic Agents

Antiplatelet Agents

ASPIRIN

* Tab 100 mg	14.00	990	✓ Ethics Aspirin EC
--------------------	-------	-----	---------------------

CLOPIDOGREL

* Tab 75 mg – For clopidogrel oral liquid formulation refer, page 190	5.48 16.25	84 90	✓ Arrow - Clopid ✓ Apo-Clopidogrel
---	---------------	----------	---------------------------------------

DIPYRIDAMOLE

* Tab 25 mg – For dipyridamole oral liquid formulation refer, page 190	8.36	84	✓ Persantin
* Tab long-acting 150 mg	11.52	60	✓ Pytazen SR

PRASUGREL – Special Authority see SA1201 below – Retail pharmacy

Tab 5 mg	108.00	28	✓ Effient
Tab 10 mg	120.00	28	✓ Effient

►SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thrombosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR – Special Authority see SA1382 on the next page – Retail pharmacy

* Tab 90 mg	90.00	56	✓ Brilinta
-------------------	-------	----	------------

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

►SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
- 1 Patient has recently been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
 - 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
- 1 Patient has recently been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
 - 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALTEPARIN SODIUM – Special Authority see SA1270 below – Retail pharmacy

Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	✓ Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	✓ Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	✓ Fragmin

►SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Either:
- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
 - 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

- Any of the following:
- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
 - 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
 - 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
 - 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
 - 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Either:
- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
 - 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ENOXAPARIN SODIUM – Special Authority see SA1174 below – Retail pharmacy				
Inj 20 mg	37.24	10	✓	<u>Clexane</u>
Inj 40 mg	49.69	10	✓	<u>Clexane</u>
Inj 60 mg	74.91	10	✓	<u>Clexane</u>
Inj 80 mg	99.86	10	✓	<u>Clexane</u>
Inj 100 mg	125.06	10	✓	<u>Clexane</u>
Inj 120 mg	155.40	10	✓	<u>Clexane</u>
Inj 150 mg	177.60	10	✓	<u>Clexane</u>
►SA1174 Special Authority for Subsidy				
Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:				
Either:				
1 Low molecular weight heparin treatment is required during a patients pregnancy; or				
2 For the treatment of venous thromboembolism where the patient has a malignancy.				
Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:				
Any of the following:				
1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or				
2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or				
3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or				
4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or				
5 To be used in association with cardioversion of atrial fibrillation.				
Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:				
Either:				
1 Low molecular weight heparin treatment is required during a patient's pregnancy; or				
2 For the treatment of venous thromboembolism where the patient has a malignancy.				
Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).				
HEPARIN SODIUM				
Inj 1,000 iu per ml, 5 ml	13.36	10	✓	<u>Mayne</u>
	66.80	50	✓	<u>Mayne</u>
	11.44	10	✓	<u>Pfizer</u>
	46.30	50	✓	<u>Pfizer</u>
Inj 1,000 iu per ml, 35 ml	16.00	1	✓	<u>Mayne</u>
Inj 5,000 iu per ml, 1 ml	14.20	5	✓	<u>Mayne</u>
Inj 5,000 iu per ml, 5 ml	182.00	50	✓	<u>Pfizer</u>
Inj 25,000 iu per ml, 0.2 ml	9.50	5	✓	<u>Mayne</u>
HEPARINISED SALINE				
* Inj 10 iu per ml, 5 ml	32.50	50	✓	<u>Pfizer</u>
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml	22.40	10		
	(101.61)			Artex ^{\$29}

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg – No more than 2 cap per day	148.00	60	✓	Pradaxa
Cap 110 mg	148.00	60	✓	Pradaxa
Cap 150 mg	148.00	60	✓	Pradaxa
RIVAROXABAN – Special Authority see SA1066 below – Retail pharmacy				
Tab 10 mg	153.00	15	✓	Xarelto
►SA1066 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria:				
Either:				
1 For the prophylaxis of venous thromboembolism following a total hip replacement; or				
2 For the prophylaxis of venous thromboembolism following a total knee replacement.				
Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.				
Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.				
WARFARIN SODIUM				
Note: Marevan and Coumadin are not interchangeable.				
* Tab 1 mg	3.46	50	✓	Coumadin
	6.86	100	✓	Marevan
* Tab 2 mg	4.31	50	✓	Coumadin
* Tab 3 mg	9.70	100	✓	Marevan
* Tab 5 mg	5.93	50	✓	Coumadin
	11.75	100	✓	Marevan
Blood Colony-stimulating Factors				
FILGRASTIM – Special Authority see SA1259 below – Retail pharmacy				
Inj 300 mcg per 0.5 ml prefilled syringe	540.00	5	✓	Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	864.00	5	✓	Zarzio
►SA1259 Special Authority for Subsidy				
Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:				
Any of the following:				
1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%$); or				
2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or				
3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or				
4 Treatment of severe chronic neutropenia ($ANC < 0.5 \times 10^9/L$); or				
5 Treatment of drug-induced prolonged neutropenia ($ANC < 0.5 \times 10^9/L$).				
Note: *Febrile neutropenia risk $\geq 20\%$ after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.				
PEGFILGRASTIM – Special Authority see SA1384 on the next page – Retail pharmacy				
Inj 6 mg per 0.6 ml syringe	1,080.00	1	✓	Neulastim

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%$).

Note: *Febrile neutropenia risk $\geq 20\%$ after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

Intravenous Administration

DEXTROSE

* Inj 50%, 10 ml – Up to 5 inj available on a PSO	19.50	5	✓ Biomed
* Inj 50%, 90 ml – Up to 5 inj available on a PSO	11.25	1	✓ Biomed

POTASSIUM CHLORIDE

* Inj 75 mg per ml, 10 ml	55.00	50	✓ AstraZeneca
---------------------------------	-------	----	----------------------

SODIUM BICARBONATE

Inj 8.4%, 50 ml	19.95	1	✓ Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			
Inj 8.4%, 100 ml	20.50	1	✓ Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			

SODIUM CHLORIDE

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser use.

Inf 0.9% – Up to 2000 ml available on a PSO	3.06	500 ml	✓ Baxter
	4.06	1,000 ml	✓ Baxter

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1,000 ml packs)

Inj 23.4%, 20 ml	31.25	5	✓ Biomed
For Sodium chloride oral liquid formulation refer Standard Formulae, page 193			
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO	10.85	50	✓ Multichem
	15.50		✓ Pfizer
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO	11.50	50	✓ Multichem
	15.50		✓ Pfizer
Inj 0.9%, 20 ml	4.72	6	✓ Pharmacia
	11.79	30	✓ Pharmacia
	8.41	20	✓ Multichem

TOTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Specialist

Infusion	CBS	1 OP	✓ TPN
----------------	-----	------	--------------

WATER

1) On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or			
2) On a bulk supply order; or			
3) When used in the extemporaneous compounding of eye drops.			
Purified for inj, 5 ml – Up to 5 inj available on a PSO	10.25	50	✓ Multichem
Purified for inj, 10 ml – Up to 5 inj available on a PSO	11.25	50	✓ Multichem
Purified for inj, 20 ml – Up to 5 inj available on a PSO	6.50	20	✓ Multichem

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	✓	Calcium Resonium
COMPOUND ELECTROLYTES				
Powder for soln for oral use 4.4 g – Up to 10 sach available on a PSO	1.12	5	✓	Electral
DEXTROSE WITH ELECTROLYTES				
Soln with electrolytes	6.55	1,000 ml OP	✓	Pedialyte - Bubblegum
POTASSIUM BICARBONATE				
Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg	82.50	100	✓	Phosphate-Sandoz
For phosphate supplementation				
POTASSIUM CHLORIDE				
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26 (11.85)	60		Chlorvescent
* Tab long-acting 600 mg	7.42	200	✓	<u>Span-K</u>
SODIUM BICARBONATE				
Cap 840 mg	8.52	100	✓	Sodibic
SODIUM POLYSTYRENE SULPHONATE				
Powder	89.10	450 g OP	✓	Resonium-A

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Alpha Adrenoceptor Blockers

DOXAZOSIN

* Tab 2 mg	8.23	500	✓ <u>Apo-Doxazosin</u>
* Tab 4 mg	12.40	500	✓ <u>Apo-Doxazosin</u>

PHENOXYBENZAMINE HYDROCHLORIDE

* Cap 10 mg	7.82	30	✓ <u>Dibenylene</u> ^{S29}
	26.05	100	✓ <u>Dibenylene</u> ^{S29}

PRAZOSIN

* Tab 1 mg	5.53	100	✓ <u>Apo-Prazo</u>
* Tab 2 mg	7.00	100	✓ <u>Apo-Prazo</u>
* Tab 5 mg	11.70	100	✓ <u>Apo-Prazo</u>

TERAZOSIN

* Tab 1 mg	0.50	28	✓ <u>Arrow</u>
* Tab 2 mg	0.45	28	✓ <u>Arrow</u>
* Tab 5 mg	0.68	28	✓ <u>Arrow</u>

Agents Affecting the Renin-Angiotensin System

ACE Inhibitors

CAPTOPRIL

* Tab 12.5 mg	2.00	100	✓ <u>m-Captopril</u>
* Tab 25 mg	2.40	100	✓ <u>m-Captopril</u>
* Tab 50 mg	3.50	100	✓ <u>m-Captopril</u>
* ‡ Oral liq 5 mg per ml	94.99	95 ml OP	✓ <u>Capoten</u>

Oral liquid restricted to children under 12 years of age.

CILAZAPRIL

* Tab 0.5 mg	2.00	90	✓ <u>Zapril</u>
* Tab 2.5 mg	4.31	90	✓ <u>Zapril</u>
* Tab 5 mg	6.98	90	✓ <u>Zapril</u>

ENALAPRIL MALEATE – Brand switch fee payable (Pharmacode 2445441) - see page 188 for details

* Tab 5 mg	0.36	30	✓ <u>Acetec</u>
	5.94	500	✓ <u>Acetec</u>
	1.07	90	✓ <u>m-Enalapril</u>
	1.19	100	✓ <u>Ethics Enalapril</u>
* Tab 10 mg	0.44	30	✓ <u>Acetec</u>
	7.33	500	✓ <u>Acetec</u>
	1.32	90	✓ <u>m-Enalapril</u>
	1.47	100	✓ <u>Ethics Enalapril</u>
* Tab 20 mg – For enalapril maleate oral liquid formulation re- fer, page 190	0.57	30	✓ <u>Acetec</u>
	1.72	90	✓ <u>m-Enalapril</u>
	1.91	100	✓ <u>Ethics Enalapril</u>

LISINOPRIL

* Tab 5 mg	3.58	90	✓ <u>Arrow-Lisinopril</u>
* Tab 10 mg	4.08	90	✓ <u>Arrow-Lisinopril</u>
* Tab 20 mg	4.88	90	✓ <u>Arrow-Lisinopril</u>

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PERINDOPRIL				
* Tab 2 mg	3.75 (18.50)	30	✓	Apo-Perindopril Coversyl
* Tab 4 mg	4.80 (25.00)	30	✓	Apo-Perindopril Coversyl
QUINAPRIL				
* Tab 5 mg	3.44	90	✓	Arrow-Quinapril 5
* Tab 10 mg	4.64	90	✓	Arrow-Quinapril 10
* Tab 20 mg	6.34	90	✓	Arrow-Quinapril 20
TRANDOLAPRIL				
Higher subsidy by endorsement is available for patients who were taking trandolapril for the treatment of congestive heart failure prior to 1 June 1998. The prescription must be endorsed accordingly. We recommend that the words used to indicate eligibility are "certified condition" or an appropriate description of the patient such as "congestive heart failure", "CHF", "congestive cardiac failure" or "CCF". For the purposes of this endorsement, congestive heart failure includes patients post myocardial infarction with an ejection fraction of less than 40%. Patients who started on trandolapril after 1 June 1998 are not eligible for full subsidy by endorsement.				
* Cap 1 mg – Higher subsidy of \$18.67 per 28 cap with En- dorsement.....	3.06 (18.67)	28		Gopten
* Cap 2 mg – Higher subsidy of \$27.00 per 28 cap with En- dorsement.....	4.43 (27.00)	28		Gopten

ACE Inhibitors with Diuretics

CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	5.36	28	✓	Inhibace Plus
ENALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32 (8.70)	30		Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 10 mg with hydrochlorothiazide 12.5 mg	3.37	30	✓	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg	4.57	30	✓	Accuretic 20

Angiotension II Antagonists

CANDESARTAN CILEXETIL – Special Authority see SA1223 below – Retail pharmacy				
* Tab 4 mg	4.13	90	✓	Candestar
* Tab 8 mg	6.10	90	✓	Candestar
* Tab 16 mg	10.18	90	✓	Candestar
* Tab 32 mg	17.66	90	✓	Candestar

►SA1223 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retriial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LOSARTAN POTASSIUM				
* Tab 12.5 mg	2.88	90	✓	<u>Losarta</u>
* Tab 25 mg	3.20	90	✓	<u>Losarta</u>
* Tab 50 mg	5.22	90	✓	<u>Losarta</u>
* Tab 100 mg	8.68	90	✓	<u>Losarta</u>
Angiotension II Antagonists with Diuretics				
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE				
Tab 50 mg with hydrochlorothiazide 12.5 mg	4.89	30	✓	<u>Arrow-Losartan & Hydrochlorothiazide</u>
Antiarrhythmics				
For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 118				
AMIODARONE HYDROCHLORIDE				
▲ Tab 100 mg – Retail pharmacy-Specialist	18.65	30	✓	<u>Aratac</u>
▲ Tab 200 mg – Retail pharmacy-Specialist	30.52	30	✓	<u>Cordarone-X</u>
Inj 50 mg per ml, 3 ml ampoule – Up to 6 inj available on a PSO	22.80	6	✓	<u>Aratac</u>
			✓	<u>Cordarone-X</u>
ATROPINE SULPHATE				
* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	71.00	50	✓	<u>AstraZeneca</u>
DIGOXIN				
* Tab 62.5 mcg – Up to 30 tab available on a PSO	6.67	240	✓	<u>Lanoxin PG</u>
* Tab 250 mcg – Up to 30 tab available on a PSO	14.52	240	✓	<u>Lanoxin</u>
*‡ Oral liq 50 mcg per ml	16.60	60 ml	✓	<u>Lanoxin</u>
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	15.00	100		Rythmodan
	(23.87)		✓	<u>Rythmodan</u>
▲ Cap 150 mg	26.21	100		
FLECAINIDE ACETATE – Retail pharmacy-Specialist				
▲ Tab 50 mg	45.82	60	✓	<u>Tambocor</u>
▲ Tab 100 mg – For flecainide acetate oral liquid formulation refer, page 190	80.92	60	✓	<u>Tambocor</u>
▲ Cap long-acting 100 mg	45.82	30	✓	<u>Tambocor CR</u>
▲ Cap long-acting 200 mg	80.92	30	✓	<u>Tambocor CR</u>
Inj 10 mg per ml, 15 ml ampoule	52.45	5	✓	<u>Tambocor</u>
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	65.00	100	✓	<u>Mexiletine Hydrochloride USP</u> ^{S29}
▲ Cap 250 mg	102.00	100	✓	<u>Mexiletine Hydrochloride USP</u> ^{S29}
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Specialist				
▲ Tab 150 mg	40.90	50	✓	<u>Rytmonorm</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Antihypotensives

MIDODRINE – Special Authority see SA0934 below – Retail pharmacy

Tab 2.5 mg	53.00	100	✓ Gutron
Tab 5 mg	79.00	100	✓ Gutron

SA0934 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATENOLOL

* Tab 50 mg	5.56	500	✓ Mylan Atenolol
* Tab 100 mg	9.12	500	✓ Mylan Atenolol
* Oral liq 25 mg per 5 ml	21.25	300 ml OP	✓ Atenolol AFT ^{S29}

Restricted to children under 12 years of age.

BISOPROLOL

Tab 2.5 mg	3.88	30	✓ Bosvate
Tab 5 mg	4.74	30	✓ Bosvate
Tab 10 mg	9.18	30	✓ Bosvate

CARVEDILOL

* Tab 6.25 mg	21.00	30	✓ Dilatrend
* Tab 12.5 mg	27.00	30	✓ Dilatrend
* Tab 25 mg – For carvedilol oral liquid formulation refer, page 190	33.75	30	✓ Dilatrend

CELIPROLOL

* Tab 200 mg	19.00	180	✓ Celol
--------------------	-------	-----	---------

LABELTALOL

* Tab 50 mg	8.23	100	✓ Hybloc
* Tab 100 mg – For labetalol oral liquid formulation refer, page 190	10.06	100	✓ Hybloc
* Tab 200 mg	17.55	100	✓ Hybloc
* Inj 5 mg per ml, 20 ml ampoule	59.06	5	
	(88.60)		Trandate

METOPROLOL SUCCINATE

* Tab long-acting 23.75 mg	0.96	30	✓ Metoprolol - AFT CR
* Tab long-acting 47.5 mg	1.41	30	✓ Metoprolol - AFT CR
* Tab long-acting 95 mg	2.42	30	✓ Metoprolol - AFT CR
* Tab long-acting 190 mg	4.66	30	✓ Metoprolol - AFT CR

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
METOPROLOL TARTRATE				
* Tab 50 mg – For metoprolol tartrate oral liquid formulation refer, page 190	16.00	100	✓	<u>Lopresor</u>
* Tab 100 mg	21.00	60	✓	<u>Lopresor</u>
* Tab long-acting 200 mg	18.00	28	✓	<u>Slow-Lopresor</u>
* Inj 1 mg per ml, 5 ml vial	24.00	5	✓	<u>Lopresor</u>
NADOLOL				
* Tab 40 mg	15.57	100	✓	<u>Apo-Nadolol</u>
* Tab 80 mg	23.74	100	✓	<u>Apo-Nadolol</u>
PINDOLOL				
* Tab 5 mg	9.72	100	✓	<u>Apo-Pindolol</u>
* Tab 10 mg	15.62	100	✓	<u>Apo-Pindolol</u>
* Tab 15 mg	23.46	100	✓	<u>Apo-Pindolol</u>
PROPRANOLOL				
* Tab 10 mg	3.65	100	✓	<u>Apo-Propranolol</u> <small>\$29</small>
* Tab 40 mg	4.65	100	✓	<u>Apo-Propranolol</u> <small>\$29</small>
* Cap long-acting 160 mg	16.06	100	✓	<u>Cardinol LA</u>
* Oral liq 4 mg per ml – Special Authority see SA1327 below – Retail pharmacy	CBS	500 ml	✓	<u>Roxane</u> <small>\$29</small>

►SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrhythmias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrhythmias or congenital cardiac abnormalities.

SOTALOL

* Tab 80 mg – For sotalol oral liquid formulation refer, page 190	27.50	500	✓	<u>Mylan</u>
* Tab 160 mg	10.50	100	✓	<u>Mylan</u>
* Inj 10 mg per ml, 4 ml ampoule	65.39	5	✓	<u>Sotacor</u>

TIMOLOL MALEATE

* Tab 10 mg	10.55	100	✓	<u>Apo-Timol</u>
-------------------	-------	-----	---	------------------

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

AMLODIPINE

* Tab 2.5 mg	2.45	100	✓	<u>Apo-Amlodipine</u>
* Tab 5 mg – For amlodipine oral liquid formulation refer, page 190	2.65	100	✓	<u>Apo-Amlodipine</u>
* Tab 10 mg	4.15	100	✓	<u>Apo-Amlodipine</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
FELODIPINE				
* Tab long-acting 2.5 mg	2.90	30	✓	Plendil ER
* Tab long-acting 5 mg	3.10	30	✓	Plendil ER
* Tab long-acting 10 mg	4.60	30	✓	Plendil ER
ISRADIPINE				
* Cap long-acting 2.5 mg	7.50	30	✓	Dynacirc-SRO
* Cap long-acting 5 mg	7.85	30	✓	Dynacirc-SRO
NIFEDIPINE				
* Tab long-acting 10 mg	17.72	60	✓	Adalat 10
* Tab long-acting 20 mg	9.59	100	✓	Nyefax Retard
* Tab long-acting 30 mg	8.56	30	✓	Adefin XL
	5.50		✓	Arrow-Nifedipine XR
	(19.90)			Adalat Oros
* Tab long-acting 60 mg	12.28	30	✓	Adefin XL
	8.00		✓	Arrow-Nifedipine XR
	(29.50)			Adalat Oros

Other Calcium Channel Blockers

DILTIAZEM HYDROCHLORIDE

* Tab 30 mg	4.60	100	✓	Dilzem
* Tab 60 mg – For diltiazem hydrochloride oral liquid formula- tion refer, page 190.....	8.50	100	✓	Dilzem
* Cap long-acting 120 mg	31.83	500	✓	Apo-Diltiazem CD
* Cap long-acting 180 mg	47.67	500	✓	Apo-Diltiazem CD
* Cap long-acting 240 mg	63.58	500	✓	Apo-Diltiazem CD

PERHEXILINE MALEATE – Special Authority see SA1260 below – Retail pharmacy

* Tab 100 mg	62.90	100	✓	Pexsig
--------------------	-------	-----	---	---------------

►SA1260 Special Authority for Subsidy

Initial application only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient has refractory angina; and
- 2 Patient is on the maximal tolerated dose of a beta-blocker, a calcium channel blocker and a long acting nitrate.

Renewal only from a cardiologist or any relevant practitioner on the recommendation of a cardiologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

VERAPAMIL HYDROCHLORIDE

* Tab 40 mg	7.01	100	✓	Isoptin
* Tab 80 mg – For verapamil hydrochloride oral liquid formula- tion refer, page 190.....	11.74	100	✓	Isoptin
* Tab long-acting 120 mg	15.20	250	✓	Verpamil SR
* Tab long-acting 240 mg	25.00	250	✓	Verpamil SR
* Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	7.54	5	✓	Isoptin

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Centrally-Acting Agents

CLONIDINE

* Patch 2.5 mg, 100 mcg per day – Only on a prescription.....	23.30	4	✓ Catapres-TTS-1
* Patch 5 mg, 200 mcg per day – Only on a prescription.....	32.80	4	✓ Catapres-TTS-2
* Patch 7.5 mg, 300 mcg per day – Only on a prescription.....	41.20	4	✓ Catapres-TTS-3

CLONIDINE HYDROCHLORIDE

* Tab 25 mcg	15.09	112	✓ Clonidine BNM
* Tab 150 mcg	34.32	100	✓ Catapres
* Inj 150 mcg per ml, 1 ml ampoule	16.07	5	✓ Catapres

METHYLDOPA

* Tab 125 mg	14.25	100	✓ Prodopa
* Tab 250 mg	15.10	100	✓ Prodopa
* Tab 500 mg	23.15	100	✓ Prodopa

Diuretics

Loop Diuretics

BUMETANIDE

* Tab 1 mg	16.36	100	✓ Burinex
* Inj 500 mcg per ml, 4 ml vial	7.95	5	✓ Burinex

FUROSEMIDE [FRUSEMIDE]

* Tab 40 mg – Up to 30 tab available on a PSO.....	10.25	1,000	✓ Diurin 40
* Tab 500 mg	25.00	50	✓ Urex Forte
* ‡ Oral liq 10 mg per ml	10.66	30 ml OP	✓ Lasix
* Inj 10 mg per ml, 25 ml ampoule	48.14	5	✓ Lasix
* Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO.....	1.30	5	✓ Frusemide-Claris

Potassium Sparing Diuretics

AMILORIDE HYDROCHLORIDE

* Tab 5 mg	17.50	100	✓ Apo-Amiloride
‡ Oral liq 10 mg per ml	30.00	25 ml OP	✓ Biomed

METOLAZONE – Special Authority see SA1349 below – Retail pharmacy

Tab 5 mg	CBS	1	✓ Metolazone ^{\$29}
		50	✓ Zaxoxlyn ^{\$29}

►SA1349 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where used for the treatment of patients with refractory heart failure who are intolerant or have not responded to loop diuretics and/or loop-thiazide combination therapy.

SPIRONOLACTONE

* Tab 25 mg	3.65	100	✓ Spirotone
* Tab 100 mg	11.80	100	✓ Spirotone
‡ Oral liq 5 mg per ml	30.00	25 ml OP	✓ Biomed

Potassium Sparing Combination Diuretics

AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE

* Tab 5 mg with furosemide 40 mg	8.63	28	✓ Frumil
--	------	----	----------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✓	Moduretic
Thiazide and Related Diuretics				
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]				
* Tab 2.5 mg – Up to 150 tab available on a PSO.....	6.48	500	✓	Arrow- Bendrofluazide
May be supplied on a PSO for reasons other than emergency.				
* Tab 5 mg	9.95	500	✓	Arrow- Bendrofluazide
CHLOROTHIAZIDE				
‡ Oral liq 50 mg per ml	26.00	25 ml OP	✓	Biomed
CHLORTALIDONE [CHLORTHALIDONE]				
* Tab 25 mg	4.80	30	✓	Igroton ^{S29}
	8.00	50	✓	Hygroton
<i>(Igroton ^{S29} Tab 25 mg to be delisted 1 January 2014)</i>				
INDAPAMIDE				
* Tab 2.5 mg	2.25	90	✓	Dapa-Tabs
Lipid-Modifying Agents				
Fibrates				
BEZAFIBRATE				
* Tab 200 mg	9.70	90	✓	Bezalip
* Tab long-acting 400 mg	5.70	30	✓	Bezalip Retard
GEMFIBROZIL				
* Tab 600 mg	17.60	60	✓	Lipazil
Other Lipid-Modifying Agents				
ACIPIMOX				
* Cap 250 mg	18.75	30	✓	Olbetam
NICOTINIC ACID				
* Tab 50 mg	4.17	100	✓	Apo-Nicotinic Acid
* Tab 500 mg	16.54	100	✓	Apo-Nicotinic Acid
Resins				
CHOLESTYRAMINE				
Powder for oral liq 4 g	19.25 (52.68)	50		Questran-Lite
COLESTIPOL HYDROCHLORIDE				
Grans for oral liq 5 g	20.00	30	✓	Colestid
HMG CoA Reductase Inhibitors (Statins)				

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ATORVASTATIN – See prescribing guideline on the previous page				
* Tab 10 mg	2.52	90	✓	<u>Zarator</u>
* Tab 20 mg	4.17	90	✓	<u>Zarator</u>
* Tab 40 mg	7.32	90	✓	<u>Zarator</u>
* Tab 80 mg	16.23	90	✓	<u>Zarator</u>
PRAVASTATIN – See prescribing guideline on the previous page				
* Tab 20 mg	5.44	30	✓	<u>Cholvastin</u>
* Tab 40 mg	9.28	30	✓	<u>Cholvastin</u>
SIMVASTATIN – See prescribing guideline on the previous page				
* Tab 10 mg	1.40	90	✓	<u>Arrow-Simva 10mg</u>
* Tab 20 mg	1.95	90	✓	<u>Arrow-Simva 20mg</u>
* Tab 40 mg	3.18	90	✓	<u>Arrow-Simva 40mg</u>
* Tab 80 mg	9.31	90	✓	<u>Arrow-Simva 80mg</u>

Selective Cholesterol Absorption Inhibitors

EZETIMIBE – Special Authority see SA1045 below – Retail pharmacy

Tab 10 mg	34.43	30	✓	<u>Ezetrol</u>
-----------------	-------	----	---	----------------

►SA1045 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than $10 \times$ normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN – Special Authority see SA1046 below – Retail pharmacy

Tab 10 mg with simvastatin 10 mg	36.68	30	✓	<u>Vytorin</u>
Tab 10 mg with simvastatin 20 mg	38.70	30	✓	<u>Vytorin</u>
Tab 10 mg with simvastatin 40 mg	41.40	30	✓	<u>Vytorin</u>
Tab 10 mg with simvastatin 80 mg	45.45	30	✓	<u>Vytorin</u>

►SA1046 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

continued...

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Nitrates

GLYCERYL TRINITRATE

* Tab 600 mcg – Up to 100 tab available on a PSO.....	8.00	100 OP	✓ <u>Lycinate</u>
* Oral spray, 400 mcg per dose – Up to 250 dose available on a PSO	4.45	250 dose OP	✓ <u>Glytrin</u>
* Patch 25 mg, 5 mg per day	16.56	30	✓ <u>Nitroderm TTS</u>
* Patch 50 mg, 10 mg per day	19.50	30	✓ <u>Nitroderm TTS</u>

ISOSORBIDE MONONITRATE

* Tab 20 mg	17.10	100	✓ <u>Ismo 20</u>
* Tab long-acting 40 mg	7.50	30	✓ <u>Corangin</u>
* Tab long-acting 60 mg	3.94	90	✓ <u>Duride</u>

Sympathomimetics

ADRENALINE

Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO.....	4.98	5	✓ <u>Aspen Adrenaline</u>
	5.25		✓ <u>Mayne</u>
Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a PSO	27.00	5	✓ <u>Mayne</u>
	49.00	10	✓ <u>Aspen Adrenaline</u>

ISOPRENALINE

* Inj 200 mcg per ml, 1 ml ampoule	36.80	25	
	(135.00)		Isuprel

Vasodilators

AMYL NITRITE

* Liq 98% in 0.3 ml cap	62.92	12	
	(73.40)		Baxter

HYDRALAZINE HYDROCHLORIDE

* Tab 25 mg – Special Authority see SA1321 on the next page			
– Retail pharmacy	CBS	1	✓ <u>Hydralazine</u>
		56	✓ <u>Onelink</u> ^{S29}
* Inj 20 mg ampoule	25.90	5	✓ <u>Apresoline</u>
			✓ <u>Apresoline S29</u> ^{S29}

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA1321 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 For the treatment of refractory hypertension; or
- 2 For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers.

MINOXIDIL – Special Authority see SA1271 below – Retail pharmacy

▲ Tab 10 mg	70.00	100	✓ Loniten
-------------------	-------	-----	-----------

►SA1271 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where patient has severe refractory hypertension which has failed to respond to extensive multiple therapies.

NICORANDIL – Special Authority see SA1263 below – Retail pharmacy

▲ Tab 10 mg	27.95	60	✓ Ikorel
-------------------	-------	----	----------

▲ Tab 20 mg	33.28	60	✓ Ikorel
-------------------	-------	----	----------

►SA1263 Special Authority for Subsidy

Initial application only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient has refractory angina; and
- 2 Patient is on the maximal tolerated dose of a beta-blocker, a calcium channel blocker and a long acting nitrate.

Renewal only from a cardiologist or any relevant practitioner on the recommendation of a cardiologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

PAPAVERINE HYDROCHLORIDE

* Inj 12 mg per ml, 10 ml ampoule	73.12	5	✓ Mayne
---	-------	---	---------

PENTOXIFYLLINE [XPENTIFYLLINE]

Tab 400 mg	36.94 (42.26)	50	Trental 400
------------------	------------------	----	-------------

Endothelin Receptor Antagonists

►SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN – Special Authority see SA0967 above – Retail pharmacy

Tab 5 mg	4,585.00	30	✓ Volibris
----------------	----------	----	------------

Tab 10 mg	4,585.00	30	✓ Volibris
-----------------	----------	----	------------

BOSENTAN – Special Authority see SA0967 above – Retail pharmacy

Tab 62.5 mg	2,000.00	60	✓ pms-Bosentan
-------------------	----------	----	----------------

4,585.00			✓ Tracleer
----------	--	--	------------

Tab 125 mg	2,000.00	60	✓ pms-Bosentan
------------------	----------	----	----------------

4,585.00			✓ Tracleer
----------	--	--	------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Phosphodiesterase Type 5 Inhibitors

►►SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below)) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has Raynaud's Phenomenon*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs) ; and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form [SA1293-PAH](#)).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7512 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL – Special Authority see SA1293 above – Retail pharmacy

Tab 25 mg	1.85	4	✓ Silagra
Tab 50 mg	1.85	4	✓ Silagra
Tab 100 mg – For sildenafil oral liquid formulation refer, page			
190	7.45	4	✓ Silagra

Prostacyclin Analogues

►►SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST – Special Authority see SA0969 above – Retail pharmacy

Nebuliser soln 10 mcg per ml, 2 ml	1,185.00	30	✓ Ventavis
--	----------	----	----------------------------

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 88

ADAPALENE

a) Maximum of 30 g per prescription

b) Only on a prescription

Crm 0.1%	22.89	30 g OP	✓ Differin
----------------	-------	---------	------------

Gel 0.1%	22.89	30 g OP	✓ Differin
----------------	-------	---------	------------

ISOTRETINOIN – Special Authority see SA0955 below – Retail pharmacy

Cap 10 mg	18.71	120	✓ Oratane
-----------------	-------	-----	-----------

Cap 20 mg	28.91	120	✓ Oratane
-----------------	-------	-----	-----------

►SA0955 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
 - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g – Maximum of 50 g per prescription	13.90	50 g OP	✓ ReTrieve
---	-------	---------	------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Antibacterials Topical

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 88

FUSIDIC ACID

Crm 2%	3.25	15 g OP	✓ Foban
a) Maximum of 15 g per prescription			
b) Only on a prescription			
c) Not in combination			

Oint 2%	3.45	15 g OP	✓ Foban
a) Maximum of 15 g per prescription			
b) Only on a prescription			
c) Not in combination			

HYDROGEN PEROXIDE

* Crm 1%	8.56	15 g OP	✓ Crystaderm
----------------	------	---------	---------------------

MUPIROCIN

Oint 2%	6.60 (9.26)	15 g OP	Bactroban
a) Only on a prescription			
b) Not in combination			

SILVER SULPHADIAZINE

Crm 1%	12.30	50 g OP	✓ Flamazine
a) Up to 250 g available on a PSO			
b) Not in combination			

Antifungals Topical

For systemic antifungals, refer to INFECTIONS, Antifungals, page 94

AMOROLFINE

a) Only on a prescription			
b) Not in combination			
Nail soln 5%	37.86 (61.87)	5 ml OP	Loceryl

CICLOPIROX OLAMINE

a) Only on a prescription			
b) Not in combination			
Nail-soln 8%	8.23	7 ml OP	✓ Apo-Ciclopirox
Soln 1%	4.36 (11.54)	20 ml OP	Batrafen

CLOTRIMAZOLE

* Crm 1%	0.54	20 g OP	✓ Clomazol
a) Only on a prescription			
b) Not in combination			
* Soln 1%	4.36 (7.55)	20 ml OP	Canesten
a) Only on a prescription			
b) Not in combination			

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ECONAZOLE NITRATE				
Crm 1%	1.00 (7.48)	20 g OP		Pevaryl
a) Only on a prescription				
b) Not in combination				
Foaming soln 1%, 10 ml sachets	9.89 (17.23)	3		Pevaryl
a) Only on a prescription				
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.46	15 g OP	✓	Multichem
a) Only on a prescription				
b) Not in combination				
* Lotn 2%	4.36 (10.03)	30 ml OP		Daktarin
a) Only on a prescription				
b) Not in combination				
* Tinct 2%	4.36 (12.10)	30 ml OP		Daktarin
a) Only on a prescription				
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g	1.00 (7.90)	15 g OP		Mycostatin
a) Only on a prescription				
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP	1.77	100 g	✓	Pharmacy Health
Lotn, BP	13.45	2,000 ml	✓	PSM
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.48	20 g OP	✓	Itch-Soothe
MENTHOL – Only in combination				
Only in combination with aqueous cream, 10% urea cream, wool fat with mineral oil lotion, 1% hydrocortisone with wool fat and mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion				
Crystals	6.50	25 g	✓	PSM
	6.92		✓	MidWest
	29.60	100 g	✓	MidWest

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 80

Corticosteroids - Plain**BETAMETHASONE DIPROPIONATE**

Crm 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
Oint 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV

BETAMETHASONE VALERATE

* Crm 0.1%	3.50	50 g OP	✓ Beta Cream
* Oint 0.1%	3.50	50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate

CLOBETASOL PROPIONATE

* Crm 0.05%	3.68	30 g OP	✓ Dermol
* Oint 0.05%	3.68	30 g OP	✓ Dermol

CLOBETASONE BUTYRATE

Crm 0.05%	5.38	30 g OP	
	(7.09)		Eumovate
	16.13	100 g OP	
	(22.00)		Eumovate

DIFLUCORTOLONE VALERATE

Crm 0.1%	8.97	50 g OP	
	(15.86)		Nerisone
Fatty oint 0.1%	8.97	50 g OP	
	(15.86)		Nerisone

HYDROCORTISONE

* Crm 1% – Only on a prescription	3.75	100 g	✓ Pharmacy Health
	14.00	500 g	✓ Pharmacy Health
* Powder – Only in combination	44.00	25 g	✓ ABM
Up to 5% in a dermatological base (not proprietary Topical Corticosteroid – Plain) with or without other dermatological galenicals. Refer, page 189			

HYDROCORTISONE BUTYRATE

Lipocream 0.1%	2.30	30 g OP	✓ Locoid Lipocream
	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%	6.85	100 g OP	✓ Locoid
Milky emul 0.1%	6.85	100 ml OP	✓ Locoid Crelo

HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL

Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription	9.95	250 ml	✓ DP Lotn HC
---	------	--------	---------------------

METHYLPREDNISOLONE ACEPONATE

Crm 0.1%	4.95	15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
MOMETASONE FUROATE				
Crn 0.1%	1.78	15 g OP	✓	m-Mometasone
	3.42	45 g OP	✓	m-Mometasone
Oint 0.1%	1.78	15 g OP	✓	m-Mometasone
	3.42	45 g OP	✓	m-Mometasone
Lotn 0.1%	7.35	30 ml OP	✓	Elocon
TRIAMCINOLONE ACETONIDE				
Crn 0.02%	6.63	100 g OP	✓	Aristocort
Oint 0.02%	6.69	100 g OP	✓	Aristocort

Corticosteroids - Combination

BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a prescription				
Crn 0.1% with clioquinol 3%	3.49	15 g OP		
	(4.90)			Betnovate-C
Oint 0.1% with clioquinol 3%	3.49	15 g OP		
	(4.90)			Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID				
Crn 0.1% with fusidic acid 2%	3.49	15 g OP		
	(10.45)			Fucicort
a) Maximum of 15 g per prescription				
b) Only on a prescription				
HYDROCORTISONE WITH MICONAZOLE – Only on a prescription				
* Crn 1% with miconazole nitrate 2%	2.10	15 g OP	✓	Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN – Only on a prescription				
Crn 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	✓	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	✓	Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN				
Crn 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g – Only on a prescription	3.49	15 g OP		
	(6.60)			Viaderm KC

Disinfecting and Cleansing Agents

CHLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescription is endorsed accordingly.				
* Handrub 1% with ethanol 70%	4.39	500 ml	✓	healthE
* Soln 4%	5.90	500 ml	✓	Orion
TRICLOSAN – Subsidy by endorsement				
a) Maximum of 500 ml per prescription				
b)				
a) Only if prescribed for a patient identified with Methicillin-resistant Staphylococcus aureus (MRSA) prior to elective surgery in hospital and the prescription is endorsed accordingly; or				
b) Only if prescribed for a patient with recurrent Staphylococcus aureus infection and the prescription is endorsed accordingly				
Soln 1%	4.50	500 ml OP	✓	Pharmacy Health
	5.90		✓	healthE

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Barrier Creams and Emollients**Barrier Creams****ZINC AND CASTOR OIL**

* Oint BP	3.83	500 g	✓ Multichem
-----------------	------	-------	--------------------

Emollients**AQUEOUS CREAM**

* Crm	1.96	500 g	✓ AFT
-------------	------	-------	--------------

CETOMACROGOL

* Crm BP	3.15	500 g	✓ PSM
----------------	------	-------	--------------

CETOMACROGOL WITH GLYCEROL

Crm 90% with glycerol 10%	4.50	500 g OP	✓ Pharmacy Health Sorbolene with Glycerin
---------------------------------	------	----------	--

EMULSIFYING OINTMENT

* Oint BP	3.04	500 g	✓ AFT
-----------------	------	-------	--------------

OIL IN WATER EMULSION

* Crm	2.63	500 g	✓ healthE Fatty Cream
-------------	------	-------	------------------------------

UREA

* Crm 10%	3.07	100 g OP	✓ Nutraplus
-----------------	------	----------	--------------------

WOOL FAT WITH MINERAL OIL – Only on a prescription

* Lotn hydrous 3% with mineral oil	1.40	250 ml OP	
	(3.50)		
	5.60	1,000 ml	Hydroderm Lotion
	(9.54)		
	1.40	250 ml OP	Hydroderm Lotion
	(4.53)		
	5.60	1,000 ml	DP Lotion
	(11.95)		
	(20.53)		DP Lotion
	1.40	250 ml OP	Alpha-Keri Lotion
	(7.73)		
	5.60	1,000 ml	BK Lotion
	(23.91)		BK Lotion

Other Dermatological Bases**PARAFFIN**

White soft – Only in combination	3.58	500 g	
	(7.78)		
	20.20	2,500 g	✓ IPW
	3.58	500 g	
	(8.69)		PSM

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid – Plain.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Minor Skin Infections

POVIDONE IODINE

Oint 10%	3.27	25 g OP	✓ Betadine
a) Maximum of 100 g per prescription			
b) Only on a prescription			
Antiseptic soln 10%	0.19	15 ml	
	(4.45)		Betadine
	1.28	100 ml	
	(8.25)		Betadine
	6.20	500 ml	✓ Betadine
	1.28	100 ml	
	(4.20)		Riodine
	6.20	500 ml	✓ Riodine
Skin preparation, povidone iodine 10% with 30% alcohol	1.63	100 ml	
	(3.65)		Betadine Skin Prep
	10.00	500 ml	✓ Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol	1.63	100 ml	
	(6.04)		Orion
	8.13	500 ml	
	(18.63)		Orion

Parasiticial Preparations

GAMMA BENZENE HEXACHLORIDE

Crm 1%	3.50	50 g OP	✓ Benhex
--------------	------	---------	-----------------

IVERMECTIN – Special Authority see SA1225 below – Retail pharmacy

Tab 3 mg – Up to 100 tab available on a PSO.....	17.20	4	✓ Stromectol
1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.			
2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.			
3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.			

►SA1225 | Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and

2 Either:

2.1 Both:

2.1.1 The patient is in the community; and

2.1.2 Any of the following:

2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or

2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or

2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or

2.2 All of the following:

2.2.1 The Patient is a resident in an institution; and

2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time

if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

2.2.3 Any of the following:

2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or

2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
or

2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and

2 Either:

2.1 Both:

2.1.1 The patient is in the community; and

2.1.2 Any of the following:

2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or

2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or

2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or

2.2 All of the following:

2.2.1 The Patient is a resident in an institution; and

2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and

2.2.3 Any of the following:

2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or

2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
or

2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

MALATHION

Liq 0.5%	3.79	200 ml OP	✓ A-Lices
Shampoo 1%	2.83	30 ml OP	✓ A-Lices

MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE

Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2%	11.15	90 g OP	✓ Para Plus
--	-------	---------	--------------------

PERMETHRIN

Crn 5%	4.20	30 g OP	✓ Lyderm
Lotn 5%	3.24	30 ml OP	✓ A-Scabies

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Psoriasis and Eczema Preparations

ACITRETIN – Special Authority see SA0954 below – Retail pharmacy

Cap 10 mg	35.95	100	✓ Neotigason
	38.66	60	✓ Novatretin
Cap 25 mg	83.11	60	✓ Novatretin
	85.40	100	✓ Neotigason

►SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL

Oint 500 mcg with calcipotriol 50 mcg	26.12	30 g OP	✓ Daivobet
Topical gel 500 mcg with calcipotriol 50 mcg	26.12	30 g OP	✓ Daivobet

CALCIPOTRIOL

Crm 50 mcg per g	16.00	30 g OP	✓ Daivonex
	45.00	100 g OP	✓ Daivonex
Oint 50 mcg per g	45.00	100 g OP	✓ Daivonex
Soln 50 mcg per ml	16.00	30 ml OP	✓ Daivonex

COAL TAR

Soln BP – Only in combination	12.95	200 ml	✓ Midwest
Up to 10 % Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain, refer, page 189			
With or without other dermatological galenicals.			

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

DERMATOLOGICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR				
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and allantoin crm 2.5%	3.43 (4.35) 6.59 (8.00)	30 g OP 75 g OP		Egopsoryl TA Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR				
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓	Coco-Scalp
SALICYLIC ACID				
Powder – Only in combination	18.88	250 g	✓	PSM
1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain or collodion flexible, refer, page 189				
2) With or without other dermatological galenicals.				
3) Maximum 20 g or 20 ml per prescription when prescribed with white soft paraffin or collodion flexible.				
SULPHUR				
Precipitated – Only in combination	6.35	100 g	✓	Midwest
1) Only in combination with a dermatological base or proprietary Topical Corticosteroid – Plain, refer, page 189				
2) With or without other dermatological galenicals.				
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLUORESCIEIN – Only on a prescription				
* Soln 2.3% with triethanolamine lauryl sulphate and fluores- cein sodium	3.05 5.82	500 ml 1,000 ml	✓ ✓	Pinetarsol Pinetarsol

Scalp Preparations

BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.75	100 ml OP	✓	Beta Scalp
CLOBETASOL PROPIONATE				
* Scalp app 0.05%	6.96	30 ml OP	✓	Dermol
HYDROCORTISONE BUTYRATE				
Scalp lotn 0.1%	3.65	100 ml OP	✓	Locoid
KETOCONAZOLE				
Shampoo 2%	3.08	100 ml OP	✓	Sebizole
a) Maximum of 100 ml per prescription				
b) Only on a prescription				

Sunscreens

SUNSCREENS, PROPRIETARY – Subsidy by endorsement				
Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescription is endorsed accordingly.				
Crm	2.55 (5.89)	100 g OP		Hamilton Sunscreen
Lotn	2.55	100 ml OP	✓	Marine Blue Lotion SPF 30+
	5.10	200 ml OP	✓	Marine Blue Lotion SPF 30+
	3.19 (6.94)	125 ml OP		Aquasun 30+

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 71

IMIQUIMOD – Special Authority see SA0923 below – Retail pharmacy

Crm 5%	62.00	12	✓ Aldara
--------------	-------	----	-----------------

►SA0923 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

- Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria:

Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

PODOPHYLLOTOXIN

Soln 0.5%	33.60	3.5 ml OP	✓ Condyline
a) Maximum of 3.50 ml per prescription			
b) Only on a prescription			

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

Crm 5%	25.16	20 g OP	✓ Efudix
--------------	-------	---------	-----------------

Wound Management Products

MAGNESIUM SULPHATE

* Paste	2.98 (4.90)	80 g	PSM
---------------	----------------	------	-----

(PSM Paste to be delisted 1 January 2014)

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Contraceptives - Non-hormonal

Condoms

CONDOMS

* 49 mm – Up to 144 dev available on a PSO.....	13.36	144	✓ MarquisTantiliza ✓ Shield 49
* 52 mm – Up to 144 dev available on a PSO.....	13.36	144	✓ Marquis Selecta ✓ Marquis Sensolite ✓ Marquis Supalite ✓ Marquis Protecta
* 52 mm extra strength – Up to 144 dev available on a PSO.....	13.36	144	✓ Shield Blue
* 53 mm – Up to 144 dev available on a PSO.....	1.11	12	✓ Shield Blue
	13.36	144	✓ Gold Knight
	1.11	12	✓ Gold Knight
	13.36	144	✓ Marquis Black ✓ Marquis Titillata
* 53 mm (chocolate) – Up to 144 dev available on a PSO.....	1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
* 53 mm (strawberry) – Up to 144 dev available on a PSO	1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
* 53 mm extra strength – Up to 144 dev available on a PSO.....	1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
* 54 mm, shaped – Up to 144 dev available on a PSO.....	1.12	12	
	(1.24)		Lifestyles Flared
	13.36	144	
	(14.84)		Lifestyles Flared
* 55 mm – Up to 144 dev available on a PSO.....	13.36	144	✓ Marquis Conform
* 56 mm – Up to 144 dev available on a PSO.....	1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight ✓ Durex Extra Safe ✓ Durex Select Flavours
* 56 mm, shaped – Up to 144 dev available on a PSO.....	1.11	12	✓ Durex Confidence
	13.36	144	✓ Durex Confidence
* 60 mm – Up to 144 dev available on a PSO.....	13.36	144	✓ Shield XL

(Gold Knight 53 mm extra strength to be delisted 1 December 2013)

Contraceptive Devices

DIAPHRAGM – Up to 1 dev available on a PSO

One of each size is permitted on a PSO.

* 65 mm	42.90	1	✓ Ortho All-flex
* 70 mm	42.90	1	✓ Ortho All-flex
* 75 mm	42.90	1	✓ Ortho All-flex
* 80 mm	42.90	1	✓ Ortho All-flex

INTRA-UTERINE DEVICE

a) Up to 40 dev available on a PSO

b) Only on a PSO

* IUD	39.50	1	✓ Multiload Cu 375 ✓ Multiload Cu 375 SL
-------------	-------	---	---

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Contraceptives - Hormonal

Combined Oral Contraceptives

►SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

* Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
	(16.50)		Mercilon 28
a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above			
b) Up to 84 tab available on a PSO			
* Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
	(16.50)		Marvelon 28
a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above			
b) Up to 84 tab available on a PSO			

ETHINYLOESTRADIOL WITH LEVONORGESTREL

* Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab – Up to 84 tab available on a PSO	2.95	84	✓ Ava 20 ED
* Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab – Up to 84 tab available on a PSO	9.45	84	✓ Microgynon 50 ED
* Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
	(16.50)		Microgynon 30
a) Higher subsidy of \$15.00 per 63 tab with Special Authority see SA0500 above			
b) Up to 63 tab available on a PSO			
* Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab – Up to 84 tab available on a PSO	2.45	84	✓ Ava 30 ED

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ETHINYLOESTRADIOL WITH NORETHISTERONE				
* Tab 35 mcg with norethisterone 1 mg – Up to 63 tab available on a PSO.....	6.62	63	✓	Brevinor 1/21
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO.....	6.62	84	✓	Brevinor 1/28
* Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab available on a PSO.....	6.62	63	✓	Brevinor 21
* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab – Up to 84 tab available on a PSO.....	6.62	84	✓	Norimin
NORETHISTERONE WITH MESTRANOL				
* Tab 1 mg with mestranol 50 mcg and 7 inert tab	6.62 (13.80)	84		Norinyl-1/28
a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page				
b) Up to 84 tab available on a PSO				
<i>(Norinyl-1/28 Tab 1 mg with mestranol 50 mcg and 7 inert tab to be delisted 1 March 2014)</i>				
Progestogen-only Contraceptives				
►SA0500 Special Authority for Alternate Subsidy				
Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:				
Both:				
1 Either:				
1.1 Patient is on a Social Welfare benefit; or				
1.2 Patient has an income no greater than the benefit; and				
2 Has tried at least one of the fully funded options and has been unable to tolerate it.				
Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:				
Either:				
1 Patient is on a Social Welfare benefit; or				
2 Patient has an income no greater than the benefit.				
Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.				
The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.				
Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:				
● on a Social Welfare benefit; or				
● have an income no greater than the benefit.				
The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED				
LEVONORGESTREL				
* Tab 30 mcg	6.62 (16.50)	84		Microlut
a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above				
b) Up to 84 tab available on a PSO				
* Subdermal implant (2 × 75 mg rods)	133.65	1	✓	Jadelle
MEDROXYPROGESTERONE ACETATE				
* Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO	7.00	1	✓	Depo-Provera
NORETHISTERONE				
* Tab 350 mcg – Up to 84 tab available on a PSO.....	6.00	84	✓	Noriday 28

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Emergency Contraceptives

LEVONORGESTREL

* Tab 1.5 mg	3.50	1	✓ <u>Postinor-1</u>
a) Up to 5 tab available on a PSO			
b) Maximum of 2 tab per prescription			

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 84 tab available on a PSO	3.89	84	✓ <u>Ginet 84</u>
--	------	----	-------------------

Gynaecological Anti-infectives

ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC ACID

Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul- phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator	8.43 (24.00)	100 g OP	Aci-Jel
---	-----------------	----------	---------

CLOTRIMAZOLE

* Vaginal crm 1% with applicators	1.45	35 g OP	✓ <u>Clomazol</u>
* Vaginal crm 2% with applicators	2.20	20 g OP	✓ <u>Clomazol</u>

MICONAZOLE NITRATE

* Vaginal crm 2% with applicator	2.75 (4.10)	40 g OP	Micreme
--	----------------	---------	---------

NYSTATIN

Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ <u>Nilstat</u>
--	------	---------	------------------

Myometrial and Vaginal Hormone Preparations

ERGOMETRINE MALEATE

Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO	31.00	5	✓ <u>DBL Ergometrine</u>
---	-------	---	--------------------------

OESTRIOL

* Crm 1 mg per g with applicator	6.30	15 g OP	✓ <u>Ovestin</u>
* Pessaries 500 mcg	6.53	15	✓ <u>Ovestin</u>

OXYTOCIN – Up to 5 inj available on a PSO

Inj 5 iu per ml, 1 ml	5.94	5	✓ <u>Syntocinon</u>
Inj 10 iu per ml, 1 ml	7.48	5	✓ <u>Syntocinon</u>
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	11.13	5	✓ <u>Syntometrine</u>

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE

a) Up to 200 test available on a PSO

b) Only on a PSO

Cassette	22.80	40 test OP	✓ Innovacon hCG One Step Pregnancy Test
----------------	-------	------------	--

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 107

5-Alpha Reductase Inhibitors

FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy

* Tab 5 mg	5.10	30	✓ Rex Medical
------------------	------	----	----------------------

►SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE – Special Authority see SA1032 below – Retail pharmacy

* Cap 400 mcg	5.98	30	✓ Tamsulosin-Rex
	13.51	100	✓ Tamsulosin-Rex

►SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN

* Tab 5 mg	11.20	500	✓ Apo-Oxybutynin
* Oral liq 5 mg per 5 ml	56.45	473 ml	✓ Apo-Oxybutynin

POTASSIUM CITRATE

Oral liq 3 mmol per ml – Special Authority see SA1083 on the next page – Retail pharmacy	30.00	200 ml OP	✓ Biomed
--	-------	-----------	-----------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets2.71 28 ✓ Ural

SOLIFENACIN SUCCINATE – Special Authority see SA0998 below – Retail pharmacy

Tab 5 mg56.50 30 ✓ Vesicare

Tab 10 mg56.50 30 ✓ Vesicare

►SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

TOLTERODINE – Special Authority see SA1272 below – Retail pharmacy

Tab 1 mg14.56 56 ✓ Arrow-Tolterodine

Tab 2 mg14.56 56 ✓ Arrow-Tolterodine

►SA1272 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

Detection of Substances in Urine

ORTHO-TOLIDINE

* Compound diagnostic sticks7.50 50 test OP
(8.25) Hemastix

TETRABROMOPHENOL

* Blue diagnostic strips7.02 100 test OP
(13.92) Albustix

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Calcium Homeostasis				
CALCITONIN				
* Inj 100 iu per ml, 1 ml	110.00	5	✓	<u>Miacalcic</u>
Corticosteroids and Related Agents for Systemic Use				
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE				
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml	19.20 (33.60)	5		Celestone Chronodose
DEXAMETHASONE				
* Tab 1 mg – Retail pharmacy-Specialist	5.87	100	✓	<u>Douglas</u>
Up to 30 tab available on a PSO				
* Tab 4 mg – Retail pharmacy-Specialist	8.16	100	✓	<u>Douglas</u>
Up to 30 tab available on a PSO				
Oral liq 1 mg per ml – Retail pharmacy-Specialist	45.00	25 ml OP	✓	<u>Biomed</u>
Oral liq prescriptions:				
1) Must be written by a Paediatrician or Paediatric Cardiologist; or				
2) On the recommendation of a Paediatrician or Paediatric Cardiologist.				
DEXAMETHASONE SODIUM PHOSPHATE				
Dexamethasone sodium phosphate injection will not be funded for oral use.				
* Inj 4 mg per ml, 1 ml – Up to 5 inj available on a PSO	21.50	5	✓	<u>Hospira</u>
* Inj 4 mg per ml, 2 ml – Up to 5 inj available on a PSO	31.00	5	✓	<u>Hospira</u>
FLUDROCORTISONE ACETATE				
* Tab 100 mcg	14.32	100	✓	<u>Florinef</u>
HYDROCORTISONE				
* Tab 5 mg	8.10	100	✓	<u>Douglas</u>
* Tab 20 mg – For hydrocortisone oral liquid formulation refer, page 190	20.32	100	✓	<u>Douglas</u>
* Inj 100 ml vial	4.99	1	✓	<u>Solu-Cortef</u>
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
METHYLPREDNISOLONE – Retail pharmacy-Specialist				
* Tab 4 mg	60.00	100	✓	<u>Medrol</u>
* Tab 100 mg	166.52	20	✓	<u>Medrol</u>
METHYLPREDNISOLONE ACETATE				
Inj 40 mg per ml, 1 ml	6.70	1	✓	<u>Depo-Medrol</u>
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNOCAINE]				
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml	7.50	1	✓	<u>Depo-Medrol with Lidocaine</u>
METHYLPREDNISOLONE SODIUM SUCCINATE – Retail pharmacy-Specialist				
Inj 40 mg per ml, 1 ml	7.50	1	✓	<u>Solu-Medrol</u>
Inj 62.5 mg per ml, 2 ml	18.50	1	✓	<u>Solu-Medrol</u>
Inj 500 mg	18.00	1	✓	<u>Solu-Medrol</u>
Inj 1 g	37.50	1	✓	<u>Solu-Medrol</u>
PREDNISOLONE SODIUM PHOSPHATE				
* Oral liq 5 mg per ml – Up to 30 ml available on a PSO	10.45	30 ml OP	✓	<u>Redipred</u>
Restricted to children under 12 years of age.				

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PREDNISON				
* Tab 1 mg	2.13	100	✓	Apo-Prednisone S29 S29
	10.68	500	✓	Apo-Prednisone
* Tab 2.5 mg	12.09	500	✓	Apo-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO.....	11.09	500	✓	Apo-Prednisone
* Tab 20 mg	29.03	500	✓	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	17.71	1	✓	Synacthen
	177.18	10	✓	Synacthen
* Inj 1 mg per ml, 1 ml	29.56	1	✓	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	21.90	5	✓	Kenacort-A
Inj 40 mg per ml, 1 ml	53.79	5	✓	Kenacort-A40

Sex Hormones Non Contraceptive

Androgen Agonists and Antagonists

CYPROTERONE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg	18.80	50	✓	Siterone
Tab 200 mg	34.25	50	✓	Siterone
TESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	✓	Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	76.50	1	✓	Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist				
Inj 250 mg per ml, 1 ml	12.98	1	✓	Sustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist				
Cap 40 mg	31.17	60	✓	Andriol Testocaps
Inj 250 mg per ml, 4 ml	86.00	1	✓	Reandron 1000

Hormone Replacement Therapy - Systemic

▶SA1018 | Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria:

Any of the following:

- 1 acute or significant liver disease - where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy - documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia - documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy - patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
Prescribing Guideline			
HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".			
Oestrogens			
OESTRADIOL – See prescribing guideline above			
* Tab 1 mg	4.12 (10.55)	28 OP	Estrofem
* Tab 2 mg	4.12 (10.55)	28 OP	
* TDDS 25 mcg per day	3.01 (10.86)	8	Estrofem
a) Higher subsidy of \$10.86 per 8 patch with Special Authority see SA1018 on the previous page			
b) No more than 2 patch per week			
c) Only on a prescription			
* TDDS 3.9 mg (releases 50 mcg of oestradiol per day)	4.12 (13.18) (32.50)	4	Estradot
a) Higher subsidy of \$13.18 per 4 patch with Special Authority see SA1018 on the previous page			
b) No more than 1 patch per week			
c) Only on a prescription			
* TDDS 50 mcg per day	4.12 (13.18)	8	Climara 50 Femtran 50
a) Higher subsidy of \$13.18 per 8 patch with Special Authority see SA1018 on the previous page			
b) No more than 2 patch per week			
c) Only on a prescription			
* TDDS 7.8 mg (releases 100 mcg of oestradiol per day)	7.05 (16.14) (35.00)	4	Estradot 50 mcg
a) Higher subsidy of \$16.14 per 4 patch with Special Authority see SA1018 on the previous page			
b) No more than 1 patch per week			
c) Only on a prescription			
* TDDS 100 mcg per day	7.05 (16.14)	8	Climara 100 Femtran 100
a) Higher subsidy of \$16.14 per 8 patch with Special Authority see SA1018 on the previous page			
b) No more than 2 patch per week			
c) Only on a prescription			
OESTRADIOL VALERATE – See prescribing guideline above			
* Tab 1 mg	8.24	56	✓ Progynova
* Tab 2 mg	8.24	56	✓ Progynova
OESTROGENS – See prescribing guideline above			
* Conjugated, equine tab 300 mcg	3.01 (11.48)	28	Premarin
* Conjugated, equine tab 625 mcg	4.12 (11.48)	28	Premarin

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

Progestogens

MEDROXYPROGESTERONE ACETATE – See prescribing guideline on the previous page

* Tab 2.5 mg	3.09	30	✓	<u>Provera</u>
* Tab 5 mg	13.06	100	✓	<u>Provera</u>
* Tab 10 mg	6.85	30	✓	<u>Provera</u>

Progestogen and Oestrogen Combined Preparations

OESTRADIOL WITH NORETHISTERONE – See prescribing guideline on the previous page

* Tab 1 mg with 0.5 mg norethisterone acetate	5.40 (14.52)	28 OP		Kliovance
* Tab 2 mg with 1 mg norethisterone acetate	5.40 (14.52)	28 OP		Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40 (14.52)	28 OP		Trisequens

OESTROGENS WITH MEDROXYPROGESTERONE – See prescribing guideline on the previous page

* Tab 625 mcg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP		Premia 2.5 Continuous
* Tab 625 mcg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)	5.40 (22.96)	28 OP		Premia 5 Continuous

Other Oestrogen Preparations

ETHINYLOESTRADIOL

* Tab 10 mcg	17.60	100	✓	<u>NZ Medical and Scientific</u>
--------------	-------	-----	---	----------------------------------

OESTRIOL

* Tab 2 mg	7.00	30	✓	<u>Ovestin</u>
------------	------	----	---	----------------

Other Progestogen Preparations

LEVONORGESTREL

* Levonorgestrel - releasing intrauterine system 20 mcg/24 hr – Special Authority see SA0782 below – Retail pharmacy	269.50	1	✓	<u>Mirena</u>
---	--------	---	---	---------------

SA0782 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

continued...

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

continued...

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE

* Tab 100 mg – Retail pharmacy-Specialist	96.50	100	✓ Provera
* Tab 200 mg – Retail pharmacy-Specialist	70.50	30	✓ Provera

NORETHISTERONE

* Tab 5 mg – Up to 30 tab available on a PSO	26.50	100	✓ Primolut N
--	-------	-----	---------------------

PROGESTERONE

Cap 100 mg – Special Authority see SA1392 below – Retail pharmacy	16.50	30	✓ Utrogestan
--	-------	----	---------------------

►SA1392 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*; and
- 2 Either:
 - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6)

Thyroid and Antithyroid Agents

CARBIMAZOLE

* Tab 5 mg	10.80	100	✓ Neo-Mercazole
------------------	-------	-----	------------------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LEVOTHYROXINE				
* Tab 25 mcg	3.89	90	✓	Synthroid
	43.24	1,000	✓	Synthroid
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
* Tab 50 mcg	1.71	28	✓	Mercury Pharma
	4.05	90	✓	Synthroid
	45.00	1,000	✓	Synthroid
	64.28		✓	Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
* Tab 100 mcg	1.78	28	✓	Mercury Pharma
	4.21	90	✓	Synthroid
	66.78	1,000	✓	Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid preparations.				

PROPYLTHIOURACIL – Special Authority see SA1199 below – Retail pharmacy

Propylthiouracil is not recommended for patients under the age of 18 years unless the patient is pregnant and other treatments are contraindicated.

Tab 50 mg	35.00	100	✓	PTU <small>\$29</small>
-----------------	-------	-----	---	--------------------------------

►SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

►SA1279 Special Authority for Subsidy

Special Authority approved by the Growth Hormone Committee

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

NZGHC Coordinator

PHARMAC, PO Box 10-254, WELLINGTON

Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pharmac.govt.nz

SOMATROPIN – Special Authority see SA1279 above

* Inj cartridge 16 iu (5.3 mg)	160.00	1	✓	Genotropin
* Inj cartridge 36 iu (12 mg)	360.00	1	✓	Genotropin

GnRH Analogues

GOSERELIN ACETATE

Inj 3.6 mg	166.20	1	✓	Zoladex
Inj 10.8 mg	443.76	1	✓	Zoladex

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
LEUPRORELIN				
Inj 3.75 mg	221.60	1	✓	Lucrin Depot
Inj 3.75 mg prefilled syringe	221.60	1	✓	Lucrin Depot PDS
Inj 7.5 mg	166.20	1	✓	Eligard
Inj 11.25 mg	591.68	1	✓	Lucrin Depot
Inj 11.25 mg prefilled syringe	591.68	1	✓	Lucrin Depot PDS
Inj 22.5 mg	443.76	1	✓	Eligard
Inj 30 mg	591.68	1	✓	Eligard
Inj 30 mg prefilled syringe	1,109.40	1	✓	Lucrin Depot PDS
Inj 45 mg	832.05	1	✓	Eligard

(Lucrin Depot Inj 3.75 mg to be delisted 1 February 2014)

(Lucrin Depot Inj 11.25 mg to be delisted 1 February 2014)

Vasopressin Agonists

DESMOPRESSIN

Tab 100 mcg – Special Authority see SA1401 below – Retail pharmacy	36.40	30	✓	Minirin
Tab 200 mcg – Special Authority see SA1401 below – Retail pharmacy	93.60	30	✓	Minirin
▲ Nasal drops 100 mcg per ml – Retail pharmacy-Specialist	39.03	2.5 ml OP	✓	Minirin
▲ Nasal spray 10 mcg per dose – Retail pharmacy-Specialist	27.48	6 ml OP	✓	Desmopressin-PH&T
Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below – Retail pharmacy	67.18	10	✓	Minirin

►SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

Tab 0.5 mg – Maximum of 2 tab per prescription; can be waived by Special Authority see SA1370 on the next page	6.25	2	✓	Dostinex
	25.00	8	✓	Dostinex

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA1370 | Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

CLOMIPHENE CITRATE

Tab 50 mg	29.84	10	✓ Serophene
-----------------	-------	----	--------------------

DANAZOL

Cap 100 mg	68.33	100	✓ Azol
Cap 200 mg	97.83	100	✓ Azol

METYRAPONE

Cap 250 mg – Retail pharmacy-Specialist	520.00	50	✓ Metopirone
---	--------	----	---------------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Anthelmintics				
ALBENDAZOLE – Special Authority see SA1318 below – Retail pharmacy				
Tab 400 mg	849.65	60	✓	Eskazole ^{\$29}
▶SA1318 Special Authority for Subsidy				
Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.				
Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.				
MEBENDAZOLE – Only on a prescription				
Tab 100 mg	24.19	24	✓	De-Worm
Oral liq 100 mg per 5 ml	2.18	15 ml		Vermox
	(7.17)			
PRAZIQUANTEL				
Tab 600 mg	68.00	8	✓	Biltricide
Antibacterials				
a) For topical antibacterials, refer to DERMATOLOGICALS, page 64				
b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 184				
Cephalosporins and Cephamycins				
CEFACLOR MONOHYDRATE				
Cap 250 mg	26.00	100	✓	Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml	3.53	100 ml	✓	Ranbaxy-Cefaclor
CEFALEXIN MONOHYDRATE				
Cap 500 mg	5.70	20	✓	Cephalexin ABM
Grans for oral liq 125 mg per 5 ml	8.50	100 ml	✓	Cefalexin Sandoz
Grans for oral liq 250 mg per 5 ml	11.50	100 ml	✓	Cefalexin Sandoz
CEFAZOLIN SODIUM – Subsidy by endorsement				
Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly.				
Inj 500 mg	3.99	5	✓	AFT
Inj 1 g	3.99	5	✓	AFT
CEFTRIAXONE SODIUM – Subsidy by endorsement				
a) Up to 5 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.				
Inj 500 mg	2.70	1	✓	Veracol
Inj 1 g	10.49	5	✓	Aspen Ceftriaxone
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.				
Tab 250 mg	29.40	50	✓	Zinnat
CEFUROXIME SODIUM				
Inj 750 mg – Maximum of 1 inj per prescription; can be waived				
by endorsement.....	6.96	5	✓	m-Cefuroxime
Waiver by endorsement must state that the prescription is for dialysis or cystic fibrosis patient.				

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Macrolides

AZITHROMYCIN – Maximum of 5 days treatment per prescription; can be waived by endorsement

For Endorsement, patient has either:

- 1) Received a lung transplant and requires treatment or prophylaxis for bronchiolitis obliterans syndrome*; or
- 2) Cystic fibrosis and has chronic infection with *Pseudomonas aeruginosa* or *Pseudomonas* related gram negative organisms*.

Indications parked with * are Unapproved Indications

Tab 250 mg	10.00	30	✓ Apo-Azithromycin
Tab 500 mg – Up to 8 tab available on a PSO.....	1.25	2	✓ Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml	6.60	15 ml	✓ Zithromax

CLARITHROMYCIN – Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 below

Tab 250 mg	4.19	14	✓ Apo-Clarithromycin
Grans for oral liq 125 mg per 5 ml	23.12	70 ml	✓ Klacid

►SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician.

Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE

Tab 400 mg – Up to 30 tab available on a PSO.....	16.95	100	✓ E-Mycin
Grans for oral liq 200 mg per 5 ml – Up to 200 ml available on a PSO	4.35	100 ml	✓ E-Mycin
Grans for oral liq 400 mg per 5 ml – Up to 200 ml available on a PSO	5.85	100 ml	✓ E-Mycin

ERYTHROMYCIN LACTOBIONATE

Inj 1 g	16.00	1	✓ Erythrocin IV
---------------	-------	---	------------------------

ERYTHROMYCIN STEARATE

Tab 250 mg – Up to 30 tab available on a PSO.....	14.95 (22.29)	100	ERA
Tab 500 mg	29.90 (44.58)	100	ERA

ROXITHROMYCIN

Tab 150 mg	7.48	50	✓ Arrow- Roxithromycin
Tab 300 mg	14.40	50	✓ Arrow- Roxithromycin

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time
if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Penicillins				
AMOXYCILLIN				
Cap 250 mg – Up to 30 cap available on a PSO	16.18	500	✓	Alphamox
Cap 500 mg	26.50	500	✓	Alphamox
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO	1.55	100 ml	✓	Ospamox
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available on a PSO	1.10	100 ml	✓	Ospamox
Drops 125 mg per 1.25 ml	4.00	30 ml OP	✓	Ospamox Paediatric Drops
Inj 250 mg	12.96	10	✓	Ibiamox
Inj 500 mg	15.08	10	✓	Ibiamox
Inj 1 g – Up to 5 inj available on a PSO	21.94	10	✓	Ibiamox
<i>(Ospamox Paediatric Drops Drops 125 mg per 1.25 ml to be delisted 1 January 2014)</i>				
AMOXYCILLIN CLAVULANATE				
Tab amoxycillin 500 mg with potassium clavulanate 125 mg – Up to 30 tab available on a PSO	12.55	100	✓	Curam Duo
Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml – Up to 200 ml available on a PSO	1.61	100 ml	✓	Augmentin
Grans for oral liq amoxycillin 250 mg with potassium clavulanate 62.5 mg per 5 ml – Up to 200 ml available on a PSO	2.19	100 ml	✓	Augmentin
BENZATHINE BENZYL PENICILLIN				
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	✓	Bicillin LA
BENZYL PENICILLIN SODIUM (PENICILLIN G)				
Inj 600 mg – Up to 5 inj available on a PSO	11.50	10	✓	Sandoz
FLUCLOXACILLIN SODIUM				
Cap 250 mg – Up to 30 cap available on a PSO	22.00	250	✓	Staphlex
Cap 500 mg	74.00	500	✓	Staphlex
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO	2.49	100 ml	✓	AFT
			✓	AFT
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available on a PSO	3.25	100 ml	✓	AFT
			✓	AFT
Inj 250 mg	10.86	10	✓	Flucloxin
Inj 500 mg	11.32	10	✓	Flucloxin
Inj 1 g – Up to 5 inj available on a PSO	14.28	10	✓	Flucloxin
PENICILLIN G BENZATHINE [BENZATHINE BENZYL PENICILLIN]				
Inj 1.2 mega u per 2 ml – Up to 5 inj available on a PSO	315.00	10	✓	Bicillin LA
<i>(Bicillin LA Inj 1.2 mega u per 2 ml to be delisted 1 March 2014)</i>				

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap potassium salt 250 mg – Up to 30 cap available on a PSO	9.71	50	✓	Cilicaine VK
Cap potassium salt 500 mg	11.70	50	✓	Cilicaine VK
Grans for oral liq 125 mg per 5 ml – Up to 200 ml available on a PSO	1.68	100 ml	✓	AFT
Grans for oral liq 250 mg per 5 ml – Up to 200 ml available on a PSO	1.78	100 ml	✓	AFT
PROCAINE PENICILLIN				
Inj 1.5 mega u – Up to 5 inj available on a PSO	123.50	5	✓	Cilicaine
Tetracyclines				
DOXYCYCLINE HYDROCHLORIDE				
* Tab 50 mg – Up to 30 tab available on a PSO	2.90 (6.00)	30		Doxy-50
* Tab 100 mg – Up to 30 tab available on a PSO	7.95	250	✓	Doxine
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg – Additional subsidy by Special Authority see SA1355 below – Retail pharmacy	5.79 (12.05)	60		Mino-tabs
* Cap 100 mg	19.32 (52.04)	100		Minomycin
►SA1355 Special Authority for Manufacturers Price				
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has rosacea.				
TETRACYCLINE – Special Authority see SA1332 below – Retail pharmacy				
Cap 500 mg	46.00	30	✓	Tetracyclin Wolff S29
►SA1332 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:				
1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and				
2 For use only in combination with bismuth as part of a quadruple therapy regimen.				
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 64				
CIPROFLOXACIN				
Recommended for patients with any of the following:				
i) microbiologically confirmed and clinically significant pseudomonas infection; or				
ii) prostatitis; or				
iii) pyelonephritis; or				
iv) gonorrhoea.				
Tab 250 mg – Up to 5 tab available on a PSO	2.20	28	✓	Cipflox
Tab 500 mg – Up to 5 tab available on a PSO	3.00	28	✓	Cipflox
	10.71	100	✓	Cipflox
Tab 750 mg	5.15	28	✓	Cipflox
	5.52	30	✓	Ciprofloxacin Rex

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time
if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CLINDAMYCIN				
Cap hydrochloride 150 mg – Maximum of 4 cap per prescription; can be waived by endorsement - Retail pharmacy - Specialist	5.80	16	✓	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml – Retail pharmacy - Specialist	100.00	10	✓	Dalacin C
CO-TRIMOXAZOLE				
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – Up to 30 tab available on a PSO	20.97	500	✓	Trisul
* Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml – Up to 200 ml available on a PSO	2.15	100 ml	✓	Deprim
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.				
Inj 150 mg	65.00	1	✓	Colistin-Link
FUSIDIC ACID				
Tab 250 mg – Retail pharmacy-Specialist	34.50	12	✓	Fucidin
Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist				
GENTAMICIN SULPHATE				
Inj 10 mg per ml, 1 ml – Subsidy by endorsement	8.56	5	✓	Mayne
Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.				
Inj 10 mg per ml, 2 ml – Subsidy by endorsement	175.10	25	✓	APP
Pharmaceuticals <small>S29</small>				
Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.				
Inj 40 mg per ml, 2 ml – Subsidy by endorsement	6.50	10	✓	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.				
LINCOMYCIN – Retail pharmacy-Specialist Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist				
Inj 300 mg per ml, 2 ml	80.00	5	✓	Lincocin
<i>(Lincocin Inj 300 mg per ml, 2 ml to be delisted 1 January 2014)</i>				
MOXIFLOXACIN – Special Authority see SA1358 below – Retail pharmacy No patient co-payment payable				
Tab 400 mg	52.00	5	✓	Avelox

►SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

1 Both:

1.1 Active tuberculosis*; and

1.2 Any of the following:

1.2.1 Documented resistance to one or more first-line medications; or

1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or

1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
- 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or

2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.

Note: Indications marked with * are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*;
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

PAROMOMYCIN – Special Authority see SA1324 below – Retail pharmacy

Cap 250 mg	126.00	16	✓ Humatin ^{S29}
------------------	--------	----	---------------------------------

▶▶SA1324 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE – Special Authority see SA1328 below – Retail pharmacy

Tab 25 mg	26.14	30	✓ Daraprim ^{S29}
-----------------	-------	----	----------------------------------

▶▶SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; and
- 2 For pregnant patients for the term of the pregnancy; and
- 3 For infants with congenital toxoplasmosis until 12 months of age.

SULFADIAZINE SODIUM – Special Authority see SA1331 below – Retail pharmacy

Tab 500 mg	221.00	56	✓ Wockhardt ^{S29}
------------------	--------	----	-----------------------------------

▶▶SA1331 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

TOBRAMYCIN

Inj 40 mg per ml, 2 ml – Subsidy by endorsement	29.32	5	✓ DBL Tobramycin
---	-------	---	-------------------------

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

TRIMETHOPRIM

* Tab 300 mg – Up to 30 tab available on a PSO.....	9.28	50	✓ TMP
---	------	----	--------------

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
VANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement			
Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis or for treatment of Clostridium difficile following metronidazole failure and the prescription is endorsed accordingly.			
Inj 500 mg	3.58	1	✓ Mylan

Antifungals

a) For topical antifungals refer to DERMATOLOGICALS, page 64

b) For topical antifungals refer to GENITO URINARY, page 77

FLUCONAZOLE

Cap 50 mg – Retail pharmacy-Specialist	4.77	28	✓ Ozole
Cap 150 mg – Subsidy by endorsement	0.91	1	✓ Ozole
a) Maximum of 1 cap per prescription; can be waived by endorsement - Retail pharmacy - Specialist			
b) Patient has vaginal candida albicans and the practitioner considers that a topical imidazole (used intra-vaginally) is not recommended and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist.			
Cap 200 mg – Retail pharmacy-Specialist	13.34	28	✓ Ozole
Powder for oral suspension 10 mg per ml – Special Authority see SA1359 below – Retail pharmacy	34.56	35 ml	✓ Diflucan

►SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOLE

Cap 100 mg – Subsidy by endorsement	2.99	15	✓ Itrazole
Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology, or for tinea unguium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement - Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.			
Oral liq 10 mg per ml – Special Authority see SA1322 on the next page – Retail pharmacy	141.80	150 ml OP	✓ Sporanox

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA1322 | Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KETOCONAZOLE

Tab 200 mg – Retail pharmacy-Specialist	38.12	30	✓ Nizoral
Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist, dermatologist, endocrinologist or oncologist			

NYSTATIN

Tab 500,000 u	14.16	50	✓ Nilstat
Cap 500,000 u	12.81	50	✓ Nilstat

POSACONAZOLE – Special Authority see SA1285 below – Retail pharmacy

Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil
-----------------------------	--------	-----------	-----------

►SA1285 | Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg – For terbinafine oral liquid formulation refer, page 190	1.78	14	✓ Dr Reddy's Terbinafine
---	------	----	-----------------------------

VORICONAZOLE – Special Authority see SA1273 on the next page – Retail pharmacy

Tab 50 mg	730.00	56	✓ Vfend
Tab 200 mg	2,930.00	56	✓ Vfend
Powder for oral suspension 40 mg per ml	730.00	70 ml	✓ Vfend

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

►SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist.

Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as *Fusarium* spp. and *Scedosporium* spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as *Fusarium* spp. and *Scedosporium* spp.

Antimalarials

PRIMAQUINE PHOSPHATE – Special Authority see SA1326 below – Retail pharmacy

Tab 7.5 mg	117.00	56	✓ Primacin ^{§29}
------------------	--------	----	---------------------------

►SA1326 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QUININE SULPHATE

* Tab 300 mg	54.06	500	✓ Q 300
--------------------	-------	-----	---------

‡ Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

METRONIDAZOLE

Tab 200 mg – Up to 30 tab available on a PSO.....	10.45	100	✓ Trichazole
Tab 400 mg	18.15	100	✓ Trichazole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl

ORNIDAZOLE

Tab 500 mg	16.50	10	✓ Arrow-Ornidazole
------------------	-------	----	--------------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

CLOFAZIMINE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

* Cap 50 mg	197.50	100	✓ Lamprene <small>\$29</small>
-------------------	--------	-----	---------------------------------------

CYCLOSERINE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

Cap 250 mg	1,140.63	100	✓ King <small>\$29</small>
------------------	----------	-----	-----------------------------------

DAPSONE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist

Tab 25 mg	95.00	100	✓ Dapsone
Tab 100 mg	110.00	100	✓ Dapsone

ETHAMBUTOL HYDROCHLORIDE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician

Tab 100 mg	48.01	56	✓ Myambutol <small>\$29</small>
Tab 400 mg	49.34	56	✓ Myambutol <small>\$29</small>

ISONIAZID – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician

* Tab 100 mg	20.00	100	✓ PSM
* Tab 100 mg with rifampicin 150 mg	90.04	100	✓ Rifinah
* Tab 150 mg with rifampicin 300 mg	179.57	100	✓ Rifinah

PARA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist.

Grans for oral liq 4 g sachet	280.00	30	✓ Paser <small>\$29</small>
-------------------------------------	--------	----	------------------------------------

PROTIONAMIDE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist.

Tab 250 mg	305.00	100	✓ Peteha <small>\$29</small>
------------------	--------	-----	-------------------------------------

PYRAZINAMIDE – Retail pharmacy-Specialist

a) No patient co-payment payable

b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician

* Tab 500 mg – For pyrazinamide oral liquid formulation refer, page 190	59.00	100	✓ AFT-Pyrazinamide
--	-------	-----	---------------------------

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
RIFABUTIN – Retail pharmacy-Specialist			
a) No patient co-payment payable			
b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist			
* Cap 150 mg – For rifabutin oral liquid formulation refer, page 190	213.19	30	✓ Mycobutin
RIFAMPICIN – Subsidy by endorsement			
a) No patient co-payment payable			
b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.			
* Tab 600 mg	114.40	30	✓ Rifadin
* Cap 150 mg	58.66	100	✓ Rifadin
* Cap 300 mg	122.36	100	✓ Rifadin
* Oral liq 100 mg per 5 ml	12.66	60 ml	✓ Rifadin

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 184

Hepatitis B Treatment

ADEFOVIR DIPVOXIL – Special Authority see SA0829 below – Retail pharmacy

Tab 10 mg	670.00	30	✓ Hepsera
-----------	--------	----	------------------

►SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT ($> 1 \times \text{ULN}$); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT ($> 1 \times \text{ULN}$); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR – Special Authority see SA1361 below – Retail pharmacy

Tab 0.5 mg	400.00	30	✓ Baraclude
------------------	--------	----	-------------

➔SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naïve; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 patient has $\geq 2,000$ IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE – Special Authority see SA1360 below – Retail pharmacy

Tab 100 mg	32.50	28	✓ Zetlam
Oral liq 5 mg per ml	90.00	240 ml	✓ Zeffix

➔SA1360 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naïve patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or
- 6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

continued...

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- Renewal for patients who have maintained continuous treatment and response to lamivudine
- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or
- Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine
- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and
 - Documented resistance to lamivudine, defined as:
 - 2.3 Patient has raised serum ALT ($> 1 \times \text{ULN}$); and
 - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 2.5 Detection of M204I or M204V mutation; or
- Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil
- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT ($> 1 \times \text{ULN}$); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICLOVIR

* Tab dispersible 200 mg	1.78	25	✓ Lovir
* Tab dispersible 400 mg	5.98	56	✓ Lovir
* Tab dispersible 800 mg	6.64	35	✓ Lovir

VALACICLOVIR – Special Authority see SA1363 below – Retail pharmacy

Tab 500 mg	102.72	30	✓ Valtrex
------------------	--------	----	------------------

►SA1363 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Initial application — (immunocompromised patients) from any medical practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patients is immunocompromised; and
- 2 Patient has herpes zoster; and
- 3 Valaciclovir is to be given for a maximum of 7 days per course.

VALGANCICLOVIR – Special Authority see SA1274 on the next page – Retail pharmacy

Tab 450 mg	3,000.00	60	✓ Valcyte
------------------	----------	----	------------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA1274 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1362 below

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 103

Tab 300 mg	531.00	30	✓ Viread
------------------	--------	----	----------

►SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased \geq 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance - detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance - detection of A181T/V or N236T mutation; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

1.4.3 Entecavir resistance - detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or

- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance - detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance - detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance - detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

BOCEPREVIR – Special Authority see SA1402 on the next page – Retail pharmacy

Cap 200 mg5,015.00 336

✓ **Victrelis**

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Patient is hepatitis C protease inhibitor treatment-naïve; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegylated interferon treatment; and
- 3 Any of the following:
 - 3.1 Patient was a responder relapser; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10⁹ /l or Albumin <35 g/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

Antiretrovirals

►SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 500 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Non-nucleosides Reverse Transcriptase Inhibitors				
EFAVIRENZ – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 50 mg	158.33	30	✓	Stocrin ^{S29}
Tab 200 mg	474.99	90	✓	Stocrin
Tab 600 mg	474.99	30	✓	Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓	Stocrin ^{S29}
ETRAVIRINE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 200 mg	770.00	60	✓	Intencele
NEVIRAPINE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 200 mg – Brand switch fee payable (Pharmacode 2433265) – see page 188 for details	95.94	60	✓	Nevirapine Alphapharm
Oral suspension 10 mg per ml	134.55	240 ml	✓	Viramune Suspension
Nucleosides Reverse Transcriptase Inhibitors				
ABACAVIR SULPHATE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 300 mg	229.00	60	✓	Ziagen
Oral liq 20 mg per ml	50.00	240 ml OP	✓	Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Note: abacavir with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.				
Tab 600 mg with lamivudine 300 mg	630.00	30	✓	Kivexa
DIDANOSINE [DDI] – Special Authority see SA1364 on page 103 – Retail pharmacy				
Cap 125 mg	115.05	30	✓	Videx EC
Cap 200 mg	184.08	30	✓	Videx EC
Cap 250 mg	230.10	30	✓	Videx EC
Cap 400 mg	368.16	30	✓	Videx EC
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL FUMARATE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Note: Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority				
Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg	1,313.19	30	✓	Atripla
EMTRICITABINE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Cap 200 mg	307.20	30	✓	Emtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Note: Emtricitabine with tenofovir disoproxil fumarate counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority				
Tab 200 mg with tenofovir disoproxil fumarate 300 mg	838.20	30	✓	Truvada
LAMIVUDINE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 150 mg	153.60	60	✓	3TC
Oral liq 10 mg per ml	102.50	240 ml OP	✓	3TC
STAVUDINE [D4T] – Special Authority see SA1364 on page 103 – Retail pharmacy				
Cap 40 mg	503.80	60	✓	Zerit
Powder for oral soln 1 mg per ml	100.76	200 ml OP	✓	Zerit ^{S29}

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time
if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ZIDOVUDINE [AZT] – Special Authority see SA1364 on page 103 – Retail pharmacy				
Cap 100 mg	152.25	100	✓	Retrovir
Oral liq 10 mg per ml	30.45	200 ml OP	✓	Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Note: zidovudine [AZT] with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.				
Tab 300 mg with lamivudine 150 mg	63.50	60	✓	Alphapharm
	667.20		✓	Combivir

Protease Inhibitors

ATAZANAVIR SULPHATE – Special Authority see SA1364 on page 103 – Retail pharmacy				
Cap 150 mg	568.34	60	✓	Reyataz
Cap 200 mg	757.79	60	✓	Reyataz
DARUNAVIR – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 400 mg	837.50	60	✓	Prezista
Tab 600 mg	1,190.00	60	✓	Prezista
INDINAVIR – Special Authority see SA1364 on page 103 – Retail pharmacy				
Cap 200 mg	519.75	360	✓	Crixivan
Cap 400 mg	519.75	180	✓	Crixivan
LOPINAVIR WITH RITONAVIR – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 100 mg with ritonavir 25 mg	183.75	60	✓	Kaletra
Tab 200 mg with ritonavir 50 mg	735.00	120	✓	Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓	Kaletra
RITONAVIR – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 100 mg	43.31	30	✓	Norvir
Oral liq 80 mg per ml	103.98	90 ml OP	✓	Norvir

Strand Transfer Inhibitors

RALTEGRAVIR POTASSIUM – Special Authority see SA1364 on page 103 – Retail pharmacy				
Tab 400 mg	1,090.00	60	✓	Isentress

Antiretrovirals - Additional Therapies

HIV Fusion Inhibitors

ENFUVIRTIDE – Special Authority see SA0845 below – Retail pharmacy				
Powder for inj 90 mg per ml × 60	2,380.00	1	✓	Fuzeon

►SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

5 All of the following:

- 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
- 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
- 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

1) Diagnosis

- Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
- PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
- Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A – PCT – Retail pharmacy-Specialist

- a) See prescribing guideline above
 - b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist
- | | | | |
|------------------------------------|-------|---|--------------------|
| Inj 3 m iu prefilled syringe | 31.32 | 1 | ✓ Roferon-A |
| Inj 6 m iu prefilled syringe | 62.64 | 1 | ✓ Roferon-A |
| Inj 9 m iu prefilled syringe | 93.96 | 1 | ✓ Roferon-A |

(Roferon-A Inj 6 m iu prefilled syringe to be delisted 1 February 2014)

(Roferon-A Inj 9 m iu prefilled syringe to be delisted 1 February 2014)

INTERFERON ALFA-2B – PCT – Retail pharmacy-Specialist

- a) See prescribing guideline above
 - b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist
- | | | | |
|---|--------|---|-------------------|
| Inj 18 m iu, 1.2 ml multidose pen | 187.92 | 1 | ✓ Intron-A |
| Inj 30 m iu, 1.2 ml multidose pen | 313.20 | 1 | ✓ Intron-A |
| Inj 60 m iu, 1.2 ml multidose pen | 626.40 | 1 | ✓ Intron-A |

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PEGYLATED INTERFERON ALFA-2A – Special Authority see SA1400 below – Retail pharmacy				
See prescribing guideline on the previous page				
Inj 135 mcg prefilled syringe	1,448.00	4	✓	Pegasys
Inj 180 mcg prefilled syringe	900.00	4	✓	Pegasys
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 112	1,799.68	1 OP	✓	Pegasys RBV Combination Pack
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 168	1,975.00	1 OP	✓	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 112	1,159.84	1 OP	✓	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 168	1,290.00	1 OP	✓	Pegasys RBV Combination Pack

►SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- Any of the following:
 - Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - Patient has chronic hepatitis C and is co-infected with HIV; or
 - Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- Patient has chronic hepatitis C, genotype 1; and
- Patient has had previous treatment with pegylated interferon and ribavirin; and
- Either:
 - Patient has responder relapsed; or
 - Patient was a partial responder; and
- Patient is to be treated in combination with boceprevir; and
- Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- Patient has chronic hepatitis C, genotype 1; and
- Patient has had previous treatment with pegylated interferon and ribavirin; and
- Any of the following:
 - Patient has responder relapsed; or
 - Patient was a partial responder; or

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naïve; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon-alfa 2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE

* Tab 1 g	18.40	100	
	(38.10)		Hiprex

NITROFURANTOIN

* Tab 50 mg – For nitrofurantoin oral liquid formulation refer, page 190	22.20	100	✓ Nifuran
* Tab 100 mg	37.50	100	✓ Nifuran

NORFLOXACIN

Tab 400 mg – Maximum of 6 tab per prescription; can be waived by endorsement - Retail pharmacy - Specialist	15.45	100	✓ Arrow-Norfloxacin
---	-------	-----	----------------------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	140.00	50	✓	AstraZeneca
PYRIDOSTIGMINE BROMIDE				
▲ Tab 60 mg	38.90	100	✓	Mestinon
Non-Steroidal Anti-Inflammatory Drugs				
▶SA1038 Special Authority for Manufacturers Price				
Note: Subsidy for patients with existing approvals prior to 1 September 2010. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 September 2010.				
DICLOFENAC SODIUM				
* Tab EC 25 mg	4.00	100	✓	Apo-Diclo
* Tab 50 mg dispersible – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy	1.50 (8.00)	20		
* Tab EC 50 mg	16.00	500	✓	Apo-Diclo
* Tab long-acting 75 mg	24.52	500	✓	Diclax SR
* Tab long-acting 100 mg	42.25	500	✓	Diclax SR
* Inj 25 mg per ml, 3 ml	12.00	5	✓	Voltaren
Up to 5 inj available on a PSO				
* Suppos 12.5 mg	1.85	10	✓	Voltaren
* Suppos 25 mg	2.22	10	✓	Voltaren
* Suppos 50 mg	3.84	10	✓	Voltaren
Up to 10 supp available on a PSO				
* Suppos 100 mg	6.36	10	✓	Voltaren
IBUPROFEN				
* Tab 200 mg	12.75	1,000	✓	Arrowcare
* Tab 400 mg – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy	0.77 (4.56)	30		Brufen
* Tab 600 mg – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy	1.15 (6.84)	30		Brufen
* Tab long-acting 800 mg	8.12	30	✓	Brufen SR
* ‡ Oral liq 20 mg per ml	2.69	200 ml	✓	Fenpaed
KETOPROFEN				
* Cap long-acting 100 mg	21.56	100	✓	Oruvail SR
* Cap long-acting 200 mg	43.12	100	✓	Oruvail SR
MEFENAMIC ACID – Additional subsidy by Special Authority see SA1038 above – Retail pharmacy				
* Cap 250 mg	0.50 (5.60)	20		Ponstan
	1.25 (9.16)	50		Ponstan
NAPROXEN				
* Tab 250 mg	21.25	500	✓	Noflam 250
* Tab 500 mg	22.25	250	✓	Noflam 500
* Tab long-acting 750 mg	18.00	90	✓	Naprosyn SR 750
* Tab long-acting 1,000 mg	21.00	90	✓	Naprosyn SR 1000

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SULINDAC – Additional subsidy by Special Authority see SA1038 on the previous page – Retail pharmacy				
* Tab 100 mg	2.66 (8.55)	50		Aclin
* Tab 200 mg	3.36 (15.10)	50		Aclin
TENOXICAM				
* Tab 20 mg	23.75	100	✓	Tilcotil
* Inj 20 mg vial	9.95	1	✓	AFT
TIAPROFENIC ACID				
* Tab 300 mg	19.26	60	✓	Surgam
NSAIDs Other				
MELOXICAM – Special Authority see SA1034 below – Retail pharmacy				
* Tab 7.5 mg	11.50	30	✓	Arrow-Meloxicam
▶SA1034 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:				
All of the following:				
1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and				
2 The patient has haemophilic arthropathy; and				
3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.				
Topical Products for Joint and Muscular Pain				
CAPSAICIN				
Crm 0.025% – Special Authority see SA1289 below – Retail pharmacy	9.95	45 g OP	✓	Zostrix
▶SA1289 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.				
Antirheumatoid Agents				
AURANOFIN				
Tab 3 mg	68.99	60	✓	Ridaura s29 <small>\$29</small>
HYDROXYCHLOROQUINE				
* Tab 200 mg	18.00	100	✓	Plaquenil
LEFLUNOMIDE				
Tab 10 mg	55.00	30	✓	Arava
Tab 20 mg	76.00	30	✓	Arava
Tab 100 mg	54.44	3	✓	Arava
PENICILLAMINE				
Tab 125 mg	61.93	100	✓	D-Penamine
Tab 250 mg	98.98	100	✓	D-Penamine
SODIUM AUROTHIOMALATE				
Inj 10 mg in 0.5 ml ampoule	76.87	10	✓	Myocrisin
Inj 20 mg in 0.5 ml ampoule	113.17	10	✓	Myocrisin
Inj 50 mg in 0.5 ml ampoule	217.23	10	✓	Myocrisin

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

►SA1039 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- History of two significant osteoporotic fractures demonstrated radiologically; or
- Documented T-Score \leq -3.0 (see Note); or
- A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- Patient has had a Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- The patient is receiving systemic glucocorticosteroid therapy (\geq 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- Any of the following:
 - The patient has documented BMD \geq 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - The patient has had a Special Authority approval for zoledronic acid (Underlying cause - glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteroid therapy (\geq 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- History of two significant osteoporotic fractures demonstrated radiologically; or
- Documented T-Score \leq -3.0 (see Note); or
- A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA1039 on the previous page – Retail pharmacy

* Tab 70 mg22.90 4 ✓ Fosamax

ALENDRONATE SODIUM WITH CHOLECALCIFEROL – Special Authority see SA1039 on the previous page – Retail pharmacy

* Tab 70 mg with cholecalciferol 5,600 iu22.90 4 ✓ Fosamax Plus

Alendronate for Paget's Disease

►SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM – Special Authority see SA0949 above – Retail pharmacy

* Tab 40 mg133.00 30 ✓ Fosamax

Other Treatments

ETIDRONATE DISODIUM – See prescribing guideline below

* Tab 200 mg15.80 100 ✓ Arrow-Etidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 5 ml	18.75	1	✓ Pamisol
Inj 3 mg per ml, 10 ml	16.00	1	✓ Pamidronate BNM
Inj 6 mg per ml, 10 ml	32.00	1	✓ Pamidronate BNM
Inj 9 mg per ml, 10 ml	48.00	1	✓ Pamidronate BNM

RALOXIFENE HYDROCHLORIDE – Special Authority see SA1138 on the next page – Retail pharmacy

* Tab 60 mg53.76 28 ✓ Evista

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

►SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Notes); or
- History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- History of two significant osteoporotic fractures demonstrated radiologically; or
- Documented T-Score \leq -3.0 (see Notes); or
- A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score \leq -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM

Tab 35 mg	4.00	4	✓ Risedronate Sandoz
-----------------	------	---	----------------------

TERIPARATIDE – Special Authority see SA1139 below – Retail pharmacy

Inj 250 mcg per ml, 2.4 ml	490.00	1	✓ Forteo
----------------------------------	--------	---	----------

►SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- The patient has severe, established osteoporosis; and
- The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- The patient has had two or more fractures due to minimal trauma; and
- The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID – Special Authority see SA1187 below – Retail pharmacy
Soln for infusion 5 mg in 100 ml 600.00 100 ml OP ✓ Aclasta

►SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score \leq -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture \geq 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause - Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (\geq 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD \geq 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause - glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

continued...

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
- 1 The patient is continuing systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents); and
 - 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture $\geq 3\%$, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
 - 2 The patient will not be prescribed more than one infusion in a 12-month period.

- Notes:
- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
 - b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
 - c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
 - d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPURINOL

* Tab 100 mg	15.90	1,000	✓ Apo-Allopurinol
* Tab 300 mg – For allopurinol oral liquid formulation refer, page 190	16.75	500	✓ Apo-Allopurinol

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

BENZBROMARONE – Special Authority see SA1319 below – Retail pharmacy

Tab 100 mg	45.00	100	✓ Benzbromaron <small>S29</small>
------------------	-------	-----	--

►SA1319 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
- Any of the following:
 - The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and appropriate doses of probenecid; or
 - The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite appropriate doses of probenecid; or
 - Both:
 - The patient has renal impairment and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note); and
 - The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - All of the following:
 - The patient is taking azathioprine and requires urate-lowering therapy; and
 - Allopurinol is contraindicated; and
 - Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
 - The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Both:
- The treatment remains appropriate and the patient is benefitting from the treatment; and
 - There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

COLCHICINE

* Tab 500 mcg	10.08	100	✓ Colgout
---------------------	-------	-----	------------------

PROBENECID

* Tab 500 mg	55.00	100	✓ Probenecid-AFT
--------------------	-------	-----	-------------------------

Muscle Relaxants

BACLOFEN

* Tab 10 mg – For baclofen oral liquid formulation refer, page 190	3.85	100	✓ Pacifen
--	------	-----	------------------

DANTROLENE

* Cap 25 mg	65.00	100	✓ Dantrium
* Cap 50 mg	77.00	100	✓ Dantrium

ORPHENADRINE CITRATE

Tab 100 mg	18.54	100	✓ Norflex
------------------	-------	-----	------------------

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and Related Agents

AMANTADINE HYDROCHLORIDE

▲ Cap 100 mg	38.24	60	✓ <u>Symmetrel</u>
--------------------	-------	----	--------------------

APOMORPHINE HYDROCHLORIDE

▲ Inj 10 mg per ml, 2 ml	110.00	5	✓ <u>Apomine</u>
--------------------------------	--------	---	------------------

BROMOCRIPTINE MESYLATE

* Tab 2.5 mg	32.08	100	✓ <u>Apo-Bromocriptine</u>
* Cap 5 mg	60.43	100	✓ <u>Apo-Bromocriptine</u>

ENTACAPONE

▲ Tab 200 mg	47.92	100	✓ <u>Entapone</u>
--------------------	-------	-----	-------------------

LEVODOPA WITH BENSERAZIDE

* Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ <u>Madopar Dispersible</u>
* Cap 50 mg with benserazide 12.5 mg	8.00	100	✓ <u>Madopar 62.5</u>
* Cap 100 mg with benserazide 25 mg	12.50	100	✓ <u>Madopar 125</u>
* Cap long-acting 100 mg with benserazide 25 mg	17.00	100	✓ <u>Madopar HBS</u>
* Cap 200 mg with benserazide 50 mg	25.00	100	✓ <u>Madopar 250</u>

LEVODOPA WITH CARBIDOPA

* Tab 100 mg with carbidopa 25 mg – For levodopa with carbidopa oral liquid formulation refer, page 190	10.00	50	✓ <u>Sindopa</u>
	20.00	100	✓ <u>Sinemet</u>
* Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓ <u>Sinemet CR</u>
* Tab 250 mg with carbidopa 25 mg	40.00	100	✓ <u>Sinemet</u>

LISURIDE HYDROGEN MALEATE

▲ Tab 200 mcg	25.00	30	✓ <u>Dopergin</u>
---------------------	-------	----	-------------------

PERGOLIDE

▲ Tab 0.25 mg	48.00	100	✓ <u>Permax</u>
▲ Tab 1 mg	170.00	100	✓ <u>Permax</u>

PRAMIPEXOLE HYDROCHLORIDE

▲ Tab 1 mg	7.20	30	✓ <u>Dr Reddy's Pramipexole</u>
▲ Tab 0.125 mg	1.95	30	✓ <u>Dr Reddy's Pramipexole</u>
▲ Tab 0.25 mg	2.40	30	✓ <u>Dr Reddy's Pramipexole</u>
▲ Tab 0.5 mg	4.20	30	✓ <u>Dr Reddy's Pramipexole</u>

ROPINIROLE HYDROCHLORIDE

▲ Tab 0.25 mg	6.20	84	✓ <u>Ropin</u>
▲ Tab 1 mg	15.95	84	✓ <u>Ropin</u>
▲ Tab 2 mg	24.95	84	✓ <u>Ropin</u>
▲ Tab 5 mg	38.00	84	✓ <u>Ropin</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SELEGILINE HYDROCHLORIDE				
* Tab 5 mg	16.06	100	✓	Apo-Selegiline ✓ Apo-Selegiline S29 S29
TOLCAPONE				
▲ Tab 100 mg	126.20	100	✓	Tasmar
Anticholinergics				
BENZTROPINE MESYLATE				
Tab 2 mg	7.99	60	✓	Benztrop
Inj 1 mg per ml, 2 ml	95.00	5	✓	Cogentin
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
ORPHENADRINE HYDROCHLORIDE				
Tab 50 mg	35.15	250	✓	Disipal
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	7.40	100	✓	Kemadrin
Agents for Essential Tremor, Chorea and Related Disorders				
RILUZOLE – Special Authority see SA1403 below – Retail pharmacy				
Tab 50 mg	400.00	56	✓	Rilutek
►SA1403 Special Authority for Subsidy				
Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:				
All of the following:				
1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and				
2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and				
3 The patient has not undergone a tracheostomy; and				
4 The patient has not experienced respiratory failure; and				
5 Any of the following:				
5.1 The patient is ambulatory; or				
5.2 The patient is able to use upper limbs; or				
5.3 The patient is able to swallow.				
Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria:				
All of the following:				
1 The patient has not undergone a tracheostomy; and				
2 The patient has not experienced respiratory failure; and				
3 Any of the following:				
3.1 The patient is ambulatory; or				
3.2 The patient is able to use upper limb; or				
3.3 The patient is able to swallow.				
TETRABENAZINE				
Tab 25 mg	118.00	112	✓	Motetis

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Anaesthetics

Local

LIDOCAINE [LIGNOCAINE]

Gel 2%, 10 ml urethral syringe – Subsidy by endorsement.....	43.26	10	✓ Pfizer
a) Up to 5 each available on a PSO			
b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.			

LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE

Viscous soln 2%	55.00	200 ml	✓ <u>Xylocaine Viscous</u>
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO	8.75	25	✓ <u>Lidocaine-Clarix</u>
17.50	50		
(35.00)			Xylocaine
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO	6.90	25	✓ <u>Lidocaine-Clarix</u>
Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO	2.40	1	✓ <u>Lidocaine-Clarix</u>
12.00	5		
(20.00)			Xylocaine
Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO	2.40	1	✓ <u>Lidocaine-Clarix</u>

LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE

Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –			
Subsidy by endorsement	43.26	10	✓ Pfizer
a) Up to 5 each available on a PSO			
b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.			

LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see SA0906 below – Retail pharmacy

Crn 2.5% with prilocaine 2.5%	45.00	30 g OP	✓ EMLA
Crn 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	✓ EMLA

►SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 110

Non-opioid Analgesics

ASPIRIN

* Tab EC 300 mg	2.00	100	
	(8.10)		Aspec 300
* Tab dispersible 300 mg – Up to 30 tab available on a PSO	2.00	100	✓ Ethics Aspirin

CAPSAICIN – Subsidy by endorsement

a) For aspirin & chloroform application refer, page 193			
b) Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly.			
Crn 0.075%	12.50	45 g OP	✓ Zostrix HP

NEFOPAM HYDROCHLORIDE

Tab 30 mg	23.40	90	✓ Acupan
-----------------	-------	----	-----------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PARACETAMOL				
* Tab 500 mg – Up to 30 tab available on a PSO.....	9.38	1,000	✓	<u>Parafast</u>
*‡ Oral liq 120 mg per 5 ml	2.21	500 ml	✓	<u>Ethics Paracetamol</u>
a) Up to 200 ml available on a PSO				
b) Not in combination				
*‡ Oral liq 250 mg per 5 ml	6.70	1,000 ml	✓	<u>Paracare Double Strength</u>
a) Up to 100 ml available on a PSO				
b) Not in combination				
* Suppos 125 mg	7.49	20	✓	<u>Panadol</u>
* Suppos 250 mg	14.40	20	✓	<u>Panadol</u>
* Suppos 500 mg	20.70	50	✓	<u>Paracare</u>
Opioid Analgesics				
CODEINE PHOSPHATE – Safety medicine; prescriber may determine dispensing frequency				
Tab 15 mg	4.75	100	✓	<u>PSM</u>
Tab 30 mg	5.80	100	✓	<u>PSM</u>
Tab 60 mg	12.50	100	✓	<u>PSM</u>
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	13.64	60	✓	<u>DHC Continus</u>
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Inj 50 mcg per ml, 2 ml	4.50	10	✓	<u>Boucher and Muir</u>
Inj 50 mcg per ml, 10 ml	11.77	10	✓	<u>Boucher and Muir</u>
Transdermal patch 12.5 mcg per hour	8.90	5	✓	<u>Mylan Fentanyl Patch</u>
Transdermal patch 25 mcg per hour	9.15	5	✓	<u>Mylan Fentanyl Patch</u>
Transdermal patch 50 mcg per hour	11.50	5	✓	<u>Mylan Fentanyl Patch</u>
Transdermal patch 75 mcg per hour	13.60	5	✓	<u>Mylan Fentanyl Patch</u>
Transdermal patch 100 mcg per hour	14.50	5	✓	<u>Mylan Fentanyl Patch</u>
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).				
e) For methadone hydrochloride oral liquid refer, page 193				
Tab 5 mg	1.85	10	✓	<u>Methatabs</u>
‡ Oral liq 2 mg per ml	5.55	200 ml	✓	<u>Biodone</u>
‡ Oral liq 5 mg per ml	5.55	200 ml	✓	<u>Biodone Forte</u>
‡ Oral liq 10 mg per ml	6.55	200 ml	✓	<u>Biodone Extra Forte</u>
‡ Inj 10 mg per ml, 1 ml	61.00	10	✓	<u>AFT</u>

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
MORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
‡ Oral liq 1 mg per ml	8.84	200 ml	✓	<u>RA-Morph</u>
‡ Oral liq 2 mg per ml	11.62	200 ml	✓	<u>RA-Morph</u>
‡ Oral liq 5 mg per ml	14.65	200 ml	✓	<u>RA-Morph</u>
‡ Oral liq 10 mg per ml	21.55	200 ml	✓	<u>RA-Morph</u>
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Tab immediate-release 10 mg	2.80	10	✓	<u>Sevredol</u>
Tab long-acting 10 mg	1.95	10	✓	<u>Arrow-Morphine LA</u>
Tab immediate-release 20 mg	5.52	10	✓	<u>Sevredol</u>
Tab long-acting 30 mg	2.98	10	✓	<u>Arrow-Morphine LA</u>
Tab long-acting 60 mg	5.75	10	✓	<u>Arrow-Morphine LA</u>
Tab long-acting 100 mg	6.45	10	✓	<u>Arrow-Morphine LA</u>
Cap long-acting 10 mg	2.22	10	✓	<u>m-Eslon</u>
Cap long-acting 30 mg	3.20	10	✓	<u>m-Eslon</u>
Cap long-acting 60 mg	6.90	10	✓	<u>m-Eslon</u>
Cap long-acting 100 mg	8.05	10	✓	<u>m-Eslon</u>
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	✓	<u>DBL Morphine Sulphate</u>
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO	4.79	5	✓	<u>DBL Morphine Sulphate</u>
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.01	5	✓	<u>DBL Morphine Sulphate</u>
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.30	5	✓	<u>DBL Morphine Sulphate</u>
MORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
Inj 80 mg per ml, 1.5 ml	35.60	5	✓	<u>Hospira</u>
Inj 80 mg per ml, 5 ml	107.67	5	✓	<u>Hospira</u>

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

OXYCODONE HYDROCHLORIDE

- a) Only on a controlled drug form
- b) See prescribing guideline below
- c) No patient co-payment payable

d) Safety medicine; prescriber may determine dispensing frequency

Tab controlled-release 5 mg	7.51	20	✓ OxyContin
Tab controlled-release 10 mg	6.75	20	✓ Oxydone BNM
	(11.14)		OxyContin
Tab controlled-release 20 mg	11.50	20	✓ Oxydone BNM
	(18.93)		OxyContin
Tab controlled-release 40 mg	18.50	20	✓ Oxydone BNM
	(33.29)		OxyContin
Tab controlled-release 80 mg	34.00	20	✓ Oxydone BNM
	(58.03)		OxyContin
Cap immediate-release 5 mg	2.83	20	✓ OxyNorm
Cap immediate-release 10 mg	5.58	20	✓ OxyNorm
Cap immediate-release 20 mg	9.77	20	✓ OxyNorm
‡ Oral liq 5 mg per 5 ml	11.20	250 ml	✓ OxyNorm
Inj 10 mg per ml, 1 ml	10.08	5	✓ Oxycodone Orion
Inj 10 mg per ml, 2 ml	19.87	5	✓ Oxycodone Orion
Inj 50 mg per ml, 1 ml	60.00	5	✓ OxyNorm

Prescribing Guideline

Prescribers should note that oxycodone is significantly more expensive than long-acting morphine sulphate and clinical advice suggests that it is reasonable to consider this as a second-line agent to be used after morphine.

PARACETAMOL WITH CODEINE – Safety medicine; prescriber may determine dispensing frequency

* Tab paracetamol 500 mg with codeine phosphate 8 mg	2.70	100	✓ Paracetamol + Codeine (Relieve)
--	------	-----	--

PETHIDINE HYDROCHLORIDE

- a) Only on a controlled drug form
- b) No patient co-payment payable
- c) Safety medicine; prescriber may determine dispensing frequency

Tab 50 mg	3.95	10	✓ PSM
Tab 100 mg	5.80	10	✓ PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	✓ DBL Pethidine Hydrochloride
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5.83	5	✓ DBL Pethidine Hydrochloride

TRAMADOL HYDROCHLORIDE

Tab sustained-release 100 mg	2.14	20	✓ Tramal SR 100
Tab sustained-release 150 mg	3.21	20	✓ Tramal SR 150
Tab sustained-release 200 mg	4.28	20	✓ Tramal SR 200
Cap 50 mg	4.95	100	✓ Arrow-Tramadol

Antidepressants

Cyclic and Related Agents

AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg	3.32	100	✓ Arrow Amitriptyline
Tab 25 mg	1.85	100	✓ Amitrip
Tab 50 mg	3.60	100	✓ Amitrip

‡ safety cap

* Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	12.60	100	✓	Apo-Clomipramine
Tab 25 mg	8.68	100	✓	Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 75 mg	10.50	100	✓	Dopress
Cap 25 mg	6.17	100	✓	Dopress
DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Cap 10 mg	6.30	100	✓	Anten
Cap 25 mg	6.86	100	✓	Anten
Cap 50 mg	8.55	100	✓	Anten
IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	5.48	50	✓	Tofranil
	6.58	60	✓	Tofranil S29 <small>S29</small>
Tab 25 mg	8.80	50	✓	Tofranil
MAPROTIline HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	25.06	100	✓	Ludiomil
Tab 75 mg	14.01	20	✓	Ludiomil s29 <small>S29</small>
	21.01	30	✓	Ludiomil
MIANSERIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 30 mg	24.86	30	✓	Tolvon
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	4.00	100	✓	Norpress
Tab 25 mg	9.00	180	✓	Norpress

Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective

PHENELZINE SULPHATE				
* Tab 15 mg	95.00	100	✓	Nardil
TRANLYCPROMINE SULPHATE				
* Tab 10 mg	22.94	50	✓	Parnate

Monoamine-Oxidase Type A Inhibitors

MOCLOBEMIDE

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide.

* Tab 150 mg	81.83	500	✓	Apo-Moclobemide
* Tab 300 mg	29.51	100	✓	Apo-Moclobemide

Selective Serotonin Reuptake Inhibitors

CITALOPRAM HYDROBROMIDE				
* Tab 20 mg	2.34	84	✓	Arrow-Citalopram
ESCITALOPRAM				
* Tab 10 mg	2.65	28	✓	Loxalate
* Tab 20 mg	4.20	28	✓	Loxalate

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement	2.50	30	✓	Fluox
Subsidised by endorsement				
1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly; or				
2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses.				
* Cap 20 mg	2.70	84	✓	Fluox
PAROXETINE HYDROCHLORIDE				
* Tab 20 mg	2.38	30	✓	Loxamine
SERTRALINE				
* Tab 50 mg	3.64	90	✓	Arrow-Sertraline
* Tab 100 mg	6.28	90	✓	Arrow-Sertraline

Other Antidepressants

MIRTAZAPINE – Special Authority see SA0994 below – Retail pharmacy

Tab 30 mg8.78	30	✓	Avanza	
Tab 45 mg13.95	30	✓	Avanza	

►SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Both:
- 1 The patient has a severe major depressive episode; and
 - 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE

Tab 37.5 mg5.06	28	✓	Arrow-Venlafaxine XR	
Tab 75 mg6.44	28	✓	Arrow-Venlafaxine XR	
Tab 150 mg8.86	28	✓	Arrow-Venlafaxine XR	
Tab 225 mg14.34	28	✓	Arrow-Venlafaxine XR	
Cap 37.5 mg – Special Authority see SA1061 on the next page – Retail pharmacy8.71	28	✓	Efexor XR	
Cap 75 mg – Special Authority see SA1061 on the next page – Retail pharmacy17.42	28	✓	Efexor XR	
Cap 150 mg – Special Authority see SA1061 on the next page – Retail pharmacy21.35	28	✓	Efexor XR	

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

►SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Inj 1 mg per ml, 1 ml	19.00	5 ✓ Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Inj 5 mg per ml, 2 ml – Subsidy by endorsement	9.24	5 ✓ Mayne
a) Up to 5 inj available on a PSO		
b) Only on a PSO		
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg – Up to 5 tube available on a PSO	25.05	5 ✓ Stesolid
Rectal tubes 10 mg – Up to 5 tube available on a PSO	30.50	5 ✓ Stesolid
PARALDEHYDE		
* Inj 5 ml	1,500.00	5 ✓ AFT
PHENYTOIN SODIUM		
* Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	69.24	5 ✓ Mayne
* Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO	77.27	5 ✓ Mayne

Control of Epilepsy

CARBAMAZEPINE		
* Tab 200 mg	14.53	100 ✓ Tegretol
* Tab long-acting 200 mg	16.98	100 ✓ Tegretol CR
* Tab 400 mg	34.58	100 ✓ Tegretol
* Tab long-acting 400 mg	39.17	100 ✓ Tegretol CR
*‡ Oral liq 100 mg per 5 ml	26.37	250 ml ✓ Tegretol
CLOBAZAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 10 mg	9.12	50 ✓ Frisium
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
‡ Oral drops 2.5 mg per ml	7.38	10 ml OP ✓ Rivotril
ETHOSUXIMIDE		
* Cap 250 mg	32.90	200 ✓ Zaronitin
*‡ Oral liq 250 mg per 5 ml	13.60	200 ml ✓ Zaronitin

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
GABAPENTIN – Special Authority see SA1071 below – Retail pharmacy				
▲ Cap 100 mg	7.16	100	✓	Nupentin
▲ Cap 300 mg – For gabapentin oral liquid formulation refer, page 190	11.50	100	✓	Nupentin
▲ Cap 400 mg	14.75	100	✓	Nupentin

➡SA1071 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

GABAPENTIN (NEURONTIN) – Special Authority see SA0973 below – Retail pharmacy

▲ Tab 600 mg	67.50	100	✓	Neurontin
▲ Cap 100 mg	13.26	100	✓	Neurontin
▲ Cap 300 mg – For gabapentin (neurontin) oral liquid formulation refer, page 190	39.76	100	✓	Neurontin
▲ Cap 400 mg	53.01	100	✓	Neurontin

➡SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

LACOSAMIDE – Special Authority see SA1125 on the next page – Retail pharmacy

▲ Tab 50 mg	25.04	14	✓	Vimpat
▲ Tab 100 mg	50.06	14	✓	Vimpat
	200.24	56	✓	Vimpat
▲ Tab 150 mg	75.10	14	✓	Vimpat
	300.40	56	✓	Vimpat
▲ Tab 200 mg	400.55	56	✓	Vimpat

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

LAMOTRIGINE

▲ Tab dispersible 2 mg	6.74	30	✓ Lamictal
▲ Tab dispersible 5 mg	9.64	30	✓ Lamictal
	15.00	56	✓ Arrow-Lamotrigine
▲ Tab dispersible 25 mg	19.38	56	✓ Logem
	20.40		✓ Arrow-Lamotrigine
			✓ Mogine
	29.09		✓ Lamictal
▲ Tab dispersible 50 mg	32.97	56	✓ Logem
	34.70		✓ Arrow-Lamotrigine
			✓ Mogine
	47.89		✓ Lamictal
▲ Tab dispersible 100 mg	56.91	56	✓ Logem
	59.90		✓ Arrow-Lamotrigine
			✓ Mogine
	79.16		✓ Lamictal

LEVETIRACETAM

Tab 250 mg	24.03	60	✓ Levetiracetam-Rex
Tab 500 mg – For levetiracetam oral liquid formulation refer, page 190	28.71	60	✓ Levetiracetam-Rex
Tab 750 mg	45.23	60	✓ Levetiracetam-Rex

PHENOBARBITONE

For phenobarbitone oral liquid refer, page 193

* Tab 15 mg	28.00	500	✓ PSM
* Tab 30 mg	29.00	500	✓ PSM

PHENYTOIN SODIUM

* Tab 50 mg	42.09	200	✓ Dilantin Infatab
* Cap 30 mg	19.13	200	✓ Dilantin
* Cap 100 mg	17.21	200	✓ Dilantin
* ‡ Oral liq 30 mg per 5 ml	19.16	500 ml	✓ Dilantin

PRIMIDONE

* Tab 250 mg	17.25	100	✓ Apo-Primidone
--------------------	-------	-----	-----------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
SODIUM VALPROATE				
* Tab 100 mg	13.65	100	✓	Epilim Crushable
* Tab 200 mg EC	27.44	100	✓	Epilim
* Tab 500 mg EC	52.24	100	✓	Epilim
*‡ Oral liq 200 mg per 5 ml	20.48	300 ml	✓	Epilim S/F Liquid
			✓	Epilim Syrup
			✓	Epilim IV
* Inj 100 mg per ml, 4 ml	41.50	1		
STIRIPENTOL – Special Authority see SA1330 below – Retail pharmacy				
Cap 250 mg	509.29	60	✓	Diacomit ^{\$29}
Powder for oral liq 250 mg sachet	509.29	60	✓	Diacomit ^{\$29}

►SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria:
Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

▲ Tab 25 mg	11.07	60	✓	Arrow-Topiramate
	26.04		✓	Topamax
▲ Tab 50 mg	18.81	60	✓	Arrow-Topiramate
	44.26		✓	Topamax
▲ Tab 100 mg	31.99	60	✓	Arrow-Topiramate
	75.25		✓	Topamax
▲ Tab 200 mg	55.19	60	✓	Arrow-Topiramate
	129.85		✓	Topamax
▲ Sprinkle cap 15 mg	20.84	60	✓	Topamax
▲ Sprinkle cap 25 mg	26.04	60	✓	Topamax

VIGABATRIN – Special Authority see SA1072 below – Retail pharmacy

▲ Tab 500 mg	119.30	100	✓	Sabril
--------------------	--------	-----	---	--------

►SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

- Both:
- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
 - 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDs refer to MUSCULOSKELETAL, page 110

Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE

Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
-------------------------------------	-------	-----	-------------------

METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMOL

Tab 5 mg with paracetamol 500 mg	6.77	60	✓ Paramax
--	------	----	------------------

RIZATRIPTAN

Tab orodispersible 10 mg	18.00	30	✓ Rizamelt
--------------------------------	-------	----	-------------------

SUMATRIPTAN

Tab 50 mg	29.80	100	✓ Arrow-Sumatriptan
-----------------	-------	-----	----------------------------

Tab 100 mg	54.80	100	✓ Arrow-Sumatriptan
------------------	-------	-----	----------------------------

Inj 12 mg per ml, 0.5 ml cartridge – Maximum of 10 inj per prescription.....	13.80	2 OP	✓ Arrow-Sumatriptan
--	-------	------	----------------------------

Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 54

PIZOTIFEN

* Tab 500 mcg	23.21	100	✓ Sandomigran
---------------------	-------	-----	----------------------

Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 26

APREPITANT – Special Authority see SA0987 below – Retail pharmacy

Cap 2 × 80 mg and 1 × 125 mg	116.00	3 OP	✓ Emend Tri-Pack
------------------------------------	--------	------	-------------------------

►SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
BETAHISTINE DIHYDROCHLORIDE				
* Tab 16 mg	10.00	84	✓	Vergo 16
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	0.59	10	✓	Nausicalm
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	✓	Nausicalm
DOMPERIDONE				
* Tab 10 mg – For domperidone oral liquid formulation refer, page 190	3.25	100	✓	Prokinex
HYOSCINE HYDROBROMIDE				
* Inj 400 mcg per ml, 1 ml	6.66	5	✓	Mayne
Patch 1.5 mg – Special Authority see SA1387 below – Retail pharmacy	11.95	2	✓	Scopoderm TTS
►SA1387 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:				
1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or				
2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.				
Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.				
METOCLOPRAMIDE HYDROCHLORIDE				
* Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 190.....	3.95	100	✓	Metamide
* Inj 5 mg per ml, 2 ml – Up to 5 inj available on a PSO	4.50	10	✓	Pfizer
ONDANSETRON				
* Tab 4 mg	5.10	30	✓	Dr Reddy's Ondansetron
* Tab disp 4 mg	1.70	10	✓	Dr Reddy's Ondansetron
	17.18		✓	Zofran Zydys
* Tab 8 mg	1.70	10	✓	Dr Reddy's Ondansetron
* Tab disp 8 mg	2.00	10	✓	Dr Reddy's Ondansetron
PROCHLORPERAZINE				
* Tab 3 mg buccal	5.97 (15.00)	50		Buccastem
* Tab 5 mg – Up to 30 tab available on a PSO.....	16.85	500	✓	Antinaus
* Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO	25.81	10	✓	Stemetil
* Suppos 25 mg	23.87	5	✓	Stemetil
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20 (6.24)	10		Avomine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
TROPISETRON				
a) Maximum of 6 cap per prescription				
b) Maximum of 3 cap per dispensing				
c) Not more than one prescription per month.				
Cap 5 mg	77.41	5	✓	Navoban

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE – Safety medicine; prescriber may determine dispensing frequency

Tab 100 mg	6.22	30	✓ Solian
Tab 200 mg	21.92	60	✓ Solian
Tab 400 mg	44.52	60	✓ Solian
Oral liq 100 mg per ml	52.50	60 ml	✓ Solian

ARIPRAZOLE – Special Authority see SA0920 below – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg	123.54	30	✓ Abilify
Tab 15 mg	175.28	30	✓ Abilify
Tab 20 mg	213.42	30	✓ Abilify
Tab 30 mg	260.07	30	✓ Abilify

►SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg – Up to 30 tab available on a PSO.....	12.36	100	✓ Largactil
Tab 25 mg – Up to 30 tab available on a PSO.....	13.02	100	✓ Largactil
Tab 100 mg – Up to 30 tab available on a PSO.....	30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	25.66	10	✓ Largactil

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CLOZAPINE – Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	13.37	50	✓	Clozaril
	26.74	100	✓	Clozaril
	6.69	50	✓	Clopine
	13.37	100	✓	Clopine
Tab 50 mg	8.67	50	✓	Clopine
	17.33	100	✓	Clopine
Tab 100 mg	34.65	50	✓	Clozaril
	69.30	100	✓	Clozaril
	17.33	50	✓	Clopine
	34.65	100	✓	Clopine
Tab 200 mg	34.65	50	✓	Clopine
	69.30	100	✓	Clopine
Suspension 50 mg per ml	17.33	100 ml	✓	Clopine
HALOPERIDOL – Safety medicine; prescriber may determine dispensing frequency				
Tab 500 mcg – Up to 30 tab available on a PSO	6.23	100	✓	Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO	9.43	100	✓	Serenace
Tab 5 mg – Up to 30 tab available on a PSO	29.72	100	✓	Serenace
Oral liq 2 mg per ml – Up to 200 ml available on a PSO	23.84	100 ml	✓	Serenace
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	21.55	10	✓	Serenace
LEVOMEPRMAZINE MALEATE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	16.93	100	✓	Nozinan
Tab 100 mg	43.96	100	✓	Nozinan
Inj 25 mg per ml, 1 ml	73.68	10	✓	Nozinan
LITHIUM CARBONATE – Safety medicine; prescriber may determine dispensing frequency				
Tab 250 mg	34.30	500	✓	Lithicarb FC
Tab 400 mg	12.83	100	✓	Lithicarb FC
Tab long-acting 400 mg	19.20	100	✓	Priadel
Cap 250 mg	9.42	100	✓	Douglas

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
OLANZAPINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 2.5 mg	2.00	28	✓	Dr Reddy's Olanzapine
	(51.07)		✓	Olanzine
Tab 5 mg	3.85	28	✓	Zyprexa
	(101.21)		✓	Dr Reddy's Olanzapine
			✓	Olanzine
Tab orodispersible 5 mg	6.36	28	✓	Zyprexa
			✓	Dr Reddy's Olanzapine
			✓	Olanzine-D
Tab 10 mg	6.35	28	✓	Dr Reddy's Olanzapine
	(204.49)		✓	Olanzine
				Zyprexa
Tab orodispersible 10 mg	8.76	28	✓	Dr Reddy's Olanzapine
			✓	Olanzine-D
Wafer 5 mg	6.36	28		
	(102.19)			Zyprexa Zydis
Wafer 10 mg	8.76	28		
	(204.37)			Zyprexa Zydis
PERICAZINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 2.5 mg	12.49	100	✓	Neulactil
Tab 10 mg	44.45	100	✓	Neulactil
QUETIAPINE – Safety medicine; prescriber may determine dispensing frequency				
Tab 25 mg	7.00	60	✓	Dr Reddy's Quetiapine
	10.50	90	✓	Seroquel
Tab 100 mg	14.00	60	✓	Quetapel
	21.00	90	✓	Seroquel
			✓	Dr Reddy's Quetiapine
			✓	Quetapel
Tab 200 mg	24.00	60	✓	Dr Reddy's Quetiapine
			✓	Seroquel
	36.00	90	✓	Quetapel
Tab 300 mg	40.00	60	✓	Dr Reddy's Quetiapine
			✓	Seroquel
	60.00	90	✓	Quetapel

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
RISPERIDONE – Safety medicine; prescriber may determine dispensing frequency				
Tab orodispersible 0.5 mg – Special Authority see SA0927				
below – Retail pharmacy	21.42	28	✓	Risperdal Quicklet
Tab 0.5 mg	3.51	60	✓	Apo-Risperidone
			✓	Dr Reddy's Risperidone
			✓	Ridal
	1.17	20		
	(2.86)			Risperdal
Tab 1 mg	6.00	60	✓	Apo-Risperidone
			✓	Dr Reddy's Risperidone
			✓	Ridal
	(16.92)			Risperdal
Tab orodispersible 1 mg – Special Authority see SA0927 be-				
low – Retail pharmacy	42.84	28	✓	Risperdal Quicklet
Tab 2 mg	11.00	60	✓	Apo-Risperidone
			✓	Dr Reddy's Risperidone
			✓	Ridal
	(33.84)			Risperdal
Tab orodispersible 2 mg – Special Authority see SA0927 be-				
low – Retail pharmacy	85.71	28	✓	Risperdal Quicklet
Tab 3 mg	15.00	60	✓	Apo-Risperidone
			✓	Dr Reddy's Risperidone
			✓	Ridal
	(50.78)			Risperdal
Tab 4 mg	20.00	60	✓	Apo-Risperidone
			✓	Dr Reddy's Risperidone
			✓	Ridal
	(67.68)			Risperdal
Oral liq 1 mg per ml	18.35	30 ml	✓	Apo-Risperidone
	(25.26)		✓	Risperon Risperdal

►SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

continued...

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

TRIFLUOPERAZINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency

Tab 1 mg	9.83	100	✓	Stelazine
Tab 2 mg	14.64	100	✓	Stelazine
Tab 5 mg	16.66	100	✓	Stelazine

ZIPRASIDONE – Subsidy by endorsement

a) Safety medicine; prescriber may determine dispensing frequency

b) Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose of risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.

Cap 20 mg	87.88	60	✓	Zeldox
Cap 40 mg	164.78	60	✓	Zeldox
Cap 60 mg	247.17	60	✓	Zeldox
Cap 80 mg	329.56	60	✓	Zeldox

ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg	31.45	100	✓	Clopixol
-----------------	-------	-----	---	----------

Depot Injections

FLUPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	13.14	5	✓	Fluanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO	20.90	5	✓	Fluanxol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	40.87	5	✓	Fluanxol

FLUPHENAZINE DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO	17.60	5	✓	Modectate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO	27.90	5	✓	Modectate
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	154.50	5	✓	Modectate

HALOPERIDOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	28.39	5	✓	Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	✓	Haldol Concentrate

OLANZAPINE – Special Authority see SA1146 below – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 210 mg	280.00	1	✓	Zyprexa Relprev
Inj 300 mg	460.00	1	✓	Zyprexa Relprev
Inj 405 mg	560.00	1	✓	Zyprexa Relprev

►SA1146 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has schizophrenia; and
- 2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued. . .

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had less than 12 months' treatment with olanzapine depot injection; and
 - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of olanzapine depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PIPTHIAZINE PALMITATE – Safety medicine; prescriber may determine dispensing frequency

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	178.48	10	✓ Piportil
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	353.32	10	✓ Piportil

RISPERIDONE – Special Authority see SA0926 below – Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg per 2 ml	175.00	1	✓ Risperdal Consta
Inj 37.5 mg per 2 ml	230.00	1	✓ Risperdal Consta
Inj 50 mg per 2 ml	280.00	1	✓ Risperdal Consta

SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had less than 12 months treatment with risperidone depot injection; and
 - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	19.80	5	✓ Clopixol
--	-------	---	------------

Anxiolytics

ALPRAZOLAM – Safety medicine; prescriber may determine dispensing frequency

Tab 250 mcg	3.15	50	✓ Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.			
Tab 500 mcg	4.10	50	✓ Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.			
Tab 1 mg	7.25	50	✓ Arrow-Alprazolam
‡ Safety cap for extemporaneously compounded oral liquid preparations.			

BUSPIRONE HYDROCHLORIDE

Tab 5 mg	28.00	100	✓ Pacific Buspirone
Tab 10 mg	17.00	100	✓ Pacific Buspirone

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 500 mcg	6.68	100	✓	Paxam
Tab 2 mg	12.75	100	✓	Paxam
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 2 mg	11.44	500	✓	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 5 mg	13.71	500	✓	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
LORAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 1 mg	16.42	250	✓	Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 2.5 mg	11.17	100	✓	Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
OXAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	5.89	100	✓	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 15 mg	8.13	100	✓	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.				

Multiple Sclerosis Treatments

►SA1062 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The coordinator

Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee

Facsimile: 04 916 7571

PHARMAC PO Box 10 254

Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- 2) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued. . .

- 3) patients must have either:
 - a) EDSS score 2.5 - 5.5 with 2+ relapses:
 - experienced at least 2 significant relapses of MS in the previous 12 months, and
 - an EDSS score of between 2.5 and 5.5 inclusive; or
 - b) EDSS score 2.0 with 3+ relapses:
 - experienced at least 3 significant relapses of MS in the previous 12 months, and
 - an EDSS score of 2.0; and
- 4) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) follow a period of stability of at least one month;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever ($T > 37.5^{\circ}\text{C}$); and
- 5) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- 7) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- 8) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- 9) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as any of:
 - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
 - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
 - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
 - d) an increase in EDSS score to 6.0 or more; or
- 2) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) pregnancy and/or lactation; or
- 4) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 5) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- 6) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
GLATIRAMER ACETATE – Special Authority see SA1062 on page 138				
Inj 20 mg prefilled syringe	1,089.25	28	✓	Copaxone
INTERFERON BETA-1-ALPHA – Special Authority see SA1062 on page 138				
Inj 6 million iu prefilled syringe	1,320.87	4	✓	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,320.87	4	✓	Avonex Pen
Inj 6 million iu per vial	1,320.87	4	✓	Avonex
INTERFERON BETA-1-BETA – Special Authority see SA1062 on page 138				
Inj 8 million iu per 1 ml	1,322.89	15	✓	Betaferon

Sedatives and Hypnotics

LORMETAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 1 mg	3.11	30		Noctamid
	(23.50)			
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
MIDAZOLAM – Safety medicine; prescriber may determine dispensing frequency				
Inj 1 mg per ml, 5 ml	10.00	10	✓	Pfizer
	10.75		✓	Hypnovel
Inj 5 mg per ml, 3 ml	11.90	5	✓	Hypnovel
			✓	Pfizer
NITRAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 5 mg	4.98	100	✓	Nitrados
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
PHENOBARBITONE SODIUM – Special Authority see SA1386 below – Retail pharmacy				
Inj 200 mg per ml, 1 ml ampoule	46.20	10	✓	Martindale ^{S29}
►SA1386 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:				
Both:				
1 For the treatment of terminal agitation that is unresponsive to other agents; and				
2 The applicant is part of a multidisciplinary team working in palliative care.				
TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 10 mg	1.27	25	✓	Normison
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
TRIAZOLAM – Safety medicine; prescriber may determine dispensing frequency				
Tab 125 mcg	5.10	100		Hypam
	(7.25)			
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
Tab 250 mcg	4.10	100		Hypam
	(8.70)			
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
ZOPICLONE				
Tab 7.5 mg	1.90	30	✓	Apo-Zopiclone
	11.90	500	✓	Apo-Zopiclone

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Stimulants/ADHD Treatments

Stimulants/ADHD treatments

ATOMOXETINE – Special Authority see SA0951 below – Retail pharmacy

Cap 10 mg	107.03	28	✓ Strattera
Cap 18 mg	107.03	28	✓ Strattera
Cap 25 mg	107.03	28	✓ Strattera
Cap 40 mg	107.03	28	✓ Strattera
Cap 60 mg	107.03	28	✓ Strattera
Cap 80 mg	139.11	28	✓ Strattera
Cap 100 mg	139.11	28	✓ Strattera

►SA0951 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE – Special Authority see SA1149 below – Retail pharmacy

a) Only on a controlled drug form			
b) Safety medicine; prescriber may determine dispensing frequency			
Tab 5 mg	16.50	100	✓ PSM

►SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE – Special Authority see SA1150 below – Retail pharmacy

a) Only on a controlled drug form			
b) Safety medicine; prescriber may determine dispensing frequency			
Tab immediate-release 5 mg	3.20	30	✓ Rubifen
Tab immediate-release 10 mg	3.00	30	✓ Ritalin
			✓ Rubifen
Tab immediate-release 20 mg	7.85	30	✓ Rubifen
Tab sustained-release 20 mg	10.95	30	✓ Rubifen SR
	50.00	100	✓ Ritalin SR

►SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE – Special Authority see SA1151 below – Retail pharmacy

a) Only on a controlled drug form

b) Safety medicine; prescriber may determine dispensing frequency

Tab extended-release 18 mg	58.96	30	✓ Concerta
Tab extended-release 27 mg	65.44	30	✓ Concerta
Tab extended-release 36 mg	71.93	30	✓ Concerta
Tab extended-release 54 mg	86.24	30	✓ Concerta
Cap modified-release 10 mg	19.50	30	✓ Ritalin LA
Cap modified-release 20 mg	25.50	30	✓ Ritalin LA
Cap modified-release 30 mg	31.90	30	✓ Ritalin LA
Cap modified-release 40 mg	38.25	30	✓ Ritalin LA

➡SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

MODAFINIL – Special Authority see SA1126 on the next page – Retail pharmacy

Tab 100 mg	72.50	30	✓ Modavigil
------------------	-------	----	--------------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

►SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE

* Tab 5 mg	7.71	90	✓ Donepezil-Rex
* Tab 10 mg	14.06	90	✓ Donepezil-Rex

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE – Special Authority see SA1203 below – Retail pharmacy

- a) No patient co-payment payable
 - b) Safety medicine; prescriber may determine dispensing frequency
- | | | | |
|--|--------|----|------------|
| Tab sublingual 2 mg with naloxone 0.5 mg | 57.40 | 28 | ✓ Suboxone |
| Tab sublingual 8 mg with naloxone 2 mg | 166.00 | 28 | ✓ Suboxone |

►SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health..

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE

Tab modified-release 150 mg	4.97	30	✓ Zyban
-----------------------------------	------	----	----------------

DISULFIRAM

Tab 200 mg	24.30	100	✓ Antabuse
------------------	-------	-----	-------------------

NALTREXONE HYDROCHLORIDE – Special Authority see SA1397 below – Retail pharmacy

Tab 50 mg	76.00	30	✓ Naltraccord
-----------------	-------	----	----------------------

►SA1397 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
 - 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any medical practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
- 1 Compliance with the medication (prescriber determined); and
 - 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Patch 7 mg – Up to 28 patch available on a PSO	18.13	28	✓ Habitrol
Patch 14 mg – Up to 28 patch available on a PSO	18.81	28	✓ Habitrol
Patch 21 mg – Up to 28 patch available on a PSO	19.14	28	✓ Habitrol
Lozenge 1 mg – Up to 216 loz available on a PSO	19.94	216	✓ Habitrol
Lozenge 2 mg – Up to 216 loz available on a PSO	24.27	216	✓ Habitrol
Gum 2 mg (Classic) – Up to 384 piece available on a PSO	36.47	384	✓ Habitrol
Gum 2 mg (Fruit) – Up to 384 piece available on a PSO	36.47	384	✓ Habitrol
Gum 2 mg (Mint) – Up to 384 piece available on a PSO	36.47	384	✓ Habitrol
Gum 4 mg (Classic) – Up to 384 piece available on a PSO	42.04	384	✓ Habitrol
Gum 4 mg (Fruit) – Up to 384 piece available on a PSO	42.04	384	✓ Habitrol
Gum 4 mg (Mint) – Up to 384 piece available on a PSO	42.04	384	✓ Habitrol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
VARENICLINE TARTRATE – Special Authority see SA1161 below – Retail pharmacy				
a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.				
b) A maximum of 3 months' varenicline will be subsidised on each Special Authority approval.				
Tab 1 mg	67.74	28	✓	Champix
	135.48	56	✓	Champix
Tab 0.5 mg × 11 and 1 mg × 14	60.48	25 OP	✓	Champix

►SA1161 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 3 months' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 3 months' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Note: a maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Chemotherapeutic Agents

Alkylating Agents

BUSULPHAN – PCT – Retail pharmacy-Specialist			
Tab 2 mg	59.50	100	✓ Myleran
CARBOPLATIN – PCT only – Specialist			
Inj 10 mg per ml, 5 ml	20.00	1	✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml	19.50	1	✓ Carbaccord
	22.50		✓ Carboplatin Ebewe
Inj 10 mg per ml, 45 ml	48.50	1	✓ Carbaccord
	50.00		✓ Carboplatin Ebewe
			✓ DBL Carboplatin
Inj 10 mg per ml, 100 ml	105.00	1	✓ Carboplatin Ebewe
Inj 1 mg for ECP	0.13	1 mg	✓ Baxter
CARMUSTINE – PCT only – Specialist			
Inj 100 mg	204.13	1	✓ BiCNU
Inj 100 mg for ECP	204.13	100 mg OP	✓ Baxter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist			
Tab 2 mg	22.35	25	✓ Leukeran FC
CISPLATIN – PCT only – Specialist			
Inj 1 mg per ml, 50 ml	15.00	1	✓ Cisplatin Ebewe
			✓ DBL Cisplatin
Inj 1 mg per ml, 100 ml	21.00	1	✓ Cisplatin Ebewe
			✓ DBL Cisplatin
Inj 1 mg for ECP	0.27	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE			
Tab 50 mg – PCT – Retail pharmacy-Specialist.....	25.71	50	✓ Cycloblastin
	158.00	100	✓ Procytox ^{S29}
Inj 1 g – PCT – Retail pharmacy-Specialist.....	26.70	1	✓ Endoxan
	127.80	6	✓ Cytosan
Inj 2 g – PCT only – Specialist.....	56.90	1	✓ Endoxan
Inj 1 mg for ECP – PCT only – Specialist.....	0.03	1 mg	✓ Baxter
<i>(Cycloblastin Tab 50 mg to be delisted 1 April 2014)</i>			
IFOSFAMIDE – PCT only – Specialist			
Inj 1 g	96.00	1	✓ Holoxan
Inj 2 g	180.00	1	✓ Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter
LOMUSTINE – PCT only – Specialist			
Cap 10 mg	132.59	20	✓ CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg – PCT – Retail pharmacy-Specialist.....	31.31	25	✓ Alkeran
Inj 50 mg – PCT only – Specialist.....	52.15	1	✓ Alkeran

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
OXALIPLATIN – PCT only – Specialist				
Inj 50 mg	15.32	1	✓	Oxaliplatin Actavis 50
	55.00		✓	Oxaliplatin Ebewe
	200.00		✓	Eloxatin
Inj 100 mg	25.01	1	✓	Oxaliplatin Actavis 100
	110.00		✓	Oxaliplatin Ebewe
	400.00		✓	Eloxatin
Inj 1 mg for ECP	0.28	1 mg	✓	Baxter
THIOTEPA – PCT only – Specialist				
Inj 15 mg	CBS	1	✓	Bedford ^{§29}
			✓	THIO-TEPA ^{§29}
			✓	Tepadina ^{§29}

Antimetabolites

CALCIUM FOLINATE				
Tab 15 mg – PCT – Retail pharmacy-Specialist	82.45	10	✓	DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	17.10	5	✓	Mayne
Inj 50 mg – PCT – Retail pharmacy-Specialist	24.50	5	✓	Calcium Folate Ebewe
Inj 100 mg – PCT only – Specialist	9.75	1	✓	Calcium Folate Ebewe
Inj 300 mg – PCT only – Specialist	30.00	1	✓	Calcium Folate Ebewe
Inj 1 g – PCT only – Specialist	90.00	1	✓	Calcium Folate Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.10	1 mg	✓	Baxter
CAPECITABINE – Retail pharmacy-Specialist				
Tab 150 mg	115.00	60	✓	Xeloda
Tab 500 mg	705.00	120	✓	Xeloda
CLADRIBINE – PCT only – Specialist				
Inj 1 mg per ml, 10 ml	5,249.72	7	✓	Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓	Baxter
CYTARABINE				
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist	55.00	5	✓	Pfizer
	80.00		✓	Mayne
Inj 500 mg – PCT – Retail pharmacy-Specialist	18.15	1	✓	Pfizer
	95.36	5	✓	Mayne
Inj 100 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist	8.83	1	✓	Pfizer
	42.65		✓	Mayne
Inj 100 mg per ml, 20 ml vial – PCT – Retail pharmacy-Specialist	17.65	1	✓	Pfizer
	34.47		✓	Mayne
Inj 1 mg for ECP – PCT only – Specialist	0.11	10 mg	✓	Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist	11.00	100 mg OP	✓	Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
FLUDARABINE PHOSPHATE – PCT only – Specialist				
Tab 10 mg	433.50	20	✓	Fludara Oral
Inj 50 mg	525.00	5	✓	Fludarabine Ebewe
	1,430.00		✓	Fludara
Inj 50 mg for ECP	105.00	50 mg OP	✓	Baxter
FLUOROURACIL SODIUM				
Inj 50 mg per ml, 10 ml – PCT only – Specialist.....	26.25	5	✓	Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml – PCT only – Specialist.....	7.50	1	✓	Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml – PCT only – Specialist.....	13.55	1	✓	Mayne
Inj 50 mg per ml, 50 ml – PCT only – Specialist.....	18.00	1	✓	Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml – PCT only – Specialist.....	34.50	1	✓	Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist.....	0.77	100 mg	✓	Baxter
GEMCITABINE HYDROCHLORIDE – PCT only – Specialist				
Inj 1 g	62.50	1	✓	DBL Gemcitabine
			✓	Gemcitabine
				Actavis 1000
	349.20		✓	Gemcitabine Ebewe
Inj 200 mg	12.50	1	✓	Gemzar
			✓	Gemcitabine
				Actavis 200
	78.00		✓	Gemcitabine Ebewe
Inj 1 mg for ECP	0.07	1 mg	✓	Gemzar
			✓	Baxter
IRINOTECAN – PCT only – Specialist				
Inj 20 mg per ml, 2 ml	9.34	1	✓	Irinotecan Actavis
	41.00		✓	40
			✓	Camptosar
			✓	Irinotecan-Rex
Inj 20 mg per ml, 5 ml	23.34	1	✓	Irinotecan Actavis
	100.00		✓	100
			✓	Camptosar
			✓	Irinotecan-Rex
Inj 1 mg for ECP	0.24	1 mg	✓	Baxter
MERCAPTOPURINE – PCT – Retail pharmacy-Specialist				
Tab 50 mg	49.41	25	✓	Puri-nethol
METHOTREXATE				
* Tab 2.5 mg – PCT – Retail pharmacy-Specialist.....	5.22	30	✓	Methoblastin
* Tab 10 mg – PCT – Retail pharmacy-Specialist.....	40.93	50	✓	Methoblastin
* Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist.....	23.65	5	✓	Mayne
* Inj 25 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist.....	20.20	5	✓	Hospira
* Inj 25 mg per ml, 20 ml – PCT – Retail pharmacy-Specialist.....	27.78	1	✓	Hospira
* Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialist.....	25.00	1	✓	Methotrexate Ebewe
* Inj 25 mg per ml, 40 ml – PCT – Retail pharmacy-Specialist.....	25.00	1	✓	DBL
				Methotrexate S29
* Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist.....	125.00	1	✓	Methotrexate Ebewe
* Inj 1 mg for ECP – PCT only – Specialist.....	0.10	1 mg	✓	Baxter
* Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist.....	4.73	5 mg OP	✓	Baxter
THIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg	97.16	25	✓	Lanvis

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist				
Inj 75 mg	CBS	6	✓	Amsidine ^{S29}
ANAGRELIDE HYDROCHLORIDE – PCT only – Specialist				
Cap 0.5 mg	CBS	100	✓	Agrylin ^{S29}
			✓	Teva ^{S29}
ARSENIC TRIOXIDE – PCT only – Specialist				
Inj 10 mg	4,817.00	10	✓	AFT ^{S29}
BLEOMYCIN SULPHATE – PCT only – Specialist				
Inj 15,000 iu	120.00	1	✓	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	9.28	1,000 iu	✓	Baxter
BORTEZOMIB – PCT only – Specialist – Special Authority see SA1127 below				
Inj 1 mg	540.70	1	✓	Velcade
Inj 3.5 mg	1,892.50	1	✓	Velcade
Inj 1 mg for ECP	594.77	1 mg	✓	Baxter
►SA1127 Special Authority for Subsidy				
Initial application — (Treatment naïve multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:				
Both:				
1 Either:				
1.1 The patient has treatment-naïve symptomatic multiple myeloma; or				
1.2 The patient has treatment-naïve symptomatic systemic AL amyloidosis *; and				
2 Maximum of 9 treatment cycles.				
Note: Indications marked with * are Unapproved Indications.				
Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:				
All of the following:				
1 Either:				
1.1 The patient has relapsed or refractory multiple myeloma; or				
1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and				
2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and				
3 The patient has not had prior publicly funded treatment with bortezomib; and				
4 Maximum of 4 treatment cycles.				
Note: Indications marked with * are Unapproved Indications.				
Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:				
Both:				
1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and				
2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).				
Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:				
a) a known therapeutic chemotherapy regimen and supportive treatments; or				
b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.				
Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.				
COLASPASE [L-ASPARAGINASE] – PCT only – Specialist				
Inj 10,000 iu	102.32	1	✓	Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓	Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
DACARBAZINE – PCT only – Specialist				
Inj 200 mg vial	51.84	1	✓	Hospira
Inj 200 mg for ECP	51.84	200 mg OP	✓	Baxter
DACTINOMYCIN [ACTINOMYCIN D] – PCT only – Specialist				
Inj 0.5 mg	13.52	1	✓	Cosmegen
Inj 0.5 mg for ECP	13.52	0.5 mg OP	✓	Baxter
DAUNORUBICIN – PCT only – Specialist				
Inj 2 mg per ml, 10 ml	118.72	1	✓	Pfizer
Inj 20 mg for ECP	118.72	20 mg OP	✓	Baxter
DOCETAXEL – PCT only – Specialist				
Inj 20 mg	48.75	1	✓	Docetaxel Ebewe
			✓	Docetaxel Sandoz
Inj 20 mg per ml, 1 ml	48.75	1	✓	Taxotere
Inj 20 mg per ml, 4 ml	195.00	1	✓	Taxotere
Inj 80 mg	195.00	1	✓	Docetaxel Ebewe
			✓	Docetaxel Sandoz
Inj 1 mg for ECP	2.63	1 mg	✓	Baxter
<i>(Docetaxel Ebewe Inj 20 mg to be delisted 1 February 2014)</i>				
<i>(Docetaxel Ebewe Inj 80 mg to be delisted 1 February 2014)</i>				
DOXORUBICIN – PCT only – Specialist				
Inj 10 mg	10.00	1	✓	Doxorubicin Ebewe
Inj 50 mg	17.00	1	✓	Arrow-Doxorubicin
	40.00		✓	DBL Doxorubicin
			✓	DBL Doxorubicin
			S29 S29	
			✓	Doxorubicin Ebewe
			✓	Doxorubicin Ebewe
Inj 100 mg	80.00	1	✓	Arrow-Doxorubicin
Inj 200 mg	65.00	1	✓	Adriamycin
	150.00		✓	Doxorubicin Ebewe
Inj 1 mg for ECP	0.37	1 mg	✓	Baxter
EPIRUBICIN – PCT only – Specialist				
Inj 2 mg per ml, 5 ml	25.00	1	✓	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml	39.38	1	✓	DBL Epirubicin
	87.50		✓	Epirubicin Ebewe
Inj 2 mg per ml, 50 ml	58.20	1	✓	DBL Epirubicin
			✓	Hydrochloride
	125.00		✓	Epirubicin Ebewe
Inj 2 mg per ml, 100 ml	94.50	1	✓	DBL Epirubicin
			✓	Hydrochloride
	210.00		✓	Epirubicin Ebewe
Inj 1 mg for ECP	0.82	1 mg	✓	Baxter
ETOPOSIDE				
Cap 50 mg – PCT – Retail pharmacy-Specialist	340.73	20	✓	Vepesid
Cap 100 mg – PCT – Retail pharmacy-Specialist	340.73	10	✓	Vepesid
Inj 20 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist	25.00	1	✓	Mayne
	612.20	10	✓	Vepesid
Inj 1 mg for ECP – PCT only – Specialist	0.30	1 mg	✓	Baxter

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ETOPOSIDE PHOSPHATE – PCT only – Specialist				
Inj 100 mg (of etoposide base)	40.00	1	✓	Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	✓	Baxter
HYDROXYUREA – PCT – Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	✓	Hydrea
IDARUBICIN HYDROCHLORIDE – PCT only – Specialist				
Cap 5 mg	115.00	1	✓	Zavedos
Cap 10 mg	144.50	1	✓	Zavedos
Inj 5 mg	100.00	1	✓	Zavedos
Inj 10 mg	200.00	1	✓	Zavedos
Inj 1 mg for ECP	22.20	1 mg	✓	Baxter
MESNA – PCT only – Specialist				
Tab 400 mg	227.50	50	✓	Uromitexan
Tab 600 mg	339.50	50	✓	Uromitexan
Inj 100 mg per ml, 4 ml ampoule	148.05	15	✓	Uromitexan
Inj 100 mg per ml, 10 ml ampoule	339.90	15	✓	Uromitexan
Inj 1 mg for ECP	2.47	100 mg	✓	Baxter
MITOMYCIN C – PCT only – Specialist				
Inj 5 mg vial	79.75	1	✓	Arrow
Inj 1 mg for ECP	16.43	1 mg	✓	Baxter
MITOZANTRONE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml	110.00	1	✓	Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml	100.00	1	✓	Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml	407.50	1	✓	Onkotrone
Inj 1 mg for ECP	5.65	1 mg	✓	Baxter
PACLITAXEL – PCT only – Specialist				
Inj 30 mg	137.50	5	✓	Paclitaxel Ebewe
Inj 100 mg	91.67	1	✓	Paclitaxel Actavis
			✓	Paclitaxel Ebewe
Inj 150 mg	137.50	1	✓	Anzatax
			✓	Paclitaxel Actavis
			✓	Paclitaxel Ebewe
Inj 300 mg	275.00	1	✓	Anzatax
			✓	Paclitaxel Actavis
			✓	Paclitaxel Ebewe
Inj 600 mg	550.00	1	✓	Paclitaxel Ebewe
Inj 1 mg for ECP	1.02	1 mg	✓	Baxter
PEGASPARGASE – PCT only – Special Authority see SA1325 below				
Inj 3,750 IU per 5 ml	3,005.00	1	✓	Oncaspar ^{S29}

►SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist

Inj 10 mg	CBS	1	✓ Nipent ^{\$29}
-----------------	-----	---	--------------------------

PROCARBAZINE HYDROCHLORIDE – PCT only – Specialist

Cap 50 mg	225.00	50	✓ Natulan ^{\$29}
-----------------	--------	----	---------------------------

TEMOZOLOMIDE – Special Authority see SA1063 below – Retail pharmacy

Cap 5 mg	8.00	5	✓ Temaccord
Cap 20 mg	36.00	5	✓ Temaccord
Cap 100 mg	175.00	5	✓ Temaccord
Cap 250 mg	410.00	5	✓ Temaccord

►SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE – PCT only – Specialist – Special Authority see SA1124 below

Cap 50 mg	504.00	28	✓ Thalomid
Cap 100 mg	1,008.00	28	✓ Thalomid

►SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

TRETINOIN

Cap 10 mg – PCT – Retail pharmacy-Specialist.....	435.90	100	✓ Vesanoind
---	--------	-----	-------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
VINBLASTINE SULPHATE				
Inj 10 mg – PCT – Retail pharmacy-Specialist.....	27.50	1	✓	Mayne
	137.50	5	✓	Mayne
Inj 1 mg for ECP – PCT only – Specialist	3.05	1 mg	✓	Baxter
VINCISTINE SULPHATE				
Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	64.80	5	✓	Hospira
Inj 1 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	69.60	5	✓	Hospira
Inj 1 mg for ECP – PCT only – Specialist	9.45	1 mg	✓	Baxter
VINOELBINE – PCT only – Specialist				
Inj 10 mg per ml, 1 ml	12.85	1	✓	Navelbine
	42.00		✓	Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml	64.25	1	✓	Navelbine
	210.00		✓	Vinorelbine Ebewe
Inj 1 mg for ECP	1.45	1 mg	✓	Baxter

Protein-tyrosine Kinase Inhibitors

DASATINIB – Special Authority see SA0976 below

Tab 20 mg	3,774.06	60	✓	Sprycel
Tab 50 mg	6,214.20	60	✓	Sprycel
Tab 70 mg	7,692.58	60	✓	Sprycel
Tab 100 mg	6,214.20	30	✓	Sprycel

►SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990
 PHARMAC Facsimile: (04) 916 7571
 PO Box 10 254 Email: mary.chesterfield@pharmac.govt.nz
 Wellington

Special Authority criteria for CML - access by application

- Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- Subsidised for use as monotherapy only.
- Initial approvals valid seven months.
- Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - complete haematologic response (as characterised by an absolute neutrophil count (ANC) $> 1.5 \times 10^9/L$, platelets $> 100 \times 10^9/L$, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts $< 5\%$ (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) $> 1.0 \times 10^9/L$, platelets $> 20 \times 10^9/L$, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts $< 5\%$ (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
- 3) return to chronic phase (as characterised by BM and PB blasts $< 15\%$, BM and PB blasts and promyelocytes $< 30\%$, PB basophils $< 20\%$ and absence of extramedullary disease other than spleen and liver).

- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB HYDROCHLORIDE – Retail pharmacy-Specialist – Special Authority see SA1044 below

Tab 100 mg	3,100.00	30	✓ Tarceva
Tab 150 mg	3,950.00	30	✓ Tarceva

►SA1044 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has advanced, unresectable, Non Small Cell Lung Cancer (NSCLC); and
- 2 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
- 3 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB – Retail pharmacy-Specialist

Tab 250 mg – Special Authority see SA1226 below	1,700.00	30	✓ Iressa
---	----------	----	----------

►SA1226 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has treatment naive locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
 - 1.2 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
 - 1.3 Gefitinib is to be given for a maximum of 3 months; or
- 2 The patient received gefitinib treatment prior to 1 August 2012 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESYLATE – Special Authority see SA0643 below

Tab 100 mg	2,400.00	60	✓ Glivec
------------------	----------	----	----------

►SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz
Wellington	

Special Authority criteria for CML – access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) $> 1.5 \times 10^9/L$, platelets $> 100 \times 10^9/L$, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts $< 5\%$ (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) $> 1.0 \times 10^9/L$, platelets $> 20 \times 10^9/L$, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts $< 5\%$ (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts $< 15\%$, BM and PB blasts and promyelocytes $< 30\%$, PB basophils $< 20\%$ and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

Special Authority criteria for GIST – access by application

- a) Funded for patients:
 - 1) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
 - 2) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE – Special Authority see SA1191 below – Retail pharmacy

Tab 250 mg	1,899.00	70	✓ Tykerb
------------------	----------	----	----------

►SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 2.4 Lapatinib not to be given in combination with trastuzumab; and
- 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

PAZOPANIB – Special Authority see SA1190 below – Retail pharmacy

Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

►SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70; or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB – Special Authority see SA1266 on the next page – Retail pharmacy

Cap 12.5 mg	2,315.38	28	✓ Sutent
Cap 25 mg	4,630.77	28	✓ Sutent
Cap 50 mg	9,261.54	28	✓ Sutent

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

►SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70; or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist.

Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: RCC - Sunitinib treatment should be stopped if disease progresses.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

GIST - It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of $\geq 10\%$ and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For GnRH ANALOGUES – refer to HORMONE PREPARATIONS, Tropic Hormones, page 85

BICALUTAMIDE – Special Authority see SA0941 below – Retail pharmacy

Tab 50 mg	10.00	28	✓ <u>Bicalaccord</u>
-----------------	-------	----	----------------------

►SA0941 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the patient has advanced prostate cancer.

FLUTAMIDE – Retail pharmacy-Specialist

Tab 250 mg	16.50	30	✓ <u>Flutamin S29</u> ^{S29}
	55.00	100	✓ <u>Flutamin</u>

MEGESTROL ACETATE – Retail pharmacy-Specialist

Tab 160 mg	51.55	30	✓ <u>Apo-Megestrol</u>
------------------	-------	----	------------------------

OCTREOTIDE (SOMATOSTATIN ANALOGUE)

Inj 50 mcg per ml, 1 ml	19.24	5	✓ <u>Octreotide MaxRx</u>
Inj 100 mcg per ml, 1 ml	36.38	5	✓ <u>Octreotide MaxRx</u>
Inj 500 mcg per ml, 1 ml	131.25	5	✓ <u>Octreotide MaxRx</u>

OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) – Special Authority see SA1016 below – Retail pharmacy

Inj LAR 10 mg prefilled syringe	1,772.50	1	✓ <u>Sandostatin LAR</u>
Inj LAR 20 mg prefilled syringe	2,358.75	1	✓ <u>Sandostatin LAR</u>
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓ <u>Sandostatin LAR</u>

►SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
--	---	----------------------------	-------------------------------------

continued...

2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas - for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas; and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFEN CITRATE

* Tab 10 mg	2.63	60	✓ Genox
	17.50	100	✓ Genox
* Tab 20 mg	2.63	30	✓ Genox
	8.75	100	✓ Genox

Aromatase Inhibitors

ANASTROZOLE

* Tab 1 mg	26.55	30	✓ Aremed
			✓ Arimidex
			✓ DP-Anastrozole

EXEMESTANE

* Tab 25 mg	22.57	30	✓ Aromasin
-------------------	-------	----	------------

LETROZOLE

* Tab 2.5 mg	4.85	30	✓ Letraccord
--------------------	------	----	--------------

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE – Retail pharmacy-Specialist

* Tab 50 mg – For azathioprine oral liquid formulation refer, page 190	18.45	100	✓ Imuprine ✓ Imuran
* Inj 50 mg	60.00	1	✓ Imuran

(Imuran Tab 50 mg to be delisted 1 March 2014)

MYCOPHENOLATE MOFETIL – Special Authority see SA1041 below – Retail pharmacy

Dispensing pharmacy should check which brand to dispense with the prescriber if prescribed generically.

Tab 500 mg	25.00	50	✓ Cellcept
	60.00		✓ Ceptolate
			✓ Myaccord
Cap 250 mg	25.00	100	✓ Cellcept
	30.00	50	✓ Ceptolate
	60.00	100	✓ Myaccord
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement	285.00	165 ml OP	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

►SA1041 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Transplant recipient; or
- 2 Both:
 - Patients with diseases where
 - 2.1 Steroids and azathioprine have been trialled and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.2 Either:
 - Patients with diseases where
 - 2.2.1 Cyclophosphamide has been trialled and discontinued because of unacceptable side effects or inadequate clinical response; or
 - 2.2.2 Cyclophosphamide treatment is contraindicated.

Fusion Proteins

ETANERCEPT – Special Authority see SA1372 below – Retail pharmacy

Inj 25 mg	949.96	4	✓ Enbrel
Inj 50 mg autoinjector	1,899.92	4	✓ Enbrel
Inj 50 mg prefilled syringe	1,899.92	4	✓ Enbrel

►SA1372 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued. . .

- 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
- 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or

2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:

continued. . .

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or

2 All of the following:

- 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
- 2.5 Either:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

- 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
- 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years - Male: 7.0 cm; Female: 5.5 cm
- 25-34 years - Male: 7.5 cm; Female: 5.5 cm
- 35-44 years - Male: 6.5 cm; Female: 4.5 cm
- 45-54 years - Male: 6.0 cm; Female: 5.0 cm
- 55-64 years - Male: 5.5 cm; Female: 4.0 cm
- 65-74 years - Male: 4.0 cm; Female: 4.0 cm
- 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

continued...

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist

Inj 50 mg per ml, 5 ml	2,137.50	5	✓ ATGAM
------------------------------	----------	---	---------

BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist

Subsidised only for bladder cancer.

Inj 2-8 × 100 million CFU	149.37	1	✓ OncoTICE
---------------------------------	--------	---	------------

Monoclonal Antibodies

ADALIMUMAB – Special Authority see SA1371 below – Retail pharmacy

Inj 20 mg per 0.4 ml prefilled syringe	1,799.92	2	✓ Humira
Inj 40 mg per 0.8 ml prefilled pen	1,799.92	2	✓ HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2	✓ Humira

►SA1371 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and

2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm
 25-34 years - Male: 7.5 cm; Female: 5.5 cm
 35-44 years - Male: 6.5 cm; Female: 4.5 cm
 45-54 years - Male: 6.0 cm; Female: 5.0 cm
 55-64 years - Male: 5.5 cm; Female: 4.0 cm

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with JIA; and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time

if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and

2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

RITUXIMAB – PCT only – Specialist – Special Authority see SA1152 below

Inj 100 mg per 10 ml vial	1,075.50	2	✓ Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	✓ Mabthera
Inj 1 mg for ECP	5.64	1 mg	✓ Baxter

►SA1152 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance \geq 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenström macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB – PCT only – Specialist – Special Authority see SA1192 below

Inj 150 mg vial	1,350.00	1	✓	Herceptin
Inj 440 mg vial	3,875.00	1	✓	Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓	Baxter

►SA1192 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Trastuzumab not to be given in combination with lapatinib; and
 - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on lapatinib; and
 - 2.4 Trastuzumab not to be given in combination with lapatinib; and
 - 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 All of the following:
 - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
 - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.1.3 Trastuzumab to be discontinued at disease progression; or
 - 3.2 All of the following:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; and
 - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
 - 3.2.4 Trastuzumab to be discontinued at disease progression; or
 - 3.3 All of the following:
 - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Other Immunosuppressants

CYCLOSPORIN

Cap 25 mg	44.63	50	✓ Neoral
Cap 50 mg	88.91	50	✓ Neoral
Cap 100 mg	177.81	50	✓ Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	✓ Neoral

SIROLIMUS – Special Authority see SA0866 below – Retail pharmacy

Tab 1 mg	813.00	100	✓ Rapamune
Tab 2 mg	1,626.00	100	✓ Rapamune
Oral liq 1 mg per ml	487.80	60 ml OP	✓ Rapamune

►SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencephalopathy; or
- Significant malignant disease

TACROLIMUS – Special Authority see SA0669 on the next page – Retail pharmacy

Cap 0.5 mg	214.00	100	✓ Prograf
Cap 1 mg	428.00	100	✓ Prograf
Cap 5 mg – For tacrolimus oral liquid formulation refer, page 190	1,070.00	50	✓ Prograf

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
--	---	------------------------------	-------------------------------------

►►SA0669

Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Antiallergy Preparations

▶SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:
Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT – Special Authority see SA1367 above – Retail pharmacy

Maintenance kit - 6 vials 120 mcg freeze dried venom, 6 diluent 1.8 ml	285.00	1 OP	✓ Albay
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	285.00	1 OP	✓ Albay

WASP VENOM ALLERGY TREATMENT – Special Authority see SA1367 above – Retail pharmacy

Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	285.00	1 OP	✓ Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	285.00	1 OP	✓ Albay

Antihistamines

CETIRIZINE HYDROCHLORIDE

* Tab 10 mg	1.59	100	✓ Zetop
*‡ Oral liq 1 mg per ml	3.52	200 ml	✓ Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
---------------------------------	------	--------	-------------------

DEXTROCHLORPHENIRAMINE MALEATE

* Tab 2 mg	1.01	20	
	(5.99)		Polaramine
	2.02	40	
	(8.40)		Polaramine
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml	
	(10.29)		Polaramine

FEXOFENADINE HYDROCHLORIDE

* Tab 60 mg	4.34	20	
	(11.53)		Telfast
* Tab 120 mg	4.74	10	
	(11.53)		Telfast
	14.22	30	
	(29.81)		Telfast

LORATADINE

* Tab 10 mg	1.30	100	✓ Lorafix
	2.09		✓ Loraclear Hayfever Relief
* Oral liq 1 mg per ml	3.10	100 ml	✓ Lorapaed

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
PROMETHAZINE HYDROCHLORIDE				
* Tab 10 mg	1.99	50	✓	<u>Allersoothe</u>
* Tab 25 mg	2.99	50	✓	<u>Allersoothe</u>
* ‡ Oral liq 5 mg per 5 ml	2.79	100 ml	✓	<u>Allersoothe</u>
* Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	11.00	5	✓	<u>Mayne</u>
TRIMEPAZINE TARTRATE				
‡ Oral liq 30 mg per 5 ml	2.79 (8.06)	100 ml OP		Vallergan Forte

Inhaled Corticosteroids

BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose CFC-free	8.54	200 dose OP	✓	<u>Beclazone 50</u>
Aerosol inhaler, 100 mcg per dose CFC-free	12.50	200 dose OP	✓	<u>Beclazone 100</u>
Aerosol inhaler, 250 mcg per dose CFC-free	22.67	200 dose OP	✓	<u>Beclazone 250</u>
BUDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✓	<u>Pulmicort Turbuhaler</u>
Powder for inhalation, 200 mcg per dose	15.20 19.00	200 dose OP	✓	<u>Budenocort Pulmicort Turbuhaler</u>
Powder for inhalation, 400 mcg per dose	25.60 32.00	200 dose OP	✓	<u>Budenocort Pulmicort Turbuhaler</u>

(Budenocort Powder for inhalation, 200 mcg per dose to be delisted 1 April 2014)

(Budenocort Powder for inhalation, 400 mcg per dose to be delisted 1 April 2014)

FLUTICASONE				
Aerosol inhaler, 50 mcg per dose CFC-free	7.50	120 dose OP	✓	<u>Flixotide</u>
Powder for inhalation, 50 mcg per dose	7.50	60 dose OP	✓	<u>Flixotide Accuhaler</u>
Powder for inhalation, 100 mcg per dose	7.50	60 dose OP	✓	<u>Flixotide Accuhaler</u>
Aerosol inhaler, 125 mcg per dose CFC-free	13.60	120 dose OP	✓	<u>Flixotide</u>
Aerosol inhaler, 250 mcg per dose CFC-free	27.20	120 dose OP	✓	<u>Flixotide</u>
Powder for inhalation, 250 mcg per dose	13.60	60 dose OP	✓	<u>Flixotide Accuhaler</u>

Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 mcg beclomethasone or budesonide (or 100 mcg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 mcg beclomethasone or budesonide (or 200 mcg fluticasone).

Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
EFORMOTEROL FUMARATE – See prescribing guideline on the previous page				
Powder for inhalation, 6 mcg per dose, breath activated	10.32 (16.90)	60 dose OP		Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de- vice	20.64 (35.80)	60 dose		Foradil
SALMETEROL – See prescribing guideline on the previous page				
Aerosol inhaler CFC-free, 25 mcg per dose	26.46	120 dose OP	✓	Serevent
Powder for inhalation, 50 mcg per dose, breath activated	26.46	60 dose OP	✓	Serevent Accuhaler

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

►SA1179 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 Has been treated with inhaled corticosteroids of at least 400 mcg per day beclomethasone or budesonide, or 200 mcg per day fluticasone; and
 - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 Has been treated with inhaled corticosteroids of at least 800 mcg per day beclomethasone or budesonide, or 500 mcg per day fluticasone; and
 - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BUDESONIDE WITH EFORMOTEROL – Special Authority see SA1179 above – Retail pharmacy

Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	26.49	120 dose OP	✓	Vannair
Powder for inhalation 100 mcg with eformoterol fumarate 6 mcg	55.00	120 dose OP	✓	Symbicort Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	31.25	120 dose OP	✓	Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6 mcg	60.00	120 dose OP	✓	Symbicort Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate 12 mcg – No more than 2 dose per day	60.00	60 dose OP	✓	Symbicort Turbuhaler 400/12

FLUTICASONE WITH SALMETEROL – Special Authority see SA1179 above – Retail pharmacy

Aerosol inhaler 50 mcg with salmeterol 25 mcg	37.48	120 dose OP	✓	Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg	49.69	120 dose OP	✓	Seretide
Powder for inhalation 100 mcg with salmeterol 50 mcg – No more than 2 dose per day	37.48	60 dose OP	✓	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg – No more than 2 dose per day	49.69	60 dose OP	✓	Seretide Accuhaler

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Beta-Adrenoceptor Agonists				
SALBUTAMOL				
‡ Oral liq 2 mg per 5 ml	1.99	150 ml	✓	Salapin
Infusion 1 mg per ml, 5 ml	118.38 (130.21)	10		Ventolin
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO	12.90	5	✓	Ventolin
Inhaled Beta-Adrenoceptor Agonists				
SALBUTAMOL				
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO	3.80 (6.00)	200 dose OP	✓	Respigen Salamol Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO	3.25	20	✓	Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO	3.44	20	✓	Asthalin
TERBUTALINE SULPHATE				
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	✓	Bricanyl Turbuhaler
Inhaled Anticholinergic Agents				
IPRATROPIUM BROMIDE				
Aerosol inhaler, 20 mcg per dose CFC-free	16.20	200 dose OP	✓	Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml – Up to 40 neb available on a PSO	3.26	20	✓	Univent
Nebuliser soln, 250 mcg per ml, 2 ml – Up to 40 neb available on a PSO	3.37	20	✓	Univent
TIOTROPIUM BROMIDE – Special Authority see SA1193 below – Retail pharmacy				
Powder for inhalation, 18 mcg per dose	70.00	30 dose	✓	Spiriva

►SA1193 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialed a short acting bronchodilator of at least 40 mcg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and

Applicant must state recent measurement of:

- 4 All of the following:
 - 4.1 Actual FEV₁ (litres); and
 - 4.2 Predicted FEV₁ (litres); and
 - 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Either:

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 5.1 Patient is not a smoker (for reporting purposes only); or
- 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- Applicant must state recent measurement of:
 - 3 All of the following:
 - 3.1 Actual FEV₁ (litres); and
 - 3.2 Predicted FEV₁ (litres); and
 - 3.3 Actual FEV₁ as a % of predicted.

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE

Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg per dose CFC-free	12.19	200 dose OP	✓ Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml – Up to 20 neb available on a PSO	3.75	20	✓ Duolin

Leukotriene Receptor Antagonists

MONTelukAST – Special Authority see SA1227 below – Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg	18.48	28	✓ Singulair
Tab 5 mg	18.48	28	✓ Singulair
Tab 10 mg	18.48	28	✓ Singulair

►SA1227 Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has trialled inhaled corticosteroids at a dose of up to 400 mcg per day beclomethasone or budesonide, or 200 mcg per day fluticasone for at least one month; and
- 3 The patient continues to have at least three severe exacerbations at least one of which required hospitalisation (defined as in-patient stay or prolonged Emergency Department treatment) in the past 12 months.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient is being treated with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid for 1 year for applications meeting the following criteria:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a clinical immunologist or allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

Mast Cell Stabilisers

NEDOCROMIL

Aerosol inhaler, 2 mg per dose CFC-free28.07 112 dose OP ✓ **Tilade**

SODIUM CROMOGLYCATE

Powder for inhalation, 20 mg per dose17.94 50 dose ✓ **Intal Spincaps**
Aerosol inhaler, 5 mg per dose CFC-free28.07 112 dose OP ✓ **Intal Forte CFC Free**

Methylxanthines

AMINOPHYLLINE

* Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO53.75 5 ✓ **DBL Aminophylline**

THEOPHYLLINE

* Tab long-acting 250 mg21.51 100 ✓ **Nuelin-SR**
* ‡ Oral liq 80 mg per 15 ml15.50 500 ml ✓ **Nuelin**

Mucolytics

DORNASE ALFA – Special Authority see SA0611 below – Retail pharmacy

Nebuliser soln, 2.5 mg per 2.5 ml ampoule250.00 6 ✓ **Pulmozyme**

►SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website <http://www.pharmac.govt.nz> or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990
PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571
Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

SODIUM CHLORIDE

Not funded for use as a nasal drop.
Soln 7%23.50 90 ml OP ✓ **Biomed**

Nasal Preparations

Allergy Prophylactics

BECLOMETHASONE DIPROPIONATE

Metered aqueous nasal spray, 50 mcg per dose2.35 200 dose OP
(4.85) Alanase
Metered aqueous nasal spray, 100 mcg per dose2.46 200 dose OP
(5.75) Alanase

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
BUDESONIDE				
Metered aqueous nasal spray, 50 mcg per dose	2.35 (4.85)	200 dose OP		Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose	2.61 (5.75)	200 dose OP		Butacort Aqueous
FLUTICASONE PROPIONATE				
Metered aqueous nasal spray, 50 mcg per dose	2.30	120 dose OP	✓	<u>Flixonase Hayfever & Allergy</u>
IPRATROPIUM BROMIDE				
Aqueous nasal spray, 0.03%	4.03	15 ml OP	✓	<u>Univent</u>
SODIUM CROMOGLYCATE				
Nasal spray, 4%	15.85	22 ml OP	✓	<u>Rex</u>
<i>(Rex Nasal spray, 4% to be delisted 1 November 2013)</i>				

Respiratory Devices

MASK FOR SPACER DEVICE				
a) Up to 20 dev available on a PSO				
b) Only on a PSO				
c) Only for children aged six years and under				
Size 2	2.99	1	✓	<u>EZ-fit Paediatric Mask</u>
PEAK FLOW METER				
a) Up to 10 dev available on a PSO				
b) Only on a PSO				
Low range	11.44	1	✓	<u>Breath-Alert</u>
Normal range	11.44	1	✓	<u>Breath-Alert</u>
SPACER DEVICE				
a) Up to 20 dev available on a PSO				
b) Only on a PSO				
230 ml (single patient)	4.72	1	✓	<u>Space Chamber Plus</u>
800 ml	8.50	1	✓	<u>Volumatic</u>
SPACER DEVICE AUTOCLAVABLE				
a) Up to 5 dev available on a PSO				
b) Only on a PSO				
230 ml (autoclavable) – Subsidy by endorsement.....	11.60	1	✓	<u>Space Chamber</u>
Available where the prescriber requires a spacer device that is capable of sterilisation in an autoclave and the PSO is endorsed accordingly.				

Respiratory Stimulants

CAFFEINE CITRATE				
Oral liq 20 mg per ml (10 mg base per ml)	14.85	25 ml OP	✓	<u>Biomed</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM			
For Vosol ear drops with hydrocortisone powder refer, page 193			
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vosol
CHLORAMPHENICOL			
Ear drops 0.5%	2.20	5 ml OP	✓ Chloromycetin
<i>(Chloromycetin Ear drops 0.5% to be delisted 1 February 2014)</i>			
FLUMETASONE PIVALATE			
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ Locacorten-Viaform ED's ✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIN			
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g	5.16	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml	4.50 (9.27)	8 ml OP	Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	Soframycin
Eye Preparations			
Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.			
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
CHLORAMPHENICOL			
Eye oint 1%	2.76	4 g OP	✓ Chlorsig
Eye drops 0.5%	1.20	10 ml OP	✓ Chlorofast
Funded for use in the ear*. Indications marked with * are Unapproved Indications.			
CIPROFLOXACIN			
Eye Drops 0.3%	12.43	5 ml OP	✓ Ciloxan
For treatment of bacterial keratitis or severe bacterial conjunctivitis resistant to chloramphenicol.			
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	✓ Fucithalmic
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1%	2.97 (7.99)	10 ml OP	Brolene

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
TOBRAMYCIN				
Eye oint 0.3%	10.45	3.5 g OP	✓	<u>Tobrex</u>
Eye drops 0.3%	11.48	5 ml OP	✓	<u>Tobrex</u>
Corticosteroids and Other Anti-Inflammatory Preparations				
DEXAMETHASONE				
* Eye oint 0.1%	5.86	3.5 g OP	✓	<u>Maxidex</u>
* Eye drops 0.1%	4.50	5 ml OP	✓	<u>Maxidex</u>
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SULPHATE				
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin B sulphate 6,000 u per g	5.39	3.5 g OP	✓	<u>Maxitrol</u>
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy- xin B sulphate 6,000 u per ml	4.50	5 ml OP	✓	<u>Maxitrol</u>
DICLOFENAC SODIUM				
* Eye drops 1 mg per ml	13.80	5 ml OP	✓	<u>Voltaren Ophtha</u>
FLUOROMETHOLONE				
* Eye drops 0.1%	3.80	5 ml OP	✓	<u>Flucon</u>
LEVOCABASTINE				
Eye drops 0.5 mg per ml	8.71 (10.34)	4 ml OP		Livostin
LODOXAMIDE TROMETAMOL				
Eye drops 0.1%	8.71	10 ml OP	✓	<u>Lomide</u>
PREDNISOLONE ACETATE				
* Eye drops 0.12%	4.50	5 ml OP	✓	<u>Pred Mild</u>
* Eye drops 1%	4.50	5 ml OP	✓	<u>Pred Forte</u>
SODIUM CROMOGLYCATE				
Eye drops 2%	1.18	5 ml OP	✓	<u>Rexacrom</u>
Glaucoma Preparations - Beta Blockers				
BETAXOLOL HYDROCHLORIDE				
* Eye drops 0.25%	11.80	5 ml OP	✓	<u>Betoptic S</u>
* Eye drops 0.5%	7.50	5 ml OP	✓	<u>Betoptic</u>
LEVOBUNOLOL				
* Eye drops 0.25%	7.00	5 ml OP	✓	<u>Betagan</u>
* Eye drops 0.5%	7.00	5 ml OP	✓	<u>Betagan</u>
TIMOLOL MALEATE				
* Eye drops 0.25%	2.08	5 ml OP	✓	<u>Arrow-Timolol</u>
* Eye drops 0.25%, gel forming	3.30	2.5 ml OP	✓	<u>Timoptol XE</u>
* Eye drops 0.5%	2.08	5 ml OP	✓	<u>Arrow-Timolol</u>
* Eye drops 0.5%, gel forming	3.78	2.5 ml OP	✓	<u>Timoptol XE</u>
Glaucoma Preparations - Carbonic Anhydrase Inhibitors				
ACETAZOLAMIDE				
* Tab 250 mg – For acetazolamide oral liquid formulation refer, page 190	17.03	100	✓	<u>Diamox</u>
BRINZOLAMIDE				
* Eye Drops 1%	9.77	5 ml OP	✓	<u>Azopt</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

 ▲Three months supply may be dispensed at one time
if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
DORZOLAMIDE HYDROCHLORIDE				
* Eye drops 2%	9.77 (13.95)	5 ml OP		Trusopt
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE				
* Eye drops 2% with timolol maleate 0.5%	15.50	5 ml OP	✓	Cosopt
Glaucoma Preparations - Prostaglandin Analogues				
BIMATOPROST – Retail pharmacy-Specialist				
* Eye drops 0.03%	18.50	3 ml OP	✓	Lumigan
LATANOPROST – Retail pharmacy-Specialist				
* Eye drops 50 mcg per ml, 2.5 ml	1.99	2.5 ml OP	✓	Hysite
TRAVOPROST – Retail pharmacy-Specialist				
* Eye drops 0.004%	19.50	2.5 ml OP	✓	Travatan
Glaucoma Preparations - Other				
BRIMONIDINE TARTRATE				
* Eye Drops 0.2%	6.45	5 ml OP	✓	Arrow-Brimonidine
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE				
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓	Combigan
PILOCARPINE				
* Eye drops 1%	4.26	15 ml OP	✓	Isopto Carpine
* Eye drops 2%	5.35	15 ml OP	✓	Isopto Carpine
* Eye drops 4%	7.99	15 ml OP	✓	Isopto Carpine
Subsidised for oral use pursuant to the Standard Formulae.				
* Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy	31.95 (32.72)	20 dose		Minims

►SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be “tools of trade” and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE				
* Eye drops 1%	17.36	15 ml OP	✓	Atropt
CYCLOPENTOLATE HYDROCHLORIDE				
* Eye drops 1%	8.76	15 ml OP	✓	Cyclogyl
TROPICAMIDE				
* Eye drops 0.5%	7.15	15 ml OP	✓	Mydriacyl
* Eye drops 1%	8.66	15 ml OP	✓	Mydriacyl

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Preparations for Tear Deficiency

For acetylcysteine eye drops refer, page 193

HYPROMELLOSE

* Eye drops 0.5%	2.00	15 ml OP	
	(3.92)		Methopt

HYPROMELLOSE WITH DEXTRAN

* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✓ Poly-Tears
--	------	----------	--------------

POLYVINYL ALCOHOL

* Eye drops 1.4%	2.68	15 ml OP	✓ Vistil
* Eye drops 3%	3.75	15 ml OP	✓ Vistil Forte

Preservative Free Ocular Lubricants

SA1388 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

CARBOMER – Special Authority see SA1388 above – Retail pharmacy

Ophthalmic gel 0.3%, 0.5 g	8.25	30	✓ Poly-Gel
----------------------------------	------	----	------------

MACROGOL 400 AND PROPYLENE GLYCOL – Special Authority see SA1388 above – Retail pharmacy

Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	4.30	24	✓ Systane Unit Dose
--	------	----	---------------------

SODIUM HYALURONATE – Special Authority see SA1388 above – Retail pharmacy

Eye drops 1 mg per ml	22.00	10 ml OP	✓ Hylo-Fresh
-----------------------------	-------	----------	--------------

Note: Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Handbook restriction allowing one bottle per month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE

* Eye drops 0.1%	4.15	15 ml OP	✓ Naphcon Forte
------------------------	------	----------	-----------------

OLOPATADINE

Eye drops 0.1%	17.00	5 ml OP	✓ Patanol
----------------------	-------	---------	-----------

PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN

* Eye oint with soft white paraffin	3.63	3.5 g OP	✓ Lacri-Lube ✓ Refresh Night Time
---	------	----------	--------------------------------------

(Lacri-Lube Eye oint with soft white paraffin to be delisted 1 March 2014)

PARAFFIN LIQUID WITH WOOL FAT LIQUID

* Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	✓ Poly-Visc
--	------	----------	-------------

RETINOL PALMITATE

Eye oint 138 mcg per g	3.80	5 g OP	✓ VitA-POS
------------------------------	------	--------	------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

Various

May only be claimed once per patient.

PHARMACY SERVICES

* Brand switch fee	4.33	1 fee	✓ BSF Acetec
--------------------------	------	-------	---------------------

The Pharmacode for BSF Acetec is 2445441 - see also page 51

(BSF Acetec Brand switch fee to be delisted 1 December 2013)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE – Retail pharmacy-Specialist

Inj 200 mg per ml, 10 ml	178.00	10	✓ Martindale
			Acetylcysteine
Inj 200 mg per ml, 30 ml	219.00	4	✓ Acetadote

NALOXONE HYDROCHLORIDE

a) Up to 5 inj available on a PSO

b) Only on a PSO

* Inj 400 mcg per ml, 1 ml	33.00	5	✓ Mayne
----------------------------------	-------	---	----------------

Removal and Elimination

CHARCOAL

* Oral liq 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X
a) Up to 250 ml available on a PSO			
b) Only on a PSO			

DEFERIPRONE – Special Authority see SA1042 below – Retail pharmacy

Tab 500 mg	533.17	100	✓ Ferriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✓ Ferriprox

►SA1042 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient has been diagnosed with chronic transfusional iron overload due to congenital inherited anaemia.

Note: For the purposes of this Special Authority, a relevant specialist is defined as a haematologist.

DEFERIOXAMINE MESYLATE

* Inj 500 mg	99.00	10	✓ Mayne
--------------------	-------	----	----------------

SODIUM CALCIUM EDETATE

* Inj 200 mg per ml, 5 ml	53.31 (156.71)	6	Calcium Disodium Versenate
---------------------------------	-------------------	---	-------------------------------

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The “Standard Formulae”.
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-specialist).
 - c) Menthol crystals only in the following bases:
 - Aqueous cream
 - Urea cream 10%
 - Wool fat with mineral oil lotion
 - Hydrocortisone 1% with wool fat and mineral oil lotion
 - Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution BP - up to 10%
- Hydrocortisone powder - up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of formulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml	Flecainide 20 mg/ml	Rifabutin 20 mg/ml
Allopurinol 20 mg/ml	Gabapentin 100 mg/ml	Sildenafil 2 mg/ml
Amlodipine 1 mg/ml	Gabapentin (Neurontin) 100 mg/ml	Sotalol 5 mg/ml
Azathioprine 50 mg/ml	Hydrocortisone 1 mg/ml	Sulphasalazine 100 mg/ml
Baclofen 10 mg/ml	Labetolol 10 mg/ml	Tacrolimus 1 mg/ml
Carvedilol 1 mg/ml	Levetiracetam 100 mg/ml	Terbinafine 25 mg/ml
Clopidogrel 5 mg/ml	Levodopa with carbidopa (5 mg levodopa + 1.25 mg carbidopa)/ml	Ursodeoxycholic acid 50 mg/ml
Diazoxide 10 mg/ml	Metoclopramide 1 mg/ml	Valganciclovir 60 mg/ml*
Diltiazem hydrochloride 12 mg/ml	Metoprolol tartrate 10 mg/ml	Verapamil hydrochloride 50 mg/ml
Dipyridamole 10 mg/ml	Nitrofurantoin 10 mg/ml	
Domperidone 1 mg/ml	Pyrazinamide 100 mg/ml	
Enalapril 1 mg/ml		

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

or

Solid dose form	qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF	to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 189) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



Standard Formulae

ACETYL CYSTEINE EYE DROPS

Acetylcysteine inj 200 mg per ml, 10 ml	qs
Suitable eye drop base	qs

ASPIRIN AND CHLOROFORM APPLICATION

Aspirin Soluble tabs 300 mg	12 tabs
Chloroform	to 100 ml

CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml)

Codeine phosphate	60 mg
Glycerol	40 ml
Preservative	qs
Water	to 100 ml

CODEINE LINCTUS DIABETIC (15 mg per 5 ml)

Codeine phosphate	300 mg
Glycerol	40 ml
Preservative	qs
Water	to 100 ml

FOLINIC MOUTHWASH

Calcium folinate 15 mg tab	1 tab
Preservative	qs
Water	to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

MAGNESIUM HYDROXIDE MIXTURE

Magnesium hydroxide paste	275 g
Methyl hydroxybenzoate	1.5 g
Water	770 ml

METHADONE MIXTURE

Methadone powder	qs
Glycerol	qs
Water	to 100 ml

METHYL HYDROXYBENZOATE 10% SOLUTION

Methyl hydroxybenzoate	10 g
Propylene glycol	to 100 ml

(Use 1 ml of the 10% solution per 100 ml of oral liquid mixture)

OMEPRAZOLE SUSPENSION

Omeprazole capsules or powder	qs
Sodium bicarbonate powder BP	8.4 g
Water	to 100 ml

PHENOBARBITONE ORAL LIQUID

Phenobarbitone Sodium	1 g
Glycerol BP	70 ml
Water	to 100 ml

PHENOBARBITONE SODIUM PAEDIATRIC ORAL LIQUID (10 mg per ml)

Phenobarbitone Sodium	400 mg
Glycerol BP	4 ml
Water	to 40 ml

PILOCARPINE ORAL LIQUID

Pilocarpine 4% eye drops	qs
Preservative	qs
Water	to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days.)

SALIVA SUBSTITUTE FORMULA

Methylcellulose	5 g
Preservative	qs
Water	to 500 ml

(Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.)

SODIUM CHLORIDE ORAL LIQUID

Sodium chloride inj 23.4%, 20 ml	qs
Water	qs

(Only funded if prescribed for treatment of hyponatraemia)

VOSOL EAR DROPS

WITH HYDROCORTISONE POWDER 1%

Hydrocortisone powder	1%
Vosol Ear Drops	to 35 ml

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
Extemporaneously Compounded Preparations and Galenicals				
BENZOIN				
Tincture compound BP	2.44 (5.10)	50 ml		PSM
	24.42 (38.00)	500 ml		PSM
CHLOROFORM – Only in combination				
Only in aspirin and chloroform application.				
Chloroform BP	25.50	500 ml	✓	PSM
CODEINE PHOSPHATE – Safety medicine; prescriber may determine dispensing frequency				
Powder – Only in combination	12.62 (25.46)	5 g		Douglas
	63.09 (90.09)	25 g		Douglas
a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric.				
b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.				
COLLODION FLEXIBLE				
Collodion flexible	19.30	100 ml	✓	PSM
COMPOUND HYDROXYBENZOATE – Only in combination				
Only in extemporaneously compounded oral mixtures.				
Soln	34.18	100 ml	✓	David Craig
GLYCERIN WITH SODIUM SACCHARIN – Only in combination				
Only in combination with Ora-Plus.				
Suspension	35.50	473 ml	✓	Ora-Sweet SF
GLYCERIN WITH SUCROSE – Only in combination				
Only in combination with Ora-Plus.				
Suspension	35.50	473 ml	✓	Ora-Sweet
GLYCEROL				
* Liquid – Only in combination	17.86	2,000 ml	✓	healthE
Only in extemporaneously compounded oral liquid preparations.				
MAGNESIUM HYDROXIDE				
Paste	22.61	500 g	✓	PSM
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency				
d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets).				
Powder	7.84	1 g	✓	AFT
‡ Safety cap for extemporaneously compounded oral liquid preparations.				
METHYL HYDROXYBENZOATE				
Powder	8.00 8.98	25 g	✓	PSM Midwest

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
METHYLCELLULOSE				
Powder	14.00	100 g	✓	ABM
	36.95		✓	MidWest
Suspension – Only in combination	35.50	473 ml	✓	Ora-Plus
<i>(ABM Powder to be delisted 1 December 2013)</i>				
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHARIN – Only in combination				
Suspension	35.50	473 ml	✓	Ora-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE – Only in combination				
Suspension	35.50	473 ml	✓	Ora-Blend
PHENOBARBITONE SODIUM				
Powder – Only in combination	52.50	10 g	✓	MidWest
	325.00	100 g	✓	MidWest
a) Only in children up to 12 years				
b) ‡ Safety cap for extemporaneously compounded oral liquid preparations.				
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzoate 10% solution.				
Liq	10.50	500 ml	✓	PSM
	11.25		✓	Midwest
SODIUM BICARBONATE				
Powder BP – Only in combination	8.95	500 g	✓	Midwest
	9.80			
	(29.50)			David Craig
Only in extemporaneously compounded omeprazole and lansoprazole suspension.				
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparations.				
Liq	21.75	2,000 ml	✓	Midwest
WATER				
Tap – Only in combination	0.00	1 ml	✓	Tap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services
Private Bag 3015
WHANGANUI 4540
Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

<i>Failure to thrive</i>	An inability to gain or maintain weight resulting in physiological impairment.
<i>Growth deficiency</i>	Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition

Dietitian Prescribing

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ASCORBIC ACID

- ✓ Tab 100 mg

CALCIUM CARBONATE

- ✓ Tab eff 1.75 g (1 g elemental)
- ✓ Tab 1.25 g (500 mg elemental)

COMPOUND ELECTROLYTES

- ✓ Powder for soln for oral use 4.4 g

DEXTROSE WITH ELECTROLYTES

- ✓ Soln with electrolytes

FERROUS FUMARATE

- ✓ Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID

- ✓ Tab 310 mg (100 mg elemental) with folic acid 350 mcg

FERROUS SULPHATE

- Tab long-acting 325 mg (105 mg elemental)
- ✓ Oral liq 30 mg per 1 ml (6 mg elemental per 1 ml)

FERROUS SULPHATE WITH FOLIC ACID

Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg

FOLIC ACID

- ✓ Tab 0.8 mg

MULTIVITAMINS

- ✓ Powder

PANCREATIC ENZYME

- ✓ Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease

POTASSIUM BICARBONATE

- ✓ Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

POTASSIUM CHLORIDE

- Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)
- ✓ Tab long-acting 600 mg

POTASSIUM IODATE

- ✓ Tab 256 mcg (150 mcg elemental iodine)

PYRIDOXINE HYDROCHLORIDE

- ✓ Tab 25 mg
- ✓ Tab 50 mg

SODIUM CHLORIDE

- ✓ Inj 23.4%, 20 ml

SODIUM FLUORIDE

- ✓ Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE

- ✓ Tab 50 mg

VITAMIN A WITH VITAMINS D AND C

- ✓ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX

- ✓ Tab, strong, BPC

VITAMINS

- ✓ Tab (BPC cap strength)
- ✓ Cap (fat soluble vitamins A, D, E, K)

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

Nutrient Modules

Carbohydrate

►SA1373 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula.

Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see SA1373 above – Hospital pharmacy [HP3]

Powder	5.29	400 g OP	✓ Polycal
	1.30	368 g OP	
	(12.00)		Moducal

Carbohydrate And Fat

►SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

continued. . .

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued. . .

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT – Special Authority see SA1376 on the previous page – Hospital pharmacy [HP3]

Powder (neutral)60.31 400 g OP ✓ **Duocal Super Soluble Powder**

Fat

▶SA1374 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 acites; or
- 11 for use as a component in a modular formula.

Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

continued. . .

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
--	---	-----	--------------------------	-------------------------------------

continued...

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT – Special Authority see SA1374 on the previous page – Hospital pharmacy [HP3]

Emulsion (neutral)	12.30	200 ml OP	✓ Calogen
	30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)	12.30	200 ml OP	✓ Calogen
Oil	30.00	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml	114.92	4 OP	✓ Liquegen

Protein

►SA1375 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT – Special Authority see SA1375 above – Hospital pharmacy [HP3]

Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource
			Beneprotein
Powder (vanilla)	12.90	275 g OP	✓ Promod

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

►SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO₂ value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML – Special Authority see SA1094 above – Hospital pharmacy [HP3]

Liquid	1.66	237 ml OP	✓ Pulmocare
--------------	------	-----------	-------------

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Diabetic Products

►SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1095 above – Hospital pharmacy [HP3]

Liquid	7.50	1,000 ml OP	✓ Diason RTH ✓ Glucerna Select RTH
--------------	------	-------------	---

DIABETIC ORAL FEED 1KCAL/ML – Special Authority see SA1095 above – Hospital pharmacy [HP3]

Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

Fat Modified Products

►SA1381 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed for adults.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED – Special Authority see SA1381 above – Hospital pharmacy [HP3]

Powder	60.48	400 g OP	✓ Monogen
--------------	-------	----------	------------------

High Protein Products

►SA1378 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Either:
- 1 decompensating liver disease without encephalopathy; or
 - 2 protein losing gastro-enteropathy.

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
---	----------------------------	-------------------------------------

continued...

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

HIGH PROTEIN ORAL FEED 1KCAL/ML – Special Authority see SA1378 on the previous page – Hospital pharmacy [HP3]

Liquid 1.90 200 ml OP ✓ **Fortimel Regular**

Paediatric Products For Children Awaiting Liver Transplant

►SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA1098 above – Hospital pharmacy [HP3]

Powder (unflavoured) 78.97 400 g OP ✓ **Heparon Junior**

Paediatric Products For Children With Chronic Renal Failure

►SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML – Special Authority see SA1099 above – Hospital pharmacy [HP3]

Liquid 54.00 400 g OP ✓ **Kindergen**

Paediatric Products

►SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

- 2.3 faltering growth in an infant/child; or
- 2.4 increased nutritional requirements; or
- 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]

Liquid	2.68	500 ml OP	✓ Nutrini RTH ✓ Pediasure RTH
--------------	------	-----------	--

PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]

Liquid	6.00	500 ml OP	✓ Nutrini Energy Multi Fibre ✓ Nutrini Energy RTH
--------------	------	-----------	--

PAEDIATRIC ORAL FEED – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]

Powder (vanilla)	20.00	900 g OP	✓ Pediasure
------------------------	-------	----------	--------------------

PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]

Liquid (strawberry)	1.60	200 ml OP	✓ Fortini
Liquid (vanilla)	1.60	200 ml OP	✓ Fortini

PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]

Liquid (chocolate)	1.07	200 ml OP	✓ Pediasure
Liquid (strawberry)	1.07	200 ml OP	✓ Pediasure
Liquid (vanilla)	1.07	200 ml OP	✓ Pediasure
	1.34	250 ml OP	✓ Pediasure

PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1379 on the previous page – Hospital pharmacy [HP3]

Liquid (chocolate)	1.60	200 ml OP	✓ Fortini Multi Fibre
Liquid (strawberry)	1.60	200 ml OP	✓ Fortini Multi Fibre
Liquid (vanilla)	1.60	200 ml OP	✓ Fortini Multi Fibre

Renal Products

▶SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 2 KCAL/ML – Special Authority see SA1101 above – Hospital pharmacy [HP3]

Liquid	6.08	500 ml OP	✓ Nepro RTH
--------------	------	-----------	--------------------

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
RENAL ORAL FEED 2KCAL/ML – Special Authority see SA1101 on the previous page – Hospital pharmacy [HP3]				
Liquid	2.43	200 ml OP	✓	Nepro (strawberry)
	3.80	237 ml OP	✓	Nepro (vanilla)
	2.88		✓	Suplena
	(3.31)			NovaSource Renal
Liquid (apricot)	2.88	125 ml OP	✓	Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	✓	Renilon 7.5
Liquid (apricot) 125 ml	11.52	4 OP	✓	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	✓	Renilon 7.5

Specialised And Elemental Products

►SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA1377 above – Hospital pharmacy [HP3]

Powder	4.40	79 g OP	✓	Vital HN
	7.50	76 g OP	✓	Alitraq

ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see SA1377 above – Hospital pharmacy [HP3]

Liquid (grapefruit)	9.50	250 ml OP	✓	Elemental 028 Extra
Liquid (pineapple & orange)	9.50	250 ml OP	✓	Elemental 028 Extra
Liquid (summer fruit)	9.50	250 ml OP	✓	Elemental 028 Extra

ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA1377 above – Hospital pharmacy [HP3]

Powder (unflavoured)	4.50	80.4 g OP	✓	Vivonex TEN
----------------------------	------	-----------	---	--------------------

SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Authority see SA1377 above – Hospital pharmacy [HP3]

Liquid	12.04	1,000 ml OP	✓	Peptisorb
--------------	-------	-------------	---	------------------

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

Paediatric Products For Children With Low Energy Requirements

▶▶SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML – Special Authority see SA1196 above – Hospital pharmacy [HP3]

Liquid 4.00 500 ml OP ✓ **Nutrini Low Energy
Multi Fibre**

Standard Supplements

▶▶SA1228 Special Authority for Subsidy

Initial application — (Children) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive; or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:

Patient is Malnourished

 - 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
 - 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
 - 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

 - 2.1 Increasing their food intake frequency (eg snacks between meals); or
 - 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
 - 2.3 Using over the counter supplements (e.g. Complan); and

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✓	Brand or Generic Manufacturer
---	------------------------------	-------------------------------------

continued...

3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 A nutrition goal has been set (eg reach a specific weight or BMI); and

2 Any of the following:

Patient is Malnourished

2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or

2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or

2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Adults transitioning from hospital Discretionary Community Supply) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 The patient has had up to a 30 day supply of a 1.0 or a 1.5 kcal/ml Standard Oral Supplement; and

2 A nutrition goal has been set (eg reach a specific weight or BMI); and

3 Any of the following:

Patient is Malnourished

3.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or

3.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or

3.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

1 Is being feed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or

2 Malignancy and is considered likely to develop malnutrition as a result; or

3 Is undergoing a bone marrow transplant; or

4 Tempomandibular surgery; or

5 Both:

5.1 Pregnant; and

5.2 Any of the following:

5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or

5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or

5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

1 Is being fed via a nasogastric tube; or

2 Malignancy and is considered likely to develop malnutrition as a result; or

3 Has undergone a bone marrow transplant; or

4 Tempomandibular surgery; or

5 Both:

5.1 Pregnant; and

continued...

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

continued...

5.2 Any of the following:

- 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or
- 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
- 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm³); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube - refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1228 on page 205 – Hospital pharmacy [HP3]

Liquid	7.00	1,000 ml	✓ Nutrison Energy
--------------	------	----------	--------------------------

ENTERAL FEED 1KCAL/ML – Special Authority see SA1228 on page 205 – Hospital pharmacy [HP3]

Liquid	1.24	250 ml OP	✓ Isosource Standard
			✓ Osmolite
	5.29	1,000 ml OP	✓ Isosource Standard RTH
			✓ Nutrison Standard RTH
	2.65	500 ml OP	✓ Osmolite RTH
	5.29	1,000 ml OP	✓ Osmolite RTH

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1228 on page 205 – Hospital pharmacy [HP3]				
Liquid	1.32	237 ml OP	✓	Jevity
	2.65	500 ml OP	✓	Jevity RTH
	5.29	1,000 ml OP	✓	Jevity RTH
			✓	Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1228 on page 205 – Hospital pharmacy [HP3]				
Liquid	1.75	250 ml OP	✓	Ensure Plus HN
	7.00	1,000 ml OP	✓	Ensure Plus RTH
			✓	Jevity HiCal RTH
			✓	Nutrison Energy Multi Fibre
ORAL FEED (POWDER) – Special Authority see SA1228 on page 205 – Hospital pharmacy [HP3]				
Powder (chocolate)	10.22	900 g OP	✓	Sustagen Hospital Formula
	13.00		✓	Ensure
Powder (vanilla)	9.50	900 g OP	✓	Fortisip
	10.22		✓	Sustagen Hospital Formula
	13.00		✓	Ensure

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
ORAL FEED 1.5KCAL/ML – Special Authority see SA1228 on page 205 – Hospital pharmacy [HP3]			
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.			
Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26) (1.26)	200 ml OP	Ensure Plus Fortisip
Liquid (chocolate) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement.....	0.72 (1.26) 0.85 (1.33) 0.72 (1.26)	200 ml OP 237 ml OP 200 ml OP	Ensure Plus Ensure Plus Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement.....	0.72 (1.26)	200 ml OP	Ensure Plus
Liquid (strawberry) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement.....	0.72 (1.26) 0.85 (1.33) 0.72 (1.26)	200 ml OP 237 ml OP 200 ml OP	Ensure Plus Ensure Plus Fortisip
Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement.....	0.72 (1.26)	200 ml OP	Fortisip
Liquid (tropical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement.....	0.72 (1.26)	200 ml OP	Fortisip
Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml with Endorsement.....	0.72 (1.26) 0.85 (1.33) 0.72 (1.26)	200 ml OP 237 ml OP 200 ml OP	Ensure Plus Ensure Plus Fortisip
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see SA1228 on page 205 – Hospital pharmacy [HP3]			
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.			
Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26)	200 ml OP	Fortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26)	200 ml OP	Fortisip Multi Fibre
Liquid (vanilla) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26)	200 ml OP	Fortisip Multi Fibre

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

High Calorie Products

►SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2 KCAL/ML – Special Authority see SA1195 above – Hospital pharmacy [HP3]

Liquid	5.50	500 ml OP	✓ Nutrison Concentrated
	11.00	1,000 ml OP	✓ Two Cal HN RTH

ORAL FEED 2 KCAL/ML – Special Authority see SA1195 above – Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) – Higher subsidy of \$1.90 per 200 ml with			
Endorsement	0.96	200 ml OP	
	(1.90)		Two Cal HN

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Food Thickeners

▶SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER – Special Authority see SA1106 above – Hospital pharmacy [HP3]

Powder	7.25	380 g OP	✓ Feed Thickener Karicare Aptamil
--------------	------	----------	--------------------------------------

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

▶SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Either:
- 1 Gluten enteropathy has been diagnosed by biopsy; or
 - 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107 above – Hospital pharmacy [HP3]

Powder	2.81	1,000 g OP	Healthieries Simple Baking Mix
	(5.15)		

GLUTEN FREE BREAD MIX – Special Authority see SA1107 above – Hospital pharmacy [HP3]

Powder	3.93	1,000 g OP	NZB Low Gluten Bread Mix
	(7.32)		
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix

GLUTEN FREE FLOUR – Special Authority see SA1107 above – Hospital pharmacy [HP3]

Powder	5.62	2,000 g OP	Horleys Flour
	(18.10)		

SPECIAL FOODS

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
GLUTEN FREE PASTA – Special Authority see SA1107 on the previous page – Hospital pharmacy [HP3]			
Buckwheat Spirals	2.00 (3.11)	250 g OP	Orgran
Corn and Vegetable Shells	2.00 (2.92)	250 g OP	Orgran
Corn and Vegetable Spirals	2.00 (2.92)	250 g OP	Orgran
Rice and Corn Lasagne Sheets	1.60 (3.82)	200 g OP	Orgran
Rice and Corn Macaroni	2.00 (2.92)	250 g OP	Orgran
Rice and Corn Penne	2.00 (2.92)	250 g OP	Orgran
Rice and Maize Pasta Spirals	2.00 (2.92)	250 g OP	Orgran
Rice and Millet Spirals	2.00 (3.11)	250 g OP	Orgran
Rice and corn spaghetti noodles	2.00 (2.92)	375 g OP	Orgran
Vegetable and Rice Spirals	2.00 (2.92)	250 g OP	Orgran
Italian long style spaghetti	2.00 (3.11)	220 g OP	Orgran

Foods And Supplements For Inborn Errors Of Metabolism

►SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE – Special Authority see SA1108 above – Hospital pharmacy [HP3]

Powder	461.94	500 g OP	✓ XMET Maxamum
--------------	--------	----------	----------------

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see SA1108 above – Hospital pharmacy [HP3]

Powder	300.54	500 g OP	✓ MSUD Maxamaid
	437.22		✓ MSUD Maxamum

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Tabs	99.00	75 OP	✓ Phlexy 10
Powder (unflavoured) 29 g sachets	330.12	30	✓ PKU Anamix Junior
Sachets (tropical)	324.00	30	✓ Phlexy 10
Infant formula	174.72	400 g OP	✓ PKU Anamix Infant
Powder (orange)	221.00	500 g OP	✓ XP Maxamaid
	320.00		✓ XP Maxamum
Powder (unflavoured)	221.00	500 g OP	✓ XP Maxamaid
	320.00		✓ XP Maxamum
Liquid (berry)	13.10	125 ml OP	✓ PKU Anamix Junior LQ
Liquid (citrus)	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (forest berries)	30.00	250 ml OP	✓ Easiphen Liquid
Liquid (juicy berries)	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange)	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (orange)	13.10	125 ml OP	✓ PKU Anamix Junior LQ
Liquid (unflavoured)	13.10	125 ml OP	✓ PKU Anamix Junior LQ

(Phlexy 10 Sachets (tropical) to be delisted 1 November 2013)

Foods

LOW PROTEIN BAKING MIX – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Powder	8.22	500 g OP	✓ Loprofin Mix
--------------	------	----------	----------------

LOW PROTEIN PASTA – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Animal shapes	11.91	500 g OP	✓ Loprofin
Lasagne	5.95	250 g OP	✓ Loprofin
Low protein rice pasta	11.91	500 g OP	✓ Loprofin
Macaroni	5.95	250 g OP	✓ Loprofin
Penne	11.91	500 g OP	✓ Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirals	11.91	500 g OP	✓ Loprofin

Infant Formulae

For Premature Infants

PRETERM POST-DISCHARGE INFANT FORMULA – Special Authority see SA1198 on the next page – Hospital pharmacy [HP3]

Powder	15.25	400 g OP	✓ S-26 Gold Premgro
--------------	-------	----------	---------------------

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised ✓	Brand or Generic Manufacturer
---	-----	--------------------------	-------------------------------------

►►SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Either:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

►►SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powder	44.40	400 g OP	✓ Locasol
--------------	-------	----------	-----------

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA – Special Authority see SA1219 below – Hospital pharmacy [HP3]

Powder	6.00	48.5 g OP	✓ Vivonex Pediatric
	53.00	400 g OP	✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
			✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	53.00	400 g OP	✓ Elecare
			✓ Neocate Advance

►►SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

EXTENSIVELY HYDROLYSED FORMULA – Special Authority see SA1380 below – Hospital pharmacy [HP3]

Powder	15.21	450 g OP	✓ Pepti Junior Gold Karicare Aptamil
--------------	-------	----------	---

►SA1380 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malabsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Step Down from Amino Acid Formula) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The infant is currently receiving funded amino acid formula; and
- 2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Ketogenic Diet

►SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA – Special Authority see SA1197 above – Retail pharmacy

Powder (unflavoured)	35.50	300 g OP	✓ KetoCal 4:1
			✓ Ketocal 3:1
Powder (vanilla)	35.50	300 g OP	✓ KetoCal 4:1

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	
✓ Inj 1 in 1,000, 1 ml ampoule.....	5
✓ Inj 1 in 10,000, 10 ml ampoule.....	5
AMINOPHYLLINE	
✓ Inj 25 mg per ml, 10 ml	5
AMIODARONE HYDROCHLORIDE	
✓ Inj 50 mg per ml, 3 ml ampoule	6
AMOXYCILLIN	
✓ Cap 250 mg	30
✓ Grans for oral liq 125 mg per 5 ml	200 ml
✓ Grans for oral liq 250 mg per 5 ml	200 ml
✓ Inj 1 g.....	5
AMOXYCILLIN CLAVULANATE	
✓ Tab amoxicillin 500 mg with potassium clavulanate 125 mg	30
✓ Grans for oral liq amoxicillin 125 mg with potassium clavulanate 31.25 mg per 5 ml.....	200 ml
✓ Grans for oral liq amoxicillin 250 mg with potassium clavulanate 62.5 mg per 5 ml.....	200 ml
ASPIRIN	
✓ Tab dispersible 300 mg.....	30
ATROPINE SULPHATE	
✓ Inj 600 mcg per ml, 1 ml ampoule.....	5
AZITHROMYCIN	
✓ Tab 500 mg – See note on page 89.....	8
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	
✓ Tab 2.5 mg – See note on page 58.....	150
BENZATHINE BENZYL PENICILLIN	
✓ Inj 1.2 mega u per 2.3 ml	5
BENZTROPINE MESYLATE	
✓ Inj 1 mg per ml, 2 ml	5
BENZYL PENICILLIN SODIUM (PENICILLIN G)	
✓ Inj 600 mg	5
BLOOD GLUCOSE DIAGNOSTIC TEST METER	
✓ Meter with 50 lancets, a lancing device and 10 diagnostic test strips – Subsidy by endorsement – See note on page 30	1
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	
✓ Blood glucose test strips – See note on page 30	50 test
BLOOD KETONE DIAGNOSTIC TEST METER	
✓ Meter – See note on page 29	1
CEFTRIAXONE SODIUM	
✓ Inj 500 mg – Subsidy by endorsement – See note on page 88	5
✓ Inj 1 g – Subsidy by endorsement – See note on page 88	5
CHARCOAL	
✓ Oral liq 50 g per 250 ml	250 ml
CHLORPROMAZINE HYDROCHLORIDE	
✓ Tab 10 mg.....	30
✓ Tab 25 mg.....	30
✓ Tab 100 mg.....	30
✓ Inj 25 mg per ml, 2 ml	5
CIPROFLOXACIN	
✓ Tab 250 mg – See note on page 91.....	5
✓ Tab 500 mg – See note on page 91.....	5
CO-TRIMOXAZOLE	
✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg.....	30
✓ Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml.....	200 ml
COMPOUND ELECTROLYTES	
✓ Powder for soln for oral use 4.4 g	10
CONDOMS	
✓ 49 mm.....	144
✓ 52 mm.....	144
✓ 52 mm extra strength	144
✓ 53 mm.....	144
✓ 53 mm (chocolate).....	144
✓ 53 mm (strawberry).....	144
✓ 53 mm extra strength	144
54 mm, shaped	144
✓ 55 mm.....	144
✓ 56 mm.....	144
✓ 56 mm, shaped	144
✓ 60 mm.....	144
CYPROTERONE	ACETATE
ETHINYLOESTRADIOL	
WITH	
✓ Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs.....	84
DEXAMETHASONE	
✓ Tab 1 mg – Retail pharmacy-Specialist	30
✓ Tab 4 mg – Retail pharmacy-Specialist	30

continued . .

(continued)

DEXAMETHASONE SODIUM PHOSPHATE

- ✓ Inj 4 mg per ml, 1 ml – See note on page 80 5
- ✓ Inj 4 mg per ml, 2 ml – See note on page 80 5

DEXTROSE

- ✓ Inj 50%, 10 ml 5
- ✓ Inj 50%, 90 ml 5

DIAPHRAGM

- ✓ 65 mm – See note on page 74 1
- ✓ 70 mm – See note on page 74 1
- ✓ 75 mm – See note on page 74 1
- ✓ 80 mm – See note on page 74 1

DIAZEPAM

- ✓ Inj 5 mg per ml, 2 ml – Subsidy by
endorsement – See note on page 126 5
- ✓ Rectal tubes 5 mg 5
- ✓ Rectal tubes 10 mg 5

DICLOFENAC SODIUM

- ✓ Inj 25 mg per ml, 3 ml 5
- ✓ Suppos 50 mg 10

DIGOXIN

- ✓ Tab 62.5 mcg 30
- ✓ Tab 250 mcg 30

DOXYCYCLINE HYDROCHLORIDE

- Tab 50 mg 30
- ✓ Tab 100 mg 30

ERGOMETRINE MALEATE

- ✓ Inj 500 mcg per ml, 1 ml 5

ERYTHROMYCIN ETHYL SUCCINATE

- ✓ Tab 400 mg 30
- ✓ Grans for oral liq 200 mg per 5 ml 200 ml
- ✓ Grans for oral liq 400 mg per 5 ml 200 ml

ERYTHROMYCIN STEARATE

- Tab 250 mg 30

ETHINYLIOESTRADIOL WITH DESOGESTREL

- Tab 20 mcg with desogestrel 150 mcg and 7
inert tab 84
- Tab 30 mcg with desogestrel 150 mcg and 7
inert tab 84

ETHINYLIOESTRADIOL WITH LEVONORGESTREL

- ✓ Tab 20 mcg with levonorgestrel 100 mcg and
7 inert tab 84
- ✓ Tab 50 mcg with levonorgestrel 125 mcg and
7 inert tab 84
- Tab 30 mcg with levonorgestrel 150 mcg 63
- ✓ Tab 30 mcg with levonorgestrel 150 mcg and
7 inert tab 84

ETHINYLIOESTRADIOL WITH NORETHISTERONE

- ✓ Tab 35 mcg with norethisterone 1 mg 63
- ✓ Tab 35 mcg with norethisterone 1 mg and 7
inert tab 84
- ✓ Tab 35 mcg with norethisterone 500 mcg 63
- ✓ Tab 35 mcg with norethisterone 500 mcg
and 7 inert tab 84

FLUCLOXACILLIN SODIUM

- ✓ Cap 250 mg 30
- ✓ Grans for oral liq 125 mg per 5 ml 200 ml
- ✓ Grans for oral liq 250 mg per 5 ml 200 ml
- ✓ Inj 1 g 5

FLUPENTHIXOL DECANOATE

- ✓ Inj 20 mg per ml, 1 ml 5
- ✓ Inj 20 mg per ml, 2 ml 5
- ✓ Inj 100 mg per ml, 1 ml 5

FLUPHENAZINE DECANOATE

- ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml 5
- ✓ Inj 25 mg per ml, 1 ml 5
- ✓ Inj 100 mg per ml, 1 ml 5

FUROSEMIDE [FRUSEMIDE]

- ✓ Tab 40 mg 30
- ✓ Inj 10 mg per ml, 2 ml ampoule 5

GLUCAGON HYDROCHLORIDE

- ✓ Inj 1 mg syringe kit 5

GLYCERYL TRINITRATE

- ✓ Tab 600 mcg 100
- ✓ Oral spray, 400 mcg per dose 250 dose

HALOPERIDOL

- ✓ Tab 500 mcg 30
- ✓ Tab 1.5 mg 30
- ✓ Tab 5 mg 30
- ✓ Oral liq 2 mg per ml 200 ml
- ✓ Inj 5 mg per ml, 1 ml 5

HALOPERIDOL DECANOATE

- ✓ Inj 50 mg per ml, 1 ml 5
- ✓ Inj 100 mg per ml, 1 ml 5

HYDROCORTISONE

- ✓ Inj 100 ml vial 5

HYDROXOCOBALAMIN

- ✓ Inj 1 mg per ml, 1 ml 6

HYOSCINE N-BUTYLBROMIDE

- ✓ Inj 20 mg, 1 ml 5

INTRA-UTERINE DEVICE

- ✓ IUD 40

continued. .

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

IPRATROPIUM BROMIDE	
✓ Nebuliser soln, 250 mcg per ml, 1 ml	40
✓ Nebuliser soln, 250 mcg per ml, 2 ml	40
IVERMECTIN	
✓ Tab 3 mg – See note on page 69.....	100
KETONE BLOOD BETA-KETONE ELECTRODES	
✓ Test strip	10
LEVONORGESTREL	
Tab 30 mcg	84
✓ Tab 1.5 mg.....	5
LIDOCAINE [LIGNOCAINE]	
✓ Gel 2%, 10 ml urethral syringe – Subsidy by endorsement – See note on page 120	5
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	
✓ Inj 1%, 5 ml ampoule	25
✓ Inj 2%, 5 ml ampoule	5
✓ Inj 1%, 20 ml ampoule	5
✓ Inj 2%, 20 ml ampoule	5
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	
✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement – See note on page 120	5
LOPERAMIDE HYDROCHLORIDE	
✓ Tab 2 mg	30
✓ Cap 2 mg	30
MASK FOR SPACER DEVICE	
✓ Size 2 – See note on page 183	20
MEDROXYPROGESTERONE ACETATE	
✓ Inj 150 mg per ml, 1 ml syringe.....	5
METOCLOPRAMIDE HYDROCHLORIDE	
✓ Inj 5 mg per ml, 2 ml	5
METRONIDAZOLE	
✓ Tab 200 mg	30
MORPHINE SULPHATE	
✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form	5
✓ Inj 10 mg per ml, 1 ml – Only on a controlled drug form	5
✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form	5
✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form	5
NALOXONE HYDROCHLORIDE	
✓ Inj 400 mcg per ml, 1 ml	5

NICOTINE

✓ Patch 7 mg – See note on page 145	28
✓ Patch 14 mg – See note on page 145	28
✓ Patch 21 mg – See note on page 145	28
✓ Lozenge 1 mg – See note on page 145.....	216
✓ Lozenge 2 mg – See note on page 145.....	216
✓ Gum 2 mg (Classic) – See note on page 145.....	384
✓ Gum 2 mg (Fruit) – See note on page 145.....	384
✓ Gum 2 mg (Mint) – See note on page 145	384
✓ Gum 4 mg (Classic) – See note on page 145.....	384
✓ Gum 4 mg (Fruit) – See note on page 145	384
✓ Gum 4 mg (Mint) – See note on page 145	384

NORETHISTERONE

✓ Tab 350 mcg	84
✓ Tab 5 mg	30

NORETHISTERONE WITH MESTRANOL

Tab 1 mg with mestranol 50 mcg and 7 inert tab	84
---	----

OXYTOCIN

✓ Inj 5 iu per ml, 1 ml	5
✓ Inj 10 iu per ml, 1 ml	5
✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml.....	5

PARACETAMOL

✓ Tab 500 mg	30
✓ Oral liq 120 mg per 5 ml	200 ml
✓ Oral liq 250 mg per 5 ml	100 ml

PEAK FLOW METER

✓ Low range	10
✓ Normal range	10

**PENICILLIN G BENZATHINE [BENZATHINE
BENZYL PENICILLIN]**

✓ Inj 1.2 mega u per 2 ml	5
---------------------------------	---

PETHIDINE HYDROCHLORIDE

✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form	5
✓ Inj 50 mg per ml, 2 ml – Only on a controlled drug form	5

PHENOXYMETHYLPENICILLIN (PENICILLIN V)

✓ Cap potassium salt 250 mg	30
✓ Grans for oral liq 125 mg per 5 ml	200 ml
✓ Grans for oral liq 250 mg per 5 ml	200 ml

PHENYTOIN SODIUM

✓ Inj 50 mg per ml, 2 ml	5
✓ Inj 50 mg per ml, 5 ml	5

continued...

(continued)

PHYTOMENADIONE

- ✓ Inj 2 mg per 0.2 ml 5
- ✓ Inj 10 mg per ml, 1 ml 5

PIPOTHAZINE PALMITATE

- ✓ Inj 50 mg per ml, 1 ml 5
- ✓ Inj 50 mg per ml, 2 ml 5

PREDNISOLONE SODIUM PHOSPHATE

- ✓ Oral liq 5 mg per ml – See note on page 80 30 ml

PREDNISONE

- ✓ Tab 5 mg 30

PREGNANCY TESTS - HCG URINE

- ✓ Cassette 200 test

PROCAINE PENICILLIN

- ✓ Inj 1.5 mega u 5

PROCHLORPERAZINE

- ✓ Tab 5 mg 30
- ✓ Inj 12.5 mg per ml, 1 ml 5

PROMETHAZINE HYDROCHLORIDE

- ✓ Inj 25 mg per ml, 2 ml 5

SALBUTAMOL

- ✓ Inj 500 mcg per ml, 1 ml 5
- ✓ Aerosol inhaler, 100 mcg per dose CFC free 1000 dose
- ✓ Nebuliser soln, 1 mg per ml, 2.5 ml 30
- ✓ Nebuliser soln, 2 mg per ml, 2.5 ml 30

SALBUTAMOL WITH IPRATROPIUM BROMIDE

- ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml 20

SILVER SULPHADIAZINE

- ✓ Crm 1% 250 g

SODIUM BICARBONATE

- ✓ Inj 8.4%, 50 ml 5
- ✓ Inj 8.4%, 100 ml 5

SODIUM CHLORIDE

- ✓ Inf 0.9% – See note on page 49 2000 ml
- ✓ Inj 0.9%, 5 ml – See note on page 49 5
- ✓ Inj 0.9%, 10 ml – See note on page 49 5

SPACER DEVICE

- ✓ 230 ml (single patient) 20
- ✓ 800 ml 20

SPACER DEVICE AUTOCLAVABLE

- ✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 183 5

TRIMETHOPRIM

- ✓ Tab 300 mg 30

VERAPAMIL HYDROCHLORIDE

- ✓ Inj 2.5 mg per ml, 2 ml ampoule 5

WATER

- ✓ Purified for inj, 5 ml – See note on page 49 5
- ✓ Purified for inj, 10 ml – See note on page 49 5
- ✓ Purified for inj, 20 ml – See note on page 49 5

ZUCLOPENTHIXOL DECANOATE

- ✓ Inj 200 mg per ml, 1 ml 5

Rural Areas for Practitioner's Supply Orders
NORTH ISLAND
Northland DHB

Dargaville
Hikurangi
Kaeo
Kaikohe
Kaitaia
Kawakawa
Kerikeri
Mangonui
Maungaturoto
Moerewa
Ngunguru
Paihia
Rawene
Ruakaka
Russell
Tutukaka
Waipu
Whangaroa

Waitemata DHB

Helensville
Huapai
Kumeu
Snells Beach
Waimauku
Warkworth
Wellsford

Auckland DHB

Great Barrier Island
Oneroa
Ostend

Counties Manukau DHB

Tuakau
Waiuku

Waikato DHB

Coromandel
Huntly
Kawhia
Matamata
Morrinsville
Ngatea
Otorohanga
Paeroa
Pauanui Beach
Putaruru
Raglan

Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi
Whangamata
Whitianga

Bay of Plenty DHB

Edgecumbe
Katikati
Kawerau
Murupara
Opotiki
Taneatua
Te Kaha
Waihi Beach
Whakatane

Lakes DHB

Mangakino
Turangi

Tairāwhiti DHB

Ruatoria
Te Araroa
Te Karaka
Te Puia Springs
Tikitiki
Tokomaru Bay
Tolaga Bay

Taranaki DHB

Eltham
Inglewood
Manaia
Oakura
Okato
Opunake
Patea
Stratford
Waverley

Hawkes Bay DHB

Chatham Islands
Waipawa
Waipukurau
Wairoa

Whanganui DHB

Bulls

Marton
Ohakune
Raetihi
Taihape
Waiouru

MidCentral DHB

Dannevirke
Foxton
Levin
Otaki
Pahiatua
Shannon
Woodville

Wairarapa DHB

Carteron
Featherston
Greytown
Martinborough

SOUTH ISLAND
Nelson/Marlborough DHB

Havelock
Mapua
Motueka
Murchison
Picton
Takaka
Wakefield

West Coast DHB

Dobson
Greymouth
Hokitika
Karamea
Reefton
South Westland
Westport
Whataroa

Canterbury DHB

Akaroa
Amberley
Amuri
Cheviot
Darfield
Diamond Harbour
Hanmer Springs
Kaikoura

Leeston
Lincoln
Methven
Oxford
Rakaia
Rolleston
Rotherham
Templeton
Waikari

South Canterbury DHB

Fairlie
Geraldine
Pleasant Point
Temuka
Twizel
Waimate

Southern DHB

Alexandra
Balclutha
Cromwell
Gore
Kuwro
Lawrence
Lumsden
Mataura
Milton
Oamaru
Oban
Otautau
Outram
Owaka
Palmerston
Queenstown
Ranfurly
Riverton
Roxburgh
Tapanui
Te Anau
Tokonui
Tuatapere
Wanaka
Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

- a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.

- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:

- i) have limited physical mobility;
- ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- iii) are relocating to another area;
- iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

SECTION F

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X

Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor

Tab 100 mg Tambocor

Cap long-acting 100 mg Tambocor CR

Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN

Nasal drops 100 mcg Minirin
per ml

Nasal spray 10 mcg per Desmopressin-PH&T
dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LACOSAMIDE

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm.....	<i>Clic-Loc</i> , United Closures & Plastics PLC, England <i>Kerr</i> , Cormack Packaging, Sydney, under licence to Kerr USA
24 mm.....	<i>Clic-Loc</i> , United Closures & Plastics PLC, England <i>Clic-Loc</i> , ACI Closures under license to Owens-Illinois <i>Kerr</i> , Cormack Packaging, Sydney, under licence to Kerr USA
28 mm.....	<i>Clic-Loc</i> , United Closures & Plastics PLC, England <i>Clic-Loc</i> , ACI Closures under license to Owens-Illinois <i>Kerr</i> , Cormack Packaging, Sydney, under licence to Kerr USA <i>PDL Squeezlok</i> <i>PDL FG</i>

ALIMENTARY TRACT AND METABOLISM
FERROUS SULPHATE

Oral liq 30 mg per 1 ml Ferodan
(6 mg elemental per
1 ml)

CARDIOVASCULAR SYSTEM
AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral liq 5 mg per ml Capoten

CHLOROTHIAZIDE

Oral liq 50 mg per ml Biomed

DIGOXIN

Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral liq 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

**HORMONE PREPARATIONS - SYSTEMIC EXCLUDING
CONTRACEPTIVE HORMONES**
LEVOTHYROXINE

Tab 25 mcg Synthroid
Tab 50 mcg Eltroxin
Mercury Pharma
Synthroid
Tab 100 mcg Eltroxin
Mercury Pharma
Synthroid

(Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE
QUININE SULPHATE

Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM
IBUPROFEN

Oral liq 20 mg per ml Fenpaed

NERVOUS SYSTEM
ALPRAZOLAM

Tab 250 mcg Arrow-Alprazolam
Tab 500 mcg Arrow-Alprazolam
Tab 1 mg Arrow-Alprazolam

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral liq 100 mg per 5 ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per ml Rivotril

DIAZEPAM

Tab 2 mg Arrow-Diazepam
Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral liq 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone
Oral liq 5 mg per ml Biodone Forte
Oral liq 10 mg per ml Biodone Extra Forte

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml RA-Morph
Oral liq 2 mg per ml RA-Morph
Oral liq 5 mg per ml RA-Morph
Oral liq 10 mg per ml RA-Morph

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral liq 5 mg per 5 ml OxyNorm

PARACETAMOL

Oral liq 120 mg per 5 ml Ethics Paracetamol
Oral liq 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid
 Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 mcg Hypam
 Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

SALBUTAMOL

Oral liq 2 mg per 5 ml Salapin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPAZINE TARTRATE

Oral liq 30 mg per 5 ml Vallergran Forte

**EXTEMPORANEOUSLY COMPOUNDED
 PREPARATIONS AND GALENICALS**

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES**CETIRIZINE HYDROCHLORIDE**

Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Allersoothe

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
Vaccinations			
BACILLUS CALMETTE-GUERIN VACCINE – Hospital pharmacy [Xpharm]			
For infants at increased risk of tuberculosis. Increased risk is defined as:			
1) living in a house or family with a person with current or past history of TB or			
2) have one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer or			
3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000			
Note a list of countries with high rates of TB are available at www.moh.govt.nz/immunisation or www.bcgatlas.org/index.php .			
Inj multi-dose vial (10 dose) 0.5 ml	0.00	1	✓ BCG Vaccine
DIPHTHERIA AND TETANUS VACCINE – Hospital pharmacy [Xpharm]			
For adults aged 45 and 65 years old, and for susceptible individuals.			
Inj 0.5 ml	0.00	1	✓ ADT Booster
DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE – Hospital pharmacy [Xpharm]			
For children aged 11 years old and pregnant women between gestational weeks 28 and 38 during epidemics.			
Inj 0.5 ml	0.00	1	✓ Boostrix
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE – Hospital pharmacy [Xpharm]			
For children aged 4 years old.			
Inj 0.5 ml	0.00	1	✓ Infanrix-IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AND HAEMOPHILUS INFLUENZAE TYPE B VACCINE – Hospital pharmacy [Xpharm]			
For children aged 6 weeks, 3 months, and 5 months old.			
Inj 0.5 ml	0.00	1	✓ Infanrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – Hospital pharmacy [Xpharm]			
For children aged 15 months old, children aged 0-16 years with functional asplenia, or for patients pre- and post-splenectomy.			
Inj 0.5 ml	0.00	1	✓ Act-HIB
HEPATITIS B VACCINE – Hospital pharmacy [Xpharm]			
For household or sexual contacts of known hepatitis B carriers, or for children born to mothers who are hepatitis B surface antigen (HBsAg) positive.			
Inj 0.5 ml	0.00	1	✓ HBvaxPro
HUMAN PAPILOMAVIRUS VACCINE – Hospital pharmacy [Xpharm]			
Three doses over a period of six months for young women aged between 12 and 19 years old.			
Inj 0.5 ml	0.00	1	✓ Gardasil
INFLUENZA VACCINE – Hospital pharmacy [Xpharm]			
Inj	90.00	10	✓ Fluarix ✓ Fluvax

A) is available each year for patients who meet the following criteria, as set by PHARMAC:

- a) all people 65 years of age and over;
- b) people under 65 years of age who:
 - i) have any of the following cardiovascular disease:
 - 1) ischaemic heart disease,
 - 2) congestive heart disease,
 - 3) rheumatic heart disease,
 - 4) congenital heart disease, or
 - 5) cerebo-vascular disease;
 - ii) have either of the following chronic respiratory disease:
 - 1) asthma, if on a regular preventative therapy, or
 - 2) other chronic respiratory disease with impaired lung function;
 - iii) have diabetes;

continued...

Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
	✓	

continued...

- iv) have chronic renal disease;
- v) have any cancer, excluding basal and squamous skin cancers if not invasive;
- vi) have any of the following other conditions:
 - a) autoimmune disease,
 - b) immune suppression,
 - c) HIV,
 - d) transplant recipients,
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
- vii) are pregnant
- c) people under 18 years of age living within the boundaries of the Canterbury District Health Board.
- d) children aged four and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

MEASLES, MUMPS AND RUBELLA VACCINE – Hospital pharmacy [Xpharm]

For children aged 15 months and 4 years old or for any individual susceptible to measles, mumps or rubella.

Inj 0.5 ml	0.00	1	✓ M-M-R II
------------------	------	---	-------------------

MENINGOCOCCAL A, C, Y AND W-135 VACCINE – Hospital pharmacy [Xpharm]

For patients pre- and post-splenectomy or children aged 0-16 years with functional asplenia. For organisation and community based outbreaks.

Inj 0.5 ml	0.00	1	✓ Menomune
------------------	------	---	-------------------

PNEUMOCOCCAL (PCV13) VACCINE – Hospital pharmacy [Xpharm]

For high risk children under the age of 5 and those aged less than 16 years pre- or post-splenectomy or with functional asplenia.

Inj 0.5 ml	0.00	1	✓ Prevenar 13
------------------	------	---	----------------------

PNEUMOCOCCAL POLYSACCHARIDE VACCINE – Hospital pharmacy [Xpharm]

For patients pre- and post-splenectomy or children aged 0-16 years with functional asplenia.

Inj 0.5 ml	0.00	1	✓ Pneumovax 23
------------------	------	---	-----------------------

PNEUMOCOCCAL VACCINE – Hospital pharmacy [Xpharm]

For children aged 6 weeks, 3 months, and 5 months, and 15 months old.

Inj 0.5 ml	0.00	1	✓ Synflorix
------------------	------	---	--------------------

POLIOMYELITIS VACCINE – Hospital pharmacy [Xpharm]

A primary course of three doses for previously unvaccinated individuals.

Inj 0.5 ml	0.00	1	✓ IPOL
------------------	------	---	---------------

- Symbols -

3TC	105
50X 3.0 Reservoir	36

- A -

A-Lices	70
A-Scabies	70
Abacavir sulphate	105
Abacavir sulphate with lamivudine	105
Abilify	132
ABM Hydroxocobalamin	40
Acarbose	29
Accarb	29
Accu-Chek Ketur-Test	29
Accu-Chek Performa	30
Accuretic 10	52
Accuretic 20	52
Acetadote	188
Acetazolamide	185
Acetec	51
Acetic acid with 1, 2- propanediol diacetate and benzethonium	184
Acetic acid with hydroxyquinoline and ricinoleic acid	77
Acetylcysteine	188
Aci-Jel	77
Aciclovir Infection	100
Sensory	184
Acidex	24
Acipimox	58
Acitretin	71
Aclasta	115
Acin	111
Act-HIB	226
Actinomycin D	151
Actrapid	28
Actrapid Penfill	28
Acupan	120
Adalat 10	56
Adalat Oros	56
Adalimumab	166
Adapalene	63
Adefin XL	56
Adefovir dipivoxil	98
ADR Cartridge 1.8	36
ADR Cartridge 3.0	36
Adrenaline	60
Adriamycin	151
ADT Booster	226
Advantan	66

AFT-Pyrazinamide	97
Agents Affecting the Renin-Angiotensin System	51
Agents for Parkinsonism and Related Disorders	118
Agents Used in the Treatment of Poisonings	188
Agrylin	150
Alanase	182
Albay	177
Albendazole	88
Albustix	79
Aldara	73
Alendronate sodium	113
Alendronate sodium with cholecalciferol	113
Alfacalcidol	41
Alginate acid	24
Alitraq	204
Alkeran	147
Allersoothe	178
Allopurinol	116
Alpha Adrenoceptor Blockers	51
Alpha-Keri Lotion	68
Alphamox	90
Alprazolam	137
Alu-Tab	24
Aluminium hydroxide	24
Amantadine hydrochloride	118
Ambrisentan	61
Amiloride hydrochloride	57
Amiloride hydrochloride with furosemide	57
Amiloride hydrochloride with hydrochlorothiazide	58
Aminophylline	182
Amiodarone hydrochloride	53
Amisulpride	132
Amitrip	123
Amitriptyline	123
Amlodipine	55
Amorolfine	64
Amoxycillin	90
Amoxycillin clavulanate	90
Amphotericin B	40
Amsacrine	150
Amsidine	150
Amyl nitrite	60
Anaesthetics	120
Anagrelide hydrochloride	150
Analgesics	120
Anastrozole	160
Andriol Testocaps	81
Androderm	81
Animas Battery Cap	32
Animas Cartridge	36
Animas Vibe	32
Antabuse	145
Antacids and Antiflatulants	24
Anten	124
Anthelmintics	88
Antiacne Preparations	63
Antiallergy Preparations	177
Antianaemics	44
Antiandrogen Oral Contraceptives	77
Antiarrhythmics	53
Antibacterials	88
Antibacterials Topical	64
Anticholinesterases	110
Antidepressants	123
Antidiarrhoeals	24
Antiepilepsy Drugs	126
Antifibrinolytics, Haemostatics and Local Sclerosants	45
Antifungals	94
Antifungals Topical	64
Antihistamines	177
Antihypertensives	54
Antimalarials	96
Antimigraine Preparations	130
Antinaus	131
Antinausea and Vertigo Agents	130
Antiparasitics	96
Antipruritic Preparations	65
Antipsychotics	132
Antiretrovirals	103
Antiretrovirals - Additional Therapies	106
Antirheumatoid Agents	111
Antispasmodics and Other Agents Altering Gut Motility	26
Antithrombotic Agents	45
Antithymocyte globulin (equine)	166
Antitrichomonal Agents	96
Antituberculous and Antileprotics	97
Antulcerants	26
Antivirals	98
Anxiolytics	137
Anzatax	152

Apidra	28	Arrow Amitriptyline	123	Atropine sulphate	
Apidra SoloStar	28	Arrow-Alprazolam	137	Cardiovascular	53
Apo-Allopurinol	116	Arrow-Bendrofluazide	58	Sensory	186
Apo-Amiloride	57	Arrow-Brimonidine	186	Atropt	186
Apo-Amlodipine	55	Arrow-Calcium	42	Atrovent	180
Apo-Azithromycin	89	Arrow-Citalopram	124	Augmentin	90
Apo-Bromocriptine	118	Arrow-Diazepam	138	Auranofin	111
Apo-Ciclopirox	64	Arrow-Doxorubicin	151	Ava 20 ED	75
Apo-Cimetidine	26	Arrow-Etidronate	113	Ava 30 ED	75
Apo-Clarithromycin		Arrow-Lamotrigine	128	Avanza	125
Alimentary	26	Arrow-Lisinopril	51	Avelox	92
Infection	89	Arrow-Losartan & Hydrochlorothiazide	53	Avomine	131
Apo-Clomipramine	124	Arrow-Meloxicam	111	Avonex	140
Apo-Clopidogrel	45	Arrow-Morphine LA	122	Avonex Pen	140
Apo-Diclo	110	Arrow-Nifedipine XR	56	Azathioprine	161
Apo-Diltiazem CD	56	Arrow-Norfloxacin	109	Azithromycin	89
Apo-Doxazosin	51	Arrow-Ornidazole	96	Azol	87
Apo-Folic Acid	44	Arrow-Quinapril 10	52	Azopt	185
Apo-Gliclazide	29	Arrow-Quinapril 20	52	AZT	105, 106
Apo-Megestrol	159	Arrow-Quinapril 5	52		
Apo-Moclobemide	124	Arrow-Ranitidine	27	- B -	
Apo-Nadolol	55	Arrow-Roxithromycin	89	B-D Micro-Fine	31
Apo-Nicotinic Acid	58	Arrow-Sertraline	125	B-D Ultra Fine	31
Apo-Oxybutynin	78	Arrow-Simva 10mg	59	B-D Ultra Fine II	31
Apo-Perindopril	52	Arrow-Simva 20mg	59	B-PlexADE	41
Apo-Pindolol	55	Arrow-Simva 40mg	59	Bacillus Calmette-Guerin (BCG) vaccine	166
Apo-Prazo	51	Arrow-Simva 80mg	59	Bacillus Calmette-Guerin vaccine	226
Apo-Prednisone	81	Arrow-Sumatriptan	130	Baclofen	117
Apo-Prednisone S29	81	Arrow-Timolol	185	Bactroban	64
Apo-Primidone	128	Arrow-Tolterodine	79	Bakels Gluten Free Health Bread Mix	211
Apo-Propranolol	55	Arrow-Topiramate	129	Baraclude	99
Apo-Pyridoxine	40	Arrow-Tramadol	123	Barrier Creams and Emollients	68
Apo-Risperidone	135	Arrow-Venlafaxine XR	125	Batrafen	64
Apo-Selegiline	119	Arsenic trioxide	150	BCG Vaccine	226
Apo-Selegiline S29	119	Asacol	25	Beclazone 100	178
Apo-Thiamine	41	Asamax	25	Beclazone 250	178
Apo-Timol	55	Ascorbic acid	41	Beclazone 50	178
Apo-Zopiclone	140	Aspec 300	120	Beclomethasone dipropionate	178, 182
Apomine	118	Aspen Adrenaline	60	Bee venom allergy treatment	177
Apomorphine hydrochloride	118	Aspen Ceftriaxone	88	Bendrofluazide	58
Aprepitant	130	Aspirin		Bendroflumethiazide [Bendrofluazide]	58
Apresoline	60	Blood	45	Benhex	69
Apresoline S29	60	Nervous	120	Benzathine benzylpenicillin	90
Aquasun 30+	72	Asthalin	180	benzathine benzylpenicillin	90
Aqueous cream	68	Atazanavir sulphate	106	Benzbromaron	117
Aratac	53	Atenolol	54	Benzbromarone	117
Arava	111	Atenolol AFT	54	Benzoin	194
Aremed	160	ATGAM	166		
Arimidex	160	Ativan	138		
Aripiprazole	132	Atomoxetine	141		
Aristocort	67	Atorvastatin	59		
Aromasin	160	Atripia	105		
Arrow - Clopid	45				

Benztrop	119	strip	30	Calcium carbonate	24, 42
Benztropine mesylate	119	Blood glucose test strips (visually impaired)	31	Calcium Channel Blockers	55
Benzylamine hydrochloride	39	Blood ketone diagnostic test meter	29	Calcium Disodium Versenate	188
Benzylpenicillin sodium (penicillin G)	90	Boceprevir	102	Calcium folinate	148
Beta Adrenoceptor Blockers	54	Bonjela	40	Calcium Folate Ebewe	148
Beta Cream	66	Bostrix	226	Calcium gluconate	42
Beta Ointment	66	Bortezomib	150	Calcium Homeostasis	80
Beta Scalp	72	Bosentan	61	Calcium polystyrene sulphonate	50
Beta-Adrenoceptor Agonists	180	Bosvate	54	Calcium Resonium	50
Betadine	69	Bplex	41	Calogen	200
Betadine Skin Prep	69	Breath-Alert	183	Calsource	42
Betaferon	140	Brevinor 1/21	76	Camptosar	149
Betagan	185	Brevinor 1/28	76	Candesartan cilexetil	52
Betahistine dihydrochloride	131	Brevinor 21	76	Candestar	52
Betamethasone dipropionate	66	Bricanyl Turbuhaler	180	Canesten	64
Betamethasone dipropionate with calcipotriol	71	Brilinta	45	Capecitabine	148
Betamethasone sodium phosphate with betamethasone acetate	80	Brimonidine tartrate	186	Capoten	51
Betamethasone valerate	66, 72	Brimonidine tartrate with timolol maleate	186	Capsaicin Musculoskeletal System	111
Betamethasone valerate with clicloquinol	67	Brinzolamide	185	Nervous	120
Betamethasone valerate with fusidic acid	67	Brolene	184	Captopril	51
Betaxolol hydrochloride	185	Bromocriptine mesylate	118	Carafate	27
Betnovate	66	Brufen	110	Carbaccord	147
Betnovate-C	67	Brufen SR	110	Carbamazepine	126
Betoptic	185	BSF Acetec	188	Carbimazole	84
Betoptic S	185	Buccastem	131	Carbomer	187
Bezafibrate	58	Budenocort	178	Carboplatin	147
Bezalip	58	Budesonide		Carboplatin Ebewe	147
Bezalip Retard	58	Alimentary	24	Carbosorb-X	188
Bicalaccord	159	Respiratory	178, 183	Cardinol LA	55
Bicalutamide	159	Budesonide with eformoterol	179	CareSens	30
Bicillin LA	90	Bumetanide	57	CareSens II	30
BiCNU	147	Buprenorphine with naloxone	144	CareSens N	30
Biltricide	88	Bupropion hydrochloride	145	CareSens N POP	30
Bimatoprost	186	Burinex	57	Carmustine	147
Biodone	121	Buscopan	26	Carvedilol	54
Biodone Extra Forte	121	Buspirone hydrochloride	137	Catapres	57
Biodone Forte	121	Busulphan	147	Catapres-TTS-1	57
Bisacodyl	39	Butacort Aqueous	183	Catapres-TTS-2	57
Bismuth trioxide	27			Catapres-TTS-3	57
Bisoprolol	54			CeeNU	147
BK Lotion	68			Cefaclor monohydrate	88
Bleomycin sulphate	150			Cefalexin monohydrate	88
Blood Colony-stimulating Factors	48			Cefalexin Sandoz	88
Blood glucose diagnostic test meter	30			Cefazolin sodium	88
Blood glucose diagnostic test				Ceftriaxone sodium	88
				Cefuroxime axetil	88
				Cefuroxime sodium	88
				Celestone Chronodose	80
				Celiprolol	54
				Cellcept	161

- C -

Celol	54	Infection	89	Comfort Short	34
Centrally-Acting Agents	57	Clexane	47	Compound electrolytes	50
Cephalexin ABM	88	Climara 100	82	Compound	
Ceptolate	161	Climara 50	82	hydroxybenzoate	194
Cerezyme	39	Clindamycin	92	Concerta	143
Cetirizine - AFT	177	Clindamycin ABM	92	Condoms	74
Cetirizine hydrochloride	177	Clobazam	126	Condyline	73
Cetomacrogol	68	Clobetasol propionate	66, 72	Contact-D	33
Cetomacrogol with glycerol	68	Clobetasone butyrate	66	Contraceptives - Hormonal	75
Champix	146	Clofazimine	97	Contraceptives -	
Charcoal	188	Clomazol		Non-hormonal	74
Chemotherapeutic Agents	147	Dermatological	64	Copaxone	140
Chlorafast	184	Genito-Urinary	77	Corangin	60
Chlorambucil	147	Clomiphene citrate	87	Cardarone-X	53
Chloramphenicol	184	Clomipramine hydrochloride	124	Corticosteroids and Related	
Chlorhexidine gluconate		Clonazepam	126, 138	Agents for Systemic Use	80
Alimentary	39	Clonidine	57	Corticosteroids Topical	66
Dermatological	67	Clonidine BNM	57	Cosmegen	151
Chloroform	194	Clonidine hydrochloride	57	Cosopt	186
Chloromycetin	184	Clopidogrel	45	Coumadin	48
Chlorothiazide	58	Clopine	133	Coversyl	52
Chlorpheniramine maleate	177	Clopixol	136, 137	Creon 10000	37
Chlorpromazine		Clotrimazole		Creon Forte	37
hydrochloride	132	Dermatological	64	Crixivan	106
Chlorsig	184	Genito-Urinary	77	Crotamiton	65
Chlortalidone		Clozapine	133	Crystaderm	64
[Chlortalidone]	58	Clozaril	133	Curam Duo	90
Chlorthalidone	58	Co-Renitec	52	Cvite	41
Chlorvescent	50	Co-trimoxazole	92	Cyclizine hydrochloride	131
Cholecalciferol	41	Coal tar	71	Cyclizine lactate	131
Cholestyramine	58	Coal tar with allantoin, menthol,		Cycloblastin	147
Choline salicylate with		phenol and sulphur	72	Cyclogyl	186
cetalkonium chloride	40	Coal tar with salicylic acid and		Cyclopentolate	
Cholvastin	59	sulphur	72	hydrochloride	186
Ciclopirox olamine	64	Coco-Scalp	72	Cyclophosphamide	147
Cilazapril	51	Codeine phosphate		Cycloserine	97
Cilazapril with		Extemporaneous	194	Cyclosporin	175
hydrochlorothiazide	52	Nervous	121	Cyklokapron	45
Cilicaine	91	Cogentin	119	Cyproterone acetate	81
Cilicaine VK	91	Colaspase [L-asparaginase]	150	Cyproterone acetate with	
Ciloxan	184	Colchicine	117	ethinyloestradiol	77
Cimetidine	26	Colestid	58	Cytarabine	148
Cipflox	91	Colestipol hydrochloride	58	Cytotec	26
Ciprofloxacin		Colgout	117	Cytoxan	147
Infection	91	Colifoam	25		
Sensory	184	Colistin sulphomethate	92		
Ciprofloxacin Rex	91	Colistin-Link	92		
Cisplatin	147	Collodion flexible	194		
Cisplatin Ebewe	147	Colofac	26		
Citalopram hydrobromide	124	Coloxyl	38		
Cladribine	148	Combigan	186		
Clarithromycin		Combivir	106		
Alimentary	26	Comfort	34		

- D -

D-Penamine	111
d4T	105
Dabigatran	48
Dacarbazine	151
Dactinomycin [Actinomycin	
D]	151
Daivobet	71
Daivonex	71

Daktarin	65	and gramicidin	184	Diprosone OV	66
Dalacin C	92	Dexamethasone with neomycin and polymyxin b sulphate	185	Dipyridamole	45
Dalteparin sodium	46	Dexamphetamine sulphate	141	Disinfecting and Cleansing Agents	67
Danazol	87	Dextrochlorpheniramine maleate	177	Disipal	119
Danthron with poloxamer	39	Dextrose	49	Disopyramide phosphate	53
Dantrium	117	Dextrose with electrolytes	50	Disulfiram	145
Dantrolene	117	DHC Continus	121	Diuretics	57
Daonil	29	Diabetes	27	Diurin 40	57
Dapa-Tabs	58	Diabetes Management	29	Docetaxel	151
Dapsone	97	Diacomit	129	Docetaxel Ebewe	151
Daraprim	93	Diamide Relief	24	Docetaxel Sandoz	151
Darunavir	106	Diamox	185	Docusate sodium	38
Dasatinib	154	Diaphragm	74	Docusate sodium with sennosides	38
Daunorubicin	151	Diasip	201	Domperidone	131
DBL Aminophylline	182	Diason RTH	201	Donepezil hydrochloride	144
DBL Bleomycin Sulfate	150	Diastop	24	Donepezil-Rex	144
DBL Carboplatin	147	Diazepam	126, 138	Dopergin	118
DBL Cisplatin	147	Diazoxide	27	Dopress	124
DBL Doxorubicin	151	Dibenylene	51	Dornase alfa	182
DBL Doxorubicin S29	151	Diclax SR	110	Dorzolamide hydrochloride	186
DBL Epirubicin Hydrochloride	151	Diclofenac sodium Musculoskeletal System	110	Dorzolamide hydrochloride with timolol maleate	186
DBL Ergometrine	77	Sensory	185	Dostinex	86
DBL Gemcitabine	149	Didanosine [DDI]	105	Dothiepin hydrochloride	124
DBL Leucovorin Calcium	148	Differin	63	Doxazosin	51
DBL Methotrexate	149	Diffiam	39	Doxepin hydrochloride	124
DBL Morphine Sulphate	122	Diffucan	94	Doxine	91
DBL Pethidine Hydrochloride	123	Diflucortolone valerate	66	Doxorubicin	151
DBL Tobramycin	93	Digestives Including Enzymes	37	Doxorubicin Ebewe	151
DDI	105	Digoxin	53	Doxy-50	91
De Nol	27	Dihydrocodeine tartrate	121	Doxycycline hydrochloride	91
De-Worm	88	Dilantin	128	DP Lotion	68
Decozol	40	Dilantin Infatab	128	DP Lotn HC	66
Deferiprone	188	Dilatrend	54	DP-Anastrozole	160
Deoxycofomycin	153	Diltiazem hydrochloride	56	Dr Reddy's Olanzapine	134
Depo-Medrol	80	Dilzem	56	Dr Reddy's Omeprazole	27
Depo-Medrol with Lidocaine	80	Dipentum	25	Dr Reddy's Ondansetron	131
Depo-Provera	76	Diphenoxylate hydrochloride with atropine sulphate	24	Dr Reddy's Pantoprazole	27
Depo-Testosterone	81	Diphtheria and tetanus vaccine	226	Dr Reddy's Pramipexole	118
Deprim	92	Diphtheria, tetanus and pertussis vaccine	226	Dr Reddy's Pramiopexole	134
Dermol	66, 72	Diphtheria, tetanus, pertussis and polio vaccine	226	Dr Reddy's Risperidone	135
Desferrioxamine mesylate	188	Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus influenzae type B vaccine	226	Dr Reddy's Terbinafine	95
Desmopressin	86	Diprosone	66	Dr Reddy's Terbinafine	95
Desmopressin-PH&T	86			Dr Reddy's Pramipexole	118
Detection of Substances in Urine	79			Drugs Affecting Bone Metabolism	112
Dexamethasone Hormone	80			Dulcolax	39
Dexamethasone sodium phosphate	80			Duocal Super Soluble Powder	199
Dexamethasone with framycetin				Duolin	181
				Duolin HFA	181
				Durex Confidence	74

Durex Extra Safe	74	Epilim IV	129	Aptamil	211
Durex Select Flavours	74	Epilim S/F Liquid	129	Felodipine	56
Duride	60	Epilim Syrup	129	Femtran 100	82
Dynacirc-SRO	56	Epirubicin	151	Femtran 50	82
- E -					
E-Mycin	89	Epirubicin Ebewe	151	Fenpaed	110
Ear Preparations	184	Eprex	44	Fentanyl	121
Ear/Eye Preparations	184	ERA	89	Ferodan	42
Easiphen Liquid	213	Ergometrine maleate	77	Feriprox	188
Econazole nitrate	65	Ergotamine tartrate with		Ferro-F-Tabs	42
Efavirenz	105	caffeine	130	Ferro-tab	42
Efavirenz with emtricitabine and		Erlotinib hydrochloride	155	Ferrograd	42
tenofovir disoproxil		Erythrocin IV	89	Ferrograd F	42
fumarate	105	Erythromycin ethyl succinate	89	Ferrous fumarate	42
Efexor XR	125	Erythromycin lactobionate	89	Ferrous fumarate with folic	
Effient	45	Erythromycin stearate	89	acid	42
Eformoterol fumarate	179	Erythropoietin alpha	44	Ferrous sulphate	42
Efidix	73	Erythropoietin beta	44	Ferrous sulphate with folic	
Egopsoryl TA	72	Escitalopram	124	acid	42
Elecare	214	Eskazole	88	Ferrum H	42
Elecare LCP	214	Estradot	82	Fexofenadine hydrochloride	177
Electral	50	Estrofem	82	Fibro-vein	45
Elemental 028 Extra	204	Etanercept	161	Filgrastim	48
Eligard	86	Ethambutol hydrochloride	97	Finasteride	78
Elocon	67	Ethics Aspirin	120	Flagyl	96
Eloxatin	148	Ethics Aspirin EC	45	Flagyl-S	96
Eltroxin	85	Ethics Enalapril	51	Flamazine	64
Emend Tri-Pack	130	Ethics Paracetamol	121	Flecainide acetate	53
EMLA	120	Ethinylloestradiol	83	Fleet Phosphate Enema	39
Emtricitabine	105	Ethinylloestradiol with		Flixonase Hayfever &	
Emtricitabine with tenofovir		desogestrel	75	Allergy	183
disoproxil fumarate	105	Ethinylloestradiol with		Flixotide	178
Emtriva	105	levonorgestrel	75	Flixotide Accuhaler	178
Emulsifying ointment	68	Ethinylloestradiol with		Florinef	80
Enalapril maleate	51	norethisterone	76	Fluanxol	136
Enalapril maleate with		Ethosuximide	126	Fluarix	226
hydrochlorothiazide	52	Etidronate disodium	113	Flucloxacillin sodium	90
Enbrel	161	Etopophos	152	Flucloxin	90
Endocrine Therapy	159	Etoposide	151	Flucon	185
Endoxan	147	Etoposide phosphate	152	Fluconazole	94
Enfuvirtide	106	Etravirine	105	Fludara	149
Enoxaparin sodium	47	Eumovate	66	Fludara Oral	149
Ensure	208	Evista	113	Fludarabine Ebewe	149
Ensure Plus	209	Exemestane	160	Fludarabine phosphate	149
Ensure Plus HN	208	Extemporaneously Compounded		Fludrocortisone acetate	80
Ensure Plus RTH	208	Preparations and		Fluids and Electrolytes	49
Entacapone	118	Galenicals	194	Flumetasone pivalate	184
Entapone	118	Eye Preparations	184	Fluocortolone caproate with	
Entecavir	99	EZ-fit Paediatric Mask	183	fluocortolone pivalate and	
Entocort CIR	24	Ezetimibe	59	cinchocaine	26
Epilim	129	Ezetimibe with simvastatin	59	Fluorometholone	185
Epilim Crushable	129	Ezetrol	59	Fluorouracil Ebewe	149
- F -					
Feed Thickener Karicare				Fluorouracil sodium	
				Dermatological	73

Oncology	149	Gaviscon Infant	24	Mix	211
Fluox	125	Gefitinib	155	Hemastix	79
Fluoxetine hydrochloride	125	Gemcitabine Actavis 1000	149	Heparin sodium	47
Flupenthixol decanoate	136	Gemcitabine Actavis 200	149	Heparinised saline	47
Fluphenazine decanoate	136	Gemcitabine Ebewe	149	Heparon Junior	202
Flutamide	159	Gemcitabine hydrochloride	149	Hepatitis B vaccine	226
Flutamin	159	Gemfibrozil	58	Hepsera	98
Flutamin S29	159	Gemzar	149	Herceptin	174
Fluticasone	178	Genoptic	184	Hexamine hippurate	109
Fluticasone propionate	183	Genotropin	85	Hiprex	109
Fluticasone with salmeterol	179	Genox	160	Histafen	177
Fluvax	226	Gentamicin sulphate		Holoxan	147
Foban	64	Infection	92	Horleys Bread Mix	211
Folic acid	44	Sensory	184	Horleys Flour	211
Food Thickeners	211	Ginet 84	77	Hormone Replacement Therapy -	
Foods And Supplements For		Glatiramer acetate	140	Systemic	81
Inborn Errors Of		Glibenclamide	29	Humalog	28
Metabolism	212	Gliclazide	29	Humalog Mix 25	28
Foradil	179	Glipizide	29	Humalog Mix 50	28
Forteo	114	Glivec	155	Human papillomavirus	
Fortimel Regular	202	Glucagen Hypokit	27	vaccine	226
Fortini	203	Glucagon hydrochloride	27	Humatin	93
Fortini Multi Fibre	203	Glucerna Select	201	Humira	166
Fortisip	208, 209	Glucerna Select RTH	201	HumiraPen	166
Fortisip Multi Fibre	209	Gluten Free Foods	211	Humulin 30/70	28
Fosamax	113	Glycerin with sodium		Humulin NPH	28
Fosamax Plus	113	saccharin	194	Humulin R	28
Fragmin	46	Glycerin with sucrose	194	Hybloc	54
Framycetin sulphate	184	Glycerol		Hydralazine	60
Freestyle Optium	29, 30	Alimentary	38	Hydralazine hydrochloride	60
Freestyle Optium Ketone	29	Extemporaneous	194	Hydrea	152
Frisium	126	Glyceryl trinitrate		Hydrocortisone	
Frumil	57	Alimentary	26	Dermatological	66
Frusamide	57	Cardiovascular	60	Hormone	80
Frusamide-Claris	57	Glytrin	60	Hydrocortisone acetate	25
Fucicort	67	Gold Knight	74	Hydrocortisone butyrate	66, 72
Fucidin	92	Gopten	52	Hydrocortisone with	
Fucithalmic	184	Goserelin acetate	85	cinchocaine	26
Fungilin	40	Gutron	54	Hydrocortisone with	
Furosemide [Frusamide]	57	Gynaecological		miconazole	67
Fusidic acid		Anti-infectives	77	Hydrocortisone with natamycin	
Dermatological	64			and neomycin	67
Infection	92	- H -		Hydrocortisone with wool fat and	
Sensory	184	Habitrol	145	mineral oil	66
Fuzeon	106	Haemophilus influenzae type B		Hydroderm Lotion	68
- G -		vaccine	226	Hydrogen peroxide	
Gabapentin	127	Haldol	136	Alimentary	40
Gabapentin (Neurontin)	127	Haldol Concentrate	136	Dermatological	64
Gamma benzene		Haloperidol	133	Hydroxocobalamin	40
hexachloride	69	Haloperidol decanoate	136	Hydroxychloroquine	111
Gardasil	226	Hamilton Sunscreen	72	Hydroxyurea	152
Gastrosoothe	26	HBvaxPro	226	Hygroton	58
Gaviscon Double Strength	24	healthE Fatty Cream	68	Hylo-Fresh	187
		Healtheries Simple Baking			

Hyoscine hydrobromide	131	protamine	28	Ivermectin	69
Hyoscine N-butylbromide	26	Insulin neutral	31	- J -	
Hypam	140	Insulin pen needles	31	Jadelle	76
Hyperuricaemia and		Insulin pump	32	Jevity	208
Antigout	116	Insulin pump accessories	32	Jevity HiCal RTH	208
Hypnovel	140	Insulin pump infusion set (steel		Jevity RTH	208
Hypromellose	187	cannula)	33	- K -	
Hypromellose with Dextran	187	Insulin pump infusion set (teflon		Kaletra	106
Hysite	186	cannula, angle insertion with		Kemadrin	119
- I -		insertion device)	34	Kenacomb	184
Ibiamox	90	Insulin pump infusion set (teflon		Kenacort-A	81
Ibuprofen	110	cannula, angle insertion)	34	Kenacort-A40	81
Idarubicin hydrochloride	152	Insulin pump infusion set (teflon		Ketocal 3:1	215
Ifosfamide	147	cannula, straight insertion with		KetoCal 4:1	215
Igrotin	58	insertion device)	35	Ketoconazole	
Ikorel	61	Insulin pump infusion set (teflon		Dermatological	72
Iloprost	62	cannula, straight insertion)	36	Infection	95
Imatinib mesylate	155	Insulin pump reservoir	36	Ketogenic Diet	215
Imiglucerase	39	Insulin syringes, disposable with		Ketone blood beta-ketone	
Imipramine hydrochloride	124	attached needle	31	electrodes	29
Imiquimod	73	Intal Forte CFC Free	182	Ketoprofen	110
Immune Modulators	107	Intal Spincaps	182	Ketostix	29
Immunosuppressants	161	Intelence	105	Kindergen	202
Imuprine	161	Interferon alfa-2a	107	Kivexa	105
Imuran	161	Interferon alfa-2b	107	Klacid	89
Indapamide	58	Interferon beta-1-alpha	140	Kliogest	83
Indinavir	106	Interferon beta-1-beta	140	Kliovance	83
Infanrix-hexa	226	Intra-uterine device	74	Konakion MM	45
Infanrix-IPV	226	Intron-A	107	Konsyl-D	38
Infant Formulae	213	IPOLE	227	- L -	
Influenza vaccine	226	Ipratropium bromide	180, 183	L-asparaginase	150
Inhaled Anticholinergic		Iressa	155	Labetalol	54
Agents	180	Irinotecan	149	Lacosamide	127
Inhaled Corticosteroids	178	Irinotecan Actavis 100	149	Lacri-Lube	187
Inhaled Long-acting		Irinotecan Actavis 40	149	Lactulose	38
Beta-adrenoceptor		Irinotecan-Rex	149	Laevolac	38
Agonists	178	Iron polymaltose	42	Lamictal	128
Inhibace Plus	52	Isentress	106	Lamivudine	99, 105
Innovacon hCG One Step		Ismo 20	60	Lamotrigine	128
Pregnancy Test	78	Isoniazid	97	Lamprene	97
Inset 30	34	Isoprenaline	60	Lanoxin	53
Inset II	35	Isoptin	56	Lanoxin PG	53
Insulin aspart	28	Isopto Carpine	186	Lansoprazole	27
Insulin aspart with insulin aspart		Isosorbide mononitrate	60	Lantus	28
protamine	28	Isosource Standard	207	Lantus SoloStar	28
Insulin glargine	28	Isosource Standard RTH	207	Lanvis	149
Insulin glulisine	28	Isotretinoin	63	Lapatinib Ditosylate	156
Insulin isophane	28	Ispaghula (psyllium) husk	38	Largactil	132
Insulin isophane with insulin		Isradipine	56	Lasix	57
neutral	28	Isuprel	60	Latanoprost	186
Insulin lispro	28	Itch-Soothe	65	Lax-Sachets	38
Insulin lispro with insulin lispro		Itraconazole	94	Lax-Tab	39
		Itrazole	94		

Laxatives	38	Locorten-Vioform	184	Malathion with permethrin and piperonyl butoxide	70	
Laxofast 120	38	Lodoxamide trometamol	185	Maprotiline hydrochloride	124	
Laxofast 50	38	Logem	128	Marevan	48	
Laxsol	38	Lomide	185	Marine Blue Lotion SPF 30+	72	
Leflunomide	111	Lomustine	147	Marquis Black	74	
Letraccord	160	Loniten	61	Marquis Conforma	74	
Letrozole	160	Loperamide hydrochloride	24	Marquis Protecta	74	
Leukeran FC	147	Lopinavir with ritonavir	106	Marquis Selecta	74	
Leukotriene Receptor Antagonists	181	Lopresor	55	Marquis Sensolite	74	
Leunase	150	Loprofin	213	Marquis Supalite	74	
Leuprorelin	86	Loprofin Mix	213	Marquis Titillata	74	
Leustatin	148	Loraclear Hayfever Relief	177	Marquis Tantiliza	74	
Levetiracetam	128	Lorafix	177	Martindale Acetylcysteine	188	
Levetiracetam-Rex	128	Lorapaed	177	Marvelon 28	75	
Levobunolol	185	Loratadine	177	Mask for spacer device	183	
Levocabastine	185	Lorazepam	138	Mast Cell Stabilisers	182	
Levodopa with benserazide	118	Lormetazepam	140	Maxidex	185	
Levodopa with carbidopa	118	Losartan potassium	53	Maxitrol	185	
Levomepromazine maleate	133	Losartan potassium with hydrochlorothiazide	53	MCT oil (Nutricia)	200	
Levonorgestrel Genito-Urinary	76-77	Lostaar	53	Measles, mumps and rubella vaccine	227	
Hormone	83	Lovir	100	Mebendazole	88	
Levothyroxine	85	Loxalate	124	Mebeverine hydrochloride	26	
Lidocaine [Lignocaine]	120	Loxamine	125	Medrol	80	
Lidocaine [Lignocaine] hydrochloride	120	Lucrin Depot	86	Medroxyprogesterone acetate Genito-Urinary	76	
Lidocaine [Lignocaine] with chlorhexidine	120	Lucrin Depot PDS	86	Hormone	83-84	
Lidocaine [Lignocaine] with prilocaine	120	Ludiomil	124	Mefenamic acid	110	
Lidocaine-Clarix	120	Ludiomil s29	124	Megestrol acetate	159	
Lifestyles Flared	74	Lumigan	186	Meloxicam	111	
Lignocaine	120	Lycinate	60	Melphalan	147	
lignocaine	80	Lyderm	70	Meningococcal A, C, Y and W-135 vaccine	227	
Lincocin	92	- M -			Menomune	227
Lincomycin	92	m-Captopril	51	Menthol	65	
Lipazil	58	m-Cefuroxime	88	Mercaptopurine	149	
Lipid-Modifying Agents	58	m-Enalapril	51	Mercilon 28	75	
Liquigen	200	m-Eslon	122	Mercury Pharma	85	
Lisinopril	51	M-M-R II	227	Mesalazine	25	
Lisuride hydrogen maleate	118	m-Mometasone	67	Mesna	152	
Lithicarb FC	133	Mabthera	172	Mestison	110	
Lithium carbonate	133	Macrogl 3350	38	Metabolic Disorder Agents	39	
Livostin	185	Macrogl 400 and propylene glycol	187	Metamide	131	
Locacorten-Viaform ED's	184	Madopar 125	118	Metformin hydrochloride	29	
Local preparations for Anal and Rectal Disorders	26	Madopar 250	118	Methadone hydrochloride Extemporaneous	194	
Locasol	214	Madopar 62.5	118	Nervous	121	
Loceryl	64	Madopar Dispersible	118	Methatabs	121	
Locoid	66, 72	Madopar HBS	118	Methoblastin	149	
Locoid Crelo	66	Magnesium hydroxide	194	Methopt	187	
Locoid Lipocream	66	Magnesium sulphate Alimentary	42	Methotrexate	149	
		Dermatological	73	Methotrexate Ebewe	149	
		Malathion	70			

Methyl hydroxybenzoate	194	Minomycin	91	Preparations	77
Methylcellulose	195	Minor Skin Infections	69	- N -	
Methylcellulose with glycerin and sodium saccharin	195	Minoxidil	61	Nadolol	55
Methylcellulose with glycerin and sucrose	195	Mirena	83	Nalcrom	25
Methylidopa	57	Mirtazapine	125	Naloxone hydrochloride	188
Methylphenidate		Misoprostol	26	Naltracord	145
hydrochloride	142	Mitomycin C	152	Naltrexone hydrochloride	145
Methylphenidate hydrochloride extended-release	143	Mitozantrone	152	Naphazoline hydrochloride	187
Methylprednisolone	80	Mitozantrone Ebewe	152	Naphcon Forte	187
Methylprednisolone		Mixtard 30	28	Naprosyn SR 1000	110
aceponate	66	Moclobemide	124	Naprosyn SR 750	110
Methylprednisolone acetate	80	Modafinil	143	Naproxen	110
Methylprednisolone acetate with lidocaine [lignocaine]	80	Modavigil	143	Nardil	124
Methylprednisolone sodium succinate	80	Moderate	136	Nasal Preparations	182
Methylxanthines	182	Moducal	198	Natulan	153
Metoclopramide		Moduretic	58	Nausicalm	131
hydrochloride	131	Mogine	128	Navelbine	154
Metoclopramide hydrochloride with paracetamol	130	Mometasone furoate	67	Navoban	132
Metolazone	57	Monogen	201	Nedocromil	182
Metopirone	87	Montelukast	181	Nefopam hydrochloride	120
Metoprolol - AFT CR	54	Morphine hydrochloride	122	Neo-Mercazole	84
Metoprolol succinate	54	Morphine sulphate	122	Neocate Advance	214
Metoprolol tartrate	55	Morphine tartrate	122	Neocate Gold	214
Metronidazole	96	Motetis	119	Neocate LCP	214
Metyrapone	87	Mouth and Throat	39	Neoral	175
Mexiletine hydrochloride	53	Movicol	38	NeoRecormon	44
Mexiletine Hydrochloride USP	53	Moxifloxacin	92	Neostigmine metilsulfate	110
Miacalcic	80	MSUD Maxamaid	212	Neotigason	71
Mianserin hydrochloride	124	MSUD Maxamum	212	Nepro (strawberry)	204
Micolette	39	Mucilaginous laxatives with stimulants	38	Nepro (vanilla)	204
Miconazole	40	Mucolytics	182	Nepro RTH	203
Miconazole nitrate		MultiADE	41	Nerisone	66
Dermatological	65	MultiLoad Cu 375	74	Neulactil	134
Genito-Urinary	77	MultiLoad Cu 375 SL	74	Neulastim	48
Micreme	77	Multiple Sclerosis Treatments	138	NeuroKare	42
Micreme H	67	Multivitamins	41	Neurontin	127
Microgynon 30	75	Mupirocin	64	Nevirapine	105
Microgynon 50 ED	75	Muscle Relaxants	117	Nevirapine Alphapharm	105
Microlut	76	Mvite	41	Nicorandil	61
Midazolam	140	Myaccord	161	Nicotine	145
Midodrine	54	Myambutol	97	Nicotinic acid	58
Minerals	42	Mycobutin	98	Nifedipine	56
Minidiab	29	Mycophenolate mofetil	161	Nifuran	109
Minirin	86	Mycostatin	65	Nilstat	
Mino-tabs	91	Mydriacyl	186	Alimentary	40
Minocycline hydrochloride	91	Mylan Atenolol	54	Genito-Urinary	77
		Mylan Fentanyl Patch	121	Infection	95
		Mylanta P	24	Nipent	153
		Myleran	147	Nitrados	140
		Myocrisin	111	Nitrates	60
		Myometrial and Vaginal Hormone		Nitrazepam	140
				Nitroderm TTS	60
				Nitrofurantoin	109

Nizoral	95
Noctamid	140
Nodia	24
Noflam 250	110
Noflam 500	110
Non-Steroidal Anti-Inflammatory Drugs	110
Norethisterone Genito-Urinary	76
Hormone	84
Norethisterone with mestranol	76
Norflex	117
Norfloxacin	109
Noriday 28	76
Norimin	76
Norinyl-1/28	76
Normacol Plus	38
Normison	140
Norpress	124
Nortriptyline hydrochloride	124
Norvir	106
NovaSource Renal	204
Novatrein	71
NovoFine	31
NovoMix 30 FlexPen	28
NovoRapid	28
NovoRapid Penfill	28
Noxafil	95
Nozinan	133
Nuelin	182
Nuelin-SR	182
Nupentin	127
Nutraplus	68
Nutrient Modules	198
Nutrini Energy Multi Fibre	203
Nutrini Energy RTH	203
Nutrini Low Energy Multi Fibre	205
Nutrini RTH	203
Nutrison Concentrated	210
Nutrison Energy	207
Nutrison Energy Multi Fibre	208
Nutrison Multi Fibre	208
Nutrison Standard RTH	207
Nyefax Retard	56
Nystatin Alimentary	40
Dermatological	65
Genito-Urinary	77
Infection	95
NZB Low Gluten Bread Mix	211

- O -

Octreotide (somatostatin analogue)	159
Octreotide LAR (somatostatin analogue)	159
Octreotide MaxRx	159
Oestradiol	82
Oestradiol valerate	82
Oestradiol with norethisterone	83
Oestriol Genito-Urinary	77
Hormone	83
Oestrogens	82
Oestrogens with medroxyprogesterone	83
Oil in water emulsion	68
Olanzapine	134, 136
Olanzine	134
Olanzine-D	134
Olbetam	58
Olopatadine	187
Olsalazine	25
Omeprazole	27
Omezol Relief	27
Oncaspar	152
OncotICE	166
Ondansetron	131
One-Alpha	41
Onelink	60
Onkotrone	152
Ora-Blend	195
Ora-Blend SF	195
Ora-Plus	195
Ora-Sweet	194
Ora-Sweet SF	194
Orabase	40
Oracort	40
Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)	200
Oratane	63
Orgran	212
Ornidazole	96
Orphenadrine citrate	117
Orphenadrine hydrochloride	119
Ortho All-flex	74
Ortho-tolidine	79
Oruvail SR	110
Osmolite	207
Osmolite RTH	207
Ospamox	90

Ospamox Paediatric Drops	90
Other Endocrine Agents	86
Other Oestrogen Preparations	83
Other Progestogen Preparations	83
Other Skin Preparations	73
Ovestin Genito-Urinary	77
Hormone	83
Ox-Pam	138
Oxaliplatin	148
Oxaliplatin Actavis 100	148
Oxaliplatin Actavis 50	148
Oxaliplatin Ebewe	148
Oxazepam	138
Oxis Turbuhaler	179
Oxpentifylline	61
Oxybutynin	78
Oxycodone hydrochloride	123
Oxycodone Orion	123
OxyContin	123
Oxydone BNM	123
OxyNorm	123
Oxytocin	77
Ozole	94

- P -

Pacifen	117
Pacific Buspirone	137
Paclitaxel	152
Paclitaxel Actavis	152
Paclitaxel Ebewe	152
Paediatric Seravit	41
Pamidronate BNM	113
Pamidronate disodium	113
Pamisol	113
Panadol	121
Pancreatic enzyme	37
Pantoprazole	27
Panzytrat	37
Papaverine hydrochloride	61
Para Plus	70
Para-amino salicylic acid	97
Paracare	121
Paracare Double Strength	121
Paracetamol	121
Paracetamol + Codeine (Relieve)	123
Paracetamol with codeine	123
Paradigm 1.8 Reservoir	36
Paradigm 3.0 Reservoir	36
Paradigm 522	32
Paradigm 722	32

Paradigm Mio MMT-921	35	Patanol	187	Pilocarpine	186
Paradigm Mio MMT-923	35	Paxam	138	Pimafucort	67
Paradigm Mio MMT-925	35	Pazopanib	157	Pindolol	55
Paradigm Mio MMT-941	35	Peak flow meter	183	Pinetarsol	72
Paradigm Mio MMT-943	35	Pedialyte - Bubblegum	50	Pinorax	39
Paradigm Mio MMT-945	35	Pediasure	203	Pinorax Forte	39
Paradigm Mio MMT-965	35	Pediasure RTH	203	Pioglitazone	29
Paradigm Mio MMT-975	35	Pegaspargase	152	Piportil	137
Paradigm Quick-Set		Pegasys	108	Pipothiazine palmitate	137
MMT-386	36	Pegasys RBV Combination		Pizaccord	29
Paradigm Quick-Set		Pack	108	Pizotifen	130
MMT-387	36	Pegfilgrastim	48	PKU Anamix Infant	213
Paradigm Quick-Set		Pegylated interferon alfa-2a	108	PKU Anamix Junior	213
MMT-396	36	Penicillamine	111	PKU Anamix Junior LQ	213
Paradigm Quick-Set		Penicillin G benzathine		PKU Lophlex LQ 10	213
MMT-397	36	[benzathine		PKU Lophlex LQ 20	213
Paradigm Quick-Set		benzylpenicillin]	90	Plaquenil	111
MMT-398	36	PenMix 30	28	Plendil ER	56
Paradigm Quick-Set		PenMix 40	28	pms-Bosentan	61
MMT-399	36	PenMix 50	28	Pneumococcal (PCV13)	
Paradigm Silhouette		Pentasa	25	vaccine	227
MMT-368	34	Pentostatin		Pneumococcal polysaccharide	
Paradigm Silhouette		[Deoxycofornycin]	153	vaccine	227
MMT-377	34	Pentoxifylline [Oxpentifylline]	61	Pneumococcal vaccine	227
Paradigm Silhouette		Pepti Junior Gold Karicare		Pneumovax 23	227
MMT-378	34	Aptamil	215	Podophyllotoxin	73
Paradigm Silhouette		Peptisoothe	27	Polaramine	177
MMT-381	34	Peptisorb	204	Poliomyelitis vaccine	227
Paradigm Silhouette		Pergolide	118	Poloxamer	38
MMT-382	34	Perhexiline maleate	56	Poly-Gel	187
Paradigm Silhouette		Pericyazine	134	Poly-Tears	187
MMT-383	34	Perindopril	52	Poly-Visc	187
Paradigm Silhouette		Permax	118	Polycal	198
MMT-384	34	Permethrin	70	Polyvinyl alcohol	187
Paradigm Sure-T MMT-864	33	Persantin	45	Ponstan	110
Paradigm Sure-T MMT-866	33	Peteha	97	Posaconazole	95
Paradigm Sure-T MMT-874	33	Pethidine hydrochloride	123	Postinor-1	77
Paradigm Sure-T MMT-876	33	Pevaryl	65	Potassium bicarbonate	50
Paradigm Sure-T MMT-884	33	Pexsig	56	Potassium chloride	49-50
Paradigm Sure-T MMT-886	33	Pharmacy Services	188	Potassium citrate	78
Parafast	121	Phenelzine sulphate	124	Potassium iodate	42
Paraffin	68	Phenobarbitone	128	Povidone iodine	69
Paraffin liquid with soft white		Phenobarbitone sodium		Pradaxa	48
paraffin	187	Extemporaneous	195	Pramipexole hydrochloride	118
Paraffin liquid with wool fat		Nervous	140	Prasugrel	45
liquid	187	Phenoxybenzamine		Pravastatin	59
Paraldehyde	126	hydrochloride	51	Praziquantel	88
Paramax	130	Phenoxymethylpenicillin		Prazosin	51
Parasiticial Preparations	69	(Penicillin V)	91	Pred Forte	185
Parnate	124	Phenytoin sodium	126, 128	Pred Mild	185
Paromomycin	93	Phlexy 10	213	Prednisolone acetate	185
Paroxetine hydrochloride	125	Phosphate-Sandoz	50	Prednisolone sodium	
Paser	97	Phytomenadione	45	phosphate	80

Prednisone	81	Pytazen SR	45	Risperon	135
Pregnancy Tests - hCG Urine	78			Ritalin	142
Premarin	82	- Q -		Ritalin LA	143
Premia 2.5 Continuous	83	Q 300	96	Ritalin SR	142
Premia 5 Continuous	83	Questran-Lite	58	Ritonavir	106
Prevenar 13	227	Quetapel	134	Rituximab	172
Prezista	106	Quetiapine	134	Rivaroxaban	48
Priadel	133	Quick-Set MMT-390	36	Rivotril	126
Primacin	96	Quick-Set MMT-391	36	Rizamelt	130
Primaquine phosphate	96	Quick-Set MMT-392	36	Rizatriptan	130
Primidone	128	Quick-Set MMT-393	36	Rocaltrol solution	41
Primolut N	84	Quinapril	52	Roferon-A	107
Probenecid	117	Quinapril with		Ropin	118
Probenecid-AFT	117	hydrochlorothiazide	52	Ropinirole hydrochloride	118
Procaine penicillin	91	Quinine sulphate	96	Roxane	55
Procarbazine hydrochloride	153			Alimentary	24
Prochlorperazine	131	- R -		Cardiovascular	55
Proctosedyl	26	RA-Morph	122	Roxithromycin	89
Procyclidine hydrochloride	119	Raloxifene hydrochloride	113	Rubifen	142
Procytox	147	Raltegravir potassium	106	Rubifen SR	142
Prodopa	57	Ranbaxy-Cefaclor	88	Rythmodan	53
Progesterone	84	Ranitidine hydrochloride	27	Rytmonorm	53
Proglcem	27	Rapamune	175		
Prograf	175	Reandron 1000	81	- S -	
Prodynova	82	Rectogesic	26	S-26 Gold Premgro	213
Prokinex	131	Redipred	80	Sabril	129
Promethazine hydrochloride	178	Refresh Night Time	187	Salamol	180
Promethazine theoclate	131	Renilon 7.5	204	Salapin	180
Promod	200	Resonium-A	50	Salazopyrin	25
Propafenone hydrochloride	53	Resource Beneprotein	200	Salazopyrin EN	25
Propamide isethionate	184	Resource Diabetic	201	Salbutamol	180
Propranolol	55	Respigen	180	Salbutamol with ipratropium	
Propylene glycol	195	Respiratory Devices	183	bromide	181
Propylthiouracil	85	Respiratory Stimulants	183	Salicylic acid	72
Protamine sulphate	47	Retinol palmitate	187	Salmeterol	179
Protaphane	28	ReTrieve	63	Sandomigran	130
Protaphane Penfill	28	Retrovir	106	Sandostatin LAR	159
Protifar	200	Rexacrom	185	Scalp Preparations	72
Protonamide	97	Reyataz	106	Scopoderm TTS	131
Provera	83, 84	Ridal	135	Sebizole	72
PSO	216-219	Ridaura s29	111	Sedatives and Hypnotics	140
Psoriasis and Eczema		Rifabutin	98	Selegiline hydrochloride	119
Preparations	71	Rifadin	98	Senna	39
PTU	85	Rifampicin	98	Senokot	39
Pulmicort Turbuhaler	178	Rifinah	97	SensoCard	31
Pulmocare	200	Rilutek	119	Serenace	133
Pulmozyme	182	Riluzole	119	Seretide	179
Puri-nethol	149	Riodine	69	Seretide Accuhaler	179
Pyrazinamide	97	Risedronate Sandoz	114	Serevent	179
Pyridostigmine bromide	110	Risedronate sodium	114	Serevent Accuhaler	179
PyridoxADE	40	Risperdal	135	Serophene	87
Pyridoxine hydrochloride	40	Risperdal Consta	137	Seroquel	134
Pyrimethamine	93	Risperdal Quicklet	135	Sertraline	125
		Risperidone	135, 137	Sevredol	122

Sex Hormones Non		Somatropin	85	Synacthen Depot	81
Contraceptive	81	Sotacor	55	Synflorix	227
Shield 49	74	Sotalol	55	Synthroid	85
Shield Blue	74	Space Chamber	183	Syntocinon	77
Shield XL	74	Space Chamber Plus	183	Syntometrine	77
Silagra	62	Spacer device	183	Syrup (pharmaceutical	
Sildenafil	62	Spacer device autoclavable	183	grade)	195
Silhouette MMT-371	34	Span-K	50	Systane Unit Dose	187
Silhouette MMT-373	34	Spiriva	180		
Silver sulphadiazine	64	Spirolactone	57		
Simethicone	24	Spirotone	57		
Simvastatin	59	Sporanox	94		
Sindopa	118	Sprycel	154		
Sinemet	118	Staphlex	90		
Sinemet CR	118	Stavudine [d4T]	105		
Singulair	181	Stelazine	136		
Sirolimus	175	Stemetil	131		
Siterone	81	Stesolid	126		
Slow-Lopresor	55	Stimulants/ADHD			
Sodibic	50	Treatments	141		
Sodium acid phosphate	39	Stiripentol	129		
Sodium alginate	24	Stocrin	105		
Sodium aurothiomalate	111	Stomahesive	40		
Sodium bicarbonate		Strattera	141		
Blood	49-50	Stromectol	69		
Extemporaneous	195	Suboxone	144		
Sodium calcium edetate	188	Sucalfate	27		
Sodium		Sulfadiazine sodium	93		
carboxymethylcellulose	40	Sulindac	111		
Sodium chloride		Sulphasalazine	25		
Blood	49	Sulphur	72		
Respiratory	182	Sumatriptan	130		
Sodium citrate with sodium lauryl		Sunitinib	157		
sulphoacetate	39	Sunscreens	72		
Sodium citro-tartrate	79	Sunscreens, proprietary	72		
Sodium cromoglycate		Suplena	204		
Alimentary	25	Sure-T MMT-863	33		
Respiratory	182-183	Sure-T MMT-865	33		
Sensory	185	Sure-T MMT-873	33		
Sodium fluoride	42	Sure-T MMT-875	33		
Sodium hyaluronate	187	Sure-T MMT-883	33		
Sodium nitroprusside	29	Sure-T MMT-885	33		
Sodium polystyrene		Surgam	111		
sulphonate	50	Sustagen Hospital Formula	208		
Sodium tetradecyl sulphate	45	Sustanon Ampoules	81		
Sodium valproate	129	Sutent	157		
Sofradex	184	Symbicort Turbuhaler 100/6	179		
Soframycin	184	Symbicort Turbuhaler 200/6	179		
Solian	132	Symbicort Turbuhaler			
Solifenacin succinate	79	400/12	179		
Solox	27	Symmetrel	118		
Solu-Cortef	80	Sympathomimetics	60		
Solu-Medrol	80	Synacthen	81		

- T -

Tacrolimus	175
Tambocor	53
Tambocor CR	53
Tamoxifen citrate	160
Tamsulosin hydrochloride	78
Tamsulosin-Rex	78
Tap water	195
Tar with triethanolamine lauryl	
sulphate and fluorescein	72
Tarceva	155
Tasmar	119
Taxotere	151
Tegretol	126
Tegretol CR	126
Telfast	177
Temaccord	153
Temazepam	140
Temozolomide	153
Tenofovir disoproxil	
fumarate	101
Tenoxicam	111
Tepadina	148
Terazosin	51
Terbinafine	95
Terbutaline sulphate	180
Teriparatide	114
Testosterone	81
Testosterone cypionate	81
Testosterone esters	81
Testosterone undecanoate	81
Tetrabenazine	119
Tetrabromophenol	79
Tetracosactrin	81
Tetracyclin Wolff	91
Tetracycline	91
Teva	150
Thalidomide	153
Thalomid	153
Theophylline	182
Thiamine hydrochloride	41
THIO-TEPA	148
Thioguanine	149
Thiotepa	148

Thymol glycerin	40	gramicidin, neomycin and nystatin	131
Thyroid and Antithyroid		Dermatological	67
Agents	84	Sensory	184
Tiaprofenic acid	111	Triazolam	140
Ticagrelor	45	Trichazole	96
Tilade	182	Triclosan	67
Tilcotil	111	Trifluoperazine	
Timolol maleate		hydrochloride	136
Cardiovascular	55	Trimeprazine tartrate	178
Sensory	185	Trimethoprim	93
Timoptol XE	185	Trisequens	83
Tiotropium bromide	180	Trisul	92
TMP	93	Trophic Hormones	85
Tobramycin		Tropicamide	186
Infection	93	Tropisetron	132
Sensory	185	Trusopt	186
Tobrex	185	Truvada	105
Tofranil	124	Two Cal HN	210
Tofranil S29	124	Two Cal HN RTH	210
Tolcapone	119	Tykerb	156
Tolterodine	79		
Tolvon	124	- U -	
Topamax	129	Ultraproct	26
Topical Products for Joint and		Univent	180, 183
Muscular Pain	111	Ural	79
Topiramate	129	Urea	68
Total parenteral nutrition		Urex Forte	57
(TPN)	49	Urinary Agents	78
TPN	49	Urinary Tract Infections	109
Tracleer	61	Uromitexan	152
Tramadol hydrochloride	123	Ursodeoxycholic acid	37
Tramal SR 100	123	Ursosan	37
Tramal SR 150	123	Utrogestan	84
Tramal SR 200	123		
Trandate	54	- V -	
Trandolapril	52	Vaccinations	226
Tranexamic acid	45	Valaciclovir	100
Tranylcypromine sulphate	124	Valcyte	100
Trastuzumab	174	Valganciclovir	100
Travatan	186	Vallergan Forte	178
Travoprost	186	Valtrex	100
Treatments for Dementia	144	Vancomycin hydrochloride	94
Treatments for Substance		Vannair	179
Dependence	144	Varenicline tartrate	146
Trental 400	61	Various	188
Tretinoin		Vasodilators	60
Dermatological	63	Vasopressin Agonists	86
Oncology	153	Velcade	150
Triamcinolone acetoneide		Venlafaxine	125
Alimentary	40	Ventavis	62
Dermatological	67	Ventolin	180
Hormone	81	Vepesid	151
Triamcinolone acetoneide with		Veracol	88
		Verapamil hydrochloride	56
		Vergo 16	131
		Vermox	88
		Verpamil SR	56
		Vesanoid	153
		Vesicare	79
		Vfend	95
		Viaderm KC	67
		Victrelis	102
		Videx EC	105
		Vigabatrin	129
		Vimpat	127
		Vinblastine sulphate	154
		Vincristine sulphate	154
		Vinorelbine	154
		Vinorelbine Ebewe	154
		Viramune Suspension	105
		Viread	101
		Vistil	187
		Vistil Forte	187
		VitA-POS	187
		Vitabdeck	41
		Vitadol C	40
		Vital HN	204
		Vitala-C	41
		Vitamin A with vitamins D and	
		C	40
		Vitamin B complex	41
		Vitamins	40-41
		Vivonex Pediatric	214
		Vivonex TEN	204
		Volibris	61
		Voltaren	110
		Voltaren D	110
		Voltaren Ophtha	185
		Volumatic	183
		Voriconazole	95
		Vosol	184
		Votrient	157
		Vytorin	59
		- W -	
		Warfarin sodium	48
		Wart Preparations	73
		Wasp venom allergy	
		treatment	177
		Water	
		Blood	49
		Extemporaneous	195
		Wockhardt	93
		Wool fat with mineral oil	68
		- X -	
		Xarelto	48
		Xeloda	148

XMET Maxamum	212	Zeldox	136	Zoladex	85
XP Maxamaid	213	Zerit	105	Zoledronic acid	115
XP Maxamum	213	Zetlam	99	Zopiclone	140
Xylocaine	120	Zetop	177	Zostrix	111
Xylocaine Viscous	120	Ziagen	105	Zostrix HP	120
- Z -		Zidovudine [AZT]	106	Zovirax	184
Zantac	27	Zidovudine [AZT] with lamivudine	106	Zuclopenthixol decanoate	137
Zapril	51	Zinc and castor oil	68	Zuclopenthixol hydrochloride	136
Zarator	59	Zinc sulphate	43	Zyban	145
Zarontin	126	Zincaps	43	Zyprexa	134
Zaroxolyn	57	Zinnat	88	Zyprexa Relprevv	136
Zarzio	48	Ziprasidone	136	Zyprexa Zydis	134
Zavedos	152	Zithromax	89		
Zeffix	99	Zofran Zydis	131		













