## Index 241

# Introducing PHARMAC 2

# April 2014 Volume 21 Number 1

#### Editors: Kaye Wilson,

Donna Jennings & Sarah Le Leu email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

#### Freephone Information Line 0800 66 00 50 (9am – 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

#### Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/schedule/archive/

#### Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section /	4
-----------	---

# Section B

General Rules 10

- Alimentary Tract & Metabolism 24 Blood & Blood Forming Organs 44
  - Cardiovascular System 53
  - Dermatologicals 66
  - Genito Urinary System 78
  - Hormone Preparations Systemic 84
- Infections Agents For Systemic Use 92
  - Musculoskeletal System 116
    - Nervous System 125
- Oncology Agents & Immunosuppressants 156
  - Respiratory System & Allergies 188
    - Sensory Organs 195

Various 199

Section C Extemporaneous Compounds (ECPs) 200

# Section DSpecial Foods207Section EPractitioner's Supply Orders228Rural Areas232Section FDispensing Period Exemptions233Section GSafety Cap Medicines235Section INational Immunisation Schedule238

# Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. The functions of PHARMAC are to perform, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals within their hospitals, as applicable, and in accordance with its statement of intent and any directions given by the Minister (Section 103 of the Crown Entities Act).

#### Members of the PHARMAC Board

Stuart McLauchlanKura DennessDavid KerrJens MuellerJan White

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

The following attend PHARMAC's Board meetings as observers

- Murray Georgel, CE MidCentral DHB
- Kate Russell, Chair Consumer Advisory Committee
- Sisira Jayathissa, Chair Pharmacology and Therapeutics Advisory Committee (PTAC)

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- · Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

#### **Decision Criteria**

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;

- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

#### PHARMAC's clinical advisors

#### Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

#### PTAC members are:

Sisira Jayathissa	MMBS, MMedSc (Clin Epi), MD, FRCP (Lon, Edin), FRACP, FAFPHM, FNZCPHM, Dip Clin Epi, Dip OHP, DipHSM, MBS, Chair
Melissa Copland	PhD, BPharm(Hons), RegPharmNZ, FNZCP
Stuart Dalziel	MBChB, PhD, FRACP
Ian Hosford	MBChB, FRANZCP, psychiatrist
George Laking	PhD, MD, FRACP
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician
Marius Rademaker	BM (Soton), FRCP (Edn), FRACP DM
Jane Thomas	MBChB, FANZGL
Mark Weatherall	BA, MBChB, MApplStats, FRACP
Sean Hanna	MB ChB, FRNZCGP, FRACGP, PGDipGP, PGCertClinEd

Contact PTAC C/- PTAC Secretary, Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC @pharmac.govt.n:

#### PHARMAC's consumer advisors

#### **Consumer Advisory Committee (CAC)**

The Consumer Advisory Committee is an advisory committee to the PHARMAC Board. It provides written reports to the Board, and its Chair attends Board meetings as an observer to report on the activities and findings of the Committee, and to comment on consumer issues. While accountable to the Board, the Committee's general working relationship is with the staff of PHARMAC. The Committee is made up of people from a range of backgrounds and interests including the health of Māori people, Pacific peoples, older people, women and mental health.

For current membership of the Consumer Advisory Committee, visit our website. The Consumer Advisory Committee can be contacted by email: CAC@pharmac.govt.nz, or you can write to the Consumer Advisory Committee at PHARMAC's postal address.

# Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

# Finding Information in the Pharmaceutical Schedule

#### **Community Pharmaceuticals**

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
  that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.
- Section I lists the National Immunisation Schedule.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G and I of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

# **Hospital Pharmaceuticals**

Section H lists Pharmaceuticals that can be used in DHB Hospitals, and is split into the following parts:

- Part I lists the rules in relation to use of Pharmaceuticals by DHB Hospitals.
- Part II lists Hospital Pharmaceuticals that are funded for use in DHB Hospitals. These are classified based on the Anatomical Therapeutic Chemical (ATC) system used for Community Pharmaceuticals. It also provides information on any national contracts that exist, and an indication of which products have Hospital Supply Status (HSS).
- Part III lists Optional Pharmaceuticals for which national contracts exist, and DHB Hospitals may choose to fund. These
  are listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
  applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance Limit
  (DV Limit).

The index located at the back of the Section H can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.


The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classificationlevel.

Community Pharmaceuticals are listed in a separate publication with Sections A to I (excluding Section H).

# **Explaining drug entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

#### Example



# Glossary

#### Units of Measure

gramg	microgrammcg	millimolemmol
kilogramkg	milligrammg	unitu
international unitiu	millilitreml	

#### Abbreviations

Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA	-	
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		

#### BSO Bulk Supply Order.

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

- CE Compounded Extemporaneously.
- CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
- ECP Extemporaneously Compounded Preparation.
- HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
- OP Original Pack subsidy is rounded up to a multiple at whole packs.
- PSO Practitioner's Supply Order.

#### Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- ▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- <sup>‡</sup> Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
  manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
  - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions			
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements		
[HP3]	Subsidised when dispensed from pharmacies that have a Special Foods Service appended to their Phar- macy Services Agreement by their DHB.	Available from selected pharmacies that have an ex- clusive contract to dispense Special Foods.		
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.		

# Patient costs

#### Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 mcg per dose	3.80	<ul> <li>Fully subsidised brand</li> </ul>
	(6.00)	Higher priced brand

#### **Pharmaceutical Co-Payments**

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee. PRESCRIPTION CHARGE

From 1 January 2013, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$5 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$5 co-payments.

Prescriptions from the following providers are approved for \$5 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, ophthalmologists and orthopaedics) who write a prescription for a patient receiving a
  publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
  practice provided the person is eligible for publicly funded health and disability services and the general practice is part of
  a PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

#### MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surcharge to patient = (price - subsidy)  $\times 1.86$ 

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surcharge of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

#### Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the relevant DHB hospital Funder from its own budget. Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) are funded through the Combined Pharmaceutical Budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

#### PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

## **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

#### Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

#### **Special Authority Applications**

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

#### Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- · Include the practitioner's name, address and registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

# Named Patient Pharmaceutical Assessment policy

The Named Patient Pharmaceutical Assessment (NPPA) Policy is PHARMAC's process for considering applications about named patients seeking funding for treatments not listed on the Schedule, either at all or for the named patient's clinical circumstances. For PHARMAC to perform its legislative function of maintaining and managing a Schedule that applies consistently throughout New Zealand, the NPPA Policy will, and must, operate in a way that does not undermine the Schedule decision making process. Together, the Schedule process and the NPPA Policy, ensure there is a pathway for consideration of an individual's clinical circumstances. If an individual has a set of clinical circumstances not covered by the NPPA Policy, the Schedule decision making process is available.

It is not the purpose of the NPPA Policy to provide access to every treatment not listed on the Schedule.

There are two main pathways by which named patients can be considered for funding under the NPPA Policy. PHARMAC will exercise its discretion to determine the most appropriate pathway for an application under the NPPA Policy based on the information that is provided.

Information concerning NPPA in hospital use can be forund at http://www.pharmac.health.nz/tools-resources/forms/named-patientpharmaceutical-assessment-nppa-forms.

PHARMAC will assess applications that meet the prerequisites described below according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions. For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 66 00 50 option 3.

#### **Unusual Clinical Circumstance (UCC)**

The purpose of the Unusual Clinical Circumstances (UCC) pathway is to provide a process for consideration for funding for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule. The prerequisite requirements for UCC consideration are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that are so unusual that PHARMAC is unlikely to consider listing treatments for these on the Schedule; and
- Generally, PHARMAC has not already considered/is not considering, through the Schedule decision making process, the treatment for the patient's clinical circumstances, or has not considered the treatment at all.

#### Urgent Assessment (UA)

The purpose of the Urgent Assessment (UA) pathway is to provide a process for PHARMAC to consider funding treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing. The prerequisite requirements for UA are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that may be experienced by a population group (either currently or over time); and
- The patient has serious clinical circumstances and not receiving the treatment within six to 12 months would lead to either a
  significant deterioration in a serious clinical condition or the patient would miss the opportunity for significant improvement
  in clinical outcome (length or quality of life); and
- The treatment has either not been prioritised by PHARMAC, or if it has, PHARMAC has funded the treatment under the NPPA Policy for the same clinical circumstances prior to prioritisation.
- PHARMAC has not declined to list, on the Schedule, this treatment for these clinical circumstances.

## INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 April 2014 and is to be referred to as the Pharmaceutical Schedule Volume 21 Number 1, 2014. Distribution will be from 20 April 2014. This Schedule comes into force on 1 April 2014.

## PART I INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

**"90 Day Lot"**, means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"**180 Day Lot**", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

- a) have limited physical mobility;
- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act", means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.

"Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975. "Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber", means a registered nurse practising in diabetes health who has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981, and who is practicing in an approved DHB demonstration site.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

a) on a Prescription signed by a Specialist, or

- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
  - endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
  - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
  - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital. **"Hospital Pharmacy-Specialist Prescription"**, means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/healthpros/EC/ECForms)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Precriber", means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council to prescribe specified prescription medicines relating to his/her scope of practice including, for the avoidance of doubt, a Diabetes Nurse Prescriber.

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is approved by the Optometrists and Dispensing Opticians Board (in accordance with the Medicines (Designated Prescriber: Optometrists) Regulations 2005) to prescribe specified prescription medicines relating to his/her scope of practice.

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document

signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

"Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

- "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
  - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
  - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
    - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
    - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol", or
    - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
  - ii) the consultation to relate to the Patient for whom the Prescription is written;
  - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
  - iv) except in emergencies consultation to precede annotation of the Prescription; and
  - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of competency; or
- d) the doctor writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceu-

tical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

## PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
  - 2.1.1 clauses 2.2 of the Schedule; and
  - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

## PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doc-

tor, Dentist, Dietitian, Midwife, Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
  - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
  - b) i) sufficient to provide treatment for a period not exceeding 10 days; and
    - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - c) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - b) both:
        - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
        - 2) every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
  - c) is under the Dispensing Frequency Rule,
  - The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

#### 3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
  - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
  - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
  - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
  - b) an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
  - c) any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

#### 3.4 Pharmacist Prescribers' Prescriptions

- The following apply to every prescription written by a Pharmacist Prescriber
- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
  - b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a

Pharmacy Only Medicine or a General Sales Medicine.

3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

#### 3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) special foods, as listed in Section D; or
  - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian, providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.
- 3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

#### 3.6 Diabetes Nurse Prescribers' Prescriptions

- The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:
- 3.6.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
  - b) any other Community Pharmaceutical listed below: aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir, ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,
- 3.6.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

Note: A list of Diabetes Nurse Prescribers will be published periodically in the Update of the Pharmaceutical Schedule for the duration of an initial pilot scheme. After this period there will be no approved DHB demonstration sites and hence no Diabetes Nurse Prescribers.

## PART IV DISPENSING FREQUENCY RULE

The Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency rule defines patient groups or medicines eligible for more frequent dispensing periods; and the conditions that must be met to enable any claim for payment of handling fees for the additional dispensings made.

"Frequent Dispensing" means:

- for a Community Pharmaceutical referred to in Section F Part I, dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- for any other Community Pharmaceutical, where any of 4.1, 4.2 or 4.3 of Part IV apply, dispensing in quantities less than a Monthly Lot

NOTE patients who have had more frequent dispensings due to being "intellectually impaired, frail, infirm or unable to manage their medicines" will continue to receive the same frequency of dispensings until they are assessed to see if they are eligible for additional support under the Long-Term Condition (LTC) service. The structure of the remainder fee payment provides funding for pharmacy to continue to provide more frequent dispensings for patients until they are assessed.

#### 4.1 Frequent Dispensings for persons in residential care

- 4.1.1 Pharmaceuticals can be dispensed in quantities of not less than 28 days to:
  - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
  - a person assessed as requiring long term residential care services and residing in an age related

residential care facility;

on the request of the person, their agent or caregiver or community residential service provider, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply (except under conditions outlined in 4.2.2 below); and
- b) the prescribing Practitioner or dispensing pharmacist has
  - i) included the name of the patient's residential placement or facility on the Prescription; and
  - ii) included the patient's NHI number on the Prescription; and
  - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.1.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.2.2 below.

#### 4.2 Frequent Dispensings for trial periods or safety medicines

- 4.2.1 If a Pharmacist considers more frequent dispensing is required, this can occur as follows:
  - For Long Term Condition (LTC) patients dispensing frequency can occur as often as the dispensing
    pharmacist deems appropriate to meet the patients compliance and adherence needs;
  - For non-LTC patients the dispensing frequency should be no more often than monthly. If Frequent
    Dispensing more often than monthly is necessary for non-LTC patients, prescriber approval is required.
    Verbal approval is acceptable, provided that it is annotated by the pharmacist on the Prescription and
    dated.

NOTE this rule does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement, Pharmaceutical Schedule or under rule 4.2.2 Trial Periods or rule 4.2.3 safety and co-prescribed medicines below.

Pharmacy would claim handling fees only on repeats under the above scenarios.

Prescribers can request, and pharmacists may dispense a higher frequency of dispensing in the following circumstances:

4.2.2 Trial Periods

The Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only);

and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or
   "Trial"; and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

- 4.2.3 Safety and co-prescribed medicines
  - a) The Community Pharmaceutical is any of the following:
    - i) a tri-cyclic antidepressant; or
    - ii) an antipsychotic; or
    - iii) a benzodiazepine; or
    - iv) a Class B Controlled Drug; or
    - v) codeine (includes combination products)
    - vi) buprenorphine with naloxone
    - All of the following conditions must be met:
    - The Community Pharmaceutical has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.1 on the previous page.
    - ii) The prescribing Practitioner has:
      - · Assessed clinical risk and determined the patient requires Frequent Dispensing; and
      - Specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.
  - b) The Community Pharmaceutical is co-prescribed with one of the Community Pharmaceuticals listed in 4.2.3(a) above and has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.1 on the previous page. The dispensing pharmacist has:

- Assessed clinical risk and determined the patient requires Frequent Dispensing;
- Annotated the Prescription with the amended dispensing quantity and frequency.

## 4.3 Frequent Dispensing for Pharmaceutical Supply Management

- 4.3.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
  - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
  - b) the dispensing pharmacist has:
    - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
    - ii) initialled the annotation in their own handwriting; and
    - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

## PART V MISCELLANEOUS PROVISIONS

#### 5.1 Bulk Supply Orders

- The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:
- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

#### 5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal

administration to patients under the Practitioner's care if:

- a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
- b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
    - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
  - a) the RFPP provider name is written on the Practitioner's Supply Order; and
  - b) the total quantity ordered does not exceed a multiple of:
    - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxycillin grans for oral liq 250 mg per 5 ml, amoxycillin cap 250 mg and amoxycillin cap 500 mg; or
    - iii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
  - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxycillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

#### 5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

#### 5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 5.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

#### 5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to

an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:

- a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
- b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
- c) is being used and funded as part of a paediatric oncology service; or
- d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.2;
  - c) clauses 3.1 to 3.4; and
  - d) clause 5.4,

of Section A of the Schedule

- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

#### 5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or

whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

#### 5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

#### 5.8 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

# SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy		Fully	Brand or
	(Manufacturer's Price \$	e) Per	Subsidised	
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
ALGINIC ACID				
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	•	Gaviscon Infant
SIMETHICONE				
<ul> <li>Oral liq aluminium hydroxide 200 mg with magnesium hydrox- ide 200 mg and activated simethicone 20 mg per 5 ml</li> </ul>		500 ml	١	Mylanta P
SODIUM ALGINATE				
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour		60	(	Gaviscon Double Strength
<ul> <li>* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml</li> </ul>		500 ml		Acidex
Phosphate Binding Agents				
* Tab 600 mg		100	V	Alu-Tab
CALCIUM CARBONATE Oral lig 1,250 mg per 5 ml (500 mg elemental per 5 ml) -				
Subsidy by endorsement Only when prescribed for children under 12 years of age endorsed accordingly.		500 ml sphate I		Roxane lent and the prescription i
Agents Which Reduce Motility				
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a * Tab 2 mg * Cap 2 mg	8.95	400 400		Nodia Diamide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE				
Cap 3 mg – Special Authority see SA1155 below – Retail pharmacy		90	<b>~</b> 1	Entocort CIR
⇒SA1155 Special Authority for Subsidy Initial application — (Crohn's disease) from any relevant pract following criteria: Both:	itioner. Approvals v	alid for (	6 months f	for applications meeting th
<ol> <li>Mild to moderate ileal, ileocaecal or proximal Crohn's dise</li> <li>Any of the following:</li> </ol>	ease; and			

24

continued...

Subsidy	Fu	ully Brand or	
(Manufacturer's Price)	Subsidis	sed Generic	
\$	Per	✔ Manufacture	r

continued...

- 2.1 Diabetes; or
- 2.2 Cushingoid habitus; or
- 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation\*.

Note: Indication marked with \* is an Unapproved Indication.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

#### HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)25	.30 21.1	g OP 🛛 🖌	Colifoam
MESALAZINE			
Tab 400 mg49	.50 10	00 🖌	Asacol
Tab EC 500 mg49	.50 10	00 🖌	Asamax
Tab long-acting 500 mg59	.05 10	)0 🖌	Pentasa
Modified release granules, 1 g141	.72 120	OP 🖌	Pentasa
Enema 1 g per 100 ml44	.12 7	· ·	Pentasa
Suppos 500 mg22	.80 2		Asacol
Suppos 1 g50			Pentasa
· · · · · · · · · · · · · · · · · · ·	.60 3	0 🗸	Pentasa
(Pentasa Suppos 1 g to be delisted 1 August 2014)			
OLSALAZINE			
Tab 500 mg59	.86 10	00 🖌	Dipentum
Cap 250 mg31	.51 10	00 🖌	Dipentum
SODIUM CROMOGLYCATE			
Cap 100 mg	.21 10	00 🖌	Nalcrom
SULPHASALAZINE			
<ul> <li>* Tab 500 mg – For sulphasalazine oral liquid formulation refer,</li> </ul>	co 40	no -/	Solozonurin
page 201			Salazopyrin Salazopyrin EN
* Tab EC 500 mg12	.89 10	JU V	Salazopyrin EN

## Local preparations for Anal and Rectal Disorders

## **Antihaemorrhoidal Preparations**

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND	CINCHOCAINE	
Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cin-		
chocaine hydrochloride 5 mg per g6.35	5 30 g OP	<ul> <li>Ultraproct</li> </ul>
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and		

cinchocaine hydrochloride 1 m	g2.66	12	<ul> <li>Ultraproct</li> </ul>

	Subsidy (Manufacturer's Pric \$	ce) Sub Per	Fully Brand or osidised Generic Manufacturer
HYDROCORTISONE WITH CINCHOCAINE Oint 5 mg with cinchocaine hydrochloride 5 mg per g Suppos 5 mg with cinchocaine hydrochloride 5 mg per g		30 g OP 12	<ul> <li>Proctosedyl</li> <li>Proctosedyl</li> </ul>
Management of Anal Fissures			
GLYCERYL TRINITRATE – Special Authority see SA1329 belo		30 g OP	✓ Rectogesic
►SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va chronic anal fissure that has persisted for longer than three wee		newal unles	s notified where the patient has
Antispasmodics and Other Agents Altering Gu	t Motility		
HYOSCINE N-BUTYLBROMIDE * Tab 10 mg * Inj 20 mg, 1 ml – Up to 5 inj available on a PSO MEBEVERINE HYDROCHLORIDE		20 5	<ul> <li>✓ <u>Gastrosoothe</u></li> <li>✓ <u>Buscopan</u></li> </ul>
* Tab 135 mg		90	✓ Colofac
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL * Tab 200 mcg		120	✓ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement a) Maximum of 14 tab per prescription b) Subsidised only if prescribed for helicobacter pylori er Note: the prescription is considered endorsed if clarithromycin amoxycillin or metronidazole.	adication and prescr		
H2 Antagonists			
CIMETIDINE – Only on a prescription * Tab 200 mg * Tab 400 mg	(7.50)	100 100	Apo-Cimetidine Apo-Cimetidine
RANITIDINE HYDROCHLORIDE – Only on a prescription         * Tab 150 mg         * Tab 300 mg         * Oral liq 150 mg per 10 ml         * Inj 25 mg per ml, 2 ml	6.79 9.34 5.92	250 250 300 ml 5	<ul> <li>✓ <u>Arrow-Ranitidine</u></li> <li>✓ <u>Arrow-Ranitidine</u></li> <li>✓ <u>Peptisoothe</u></li> <li>✓ Zantac</li> </ul>
Proton Pump Inhibitors			
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg	2.00 2.32	28 28	✓ <u>Solox</u> ✓ <u>Solox</u>

26

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Generic
OMEPRAZOLE				
For omeprazole suspension refer Standard Formulae, page * Cap 10 mg * Cap 20 mg * Cap 40 mg * Powder – Only in combination Only in extemporaneously compounded omeprazole sus	2.91 3.78 5.57 42.50	90 90 90 5 g	~	Omezol Relief Omezol Relief Omezol Relief Midwest
* Inj 40 mg		5	~	<u>Dr Reddy's</u> <u>Omeprazole</u>
PANTOPRAZOLE  * Tab EC 20 mg	1.23	28	~	Dr Reddy's Pantoprazole
	2.68	100	~	Pantoprazole Actavis 20
* Tab EC 40 mg	1.54	28	~	Dr Reddy's Pantoprazole
	3.54	100	~	Pantoprazole Actavis 40
Site Protective Agents				
BISMUTH TRIOXIDE Tab 120 mg		112	~	De Nol S29
SUCRALFATE Tab 1 g	35.50 (48.28)	120		Carafate
Diabetes				
Hyperglycaemic Agents				
DIAZOXIDE – Special Authority see SA1320 below – Retail pha Cap 25 mg – For diazoxide oral liquid formulation refer, pag				
201 Cap 100 mg		100 100		Proglicem S29 Proglicem S29
► SA1320 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va glycaemia caused by hyperinsulinism.				
Renewal from any relevant practitioner. Approvals valid without priate and the patient is benefiting from treatment.	further renewal unles	s notifie	d where ti	ne treatment remains appro-
GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit – Up to 5 kit available on a PSO		1	~	Glucagen Hypokit
Insulin - Short-acting Preparations				
INSULIN NEUTRAL ▲ Inj human 100 u per ml	25.26	10 ml O		Actrapid Humulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5	~	Actrapid Penfill Humulin R

	Subsidy (Manufacturer's I \$	Price) Sub Per	Fully Brand or osidised Generic ✔ Manufacturer
Insulin - Intermediate-acting Preparations			
NSULIN ASPART WITH INSULIN ASPART PROTAMINE ▲ Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	NovoMix 30 FlexPen
NSULIN ISOPHANE ▲ Inj human 100 u per ml	17.68	10 ml OP	<ul> <li>Humulin NPH</li> <li>Protaphane</li> </ul>
Inj human 100 u per ml, 3 ml	29.86	5	<ul> <li>Humulin NPH</li> <li>Protaphane Penfill</li> </ul>
NSULIN ISOPHANE WITH INSULIN NEUTRAL ▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	✔ Humulin 30/70
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	<ul> <li>Mixtard 30</li> <li>Humulin 30/70</li> <li>PenMix 30</li> <li>PenMix 40</li> <li>PenMix 50</li> </ul>
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE ▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml		5	✓ Humalog Mix 25
Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml		5	Humalog Mix 50
Insulin - Long-acting Preparations			
NSULIN GLARGINE ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 3 ml disposable pen	94.50	1 5 5	<ul> <li>✓ Lantus</li> <li>✓ Lantus</li> <li>✓ Lantus SoloStar</li> </ul>
Insulin - Rapid Acting Preparations			
NSULIN ASPART ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 10 ml		5 1	<ul> <li>✓ NovoRapid Penfill</li> <li>✓ NovoRapid</li> </ul>
NSULIN GLULISINE ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 3 ml disposable pen	46.07	1 5 5	<ul> <li>✓ Apidra</li> <li>✓ Apidra</li> <li>✓ Apidra SoloStar</li> </ul>
NSULIN LISPRO ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml		10 ml OP 5	<ul><li>✓ Humalog</li><li>✓ Humalog</li></ul>
Alpha Glucosidase Inhibitors			
ACARBOSE * Tab 50 mg* * Tab 100 mg		90 90	<ul> <li>✓ <u>Accarb</u></li> <li>✓ Accarb</li> </ul>
Oral Hypoglycaemic Agents			
GLIBENCLAMIDE * Tab 5 mg	5.00	100	🗸 Daonil

28

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
GLICLAZIDE				
* Tab 80 mg	17.60	500	✓ <u>A</u>	po-Gliclazide
GLIPIZIDE * Tab 5 mg	3.00	100	✓ <u>N</u>	linidiab
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg		1,000	🗸 🗸	potex
* Tab immediate-release 850 mg		500	✓ <u>A</u>	potex
PIOGLITAZONE				
* Tab 15 mg	1.50	28	🖌 P	izaccord
* Tab 30 mg	2.50	28	V P	izaccord
* Tab 45 mg		28	✓ P	izaccord

#### **Diabetes Management**

## **Ketone Testing**

BLOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter Meter funded for the purposes of blood ketone diagnostics of at risk of future episodes or patient is on an insulin pump. O Meter	only. Patient has nly one meter pe	had one or mor r patient will be	
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip – Not on a BSO	15.50	10 strip OP	✓ Freestyle Optium Ketone
SODIUM NITROPRUSSIDE – Maximum of 50 strip per prescrip * Test strip – Not on a BSO		50 strip OP	<ul> <li>✓ Accu-Chek Ketur-Test</li> <li>✓ Ketostix</li> </ul>

## **Blood Glucose Testing**

BLOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by endorsement

a) Up to 1 pack available on a PSO

b) Maximum of 1 pack per prescription

c) A diagnostic blood glucose test meter is subsidised for a patient who:

- 1) is receiving insulin or sulphonylurea therapy; or
- 2) is pregnant with diabetes; or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or

4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome. Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test		
strips	1 OP	CareSens II
		CareSens N
		CareSens N POP
Note: Only 1 meter available per PSO		

	Subsidy	Fu	illy	Brand or
(Man	ufacturer's Price)	Subsidis	ed	Generic
	\$	Per	~	Manufacturer

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips - Note differing brand requirements

below	56 50 test O	P 🗸
28.7	75	~

✓ <u>CareSens</u> ✓ <u>CareSens N</u> ✓ Accu-Chek Performa

Freestyle Optium

a) Accu-Chek Performa brand: Special Authority see SA1294 below - Retail pharmacy

b) Freestyle Optium brand: Special Authority see SA1291 below - Retail pharmacy

c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

#### SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

#### SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

#### BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

30

		Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	
Ir	sulin Syringes and Needles				
for	bsidy is available for disposable insulin syringes, needles, an the supply of insulin or when prescribed for an insulin patient notate the prescription as endorsed where there exists a record	and the prescription	is en	dorsed ad	
INS	SULIN PEN NEEDLES – Maximum of 100 dev per prescription	า			
*	29 g × 12.7 mm		30	~	B-D Micro-Fine
		10.50	100	V	B-D Micro-Fine
*	31 g $\times$ 5 mm		100	V	B-D Micro-Fine
*	$31~{ m g} \times 6~{ m mm}$		100	~	ABM
		(26.00)			NovoFine
*	31 g $\times$ 8 mm		30	~	B-D Micro-Fine
	- y · -	10.50	100		B-D Micro-Fine
				~	ABM
*	32 g $ imes$ 4 mm	10.50	100	-	B-D Micro-Fine
	provide $g \times 6$ mm to be delisted 1 June 2014)			•	2 2
•	<b>č</b> ,	Mar. 1400			. P
	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE			er prescrip	Dtion
*	Syringe 0.3 ml with 29 g $\times$ 12.7 mm needle $\hfill \ldots$		10		
		(1.99)			B-D Ultra Fine
		13.00	100	V	B-D Ultra Fine
*	Syringe 0.3 ml with 31 g $\times$ 8 mm needle		10		
		(1.99)			B-D Ultra Fine II
		13.00	100	V	B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g $\times$ 12.7 mm needle		10		
		(1.99)			B-D Ultra Fine
	• • • • • • • •	13.00	100	V	B-D Ultra Fine
*	Syringe 0.5 ml with 31 g $\times$ 8 mm needle $\hfill \hfill \$		10		
		(1.99)			B-D Ultra Fine II
		13.00	100		B-D Ultra Fine II
*	Syringe 1 ml with 29 g $\times$ 12.7 mm needle $\hfill \hfill $		100	~	ABM
		1.30	10		
		(1.99)			B-D Ultra Fine
		13.00	100	~	B-D Ultra Fine
*	Syringe 1 ml with 31 g $\times$ 8 mm needle	13.00	100	~	ABM
		1.30	10		
		(1.99)			B-D Ultra Fine II
		13.00	100		B-D Ultra Fine II

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
Insulin Pumps				
INSULIN PUMP – Special Authority see SA1237 below – Retail a) Maximum of 1 dev per prescription b) Only on a prescription c) Maximum of 1 insulin pump per patient each four year perior Min basal rate 0.025 U/h; black colour Min basal rate 0.025 U/h; blue colour	od. 4,500.00	1	• •	Animas Vibe Animas Vibe
Min basal rate 0.025 U/h; green colour Min basal rate 0.025 U/h; pink colour Min basal rate 0.025 U/h; silver colour	4,500.00 4,500.00	1 1 1	V	Animas Vibe Animas Vibe Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1		Paradigm 522 Paradigm 722
Min basal rate 0.05 U/h; clear colour		1	<b>~</b>	Paradigm 522 Paradigm 722 Paradigm 522
Min basal rate 0.05 U/h; purple colour		1	<ul> <li></li> <li><td>Paradigm 722 Paradigm 522 Paradigm 522 Paradigm 722</td></li></ul>	Paradigm 722 Paradigm 522 Paradigm 522 Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	<b>~</b>	Paradigm 522 Paradigm 722

## SA1237 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 974 7806
PO Box 10 254	Email: ipp@pharmac.govt.nz
Wellington	

## **Insulin Pump Consumables**

#### ➡SA1240 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator	Phone: (04) 460 4990			
PHARMAC	Facsimile: (04) 974 7806			
PO Box 10 254	Email: ipp@pharmac.govt.nz			
Wellington				
INSULIN PUMP ACCESS	ORIES - Special Authority see SA1240	) above – Retail pl	harmacy	
a) Maximum of 1 cap	per prescription			
b) Only on a prescrip	tion			
c) Maximum of 1 pres	scription per 180 days.			
Battery cap			1	🖌 Animas Battery Cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
<ul> <li>INSULIN PUMP INFUSION SET (STEEL CANNULA) – Special a) Maximum of 3 sets per prescription</li> </ul>	Authority see SA1240	) on the	e previous	page – Retail pharmacy
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
10 mm steel needle; 29 G; manual insertion; 60 cm tubing $\times$				
10 with 10 needles	130.00	1 OP	🖌 Pa	aradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$				
10 with 10 needles; luer lock	130.00	1 OP	🗸 S	ure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing $ imes$				
10 with 10 needles	130.00	1 OP	🖌 Pa	aradigm Sure-T MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing $ imes$				
10 with 10 needles; luer lock	130.00	1 OP	🗸 S	ure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line $\times$ 10				
with 10 needles	130.00	1 OP	🖌 C	ontact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$				
10 with 10 needles	130.00	1 OP	V P	aradigm Sure-T
			• •	MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$				
10 with 10 needles; luer lock	130.00	1 OP	19	ure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$			• 3	
				anadiana Cuna T
10 with 10 needles	130.00	1 OP	V Pa	aradigm Sure-T MMT-866
				IVIIVI 1-800
6 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$	400.00			
10 with 10 needles; luer lock		1 OP	VS	ure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line $ imes$ 10				_
with 10 needles	130.00	1 OP	✔ C	ontact-D
8 mm steel cannula; straight insertion; 60 cm grey line $\times$ 10				
with 10 needles		1 OP	🖌 C	ontact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$				
10 with 10 needles	130.00	1 OP	🖌 Pa	aradigm Sure-T
				MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$				
10 with 10 needles; luer lock	130.00	1 OP	🗸 S	ure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$				
10 with 10 needles	130.00	1 OP	V Pa	aradigm Sure-T
			• •	MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing $ imes$				
10 with 10 needles; luer lock		1 OP	<b>~</b> 9	ure-T MMT-875

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand o osidised Generic V Manufad	
SULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	Ŧ			
A1240 on page 32 – Retail pharmacy a) Maximum of 3 sets per prescription				olar Autionty St
<ul><li>b) Only on a prescription</li><li>c) Maximum of 13 infusion sets will be funded per year.</li></ul>				
13 mm teflon cannula; angle insertion; insertion device; 110 cm grey line $\times$ 10 with 10 needles	140.00	1 OP	🖌 Inset 30	
13 mm teflon cannula; angle insertion; insertion device; 60 cm blue line × 10 with 10 needles	140.00	1 OP	🖌 Inset 30	
13 mm teflon cannula; angle insertion; insertion device; 60 cm grey line × 10 with 10 needles		1 OP	🖌 Inset 30	
13 mm teflon cannula; angle insertion; insertion device; 60 cm pink line × 10 with 10 needles		1 OP	🖌 Inset 30	
SULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	ISERTION) - S	Special Authorit	y see SA1240 or	n page 32 – Reta
armacy a) Maximum of 3 sets per prescription b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year. 13 mm teflon cannula; angel insertion; 60 cm grey line $\times$ 5				
with 10 needles		1 OP	Comfort S	Short
10 needles	130.00	1 OP	Paradigm MMT-38	
13 mm teflon cannula; angle insertion; 45 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm MMT-36	
13 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm MMT-38	
13 mm teflon cannula; angle insertion; 80 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm	
		TOP	MMT-38	
17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles	120.00	1 OP	<ul> <li>Comfort</li> </ul>	
17 mm teflon cannula; angle insertion; 110 cm line $\times$ 10 with 10 needles		1 OP	🗸 Paradigm	Silhouette
17 mm teflon cannula; angle insertion; 110 cm line $ imes$ 10 with			MMT-37	7
10 needles; luer lock	130.00	1 OP	<ul> <li>Silhouette</li> </ul>	e MMT-371
with 10 needles	120.00	1 OP	<ul> <li>Comfort</li> </ul>	
17 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm MMT-37	
17 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with 10 needles; luer lock		1 OP	✓ Silhouette	
17 mm teflon cannula; angle insertion; 80 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm	
			MMT-38	

34

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH see SA1240 on page 32 – Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription	T INSERTION WITH	INSEF	TION DEV	/ICE) – Special Authority
<ul> <li>c) Maximum of 13 infusion sets will be funded per year.</li> <li>6 mm teflon cannula; straight insertion; insertion device; 110</li> </ul>				
cm grey line $\times$ 10 with 10 needles	140.00	1 OP	🖌 In	set II
6 mm teflon cannula; straight insertion; insertion device; 45 cm blue tubing × 10 with 10 needles		1 OP	🖌 Pa	aradigm Mio
		-		MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 cm pink tubing $\times$ 10 with 10 needles	130.00	1 OP		aradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 cm blue tubing $\times$ 10 with 10 needles	130.00	1 OP	🖌 Pa	aradigm Mio
6 mm teflon cannula; straight insertion; insertion device; 60 cm pink tubing $\times$ 10 with 10 needles	130.00	1 OP		MMT-943 aradigm Mio
				ММТ-923
6 mm teflon cannula; straight insertion; insertion device; 80 cm blue tubing $\times$ 10 with 10 needles	130.00	1 OP		aradigm Mio MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80 cm clear tubing $\times$ 10 with 10 needles	130.00	1 OP	🗸 Pa	aradigm Mio MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 cm pink tubing $\times$ 10 with 10 needles	130.00	1 OP	🖌 Pa	aradigm Mio MMT-925
6 mm teflon cannula; straight insertionl insertion device; 60 cm blue line $\times$ 10 with 10 needles	140.00	1 OP	🖌 In	
6 mm teflon cannula; straight insertionl insertion device; 60 cm grey line × 10 with 10 needles	140.00	1 OP	🖌 In	set II
6 mm teflon cannula; straight insertionl insertion device; 60 cm pink line × 10 with 10 needles		1 OP	🖌 In	set II
9 mm teflon cannula; straight insertion; insertion device; 60 cm blue line × 10 with 10 needles	140.00	1 OP	🖌 In	set II
9 mm teflon cannula; straight insertion; insertion device; 60 cm grey line × 10 with 10 needles		1 OP	🖌 In	set II
9 mm teflon cannula; straight insertion; insertion device; 60 cm pink line × 10 with 10 needles		1 OP	🖌 In	set II
9 mm teflon cannula; straight insertion; insertion device; 80 cm clear tubing × 10 with 10 needles		1 OP	🗸 Pa	aradigm Mio MMT-975
9 mm teflon cannula; straight insertionl insertion device; 110 cm grey line $\times$ 10 with 10 needles $\ldots$	140.00	1 OP	🗸 In	

	Subsidy (Manufacturer's Price) Sul		Fully Brand or bsidised Generic		
	\$	Per	✓ Manufacturer		
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	T INSERTION)	<ul> <li>Special A</li> </ul>	uthority see SA1240 on page 32 -		
Retail pharmacy a) Maximum of 3 sets per prescription					
b) Only on a prescription					
c) Maximum of 13 infusion sets will be funded per year.					
6 mm teflon cannula; straight insertion; 110 cm tubing $\times$ 10					
with 10 needles	130.00	1 OP	<ul> <li>Paradigm Quick-Set MMT-398</li> </ul>		
6 mm teflon cannula; straight insertion; 110 cm tubing $ imes$ 10					
with 10 needles; luer lock		1 OP	Quick-Set MMT-391		
6 mm teflon cannula; straight insertion; 60 cm tubing $ imes$ 10					
with 10 needles	130.00	1 OP	<ul> <li>Paradigm Quick-Set MMT-399</li> </ul>		
6 mm teflon cannula; straight insertion; 60 cm tubing $ imes$ 10					
with 10 needles; luer lock		1 OP	Quick-Set MMT-393		
6 mm teflon cannula; straight insertion; 80 cm tubing $\times$ 10					
with 10 needles	130.00	1 OP	<ul> <li>Paradigm Quick-Set MMT-387</li> </ul>		
9 mm teflon cannula; straight insertion; 106 cm tubing $ imes$ 10			101001-387		
with 10 needles		1 OP	Paradigm Quick-Set		
		1.01	MMT-396		
9 mm teflon cannula; straight insertion; 110 cm tubing $ imes$ 10					
with 10 needles; luer lock		1 OP	Quick-Set MMT-390		
9 mm teflon cannula; straight insertion; 60 cm tubing $ imes$ 10					
with 10 needles	130.00	1 OP	Paradigm Quick-Set		
			MMT-397		
9 mm teflon cannula; straight insertion; 60 cm tubing $\times$ 10		4.05			
with 10 needles; luer lock		1 OP	Quick-Set MMT-392		
9 mm teflon cannula; straight insertion; 80 cm tubing $\times$ 10 with 10 needles		1 OP	<ul> <li>Paradigm Quick-Set MMT-386</li> </ul>		
INSULIN PUMP RESERVOIR - Special Authority see SA1240 o	n nago 22 Pot	ail pharmaou			
a) Maximum of 3 sets per prescription	n page 32 – nei	ali phannacy			
b) Only on a prescription					
<ul> <li>c) Maximum of 13 packs of reservoir sets will be funded per y</li> </ul>	vear.				
$10 \times$ luer lock conversion cartridges 1.8 ml for Paradigm					
pumps		1 OP	ADR Cartridge 1.8		
10 $\times$ luer lock conversion cartridges 3.0 ml for Paradigm					
pumps		1 OP	✓ ADR Cartridge 3.0		
Cartridge 200 U, luer lock × 10		1 OP	Animas Cartridge		
Cartridge for 5 and 7 series pump; 1.8 ml $\times$ 10		1 OP	<ul> <li>Paradigm 1.8 Reservoir</li> </ul>		
Cartridge for 7 series pump; 3.0 ml $\times$ 10		1 OP	<ul> <li>Paradigm 3.0 Reservoir</li> </ul>		
Syringe and cartridge for 50X pump, 3.0 ml $ imes$ 10		1 OP	✓ 50X 3.0 Reservoir		
		-			

36

	Subsidy (Manufacturer's Price) \$	Si Per	Fully ubsidised	Brand or Generic Manufacturer
Digestives Including Enzymes				
PANCREATIC ENZYME				
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease		100	🖌 Ci	reon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease		100		reon 25000 reon Forte
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease (Creon Forte Cap EC 25,000 BP u lipase, 18,000 BP u amylase,		100 to be de	🖌 Pa	anzytrat
URSODEOXYCHOLIC ACID – Special Authority see SA1383 bel Cap 250 mg – For ursodeoxycholic acid oral liquid formula- tion refer, page 201		y 100	✓ <u>U</u>	rsosan

### SA1383 Special Authority for Subsidy

**Initial application** — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

**Initial application — (Haematological Transplant)** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

continued...

Subsidy (Manufacturer's Price)	Subs	Fully sidised	Brand or Generic
\$	Per	~	Manufacturer

continued...

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

### Laxatives

### **Bulk-forming Agents**

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	5.51	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS			
* Dry	2.41 (8.72)	200 g OP	Normacol Plus
	6.02	500 g OP	
	(17.32)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription			
* Cap 50 mg		100	Laxofast 50
* Cap 120 mg * Enema conc 18%		100 100 ml OP	✓ Laxofast 120
	5.40	TOU MI OP	Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with total sennosides 8 mg	6.29	200	✓ Laxsol
5 S	0.50	200	
POLOXAMER – Only on a prescription Not funded for use in the ear.			
* Oral drops 10%	3.78	30 ml OP	✓ <u>Coloxyl</u>
Osmotic Laxatives			
GLYCEROL			
* Suppos 3.6 g – Only on a prescription	6.50	20	✓ <u>PSM</u>
LACTULOSE – Only on a prescription			
* Oral liq 10 g per 15 ml	3.84	500 ml	Laevolac
MACROGOL 3350 - Special Authority see SA0891 on the next p		armacy	
Powder 13.125 g, sachets – Maximum of 60 sach per pre-			<b>4 •</b> • • •
scription		30	Lax-Sachets

	Subsidy (Manufacturer's Price \$	) Per	Full Subsidise	
► SA0891 Special Authority for Subsidy Initial application from any relevant practitioner requiring intervention with a per rectal preparatio where lactulose is not contraindicated.				
<b>Renewal</b> from any relevant practitioner. Approva benefit from treatment.	Is valid for 12 months where the p	atient i	s complia	ant and is continuing to gain
SODIUM ACID PHOSPHATE – Only on a prescri Enema 16% with sodium phosphate 8%		1	~	Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SUL	, , ,	tion		
Enema 90 mg with sodium lauryl sulphoaceta 5 ml		50	V	Micolette
Stimulant Laxatives				
BISACODYL - Only on a prescription				
* Tab 5 mg	4.99	200	~	Lax-Tab
* Suppos 5 mg		6		Dulcolax
* Suppos 10 mg		6	~	Dulcolax
DANTHRON WITH POLOXAMER - Only on a pro				
Note: Only for the prevention or treatment of o				-
Oral liq 25 mg with poloxamer 200 mg per 5 m		300 ml 300 ml	· · .	Pinorax Pinorax Forte
Oral liq 75 mg with poloxamer 1 g per 5 ml		300 111	•	Findrax Forte
SENNA – Only on a prescription * Tab, standardised	0.42	20		
* Tab, standardised	(1.72)	20		Senokot
	2.17	100		Seriokol
	(6.16)			Senokot
Metabolic Disorder Agents				
Gaucher's Disease				
IMIGLUCERASE – Special Authority see SA0473	below – Retail pharmacy			
Inj 40 iu per ml, 200 iu vial Inj 40 iu per ml, 400 iu vial	1,072.00	1 1		Cerezyme Cerezyme
► SA0473 Special Authority for Subsidy Special Authority approved by the Gaucher's Treat				
Notes: Subject to a budgetary cap. Applications w Application details may be obtained from PHARM.	ill be considered and approved subj			vailability.
The Co-ordinator, Gaucher's Treatment Panel PHARMAC, PO Box 10 254	Phone: (04) 460 4990 Facsimile: (04) 916 7571			
Wellington	Email: gaucherpanel@pharmac.	govt.nz		

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic ✓ Manufacturer
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE			
Soln 0.15%		200 ml	
	(8.50)		Difflam
	9.00	500 ml	
	(17.01)		Difflam
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.68	200 ml OP	healthE
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
	(5.62)		Bonjela
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste		56 g OP	Stomahesive
	1.52	5 g OP	
	(3.60)		Orabase
	4.55	15 g OP	
	(7.90)		Orabase
With pectin and gelatin powder		28 g OP	Otomo la calca
	(10.95)		Stomahesive
TRIAMCINOLONE ACETONIDE			4.4
0.1% in Dental Paste USP	4.34	5 g OP	✓ Oracort
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	🗸 Fungilin
MICONAZOLE			-
Oral gel 20 mg per g		40 g OP	Decozol
NYSTATIN			
Oral lig 100,000 u per ml	3 19	24 ml OP	✓ Nilstat
1 7 1			- <u></u>
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva subs	titute formula refer Sta	ndard Formula	e, page 204
HYDROGEN PEROXIDE			
Soln 10 vol – Maximum of 200 ml per prescription	1.28	100 ml	🗸 PSM
THYMOL GLYCERIN			
* Compound, BPC	9.15	500 ml	🖌 PSM
• •			

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

## Vitamins

Alpha tocopheryl acetate is available fully subsidised for specific patients at the Medical Director of PHARMAC's discretion. Refer to PHARMAC website www.pharmac.govt.nz for the "Alpha tocopheryl acetate information sheet and application form".

## Vitamin A

VITAMIN A WITH VITAMINS D AND C * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg		
per 10 drops	10 ml OP	✓ Vitadol C
Vitamin B		
HYDROXOCOBALAMIN		
<ul> <li>Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO5.10</li> </ul>	3	✓ <u>ABM</u> <u>Hydroxocobalamin</u>
PYRIDOXINE HYDROCHLORIDE		
a) No more than 100 mg per dose b) Only on a prescription		
<ul> <li>Tab 25 mg - No patient co-payment payable</li></ul>	90	✓ PyridoxADE
* Tab 50 mg	500	✓ Apo-Pyridoxine
THIAMINE HYDROCHLORIDE - Only on a prescription		<b>4 . . .</b>
* Tab 50 mg	100	Apo-Thiamine
VITAMIN B COMPLEX * Tab, strong, BPC	500	✓ Bplex
Vitamin C	500	
Vitaliini C		
ASCORBIC ACID		
a) No more than 100 mg per dose b) Only on a prescription		
* Tab 100 mg	500	✓ <u>Cvite</u>
Vitamin D		
ALFACALCIDOL		
* Cap 0.25 mcg	100	One-Alpha
* Cap 1 mcg	100 20 ml OP	<ul> <li>✓ One-Alpha</li> <li>✓ One-Alpha</li> </ul>
CALCITRIOL	2011101	
* Cap 0.25 mcg	30	✓ Airflow
10.10	100	Calcitriol-AFT
* Cap 0.5 mcg5.62 18.73	30 100	<ul> <li>Airflow</li> <li>Calcitriol-AFT</li> </ul>
CHOLECALCIFEROL		
* Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription	12	<ul> <li>Cal-d-Forte</li> </ul>
Multivitamin Preparations		
MULTIVITAMINS – Special Authority see SA1036 on the next page – Retail phar	rmacy	
* Powder	200 g OP	Paediatric Seravit

	Subsidy (Manufacturer's Pri		Fully Brand or bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
► SA1036 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals v	alid without further	renewal unle	ess notified where the patient ha
nborn errors of metabolism. Renewal from any relevant practitioner. Approvals valid withou	t further renewal un	less notified	where patient has had a previou
approval for multivitamins. VITAMINS			
* Tab (BPC cap strength)		1,000	✓ <u>Mvite</u>
Cap (fat soluble vitamins A, D, E, K) – Special Authority se SA1002 below – Retail pharmacy		60	<ul> <li>Vitabdeck</li> </ul>
SA1002 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va the following criteria: Either:	lid without further re	enewal unles	ss notified for applications meetin
<ol> <li>Patient has cystic fibrosis with pancreatic insufficiency;</li> <li>Patient is an infant or child with liver disease or short guidant for the second seco</li></ol>			
Minerals			
Calcium			
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental)		30	✓ <u>Calsource</u>
<ul> <li>Tab 1.25 g (500 mg elemental)</li> <li>CALCIUM GLUCONATE</li> </ul>	0.30	250	✓ <u>Arrow-Calcium</u>
* Inj 10%, 10 ml	21.40	10	<ul> <li>Hospira</li> </ul>
Fluoride			
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)	5.00	100	✔ PSM
lodine			
POTASSIUM IODATE	6.50	00	✓ NeuroKare
* Tab 256 mcg (150 mcg elemental iodine) Iron	0.03	90	✓ Neurokare
FERROUS FUMARATE * Tab 200 mg (65 mg elemental)	4.35	100	✓ Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID			
* Tab 310 mg (100 mg elemental) with folic acid 350 mcg	4.75	60	<ul> <li>Ferro-F-Tabs</li> </ul>
FERROUS SULPHATE * Tab long-acting 325 mg (105 mg elemental)	2.06	30	✓ Ferrograd
*‡ Oral liq 30 mg (6 mg elemental) per 1 ml		500 ml	✓ Ferodan
FERROUS SULPHATE WITH FOLIC ACID			
Tab long-acting 325 mg (105 mg elemental) with folic ac 350 mcg		30	
-	(4.29)		Ferrograd F
RON POLYMALTOSE ₩ Inj 50 mg per ml, 2 ml	10 00	5	✓ Ferrum H
ית ווין 50 וויץ μכו ווו, 2 ווו		5	

	Subsidy (Manufacturer's Price) \$	Su Per	Fully ubsidised	Brand or Generic Manufacturer
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, page MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml		10	•	artindale ospira
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	✓ <u>Zi</u>	incaps_

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### Antianaemics

### Hypoplastic and Haemolytic

#### SA0922 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Both:

- 1.1 patient in chronic renal failure; and
- 1.2 Haemoglobin  $\leq$  100g/L; and
- 2 Any of the following:
  - 2.1 Both:
    - 2.1.1 patient is not diabetic; and
    - 2.1.2 glomerular filtration rate  $\leq$  30ml/min; or
  - 2.2 Both:
    - 2.2.1 patient is diabetic; and
    - 2.2.2 glomerular filtration rate  $\leq$  45ml/min; or
  - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = (140 - age) × Ideal Body Weight (kg) / 814 × serum creatinine (mmol/l)

GFR (ml/min) (female) = Estimated GFR (male)  $\times$  0.85

ERYTHROPOIETIN ALPHA - Special Authority see SA0922 above - Retail pharmacy

Inj human recombinant 1,000 iu prefilled syringe	48.68	6	<ul> <li>Eprex</li> </ul>
Inj human recombinant 2,000 iu, prefilled syringe	120.18	6	Eprex
Inj human recombinant 3,000 iu, prefilled syringe	166.87	6	Eprex
Inj human recombinant 4,000 iu, prefilled syringe	193.13	6	<ul> <li>Eprex</li> </ul>
Inj human recombinant 5,000 iu, prefilled syringe	243.26	6	Eprex
Inj human recombinant 6,000 iu, prefilled syringe	291.92	6	<ul> <li>Eprex</li> </ul>
Inj human recombinant 10,000 iu, prefilled syringe	395.18	6	<ul> <li>Eprex</li> </ul>
ERYTHROPOIETIN BETA - Special Authority see SA0922 above - I	Retail pharmacy		
Inj 2,000 iu, prefilled syringe	120.18	6	NeoRecormon
Inj 3,000 iu, prefilled syringe	166.87	6	NeoRecormon
Inj 4,000 iu, prefilled syringe	193.13	6	NeoRecormon
Inj 5,000 iu, prefilled syringe		6	NeoRecormon
Inj 6,000 iu, prefilled syringe	291.29	6	NeoRecormon
Inj 10,000 iu, prefilled syringe	395.18	6	<ul> <li>NeoRecormon</li> </ul>
Megaloblastic			

#### FOLIC ACID

*	Tab 0.8 mg19.80	1,000	Apo-Folic Acid
	Tab 5 mg	500	Apo-Folic Acid
	Oral liq 50 mcg per ml24.00	25 ml OP	Biomed

	Subsidy (Manufacturer's Price) \$	Si Per	Fully ubsidised	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Scleros	sants			
ELTROMBOPAG – Special Authority see SA1418 below – Retail p Wastage claimable – see rule 3.3.2 on page 17	bharmacy			
Tab 25 mg	1,771.00	28	🖌 Re	evolade

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
  - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
  - 3.2 Patient has a platelet count of  $\leq$  20,000 platelets per microlitre and has evidence of active bleeding; or
  - 3.3 Patient has a platelet count of  $\leq$  10,000 platelets per microlitre.

**Initial application** — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

### EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe		1	NovoSeven RT
Inj 2 mg syringe		1	Novoseven RT
Inj 5 mg syringe		1	Novoseven RT
Inj 8 mg syringe		1	Novoseven RT
, , , ,	-		

#### FACTOR EIGHT INHIBITORS BYPASSING AGENT - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 500 U	1,640.00	1	🖌 FEIBA
Inj 1,000 U		1	🖌 FEIBA

#### MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 200 iu viai	225.00	1	V Aynına
Inj 500 iu vial		1	Xyntha
Inj 1,000 iu vial		1	🗸 Xyntha
Inj 2,000 iu vial	1,800.00	1	🗸 Xyntha
Inj 3,000 iu vial	2,700.00	1	Xyntha

	Subsidy (Manufacturar's Bride)		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
ONACOG ALFA [RECOMBINANT FACTOR IX] – [Xpharm]			
For patients with haemophilia, whose treatment is managed b	v the Haemophilia Tre	aters	Group in conjunction with the Nati
Haemophilia Management Group.	,		
Inj 250 iu vial		1	✓ BeneFIX
Inj 500 iu vial		1	✓ BeneFIX
Inj 1,000 iu vial	1,240.00	1	BeneFIX
Inj 2,000 iu vial	2,480.00	1	BeneFIX
CTOCOG ALFA [RECOMBINANT FACTOR VIII] – [Xpharm]			
For patients with haemophilia, whose treatment is managed b	y the Haemophilia Tre	aters	Group in conjunction with the Nati
Haemophilia Management Group.			
Inj 250 iu vial		1	Advate
	250.00		Kogenate FS
Inj 500 iu vial		1	Advate
	500.00		Kogenate FS
Inj 1,000 iu vial	950.00	1	Advate
	1,000.00		Kogenate FS
Inj 1,500 iu vial	1,425.00	1	Advate
Inj 2,000 iu vial	1,900.00	1	Advate
	2,000.00		Kogenate FS
Inj 3,000 iu vial	2,850.00	1	Advate
	3,000.00		Kogenate FS
DDIUM TETRADECYL SULPHATE			
Inj 3% 2 ml	28.50	5	
	(73.00)	Ũ	Fibro-vein
	()		
	00.00	100	
Tab 500 mg		100	<ul> <li>Cyklokapron</li> </ul>
/itamin K			
HYTOMENADIONE			
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8 00	5	Konakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ Konakion MM
		0	
Antithrombotic Agents			
Antiplatelet Agents			
SPIRIN			
Tab 100 mg		990	Ethics Aspirin EC
		-	<u>+</u>
LOPIDOGREL			
<ul> <li>Tab 75 mg – For clopidogrel oral liquid formulation refer, page 201</li> </ul>		04	A Arrow Classid
201		84	Arrow - Clopid
PYRIDAMOLE			
Tab 25 mg - For dipyridamole oral liquid formulation refer,			
page 201		84	Persantin
Tab long-acting 150 mg		60	Pytazen SR
RASUGREL - Special Authority see SA1201 on the next page			
Tab 5 mg		28	Effient
Tab 10 mg		28	✓ Effient
iao io ing	120.00	20	► LINGIL

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

#### SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic\*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Note: \* Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

\* Tab 90 mg ......90.00 56 V Brilinta

### ➡SA1382 Special Authority for Subsidy

**Initial application** — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

## Heparin and Antagonist Preparations

DALTEPARIN SODIUM - Special Authority see SA1270 below - Retai	l pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	🖌 Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	<ul> <li>Fragmin</li> </ul>
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	🖌 Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	<ul> <li>Fragmin</li> </ul>
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	<ul> <li>Fragmin</li> </ul>
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	🖌 Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	<ul> <li>Fragmin</li> </ul>

### SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application** — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 below - Retail pharmacy

Inj 20 mg	.24 10	Clexane
Inj 40 mg	.69 10	Clexane
Inj 60 mg74		Clexane
Inj 80 mg		Clexane
Inj 100 mg		Clexane
Inj 120 mg		Clexane
Inj 150 mg		Clexane

#### SA1174 Special Authority for Subsidy

**Initial application** — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

48

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
HEPARIN SODIUM				
Inj 1,000 iu per ml, 5 ml		10	~	Hospira
	66.80	50		Hospira
	11.44	10	~	Pfizer
	46.30	50	~	Pfizer
Inj 1,000 iu per ml, 35 ml		1	~	Hospira
Inj 5,000 iu per ml, 1 ml		5	~	Hospira
Inj 5,000 iu per ml, 5 ml		50	~	Pfizer
Inj 25,000 iu per ml, 0.2 ml		5	~	Hospira
HEPARINISED SALINE				
* Inj 10 iu per ml, 5 ml		50	~	Pfizer
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml		10		
	(101.61)			Artex S29
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg – No more than 2 cap per day	148.00	60	~	Pradaxa
Cap 110 mg		60	V	Pradaxa
Cap 150 mg	148.00	60		Pradaxa

RIVAROXABAN - Special Authority see SA1066 below - Retail pharm	acy		
Tab 10 mg	153.00	15	<ul> <li>Xarelto</li> </ul>

#### ➡SA1066 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

1 For the prophylaxis of venous thromboembolism following a total hip replacement; or

2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

#### WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
	-	6.86	100	Marevan
*	Tab 2 mg	4.31	50	Coumadin
*	Tab 3 mg	9.70	100	Marevan
*	Tab 5 mg	5.93	50	Coumadin
	-	11.75	100	<ul> <li>Marevan</li> </ul>

# **Blood Colony-stimulating Factors**

FILGRASTIM - Special Authority see SA1259 on the next page -	Retail pharmacy		
Inj 300 mcg per 0.5 ml prefilled syringe	540.00	5	Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	864.00	5	Zarzio

# BLOOD AND BLOOD FORMING ORGANS

‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

#### ➡SA1259 Special Authority for Subsidy

**Initial application** only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk ≥ 20%\*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC <  $0.5 \times 10^{9}$ /L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC <  $0.5 \times 10^9$ /L).

Note: \*Febrile neutropenia risk  $\geq$  20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

Inj 6 mg per 0.6 ml syringe ......1,080.00

Neulastim

1

#### SA1384 Special Authority for Subsidy

**Initial application** only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk  $\geq 20\%^*$ ).

Note: \*Febrile neutropenia risk  $\geq$  20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

## **Fluids and Electrolytes**

### Intravenous Administration

#### DEXTROSE

<ul> <li>Inj 50%, 10 ml – Up to 5 inj available on a PSO</li> <li>Inj 50%, 90 ml – Up to 5 inj available on a PSO</li> </ul>		5 1	<ul> <li>✓ <u>Biomed</u></li> <li>✓ Biomed</li> </ul>
POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml		50	✓ AstraZeneca
SODIUM BICARBONATE Inj 8.4%, 50 mla) Up to 5 inj available on a PSO		1	✓ Biomed
b) Not in combination Inj 8.4%, 100 ml a) Up to 5 inj available on a PSO	20.50	1	✔ Biomed

b) Not in combination

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
				alla falsa da 17 - 1 - 1
Not funded for use as a nasal drop. Only funded for nebuliser use.	r use when in co	onjunction with a	an antibi	otic intended for nebuli
Inf 0.9% – Up to 2000 ml available on a PSO	3.06	500 ml	🖌 Ba	axter
	4.06	1,000 ml	V Ba	
Only if prescribed on a prescription for renal dialysis, mat for emergency use. (500 ml and 1,000 ml packs)	ernity or post-na	atal care in the	home of	the patient, or on a P
Inj 23.4%, 20 ml		5	🖌 Bi	omed
For Sodium chloride oral liquid formulation refer Standard	Formulae, page	204		
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO		50	🖌 M	ultichem
	15.50		🖌 Pf	izer
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO	11.50	50	🖌 M	ultichem
	15.50		🖌 Pf	izer
Inj 0.9%, 20 ml	4.72	6	🖌 Pł	narmacia
	11.79	30	🖌 Pł	narmacia
	8.41	20	🖌 M	ultichem
OTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Sp	ecialist			
Infusion		1 OP	🖌 TE	PN
ATER		101	• 11	
Schedule requiring a solvent or diluent; or 2) On a bulk supply order; or 3) When used in the extemporaneous compounding of eye Purified for inj, 5 ml – Up to 5 inj available on a PSO Purified for inj, 10 ml – Up to 5 inj available on a PSO Purified for inj, 20 ml – Up to 5 inj available on a PSO		50 50 20	🖌 M	ultichem ultichem ultichem
Dral Administration				
ALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	🖌 Cá	alcium Resonium
OMPOUND ELECTROLYTES	0.00	5		ectral
Powder for oral soln – Up to 10 sach available on a PSO	1.80	5 10		nerlyte
Electral Powder for oral soln to be delisted 1 May 2014)	1.00	10	V LI	leriyle
EXTROSE WITH ELECTROLYTES		4 000 1 05		
Soln with electrolytes	6.55	1,000 ml OP		edialyte -
				<u>Bubblegum</u>
OTASSIUM BICARBONATE				
Tab eff 315 mg with sodium acid phosphate 1.937 g and				
sodium bicarbonate 350 mg		100	🖌 Pł	nosphate-Sandoz
For phosphate supplementation				
OTASSIUM CHLORIDE				
	5.26	60	C	lariacant
Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)			(J)	liorvescent
	(11.85)	200		nlorvescent Dan-K
• Tab long-acting 600 mg	(11.85)	200		ban-K
	(11.85) 7.42	200 100	✓ <u>S</u> p	

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
SODIUM POLYSTYRENE SULPHONATE Powder		450 g O	P 🖌 R	esonium-A

	Subsidy		Fully Brand or
	(Manufacturer's P	Price) Su	bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Alpha Adrenoceptor Blockers			
DXAZOSIN Tab 2 mg	8 23	500	✓ <u>Apo-Doxazosin</u>
Tab 4 mg		500	✓ Apo-Doxazosin
	12.40	500	• <u>Apo-Boxazosin</u>
	7 00	20	
Cap 10 mg		30	Dibenyline S29
	26.05	100	Dibenyline S29
RAZOSIN			<i>.</i>
Tab 1 mg	5.53	100	Apo-Prazo
Tab 0 ma	7.00	100	✓ Apo-Prazosin
Tab 2 mg	7.00	100	Apo-Prazo
Tab 5 mg	11 70	100	<ul> <li>✓ Apo-Prazosin</li> <li>✓ Apo-Prazo</li> </ul>
Tab 5 mg		100	Apo-Prazosin
			+ Apu-Fiazusiii
	0.50	00	
Tab 1 mg		28	✓ <u>Arrow</u>
Tab 2 mg Tab 5 mg		28 28	Arrow
Tab 5 mg		28	✓ <u>Arrow</u>
gents Affecting the Renin-Angiotensin System	1		
CE Inhibitors			
APTOPRIL			
‡ Oral liq 5 mg per ml	94 99	95 ml OP	<ul> <li>Capoten</li> </ul>
Oral liquid restricted to children under 12 years of age.			+ oupoton
Tab 0.5 mg	2.00	90	🖌 Zapril
Tab 2.5 mg		90 90	Zapril
Tab 5 mg		90	✓ Zapril
ů			*
	0.00	20	A Anotan
Tab 5 mg	0.36 5.94	30 500	<ul> <li>Acetec</li> <li>Acetec</li> </ul>
	5.94 1.07	500 90	<ul> <li>Acelec</li> <li>m-Enalapril</li> </ul>
	1.07	90 100	<ul> <li>Ethics Enalapri</li> </ul>
Tab 10 mg		30	✓ Acetec
140 10 mg	7.33	500	✓ Acetec
	1.32	90	✓ m-Enalapril
	1.47	100	<ul> <li>Ethics Enalapri</li> </ul>
Tab 20 mg - For enalapril maleate oral liquid formulation			
refer, page 201		30	✓ Acetec
·, poge = • · · · · · · · · · · · · · · · · · ·	1.72	90	<ul> <li>m-Enalapril</li> </ul>
	1.91	100	<ul> <li>Ethics Enalapri</li> </ul>
cetec Tab 5 mg to be delisted 1 September 2014)			
-Enalapril Tab 5 mg to be delisted 1 May 2014)			
cetec Tab 10 mg to be delisted 1 September 2014)			
-Enalapril Tab 10 mg to be delisted 1 May 2014)			
cetec Tab 20 mg to be delisted 1 September 2014)			

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
LIS	INOPRIL				
*	Tab 5 mg	3.58	90	· · ·	Arrow-Lisinopril
*	Tab 10 mg	4.08	90	V .	Arrow-Lisinopril
*	Tab 20 mg	4.88	90	V .	Arrow-Lisinopril
ΡE	RINDOPRIL				
*	Tab 2 mg	3.75	30	<b>v</b>	Apo-Perindopril
	C C C C C C C C C C C C C C C C C C C	(18.50)			Coversyl
*	Tab 4 mg		30	<b>v</b>	Apo-Perindopril
	-	(25.00)			Coversyl
QU	INAPRIL				
*	Tab 5 mg		90	<b>v</b>	Arrow-Quinapril 5
*	Tab 10 mg		90		Arrow-Quinapril 10
*	Tab 20 mg	6.34	90	<b>v</b>	Arrow-Quinapril 20
TR	ANDOLAPRIL				
*	Higher subsidy by endorsement is available for patients who we prior to 1 June 1998. The prescription must be endorsed acco are "certified condition" or an appropriate description of the cardiac failure" or "CCF". For the purposes of this endorsen infarction with an ejection fraction of less than 40%. Patients full subsidy by endorsement. Cap 1 mg – Higher subsidy of \$18.67 per 28 cap with En-	rdingly. We recomme patient such as "co nent, congestive hea	end th ngest urt fail	at the wor tive heart f ure include	ds used to indicate eligibility failure", "CHF", "congestive es patients post myocardial
	dorsement	3.06 (18.67)	28		Gopten
*	Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En-	( )			
	dorsement		28		

## **ACE Inhibitors with Diuretics**

CILAZAPRIL WITH HYDROCHLOROTHIAZIDE		
* Tab 5 mg with hydrochlorothiazide 12.5 mg	0 28	Inhibace Plus
10.7	2 100	🖌 Аро-
		Cilazapril/Hydrochlorothiazide
(Inhibace Plus Tab 5 mg with hydrochlorothiazide 12.5 mg to be delisted 1 Ju	ıne 2014)	
ENALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE		
* Tab 20 mg with hydrochlorothiazide 12.5 mg	2 30	
(8.7	0)	Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE		
* Tab 10 mg with hydrochlorothiazide 12.5 mg	7 30	✓ Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg4.5	7 30	✓ Accuretic 20
Angiotensin II Antagonists		
/ inglotonom		
CANDESARTAN CILEXETIL - Special Authority see SA1223 on the next pa	ge – Retail pharmac	у
* Tab 4 mg4.1	3 90	Candestar

(27.00)

0/1		opoolar / automy ooo of there on the hext page	riotan priarine	.0,
*	Tab 4 mg		90	✓ Candestar
*	Tab 8 mg	6.10	90	✓ Candestar
*	Tab 16 mg		90	✓ Candestar
*	Tab 32 mg		90	Candestar

Gopten

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

### SA1223 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

* Tab 12.5 mg         * Tab 25 mg         * Tab 50 mg         * Tab 50 mg         * Tab 100 mg         Angiotensin II Antagonists with Diuretics	3.20 5.22	90 90 90 90	✓ <u>Lostaar</u> ✓ <u>Lostaar</u> ✓ <u>Lostaar</u> ✓ <u>Lostaar</u>
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg	4.89	30	✓ <u>Arrow-Losartan &amp;</u> <u>Hydrochlorothiazide</u>
Antiarrhythmics			
For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthe	etics, Local, pag	e 125	
AMIODARONE HYDROCHLORIDE			
▲ Tab 100 mg - Retail pharmacy-Specialist	18.65	30	Aratac
			Cordarone-X
▲ Tab 200 mg – Retail pharmacy-Specialist	30.52	30	<ul> <li>✓ Aratac</li> <li>✓ Cordarone-X</li> </ul>
Inj 50 mg per ml, 3 ml ampoule – Up to 6 inj available on a PSO	22.80	6	✓ Cordarone-X
ATROPINE SULPHATE			
<ul> <li>Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO</li> </ul>	71.00	50	✓ <u>AstraZeneca</u>
DIGOXIN			
* Tab 62.5 mcg – Up to 30 tab available on a PSO		240	🖌 Lanoxin PG
* Tab 250 mcg – Up to 30 tab available on a PSO		240	Lanoxin
*‡ Oral liq 50 mcg per ml	16.60	60 ml	Lanoxin
DISOPYRAMIDE PHOSPHATE	45.00	100	
▲ Cap 100 mg	15.00 (23.87)	100	Rythmodan
▲ Cap 150 mg	· · · ·	100	✓ Rythmodan
FLECAINIDE ACETATE – Retail pharmacy-Specialist			•
▲ Tab 50 mg	45.82	60	✓ Tambocor
▲ Tab 100 mg – For flecainide acetate oral liquid formulation			
refer, page 201	80.92	60	<ul> <li>Tambocor</li> </ul>
▲ Cap long-acting 100 mg		30	✓ Tambocor CR
▲ Cap long-acting 200 mg		30	✓ Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	Tambocor

(1	Subsidy /anufacturer's Price) \$	Per	Full <u>y</u> Subsidised	d Generic
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	65.00	100	v	Mexiletine Hydrochloride USP (\$29)
▲ Cap 250 mg	102.00	100	~	Mexiletine Hydrochloride USP 829
PROPAFENONE HYDROCHLORIDE – Retail pharmacy-Specialist				
▲ Tab 150 mg	40.90	50	~	Rytmonorm
Antihypotensives				
MIDODRINE – Special Authority see SA0934 below – Retail pharm	acv			
Tab 2.5 mg		100	~	Gutron
Tab 5 mg	79.00	100	~	Gutron

#### SA0934 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Beta Adrenoceptor Blockers**

### ATENOLOL

* Tab 50 mg     * Tab 100 mg     * Oral liq 25 mg per 5 ml     Restricted to children under 12 years of age.	9.12	500 500 300 ml OP	<ul> <li>✓ <u>Mylan Atenolol</u></li> <li>✓ <u>Mylan Atenolol</u></li> <li>✓ Atenolol AFT 529</li> </ul>
BISOPROLOL Tab 2.5 mg Tab 5 mg Tab 10 mg	4.74	30 30 30	<ul> <li>✓ Bosvate</li> <li>✓ Bosvate</li> <li>✓ Bosvate</li> </ul>
CARVEDILOL * Tab 6.25 mg * Tab 12.5 mg * Tab 25 mg – For carvedilol oral liquid formulation refer 201	27.00 , page	30 30 30	<ul> <li>Dilatrend</li> <li>Dilatrend</li> <li>Dilatrend</li> </ul>
CELIPROLOL * Tab 200 mg	19.00	180	✔ Celol

		Subsidy		Fully	
		(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
LAE	BETALOL				
*	Tab 50 mg	8.23	100	<b>v</b> 1	lybloc
*	Tab 100 mg - For labetalol oral liquid formulation refer, page				
	201	10.06	100	<b>v</b> I	lybloc
*	Tab 200 mg	17.55	100	<b>V</b>	lybloc
*	Inj 5 mg per ml, 20 ml ampoule		5		
		(88.60)		٦	Frandate
ME	TOPROLOL SUCCINATE				
*	Tab long-acting 23.75 mg	0.96	30	~ 1	Metoprolol - AFT CR
*	Tab long-acting 47.5 mg		30		Metoprolol - AFT CR
*	Tab long-acting 95 mg	2.42	30	<b>v</b> ī	Metoprolol - AFT CR
*	Tab long-acting 190 mg	4.66	30		Metoprolol - AFT CR
ME	TOPROLOL TARTRATE				
*	Tab 50 mg – For metoprolol tartrate oral liquid formulation				
	refer, page 201	16.00	100	<b>1</b>	opresor
*	Tab 100 mg		60		opresor
*	Tab long-acting 200 mg		28		Slow-Lopresor
*	Inj 1 mg per ml, 5 ml vial		5	<b>v</b> ]	opresor
NA	DOLOL				
*	Tab 40 mg	15.57	100	V	Apo-Nadolol
*	Tab 80 mg		100	V	Apo-Nadolol
PIN	DOLOL				
*	Tab 5 mg	9.72	100	~	Apo-Pindolol
*	Tab 10 mg		100		Apo-Pindolol
*	Tab 15 mg		100		Apo-Pindolol
DD	OPRANOLOL				
*	Tab 10 mg	3 65	100	~	Apo-
*			100	• /	Propranolol S29
*	Tab 40 mg	4.65	100	~	Apo-
	0				Propranolol S29
		10.00			•
*	Cap long-acting 160 mg	16.06	100	~	Cardinol LA
*	Oral liq 4 mg per ml – Special Authority see SA1327 below –	000			
	Retail pharmacy	CBS 5	500 ml		Roxane S29

#### ➡SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

	Subsidy		Ful	
	(Manufacturer's Price) \$	Per	Subsidise	d Generic Manufacturer
OTALOL				
Tab 80 mg – For sotalol oral liquid formulation refer, page 201	27.50	500	~	Mylan
F Tab 160 mg		100	~	Mylan
Inj 10 mg per ml, 4 ml ampoule	65.39	5	~	Sotacor
IMOLOL MALEATE				
F Tab 10 mg	10.55	100	~	Apo-Timol
Calcium Channel Blockers				
Dihydropyridine Calcium Channel Blockers				
MLODIPINE				
• Tab 2.5 mg	2 45	100	~	Apo-Amlodipine
Tab 5 mg – For amlodipine oral liquid formulation refer, page			•	
		100	~	Apo-Amlodipine
• Tab 10 mg		100		Apo-Amlodipine
•			•	<u></u>
ELODIPINE	2.00	20		Plendil ER
Tab long-acting 2.5 mg     Tab long-acting 5 mg		30 30		Plendil ER
Tab long-acting 5 mg		30		Plendil ER
	4.00	30	v	<u>Fieliuli En</u>
RADIPINE Cap long-acting 2.5 mg	7.50	30		Dynacirc-SRO
Cap long-acting 5 mg		30		Dynacirc-SRO
		50	•	Dynache-Sho
	17 70	~~		
Tab long-acting 10 mg		60 100		Adalat 10 Nyefax Retard
Tab long-acting 20 mg     Tab long-acting 30 mg     Tab long-acting 30 mg		30		Adefin XL
ab long-acting 50 mg	0.00	00		Arrow-Nifedipine XR
	5.50		•	
	(19.90)			Adalat Oros
Tab long-acting 60 mg		30	~	Adefin XL
			V	Arrow-Nifedipine XR
	8.00			•
	(29.50)			Adalat Oros
Other Calcium Channel Blockers				
ILTIAZEM HYDROCHLORIDE				
Tab 30 mg	4.60	100	~	Dilzem
Tab 60 mg – For diltiazem hydrochloride oral liquid formula-	0.55			
tion refer, page 201		100		Dilzem
Cap long-acting 120 mg		30		Cardizem CD
Con long opting 190 mg	31.83	500		Apo-Diltiazem CD
Cap long-acting 180 mg		30 500		Cardizem CD Apo-Diltiazem CD
Cap long-acting 240 mg	47.67	500 20		Cardizem CD
Cap long-aculty 240 mg	63.58	30 500		Apo-Diltiazem CD
ERHEXILINE MALEATE – Special Authority see SA1260 on the				Deventer
• Tab 100 mg	62.90	100	~	Pexsig

Subsidy	Price)	Fully	Brand or
(Manufacturer's		Subsidised	Generic
\$	Per	<ul> <li>✓</li> </ul>	Manufacturer

### ➡SA1260 Special Authority for Subsidy

Initial application only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient has refractory angina; and
- 2 Patient is on the maximal tolerated dose of a beta-blocker, a calcium channel blocker and a long acting nitrate.

Renewal only from a cardiologist or any relevant practitioner on the recommendation of a cardiologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

VERAPAMIL	. HYDROCHLORIDE

* Tab 40 mg7.01	100	✓ Isoptin
* Tab 80 mg – For verapamil hydrochloride oral liquid formula-		
tion refer, page 20111.74	100	✓ Isoptin
* Tab long-acting 120 mg15.20	250	Verpamil SR
* Tab long-acting 240 mg25.00	250	Verpamil SR
* Inj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available on a		
PSO	5	✓ Isoptin
Ocalually, Asting, Assault		•
Centrally-Acting Agents		
CLONIDINE		
* Patch 2.5 mg, 100 mcg per day – Only on a prescription	4	Catapres-TTS-1
* Patch 5 mg, 200 mcg per day – Only on a prescription	4	Catapres-TTS-2
* Patch 7.5 mg, 300 mcg per day – Only on a prescription	4	✓ Catapres-TTS-3
		·
* Tab 25 mcg	112	Clonidine BNM
* Tab 150 mcg	100	Catapres
* Inj 150 mcg per ml, 1 ml ampoule	5	Catapres
	5	
METHYLDOPA		
* Tab 125 mg14.25	100	Prodopa
* Tab 250 mg15.10	100	Prodopa
* Tab 500 mg23.15	100	Prodopa

### Diuretics

### **Loop Diuretics**

BUMETANIDE			
* Tab 1 mg		100	Burinex
* Inj 500 mcg per ml, 4 ml vial	7.95	5	<ul> <li>Burinex</li> </ul>
FUROSEMIDE [FRUSEMIDE]			
* Tab 40 mg – Up to 30 tab available on a PSO	10.25	1,000	Diurin 40
* Tab 500 mg	25.00	50	Urex Forte
* 1 Oral liq 10 mg per ml		30 ml OP	Lasix
* Inj 10 mg per ml, 25 ml ampoule	48.14	5	Lasix
* Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a			
PSO	1.30	5	<ul> <li>Frusemide-Claris</li> </ul>

	Cubaidu		Fully Prond or
	Subsidy (Manufacturer's P	rice) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Potassium Sparing Diuretics			
AMILORIDE HYDROCHLORIDE			
* Tab 5 mg	17.50	100	Apo-Amiloride
Oral liq 1 mg per ml		25 ml OP	<ul> <li>Biomed</li> </ul>
METOLAZONE - Special Authority see SA1349 below - Retail p	harmacy		
Tab 5 mg	CBS	1	Metolazone S29
		50	Zaroxolyn S29
►SA1349   Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid ment of patients with refractory heart failure who are intolerant or nation therapy.			
SPIRONOLACTONE  * Tab 25 mg	3.65	100	✓ Spiractin
* Tab 25 mg		100	✓ <u>Spiracun</u> ✓ Spirotone
* Tab 100 mg		100	<ul> <li>✓ Spiractin</li> </ul>
			Spirotone
Oral liq 5 mg per ml     Coincidence Tab 25 mg to be delicited 1 August 2014)		25 ml OP	Biomed
(Spirotone Tab 25 mg to be delisted 1 August 2014) Potassium Sparing Combination Diuretics			
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE			
<ul> <li>* Tab 5 mg with furosemide 40 mg</li> </ul>		28	🖌 Frumil
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZI			
* Tab 5 mg with hydrochlorothiazide 50 mg		50	✓ Moduretic
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]			
* Tab 2.5 mg – Up to 150 tab available on a PSO	6.48	500	✓ <u>Arrow-</u>
			Bendrofluazide
May be supplied on a PSO for reasons other than emerge * Tab 5 mg		500	✓ Arrow-
	9.95	500	Bendrofluazide
CHLOROTHIAZIDE			
Oral liq 50 mg per ml		25 ml OP	<ul> <li>Biomed</li> </ul>
CHLORTALIDONE [CHLORTHALIDONE]			
* Tab 25 mg	8.00	50	✓ Hygroton
INDAPAMIDE			
* Tab 2.5 mg	2.25	90	Dapa-Tabs
Lipid-Modifying Agents			
Fibrates			
BEZAFIBRATE			
* Tab 200 mg	9.70	90	✓ Bezalip
* Tab long-acting 400 mg	5.70	30	Bezalip Retard
GEMFIBROZIL			
* Tab 600 mg	17.60	60	Lipazil

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	(Manulacturer's Frice) \$	Per		Manufacturer
Other Lipid-Modifying Agents				
ACIPIMOX				
* Cap 250 mg		30	<b>~</b> (	Dibetam
NICOTINIC ACID				
* Tab 50 mg		100		Apo-Nicotinic Acid
* Tab 500 mg		100	V <u>I</u>	Apo-Nicotinic Acid
Resins				
CHOLESTYRAMINE				
Powder for oral liq 4 g		50		
	(52.68)		(	Questran-Lite
COLESTIPOL HYDROCHLORIDE				
Grans for oral liq 5 g		30	~	Colestid
HMG CoA Reductase Inhibitors (Statins)				
Prescribing Guidelines				
Freatment with HMG CoA Reductase Inhibitors (statins) is a cardiovascular risk of 15% or greater.	recommended for patients	with	dyslipidaer	nia and an absolute 5 yea
TORVASTATIN – See prescribing guideline above				
₭ Tab 10 mg	2.52	90	<b>v</b> 7	Zarator
🖌 Tab 20 mg	4.17	90	~ 7	Zarator
🖌 Tab 40 mg	7.32	90	V <u>7</u>	Zarator
₭ Tab 80 mg		90	V <u>2</u>	Zarator
PRAVASTATIN – See prescribing guideline above				
₭ Tab 20 mg		30	-	Cholvastin
🖌 Tab 40 mg	9.28	30	<u> </u>	Cholvastin
SIMVASTATIN – See prescribing guideline above				
₭ Tab 10 mg		90	-	Arrow-Simva 10mg
₭ Tab 20 mg		90	-	Arrow-Simva 20mg
₭ Tab 40 mg		90 90		Arrow-Simva 40mg
* Tab 80 mg	9.31	90	•	Arrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE – Special Authority see SA1045 below – Retail Tab 10 mg		30	<b>/</b> I	Ezetrol
➡SA1045 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals	valid for 2 years for applica	ations	meeting th	e following criteria:
<ol> <li>Patient has a calculated absolute risk of cardiovasci</li> </ol>	ular disease of at least 150	1/- 01/0	r 5 vooro: o	nd
2 Patient's LDL cholesterol is 2.0 mmol/litre or greater		0 Ove	i o years, a	ina
3 Any of the following:	e musele eskere end	line I'		then to
3.1 The patient has rhabdomyolysis (defined a	s muscle aches and creat	tine ki	inase more	than $10 \times$ normal) whe
treated with one statin; or 3.2 The patient is intolerant to both simvastatin a	and atomastating or			
3.3 The patient has not reduced their LDL chole		ol/litra	with the u	se of the maximal tolerate
dose of atorvastatin.		Si nu C	, mai ulo u	
				a a stimula al

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Tab 10 mg with simvastatin 10 mg	30	🖌 Vytorin
Tab 10 mg with simvastatin 20 mg	30	Vytorin
Tab 10 mg with simvastatin 40 mg	30	Vytorin
Tab 10 mg with simvastatin 80 mg45.45	30	<ul> <li>Vytorin</li> </ul>

### ➡SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to  $\leq 2.0$  mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## Nitrates

### GLYCERYL TRINITRATE

* Tab 600 mcg – Up to 100 tab available on a PSO	8.00	100 OP	Lycinate
* Oral spray, 400 mcg per dose - Up to 250 dose available on			
a PSO	4.45	250 dose OP	Glytrin
* Patch 25 mg, 5 mg per day	16.56	30	Nitroderm TTS
* Patch 50 mg, 10 mg per day	19.50	30	Nitroderm TTS
ISOSORBIDE MONONITRATE			
* Tab 20 mg	17.10	100	🖌 Ismo 20
* Tab long-acting 40 mg	7.50	30	<ul> <li>Corangin</li> </ul>
			Ismo 40 Retard
* Tab long-acting 60 mg	3.94	90	Duride
(Corangin Tab long-acting 40 mg to be delisted 1 August 2014)			

	0.1.11		<b>-</b> "	
	Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic
	\$	Per	~	Manufacturer
Sympathomimetics				
ADRENALINE				
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO	4.98 5.25	5		spen Adrenaline Iospira
Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a				
PSO		5		lospira
	49.00	10	V A	spen Adrenaline
ISOPRENALINE	00.00	05		
* Inj 200 mcg per ml, 1 ml ampoule		25	le	suprel
	(135.00)		13	suprei
Vasodilators				
AMYL NITRITE				
* Liq 98% in 0.3 ml cap	62.92	12		
	(73.40)		В	axter
HYDRALAZINE HYDROCHLORIDE				
* Tab 25 mg - Special Authority see SA1321 below - Retail				
pharmacy	CBS	1		lydralazine
* Inj 20 mg ampoule	25.00	56 5		onelink <sup>S29</sup> Apresoline
SA1321 Special Authority for Subsidy	20.90	5	•	presonne
Initial application from any relevant practitioner. Approvals valid the following criteria: Either: 1 For the treatment of refractory hypertension; or				
2 For the treatment of heart failure in combination with a nit inhibitors and/or angiotensin receptor blockers.	rate, in patients who	are intol	erant or h	ave not responded to ACE
MINOXIDIL - Special Authority see SA1271 below - Retail pharm				
▲ Tab 10 mg	70.00	100	V L	oniten
► SA1271 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals valid refractory hypertension which has failed to respond to extensive m		val unles	ss notified	d where patient has severe
NICORANDIL - Special Authority see SA1263 below - Retail pha				
▲ Tab 10 mg		60	• ••	korel
▲ Tab 20 mg		60	<b>v</b> 1	korel
► SA1263 Special Authority for Subsidy Initial application only from a cardiologist or general physician.	Approvale valid for 2	voare fo	r applica	tions mosting the following
criteria:	Approvais valiu ior 2	years io	i applica	
Both:				
1 Patient has refractory angina; and 2 Patient is on the maximal tolerated dose of a beta-blocker	r, a calcium channel l	blocker a	and a long	g acting nitrate.
Renewal only from a cardiologist or any relevant practitioner on the where the treatment remains appropriate and the patient is benefit	ne recommendation of			
PAPAVERINE HYDROCHLORIDE				
* Inj 12 mg per ml, 10 ml ampoule	73.12	5	🗸 Н	lospira

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PENTOXIFYLLINE [OXPENTIFYLLINE] Tab 400 mg		50	Tr	rental 400
Endothelin Receptor Antagonists				
SA0967   Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensio Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.go	osite http://www.phar	mac.g	govt.nz or:	
AMBRISENTAN – Special Authority see SA0967 above – Retail p Tab 5 mg Tab 10 mg	4,585.00	30 30	• •	olibris olibris
BOSENTAN – Special Authority see SA0967 above – Retail pharr Tab 62.5 mg	macy	60		ms-Bosentan racleer
Tab 125 mg		60	🖌 pi	ms-Bosentan racleer

### Phosphodiesterase Type 5 Inhibitors

### SA1293 Special Authority for Subsidy

**Initial application — (Raynaud's Phenomenon\* - for Pulmonary Arterial Hypertension see note below))** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon\*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form <u>SA1293-PAH</u>).

Application details may be obtained from: The Coordinator, PAH Panel

## PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7512 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz Indications marked with \* are Unapproved Indications.

SILDENAEII - Special Authority con SA1202 chores

SILDENAFIL – Special Authority see SA1293 above – Retail pharmacy			
Tab 25 mg	.1.85	4	Silagra
Tab 50 mg	.1.85	4	<ul> <li>Silagra</li> </ul>
Tab 100 mg – For sildenafil oral liquid formulation refer, page			
201	.7.45	4	Silagra

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
Prostacyclin Analogues			
► SA0969 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensis Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.g	bsite <u>http://www.pharr</u>	mac.govt.nz or:	
ILOPROST – Special Authority see SA0969 above – Retail phan Nebuliser soln 10 mcg per ml, 2 ml	,	30 🖌 V	/entavis

	Subsidy (Manufacturer's Price) \$	Full Subsidise Per •	d Generic
Antiacne Preparations			
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 92		
ADAPALENE			
a) Maximum of 30 g per prescription			
b) Only on a prescription			
Crm 0.1%		)gOP 🖌 🖌	Differin
Gel 0.1%		)g OP 🖌 🖌	Differin
ISOTRETINOIN - Special Authority see SA0955 below - Retail	oharmacy		
Cap 10 mg		120 🖌	Oratane
Cap 20 mg		120 🖌	Oratane

#### ➡SA0955 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

### TRETINOIN

Crm 0.5 mg per g – Maximum of 50 g per prescription	13.90	50 g OP	ReTrieve
---	-------	---------	----------

	Subsidy		Fully Brand or
	(Manufacturer's I		osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Antibacterials Topical			
For systemic antibacterials, refer to INFECTIONS, Antibact	erials, page 92		
FUSIDIC ACID			
Crm 2%	3.25	15 g OP	🖌 Foban
a) Maximum of 15 g per prescription		0	
b) Only on a prescription			
c) Not in combination			<b>4 -</b> 1
Oint 2%	3.45	15 g OP	✓ Foban
a) Maximum of 15 g per prescription			
<ul><li>b) Only on a prescription</li><li>c) Not in combination</li></ul>			
HYDROGEN PEROXIDE			
* Crm 1%	8 56	15 g OP	<ul> <li>Crystaderm</li> </ul>
/UPIROCIN		10 9 01	v erjetateriti
Oint 2%	6 60	15 g OP	
	(9.26)	10 9 01	Bactroban
a) Only on a prescription	()		
b) Not in combination			
SILVER SULPHADIAZINE			
Crm 1%	12.30	50 g OP	Flamazine
a) Up to 250 g available on a PSO			
b) Not in combination			
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals	s, page 98		
AMOROLFINE			
a) Only on a prescription			
b) Not in combination			
Nail soln 5%		5 ml OP	
	(61.87)		Loceryl
CICLOPIROX OLAMINE			
a) Only on a prescription			
b) Not in combination Nail-soln 8%	0.00	7 ml OP	Ana Cialanikay
Soln 1%		20 ml OP	Apo-Ciclopirox
	(11.54)	20111101	Batrafen
Batrafen Soln 1% to be delisted 1 August 2014)	(		
₭ Crm 1%	0.54	20 g OP	Clomazol
a) Only on a prescription			<u></u>
b) Not in combination			
₭ Soln 1%		20 ml OP	
	(7.55)		Canesten
a) Only on a prescription			
b) Not in combination			

	Subsidy		Fully Brand or
	(Manufacturer's I \$	Price) Sul Per	bsidised Generic Manufacturer
CONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)	- 5 -	Pevaryl
a) Only on a prescription	· · · ·		2
b) Not in combination			
Foaming soln 1%, 10 ml sachets	9.89	3	
	(17.23)		Pevaryl
a) Only on a prescription			
b) Not in combination			
/ICONAZOLE NITRATE			
₭ Crm 2%	0.46	15 g OP	✓ <u>Multichem</u>
a) Only on a prescription			
b) Not in combination			
₭ Lotn 2%		30 ml OP	
	(10.03)		Daktarin
a) Only on a prescription			
b) Not in combination ₭ Tinct 2%	4.96	30 ml OP	
<ul> <li>TINCL 2%</li> </ul>	4.36 (12.10)	30 MI OP	Daktarin
a) Only on a prescription	(12.10)		Dakiann
b) Not in combination			
IYSTATIN			
Crm 100,000 u per g	1.00	15 g OP	
	(7.90)	15 y OF	Mycostatin
a) Only on a prescription	(7.00)		Wyoostaan
b) Not in combination			
1			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			
Ćrm, aqueous, BP	1.77	100 g	Pharmacy Health
Lotn, BP	13.45	2,000 ml	✓ PSM
ROTAMITON			
a) Only on a prescription			
b) Not in combination			
Ćrm 10%	3.48	20 g OP	✓ Itch-Soothe
IENTHOL – Only in combination			
Only in combination with aqueous cream, 10% urea crean	n, wool fat with mine	eral oil lotion 1	% hydrocortisone with wool fat a
mineral oil lotion, and glycerol, paraffin and cetyl alcohol lo			
Crystals		25 g	🖌 PSM
,	6.92	- 0	✓ MidWest
	29.60	100 g	✓ MidWest

	Subsidy (Manufacturer's F	Price) Sub	Fully sidised	Brand or Generic
	\$	Per	~	Manufacturer
Corticosteroids Topical				
For systemic corticosteroids, refer to CORTICOSTEROIDS AND F	RELATED AGEN	ITS, page 84		
Corticosteroids - Plain				
BETAMETHASONE DIPROPIONATE				
Crm 0.05%	2.96	15 g OP		iprosone
	8.97	50 g OP		iprosone
Crm 0.05% in propylene glycol base		30 g OP		iprosone OV
Oint 0.05%		15 g OP		iprosone
	8.97	50 g OP		iprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	V D	iprosone OV
BETAMETHASONE VALERATE				
₭ Crm 0.1%	3.50	50 g OP	🖌 В	eta Cream
₭ Oint 0.1%		50 g OP		eta Ointment
₭ Lotn 0.1%	10.05	50 ml OP	🗸 В	etnovate
CLOBETASOL PROPIONATE				
₭ Crm 0.05%	3.68	30 g OP	🖌 D	ermol
₭ Oint 0.05%	3.68	30 g OP	🖌 D	ermol
CLOBETASONE BUTYRATE		-		
Crm 0.05%	5 38	30 g OP		
	(7.09)	00 g 0.	E	umovate
	16.13	100 g OP	_	
	(22.00)		E	umovate
DIFLUCORTOLONE VALERATE	( )			
Crm 0.1%	8 07	50 g OP		
Onn 0.170	(15.86)	50 g 01	N	erisone
Fatty oint 0.1%		50 g OP	14	choone
	(15.86)	00 9 01	N	erisone
HYDROCORTISONE	(10100)			
	0.75	100 ~		harmacy Health
Crm 1% – Only on a prescription		100 g		harmacy Health
<ul> <li>Powder – Only in combination</li> </ul>		500 g 25 g	V A	
Up to 5% in a dermatological base (not proprietary Topic galenicals. Refer, page 200		•		
HYDROCORTISONE BUTYRATE				
Lipocream 0.1%	2.30	30 g OP	<b>v</b> 14	ocoid Lipocream
	6.85	100 g OP		ocoid Lipocream
Oint 0.1%		100 g OP		ocoid
Milky emul 0.1%		100 ml OP		ocoid Crelo
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL				
Lotn 1% with wool fat hydrous 3% and mineral oil – Only on a prescription	9 95	250 ml	🗸 П	P Lotn HC
		200 111	• •	
	4.05	15 - 00		du a u ka u
Crm 0.1%		15 g OP		dvantan
Oint 0.1%	4.95	15 g OP	V A	dvantan

	Subsidy		Ful	
	(Manufacturer's P \$	Price) Per	Subsidise	d Generic Manufacturer
MOMETASONE FUROATE				
Crm 0.1%		15 g O	Р 🗸	m-Mometasone
••••••	3.42	45 q O		m-Mometasone
Oint 0.1%	•••=	15 g O		m-Mometasone
	3.42	45 g O		m-Mometasone
Lotn 0.1%	7.35	30 ml C		Elocon
TRIAMCINOLONE ACETONIDE				
Crm 0.02%	6 63	100 g C	P V	Aristocort
Oint 0.02%		100 g C		Aristocort
Corticosteroids - Combination		.co g c	•	
Controsteroids - Combination				
BETAMETHASONE VALERATE WITH CLIOQUINOL – Only on a				
Crm 0.1% with clioquinol 3%	3.49	15 g O	Р	
	(4.90)			Betnovate-C
Oint 0.1% with clioquinol 3%		15 g O	Р	
	(4.90)			Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID				
Crm 0.1% with fusidic acid 2%	3.49	15 g O	Р	
	(10.45)	-		Fucicort
<ul> <li>a) Maximum of 15 g per prescription</li> <li>b) Only on a prescription</li> </ul>				
HYDROCORTISONE WITH MICONAZOLE - Only on a prescrip	tion			
* Crm 1% with miconazole nitrate 2%	2.10	15 g O	Р 🖌	Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Or	nlv on a prescript	ion		
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g O	Р 🗸	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g O		Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI				
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg				
and gramicidin 250 mcg per g – Only on a prescription		15 g O	D	
and grannedur 250 meg per g - Only on a prescription.	(6.60)	15 y O		Viaderm KC
	(0.00)			Viddeliii Ko
Disinfecting and Cleansing Agents				
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescription		ordingly.		
* Handrub 1% with ethanol 70%	4.39	500 m	I 🖌	healthE
* Soln 4%	5.90	500 m	I 🖌	Orion
TRICLOSAN – Subsidy by endorsement				
a) Maximum of 500 ml per prescription b)				
<ul> <li>a) Only if prescribed for a patient identified with Methicillin-r in hospital and the prescription is endorsed accordingly;</li> </ul>		ococcus a	ureus (MF	RSA) prior to elective surger
b) Only if prescribed for a patient with recurrent Staphylococ		tion and th	ne prescrii	ption is endorsed accordinal
Soln 1%		500 ml (		Pharmacy Health
	5.90	000 111 (		healthE
	0.90		~	neditite

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic ✔ Manufacturer
Barrier Creams and Emollients			
Barrier Creams			
DIMETHICONE			
* Crm 5% pump bottle	4.73	500 ml OP	<ul> <li>healthE</li> <li>Dimethicone 5%</li> </ul>
ZINC AND CASTOR OIL			<b>4 a a a a</b>
* Oint BP Emollients	3.83	500 g	✓ <u>Multichem</u>
Emoments			
	1.00	500 m	
* Crm	1.96	500 g	✓ <u>AFT</u>
CETOMACROGOL * Crm BP	3.15	500 g	✔ PSM
CETOMACROGOL WITH GLYCEROL		000 g	• • •
Crm 90% with glycerol 10%	4.50	500 ml OP	<ul> <li>Pharmacy Health</li> <li>Sorbolene with</li> <li>Glycerin</li> </ul>
	6.50	1,000 ml OP	<ul> <li>Pharmacy Health</li> <li>Sorbolene with</li> <li>Glycerin</li> </ul>
EMULSIFYING OINTMENT * Oint BP	2.04	500 a	🗸 AFT
★ Onit BF DIL IN WATER EMULSION		500 g	
8 Crm	2.63	500 g	healthE Fatty Cream
JREA		0	
✤ Crm 10%		100 g OP	✓ healthE Urea Cream
(Nutraplus Crm 10% to be delisted 1 May 2014)	(3.07)		Nutraplus
NOOL FAT WITH MINERAL OIL – Only on a prescription			
<ul> <li>Lotn hydrous 3% with mineral oil</li> </ul>	1.40	250 ml OP	
	(3.50)		Hydroderm Lotion
	5.60	1,000 ml	
	(9.54)		Hydroderm Lotion
	1.40	250 ml OP	DP Lotion
	(4.53) 5.60	1,000 ml	DF LOUOT
	(11.95)	1,000 mil	DP Lotion
	(20.53)		Alpha-Keri Lotion
	1.40	250 ml OP	'
	(7.73)		BK Lotion
	5.60	1,000 ml	
	(23.91)		BK Lotion

	<u> </u>		
	Subsidy (Manufacturer's F	Price) Sut	Fully Brand or osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Other Dermatological Bases			
PARAFFIN			
White soft – Only in combination	3.58	500 g	
	(7.78)		IPW
	20.20	2,500 g	✓ IPW
	3.58	500 g	2014
Only in combination with a dermotal grian galaxies or as	(8.69)	nriatari / Tania	PSM
Only in combination with a dermatological galenical or as	a ulluent for a pro	ophetary topic	ai Conticosteroiu – Plain.
Minor Skin Infections			
POVIDONE IODINE			
Oint 10%	3.27	25 g OP	Betadine
<ul> <li>a) Maximum of 100 g per prescription</li> </ul>			
b) Only on a prescription			
Antiseptic soln 10%		15 ml	
	(4.45)	100	Betadine
	1.28	100 ml	Datadiaa
	(8.25) 6.20	500 ml	Betadine
	1.28	100 ml	• Delaume
	(4.20)	100 111	Riodine
	6.20	500 ml	✓ Riodine
Skin preparation, povidone iodine 10% with 30% alcohol		100 ml	
	(3.65)		Betadine Skin Prep
	10.00	500 ml	<ul> <li>Betadine Skin Prep</li> </ul>
Skin preparation, povidone iodine 10% with 70% alcohol	1.63	100 ml	
	(6.04)		Orion
	8.13	500 ml	0.1
	(18.63)		Orion
Parasiticidal Preparations			
GAMMA BENZENE HEXACHLORIDE			
Crm 1%	3.50	50 g OP	Benhex
VERMECTIN – Special Authority see SA1225 below – Retail ph			
Tab 3 mg – Up to 100 tab available on a PSO		4	<ul> <li>Stromectol</li> </ul>
<ol> <li>PSO for institutional use only. Must be endorsed with th Special Authority for patient of that institution.</li> </ol>	e name of the ins	titution for whi	ch the PSO is required and a val
<ol> <li>Ivermectin available on BSO provided the BSO includes</li> </ol>	a valid Special A	uthority for a n	atient of the institution.
3) For the purposes of subsidy of ivermectin, institution m			
or penal institutions.			

### ➡SA1225 Special Authority for Subsidy

**Initial application** — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

2.1 Both:

- 2.1.1 The patient is in the community; and
- 2.1.2 Any of the following:
  - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
  - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
  - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
- 2.2 All of the following:
  - 2.2.1 The Patient is a resident in an institution; and
  - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
  - 2.2.3 Any of the following:
    - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
    - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
    - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

**Renewal** — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:
      - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

### MALATHION

Liq 0.5%	200 ml OP	A-Lices
Shampoo 1%2.83	30 ml OP	A-Lices
MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2%11.15	90 g OP	🗸 Para Plus
PERMETHRIN		
Crm 5%4.20	30 g OP	Lyderm
Lotn 5%	30 ml OP	✓ A-Scabies

## **Psoriasis and Eczema Preparations**

ACITRETIN - Special Authority see SA0954 below - Re	etail pharmacy		
Cap 10 mg		100	Neotigason
	38.66	60	Novatretin
Cap 25 mg		60	Novatretin
	85.40	100	Neotigason

### ➡SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

# DERMATOLOGICALS

	0.1.11			<u> </u>
	Subsidy	viaa) Cuk	Fully	Brand or
	(Manufacturer's P \$	Per Suc	osidised	Generic Manufacturer
	Ŷ	101	•	
BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL				
Oint 500 mcg with calcipotriol 50 mcg	26.12	30 g OP	🖌 Da	aivobet
Topical gel 500 mcg with calcipotriol 50 mcg		30 g OP	🖌 Da	aivobet
CALCIPOTRIOL				
Crm 50 mcg per g	16.00	30 g OP	🖌 Da	aivonex
	45.00	100 g OP		aivonex
Oint 50 mcg per g		100 g OP		aivonex
Soln 50 mcg per ml		30 ml OP		aivonex
			• •	
COAL TAR				
Soln – Only in combination		200 ml		dwest
Up to 10 % Only in combination with a dermatological bas base, page 200 With or without other dermatological gale		opical Corticos	teriod – I	Plain, refer dermatological
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULF	PHUR			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and				
allantoin crm 2.5%		30 g OP		
	(4.35)	00 g 0.	Fo	jopsoryl TA
	6.59	75 g OP	-3	jopeerji ni
	(8.00)	lege.	Fo	jopsoryl TA
	(0.00)		-3	Jobeo: ):
COAL TAR WITH SALICYLIC ACID AND SULPHUR	7.05	10 × 00		
Soln 12% with salicylic acid 2% and sulphur 4% oint		40 g OP		oco-Scalp
SALICYLIC ACID				
Powder – Only in combination		250 g	🖌 PS	SM
1) Only in combination with a dermatological base or pro	prietary Topical C	Corticosteroid	– Plain	or collodion flexible, refer
dermatological base, page 200				
<ol><li>With or without other dermatological galenicals.</li></ol>				
3) Maximum 20 g or 20 ml per prescription when prescribe	d with white soft p	paraffin or colle	dion flex	kible.
SULPHUR				
Precipitated – Only in combination	6.35	100 g	🖌 Mi	dwest
1) Only in combination with a dermatological base or prop		0		
page 200	shouly reploar of		r iairi, i	olor dominatological baco,
<ol> <li>With or without other dermatological galenicals.</li> </ol>				
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU		alu on o proco	intion	
		liy on a presci	ιριιοπ	
* Soln 2.3% with triethanolamine lauryl sulphate and fluores		500 ml		notoroal
cein sodium		500 ml		netarsol
	5.82	1,000 ml	<b>v</b> <u>Pl</u>	<u>netarsol</u>
Scalp Preparations				
BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.75	100 ml OP	🖌 Be	eta Scalp
CLOBETASOL PROPIONATE				
* Scalp app 0.05%	6.96	30 ml OP	🖌 De	ermol
HYDROCORTISONE BUTYRATE	2 65	100 ml OD		aaid
Scalp lotn 0.1%	3.05	100 ml OP	✓ Lo	
KETOCONAZOLE				
Shampoo 2%	3.08	100 ml OP	✓ <u>Se</u>	ebizole
a) Maximum of 100 ml per prescription				
b) Only on a prescription				

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub Per	osidised Generic Manufacturer
	÷		
Sunscreens			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensitiv	vity secondary to a	defined clinica	I condition and the prescription is
endorsed accordingly.	2.20	100 ~ OD	
Crm		100 g OP	Hamilton Sunscreen
Lotn.	( )	100 g OP	✓ Marine Blue Lotion
			SPF 50+
	5.10	200 g OP	<ul> <li>Marine Blue Lotion SPF 50+</li> </ul>
Lotn	2.55	100 ml OP	Marine Blue Lotion
			SPF 30+
	5.10	200 ml OP	<ul> <li>Marine Blue Lotion SPF 30+</li> </ul>
	4.13	125 ml OP	
	(6.94)		Aquasun 30+
Marine Blue Lotion SPF 30+ Lotn to be delisted 1 September	r 2014)		
Wart Preparations			
For salicylic acid preparations refer to PSORIASIS AND ECZE	EMA PREPARATIO	NS, page 74	
MIQUIMOD – Special Authority see SA0923 below – Retail p	harmacv		
Crm 5%		12	✓ <u>Aldara</u>
SA0923 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals va Any of the following:	alid for 4 months for	r applications m	eeting the following criteria:
<ol> <li>The patient has external anogenital warts and podopi</li> <li>The patient has external anogenital warts and podopi</li> <li>The patient has confirmed superficial basal cell carc are contraindicated or inappropriate.</li> </ol>	hyllotoxin is unable	to be applied a	ccurately to the site; or
lotes: Superficial basal cell carcinoma			
<ul> <li>Surgical excision remains first-line treatment for super and allows histological assessment of tumour clearar</li> </ul>	ice.		
<ul> <li>Imiquimod has not been evaluated for the treatment nose, mouth or ears.</li> </ul>			
<ul> <li>Imiquimod is not indicated for recurrent, invasive, infil External anogenital warts</li> </ul>	trating, or nodular b	basal cell carcin	oma.
<ul> <li>Imiquimod is only indicated for external genital and period</li> </ul>			
Renewal from any relevant practitioner. Approvals valid for 4 n Any of the following:	nonths for applicati	ons meeting the	e following criteria:
<ol> <li>Inadequate response to initial treatment for anogenita</li> <li>New confirmed superficial basal cell carcinoma whether the superficial basal cell carcinoma whether the superficial basal cell carcinoma whether the superficience of the superficie</li></ol>		treatments, inc	luding surgical excision, are con
traindicated or inappropriate; or 3 Inadequate response to initial treatment for superficia			
Note: Every effort should be made to biopsy the lesion to cont			l carcinoma
	ann anach is a supe		i ouronioffia.
20D0PHYLLOTOXIN Soln 0.5%		3.5 ml OP	✓ Condyline
Soln 0.5% a) Maximum of 3.50 ml per prescription	33.60	3.5 ml OP	<ul> <li>Condyline</li> </ul>

# DERMATOLOGICALS

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM Crm 5%	25.16	20 g OP	✓ <u>E</u>	fudix

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
DNDOMS				
49 mm – Up to 144 dev available on a PSO	13.36	144		rquisTantiliza ield 49
52 mm - Up to 144 dev available on a PSO	13.36	144	🖌 Ma	rquis Selecta rquis Sensolite
50 mm overa otranath Up to 144 dov ovailable on a BCO	10.06	144		rquis Supalite rquis Protecta
52 mm extra strength – Up to 144 dev available on a PSO 53 mm – Up to 144 dev available on a PSO		144		ield Blue
55 mm - υριο 144 θεν avaliable υΠα FOU		144		ield Blue
	1.11	144		ld Knight
	13.36	144		ld Knight
	13.30	144	🖌 Ma	rquis Black rquis Titillata
53 mm (chocolate) – Up to 144 dev available on a PSO		12		ld Knight
	13.36	144		ld Knight
53 mm (strawberry) – Up to 144 dev available on a PSO		12		ld Knight
	13.36	144		ld Knight
54 mm, shaped – Up to 144 dev available on a PSO		12		0
,	(1.24)		Life	estyles Flared
	13.36	144		
	(14.84)		Life	estyles Flared
55 mm – Up to 144 dev available on a PSO	( )	144		rquis Conforma
56 mm – Up to 144 dev available on a PSO		12		ld Knight
	13.36	144		ld Knight
			🖌 Du	rex Extra Safe
			🖌 Du	rex Select lavours
56 mm, shaped – Up to 144 dev available on a PSO		12	-	rex Confidence
	13.36	144	• = •	rex Confidence
60 mm - Up to 144 dev available on a PSO		144	• = •	ield XL
Contraceptive Devices				
APHRAGM – Up to 1 dev available on a PSO				
One of each size is permitted on a PSO.	40.00			
65 mm		1		tho All-flex
70 mm		1		tho All-flex
75 mm		1		tho All-flex
80 mm		1	V Or	tho All-flex
TRA-UTERINE DEVICE				
a) Up to 40 dev available on a PSO				
b) Only on a PSO				
IÚD		1	🖌 Mu	Itiload Cu 375

## **GENITO-URINARY SYSTEM**

Fullv

Subsidised

Subsidy (Manufacturer's Price) \$ Per Brand or Generic Manufacturer

## **Contraceptives - Hormonal**

### **Combined Oral Contraceptives**

#### SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

**Renewal** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### ETHINYLOESTRADIOL WITH DESOGESTREL

*	Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	6.62 (16.50)	84	Mercilon 28
	<ul> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Authority</li> <li>b) Up to 84 tab available on a PSO</li> </ul>	see SA0500 abov	е	
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62 (16.50)	84	Marvelon 28
	<ul> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Authority</li> <li>b) Up to 84 tab available on a PSO</li> </ul>	see SA0500 abov	е	
ETI	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab – Up			
	to 84 tab available on a PSO	2.65	84 🖌	Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab – Up			
	to 84 tab available on a PSO	9.45	84 🖌	' Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
		(16.50)		Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Authority	see SA0500 abov	е	
	<ul> <li>b) Up to 63 tab available on a PSO</li> </ul>			
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab – Up			
	to 84 tab available on a PSO	2.30	84 🖌	<sup>4</sup> Ava 30 ED

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
ETHINYLOESTRADIOL WITH NORETHISTERONE					
* Tab 35 mcg with norethisterone 1 mg – Up to 63 tab available on a PSO		63	✔ E	Brevinor 1/21	
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO		84	🖌 E	Brevinor 1/28	
* Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab avail- able on a PSO		63	🖌 E	Brevinor 21	
<ul> <li>* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab – Up to 84 tab available on a PSO</li> </ul>		84	<b>~</b> N	lorimin	

## **Progestogen-only Contraceptives**

### SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

### LEVONORGESTREL

* Tab 30 mcg	6.62	84	
C C C C C C C C C C C C C C C C C C C	(16.50)		Microlut
<ul> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Auth</li> <li>b) Up to 84 tab available on a PSO</li> </ul>	ority see SA0500 at	ove	
* Subdermal implant (2 × 75 mg rods)	133.65	1	<ul> <li>Jadelle</li> </ul>
MEDROXYPROGESTERONE ACETATE * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a F	PSO7.00	1	✓ <u>Depo-Provera</u>
NORETHISTERONE * Tab 350 mcg – Up to 84 tab available on a PSO	6.00	84	✓ Noriday 28

# GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Pri \$	ce) Sub Per	Fully Brand or osidised Generic Manufacturer
Emergency Contraceptives			
LEVONORGESTREL * Tab 1.5 mg a) Up to 5 tab available on a PSO b) Maximum of 2 tab per prescription Antiandrogen Oral Contraceptives	3.50	1	✓ Postinor-1
Prescribers may code prescriptions "contraceptive" (code "O") wh prescription charge will be as per other contraceptives, as follows: \$5.00 prescription charge (patient co-payment) will apply. prescription may be written for up to six months supply. Prescriptions coded in any other way are subject to the non contr of supply. ie. Prescriptions may be written for up to three months CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL	: : raceptive prescrip supply.		
* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 84 tab available on a PSO		84	✓ <u>Ginet 84</u>
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul- phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with			
applicator	8.43 (24.00)	100 g OP	Aci-Jel
CLOTRIMAZOLE  * Vaginal crm 1% with applicators * Vaginal crm 2% with applicators		35 g OP 20 g OP	✓ <u>Clomazol</u> ✓ <u>Clomazol</u>
MICONAZOLE NITRATE  * Vaginal crm 2% with applicator	2.75 (4.10)	40 g OP	Micreme
NYSTATIN Vaginal crm 100,000 u per 5 g with applicator(s)	4 71	75 g OP	✔ Nilstat
Myometrial and Vaginal Hormone Preparations		70 g 01	• Milotat
ERGOMETRINE MALEATE			
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO OESTRIOL	31.00	5	✓ DBL Ergometrine
K Crm 1 mg per g with applicator     Pessaries 500 mcg		15 g OP 15	✔ Ovestin ✔ Ovestin
OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule	4.75	5	✓ Oxytocin BNM
Inj 10 iu per ml, 1 ml ampoule	5.98	5	<ul> <li>Syntocinon</li> <li>Oxytocin BNM</li> <li>Syntocinon</li> </ul>
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml (Syntocinon Inj 5 iu per ml, 1 ml ampoule to be delisted 1 May 20 (Syntocinon Inj 10 iu per ml, 1 ml ampoule to be delisted 1 May 20	14)	5	<ul> <li>✓ Syntocinon</li> <li>✓ Syntometrine</li> </ul>

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's F	Price) Subs	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Pregnancy Tests - hCG Urine			
PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO			
Cassette	22.80	40 test OP	<ul> <li>Innovacon hCG One Step Pregnancy Test</li> </ul>
Urinary Agents			
For urinary tract Infections refer to INFECTIONS, Antibacterials,	page 113		
5-Alpha Reductase Inhibitors			
FINASTERIDE – Special Authority see SA0928 below – Retail   * Tab 5 mg		30	✓ <u>Rex Medical</u>
► SA0928 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va the following criteria: Both:	lid without further	renewal unless	notified for applications meeting
<ol> <li>Patient has symptomatic benign prostatic hyperplasia; a</li> <li>Either:</li> </ol>	and		
2.1 The patient is intolerant of non-selective alpha b 2.2 Symptoms are not adequately controlled with no	on-selective alpha	blockers.	
Note: Patients with enlarged prostates are the appropriate cand	idates for therapy	with finasteride	
Alpha-1A Adrenoreceptor Blockers			
TAMSULOSIN HYDROCHLORIDE – Special Authority see SA1		il pharmacy 100	✓ Tamsulosin-Rex
►SA1032 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va the following criteria: Both:	lid without further	renewal unless	notified for applications meeting
<ol> <li>Patient has symptomatic benign prostatic hyperplasia; a</li> <li>The patient is intolerant of non-selective alpha blockers</li> </ol>		raindicated.	
Other Urinary Agents			
OXYBUTYNIN * Tab 5 mg * Oral liq 5 mg per 5 ml POTASSIUM CITRATE		500 473 ml	<ul> <li>✓ <u>Apo-Oxybutynin</u></li> <li>✓ <u>Apo-Oxybutynin</u></li> </ul>
Oral liq 3 mmol per ml – Special Authority see SA1083 c the next page – Retail pharmacy		200 ml OP	✓ Biomed

GENITO-URINARY	SYSTEM

		GLINI	10-011	NART STSTEM
	Subsidy (Manufacturer's Pric \$	ce) Su Per	Fully ubsidised	Brand or Generic Manufacturer
SA1083 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid Both:	I for 12 months for a	pplications	meeting	the following criteria:
<ol> <li>The patient has recurrent calcium oxalate urolithiasis; ar</li> <li>The patient has had more than two renal calculi in the tw</li> </ol>		application	۱.	
Renewal from any relevant practitioner. Approvals valid for 2 y benefitting from the treatment.	ears where the trea	atment rem	ains app	ropriate and the patient i
SODIUM CITRO-TARTRATE # Grans eff 4 g sachets	3.93	28	🗸 U	ral
SOLIFENACIN SUCCINATE – Special Authority see SA0998 be	low – Retail pharma	асу		
Tab 5 mg Tab 10 mg		30 30	• •	esicare esicare
SA0998 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals va overactive bladder and a documented intolerance of, or is non-re			less notif	ied where the patient ha
OLTERODINE - Special Authority see SA1272 below - Retail	pharmacy			
Tab 1 mg		56		rrow-Tolterodine
Tab 2 mg	14.56	56	V A	rrow-Tolterodine
SA1272 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid ive bladder and a documented intolerance of, or is non-responsi		ewal unles	s notified	where patient has overage
Detection of Substances in Urine				
ORTHO-TOLIDINE				
Compound diagnostic sticks	7.50 (8.25)	50 test OP	Н	emastix

ΤE	TRABROMOPHENOL			
*	Blue diagnostic strips		100 test OP	
	0	(13.92)		Albustix

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy (Manufacturer's Prio \$	ce) S Per	Fully Brand or Subsidised Generic Manufacturer
Calcium Homeostasis			
CALCITONIN * Inj 100 iu per ml, 1 ml	110.00	5	✓ Miacalcic
Corticosteroids and Related Agents for Systemic		-	
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHAS * Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		5	Celestone Chronodose
DEXAMETHASONE * Tab 1 mg – Retail pharmacy-Specialist Up to 30 tab available on a PSO	5.87	100	✓ <u>Douglas</u>
<ul> <li>* Tab 4 mg – Retail pharmacy-Specialist</li> <li>Up to 30 tab available on a PSO</li> </ul>	8.16	100	✓ <u>Douglas</u>
Oral liq 1 mg per ml – Retail pharmacy-Specialist Oral liq prescriptions:	45.00	25 ml OP	✓ Biomed
<ol> <li>Must be written by a Paediatrician or Paediatric Cardiolog</li> <li>On the recommendation of a Paediatrician or Paediatric O</li> <li>DEXAMETHASONE PHOSPHATE</li> <li>Dexamethasone phosphate injection will not be funded for ora</li> <li>Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO</li> </ol>	Cardiologist. al use.	10	✓ Dexamethasone- hameIn
	12.90	5	
Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSC	(21.50) )17.98	5	Hospira ✓ Dexamethasone- hameIn
(Hospira Inj 4 mg per ml, 1 ml ampoule to be delisted 1 July 2014) (Hospira Inj 4 mg per ml, 2 ml ampoule to be delisted 1 July 2014)			Hospira
FLUDROCORTISONE ACETATE  * Tab 100 mcg	14.32	100	✓ Florinef
HYDROCORTISONE  * Tab 5 mg * Tab 20 mg – For hydrocortisone oral liquid formulation refer,	8.10	100	✓ Douglas
<ul> <li>a lo ing i o ing doctrice o lo ing doct</li></ul>		100 1	✓ <u>Douglas</u> ✓ <u>Solu-Cortef</u>
METHYLPREDNISOLONE – Retail pharmacy-Specialist	00.00	100	
* Tab 4 mg * Tab 100 mg		100 20	✓ <u>Medrol</u> ✓ <u>Medrol</u>
METHYLPREDNISOLONE ACETATE Inj 40 mg per ml, 1 ml	6.70	1	✓ Depo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNOC Inj 40 mg per ml with lidocaine [lignocaine] 1 ml	CAINE]	1	✓ <u>Depo-Medrol with</u> Lidocaine

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy		Full	
	(Manufacturer's Prie \$	ce) Si Per	ubsidise	
ETHYLPREDNISOLONE SODIUM SUCCINATE – Retail phar	macy-Specialist			
Inj 40 mg per ml, 1 ml		1	~	Solu-Medrol
Inj 62.5 mg per ml, 2 ml		1		Solu-Medrol
Inj 500 mg		1		Solu-Medrol
Inj 1 g		1		Solu-Medrol
		•	•	
REDNISOLONE SODIUM PHOSPHATE	10.45			Dedinged
<ul> <li>Oral liq 5 mg per ml – Up to 30 ml available on a PSO</li> </ul>	10.45	30 ml OP	V	Redipred
Restricted to children under 12 years of age.				
REDNISONE				
Tab 1 mg	2.13	100	~	Apo-Prednisone
				S29 S29
	10.68	500	~	Apo-Prednisone
Tab 2.5 mg		500	~	Apo-Prednisone
Tab 5 mg – Up to 30 tab available on a PSO	11.09	500	~	Apo-Prednisone
Tab 20 mg		500	~	Apo-Prednisone
TRACOSACTRIN				
Inj 250 mcg per ml, 1 ml ampoule	17.71	1	~	Synacthen
, ====	177.18	10		Synacthen
Inj 1 mg per ml, 1 ml		1		Synacthen Depot
				<u></u>
	01.00	F		Kanagart A
Inj 10 mg per ml, 1 ml Inj 40 mg per ml, 1 ml		5 5		Kenacort-A Kenacort-A40
		Э	V	Kenacort-A40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
PROTERONE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg		50	V	Siterone
Tab 100 mg		50		Siterone
STOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	~	Androderm
		00	•	
STOSTERONE CYPIONATE – Retail pharmacy-Specialist				
Inj long-acting 100 mg per ml, 10 ml	76.50	1	~	Depo-Testosterone
ESTOSTERONE ESTERS – Retail pharmacy-Specialist				
Inj 250 mg per ml, 1 ml		1	~	Sustanon Ampoules
ESTOSTERONE UNDECANOATE – Retail pharmacy-Speciali				
Cap 40 mg		60	~	Andriol Testocaps
Inj 250 mg per ml, 4 ml		1		Reandron 1000
Hormone Replacement Therapy - Systemic			-	

### ►SA1018 Special Authority for Alternate Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

1 acute or significant liver disease - where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or

continued...

Subsidy (Manufacturer's Pri	ce)	Fully Subsidised	Brand or Generic	
\$	Per	<ul> <li>✓</li> </ul>	Manufacturer	

continued...

- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

### **Prescribing Guideline**

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

### Oestrogens

OE	STRADIOL – See prescribing guideline above			
*	Tab 1 mg	4.12	28 OP	
	0	(10.55)		Estrofem
*	Tab 2 mg	· · · ·	28 OP	
	5	(10.55)		Estrofem
*	TDDS 25 mcg per day	```	8	
		(10.86)		Estradot
	a) Higher subsidy of \$10.86 per 8 patch with Special Aut	( )	on the previou	spage
	b) No more than 2 patch per week	,		-  3-
	c) Only on a prescription			
*	TDDS 3.9 mg (releases 50 mcg of oestradiol per day)		4	
	· • • • • • • • • • • • • • • • • •	(13.18)		Climara 50
		(32.50)		Femtran 50
	a) Higher subsidy of \$13.18 per 4 patch with Special Auth	( )	on the previou	
	b) No more than 1 patch per week			opugo
	c) Only on a prescription			
*	TDDS 50 mcg per day	4.12	8	
•		(13.18)	-	Estradot 50 mcg
	a) Higher subsidy of \$13.18 per 8 patch with Special Auth	( )	on the previou	0
	b) No more than 2 patch per week			e page
	c) Only on a prescription			
*	TDDS 7.8 mg (releases 100 mcg of oestradiol per day)	7.05	4	
		(16.14)		Climara 100
		(35.00)		Femtran 100
	a) Higher subsidy of \$16.14 per 4 patch with Special Auth	```	on the previou	
	b) No more than 1 patch per week			o pugo
	c) Only on a prescription			
*	TDDS 100 mcg per day	7 05	8	
•••		(16.14)	Ũ	Estradot
	a) Higher subsidy of \$16.14 per 8 patch with Special Auth	( - )	on the previou	
	b) No more than 2 patch per week			0 2490
	c) Only on a prescription			

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy		Fully Brand or
	(Manufacturer's Pr		bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
ESTRADIOL VALERATE - See prescribing guideline on the	previous page		
Tab 1 mg		84	Progynova
Tab 2 mg	12.36	84	Progynova
ESTROGENS – See prescribing guideline on the previous p	age		
Conjugated, equine tab 300 mcg		28	
	(11.48)		Premarin
Conjugated, equine tab 625 mcg	4.12	28	
	(11.48)		Premarin
Progestogens			
EDROXYPROGESTERONE ACETATE - See prescribing gu	ideline on the previo	us page	
Tab 2.5 mg		30	Provera
Tab 5 mg		100	✓ Provera
• Tab 10 mg		30	✓ Provera
Progestogen and Oestrogen Combined Prepa	rations		
	avidalina an tha new	iouo nono	
ESTRADIOL WITH NORETHISTERONE – See prescribing		lious page 28 OP	
Tab 1 mg with 0.5 mg norethisterone acetate	(14.52)	20 UF	Kliovance
Tab 2 mg with 1 mg norethisterone acetate	( )	28 OP	NIIOVAIIGE
	(14.52)	20 01	Kliogest
Tab 2 mg with 1 mg norethisterone acetate (10), and 2	( )		raiogoot
oestradiol tab (12) and 1 mg oestradiol tab (6)	0	28 OP	
	(14.52)	20 01	Trisequens
ESTROGENS WITH MEDROXYPROGESTERONE - See p	rescribing quideline	on the previo	·
Tab 625 mcg conjugated equine with 2.5 mg medroxyprog	00		nuo pugo
terone acetate tab (28)		28 OP	
	(22.96)	20 01	Premia 2.5
	(22.00)		Continuous
Tab 625 mcg conjugated equine with 5 mg medroxyprog	es-		
terone acetate tab (28)		28 OP	
······································	(22.96)		Premia 5 Continuous
Other Octrogon Proparations	()		
Other Oestrogen Preparations			
THINYLOESTRADIOL			
Tab 10 mcg	17.60	100	✓ NZ Medical and
			Scientific
ESTRIOL			
Tab 2 mg	7.00	30	<ul> <li>Ovestin</li> </ul>
Other Progestogen Preparations			
EVONORGESTREL			
<ul> <li>Levonorgestrel - releasing intrauterine system 20 mcg/24</li> </ul>			
	1		
<ul> <li>Special Authority see SA0782 on the next page – Re pharmacy</li> </ul>		1	Mirena

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

### ➡SA0782 Special Authority for Subsidy

**Initial application** — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

#### MEDROXYPROGESTERONE ACETATE

* Tab 100 mg - Retail pharmacy-Specialist	96.50	100	Provera
* Tab 200 mg - Retail pharmacy-Specialist	70.50	30	Provera
NORETHISTERONE			
* Tab 5 mg – Up to 30 tab available on a PSO	26.50	100	Primolut N
PROGESTERONE			
Cap 100 mg - Special Authority see SA1392 below - Retail			
pharmacy	16.50	30	<ul> <li>Utrogestan</li> </ul>

### ➡SA1392 Special Authority for Subsidy

**Initial application** only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour\*; and
- 2 Either:
  - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6)

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

	Subsidy		Fully Brand or
	(Manufacturer's Pri \$	ce) Su Per	bsidised Generic Manufacturer
Thyroid and Antithyroid Agents			
ARBIMAZOLE			
Tab 5 mg	10.80	100	✓ AFT \$29
ů –			✓ Neo-Mercazole
EVOTHYROXINE			
- Tab 25 mcg	3.89	90	Synthroid
‡ Safety cap for extemporaneously compounded oral liquid			
Tab 50 mcg		28	<ul> <li>Mercury Pharma</li> </ul>
	4.05	90	<ul> <li>Synthroid</li> </ul>
	64.28	1,000	<ul> <li>Eltroxin</li> </ul>
‡ Safety cap for extemporaneously compounded oral liquid Tab 100 mcg		00	
Tab 100 mcg		28 90	Mercury Pharma
	4.21 66.78	90 1,000	<ul> <li>Synthroid</li> <li>Eltroxin</li> </ul>
+ Sofety can far avtemperaneously compounded arel liquid		1,000	Elfoxin
‡ Safety cap for extemporaneously compounded oral liquid			
ROPYLTHIOURACIL – Special Authority see SA1199 below – Re			and a second
Propylthiouracil is not recommended for patients under the age	of 18 years unle	ess the patie	nt is pregnant and other treatme
are contraindicated.			
	25.00	100	
itial application from any relevant practitioner. Approvals valid fo oth:		100 Ilications me	✓ PTU \$299 setting the following criteria:
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is cenewal from any relevant practitioner. Approvals valid for 2 yea</li> </ol> </li> </ul>	or 2 years for app ontraindicated.	lications me	eting the following criteria:
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is c</li> <li>enewal from any relevant practitioner. Approvals valid for 2 year enefitting from the treatment.</li> </ol> </li> </ul>	or 2 years for app ontraindicated.	lications me	eting the following criteria:
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is c enewal from any relevant practitioner. Approvals valid for 2 yea enefitting from the treatment.</li> </ol> </li> <li>Trophic Hormones</li> </ul>	or 2 years for app ontraindicated.	lications me	eting the following criteria:
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid fo oth:         <ul> <li>The patient has hyperthyroidism; and</li> </ul> </li> </ul>	or 2 years for app ontraindicated.	lications me	eting the following criteria:
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is c</li> <li>enewal from any relevant practitioner. Approvals valid for 2 yea enefitting from the treatment.</li> </ol> </li> <li>Trophic Hormones</li> </ul>	or 2 years for app ontraindicated. rs where the tre	atment rem	eting the following criteria: ains appropriate and the patien
<ul> <li>SA1199 Special Authority for Subsidy         itial application from any relevant practitioner. Approvals valid for oth:         <ul> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is cenewal from any relevant practitioner. Approvals valid for 2 yeatenefitting from the treatment.</li> </ul> </li> <li>Trophic Hormones         <ul> <li>SA1279 Special Authority for Subsidy</li> <li>Decial Authority approved by the Growth Hormone Committee otes: Application details may be obtained from PHARMAC's webs ZGHC Coordinator</li> <li>HARMAC, PO Box 10-254, WELLINGTON</li> </ul> </li> </ul>	or 2 years for app ontraindicated. rs where the tre	atment rem	eting the following criteria: ains appropriate and the patien
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is canewal from any relevant practitioner. Approvals valid for 2 yeat anefitting from the treatment.</li> </ol> </li> <li>Irophic Hormones         SA1279 Special Authority for Subsidy becial Authority approved by the Growth Hormone Committee otes: Application details may be obtained from PHARMAC's websized Coordinator         HARMAC, PO Box 10-254, WELLINGTON etc. 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@p         DMATROPIN – Special Authority see SA1279 above – [Xpharm]         </li> </ul>	or 2 years for app ontraindicated. rs where the tre site <u>http://www.p</u> harmac.govt.nz	atment rem	eting the following criteria: ains appropriate and the patien
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is canewal from any relevant practitioner. Approvals valid for 2 yeat anefitting from the treatment.</li> </ol> </li> <li>Trophic Hormones         Sat1279 Special Authority for Subsidy         becial Authority for Subsidy         becial Authority approved by the Growth Hormone Committee otes: Application details may be obtained from PHARMAC's websized         Cardia Coordinator         HARMAC, PO Box 10-254, WELLINGTON         becial Authority see SA1279 above – [Xpharm]         Inj cartridge 16 iu (5.3 mg)         Interview of the set of the set</li></ul>	or 2 years for app ontraindicated. rs where the tre site <u>http://www.p</u> harmac.govt.nz	atment rem	eting the following criteria: ains appropriate and the patien
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is canewal from any relevant practitioner. Approvals valid for 2 yeat enefitting from the treatment.</li> </ol> </li> <li>ITophic Hormones         SA1279 Special Authority for Subsidy         Decial Authority approved by the Growth Hormone Committee otes: Application details may be obtained from PHARMAC's webs ZGHC Coordinator         HARMAC, PO Box 10-254, WELLINGTON 4: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@p         DMATROPIN – Special Authority see SA1279 above – [Xpharm] Inj cartridge 16 iu (5.3 mg)</li></ul>	or 2 years for app ontraindicated. rs where the tre site <u>http://www.p</u> harmac.govt.nz	atment remains harmac.gov	eting the following criteria: ains appropriate and the patier t.nz or: Cenotropin
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>Itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is canewal from any relevant practitioner. Approvals valid for 2 yeat anefitting from the treatment.</li> </ol> </li> <li>Irophic Hormones</li> <li>Satary Special Authority for Subsidy         <ol> <li>because the treatment.</li> </ol> </li> <li>Irophic Hormones</li> <li>Satary Special Authority for Subsidy         <ol> <li>because the treatment of the treatment.</li> </ol> </li> <li>Special Authority for Subsidy         <ol> <li>because the treatment of the treatment.</li> </ol> </li> <li>Special Authority for Subsidy         <ol> <li>because the treatment.</li> </ol> </li> <li>Special Authority for Subsidy         <ol> <li>because the treatment.</li> <li>Coordinator</li> <li>ARMAC, PO Box 10-254, WELLINGTON             <ol> <li>because the treatment.</li> <li>conditionator</li> <li>conditionator</li> <li>ARMAC, PO Box 10-254, WELLINGTON             </li> <li>because the theory of the treatment.</li> <li>conditionation of the treatment.</li> <li>conditionationationationationationationation</li></ol></li></ol></li></ul>	or 2 years for app ontraindicated. rs where the tre site <u>http://www.p</u> harmac.govt.nz	atment remains harmac.gov	eting the following criteria: ains appropriate and the patier t.nz or: Cenotropin
<ul> <li>SA1199 Special Authority for Subsidy         itial application from any relevant practitioner. Approvals valid for oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is cancer and from any relevant practitioner. Approvals valid for 2 year anefitting from the treatment.</li> </ol> </li> <li>Trophic Hormones</li> <li>SA1279 Special Authority for Subsidy         proved by the Growth Hormone Committee otes: Application details may be obtained from PHARMAC's websized Coordinator     </li> <li>HARMAC, PO Box 10-254, WELLINGTON         al: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@p     </li> <li>OMATROPIN – Special Authority see SA1279 above – [Xpharm]</li> <li>Inj cartridge 16 iu (5.3 mg)</li> </ul>	or 2 years for app ontraindicated. rs where the tre site <u>http://www.p</u> <u>harmac.govt.nz</u> 160.00 360.00	atment remains harmac.gov	eting the following criteria: ains appropriate and the patier t.nz or: Cenotropin

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

(Manufacturer's Price		Full Subsidise	d Generic
۵ 	Per		Manufacturer
	1	~	Lucrin Depot PDS
	1	~	Eligard
591.68	1	~	Lucrin Depot PDS
	1	~	Eligard
	1	~	Eligard
1,109.40	1	~	Lucrin Depot PDS
	1	~	Eligard
36.40	30	~	Minirin
		•	
	30	~	Minirin
		•	Minirin
			Desmopressin- PH&T
67.18	10	~	Minirin
	\$ 221.60 	\$ Per 221.60 1 	\$         Per

#### SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

**Initial application — (Desmopressin tablets for Diabetes insipidus)** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### **Other Endocrine Agents**

#### CABERGOLINE

		Tab 0.5 mg – Maximum of 2 tab per prescription; can be
Dostinex	2	waived by Special Authority see SA1370 on the next page6.25
Dostinex	8	25.00

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✔	Brand or Generic Manufacturer			
<ul> <li>SA1370 Special Authority for Waiver of Rule</li> <li>Initial application from any relevant practitioner. Approvals valid the following criteria:</li> <li>Either:         <ol> <li>pathological hyperprolactinemia; or</li> </ol> </li> </ul>	d without further renew	val unless notifi	ed for applications meeting			
<ul> <li>2 acromegaly*.</li> <li>Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.</li> <li>Note: Indication marked with * is an Unapproved indication.</li> </ul>						
CLOMIPHENE CITRATE Tab 50 mg		10 🖌 <u>s</u>	Serophene			
DANAZOL Cap 100 mg Cap 200 mg		100 V I 100 V I				
METYRAPONE Cap 250 mg – Retail pharmacy-Specialist		50 🗸 🖌	letopirone			

	Subsidy (Manufacturer's F	Price) Su	Fully Brand or bsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
nthelmintics			
BENDAZOLE – Special Authority see SA1318 below – Retail	oharmacy		
Tab 400 mg	849.65	60	Eskazole S29
SA1318 Special Authority for Subsidy ial application only from an infectious disease specialist or ient has hydatids. newal only from an infectious disease specialist or clinical m		• • • •	
nains appropriate and the patient is benefitting from the treatm		provais valiu	
BENDAZOLE – Only on a prescription			4
Tab 100 mg		24	De-Worm
Oral liq 100 mg per 5 ml	2.18 (7.17)	15 ml	Vermox
	(7.17)		Vermox
AZIQUANTEL Tab 600 mg	69.00	8	✓ Biltricide
·		0	♥ Difficide
ntibacterials			
For topical antibacterials, refer to DERMATOLOGICALS, page	67		
	0 105		
For anti-infective eye preparations, refer to SENSORY ORGAN ephalosporins and Cephamycins	5, page 195		
ephalosporins and Cephamycins		100	✓ Ranbaxy-Cefaclor
ephalosporins and Cephamycins		100 100 ml	<ul> <li>✓ <u>Ranbaxy-Cefaclor</u></li> <li>✓ <u>Ranbaxy-Cefaclor</u></li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE		100 ml	✓ Ranbaxy-Cefaclor
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg			<b>.</b>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see		100 ml	✓ Ranbaxy-Cefaclor
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17		100 ml 20	<ul> <li>Ranbaxy-Cefaclor</li> <li>Cephalexin ABM</li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see		100 ml 20	<ul> <li><u>Ranbaxy-Cefaclor</u></li> <li><u>Cephalexin ABM</u></li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see		100 ml 20 100 ml 100 ml	<ul> <li><u>Ranbaxy-Cefaclor</u></li> <li><u>Cephalexin ABM</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a ingly.		100 ml 20 100 ml 100 ml	<ul> <li><u>Ranbaxy-Cefaclor</u></li> <li><u>Cephalexin ABM</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a ingly. Inj 500 mg		100 ml 20 100 ml 100 ml protocol and th 5	<ul> <li>Ranbaxy-Cefaclor</li> <li>Cephalexin ABM</li> <li>Cefalexin Sandoz</li> <li>Cefalexin Sandoz</li> <li>Cefalexin Sandoz</li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a ingly.		100 ml 20 100 ml 100 ml protocol and th	<ul> <li><u>Ranbaxy-Cefaclor</u></li> <li><u>Cephalexin ABM</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a ingly. Inj 500 mg		100 ml 20 100 ml 100 ml protocol and th 5	<ul> <li>Ranbaxy-Cefaclor</li> <li>Cephalexin ABM</li> <li>Cefalexin Sandoz</li> <li>Cefalexin Sandoz</li> <li>Cefalexin Sandoz</li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a ingly. Inj 500 mg FTRIAXONE – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibro pelvic inflammatory disease, or the treatment of suspected r		100 ml 20 100 ml 100 ml protocol and th 5 5	<ul> <li>Ranbaxy-Cefaclor</li> <li>Cephalexin ABM</li> <li>Cefalexin Sandoz</li> <li>Cefalexin Sandoz</li> <li>Cefalexin Sandoz</li> <li>Metric Sendorsed acco</li> <li>AFT</li> <li>AFT</li> <li>AFT</li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a ingly. Inj 500 mg FTRIAXONE – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibro		100 ml 20 100 ml 100 ml protocol and th 5 5	<ul> <li><u>Ranbaxy-Cefaclor</u></li> <li><u>Cephalexin ABM</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Martine Prescription is endorsed acco</u></li> <li><u>AFT</u></li> <li><u>AFT</u></li> <li><u>AFT</u></li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a ingly. Inj 500 mg FTRIAXONE – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibro pelvic inflammatory disease, or the treatment of suspected r the prescription or PSO is endorsed accordingly. Inj 500 mg vial		100 ml 20 100 ml 100 ml protocol and th 5 5 ne treatment of ents who have	<ul> <li><u>Ranbaxy-Cefaclor</u></li> <li><u>Cephalexin ABM</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Martines</u></li> <li><u>AFT</u></li> <li><u>AFT</u></li> <li><u>AFT</u></li> <li><u>AFT</u></li> <li><u>Ceftriaxone-AFT</u></li> <li>Veracol</li> </ul>
ephalosporins and Cephamycins FACLOR MONOHYDRATE Cap 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FALEXIN MONOHYDRATE Cap 500 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 Grans for oral liq 250 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17 FAZOLIN SODIUM – Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a ingly. Inj 500 mg FTRIAXONE – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibro pelvic inflammatory disease, or the treatment of suspected r the prescription or PSO is endorsed accordingly.		100 ml 20 100 ml 100 ml protocol and th 5 5	<ul> <li><u>Ranbaxy-Cefaclor</u></li> <li><u>Cephalexin ABM</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Cefalexin Sandoz</u></li> <li><u>Martinescultural Sandoz</u></li> <li><u>AFT</u></li> <li><u>AFT</u></li> <li><u>AFT</u></li> <li><u>AFT</u></li> <li><u>Ceftriaxone-AFT</u></li> </ul>

	Subsidy (Manufacturer's Pric \$	ce) Su Per	Fully bsidised	Brand or Generic Manufacturer
CEFUROXIME AXETIL – Subsidy by endorsement	<b>v</b>			
Only if prescribed for prophylaxis of endocarditis and the pre Tab 250 mg		d according 50		innat
CEFUROXIME SODIUM				
Inj 750 mg – Maximum of 1 inj per prescription; can be waive	d			
by endorsement		5	🖌 n	n-Cefuroxime
Waiver by endorsement must state that the prescription i		c fibrosis pa		
Macrolides				
AZITHROMYCIN – Maximum of 5 days treatment per prescripti	on: can be waived b	vondorsom	ont	
For Endorsement, patient has either:	on, can be waived b	y endoisen	ient	
<ol> <li>Received a lung transplant and requires treatment or pr</li> </ol>	ophylaxis for bronch	iolitis oblite	rans svn	drome*: or
<ol> <li>Cystic fibrosis and has chronic infection with Pseudon</li> </ol>				
isms*.	ionae aeragineea e			alou grain nogaaro organ
Indications parked with * are Unapproved Indications				
Tab 250 mg		30	🖌 A	po-Azithromycin
Tab 500 mg – Up to 8 tab available on a PSO	1.25	2	✓ <u>A</u>	po-Azithromycin
Grans for oral liq 200 mg per 5 ml – Wastage claimable – se	е			
rule 3.3.2 on page 17	6.60	15 ml	🗸 Z	ithromax
CLARITHROMYCIN - Maximum of 500 mg per prescription; ca	n be waived by Spec	cial Authorit	y see SA	A1131 below
Tab 250 mg		14		po-Clarithromycin
Grans for oral liq 125 mg per 5 ml – Wastage claimable – se	е		_	
rule 3.3.2 on page 17		70 ml	🖌 К	lacid
■SA1131 Special Authority for Waiver of Rule Initial application — (Mycobacterial infections) only from a n	espiratory specialist	infectious	disease	specialist or paediatrician.
Approvals valid for 2 years for applications meeting the following		,		
Either:				
1 Atypical mycobacterial infection; or				
2 Mycobacterium tuberculosis infection where there is dru	g-resistance or intol	lerance to s	tandard	pharmaceutical agents.
Renewal - (Mycobacterial infections) only from a respiratory	specialist, infectious	s disease sp	oecialist o	or paediatrician. Approvals
valid for 2 years where the treatment remains appropriate and th	ne patient is benefitir	ng from trea	tment.	
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg		100	🖌 E	-Mycin
a) Up to 20 tab available on a PSO				-
<li>b) Up to 2 x the maximum PSO quantity for RFPP – see</li>		1		
Grans for oral liq 200 mg per 5 ml	4.35	100 ml	V E	-Mycin
a) Up to 300 ml available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP – see	rule 5.2.6 on page 2	1		
c) Wastage claimable – see rule 3.3.2 on page 17	E 0E	100 ml		Musin
Grans for oral liq 400 mg per 5 ml a) Up to 200 ml available on a PSO		100 ml	• -	-Mycin
b) Wastage claimable – see rule 3.3.2 on page 17				
ERYTHROMYCIN LACTOBIONATE Inj 1 g	16.00	1	<b>√</b> ⊑	rythrocin IV
		I	<b>▼</b> L	, yuu oolii i v
ERYTHROMYCIN STEARATE	14.05	100		
Tab 250 mg – Up to 30 tab available on a PSO		100	-	D۸
Tab 500 mg	(22.29)	100	E	RA
100 500 mg	(44.58)	100	F	RA
	(		-	

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Su Per	bsidised Generic Manufacturer
DXITHROMYCIN			
Tab 150 mg	7.48	50	✓ <u>Arrow-</u> Roxithromycin
Tab 300 mg	14.40	50	✓ <u>Arrow-</u> Roxithromycin
enicillins			
NOXYCILLIN			
Cap 250 mg	16.18	500	<ul> <li>Alphamox</li> <li>Apo-Amoxi</li> </ul>
a) Up to 30 cap available on a PSO			
b) Up to 10 x the maximum PSO quantity for RFPP - see			
Cap 500 mg		500	<ul> <li>Alphamox</li> </ul>
a) Up to 30 cap available on a PSO		0.01	
b) Up to 10 x the maximum PSO quantity for RFPP – see Grans for oral lig 125 mg per 5 ml		100 ml	Ospamox
a) Up to 200 ml available on a PSO	1.55	100 111	
b) Wastage claimable – see rule 3.3.2 on page 17			
Grans for oral liq 250 mg per 5 ml	1.10	100 ml	Ospamox
a) Up to 300 ml available on a PSO			
b) Up to 10 x the maximum PSO quantity for RFPP - see	rule 5.2.6 on pag	je 21	
c) Wastage claimable – see rule 3.3.2 on page 17			
Inj 250 mg		10	Ibiamox
Inj 500 mg		10	Ibiamox
Inj 1 g – Up to 5 inj available on a PSO	21.94	10	✓ Ibiamox
ohamox Cap 250 mg to be delisted 1 June 2014)			
OXYCILLIN CLAVULANATE			
Tab amoxycillin 500 mg with potassium clavulanate 125 mg	I		
- Up to 30 tab available on a PSO		100	Curam Duo
Grans for oral liq amoxycillin 125 mg with potassium clavu			
lanate 31.25 mg per 5 ml		100 ml	Augmentin
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 17			
Grans for oral liq amoxycillin 250 mg with potassium clavu-			
lanate 62.5 mg per 5 ml	2.19	100 ml	Augmentin
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 17			
ENZATHINE BENZYLPENICILLIN			
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	Bicillin LA
NZYLPENICILLIN SODIUM (PENICILLIN G)			
Inj 600 mg – Up to 5 inj available on a PSO		10	Sandoz
, <u> </u>		-	

	Subsidy (Manufacturer's P	Price) Sul	Fully bsidised	Brand or Generic
	\$	Per	1	Manufacturer
FLUCLOXACILLIN SODIUM				
Cap 250 mg – Up to 30 cap available on a PSO	22.00	250	✓ s	taphlex
Cap 500 mg		500	. –	taphlex
Grans for oral lig 125 mg per 5 ml		100 ml	<b>∕</b> Ā	
	2.10		✓ Ā	
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 17				
Grans for oral lig 250 mg per 5 ml	3.25	100 ml	🗸 A	FT
			🖌 🖌	FT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 17				
Inj 250 mg	10.86	10	✓ <u>F</u>	lucloxin
Inj 500 mg	11.32	10	✓ <u>F</u>	lucloxin
Inj 1 g – Up to 5 inj available on a PSO	14.28	10	✓ <u>F</u>	lucloxin
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap potassium salt 250 mg - Up to 30 cap available on a	1			
PSO		50	<b>v</b> c	ilicaine VK
Cap potassium salt 500 mg	14.45	50	<b>/</b> C	ilicaine VK
a) Up to 20 cap available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP - see r	ule 5.2.6 on page	21		
Grans for oral liq 125 mg per 5 ml	1.64	100 ml	🖌 A	FT
a) Up to 200 ml available on a PSO				
<ul> <li>b) Wastage claimable – see rule 3.3.2 on page 17</li> </ul>				
Grans for oral liq 250 mg per 5 ml	1.74	100 ml	🗸 A	FT
a) Up to 300 ml available on a PSO				
<li>b) Up to 2 x the maximum PSO quantity for RFPP – see r</li>	ule 5.2.6 on page	21		
c) Wastage claimable – see rule 3.3.2 on page 17				
PROCAINE PENICILLIN				
Inj 1.5 mega u – Up to 5 inj available on a PSO	123.50	5	✓ <u>c</u>	ilicaine
Tetracyclines				
DOXYCYCLINE HYDROCHLORIDE	0.00	00		
* Tab 50 mg – Up to 30 tab available on a PSO		30		FO
* Tab 100 mg Lin to 20 tab available on a DCO	(6.00)	050		oxy-50
* Tab 100 mg – Up to 30 tab available on a PSO		250		oxine
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg - Additional subsidy by Special Authority see				
SA1355 below – Retail pharmacy		60		
	(12.05)		N	lino-tabs
* Cap 100 mg		100		
	(52.04)		N	linomycin
► SA1355 Special Authority for Manufacturers Price		-		
Initial application from any relevant practitioner. Approvals va rosacea.	lid without furthe	r renewal unle	ess notif	ied where the patient has
TETRACYCLINE – Special Authority see SA1332 on the next pa	ige – Retail nharn	nacy		
Cap 500 mg	•	30	🖌 T	etracyclin
- T				Wolff S29

	Subsidy (Manufacturer's Pric \$	e) Su Per	Fully bsidised	Brand or Generic Manufacturer
SA1332 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid f Both:	for 3 months for ap	plications r	neeting t	he following criteria:
<ol> <li>For the eradication of helicobacter pylori following unsucc</li> <li>For use only in combination with bismuth as part of a qua</li> </ol>			iate first-	line therapy; and
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 67 CIPROFLOXACIN Recommended for patients with any of the following: i) microbiologically confirmed and clinically significant pseud ii) prostatitis; or	domonas infection;	or		
iii) pyelonephritis; or iv) gonorrhoea.				
Tab 250 mg – Up to 5 tab available on a PSO Tab 500 mg – Up to 5 tab available on a PSO		28 28 100	✓ C	ipflox ipflox ipflox
Tab 750 mg		28 30	✓ C	ipflox iprofloxacin Rex
CLINDAMYCIN				
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip- tion; can be waived by endorsement - Retail pharmacy - Specialist	5.80	16	<u>√ c</u>	lindamycin ABM
Inj phosphate 150 mg per ml, 4 ml – Retail pharmacy- Specialist	100.00	10	✓ <u>D</u>	alacin C
CO-TRIMOXAZOLE				
<ul> <li>Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – Up to 30 tab available on a PSO</li> </ul>		500	🗸 Ti	risul
<ul> <li>Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml – Up to 200 ml available on a PSO</li> </ul>	2.15	100 ml	🗸 D	eprim
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Su Only if prescribed for dialysis or cystic fibrosis patient and the			rdinaly	
lnj 150 mg		1		olistin-Link
FUSIDIC ACID Tab 250 mg – Retail pharmacy-Specialist Prescriptions must be written by, or on the recommendation		12 disease phy		<b>ucidin</b> r a clinical microbiologist
GENTAMICIN SULPHATE		_		
Inj 10 mg per ml, 1 ml – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or co accordingly.		5 tract infecti		ospira ne prescription is endorse
Inj 10 mg per ml, 2 ml – Subsidy by endorsement	175.10	25	🗸 A	PP Pharmaceuticals §29
Only if prescribed for a dialysis or cystic fibrosis patient or co accordingly.	omplicated urinary	tract infecti	on and th	ne prescription is endorse
Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or co accordingly.		10 tract infecti	✓ <u>P</u> on and th	

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer
MOXIFLOXACIN – Special Authority see SA1358 below – Retail pl	narmacy			
No patient co-payment payable				
Tab 400 mg		5	V Av	velox

### SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Both:
  - 1.1 Active tuberculosis\*; and
  - 1.2 Any of the following:
    - 1.2.1 Documented resistance to one or more first-line medications; or
    - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
    - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
    - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
    - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.\*.

Note: Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium\*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

**Initial application** — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

PAROMOMYCIN - Special Authority see SA1324 below - Retail pharmacy

Cap 250 mg ......126.00 16

Humatin S29

#### SA1324 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE – Special Authority see SA1328 on the next page – Retail pharmacy					
Tab 25 mg	26.14	30	Daraprim S29		
	36.95	50	Daraprim S29		

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Subsidised	Brand or Generic Manufacturer
► SA1328 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Any of the following:	l without further ren	ewal unl	ess notifie	d for applications meeting
<ol> <li>For the treatment of toxoplasmosis in patients with HIV for</li> <li>For pregnant patients for the term of the pregnancy; or</li> <li>For infants with congenital toxoplasmosis until 12 months</li> </ol>		ths; or		
SULFADIAZINE SODIUM – Special Authority see SA1331 below Tab 500 mg	• •	56	✔ W	ockhardt S29
<ul> <li>▶SA1331 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals valid the following criteria:</li> <li>Any of the following:         <ol> <li>For the treatment of toxoplasmosis in patients with HIV for 2 For pregnant patients for the term of the pregnancy; or 3 For infants with congenital toxoplasmosis until 12 months</li> </ol> </li> </ul>	or a period of 3 mont		ess notifie	d for applications meeting
TOBRAMYCIN Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and		5 ndorsed		<mark>BL Tobramycin</mark> <sup>y.</sup>
TRIMETHOPRIM * Tab 300 mg – Up to 30 tab available on a PSO	9.28	50	🗸 TI	MP
VANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or for following metronidazole failure and the prescription is endorse Inj 500 mg	ed accordingly.	carditis c 1	or for treatm	
Antifungals				
a) For topical antifungals refer to DERMATOLOGICALS, page 67 b) For topical antifungals refer to GENITO URINARY, page 81 FLUCONAZOLE		20	( )	
Cap 50 mg – Retail pharmacy-Specialist Cap 150 mg – Subsidy by endorsement a) Maximum of 1 cap per prescription; can be waived by endorsement b) Patient has vaginal candida albicans and the practition recommended and the prescription is endorsed according Cap 200 mg – Retail pharmacy-Specialist Powder for oral suspension 10 mg per ml – Special Authority	0.91 ndorsement - Retail er considers that a y; can be waived by 13.34	topical ir	nidazole (u	zole list used intra-vaginally) is not tail pharmacy - Specialist.
see SA1359 below – Retail pharmacy Wastage claimable – see rule 3.3.2 on page 17		35 ml	🗸 Di	iflucan

### ►SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

98

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

### ITRACONAZOLE

Cap 100 mg - Subsidy by endorsement	2.99 15	✓ Itrazole
-------------------------------------	---------	------------

Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology, or for tinea unguium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement - Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral liq 10 mg per ml - Special Authority see SA1322 below

– Retail pharmacy ...... 141.80 150 ml OP 🖌 Sporanox

### SA1322 Special Authority for Subsidy

**Initial application** only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

### KETOCONAZOLE

Tab 200 mg – Retail pharmacy-Specialist Prescriptions must be written by, or on the recommendation dermatologist, endocrinologist or oncologist			✓ Nizoral 529 physician, clinical microbiologist,
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE – Special Authority see SA1285 on the next page Oral liq 40 mg per ml		y 5 ml OP	✔ Noxafil

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

### ➡SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy\*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression\* and requires on going posaconazole treatment.

Note: \* Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids ( $\geq$  1 mg per kilogram of body weight per day for patients with acute GVHD or  $\geq$  0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment. TERBINAFINE

<ul> <li>Tab 250 mg – For terbinafine oral liquid formulation refer, page 201</li></ul>	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE - Special Authority see SA1273 on the next page - Retail ph	armacy	
Tab 50 mg730.00	56	Vfend
Tab 200 mg2,930.00	56	Vfend
Powder for oral suspension 40 mg per ml - Wastage		
claimable – see rule 3.3.2 on page 17	70 ml	<ul> <li>Vfend</li> </ul>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	

### ► SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient has proven or probable invasive aspergillus infection; or
  - 3.2 Patient has possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
  - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

### Antimalarials

PRIMAQUINE PHOSPHATE – Special Authority see SA1326 below – Retail pharmacy

Tab 7.5 mg ...... 117.00 56 🖌 Primacin 💷

### SA1326 Special Authority for Subsidy

**Initial application** only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

### Antiparasitics

### Antiprotozoals

2UININE SULPHATE ★ Tab 300 mg54.06 ‡ Safety cap for extemporaneously compounded oral liquid preparations.	500	🗸 Q 300
Antitrichomonal Agents		
IETRONIDAZOLE		4
Tab 200 mg – Up to 30 tab available on a PSO10.45	100	Trichozole
Tab 400 mg	100	Trichozole
Oral lig benzoate 200 mg per 5 ml	100 ml	FlagyI-S
Suppos 500 mg24.48	10	✓ Flagyl
DRNIDAZOLE		
		<b>4 4 4 4 4</b>
Tab 500 mg16.50	10	Arrow-Ornidazole

	Subsidy (Manufacturer's Pric \$	e) Su Per	Fully Ibsidised	Brand or Generic Manufacturer
Antituberculotics and Antileprotics				
ote: There is no co-payment charge for all pharmaceution	cals listed in the Antituber	culotics an	d Antilep	rotics group regardless
nmigration status.				
LOFAZIMINE – Retail pharmacy-Specialist				
a) No patient co-payment payable	mandation of an infaction	o diagona	nhuaiaian	aliniaal miarahialagiat
<li>b) Prescriptions must be written by, or on the recomm dermatologist.</li>		s uisease	priysiciari	i, cimical microbiologist
← Cap 50 mg		100	🖌 La	amprene S29
YCLOSERINE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recomm	mendation of, an infectiou	s disease	physician	n, clinical microbiologist
respiratory physician.				
Cap 250 mg	1,140.63	100	V K	ing \$29
APSONE – Retail pharmacy-Specialist				
<ul><li>a) No patient co-payment payable</li><li>b) Prescriptions must be written by, or on the recommendation</li></ul>	mandation of an infactiou	o diagona	nhuaiaian	alinical microbiologist
dermatologist		s uisease	priysiciar	i, cimical microbiologist
Tab 25 mg		100	🖌 D	apsone
Tab 100 mg		100	🖌 D	apsone
THAMBUTOL HYDROCHLORIDE – Retail pharmacy-Sp	pecialist			
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recomm	mendation of, an infectiou	s disease	physician	n, clinical microbiologist
respiratory physician Tab 100 mg	49.01	56	. / M	vambutol S29
Tab 400 mg		50 56		yambutol \$29
		50	• W	yambutor
SONIAZID – Retail pharmacy-Specialist a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recomme	endation of. an internal me	dicine phy	sician. pa	aediatrician. clinical micr
biologist, dermatologist or public health physician	· ···· · , ·· · · ·		, .	,
€ Tab 100 mg		100	✓ P:	
Tab 100 mg with rifampicin 150 mg		100		ifinah
• Tab 150 mg with rifampicin 300 mg		100	V R	ifinah
ARA-AMINO SALICYLIC ACID – Retail pharmacy-Specie	alist			
<ul> <li>a) No patient co-payment payable</li> <li>b) Specialist must be an infectious disease specialist,</li> </ul>	aliniaal miarahialagiat ar re	opiratory	nonialist	
Grans for oral liq 4 g sachet		30	· .	aser S29
ROTIONAMIDE – Retail pharmacy-Specialist	200.00	00	• •	
a) No patient co-payment payable				
<ul> <li>b) Specialist must be an infectious disease specialist,</li> </ul>	clinical microbiologist or re	spiratory s	pecialist.	
Tab 250 mg		100	🖌 🖌 Pe	eteha S29
YRAZINAMIDE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recomm	mendation of, an infectiou	s disease	physician	n, clinical microbiologist
respiratory physician	n rafar			
<ul> <li>Tab 500 mg – For pyrazinamide oral liquid formulation page 201</li> </ul>		100	<b>ا</b> ۸	FT-Dyrazinamida
page 201		100	🗸 A	FT-Pyrazinamide

		Subsidy (Manufacturer's Price \$	) Per	Subsid	Fully dised	Brand or Generic Manufacturer
RIE	ABUTIN – Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendat gastroenterologist Cap 150 mg – For rifabutin oral liquid formulation refer, page		disea	ise phy	/siciar	n, respiratory physician or
	201		30		✓ M	lycobutin
*	<ul> <li>b) For confirmed recurrent Staphylococcus aureus infection in based on susceptibilities and the prescription is endorsed a Specialist. Specialist must be an internal medicine physicia health physician.</li> <li>Tab 600 mg</li> </ul>	ccordingly; can be an, clinical microbiol	waived	l by en dermai	idorse tologis	ement - Retail pharmacy -
*	Cap 150 mg		100		🗸 Ri	ifadin
*	Cap 300 mg	122.36	100		🖌 R	ifadin
*	Oral liq 100 mg per 5 ml		60 ml		🗸 R	ifadin
	ntivirals eye preparations refer to Eye Preparations, Anti-Infective Prep	parations name 195				
1 01	eye preparations relet to Lye r reparations, Anti-Infective r rep	Jaralions, page 195				
He	epatitis B Treatment					
ADI	FOVIR DIPIVOXIL – Special Authority see SA0829 below – I Tab 10 mg		30		✔ Н	epsera

### SA0829 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and
- Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1  $\times\,$  ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load  $\geq$  10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic; and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic; and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1  $\times$  ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load  $\geq$  10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Subsidy (Manufacturer's Price	/	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR – Special Authority see SA1361 below – Retail pharmacy

### ➡SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and

5 Either:

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

Tab 100 mg	32.50	28	✓ Zetlam
Oral liq 5 mg per ml	90.00	240 ml	🖌 Zeffix

### SA1360 Special Authority for Subsidy

**Initial application** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or

Subsidy	Fu	Illy Brand or	
(Manufacturer's Price)	Subsidis	ed Generic	
\$	Per	<ul> <li>Manufacturer</li> </ul>	

continued...

6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

**Renewal** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine; and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
  - 2.2 Patient is cirrhotic; and
    - Documented resistance to lamivudine, defined as:
  - 2.3 Patient has raised serum ALT (> 1  $\times$  ULN); and
  - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1  $\times$  ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

### **Herpesvirus Treatments**

#### ACICLOVIR

<ul> <li>* Tab dispersible 200 mg</li> <li>* Tab dispersible 400 mg</li> </ul>		25 56	✓ <u>Lovir</u> ✓ <u>Lovir</u>
* Tab dispersible 800 mg	6.64	35	Lovir
VALACICLOVIR – Special Authority see SA1363 on the next page Tab 500 mg		30	<ul> <li>Valtrex</li> </ul>

Subsidy (Manufacturer's Price)	Fully Subsidised		Brand or Generic	
\$	Per	~	Manufacturer	

#### ► SA1363 Special Authority for Subsidy

**Initial application** — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

**Initial application — (CMV prophylaxis)** from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

**Initial application — (immunocompromised patients)** from any medical practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patients is immunocompromised; and
- 2 Patient has herpes zoster; and
- 3 Valaciclovir is to be given for a maximum of 7 days per course.

VALGANCICLOVIR - Special Authority see SA1404 below - Retail pharmacy

	 ···· · · · · · · · · · · · · · · · · ·		
Tab 450 mg		60	Valcvte

### SA1404 Special Authority for Subsidy

**Initial application** — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
  - 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
  - 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

**Initial application — (Lung transplant cytomegalovirus prophylaxis)** only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
  - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
  - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
- 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
- 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

### Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1362 below

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil furnarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 109

### SA1362 Special Authority for Waiver of Rule

**Initial application** — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased  $\geq$  10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	lbsidised	Generic	
\$	Per	~	Manufacturer	

#### continued...

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased  $\geq~$  10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
  - 1 Patient is HBsAg positive and pregnant; and
  - 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
  negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

### **Hepatitis C Treatment**

BOCEPREVIR - Special Authority see SA1402 below - Retail phan	macy		
Cap 200 mg - Wastage claimable - see rule 3.3.2 on page			
17	. 5,015.00	336	✓ <u>Victrelis</u>

### ➡SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

continued...

- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegylated interferon treatment; and
- 3 Any of the following:
  - 3.1 Patient was a responder relapser; or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10<sup>9</sup> /l or Albumin <35 g/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

## Antiretrovirals

#### ➡SA1364 Special Authority for Subsidy

**Initial application** — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts  $< 1000 \text{ cells/mm}^3$ ; or
      - 2.3.2.2 CD4 counts  $< 0.25 \times$  total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both:
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts  $< 500 \text{ cells/mm}^3$ .

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal** — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

1 Prevention of maternal foetal transmission; or

 Fully Subsidised	Brand or Generic
\$ Per 🖌	Manufacturer

continued...

2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

**Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV)** only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

- Both:
  - 1 Treatment course to be initiated within 72 hours post exposure; and
  - 2 Any of the following:
    - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
    - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
    - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

## Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1364 on the pr	revious page – Retail pharn	nacy	
Tab 50 mg		30	Stocrin S29
Tab 200 mg		90	<ul> <li>Stocrin</li> </ul>
Tab 600 mg		30	<ul> <li>Stocrin</li> </ul>
Oral liq 30 mg per ml		180 ml OP	Stocrin S29

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
ETRAVIRINE – Special Authority see SA1364 on page 109 – Re Tab 200 mg		60	✓ Intelence
NEVIRAPINE – Special Authority see SA1364 on page 109 – R	etail pharmacy		
Tab 200 mg – Brand switch fee payable (Pharmacod 2433265) - see page 199 for details		60	✓ <u>Nevirapine</u> Alphapharm
Oral suspension 10 mg per ml	134.55	240 ml	<ul> <li>Viramune</li> <li>Suspension</li> </ul>
Nucleosides Reverse Transcriptase Inhibitors			
ABACAVIR SULPHATE - Special Authority see SA1364 on pag	e 109 – Retail pł	armacy	
Tab 300 mg		60	<ul> <li>Ziagen</li> </ul>
Oral liq 20 mg per ml		240 ml OP	✓ Ziagen
BACAVIR SULPHATE WITH LAMIVUDINE – Special Authority			
Note: abacavir with lamivudine (combination tablets) coun	is as two anti-re	iroviral medicati	ons for the purposes of the anti-
retroviral Special Authority.	620.00	30	✔ Kivexa
Tab 600 mg with lamivudine 300 mg		•••	Kivexa
DIDANOSINE [DDI] – Special Authority see SA1364 on page 10			
Cap 125 mg		30	Videx EC
Cap 200 mg		30	Videx EC
Cap 250 mg		30	Videx EC
Cap 400 mg		30	Videx EC
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPI - Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil fur of the anti-retroviral Special Authority Tab 600 mg with emtricitabine 200 mg and tenofovir disoprox fumarate 300 mg	marate counts as il		
EMTRICITABINE – Special Authority see SA1364 on page 109	<ul> <li>Retail pharmad</li> </ul>	cy .	
Cap 200 mg		30	Emtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE Note: Emtricitabine with tenofovir disoproxil fumarate coun retroviral Special Authority Tab 200 mg with tenofovir disoproxil fumarate 300 mg	ts as two anti-re		10 1 1
AMIVUDINE - Special Authority see SA1364 on page 109 - R	etail pharmacy		
Tab 150 mg		60	Lamivudine
· · - • · · · · · · · · · · · · · · ·	02.00	20	Alphapharm
	(153.60)		3TC
Oral liq 10 mg per ml		240 ml OP	✓ 3TC
(3TC Tab 150 mg to be delisted 1 May 2014)			· <u>···</u>
STAVUDINE [D4T] - Special Authority see SA1364 on page 109	9 – Retail pharma	асу	
Cap 40 mg		60	✓ Zerit
Powder for oral soln 1 mg per ml		200 ml OP	✓ Zerit S29
IDOVUDINE [AZT] – Special Authority see SA1364 on page 10 Cap 100 mg	09 – Retail pharn		✓ Retrovir
Oral lig 10 mg per ml		200 ml OP	✓ Retrovir
		200 III 0F	

	Subsidy (Manufacturer's		Fully	Brand or Generic
	\$	Per	<ul> <li>✓</li> </ul>	Manufacturer
IDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority se Note: zidovudine [AZT] with lamivudine (combination tablet anti-retroviral Special Authority.				
Tab 300 mg with lamivudine 150 mg	667.20	60		<u>phapharm</u> ombivir
Protease Inhibitors	iune 2014)			
TAZANAVIR SULPHATE – Special Authority see SA1364 on p Cap 150 mg Cap 200 mg		l pharmacy 60 60	✔ Re ✔ Re	eyataz eyataz
DARUNAVIR – Special Authority see SA1364 on page 109 – Re Tab 400 mg Tab 600 mg		60 60		rezista rezista
NDINAVIR – Special Authority see SA1364 on page 109 – Ret Cap 200 mg Cap 400 mg	ail pharmacy 519.75	360 180		rixivan rixivan
OPINAVIR WITH RITONAVIR – Special Authority see SA1364 Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml		Retail pharma 60 120 300 ml OP	✓ Ka	aletra aletra aletra
RITONAVIR – Special Authority see SA1364 on page 109 – Re Tab 100 mg Oral liq 80 mg per ml	43.31	30 90 ml OP	✓ <u>No</u> ✓ No	
Strand Transfer Inhibitors				
RALTEGRAVIR POTASSIUM – Special Authority see SA1364 c Tab 400 mg		etail pharmacy 60		entress
Antiretrovirals - Additional Therapies				
HIV Fusion Inhibitors				
${\sf ENFUVIRTIDE}$ – Special Authority see SA0845 below – Retail Powder for inj 90 mg per ml $ imes$ 60		1	🖌 Fu	ızeon
►SA0845 Special Authority for Subsidy nitial application only from a named specialist. Approvals valid All of the following:	d for 3 months fo	or applications	meeting th	e following criteria:
<ol> <li>Confirmed HIV infection; and</li> <li>Enfuvirtide to be given in combination with optimized ba the patient has never previously been exposed to) for tr</li> <li>Either:</li> </ol>			t least 1 ot	her antiretroviral drug that
<ul><li>3.1 Patient has evidence of HIV replication, despite</li><li>3.2 Patient has treatment-limiting toxicity to previous</li></ul>				
<ul><li>4 Previous treatment with 3 different antiretroviral regime</li><li>5 All of the following:</li></ul>	ns has failed; an	d		
5.1 Previous treatment with a non-nucleoside revers	se transcriptase	inhibitor has fa	ailed; and	
				continued

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
- 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

## **Immune Modulators**

## Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### **Criteria for Treatment**

- a) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - · PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

#### **Exclusion Criteria**

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia (<2.0  $\times$  10<sup>9</sup>) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

## INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

a) See prescribing guideline above

b) Prescriptions mus	t be written by, or on the recommendation of, a	an internal medicine physician or ophthalmologist

Inj 3 m iu prefilled syringe ...... 31.32 1 V Roferon-A

## INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

a) See prescribing guideline above

b)	Prescriptions	must be written by	y, or on the recommendation of, an ir	nternal medicine physician or ophthalmologist

Inj 18 m iu, 1.2 ml multidose pen	1	Intron-A
Inj 30 m iu, 1.2 ml multidose pen	1	Intron-A
Inj 60 m iu, 1.2 ml multidose pen	1	<ul> <li>Intron-A</li> </ul>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
PEGYLATED INTERFERON ALFA-2A – Special Authority see SA	A1400 below – Retail	pharn	nacy	
See prescribing guideline on the previous page		•		
Inj 135 mcg prefilled syringe	1,448.00	4	~	Pegasys
Inj 180 mcg prefilled syringe		4	<b>v</b>	Pegasys
Inj 135 mcg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 112		1 OP	~	Pegasys RBV Combination Pack
Inj 135 mcg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 168		1 OP	٢.	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 112		1 OP	٢.	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 168		1 OP	~	Pegasys RBV Combination Pack

## SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
  - 1.2 Patient has chronic hepatitis C and is co-infected with HIV: or
  - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal --- (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin: and
- 3 Fither:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir: and
- 5 Maximum of 48 weeks therapy.

Initial application ---- (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C. genotype 1: and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 3.1 Patient has responder relapsed; or
- 3.2 Patient was a partial responder; or
- 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

#### Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

## **Urinary Tract Infections**

HEXAMINE HIPPURATE * Tab 1 g18.40 (38.10)	100	Hiprex
NITROFURANTOIN		
<ul> <li>* Tab 50 mg – For nitrofurantoin oral liquid formulation refer,</li> </ul>		
page 201	100	Nifuran
* Tab 100 mg	100	Nifuran
NORFLOXACIN		
Tab 400 mg – Maximum of 6 tab per prescription; can be waived by endorsement - Retail pharmacy - Specialist	100	✓ <u>Arrow-Norfloxacin</u>

	Subsidy (Manufacturer's Price)		Ful Subsidise	
	(interference) \$	Per	•	Manufacturer
Anticholinesterases				
EOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	140.00	50	~	AstraZeneca
Tab 60 mg		100	~	Mestinon
Non-Steroidal Anti-Inflammatory Drugs		100	•	
SA1038 Special Authority for Manufacturers Price	h			
ote: Subsidy for patients with existing approvals prior to 1 Septem	ber 2010. Approvals	s valid \	without fu	irther renewal unless noti
o new approvals will be granted from 1 September 2010.				
CLOFENAC SODIUM Tab EC 25 mg	4.00	100		Ana Diala
	4.00	100	V	Apo-Diclo
Tab 50 mg dispersible – Additional subsidy by Special Au-	1 50	00		
thority see SA1038 above – Retail pharmacy		20		Vallaren D
Tab EC 50 mg	(8.00)	500		Voltaren D
Tab EC 50 mg Tab lono-acting 75 mg		500 500		Apo-Diclo Diclax SR
Tab long-acting 75 mg Tab long-acting 100 mg		500 500		Diclax SR
Tab long-acting 100 mg Inj 25 mg per ml, 3 ml		500 5		Voltaren
Up to 5 inj available on a PSO	12.00	5	•	Voltaren
Suppos 12.5 mg	1 85	10	~	Voltaren
Suppos 25 mg		10		Voltaren
Suppos 50 mg		10		Voltaren
Up to 10 supp available on a PSO		10	·	<u>voitaron</u>
Suppos 100 mg	6.36	10	~	Voltaren
	10.75	1 000		A ##011000#0
Tab 200 mg	12./5	1,000	v	Arrowcare
Tab 400 mg – Additional subsidy by Special Authority see	0.77	00		
SA1038 above – Retail pharmacy		30		Brufen
Tab COO man Additional subsidu bu Oracial Authority and	(4.56)			DIUIEII
Tab 600 mg – Additional subsidy by Special Authority see	1 15	20		
SA1038 above – Retail pharmacy		30		Brufen
Tab long-acting 800 mg	(6.84)	30		Brufen SR
trab long-acting 800 mg     trab long-acting     trab long-acting 800 mg     trab long-acting 800 mg     trab		200 ml		Fenpaed
			•	<u>i cripaca</u>
TOPROFEN	04 50	400		
Cap long-acting 100 mg		100		Oruvail SR
Cap long-acting 200 mg ruvail SR Cap long-acting 100 mg to be delisted 1 September 2		28	~	Oruvail SR
	,	ntail rh	ormoor	
EFENAMIC ACID – Additional subsidy by Special Authority see			armacy	
Cap 250 mg		20		Ponstan
	(5.60) 1.25	50		FUISIAII
	(9.16)	50		Ponstan

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
NAF	PROXEN				
*	Tab 250 mg		500	V N	loflam 250
*	Tab 500 mg		250	<b>~</b> N	loflam 500
*	Tab long-acting 750 mg		90	V N	laprosyn SR 750
¥	Tab long-acting 1,000 mg	21.00	90	V N	laprosyn SR 1000
SUL	INDAC - Additional subsidy by Special Authority see SA1038	3 on the previous pag	ge – Re	tail pharm	асу
ŧ	Tab 100 mg	2.66	50		
		(8.55)		A	clin
*	Tab 200 mg	3.36	50		
		(15.10)		A	clin
Έŀ	IOXICAM				
ŧ	Tab 20 mg		100	🖌 T	ïlcotil
ŧ	Inj 20 mg vial	9.95	1	🗸 A	FT
'IA	PROFENIC ACID				
	Tab 300 mg		60	V s	urgam
N	SAIDs Other				-
١FI	OXICAM – Special Authority see SA1034 below – Retail pha	rmacy			
	Tab 7.5 mg		30	<b>V</b> A	rrow-Meloxicam
	SA1034 Special Authority for Subsidy			• •	
	al application from any relevant practitioner. Approvals valid	without further rene	walun	less notifie	d for applications meeti
	following criteria:		wai uili		eu ior applications meet
	f the following:				
ui v	1 The patient has moderate to severe haemophilia with le	es than or equal to	5% of	normal ai	coulating functional clotti
	factor; and	inali or equal to	570 UI	normai cii	culating functional clotti
	2 The patient has haemophilic arthropathy; and				
	3 Pain and inflammation associated with haemophilic arthr	opathy is inadequate	ly contr	ollod by a	Itornativo fundod troatmo
	options, or alternative funded treatment options are contra		iy conu	ulleu by a	
		andicated.			
To	pical Products for Joint and Muscular Pain				
CAF	PSAICIN				
	Crm 0.025% - Special Authority see SA1289 below - Retail				
	pharmacy	9.95 4	5 g OP	~ ~ /	ostrix

## osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

# **Antirheumatoid Agents**

AURANOFIN			
Tab 3 mg	.99 6	i0 🖌	Ridaura s29 S29
HYDROXYCHLOROQUINE * Tab 200 mg	.00 10	00 🗸	<u>Plaquenil</u>
LEFLUNOMIDE Tab 10 mg55. Tab 20 mg76. Tab 100 mg	.00 3	io 🖌	Arava Arava Arava

MUSCULOSKELETAL SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PENICILLAMINE				
Tab 125 mg	61.93	100	🗸 D	-Penamine
Tab 250 mg		100	🗸 D	-Penamine
SODIUM AUROTHIOMALATE				
Inj 10 mg in 0.5 ml ampoule	76.87	10	V N	lyocrisin
Inj 20 mg in 0.5 ml ampoule	113.17	10	V N	lyocrisin
Inj 50 mg in 0.5 ml ampoule	217.23	10	V N	lyocrisin

## Drugs Affecting Bone Metabolism

## Alendronate for Osteoporosis

## SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically: or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- - 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
  - 2 Any of the following:
    - 2.1 The patient has documented BMD > 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -1.5) (see Note); or
    - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically: or
    - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy ( $\geq$  5 mg per day prednisone equivalents).

Renewal - (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically: or

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

continued...

- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene.

Notes:

- BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM	<ul> <li>Special Authority</li> </ul>	v see SA1039 on the	previous page -	- Retail pharmacy

 ★ Tab 70 mg
 22.90
 4
 ✔ Fosamax

## Alendronate for Paget's Disease

#### SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM – Special Authority see SA0949 above – Retail pharmacy * Tab 40 mg	30	✓ Fosamax
Other Treatments		
ETIDRONATE DISODIUM – See prescribing guideline below * Tab 200 mg	100	✓ Arrow-Etidronate

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer
PAMIDRONATE DISODIUM				
Inj 3 mg per ml, 5 ml		1	🖌 Pa	amisol
Inj 3 mg per ml, 10 ml		1	🖌 Pa	amidronate BNM
Inj 6 mg per ml, 10 ml		1	🖌 🖌 🗗	amidronate BNM
Inj 9 mg per ml, 10 ml		1	🖌 <u>P</u>	amidronate BNM
RALOXIFENE HYDROCHLORIDE - Special Authority see SA	1138 below – Retail pha	rmacv		
* Tab 60 mg	•	28	🖌 E	vista
BLCA1120 Created Authority for Cubaidy				

#### SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age: or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlving cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and guantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score  $\leq$  -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has guantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Tab 35 mg	4.00	4	✓ Risedronate Sandoz
TERIPARATIDE - Special Authority see SA1139 below - Reta	ail pharmacy		
Inj 250 mcg per ml, 2.4 ml		1	✓ Forteo

#### SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma: and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	bsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

## SA1187 Special Authority for Subsidy

**Initial application** — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq 2.5$  standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq -2.5$ ) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score  $\leq$  -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD  $\geq$  1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq 2.5$  standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq -2.5$ ) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score  $\leq$  -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

 BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

## Hyperuricaemia and Antigout

ALLOPURINOL			
* Tab 100 mg		1,000	Apo-Allopurinol
* Tab 300 mg - For allopurinol oral liquid formulation refe	r,		
page 201	16.75	500	Apo-Allopurinol
BENZBROMARONE - Special Authority see SA1319 below - R	etail pharmacy		
Tab 100 mg		100	<ul> <li>Benzbromaron AL</li> </ul>
			100 S29

#### SA1319 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and appropriate doses of probenecid; or
  - 1.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite appropriate doses of probenecid; or
  - 1.3 Both:
    - 1.3.1 The patient has renal impairment and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note); and
    - 1.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
  - 1.4 All of the following:
    - 1.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
    - 1.4.2 Allopurinol is contraindicated; and
    - 1.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 2 The patient is receiving monthly liver function tests.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

	Subsidy (Manufacturer's Price \$	) Sub Per	Fully sidised	Brand or Generic Manufacturer
continued				
Notes: Benzbromarone has been associated with potentially fat Optimal treatment with allopurinol in patients with renal impair dose of allopurinol then, if serum urate remains greater than 0.3 the maximum tolerated dose.	ment is defined as tre			
The New Zealand Rheumatology Association has developed inf http://www.rheumatology.org.nz/benzbromarone_prescriber_info		rs which ca	in be ad	ccessed from its website at
COLCHICINE * Tab 500 mcg		100	✓ <u>C</u>	olgout
PROBENECID * Tab 500 mg	55.00	100	✔ P	robenecid-AFT
Muscle Relaxants				
BACLOFEN				
* Tab 10 mg - For baclofen oral liquid formulation refer, pag				
201 Inj 0.05 mg per ml, 1 ml ampoule – Subsidy by endorsemer		100 1		acifen ioresal Intrathecal
Subsidised only for use in a programmable pump in pai caused intolerable side effects and the prescription is en	tients where oral antis	•		
Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement Subsidised only for use in a programmable pump in pai caused intolerable side effects and the prescription is en	tients where oral antis	1 pastic age		ioresal Intrathecal we been ineffective or have
DANTROLENE				
* Cap 25 mg * Cap 50 mg		100 100	• -	antrium Dantrium
ORPHENADRINE CITRATE		100	¥ U	
Tab 100 mg		100	🗸 N	lorflex

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Agents for Parkinsonism and Related Disorders				
Dopamine Agonists and Related Agents				
MANTADINE HYDROCHLORIDE				
Cap 100 mg		60	✓ <u>s</u>	<u>Symmetrel</u>
APOMORPHINE HYDROCHLORIDE				
Inj 10 mg per ml, 2 ml	110.00	5	V	Apomine
BROMOCRIPTINE MESYLATE				
₭ Tab 2.5 mg		100	V	Apo-Bromocriptine
k Cap 5 mg		100		Apo-Bromocriptine
Apo-Bromocriptine Cap 5 mg to be delisted 1 October 2014)				
INTACAPONE				
Tab 200 mg		100	<b>/</b> F	Intapone
5			• •	
EVODOPA WITH BENSERAZIDE Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100		/adopar Rapid
<ul> <li>Cap 50 mg with benserazide 12.5 mg</li> </ul>		100		ladopar 62.5
Cap 100 mg with benserazide 25 mg		100		Aadopar 125
<ul> <li>Cap long-acting 100 mg with benserazide 25 mg</li> </ul>		100		Aadopar HBS
Cap 200 mg with benserazide 50 mg		100		Aadopar 250
	20.00	100	• .	1000pul 200
<ul> <li>Tab 100 mg with carbidopa 25 mg – For levodopa with car</li> </ul>		50		No. da a a
bidopa oral liquid formulation refer, page 201		50		Sindopa Sinemet
<ul> <li>Tab long acting 200 mg with carbidana 50 mg</li> </ul>	20.00	100 100		Sinemet CR
Tab long-acting 200 mg with carbidopa 50 mg     Tab 250 mg with carbidopa 25 mg		100		Sinemet
<b>0</b> 1 <b>0</b>		100	•	billetillet
ISURIDE HYDROGEN MALEATE				
Tab 200 mcg	25.00	30	<b>v</b> [	Oopergin
PERGOLIDE				
Tab 0.25 mg		100	✓ <u>F</u>	ermax
Tab 1 mg		100	✓ <u>F</u>	Permax
Permax Tab 0.25 mg to be delisted 1 September 2014)				
Permax Tab 1 mg to be delisted 1 September 2014)				
RAMIPEXOLE HYDROCHLORIDE				
Tab 1 mg	7.20	30	<b>~</b> [	Dr Reddy's
				Pramipexole
	24.39	100	🖌 F	Ramipex S29
Tab 0.125 mg	1.95	30	<b>~</b> [	Dr Reddy's
-				Pramipexole
Tab 0.25 mg	2.40	30	<b>~</b> [	Dr Reddy's
-				Pramipexole
	7.20	100	🖌 F	amipex S29
Tab 0.5 mg	4.20	30		Dr Reddy's
-				Pramipexole

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
ROPINIROLE HYDROCHLORIDE				
▲ Tab 0.25 mg	2.36	100	~	Apo-Ropinirole
Ŭ	1.98	84		• •
	(6.20)			Ropin
▲ Tab 1 mg		100	~	Apo-Ropinirole
0	4.47	84		• •
	(15.95)			Ropin
▲ Tab 2 mg	· · · ·	100	~	Apo-Ropinirole
_ · ·g	6.48	84		
	(24.95)			Ropin
▲ Tab 5 mg		100	~	Apo-Ropinirole
	12.16	84	•	
	(38.00)	•		Ropin
(Ropin Tab 0.25 mg to be delisted 1 June 2014) (Ropin Tab 1 mg to be delisted 1 June 2014) (Ropin Tab 2 mg to be delisted 1 June 2014) (Ropin Tab 5 mg to be delisted 1 June 2014)				
SELEGILINE HYDROCHLORIDE				
* Tab 5 mg	16.06	100		Apo-Selegiline Apo-Selegiline S29 529
▲ Tab 100 mg		100	~	Tasmar
Anticholinergics				
BENZTROPINE MESYLATE				
Tab 2 mg		60	V	Benztrop
Inj 1 mg per ml, 2 ml a) Up to 5 inj available on a PSO b) Only on a PSO		5		Cogentin
ORPHENADRINE HYDROCHLORIDE Tab 50 mg (Disipal Tab 50 mg to be delisted 1 November 2014)	35.15	250	~	Disipal
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7 40	100	~	Kemadrin
Agents for Essential Tremor, Chorea and Relate		100	•	Romaann
RILUZOLE – Special Authority see SA1403 below – Retail phan Wastage claimable – see rule 3.3.2 on page 17	macy			
Tab 50 mg	400.00	56	~	Rilutek

**Initial application** only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
ontinued				
<ul><li>4 The patient has not experienced respiratory failure; and</li><li>5 Any of the following:</li></ul>				
<ul><li>5.1 The patient is ambulatory; or</li><li>5.2 The patient is able to use upper limbs; or</li><li>5.3 The patient is able to swallow.</li></ul>				
enewal from any relevant practitioner. Approvals valid for 18 mo II of the following:	nths for applications	s meetii	ng the follo	wing criteria:
<ol> <li>The patient has not undergone a tracheostomy; and</li> <li>The patient has not experienced respiratory failure; and</li> <li>Any of the following:</li> </ol>				
<ul><li>3.1 The patient is ambulatory; or</li><li>3.2 The patient is able to use upper limbs; or</li><li>3.3 The patient is able to swallow.</li></ul>				
ETRABENAZINE				
Tab 25 mg	118.00	112	<b>~</b> ]	<u>Motetis</u>
Local				
DOCAINE [LIGNOCAINE] Gel 2%, 10 ml urethral syringe – Subsidy by endorsement	43.26	10	~	Pfizer
DOCAINE [LIGNOCAINE] Gel 2%, 10 ml urethral syringe – Subsidy by endorsement a) Up to 5 each available on a PSO b) Subsidised only if prescribed for urethral or cervical adm				
<ul> <li>DOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>DOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> </ul>	inistration and the	orescrip	otion is end	lorsed accordingly.
<ul> <li>DOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>DOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> </ul>	inistration and the		otion is end	
<ul> <li>DOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>DOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> </ul>	inistration and the	prescrip 200 ml	otion is end	lorsed accordingly.
<ul> <li>DOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>DOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> </ul>	inistration and the 55.00 8.75	prescrip 200 ml 25	otion is end	lorsed accordingly.
IDOCAINE [LIGNOCAINE] Gel 2%, 10 ml urethral syringe – Subsidy by endorsement a) Up to 5 each available on a PSO b) Subsidised only if prescribed for urethral or cervical adm IDOCAINE [LIGNOCAINE] HYDROCHLORIDE Viscous soln 2% Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO	inistration and the 55.00 8.75 17.50 (35.00) 6.90	200 ml 25 50 25	otion is end	lorsed accordingly. <b>Xylocaine Viscous</b> <b>Lidocaine-Claris</b> Xylocaine <b>Lidocaine-Claris</b>
<ul> <li>DOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>DOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40	200 ml 25 50 25 1	otion is end	lorsed accordingly. <u>Kylocaine Viscous</u> Lidocaine-Claris Kylocaine
IDOCAINE [LIGNOCAINE] Gel 2%, 10 ml urethral syringe – Subsidy by endorsement a) Up to 5 each available on a PSO b) Subsidised only if prescribed for urethral or cervical adm IDOCAINE [LIGNOCAINE] HYDROCHLORIDE Viscous soln 2% Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00	200 ml 25 50 25		lorsed accordingly. <u>Kylocaine Viscous</u> <u>Lidocaine-Claris</u> <u>Kylocaine</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u>
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00)	200 ml 25 50 25 1 5		lorsed accordingly. <b>Xylocaine Viscous</b> <b>Lidocaine-Claris</b> Xylocaine <u>Lidocaine-Claris</u> Lidocaine-Claris Xylocaine
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00)	200 ml 25 50 25 1		lorsed accordingly. <u>Kylocaine Viscous</u> <u>Lidocaine-Claris</u> <u>Kylocaine</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u>
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00)	200 ml 25 50 25 1 5		lorsed accordingly. <b>Xylocaine Viscous</b> <b>Lidocaine-Claris</b> Xylocaine <u>Lidocaine-Claris</u> Lidocaine-Claris Xylocaine
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00) 2.40	200 ml 25 50 25 1 5 1	botion is end	lorsed accordingly. <u>Kylocaine Viscous</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Kylocaine</u> <u>Lidocaine-Claris</u>
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>IDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE</li> <li>Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00) 2.40	200 ml 25 50 25 1 5	botion is end	lorsed accordingly. <b>Xylocaine Viscous</b> <b>Lidocaine-Claris</b> Xylocaine <u>Lidocaine-Claris</u> Lidocaine-Claris Xylocaine
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>IDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE</li> <li>Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00) 2.40 	200 ml 25 50 25 1 5 1 1 5	botion is end	lorsed accordingly. <u>Kylocaine Viscous</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Kylocaine</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u>
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>IDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE</li> <li>Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00) 2.40 	200 ml 25 50 25 1 5 1 1 10 prescrip	btion is end	lorsed accordingly. <u>Xylocaine Viscous</u> <u>Lidocaine-Claris</u> <u>Xylocaine</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Xylocaine</u> <u>Lidocaine-Claris</u> <u>Yrlocaine-Claris</u> <u>Nylocaine</u> <u>Lidocaine-Claris</u> <u>Nylocaine</u> <u>Lidocaine-Claris</u>
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 1%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>IDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE</li> <li>Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00) 2.40 43.26 inistration and the rity see SA0906 be	200 ml 25 50 25 1 5 1 10 prescrip low – F	btion is end	lorsed accordingly. <u>Kylocaine Viscous</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Pfizer</u> lorsed accordingly. nacy
<ul> <li>IDOCAINE [LIGNOCAINE]</li> <li>Gel 2%, 10 ml urethral syringe – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> <li>IDOCAINE [LIGNOCAINE] HYDROCHLORIDE</li> <li>Viscous soln 2%</li> <li>Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO</li> <li>Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO</li> <li>IDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE</li> <li>Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement</li> <li>a) Up to 5 each available on a PSO</li> <li>b) Subsidised only if prescribed for urethral or cervical adm</li> </ul>	inistration and the 55.00 8.75 17.50 (35.00) 6.90 2.40 12.00 (20.00) 2.40 43.26 inistration and the rity see SA0906 be 45.00	200 ml 25 50 25 1 5 1 1 10 prescrip	botion is end	lorsed accordingly. <u>Xylocaine Viscous</u> <u>Lidocaine-Claris</u> <u>Xylocaine</u> <u>Lidocaine-Claris</u> <u>Lidocaine-Claris</u> <u>Xylocaine</u> <u>Lidocaine-Claris</u> <u>Yrlocaine-Claris</u> <u>Nylocaine</u> <u>Lidocaine-Claris</u> <u>Nylocaine</u> <u>Lidocaine-Claris</u>

**Initial application** from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully	Brand or
	(Manufacturer's Pric \$	e) Su Per	ubsidised	Generic Manufacturer
Analgesics				
For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, pa	age 116			
Non-opioid Analgesics				
ASPIRIN				
* Tab EC 300 mg		100		
the Table is a serie to	(8.50)	400		spec 300
* Tab dispersible 300 mg – Up to 30 tab available on a PSO	2.55	100		thics Aspirin
CAPSAICIN – Subsidy by endorsement				
<ul> <li>a) For aspirin &amp; chloroform application refer Standard Formu</li> <li>b) Subsidised only if prescribed for post-herpetic neuralgia o</li> </ul>		l neuronat	hy and th	ne prescription is endorsed
accordingly.		incuropai	ny and ti	
Crm 0.075%		45 g OP	🗸 Z	ostrix HP
NEFOPAM HYDROCHLORIDE		-		
Tab 30 mg	23.40	90	🗸 A	cupan
PARACETAMOL				
* Tab 500 mg – Up to 30 tab available on a PSO	9.38	1,000	✓ P	Parafast
*‡ Oral liq 120 mg per 5 ml	2.21	500 ml	✓ <u>E</u>	thics Paracetamol
a) Up to 200 ml available on a PSO				
b) Not in combination	0.70	1 0001		avaava Davibla
*‡ Oral liq 250 mg per 5 ml	6.70	1,000 ml	<b>v</b> <u>P</u>	aracare Double Strength
a) Up to 100 ml available on a PSO				Strength
b) Not in combination				
* Suppos 125 mg		20		anadol
* Suppos 250 mg		20		anadol
* Suppos 500 mg		50	• •	aracare
Opioid Analgesics				
CODEINE PHOSPHATE – Safety medicine; prescriber may dete	rmine dispensing fr	equency		
Tab 15 mg		100	✓ P	
Tab 30 mg		100	✓ <u>P</u>	
Tab 60 mg	12.50	100	✓ P	<u>'SM</u>
DIHYDROCODEINE TARTRATE			. –	
Tab long-acting 60 mg	13.64	60		HC Continus

				_
	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	Generic
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine disp	ensing frequency			
Inj 50 mcg per ml, 2 ml	4.50	10		Boucher and Muir
Inj 50 mcg per ml, 10 ml	11.77	10		Boucher and Muir
Transdermal patch 12.5 mcg per hour	8.90	5	V	Mylan Fentanyl Patch
Transdermal patch 25 mcg per hour	9.15	5	V	Mylan Fentanyl Patch
Transdermal patch 50 mcg per hour	11.50	5	~	Mylan Fentanyl Patch
Transdermal patch 75 mcg per hour		5	V	Mylan Fentanyl Patch
Transdermal patch 100 mcg per hour		5	~	Mylan Fentanyl Patch
METHADONE HYDROCHLORIDE				
<ul> <li>a) Only on a controlled drug form</li> </ul>				
<ul> <li>b) No patient co-payment payable</li> </ul>				
c) Safety medicine; prescriber may determine disp				
d) Extemporaneously compounded methadone wi	Il only be reimbursed at the rate	e of the	e cheapes	t form available (methadone
powder, not methadone tablets).				
e) For methadone hydrochloride oral liquid refer St		10		Methatabs
Tab 5 mg            ±         Oral lig 2 mg per ml		200 ml	•	Biodone
Oral liq 2 mg per ml     Oral liq 5 mg per ml     Oral liq 5 mg per ml		200 ml	•	Biodone Forte
Oral lig 10 mg per ml		200 ml		Biodone Extra Forte
Inj 10 mg per ml, 1 ml		10		AFT
MORPHINE HYDROCHLORIDE		10	•	/
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine disp	ensing frequency			
to ral liq 1 mg per ml		200 ml	· •	RA-Morph
		200 ml		RA-Morph
Oral liq 2 mg per ml     Oral liq 5 mg per ml     Oral liq 5 mg per ml		200 ml		RA-Morph
toral liq 10 mg per ml		200 ml		RA-Morph

	Subsidy (Manufacturer's Price \$	Per	Fully Subsidised	Generic
ORPHINE SULPHATE				
a) Only on a controlled drug form				
<ul> <li>b) No patient co-payment payable</li> </ul>				
c) Safety medicine; prescriber may determine dispensing fre				
Tab immediate-release 10 mg	2.80	10	-	Sevredol
Tab long-acting 10 mg		10	-	Arrow-Morphine LA
Tab immediate-release 20 mg		10		Sevredol
Tab long-acting 30 mg		10		Arrow-Morphine LA
Tab long-acting 60 mg		10		Arrow-Morphine LA
Tab long-acting 100 mg		10	-	Arrow-Morphine LA
Cap long-acting 10 mg		10	-	m-Eslon
Cap long-acting 30 mg		10		m-Eslon
Cap long-acting 60 mg		10		m-Eslon
Cap long-acting 100 mg		10	-	m-Eslon
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	V	DBL Morphine Sulphate
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO	4.79	5	~	DBL Morphine
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.01	5	~	Sulphate DBL Morphine
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.30	5	•	<u>Sulphate</u> DBL Morphine Sulphate
b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing fre Inj 80 mg per ml, 1.5 ml Inj 80 mg per ml, 5 ml CYCODONE HYDROCHLORIDE a) Only on a controlled drug form		5 5	-	<u>Hospira</u> Hospira
<ul> <li>b) No patient co-payment payable</li> </ul>				
c) Safety medicine; prescriber may determine dispensing fre		_		
Tab controlled-release 5 mg		20		OxyContin
Tab controlled-release 10 mg		20		Oxydone BNM
Tab controlled-release 20 mg		20		Oxydone BNM
Tab controlled-release 40 mg		20	-	Oxydone BNM
Tab controlled-release 80 mg		20	-	Oxydone BNM
Cap immediate-release 5 mg		20		OxyNorm
Cap immediate-release 10 mg		20		OxyNorm
Cap immediate-release 20 mg		20		OxyNorm
Oral liq 5 mg per 5 ml		250 m		OxyNorm
Inj 10 mg per ml, 1 ml		5		Oxycodone Orion
Inj 10 mg per ml, 2 ml		5		Oxycodone Orion
Inj 50 mg per ml, 1 ml		5	V	<u>OxyNorm</u>
RACETAMOL WITH CODEINE – Safety medicine; prescriber Tab paracetamol 500 mg with codeine phosphate 8 mg		ensing 100		<u>Paracetamol +</u> Codeine (Relieve)

NERVOUS	SYSTEM
---------	--------

	Subsidy (Manufacturer's Price)	_	Full Subsidise	d Generic
	\$	Per	· ·	Manufacturer
ETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
<ul> <li>b) No patient co-payment payable</li> <li>c) Safety medicine; prescriber may determine dispensing free</li> </ul>				
Tab 50 mg		10		PSM
Tab 100 mg		10		PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		DBL Pethidine
		0	•	Hydrochloride
Inj 50 mg per ml, 2 ml $$ – Up to 5 inj available on a PSO	5.83	5	~	DBL Pethidine
				Hydrochloride
RAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg		20	· · · ·	Tramal SR 100
Tab sustained-release 150 mg		20		Tramal SR 150
Tab sustained-release 200 mg		20		Tramal SR 200
Cap 50 mg	4.95	100		Arrow-Tramadol
Antidepressants				
Cyclic and Related Agents				
MITRIPTYLINE – Safety medicine; prescriber may determine	dispensing frequency			
Tab 10 mg		100	~	Arrow Amitriptyline
Tab 25 mg	1.85	100	~	<u>Amitrip</u>
Tab 50 mg	3.60	100	~	Amitrip
LOMIPRAMINE HYDROCHLORIDE – Safety medicine; presc	riber mav determine d	ispens	sina freau	encv
Tab 10 mg		100		Apo-Clomipramine
Tab 25 mg		100		Apo-Clomipramine
OTHIEPIN HYDROCHLORIDE – Safety medicine; prescriber		cina f		
Tab 75 mg		100 sing i		Dopress
Cap 25 mg		100		Dopress
				Dobless
OXEPIN HYDROCHLORIDE – Safety medicine; prescriber ma				
Cap 10 mg		100		Anten
Cap 25 mg		100		Anten
Cap 50 mg	8.55	100	V	Anten
IPRAMINE HYDROCHLORIDE - Safety medicine; prescribe	r may determine dispe	nsing	frequency	1
Tab 10 mg	5.48	50	~	Tofranil
	6.58	60	~	Tofranil
	10.96	100	~	Tofranil
Tab 25 mg	8.80	50	~	Tofranil
APROTILINE HYDROCHLORIDE - Safety medicine; prescrib	er mav determine disr	oensin	na freauen	CV
Tab 25 mg		30		Ludiomil
	25.06	100	· · · ·	Ludiomil
Tab 75 mg		20		Ludiomil
	21.01	30		Ludiomil
IANSERIN HYDROCHLORIDE – Safety medicine; prescriber				
Tab 30 mg		30		Tolvon
ORTRIPTYLINE HYDROCHLORIDE - Safety medicine: preso	criber may determine c	lispen	isina freau	encv
ORTRIPTYLINE HYDROCHLORIDE – Safety medicine; preso Tab 10 mg		lispen 100		ency <u>Norpress</u>

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Μ	onoamine-Oxidase Inhibitors (MAOIs) - Non Se	lective			
*	ENELZINE SULPHATE Tab 15 mg	95.00	100	• N	lardil
1R *	ANYLCYPROMINE SULPHATE Tab 10 mg	22.94	50	✔ F	Parnate
Μ	onoamine-Oxidase Type A Inhibitors				
	CLOBEMIDE Note: There is a significant cost differential between moclober expensive). For depressive syndromes it is therefore more cos ing prescribing moclobemide. Tab 150 mg	t-effective to start tre		nt with fluo	
	Tab 300 mg		100		Apo-Moclobernide
S	elective Serotonin Reuptake Inhibitors				
CI1 *	ALOPRAM HYDROBROMIDE Tab 20 mg	2.34	84	<b>~</b> A	Arrow-Citalopram
ES	CITALOPRAM				
	Tab 10 mg		28		oxalate
*	Tab 20 mg	4.20	28	V	oxalate
	JOXETINE HYDROCHLORIDE Tab dispersible 20 mg, scored – Subsidy by endorsement	2.50	30		Arrow-Fluoxetine Fluox
	<ol> <li>Subsidised by endorsement</li> <li>When prescribed for a patient who cannot swallow whole t or</li> <li>When prescribed in a daily dose that is not a multiple of 2 Note: Tablets should be combined with capsules to facilita</li> </ol>	0 mg in which case	the pr	rescription	
*	Cap 20 mg		90	VA	Arrow-Fluoxetine
( <b>-</b> )	T / / / / / / / / / / / / / / / / / / /	1.62 (2.70)	84	F	luox
(Fl	Iox Tab dispersible 20 mg, scored to be delisted 1 July 2014) Iox Cap 20 mg to be delisted 1 July 2014)				
*	ROXETINE HYDROCHLORIDE Tab 20 mg	4.32	90	✓ L	.oxamine
-	RTRALINE Tab 50 mg Tab 100 mg		90 90	_	Arrow-Sertraline Arrow-Sertraline
•	ther Antidepressants			• 1	
	RTAZAPINE – Special Authority see SA0994 on the next page -	- Retail nharmaou			
1111	Tab 30 mg		30	VA	vanza
	Tab 45 mg		30	VĀ	Vanza

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Si	ubsidised	Generic	
\$	Per	~	Manufacturer	

#### SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has a severe major depressive episode; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

#### VENLAFAXINE 28 ✓ Arrow-Venlafaxine XR Arrow-Venlafaxine Tab 75 mg ......6.44 28 XR Arrow-Venlafaxine 28 XR 28 Arrow-Venlafaxine XR Cap 37.5 mg - Special Authority see SA1061 below - Retail 28 Efexor XR Cap 75 mg - Special Authority see SA1061 below - Retail 28 Efexor XR Cap 150 mg - Special Authority see SA1061 below - Retail Efexor XR 28

#### SA1061 Special Authority for Subsidy

**Initial application** only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs		
Agents for Control of Status Epilepticus		
CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml	5	✔ Rivotril

	Subsidy (Manufacturer's Pric \$	e) Si Per	Fully Brand or ubsidised Generic Manufacturer
DIAZEPAM – Safety medicine; prescriber may determine dispens Inj 5 mg per ml, 2 ml – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Only on a PSO	9.24	5	✓ Hospira
<ul> <li>c) PSO must be endorsed "not for anaesthetic procedures" Rectal tubes 5 mg – Up to 5 tube available on a PSO</li> </ul>	25.05	5	✓ Stesolid
Rectal tubes 10 mg – Up to 5 tube available on a PSO		5	<ul> <li>Stesolid</li> </ul>
PARALDEHYDE * Inj 5 ml	1,500.00	5	🗸 AFT
PHENYTOIN SODIUM		_	A
<ul> <li>Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO</li> <li>Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO</li> </ul>		5 5	<ul><li>✓ Hospira</li><li>✓ Hospira</li></ul>
Control of Epilepsy		5	
CARBAMAZEPINE	11.50	100	
* Tab 200 mg     * Tab long-acting 200 mg		100 100	<ul> <li>Tegretol</li> <li>Tegretol CR</li> </ul>
* Tab long-acting 200 mg     * Tab 400 mg		100	✓ Tegretol
* Tab long-acting 400 mg		100	✓ Tegretol CR
* 1 ab long-acting 400 mg *‡ Oral liq 100 mg per 5 ml		250 ml	✓ Tegretol
CLOBAZAM – Safety medicine; prescriber may determine disper			
Tab 10 mg ‡ Safety cap for extemporaneously compounded oral liquic	9.12	50	✓ Frisium
CLONAZEPAM - Safety medicine; prescriber may determine disp	pensing frequency		
Oral drops 2.5 mg per ml	7.38	10 ml OP	Rivotril
ETHOSUXIMIDE			
* Cap 250 mg		200	Zarontin
*‡ Oral liq 250 mg per 5 ml	13.60	200 ml	Zarontin
GABAPENTIN - Special Authority see SA1071 below - Retail ph	armacy		
▲ Cap 100 mg	7.16	100	<ul> <li>Arrow-Gabapentin</li> <li>Nupentin</li> </ul>
▲ Cap 300 mg - For gabapentin oral liquid formulation refer,			
page 201	11.00	100	Arrow-Gabapentin
▲ Cap 400 mg	13.75	100	<ul> <li>Nupentin</li> <li>Arrow-Gabapentin</li> <li>Nupentin</li> </ul>

## SA1071 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	:	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

**Initial application** — (Neuropathic pain) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

GABAPENTIN (NEURONTIN) - Special Authority see SA0973 below - Retail pharmacy

▲ Tab 600 mg		100	Neurontin
▲ Cap 100 mg		100	Neurontin
▲ Cap 300 mg - For gabapentin (neurontin) oral liquid for	ormu-		
lation refer, page 201		100	Neurontin
▲ Cap 400 mg	53.01	100	Neurontin

#### ➡SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy

▲ Tab 50 mg		14	Vimpat
▲ Tab 100 mg		14	<ul> <li>Vimpat</li> </ul>
C C C C C C C C C C C C C C C C C C C	200.24	56	<ul> <li>Vimpat</li> </ul>
▲ Tab 150 mg	75.10	14	<ul> <li>Vimpat</li> </ul>
-	300.40	56	<ul> <li>Vimpat</li> </ul>
▲ Tab 200 mg		56	<ul> <li>Vimpat</li> </ul>

#### ➡SA1125 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	(Manufacturer's Price) \$	Per	Subsidise	
MOTRIGINE				
Tab dispersible 2 mg	6.74	30	~	Lamictal
Tab dispersible 5 mg	9.64	30	~	Lamictal
	15.00	56	~	Arrow-Lamotrigine
Tab dispersible 25 mg		56	~	Logem
	20.40		~	Arrow-Lamotrigine
			~	Mogine
	29.09		~	Lamictal
Tab dispersible 50 mg		56	~	Logem
	34.70		~	Arrow-Lamotrigine
			~	Mogine
	47.89		~	Lamictal
Tab dispersible 100 mg		56	~	Logem
	59.90		~	Arrow-Lamotrigine
			~	Mogine
	79.16		~	Lamictal
/ETIRACETAM				
Tab 250 mg	24.03	60	~	Levetiracetam-Rex
Tab 500 mg – For levetiracetam oral liquid formulation refer		00	•	
page 201		60	~	Levetiracetam-Rex
Tab 750 mg		60		Levetiracetam-Rex
<b>C</b>		00	•	
ENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, page				
Tab 15 mg		500		PSM
Tab 30 mg		500	V	PSM
ENYTOIN SODIUM				
Tab 50 mg		200	~	Dilantin Infatab
Cap 30 mg		200	~	Dilantin
Cap 100 mg		200	~	Dilantin
Oral liq 30 mg per 5 ml		500 ml	~	Dilantin
IMIDONE				
Tab 250 mg	17 25	100	~	Apo-Primidone
°		100	•	
	40.05			
Tab 100 mg		100		Epilim Crushable
Tab 200 mg EC		100		Epilim
Tab 500 mg EC		100		Epilim
Oral liq 200 mg per 5 ml		300 ml		Epilim S/F Liquid
				Epilim Syrup
Inj 100 mg per ml, 4 ml		1	~	Epilim IV
RIPENTOL - Special Authority see SA1330 on the next page	e – Retail pharmacy			
Cap 250 mg		60	~	Diacomit S29
-т - v		60		Diacomit S29

Su	ubsidy F	ully	Brand or
(Manufac	cturer's Price) Subsidi	ised	Generic
	\$ Per	~	Manufacturer

#### SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

**Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

▲ Tab 25 mg	11.07	60	Arrow-Topiramate
-	26.04		Topamax
▲ Tab 50 mg		60	Arrow-Topiramate
	44.26		Topamax
▲ Tab 100 mg		60	Arrow-Topiramate
-	75.25		Topamax
▲ Tab 200 mg		60	Arrow-Topiramate
-	129.85		Topamax
▲ Sprinkle cap 15 mg	20.84	60	<ul> <li>Topamax</li> </ul>
▲ Sprinkle cap 25 mg		60	<ul> <li>Topamax</li> </ul>
VIGABATRIN – Special Authority see SA1072 below	– Retail pharmacy		
▲ Tab 500 mg		100	<ul> <li>Sabril</li> </ul>

#### ➡SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and
  - 1.2.2 Either:
    - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
    - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

#### 2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and

2 Either:

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

continued...

- 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

# **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 116

## **Acute Migraine Treatment**

ERGOTAMINE TARTRATE WITH CAFFEINE			
Tab 1 mg with caffeine 100 mg		100	<ul> <li>Cafergot</li> </ul>
METOCLOPRAMIDE HYDROCHLORIDE WITH PARACETAMO Tab 5 mg with paracetamol 500 mg		60	✓ Paramax
RIZATRIPTAN		00	• Turumux
Tab orodispersible 10 mg		30	Rizamelt
SUMATRIPTAN			
Tab 50 mg	29.80	100	Arrow-Sumatriptan
Tab 100 mg		100	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml cartridge – Maximum of 10 inj pe			A Arrow Cumatriatan
prescription		2 OP	✓ <u>Arrow-Sumatriptan</u>
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SY	/STEM, page 56		
PIZOTIFEN			
* Tab 500 mcg	23.21	100	Sandomigran
Antinausea and Vertigo Agents			
For Antispasmodics refer to ALIMENTARY TRACT, page 26			
APREPITANT - Special Authority see SA0987 below - Retail pl			
Cap 2 $\times$ 80 mg and 1 $\times$ 125 mg	116.00	3 OP	Emend Tri-Pack
► SA0987 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals valid chemotherapy and/or anthracycline-based chemotherapy for the			ent is undergoing highly emetogenic
<b>Renewal</b> from any relevant practitioner. Approvals valid for 12 mo			going highly emetogenic chemother
apy and/or anthracycline-based chemotherapy for the treatment	of malignancy.		
BETAHISTINE DIHYDROCHLORIDE			
* Tab 16 mg	4.95	84	<ul> <li>Vergo 16</li> </ul>
CYCLIZINE HYDROCHLORIDE			<b>4</b> • • • •
Tab 50 mg	0.59	10	✓ <u>Nausicalm</u>
CYCLIZINE LACTATE	14.05	F	✓ Nausicalm
Inj 50 mg per ml, 1 ml	14.90	5	
DOMPERIDONE * Tab 10 mg – For domperidone oral liquid formulation refe	r		
* Tab 10 mg - For domperidone oral liquid formulation refe page 201		100	Prokinex
P~30 - 01	0.20	100	

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HYOSCINE HYDROBROMIDE * Inj 400 mcg per ml, 1 ml	6.66	5	V He	ospira
Patch 1.5 mg – Special Authority see SA1387 below – Retail pharmacy	11.95	2	✓ <u>S</u>	copoderm TTS

#### SA1387 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE

*	Tab 10 mg - For metoclopramide hydrochloride oral liquid		
~	formulation refer, page 201	100	Metamide
*	Inj 5 mg per ml, 2 ml – Up to 5 inj available on a PSO	10	✓ Pfizer
•		10	
ON	DANSETRON		4.5
*	Tab 4 mg5.51	50	✓ Onrex
*	Tab disp 4 mg	10	Dr Reddy's Ondansetron
*	Tab 8 mg6.19	50	Onrex
*	Tab disp 8 mg	10	✓ Dr Reddy's
			Ondansetron
PR	OCHLORPERAZINE		
*	Tab 3 mg buccal	50	
	(15.00)		Buccastem
*	Tab 5 mg – Up to 30 tab available on a PSO	500	Antinaus
*	Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO25.81	10	Stemetil
*	Suppos 25 mg	5	Stemetil
חח	OMETHAZINE THEOCLATE		
		10	
*	Tab 25 mg	10	A
	(6.24)		Avomine
TR	OPISETRON		
	a) Maximum of 6 cap per prescription		
	b) Maximum of 3 cap per dispensing		
	c) Not more than one prescription per month.		
	Cap 5 mg	5	Navoban
	• • • • • • • • • • • • • • • • • • •	Ũ	· ·······

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

## Antipsychotics

#### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

## General

AMISULPRIDE - Safety medicine; prescriber may determine dis	pensing frequence	;y	
Tab 100 mg	6.22	30	Solian
Tab 200 mg	21.92	60	Solian
Tab 400 mg		60	Solian
Oral liq 100 mg per ml		60 ml	Solian
ARIPIPRAZOLE – Special Authority see SA0920 below – Retail Safety medicine; prescriber may determine dispensing frequ			
Tab 10 mg		30	🖌 Abilify
Tab 15 mg		30	🖌 Abilify
Tab 20 mg	213.42	30	🖌 Abilify
Tab 30 mg		30	Abilify

#### ➡SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg – Up to 30 tab available on a PSO	 100	<ul> <li>Largactil</li> </ul>
Tab 25 mg – Up to 30 tab available on a PSO	 100	Largactil
Tab 100 mg – Up to 30 tab available on a PSO	 100	Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	 10	Largactil

	Subsidy (Manufacturer's Price \$	) Per	Fully Brand of Subsidised Generi ✔ Manufa	C
CLOZAPINE – Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing freq	uencv			
Tab 25 mg		50	Clozaril	
C C	26.74	100	Clozaril	
	6.69	50	<ul> <li>Clopine</li> </ul>	
	13.37	100	<ul> <li>Clopine</li> </ul>	
Tab 50 mg	8.67	50	<ul> <li>Clopine</li> </ul>	
	17.33	100	<ul> <li>Clopine</li> </ul>	
Tab 100 mg		50	Clozaril	
	69.30	100	Clozaril	
	17.33	50	<ul> <li>Clopine</li> </ul>	
	34.65	100	<ul> <li>Clopine</li> </ul>	
Tab 200 mg		50	<ul> <li>Clopine</li> </ul>	
	69.30	100	<ul> <li>Clopine</li> </ul>	
Suspension 50 mg per ml	17.33	100 m	l V Clopine	
ALOPERIDOL - Safety medicine; prescriber may determine	dispensina frequency			
Tab 500 mcg – Up to 30 tab available on a PSO		100	Serenace	)
Tab 1.5 mg - Up to 30 tab available on a PSO	9.43	100	Serenace	•
Tab 5 mg – Up to 30 tab available on a PSO		100	Serenace	•
Oral lig 2 mg per ml - Up to 200 ml available on a PSO		100 ml		
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO	21.55	10	✓ Serenace	2
EVOMEPROMAZINE MALEATE – Safety medicine; prescribe	r may determine disne	nsina	frequency	
Tab 25 mg		100	Nozinan	
Tab 100 mg		100	Nozinan	
Inj 25 mg per ml, 1 ml		10	<ul> <li>Nozinan</li> </ul>	
ITHIUM CARBONATE - Safety medicine; prescriber may dete		LIENCV		
Tab 250 mg		500	<ul> <li>Lithicarb</li> </ul>	FC
Tab 400 mg		100	✓ Lithicarb	
Tab long-acting 400 mg		100	✓ Priadel	
Cap 250 mg		100	✓ Douglas	
			+ <u>stagiuo</u>	

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
ANZAPINE – Safety medicine; prescriber may determ		1 61	
Tab 2.5 mg		28	✓ Dr Reddy's
			Olanzapine
			Olanzine
			✓ Zypine
	(51.07)		Zyprexa
Tab 5 mg	( )	28	✓ Dr Reddy's
			Olanzapine
			✓ Olanzine
			V Zypine
	(101.21)		Zyprexa
Tab orodispersible 5 mg	, ,	28	✓ Dr Reddy's
		20	Olanzapine
			✓ Olanzine-D
			✓ Zypine ODT
Tab 10 mg	6.35	28	✓ Dr Reddy's
		20	Olanzapine
			✓ Olanzine
			✓ Zypine
	(204.49)		Zyprexa
Tab orodispersible 10 mg	( )	28	✓ Dr Reddy's
	0.70	20	Olanzapine
			✓ Olanzine-D
			V Zypine ODT
Wefer E ma	6.06	00	
Wafer 5 mg		28	Zuprova Zudia
Wafer 10 mg	(102.19)	28	Zyprexa Zydis
Waler to mg	(204.37)	20	Zyprexa Zydis
anzine Tab 2.5 mg to be delisted 1 August 2014)	(204.07)		
• • • •			
RICYAZINE – Safety medicine; prescriber may deterr		100	Maula shil
		100	
Tab 2.5 mg			Neulactil
Tab 2.5 mg Tab 10 mg		100	<ul> <li>Neulactil</li> </ul>
Tab 2.5 mg Tab 10 mg ETIAPINE – Safety medicine; prescriber may determ	44.45 ine dispensing frequency	100	<ul> <li>Neulactil</li> </ul>
Tab 2.5 mg Tab 10 mg	44.45 ine dispensing frequency		<ul><li>Neulactil</li><li>Dr Reddy's</li></ul>
Tab 2.5 mg Tab 10 mg ETIAPINE – Safety medicine; prescriber may determ	44.45 ine dispensing frequency	100	<ul> <li>✓ Neulactil</li> <li>✓ Dr Reddy's Quetiapine</li> </ul>
Tab 2.5 mg Tab 10 mg ETIAPINE – Safety medicine; prescriber may determ	44.45 ine dispensing frequency 7.00	100 60	<ul> <li>✓ Neulactil</li> <li>✓ Dr Reddy's Quetiapine</li> <li>✓ Seroquel</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg	44.45 ine dispensing frequency 7.00 10.50	100	<ul> <li>Neulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> </ul>
Tab 2.5 mg Tab 10 mg ETIAPINE – Safety medicine; prescriber may determ	44.45 ine dispensing frequency 7.00 10.50 14.00	100 60	<ul> <li>Veulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg	44.45 ine dispensing frequency 7.00 10.50	100 60 90	<ul> <li>Veulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg	44.45 ine dispensing frequency 7.00 10.50 14.00	100 60 90 60	<ul> <li>Veulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg	44.45 ine dispensing frequency 7.00 10.50 14.00	100 60 90 60	<ul> <li>Veulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Quetapel</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg	44.45 ine dispensing frequency 7.00 10.50 14.00 21.00	100 60 90 60	<ul> <li>Veulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg Tab 100 mg	44.45 ine dispensing frequency 7.00 10.50 14.00 21.00	100 60 90 60 90	<ul> <li>Veulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Quetapel</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg Tab 100 mg	44.45 ine dispensing frequency 7.00 10.50 14.00 21.00	100 60 90 60 90	<ul> <li>Veulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Quetapel</li> <li>Dr Reddy's</li> <li>Dr Reddy's</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg Tab 100 mg	44.45 ine dispensing frequency 7.00 10.50 14.00 21.00	100 60 90 60 90	<ul> <li>Neulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Quetapel</li> <li>Dr Reddy's Quetiapine</li> <li>Quetapel</li> <li>Dr Reddy's Quetiapine</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg Tab 100 mg		100 60 90 60 90 60	<ul> <li>Neulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Quetapel</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Seroquel</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg Tab 100 mg Tab 200 mg		100 60 90 60 90 60 90	<ul> <li>Neulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Quetapel</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Seroquel</li> <li>Quetiapine</li> <li>Seroquel</li> <li>Quetiapine</li> </ul>
Tab 2.5 mg Tab 10 mg IETIAPINE – Safety medicine; prescriber may determ Tab 25 mg Tab 100 mg Tab 200 mg		100 60 90 60 90 60 90	<ul> <li>Neulactil</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Quetapel</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Dr Reddy's Quetiapine</li> <li>Seroquel</li> <li>Quetapel</li> <li>Dr Reddy's</li> <li>Quetapel</li> <li>Dr Reddy's</li> </ul>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
SPERIDONE – Safety medicine; prescriber may determine dis	spensing frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927	7			
below – Retail pharmacy	21.42	28	~	Risperdal Quicklet
Tab 0.5 mg	3.51	60		Apo-Risperidone
			~	Dr Reddy's
				Risperidone
			~	Ridal
	1.17	20		
	(2.86)			Risperdal
Tab 1 mg	6.00	60		Apo-Risperidone
			V	Dr Reddy's
				Risperidone
	(10.00)			Ridal
Telescondition and the damage Operated Authority on OA0007 has	(16.92)		l	Risperdal
Tab orodispersible 1 mg – Special Authority see SA0927 be		~~		
low – Retail pharmacy		28 60		Risperdal Quicklet
Tab 2 mg		60		Apo-Risperidone Dr Reddy's
			•	Risperidone
				Ridal
	(33.84)			Risperdal
Tab orodispersible 2 mg - Special Authority see SA0927 be	( )		1	lispeluai
low – Retail pharmacy		28	~	Risperdal Quicklet
Tab 3 mg		60		Apo-Risperidone
		00		Dr Reddy's
			•	Risperidone
			~	Ridal
	(50.78)		-	Risperdal
Tab 4 mg	( /	60		Apo-Risperidone
·····				Dr Reddy's
				Risperidone
			~	Ridal
	(67.68)			Risperdal
Oral lig 1 mg per ml	( /	30 ml		Apo-Risperidone
				Risperon
	(25.26)			Risperdal

## SA0927 Special Authority for Subsidy

**Initial application** — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and

	Subsidy (Manufacturer's Price) \$	) S Per	Fully ubsidised	Brand or Generic Manufacturer
continued				
2 The patient is under direct supervision for administration	n of medicine.			
Renewal from any relevant practitioner. Approvals valid for 1 yea Both:	ar for applications mee	eting the	following	criteria:
<ol> <li>The patient is unable to take standard risperidone tablets or oral liquid; and</li> </ol>	•	e stabilize	ed refuses	to take risperidone table
2 The patient is under direct supervision for administration	n of medicine.			
lote: Risperdal Quicklets cost significantly more than risperidon	e tablets and should o	only be u	sed where	e necessary.
RIFLUOPERAZINE HYDROCHLORIDE – Safety medicine; pr	escriber may determir	ne disper	nsing frequ	uency
Tab 1 mg		100		telazine
Tab 2 mg		100		telazine
Tab 5 mg		100	VS	telazine
<ul> <li>a) Safety medicine; prescriber may determine dispensing free</li> <li>b) Ziprasidone is subsidised for patients suffering from schi:</li> <li>risperidone or quetiapine that has been discontinued, or is ir</li> <li>effects or inadequate response, and the prescription is endor</li> <li>Cap 20 mg</li> <li>Cap 40 mg</li> <li>Cap 60 mg</li> <li>Cap 80 mg</li> </ul>	zophrenia or related p n the process of being prsed accordingly. 	,	nued, bec ✓ Zo ✓ Zo ✓ Zo	
UCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pre Tab 10 mg		e dispen 100		iency <b>lopixol</b>
Tab 10 mg	31.45	100	° <b>√</b> ċ	
Tab 10 mg Depot Injections LUPENTHIXOL DECANOATE – Safety medicine; prescriber m		100 sing frequ	v C	lopixol
Tab 10 mg Depot Injections EUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	31.45 nay determine dispens 13.14	100 sing frequ 5	Jency	lopixol luanxol
Tab 10 mg Depot Injections LUPENTHIXOL DECANOATE – Safety medicine; prescriber m		100 sing frequ	Jency FI	lopixol
Tab 10 mg Depot Injections LUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		100 sing frequ 5 5 5 5	Jency File	lopixol luanxol luanxol
Tab 10 mg Depot Injections LUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO LUPHENAZINE DECANOATE – Safety medicine; prescriber m		100 sing frequ 5 5 5 sing frequ	iency Fl Fl Fl Fl Jency	lopixol luanxol luanxol luanxol
Tab 10 mg Depot Injections EUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO EUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO		100 sing frequ 5 5 5 5	Jency Fl Fl Jency M	lopixol luanxol luanxol
Tab 10 mg Depot Injections LUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO LUPHENAZINE DECANOATE – Safety medicine; prescriber m		100 sing frequ 5 5 5 sing frequ 5	Jency File Jency Jency M	lopixol luanxol luanxol luanxol luanxol
Tab 10 mg Depot Injections LUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO LUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		100 sing frequ 5 5 5 sing frequ 5 5 5 5	Jency Fi Fi Jency M M M M	luanxol luanxol luanxol luanxol lodecate lodecate
Tab 10 mg Depot Injections EUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO EUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO IALOPERIDOL DECANOATE – Safety medicine; prescriber ma		100 sing frequ 5 5 5 sing frequ 5 5 5 5	Jency Fi Fi Jency M M M M	luanxol luanxol luanxol luanxol odecate odecate odecate
Tab 10 mg Depot Injections FLUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO FLUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		100 sing frequ 5 5 5 sing frequ 5 5 5 ng freque	iency Fi Fi Jency M M M M M M M M M M M M M M M M M M M	luanxol luanxol luanxol luanxol odecate odecate odecate
Tab 10 mg Depot Injections  LUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 2 ml – Up to 5 inj available on a PSO LUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO LUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO LUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO LALOPERIDOL DECANOATE – Safety medicine; prescriber m Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO LALOPERIDOL DECANOATE – Safety medicine; prescriber m Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO DLANZAPINE – Special Authority see SA1146 on the next page		100 sing frequ 5 5 sing frequ 5 5 ng freque 5	iency Fi Fi Jency M M M M M M M M M M M M M M M M M M M	luanxol luanxol luanxol luanxol lodecate odecate odecate odecate
Tab 10 mg Depot Injections FLUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO FLUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO HALOPERIDOL DECANOATE – Safety medicine; prescriber ma Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO DLANZAPINE – Special Authority see SA1146 on the next page Safety medicine; prescriber may determine dispensing frequ		100 sing frequ 5 5 sing frequ 5 5 ng freque 5	iency ie	luanxol luanxol luanxol luanxol lodecate lodecate odecate aldol aldol Concentrate
Depot Injections FLUPENTHIXOL DECANOATE – Safety medicine; prescriber m Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 2 ml – Up to 5 inj available on a PSO FLUPHENAZINE DECANOATE – Safety medicine; prescriber m Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Haloper ml, 1 ml – Up to 5 inj available on a PSO HALOPERIDOL DECANOATE – Safety medicine; prescriber ma Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO DLANZAPINE – Special Authority see SA1146 on the next page		100 sing frequ 5 5 sing frequ 5 5 5 ng freque 5 5 5	iency ienco i i i i i i i i i i i i i i i i i i i	luanxol luanxol luanxol luanxol lodecate odecate odecate odecate

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

#### ➡SA1146 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia; and
- 2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

# Either:

- 1 Both:
  - 1.1 The patient has had less than 12 months' treatment with olanzapine depot injection; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of olanzapine depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PIPOTHIAZINE PALMITATE - Safety	v medicine: prescriber ma	v determine dispensing frequency

			 	-)
Inj	50 mg per ml, 1 ml	- Up to 5 inj available on a PSO	 10	Piportil
Inj	50 mg per ml, 2 ml	- Up to 5 inj available on a PSO	 10	<ul> <li>Piportil</li> </ul>

### RISPERIDONE - Special Authority see SA0926 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency	
--	--

Inj 25 mg per 2 ml 175.00	1	Risperdal Consta
Inj 37.5 mg per 2 ml230.00	1	Risperdal Consta
Inj 50 mg per 2 ml	1	<ul> <li>Risperdal Consta</li> </ul>

### SA0926 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has schizophrenia or other psychotic disorder; and
- 2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has had less than 12 months treatment with risperidone depot injection; and
  - 1.2 There is no clinical reason to discontinue treatment; or
- 2 The initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of risperidone depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO ...... 19.80 5 🖌 Clopixol

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	\$	Per	~	Manufacturer
Anxiolytics				
ALPRAZOLAM – Safety medicine; prescriber may determine disp Tab 250 mcg ‡ Safety cap for extemporaneously compounded oral liquid		50	✓ <u>×</u>	anax
Tab 500 mcg		50	✓ <u>×</u>	anax
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 1 mg		50	✓ <u>×</u>	anax
$\ddagger$ Safety cap for extemporaneously compounded oral liquid	preparations.			
BUSPIRONE HYDROCHLORIDE				
Tab 5 mg		100		acific Buspirone
Tab 10 mg		100	<b>v</b> P	acific Buspirone
CLONAZEPAM – Safety medicine; prescriber may determine disp	ensing frequency			
Tab 500 mcg		100	*	axam
Tab 2 mg		100	✓ P	axam
DIAZEPAM - Safety medicine; prescriber may determine dispense	ing frequency			
Tab 2 mg		500	🗸 A	rrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid				
Tab 5 mg		500	V A	rrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid				
LORAZEPAM – Safety medicine; prescriber may determine dispe				
Tab 1 mg		250	V A	tivan
\$ Safety cap for extemporaneously compounded oral liquid     Tab 0.5 mg		100		tivan
Tab 2.5 mg ‡ Safety cap for extemporaneously compounded oral liquid		100	V A	uvan
OXAZEPAM – Safety medicine; prescriber may determine dispens	0 1 2	100		v Dom
Tab 10 mg ± Safety cap for extemporaneously compounded oral liquid		100	₩ 0	x-Pam
Tab 15 mg		100	<b>~</b> 0	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid			• •	A T MIT
	F F			

# **Multiple Sclerosis Treatments**

## ➡SA1062 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Subsidy			_
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

continued...

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- b) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- c) patients must have either:
  - a) EDSS score 2.5 5.5 with 2+ relapses:
    - · experienced at least 2 significant relapses of MS in the previous 12 months, and
    - an EDSS score of between 2.5 and 5.5 inclusive; or
  - b) EDSS score 2.0 with 3+ relapses:
    - experienced at least 3 significant relapses of MS in the previous 12 months, and
    - an EDSS score of 2.0; and
- d) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- g) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- h) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- i) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

### **Stopping Criteria**

- Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression
  of disability is defined as any of:
  - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
  - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
  - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
  - d) an increase in EDSS score to 6.0 or more; or

Subsidy	Subsidis	ully	Brand or
(Manufacturer's Price)		sed	Generic
\$	Per	~	Manufacturer

continued...

- b) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) pregnancy and/or lactation; or
- d) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- e) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- f) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

GLATIRAMER ACETATE – Special Authority see SA1062 on pa Inj 20 mg prefilled syringe	• • •	] 28	Copaxone
INTERFERON BETA-1-ALPHA – Special Authority see SA1062		oharml	·
Inj 6 million iu prefilled syringe		4	Avonex
Injection 6 million iu per 0.5 ml pen injector		4	Avonex Pen
Inj 6 million iu per vial		4	Avonex
INTERFERON BETA-1-BETA - Special Authority see SA1062		arml	
Inj 8 million iu per 1 ml		15	<ul> <li>Betaferon</li> </ul>
Sedatives and Hypnotics			
LORMETAZEPAM – Safety medicine; prescriber may determine	e dispensing freque	ency	
Tab 1 mg		30	
	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral liquest	uid preparations.		
MIDAZOLAM - Safety medicine; prescriber may determine dis	pensing frequency		
Inj 1 mg per ml, 5 ml		10	✓ Pfizer
	10.75		Hypnovel
Inj 5 mg per ml, 3 ml	11.90	5	✓ Hypnovel
			<ul> <li>Pfizer</li> </ul>
NITRAZEPAM – Safety medicine; prescriber may determine dis	pensing frequency		
Tab 5 mg		100	Nitrados
‡ Safety cap for extemporaneously compounded oral liquid	uid preparations.		
PHENOBARBITONE SODIUM - Special Authority see SA1386	below – Retail pha	armacy	
Inj 200 mg per ml, 1 ml ampoule		10	✓ Martindale S29
The CA1206 Creatial Authority for Subaidy			

### SA1386 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

# NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
TEMAZEPAM – Safety medicine; prescriber may determine disper Tab 10 mg ‡ Safety cap for extemporaneously compounded oral liquid	1.27	25	<u>•</u>	<u>lormison</u>
TRIAZOLAM – Safety medicine; prescriber may determine dispension Tab 125 mcg	0 1 2	100	ŀ	Hypam
‡ Safety cap for extemporaneously compounded oral liquid Tab 250 mcg		100	ŀ	lypam
$\ddagger$ Safety cap for extemporaneously compounded oral liquid <code>ZOPICLONE</code>	()			
Tab 7.5 mg	11.90	500	<b>v</b> 4	Apo-Zopiclone

# Stimulants/ADHD Treatments

# Stimulants/ADHD treatments

ATOMOXETINE - Special Authority see SA141	6 below – Retail pharmacy		
Cap 10 mg		28	<ul> <li>Strattera</li> </ul>
Cap 18 mg		28	<ul> <li>Strattera</li> </ul>
Cap 25 mg		28	<ul> <li>Strattera</li> </ul>
Cap 40 mg		28	<ul> <li>Strattera</li> </ul>
Cap 60 mg		28	<ul> <li>Strattera</li> </ul>
Cap 80 mg		28	<ul> <li>Strattera</li> </ul>
Cap 100 mg		28	<ul> <li>Strattera</li> </ul>

### ➡SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
  - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexampletamine sulphate tablets.

DEXAMPHETAMINE SULPHATE - Special Authority see SA1149 on the next page - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg		100	✓ PSM
----------	--	-----	-------

()	Subsidy	Fi	ully	Brand or
	Manufacturer's Price)	Subsidis	sed	Generic
	\$	Per	r	Manufacturer

## SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

Duri:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

**Renewal** — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE – Special Authority see SA1150 below – Retail pharmacy

a) Only on a controlled	arug iorri			
b) Safety medicine; pres	scriber may determine dispensing	frequency		
Tab immediate-release	5 mg		30	Rubifen
Tab immediate-release	10 mg	3.00	30	Ritalin
	-			Rubifen
Tab immediate-release	20 mg	7.85	30	Rubifen
Tab sustained-release 2	20 mg	10.95	30	Rubifen SR
	-	50.00	100	Ritalin SR

## SA1150 Special Authority for Subsidy

**Initial application** — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or

			_
Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

continued...

3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

**Initial application** — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application - (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

**Renewal** — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

**Renewal** — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal — (Narcolepsy)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

a) Only on a controlled drug form

b) Safety medicine: prescriber may determine dispensing frequency

Tab extended-release 18 mg    58.96      Tab extended-release 27 mg    65.44      Tab extended release 26 mg    71.02	30 30 30	<ul> <li>✓ Concerta</li> <li>✓ Concerta</li> <li>✓ Concerta</li> </ul>
Tab extended-release 36 mg         71.93           Tab extended-release 54 mg         86.24           Cap modified-release 10 mg         19.50	30 30 30	<ul> <li>Concerta</li> <li>Concerta</li> <li>Ritalin LA</li> </ul>
Cap modified-release 20 mg         25.50           Cap modified-release 30 mg         31.90           Cap modified-release 40 mg         38.25	30 30 30	<ul> <li>✔ Ritalin LA</li> <li>✔ Ritalin LA</li> <li>✔ Ritalin LA</li> </ul>

## ►SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder): and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria: and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient: and

4 Either:

4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or

	Fully ubsidised	Brand or Generic	
\$ Per	~	Manufacturer	

continued...

4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

2 Either:

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

MODAFINIL - Special Authority see SA1126 below - Retail pharmacy

Tab 100 mg	72.50	30
------------	-------	----

Modavigil

### SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and

2 Either:

- 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
- 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

3 Either:

- 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
- 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

# **Treatments for Dementia**

### DONEPEZIL HYDROCHLORIDE

*	Tab 5 mg7.71	90	Donepezil-Rex
	Tab 10 mg14.06	90	<ul> <li>Donepezil-Rex</li> </ul>

## Treatments for Substance Dependence

BUPRENORPHRINE WITH NALOXONE - Special Authority see SA1203 on the next page - Retail pharmacy

a) No patient co-payment payable

b) Safety medicine; prescriber may determine dispensing frequency

Tab sublingual	2 mg with nalo	xone 0.5 mg	·····	 57.40	28	Suboxone
Tab sublingual	8 mg with nalo	xone 2 mg		 166.00	28	<ul> <li>Suboxone</li> </ul>

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

### ➡SA1203 Special Authority for Subsidy

**Initial application — (Detoxification)** from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

# BUPROPION HYDROCHLORIDE

Tab modified-release 150 mg	4.97	30	Zyban
DISULFIRAM Tab 200 mg	24.30	100	Antabuse
NALTREXONE HYDROCHLORIDE - Special Authority see SA1408			
Tab 50 mg	76.00	30	Naltraccord

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

## ►SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

### NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Patch 7 mg – Up to 28 patch available on a PSO	18.13	28	Habitrol
Patch 14 mg – Up to 28 patch available on a PSO		28	✓ Habitrol
Patch 21 mg - Up to 28 patch available on a PSO	19.14	28	Habitrol
Lozenge 1 mg - Up to 216 loz available on a PSO	19.94	216	<ul> <li>Habitrol</li> </ul>
Lozenge 2 mg - Up to 216 loz available on a PSO	24.27	216	Habitrol
Gum 2 mg (Classic) - Up to 384 piece available on a PSO	36.47	384	Habitrol
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	36.47	384	Habitrol
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	36.47	384	✓ Habitrol
Gum 4 mg (Classic) - Up to 384 piece available on a PSO	42.04	384	Habitrol
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	42.04	384	Habitrol
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	42.04	384	✓ Habitrol

VARENICLINE TARTRATE - Special Authority see SA1161 below - Retail pharmacy

a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
 b) A maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

Tab 1 mg			Champix
-	135.48	56	Champix
Tab 0.5 mg $\times$ 11 and 1 mg $\times$ 14	60.48	25 OP	Champix

## SA1161 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
  - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
  - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and

	Subsidy		Fully	Brand or	
()	Manufacturer's Price)	Sub	sidised	Generic	
	\$	Per	~	Manufacturer	

continued...

- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 3 months' funded varenicline (see note).

**Renewal** from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 3 months' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Note: a maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

	Subsidy (Manufacturer's	Price) Sub	Fully sidised	Brand or Generic
	\$	Per	~	Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
USULPHAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg		100	V M	yleran
ARBOPLATIN – PCT only – Specialist				
lnj 10 mg per ml, 5 ml		1		arboplatin Ebewe
Inj 10 mg per ml, 15 ml		1		arbaccord
	22.50			arboplatin Ebewe
Inj 10 mg per ml, 45 ml		1		arbaccord
	50.00			arboplatin Ebewe
				BL Carboplatin
Inj 10 mg per ml, 100 ml		1		arboplatin Ebewe
Inj 1 mg for ECP	0.13	1 mg	V B	axter
ARMUSTINE – PCT only – Specialist				
Inj 100 mg		1	🖌 Bi	iCNU
Inj 100 mg for ECP		100 mg OP	🖌 Ba	axter
HLORAMBUCIL – PCT – Retail pharmacy-Specialist		-		
Tab 2 mg	22.35	25	<b>~</b> 14	eukeran FC
·		20	•	
ISPLATIN – PCT only – Specialist	15.00			
Inj 1 mg per ml, 50 ml	15.00	1		isplatin Ebewe
				ospira
Inj 1 mg per ml, 100 ml	21.00	1		isplatin Ebewe
	0.07	4		ospira
Inj 1 mg for ECP	0.27	1 mg	V Ba	axter
YCLOPHOSPHAMIDE				
Tab 50 mg – PCT – Retail pharmacy-Specialist		50	🖌 Ei	ndoxan S29
<b>o i i i i</b>	158.00	100	🖌 Pi	rocytox S29
Wastage claimable - see rule 3.3.2 on page 17				,
Inj 1 g – PCT – Retail pharmacy-Specialist		1	🖌 Ei	ndoxan
, <b>, , , , , , , , , , , , , , , , , , </b>	127.80	6	VC	ytoxan
Inj 2 g – PCT only – Specialist		1		ndoxan
Inj 1 mg for ECP – PCT only – Specialist		1 mg	V B	
OSFAMIDE – PCT only – Specialist		5		
	06.00	1	<b>1</b> L	oloxan
Inj 1 g		1		oloxan
Inj 2 g		-	V B	
Inj 1 mg for ECP	0.10	1 mg	V D	
OMUSTINE – PCT – Retail pharmacy-Specialist				
Cap 10 mg		20	V C	
Cap 40 mg		20	🗸 C	eeNU
IELPHALAN				
Tab 2 mg – PCT – Retail pharmacy-Specialist		25	🗸 A	lkeran
Inj 50 mg – PCT only – Specialist		1		lkeran

	Subsidy		Fully Brand or Subsidised Generic
	(Manufacturer's Pric \$	Per	Subsidised Generic Manufacturer
DXALIPLATIN – PCT only – Specialist			
Inj 50 mg	15.32	1	<ul> <li>Oxaliplatin Actavis</li> <li>50</li> </ul>
	55.00		✓ Oxaliplatin Ebewe
	200.00		<ul> <li>Eloxatin</li> </ul>
Inj 100 mg	25.01	1	<ul> <li>Oxaliplatin Actavis 100</li> </ul>
	110.00		Oxaliplatin Ebewe
	400.00		<ul> <li>Eloxatin</li> </ul>
Inj 1 mg for ECP	0.28	1 mg	Baxter
HIOTEPA – PCT only – Specialist		Ū	
Inj 15 mg	CBS	1	Bedford S29
			✓ THIO-TEPA \$29
			✓ Tepadina S29
Antimetabolites			
	oo :-		
Tab 15 mg – PCT – Retail pharmacy-Specialist		10	DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	17.10	5	<ul> <li>Hospira</li> </ul>
Inj 50 mg – PCT – Retail pharmacy-Specialist	24.50	5	<ul> <li>Calcium Folinate Ebewe</li> </ul>
Inj 100 mg – PCT only – Specialist	9.75	1	<ul> <li>Calcium Folinate</li> <li>Ebewe</li> </ul>
Inj 300 mg – PCT only – Specialist		1	Calcium Folinate
Inj 1 g – PCT only – Specialist	90.00	1	<ul> <li>Calcium Folinate</li> <li>Ebewe</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist	0.10	1 mg	✓ Baxter
APECITABINE – Retail pharmacy-Specialist		ring	• Baxioi
	115.00	60	✓ Xeloda
Tab 150 mg		60	✓ Xeloda ✓ Xeloda
Tab 500 mg		120	V Xeloda
LADRIBINE – PCT only – Specialist			
Inj 1 mg per ml, 10 ml	5,249.72	7	Leustatin
Inj 10 mg for ECP	749.96	10 mg Ol	P 🖌 Baxter
YTARABINE			
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialis	t55.00	5	<ul> <li>Pfizer</li> </ul>
	80.00		🖌 Hospira
Inj 500 mg – PCT – Retail pharmacy-Specialist		1	✓ Pfizer
	95.36	5	<ul> <li>Hospira</li> </ul>
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-			
Specialist	8.83	1	<ul> <li>Pfizer</li> </ul>
	42.65		<ul> <li>Hospira</li> </ul>
Inj 100 mg per ml, 20 ml vial – PCT – Retail pharmacy-			1.50
Specialist		1	✓ Pfizer
	34.47		✓ Hospira
Inj 1 mg for ECP – PCT only – Specialist		10 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialisi	t11.00 1	100 mg O	P V Baxter

	Subsidy	<b>.</b>	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic ✓ Manufacturer
LUDARABINE PHOSPHATE			
Tab 10 mg – PCT – Retail pharmacy-Specialist		20	Fludara Oral
Inj 50 mg – PCT only – Specialist		5	<ul> <li>Fludarabine Ebewe</li> </ul>
	1,430.00		Fludara
Inj 50 mg for ECP – PCT only – Specialist		50 mg OP	Baxter
LUOROURACIL SODIUM			
Inj 50 mg per ml, 10 ml – PCT only – Specialist		5	Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml - PCT only - Specialist	7.50	1	Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml - PCT only - Specialist		1	Hospira
Inj 50 mg per ml, 50 ml - PCT only - Specialist		1	<ul> <li>Fluorouracil Ebewe</li> </ul>
Inj 50 mg per ml, 100 ml - PCT only - Specialist		1	<ul> <li>Fluorouracil Ebewe</li> </ul>
Inj 1 mg for ECP - PCT only - Specialist	0.77	100 mg	Baxter
EMCITABINE HYDROCHLORIDE - PCT only - Specialist			
lnj 1 g	62.50	1	DBL Gemcitabine
, ,			<ul> <li>Gemcitabine Actavis 1000</li> </ul>
			Gemcitabine Ebewe
	349.20		✓ Gemzar
Inj 200 mg		1	Gemcitabine
iii 200 iiig			Actavis 200
			Gemcitabine Ebewe
	78.00		✓ Gemzar
Inj 1 mg for ECP		1 mg	✓ Baxter
RINOTECAN – PCT only – Specialist			
Inj 20 mg per ml, 2 ml	9.34	1	Irinotecan Actavis 40
	41.00		✓ Camptosar
	11.00		✓ Irinotecan-Rex
Inj 20 mg per ml, 5 ml	23.34	1	<ul> <li>Irinotecan Actavis</li> </ul>
			100
	100.00		<ul> <li>Camptosar</li> </ul>
			Irinotecan-Rex
Inj 1 mg for ECP	0.24	1 mg	<ul> <li>Baxter</li> </ul>
ERCAPTOPURINE – PCT – Retail pharmacy-Specialist			
		25	Puri-nethol

	Subsidy (Manufacturer's Pri \$	ice) Per	Fully Subsidised	Generic
/ETHOTREXATE				
Tab 2.5 mg – PCT – Retail pharmacy-Specialist		30	~	Trexate
	5.22		~	Methoblastin
Fab 10 mg – PCT – Retail pharmacy-Specialist		50	~	Trexate
	40.93		~	Methoblastin
Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist		5		Hospira
Inj 7.5 mg prefilled syringe		1	~	Methotrexate
k lui 10 mm aufillad auriana	17.05			Sandoz
Inj 10 mg prefilled syringe		1	V	Methotrexate Sandoz
₭ Inj 15 mg prefilled syringe	17 38	1	~	Methotrexate
		1	•	Sandoz
Inj 20 mg prefilled syringe	17.50	1	~	Methotrexate
······································		•	•	Sandoz
Inj 25 mg prefilled syringe		1	V	Methotrexate
				Sandoz
Inj 30 mg prefilled syringe		1	~	Methotrexate
				Sandoz
Inj 25 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist		5	~	<u>Hospira</u>
Inj 25 mg per ml, 20 ml – PCT – Retail pharmacy-Specialist		1		Hospira
Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialist		1		Methotrexate Ebewe
Inj 25 mg per ml, 40 ml – PCT – Retail pharmacy-Specialist.		1	~	DBL
				Methotrexate S29
Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist		1		Methotrexate Ebewe
Inj 1 mg for ECP – PCT only – Specialist		1 mg		Baxter
Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist		5 mg OF	· ·	Baxter
DBL Methotrexate S29 Inj 25 mg per ml, 40 ml to be delisted 1 N	lay 2014)			
HIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg	97.16	25	~	Lanvis
Other Cytotoxic Agents				
MSACRINE – PCT only – Specialist				
Inj 75 mg	CBS	6	~	Amsidine S29
, ,		0	•	Amoune
NAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Spe				
Cap 0.5 mg	CBS	100		Agrylin S29
			~	Teva S29
ARSENIC TRIOXIDE – PCT only – Specialist				
Inj 10 mg	4,817.00	10	V	AFT S29
, ,		-	-	
BLEOMYCIN SULPHATE – PCT only – Specialist	120.00	1		DBI Bloomyoin
Inj 15,000 iu	120.00	I	v	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	0.00	1 000		
		1,000 iu	v	Baxter
		onen tv		
BORTEZOMIB – PCT only – Specialist – Special Authority see S			-	
SORTEZOMIB – PCT only – Specialist – Special Authority see S Inj 1 mg	540.70	1		Velcade
BORTEZOMIB – PCT only – Specialist – Special Authority see S	540.70 1,892.50		~	Velcade Velcade Baxter

Subsidy		Fully	Brand or	
(Manufacturer's Price)	9	Subsidised	Generic	
\$	Per	~	Manufacturer	

## ➡SA1127 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Either:

- 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
- 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis \*; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 The patient has relapsed or refractory multiple myeloma; or
  - 1.2 The patient has relapsed or refractory systemic AL amyloidosis  $^*$ ; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

COLASDASE ILASDADAGINASEL DOT only Specialist

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] – PCT only – Specialist Inj 10,000 iu		1	Leunase
Inj 10,000 iu for ECP		10,000 iu OP	Baxter
DACARBAZINE – PCT only – Specialist			
Inj 200 mg vial		1	Hospira
Inj 200 mg for ECP		200 mg OP	✓ Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist		-	
Inj 0.5 mg		1	Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter
DAUNORUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 10 ml		1	<ul> <li>Pfizer</li> </ul>
Inj 20 mg for ECP		20 mg OP	✓ Baxter
DOCETAXEL – PCT only – Specialist			
Inj 20 mg		1	Docetaxel Sandoz
Inj 20 mg per ml, 1 ml		1	Taxotere
Inj 20 mg per ml, 4 ml		1	Taxotere
Inj 80 mg		1	<ul> <li>Docetaxel Sandoz</li> </ul>
Inj 1 mg for ECP	2.63	1 mg	Baxter

DOXORUBICIN         – PCT only – Specialist         10.           Inj 10 mg         10.         11.           Inj 50 mg         17.         40.           Inj 100 mg         80.         17.           Inj 200 mg         65.         150.           Inj 200 mg         65.         150.           Inj 1 mg for ECP         0.         EPIRUBICIN         – PCT only – Specialist           Inj 2 mg per ml, 5 ml         25.         17.         39.           Inj 2 mg per ml, 50 ml         87.         19.         39.           Inj 2 mg per ml, 50 ml         58.         125.         19.           Inj 2 mg per ml, 50 ml         125.         19.         125.           Inj 2 mg per ml, 100 ml         94.         125.         19.           Inj 1 mg for ECP         210.         0.         125.           Inj 1 mg for ECP         210.         0.         125.           Inj 1 mg for ECP         PCT – Retail pharmacy-Specialist         340.           Inj 20 mg per ml, 5 ml         – PCT – Retail pharmacy-Specialist         340.           Inj 20 mg per ml, 5 ml         – PCT – Retail pharmacy-Specialist         340.           Inj 100 mg (of etoposide base)         0.         125.         <	00 1 00 1 00 1	<ul> <li>Manufacturer</li> <li>Doxorubicin Ebewe</li> <li>Arrow-Doxorubicin</li> <li>DBL Doxorubicin</li> <li>DBL Doxorubicin</li> </ul>
Inj 10 mg       10.         Inj 50 mg       17.         40.       40.         Inj 100 mg       80.         Inj 200 mg       65.         150.       150.         Inj 1 mg for ECP       0.         EPIRUBICIN       - PCT only – Specialist         Inj 2 mg per ml, 5 ml       25.         Inj 2 mg per ml, 5 ml       39.         Inj 2 mg per ml, 50 ml       87.         Inj 2 mg per ml, 50 ml       58.         Inj 2 mg per ml, 100 ml       94.         125.       125.         Inj 2 mg per ml, 100 ml       94.         125.       11.         Inj 2 mg per ml, 50 ml       58.         101 2 mg per ml, 100 ml       94.         125.       11.         Inj 2 mg per ml, 50 ml       210.         Inj 1 mg for ECP       0.         ETOPOSIDE       340.         Cap 50 mg       - PCT – Retail pharmacy-Specialist         Inj 1 mg for ECP       - PCT only – Specialist         Inj 1 mg for ECP       - PCT only – Specialist         Inj 1 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base)       40. <th>00 1 00 1 00 1</th> <th><ul> <li>Arrow-Doxorubicin</li> <li>DBL Doxorubicin</li> <li>DBL Doxorubicin</li> </ul></th>	00 1 00 1 00 1	<ul> <li>Arrow-Doxorubicin</li> <li>DBL Doxorubicin</li> <li>DBL Doxorubicin</li> </ul>
Inj 50 mg       17.         40.         1nj 100 mg       80.         Inj 200 mg       65.         150.       150.         Inj 1 mg for ECP       0.         EPIRUBICIN       – PCT only – Specialist         Inj 2 mg per ml, 5 ml       25.         Inj 2 mg per ml, 50 ml       87.         Inj 2 mg per ml, 50 ml       87.         Inj 2 mg per ml, 50 ml       94.         210.       125.         Inj 2 mg per ml, 100 ml       94.         210.       111.         Inj 2 mg per ml, 50 ml       210.         Inj 2 mg per ml, 50 ml       612.         Inj 1 mg for ECP       0.         ETOPOSIDE       612.         Cap 100 mg       – PCT – Retail pharmacy-Specialist         Mi 1 mg for ECP       – PCT only – Specialist         Inj 1 mg for ECP       – PCT only – Specialist         Inj 1 mg for ECP       – PCT only – Specialist         Inj 100 mg (of etoposide base)	00 1 00 1 00 1	<ul> <li>Arrow-Doxorubicin</li> <li>DBL Doxorubicin</li> <li>DBL Doxorubicin</li> </ul>
40.         Inj 100 mg       80.         Inj 200 mg       65.         150.       150.         Inj 1 mg for ECP       0.         EPIRUBICIN       PCT only – Specialist         Inj 2 mg per ml, 5 ml       25.         Inj 2 mg per ml, 25 ml       39.         Inj 2 mg per ml, 50 ml       87.         Inj 2 mg per ml, 50 ml       125.         Inj 2 mg per ml, 100 ml       125.         Inj 2 mg per ml, 50 ml       125.         Inj 1 mg for ECP       0.         ETOPOSIDE       240.         Cap 50 mg       PCT – Retail pharmacy-Specialist         Mu 1 mg for ECP       97.         Retail pharmacy-Specialist       340.         Inj 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist         Inj 1 mg for ECP       97.         Stopped Log       97.         Inj 1 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base)       97.         MYDROXYUREA       PCT – Retail pharmacy-Specialist	00 1 00 1	<ul><li>DBL Doxorubicin</li><li>DBL Doxorubicin</li></ul>
Inj 100 mg       80.         Inj 200 mg       65.         150.       150.         Inj 1 mg for ECP       0.         EPIRUBICIN       - PCT only – Specialist         Inj 2 mg per ml, 5 ml       25.         Inj 2 mg per ml, 25 ml       39.         87.       87.         Inj 2 mg per ml, 50 ml       87.         Inj 2 mg per ml, 100 ml       94.         110.       125.         Inj 2 mg per ml, 100 ml       94.         210.       125.         Inj 1 mg for ECP       0.         Cap 50 mg       - PCT – Retail pharmacy-Specialist         340.       340.         Cap 100 mg       - PCT – Retail pharmacy-Specialist         340.       1j 20 mg per ml, 5 ml       - PCT – Retail pharmacy-Specialist         1j 1 mg for ECP       - PCT only – Specialist       612.         Inj 1 mg for ECP       - PCT only – Specialist       0.         CTOPOSIDE PHOSPHATE       - PCT only – Specialist       10.         Inj 1 mg (of etoposide base)	00 1 00 1	DBL Doxorubicin
Inj 200 mg	00 1	
Inj 200 mg	00 1	S29 S29
Inj 200 mg	00 1	Doxorubicin Ebewe
150.         Inj 1 mg for ECP         Inj 2 mg per ml, 5 ml         Inj 2 mg per ml, 25 ml         Statistic         Inj 2 mg per ml, 50 ml         11 j 2 mg per ml, 50 ml         11 j 2 mg per ml, 50 ml         11 j 2 mg per ml, 100 ml         11 j 2 mg per ml, 100 ml         11 j 2 mg per ml, 100 ml         11 j 1 mg for ECP         11 j 2 mg per ml, 100 ml         12 j 1 mg for ECP         11 j 1 mg for ECP         11 j 1 mg for ECP         12 j 1 mg for ECP         13 j 2 mg per ml, 5 ml         14 j 1 mg for ECP         15 j 2 mg per ml, 5 ml         15 mg (of etoposide base)         16 mg (of etoposide base)         17 mg (of etoposide base)         17 mg (of etoposide base)         18 mg (of etoposide base)         19 mg (of etoposide base)         19 mg (of etoposide base)         10 mg (of etoposide base)         <		Doxorubicin Ebewe
Inj 1 mg for ECP       0.         PIRUBICIN       PCT only – Specialist         Inj 2 mg per ml, 5 ml       25.         Inj 2 mg per ml, 50 ml       87.         Inj 2 mg per ml, 50 ml       58.         1nj 2 mg per ml, 50 ml       125.         Inj 2 mg per ml, 100 ml       94.         210.       11.         Inj 1 mg for ECP       0.         TOPOSIDE       24.         Cap 50 mg       PCT – Retail pharmacy-Specialist.         Gap 100 mg       PCT – Retail pharmacy-Specialist.         Inj 2 mg per ml, 5 ml       - PCT – Retail pharmacy-Specialist.         Inj 20 mg per ml, 5 ml       - PCT – Retail pharmacy-Specialist.         Inj 1 mg for ECP       - PCT only – Specialist         Inj 1 mg for ECP       - PCT only – Specialist         Inj 1 mg for ECP       - PCT only – Specialist         Inj 100 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base) for ECP       0.         YDROXYUREA       - PCT – Retail pharmacy-Specialist         Cap 500 mg       31.         DARUBICIN HYDROCHLORIDE       Cap 5 mg       -PCT – Retail pharmacy-Specialist		Arrow-Doxorubicin
PIRUBICIN       – PCT only – Specialist         Inj 2 mg per ml, 5 ml	00	Adriamycin
PIRUBICIN       – PCT only – Specialist         Inj 2 mg per ml, 5 ml		<ul> <li>Doxorubicin Ebewe</li> </ul>
Inj 2 mg per ml, 5 ml       25.         Inj 2 mg per ml, 25 ml       39.         87.       1111         Inj 2 mg per ml, 50 ml       125.         Inj 2 mg per ml, 50 ml       125.         Inj 2 mg per ml, 100 ml       94.         10.       1111         Inj 1 mg for ECP       0.         TOPOSIDE       240.         Cap 50 mg       PCT – Retail pharmacy-Specialist.         340.       340.         Cap 100 mg       PCT – Retail pharmacy-Specialist.         340.       340.         Cap 100 mg       PCT – Retail pharmacy-Specialist.         340.       112 0 mg per ml, 5 ml         PCT – Retail pharmacy-Specialist.       340.         Inj 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist.         Inj 1 mg for ECP       PCT only – Specialist.         Inj 1 mg for ECP       PCT only – Specialist.         Inj 100 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base) for ECP       0.         YDROXYUREA       PCT – Retail pharmacy-Specialist         Cap 500 mg       31.         VARUBICIN HYDROCHLORIDE       31.         CAP 5 mg       PCT – Retail pharmacy-Spe	37 1 mg	Baxter
Inj 2 mg per ml, 5 ml       25.         Inj 2 mg per ml, 25 ml       39.         87.       1111         Inj 2 mg per ml, 50 ml       125.         Inj 2 mg per ml, 50 ml       125.         Inj 2 mg per ml, 100 ml       125.         Inj 2 mg per ml, 100 ml       94.         210.       1111         Inj 1 mg for ECP       0.         TOPOSIDE       240.         Cap 50 mg       PCT – Retail pharmacy-Specialist.         340.       340.         Cap 100 mg       PCT – Retail pharmacy-Specialist.         340.       112 0 mg per ml, 5 ml         PCT – Retail pharmacy-Specialist.       340.         Inj 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist.         Inj 1 mg for ECP       PCT only – Specialist         Inj 1 mg for ECP       PCT only – Specialist         Inj 1 mg (of etoposide base)       0.         TOPOSIDE PHOSPHATE       PCT only – Specialist         Inj 1 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base)       0.         YDROXYUREA       PCT – Retail pharmacy-Specialist         Cap 500 mg       31.         DARUBICIN HYDROCHLORIDE       Cap 5 mg – PCT – Retail pharmacy-Specialist         Cap 5		
Inj 2 mg per ml, 25 ml       39.         Inj 2 mg per ml, 50 ml       87.         Inj 2 mg per ml, 50 ml       125.         Inj 2 mg per ml, 100 ml       94.         Inj 1 mg for ECP       210.         Inj 1 mg for ECP       0.         TOPOSIDE       340.         Cap 50 mg       PCT – Retail pharmacy-Specialist.         TOPOSIDE       340.         Cap 100 mg       PCT – Retail pharmacy-Specialist.         Ji 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist.         Inj 1 mg for ECP       PCT only – Specialist.         Inj 1 mg for ECP       PCT only – Specialist         Inj 1 mg for ECP       PCT only – Specialist         Inj 100 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base) for ECP       0.         YDROXYUREA       PCT – Retail pharmacy-Specialist         Cap 500 mg       31.         VARUBICIN HYDROCHLORIDE       Cap 5 mg       PCT – Retail pharmacy-Specialist	00 1	Epirubicin Ebewe
87.         Inj 2 mg per ml, 50 ml         125.         Inj 2 mg per ml, 100 ml         11         11         11         11         11         11         11         11         11         11         11         11         11         12         11         11         12         13         14         15         16         17         18         19         19         19         10         11         11         11         11         11         12         12         13         14         15         15         15         15         15         15         15         15         15         15         15         15         15         15		✓ DBL Epirubicin
Inj 2 mg per ml, 50 ml       58.         125.       125.         Inj 2 mg per ml, 100 ml       94.         210.       94.         Inj 1 mg for ECP       0.         TOPOSIDE       0.         Cap 50 mg       PCT – Retail pharmacy-Specialist         Cap 100 mg       PCT – Retail pharmacy-Specialist         Jij 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist         Inj 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist         Cap 100 mg       OPCT – Retail pharmacy-Specialist         Inj 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist         Inj 1 mg for ECP       PCT only – Specialist         Inj 1 mg for ECP       PCT only – Specialist         Inj 100 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base) for ECP       0.         YDROXYUREA       PCT – Retail pharmacy-Specialist         Cap 500 mg       31.         VARUBICIN HYDROCHLORIDE       21.         Cap 5 mg       PCT – Retail pharmacy-Specialist		Hydrochloride
Inj 2 mg per ml, 50 ml       58.         125.       125.         Inj 2 mg per ml, 100 ml       94.         210.       94.         TOPOSIDE       0.         Cap 50 mg       PCT – Retail pharmacy-Specialist         TOPOSIDE       340.         Cap 100 mg       PCT – Retail pharmacy-Specialist         J1 mg for ECP       PCT – Retail pharmacy-Specialist         Inj 2 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist         Inj 1 mg for ECP       PCT only – Specialist         COPOSIDE PHOSPHATE       PCT only – Specialist         Inj 1 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base) for ECP       0.         YDROXYUREA       PCT – Retail pharmacy-Specialist         Cap 500 mg       31.         DARUBICIN HYDROCHLORIDE       Cap 5 mg         Cap 5 mg       PCT – Retail pharmacy-Specialist	50	<ul> <li>Epirubicin Ebewe</li> </ul>
125.         Inj 2 mg per ml, 100 ml       94.         210.       94.         Inj 1 mg for ECP       0.         TOPOSIDE       340.         Cap 50 mg       PCT – Retail pharmacy-Specialist       340.         Inj 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist       340.         Inj 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist       612.         Inj 1 mg for ECP       PCT only – Specialist       612.         Inj 1 mg for ECP       PCT only – Specialist       0.         TOPOSIDE PHOSPHATE       PCT only – Specialist       10.         Inj 100 mg (of etoposide base)       40.       Inj 1 mg (of etoposide base) for ECP       0.         YDROXYUREA       PCT – Retail pharmacy-Specialist       31.       31.         DARUBICIN HYDROCHLORIDE       Cap 5 mg       PCT – Retail pharmacy-Specialist       115.		✓ DBL Epirubicin
Inj 2 mg per ml, 100 ml       94.         210.       210.         Inj 1 mg for ECP       0.         TOPOSIDE       340.         Cap 50 mg       PCT – Retail pharmacy-Specialist         Top 100 mg       PCT – Retail pharmacy-Specialist         Jain 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist         Inj 1 mg for ECP       PCT only – Specialist         Cap 500 mg       OTOPOSIDE         Inj 1 mg for ECP       PCT only – Specialist         Inj 1 mg for ECP       PCT only – Specialist         Inj 100 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base) for ECP       0.         YDROXYUREA       PCT – Retail pharmacy-Specialist         Cap 500 mg       31.         DARUBICIN HYDROCHLORIDE       Cap 5 mg         Cap 5 mg       PCT – Retail pharmacy-Specialist		Hydrochloride
Inj 2 mg per ml, 100 ml       94.         210.       210.         Inj 1 mg for ECP       0.         TOPOSIDE       340.         Cap 50 mg       PCT – Retail pharmacy-Specialist         Top 100 mg       PCT – Retail pharmacy-Specialist         Jain 20 mg per ml, 5 ml       PCT – Retail pharmacy-Specialist         Inj 1 mg for ECP       PCT only – Specialist         Cap 500 mg       OTOPOSIDE         Inj 1 mg for ECP       PCT only – Specialist         Inj 1 mg for ECP       PCT only – Specialist         Inj 100 mg (of etoposide base)       40.         Inj 1 mg (of etoposide base) for ECP       0.         YDROXYUREA       PCT – Retail pharmacy-Specialist         Cap 500 mg       31.         DARUBICIN HYDROCHLORIDE       Cap 5 mg         Cap 5 mg       PCT – Retail pharmacy-Specialist	00	<ul> <li>Epirubicin Ebewe</li> </ul>
210.1         Inj 1 mg for ECP       0.1         TOPOSIDE       0.1         Cap 50 mg       – PCT – Retail pharmacy-Specialist       340.1         Cap 100 mg       – PCT – Retail pharmacy-Specialist       340.1         Inj 20 mg per ml, 5 ml       – PCT – Retail pharmacy-Specialist       340.1         Inj 1 mg for ECP       – PCT only – Specialist       612.1         Inj 1 mg for ECP       – PCT only – Specialist       0.1         TOPOSIDE PHOSPHATE       – PCT only – Specialist       10.1         Inj 100 mg (of etoposide base)		✓ DBL Epirubicin
Inj 1 mg for ECP		Hydrochloride
Inj 1 mg for ECP	00	<ul> <li>Epirubicin Ebewe</li> </ul>
TOPOSIDE         Cap 50 mg       – PCT – Retail pharmacy-Specialist       340.         Cap 100 mg       – PCT – Retail pharmacy-Specialist       340.         Inj 20 mg per ml, 5 ml       – PCT – Retail pharmacy-Specialist       612.         Inj 1 mg for ECP       – PCT only – Specialist       612.         IOPOSIDE PHOSPHATE       – PCT only – Specialist       0.         IOPOSIDE PHOSPHATE       – PCT only – Specialist       10.         Inj 1 mg (of etoposide base)	••	✓ Baxter
Cap 50 mg       – PCT – Retail pharmacy-Specialist	5 <u> </u>	V Buxton
Cap 100 mg       – PCT – Retail pharmacy-Specialist	70 00	. / Vanasid
Inj 20 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist25. 612. Inj 1 mg for ECP – PCT only – Specialist0. FOPOSIDE PHOSPHATE – PCT only – Specialist Inj 100 mg (of etoposide base)40. Inj 1 mg (of etoposide base) for ECP0. YDROXYUREA – PCT – Retail pharmacy-Specialist Cap 500 mg31. ARUBICIN HYDROCHLORIDE Cap 5 mg – PCT – Retail pharmacy-Specialist		Vepesid
612. Inj 1 mg for ECP – PCT only – Specialist		<ul> <li>✓ Vepesid</li> <li>✓ Hospira</li> </ul>
Inj 1 mg for ECP       – PCT only – Specialist       0.         IOPOSIDE PHOSPHATE       – PCT only – Specialist       0.         Inj 100 mg (of etoposide base)		Vepesid
FOPOSIDE PHOSPHATE       – PCT only – Specialist         Inj 100 mg (of etoposide base)		Baxter
Inj 100 mg (of etoposide base)40. Inj 1 mg (of etoposide base) for ECP0. /DROXYUREA – PCT – Retail pharmacy-Specialist Cap 500 mg31. ARUBICIN HYDROCHLORIDE Cap 5 mg – PCT – Retail pharmacy-Specialist	Jo i ng	
Inj 1 mg (of etoposide base) for ECP0. YDROXYUREA – PCT – Retail pharmacy-Specialist Cap 500 mg31. ARUBICIN HYDROCHLORIDE Cap 5 mg – PCT – Retail pharmacy-Specialist		<b>4 - .</b> .
YDROXYUREA – PCT – Retail pharmacy-Specialist Cap 500 mg		<ul> <li>Etopophos</li> </ul>
Cap 500 mg31. ARUBICIN HYDROCHLORIDE Cap 5 mg – PCT – Retail pharmacy-Specialist	47 1 mg	Baxter
ARUBICIN HYDROCHLORIDE Cap 5 mg – PCT – Retail pharmacy-Specialist115.		
Cap 5 mg - PCT - Retail pharmacy-Specialist	76 100	Hydrea
Cap 5 mg - PCT - Retail pharmacy-Specialist		
	00 1	Zavedos
		✓ Zavedos
Inj 5 mg – PCT only – Specialist	JU I	✓ Zavedos
Inj 10 mg – PCT only – Specialist		✓ Zavedos
Inj 1 mg for ECP – PCT only – Specialist	00 1	✓ Baxter
ESNA	00 1 00 1	
Tab 400 mg – PCT – Retail pharmacy-Specialist	00 1 00 1	
Tab 600 mg – PCT – Retail pharmacy-Specialist	00 1 00 1 20 1 mg	✔ Uromitevan
Inj 100 mg per ml, 4 ml ampoule – PCT only – Specialist	00 1 00 1 20 1 mg 50 50	<ul> <li>Uromitexan</li> <li>Uromitexan</li> </ul>
Inj 100 mg per ml, 10 ml ampoule – PCT only – Specialist	00 1 00 1 20 1 mg 50 50 50 50	<ul> <li>Uromitexan</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist	00 1 00 1 20 1 mg 50 50 50 50 05 15	

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	
IITOMYCIN C – PCT only – Specialist				
Inj 5 mg vial	79.75	1	V <u>I</u>	Arrow
Inj 1 mg for ECP	16.43	1 mg	🖌 E	Baxter
ITOZANTRONE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml	110.00	1	~ 1	Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml		1	~ 1	Vitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1	<b>v</b> (	Onkotrone
Inj 1 mg for ECP	5.65	1 mg	🖌 E	Baxter
ACLITAXEL – PCT only – Specialist				
Inj 30 mg		5	🖌 F	Paclitaxel Ebewe
lnj 100 mg		1	🖌 F	Paclitaxel Actavis
			🖌 F	Paclitaxel Ebewe
Inj 150 mg		1	<b>v</b>	Anzatax
			🖌 F	Paclitaxel Actavis
			🖌 F	Paclitaxel Ebewe
Inj 300 mg	275.00	1	V	Anzatax
			🖌 F	Paclitaxel Actavis
				Paclitaxel Ebewe
lnj 600 mg		1	🖌 F	Paclitaxel Ebewe
Inj 1 mg for ECP	1.02	1 mg	🖌 E	Baxter
PEGASPARGASE - PCT only - Special Authority see SA1325	below			
Inj 3,750 IU per 5 ml		1	<b>v</b> (	Oncaspar S29

## SA1325 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- - 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
  - 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
  - 3 Treatment is with curative intent.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

#### PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialist

Inj 10 mg	CBS	1	✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - F	Retail pharmacy-Specialist		
Cap 50 mg		50	Natulan S29
TEMOZOLOMIDE - Special Authority see SA106	3 on the next page – Retail pharma	acy	
Cap 5 mg		5	Temaccord
Cap 20 mg		5	Temaccord
Cap 100 mg		5	Temaccord
Cap 250 mg	410.00	5	✓ Temaccord

Sub	bsidy Full	Brand or
(Manufactu	urer's Price) Subsidise	I Generic
:	\$ Per •	Manufacturer

### ➡SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
  - 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m<sup>2</sup>.

Notes: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE	- PCT only - Specialist - Special Authority see SA1124 below	N	
Cap 50 mg		28	Thalomid
Cap 100 mg		28	<ul> <li>Thalomid</li> </ul>

### SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

1 The patient has multiple myeloma; or

2 The patient has systemic AL amyloidosis\*.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with \* is an Unapproved Indication.

#### TRETINOIN

Cap 10 mg - PCT - Retail pharmacy-Specialist	100	Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg – PCT – Retail pharmacy-Specialist	1	Hospira
137.50	5	<ul> <li>Hospira</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist	1 mg	Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist64.80	5	Hospira
Inj 1 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	5	<ul> <li>Hospira</li> </ul>
Inj 1 mg for ECP – PCT only – Specialist	1 mg	Baxter
VINORELBINE – PCT only – Specialist		
Inj 10 mg per ml, 1 ml12.85	1	Navelbine
42.00		Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml64.25	1	Navelbine
210.00		Vinorelbine Ebewe
Inj 1 mg for ECP1.45	1 mg	Baxter

	Subsidy (Manufacturer's Price) \$	Per	Full <u>y</u> Subsidised	d Generic
Protein-tyrosine Kinase Inhibitors				
DASATINIB – Special Authority see SA0976 below – [Xpharm]				
Tab 20 mg	3,774.06	60	~	Sprycel
Tab 50 mg	6,214.20	60	~	Sprycel
Tab 70 mg	7,692.58	60	~	Sprycel
Tab 100 mg		30		Sprycel
Tab 100 mg	6,214.20	30	V	Sprycei

## SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz
Wollington	

#### Wellington

# Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

# Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10<sup>9</sup>/L, platelets > 20 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB - R	Retail pharmacy-Specialist -	- Special Authority see SA1	411 on the next page

Tab 100 mg	 	·	1	,133.00	30	<ul> <li>Tarceva</li> </ul>
Tab 150 mg	 		1	,700.00	30	🖌 Tarceva

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	lbsidised	Generic	
\$	Per	~	Manufacturer	

### ➡SA1411 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

- Either:
  - 1 All of the following:
    - 1.1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
    - 1.2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
    - 1.3 Either:
      - 1.3.1 Patient is treatment naive; or
      - 1.3.2 Both:
        - 1.3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
        - 1.3.2.2 Patient has not received prior treatment with gefitinib; and
    - 1.4 Erlotinib is to be given for a maximum of 3 months; or
  - 2 The patient received funded erlotinib prior to 31 December 2013 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist

Tab 250 mg − Special Authority see SA1226 below......1,700.00 30 🖌 Iressa

## ➡SA1226 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient has treatment naive locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
  - 1.2 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
  - 1.3 Gefitinib is to be given for a maximum of 3 months; or
- 2 The patient received gefitinib treatment prior to 1 August 2012 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

### IMATINIB MESILATE

\*

Tab 100 ma Chaosial Authority	y see SA0643 on the next page
Tab Too my - Special Authom	y see SAU045 UIT the heat page

	- [Xpharm]	•	 60	Glivec
ŧ	Cap 100 mg - No pati	ent co-payment payable	 60	Imatinib-AFT

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA0643 in Section B of the Pharmaceutical Schedule.

Subsidy (Manufacturer's Price)	ş	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

### SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz

Wellington

### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^{9}$ /L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

## Special Authority criteria for GIST – access by application

- a) Funded for patients:
  - a) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - b) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
  - b) Maximum dose of 400 mg/day.
  - c) Applications to be made and subsequent prescriptions can be written by an oncologist.
  - Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

## LAPATINIB DITOSYLATE - Special Authority see SA1191 on the next page - Retail pharmacy

Tab 250 mg .....1,899.00

70

Tykerb

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### ➡SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 All of the following:
  - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
  - 1.3 Lapatinib not to be given in combination with trastuzumab; and
  - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on trastuzumab; and
  - 2.4 Lapatinib not to be given in combination with trastuzumab; and
  - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
  - The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
  - 3 Lapatinib not to be given in combination with trastuzumab; and
  - 4 Lapatinib to be discontinued at disease progression.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg	1,334.70	30	<ul> <li>Votrient</li> </ul>
Tab 400 mg	2,669.40	30	<ul> <li>Votrient</li> </ul>

### ■SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 Both:
    - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
    - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
  - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or

Subsidy		Fully	Brand or	
(Manufacturer's P	rice) Subsic	lised	Generic	
\$	Per	~	Manufacturer	

continued...

- 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
- 5.5 Karnofsky performance score of  $\leq$  70; or
- 5.6  $\geq$  2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB – Special Authority see SA1266 below – Retail pharmacy

Cap 12.5 mg2,315.3	8 28	Sutent
Cap 25 mg	7 28	<ul> <li>Sutent</li> </ul>
Cap 50 mg9,261.5	4 28	<ul> <li>Sutent</li> </ul>

## SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
  - 2.4 Both:
    - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
    - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of  $\leq$  70; or
  - 5.6  $\geq$  2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- Both:
  - 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - 2 Either:
    - 2.1 The patient's disease has progressed following treatment with imatinib; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

**Renewal** — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
  - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
  - 1.2 The patient has had a partial response (a decrease in size of  $\geq 10\%$  or decrease in tumour density in Hounsfield Units (HU) of  $\geq 15\%$  on CT and no new lesions and no obvious progression of non measurable disease); or
  - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: RCC - Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

GIST - It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of  $\geq$  10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy		
For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Horn	nones, page 89	
BICALUTAMIDE – Special Authority see SA0941 below – Retail pharmacy		
Tab 50 mg 10.00	28	Bicalaccord
►SA0941 Special Authority for Subsidy		
Initial application from any medical practitioner. Approvals valid without fur advanced prostate cancer.	her renewal un	less notified where the patient has
FLUTAMIDE – Retail pharmacy-Specialist		
Tab 250 mg16.50	30	Flutamin S29 S29
55.00	100	<ul> <li>Flutamin</li> </ul>
MEGESTROL ACETATE – Retail pharmacy-Specialist		
Tab 160 mg51.55	30	✓ <u>Apo-Megestrol</u>
OCTREOTIDE (SOMATOSTATIN ANALOGUE)		
Inj 50 mcg per ml, 1 ml	5	Octreotide MaxRx
Inj 100 mcg per ml, 1 ml	5	✓ Octreotide MaxRx
Inj 500 mcg per ml, 1 ml131.25	5	Octreotide MaxRx
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special Authority see S.	A1016 on the ne	ext page – Retail pharmacy
Inj LAR 10 mg prefilled syringe	1	Sandostatin LAR
Inj LAR 20 mg prefilled syringe2,358.75	1	Sandostatin LAR
Inj LAR 30 mg prefilled syringe2,951.25	1	<ul> <li>Sandostatin LAR</li> </ul>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

# SA1016 Special Authority for Subsidy

**Initial application** — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal** — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
  - 2.1 Gastrinoma; and
  - 2.2 Either:
    - 2.2.1 Patient has failed surgery; or
    - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
  - 3.1 Insulinomas; and
  - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
  - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  - 5.2 Disabling symptoms not controlled by maximal medical therapy.

	Subsidy (Manufacturer's Pric \$	ce) Sut Per	Fully Brand or osidised Generic ✔ Manufacturer
continued Note: The use of octreotide in patients with fistulae, oesophay funded as a Special Authority item <b>Reneval — (Other Indications)</b> only from a relevant specia specialist. Approvals valid for 2 years where the treatment rema TAMOXIFEN CITRATE	alist or medical prac	titioner on t	he recommendation of a relevant
* Tab 10 mg		60 100	<ul> <li>✓ Genox</li> <li>✓ Genox</li> </ul>
* Tab 20 mg	17.50 2.63 8.75	100 30 100	✓ <u>Genox</u> ✓ <u>Genox</u> ✓ <u>Genox</u>
Aromatase Inhibitors			
ANASTROZOLE * Tab 1 mg	26.55	30	<ul> <li>✓ Aremed</li> <li>✓ Arimidex</li> <li>✓ DP-Anastrozole</li> </ul>
EXEMESTANE * Tab 25 mg	22.57	30	✓ <u>Aromasin</u>
LETROZOLE * Tab 2.5 mg	4.85	30	✓ Letraccord
Immunosuppressants			
Cytotoxic Immunosuppressants			
AZATHIOPRINE – Retail pharmacy-Specialist * Tab 50 mg – For azathioprine oral liquid formulation references page 201		100	✔ Azamun ✔ Imuprine
* Inj 50 mg		1	✓ Imuran
MYCOPHENOLATE MOFETIL – Special Authority see SA1041		macy	
Tab 500 mg – Brand switch fee payable (Pharmaco 2452189) - see page 199 for details		50	✓ <u>Cellcept</u>
Cap 250 mg – Brand switch fee payable (Pharmacov 2452189) - see page 199 for details		100	✓ Cellcept
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement Mycophenolate powder for oral liquid is subsidised only prescription is endorsed accordingly.		165 ml OP	✓ Cellcept

### SA1041 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Transplant recipient; or
- 2 Both:
- Patients with diseases where
- 2.1 Steroids and azathioprine have been trialled and discontinued because of unacceptable side effects or inadequate clinical response; and
- 2.2 Either:

(	Subsidy (Manufacturer's Price)	Subs	Fully	Brand or Generic
	\$	Per	~	Manufacturer

continued...

Patients with diseases where

- 2.2.1 Cyclophosphamide has been trialled and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2.2.2 Cyclophosphamide treatment is contraindicated.

# **Fusion Proteins**

ETANERCEPT - Special Authority see SA1372 below - Retail pharmacy

Inj 25 mg	949.96	4	Enbrel
Inj 50 mg autoinjector		4	<ul> <li>Enbrel</li> </ul>
Inj 50 mg prefilled syringe	1,899.92	4	<ul> <li>Enbrel</li> </ul>

### SA1372 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria: Fither

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or

### 2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
  - 2.5.1 Either:
    - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
    - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 2.5.2 Physician's global assessment indicating severe disease.

**Initial application — (rheumatoid arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

#### 2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

### 2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	sidised	Generic	
\$	Per	~	Manufacturer	

continued...

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm
- 65-74 years Male: 4.0 cm; Female: 4.0 cm
- 75+ years Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

**Renewal** — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal** — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

## All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a rheumatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
  - 2 Either:

Subsidy	Full	y Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per 🖌	<ul> <li>Manufacturer</li> </ul>	

continued...

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

## **Immune Modulators**

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist Inj 50 mg per ml, 5 ml2,137.50	5	🖌 ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist Subsidised only for bladder cancer. Inj 2-8 × 100 million CFU	1	✔ OncoTICE
Monoclonal Antibodies	I	• OILOTICE
ADALIMUMAB – Special Authority see SA1371 below – Retail pharmacy		

Inj 20 mg per 0.4 ml prefilled syringe	 2	🗸 Humira
Inj 40 mg per 0.8 ml prefilled pen	 2	<ul> <li>HumiraPen</li> </ul>
Inj 40 mg per 0.8 ml prefilled syringe	 2	🗸 Humira

### SA1371 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Any of the following:
    - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
    - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
    - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	ubsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
  - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years Male: 7.0 cm; Female: 5.5 cm
- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm
- 65-74 years Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or

Subsidy (Manufacturer's Price)	<b>C</b> 11	Fully bsidised	Brand or Generic	
(Manulacturer's Frice)	Per		Manufacturer	

continued...

- 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

# Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
  - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.2 Patient diagnosed with JIA; and
  - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections: and
  - 2.5 Both:
    - 2.5.1 Either:
      - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
      - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
    - 2.5.2 Physician's global assessment indicating severe disease.

**Initial application — (fistulising Crohn's disease)** only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)	;	Subsidised	Generic
\$	Per	~	Manufacturer

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
  - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
  - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. **Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

- 1.1 Applicant is a rheumatologist: or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

**Renewal** — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Either:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
    - 2.1.2 CDAI score is 150 or less; or
  - 2.2 Both:
    - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
  - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

- 1.1 Applicant is a dermatologist; or
- 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

**Renewal** — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	9	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

- 1.1 Applicant is a named specialist or rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

3 Either:

- 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal — (fistulising Crohn's disease)** only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
  - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 below

Inj 100 mg per 10 ml vial	1,075.50	2	Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	Mabthera
Inj 1 mg for ECP	5.64	1 mg	Baxter

## ➡SA1152 Special Authority for Subsidy

**Initial application** — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Fither:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 6 treatment cycles; or

2 Both:

- 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
  - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
  - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
  - 3.1 The patient is chemotherapy treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
    - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance  $\geq$  30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

**Renewal** — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

1 The patient has had a rituximab treatment-free interval of 12 months or more; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB -	PCT only – Specialist – Special Authority see SA1192 below		
Inj 150 mg vial .		1	<ul> <li>Herceptin</li> </ul>
Inj 440 mg vial .		1	<ul> <li>Herceptin</li> </ul>
Inj 1 mg for ECP	9.36	1 mg	<ul> <li>Baxter</li> </ul>

## SA1192 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 All of the following:

- 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
- 1.3 Trastuzumab not to be given in combination with lapatinib; and
- 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on lapatinib; and
  - 2.4 Trastuzumab not to be given in combination with lapatinib; and
  - 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: All of the following:

1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
  - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

**Renewal** — (early breast cancer\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
  - 3.1 All of the following:
    - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
    - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
    - 3.1.3 Trastuzumab to be discontinued at disease progression; or
  - 3.2 All of the following:
    - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress whilst on lapatinib; and
    - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
    - 3.2.4 Trastuzumab to be discontinued at disease progression; or
  - 3.3 All of the following:
    - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
    - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
    - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: \* For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

## Other Immunosuppressants

## CYCLOSPORIN

Cap 25 mg Cap 50 mg Cap 100 mg Oral lig 100 mg per ml	88.91 177.81	50 50 50 50 ml OP	<ul> <li>✓ Neoral</li> <li>✓ Neoral</li> <li>✓ Neoral</li> <li>✓ Neoral</li> </ul>
SIROLIMUS – Special Authority see SA0866 on the next page Tab 1 mg Tab 2 mg Oral liq 1 mg per ml	e – Retail pharmacy 	100 100 60 ml OP	<ul> <li>✓ Rapamune</li> <li>✓ Rapamune</li> <li>✓ Rapamune</li> </ul>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

## SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP; or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA0669 below - Retail pharmacy

Cap 0.5 mg	214.00	100	Prograf
Cap 1 mg	128.00	100	Prograf
Cap 5 mg - For tacrolimus oral liquid formulation refer, page			-
201	)70.00	50	Prograf

## ➡SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

	Subsidy (Manufacturor's F		Fully Brand or bsidised Generic
	(Manufacturer's F \$	Per Su	Manufacturer
Anticlloum, Duonoustions			
Antiallergy Preparations			
► SA1367 Special Authority for Subsidy			
Initial application only from a relevant specialist. Approvals vali	d for 2 years for a	pplications me	eeting the following criteria:
Both:			
<ol> <li>RAST or skin test positive; and</li> <li>Patient has had severe generalised reaction to the sens</li> </ol>	itising agent.		
<b>Renewal</b> only from a relevant specialist. Approvals valid for 2 y benefiting from treatment.	ears where the t	reatment rema	ains appropriate and the patient is
BEE VENOM ALLERGY TREATMENT - Special Authority see S	SA1367 above – F	Retail pharma	су
Maintenance kit - 6 vials 120 mcg freeze dried venom, 6 dilu			
ent 1.8 ml		1 OP	Albay
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluer		4.00	
9 ml, 3 diluent 1.8 ml		1 OP	Albay
WASP VENOM ALLERGY TREATMENT - Special Authority see		- Retail pharm	acy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze		1 00	
dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freez		1 OP	Albay
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	✓ Albay
	200.00	1 01	• Histy
Antihistamines			
CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.59	100	✓ Zetop
*‡ Oral liq 1 mg per ml	3.52	200 ml	Cetirizine - AFT
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	<ul> <li>Histafen</li> </ul>
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	1.01	20	
	(5.99)		Polaramine
	2.02	40	Polaramine
*‡ Oral liq 2 mg per 5 ml	(8.40) 1.77	100 ml	Polaramine
	(10.29)	100 111	Polaramine
FEXOFENADINE HYDROCHLORIDE	(		
* Tab 60 mg	4.34	20	
·	(11.53)		Telfast
* Tab 120 mg	4.74	10	
	(11.53)		Telfast
	14.22	30	<b>T</b> <i>K</i> .
	(29.81)		Telfast
			A
* Tab 10 mg		100 100 ml	<ul> <li>✓ Lorafix</li> <li>✓ Lorapaed</li> </ul>
* Oral liq 1 mg per ml	3.10	100 ml	
PROMETHAZINE HYDROCHLORIDE	1 00	50	Allereethe
* Tab 10 mg * Tab 25 mg		50 50	<ul> <li><u>Allersoothe</u></li> <li><u>Allersoothe</u></li> </ul>
* 1 Oral lig 5 mg per 5 ml		100 ml	✓ <u>Allersoothe</u>
<ul> <li>Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO</li> </ul>		5	✓ Hospira
		-	·

	Subsidy (Manufacturer's \$	Price)	S Per	Fully Subsidised	Generic
TRIMEPRAZINE TARTRATE					
the second	2.79 (8.06)	100	ml OF		Vallergan Forte
Inhaled Corticosteroids					
BECLOMETHASONE DIPROPIONATE					
Aerosol inhaler, 50 mcg per dose CFC-free	8.54	200 d	lose O	P 🖌	Beclazone 50
Aerosol inhaler, 100 mcg per dose CFC-free		200 d	lose O	P 🖌	Beclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free	22.67	200 d	lose O	P 🖌	Beclazone 250
BUDESONIDE					
Powder for inhalation, 100 mcg per dose	17.00	200 d	lose O	P 🗸	Pulmicort Turbuhaler
Powder for inhalation, 200 mcg per dose		200 d	lose O	P 🗸	Pulmicort Turbuhaler
Powder for inhalation, 400 mcg per dose		200 d	lose O	P 🖌	Pulmicort Turbuhaler
FLUTICASONE					
Aerosol inhaler, 50 mcg per dose CFC-free	7.50	120 d	lose O	PV	Flixotide
Powder for inhalation, 50 mcg per dose		60 do	ose Ol	P 🖌	Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose		60 do	ose Ol	P 🖌	Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose CFC-free		120 d	lose O	P 🖌	Flixotide
Aerosol inhaler, 250 mcg per dose CFC-free	27.20	120 d	lose O	P 🖌	Flixotide
Powder for inhalation, 250 mcg per dose	13.60	60 do	ose Ol	P 🖌	Flixotide Accuhaler

# Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 mcg beclomethasone or budesonide (or 100 mcg fluticasone).
- · For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 mcg beclomethasone or budesonide (or 200 mcg fluticasone). Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above		
Powder for inhalation, 6 mcg per dose, breath activated10.32	60 dose OP	
(16.90)		Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de-		
vice	60 dose	
(35.80)		Foradil
SALMETEROL - See prescribing guideline above		
Aerosol inhaler CFC-free, 25 mcg per dose	120 dose OP	Serevent
Powder for inhalation, 50 mcg per dose, breath activated	60 dose OP	<ul> <li>Serevent Accuhaler</li> </ul>

RESPIRATORY SYSTEM AND ALLERGIES

	Subsidy (Manufacturer's F \$	Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
Inhaled Corticosteroids with Long-Acting Beta-A	drenocepto	or Agonists	;	
BUDESONIDE WITH EFORMOTEROL – Special Authority see S Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg Powder for inhalation 100 mcg with eformoterol fumarate		Retail pharma 120 dose OP		annair
6 mcg	55.00	120 dose OP	🗸 S	ymbicort Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg Powder for inhalation 200 mcg with eformoterol fumarate	31.25	120 dose OP	🗸 V	annair
6 mcg	60.00	120 dose OP	✔ S	ymbicort Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate 12 mcg – No more than 2 dose per day	60.00	60 dose OP	🗸 S	ymbicort Turbuhaler 400/12

## SA1179 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 Has been treated with inhaled corticosteroids of at least 400 mcg per day beclomethasone or budesonide, or 200 mcg per day fluticasone; and
  - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 Has been treated with inhaled corticosteroids of at least 800 mcg per day beclomethasone or budesonide, or 500 mcg per day fluticasone; and
  - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### FLUTICASONE WITH SALMETEROL

	Aerosol inhaler 50 mcg with salmeterol 25 mcg	120 dose OP	✓ Seretide
	Aerosol inhaler 125 mcg with salmeterol 25 mcg	120 dose OP	✓ Seretide
	Powder for inhalation 100 mcg with salmeterol 50 mcg - No		
	more than 2 dose per day	60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
	Powder for inhalation 250 mcg with salmeterol 50 mcg - No		
	more than 2 dose per day49.69	60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
B	eta-Adrenoceptor Agonists		
Ľ	ela-Adrenoceptor Agomsis		
SA	LBUTAMOL		
‡	Oral liq 400 mcg per ml2.06	150 ml	✓ Ventolin
	Infusion 1 mg per ml, 5 ml	10	
	(130.21)		Ventolin
	Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO12.90	5	<ul> <li>Ventolin</li> </ul>

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO		200 dose OP	✓ Respigen
	(6.00)		✓ Salamol Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ <u>Asthalin</u>
TERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	<ul> <li>Bricanyl Turbuhaler</li> </ul>
Inhaled Anticholinergic Agents			
IPRATROPIUM BROMIDE Aerosol inhaler, 20 mcg per dose CFC-free		200 dose OP	✔ Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml – Up to 40 neb available on a PSO		20	✓ Univent
Nebuliser soln, 250 mcg per ml, 2 ml – Up to 40 neb available on a PSO		20	✓ <u>Univent</u>
TIOTROPIUM BROMIDE – Special Authority see SA1193 below Powder for inhalation, 18 mcg per dose	•	acy 30 dose	✔ Spiriva

## SA1193 Special Authority for Subsidy

**Initial application** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator of at least 40 mcg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and

Applicant must state recent measurement of:

- 4 All of the following:
  - 4.1 Actual FEV1 (litres); and
  - 4.2 Predicted FEV1 (litres); and
  - 4.3 Actual FEV<sub>1</sub> as a % of predicted (must be below 60%); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

	Subsidy (Manufacturer's Price) \$		Fully Brand or ised Generic Manufacture	r
continued				
1 Patient is compliant with the medication; and	l (muna autile au diata unati	امم ما		
2 Patient has experienced improved COPD symptom contro Applicant must state recent measurement of:	i (prescriber determin	neu); anu		
3 All of the following:				
3.1 Actual $FEV_1$ (litres); and				
3.2 Predicted FEV <sub>1</sub> (litres); and				
3.3 Actual FEV <sub>1</sub> as a % of predicted.				
Inhaled Beta-Adrenoceptor Agonists with Antich	olinergic Agents	s		
SALBUTAMOL WITH IPRATROPIUM BROMIDE				
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg				
per dose CFC-free		dose OP	Duolin HFA	
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per				
vial, 2.5 ml – Up to 20 neb available on a PSO	3.75	20	Duolin	
Leukotriene Receptor Antagonists				
MONITELLIKACE Creatial Authority and CA1401 holes. Dataily				

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg18.	.48 2	8 🖌 Si	ngulair
Tab 5 mg	.48 2	8 🖌 🖌 Si	ngulair
Tab 10 mg	.48 2	8 🖌 Si	ngulair

## SA1421 Special Authority for Subsidy

**Initial application — (Pre-school wheeze)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (exercise-induced asthma)** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

**Initial application — (aspirin desensitisation)** only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

	Subsidy		Fully Brand or
	(Manufacturer's	Price) Subs	sidised Generic
	`\$	Per	<ul> <li>Manufacturer</li> </ul>
Mast Cell Stabilisers			
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free	28.07	112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE	20.07	112 0036 01	♥ made
Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free		50 dose 112 dose OP	<ul> <li>Intal Spincaps</li> <li>Intal Forte CFC Free</li> </ul>
Methylxanthines			
AMINOPHYLLINE * Ini 25 mg per ml. 10 ml – Up to 5 ini available on a PSO	E9 75	5	DPL Aminonhulling
THEOPHYLLINE		5	DBL Aminophylline
<ul> <li>★ Tab long-acting 250 mg</li> <li>★‡ Oral liq 80 mg per 15 ml</li> </ul>		100 500 ml	<ul><li>✓ Nuelin-SR</li><li>✓ Nuelin</li></ul>
Mucolytics			
DORNASE ALFA – Special Authority see SA0611 below – R		<u>,</u>	
Nebuliser soln, 2.5 mg per 2.5 ml ampoule	250.00	6	<ul> <li>Pulmozyme</li> </ul>
Special Authority approved by the Cystic Fibrosis Advisory Pa lotes: Application details may be obtained from PHARMAC's		w.pharmac.govt.r	nz or:
PHARMAC, PO Box 10 254 Facsir	e: (04) 460 4990 mile: (04) 916 7571 : CFPanel@pharm	ac.govt.nz	
Prescriptions for patients approved for treatment must be wri			ediatricians who have experienc
and expertise in treating cystic fibrosis. SODIUM CHLORIDE			
Not funded for use as a nasal drop. Soln 7%		90 ml OP	✓ Biomed
Nasal Preparations			
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose	2.35 (4.85)	200 dose OP	Alanase
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	Alanase
BUDESONIDE	· · · ·		
	(4.85)	200 dose OP	Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose	2.61 (5.75)	200 dose OP	Butacort Aqueous
EUTICASONE PROPIONATE	0.00	100 dooo OP	
Metered aqueous nasal spray, 50 mcg per dose	2.30	120 dose OP	<ul> <li>Flixonase Hayfever <u>&amp; Allergy</u></li> </ul>
PRATROPIUM BROMIDE Aqueous nasal spray, 0.03%	4.03	15 ml OP	✓ Univent
		-	

‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
Respiratory Devices				
MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under Size 2	2.99	1	✓ <u>E</u>	Z-fit Paediatric <u>Mask</u>
PEAK FLOW METER a) Up to 10 dev available on a PSO b) Only on a PSO				
Low range Normal range		1 1		<u>reath-Alert</u> reath-Alert
SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO		·	_	
230 ml (single patient)	4./2	1	✓ <u>S</u>	<u>pace Chamber</u> Plus
800 ml	8.50	1	✓ V	olumatic
SPACER DEVICE AUTOCLAVABLE a) Up to 5 dev available on a PSO b) Only on a PSO				
230 ml (autoclavable) – Subsidy by endorsement Available where the prescriber requires a spacer device t endorsed accordingly.		1 sterilisa		pace Chamber autoclave and the PSO is
Respiratory Stimulants				
CAFFEINE CITRATE				
Oral liq 20 mg per ml (10 mg base per ml)		5 ml O	Р 🖌 В	iomed

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Suc Per	osidised Generic Manufacturer
	\$	Per	Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN			
•		204	
For Vosol ear drops with hydrocortisone powder refer Standar		JE 204	
Ear drops 2% with 1, 2-Propanediol diacetate 3% and			
benzethonium chloride 0.02%	6.97	35 ml OP	Vosol
FLUMETASONE PIVALATE			
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	Locacorten-Viaform
			ED's
			Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		N	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 mcg per g	5.16	7.5 ml OP	Kenacomb
Ear/Eve Drenerations			
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and			
gramicidin 50 mcg per ml		8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%	4 13	8 ml OP	
	(8.65)	0 111 01	Soframycin
	(0.00)		oonaniyein
Eye Preparations			
Eye preparations are only funded for use in the eye, unless explicit	tly stated otherw	vise.	
Anti-Infective Preparations			
ACICLOVIR			
* Eye oint 3%		4.5 g OP	Zovirax
CHLORAMPHENICOL			
Eye oint 1%	2 76	4 g OP	✓ Chlorsig
Eye drops 0.5%		10 ml OP	✓ <u>Chlorafast</u>
Funded for use in the ear*. Indications marked with * are U			
	mappioved mult	auons.	
CIPROFLOXACIN	10.10		4.00
Eye Drops 0.3%		5 ml OP	<ul> <li>Ciloxan</li> </ul>
For treatment of bacterial keratitis or severe bacterial conju	inctivitis resistar	nt to chloramph	ienicol.
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	<ul> <li>Fucithalmic</li> </ul>
		0 -	-
GENTAMICIN SULPHATE	44.40		
Eye drops 0.3%	11.40	5 ml OP	Genoptic
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1%	2.97	10 ml OP	
	(7.99)	-	Brolene
	()		
TOBRAMYCIN			
Eye oint 0.3%		3.5 g OP	✓ <u>Tobrex</u>
Eye drops 0.3%	11.48	5 ml OP	✓ <u>Tobrex</u>

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Corticosteroids and Other Anti-Inflammatory Pre	eparations		
DEXAMETHASONE			
₭ Eye oint 0.1%		3.5 g OP	✓ <u>Maxidex</u>
₭ Eye drops 0.1%		5 ml OP	Maxidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUL			
Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin B sulphate 6,000 u per g		3.5 g OP	✓ Maxitrol
<ul> <li>Eye drops 0.1% with neomycin sulphate 0.35% and polymy-</li> </ul>		0.5 g OI	
xin B sulphate 6,000 u per ml		5 ml OP	✓ <u>Maxitrol</u>
DICLOFENAC SODIUM			
Eye drops 1 mg per ml	13.80	5 ml OP	Voltaren Ophtha
LUOROMETHOLONE			
₭ Eye drops 0.1%	3.80	5 ml OP	✓ <u>Flucon</u>
EVOCABASTINE			
Eye drops 0.5 mg per ml		4 ml OP	Livostin
	(10.34)		Livosuit
ODOXAMIDE TROMETAMOL Eye drops 0.1%	8.71	10 ml OP	Lomide
	•		· <u></u>
₭ Eye drops 0.12%	4.50	5 ml OP	Pred Mild
₭ Eye drops 1%	4.50	5 ml OP	Pred Forte
SODIUM CROMOGLYCATE			
Eye drops 2%	1.18	5 ml OP	Rexacrom
Glaucoma Preparations - Beta Blockers			
BETAXOLOL HYDROCHLORIDE			
₭ Eye drops 0.25%		5 ml OP	<u>Betoptic S</u>
k Eye drops 0.5%		5 ml OP	<ul> <li><u>Betoptic</u></li> </ul>
EVOBUNOLOL ₭ Eye drops 0.25%	7.00	5 ml OP	✓ Betagan
<ul> <li>► Eye drops 0.5%</li> <li>★ Eye drops 0.5%</li> </ul>		5 ml OP	✓ Betagan
			•
₭ Eye drops 0.25%		5 ml OP	Arrow-Timolol
k Eye drops 0.25%, gel forming		2.5 ml OP	Timoptol XE
<ul> <li>k Eye drops 0.5%</li> <li>k Eye drops 0.5%, gel forming</li> </ul>		5 ml OP 2.5 ml OP	<ul> <li>✓ <u>Arrow-Timolol</u></li> <li>✓ Timoptol XE</li> </ul>
Glaucoma Preparations - Carbonic Anhydrase Ir		2.5 111 01	
CETAZOLAMIDE			
<ul> <li>Tab 250 mg – For acetazolamide oral liquid formulation refer,</li> </ul>			
page 201	17.03	100	✓ Diamox
BRINZOLAMIDE			
₭ Eye Drops 1%	9.77	5 ml OP	🖌 Azopt
OORZOLAMIDE HYDROCHLORIDE			
₭ Eye drops 2%		5 ml OP	Trusopt
	(13.95)		nusopi

## SENSORY ORGANS

	Subsidy (Manufacturer's Pr \$	rice) Subs Per	Fully Brand or sidised Generic ✓ Manufacturer
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE * Eye drops 2% with timolol maleate 0.5%		5 ml OP	✔ Cosopt
Glaucoma Preparations - Prostaglandin Analogu	ies		
BIMATOPROST * Eye drops 0.03% LATANOPROST	18.50	3 ml OP	🖌 Lumigan
* Eye drops 50 mcg per ml, 2.5 ml	1.99	2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST * Eye drops 0.004%		2.5 ml OP	🗸 Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE * Eye Drops 0.2% BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE	6.45	5 ml OP	✓ Arrow-Brimonidine
* Eye drops 0.2% with timolol maleate 0.5% $\ldots$		5 ml OP	<ul> <li>Combigan</li> </ul>
PILOCARPINE * Eye drops 1% * Eye drops 2% * Eye drops 4% Subsidised for oral use pursuant to the Standard Formulae * Eye drops 2% single dose – Special Authority see SA0895	5.35 7.99	15 ml OP 15 ml OP 15 ml OP	<ul> <li>Isopto Carpine</li> <li>Isopto Carpine</li> <li>Isopto Carpine</li> </ul>
below – Retail pharmacy	31.95 (32.72)	20 dose	Minims

#### ➡SA0895 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# **Mydriatics and Cycloplegics**

ATROPINE SULPHATE * Eye drops 1%	15 ml OP	✔ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	15 ml OP	✔ Cyclogyl
TROPICAMIDE           * Eye drops 0.5%         7.15           * Eye drops 1%         8.66	15 ml OP 15 ml OP	<ul> <li>✓ <u>Mydriacyl</u></li> <li>✓ <u>Mydriacyl</u></li> </ul>
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer Standard Formulae, page 204		
HYPROMELLOSE * Eye drops 0.5%2.00 (3.92)	15 ml OP	Methopt

	Subsidy		Fully Brand or
	(Manufacturer's Pri \$	ice) Sub Per	Isidised Generic Manufacturer
HYPROMELLOSE WITH DEXTRAN			
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	Poly-Tears
	0.69	15 ml OD	
<ul> <li>* Eye drops 1.4%</li> <li>* Eye drops 3%</li> </ul>		15 ml OP 15 ml OP	<ul> <li>✓ Vistil</li> <li>✓ Vistil Forte</li> </ul>
Preservative Free Ocular Lubricants			
■SA1388 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals va Both:	lid for 12 months for	applications r	neeting the following criteria:
<ol> <li>Confirmed diagnosis by slit lamp of severe secretory of</li> <li>Either:</li> </ol>	dry eye; and		
<ul><li>2.1 Patient is using eye drops more than four time:</li><li>2.2 Patient has had a confirmed allergic reaction to</li></ul>			
Renewal from any relevant practitioner. Approvals valid for 24 and has benefited from treatment.	months where the pa	atient continue	es to require lubricating eye drop
CARBOMER – Special Authority see SA1388 above – Retail p Ophthalmic gel 0.3%, 0.5 g		30	✓ Poly-Gel
MACROGOL 400 AND PROPYLENE GLYCOL – Special Auth Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	,	ove – Retail p 24	oharmacy <b>✓</b> Systane Unit Dose
SODIUM HYALURONATE - Special Authority see SA1388 ab		,	
Eye drops 1 mg per ml Note: Hylo-Fresh has a 6 month expiry after opening. T not relevant and therefore only the prescribed dosage to	he Pharmacy Handb		
Other Eye Preparations	o the hearest of tha	y be oldimed.	
NAPHAZOLINE HYDROCHLORIDE			
* Eye drops 0.1%	4.15	15 ml OP	Naphcon Forte
DLOPATADINE Eye drops 0.1%	17.00	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN	17.00	5 III OF	
Elevente with soft white paraffin	3.63	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT LIQUID		-	-
* Eye oint 3% with wool fat liq 3%	3.63	3.5 g OP	<ul> <li>Poly-Visc</li> </ul>
RETINOL PALMITATE Eye oint 138 mcg per g	2 90	5 a OP	✔ VitA-POS
		5 g OP	VILA-PU3

VARIOUS

	Subsidy (Manufacturer's Pr	rico) Sub	Fully Brand sidised Gener	
	(Manulacturer's Fi	Per		acturer
Various				
lay only be claimed once per patient.				
PHARMACY SERVICES	4.00		(	
Brand switch fee		1 fee	BSF Cell	cept
BSF Cellcept Brand switch fee to be delisted 1 May 2014)	page 171			
Agents Used in the Treatment of Poisonings				
Antidotes				
CETYLCYSTEINE – Retail pharmacy-Specialist				
Inj 200 mg per ml, 10 ml	178.00	10	✓ Martinda	le
In: 000 mg not ml. 20 ml	010.00	4	Acetyle	<u>cysteine</u>
Inj 200 mg per ml, 30 ml		4	V Acetado	le
IALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO				
b) Only on a PSO				
<ul> <li>k Inj 400 mcg per ml, 1 ml</li> </ul>		5	🖌 Hospira	
Removal and Elimination				
HARCOAL				
♦ Oral liq 50 g per 250 ml	43.50	250 ml OP	<ul> <li>Carboso</li> </ul>	rb-X
a) Up to 250 ml available on a PSO				
b) Only on a PSO				
EFERIPRONE – Special Authority see SA1042 below – Retail Tab 500 mg		100	Ferriprox	,
Oral lig 100 mg per 1 ml		250 ml OP	<ul> <li>Ferriproz</li> </ul>	
►SA1042 Special Authority for Subsidy	200100	200 01	• • • • • • • • • • • • • • • • • • •	•
<b>itial application</b> only from a relevant specialist. Approvals va	alid without further	renewal unle	ess notified whe	ere the patient ha
een diagnosed with chronic transfusional iron overload due to c				
lote: For the purposes of this Special Authority, a relevant speci	alist is defined as a	a haematolog	ist.	
DESFERRIOXAMINE MESYLATE	00.00	40		
<ul> <li>Inj 500 mg</li> </ul>		10	<ul> <li>Hospira</li> </ul>	
	50.01	0		
k Inj 200 mg per ml, 5 ml	53.31 (156.71)	6	Calcium	Disodium
	(130.71)		Versen	
			1010011	~~~

# INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacyspecialist).
  - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

# **Explanatory notes**

## **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website **www.pharminfotech.co.nz** has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

#### Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml	Flecainide 20 mg/ml	Rifabutin 20 mg/ml
Allopurinol 20 mg/ml	Gabapentin 100 mg/ml	Sildenafil 2 mg/ml
Amlodipine 1 mg/ml	Gabapentin (Neurontin) 100 mg/ml	Sotalol 5 mg/ml
Azathioprine 50 mg/ml	Hydrocortisone 1 mg/ml	Sulphasalazine 100 mg/ml
Baclofen 10 mg/ml	Labetolol 10 mg/ml	Tacrolimus 1 mg/ml
Carvedilol 1 mg/ml	Levetiracetam 100 mg/ml	Terbinafine 25 mg/ml
Clopidogrel 5 mg/ml	Levodopa with carbidopa (5 mg lev-	Ursodeoxycholic acid 50 mg/ml
Diazoxide 10 mg/ml	odopa + 1.25 mg carbidopa)/ml	Valganciclovir 60 mg/ml*
Diltiazem hydrochloride 12 mg/ml	Metoclopramide 1 mg/ml	Verapamil hydrochloride 50 mg/ml
Dipyridamole 10 mg/ml	Metoprolol tartrate 10 mg/ml	
Domperidone 1 mg/ml	Nitrofurantoin 10 mg/ml	
Enalapril 1 mg/ml	Pyrazinamide 100 mg/ml	

\*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

or

Solid dose form

Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative
 and suspending agent.

qs to 100%

Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- · Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.


## **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 200) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.



# EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

# **Standard Formulae**

•••••••••	
ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs
ASPIRIN AND CHLOROFORM APPLICATI Aspirin Soluble tabs 300 mg Chloroform	ON 12 tabs to 100 ml
CODEINE LINCTUS PAEDIATRIC (3 mg pa Codeine phosphate Glycerol Preservative Water	er 5 ml) 60 mg 40 ml qs to 100 ml
CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate Glycerol Preservative Water	<sup>7</sup> 5 ml) 300 mg 40 ml qs to 100 ml
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pres	
MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% Methyl hydroxybenzoate Water	275 g 1.5 g to 1,000 ml
METHADONE MIXTURE Methadone powder Glycerol Water	qs qs to 100 ml
METHYL HYDROXYBENZOATE 10% SOL Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml oi	10 g to 100 ml

(Use 1 ml of the 10% solution per 100 ml of oral liquid mixture)

## OMEPRAZOLE SUSPENSION

OMEPRAZOLE SUSPENSION Omeprazole capules or powder Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml
PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
PHENOBARBITONE SODIUM PAEDIATRI LIQUID (10 mg per ml) Phenobarbitone Sodium Glycerol BP Water	C ORAL 400 mg 4 ml to 40 ml
PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops Preservative Water (Preservative should be used if quantity su more than 5 days.)	qs qs to 500 ml oplied is for
SALIVA SUBSTITUTE FORMULA Methylcellulose Preservative Water (Preservative should be used if quantity su more than 5 days. Maximum 500 ml per pre-	
SODIUM CHLORIDE ORAL LIQUID Sodium chloride inj 23.4%, 20 ml Water (Only funded if prescribed for treatment of l	qs qs nyponatraemia)
VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops	1% to 35 ml

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Su Per	bsidised Generic Manufacturer
Extemporaneously Compounded Preparations a	and Galenica	ls	
ENZOIN Tincture compound BP	2.44	50 ml	
	(5.10)	50 111	PSM
	(3.10) 24.42	500 ml	1.300
	(38.00)	500 111	PSM
HLOROFORM – Only in combination	(00.00)		
Only in aspirin and chloroform application.			
Chloroform BP	25 50	500 ml	✔ PSM
ODEINE PHOSPHATE – Safety medicine; prescriber may dete			
Powder – Only in combination		5 g	Douglao
	(25.46) 63.09	05 a	Douglas
	(90.09)	25 g	Douglas
a) Only in extemporaneously compounded codeine linctus		ina linctus na	
b) ‡ Safety cap for extemporaneously compounded oral lic			
COLLODION FLEXIBLE			
Collodion FLEXIBLE	10.20	100 ml	🖌 PSM
		100 111	♥ FSM
OMPOUND HYDROXYBENZOATE – Only in combination			
Only in extemporaneously compounded oral mixtures.		400 1	
Soln		100 ml	David Craig
ALYCERIN WITH SODIUM SACCHARIN – Only in combination			
Only in combination with Ora-Plus.			
Suspension	35.50	473 ml	Ora-Sweet SF
SLYCERIN WITH SUCROSE – Only in combination			
Only in combination with Ora-Plus.			
Suspension	35.50	473 ml	Ora-Sweet
BLYCEROL			
<ul> <li>Liquid – Only in combination</li> </ul>		2,000 ml	healthE
Only in extemporaneously compounded oral liquid prepara		,	
IAGNESIUM HYDROXIDE			
Paste 29%		500 g	🖌 PSM
IETHADONE HYDROCHLORIDE		5	
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing free			
<ul> <li>d) Extemporaneously compounded methadone will only be re-</li> </ul>		rate of the ch	eanest form available (methado
powder, not methadone tablets).			leapest form available (methado
Powder	7.84	1 g	🖌 AFT
‡ Safety cap for extemporaneously compounded oral liquid		. 9	
IETHYL HYDROXYBENZOATE	1		
Powder	8 00	25 g	✔ PSM
	8.98	y	✓ Midwest
	0.00		
IETHYLCELLULOSE Powder	26 OF	100 a	✓ MidWest
Suspension – Only in combination		100 g 473 ml	✓ Midwest ✓ Ora-Plus
		4/3111	

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully Brand or
	(Manufacturer's P	rice) Sul Per	osidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCH	ARIN – Only in c	ombination	
Suspension	•	473 ml	<ul> <li>Ora-Blend SF</li> </ul>
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	in combination		
Suspension	35.50	473 ml	Ora-Blend
PHENOBARBITONE SODIUM			
Powder – Only in combination		10 g	✓ MidWest
	325.00	100 g	✓ MidWest
a) Only in children up to 12 years		•	
b) ‡ Safety cap for extemporaneously compounded oral lic	quid preparations		
PROPYLENE GLYCOL			
Only in extemporaneously compounded methyl hydroxybenze	pate 10% solution	າ.	
Liq		500 ml	🖌 PSM
	11.25		Midwest
SODIUM BICARBONATE			
Powder BP – Only in combination		500 g	Midwest
	9.80		
	(29.50)		David Craig
Only in extemporaneously compounded omeprazole and I	ansoprazole susp	pension.	
SYRUP (PHARMACEUTICAL GRADE) – Only in combination			
Only in extemporaneously compounded oral liquid preparatio	ns.		
Liq	21.75	2,000 ml	✓ Midwest
WATER			
Tap – Only in combination	0.00	1 ml	✓ Tap water
· · · · · · · · · · · · · · · · · · ·			

# **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

 Initial Applications:
 Only from a dietitian, relevant specialist or a vocationally registered general practitioner.

 Reapplications:
 Only from a dietitian, relevant specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioners.

 Very specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition

## **Dietitian Prescribing**

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ASCORBIC ACID Tab 100 mg

#### CALCIUM CARBONATE

- ✓ Tab eff 1.75 g (1 g elemental)
- ✓ Tab 1.25 g (500 mg elemental)

## COMPOUND ELECTROLYTES

✓ Powder for oral soln

# DEXTROSE WITH ELECTROLYTES

✓ Soln with electrolytes

## FERROUS FUMARATE

Tab 200 mg (65 mg elemental)

## FERROUS FUMARATE WITH FOLIC ACID

✓ Tab 310 mg (100 mg elemental) with folic acid 350 mcg

## FERROUS SULPHATE

- ✓ Tab long-acting 325 mg (105 mg elemental)
- ✓ Oral liq 30 mg (6 mg elemental) per 1 ml

## FERROUS SULPHATE WITH FOLIC ACID

Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg

FOLIC ACID Tab 0.8 mg

MULTIVITAMINS

#### PANCREATIC ENZYME

✓ Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease

## POTASSIUM BICARBONATE

✓ Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

## POTASSIUM CHLORIDE

- Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)
- ✓ Tab long-acting 600 mg

#### POTASSIUM IODATE

✓ Tab 256 mcg (150 mcg elemental iodine)

## PYRIDOXINE HYDROCHLORIDE

- ✔ Tab 25 mg
- ✔ Tab 50 mg

## SODIUM CHLORIDE

✔ Inj 23.4%, 20 ml

## SODIUM FLUORIDE

✓ Tab 1.1 mg (0.5 mg elemental)

## THIAMINE HYDROCHLORIDE

✔ Tab 50 mg

#### VITAMIN A WITH VITAMINS D AND C

✓ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

## VITAMIN B COMPLEX

✓ Tab, strong, BPC

#### VITAMINS

- Tab (BPC cap strength)
- ✓ Cap (fat soluble vitamins A, D, E, K)

Subsidy	
(Manufacturer's Price)	
\$	Per

Brand or Generic Manufacturer

Fully

Subsidised

## **Nutrient Modules**

## Carbohydrate

#### SA1373 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula.

Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see SA1373 above – Hospital pharmacy [HP3]

Powaer	5.29	400 g OP	V Polycal
	1.30	368 g OP	-
	(12.00)	-	Moducal
(Moducal Powder to be delisted 1 June 2014)			

## Carbohydrate And Fat

#### ➡SA1376 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

(M	Subsidy	F	ully	Brand or
	anufacturer's Price)	Subsidi:	sed	Generic
	\$	Per	~	Manufacturer

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or
  - 2.2 faltering growth; or
  - 2.3 bronchopulmonary dysplasia; or
  - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- oun.
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND F	AT SUPPLEMENT	- Special Authority see	SA1376 on th	e previous pa	ige –	Hospital pharmacy [HP3]
Powder (neutral)			60.31	400 g OP	V	Duocal Super
				-		Soluble Powder

#### Fat

#### ►SA1374 Special Authority for Subsidy

**Initial application — (Inborn errors of metabolism)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 acites; or
- 11 for use as a component in a modular formula.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1374 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)	12.30	200 ml OP	Calogen
	30.75	500 ml OP	<ul> <li>Calogen</li> </ul>
Emulsion (strawberry)	12.30	200 ml OP	<ul> <li>Calogen</li> </ul>
Oil	30.00	500 ml OP	MCT oil (Nutricia)
Oil, 250 ml	114.92	4 OP	<ul> <li>Liquigen</li> </ul>

## Protein

#### SA1375 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT	<ul> <li>Special Authority see SA1375 above – Hospital pha</li> </ul>	armacy [HP3]	
Powder		225 g OP	Protifar
	8.95	227 g OP	<ul> <li>Resource Beneprotein</li> </ul>
Powder (vanilla)		275 g OP	<ul> <li>Promod</li> </ul>

	Subsidy (Manufacturer's Price \$	Fully e) Subsidised Per 🖌	Brand or Generic Manufacturer
Oral Supplements/Complete Diet (Nasog	gastric/Gastrostomy Tu	be Feed)	
Respiratory Products			
►SA1094 Special Authority for Subsidy Initial application only from a dietitian, relevant special where the patient has CORD and hypercapnia, defined Renewal only from a dietitian, relevant specialist, voca mendation of a dietitian, relevant specialist or vocational meeting the following criteria: Both:	l as a CO2 value exceeding 55 tionally registered general prac	mmHg. ctitioner or genera	I practitioner on the recom
<ol> <li>The treatment remains appropriate and the pa</li> <li>General Practitioners must include the name tioner and date contacted.</li> </ol>	5		y registered general practi
CORD ORAL FEED 1.5KCAL/ML – Special Authority s Liquid			Pulmocare
Diabetic Products			
►SA1095 Special Authority for Subsidy Initial application only from a dietitian, relevant specia where the patient is a type I or and II diabetic who is su Renewal only from a dietitian, relevant specialist, voca mendation of a dietitian, relevant specialist or vocationa meeting the following criteria: Both:	Iffering weight loss and malnut tionally registered general prac	rition that requires	nutritional support. I practitioner on the recom
1 The treatment remains appropriate and the pa 2 General Practitioners must include the name	0	,	v registered general practi

2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL	. FEED 1KCAL/ML	<ul> <li>Special Authority</li> </ul>	see SA1095 above –	<ul> <li>Hospital pharm</li> </ul>	acy [HP3]
Liquid			7 50	1 000 ml OP	A Discon DTH

Liquid	1,000 mi OP	Glucerna Select
DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - H	ospital pharmacy	[HP3]
Liquid (strawberry)1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	200 ml OP	✓ Diasip
1.88	250 ml OP	Glucerna Select
1.78	237 ml OP	
(2.10)		Resource Diabetic
(2.10)		Sustagen Diabetic

## **Fat Modified Products**

## SA1381 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed for adults.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	~	Manufacturer	

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED ·	- Special Authority see SA1381	on the previous page - Hos	spital pharmac	y [HP3]
Powder			400 g OP	Monogen

## **High Protein Products**

#### SA1378 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 decompensating liver disease without encephalopathy; or
- 2 protein losing gastro-enteropathy.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

HIGH PROTEIN ORAL FEED 1KCAL/ML – Special Authority see SA1378 above – Hospital pharmacy [HP3]

## Paediatric Products For Children Awaiting Liver Transplant

#### SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Powder (unflavoured)78.97	400 g OP	Heparon Junior
---------------------------	----------	----------------

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

## Paediatric Products For Children With Chronic Renal Failure

## SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

## **Paediatric Products**

#### SA1379 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
  - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
  - 2.2 any condition causing malabsorption; or
  - 2.3 faltering growth in an infant/child; or
  - 2.4 increased nutritional requirements; or
  - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 above Liquid2.68		rmacy [HP3] V Nutrini RTH Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see Liquid6.00		
PAEDIATRIC ORAL FEED – Special Authority see SA1379 above – Hospital phar Powder (vanilla)	macy [HP3] 900 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 above – Liquid (strawberry)	Hospital pharm 200 ml OP 200 ml OP	acy [HP3] ✔ Fortini ✔ Fortini

## **Renal Products**

## ➡SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 2 KCAL/ML - Special Authority see SA1101 above - Hospital pharmacy [HP3]

RENAL ORAL FEED 2KCAL/ML - Special Authority see SA1101 above - Hospital pharmacy [HP3]

Liquid	2.43	200 ml OP	<ul> <li>Nepro (strawberry)</li> </ul>
			Nepro (vanilla)
	3.80	237 ml OP	Suplena
	2.88		-
	(3.31)		NovaSource Renal
Liquid (apricot)		125 ml OP	Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	Renilon 7.5
Liquid (apricot) 125 ml		4 OP	Renilon 7.5
Liquid (caramel) 125 ml		4 OP	Renilon 7.5
(Renilon 7.5 Liquid (apricot) to be delisted 1 October 2014)			
(Renilon 7.5 Liquid (caramel) to be delisted 1 October 2014)			

## **Specialised And Elemental Products**

## SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3]

Powder	,	79 g OP	Vital HN
	7.50	76 g OP	✓ Alitraq
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority se	e SA1377 on the	previous page -	- Hospital pharmacy [HP3]
Liquid (grapefruit)	9.50	250 ml OP	<ul> <li>Elemental 028 Extra</li> </ul>
Liquid (pineapple & orange)	9.50	250 ml OP	<ul> <li>Elemental 028 Extra</li> </ul>
Liquid (summer fruits)	9.50	250 ml OP	<ul> <li>Elemental 028 Extra</li> </ul>
Liquid (grapefruit), 250 ml carton		18 OP	Elemental 028 Extra
Liquid (pineapple & orange), 250 ml carton		18 OP	Elemental 028 Extra
Liquid (summer fruits), 250 ml carton		18 OP	Elemental 028 Extra
(Elemental 028 Extra Liquid (grapefruit) to be delisted 1 August			
(Elemental 028 Extra Liquid (pineapple & orange) to be delisted	1 1 August 2014)		
(Elemental 028 Extra Liquid (summer fruits) to be delisted 1 Au	gust 2014)		
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see	SA1377 on the pr	evious page – I	Hospital pharmacy [HP3]
Powder (unflavoured)	4.50	80.4 g OP	Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Aut	hority see SA1377	on the previou	s page – Hospital pharmacy [HP3

## Paediatric Products For Children With Low Energy Requirements

#### SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML	- Special Authority	see SA1196 abov	/e –	Hospital pharmacy [HP3]
Liquid	4.00	500 ml OP	V	Nutrini Low Energy
				Multi Fibre

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

### **Standard Supplements**

### SA1228 Special Authority for Subsidy

**Initial application** — (Children) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
  - 2.1 The patient has a condition causing malabsorption; or
  - 2.2 The patient has failure to thrive; or
  - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

**Renewal — (Children)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

- All of the following:
  - 1 Any of the following:
    - Patient is Malnourished
    - 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
    - 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
    - 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
  - 2 Any of the following:
    - Patient has not responded to first-line dietary measures over a 4 week period by:
    - 2.1 Increasing their food intake frequency (eg snacks between meals); or
    - 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
    - 2.3 Using over the counter supplements (e.g. Complan); and
  - 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

**Renewal** — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
  - 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
  - 2 Any of the following:
    - Patient is Malnourished
    - 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
    - 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
    - 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

continued...

 ice)	Fully Subsidised	Brand or Generic	
\$ Per	~	Manufacturer	

continued...

**Initial application — (Adults transitioning from hospital Discretionary Community Supply)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has had up to a 30 day supply of a 1.0 or a 1.5 kcal/ml Standard Oral Supplement; and
- 2 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 3 Any of the following:
  - Patient is Malnourished
  - 3.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
  - 3.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
  - 3.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

**Initial application — (Short-term medical condition)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 Is being feed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Pric	e)	Subsidised	Generic	
\$	Per	~	Manufacturer	

#### continued...

Initial application - (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria): or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease: or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm<sup>3</sup>); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria): or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease: or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1228 on page 217 - H	-lospital pharmad	cy [HP3]
Liquid7.00	1,000 ml	Nutrison Energy
ENTERAL FEED 1KCAL/ML - Special Authority see SA1228 on page 217 - Ho	spital pharmacy	[HP3]
Liquid	250 ml OP	<ul> <li>Isosource Standard</li> </ul>
		Osmolite
5.29	1,000 ml OP	Isosource Standard
		RTH
		Nutrison Standard
		RTH
2.65	500 ml OP	Osmolite RTH
5.29	1,000 ml OP	Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA1228 on	page 217 – Hosp	bital pharmacy [HP3]
Liquid	237 ml OP	✓ Jevity
2.65	500 ml OP	Jevity RTH
5.29	1,000 ml OP	Jevity RTH
		Nutrison Multi Fibre

### SPECIAL FOODS

1	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
NTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority se	e SA1228 on	page 217 – Ho	spital pharmacy [HP3]
Liquid	1.75	250 ml OP	Ensure Plus HN
	7.00	1,000 ml OP	Ensure Plus RTH
			Jevity HiCal RTH
			Nutrison Energy
			Multi Fibre
RAL FEED (POWDER) – Special Authority see SA1228 on page	217 – Hospit	al pharmacy [HF	P3]
Powder (chocolate)	10.22	900 g OP	<ul> <li>Sustagen Hospital</li> </ul>
			Formula
	13.00	850 g OP	✓ Ensure
Powder (vanilla)	9.50	900 g OP	✓ Fortisip
	10.22	0	Sustagen Hospital
			Formula
	13.00	850 g OP	Ensure
RAL FEED 1.5KCAL/ML – Special Authority see SA1228 on pag	e 217 – Hosn	ital nharmacy [H	IP31
Additional subsidy by endorsement is available for patients beir molysis bullosa. The prescription must be endorsed accordingl Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) – Higher subsidy of up to \$1.33 per 237 ml	( )		
$L[uu]u(c[locolate]) = \Pi[u][e] Subsitiv of up to $1.55 per 257 [1]]$			
with Endorsement	0.72	200 ml OP	
		200 ml OP	Ensure Plus
	0.72 (1.26) 0.85	200 ml OP 237 ml OP	Ensure Plus
	(1.26)		Ensure Plus Ensure Plus
	(1.26) 0.85		
	(1.26) 0.85 (1.33)	237 ml OP	
	(1.26) 0.85 (1.33) 0.72	237 ml OP	Ensure Plus
with Endorsement	(1.26) 0.85 (1.33) 0.72 (1.26)	237 ml OP	Ensure Plus
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml	(1.26) 0.85 (1.33) 0.72 (1.26)	237 ml OP 200 ml OP	Ensure Plus
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement	(1.26) 0.85 (1.33) 0.72 (1.26)	237 ml OP 200 ml OP	Ensure Plus Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26)	237 ml OP 200 ml OP	Ensure Plus Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72	237 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus
<ul> <li>with Endorsement</li> <li>Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> </ul>	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) (1.26)	237 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus
With Endorsement         Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with En-	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) (1.26)	237 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus
With Endorsement         Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with En-	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) (1.26) (1.26) (1.26) 0.72	237 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus Fortisip
<ul> <li>with Endorsement</li> <li>Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> </ul>	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus Fortisip
<ul> <li>with Endorsement</li> <li>Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> </ul>	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus Fortisip
<ul> <li>with Endorsement</li> <li>Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (tropical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> </ul>	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) (1.26) 0.72 (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus Fortisip Fortisip
<ul> <li>with Endorsement</li> <li>Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> <li>Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement</li> </ul>	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus Fortisip Fortisip
With Endorsement         Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (torpical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus Fortisip Fortisip
With Endorsement         Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (torpical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus Fortisip Fortisip
With Endorsement         Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (torpical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) (1.26) (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26)	237 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Ensure Plus Fortisip Fortisip
With Endorsement         Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (torpical fruit) – Higher subsidy of \$1.26 per 200 ml with Endorsement         Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml	(1.26) 0.85 (1.33) 0.72 (1.26) 0.72 (1.26) (1.26) (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 (1.26) 0.72 0.85	237 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP 200 ml OP	Ensure Plus Fortisip Ensure Plus Fortisip Fortisip Fortisip Ensure Plus

### SPECIAL FOODS

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see Additional subsidy by endorsement is available for patients be molysis bullosa. The prescription must be endorsed accordin Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with	eing bolus fed thr gly.			
Endorsement	0.72 (1.26)	200 ml OP	F	ortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with				
Endorsement	0.72 (1.26)	200 ml OP	F	ortisip Multi Fibre
Liquid (vanilla) – Higher subsidy of \$1.26 per 200 ml with Endorsement		200 ml OP	F	ortisip Multi Fibre

### **High Calorie Products**

#### SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 faltering growth in an infant/child; or
  - 1.3 increased nutritional requirements; or
  - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's \$	Price)	Subs Per	Fully sidised	Brand or Generic Manufacturer
ENTERAL FEED 2 KCAL/ML – Special Authority see SA1195 on Liquid	5.50	500	mlOP	🗸 N	utrison Concentrated
ORAL FEED 2 KCAL/ML – Special Authority see SA1195 on the Additional subsidy by endorsement is available for patients be molysis bullosa. The prescription must be endorsed according Liquid (vanilla) – Higher subsidy of \$1.90 per 200 ml with Endorsement	ing bolus fed th gly.	– Hospi rough a		nacy [H tube, c	•
Food Thickeners	( )				
►SA1106 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or voca where the patient has motor neurone disease with swallowing disc Renewal only from a dietitian, relevant specialist, vocationally reg mendation of a dietitian, relevant specialist or vocationally registered meeting the following criteria:	order. istered general	practiti	oner or g	eneral	practitioner on the recom-

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER - Special Authority see SA1106 above - Hospital pharmacy [HP3]

Powder7.25	380 g OP
------------	----------

## Feed Thickener Karicare Aptamil

Healtheries Simple Baking Mix

### **Gluten Free Foods**

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

### SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3]

Powder	2.81	1,000 g OP
	(5.15)	

	Subsidy (Manufacturer's F \$	Price) Subsi Per	Fully Brand or idised Generic ✔ Manufacturer
GLUTEN FREE BREAD MIX – Special Authority see SA1107	on the previous pag	ge – Hospital ph	armacy [HP3]
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten
			Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free
			Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 on th	e previous page –	Hospital pharma	icy [HP3]
Powder		2,000 g OP	
	(18.10)	-	Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA1107 on the	nrevious nage – H	losnital nharmar	rv [HP3]
Buckwheat Spirals		250 g OP	by [in o]
	(3.11)	200 g 01	Orgran
Corn and Vegetable Shells	· · ·	250 g OP	orgian
	(2.92)		Orgran
Corn and Vegetable Spirals		250 g OP	- · 9· ····
5	(2.92)	0	Orgran
Rice and Corn Lasagne Sheets		200 g OP	0
-	(3.82)	•	Orgran
Rice and Corn Macaroni	2.00	250 g OP	•
	(2.92)		Orgran
Rice and Corn Penne	2.00	250 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals		250 g OP	
	(3.11)		Orgran
Rice and corn spaghetti noodles		375 g OP	
	(2.92)		Orgran
Vegetable and Rice Spirals		250 g OP	<u>^</u>
Heller have state events (P	(2.92)	000 - 00	Orgran
Italian long style spaghetti		220 g OP	Overver
	(3.11)		Orgran

### Foods And Supplements For Inborn Errors Of Metabolism

### SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

### **Supplements For Homocystinuria**

AMINOACID FORMULA WITHOUT METHIONINE - Special Authorit	y see SA110	8 above – Hos	oital pharmacy [HP3]
Powder	461.94	500 g OP	XMET Maxamum

(M	Subsidy anufacturer's P \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
Supplements For MSUD				
AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEU - Hospital pharmacy [HP3]	JCINE – Spe	ecial Authority	see SA1	108 on the previous pa
Powder	300.54 437.22	500 g OP		SUD Maxamaid SUD Maxamum
Supplements For PKU				
AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Aut HP3]	hority see SA	A1108 on the p	revious	page – Hospital pharma
Tabs		75 OP	🖌 Pl	hlexy 10
Powder (unflavoured) 29 g sachets	330.12	30	🖌 Pl	KU Anamix Junior
Infant formula	174.72	400 g OP	🖌 Pl	KU Anamix Infant
Powder (orange)	221.00	500 g OP		P Maxamaid
	320.00		🖌 XI	P Maxamum
Powder (unflavoured)	221.00	500 g OP	🖌 XI	P Maxamaid
	320.00		🖌 XI	P Maxamum
Liquid (berry)	13.10	125 ml OP		KU Anamix Junior LQ
Liquid (citrus)	15.65	62.5 ml OP	🖌 Pl	KU Lophlex LQ 10
	31.20	125 ml OP	🖌 Pl	KU Lophlex LQ 20
Liquid (forest berries)	30.00	250 ml OP	🖌 Ea	asiphen Liquid
Liquid (juicy berries)	15.65	62.5 ml OP		KU Lophlex LQ 10
	31.20	125 ml OP	🖌 Pl	KU Lophlex LQ 20
Liquid (juicy orange)	15.65	62.5 ml OP	🖌 Pl	KU Lophlex LQ 10
	31.20	125 ml OP	🖌 Pl	KU Lophlex LQ 20
Liquid (orange)	13.10	125 ml OP		KU Anamix Junior LQ
Liquid (unflavoured)	13.10	125 ml OP		KU Anamix Junior LQ
Liquid (forest berries), 250 ml carton Easiphen Liquid Liquid (forest berries) to be delisted 1 September 20		18 OP	🖌 Ea	asiphen Liquid

### Foods

LOW PROTEIN BAKING MIX – Special Authority see SA1108 on the Powder			bharmacy [HP3] Loprofin Mix
LOW PROTEIN PASTA - Special Authority see SA1108 on the previo	ous page – H	lospital pharma	acy [HP3]
Animal shapes	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Lasagne	5.95	250 g OP	<ul> <li>Loprofin</li> </ul>
Low protein rice pasta	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Macaroni	5.95	250 g OP	<ul> <li>Loprofin</li> </ul>
Penne	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Spaghetti	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Spirals	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>

## Infant Formulae

### For Premature Infants

PRETERM POST-DISCHARGE INFANT FORMULA - S	Special Authority see SA11	98 on the next pag	je – Hospital pharmacy [HP3]
Powder		400 g OP 🛛 🗸	S-26 Gold Premgro

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

#### SA1198 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Either:
  - 2.1 The infant has faltering growth (downward crossing of percentiles); or
  - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

### For Williams Syndrome

### SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powder	 	400 g OP	Locasol

### Gastrointestinal and Other Malabsorptive Problems

Powder6.00	48.5 g OP	Vivonex Pediatric
53.00	400 g OP	Neocate LCP
Powder (unflavoured)53.00	400 g OP	Elecare
	-	Elecare LCP
		Neocate Advance
		Neocate Gold
Powder (vanilla)53.00	400 g OP	Elecare
	5	Neocate Advance

#### ➡SA1219 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and

continued...

Subsidy (Manufacturer's Price)		Fully bsidised	Brand or Generic	
\$	Per	~	Manufacturer	

- continued...
  - 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
  - 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### Karicare Aptamil

### SA1380 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  - 1.2 Either:
    - 1.2.1 Soy milk formula has been trialled without resolution of symptoms; or
    - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Step Down from Amino Acid Formula) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

All of the following:

- 1 The infant is currently receiving funded amino acid formula; and
- 2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
Ketogenic Diet			
⇒SA1197 Special Authority for Subsidy Initial application only from a metabolic physician or paediatr intractable epilepsy, pyruvate dehydrogenase deficiency or glur ketogenic diet.	0 11		
Renewal only from a metabolic physician or paediatric neurolo diet and the patient is benefiting from the diet.	gist. Approvals valid for	2 years where th	e patient is on a ketogeni
HIGH FAT LOW CARBOHYDRATE FORMULA - Special Author	ority see SA1197 above	- Retail pharmad	су

Powder (unflavoured)	300 g OP	✓ KetoCal 4:1 ✓ KetoCal 3:1
Powder (vanilla)35.50	300 g OP	✓ KetoCal 4:1

### Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

• •
ADRENALINE ✓ Inj 1 in 1,000, 1 ml ampoule5 ✓ Inj 1 in 10,000, 10 ml ampoule5
AMINOPHYLLINE ✔ Inj 25 mg per ml, 10 ml5
AMIODARONE HYDROCHLORIDE Inj 50 mg per ml, 3 ml ampoule6
AMOXYCILLIN ✓ Cap 250 mg
AMOXYCILLIN CLAVULANATE ✓ Tab amoxycillin 500 mg with potassium clavulanate 125 mg
ASPIRIN ✔ Tab dispersible 300 mg30
ATROPINE SULPHATE Inj 600 mcg per ml, 1 ml ampoule
AZITHROMYCIN V Tab 500 mg – See note on page 938
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] Tab 2.5 mg – See note on page 60 150
BENZATHINE BENZYLPENICILLIN V Inj 1.2 mega u per 2.3 ml
BENZTROPINE MESYLATE ✓ Inj 1 mg per ml, 2 ml
BENZYLPENICILLIN SODIUM (PENICILLIN G) ✔ Inj 600 mg5
BLOOD GLUCOSE DIAGNOSTIC TEST METER ✓ Meter with 50 lancets, a lancing device and 10 diagnostic test strips – Subsidy by endorsement – See note on page 291
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP ✓ Blood glucose test strips – See note on page 30

BLOOD KETONE DIAGNOSTIC TEST METER Meter – See note on page 29 1
<ul> <li>CEFTRIAXONE</li> <li>✓ Inj 500 mg vial – Subsidy by endorsement – See note on page 92</li></ul>
CHARCOAL V Oral liq 50 g per 250 ml
CHLORPROMAZINE HYDROCHLORIDE ✓ Tab 10 mg
CIPROFLOXACIN ✓ Tab 250 mg – See note on page 965 ✓ Tab 500 mg – See note on page 965
CO-TRIMOXAZOLE ✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg
COMPOUND ELECTROLYTES  Powder for oral soln10
CONDOMS         ✓ 49 mm
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs
DEXAMETHASONE ✓ Tab 1 mg – Retail pharmacy-Specialist

✓ fully subsidised brand available

### PRACTITIONER'S SUPPLY ORDERS

(continued)	<u>۱</u>
(continued)	)

DEXAMETHASONE PHOSPHATE
✓ Inj 4 mg per ml, 1 ml ampoule – See note on
page 845 ✓ Inj 4 mg per ml, 2 ml ampoule – See note on
page 84
DEXTROSE
✓ lnj 50%, 10 ml
DIAPHRAGM
<ul> <li>✓ 65 mm – See note on page 781</li> <li>✓ 70 mm – See note on page 781</li> </ul>
✓ 75 mm – See note on page 781
✓ 80 mm – See note on page 78 1
DIAZEPAM ✓ Inj 5 mg per ml, 2 ml – Subsidy by
endorsement – See note on page 134
<ul> <li>✓ Rectal tubes 5 mg</li></ul>
-
DICLOFENAC SODIUM ✓ Inj 25 mg per ml, 3 ml
✓ Suppos 50 mg
DIGOXIN
✓ Tab 62.5 mcg
Tab 50 mg
✓ Tab 100 mg
ERGOMETRINE MALEATE ✓ Inj 500 mcg per ml, 1 ml
ERYTHROMYCIN ETHYL SUCCINATE
✓ Tab 400 mg
✓ Grans for oral liq 200 mg per 5 ml
✓ Grans for oral liq 400 mg per 5 ml 200 ml
ERYTHROMYCIN STEARATE Tab 250 mg
ETHINYLOESTRADIOL WITH DESOGESTREL
Tab 20 mcg with desogestrel 150 mcg and 7 inert tab
Tab 30 mcg with desogestrel 150 mcg and 7
inert tab84
ETHINYLOESTRADIOL WITH LEVONORGESTREL
✓ Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab
✓ Tab 50 mcg with levonorgestrel 125 mcg and
7 inert tab84

Tab 30 mcg with levonorgestrel 150 mcg63 ✓ Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab
<ul> <li>ETHINYLOESTRADIOL WITH NORETHISTERONE</li> <li>Tab 35 mcg with norethisterone 1 mg63</li> <li>Tab 35 mcg with norethisterone 1 mg and 7 inert tab</li></ul>
FLUCLOXACILLIN SODIUM       30         Cap 250 mg       30         Grans for oral liq 125 mg per 5 ml       200 ml         Grans for oral liq 250 mg per 5 ml       200 ml         Inj 1 g       5
FLUPENTHIXOL DECANOATE         ✓ Inj 20 mg per ml, 1 ml         ✓ Inj 20 mg per ml, 2 ml         ✓ Inj 100 mg per ml, 1 ml
FLUPHENAZINE DECANOATE         ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml         ✓ Inj 25 mg per ml, 1 ml         ✓ Inj 100 mg per ml, 1 ml
FUROSEMIDE [FRUSEMIDE]           ✓ Tab 40 mg
GLUCAGON HYDROCHLORIDE V Inj 1 mg syringe kit5
GLYCERYL TRINITRATE ✓ Tab 600 mcg
HALOPERIDOL ✓ Tab 500 mcg
HALOPERIDOL DECANOATE ✓ Inj 50 mg per ml, 1 ml
HYDROCORTISONE ✓ Inj 100 ml vial
HYDROXOCOBALAMIN ✓ Inj 1 mg per ml, 1 ml6
continued

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued) HYOSCINE N-BUTYLBROMIDE ✓ Inj 20 mg, 1 ml5
INTRA-UTERINE DEVICE ✔ IUD40
IPRATROPIUM BROMIDE ✓ Nebuliser soln, 250 mcg per ml, 1 ml40 ✓ Nebuliser soln, 250 mcg per ml, 2 ml40
IVERMECTIN ✓ Tab 3 mg – See note on page 72100
KETONE BLOOD BETA-KETONE ELECTRODES
LEVONORGESTREL Tab 30 mcg84 ✔ Tab 1.5 mg5
LIDOCAINE [LIGNOCAINE] ✓ Gel 2%, 10 ml urethral syringe – Subsidy by endorsement – See note on page 1275
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE ✓ Inj 1%, 5 ml ampoule
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE ✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement – See note on page 1275
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg
MASK FOR SPACER DEVICE ✓ Size 2 – See note on page 19420
MEDROXYPROGESTERONE ACETATE ✓ Inj 150 mg per ml, 1 ml syringe5
METOCLOPRAMIDE HYDROCHLORIDE ✓ Inj 5 mg per ml, 2 ml
METRONIDAZOLE ✓ Tab 200 mg
MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form
drug form5

✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form
✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form
NALOXONE HYDROCHLORIDE V Inj 400 mcg per ml, 1 ml
NICOTINE
<ul> <li>✓ Patch 7 mg – See note on page 154</li></ul>
NORETHISTERONE ✔ Tab 350 mcg
OXYTOCIN ✓ Inj 5 iu per ml, 1 ml ampoule
PARACETAMOL ✓ Tab 500 mg
PEAK FLOW METER ✓ Low range
PETHIDINE HYDROCHLORIDE ✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form
✓ Inj 50 mg per ml, 2 ml – Only on a controlled drug form
PHENOXYMETHYLPENICILLIN (PENICILLIN V) ✓ Cap potassium salt 250 mg
PHENYTOIN SODIUM ✓ Inj 50 mg per ml, 2 ml

ontinuea) PHYTOMENADIONE ✔ Inj 2 mg per 0.2 ml	SALBUTAMOL WITH IPRATROPIUM BROMIDE ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml
✓ Inj 10 mg per ml, 1 ml5 PIPOTHIAZINE PALMITATE	SILVER SULPHADIAZINE ✔ Crm 1%250 g
<ul> <li>✓ Inj 50 mg per ml, 1 ml</li></ul>	SODIUM BICARBONATE ✔ Inj 8.4%, 50 ml5
PREDNISOLONE SODIUM PHOSPHATE	✓ Inj 8.4%, 100 ml5
✓ Oral liq 5 mg per ml – See note on page 85	SODIUM CHLORIDE ✔ Inf 0.9% - See note on page 51 2000 ml
PREDNISONE	<ul> <li>✓ Inj 0.9%, 5 ml – See note on page 515</li> <li>✓ Inj 0.9%, 10 ml – See note on page 515</li> </ul>
<ul> <li>✓ Tab 5 mg</li></ul>	SPACER DEVICE ✓ 230 ml (single patient)
PROCAINE PENICILLIN ✔ Inj 1.5 mega u5	SPACER DEVICE AUTOCLAVABLE ✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 1945
PROCHLORPERAZINE ✓ Tab 5 mg	TRIMETHOPRIM ✓ Tab 300 mg
PROMETHAZINE HYDROCHLORIDE ✓ Inj 25 mg per ml, 2 ml	VERAPAMIL HYDROCHLORIDE VInj 2.5 mg per ml, 2 ml ampoule5
<ul> <li>SALBUTAMOL</li> <li>✓ Inj 500 mcg per ml, 1 ml</li></ul>	WATER ✓ Purified for inj, 5 ml – See note on page 515 ✓ Purified for inj, 10 ml – See note on page 515 ✓ Purified for inj, 20 ml – See note on page 515
free	ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml5

(continued)

### **Rural Areas for Practitioner's Supply Orders**

### NORTH ISLAND

Northland DHB Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

### Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

### Auckland DHB

Great Barrier Island Oneroa Ostend

### Counties Manukau DHB Tuakau

Waiuku

### Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

### Bay of Plenty DHB

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

### Lakes DHB

Mangakino Turangi

### Tairawhiti DHB

Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

#### Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

#### Hawkes Bay DHB

Chatham Islands Waipawa Waipukurau Wairoa **Whanganui DHB** Bulls Marton Ohakune Raetihi Taihape Waiouru

#### MidCentral DHB

Dannevirke Foxton Levin Otaki Pahiatua Shannon Woodville

#### Wairarapa DHB

Carteron Featherston Greytown Martinborough

### SOUTH ISLAND

#### Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

### West Coast DHB

Dobson Greymouth Hokitika Karamea Reefton South Westland Westport Whataroa

### **Canterbury DHB**

Akaroa Amberley Amuri Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

### South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

#### Southern DHB

Alexandra Balclutha Cromwell Gore Kurow I awrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah Tapanui Te Anau Tokonui Tuatapere Wanaka Winton

### **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

### SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility;
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

### SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a \* please refer to Section F; Part II
- Note the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.



The following Community Pharmaceuticals are identified with a A within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

#### ALIMENTARY TRACT AND METABOLISM

**INSULIN ASPART** 

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

**INSULIN ISOPHANE** 

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

**INSULIN NEUTRAL** 

### CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

### FLECAINIDE ACETATE

Tab 50 mg	Tambocor
Tab 100 mg	Tambocor
Cap long-acting 100 mg	Tambocor CR
Cap long-acting 200 mg	Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

## HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

#### DESMOPRESSIN

Nasal drops 100 mcg Minirin per ml Nasal spray 10 mcg per dose Desmopressin-PH&T

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

#### NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LACOSAMIDE

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

### SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

### Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

### SAFETY CAP MEDICINES

#### ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE Oral lig 30 mg (6 mg el- Ferodan emental) per 1 ml

#### CARDIOVASCULAR SYSTEM

AMILOBIDE HYDROCHLOBIDE Oral liq 1 mg per ml Biomed

CAPTOPRIL Oral lig 5 mg per ml Capoten

#### CHLOROTHIAZIDE Biomed Oral lig 50 mg per ml

DIGOXIN Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE] Oral lig 10 mg per ml Lasix

SPIBONOI ACTONE Oral lig 5 mg per ml Biomed

### HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

I FVOTHYROXINF Tab 25 mcg Tab 50 mcg

Tab 100 mcg

Eltroxin Mercury Pharma Synthroid Eltroxin Mercurv Pharma Synthroid

Synthroid

(Extemporaneously compounded oral liquid preparations)

### INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE Tab 300 mg Q 300 (Extemporaneously compounded oral liquid preparations)

#### MUSCULOSKELETAL SYSTEM

**IBUPROFEN** Oral liq 20 mg per ml Fenpaed

### NERVOUS SYSTEM

AI PRAZOLAM Tab 250 mcg Xanax Xanax Tab 500 mcg Tab 1 mg Xanax (Extemporaneously compounded oral liquid preparations)

#### CARBAMAZEPINE

Oral lig 100 mg per 5 ml Tegretol

CLOBAZAM Tab 10 mg Frisium (Extemporaneously compounded oral liquid preparations)

CLONAZEPAM Oral drops 2.5 mg per Rivotril ml

#### DIAZEPAM

Tab 2 mg Arrow-Diazepam Tab 5 mg Arrow-Diazepam (Extemporaneously compounded oral liquid preparations)

**ETHOSUXIMIDE** Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM Tab 1 mg Ativan Ativan Tab 2.5 mg (Extemporaneously compounded oral liquid preparations)

#### I ORMETAZEPAM

Tab 1 mg Noctamid (Extemporaneously compounded oral liquid preparations)

#### METHADONE HYDROCHLORIDE

Oral lig 2 mg per ml Biodone **Biodone Forte** Oral lig 5 mg per ml Oral lig 10 mg per ml Biodone Extra Forte

#### MORPHINE HYDROCHLORIDE

RA-Morph Oral lig 1 mg per ml Oral lig 2 mg per ml Oral lig 5 mg per ml Oral lig 10 mg per ml

**RA-Morph RA-Morph** RA-Morph

#### NITRA7FPAM

Nitrados Tab 5 mg (Extemporaneously compounded oral liquid preparations)

#### OXA7FPAM

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam (Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL Oral lig 120 mg per 5 ml Oral lig 250 mg per 5 ml

**Ethics Paracetamol** Paracare Double Strength

PHENYTOIN SODIUM Oral lig 30 mg per 5 ml

Dilantin

SODIUM VALPROATE Oral liq 200 mg per 5 ml Epilim S

I Epilim S/F Liquid Epilim Syrup

TEMAZEPAM Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

TRIAZOLAM Tab 125 mcg Hypam Tab 250 mcg Hypam (Extemporaneously compounded oral liquid preparations)

### RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE Oral liq 5 mg per 5 ml Allersoothe SALBUTAMOL Oral liq 400 mcg per ml Ventolin

THEOPHYLLINE Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

### NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price \$	) Su Per	Fully ubsidised	Brand or Generic Manufacturer
Vaccinations				
<ul> <li>BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm]</li> <li>For infants at increased risk of tuberculosis. Increased risk i</li> <li>1) living in a house or family with a person with current or</li> <li>2) have one or more household members or carers who w to 40 per 100,000 for 6 months or longer or</li> <li>3) during their first 5 years will be living 3 months or longe</li> <li>Note a list of countries with high rates of TB are available at www lnj multi-dose vial (10 dose) 0.5 ml</li> </ul>	past history of TB or vithin the last 5 years I r in a country with a ra w.moh.govt.nz/immun	ate of TB	> or equa	al to 40 per 100,000
DIPHTHERIA AND TETANUS VACCINE – [Xpharm] For adults aged 45 and 65 years old, and for susceptible inc Inj 0.5 ml		1	🗸 A	DT Booster
DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE – [Xpha For children aged 11 years old and pregnant women betwee Inj 0.5 ml DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE	en gestional weeks 28 0.00	and 38 c 1	• •	demics. <b>oostrix</b>
For children aged 4 years old. Inj 0.5 ml		1	🖌 Ir	fanrix-IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B A For children aged 6 weeks, 3 months, and 5 months old.				
Inj 0.5 ml HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm]	0.00	1	🖌 Ir	fanrix-hexa
For children aged 15 months old, children aged 0-16 years Inj 0.5 ml	with functional aspleni	a, or for p 1		re- and post-splenectomy. <b>ct-HIB</b>
<ul> <li>HEPATITIS A VACCINE – [Xpharm]</li> <li>A single dose of hepatitis A vaccine is funded for the followir officer of health: <ul> <li>Children, aged 1-4 years inclusive who reside in Ashbu</li> <li>Children, aged 1-9 years inclusive, residing in Ashburto</li> <li>Children, aged 1-9 years inclusive, who attend a presch</li> <li>Children, aged older than 9 years, who attend a school Inj</li> </ul> </li> </ul>	rton district; or on; or nool or school in Ashb with children aged 9 y	urton; or	or less, ir	·
HEPATITIS B VACCINE - [Xpharm]	0.00	I	VП	
For household or sexual contacts of known hepatitis B car antigen (HBsAg) postive. Inj 0.5 ml		oorn to m 1		ho are hepatitis B surface BvaxPro
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV Three doses over a period of six months for young women a Inj 0.5 ml	/] – [Xpharm] aged between 12 and		old.	ardasil
INFLUENZA VACCINE – [Xpharm] Inj 45 mcg in 0.5 ml syringe		10	✔ F	luarix fluvac

### NATIONAL IMMUNISATION SCHEDULE

Subsidy (Manufacturer's Price	e)	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
  - a) all people 65 years of age and over;
  - b) people under 65 years of age who:
    - i) have any of the following cardiovascular disease:
      - a) ischaemic heart disease,
      - b) congestive heart disease,
      - c) rheumatic heart disease,
      - d) congenital heart disease, or
      - e) cerebo-vascular disease;
    - ii) have either of the following chronic respiratory disease:
      - a) asthma, if on a regular preventative therapy, or
      - b) other chronic respiratory disease with impaired lung function;
    - iii) have diabetes;
    - iv) have chronic renal disease;
    - v) have any cancer, excluding basal and squamous skin cancers if not invasive;
    - vi) have any of the following other conditions:
      - a) autoimmune disease,
      - b) immune suppression,
      - c) HIV,
      - d) transplant recipients,
      - e) neuromuscular and CNS diseases,
      - f) haemoglobinopathies, or
      - g) are children on long term aspirin, or
    - vii) are pregnant
  - c) people under 18 years of age living within the boundaries of the Canterbury District Health Board.
  - children aged four and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

MEASLES, MUMPS AND RUBELLA VACCINE – [Xpharm] For children aged 15 months and 4 years old or for any individual	al susceptible to m	ieasles, mu	imps or rubella.
Inj 0.5 ml	0.00	1	🖌 M-M-R II
MENINGOCOCCAL A, C, Y AND W-135 VACCINE - [Xpharm]			
For patients pre- and post-splenectomy or children aged 0-16 ye based outbreaks.	ears with functiona	al asplenia.	For organisation and community
Inj 0.5 ml	0.00	1	Menomune
PNEUMOCOCCAL (PCV13) VACCINE – [Xpharm]			
For high risk children under the age of 5 and those aged less than	16 years pre- or p	post-splene	ectomy or with functional asplenia.
Inj 0.5 ml	0.00	1	Prevenar 13
PNEUMOCOCCAL POLYSACCHARIDE VACCINE - [Xpharm]			
For patients pre- and post-splenectomy or children aged 0-16 ye	ars with functiona	I asplenia.	
Ini 0.5 ml	0.00	1	Pneumovax 23

### NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PNEUMOCOCCAL VACCINE – [Xpharm]				
For children aged 6 weeks, 3 months, and 5 months, and 15 m				
Inj 0.5 ml	0.00	1	V S	/nflorix
POLIOMYELITIS VACCINE – [Xpharm]				
A primary course of three doses for previously unvaccinated in	dividuals.			
Inj 0.5 ml	0.00	1	🖌 IP	OL

- Symbols -	
3TC	111
50X 3.0 Reservoir	36
- A -	
A-Lices	74
A-Scabies	
Abacavir sulphate	
Abacavir sulphate with	
lamivudine	111
Abilify	
ADM Lively as halowin	140
ABM Hydroxocobalamin	41
Acarbose	
Accarb	
Accu-Chek Ketur-Test	
Accu-Chek Performa	
Accuretic 10	
Accuretic 20	
Acetadote	
Acetazolamide	
Acetec	53
Acetic acid with 1, 2- propanediol	
diacetate and	
benzethonium	195
Acetic acid with hydroxyquinoline	
and ricinoleic acid	. 81
Acetylcysteine	
Aci-Jel	81
Aciclovir	
Infection	
Sensory	
Acidex	
Acipimox	
Acitretin	
Aclasta	121
Aclin	117
Act-HIB	238
Actinomycin D	160
Actrapid	27
Actrapid Penfill	27
Acupan	128
Adalat 10	
Adalat Oros	58
Adalimumab	
Adapalene	66
Adefin XL	
Adefovir dipivoxil	
ADR Cartridge 1.8	36
ADR Cartridge 3.0	36
Adrenaline	
Adriamycin	161
ADT Booster	
Advantan	69

Advate	46
AFT-Pyrazinamide	102
Agents Affecting the	102
Renin-Angiotensin System	53
Agents for Parkinsonism and	.00
Related Disorders	125
Agents Used in the Treatment of	120
Poisonings	199
Agrylin	
Alanase	
Albay	188
Albendazole	
Albustix	
Aldara	
Alendronate sodium	
Alendronate sodium with	110
cholecalciferol	110
Alfacalcidol	/1
Alginic acid	
Alitrag	
Alkeran	
Allersoothe	
Allopurinol	
Alpha Adrenoceptor Blockers	52
Alpha-Keri Lotion	.00
Alphamox	
Alprazolam <sup>-</sup> Alu-Tab	
Aluminium hydroxide	
Amantadine hydrochloride	.24
Ambrisentan Amiloride hydrochloride	.04
Amiloride hydrochloride with	.60
Amilonde hydrochionde with	~~
furosemide Amiloride hydrochloride with	60
	~~
hydrochlorothiazide	
Aminophylline	
Amiodarone hydrochloride	.55
Amisulpride Amitrip	140
Amitriptyline	
Amlodipine	
Amorolfine	
Amoxycillin	.94
Amoxycillin clavulanate	.94
Amphotericin B	
Amsacrine	
Amsidine	
Amyl nitrite	
Anaesthetics	127
Anagrelide hydrochloride	159
Analgesics	128

Anastrozole	171
Andriol Testocaps	85
Androderm	85
Animas Battery Cap	32
Animas Cartridge	36
Animas Vibe	
Antabuse	153
Antacids and Antiflatulants	24
Anten	131
Anthelmintics	92
Antiacne Preparations	66
Antiallergy Preparations	188
Antianaemics	44
Antiandrogen Oral	
Contraceptives	81
Antiarrhythmics	55
Antibacterials	
Antibacterials Topical	67
Anticholinesterases	116
Antidepressants	
Antidiarrhoeals	24
Antiepilepsy Drugs	
Antifibrinolytics, Haemostatics	
	45
and Local Sclerosants	98
Antifungals Topical	67
Antihistamines	188
Antihypotensives	100
Antimalarials	101
Antimigraine Preparations	138
Antinaus	
Antinausea and Vertigo	103
Agents	138
Antiparasitics	101
Antipruritic Preparations	101 88
Antipsychotics	
Antiretrovirals	100
Antiretrovirals - Additional	103
Therapies	110
Antirheumatoid Agents	. 112
Antispasmodics and Other	/
Agents Altering Gut	
Motility	26
Antithrombotic Agents	20
Antithymocyte globulin	40
(equine)	177
Antitrichomonal Agents	101
Antituberculotics and	
Antileprotics and	100
Antiulcerants	
Antivirals	
Anxiolytics	140

Anzatax	162
Apidra	.28
Apidra SoloStar	
Apo-Allopurinol	123
Apo-Amiloride	
Apo-Amlodipine	
Apo-Amoxi	.94
Apo-Azithromycin	.93
Apo-Bromocriptine	125
Apo-Ciclopirox	67
Аро-	.07
Cilazapril/Hydrochlorothiazide	54
Apo-Cimetidine	
Apo-Clarithromycin	.20
Alimentary	26
Infection	
Apo-Clomipramine	
Apo-Diclo	50
Apo-Diltiazem CD	.58
Apo-Doxazosin	.53
Apo-Folic Acid	
Apo-Gliclazide	
Apo-Megestrol	69
Apo-Moclobemide	132
Apo-Nadolol	.57
Apo-Nicotinic Acid	.61
Apo-Oxybutynin	.82
Apo-Perindopril	.54
Apo-Pindolol	
Apo-Prazo	.53
Apo-Prazosin	.53
Apo-Prednisone	
Apo-Prednisone S29	.85
Apo-Primidone	
Apo-Propranolol	.57
Apo-Pyridoxine	.41
Apo-Risperidone	143
Apo-Ropinirole	126
Apo-Selegiline	126
Apo-Selegiline S29	126
Apo-Thiamine	.41
Apo-Timol	.58
Apo-Zopiclone	149
Apomine	125
Apomorphine hydrochloride	125
Aprepitant	
Apresoline	.63
Aquasun 30+	.76
Aqueous cream	
Aratac	
Arava	
Aremed	
Arimidex	

Aripiprazole140
Aristocort70
Aromasin171
Arrow - Clopid46
Arrow Amitriptyline131
Arrow-Bendrofluazide
Arrow-Brimonidine197
Arrow-Calcium
Arrow-Citalopram132
Arrow-Diazepam146
Arrow-Doxorubicin161
Arrow-Etidronate119
Arrow-Fluoxetine132
Arrow-Gabapentin134
Arrow-Lamotrigine136
Arrow-Lisinopril54
Arrow-Losartan &
Hydrochlorothiazide
Arrow-Meloxicam
Arrow-Morphine LA
Arrow-Nifedipine XR
Arrow-Norfloxacin
Arrow-Ornidazole101
Arrow-Quinapril 1054
Arrow-Quinapril 2054
Arrow-Quinapril 554
Arrow-Ranitidine26
Arrow-Roxithromycin94
Arrow-Sertraline
Arrow-Simva 10mg61
Arrow-Simva 20mg61
Arrow-Simva 40mg61
Arrow-Simva 80mg61
Arrow-Sumatriptan138
Arrow-Timolol
Arrow-Tolterodine
Arrow-Topiramate
Arrow-Tramadol131
Arrow-Venlafaxine XR133
Arsenic trioxide159
Asacol25
Asamax25
Ascorbic acid41
Aspec 300128
Aspen Adrenaline63
Aspen Ceftriaxone92
Asnirin
Blood46
Nervous128
Asthalin191
Atazanavir sulphate112
Atenolol
Atenolol AFT56

ATGAM	.177
Ativan	
Atomoxetine	.149
Atorvastatin	61
Atripla	.111
Atropine sulphate	
Cardiovascular	55
Sensory	.197
Atropt	.197
Atrovent	.191
Augmentin	94
Auranofin	
Ava 20 ED	
Ava 30 ED	
Avanza	
Avelox	
Avomine	
Avonex	.148
Avonex Pen	
Azamun	
Azathioprine	
Azithromycin	
Azol	
Azopt	
AZT	.111
- B -	
B-D Micro-Fine	
B-D Ultra Fine	31
B-D Ultra Fine B-D Ultra Fine II	31
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG)	31 31
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine	31 31
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin	31 31 177
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine	31 31 177 238
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Baclofen	31 31 177 238 .124
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Baclofen Bactroban	31 31 177 238 .124
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Baclofen Bactroban Bakels Gluten Free Health Bread	31 31 177 238 .124 67
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Baclofen Bactroban Bakels Gluten Free Health Bread Mix	31 31 177 238 .124 67 223
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Baclofen Bactroban Bakels Gluten Free Health Bread Mix Baraclude	31 31 177 238 .124 67 223
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Bactroban Bakels Gluten Free Health Bread Mix Baraclude Barrier Creams and	31 31 177 238 .124 67 223 .104
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Bactoban Bakels Gluten Free Health Bread Mix Baraclude Barrier Creams and Emollients	31 177 238 124 67 223 104 71
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Bactroban Bactroban Bakels Gluten Free Health Bread Mix Baraclude Barrier Creams and Emollients Batrafen	31 177 238 124 67 223 104 71 67
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Bactroban Bakels Gluten Free Health Bread Mix Baraclude Barrier Creams and Emollients Batrafen BCG Vaccine	31 31 177 238 124 67 223 104 71 67 238
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Bactroban Bactroban Bakels Gluten Free Health Bread Mix Baraclude Barrier Creams and Emollients Batrafen BCG Vaccine Beclazone 100	31 177 238 124 67 223 104 71 67 238 189
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Baclofen Baclofen Bactoban Bakels Gluten Free Health Bread Mix Baraclude Barrier Creams and Emollients Batrafen BCG Vaccine Beclazone 100 Beclazone 250	31 177 238 124 67 223 104 71 67 238 189 189
B-D Ultra Fine	31 177 238 124 67 223 104 71 67 238 189 189 189
B-D Ultra Fine B-D Ultra Fine II Bacillus Calmette-Guerin (BCG) vaccine Bacillus Calmette-Guerin vaccine Bactroban Bactroban Bakels Gluten Free Health Bread Mix Baraclude Barrier Creams and Emollients Batrafen BCG Vaccine Beclazone 100 Beclazone 50	31 177 238 124 67 223 104 71 67 238 189 189 189
B-D Ultra Fine	31 31 177 238 124 67 223 104 71 67 238 189 189 189 189
B-D Ultra Fine	31 31 177 238 124 67 223 104 71 67 238 189 189 189 189 193 188
B-D Ultra Fine	31 31 177 238 124 67 223 104 71 67 238 189 189 189 189 193 188
B-D Ultra Fine	31 177 238 124 67 223 104 71 67 238 189 189 189 193 188 60
B-D Ultra Fine	31 31 177 238 124 67 223 104 71 67 223 104 67 189 189 189 193 188 60 60

Benhex         72           Benzathine benzylpenicillin	
Benzathine benzylpenicillin	Benhex
Benzbromaron AL 100       123         Benzbromarone       123         Benzirop       126         Benztrop ine mesylate       126         Benzydamine hydrochloride       40         Benzylpenicillin sodium (penicillin       94         Beta Adrenoceptor Blockers       56         Beta Adrenoceptor Blockers       56         Beta Cream       69         Beta Adrenoceptor Agonists       190         Beta Adrenoceptor Agonists       190         Betadine       72         Betaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone dipropionate       69         Betamethasone valerate       69         Betanovate-C       70         Betappic       60         Betalip       60	
Benzbromarone       123         Benzoin       205         Benztrop       126         Benztropine mesylate       126         Benzydamine hydrochloride       40         Benzylpenicillin sodium (penicillin       94         Beta Adrenoceptor Blockers       56         Beta Cream       69         Beta Zolap       75         Beta Adrenoceptor Agonists       190         Beta Calp       72         Betadine       72         Betadine       72         Betadine       72         Betadine       72         Betadine Skin Prep       72         Betaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone valerate       69         Betamethasone valerate       69         Betamethasone valerate       69         Betamethasone valerate       69         Betamethasone valerate with       100         Lioquinol       70         Betamethasone valerate with       106         Lioquinol       70         Betamethasone valerate       69 <td>Benzhramaran Al 100</td>	Benzhramaran Al 100
Benzoin       205         Benztrop       126         Benztropine mesylate       126         Benzydamine hydrochloride       40         Benzylpenicillin sodium (penicillin       94         Beta Adrenoceptor Blockers       56         Beta Adrenoceptor Blockers       69         Beta Adrenoceptor Agonists       190         Beta Cream       69         Beta Comment       69         Beta Adrenoceptor Agonists       190         Beta-Adrenoceptor Agonists       190         Beta-Adrenoceptor Agonists       190         Betaaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone oxolum       phosphate with         betamethasone valerate       69, 75         Betamethasone valerate       69, 75         Betamethasone valerate with       clioquinol         clioquinol       70         Betamethasone valerate with       196         Betnovate       69         Betnovate       69         Betnovate       69         Betnovate       60         Bezafibrate       60	Derizbiomatori AL 100123
Benztrop       126         Benztropine mesylate       126         Benzydamine hydrochloride       40         Benzylpenicillin sodium (penicillin       94         Beta Adrenoceptor Blockers       56         Beta Cream       69         Beta Colument       69         Beta Scalp       75         Beta Adrenoceptor Agonists       190         Beta Scalp       75         Beta Adrenoceptor Agonists       190         Beta Scalp       72         Betaine Skin Prep       72         Betaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone sodium       phosphate with         betamethasone acetate       64         Betamethasone valerate       69         Betanethasone valerate with       clioquinol         clioquinol       70         Betamethasone valerate with       fusidic acid         clioquinol       70         Betamethasone valerate with       fusidic acid         clioquinol       70         Betamethasone valerate       69         Betnovate-C       70	
Benztropine mesylate       126         Benzylamine hydrochloride       40         Benzylpenicillin sodium (penicillin       94         Beta Adrenoceptor Blockers       56         Beta Cream       69         Beta Colument       69         Beta Scalp       75         Beta Adrenoceptor Agonists       190         Beta Cream       69         Beta Scalp       75         Beta Adrenoceptor Agonists       190         Betadine       72         Betaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone sodium       phosphate with         betamethasone acetate       64         Betamethasone valerate       69         Betamethasone valerate with       clioquinol         clioquinol       70         Betamethasone valerate with       fusidic acid         clioquinol       70         Betanovate-C       70         Betoptic S       196         Betoptic S       196         Betoptic S       196         Betoptic S       196         Bezalip Retard	
Benzydamine hydrochloride	Benztrop126
Benzydamine hydrochloride	Benztropine mesylate126
Benzylpenicillin sodium (penicillin         G)       94         Beta Adrenoceptor Blockers       56         Beta Ointment       69         Beta Scalp       75         Beta-Adrenoceptor Agonists       190         Beta Scalp       72         Beta Adrenoceptor Agonists       190         Betadine       72         Betadine Skin Prep       72         Betaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone sodium       phosphate with         betamethasone sodium       phosphate with         betamethasone valerate       64         Betamethasone valerate with       70         Betamethasone valerate with       196         Clioquinol       70         Betamethasone valerate with       196         Betnovate       69         Betnovate       69         Betnovate       196         Betoptic S       196         Betoptic S       196         Bezalip Retard       60         Bezalip Retard       60         Bezalip Retard       60 </td <td>Benzydamine hydrochloride</td>	Benzydamine hydrochloride
G)       94         Beta Adrenoceptor Blockers       56         Beta Cream       69         Beta Contment       69         Beta Scalp       75         Beta-Adrenoceptor Agonists       190         Betadine       72         Betadine Skin Prep       72         Betaforon       148         Betagan       196         Betalistine dihydrochloride       138         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone dipropionate       69         Betamethasone sodium       phosphate with         betamethasone valerate       84         Betamethasone valerate with       100         clioquinol       70         Betamethasone valerate with       116         fusidic acid       70         Betamethasone valerate with       116         fusidic acid       70         Betamethasone valerate with       116         fusidic acid       70         Betamethasone valerate       69         Betnovate       69         Betamethasone       196         Betoptic S	Benzylpenicillin sodium (penicillin
Beta Adrenoceptor Blockers	
Beta Cream       69         Beta Ointment       69         Beta Scalp       75         Beta Adrenoceptor Agonists       190         Betadine       72         Betadine Skin Prep       72         Betadine       72         Betadine Mitydrochloride       138         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone dipropionate       69         Betamethasone sodium       phosphate with         betamethasone sodium       phosphate with         betamethasone valerate       64         Betamethasone valerate with       69         clioquinol       70         Betanovate       69         Betnovate       69         Betoptic       196         Betoptic S       196         Bezalip Retard       60         Bezalip Retard       60         Bicalutamide       169         Bicillin LA       94         BiCNU       156         Biltricide       92         Biodone Extra Forte       129         Biodone Extra Forte       129         B	G)
Beta Ointment	Beta Adrenoceptor Biockers
Beta Scalp	
Beta-Adrenoceptor Agonists       190         Betadine       72         Betadine Skin Prep       72         Betadine Skin Prep       72         Betadire Skin Prep       72         Betaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone dipropionate       with calcipotriol         mit calcipotriol       75         Betamethasone sodium       phosphate with         betamethasone valerate       69         Betanethasone valerate with       clioquinol         clioquinol       70         Betamethasone valerate with       fusidic acid         fusidic acid       70         Betnovate       69         Betnovate       69         Betnovate       69         Betnovate       60         Bezalip       60         Bezalip Retard       60         Bicalutamide       169         Bicillin LA       94         BiCNU       156         Bitricide       92         Biodone Extra Forte       129         Biodone Extra Forte       129     <	Beta Ointment69
Betadine	
Betadine	Beta-Adrenoceptor Agonists190
Betadine Skin Prep       72         Betaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone dipropionate       75         Betamethasone sodium       phosphate with         betamethasone acetate       84         Betamethasone valerate       69, 75         Betamethasone valerate       69, 75         Betamethasone valerate with       clioquinol         clioquinol       70         Betamethasone valerate with       fusidic acid         fusidic acid       70         Betnovate       69         Betnovate       69         Betnovate       69         Betoptic S       196         Bezalip Retard       60         Bezalip Retard       60         Bezalip Retard       60         Bicalutamide       169         Bicillin LA       94         BiCNU       156         Bitricide       92         Biodone Forte       129         Biodone Forte       129         Biodone Forte       129         Biosorolol       56	Betadine
Betaferon       148         Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate       69         Betamethasone dipropionate       75         Betamethasone sodium       phosphate with         betamethasone acetate       84         Betamethasone valerate       69, 75         Betamethasone valerate       69, 75         Betamethasone valerate with       clioquinol         clioquinol       70         Betamethasone valerate with       fusidic acid         fusidic acid       70         Betnovate       69         Betnovate       69         Betnovate       69         Betnovate       60         Bezalip       60         Bezalip Retard       60         Bezalip Retard       60         Bicalutamide       169         Bicillin LA       94         BiCNU       156         Bitricide       92         Biodone Extra Forte       129         Biodone Extra Forte       129         Biodone Forte       129         Biodone Forte       129         Bisoroylol       56	Betadine Skin Prep 72
Betagan       196         Betahistine dihydrochloride       138         Betamethasone dipropionate	
Betahistine dihydrochloride       138         Betamethasone dipropionate	
Betamethasone dipropionate	
Betamethasone dipropionate         with calcipotriol         phosphate with         betamethasone sodium         phosphate with         betamethasone valerate         Betamethasone valerate         Clioquinol         Clioquinol         With clioquinol         Clioquinol         Clioquinol         Petamethasone valerate with         clioquinol         fusidic acid         70         Betamethasone valerate with         fusidic acid         fusidic acid         Potenovate         69         Betnovate         69         Betnovate         60         Betaglip Retard         60         Bezalip Retard         60         Bicalutamide         Bicalutamide         Bicalutamide         Bicalutamide         Biodone         Biodone         Biodone Extra Forte         129         Biodone Forte         129         Biodone Forte         129         Biodone Forte         Bisorolol         S6     <	
with calcipotriol       75         Betamethasone sodium       phosphate with         betamethasone acetate       84         Betamethasone valerate       69, 75         Betamethasone valerate with       clioquinol         clioquinol       70         Betamethasone valerate with       fusidic acid         fusidic acid       70         Betaxolol hydrochloride       196         Betnovate       69         Betoptic       196         Betoptic       196         Betoptic S       196         Bezalip Retard       60         Bicalutamide       169         Bicalutamide       169         Bicillin LA       94         BiCNU       156         Birdone       129         Biodone Extra Forte       129         Biodone Extra Forte       129         Bisorolol       56         BK Lotion	
Betamethasone sodium         phosphate with         betamethasone acetate         Betamethasone valerate         clioquinol         70         Betamethasone valerate with         clioquinol         rusidic acid         70         Betamethasone valerate with         fusidic acid         70         Betamethasone valerate with         fusidic acid         fusidic acid         70         Betamethasone valerate with         fusidic acid         fusidic acid         70         Betaxolol hydrochloride         96         Betnovate         69         Betoptic         96         Betoptic S         196         Bezafibrate         60         Bezalip Retard         60         Bicalutamide         169         Bicalutamide         169         Biclilin LA         94         BiCNU         156         Bitricide         92         Biodone Extra Forte         129	Betamethasone dipropionate
phosphate with betamethasone acetate	with calcipotriol75
phosphate with betamethasone acetate	Betamethasone sodium
Betamethasone valerate	
Betamethasone valerate	betamethasone acetate 84
Betamethasone valerate with clioquinol       70         Betamethasone valerate with fusidic acid       70         Betaxolol hydrochloride       196         Betnovate       69         Betnovate-C       70         Betoptic       196         Betoptic       196         Betaxolol hydrochloride       196         Betoptic       196         Betoptic       196         Bezalibrate       60         Bezalip Retard       60         Bicalucard       169         Bicillin LA       94         BiCNU       156         Bitricide       92         Bindoprost       197         Biodone       129         Biodone Extra Forte       129         Biodone Forte       129         Bisacodyl       39         Bismuth trioxide       27         Bisoprolol       56         BK Lotion       71	
clioquinol70Betamethasone valerate with fusidic acid70Betaxolol hydrochloride196Betnovate69Betnovate-C70Betoptic196Betoptic S196Bezalip60Bezalip Retard60Bicalaccord169Bicillin LA94BiCNU156Bitricide92Bimatoprost197Biodone129Biodone Forte129Biodone Forte129Bisacodyl39Bismuth trioxide27Bisoprolol56BK Lotion71	
Betamethasone valerate with       70         fusidic acid       70         Betaxolol hydrochloride       196         Betnovate       69         Betnovate-C       70         Betoptic       196         Betoptic S       196         Bezalip Anternation       60         Bezalip Retard       60         Bicalaccord       169         Bicillin LA       94         BiCNU       156         Bitricide       92         Binatoprost       197         Biodone       129         Biodone Forte       129         Biodone Forte       129         Bisocodyl       39         Bismuth trioxide       27         Bisoprolol       56         BK Lotion       71	
fusidic acid       70         Betaxolol hydrochloride       196         Betnovate       69         Betnovate-C       70         Betoptic       196         Betoptic       196         Betoptic S       196         Bezafibrate       60         Bezalip Retard       60         Bicalutamide       169         Bicillin LA       94         BiCNU       156         Bittricide       92         Binatoprost       197         Biodone       129         Biodone Forte       129         Biodone Forte       129         Bisacodyl       39         Bismuth trioxide       27         Bisoprolol       56         BK Lotion       71	
Betaxolol hydrochloride         196           Betnovate         .69           Betnovate-C         .70           Betoptic         .196           Betoptic S         .196           Bezafibrate         .60           Bezalip Retard         .60           Bicalaccord         .169           Bicalutamide         .169           Bicillin LA         .94           BiCNU         .156           Bittricide         .92           Bimatoprost         .197           Biodone         .129           Biodone Forte         .129           Biodone Forte         .129           Bisacodyl         .39           Bismuth trioxide         .27           Bisoprolol         .56           BK Lotion         .71	
Betnovate	
Betnovate-C         70           Betoptic         196           Betoptic S         196           Bezafibrate         60           Bezalip         60           Bezalip Retard         60           Bicalaccord         169           Bicalutamide         169           Bicillin LA         94           BiCNU         156           Bitricide         92           Biodone         129           Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	
Betoptic         196           Betoptic S         196           Bezafibrate         60           Bezalip         60           Bezalip Retard         60           Bicalaccord         169           Bicalutamide         169           Bicillin LA         94           BiCNU         156           Bitricide         92           Binatoprost         197           Biodone         129           Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	Betnovate69
Betoptic         196           Betoptic S         196           Bezafibrate         60           Bezalip         60           Bezalip Retard         60           Bicalaccord         169           Bicalutamide         169           Bicillin LA         94           BiCNU         156           Bitricide         92           Binatoprost         197           Biodone         129           Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	Betnovate-C70
Betoptic S         196           Bezafibrate	Betoptic
Bezafibrate	Betoptic S 196
Bezalip         60           Bezalip Retard         60           Bicalaccord         169           Bicalutamide         169           Bicillin LA         94           BiCNU         156           Bitricide         92           Binatoprost         197           Biodone         129           Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	Bezafibrate 60
Bezalip Retard         60           Bicalaccord         169           Bicalutamide         169           Bicillin LA         94           BiCNU         156           Bitricide         92           Bimatoprost         197           Biodone         129           Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	
Bicalaccord       169         Bicalutamide       169         Bicillin LA       94         BiCNU       156         Bitricide       92         Bimatoprost       197         Biodone       129         Biodone Extra Forte       129         Biodone Forte       129         Bisacodyl       39         Bismuth trioxide       27         Bisoprolol       56         BK Lotion       71	
Bicalutamide         169           Bicillin LA	
Bicillin LA	
BiCNU         156           Biltricide         92           Bimatoprost         197           Biodone         129           Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	
Biltricide	Bicalutamide169
Bimatoprost       197         Biodone       129         Biodone Extra Forte       129         Biodone Forte       129         Bisacodyl       39         Bismuth trioxide       27         Bisoprolol       56         BK Lotion       71	Bicalutamide169 Bicillin LA
Biodone         129           Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	Bicalutamide         169           Bicillin LA
Biodone         129           Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	Bicalutamide         169           Bicillin LA         94           BiCNU         156           Biltricide         92
Biodone Extra Forte         129           Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	Bicalutamide         169           Bicillin LA         94           BiCNU         156           Biltricide         92
Biodone Forte         129           Bisacodyl         39           Bismuth trioxide         27           Bisoprolol         56           BK Lotion         71	Bicalutamide         169           Bicillin LA         94           BiCNU         156           Biltricide         92           Bimatoprost         197           Biodone         129
Bisacodyl	Bicalutamide         169           Bicillin LA         94           BiCNU         156           Biltricide         92           Bimatoprost         197           Biodone         129
Bismuth trioxide         27           Bisoprolol	Bicalutamide         169           Bicillin LA         94           BiCNU         156           Biltricide         92           Bimatoprost         197           Biodone         129           Biodone Extra Forte         129
Bisoprolol56 BK Lotion71	Bicalutamide         169           Bicillin LA         94           BiCNU         156           Biltricide         92           Bimatoprost         197           Biodone         129           Biodone Extra Forte         129           Biodone Forte         129
BK Lotion71	Bicalutamide169Bicillin LA94BiCNU156Biltricide92Bimatoprost197Biodone129Biodone Extra Forte129Biodone Forte129Bisacodyl39
Bleomycin sulphate	Bicalutamide       169         Bicillin LA       94         BiCNU       156         Biltricide       92         Binatoprost       197         Biodone       129         Biodone Extra Forte       129         Biodone Forte       129         Bisacodyl       39         Bismuth trioxide       27
Bieomycin suipnate159	Bicalutamide169Bicillin LA94BiCNU156Biltricide92Bimatoprost197Biodone129Biodone Extra Forte129Biodone Forte129Bisacodyl39Bismuth trioxide27Bisoprolol56
	Bicalutamide         169           Bicillin LA

Blood Colony-stimulating
Factors
Blood glucose diagnostic test
meter
Blood glucose diagnostic test
strip
Blood glucose test strips (visually
impaired)
meter
Boceprevir108
Bonjela40
Boostrix238
Bortezomib159
Bosentan64
Bosvate56
Bplex
Breath-Alert
Brevinor 1/2880
Brevinor 1/2080
Bricanyl Turbuhaler191
Brilinta47
Brimonidine tartrate197
Brimonidine tartrate with timolol
maleate 197
Brinzolamide
Brolene
Bromocriptine mesylate125 Brufen116
Brufen SR116
BSF Cellcept
Buccastem
Budesonide
Alimentary24
Respiratory189, 193
Budesonide with
eformoterol 190
Bumetanide59
Buprenorphrine with
naloxone
Bupropion hydrochloride153 Burinex59
Buscopan
Buspirone hydrochloride146
Busulphan156
Butacort Aqueous193
- C -
Cabergoline
Cafernot 138

Cabergoline	90
Cafergot	138
Caffeine citrate	194
Cal-d-Forte	41
Calamine	68

Calcipotriol75
Calcitonin
Calcitriol41
Calcitriol-AFT41
Calcium carbonate24, 42
Calcium Channel Blockers
Calcium Disodium
Versenate
Calcium folinate
Calcium Folinate Ebewe
Calcium gluconate
Calcium Homeostasis
Calcium polystyrene
sulphonate
Calcium Resonium51
Calogen211
Calsource42
Camptosar158
Candesartan cilexetil54
Candestar54
Canesten67
Capecitabine157
Capoten53
Capsaicin
Musculoskeletal System117
Nervous128
Captopril53
Carafate27
Carbaccord156
Carbamazepine134
Carbimazole
Carbomer
Carboplatin156
Carboplatin Ebewe156
Carbophalin Ebewe
Cardinol LA
Cardizem CD58
CareSens
CareSens II
CareSens N29, 30
CareSens N POP29
Carmustine156
Carvedilol56
Catapres59
Catapres-TTS-159
Catapres-TTS-259
Catapres-TTS-359
CeeNU156
Cefaclor monohydrate92
Cefalexin monohydrate92
Cefalexin Sandoz
Cefazolin sodium92
Cefriaxone-AFT

Ceftriaxone92
Ceftriaxone-AFT92
Cefuroxime axetil93
Cefuroxime sodium93
Celestone Chronodose84
Celiprolol56
Cellcept171
Celol
Centrally-Acting Agents59
Cephalexin ABM
Cerezyme
Cetirizine - AFT
Cetirizine hydrochloride
Cetomacrogol71 Cetomacrogol with glycerol71
Champix154
Charcoal199
Chemotherapeutic Agents156
Chlorafast195
Chlorambucil156
Chloramphenicol195
Chlorhexidine gluconate
Alimentary40
Dermatological70
Chloroform
Chlorothiazide60
Chlorpheniramine maleate
Chlorpromazine
hydrochloride
Chlorsig195
Chlortalidone
[Chlorthalidone]60
Chlorthalidone
Chlorvescent
Cholecalciferol
Cholestyramine
Choline salicylate with
cetalkonium chloride 40
Cholvastin61
Ciclopirox olamine67
Cilazapril53
Cilazapril with
hydrochlorothiazide
Cilicaine95
Cilicaine VK95
Ciloxan195
Cimetidine26
Cipflox96
Ciprofloxacin
Infection96
Sensory195
Ciprofloxacin Rex
Cisplatin156

Cisplatin Ebewe156
Citalopram hydrobromide
Cladribine157
Clarithromycin
Alimentary26
Infection93
Clexane48
Climara 10086
Climara 5086
Clindamycin
Clindamycin ABM96
Clobazam134
Clobetasol propionate69, 75
Clobetasone butyrate69
Clofazimine102
Clomazol
Dermatological67
Genito-Urinary81
Clomiphene citrate91
Clomipramine hydrochloride131
Clonazepam133-134, 146
Clonidine59
Clonidine BNM59
Clonidine hydrochloride59
Clopidogrel46
Clopine141
Clopixol144, 145
Clotrimazole
Dermatological
Genito-Urinary81
Clozapine141
Clozaril141
Co-Renitec
Co-trimoxazole
Coal tar75
Coal tar with allantoin, menthol,
phenol and sulphur75
Coal tar with salicylic acid and
sulphur75
Coco-Scalp75
Codeine phosphate
Extemporaneous
Nervous128
Cogentin126
Colaspase [L-asparaginase]160
Colaspase [L-asparaginase]
Colaspase [L-asparaginase]160 Colchicine124 Colestid61
Colaspase [L-asparaginase]160 Colchicine124 Colestid61
Colaspase [L-asparaginase]160 Colchicine124 Colestid61 Colestipol hydrochloride61
Colaspase [L-asparaginase]         160           Colchicine         124           Colestid         61           Colestipol hydrochloride         61           Colgout         124
Colaspase [L-asparaginase]         160           Colchicine         124           Colestid         61           Colestipol hydrochloride         61           Colgout         124           Colifoam         25
Colaspase [L-asparaginase]         160           Colchicine         124           Colestid         61           Colestipol hydrochloride         61           Colgout         124           Colifoam         25           Colistin sulphomethate         96
Colaspase [L-asparaginase]       160         Colchicine       124         Colestid       61         Colestipol hydrochloride       61         Colgout       124         Colifoam       25         Colistin sulphomethate       96         Colistin-Link       96
Colaspase [L-asparaginase]         160           Colchicine         124           Colestid         61           Colestipol hydrochloride         61           Colgout         124           Colifoam         25           Colistin sulphomethate         96

Colofac26
Coloxyl
Combigan197
Combivir112
Comfort
Comfort Short
Compound electrolytes51
Compound
hydroxybenzoate
Concerta151
Condoms
Condyline76
Contact-D
Contraceptives - Hormonal
Contraceptives - Hormonal
Non-hormonal
Copaxone148
Corangin62
Cordarone-X55
Corticosteroids and Related
Agents for Systemic Use
Corticosteroids Topical
Cosmegen160 Cosopt197
Cosopt
Coversyl
Creon 10000
Creon 25000
Creon Forte
Crotamiton
Crystaderm67
Curam Duo94
Cvite41 Cyclizine hydrochloride138
Cyclizine lactate
Cyclogyl197
Cyclopentolate hydrochloride 197
Nydrochionae
Cyclophosphamide
Cycloserine
Cyclosporin
Cyklokapron46
Cyproterone acetate85 Cyproterone acetate with
ethinyloestradiol
Cytarabine157
Cytotec
Cytoxan156
,
-D-
D-Penamine
d4T111

Dabigatran49
Dacarbazine160
Dactinomycin [Actinomycin
D]
Daivobet75
Daivonex75
Daktarin
Dalacin C96
Dalteparin sodium47
Danazol
Danthron with poloxamer
Dantrium124
Dantrolene124
Daonil
Dapa-Tabs60
•
Dapsone102 Daraprim97
Darunavir
Dasatinib
Daunorubicin
DBL Aminophylline
DBL Bleomycin Sulfate159
DBL Carboplatin156
DBL Doxorubicin161
DBL Doxorubicin S29161
DBL Epirubicin
Hydrochloride161
DBL Ergometrine81
DBL Gemcitabine158
DBL Leucovorin Calcium157
DBL Methotrexate159
DBL Morphine Sulphate130
DBL Pethidine
Hydrochloride 131
DBL Tobramycin98
DDI111
De Nol27
De-Worm92
Decozol40
Deferiprone199
Deoxycoformycin162
Depo-Medrol84
Depo-Medrol with Lidocaine
Depo-Provera80
Depo-Testosterone85
Deprim96
Dermol69, 75
Desferrioxamine mesylate
Desmopressin
Desmopressin-PH&T90
Detection of Substances in
Urine
Dexamethasone

Dexamethasone phosphate	84 196 84
Dexamethasone with framycetin and gramicidin	. 195
Dexamethasone with neomycin and polymyxin b sulphate	196
Dexamethasone-hameln Dexamphetamine sulphate	84
Dextrochlorpheniramine maleate	
Dextrose	
Dextrose with electrolytes	
DHC Continus	
Diabetes	
Diabetes Management	
Diacomit	136
Diamide Relief	24
Diamox	
Diaphragm	78
Diasip	
Diason RTH	
Diazepam134	
Diazoxide	
Dibenyline	
Diclax SR	116
Diclofenac sodium	
Musculoskeletal System	116
Sensory Didanosine [DDI]	196
Differin Difflam	
Diflucan	
Diflucortolone valerate	60
Diflucortolone valerate	69
Digestives Including	
Digestives Including Enzymes	37
Digestives Including Enzymes Digoxin	37 55
Digestives Including Enzymes	37 55 128
Digestives Including Enzymes Digoxin Dihydrocodeine tartrate Dilantin	37 55 128 136
Digestives Including Enzymes Digoxin Dihydrocodeine tartrate Dilantin Dilantin Infatab Dilatrend	37 55 128 136 136 56
Digestives Including Enzymes Digoxin Dihydrocodeine tartrate Dilantin Dilantin Infatab	37 55 128 136 136 56
Digestives Including Enzymes Digoxin Dihydrocodeine tartrate Dilantin Dilantin Infatab Dilatrend	37 55 128 136 136 56 58
Digestives Including Enzymes Digoxin Dihydrocodeine tartrate Dilantin Dilantin Dilantin Infatab Dilatrend Diltiazem hydrochloride Dilzem Dimethicone	37 55 128 136 136 56 58 58 71
Digestives Including Enzymes Digoxin Dihydrocodeine tartrate Dilantin Dilantin Infatab Dilatrend Diltiazem hydrochloride Dilzem Dimethicone Dipentum	37 55 128 136 136 56 58 58 71
Digestives Including Enzymes Digoxin Dihydrocodeine tartrate Dilantin Dilantin Infatab Dilatrend Diltiazem hydrochloride Diltem Direthicone Dipentum Diphtheria and tetanus	37 55 128 136 56 58 58 71 25
Digestives Including Enzymes	37 55 128 136 56 58 58 71 25
Digestives Including Enzymes	37 55 128 136 56 58 58 71 25 238
Digestives Including Enzymes	37 55 128 136 56 58 58 71 25 238
Digestives Including Enzymes	37 55 128 136 56 58 58 71 25 238 238
Digestives Including Enzymes	37 55 128 136 56 58 58 71 25 238 238
Digestives Including Enzymes	37 55 128 136 56 58 58 71 25 238 238

haemophilus influenzae type B	
vaccine	238
Diprosone	69
Diprosone OV	69
Dipyridamole	46
Disinfecting and Cleansing	
Agents	. 70
Disipal	126
Disopyramide phosphate	
Disulfiram	
Diuretics	
Diurin 40	
Docetaxel	
Docetaxel Sandoz	
Docusate sodium	38
Docusate sodium with	
sennosides	38
Domperidone	
Donepezil hydrochloride	
Donepezil-Rex	152
Dopergin	125
Dopress	121
Dornase alfa	
Dorzolamide hydrochloride	
Dorzolamide hydrochloride with	190
timolol maleate	107
Dostinex	QU
Dothiepin hydrochloride	
Doxazosin	
Doxepin hydrochloride	121
Doxine	05
Doxorubicin	
Doxorubicin Ebewe	
Doxu EQ	101
Doxy-50 Doxycycline hydrochloride	90
Docycycline nyurochionae	
DP Lotion DP Lotn HC	
DP-Anastrozole	
Dr Reddy's Olanzapine	
Dr Reddy's Omeprazole	
Dr Reddy's Ondansetron	120
Dr Reddy's Pantoprazole	109
Dr Reddy's Pramipexole	
Dr Reddy's Quetiapine	
Dr Reddy's Risperidone	142
Dr Reddy's Terbinafine	
Drugs Affecting Bone	100
Metabolism	110
	011
Dulcolax Duocal Super Soluble	
Powder	210
Duolin	∠ IU 100
Duolin HFA	
DUVINT HEA	192

Durex Confidence78
Durex Extra Safe
Durex Select Flavours
Duride62
Dynacirc-SRO58
-E-
E-Mycin
Ear Preparations195
Ear Preparations
Ear/Eye Preparations195
Easiphen Liquid224
Econazole nitrate
Efavirenz110
Efavirenz with emtricitabine and
tenofovir disoproxil
fumarate111
Efexor XR133
Effient
Eformoterol fumarate
Efudix
Egopsoryl TA75
Elecare225
Elecare LCP225
Electral51
Elemental 028 Extra216
Eligard90
Elocon
Elocatin
Eltrombopag45
Eltroxin
Emend Tri-Pack138
EMLA127
Emtricitabine111
Emtricitabine with tenofovir
disoproxil fumarate
Emtriva111
Emulsifying ointment71
Enalapril maleate
Enalapril maleate with hydrochlorothiazide
hydrochlorothiazide
Enbrel172
Endocrine Therapy169
Endoxan156
Enerlyte51
Enfuvirtide112
Enoxaparin sodium48
Ensure
Ensure Plus
Ensure Plus HN220
Ensure Plus RTH220
Entacapone125
Entapone125
Entecavir104
Entocort CIR24

Epilim136	
Epilim Crushable136	
Epilim IV136	
Epilim S/F Liquid136	
Epilim Syrup136	
Epirubicin161	
Eprex44	
Eptacog alfa [Recombinant factor	
VIIa]45	
ERA	
Ergometrine maleate81	
Ergotamine tartrate with	
caffeine138	
Erlotinib164	
Erythrocin IV93	
Erythromycin ethyl succinate93	
Erythromycin lactobionate93	
Erythromycin stearate93	
Erythropoietin alpha44	
Erythropoietin beta44	
Escitalopram132	
Estradot86	
Estrofem86	
Etanercept172	
Ethambutol hydrochloride102	
Ethics Aspirin128	
Ethics Aspirin EC46	
Ethics Enalapril53	
Ethics Paracetamol128	
Ethinyloestradiol87	
Ethinyloestradiol with desogestrel	
desogestrel79	
Ethinyloestradiol with	
levonorgestrel	
Ethinyloestradiol with	
norethisterone 80	
Ethosuximide134	
Etidronate disodium119	
Etopophos161	
Etoposide161	
Etoposide phosphate161	
Etravirine111	
Eumovate69	
Evista120	
Exemestane171	
Extemporaneously Compounded	
Preparations and	
Galenicals 205	
Eye Preparations195	
EZ-fit Paediatric Mask194	
Ezetimibe61	

Ezetimibe with simvastatin	62
Ezetrol	61
- F -	01
Factor eight inhibitors bypassing	
Factor eight inhibitors bypassing	45
agent Feed Thickener Karicare	45
Antomil	000
Aptamil	
FEIBA	
Felodipine	
Femtran 100	
Femtran 50	
Fenpaed	
Fentanyl	129
Ferodan	
Ferriprox	
Ferro-F-Tabs	42
Ferro-tab	42
Ferrograd Ferrograd F	42
Ferrograd F	42
Ferrous fumarate	42
Ferrous fumarate with folic	
acid	42
Ferrous sulphate	42
Ferrous sulphate with folic	
acid	
Ferrum H	42
Fexofenadine hydrochloride	
Fibro-vein	
Filgrastim	
Finasteride	82
Flagyl	
FlagyI-S	
Flamazine	
Flecainide acetate	
Fleet Phosphate Enema	39
Flixonase Hayfever &	
Allergy	. 193
Flixotide	189
Flixotide Accuhaler	
Florinef	
Fluanxol	
Fluarix	238
Flucloxacillin sodium	
Flucloxin	
Flucon	
Fluconazole	
Fludara	
Fludara Oral	158
Fludarabine Ebewe	158
Fludarabine phosphate	158
Fludrocortisone acetate	
Fluids and Electrolytes	
Flumetasone pivalate	195

Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	25
Fluorometholone1	
Fluorouracil Ebewe1	58
Fluorouracil sodium	
Dermatological	77
Oncology1	58
Fluox1	
Fluoxetine hydrochloride1	32
Flupenthixol decanoate1	
Fluphenazine decanoate1	44
Flutamide1	
Flutamin1	
Flutamin S291	
Fluticasone1	
Fluticasone propionate1	
Fluticasone with salmeterol1	
Foban	
Folic acid	
Food Thickeners2	
Foods And Supplements For	.22
Inborn Errors Of	
Metabolism2	00
Foradil1	
Forteo1	
Fortimel Regular2	
Fortini	
Fortini Multi Fibre2	
Fortisip2	20
Fortisip Multi Fibre2	
Fosamax1	
Fosamax Plus1	
Fragmin	
Framycetin sulphate1	95
Freestyle Optium29, Freestyle Optium Ketone	30
Freestyle Optium Ketone	29
Frisium1	
Frumil	
Frusemide	
Frusemide-Claris	59
Fucicort	70
Fucidin	
Fucithalmic1	95
Fungilin	40
Furosemide [Frusemide]	59
Fusidic acid	
Dermatological	67
Infection	96
Sensory1	
Fuzeon	
- G -	
Gabapentin1	34

Gabapentin (Neurontin)	.135
Gamma benzene	
hexachloride	72
Gardasil	.238
Gastrosoothe	
Gaviscon Double Strength	24
Gaviscon Infant	24
Gefitinib	.165
Gemcitabine Actavis 1000	.158
Gemcitabine Actavis 200	.158
Gemcitabine Ebewe	
Gemcitabine hydrochloride	
Gemfibrozil	
Gemzar	
Genoptic	
Genotropin	
Genox	
Gentamicin sulphate	/ .
Infection	96
Sensorv	
Ginet 84	
Glatiramer acetate	
Glibenclamide	
Gliclazide	
Glipizide	
Glivec	
Glucagen Hypokit	
Glucagon hydrochloride	27
Glucerna Select	.212
Glucerna Select RTH	
Gluten Free Foods	.222
Glycerin with sodium	
saccharin	
Glycerin with sucrose	.205
Glycerol	
Alimentary	
Extemporaneous	.205
Glyceryl trinitrate	
Alimentary	26
Cardiovascular	62
Glytrin	
Gold Knight	
Gopten	54
Goserelin acetate	89
Gutron	56
Gynaecological	
Anti-infectives	81
- H -	
Habitrol	.154
Haemophilus influenzae type B	

Haditrol	154
Haemophilus influenzae type B	
vaccine	238
Haldol	144
Haldol Concentrate	144

Haloperidol141	
Haloperidol decanoate144	
Hamilton Sunscreen76	i
Havrix Junior238	
HBvaxPro238	
healthE Dimethicone 5%71	
healthE Fatty Cream71	
healthE Urea Cream71	
Healtheries Simple Baking	
Mix	
Hemastix83	,
Heparin sodium49	
Heparinised saline49	ł
Heparon Junior213	
Hepatitis A vaccine238	
Hepatitis B vaccine238	
Hepsera103	
Herceptin185	
Hexamine hippurate115	
Hiprex115	
Histafen188	
Holoxan156	i
Horleys Bread Mix223	
Horleys Flour223	,
Hormone Replacement Therapy -	
Systemic85	
HPV238	
Humalog28	
Humalog Mix 2528	
Humalog Mix 5028	
Human papillomavirus (6, 11, 16	
and 18) vaccine [HPV]	
Humatin	
Humira177	
HumiraPen177	
Humulin 30/7028	
Humulin NPH28	
Humulin R27	
Hybloc57	
Hydralazine63	
Hydralazine hydrochloride63	
Hydrea161	
Hydrocortisone	
Dermatological69	ł
Hormone84	
Hydrocortisone acetate25	
Hydrocortisone butyrate	
Hydrocortisone with	
Hydrocortisone with cinchocaine	i
Hydrocortisone with	
Hydrocortisone with miconazole70	ł
Hydrocortisone with natamycin	
and neomycin70	ł

Hydrocortisone with wool fat and	~
mineral oil	
Hydroderm Lotion	(1
Hydrogen peroxide	
Alimentary	10
Dermatological6	67
Hydroxocobalamin4	
Hydroxychloroquine11	17
Hydroxyurea16	61
Hygroton	60
Hylo-Fresh19	98
Hyoscine hydrobromide13	39
Hyoscine N-butylbromide	
Hypam14	
Hyperuricaemia and	
Antigout12	23
Hypnovel14	18
Hypromellose19	97
Hypromellose with Dextran	98
Hysite19	97

-1-

-1-
Ibiamox94
Ibuprofen116
Idarubicin hydrochloride161
Ifosfamide156
lkorel63
lloprost65
Imatinib mesilate165
Imatinib-AFT165
Imiglucerase
Imipramine hydrochloride131
Imiquimod76
Immune Modulators113
Immunosuppressants171
Imuprine
Imuran171
Indapamide60
Indinavir112
Infanrix-hexa238
Infanrix-IPV238
Infant Formulae224
Influenza vaccine238
Influvac238
Inhaled Anticholinergic
Agents 191
Inhaled Corticosteroids189
Inhaled Long-acting
Beta-adrenoceptor
Agonists 189
Inhibace Plus54
Innovacon hCG One Step
Pregnancy Test 82
Inset 3034

Inset II35	
Insulin aspart28	
Insulin aspart with insulin aspart	
protamine28	
Insulin glargine28	
Insulin glulisine28	
Insulin isophane28	
Insulin isophane with insulin	
neutral	
Insulin lispro28	
Insulin lispro with insulin lispro	
protamine28	
Insulin neutral27	
Insulin pen needles31	
Insulin pump32	
Insulin pump accessories32	
Insulin pump infusion set (steel	
cannula)	
Insulin pump infusion set (teflon	
cannula, angle insertion with	
insertion device)	
Insulin pump infusion set (teflon	
cannula, angle insertion)	
Insulin pump infusion set (teflon	
cannula, straight insertion with	
insertion device)	
cannula, straight insertion)	
Insulin pump reservoir	
Insulin syringes, disposable with	
attached needle	
Intal Forte CFC Free	
Intal Spincaps193	
Intelence111	
Interferon alfa-2a113	
Interferon alfa-2b113	
Interferon beta-1-alpha	
Interferon beta-1-beta	
Intra-uterine device	
Intron-A113	
IPOL240	
Ipratropium bromide191, 193	
Iressa165	
Irinotecan158	
Irinotecan Actavis 100158	
Irinotecan Actavis 40158	
Irinotecan-Rex158	
Iron polymaltose42	
Isentress112	
Ismo 2062	
Ismo 40 Retard62	
Isoniazid102	
Isoprenaline63	

Isoptin59
Isopto Carpine197
Isosorbide mononitrate62
Isosource Standard219
Isosource Standard RTH219
Isotretinoin66
Ispaghula (psyllium) husk
Isradipine
Isuprel63
Itch-Soothe68
Itraconazole
Itrazole
Ivermectin
- J -
- J - Jadelle80
Jevity
Jevity HiCal RTH220
Jevity RTH219
- K -
Kaletra112
Kemadrin126
Kenacomb195
Kenacort-A85
Kenacort-A4085
Ketocal 3:1
KetoCal 4:1
Ketoconazole
Dermatological75
Infection
Ketogenic Diet
Ketone blood beta-ketone
electrodes
Ketoprofen
Ketostix
Kindergen214
Kivexa
Klacid
Kliogest
Kliovance
Kogenate FS46
Konakion MM46
Konsyl-D
-L-
L-asparaginase
Labetalol
Lacosamide
Lactulose
Laevolac
Lamictal
Lamivudine104, 111
Lamivudine Alphapharm111
Lamotrigine
Lamourgine

Lamprene	
Lanoxin	
Lanoxin PG	
Lansoprazole	
Lantus	
Lantus SoloStar	
Lanvis	
Lapatinib Ditosylate	
Largactil	140
Lasix	
Latanoprost	
Lax-Sachets	
Lax-Tab	
Laxatives	
Laxofast 120	
Laxofast 50	
Laxsol	
Leflunomide	
Letraccord	
Letrozole	
Leukeran FC	156
Leukotriene Receptor	
Antagonists	192
Leunase	160
Leuprorelin	90
Leustatin	157
Levetiracetam	
Levetiracetam-Rex	136
Levobunolol	196
Levocabastine	
Levodopa with benserazide	125
Levodopa with carbidopa	125
Levomepromazine maleate	
Levonorgestrel	
Genito-Urinary	80–81
Hormone	
Levothyroxine	
Lidocaine [Lignocaine]	
Lidocaine [Lignocaine]	
hydrochloride	127
Lidocaine [Lignocaine] with	
chlorhexidine	127
Lidocaine [Lignocaine] with	
prilocaine	127
Lidocaine-Claris	
Lifestyles Flared	
Lignocaine	
Hormone	
Nervous	
Lioresal Intrathecal	
Lipazil	
Lipid-Modifying Agents	60
Liquiden	211

Lisinopril	.54
Lisuride hydrogen maleate1	
Lithicarb FC1	41
Lithium carbonate1	41
Livostin1	
Locacorten-Viaform ED's1	
Local preparations for Anal and	00
Rectal Disorders	25
Locasol	
Loceryl	67
Locoid	
Locoid Crelo	
Locoid Lipocream	.09
Locorten-Vioform1	95
Lodoxamide trometamol1	
Logem1	
Lomide1	
Lomustine1	
Loniten	
Loperamide hydrochloride	.24
Lopinavir with ritonavir1	12
Lopresor	.57
Loprofin2	
Loprofin Mix2	224
Lorafix1	88
Lorapaed1	88
Loratadine1	88
Lorazepam1	46
Lormetazepam1	48
Losartan potassium	.55
Losartan potassium with	
hydrochlorothiazide	55
Lostaar	.55
Lovir1	05
Loxalate1	
Loxamine1	
Lucrin Depot PDS	
Ludiomil1	
Lumigan1	
Lycinate	62
Lyderm	74
	. / 4
- M - m-Cefuroxime	~~
m-Enalapril	
m-Eslon1	
M-M-R II	
m-Mometasone	.70

Madopar 250125
Madopar 62.5125
Madopar HBS125
Madopar Rapid125
Magnesium hydroxide205
Magnesium sulphate43
Malathion
Malathion with permethrin and
piperonyl butoxide
Maprotiline hydrochloride
Marevan
Marine Blue Lotion SPF 30+76
Marine Blue Lotion SPF 50+
Marquis Black
Marquis Conforma
Marquis Protecta
Marquis Selecta
Marquis Sensolite
Marquis Supalite
Marquis Titillata
MarquisTantiliza78
Martindale Acetylcysteine199
Marvelon 2879
Mask for spacer device194
Mast Cell Stabilisers193
Maxidex196
Maxitrol196
MCT oil (Nutricia)211
Measles, mumps and rubella
vaccine239
Mebendazole92
Mebeverine hydrochloride26
Medrol
Medroxyprogesterone acetate
Genito-Urinary80
Hormone
Mefenamic acid116
Megestrol acetate169
Meloxicam117
Melphalan156
Meningococcal A, C, Y and
W-135 vaccine
Menomune239
Menthol
Mercaptopurine158
Mercilon 28
Mesalazine25
Mesna
Mestinon
Metabolic Disorder Agents
Metamide
Metformin hydrochloride29
Methadone hydrochloride
we had the hydrocillonde

Extemporaneous20	C
Nervous129	9
Methatabs129	9
Methoblastin159	
Methopt197	7
Methotrexate159	
Methotrexate Ebewe159	
Methotrexate Sandoz	ģ
Methyl hydroxybenzoate205	
Methylcellulose	
Methylcellulose with glycerin and	,
sodium saccharin	2
Methylcellulose with glycerin and	J
sucrose	2
Methyldopa	1
Methylphenidate	
hydrochloride 150	)
Methylphenidate hydrochloride	
extended-release15	
Methylprednisolone84	1
Methylprednisolone	
aceponate 69	9
Methylprednisolone acetate84	1
Methylprednisolone acetate with	
lidocaine [Lignocaine]84	4
Methylprednisolone sodium	
succinate85	ō
Methylxanthines193	
<b>M M M M</b>	J
Metoclopramide	J
Metoclopramide hvdrochloride	
hydrochloride 139	
hydrochloride	9
hydrochloride	9
hydrochloride	9 8 0
hydrochloride	9 3 2 1
hydrochloride	9 3 0 1 7
hydrochloride	9 3 0 1 7
hydrochloride	9 3 0 1 7 7
hydrochloride	9 3 0 1 7 7 1
hydrochloride	9 3 7 7 7 1
hydrochloride	9 3 7 7 7 1
hydrochloride	9 801777116
hydrochloride	9 3 3 1 7 7 1 1 5 5
hydrochloride	9 3 3 1 7 7 1 1 3 4
hydrochloride	9 801777116 641
hydrochloride	9 801777116 6419
hydrochloride	9 801777116 6419
hydrochloride	9 3 0 1 7 7 7 1 1 3 6 4 1 9 0
hydrochloride	9 8 0 1 7 7 7 1 1 6 4 1 9 0 3
hydrochloride	9 3 1 7 7 1 1 5 4 1 9 0 3 1
hydrochloride	9 3 1 7 7 1 1 5 4 1 9 0 3 1
hydrochloride	9       3       0       1       7       7       1       1       5       4       1       9       0       3       1       1       1       9       0       3       1       1       0       3       1       1       0       3       1       1       0       3       1       1       0       3       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       0       1       1       1       0       1
hydrochloride	9       8       0       1         7       7       1       1       6         8       0       7       7       1       1         9       8       1       1       9       1       1         9       8       1

Microlut	80
Midazolam	148
Midodrine	
Minerals	
Minidiab	29
Minirin	
Mino-tabs	
Minocycline hydrochloride	
Minomycin	
Minor Skin Infections	
Minoxidil	
Mirena	
Mirtazapine	
Misoprostol	201
Misoprostol Mitomycin C	160
Mitozantrone	160
Mitozantrone Ebewe	102
Mintozaritrone Ebewe	102
Mixtard 30	28
Moclobemide	
Modafinil	
Modavigil	
Modecate	
Moducal	
Moduretic	
Mogine	136
Mometasone furoate	
Monogen	213
Monogen Montelukast	213
Monogen Montelukast Moroctocog alfa [Recombinant	213 192
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII]	213 192 45
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride	213 192 45 129
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate	213 192 45 129 130
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate	213 192 45 129 130
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate	213 192 45 129 130 130
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis	213 192 45 129 130 130 127
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Mouth and Throat	213 192 45 129 130 130 127 40
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Mouth and Throat Moxifloxacin	213 192 45 129 130 130 127 40 97
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Mouth and Throat Moxifloxacin MSUD Maxamaid	213 192 45 129 130 130 127 40 97 224
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Motth and Throat Moxifloxacin MSUD Maxamum MSUD Maxamum	213 192 129 129 130 130 127 40 97 224 224
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Motth and Throat Moxifloxacin MSUD Maxamum MSUD Maxamum	213 192 129 129 130 130 127 40 97 224 224
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Mouth and Throat Moxifloxacin MSUD Maxamaid MSUD Maxamum Mucilaginous laxatives with stimulants	213 192 192 129 130 127 40 97 224 224 38
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Mouth and Throat Moxifloxacin MSUD Maxamaid MSUD Maxamum Mucilaginous laxatives with stimulants Mucolytics	213 192 192 130 130 130 130 97 224 97 224 93
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Mouth and Throat Moxifloxacin MSUD Maxamaid MSUD Maxamum MUCI Maxamum Mucilaginous laxatives with stimulants Mucolytics Multiload Cu 375	213 192 192 130 130 127 40 97 224 224 224 38 193 78
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Mouth and Throat Moxifloxacin MSUD Maxamaid MSUD Maxamum Mucilaginous laxatives with stimulants Mucolytics Multiload Cu 375 Multiload Cu 375 SL	213 192 192 130 130 127 40 97 224 224 224 38 193 78
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motti s Mouth and Throat Mouth and Throat Moutifloxacin MSUD Maxamum MSUD Maxamum MSUD Maxamum MSUD Maxamum MUD Maxamum Mucilaginous laxatives with stimulants Mucilaginous laxatives with stimulants Multiload Cu 375 SL Multiload Cu 375 SL	213 192 192 129 130 130 130 130 130 130 127 
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Moth and Throat Mouth and Throat MSUD Maxamaid MSUD Maxamum MSUD Maxamum Mucilaginous laxatives with stimulants Mucolytics Multiload Cu 375 Multiload Cu 375 SL Multiple Sclerosis Treatments	213 192 192 129 130 130 127 224 224 38 78 78 78 78
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motti and Throat Mouth and Throat Mouth and Throat Moutifloxacin MSUD Maxamum MSUD Maxamum MSUD Maxamum MSUD Maxamum MUCILAGINOUS laxatives with stimulants MucIlaginous laxatives with stimulants MucIlaginous laxatives with stimulants Multiload Cu 375 SL Multiload Cu 375 SL Multiload Cu 375 SL Multiload Cu 375 SL Multivitamins	213 192 45 129 130 130 127 40 224 224 224 224 224 78 78 78 78 78
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motti s Motti and Throat Moxifloxacin MSUD Maxamaid MSUD Maxamaid MSUD Maxamum MUCI Maxamum Mucilaginous laxatives with stimulants Mucolytics Multiload Cu 375 SL Multiload Cu 375 SL Multiple Sclerosis Treatments Multivitamins Mupirocin	213 192 45 129 130 130 130 224 224 224 224 224 
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Mothis Mottis Mouth and Throat Moxifloxacin MSUD Maxamaid MSUD Maxamaid MSUD Maxamum MUCID MAX	213 192 45 129 130 130 130 127 224 224 224 224 38 78 78 78 78 714
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Motetis Motetis Motti and Throat Moxifloxacin MSUD Maxamaid MSUD Maxamaid MSUD Maxamum MUD Maxamum MUCOLYTICS Multiload Cu 375 Multiload Cu 375 Multivitamins Multivitamins Mupirocin Muscle Relaxants Mvite	213 192 129 130 130 127 224 224 224 224 38 78 78 78 78 744 74 74
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Musulphate Musulphate Multiload Cu 375 SL Multiload Cu 375 SL Multivitamins Multivitamins Muscle Relaxants Mvite Myambutol	213 192 129 130 130 127 224 224 224 224 38 78 78 78 78 78 416 67 24 42 67 
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Mouth and Throat Moxifloxacin MSUD Maxamum MSUD Maxamum MSUD Maxamum Mucilaginous laxatives with stimulants Mucolytics Multiload Cu 375 Multiload Cu 375 SL Multiple Sclerosis Treatments Multivitamins Mugpirocin Muscle Relaxants Myambutol Mycobutin	213 192 130 130 130 130 130 97 224 97 224 97 224 97 
Monogen Montelukast Moroctocog alfa [Recombinant factor VIII] Morphine hydrochloride Morphine sulphate Morphine tartrate Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Motetis Musulphate Musulphate Multiload Cu 375 SL Multiload Cu 375 SL Multivitamins Multivitamins Muscle Relaxants Mvite Myambutol	213 192 130 130 130 130 130 130 97 

Mydriacyl	.197
Mylan Atenolol	
Nylan Fentanyl Patch	
Mylanta P	24
Myleran	156
Myocrisin	.118
Myometrial and Vaginal Hormone	
Preparations	81
N	

- N -
Nadolol57
Nalcrom25
Naloxone hydrochloride199
Naltraccord153
Naltrexone hydrochloride153
Naphazoline hydrochloride198
Naphcon Forte198
Naprosyn SR 1000117
Naprosyn SR 750117
Naproxen117
Nardil132
Nasal Preparations193
Natulan162
Nausicalm138
Navelbine163
Navoban139
Nedocromil193
Nefopam hydrochloride128
Neo-Mercazole89
Neocate Advance225
Neocate Gold225
Neocate LCP225
Neoral186
NeoRecormon44
Neostigmine metilsulfate116
Neotigason74
Nepro (strawberry)215
Nepro (vanilla)215
Nepro RTH215
Nerisone69
Neulactil142
Neulastim50
NeuroKare42
Neurontin135
Nevirapine111
Nevirapine Alphapharm111
Nicorandil63
Nicotine154
Nicotinic acid61
Nifedipine58
Nifuran115
Nilstat
Alimentary40

Genito-Urinary
Nitrofurantoin
Nizoral
Nodia
Noflam 250117
Noflam 500117
Non-Steroidal Anti-Inflammatory
Drugs 116
Nonacog alfa [Recombinant
factor IX]
Norethisterone
Genito-Urinary80
Hormone88
Norflex
Norfloxacin115
Noriday 2880 Norimin80
Normacol Plus
Normison149
Norpress131
Nortriptyline hydrochloride
Norvir112
NovaSource Renal215
Novatretin74
NovoFine
NovoMix 30 FlexPen28
NovoRapid28
NovoRapid Penfill28
NovoSeven RT45
Novoseven RT45
Noxafil
Nozinan141
Nuelin
Nuelin-SR
Nutraplus71
Nutrient Modules
Nutrini Energy Multi Fibre214
Nutrini Energy RTH214
Nutrini Low Energy Multi
Fibre
Nutrini RTH214
Nutrison Concentrated222
Nutrison Energy219
Nutrison Energy Multi Fibre220
Nutrison Multi Fibre219

Nutrison Standard RTH219
Nyefax Retard58
Nystatin
Alimentary40
Dermatological68
Genito-Urinary81
Infection99
NZB Low Gluten Bread Mix223
- 0 -
Octocog alfa [Recombinant factor
VIII]
Octreotide (somatostatin
analogue) 169
Octreotide LAR (somatostatin
analogue)
Octreotide MaxRx
Oestradiol
Oestradiol valerate
Oestradiol valerate
norethisterone
Oestriol
Genito-Urinary81
Hormone
Oestrogens
5
Oestrogens with medroxyprogesterone
Cil in water emulsion
Oil in water emulsion71 Olanzapine142, 144
Olanzine
Olanzine-D
Olbetam
Olopatadine
Olsalazine25
Omeprazole
Omezol Relief
Oncaspar
OncoTICE
Ondansetron
One-Alpha41
Onelink
Onkotrone162
Onrex
Ora-Blend206
Ora-Blend SF
Ora-Plus205
Ora-Sweet205
Ora-Sweet SF205
Orabase40
Oracort40
Oral Supplements/Complete Diet
(Nasogastric/Gastrostomy
Tube Feed)212
Oratane66

Orgran223
Ornidazole101
Orphenadrine citrate124
Orphenadrine hydrochloride126
Ortho All-flex
Ortho-tolidine83
Oruvail SR116
Osmolite
Osmolite RTH219
Ospamox
Other Endocrine Agents90
Other Oestrogen
Preparations
Other Progestagen
Other Progestogen Preparations
Other Skin Preparations
Ovestin
Genito-Urinary81
Hormone
Ox-Pam
Oxaliplatin157
Oxaliplatin Actavis 100157
Oxaliplatin Actavis 50157
Oxaliplatin Ebewe157
Oxazepam146
Oxis Turbuhaler189
Oxpentifylline63
Oxybutynin82
Oxycodone hydrochloride130
Oxycodone Orion130
OxyContin130
Oxydone BNM130
OxyNorm130
Oxytocin81
Oxytocin BNM81
Ozole
- P -
Pacifen124
Pacific Buspirone146
Paclitaxel
Paclitaxel Actavis
Paclitaxel Ebewe162
Paediatric Seravit41
Pamidronate BNM
Pamidronate disodium
Pamisol
Panadol
Pancreatic enzyme
Pantoprazole
Pantoprazole Actavis 2027
Pantoprazole Actavis 2027 Pantoprazole Actavis 40
Panzytrat
Papaverine hydrochloride63
i upuvonno nyuroonionuo00

Para Plus74
Para-amino salicylic acid102
Paracare128
Paracare Double Strength128
Paracetamol128
Paracetamol + Codeine
(Relieve)
Paracetamol with codeine
Paradigm 1.8 Reservoir
Paradigm 3.0 Reservoir
Paradigm 522
Paradigm 722
Paradigm Mio MMT-92135
Paradigm Mio MMT-92335
Paradigm Mio MMT-92535
Paradigm Mio MMT-94135
Paradigm Mio MMT-94335
Paradigm Mio MMT-94535
Paradigm Mio MMT-96535
Paradigm Mio MMT-97535
Paradigm Quick-Set
MMT-386
Paradigm Quick-Set
MMT-387
Paradigm Quick-Set
MMT-396
Paradigm Quick-Set
MMT-397
Paradigm Quick-Set
MMT-398
Paradigm Quick-Set MMT-399
Paradigm Silhouette
MMT-368
Paradigm Silhouette
MMT-377
Paradigm Silhouette
MMT-378
Paradigm Silhouette MMT-381
MMT-381
Paradigm Silhouette
MMT-382
Paradigm Silhouette
MMT-383 34
Paradigm Silhouette
MMT-384
Paradigm Sure-T MMT-86433
Paradigm Sure-T MMT-86633
Paradigm Sure-T MMT-87433
Paradigm Sure-T MMT-876
Paradigm Sure-T MMT-884
5
Parafast128

Paraffin72 Paraffin liquid with soft white
Paraffin liquid with soft white paraffin
Paraffin liquid with wool fat
liquid 198
Paraldehyde134
Paramax138
Parasiticidal Preparations
Parnate
Paromomycin
Paroxetine hydrochloride
Paser
Patanol
Paxam146
Pazopanib167
Peak flow meter
Pedialyte - Bubblegum51
Pediasure
Pediasure RTH214
Pegaspargase162
Pegasys114
Pegasys RBV Combination
Pack 114
Pegfilgrastim50
Pegylated interferon alfa-2a114
Penicillamine118
PenMix 3028
PenMix 4028
PenMix 5028
Pentasa25
Pentostatin
[Deoxycoformycin]162
Pentoxifylline [Oxpentifylline]64
Pepti Junior Gold Karicare
Aptamil 226
Peptisoothe26
Peptisorb216
Pergolide125
Perhexiline maleate58
Pericyazine142
Perindopril54
Permax125
Permethrin74
Persantin46
Peteha102
Pethidine hydrochloride131
Pevaryl68
Pexsig
Pharmacy Services
Phenelzine sulphate132
Phenobarbitone
Phenobarbitone sodium
Extemporaneous206

Nervous         148           Phenoxybenzamine         hydrochloride         53           Phenoxymethylpenicillin         (Penicillin V)         95           Phenytoin sodium         134, 136           Phlexy 10         224           Phosphate-Sandoz         51           Phytomenadione         46           Pilocarpine         197           Pindolol         57           Pinotax         39           Pinorax         39           Pioglitazone         29           Pipothiazine palmitate         145           Pizaccord         29           Pizotifen         138           PKU Anamix Junior         224           PKU Anamix Junior LQ         224           PKU Anamix Junior LQ         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 20         224           PKU philex LQ 10         224           PKU Lophlex LQ 10         224           Piendii ER         58           pms-Bosentan         64           Pneumococcal (PCV
Phenoxymethylpenicillin         (Penicillin V)       95         Phenytoin sodium       134, 136         Phlexy 10       224         Phosphate-Sandoz       51         Phytomenadione       46         Pilocarpine       197         Pindolol       57         Pinorax       39         Pioglitazone       29         Pipothiazine palmitate       145         Pizaccord       29         Pizotifen       138         PKU Anamix Infant       224         PKU Anamix Junior LQ       224         PKU Anamix Junior LQ       224         PKU Lophlex LQ 10       224         Picotil ER       58         pms-Bosentan       64
Phenoxymethylpenicillin         (Penicillin V)       95         Phenytoin sodium       134, 136         Phlexy 10       224         Phosphate-Sandoz       51         Phytomenadione       46         Pilocarpine       197         Pindolol       57         Pinorax       39         Pioglitazone       29         Pipothiazine palmitate       145         Pizaccord       29         Pizotifen       138         PKU Anamix Infant       224         PKU Anamix Junior LQ       224         PKU Anamix Junior LQ       224         PKU Lophlex LQ 10       224         Picotil ER       58         pms-Bosentan       64
Phenoxymethylpenicillin         (Penicillin V)       95         Phenytoin sodium       134, 136         Phlexy 10       224         Phosphate-Sandoz       51         Phytomenadione       46         Pilocarpine       197         Pindolol       57         Pinorax       39         Pioglitazone       29         Pipothiazine palmitate       145         Pizaccord       29         Pizotifen       138         PKU Anamix Infant       224         PKU Anamix Junior LQ       224         PKU Anamix Junior LQ       224         PKU Lophlex LQ 10       224         Picotil ER       58         pms-Bosentan       64
Phenytoin sodium
Phlexy 10
Phlexy 10
Phosphate-Sandoz         51           Phytomenadione         46           Pilocarpine         197           Pimafucort         70           Pindolol         57           Pinetarsol         75           Pinorax         39           Pinorax Forte         39           Pioglitazone         29           Pipothiazine palmitate         145           Pizaccord         29           Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Apamix Junior LQ         224           PKU Lophlex LQ 10         224           Plaquenil         117           Plendil ER         58           pms-Bosentan         64
Phytomenadione         46           Pilocarpine         197           Pimafucort         70           Pindolol         57           Pinetarsol         75           Pinorax         39           Pinorax Forte         39           Pipottil         145           Pipottil         145           Pizaccord         29           Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 20         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 10         224           Piolexil ER         58           pms-Bosentan         64
Pilocarpine       197         Pimafucort       70         Pindolol       57         Pinetarsol       75         Pinorax       39         Pinorax Forte       39         Pipotil       145         Pipothiazine palmitate       145         Pizaccord       29         Pizotifen       138         PKU Anamix Infant       224         PKU Anamix Junior       224         PKU Anamix Junior LQ       224         PKU Lophlex LQ 10       224         PKU Lophlex LQ 20       224         Plaquenil       117         Plendil ER       58         pms-Bosentan       64
Pimafucort         70           Pindolol         57           Pinetarsol         75           Pinorax         39           Pinorax Forte         39           Pioglitazone         29           Pipothi         145           Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Anamix Junior LQ         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 10         224           PKU Bosentan         117           Plendil ER         58           pms-Bosentan         64
Pindolol
Pinetarsol
Pinorax         39           Pinorax Forte         39           Pioglitazone         29           Piportil         145           Pipothiazine palmitate         145           Pizaccord         29           Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Anamix Junior LQ         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 20         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 10         224           PKU Borneit LQ 10         224           PKU Lophlex LQ 10         224           Pidauenil         117           Plendil ER         58           pms-Bosentan         64
Pinorax Forte
Pioglitazone         29           Piportil         145           Pipothiazine palmitate         145           Pizaccord         29           Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Anamix Junior LQ         224           PKU Anamix Junior LQ         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 20         224           Plaquenil         117           Plendil ER         58           pms-Bosentan         64
Piportil         145           Pipothiazine palmitate         145           Pizaccord         29           Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Anamix Junior LQ         224           PKU Anamix Junior LQ         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 20         224           Plaquenil         117           Plendil ER         58           pms-Bosentan         64
Piportil         145           Pipothiazine palmitate         145           Pizaccord         29           Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Anamix Junior LQ         224           PKU Anamix Junior LQ         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 20         224           Plaquenil         117           Plendil ER         58           pms-Bosentan         64
Pipothiazine palmitate         145           Pizaccord         29           Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Anamix Junior         224           PKU Anamix Junior         224           PKU Anamix Junior LQ         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 20         224           Plaquenil         117           Plendil ER         58           pms-Bosentan         64
Pizaccord
Pizotifen         138           PKU Anamix Infant         224           PKU Anamix Junior         224           PKU Anamix Junior LQ         224           PKU Lophlex LQ 10         224           PKU Lophlex LQ 20         224           PKU Lophlex LQ 20         224           Plaquenil         117           Plendil ER         58           pms-Bosentan         64
PKU Anamix Infant
PKU Anamix Junior
PKU Anamix Junior LQ
PKU Lophlex LQ 10
PKU Lophlex LQ 20224 Plaquenil117 Plendil ER58 pms-Bosentan
Plaquenil
Plendil ER58 pms-Bosentan64
pms-Bosentan64
pms-Bosentan64 Pneumococcal (PCV13)
Pneumococcal (PCV13)
vaccine
Pneumococcal polysaccharide
vaccine
Pneumococcal vaccine
Pneumovax 23239
Podophyllotoxin76
Polaramine188
Poliomyelitis vaccine240
Poloxamer
Poly-Gel198
Poly-Tears198
Poly-Visc198
Polycal209
1 olyour200
Polyvinyl alcohol 198
Polyvinyl alcohol198
Polyvinyl alcohol198 Ponstan116
Polyvinyl alcohol
Polyvinyl alcohol         198           Ponstan         116           Posaconazole         99           Postinor-1         81
Polyvinyl alcohol         198           Ponstan         116           Posaconazole         99           Postinor-1         81           Potassium bicarbonate         51
Polyvinyl alcohol         198           Ponstan         116           Posaconazole         99           Postinor-1         81           Potassium bicarbonate         51           Potassium chloride         50–51
Polyvinyl alcohol       198         Ponstan       116         Posaconazole       99         Postinor-1       81         Potassium bicarbonate       51         Potassium chloride       50–51         Potassium citrate       82
Polyvinyl alcohol       198         Ponstan       116         Posaconazole       99         Postinor-1       81         Potassium bicarbonate       51         Potassium chloride       50–51         Potassium citrate       82         Potassium iodate       42
Polyvinyl alcohol       198         Ponstan       116         Posaconazole       99         Postinor-1       81         Potassium bicarbonate       51         Potassium chloride       50–51         Potassium citrate       82         Potassium iodate       42
Polyvinyl alcohol       198         Ponstan       116         Posaconazole       99         Postinor-1       81         Potassium bicarbonate       51         Potassium chloride       50–51         Potassium citrate       82

Prasugrel46
Prasudrei 46
Pravastatin61
Praziquantel92
Prazosin53
Pred Forte196
Pred Mild196
Prednisolone acetate196
Prednisolone sodium
phosphate
Prednisone85
Pregnancy Tests - hCG Urine82
Premarin
Premia 2.5 Continuous87
Premia 5 Continuous87
Prevenar 13239
Prezista112
Priadel141
Primacin101
Primaquine phosphate101
Primidone
Primolut N88
Probenecid124
Probenecid-AFT124
Procaine penicillin95
Procarbazine hydrochloride
Prochlorperazine
Production perazine
Proctosedyl26
Procyclidine hydrochloride126
Procyclidine hydrochloride126 Procytox156
Procytox156
Procytox
Procytox156 Prodopa59 Progesterone
Procytox         156           Prodopa         59           Progesterone         88           Proglicem         27
Procytox         156           Prodopa         59           Progesterone         88           Proglicem         27           Prograf         187
Procytox         156           Prodopa         59           Progesterone         88           Proglicem         27
Procytox         156           Prodopa         59           Progesterone         88           Proglicem         27           Prograf         187           Progynova         87
Procytox         156           Prodopa         59           Progesterone         88           Proglicem         27           Prograf         187           Progynova         87           Prokinex         138
Procytox
Procytox
Procytox       156         Prodopa       .59         Progesterone       .88         Proglicem       .27         Prograf       .187         Progynova       .87         Prokinex       .138         Promethazine hydrochloride       .188         Promethazine theoclate       .139         Promod       .211
Procytox       156         Prodopa       .59         Progesterone       .88         Proglicem       .27         Prograf       .187         Progynova       .87         Prokinex       .138         Promethazine hydrochloride       .189         Promethazine hydrochloride       .139         Promod       .211         Propatenone hydrochloride       .56
Procytox       156         Prodopa       .59         Progesterone       .88         Proglicem       .27         Prograf       .187         Progynova       .87         Prokinex       .138         Promethazine hydrochloride       .189         Promethazine hydrochloride       .139         Promod       .211         Propatenone hydrochloride       .56
Procytox       156         Prodopa       .59         Progesterone       .88         Proglicem       .27         Prograf       .187         Progynova       .87         Prokinex       .138         Promethazine hydrochloride       .189         Promethazine hydrochloride       .139         Proparetname       .211         Proparenone hydrochloride       .56         Propamidine isethionate       .195
Procytox       156         Prodopa       .59         Progesterone       .88         Proglicem       .27         Prograf       .187         Progynova       .87         Prokinex       .138         Promethazine hydrochloride       .188         Promethazine theoclate       .139         Prond       .211         Propafenone hydrochloride       .56         Proparenolol       .57
Procytox156Prodopa.59Progesterone.88Proglicem.27Prograf.187Progynova.87Prokinex.138Promethazine hydrochloride.188Promethazine theoclate.139Promod.211Proparenone hydrochloride.56Propamidine isethionate.195Propranolol.57Propylene glycol.206
Procytox       156         Prodopa       .59         Progesterone       .88         Proglicem       .27         Prograf       .187         Progynova       .87         Prokinex       .138         Promethazine hydrochloride       .188         Promethazine theoclate       .139         Prond       .211         Propafenone hydrochloride       .56         Proparenolol       .57         Propylene glycol       .206         Propylthiouracil       .89
Procytox       156         Prodopa       .59         Progesterone       .88         Proglicem       .27         Prograf       .187         Progynova       .87         Prokinex       .138         Promethazine hydrochloride       .188         Promethazine theoclate       .139         Promod       .211         Propafenone hydrochloride       .56         Propamidine isethionate       .195         Propranolol       .57         Propylthiouracil       .89         Protamine sulphate       .49
Procytox156Prodopa59Progesterone88Proglicem27Prograf187Progynova87Prokinex138Promethazine hydrochloride188Promethazine theoclate139Promod211Propafenone hydrochloride56Propamidine isethionate195Propanolol57Propylene glycol206Propylthiouracil89Protamine sulphate49Protaphane28
Procytox156Prodopa59Progesterone88Proglicem27Prograf187Progynova87Prokinex138Promethazine hydrochloride188Promethazine theoclate139Promod211Propafenone hydrochloride56Propamidine isethionate195Propanolol57Propylene glycol206Propylthiouracil89Protamine sulphate49Protaphane28
Procytox156Prodopa.59Progesterone.88Proglicem.27Prograf.187Progynova.87Prokinex.138Promethazine hydrochloride.188Promethazine theoclate.139Promod.211Propafenone hydrochloride.56Propamidine isethionate.195Propylene glycol.206Propylthiouracil.89Protamine sulphate.49Protaphane.28
Procytox156Prodopa.59Progesterone.88Proglicem.27Prograf.187Progynova.87Prokinex.138Promethazine hydrochloride.188Promethazine theoclate.139Promod.211Propafenone hydrochloride.56Propamidine isethionate.195Propylene glycol.206Propylthiouracil.89Protaphane.28Protaphane.28Protifar.211
Procytox       156         Prodopa       59         Progesterone       88         Proglicem       27         Prograf       187         Progynova       87         Prokinex       138         Promethazine hydrochloride       138         Promethazine theoclate       139         Promod       211         Propafenone hydrochloride       56         Propamidine isethionate       195         Propropulene glycol       206         Propylthiouracil       89         Protamine sulphate       49         Protaphane       28         Protifar       211         Protomanide       102
Procytox       156         Prodopa       59         Progesterone       88         Proglicem       27         Prograf       187         Progynova       87         Prokinex       138         Promethazine hydrochloride       138         Promethazine theoclate       139         Promod       211         Propafenone hydrochloride       56         Propamidine isethionate       195         Propropulene glycol       206         Propylthiouracil       89         Protamine sulphate       49         Protaphane       28         Protifar       211         Protonamide       102         Protora       87, 88
Procytox156Prodopa59Progesterone88Proglicem27Prograf187Progynova87Prokinex138Promethazine hydrochloride138Promethazine theoclate139Promod211Propafenone hydrochloride56Propamidine isethionate195Proproanolol57Propylene glycol206Protylthiouracil89Protamine sulphate49Protaphane28Protifar211Protionamide102Provera87, 88PSO228–231
Procytox156Prodopa.59Progesterone.88Proglicem.27Prograf.187Progynova.87Prokinex.138Promethazine hydrochloride.138Promethazine hydrochloride.139Promod.211Propafenone hydrochloride.56Propamidine isethionate.195Proproanolol.57Propylene glycol.206Propythiouracil.89Protaphane.28Protaphane.28Protifar.211Protonamide.02Provera.87, 88PSO
Procytox156Prodopa.59Progesterone.88Proglicem.27Prograf.187Progynova.87Prokinex.138Promethazine hydrochloride.138Promethazine hydrochloride.139Promod.211Propafenone hydrochloride.56Propamidine isethionate.195Proproanolol.57Propylene glycol.206Propythiouracil.89Protaphane.28Protaphane.28Protifar.211Protonamide.02Provera.87, 88PSO
Procytox156Prodopa59Progesterone88Proglicem27Prograf187Progynova87Prokinex138Promethazine hydrochloride138Promethazine theoclate139Promod211Propafenone hydrochloride56Propamidine isethionate195Proproanolol57Propylene glycol206Protylthiouracil89Protamine sulphate49Protaphane28Protifar211Protionamide102Provera87, 88PSO228–231

Pulmicort Turbuhaler	189
Pulmocare	212
Pulmozyme	193
Puri-nethol	158
Pyrazinamide	102
Pyridostigmine bromide	116
PyridoxADE	41
Pyridoxine hydrochloride	41
Pyrimethamine	
Pytazen SR	46
- 0 -	

#### - Q -

Q 300	101
Questran-Lite	61
Quetapel	142
Quetiapine	142
Quick-Set MMT-390	36
Quick-Set MMT-391	36
Quick-Set MMT-392	36
Quick-Set MMT-393	36
Quinapril	54
Quinapril with	
hydrochlorothiazide	54
Quinine sulphate	101

### - R -

RA-Morph Raloxifene hydrochloride Raltegravir potassium Ramipex	120 112 125
Ranbaxy-Cefaclor	
Ranitidine hydrochloride	
Rapamune	186
Reandron 1000	
Recombinant factor IX	
Recombinant factor VIIa	
Recombinant factor VIII	
Rectogesic	
Redipred	
Refresh Night Time	
Renilon 7.5	215
Resonium-A	
Resource Beneprotein	
Resource Diabetic	
Respigen	
Respiratory Devices	194
Respiratory Stimulants	
Retinol palmitate	198
ReTrieve	
Retrovir	111
Revolade	45
Rexacrom	196
Reyataz	112
Ridal	143

			INDEX
Generic	Chemicals	and	Brands

Ridaura s29117
Rifabutin103
Rifadin103
Rifampicin103
Rifinah102
Rilutek126
Riluzole126
Riodine72
Risedronate Sandoz120
Risedronate sodium120
Risperdal143
Risperdal Consta145
Risperdal Quicklet143
Risperidone143, 145
Risperon143
Ritalin150
Ritalin LA151
Ritalin SR150
Ritonavir112
Rituximab183
Rivaroxaban49
Rivotril
Rizamelt138
Rizatriptan138
Roferon-A113
Ropin126
Ropinirole hydrochloride126
Roxane
Alimentary24
Cardiovascular57
Roxithromycin94
Rubifen
Rubifen SR150
Rythmodan55
Rytmonorm56
- 5 -
S-26 Gold Premaro

S-26 Gold Premgro	224
Sabril	137
Salamol	191
Salazopyrin	25
Salazopyrin EN	25
Salbutamol	.190–191
Salbutamol with ipratropium	
bromide	192
Salicylic acid	75
Salmeterol	
Sandomigran	138
Sandostatin LAR	
Scalp Preparations	
Scopoderm TTS	139
Sebizole	75
Sedatives and Hypnotics	148

Selegiline hydrochloride126
Senna
Senokot
SensoCard30
Serenace141
Seretide190
Seretide Accuhaler190
Serevent189
Serevent Accuhaler189
Serophene91
Seroquel142
Sertraline
Sevredol130
Sex Hormones Non
Contraceptive
Shield 49
Shield Blue
Shield XL
Silagra
Sildenafil
Silhouette MMT-371
Silhouette MMT-373
Silver sulphadiazine67
Simethicone24
Simvastatin61
Sindopa125
Sinemet125
Sinemet CR125
Singulair192
Sirolimus186
Siterone85
Slow-Lopresor57
Sodibic
Sodium acid phosphate39
Sodium alginate24
Sodium aurothiomalate118
Sodium bicarbonate
Blood50-51
Extemporaneous206
Sodium calcium edetate
Sodium
carboxymethylcellulose 40
Sodium chloride
Blood51
Respiratory193
Sodium citrate with sodium lauryl
sulphoacetate
Sulprivaceiale
Sodium citro-tartrate
Sodium cromoglycate
Alimentary
Respiratory193
Sensory
Sodium fluoride42

Sodium hyaluronate1	98
Sodium nitroprusside	29
Sodium polystyrene	
sulphonate	52
Sodium tetradecyl sulphate	46
Sodium valproate1	36
Sofradex1	
Soframycin1	
Solian1	
Solifenacin succinate	
Solox	
Solu-Cortef	
Solu-Medrol	
Somatropin	
Sotacor	
Sotalol	
Space Chamber1	
Space Chamber Plus1	
Spacer device1	04 0/
Spacer device autoclavable1	04
Span-K	94 51
Spiractin	
Spiracum1	
Spironolactone	
Spirotone	
Sporanox	
Sprycel1 Staphlex	04
	95
Stavudine [d4T]1	
Stelazine1	
Stemetil1	
Stesolid1	34
Stimulants/ADHD Treatments1	
Ireatments1	49
Stiripentol1	
Stocrin1	
Stomahesive	
Strattera1	
Stromectol	
Suboxone1	
Sucralfate	
Sulfadiazine sodium	
Sulindac1	17
Sulphasalazine	25
Sulphur	
Sumatriptan1	
Sunitinib1	
Sunscreens	
Sunscreens, proprietary	76
Suplena2	
Sure-T MMT-863	
Sure-T MMT-865	
Sure-T MMT-873	33

Sure-T MMT-875	33
Sure-T MMT-883	
Sure-T MMT-885	
Surgam	117
Sustagen Diabetic	
Sustagen Hospital Formula	220
Sustanon Ampoules	85
Sutent	168
Symbicort Turbuhaler 100/6	190
Symbicort Turbuhaler 200/6	190
Symbicort Turbuhaler	
400/12	190
Symmetrel	125
Sympathomimetics	
Synacthen	85
Synacthen Depot	85
Synflorix	240
Synthroid	89
Syntocinon	
Syntometrine	81
Syrup (pharmaceutical grade)	
grade)	206
Systane Unit Dose	198
-T-	
Tacrolimus	187
Tambocor	55
Tambocor CR	55
Tamoxifen citrate	171
Tamsulosin hydrochloride	82
Tamsulosin-Rex	82
Tap water	206
Tar with triethanolamine lauryl	
sulphate and fluorescein	
Tarceva	164
Tasmar	
Taxotere	
Tegretol	134
Tegretol CR	
Telfast	
Temaccord	162
Temazepam	149
Temozolomide	162
Tenofovir disoproxil	
_ fumarate	
Tenoxicam	
Tepadina	
Terazosin	
Terbinafine	
Terbutaline sulphate	
Teriparatide	
Testosterone Testosterone cypionate	
Testosterone esters	
100100101010 001010	00

Testosterone undecanoate
Tetrabenazine127
Tetrabromophenol83
Tetracosactrin
Tetracuslin Wolff 05
Tetracyclin Wolff
Tetracycline95
Teva159
Thalidomide163
Thalomid163
Theophylline193
Thiamine hydrochloride41
THIO-TEPÁ157
Thioguanine159
Thiotepa157
Thymol glycerin40
Thyroid and Antithyroid
America and Antitriyroid
Agents
Tiaprofenic acid117
Ticagrelor47
Tilade
Tilcotil117
Timolol maleate
Cardiovascular58
Sensory196
Timoptol XE
Tiotropium bromide
TMP
Tobramycin
Infection98
Sensory195
Tobrex195
Tofranil131
Tolcapone126
Tolterodine83
Tolvon131
Topamax137
Topical Products for Joint and
Museular Dain
Muscular Pain 117
Topiramate137
Total parenteral nutrition
(TPN)51
TPN51
Tracleer64
Tramadol hydrochloride131
Tramal SR 100131
Tramal SR 150131
Tramal SR 200131
Trandate
Trandolapril
Tranexamic acid46
Tranylcypromine sulphate132
Trastuzumab185
Travatan197

Travoprost197
Treatments for Dementia152
Treatments for Substance
Dependence 152
Trental 40064
Tretinoin
Dermatological66
Oncology163
Trexate
Triamcinolone acetonide
Alimentary40
Dermatological70
Hormone85
Triamcinolone acetonide with
gramicidin, neomycin and nystatin
Dermatological70
Sensory195
Triazolam149
Trichozole101
Triclosan70
Trifluoperazine
hydrochloride 144
Trimeprazine tartrate189
Trimethoprim98
Trisequens87
Trisul96
Trophic Hormones89
Tropicamide197
Tropisetron139
Trusopt196
Truvada111
Two Cal HN222
Two Cal HN RTH222
Tykerb166
- U -
Ultraproct25
Univent191, 193
Ural83
Urea71

v	
Ultraproct	25
Univent	191, 193
Ural	
Urea	71
Urex Forte	
Urinary Agents	
Urinary Tract Infections	115
Uromitexan	161
Ursodeoxycholic acid	
Ursosan	
Utrogestan	

### - V -

Vaccinations	238
Valaciclovir	105
Valcyte	106
Valganciclovir	106
Vallergan Forte	189

Valtrex105
Vancomycin hydrochloride98
Vannair190
Varenicline tartrate154
Various199
Vasodilators63
Vasopressin Agonists90
Velcade159
Venlafaxine133
Ventavis65
Ventolin190, 191
Vepesid161
Veracol
Verapamil hydrochloride
Vergo 16138
Vermox
Verpamil SR59
Vesanoid163
Vesicare
Vfend
Viaderm KC70
Victrelis108
Videx EC111
Vigabatrin
Vimpat135
Vinblastine sulphate
Vincristine sulphate
Vinorelbine
Vinorelbine Ebewe
Viramune Suspension111
Viread107
Vistil
Visui IIII Vistil Forte IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
Vita-POS198
Vitabdeck
Vitadol C41
Vital HN216
Vitamin A with vitamins D and
C
Vitamin B complex41
Vitamins41–42
Vivonex Pediatric
Vivonex TEN
Volibris64
Voltaren116
Voltaren D116 Voltaren Ophtha196
voltaren Upntha
Volumatic
Volumatic
Volumatic
Volumatic

- W -	
Warfarin sodium	49
Wart Preparations	
Wasp venom allergy	
treatment	188
Water	
Blood	
Extemporaneous	
Wool fat with mineral oil	71
- X -	
Xanax	146
	140
Xarelto	
	49
Xarelto Xeloda XMET Maxamum	49 157 223
XareltoXelodaXelodaXET MaxamumXP MaxamaidXP Maxamaid	49 157 223 224
XareltoXelodaXelodaXelodaXMET MaxamumXP MaxamaidXP Maxamum	49 157 223 224 224
XareltoXelodaXelodaXelodaXMET MaxamumXP MaxamaidXP MaxamumXylocaineX	49 157 223 224 224 224 127
XareltoXelodaXelodaXelodaXMET MaxamumXP MaxamaidXP Maxamum	49 157 223 224 224 224 127 127

_	7	_
	~	-

Zantac26	;
Zapril53	;
Zarator61	
Zarontin134	ŀ
Zaroxolyn60	)
Zarzio49	)
Zavedos161	
Zeffix104	ŀ
Zeldox144	
Zerit111	
Zetlam104	ŀ
Zetop188	
Ziagen111	
Zidovudine [AZT]111	
Zidovudine [AZT] with	
lamivudine112	)
Zinc and castor oil71	
Zinc sulphate43	3

Zincaps	43
Zinnat	
Ziprasidone	144
Zithromax	93
Zoladex	
Zoledronic acid	
Zopiclone	149
Zostrix	
Zostrix HP	128
Zovirax	
Zuclopenthixol decanoate	
Zuclopenthixol	
hydrochloride	144
Zyban	153
Zypine	142
Zypine ODT	
Zyprexa	142
Zyprexa Relprevv	144
Zyprexa Zydis	142
•• •	