# Index 240

## Introducing PHARMAC 2

# May 2014 Volume 21 Number 1

#### Editors: Kaye Wilson,

Donna Jennings & Sarah Le Leu email: schedule@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

#### Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

## Production

Typeset automatically from XML and T<sub>E</sub>X. XML version of the Schedule available from www.pharmac.govt.nz/schedule/archive/

## Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section /	4
-----------	---

# Section B

General Rules 10

- Alimentary Tract & Metabolism 24 Blood & Blood Forming Organs 44
  - Cardiovascular System 52
    - Dermatologicals 65
  - Genito Urinary System 77
  - Hormone Preparations Systemic 83
  - Infections Agents For Systemic Use 91
    - Musculoskeletal System 115
      - Nervous System 124
- Oncology Agents & Immunosuppressants 155
  - Respiratory System & Allergies 187
    - Sensory Organs 194

Various 198

Section C Extemporaneous Compounds (ECPs) 199

# Section D Special Foods 206 Section E Practitioner's Supply Orders 227 Rural Areas 231

Section F

Dispensing Period Exemptions 232

Safety Cap Medicines 234

# Section G

Section I National Immunisation Schedule 237

# Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. The functions of PHARMAC are to perform, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals within their hospitals, as applicable, and in accordance with its statement of intent and any directions given by the Minister (Section 103 of the Crown Entities Act).

## Members of the PHARMAC Board

Stuart McLauchlanKura DennessDavid KerrJens MuellerJan White

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

The following attend PHARMAC's Board meetings as observers

- Murray Georgel, CE MidCentral DHB
- Kate Russell, Chair Consumer Advisory Committee
- Sisira Jayathissa, Chair Pharmacology and Therapeutics Advisory Committee (PTAC)

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eligibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- c) to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act;
- d) to promote the responsible use of pharmaceuticals;
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- · Determining eligibility and criteria for the provision of subsidies; and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

## **Decision Criteria**

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule;
- the direct cost to health service users;

- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

## PHARMAC's clinical advisors

## Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

## PTAC members are:

Sisira Jayathissa	MMBS, MMedSc (Clin Epi), MD, FRCP (Lon, Edin), FRACP, FAFPHM, FNZCPHM, Dip Clin Epi, Dip OHP, DipHSM, MBS, Chair
Maliana Capland	
Melissa Copland	PhD, BPharm(Hons), RegPharmNZ, FNZCP
Stuart Dalziel	MBChB, PhD, FRACP
Ian Hosford	MBChB, FRANZCP, psychiatrist
George Laking	PhD, MD, FRACP
Graham Mills	MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician
Marius Rademaker	BM (Soton), FRCP (Edn), FRACP DM
Jane Thomas	MBChB, FANZGL
Mark Weatherall	BA, MBChB, MApplStats, FRACP
Sean Hanna	MB ChB, FRNZCGP, FRACGP, PGDipGP, PGCertClinEd

Contact PTAC C/- PTAC Secretary, Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON, Email: PTAC@pharmac.govt.nz

## PHARMAC's consumer advisors

## **Consumer Advisory Committee (CAC)**

The Consumer Advisory Committee is an advisory committee to the PHARMAC Board. It provides written reports to the Board, and its Chair attends Board meetings as an observer to report on the activities and findings of the Committee, and to comment on consumer issues. While accountable to the Board, the Committee's general working relationship is with the staff of PHARMAC. The Committee is made up of people from a range of backgrounds and interests including the health of Māori people, Pacific

The Committee is made up of people from a range of backgrounds and interests including the health of Maori people, Pacific peoples, older people, women and mental health.

For current membership of the Consumer Advisory Committee, visit our website. The Consumer Advisory Committee can be contacted by email: CAC@pharmac.govt.nz, or you can write to the Consumer Advisory Committee at PHARMAC's postal address.

# Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply; and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

# Finding Information in the Pharmaceutical Schedule

## **Community Pharmaceuticals**

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
  that will be subsidised when extemporaneously compounded.
- Section D lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section G lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.
- Section I lists the National Immunisation Schedule.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical.

The index located at the back of the book in which Sections A-G and I of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

# **Hospital Pharmaceuticals**

Section H lists Pharmaceuticals that can be used in DHB Hospitals, and is split into the following parts:

- Part I lists the rules in relation to use of Pharmaceuticals by DHB Hospitals.
- Part II lists Hospital Pharmaceuticals that are funded for use in DHB Hospitals. These are classified based on the Anatomical Therapeutic Chemical (ATC) system used for Community Pharmaceuticals. It also provides information on any national contracts that exist, and an indication of which products have Hospital Supply Status (HSS).
- Part III lists Optional Pharmaceuticals for which national contracts exist, and DHB Hospitals may choose to fund. These
  are listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
  applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance Limit
  (DV Limit).

The index located at the back of the Section H can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.


The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classificationlevel.

Community Pharmaceuticals are listed in a separate publication with Sections A to I (excluding Section H).

# **Explaining drug entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

#### Example



# Glossary

## Units of Measure

gramg	microgrammcg	millimolemmol
kilogramkg	milligrammg	unitu
international unitiu	millilitreml	

## Abbreviations

Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA	-	
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		

## BSO Bulk Supply Order.

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

- CE Compounded Extemporaneously.
- CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.
- ECP Extemporaneously Compounded Preparation.
- HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.
- OP Original Pack subsidy is rounded up to a multiple at whole packs.
- PSO Practitioner's Supply Order.

## Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- ▲ Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- <sup>‡</sup> Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a
  manufacturer's surcharge.
- S29 This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
  - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions					
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements				
[HP3]	Subsidised when dispensed from pharmacies that have a Special Foods Service appended to their Phar- macy Services Agreement by their DHB.	Available from selected pharmacies that have an ex- clusive contract to dispense Special Foods.				
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.				

# Patient costs

## Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 mcg per dose	3.80	<ul> <li>Fully subsidised brand</li> </ul>
	(6.00)	Higher priced brand

## **Pharmaceutical Co-Payments**

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee. PRESCRIPTION CHARGE

From 1 January 2013, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$5 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$5 co-payments.

Prescriptions from the following providers are approved for \$5 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, ophthalmologists and orthopaedics) who write a prescription for a patient receiving a
  publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
  practice provided the person is eligible for publicly funded health and disability services and the general practice is part of
  a PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

## MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surcharge to patient = (price - subsidy)  $\times 1.86$ 

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surcharge of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

## Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the relevant DHB hospital Funder from its own budget. Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) are funded through the Combined Pharmaceutical Budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

## PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

## **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

#### Subsidy

Once approved, the presciber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

## Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

## **Special Authority Applications**

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

#### Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- · Include the practitioner's name, address and registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

# Named Patient Pharmaceutical Assessment policy

The Named Patient Pharmaceutical Assessment (NPPA) Policy is PHARMAC's process for considering applications about named patients seeking funding for treatments not listed on the Schedule, either at all or for the named patient's clinical circumstances. For PHARMAC to perform its legislative function of maintaining and managing a Schedule that applies consistently throughout New Zealand, the NPPA Policy will, and must, operate in a way that does not undermine the Schedule decision making process. Together, the Schedule process and the NPPA Policy, ensure there is a pathway for consideration of an individual's clinical circumstances. If an individual has a set of clinical circumstances not covered by the NPPA Policy, the Schedule decision making process is available.

It is not the purpose of the NPPA Policy to provide access to every treatment not listed on the Schedule.

There are two main pathways by which named patients can be considered for funding under the NPPA Policy. PHARMAC will exercise its discretion to determine the most appropriate pathway for an application under the NPPA Policy based on the information that is provided.

Information concerning NPPA in hospital use can be forund at http://www.pharmac.health.nz/tools-resources/forms/named-patientpharmaceutical-assessment-nppa-forms.

PHARMAC will assess applications that meet the prerequisites described below according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions. For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 66 00 50 option 3.

## **Unusual Clinical Circumstance (UCC)**

The purpose of the Unusual Clinical Circumstances (UCC) pathway is to provide a process for consideration for funding for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule. The prerequisite requirements for UCC consideration are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that are so unusual that PHARMAC is unlikely to consider listing treatments for these on the Schedule; and
- Generally, PHARMAC has not already considered/is not considering, through the Schedule decision making process, the treatment for the patient's clinical circumstances, or has not considered the treatment at all.

## Urgent Assessment (UA)

The purpose of the Urgent Assessment (UA) pathway is to provide a process for PHARMAC to consider funding treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing. The prerequisite requirements for UA are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that may be experienced by a population group (either currently or over time); and
- The patient has serious clinical circumstances and not receiving the treatment within six to 12 months would lead to either a
  significant deterioration in a serious clinical condition or the patient would miss the opportunity for significant improvement
  in clinical outcome (length or quality of life); and
- The treatment has either not been prioritised by PHARMAC, or if it has, PHARMAC has funded the treatment under the NPPA Policy for the same clinical circumstances prior to prioritisation.
- PHARMAC has not declined to list, on the Schedule, this treatment for these clinical circumstances.

## INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 May 2014 and is to be referred to as the Pharmaceutical Schedule Volume 21 Number 1, 2014. Distribution will be from 20 May 2014. This Schedule comes into force on 1 May 2014.

## PART I INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

**"90 Day Lot"**, means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"**180 Day Lot**", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

- a) have limited physical mobility;
- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.
- "Act", means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.

"Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975. "Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber", means a nurse who is a Designated Prescriber—Registered Nurses Practising in Diabetes Health as determined by the Nursing Council of New Zealand to practice in diabetes health and has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
  - endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
  - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
  - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/healthpros/EC/ECForms)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a

national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Precriber", means a nurse registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003 and who is approved by the Nursing Council to prescribe specified prescription medicines relating to his/her scope of practice including, for the avoidance of doubt, a Diabetes Nurse Prescriber.

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered as an optometrist with the Optometrists and Dispensing Opticians Board, who holds a current annual practising certificate under the HPCA Act 2003, and who is approved by the Optometrists and Dispensing Opticians Board (in accordance with the Medicines (Designated Prescriber: Optometrists) Regulations 2005) to prescribe specified prescription medicines relating to his/her scope of practice.

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in

Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

a) a person; and

b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

"Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
  - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
  - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol", or
  - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
  - ii) the consultation to relate to the Patient for whom the Prescription is written;
  - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
  - iv) except in emergencies consultation to precede annotation of the Prescription; and
  - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of competency; or
- d) the doctor writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to

do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

## PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
  - 2.1.1 clauses 2.2 of the Schedule; and
  - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

## PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Prescribers', Optometrists and Pharmacist Prescribers'

#### Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity suffcient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
  - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
  - b) i) sufficient to provide treatment for a period not exceeding 10 days; and
    - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - c) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - b) both:
        - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
        - 2) every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
  - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or

- c) is under the Dispensing Frequency Rule,
- The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

### 3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
  - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
  - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
  - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
  - b) an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
  - c) any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

#### 3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber

is permitted under regulations to prescribe; or

- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

## 3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) special foods, as listed in Section D; or
  - b) any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian, providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.
- 3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

#### 3.6 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.6.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
  - b) any other Community Pharmaceutical listed below: aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir, ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,
- 3.6.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

#### 3.7 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum; and
- b) written on a Quitcard.

## PART IV DISPENSING FREQUENCY RULE

The Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency rule defines patient groups or medicines eligible for more frequent dispensing periods; and the conditions that must be met to enable any claim for payment of handling fees for the additional dispensings made.

"Frequent Dispensing" means:

- for a Community Pharmaceutical referred to in Section F Part I, dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- for any other Community Pharmaceutical, where any of 4.1, 4.2 or 4.3 of Part IV apply, dispensing in quantities less than a Monthly Lot

NOTE patients who have had more frequent dispensings due to being "intellectually impaired, frail, infirm or unable to manage their medicines" will continue to receive the same frequency of dispensings until they are assessed to see if they are eligible for additional support under the Long-Term Condition (LTC) service. The structure of the remainder fee payment provides funding for pharmacy to continue to provide more frequent dispensings for patients until they are assessed.

4.1 Frequent Dispensings for persons in residential care

- 4.1.1 Pharmaceuticals can be dispensed in quantities of not less than 28 days to:
  - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
  - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than 28 days' supply (except under conditions outlined in 4.2.2 below); and
- b) the prescribing Practitioner or dispensing pharmacist has
  - i) included the name of the patient's residential placement or facility on the Prescription; and
  - ii) included the patient's NHI number on the Prescription; and
  - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.1.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.2.2 below.

## 4.2 Frequent Dispensings for trial periods or safety medicines

- 4.2.1 If a Pharmacist considers more frequent dispensing is required, this can occur as follows:
  - For Long Term Condition (LTC) patients dispensing frequency can occur as often as the dispensing
    pharmacist deems appropriate to meet the patients compliance and adherence needs;
  - For non-LTC patients the dispensing frequency should be no more often than monthly. If Frequent
    Dispensing more often than monthly is necessary for non-LTC patients, prescriber approval is required.
    Verbal approval is acceptable, provided that it is annotated by the pharmacist on the Prescription and
    dated.

NOTE this rule does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement, Pharmaceutical Schedule or under rule 4.2.2 Trial Periods or rule 4.2.3 safety and co-prescribed medicines below.

Pharmacy would claim handling fees only on repeats under the above scenarios.

Prescribers can request, and pharmacists may dispense a higher frequency of dispensing in the following circumstances:

4.2.2 Trial Periods

The Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only);

and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or
   "Trial"; and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

- 4.2.3 Safety and co-prescribed medicines
  - a) The Community Pharmaceutical is any of the following:
    - i) a tri-cyclic antidepressant; or
    - ii) an antipsychotic; or
    - iii) a benzodiazepine; or
    - iv) a Class B Controlled Drug; or
    - v) codeine (includes combination products)
    - vi) buprenorphine with naloxone
    - All of the following conditions must be met:
    - The Community Pharmaceutical has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.1 on the previous page.
    - ii) The prescribing Practitioner has:
      - Assessed clinical risk and determined the patient requires Frequent Dispensing; and
      - Specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

- b) The Community Pharmaceutical is co-prescribed with one of the Community Pharmaceuticals listed in 4.2.3(a) above and has been prescribed for a patient who is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.1 on page 18. The dispensing pharmacist has:
  - Assessed clinical risk and determined the patient requires Frequent Dispensing;
  - Annotated the Prescription with the amended dispensing quantity and frequency.
- 4.3 Frequent Dispensing for Pharmaceutical Supply Management
  - 4.3.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
    - PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
    - b) the dispensing pharmacist has:
      - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
      - ii) initialled the annotation in their own handwriting; and
      - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

## PART V MISCELLANEOUS PROVISIONS

## 5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

## 5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
  - a) the RFPP provider name is written on the Practitioner's Supply Order; and
  - b) the total quantity ordered does not exceed a multiple of:
    - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxycillin grans for oral liq 250 mg per 5 ml, amoxycillin cap 250 mg and amoxycillin cap 500 mg; or
    - two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
  - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxycillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

## 5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

## 5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

## 5.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

## 5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
  - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - c) is being used and funded as part of a paediatric oncology service; or
  - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.2;
  - c) clauses 3.1 to 3.4; and
  - d) clause 5.4,
  - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

## 5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and

c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

## 5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

a) there is a clinical reason why substitution should not occur; or

b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

#### 5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

## 5.8 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

# SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy		Fully	Brand or
	(Manufacturer's Price \$	e) Per	Subsidised	
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
ALGINIC ACID				
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	V	Gaviscon Infant
SIMETHICONE <ul> <li>Oral lig aluminium hydroxide 200 mg with magnesium hydrox-</li> </ul>				
ide 200 mg and activated simethicone 20 mg per 5 ml		500 ml		Mylanta P
SODIUM ALGINATE				
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour		60		Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml		Acidex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE				
* Tab 600 mg CALCIUM CARBONATE	12.56	100	V	Alu-Tab
Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement Only when prescribed for children under 12 years of age endorsed accordingly.		500 ml sphate I	-	Roxane gent and the prescription
Antidiarrhoeals				
Agents Which Reduce Motility				
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a	N PSO			
* Tab 2 mg * Cap 2 mg		400 400	-	Nodia Diamide Relief
Rectal and Colonic Anti-inflammatories		100	·	
BUDESONIDE				
Cap 3 mg – Special Authority see SA1155 below – Retail pharmacy		90	~	Entocort CIR
SA1155 Special Authority for Subsidy Initial application — (Crohn's disease) from any relevant pract following criteria: Both:	itioner. Approvals v	alid for (	6 months	for applications meeting th
<ol> <li>Mild to moderate ileal, ileocaecal or proximal Crohn's disc</li> <li>Any of the following:</li> </ol>	ease; and			

24

Subsidy	Price) Sub	Fully	Brand or
(Manufacturer's		sidised	Generic
\$	Per	V	Manufacturer

continued...

- 2.1 Diabetes; or
- 2.2 Cushingoid habitus; or
- 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation\*.

Note: Indication marked with \* is an Unapproved Indication.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

#### HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)	25.30	21.1 g OP	✓ Colifoam
MESALAZINE			
Tab 400 mg	49.50	100	Asacol
Tab EC 500 mg		100	Asamax
Tab long-acting 500 mg	59.05	100	Pentasa
Modified release granules, 1 g	141.72	120 OP	Pentasa
Enema 1 g per 100 ml	44.12	7	Pentasa
Suppos 500 mg	22.80	20	Asacol
Suppos 1 g	54.60	30	Pentasa
OLSALAZINE			
Tab 500 mg		100	Dipentum
Cap 250 mg		100	<ul> <li>Dipentum</li> </ul>
SODIUM CROMOGLYCATE			-
Cap 100 mg	89.21	100	Nalcrom
			• • • • • • • • • • • • • • • • • • • •
SULPHASALAZINE			
* Tab 500 mg – For sulphasalazine oral liquid formulation refer,			
page 200	11.68	100	Salazopyrin
* Tab EC 500 mg	12.89	100	Salazopyrin

## Local preparations for Anal and Rectal Disorders

## **Antihaemorrhoidal Preparations**

# FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cin- chocaine hydrochloride 5 mg per g	. 6.35	30 g OP	<ul> <li>Ultraproct</li> </ul>
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and		0	•
cinchocaine hydrochloride 1 mg	.2.66	12	<ul> <li>Ultraproct</li> </ul>

EN

	Subsidy (Manufacturer's Pric \$	ce) Sub Per	Fully Brand or osidised Generic Manufacturer
HYDROCORTISONE WITH CINCHOCAINE Oint 5 mg with cinchocaine hydrochloride 5 mg per g Suppos 5 mg with cinchocaine hydrochloride 5 mg per g		30 g OP 12	<ul> <li>Proctosedyl</li> <li>Proctosedyl</li> </ul>
Management of Anal Fissures			
GLYCERYL TRINITRATE – Special Authority see SA1329 belo		30 g OP	✓ Rectogesic
►SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va chronic anal fissure that has persisted for longer than three wee		newal unles	s notified where the patient has
Antispasmodics and Other Agents Altering Gu	t Motility		
HYOSCINE N-BUTYLBROMIDE * Tab 10 mg * Inj 20 mg, 1 ml – Up to 5 inj available on a PSO MEBEVERINE HYDROCHLORIDE		20 5	<ul> <li>✓ <u>Gastrosoothe</u></li> <li>✓ <u>Buscopan</u></li> </ul>
* Tab 135 mg		90	✓ Colofac
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL * Tab 200 mcg		120	✓ Cytotec
Helicobacter Pylori Eradication			
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement a) Maximum of 14 tab per prescription b) Subsidised only if prescribed for helicobacter pylori er Note: the prescription is considered endorsed if clarithromycin amoxycillin or metronidazole.	adication and prescr		
H2 Antagonists			
CIMETIDINE – Only on a prescription * Tab 200 mg * Tab 400 mg	(7.50)	100 100	Apo-Cimetidine Apo-Cimetidine
RANITIDINE HYDROCHLORIDE – Only on a prescription         * Tab 150 mg         * Tab 300 mg         * Oral liq 150 mg per 10 ml         * Inj 25 mg per ml, 2 ml	6.79 9.34 5.92	250 250 300 ml 5	<ul> <li>✓ <u>Arrow-Ranitidine</u></li> <li>✓ <u>Arrow-Ranitidine</u></li> <li>✓ <u>Peptisoothe</u></li> <li>✓ Zantac</li> </ul>
Proton Pump Inhibitors			
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg	2.00 2.32	28 28	✓ <u>Solox</u> ✓ <u>Solox</u>

26

	Subsidy		Fully Brand or
	(Manufacturer's Pr \$	ice) Su Per	bsidised Generic Manufacturer
OMEPRAZOLE	•		
For omeprazole suspension refer Standard Formulae, page	203		
* Cap 10 mg		90	Omezol Relief
* Cap 20 mg		90	✓ Omezol Relief
* Cap 40 mg	5.57	90	✓ Omezol Relief
<ul> <li>Powder – Only in combination Only in extemporaneously compounded omeprazole sus</li> </ul>		5 g	✓ <u>Midwest</u>
* Inj 40 mg		5	✓ Dr Reddy's
			Omeprazole
PANTOPRAZOLE			
* Tab EC 20 mg	0.75	28	Dr Reddy's Pantoprazole
	2.68	100	<ul> <li>Pantoprazole Actavis 20</li> </ul>
* Tab EC 40 mg	0.99	28	Dr Reddy's Pantoprazole
	3.54	100	<ul> <li>Pantoprazole Actavis 40</li> </ul>
(Dr Reddy's Pantoprazole Tab EC 20 mg to be delisted 1 Augusi (Dr Reddy's Pantoprazole Tab EC 40 mg to be delisted 1 Augusi			
Site Protective Agents			
BISMUTH TRIOXIDE			
Tab 120 mg		112	V De Nol S29
SUCRALFATE			
Tab 1 g		120	Carafate
Diabetes	(48.28)		Caralale
Hyperglycaemic Agents			
DIAZOXIDE – Special Authority see SA1320 below – Retail pha	•		
Cap 25 mg – For diazoxide oral liquid formulation refer, pag		100	
200			✓ Proglicem S29
Cap 100 mg		100	Proglicem S29
⇒SA1320 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals val	id for 12 months w	here used fo	or the treatment of confirmed hyper
plycaemia caused by hyperinsulinism. Renewal from any relevant practitioner. Approvals valid without i priate and the patient is benefiting from treatment.	urther renewal unle	ess notified v	where the treatment remains appro
GLUCAGON HYDROCHLORIDE			
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	32.00	1	<ul> <li>Glucagen Hypokit</li> </ul>

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or sidised Generic ✔ Manufacturer
Insulin - Short-acting Preparations			
NSULIN NEUTRAL ▲ Inj human 100 u per ml	25.26	10 ml OP	<ul> <li>✓ Actrapid</li> <li>✓ Humulin R</li> </ul>
▲ Inj human 100 u per ml, 3 ml	42.66	5	<ul> <li>Actrapid Penfill</li> <li>Humulin R</li> </ul>
Insulin - Intermediate-acting Preparations			
NSULIN ASPART WITH INSULIN ASPART PROTAMINE ▲ Inj 100 iu per ml, 3 ml prefilled pen		5	NovoMix 30 FlexPen
NSULIN ISOPHANE ▲ Inj human 100 u per ml	17.68	10 ml OP	<ul> <li>Humulin NPH</li> <li>Protaphane</li> </ul>
▲ Inj human 100 u per ml, 3 ml	29.86	5	<ul> <li>Humulin NPH</li> <li>Protaphane Penfill</li> </ul>
NSULIN ISOPHANE WITH INSULIN NEUTRAL ▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	<ul> <li>✓ Humulin 30/70</li> <li>✓ Mixtard 30</li> </ul>
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	<ul> <li>Humulin 30/70</li> <li>PenMix 30</li> <li>PenMix 40</li> <li>PenMix 50</li> </ul>
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE ▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, 3 ml		5	✔ Humalog Mix 25
<ul> <li>Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml</li> </ul>	,	5	<ul> <li>Humalog Mix 23</li> <li>Humalog Mix 50</li> </ul>
Insulin - Long-acting Preparations			
NSULIN GLARGINE			
<ul> <li>Inj 100 u per ml, 10 ml</li> <li>Inj 100 u per ml, 3 ml</li> <li>Inj 100 u per ml, 3 ml disposable pen</li> </ul>	94.50	1 5 5	<ul> <li>✓ Lantus</li> <li>✓ Lantus</li> <li>✓ Lantus SoloStar</li> </ul>
Insulin - Rapid Acting Preparations			
NSULIN ASPART ▲ Inj 100 u per ml, 3 ml ▲ Inj 100 u per ml, 10 ml		5 1	<ul> <li>✓ NovoRapid Penfill</li> <li>✓ NovoRapid</li> </ul>
NSULIN GLULISINE     Inj 100 u per ml, 10 ml     Inj 100 u per ml, 3 ml     Inj 100 u per ml, 3 ml disposable pen     Inj 100 u per ml, 3 ml disposable pen	46.07	1 5 5	<ul> <li>✓ Apidra</li> <li>✓ Apidra</li> <li>✓ Apidra SoloStar</li> </ul>
<ul> <li>Inj 100 u per mi, 3 mi usposable pen</li> <li>INSULIN LISPRO</li> <li>▲ Inj 100 u per mi, 10 ml</li> <li>▲ Inj 100 u per mi, 3 ml</li> </ul>		10 ml OP 5	<ul> <li>Humalog</li> <li>Humalog</li> </ul>

28

CARBOSE       9.82       90       ✓ Accarb         Tab 50 mg       15.83       90       ✓ Accarb         Dral Hypoglycaemic Agents       15.83       90       ✓ Accarb         Dral Hypoglycaemic Agents       15.83       90       ✓ Accarb         LIBENCLAMIDE       5.00       100       ✓ Daonil         LICAZIDE       5.00       100       ✓ Apo-Gliclazide         LIPIZIDE       17.60       500       ✓ Apotex         Tab 5 mg       3.00       100       ✓ Minidiab         ETFORMIN HYDROCHLORIDE       12.30       1,000       ✓ Apotex         Tab immediate-release 500 mg       12.10       500       ✓ Apotex         OGUITAZONE       1.50       28       ✓ Pizaccord         Tab 15 mg       1.50       28       ✓ Pizaccord         Tab 30 mg       2.50       28       ✓ Pizaccord         Diabetes Management       2000       2000       ¥ Pizaccord       2000         Cetone Testing       40.00       1       ✓ Freestyle Optium         ETONE BLOOD BETA-KETONE ELECTRODES       40.00       1       ✓ Freestyle Optium         Maximum of 20 strip per prescription       10.00       10.00       ✓ Freestyle Optium		Subsidy (Manufacturer's Pric	e)	Fully Subsidised	
ACARBOSE Tab 50 mg		\$	Per	~	Manufacturer
Tab 50 mg       90       ✓ Accarb         Tab 100 mg       15.83       90       ✓ Accarb         Dral Hypoglycaemic Agents       15.83       90       ✓ Accarb         LIBENCLAMIDE       5.00       100       ✓ Daonil         LICLAZIDE       5.00       100       ✓ Apo-Gliclazide         LIPIZIDE       17.60       500       ✓ Apo-Gliclazide         LIPIZIDE       3.00       100       ✓ Minidiab         ETFORMIN HYDROCHLORIDE       12.30       1,000       ✓ Apotex         Tab immediate-release 500 mg       12.30       1,000       ✓ Apotex         IOGLITAZONE       100       ✓ Apotex       Apotex         IOGLITAZONE       100       ✓ Apotex       Pizaccord         Tab 50 mg       2.50       28       ✓ Pizaccord         Tab 45 mg       3.50       28       ✓ Pizaccord         Diabetes Management       Xetor funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter       40.00       1       ✓ Freestyle Optium         ETONE BLOOD BETA-KETONE ELECTRODES       a) Maximum of 20 strip per prescription       15.50       10 strip OP       ✓ Freestyle	Alpha Glucosidase Inhibitors				
i Tab 100 mg       15.83       90       ✓ Accarb         Dral Hypoglycaemic Agents       15.83       90       ✓ Accarb         LIBENCLAMIDE       5.00       100       ✓ Daonil         LICAZIDE       5.00       100       ✓ Apo-Gliclazide         LIPIZIDE       17.60       500       ✓ Apo-Gliclazide         LIPIZIDE       3.00       100       ✓ Minidiab         ETFORMIN HYDROCHLORIDE       12.30       1,000       ✓ Apotex         Tab immediate-release 500 mg       10.10       500       ✓ Apotex         IOGLITAZONE       100       ✓ Apotex       100       ✓ Apotex         Tab 30 mg       2.50       28       ✓ Pizaccord       1230       12	ACARBOSE				
Dral Hypoglycaemic Agents         LIBENCLAMIDE         ← Tab 5 mg         ← Tab 5 mg         LICLAZIDE         ← Tab 5 mg         ← Tab 5 mg         LIPIZIDE         ← Tab 5 mg         ← Tab 5 mg         LIPIZIDE         ← Tab 5 mg         ← Tab 5 mg         LIPIZIDE         ← Tab 5 mg         ← Tab 5 mg         LIPLATONE         ← Tab 15 mg         ← Tab 28         ♥ Pizaccord         ← Tab 45 mg         ODOL KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO         Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subs	-				
LIBENCLAMIDE Tab 5 mg	ů.	15.83	90	V <u>I</u>	Accarb
Tab 5 mg       5.00       100       ✓ Daonil         LICLAZIDE       17.60       500       ✓ Apo-Gliclazide         LIPIZIDE       17.60       500       ✓ Minidiab         ETFORMIN HYDROCHLORIDE       3.00       100       ✓ Minidiab         ETFORMIN HYDROCHLORIDE       12.30       1,000       ✓ Apotex         Tab immediate-release 500 mg       10.10       500       ✓ Apotex         IOGLITAZONE       10.10       500       ✓ Apotex         IOGLITAZONE       1.50       28       ✓ Pizaccord         Tab 30 mg       2.50       28       ✓ Pizaccord         Tab 45 mg       3.50       28       ✓ Pizaccord         Diabetes Management       Xetone Testing       Vertice opisodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.         Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.         Meter       40.00       1       ✓ Freestyle Optium         ETONE BLOOD BETA-KETONE ELECTRODES       15.50       10 strip OP       ✓ Freestyle Optium Ketone         a) Maximum of 20 strip per prescription       15.50       10 strip OP       ✓ Freestyle	Oral Hypoglycaemic Agents				
LICLAZIDE Tab 80 mg	GLIBENCLAMIDE				
Image: Tab 80 mg       17.60       500       ✓ Apo-Gliclazide         LIPIZIDE       3.00       100       ✓ Minidiab         ETFORMIN HYDROCHLORIDE       3.00       100       ✓ Apotex         Image: Tab immediate-release 500 mg       12.30       1,000       ✓ Apotex         IGLITAZONE       100       ✓ Apotex       Apotex         IOGLITAZONE       1.50       28       ✓ Pizaccord         Itab is mg       2.50       28       ✓ Pizaccord         Itab 45 mg       3.50       28       ✓ Pizaccord         Diabetes Management       3.50       28       ✓ Pizaccord         Diabetes Management       40.00       1       ✓ Freestyle Optium         Ketone Testing       40.00       1       ✓ Freestyle Optium         ETONE BLOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO       Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter         Meter funded for the purposes of blood ketone       40.00       1       ✓ Freestyle Optium         ETONE BLOOD BETA-KETONE ELECTRODES       a) Maximum of 20 strip per prescription       b) Up to 10 strip available on a PSO       Test strip – Not on a BSO       <	* Tab 5 mg	5.00	100	<b>~</b> [	Daonil
LIPIZIDE ■ Tab 5 mg	GLICLAZIDE				
Image: Tab 5 mg       3.00       100       ✓ Minidiab         ETFORMIN HYDROCHLORIDE       12.30       1,000       ✓ Apotex         Image: Tab immediate-release 500 mg       12.30       1,000       ✓ Apotex         IOGLITAZONE       10.10       500       ✓ Apotex         IOGLITAZONE       1.50       28       ✓ Pizaccord         ITab 15 mg       2.50       28       ✓ Pizaccord         ITab 45 mg       3.50       28       ✓ Pizaccord         Diabetes Management       3.50       28       ✓ Pizaccord         Diabetes Management       Xetone Testing       Volume       Yetaccord         LOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO       Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter       40.00       1       ✓ Freestyle Optium         ETONE BLOOD BETA-KETONE ELECTRODES       a) Maximum of 20 strip per prescription       15.50       10 strip OP       ✓ Freestyle Optium         b) Up to 10 strip available on a PSO       15.50       10 strip OP       ✓ Freestyle Optium         CODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription       6.00       50 strip OP       ✓ Accu-Chek	* Tab 80 mg	17.60	500	✓ <u>I</u>	Apo-Gliclazide
ETFORMIN HYDROCHLORIDE            • Tab immediate-release 500 mg         12.30         1,000         ✓ Apotex             • Tab immediate-release 850 mg         10.10         500         ✓ Apotex             • OGLITAZONE             • Tab 30 mg         2.50         28         ✓ Pizaccord             • Tab 45 mg         2.50         28         ✓ Pizaccord             • Tab 45 mg         3.50         28         ✓ Pizaccord             • Diabetes Management             Ketone Testing             LOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO          Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an         at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.         Meter         40.00         1         ✓ Freestyle Optium          ETONE BLOOD BETA-KETONE ELECTRODES         a) Maximum of 20 strip per prescription         b) Up to 10 strip available on a PSO         Test strip – Not on a BSO         _	GLIPIZIDE				
Tab immediate-release 500 mg       12.30       1,000       ✓ Apotex         Tab immediate-release 850 mg       10.10       500       ✓ Apotex         IOGLITAZONE       1.50       28       ✓ Pizaccord         Tab 30 mg       2.50       28       ✓ Pizaccord         Tab 45 mg       3.50       28       ✓ Pizaccord         Diabetes Management       3.50       28       ✓ Pizaccord         Diabetes Management       0000 KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO       Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter         ETONE BLOOD BETA-KETONE ELECTRODES       40.00       1       ✓ Freestyle Optium         ETONE BLOOD BETA-KETONE ELECTRODES       10 strip oP       ✓ Freestyle Optium         CODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription       10 strip OP       ✓ Freestyle Optium         CODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription       6.00       50 strip OP       ✓ Accu-Chek         Ketur-Test       50 strip OP       ✓ Accu-Chek       Ketur-Test	•	3.00	100		Minidiab
<ul> <li>Tab immediate-release 850 mg</li> <li>IOGLITAZONE</li> <li>Tab 15 mg</li> <li>Tab 30 mg</li> <li>2.50</li> <li>28 ✓ Pizaccord</li> <li>Pizaccord</li> <li>Pizaccord</li> <li>Pizaccord</li> <li>Pizaccord</li> <li>Pizaccord</li> </ul> Diabetes Management Ketone Testing LOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter Meter Meter Meter Meter Meter Meter Motion a BSO Collumnation of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip – Not on a BSO CODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription Freestyle Optium Ketone CODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription Freestyle Optium Ketone Collumnation Collumn		10.00			<b>.</b> .
IOGLITAZONE       1.50       28       ✓ Pizaccord         Tab 15 mg       2.50       28       ✓ Pizaccord         Tab 45 mg       3.50       28       ✓ Pizaccord         Diabetes Management         Ketone Testing         LOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO         Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter         ETONE BLOOD BETA-KETONE ELECTRODES       a) Maximum of 20 strip per prescription         b) Up to 10 strip available on a PSO       15.50         Test strip – Not on a BSO       15.50         ODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription         c Test strip – Not on a BSO       6.00       50 strip OP       ✓ Accu-Chek Ketur-Test			'		
Tab 15 mg           1.50               28 <u>Pizaccord</u> Tab 30 mg               2.50               28 <u>Pizaccord</u> Tab 45 mg              3.50              28 <u>Pizaccord</u> Tab 45 mg              3.50              28 <u>Pizaccord</u> Diabetes Management               Xetone Testing                   Pizaccord                 LOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO               Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an             at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.             Meter	·	10.10	500	• •	Apolex
<ul> <li>Tab 30 mg</li></ul>		1 50	28	<b>1</b>	Pizaccord
Tab 45 mg	0				
Ketone Testing         LOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO         Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter         Meter	5		28	<b>/</b>	Pizaccord
LOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a PSO Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter	Diabetes Management				
Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis an at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years. Meter	Ketone Testing				
a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip - Not on a BSO	Meter funded for the purposes of blood ketone diagnostics o at risk of future episodes or patient is on an insulin pump. Or	nly. Patient has had	d one or atient wi	ll be subsid	lised every 5 years.
Test strip - Not on a BSO					
Ketone           ODIUM NITROPRUSSIDE         – Maximum of 50 strip per prescription           • Test strip         – Not on a BSO		15.50 1	0 strin (	)P 🖌 F	Freestyle Optium
Test strip – Not on a BSO			o on p (		
Test strip – Not on a BSO	SODIUM NITROPRUSSIDE – Maximum of 50 strip per prescript	ion			
14.14 Ketostix			0 strip (	OP V	
		14.14		<b>~</b> H	Ketostix

	Subsidy (Manufacturer's Pri \$	ice) Per	Fully Subsidised	Brand or Generic Manufacturer
Blood Glucose Testing				
<ul> <li>LOOD GLUCOSE DIAGNOSTIC TEST METER – Subsidy by er a) Up to 1 pack available on a PSO</li> <li>b) Maximum of 1 pack per prescription</li> <li>c) A diagnostic blood glucose test meter is subsidised for a pa</li> <li>1) is receiving insulin or sulphonylurea therapy; or</li> <li>2) is pregnant with diabetes; or</li> <li>3) is on home TPN at risk of hypoglycaemia or hyperglycaer</li> <li>4) has a genetic or an acquired disorder of glucose homeosta</li> <li>non CareSens meter per patient. No further prescriptions will or the avoidance of doubt patients who have previously received a teter. The prescription must be endorsed accordingly. Pharmacis record of prior dispensing of insulin or sulphonylureas. Meter with 50 lancets, a lancing device and 10 diagnostic test</li> </ul>	tient who: nia; or asis excluding typ be subsidised fo a funded meter, of	r patients ther than	s who alread CareSens,	ly have a CareSens mete are eligible for a CareSer
strips	20.00	1 OP		<u>areSens II</u> areSens N
				areSens N POP
Note: Only 1 meter available per PSO				
LOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test a		)		
<ul> <li>The number of test strips available on a prescription is restrict</li> <li>Prescribed for a patient on insulin or a sulphonylurea and e as endorsed where there exists a record of prior dispensit</li> <li>Prescribed on the same prescription as insulin or a sulpho or</li> <li>Prescribed for a pregnant woman with diabetes and endo</li> <li>Prescribed for a patient on home TPN at risk of hypoglyca</li> <li>Prescribed for a patient with a genetic or an acquired disc and metabolic syndrome and endorsed accordingly.</li> <li>Blood glucose test strips – Note differing brand requirements</li> </ul>	ed to 50 unless: endorsed accordin ng of insulin or su nylurea in which o rsed accordingly; aemia or hypergly	ngly. Phai Iphonylui case the p or caemia a	rea; or prescription and endorse	is deemed to be endorse d accordingly; or
<ol> <li>The number of test strips available on a prescription is restrict</li> <li>Prescribed for a patient on insulin or a sulphonylurea and e as endorsed where there exists a record of prior dispensi</li> <li>Prescribed on the same prescription as insulin or a sulpho or</li> <li>Prescribed for a pregnant woman with diabetes and endo</li> <li>Prescribed for a patient on home TPN at risk of hypoglyca</li> <li>Prescribed for a patient with a genetic or an acquired disc and metabolic syndrome and endorsed accordingly.</li> </ol>	ed to 50 unless: endorsed accordir ng of insulin or su nylurea in which c rsed accordingly; aemia or hypergly rder of glucose h	ngly. Phai Iphonylui case the p or caemia a	rea; or prescription and endorse sis excluding DP ✓ <u>C</u>	is deemed to be endorsed d accordingly; or g type 1 or type 2 diabete areSens
<ol> <li>The number of test strips available on a prescription is restrict</li> <li>Prescribed for a patient on insulin or a sulphonylurea and e as endorsed where there exists a record of prior dispensii</li> <li>Prescribed on the same prescription as insulin or a sulpho or</li> <li>Prescribed for a pregnant woman with diabetes and endo</li> <li>Prescribed for a patient on home TPN at risk of hypoglyca</li> <li>Prescribed for a patient with a genetic or an acquired disc and metabolic syndrome and endorsed accordingly.</li> <li>Blood glucose test strips – Note differing brand requirements</li> </ol>	ed to 50 unless: endorsed accordir ng of insulin or su nylurea in which c rsed accordingly; aemia or hypergly rder of glucose h	ngly. Phai Ilphonylui case the p or caemia a omeosta	rea; or prescription and endorse sis excluding OP <u>C</u> C A	is deemed to be endorse d accordingly; or g type 1 or type 2 diabete

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788 Wellington Email: bgstrips@pharmac.govt.nz

30

	Subsidy (Manufacturer's F \$	<sup>D</sup> rice) Su Per	Fully Brand or bsidised Generic Manufacturer
LOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)			
The number of test strips available on a prescription is res	tricted to 50 unless	:	
1) Prescribed for a patient on insulin or a sulphonylurea a	nd endorsed accord	dingly. Pharma	cists may annotate the prescr
as endorsed where there exists a record of prior dispe	ensing of insulin or s	sulphonylurea	; or
2) Prescribed on the same prescription as insulin or a sul	phonylurea in which	n case the pres	scription is deemed to be endo
or			
3) Prescribed for a pregnant woman with diabetes and e			
4) Prescribed for a patient on home TPN at risk of hypog			
<ol> <li>Prescribed for a patient with a genetic or an acquired and metabolic syndrome and endorsed accordingly.</li> </ol>	disorder of glucose	nomeostasis	excluding type 1 or type 2 dia
	00.00		
Blood glucose test strips		50 test OP	<ul> <li>SensoCard</li> </ul>
nsulin Syringes and Needles			
ubsidy is available for disposable insulin syringes, needles,			
r the supply of insulin or when prescribed for an insulin pati			
notate the prescription as endorsed where there exists a rec	ord of prior dispens	sing of insulin.	
SULIN PEN NEEDLES – Maximum of 100 dev per prescrip			
29 g $ imes$ 12.7 mm		30	B-D Micro-Fine
$31 \text{ g} \times 5 \text{ mm}$	10.50	100	B-D Micro-Fine
- 5 -		100	✓ B-D Micro-Fine
31 g $\times$ 6 mm		100	✓ ABM NovoFine
31 g × 8 mm	(26.00)	30	✓ B-D Micro-Fine
31 g × 8 mm	10.50	100	B-D Micro-Fine
	10.50	100	✓ ABM
$32 \text{ g} \times 4 \text{ mm}$		100	B-D Micro-Fine
lovoFine 31 g $\times$ 6 mm to be delisted 1 June 2014)			
ISULIN SYRINGES, DISPOSABLE WITH ATTACHED NEED	I E – Maximum of	100 dev ner n	rescription
Syringe 0.3 ml with 29 g $\times$ 12.7 mm needle		100 000 poi pi	
	(1.99)		B-D Ultra Fine
	13.00	100	B-D Ultra Fine
Syringe 0.3 ml with 31 g $\times$ 8 mm needle	1.30	10	
	(1.99)		B-D Ultra Fine II
	13.00	100	B-D Ultra Fine II
Syringe 0.5 ml with 29 g $\times$ 12.7 mm needle		10	
	(1.99)		B-D Ultra Fine
	13.00	100	B-D Ultra Fine
		10	B-D Ultra Fine II
Syringe 0.5 ml with 31 g $\times$ 8 mm needle $\hfill \hfill \$			
Syringe 0.5 ml with 31 g $\times$ 8 mm needle $\hfill \hfill \$	(1.99)	100	
	(1.99) 13.00	100	B-D Ultra Fine II
	(1.99) 13.00 13.00	100	
	(1.99) 13.00 13.00 1.30		<ul> <li>✓ B-D Ultra Fine II</li> <li>✓ ABM</li> </ul>
	(1.99) 13.00 13.00 1.30 (1.99)	100 10	B-D Ultra Fine II     ABM     B-D Ultra Fine
Syringe 1 ml with 29 g $\times$ 12.7 mm needle	(1.99) 13.00 13.00 1.30 (1.99) 13.00	100 10 100	B-D Ultra Fine II     ABM     B-D Ultra Fine     B-D Ultra Fine     B-D Ultra Fine
Syringe 1 ml with 29 g $\times$ 12.7 mm needle	(1.99) 13.00 13.00 1.30 (1.99) 13.00	100 10	B-D Ultra Fine II     ABM     B-D Ultra Fine
Syringe 1 ml with 29 g $\times$ 12.7 mm needle	(1.99) 13.00 13.00 1.30 (1.99) 13.00 13.00	100 10 100 100	B-D Ultra Fine II     ABM     B-D Ultra Fine     B-D Ultra Fine     B-D Ultra Fine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
Insulin Pumps				
INSULIN PUMP – Special Authority see SA1237 below – Retail ( a) Maximum of 1 dev per prescription b) Only on a prescription c) Maximum of 1 insulin pump per patient each four year perior Min basal rate 0.025 U/h; black colour Min basal rate 0.025 U/h; blue colour	od. 4,500.00 4,500.00	1	~	Animas Vibe Animas Vibe
Min basal rate 0.025 U/h; green colour Min basal rate 0.025 U/h; pink colour Min basal rate 0.025 U/h; silver colour	4,500.00	1 1 1	~	Animas Vibe Animas Vibe Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	<b>~</b> I	Paradigm 522 Paradigm 722
Min basal rate 0.05 U/h; clear colour		1	<b>~</b>	Paradigm 522 Paradigm 722 Paradigm 500
Min basal rate 0.05 U/h; pink colour		1	<b>~</b> I	Paradigm 522 Paradigm 722 Paradigm 522
Min basal rate 0.05 U/h; purple colour		1	<b>~</b>	Paradigm 722 Paradigm 722 Paradigm 522
WIII DASALTALE 0.05 0/1, SHIOKE COIDUL	4,400.00	I		Paradigm 722

## SA1237 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 974 7806
PO Box 10 254	Email: ipp@pharmac.govt.nz
Wellington	

## **Insulin Pump Consumables**

## ➡SA1240 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator	Phone: (04) 460 4990			
PHARMAC	Facsimile: (04) 974 7806			
PO Box 10 254	Email: ipp@pharmac.govt.nz			
Wellington				
INSULIN PUMP ACCESS	SORIES - Special Authority see SA1240	) above – Retail pl	harmacy	
a) Maximum of 1 cap	per prescription			
b) Only on a prescrip	tion			
c) Maximum of 1 pres	scription per 180 days.			
Battery cap			1	🖌 Animas Battery Cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
<ul> <li>INSULIN PUMP INFUSION SET (STEEL CANNULA) – Special a) Maximum of 3 sets per prescription</li> </ul>	Authority see SA1240	) on the	e previous	page – Retail pharm	nacy
b) Only on a prescription					
c) Maximum of 13 infusion sets will be funded per year.					
10 mm steel needle; 29 G; manual insertion; 60 cm tubing $\times$					
10 with 10 needles		1 OP	🖌 P	aradigm Sure-T MMT-884	
10 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$					
10 with 10 needles; luer lock	130.00	1 OP	🗸 S	ure-T MMT-883	
10 mm steel needle; 29 G; manual insertion; 80 cm tubing $ imes$					
10 with 10 needles	130.00	1 OP	✔ P	aradigm Sure-T MMT-886	
10 mm steel needle; 29 G; manual insertion; 80 cm tubing $ imes$					
10 with 10 needles; luer lock	130.00	1 OP	🗸 S	ure-T MMT-885	
6 mm steel cannula; straight insertion; 60 cm grey line $\times$ 10					
with 10 needles		1 OP	V C	ontact-D	
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$					
10 with 10 needles		1 OP	V P	aradigm Sure-T	
		1 01	• •	MMT-864	
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$					
10 with 10 needles; luer lock		1 OP	./ 9	ure-T MMT-863	
		I UF	• 3		
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		4 00			
10 with 10 needles		1 OP	V P	aradigm Sure-T	
				MMT-866	
6 mm steel needle; 29 G; manual insertion; 80 cm tubing $ imes$					
10 with 10 needles; luer lock		1 OP	V S	ure-T MMT-865	
8 mm steel cannula; straight insertion; 110 cm grey line $ imes$ 10					
with 10 needles	130.00	1 OP	V C	ontact-D	
8 mm steel cannula; straight insertion; 60 cm grey line $\times$ 10					
with 10 needles	130.00	1 OP	V C	ontact-D	
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$					
10 with 10 needles		1 OP	🖌 P.	aradigm Sure-T	
				MMT-874	
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$					
10 with 10 needles; luer lock		1 OP	V S	ure-T MMT-873	
8 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$		. 01	•••		
10 with 10 needles		1 OP	<b>/</b> D	aradigm Sure-T	
			▼ F	MMT-876	
9 mm staal noodles 20 Cs manual incertions 20 are tables				WIWI 1-07 0	
8 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles; luer lock		1 OP		ure-T MMT-875	
			<b>v</b> 3		

	Subsidy (Manufacturer's \$	Price) Sut Per	Fully Brand or osidised Generic Manufacti	urer
SULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	Ŧ			
A1240 on page 32 – Retail pharmacy a) Maximum of 3 sets per prescription				a numonty Se
<ul><li>b) Only on a prescription</li><li>c) Maximum of 13 infusion sets will be funded per year.</li></ul>				
13 mm teflon cannula; angle insertion; insertion device; 110 cm grey line $\times$ 10 with 10 needles	140.00	1 OP	🖌 Inset 30	
13 mm teflon cannula; angle insertion; insertion device; 60 cm blue line × 10 with 10 needles	140.00	1 OP	Inset 30	
13 mm teflon cannula; angle insertion; insertion device; 60 cm grey line × 10 with 10 needles		1 OP	🖌 Inset 30	
13 mm teflon cannula; angle insertion; insertion device; 60 cm pink line × 10 with 10 needles		1 OP	🖌 Inset 30	
SULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	ISERTION) - S	Special Authorit	y see SA1240 on	page 32 – Reta
armacy a) Maximum of 3 sets per prescription b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year. 13 mm teflon cannula; angel insertion; 60 cm grey line $\times$ 5				
with 10 needles		1 OP	<ul> <li>Comfort Sh</li> </ul>	ort
10 needles	130.00	1 OP	Paradigm S MMT-382	Silhouette
13 mm teflon cannula; angle insertion; 45 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm S MMT-368	Silhouette
13 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm S MMT-381	Silhouette
13 mm teflon cannula; angle insertion; 80 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm S	likevette
		TOP	MMT-383	Sinouelle
17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles	120.00	1 OP	<ul> <li>Comfort</li> </ul>	
17 mm teflon cannula; angle insertion; 110 cm line $\times$ 10 with 10 needles		1 OP	🗸 Paradigm S	Silhouette
17 mm teflon cannula; angle insertion; 110 cm line $ imes$ 10 with			MMT-377	
10 needles; luer lock	130.00	1 OP	<ul> <li>Silhouette</li> </ul>	MMT-371
with 10 needles	120.00	1 OP	<ul> <li>Comfort</li> </ul>	
17 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm S MMT-378	Silhouette
17 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with 10 needles; luer lock		1 OP	✓ Silhouette	MMT-373
17 mm teflon cannula; angle insertion; 80 cm line $\times$ 10 with 10 needles		1 OP	✓ Paradigm S	
			MMT-384	

34

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH see SA1240 on page 32 – Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription	T INSERTION WITH	INSE	RTION DE\	/ICE) – Special Authority
<ul> <li>c) Maximum of 13 infusion sets will be funded per year.</li> <li>6 mm teflon cannula; straight insertion; insertion device; 110</li> </ul>				
cm grey line $\times$ 10 with 10 needles	140.00	1 OP	🖌 In	set II
6 mm teflon cannula; straight insertion; insertion device; 45	100.00			
cm blue tubing $\times$ 10 with 10 needles		1 OP		aradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45				WW1-341
cm pink tubing $\times$ 10 with 10 needles	130.00	1 OP		aradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60	100.00		4.5	
cm blue tubing $\times$ 10 with 10 needles		1 OP		aradigm Mio MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60				WW 1-5-6
cm pink tubing $\times$ 10 with 10 needles	130.00	1 OP		aradigm Mio MMT-923
6 mm teflon cannula; straight insertion; insertion device; 80 cm blue tubing $\times$ 10 with 10 needles	130.00	1 OP		aradigm Mio
6 mm teflon cannula; straight insertion; insertion device; 80 cm clear tubing $\times$ 10 with 10 needles	130.00	1 OP	🖌 Pa	MMT-945 aradigm Mio MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 cm pink tubing $\times$ 10 with 10 needles	130.00	1 OP	🖌 Pa	aradigm Mio MMT-925
6 mm teflon cannula; straight insertionl insertion device; 60 cm blue line $\times$ 10 with 10 needles	140.00	1 OP	🖌 In	set II
6 mm teflon cannula; straight insertionl insertion device; 60 cm grey line × 10 with 10 needles	140.00	1 OP	🗸 In	set II
<ul> <li>6 mm teflon cannula; straight insertionl insertion device; 60 cm pink line × 10 with 10 needles</li></ul>	140.00	1 OP	🗸 In	set II
cm blue line × 10 with 10 needles		1 OP	🗸 In	set II
cm grey line $\times$ 10 with 10 needles		1 OP	🖌 In	set II
9 mm teflon cannula; straight insertion; insertion device; 60 cm pink line × 10 with 10 needles	140.00	1 OP	🖌 In	set II
9 mm teflon cannula; straight insertion; insertion device; 80 cm clear tubing × 10 with 10 needles	130.00	1 OP		aradigm Mio MMT-975
9 mm teflon cannula; straight insertionl insertion device; 110 cm grey line $\times$ 10 with 10 needles $\ldots$	140.00	1 OP	🗸 In	set II

	Subsidy (Manufacturer's F	Price) Su	Fully Brand or ubsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIG	GHT INSERTION)	<ul> <li>Special A</li> </ul>	uthority see SA1240 on page 32 -
Retail pharmacy a) Maximum of 3 sets per prescription			
b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
6 mm teflon cannula; straight insertion; 110 cm tubing $\times$ 1			
with 10 needles		1 OP	<ul> <li>Paradigm Quick-Set MMT-398</li> </ul>
6 mm teflon cannula; straight insertion; 110 cm tubing $ imes$ 1	0		
with 10 needles; luer lock		1 OP	✔ Quick-Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing $ imes$ 1			
with 10 needles	130.00	1 OP	<ul> <li>Paradigm Quick-Set MMT-399</li> </ul>
6 mm teflon cannula; straight insertion; 60 cm tubing $ imes$ 1			
with 10 needles; luer lock		1 OP	✔ Quick-Set MMT-393
6 mm teflon cannula; straight insertion; 80 cm tubing $\times$ 1			
with 10 needles		1 OP	Paradigm Quick-Set MMT-387
9 mm teflon cannula; straight insertion; 106 cm tubing $ imes$ 1	0		WWW 1-507
with 10 needles		1 OP	Paradigm Quick-Set
			MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing $\times$ 1		4.05	
with 10 needles; luer lock		1 OP	Quick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing $\times$ 1		1.00	A Devedierer Quick Set
with 10 needles		1 OP	Paradigm Quick-Set MMT-397
9 mm teflon cannula; straight insertion; 60 cm tubing $ imes$ 1	0		MM 1-007
with 10 needles; luer lock		1 OP	✔ Quick-Set MMT-392
9 mm teflon cannula; straight insertion; 80 cm tubing $\times$ 1			
with 10 needles		1 OP	<ul> <li>Paradigm Quick-Set MMT-386</li> </ul>
INSULIN PUMP RESERVOIR - Special Authority see SA1240	on page 32 - Ret	ail pharmacy	
a) Maximum of 3 sets per prescription	1 0		
<ul> <li>b) Only on a prescription</li> </ul>			
c) Maximum of 13 packs of reservoir sets will be funded per			
10 $\times$ luer lock conversion cartridges 1.8 ml for Paradigi		1.00	
pumps		1 OP	ADR Cartridge 1.8
10 × luer lock conversion cartridges 3.0 ml for Paradigi pumps		1 OP	✓ ADR Cartridge 3.0
Cartridge 200 U, luer lock × 10		1 OP	<ul> <li>ADR Cartridge 3.0</li> <li>Animas Cartridge</li> </ul>
Cartridge for 5 and 7 series pump; 1.8 ml $\times$ 10		1 OP	<ul> <li>Paradigm 1.8</li> </ul>
			Reservoir
Cartridge for 7 series pump; 3.0 ml $\times$ 10	50.00	1 OP	<ul> <li>Paradigm 3.0</li> </ul>
			Reservoir
Syringe and cartridge for 50X pump, 3.0 ml $\times$ 10		1 OP	✓ 50X 3.0 Reservoir

36

					_
	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer	
Digestives Including Enzymes					
PANCREATIC ENZYME					
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease		100	🗸 Ci	reon 10000	
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease		100		reon 25000 reon Forte	
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease (Creon Forte Cap EC 25,000 BP u lipase, 18,000 BP u amylase,	94.40	100 to be de		anzytrat ıly 2014)	
URSODEOXYCHOLIC ACID – Special Authority see SA1383 bel Cap 250 mg – For ursodeoxycholic acid oral liquid formula- tion refer, page 200	• •	y 100	✓ <u>U</u>	rsosan	

### SA1383 Special Authority for Subsidy

**Initial application** — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

**Initial application — (Haematological Transplant)** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

continued...

Subsidy (Manufacturer's Price)	Subs	Fully sidised	Brand or Generic
\$	Per	~	Manufacturer

continued...

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

### Laxatives

### **Bulk-forming Agents**

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln5 MUCILAGINOUS LAXATIVES WITH STIMULANTS	i.51 500 g OP	✓ Konsyl-D
* Dry	2.41 200 g OP 3.72) 5.02 500 g OP	Normacol Plus
	7.32)	Normacol Plus
Faecal Softeners		
DOCUSATE SODIUM - Only on a prescription           * Cap 50 mg         2           * Cap 120 mg         3           * Enema conc 18%         5	.48 100	✓ <u>Laxofast 50</u> ✓ <u>Laxofast 120</u> ✓ Coloxyl
<ul> <li>DOCUSATE SODIUM WITH SENNOSIDES</li> <li>* Tab 50 mg with total sennosides 8 mg</li> </ul>	.38 200	✔ Laxsol
POLOXAMER – Only on a prescription Not funded for use in the ear. * Oral drops 10%	3.78 30 ml OP	✓ <u>Coloxyl</u>
Osmotic Laxatives		
GLYCEROL * Suppos 3.6 g – Only on a prescription6 LACTULOSE – Only on a prescription	5.50 20	✓ <u>PSM</u>
* Oral liq 10 g per 15 ml	.84 500 ml	✓ Laevolac
MACROGOL 3350 – Special Authority see SA0891 on the next page – Re Powder 13.125 g, sachets – Maximum of 60 sach per pre-		
scription	.00 30	✓ Lax-Sachets

	Subsidy (Manufacturer's Price \$	) Per	Full Subsidise	
► SA0891 Special Authority for Subsidy Initial application from any relevant practitioner requiring intervention with a per rectal preparatio where lactulose is not contraindicated.				
<b>Renewal</b> from any relevant practitioner. Approva benefit from treatment.	Is valid for 12 months where the p	atient i	s complia	ant and is continuing to gain
SODIUM ACID PHOSPHATE – Only on a prescri Enema 16% with sodium phosphate 8%		1	~	Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SUL	, , ,	tion		
Enema 90 mg with sodium lauryl sulphoaceta 5 ml		50	V	Micolette
Stimulant Laxatives				
BISACODYL - Only on a prescription				
* Tab 5 mg	4.99	200	~	Lax-Tab
* Suppos 5 mg		6		Dulcolax
* Suppos 10 mg		6	~	Dulcolax
DANTHRON WITH POLOXAMER - Only on a pro				
Note: Only for the prevention or treatment of o				-
Oral liq 25 mg with poloxamer 200 mg per 5 m		300 ml 300 ml	· · .	Pinorax Pinorax Forte
Oral liq 75 mg with poloxamer 1 g per 5 ml		300 111	•	Findrax Forte
SENNA – Only on a prescription * Tab, standardised	0.42	20		
* Tab, standardised	(1.72)	20		Senokot
	2.17	100		Seriokol
	(6.16)			Senokot
Metabolic Disorder Agents				
Gaucher's Disease				
IMIGLUCERASE – Special Authority see SA0473	below – Retail pharmacy			
Inj 40 iu per ml, 200 iu vial Inj 40 iu per ml, 400 iu vial	1,072.00	1 1		Cerezyme Cerezyme
► SA0473 Special Authority for Subsidy Special Authority approved by the Gaucher's Treat				
Notes: Subject to a budgetary cap. Applications w Application details may be obtained from PHARM.	ill be considered and approved subj			vailability.
The Co-ordinator, Gaucher's Treatment Panel PHARMAC, PO Box 10 254	Phone: (04) 460 4990 Facsimile: (04) 916 7571			
Wellington	Email: gaucherpanel@pharmac.	govt.nz		

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE			
Soln 0.15%		200 ml	
	(8.50)		Difflam
	9.00	500 ml	Differen
	(17.01)		Difflam
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.68	200 ml OP	healthE
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
	(5.62)		Bonjela
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste	17.20	56 g OP	<ul> <li>Stomahesive</li> </ul>
	1.52	5 g OP	
	(3.60)		Orabase
	4.55	15 g OP	
MPH and the second sector for an end of	(7.90)	00 00	Orabase
With pectin and gelatin powder		28 g OP	Stomahesive
	(10.95)		Siomanesive
TRIAMCINOLONE ACETONIDE			<b>(0</b> )
0.1% in Dental Paste USP	4.34	5 g OP	✓ Oracort
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	🗸 Fungilin
MICONAZOLE			•
Oral gel 20 mg per g	4.95	40 g OP	Decozol
NYSTATIN			•
Oral liq 100,000 u per ml	3 10	24 ml OP	✓ Nilstat
		2411101	• <u>mistar</u>
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitu	te formula refer Sta	ndard Formula	e, page 203
HYDROGEN PEROXIDE			
* Soln 10 vol – Maximum of 200 ml per prescription	1.28	100 ml	🖌 PSM
THYMOL GLYCERIN			
* Compound, BPC	9.15	500 ml	🗸 PSM
•			

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

## Vitamins

Alpha tocopheryl acetate is available fully subsidised for specific patients at the Medical Director of PHARMAC's discretion. Refer to PHARMAC website www.pharmac.govt.nz for the "Alpha tocopheryl acetate information sheet and application form".

## Vitamin A

VITAMIN A WITH VITAMINS D AND C * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg		
per 10 drops	10 ml OP	✓ Vitadol C
Vitamin B		
HYDROXOCOBALAMIN		
<ul> <li>Inj 1 mg per ml, 1 ml – Up to 6 inj available on a PSO5.10</li> </ul>	3	✓ <u>ABM</u> <u>Hydroxocobalamin</u>
PYRIDOXINE HYDROCHLORIDE		
a) No more than 100 mg per dose b) Only on a prescription		
<ul> <li>Tab 25 mg - No patient co-payment payable</li></ul>	90	✓ PyridoxADE
* Tab 50 mg	500	✓ Apo-Pyridoxine
THIAMINE HYDROCHLORIDE - Only on a prescription		<b>4 . . .</b>
* Tab 50 mg	100	Apo-Thiamine
VITAMIN B COMPLEX * Tab, strong, BPC	500	✓ Bplex
Vitamin C	500	
Vitaliini C		
ASCORBIC ACID		
a) No more than 100 mg per dose b) Only on a prescription		
* Tab 100 mg	500	✓ <u>Cvite</u>
Vitamin D		
ALFACALCIDOL		
* Cap 0.25 mcg	100	One-Alpha
* Cap 1 mcg	100 20 ml OP	<ul> <li>✓ One-Alpha</li> <li>✓ One-Alpha</li> </ul>
CALCITRIOL	2011101	
* Cap 0.25 mcg	30	✓ Airflow
10.10	100	Calcitriol-AFT
* Cap 0.5 mcg5.62 18.73	30 100	<ul> <li>Airflow</li> <li>Calcitriol-AFT</li> </ul>
CHOLECALCIFEROL		
* Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription	12	<ul> <li>Cal-d-Forte</li> </ul>
Multivitamin Preparations		
MULTIVITAMINS – Special Authority see SA1036 on the next page – Retail phar	rmacy	
* Powder	200 g OP	Paediatric Seravit

	Subsidy (Manufacturer's Pric	a) Çiri	Fully Brand or osidised Generic
	(Manulacturer 3 The \$	Per	✓ Manufacturer
►SA1036 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals va	lid without further r	enewal unle	ess notified where the patient ha
nborn errors of metabolism. Renewal from any relevant practitioner. Approvals valid without approval for multivitamins.	further renewal unle	ess notified	where patient has had a previou
VITAMINS			
<ul> <li>Tab (BPC cap strength)</li> <li>Cap (fat soluble vitamins A, D, E, K) – Special Authority see</li> </ul>	e	1,000	✓ <u>Mvite</u>
SA1002 below – Retail pharmacy	23.40	60	Vitabdeck
SA1002 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali the following criteria: Either:	d without further re	newal unles	s notified for applications meetin
<ol> <li>Patient has cystic fibrosis with pancreatic insufficiency; c</li> <li>Patient is an infant or child with liver disease or short gut</li> </ol>			
Minerals			
Calcium			
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental)	6.21	30	✓ <u>Calsource</u>
* Tab 1.25 g (500 mg elemental)	6.38	250	✓ Arrow-Calcium
CALCIUM GLUCONATE * Inj 10%, 10 ml	21.40	10	✔ Hospira
Fluoride			
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)	5.00	100	🗸 PSM
lodine			
POTASSIUM IODATE			<b>4 1 1</b>
* Tab 256 mcg (150 mcg elemental iodine)	6.53	90	✓ NeuroKare
Iron			
FERROUS FUMARATE <ul> <li>Tab 200 mg (65 mg elemental)</li> </ul>	1 35	100	✓ Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID	4.00	100	
* Tab 310 mg (100 mg elemental) with folic acid 350 mcg	4.75	60	Ferro-F-Tabs
FERROUS SULPHATE	0.00	20	
<ul> <li>Tab long-acting 325 mg (105 mg elemental)</li> <li>*‡ Oral liq 30 mg (6 mg elemental) per 1 ml</li> </ul>		30 500 ml	<ul> <li>✓ Ferrograd</li> <li>✓ Ferodan</li> </ul>
FERROUS SULPHATE WITH FOLIC ACID			
Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg		30	
550 mcg	1.80 (4.29)	30	Ferrograd F
RON POLYMALTOSE			
* Inj 50 mg per ml, 2 ml		5	Ferrum H

	Subsidy (Manufacturer's Price) \$	Si Per	Fully ubsidised	Brand or Generic Manufacturer
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, page MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml		10	•	lartindale Iospira
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	✓ <u>z</u>	incaps_

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### Antianaemics

### Hypoplastic and Haemolytic

#### SA0922 Special Authority for Subsidy

**Initial application** only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Both:

- 1.1 patient in chronic renal failure; and
- 1.2 Haemoglobin  $\leq$  100g/L; and
- 2 Any of the following:
  - 2.1 Both:
    - 2.1.1 patient is not diabetic; and
    - 2.1.2 glomerular filtration rate  $\leq$  30ml/min; or
  - 2.2 Both:
    - 2.2.1 patient is diabetic; and
    - 2.2.2 glomerular filtration rate  $\leq$  45ml/min; or
  - 2.3 patient is on haemodialysis or peritoneal dialysis.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Notes: Erythropoietin beta is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

The Cockroft-Gault Formula may be used to estimate glomerular filtration rate (GFR) in persons 18 years and over:

GFR (ml/min) (male) = (140 - age) × Ideal Body Weight (kg) / 814 × serum creatinine (mmol/l)

GFR (ml/min) (female) = Estimated GFR (male)  $\times$  0.85

ERYTHROPOIETIN ALPHA - Special Authority see SA0922 above - Retail pharmacy

Inj human recombinant 1,000 iu prefilled syringe	48.68	6	<ul> <li>Eprex</li> </ul>
Inj human recombinant 2,000 iu, prefilled syringe	120.18	6	Eprex
Inj human recombinant 3,000 iu, prefilled syringe	166.87	6	Eprex
Inj human recombinant 4,000 iu, prefilled syringe	193.13	6	<ul> <li>Eprex</li> </ul>
Inj human recombinant 5,000 iu, prefilled syringe	243.26	6	Eprex
Inj human recombinant 6,000 iu, prefilled syringe	291.92	6	<ul> <li>Eprex</li> </ul>
Inj human recombinant 10,000 iu, prefilled syringe	395.18	6	<ul> <li>Eprex</li> </ul>
ERYTHROPOIETIN BETA - Special Authority see SA0922 above - I	Retail pharmacy		
Inj 2,000 iu, prefilled syringe	120.18	6	NeoRecormon
Inj 3,000 iu, prefilled syringe	166.87	6	NeoRecormon
Inj 4,000 iu, prefilled syringe	193.13	6	NeoRecormon
Inj 5,000 iu, prefilled syringe		6	NeoRecormon
Inj 6,000 iu, prefilled syringe	291.29	6	NeoRecormon
Inj 10,000 iu, prefilled syringe	395.18	6	<ul> <li>NeoRecormon</li> </ul>
Megaloblastic			

#### FOLIC ACID

*	Tab 0.8 mg19.80	1,000	Apo-Folic Acid
	Tab 5 mg	500	Apo-Folic Acid
	Oral liq 50 mcg per ml24.00	25 ml OP	Biomed

	Subsidy (Manufacturer's Price) \$	Si Per	Fully ubsidised	Brand or Generic Manufacturer
Antifibrinolytics, Haemostatics and Local Scleros	sants			
ELTROMBOPAG – Special Authority see SA1418 below – Retail p Wastage claimable – see rule 3.3.2 on page 17	bharmacy			
Tab 25 mg	1,771.00	28	🖌 Re	evolade

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
  - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
  - 3.2 Patient has a platelet count of  $\leq$  20,000 platelets per microlitre and has evidence of active bleeding; or
  - 3.3 Patient has a platelet count of  $\leq$  10,000 platelets per microlitre.

**Initial application** — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

### EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe		1	NovoSeven RT
Inj 2 mg syringe		1	Novoseven RT
Inj 5 mg syringe		1	Novoseven RT
Inj 8 mg syringe		1	Novoseven RT
, , , ,	-		

#### FACTOR EIGHT INHIBITORS BYPASSING AGENT - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 500 U	1,640.00	1	🖌 FEIBA
Inj 1,000 U		1	🖌 FEIBA

#### MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 200 iu viai	225.00	1	V Aynına
Inj 500 iu vial		1	Xyntha
Inj 1,000 iu vial		1	🗸 Xyntha
Inj 2,000 iu vial	1,800.00	1	🗸 Xyntha
Inj 3,000 iu vial	2,700.00	1	Xyntha

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
NONACOG ALFA [RECOMBINANT FACTOR IX] – [Xpharm]			
For patients with haemophilia, whose treatment is managed by Haemophilia Management Group.	/ the Haemophilia Tre	aters	Group in conjunction with the Nation
Inj 250 iu vial	310.00	1	BeneFIX
Inj 500 iu vial		1	✓ BeneFIX
Inj 1,000 iu vial		1	✓ BeneFIX
Inj 2,000 iu vial		1	✓ BeneFIX
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] – [Xpharm]			
For patients with haemophilia, whose treatment is managed by Haemophilia Management Group.	/ the Haemophilia Tre	aters	Group in conjunction with the Nation
Inj 250 iu vial		1	Advate
,	250.00		✓ Kogenate FS
Inj 500 iu vial		1	✓ Advate
	500.00		✓ Kogenate FS
Inj 1,000 iu vial		1	✓ Advate
	1,000.00		Kogenate FS
Inj 1,500 iu vial	1,425.00	1	✓ Advate
Inj 2,000 iu vial	,	1	✓ Advate
<b>)</b>	2,000.00		✓ Kogenate FS
Inj 3,000 iu vial	2,850.00	1	✓ Advate
	3,000.00		Kogenate FS
ODIUM TETRADECYL SULPHATE			-
k Inj 3% 2 ml		5	
	(73.00)		Fibro-vein
RANEXAMIC ACID	( )		
Tab 500 mg	22.02	100	Cyklokapron
· ·		100	Cyklokapion
Vitamin K			
PHYTOMENADIONE			
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO		5	Konakion MM
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	Konakion MM
		-	
Antithrombotic Agents			
Antiplatelet Agents			
SPIRIN			
* Tab 100 mg	10.50	990	Ethics Aspirin EC
CLOPIDOGREL			
<ul> <li>Tab 75 mg – For clopidogrel oral liquid formulation refer, page</li> </ul>			
200		84	Arrow - Clopid
		U r	
DIPYRIDAMOLE			
₭ Tab 25 mg – For dipyridamole oral liquid formulation refer,		~ 1	
page 200		84	✓ Persantin
Tab long-acting 150 mg	11.52	60	Pytazen SR
PRASUGREL – Special Authority see SA1201 on the next page -			
Tab 5 mg		28	✓ Effient
Tab 10 mg	120.00	28	Effient

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

#### SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic\*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Note: \* Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

\* Tab 90 mg ......90.00 56 V Brilinta

### ➡SA1382 Special Authority for Subsidy

**Initial application** — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

## Heparin and Antagonist Preparations

DALTEPARIN SODIUM - Special Authority see SA1270 below - Retai	l pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	🖌 Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	<ul> <li>Fragmin</li> </ul>
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	🖌 Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	<ul> <li>Fragmin</li> </ul>
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	<ul> <li>Fragmin</li> </ul>
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	🖌 Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	<ul> <li>Fragmin</li> </ul>

### SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application** — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 below - Retail pharmacy

Inj 20 mg	.24 10	Clexane
Inj 40 mg	.69 10	Clexane
Inj 60 mg		Clexane
Inj 80 mg		Clexane
Inj 100 mg		Clexane
Inj 120 mg		Clexane
Inj 150 mg		Clexane

#### SA1174 Special Authority for Subsidy

**Initial application** — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

48

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
HEPARIN SODIUM				
Inj 1,000 iu per ml, 5 ml		10	~	Hospira
	66.80	50		Hospira
	11.44	10	~	Pfizer
	46.30	50	~	Pfizer
Inj 1,000 iu per ml, 35 ml		1	~	Hospira
Inj 5,000 iu per ml, 1 ml		5	~	Hospira
Inj 5,000 iu per ml, 5 ml		50	~	Pfizer
Inj 25,000 iu per ml, 0.2 ml		5	~	Hospira
HEPARINISED SALINE				
* Inj 10 iu per ml, 5 ml		50	~	Pfizer
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml		10		
	(101.61)			Artex S29
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg – No more than 2 cap per day	148.00	60	~	Pradaxa
Cap 110 mg		60	V	Pradaxa
Cap 150 mg	148.00	60		Pradaxa

RIVAROXABAN - Special Authority see SA1066 below - Retail pharm	acy		
Tab 10 mg	153.00	15	<ul> <li>Xarelto</li> </ul>

#### ➡SA1066 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

1 For the prophylaxis of venous thromboembolism following a total hip replacement; or

2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

#### WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
	-	6.86	100	Marevan
*	Tab 2 mg	4.31	50	Coumadin
*	Tab 3 mg	9.70	100	Marevan
*	Tab 5 mg	5.93	50	Coumadin
	-	11.75	100	<ul> <li>Marevan</li> </ul>

# **Blood Colony-stimulating Factors**

FILGRASTIM - Special Authority see SA1259 on the next page -	Retail pharmacy		
Inj 300 mcg per 0.5 ml prefilled syringe	540.00	5	Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	864.00	5	Zarzio

# BLOOD AND BLOOD FORMING ORGANS

‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

#### ➡SA1259 Special Authority for Subsidy

**Initial application** only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk ≥ 20%\*); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC <  $0.5 \times 10^{9}$ /L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5  $\times 10^{9}$ /L).

Note: \*Febrile neutropenia risk  $\geq$  20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

Inj 6 mg per 0.6 ml syringe ......1,080.00

Neulastim

1

#### SA1384 Special Authority for Subsidy

**Initial application** only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk  $\geq 20\%^*$ ).

Note: \*Febrile neutropenia risk  $\geq$  20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

## **Fluids and Electrolytes**

### Intravenous Administration

#### DEXTROSE

<ul> <li>Inj 50%, 10 ml – Up to 5 inj available on a PSO</li> <li>Inj 50%, 90 ml – Up to 5 inj available on a PSO</li> </ul>		5 1	<ul> <li>✓ <u>Biomed</u></li> <li>✓ Biomed</li> </ul>
POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml		50	✓ AstraZeneca
SODIUM BICARBONATE Inj 8.4%, 50 ml a) Up to 5 inj available on a PSO		1	✓ Biomed
b) Not in combination Inj 8.4%, 100 ml a) Up to 5 inj available on a PSO	20.50	1	✔ Biomed

b) Not in combination

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully sidised	Generic
ODIUM CHLORIDE				ikintin interneland far mala dia
Not funded for use as a nasal drop. Only funded for nebulise	er use when in co	onjunction with a	in ant	idiotic intended for nebulis
use. Inf 0.9% – Up to 2000 ml available on a PSO	2.06	500 ml		Baxter
	4.06	1,000 ml	-	Baxter
Only if prescribed on a prescription for renal dialysis, ma		,		
for emergency use. (500 ml and 1,000 ml packs)				
Inj 23.4%, 20 ml		5	~	Biomed
For Sodium chloride oral liquid formulation refer Standard		203		
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO		50	~	Multichem
	15.50		~	Pfizer
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO	11.50	50	~	Multichem
	15.50		V	Pfizer
Inj 0.9%, 20 ml	4.72	6	~	Pharmacia
	11.79	30	V	Pharmacia
	8.41	20	~	Multichem
OTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Sp	nacialist			
Infusion		1 OP	~	TPN
ATER		101	•	
<ol> <li>On a prescription or Practitioner's Supply Order only whether schedule requiring a solvent or diluent; or</li> <li>On a bulk supply order; or</li> <li>When used in the extemporaneous compounding of eye Purified for inj, 5 ml – Up to 5 inj available on a PSO</li> <li>Purified for inj, 10 ml – Up to 5 inj available on a PSO</li> <li>Purified for inj, 20 ml – Up to 5 inj available on a PSO</li> </ol>	e drops. 	form as an inje 50 50 20	22	listed in the Pharmaceuti Multichem Multichem Multichem
	0.50	20	•	Marticiteri
Oral Administration				
ALCIUM POLYSTYRENE SULPHONATE				
Powder		300 g OP	V	Calcium Resonium
OMPOUND ELECTROLYTES		-		
	1 90	10		Enorlyto
Powder for oral soln – Up to 10 sach available on a PSO	1.00	10	v	Enerlyte
EXTROSE WITH ELECTROLYTES				
Soln with electrolytes	6.55	1,000 ml OP	~	Pedialyte -
				Bubblegum
OTASSIUM BICARBONATE				
Tab eff 315 mg with sodium acid phosphate 1.937 g an	d			
sodium bicarbonate 350 mg		100	V	Phosphate-Sandoz
For phosphate supplementation				
OTASSIUM CHLORIDE				
	F 00	60		
Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)		60		Chlorvescent
Tab long-acting 600 mg	(11.85) 7.42	200		Span-K
0 0 0	1.42	200		opull-IN
				<b>-</b>
ODIUM BICARBONATE				
Cap 840 mg	8.52	100	V	Sodibic
	8.52	100	V	Sodibic

	Subsidy (Manufacturer's Pri	ice) Sı	Fully Brand or Ibsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
Alpha Adrenoceptor Blockers			
OXAZOSIN			
F Tab 2 mg	8.23	500	Apo-Doxazosin
Fab 4 mg	12.40	500	Apo-Doxazosin
HENOXYBENZAMINE HYDROCHLORIDE			
Cap 10 mg	65.00	30	Dibenyline S29
	26.05	100	✓ Dibenyline S29
	65.00	30	✓ BNM \$29
Dibenyline 20 Cap 10 mg to be delisted 1 November 2014)			
RAZOSIN			
• Tab 1 mg		100	Apo-Prazo
			✓ Apo-Prazosin
Tab 2 mg	7.00	100	Apo-Prazo
-			Apo-Prazosin
Tab 5 mg	11.70	100	Apo-Prazo
			Apo-Prazosin
RAZOSIN			
Tab 1 mg	0.50	28	✓ <u>Arrow</u>
Tab 2 mg Tab 5 mg		28	✓ <u>Arrow</u>
Tab 5 mg	0.68	28	✓ <u>Arrow</u>
Agents Affecting the Renin-Angiotensin System	h		
ACE Inhibitors			
ACE INHIBITORS			
APTOPRIL			
t Oral liq 5 mg per ml	94.99	95 ml OP	<ul> <li>Capoten</li> </ul>
Oral liquid restricted to children under 12 years of age.			
LAZAPRIL			
Tab 0.5 mg		90	✓ Zapril
Tab 2.5 mg		90	Zapril
Tab 5 mg	6.98	90	Zapril
<b>v</b>			
JALAPRIL MALEATE		30	✓ Acetec
IALAPRIL MALEATE	5.94	500	✓ Acetec
IALAPRIL MALEATE Tab 5 mg	5.94 1.19	500 100	<ul> <li>Acetec</li> <li>Ethics Enalapril</li> </ul>
IALAPRIL MALEATE	5.94 1.19 0.44	500 100 30	<ul> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> </ul>
IALAPRIL MALEATE Tab 5 mg	5.94 1.19 0.44 7.33	500 100 30 500	<ul> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> <li>Acetec</li> <li>Acetec</li> </ul>
VALAPRIL MALEATE Tab 5 mg	5.94 1.19 0.44 7.33 1.47	500 100 30	<ul> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> <li>Acetec</li> <li>Acetec</li> </ul>
NALAPRIL MALEATE         Tab 5 mg         • Tab 10 mg         • Tab 20 mg         - For enalapril maleate oral liquid formulation	5.94 1.19 0.44 7.33 1.47	500 100 30 500 100	<ul> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> <li>Acetec</li> <li>Acetec</li> <li>Ethics Enalapril</li> </ul>
NALAPRIL MALEATE Tab 5 mg	5.94 1.19 0.44 7.33 1.47 10.57	500 100 30 500 100 30	<ul> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> <li>Acetec</li> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> </ul>
NALAPRIL MALEATE         Tab 5 mg         Tab 10 mg         Tab 20 mg         For enalapril maleate oral liquid formulation refer, page 200	5.94 1.19 0.44 7.33 1.47	500 100 30 500 100	<ul> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> <li>Acetec</li> <li>Acetec</li> <li>Ethics Enalapril</li> </ul>
NALAPRIL MALEATE         Tab 5 mg         • Tab 10 mg         • Tab 20 mg         - For enalapril maleate oral liquid formulation	5.94 1.19 0.44 7.33 1.47 10.57	500 100 30 500 100 30	<ul> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> <li>Acetec</li> <li>Acetec</li> <li>Ethics Enalapril</li> <li>Acetec</li> </ul>

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Generic
LISINOPRIL				
* Tab 5 mg	3.58	90	1	Arrow-Lisinopril
* Tab 10 mg	4.08	90	1	Arrow-Lisinopril
* Tab 20 mg	4.88	90	1	Arrow-Lisinopril
PERINDOPRIL				
* Tab 2 mg		30	1	Apo-Perindopril
3	(18.50)			Coversyl
* Tab 4 mg		30	V	Apo-Perindopril
Ĵ	(25.00)			Coversyl
QUINAPRIL				
* Tab 5 mg		90	V	Arrow-Quinapril 5
* Tab 10 mg		90		Arrow-Quinapril 10
* Tab 20 mg	6.34	90	V	Arrow-Quinapril 20
TRANDOLAPRIL Higher subsidy by endorsement is available for patients who v prior to 1 June 1998. The prescription must be endorsed acc are "certified condition" or an appropriate description of the cardiac failure" or "CCF". For the purposes of this endorse infarction with an ejection fraction of less than 40%. Patients full subsidy by endorsement.	ordingly. We recomme e patient such as "co ment, congestive hea	end that th ngestive I art failure	ie wor neart f include	ds used to indicate eligibility failure", "CHF", "congestive es patients post myocardial
* Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En- dorsement		28		Gopten
* Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En- dorsement		28		Gopten
ACE Inhibitors with Diuretics	(27.00)			Copierr

CILAZAPRIL WITH HYDROCHLOROTHIAZIDE		
* Tab 5 mg with hydrochlorothiazide 12.5 mg	28	Inhibace Plus
10.72	100	🖌 Аро-
		Cilazapril/Hydrochlorothiazide
(Inhibace Plus Tab 5 mg with hydrochlorothiazide 12.5 mg to be delisted 1 June 20	114)	• •
ENALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE		
* Tab 20 mg with hydrochlorothiazide 12.5 mg	30	
(8.70)		Co-Renitec
QUINAPRIL WITH HYDROCHLOROTHIAZIDE		
* Tab 10 mg with hydrochlorothiazide 12.5 mg	30	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg4.57	30	✓ Accuretic 20
Angiotensin II Antagonists		
CANDESARTAN CILEXETIL - Special Authority see SA1223 on the next page - F	Retail pharm	acy
* Tab 4 mg	90	Candestar
* Tab 8 mg6.10	90	✓ Candestar
* Tab 16 mg	90	✓ Candestar
i al i cong		

Tab 32 mg ...... 17.66

\*

Candestar

Subsidy	0.	Fully	Brand or	
(Manufacturer's Price) \$	Per	ubsidised ✓	Generic Manufacturer	

### ➡SA1223 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor); or

2 Patient has a history of angioedema.

Initial application - (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor. LOSARTAN POTASSIUM

LOSARIAN POTASSIUM			
* Tab 12.5 mg	2.88	90	✓ Lostaar
* Tab 25 mg	3.20	90	Lostaar
* Tab 50 mg	5.22	90	✓ Lostaar
* Tab 100 mg	8.68	90	Lostaar
Angiotensin II Antagonists with Diuretics			
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE			
Tab 50 mg with hydrochlorothiazide 12.5 mg	4.89	30	✓ <u>Arrow-Losartan &amp;</u> <u>Hydrochlorothiazide</u>
Antiarrhythmics			
For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesth	etics, Local, pa	age 124	
AMIODARONE HYDROCHLORIDE			
▲ Tab 100 mg – Retail pharmacy-Specialist	18.65	30	<ul> <li>Aratac</li> </ul>
			<ul> <li>Cordarone-X</li> </ul>
▲ Tab 200 mg – Retail pharmacy-Specialist	30.52	30	Aratac
			<ul> <li>Cordarone-X</li> </ul>
Inj 50 mg per ml, 3 ml ampoule – Up to 6 inj available on a			
PSO		6	✓ Cordarone-X
ATROPINE SULPHATE			
* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a			
PSO	71.00	50	✓ AstraZeneca
DIGOXIN			
Tab 62.5 mcg – Up to 30 tab available on a PSO	6 67	240	🖌 Lanoxin PG
<ul> <li>Tab 250 mcg – Up to 30 tab available on a PSO</li> </ul>		240	
*‡ Oral liq 50 mcg per ml		60 ml	✓ Lanoxin
DISOPYRAMIDE PHOSPHATE			
▲ Cap 100 mg	15.00	100	
	(23.87)	100	Rythmodan
▲ Cap 150 mg	`` '	100	✓ Rythmodan
		100	• Hydimoddin
FLECAINIDE ACETATE – Retail pharmacy-Specialist	15 00	60	✓ Tambocor
▲ Tab 50 mg	40.02	60	
▲ Tab 100 mg - For flecainide acetate oral liquid formulation	00.00	60	1 Tombooor
refer, page 200		60	✓ Tambocor
▲ Cap long-acting 100 mg		30	<ul> <li>Tambocor CR</li> <li>Tambocor CR</li> </ul>
▲ Cap long-acting 200 mg		30 5	✓ Tambocor CR
Inj 10 mg per ml, 15 ml ampoule		Э	

(	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	Generic
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	65.00	100	•	Mexiletine Hydrochloride USP 529
▲ Cap 250 mg	102.00	100	<b>~</b>	Mexiletine Hydrochloride USP 529
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialist				
▲ Tab 150 mg	40.90	50	~	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA0934 below - Retail pharm	nacy			
Tab 2.5 mg		100	~	Gutron
Tab 5 mg		100	~	Gutron
SA0024 Special Authority for Subsidy				

#### ➡SA0934 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Disabling orthostatic hypotension not due to drugs; and
- 2 Patient has tried fludrocortisone (unless contra-indicated) with unsatisfactory results; and
- 3 Patient has tried non pharmacological treatments such as support hose, increased salt intake, exercise, and elevation of head and trunk at night.

Notes: Treatment should be started with small doses and titrated upwards as necessary.

Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# **Beta Adrenoceptor Blockers**

### ATENOLOL

* Tab 50 mg * Tab 100 mg		500 500	<ul> <li>✓ <u>Mylan Atenolol</u></li> <li>✓ <u>Mylan Atenolol</u></li> </ul>
<ul> <li>Oral liq 25 mg per 5 ml</li> <li>Restricted to children under 12 years of age.</li> </ul>	21.25	300 ml OP	✓ Atenolol AFT \$29
BISOPROLOL			
Tab 2.5 mg		30	Bosvate
Tab 5 mg	4.74	30	Bosvate
Tab 10 mg	9.18	30	Bosvate
CARVEDILOL			
* Tab 6.25 mg		30	Dilatrend
* Tab 12.5 mg		30	Dilatrend
* Tab 25 mg - For carvedilol oral liquid formulation refe	r, page		
200		30	<ul> <li>Dilatrend</li> </ul>
CELIPROLOL			
* Tab 200 mg		180	<ul> <li>Celol</li> </ul>

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	(Manulacturer's Frice) \$	Per	
ABETALOL			
← Tab 50 mg		100	✓ Hybloc
Tab 100 mg - For labetalol oral liquid formulation refer, page			-
200	10.06	100	✓ Hybloc
<ul> <li>Tab 200 mg</li> </ul>		100	✓ Hybloc
Inj 5 mg per ml, 20 ml ampoule		5	•
	(88.60)		Trandate
ETOPROLOL SUCCINATE			
Tab long-acting 23.75 mg	0.96	30	Metoprolol - AFT CR
Tab long-acting 47.5 mg	1.41	30	Metoprolol - AFT CR
<ul> <li>Tab long-acting 95 mg</li> </ul>		30	✓ Metoprolol - AFT CR
Tab long-acting 190 mg	4.66	30	✓ Metoprolol - AFT CR
ETOPROLOL TARTRATE			
Tab 50 mg - For metoprolol tartrate oral liquid formulation			
refer, page 200	16.00	100	Lopresor
F Tab 100 mg		60	✓ Lopresor
Tab long-acting 200 mg		28	Slow-Lopresor
inj 1 mg per ml, 5 ml vial	24.00	5	✓ Lopresor
ADOLOL			
← Tab 40 mg		100	Apo-Nadolol
F Tab 80 mg	23.74	100	✓ Apo-Nadolol
INDOLOL			
Tab 5 mg	9.72	100	Apo-Pindolol
€ Tab 10 mg		100	✓ Apo-Pindolol
F Tab 15 mg		100	✓ Apo-Pindolol
ROPRANOLOL			
<ul> <li>Tab 10 mg</li> </ul>		100	🖌 Аро-
			Propranolol S29
Tab 40 mg	4 65	100	14 100
F Tab 40 mg	4.00	100	✓ Apo- Propranolol S29
Cap long-acting 160 mg		100	Cardinol LA
Oral liq 4 mg per ml - Special Authority see SA1327 below -			
Retail pharmacy	CBS 5	500 ml	Roxane S29

#### ► SA1327 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
OT	ALOL				
	Tab 80 mg - For sotalol oral liquid formulation refer, page 200		500		Mylan
	Tab 160 mg		100		Mylan
ŧ	Inj 10 mg per ml, 4 ml ampoule	65.39	5	~	Sotacor
	OLOL MALEATE				
ŧ	Tab 10 mg	10.55	100	~	Apo-Timol
Ca	Icium Channel Blockers				
Di	hydropyridine Calcium Channel Blockers				
	ODIPINE				
ŧ	Tab 2.5 mg	2.45	100	~	Apo-Amlodipine
¥	Tab 5 mg - For amlodipine oral liquid formulation refer, page				
	200		100		Apo-Amlodipine
	Tab 10 mg	4.15	100	~	Apo-Amlodipine
	ODIPINE		_		
	Tab long-acting 2.5 mg		30		Plendil ER
	Tab long-acting 5 mg		30		Plendil ER
	Tab long-acting 10 mg	4.60	30	V	Plendil ER
	ADIPINE				
	Cap long-acting 2.5 mg		30		Dynacirc-SRO
	Cap long-acting 5 mg		30	V	Dynacirc-SRO
		17 70	~~		
	Tab long-acting 10 mg		60 100	· · .	Adalat 10
	Tab long-acting 20 mg Tab long-acting 30 mg		100 30		Nyefax Retard Adefin XL
•	Tab long-acting 30 mg	0.50	30		Arrow-Nifedipine XR
		5.50			
		(19.90)			Adalat Oros
÷	Tab long-acting 60 mg	12.28	30		Adefin XL
		0.00		~	Arrow-Nifedipine XR
		8.00			Adalat Orac
•		(29.50)			Adalat Oros
	her Calcium Channel Blockers				
	Tab 30 mg	4.60	100	~	Dilzem
ŧ	Tab 60 mg – For diltiazem hydrochloride oral liquid formula-	0.50	100		Dilaom
	tion refer, page 200		100		<u>Dilzem</u> Cardizem CD
÷	Cap long-acting 120 mg		30 500	• .	Apo-Diltiazem CD
÷	Cap long-acting 180 mg	31.83 7.56	30		Cardizem CD
•	cap long douing too ing	47.67	500		Apo-Diltiazem CD
÷	Cap long-acting 240 mg		30		Cardizem CD
		63.58	500		Apo-Diltiazem CD
FF	HEXILINE MALEATE - Special Authority see SA1260 on the	next page – Retail r	harma	acv	
			100		Pexsig

#### ‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once

CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's F	Price) Per	Fully Subsidised	Brand or Generic Manufacturer	
Þ	Per	~	Manulacturer	

### SA1260 Special Authority for Subsidy

**Initial application** only from a cardiologist or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient has refractory angina; and
- 2 Patient is on the maximal tolerated dose of a beta-blocker, a calcium channel blocker and a long acting nitrate.

**Renewal** only from a cardiologist or any relevant practitioner on the recommendation of a cardiologist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

VE	RAPAMIL HYDROCHLORIDE			
*	Tab 40 mg7.01	100	Isoptin	
*	Tab 80 mg – For verapamil hydrochloride oral liquid formula-			
	tion refer, page 20011.74	100	🖌 Isoptin	
*	Tab long-acting 120 mg15.20	250	<ul> <li>Verpamil SR</li> </ul>	
*	Tab long-acting 240 mg25.00	250	Verpamil SR	
*	Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a			
	PSO	5	✓ Isoptin	
С	entrally-Acting Agents			
CL	ONIDINE			
*	Patch 2.5 mg, 100 mcg per day – Only on a prescription	4	Catapres-TTS-1	
*	Patch 5 mg, 200 mcg per day – Only on a prescription	4	Catapres-TTS-2	
*	Patch 7.5 mg, 300 mcg per day – Only on a prescription	4	Catapres-TTS-3	
CL	ONIDINE HYDROCHLORIDE			
*	Tab 25 mcg15.09	112	Clonidine BNM	
*	Tab 150 mcg	100	✓ Catapres	
*	Inj 150 mcg per ml, 1 ml ampoule16.07	5	✓ <u>Catapres</u>	
ME	THYLDOPA			
*	Tab 125 mg14.25	100	Prodopa	
*	Tab 250 mg15.10	100	Prodopa	
*	Tab 500 mg23.15	100	Prodopa	

## Diuretics

### **Loop Diuretics**

BUMETANIDE			
* Tab 1 mg	16.36	100	Burinex
* Inj 500 mcg per ml, 4 ml vial	7.95	5	<ul> <li>Burinex</li> </ul>
FUROSEMIDE [FRUSEMIDE]			
* Tab 40 mg – Up to 30 tab available on a PSO	10.25	1,000	Diurin 40
* Tab 500 mg	25.00	50	Urex Forte
*‡ Oral liq 10 mg per ml	10.66	30 ml OP	✓ Lasix
* Inj 10 mg per ml, 25 ml ampoule	48.14	5	Lasix
* Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a			
PSO	1.30	5	<ul> <li>Frusemide-Claris</li> </ul>

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Sub Per	sidised Generic Manufacturer
Potassium Sparing Diuretics			
AMILORIDE HYDROCHLORIDE			
* Tab 5 mg		100	✓ Apo-Amiloride
tral liq 1 mg per ml		25 ml OP	<ul> <li>Biomed</li> </ul>
METOLAZONE – Special Authority see SA1349 below – Retail			<b>41111111111111</b>
Tab 5 mg	CBS	1 50	<ul> <li>Metolazone S29</li> <li>Zaroxolyn S29</li> </ul>
The CA1040 Creasial Authority for Cubaidy		50	
SA1349 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali- ment of patients with refractory heart failure who are intolerant o nation therapy.			
	0.05	100	
* Tab 25 mg	3.65	100	<ul> <li>✓ <u>Spiractin</u></li> <li>✓ Spirotone</li> </ul>
* Tab 100 mg	11.80	100	<ul> <li>Spiractin</li> </ul>
Oral liq 5 mg per ml		25 ml OP	✓ <u>Spirotone</u> ✓ Biomed
(Spirotone Tab 25 mg to be delisted 1 August 2014)			
Potassium Sparing Combination Diuretics			
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE			
* Tab 5 mg with furosemide 40 mg	8.63	28	🖌 Frumil
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZ	IDE		
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	<ul> <li>Moduretic</li> </ul>
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]			
* Tab 2.5 mg – Up to 150 tab available on a PSO	6.48	500	✓ <u>Arrow-</u>
May be supplied on a PSO for reasons other than emerge	encv.		Bendrofluazide
* Tab 5 mg		500	✓ <u>Arrow-</u>
			Bendrofluazide
CHLOROTHIAZIDE Oral liq 50 mg per ml	06.00		✓ Biomed
	20.00	25 ml OP	P Diomeu
CHLORTALIDONE [CHLORTHALIDONE]  * Tab 25 mg	8.00	50	✓ Hygroton
NDAPAMIDE			
* Tab 2.5 mg	2.25	90	✓ Dapa-Tabs
Lipid-Modifying Agents			-
Fibrates			
BEZAFIBRATE			
* Tab 200 mg	9.70	90	✓ Bezalip
* Tab long-acting 400 mg	5.70	30	<ul> <li>Bezalip Retard</li> </ul>
GEMFIBROZIL * Tab 600 mg		60	✓ Lipazil

‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once ▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Other Lipid-Modifying Agents				
ACIPIMOX * Cap 250 mg VICOTINIC ACID		30	✔ C	lbetam
* Tab 50 mg * Tab 500 mg		100 100		po-Nicotinic Acid
Resins				
CHOLESTYRAMINE Powder for oral liq 4 g	19.25 (52.68)	50	C	Questran-Lite
COLESTIPOL HYDROCHLORIDE Grans for oral liq 5 g	20.00	30	<b>~</b> 0	olestid
HMG CoA Reductase Inhibitors (Statins)				
Prescribing Guidelines         Ireatment with HMG CoA Reductase Inhibitors (statins) is re- cardiovascular risk of 15% or greater.         ATORVASTATIN       – See prescribing guideline above         * Tab 10 mg		with 0 90 90 90 90	V Z V Z	iia and an absolute 5 yea <u>arator</u> arator arator arator arator
PRAVASTATIN − See prescribing guideline above		30 30		holvastin holvastin
SIMVASTATIN – See prescribing guideline above * Tab 10 mg * Tab 20 mg * Tab 40 mg * Tab 80 mg	1.95 3.18	90 90 90 90		rrow-Simva 10mg rrow-Simva 20mg rrow-Simva 40mg rrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE – Special Authority see SA1045 below – Retail pl Tab 10 mg	•	30	✔ E	zetrol
SA1045 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals va All of the following:	alid for 2 years for applica	ations	meeting the	e following criteria:
<ol> <li>Patient has a calculated absolute risk of cardiovascula</li> <li>Patient's LDL cholesterol is 2.0 mmol/litre or greater;</li> <li>Any of the following:</li> </ol>		% over	5 years; a	nd
3.1 The patient has rhabdomyolysis (defined as treated with one statin; or		ine kii	nase more	than 10 $\times$ normal) whe

- 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
- 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Tab 10 mg with simvastatin 10 mg	 30	🖌 Vytorin
Tab 10 mg with simvastatin 20 mg	30	Vytorin
Tab 10 mg with simvastatin 40 mg	30	Vytorin
Tab 10 mg with simvastatin 80 mg	30	Vytorin

#### ➡SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to  $\leq 2.0 \text{ mmol/litre}$  with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## Nitrates

#### GLYCERYL TRINITRATE

* Tab 600 mcg – Up to 100 tab available on a PSO	8.00	100 OP	Lycinate
* Oral spray, 400 mcg per dose - Up to 250 dose av	ailable on		
a PSO	4.45	250 dose OP	Glytrin
* Patch 25 mg, 5 mg per day		30	Nitroderm TTS
* Patch 50 mg, 10 mg per day		30	Nitroderm TTS
ISOSORBIDE MONONITRATE			
* Tab 20 mg	17.10	100	Ismo 20
* Tab long-acting 40 mg	7.50	30	Corangin
			Ismo 40 Retard
* Tab long-acting 60 mg	3.94	90	Duride
(Corangin Tab long-acting 40 mg to be delisted 1 Augus	t 2014)		

	Subsidy (Manufacturer's Price	) c	Fully Brand or ubsidised Generic
	(INATIOIACIDIEI STITICE \$	Per	Manufacturer
Sympathomimetics			
ADRENALINE			
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PS	SO 4.98	5	Aspen Adrenaline
	5.25	0	✓ Hospira
Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available or			
PSO		5	✓ Hospira
	49.00	10	Aspen Adrenaline
ISOPRENALINE			
* Inj 200 mcg per ml, 1 ml ampoule		25	
	(135.00)		Isuprel
Vasodilators	. ,		
vasoullators			
AMYL NITRITE			
* Liq 98% in 0.3 ml cap	62.92	12	
	(73.40)		Baxter
HYDRALAZINE HYDROCHLORIDE			
* Tab 25 mg - Special Authority see SA1321 below - Ret	tail		
pharmacy	CBS	1	<ul> <li>Hydralazine</li> </ul>
			V Onelink S29
		56	
<ul> <li>Inj 20 mg ampoule</li> <li>SA1321 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals v. the following criteria:</li> </ul>		5	✓ Apresoline
<ul> <li>SA1321 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals we the following criteria:</li> <li>Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a</li> </ol> </li> </ul>	alid without further ren	5 ewal unle	Apresoline ess notified for applications meeting
<ul> <li>SA1321 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals we the following criteria:</li> <li>Either:         <ul> <li>For the treatment of refractory hypertension; or</li> </ul> </li> </ul>	alid without further ren	5 ewal unle	Apresoline ess notified for applications meeting
<ul> <li>SA1321 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals we the following criteria:</li> <li>Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> </ul>	alid without further ren	5 ewal unle	Apresoline ess notified for applications meeting erant or have not responded to ACE
<ul> <li>SA1321 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals we the following criteria:</li> <li>Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail physical set of the set</li></ul>	alid without further ren nitrate, in patients who armacy	5 ewal unle	Apresoline ess notified for applications meeting
<ul> <li>SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals version for the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail phenetic and the second secon</li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100	<ul> <li>Apresoline</li> <li>Apresoline</li> <li>Applications meeting</li> </ul>
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail phe</li> <li>Tab 10 mg</li> <li>⇒SA1271 Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals we refractory hypertension which has failed to respond to extensive     </li> </ul>	alid without further ren nitrate, in patients who armacy 70.00 alid without further rene re multiple therapies.	5 ewal unle o are intol 100	<ul> <li>Apresoline</li> <li>Apresoline</li> <li>Applications meeting</li> </ul>
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail phe SA1271 Special Authority for Subsidy     </li> <li>Initial application only from a relevant specialist. Approvals varefractory hypertension which has failed to respond to extensiv NICORANDIL – Special Authority see SA1263 below – Retail</li> </ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100	<ul> <li>Apresoline</li> <li>Apresoline</li> <li>Applications meeting</li> </ul>
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail phe</li> <li>Tab 10 mg</li> <li>⇒SA1271 Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals we refractory hypertension which has failed to respond to extensive     </li> </ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles	Apresoline  Apresoline  Applications meeting  erant or have not responded to ACE      Loniten  ss notified where patient has severe
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals ve refractory hypertension which has failed to respond to extensiv NICORANDIL – Special Authority see SA1263 below – Retail         ▲ Tab 10 mg         ■ Tab 10 mg         ■ SA1271 Special Authority for Subsidy         ■ Initial application only from a relevant specialist. Approvals ve refractory hypertension which has failed to respond to extensiv NICORANDIL – Special Authority see SA1263 below – Retail         ▲ Tab 10 mg         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ Tab 10 mg         ■ SA1263 below – Retail         ■ SA1263 below – Retail         ■ SA1263 below – Retail</li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles 60	Apresoline  Apresoline  Apresoline  Accel  Accel Accel  Accel Accel  Accel  Accel  Accel Accel Accel A
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail philom management of the statement of second and the statement of second and the statement of the second and the s</li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles 60 60	Apresoline  Apresoline  Apresoline  Accel  Acc
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail photometric for Subsidy         Initial application only from a relevant specialist. Approvals we refractory hypertension which has failed to respond to extensiv NICORANDIL – Special Authority see SA1263 below – Retail         Tab 10 mg         Tab 20 mg         SA1263 Special Authority for Subsidy         Initial application only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution         Sol</li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles 60 60	Apresoline  Apresoline  Apresoline  Accel  Acc
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.</li> </ol> </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail photometric for Subsidy         Initial application only from a relevant specialist. Approvals we refractory hypertension which has failed to respond to extensiv NICORANDIL – Special Authority see SA1263 below – Retail         Tab 10 mg         Tab 20 mg         SA1263 Special Authority for Subsidy         Initial application only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution only from a cardiologist or general physicial criteria:         Solution         Sol</li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles 60 60	Apresoline  Apresoline  Apresoline  Accel  Acc
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.         </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail pherein about the state of th</li></ol></li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles 60 60 2 years fo	Apresoline ess notified for applications meeting erant or have not responded to ACE     Loniten ess notified where patient has severe     Ikorel     Ikorel or applications meeting the following
<ul> <li>⇒SA1321 Special Authority for Subsidy         <ul> <li>Initial application from any relevant practitioner. Approvals we the following criteria:</li> <li>Either:                 <ul></ul></li></ul></li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles 60 60 2 years fo	Apresoline ess notified for applications meeting erant or have not responded to ACE     Loniten ss notified where patient has severe     Ikorel     Ikorel or applications meeting the following
<ul> <li>⇒SA1321 Special Authority for Subsidy         Initial application from any relevant practitioner. Approvals we the following criteria:         Either:         <ol> <li>For the treatment of refractory hypertension; or</li> <li>For the treatment of heart failure in combination with a inhibitors and/or angiotensin receptor blockers.         </li> <li>MINOXIDIL – Special Authority see SA1271 below – Retail phese SA1271 Special Authority for Subsidy         Initial application only from a relevant specialist. Approvals we refractory hypertension which has failed to respond to extensiv         NICORANDIL – Special Authority see SA1263 below – Retail         Tab 10 mg         Tab 20 mg         SA1263 Special Authority for Subsidy         Initial application only from a cardiologist or general physicial criteria:         Both:         1 Patient has refractory angina; and         2 Patient is on the maximal tolerated dose of a beta-bloc         Renewal only from a cardiologist or any relevant practitioner o where the treatment remains appropriate and the patient is ber         Note:         1 Patient remains appropriate and the patient is ber         1 Patient remains appropriate and the patient is ber         1 Patient remains appropriate and the patient is ber         1 Patient remains appropriate and the patient is ber         1 Patient remains appropriate and the patient is ber         1 Patient is on the maximal tolerated dose of a beta-bloc         Renewal only from a cardiologist or any relevant practitioner or         1 Patient is on the maximal tolerated dose of a beta-bloc         Renewal only from a cardiologist or any relevant practitioner or         1 Patient is on the maximal tolerated dose of a beta-bloc         Renewal only from a cardiologist or any relevant practitioner or         1 Pa</li></ol></li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles 60 60 2 years fo 2 years fo	Apresoline ess notified for applications meeting erant or have not responded to ACE     Loniten ess notified where patient has severe     Vikorei     Ikorei or applications meeting the following and a long acting nitrate.
<ul> <li>▶SA1321 Special Authority for Subsidy         <ul> <li>Initial application from any relevant practitioner. Approvals we the following criteria:</li> <li>Either:                 <ul></ul></li></ul></li></ul>	alid without further ren nitrate, in patients who armacy 	5 ewal unle o are intol 100 ewal unles 60 60 2 years fo 2 years fo	Apresoline  Apresoline  Apresoline  Action  Actio

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PENTOXIFYLLINE [OXPENTIFYLLINE] Tab 400 mg		50	Tr	rental 400
Endothelin Receptor Antagonists				
Special Authority approved by the Pulmonary Arterial Hypertensi				
Special Authority approved by the Pulmonary Arterial Hypertensi lotes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON el: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.c	bsite http://www.phar	mac.g	ovt.nz or:	
Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.c MBRISENTAN – Special Authority see SA0967 above – Retail Tab 5 mg	bsite http://www.phar jovt.nz pharmacy 4,585.00	30	v V	olibris
Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.c MBRISENTAN – Special Authority see SA0967 above – Retail Tab 5 mg Tab 10 mg	bsite <u>http://www.phar</u> jovt.nz pharmacy 4,585.00 4,585.00		v V	olibris olibris
Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.c MBRISENTAN – Special Authority see SA0967 above – Retail Tab 5 mg	bsite http://www.phar jovt.nz pharmacy 4,585.00 4,585.00 rmacy	30	• Vo • Vo • pr	

### Phosphodiesterase Type 5 Inhibitors

### ➡SA1293 Special Authority for Subsidy

**Initial application — (Raynaud's Phenomenon\* - for Pulmonary Arterial Hypertension see note below))** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon\*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form <u>SA1293-PAH</u>).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7512 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with  $^{\ast}$  are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 above - Retail pharma	acy		
Tab 25 mg		4	Silagra
Tab 50 mg	1.85	4	<ul> <li>Silagra</li> </ul>
Tab 100 mg – For sildenafil oral liquid formulation refer, page			
200	7.45	4	Silagra

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
Prostacyclin Analogues			
► SA0969 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensic Notes: Application details may be obtained from PHARMAC's we The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.g	bsite http://www.pharr	mac.govt.nz or:	
ILOPROST – Special Authority see SA0969 above – Retail phare Nebuliser soln 10 mcg per ml, 2 ml		30 🗸 V	entavis

	Subsidy (Manufacturer's Price \$	e) Sul Per	Fully bsidised	Brand or Generic Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 91			
ADAPALENE				
a) Maximum of 30 g per prescription				
b) Only on a prescription				
Crm 0.1%	22.89	30 g OP	🖌 Di	fferin
Gel 0.1%	22.89	30 g OP	🖌 Di	fferin
ISOTRETINOIN - Special Authority see SA0955 below - Retail	oharmacv			
Cap 10 mg		120	🖌 01	ratane
Cap 20 mg		120	V 0	ratane

#### ➡SA0955 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has had an adequate trial on other available treatments and has received an inadequate response from these treatments or these are contraindicated; and
- 2 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 3 Applicant has an up to date knowledge of the treatment options for acne and is aware of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 4 Either:
  - 4.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 4.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

### TRETINOIN

Crm 0.5 mg per g – Maximum of 50 g per prescription	13.90 50	g OP 🛛 🖌	<b>ReTrieve</b>
---	----------	----------	-----------------

Subsidy       Fully       Subsidied       Generic         8       Per       ✓ Brand or       Generic         9       ✓ Subsidied       Generic       Generic         systemic antibacterials, refer to INFECTIONS, Antibacterials, page 91       IDIC ACID       IDIC ACID         Crm 2%
tibacterials Topical         systemic antibacterials, refer to INFECTIONS, Antibacterials, page 91         IDIC ACID         Crm 2%         3.25       15 g OP       ✓ Foban         a) Maximum of 15 g per prescription         b) Only on a prescription         O) Not in combination         OP       ✓ Foban         Advantage of the prescription         O) Not in combination         OP       ✓ Foban         Advantage of the prescription         O) Not in combination         PROCIN         OP       ✓ Crystaderm         PROCIN         Colspan= 2.30 G P       ✓ Flamazine         A) Only on a prescription         b) Not in combination         Step colspan <t< th=""></t<>
systemic antibacterials, refer to INFECTIONS, Antibacterials, page 91 IDIC ACID Crm 2%
IDIC ACID
Crm 2%
a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination Oint 2%
b) Only on a prescription c) Not in combination Oint 2%
c) Not in combination Oint 2%
Oint 2%
a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination PROGEN PEROXIDE Crm 1%
b) Only on a prescription c) Not in combination PROGEN PEROXIDE Crm 1%
c) Not in combination PROGEN PEROXIDE Crm 1%
PROGEN PEROXIDE         Crm 1%       8.56       15 g OP       ✓ Crystaderm         PIROCIN       6.60       15 g OP       Bactroban         Oint 2%       (9.26)       Bactroban       Bactroban         a) Only on a prescription       (9.26)       Bactroban       Bactroban         b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Only on a prescription       b) Not in combination       0(61.87)       Loceryl       Loceryl         COPIROX OLAMINE       30 only on a prescription       b) Not in combination       8.23       7 ml OP       ✓         Nail-soln 8%       4.36       20 ml OP       (11.54)       Batrafen         rafen Soln 1% to be delisted 1 August 2014)       TRIMAZOLE       Batrafen
Crm 1%       8.56       15 g OP       ✓ Crystaderm         PIROCIN       6.60       15 g OP       Bactroban         a) Only on a prescription       (9.26)       Bactroban         b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Only on a prescription       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Only on a prescription       b) Not in combination       000000000000000000000000000000000000
PIROCIN Oint 2%
Oint 2%       6.60       15 g OP         (9.26)       Bactroban         a) Only on a prescription       Bactroban         b) Not in combination       12.30       50 g OP         'ER SULPHADIAZINE       12.30       50 g OP         Crm 1%       12.30       50 g OP         a) Up to 250 g available on a PSO       b) Not in combination       12.30         tiffungals Topical         systemic antifungals, refer to INFECTIONS, Antifungals, page 98         DROLFINE       a) Only on a prescription       b) Not in combination         Nail soln 5%       37.86       5 ml OP         (61.87)       Loceryl         LOPIROX OLAMINE       30 Only on a prescription       b) Not in combination         Nail-soln 8%       8.23       7 ml OP       ✓         (11.54)       Batrafen         Traffen Soln 1% to be delisted 1 August 2014)
(9.26)       Bactroban         a) Only on a prescription       b) Not in combination         'ER SULPHADIAZINE       12.30       50 g OP         Crm 1%       12.30       50 g OP         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP         tifungals Topical       systemic antifungals, refer to INFECTIONS, Antifungals, page 98       OROLFINE         a) Only on a prescription       b) Not in combination       37.86       5 ml OP         (61.87)       Loceryl         LOPIROX OLAMINE       30 Only on a prescription       b) Not in combination         Nail-soln 8%       8.23       7 ml OP       ✓         (11.54)       Batrafen         rafen Soln 1% to be delisted 1 August 2014)       TRIMAZOLE
a) Only on a prescription b) Not in combination YER SULPHADIAZINE Crm 1%
b) Not in combination PER SULPHADIAZINE Crm 1%
Figure A SULPHADIAZINE         Crm 1%       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         a) Up to 250 g available on a PSO       b) Not in combination       12.30       50 g OP       ✓ Flamazine         systemic antifungals, refer to INFECTIONS, Antifungals, page 98       OROLFINE       0       0       0         a) Only on a prescription       b) Not in combination       37.86       5 ml OP       61.87)       Loceryl         COPIROX OLAMINE       a) Only on a prescription       b) Not in combination       8.23       7 ml OP       ✓       Apo-Ciclopirox         Soln 1%       4.36       20 ml OP       (11.54)       Batrafen         rafen Soln 1% to be delisted 1 August 2014)       TRIMAZOLE       Harden       D
Crm 1%
a) Up to 250 g available on a PSO b) Not in combination <b>tifungals Topical</b> systemic antifungals, refer to INFECTIONS, Antifungals, page 98 DROLFINE a) Only on a prescription b) Not in combination Nail soln 5%
b) Not in combination  tifungals Topical  systemic antifungals, refer to INFECTIONS, Antifungals, page 98 DROLFINE a) Only on a prescription b) Not in combination Nail soln 5%
Tifungals Topical         systemic antifungals, refer to INFECTIONS, Antifungals, page 98         DROLFINE         a) Only on a prescription         b) Not in combination         Nail soln 5%         COPIROX OLAMINE         a) Only on a prescription         b) Not in combination         Nail soln 5%         Solor 1%         Solor 1%         Solor 1%         Cafen Soln 1% to be delisted 1 August 2014)         TRIMAZOLE
systemic antifungals, refer to INFECTIONS, Antifungals, page 98 DROLFINE a) Only on a prescription b) Not in combination Nail soln 5%
DROLFINE         a) Only on a prescription         b) Not in combination         Nail soln 5%         Nail soln 5%
DROLFINE         a) Only on a prescription         b) Not in combination         Nail soln 5%         Nail soln 5%
a) Only on a prescription b) Not in combination Nail soln 5%
b) Not in combination Nail soln 5%
Nail soln 5%       37.86       5 ml OP         (61.87)       Loceryl         LOPIROX OLAMINE       (61.87)       Loceryl         a) Only on a prescription       b) Not in combination       8.23       7 ml OP       ✓         Mail-soln 8%       4.36       20 ml OP       (11.54)       Batrafen         rafen Soln 1% to be delisted 1 August 2014)         TRIMAZOLE
LOPIROX OLAMINE a) Only on a prescription b) Not in combination Nail-soln 8%
a) Only on a prescription b) Not in combination Nail-soln 8%
a) Only on a prescription b) Not in combination Nail-soln 8%
b) Not in combination Nail-soln 8%
Nail-soln 8%         7 ml OP         Apo-Ciclopirox           Soln 1%         4.36         20 ml OP         (11.54)         Batrafen           rafen Soln 1% to be delisted 1 August 2014)         TRIMAZOLE         TRIMAZOLE         TRIMAZOLE
Soln 1%4.36 20 ml OP (11.54) Batrafen rafen Soln 1% to be delisted 1 August 2014) TRIMAZOLE
rafen Soln 1% to be delisted 1 August 2014) TRIMAZOLE
TRIMAZOLE
TRIMAZOLE
a) Only on a prescription
b) Not in combination
Soln 1%
(7.55) Canesten
a) Only on a prescription
b) Not in combination

ECONAZOLE NITRATE       1.00       20 g OP         Crm 1%       (7.48)       Pevaryl         a) Only on a prescription       9.89       3         b) Not in combination       (17.23)       Pevaryl         a) Only on a prescription       (17.23)       Pevaryl         b) Not in combination       (17.23)       Pevaryl         a) Only on a prescription       (17.23)       Pevaryl         a) Only on a prescription       0.46       15 g OP       ✓ Multichem         a) Only on a prescription       (10.03)       Daktarin       0aktarin         a) Only on a prescription       (10.03)       Daktarin       0aktarin         b) Not in combination       4.36       30 ml OP       (12.10)       Daktarin         a) Only on a prescription       (12.10)       Daktarin       0al OP         a) Only on a prescription       (7.90)       Mycostatin       0al OP         b) Not in combination       (7.90)       Mycostatin       0al OP         NYSTATIN       (7.90)       Mycostatin       0al OP       (7.90)       Mycostatin         c) Only on a prescription       (7.90)       15 g OP       (7.90)       Mycostatin         b) Not in combination       (7.90)       Mycostatin       <		Subsidy (Manufacturer's   \$	Price) Sul Per	Fully Brand or bsidised Generic ✓ Manufacturer
(7.48)       Pevaryl         a) Only on a prescription       b) Not in combination         Foaming soln 1%, 10 ml sachets	ECONAZOLE NITRATE			
a) Only on a prescription b) Not in combination Foaming soln 1%, 10 ml sachets	Crm 1%		20 g OP	Pevarvl
Foaming soln 1%, 10 ml sachets       9.89       3         (17.23)       Pevaryl         a) Only on a prescription       0) Not in combination         MICONAZOLE NITRATE       .0.46       15 g OP       ✓ Multichem         a) Only on a prescription       0) Not in combination       .0.46       30 ml OP         a) Only on a prescription       (10.03)       Daktarin         b) Not in combination       .4.36       30 ml OP         *       Tinct 2%       .4.36       30 ml OP         (12.10)       Daktarin       .0010 on a prescription       .010 on a prescription         b) Not in combination       .1.00       15 g OP	a) Only on a prescription	(		i oralji
(17.23)       Pevaryl         a) Only on a prescription       b) Not in combination         MICONAZOLE NITRATE				
b) Not in combination MICONAZOLE NITRATE * Crm 2%	Foaming soln 1%, 10 ml sachets		3	Pevaryl
MICONAZOLE NITRATE * Crm 2%	a) Only on a prescription			
<ul> <li>★ Crm 2%</li></ul>	,			
a) Only on a prescription b) Not in combination * Lotn 2%				
b) Not in combination  * Lotn 2%		0.46	15 g OP	✓ <u>Multichem</u>
<ul> <li>★ Lotn<sup>2</sup>%</li></ul>				
(10.03) Daktarin a) Only on a prescription b) Not in combination * Tinct 2%		4.00	00	
a) Only on a prescription b) Not in combination * Tinct 2%	* Loth 2%		30 mi OP	Daktorin
b) Not in combination  * Tinct 2%	a) Only on a prescription	(10.03)		Dakiann
<ul> <li>★ Tinct 2%</li></ul>				
a) Only on a prescription b) Not in combination NYSTATIN Crm 100,000 u per g	,		30 ml OP	
b) Not in combination NYSTATIN Crm 100,000 u per g		(12.10)		Daktarin
NYSTATIN Crm 100,000 u per g	a) Only on a prescription			
Crm 100,000 u per g       1.00       15 g OP         (7.90)       Mycostatin         a) Only on a prescription       b) Not in combination         CALAMINE       a) Only on a prescription         b) Not in combination       Crm, aqueous, BP         Crm, aqueous, BP       1.77         Lotn, BP       13.45         2,000 ml       ✓ Pharmacy Health         Lotn, BP       13.45         a) Only on a prescription       b) Not in combination         Crm, aqueous, BP       1.77         Lotn, BP       13.45         CROTAMITON       a) Only on a prescription         b) Not in combination       3.48         Crm 10%       3.48         MENTHOL – Only in combination       0nly urea cream, wool fat with mineral oil lotion, 1% hydrocortisone with wool fat a mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion	b) Not in combination			
(7.90) Mycostatin a) Only on a prescription b) Not in combination CALAMINE a) Only on a prescription b) Not in combination Crm, aqueous, BP				
a) Only on a prescription b) Not in combination Antipruritic Preparations CALAMINE a) Only on a prescription b) Not in combination Crm, aqueous, BP	Crm 100,000 u per g	1.00	15 g OP	
<ul> <li>b) Not in combination</li> <li>Antipruritic Preparations</li> <li>CALAMINE <ul> <li>a) Only on a prescription</li> <li>b) Not in combination</li> <li>Crm, aqueous, BP</li> <li>Lotn, BP</li> <li>13.45</li> <li>2,000 ml ✓ Pharmacy Health</li> <li>Lotn, BP</li> <li>CROTAMITON <ul> <li>a) Only on a prescription</li> <li>b) Not in combination</li> <li>Crm 10%</li> <li>3.48</li> <li>20 g OP ✓ Itch-Soothe</li> </ul> </li> <li>MENTHOL – Only in combination <ul> <li>Only in combination</li> </ul> </li> </ul></li></ul>		(7.90)		Mycostatin
Antipruritic Preparations         CALAMINE <ul> <li>a) Only on a prescription</li> <li>b) Not in combination</li> <li>Crm, aqueous, BP</li> <li>Lotn, BP</li> <li>T3.45</li> <li>CROTAMITON             <ul></ul></li></ul>				
CALAMINE         a) Only on a prescription         b) Not in combination         Crm, aqueous, BP         Lotn, BP         Lotn, BP         MENTHOL         a) Only on a prescription         b) Not in combination         Crm 10%         Crm 10%         MENTHOL         Only in combination         Only in combination         Or yn a prescription         b) Not in combination         Crm 10%         MENTHOL         Only in combination				
a) Only on a prescription b) Not in combination Crm, aqueous, BP	Antipruritic Preparations			
b) Not in combination Crm, aqueous, BP	CALAMINE			
Crm, aqueous, BP       1.77       100 g       ✓ Pharmacy Health         Lotn, BP       13.45       2,000 ml       ✓ PSM         CROTAMITON       a) Only on a prescription       b) Not in combination       Crm 10%				
Lotn, BP		4 77	100 -	
CROTAMITON a) Only on a prescription b) Not in combination Crm 10%				
a) Only on a prescription b) Not in combination Crm 10%			2,000 111	• <u>F3W</u>
<ul> <li>b) Not in combination</li> <li>Crm 10%</li></ul>				
Ćrm 10%	, , , ,			
MENTHOL – Only in combination Only in combination with aqueous cream, 10% urea cream, wool fat with mineral oil lotion, 1% hydrocortisone with wool fat a mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion	,	3 48	20 a OP	V Itch-Soothe
Only in combination with aqueous cream, 10% urea cream, wool fat with mineral oil lotion, 1% hydrocortisone with wool fat a mineral oil lotion, and glycerol, paraffin and cetyl alcohol lotion			20 9 01	
	Only in combination with aqueous cream, 10% urea of		eral oil lotion, 1	% hydrocortisone with wool fat and
			25 a	
6.92 <b>V</b> MidWest	01 yolalo		20 y	
29.60 100 g 🖌 MidWest			100 a	

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
Corticosteroids Topical	Ŷ	1.61	• Manuacturer
For systemic corticosteroids, refer to CORTICOSTEROIDS AND	RELATED AGE	NTS, page 83	
Corticosteroids - Plain			
BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	Diprosone OV
Oint 0.05%		15 g OP	<ul> <li>Diprosone</li> </ul>
	8.97	50 g OP	<ul> <li>Diprosone</li> </ul>
Oint 0.05% in propylene glycol base	4.33	30 g OP	Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.50	50 g OP	🖌 Beta Cream
* Oint 0.1%	3.50	50 g OP	<ul> <li>Beta Ointment</li> </ul>
* Lotn 0.1%	10.05	50 ml OP	Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%		30 g OP	Dermol
* Oint 0.05%		30 g OP	✓ Dermol
CLOBETASONE BUTYBATE			
CLOBE IASONE BUTTHATE Crm 0.05%	5 29	30 g OP	
CIII 0.05 /0	(7.09)	30 y OF	Eumovate
	16.13	100 g OP	Luniovale
	(22.00)	100 9 01	Eumovate
	(22.00)		Lanovato
DIFLUCORTOLONE VALERATE Crm 0.1%	9.07	50 a OB	
CIIII 0.1%		50 g OP	Nariaana
Fatty oint 0.1%	(15.86)	50 g OP	Nerisone
		50 y OF	Nerisone
	(13.00)		Nelisone
HYDROCORTISONE		100	
* Crm 1% – Only on a prescription		100 g	Pharmacy Health
W. Devuder, Only in combination	14.00	500 g	Pharmacy Health
* Powder – Only in combination		25 g	✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary Top galenicals. Refer, page 199	ical Conticosteri	ou – Plain) Wil	n or without other dermatologica
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%		30 g OP	Locoid Lipocream
	6.85	100 g OP	Locoid Lipocream
Oint 0.1%		100 g OP	Locoid
Milky emul 0.1%	6.85	100 ml OP	Locoid Crelo
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL			
Lotn 1% with wool fat hydrous 3% and mineral oil – Only or a prescription		250 ml	✔ DP Lotn HC
METHYLPREDNISOLONE ACEPONATE			
Crm 0.1%	4.05	15 g OP	✓ Advantan
Oint 0.1%		15 g OP 15 g OP	✓ Advantan ✓ Advantan
UIIIL U. 1 /0	4.50	15 y OF	

	0.1				Decader
	Subsidy (Manufacturer's	Price)	l Subsid	Fully ised	
	\$		Per	~	Manufacturer
MOMETASONE FUROATE					
Crm 0.1%		15 g	OP	~	m-Mometasone
	3.42	45 g		-	m-Mometasone
Oint 0.1%		15 g			m-Mometasone
	3.42	45 g	OP	VÌ	m-Mometasone
Lotn 0.1%	7.35	30 m	I OP	<b>/</b>	Elocon
TRIAMCINOLONE ACETONIDE					
Crm 0.02%	6.63	100 (	n OP	~	Aristocort
Oint 0.02%		100			Aristocort
Corticosteroids - Combination			<b>y -</b> ·		
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a					
Crm 0.1% with clioquinol 3%		15 g	OP		
<b>-</b>	(4.90)			I	Betnovate-C
Oint 0.1% with clioquinol 3%		15 g	OP		
	(4.90)				Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID					
Crm 0.1% with fusidic acid 2%	3.49	15 g	OP		
	(10.45)			I	Fucicort
<ul> <li>a) Maximum of 15 g per prescription</li> <li>b) Only on a prescription</li> </ul>					
	1				
HYDROCORTISONE WITH MICONAZOLE – Only on a prescrip * Crm 1% with miconazole nitrate 2%		15 g	OP	1	Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - O	nlv on a prescrir	ntion			
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g	OP	~	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g	-		Pimafucort
, , , ,		-		-	
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI		IIN			
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg	,	15 -			
and gramicidin 250 mcg per g $-$ Only on a prescription .	3.49 (6.60)	15 g	UP	,	Viaderm KC
	(0.00)				viaderni KC
Disinfecting and Cleansing Agents					
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement					
a) No more than 500 ml per month					
b) Only if prescribed for a dialysis patient and the prescription	n is endorsed ac	cordinal	V.		
<ul> <li>Handrub 1% with ethanol 70%</li> </ul>				1	healthE
* Soln 4%		500			Orion
TRICLOSAN – Subsidy by endorsement				-	
a) Maximum of 500 ml per prescription					
b)					<b>OA</b> ) · · · · · ·
<ul> <li>a) Only if prescribed for a patient identified with Methicillin- in hospital and the prescription is endorsed accordingly;</li> </ul>		lococcus	s aureus (	MR	SA) prior to elective surger
<ul><li>b) Only if prescribed for a patient with recurrent Staphylocol</li></ul>		ction and	d the pres	crip	tion is endorsed according
Soln 1%		500 n			Pharmacy Health
	4.30 5.90	0001			healthE
	5.50			•	

	Subsidy (Manufacturer's \$	Price) Sub: Per	Fully Brand or sidised Generic Manufacturer
Barrier Creams and Emollients			
Barrier Creams			
DIMETHICONE * Crm 5% pump bottle	4.73	500 ml OP	✓ healthE Dimethicone 5%
ZINC AND CASTOR OIL * Oint BP	3.83	500 g	✓ <u>Multichem</u>
Emollients			
AQUEOUS CREAM * Crm	1.96	500 g	✓ <u>AFT</u>
CETOMACROGOL * Crm BP	3.15	500 g	🖌 PSM
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	4.50	500 ml OP	✓ Pharmacy Health Sorbolene with
	6.50	1,000 ml OP	Glycerin Pharmacy Health Sorbolene with Glycerin
EMULSIFYING OINTMENT			·
* Oint BP OIL IN WATER EMULSION	3.04	500 g	✓ <u>AFT</u>
* Crm	2.63	500 g	✓ healthE Fatty Cream
UREA	1.65	100 g OP	✓ healthE Urea Cream
Lotn hydrous 3% with mineral oil	(3.50)	250 ml OP	Hydroderm Lotion
	5.60 (9.54) 1.40	1,000 ml 250 ml OP	Hydroderm Lotion
	(4.53) 5.60	1,000 ml	DP Lotion
	(11.95) (20.53)	· • -	DP Lotion Alpha-Keri Lotion
	1.40 (7.73) 5.60	250 ml OP	BK Lotion
	(23.91)	1,000 ml	BK Lotion

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully osidised	Brand or Generic Manufacturer
Other Dermatological Bases				
RAFFIN				
White soft – Only in combination	3.58	500 g		
	(7.78)			PW
	20.20	2,500 g	🖌 IF	PW
	3.58	500 g	_	
	(8.69)			SM
Only in combination with a dermatological galenical or as	a diluent for a pro	prietary topic	al Corti	costeroid – Plain.
linor Skin Infections				
DVIDONE IODINE			-	
Oint 10%	3.27	25 g OP	🗸 В	etadine
<ul> <li>a) Maximum of 100 g per prescription</li> </ul>				
b) Only on a prescription				
Antiseptic soln 10%		15 ml	_	
	(4.45)		В	etadine
	1.28	100 ml		
	(8.25)		-	etadine
	6.20	500 ml	🗸 В	etadine
	1.28	100 ml		
	(4.20)		R	iodine
	6.20	500 ml	🖌 R	iodine
Skin preparation, povidone iodine 10% with 30% alcohol	1.63	100 ml		
	(3.65)		В	etadine Skin Prep
	10.00	500 ml	🗸 В	etadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol	1.63	100 ml		
	(6.04)		C	rion
	8.13	500 ml		
	(18.63)		C	Prion
Parasiticidal Preparations				
AMMA BENZENE HEXACHLORIDE				
Crm 1%	3.50	50 g OP	🗸 В	enhex
ERMECTIN – Special Authority see SA1225 below – Retail ph	armacy	-		
Tab 3 mg – Up to 100 tab available on a PSO		4	VS	tromectol
<ol> <li>PSO for institutional use only. Must be endorsed with th</li> </ol>				
Special Authority for patient of that institution.				
<ul><li>2) Ivermectin available on BSO provided the BSO includes</li></ul>	a valid Special A	uthority for a n	ationt o	f the institution
<ul><li>3) For the purposes of subsidy of ivermectin, institution material</li></ul>				
or penal institutions.	sans age reidleu			iss, usability care lacili

**Initial application** — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and

2 Either:

continued...

71

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 Both:
  - 2.1.1 The patient is in the community; and
  - 2.1.2 Any of the following:
    - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
    - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
    - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
- 2.2 All of the following:
  - 2.2.1 The Patient is a resident in an institution; and
  - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
  - 2.2.3 Any of the following:
    - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
    - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
    - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

**Initial application — (Other parasitic infections)** only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

**Renewal** — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:
      - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

continued...

 S	Fully ubsidised	Brand or Generic	
\$ Per	~	Manufacturer	

continued...

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

#### MALATHION

Liq 0.5% Shampoo 1%		200 ml OP 30 ml OP	<ul><li>A-Lices</li><li>A-Lices</li></ul>
MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2%	11.15	90 g OP	🗸 Para Plus
PERMETHRIN Crm 5% Lotn 5%		30 g OP 30 ml OP	✓ <u>Lyderm</u> ✓ <u>A-Scabies</u>

## **Psoriasis and Eczema Preparations**

ACITRETIN - Special Authority see SA0954 below - Re	etail pharmacy		
Cap 10 mg		100	Neotigason
	38.66	60	Novatretin
Cap 25 mg		60	Novatretin
	85.40	100	Neotigason

## ►SA0954 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the treatment options for psoriasis and of disorders of keratinisation and is aware of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

	Subsidy		Fully	
	(Manufacturer's F \$	Price) Su Per	bsidised	Generic Manufacturer
	•			
BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL	06 10	20 a OB		Doivabat
Oint 500 mcg with calcipotriol 50 mcg Topical gel 500 mcg with calcipotriol 50 mcg		30 g OP 30 g OP		Daivobet Daivobet
	20.12	30 Y OF	•	Jaivobel
CALCIPOTRIOL	16.00	20 ~ OD		Delvenev
Crm 50 mcg per g	16.00 45.00	30 g OP 100 g OP		Daivonex Daivonex
Oint 50 mcg per g		100 g OP 100 g OP		Daivonex
Soln 50 mcg per ml		30 ml OP		Daivonex
COAL TAB			•	
Soln – Only in combination	12 55	200 ml	~	Vidwest
Up to 10 % Only in combination with a dermatological base				
base, page 199 With or without other dermatological gale				
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULF				
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and				
allantoin crm 2.5%		30 g OP		
	(4.35)	Ū	I	Egopsoryl TA
	6.59	75 g OP		
	(8.00)		I	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR				
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	~	Coco-Scalp
SALICYLIC ACID				
Powder – Only in combination		250 g	<b>1</b>	PSM
1) Only in combination with a dermatological base or pro	prietary Topical (	Corticosteroid	- Plair	n or collodion flexible, refe
dermatological base, page 199				
2) With or without other dermatological galenicals.				
<ol> <li>Maximum 20 g or 20 ml per prescription when prescribe</li> </ol>	d with white soft p	parattin or coll	odion fl	exible.
SULPHUR				
Precipitated – Only in combination	6.35 	100 g		Vidwest
<ol> <li>Only in combination with a dermatological base or prop page 100</li> </ol>	orietary Topical C	orticosteroid ·	- Plain,	reter dermatological base
page 199 2) With or without other dermatological galenicals.				
,		nlu on o proce	rintion	
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU * Soln 2.3% with triethanolamine lauryl sulphate and fluores		niy on a presu	πρισπ	
cein sodium		500 ml	~	Pinetarsol
	5.82	1,000 ml	-	Pinetarsol
Coole Drenovations		.,		
Scalp Preparations				
BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.75	100 ml OP	<b>~</b>	Beta Scalp
CLOBETASOL PROPIONATE				-
* Scalp app 0.05%	6.96	30 ml OP	<b>~</b>	Dermol
HYDROCORTISONE BUTYRATE				
Scalp lotn 0.1%		100 ml OP	<b>~</b>	Locoid
KETOCONAZOLE	0.00		• •	
Shampoo 2%	3 08	100 ml OP	~	Sebizole
a) Maximum of 100 ml per prescription			•	00012010
b) Only on a prescription				

(Manufacturer's Price) Subsidised Generic \$ Per  Manufacturer UNSCREENS, PROPRIETARY – Subsidy by endorsement		Subsidy		Fully	Brand or
UNSCREENS, PROPRIETARY – Subsidy by endorsement         Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescriptendorsed accordingly.         Crm       3.30       100 g OP         Lotn,       3.30       100 g OP         Lotn,       3.30       100 g OP         Lotn       5.10       200 g OP         Lotn       2.55       100 ml OP         V Marine Blue Lotion SPF 50+       5.10       200 ml OP         Lotn       2.55       100 ml OP       ✓ Marine Blue Lotion SPF 30+         Lotn       4.13       125 ml OP       ✓ Marine Blue Lotion SPF 30+			Price) Su		
JNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivity secondary to a defined clinical condition and the prescrip endorsed accordingly. Crm		\$	Per	~	Manufacturer
Crm	Sunscreens				
endorsed accordingly.       3.30       100 g OP         Crm       (5.89)       Hamilton Sunscreen         Lotn,       3.30       100 g OP         ✓ Marine Blue Lotion       SPF 50+         5.10       200 g OP       ✓ Marine Blue Lotion         SPF 50+       5.10       200 g OP         Lotn       2.55       100 ml OP         ✓ Marine Blue Lotion       SPF 30+         5.10       200 ml OP         ✓ Marine Blue Lotion       SPF 30+         5.10       200 ml OP         ✓ Marine Blue Lotion       SPF 30+         4.13       125 ml OP	JNSCREENS, PROPRIETARY – Subsidy by endorsement				
(5.89)       Hamilton Sunscreen         Lotn,		econdary to a	defined clinic	al conditi	on and the prescrip
Lotn,	÷,	3.30	100 g OP		
SPF 50+         5.10       200 g OP       ✓ Marine Blue Lotion SPF 50+         Lotn		(5.89)	-	Н	amilton Sunscreen
Lotn         2.55         100 ml OP         ✓ Marine Blue Lotion SPF 30+           5.10         200 ml OP         ✓ Marine Blue Lotion SPF 30+           4.13         125 ml OP	Lotn,	3.30	100 g OP	✔ M	
SPF 30+           5.10         200 ml OP         ✓ Marine Blue Lotion           SPF 30+           4.13         125 ml OP		5.10	200 g OP	✔ M	
<b>SPF 30+</b> 4.13 125 ml OP	Lotn	2.55	100 ml OP	✔ M	
		5.10	200 ml OP	✔ M	
(6.94) Aquasun 30+		4.13	125 ml OP		
		(6.94)		A	quasun 30+

#### For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 73

IMIQUIMOD	- Special Authority see SA0923 below - Retail pharmacy			
Crm 5%		62.00	12	✓ Aldara

#### SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiquimod
  and allows histological assessment of tumour clearance.
- Imiquimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiquimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

• Imiquimod is only indicated for external genital and perianal warts (condyloma acuminata).

**Renewal** from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

#### PODOPHYLLOTOXIN

Soln 0.5%	33.60	3.5 ml OP	Condyline
a) Maximum of 3.50 ml per prescription			-

b) Only on a prescription

	Subsidy (Manufacturer's Pri \$	ce) Sut Per	Fully osidised	Brand or Generic Manufacturer
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM Crm 5%	25.16	20 g OP	✔ <u>E</u> f	fudix

		Subsidy (Manufacturer's Price) \$	Per	Fully Brand Subsidised Gene ✓ Manu	
С	ontraceptives - Non-hormonal				
С	ondoms				
c	NDOMS				
ŧ	49 mm - Up to 144 dev available on a PSO	13.36	144	<ul> <li>✓ Marquis</li> <li>✓ Shield 4</li> </ul>	
ŧ	52 mm – Up to 144 dev available on a PSO	13.36	144	<ul> <li>Marquis</li> <li>Marquis</li> <li>Marquis</li> </ul>	s Sensolite
ŧ	52 mm extra strength - Up to 144 dev available on a PSO		144	<ul> <li>Marquis</li> </ul>	
÷	53 mm - Up to 144 dev available on a PSO	1.11	12	Shield I	Blue
		13.36	144	🖌 Shield I	Blue
		1.11	12	🖌 Gold Ki	night
		13.36	144	<ul> <li>Gold Ki</li> <li>Marquis</li> <li>Marquis</li> </ul>	night Black
-	53 mm (chocolate) - Up to 144 dev available on a PSO	1.11	12	🖌 Gold Ki	night
		13.36	144	🖌 Gold Ki	night
	53 mm (strawberry) - Up to 144 dev available on a PSO	1.11	12	🖌 Gold Ki	night
		13.36	144	🖌 Gold Kı	night
-	54 mm, shaped - Up to 144 dev available on a PSO	1.12	12		
		(1.24)		Lifestyle	s Flared
		13.36	144		
		(14.84)		Lifestyle	s Flared
	55 mm - Up to 144 dev available on a PSO	13.36	144	🖌 Marquis	S Conforma
ł	56 mm – Up to 144 dev available on a PSO	1.11	12	🖌 Gold Ki	night
		13.36	144	<ul> <li>✓ Gold Ki</li> <li>✓ Durex E</li> <li>✓ Durex S</li> <li>✓ Flavo</li> </ul>	Extra Safe Select
ŧ	56 mm, shaped – Up to 144 dev available on a PSO	1.11	12	🖌 Durex C	Confidence
		13.36	144	🖌 Durex C	Confidence
•	60 mm - Up to 144 dev available on a PSO	13.36	144	Shield 3	(L
С	ontraceptive Devices				
1/	APHRAGM – Up to 1 dev available on a PSO One of each size is permitted on a PSO.				
-	65 mm		1	🖌 Ortho A	
			1	🖌 Ortho A	
	75 mm		1	<ul> <li>Ortho A</li> </ul>	
-	80 mm		1	🖌 Ortho A	II-flex
11	RA-UTERINE DEVICE a) Up to 40 dev available on a PSO b) Only on a PSO				
ŧ	IÚD		1	<ul><li>✓ Multiloa</li><li>✓ Multiloa</li></ul>	nd Cu 375 nd Cu 375 SL

**GENITO-URINARY SYSTEM** 

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

## **Contraceptives - Hormonal**

## **Combined Oral Contraceptives**

#### SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

**Renewal** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### ETHINYLOESTRADIOL WITH DESOGESTREL

*	Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	6.62 (16.50)	84	Mercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 abov	/e	
	<ul> <li>b) Up to 84 tab available on a PSO</li> </ul>			
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
		(16.50)		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 abov	/e	
	b) Up to 84 tab available on a PSO			
ETI	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab – Up			
	to 84 tab available on a PSO		84	Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab – Up			
	to 84 tab available on a PSO	9.45	84 6	<ul> <li>Microgynon 50 ED</li> </ul>
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
		(16.50)		Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Authority	see SA0500 abov	/e	
	b) Up to 63 tab available on a PSO			
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab – Up			
	to 84 tab available on a PSO	2.30	84 •	🖊 Ava 30 ED

## **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Price) \$	Su Per	Fully ubsidised	Brand or Generic Manufacturer
ETHINYLOESTRADIOL WITH NORETHISTERONE				
* Tab 35 mcg with norethisterone 1 mg – Up to 63 tab available on a PSO	6.62	63	🗸 В	revinor 1/21
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO	6.62	84	🗸 В	revinor 1/28
* Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab available on a PSO	6.62	63	🗸 В	revinor 21
<ul> <li>Tab 35 mcg with norethisterone 500 mcg and 7 inert tab – Up to 84 tab available on a PSO</li> </ul>		84	🗸 N	lorimin

## **Progestogen-only Contraceptives**

### ➡SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

**Renewal** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

## LEVONORGESTREL

* Tab 30 mcg	6.62	84	
	(16.50)		Microlut
<ul> <li>a) Higher subsidy of \$13.80 per 84 tab with Special Au</li> <li>b) Up to 84 tab available on a PSO</li> </ul>	thority see SA0500 ab	ove	
* Subdermal implant (2 × 75 mg rods)		1	<ul> <li>Jadelle</li> </ul>
MEDROXYPROGESTERONE ACETATE * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a	a PSO7.00	1	✓ <u>Depo-Provera</u>
NORETHISTERONE * Tab 350 mcg – Up to 84 tab available on a PSO	6.00	84	Noriday 28

	Subsidy		Fully Brand or
	(Manufacturer's Pri \$	ce) Sub Per	isidised Generic Manufacturer
	Ŷ		
Emergency Contraceptives			
LEVONORGESTREL			
* Tab 1.5 mg	3.50	1	Postinor-1
a) Up to 5 tab available on a PSO			
b) Maximum of 2 tab per prescription			
Antiandrogen Oral Contraceptives			
Prescribers may code prescriptions "contraceptive" (code "O") whe	en used as indica	ted for contra	ception. The period of supply an
prescription charge will be as per other contraceptives, as follows:			
<ul> <li>\$5.00 prescription charge (patient co-payment) will apply.</li> </ul>			
<ul> <li>prescription may be written for up to six months supply.</li> </ul>			and the new contraction works
Prescriptions coded in any other way are subject to the non contr of supply. ie. Prescriptions may be written for up to three months s		tion charges,	and the non-contraceptive perio
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL	suppiy.		
* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 84 tab available on a PSO	3.80	84	✓ Ginet 84
		04	
Gynaecological Anti-infectives			
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	CID		
Jelly with glacial acetic acid 0.94%, hydroxyguinoline sul-			
phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with			
applicator		100 g OP	
	(24.00)		Aci-Jel
CLOTRIMAZOLE			
* Vaginal crm 1% with applicators		35 g OP	Clomazol
<ul> <li>Vaginal crm 2% with applicators</li> </ul>	2.20	20 g OP	Clomazol
MICONAZOLE NITRATE			
* Vaginal crm 2% with applicator		40 g OP	
	(4.10)		Micreme
NYSTATIN		00	<b>A N</b> <sup>11</sup> <b>N N</b>
Vaginal crm 100,000 u per 5 g with applicator(s)	4./1	75 g OP	Nilstat
Myometrial and Vaginal Hormone Preparations			
ERGOMETRINE MALEATE			
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO	31.00	5	✓ DBL Ergometrine
OESTRIOL		U	• <u>BBE Ergomounio</u>
<ul> <li>CESTRICE</li> <li>Crm 1 mg per g with applicator</li> </ul>	6 30	15 g OP	✓ Ovestin
* Pessaries 500 mcg		15 g Ol	✓ Ovestin
OXYTOCIN – Up to 5 inj available on a PSO		-	
Inj 5 iu per ml, 1 ml ampoule		5	Oxytocin BNM
Inj 10 iu per ml, 1 ml ampoule		5	✓ <u>BNM</u>
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml		5	✓ Syntometrine

		GENITO	-URI	NARY SYSTEM
	Subsidy (Manufacturer's Prio \$	ce) Subs Per	Fully idised	Brand or Generic Manufacturer
Pregnancy Tests - hCG Urine				
PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO Cassette		40 test OP		novacon hCG One Step Pregnancy Test
Urinary Agents				
For urinary tract Infections refer to INFECTIONS, Antibacterials, p	page 112			
5-Alpha Reductase Inhibitors				
FINASTERIDE – Special Authority see SA0928 below – Retail p * Tab 5 mg SA0928 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali the following criteria: Both:		30 enewal unless		ex Medical d for applications meeting
<ol> <li>Patient has symptomatic benign prostatic hyperplasia; at 2 Either:</li> <li>2.1 The patient is intolerant of non-selective alpha bl</li> <li>2.2 Symptoms are not adequately controlled with non</li> <li>Note: Patients with enlarged prostates are the appropriate candid</li> </ol>	ockers or these are n-selective alpha bl	lockers.	ed; or	
Alpha-1A Adrenoreceptor Blockers				
TAMSULOSIN HYDROCHLORIDE – Special Authority see SA10 * Cap 400 mcg		100		msulosin-Rex
1 Patient has symptomatic benign prostatic hyperplasia; at 2 The patient is intolerant of non-selective alpha blockers of		indicated.		
Other Urinary Agents				
OXYBUTYNIN * Tab 5 mg * Oral liq 5 mg per 5 ml POTASSIUM CITRATE Oral lig 2 mgml por ml	56.45	500 473 ml		oo-Oxybutynin oo-Oxybutynin
Oral liq 3 mmol per ml – Special Authority see SA1083 or the next page – Retail pharmacy		200 ml OP	🖌 Bi	omed

(Ma	Subsidy	Fully	Brand or
	nufacturer's Price)	Subsidised	Generic
	\$	Per 🗸	Manufacturer

### ➡SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

### SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets	3.93	28	Ural
SOLIFENACIN SUCCINATE - Special Authority see SA0998 below	– Retail pharma	су	
Tab 5 mg		30	Vesicare
Tab 10 mg	56.50	30	<ul> <li>Vesicare</li> </ul>

## SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

TOLTERODINE – Special Authority see SA1272 below – Retail pharmacy		
Tab 1 mg14.56	56	Arrow-Tolterodine
Tab 2 mg14.56	56	Arrow-Tolterodine

### SA1272 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

Detection of Substances in Urine		
ORTHO-TOLIDINE		
* Compound diagnostic sticks	7.50 50 test OP	
()	8.25)	Hemastix
TETRABROMOPHENOL		
* Blue diagnostic strips	7.02 100 test OP	
(1)	3.92)	Albustix
Compound diagnostic sticks      TETRABROMOPHENOL     Blue diagnostic strips	8.25) 7.02 100 test OP	

	Subsidy (Manufacturer's Pri		Fully Brand or osidised Generic
	(Ividitulactule) S F II	Per	Manufacturer
Calcium Homeostasis			
ALCITONIN			
<ul> <li>Inj 100 iu per ml, 1 ml</li> </ul>	110.00	5	✓ Miacalcic
Corticosteroids and Related Agents for Systemi	c Use		
ETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHAS	SONE ACETATE		
Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		5	
	(33.60)		Celestone
			Chronodose
DEXAMETHASONE	5.07	400	
Tab 1 mg – Retail pharmacy-Specialist Up to 30 tab available on a PSO	5.87	100	✓ Douglas
<ul> <li>Tab 4 mg – Retail pharmacy-Specialist</li> </ul>		100	✓ Douglas
Up to 30 tab available on a PSO			<u> </u>
Oral liq 1 mg per ml – Retail pharmacy-Specialist	45.00	25 ml OP	<ul> <li>Biomed</li> </ul>
Oral liq prescriptions:			
<ol> <li>Must be written by a Paediatrician or Paediatric Cardiolog</li> <li>On the recommendation of a Paediatrician or Paediatric 0</li> </ol>			
EXAMETHASONE PHOSPHATE	our diorogiot.		
Dexamethasone phosphate injection will not be funded for ora	al use.		
Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSC	D25.80	10	<ul> <li>Dexamethasone-</li> </ul>
	10.00	_	hameIn
	12.90 (21.50)	5	Hospira
Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSC	· /	5	✓ Dexamethasone-
, , , , , , , , , , , , , , , , , , ,			hameIn
	(31.00)		Hospira
Hospira Inj 4 mg per ml, 1 ml ampoule to be delisted 1 July 2014, Hospira Inj 4 mg per ml, 2 ml ampoule to be delisted 1 July 2014.			
	/		
LUDROCORTISONE ACETATE Carrier Tab 100 mcg	14 32	100	<ul> <li>Florinef</li> </ul>
IVDROCORTISONE		100	
Tab 5 mg		100	✓ Douglas
<ul> <li>Tab 20 mg – For hydrocortisone oral liquid formulation refer,</li> </ul>			<u>g</u>
page 200	20.32	100	✓ Douglas
<ul> <li>Inj 100 ml vial</li> </ul>	4.99	1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO b) Only on a PSO			
IETHYLPREDNISOLONE – Retail pharmacy-Specialist			
Tab 4 mg	60.00	100	✓ Medrol
← Tab 100 mg		20	✓ <u>Medrol</u>
IETHYLPREDNISOLONE ACETATE			
Inj 40 mg per ml, 1 ml	6.70	1	Depo-Medrol
ETHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNO	CAINE]		
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml	7.50	1	Depo-Medrol with
			Lidocaine

	Subsidy		Fully Brand or
	(Manufacturer's Pric \$	ce) Ser	Subsidised Generic Manufacturer
ETHYLPREDNISOLONE SODIUM SUCCINATE - Retail pharm	acy-Specialist		
Inj 40 mg per ml, 1 ml		1	Solu-Medrol
Inj 62.5 mg per ml, 2 ml		1	Solu-Medrol
Inj 500 mg		1	Solu-Medrol
Inj 1 g		1	Solu-Medrol
REDNISOLONE SODIUM PHOSPHATE			
Oral lig 5 mg per ml – Up to 30 ml available on a PSO	10.45	30 ml OP	Redipred
Restricted to children under 12 years of age.	10.40		
REDNISONE Tab 1 mg	0.10	100	Ano Drodnicono
Tab 1 mg	2.13	100	✓ Apo-Prednisone
			S29 S29
	10.68	500	Apo-Prednisone
Tab 2.5 mg		500	Apo-Prednisone
Tab 5 mg – Up to 30 tab available on a PSO		500	Apo-Prednisone
Tab 20 mg		500	Apo-Prednisone
TRACOSACTRIN			
Inj 250 mcg per ml, 1 ml ampoule		1	Synacthen
	177.18	10	<ul> <li>Synacthen</li> </ul>
Inj 1 mg per ml, 1 ml		1	Synacthen Depot
RIAMCINOLONE ACETONIDE			
Inj 10 mg per ml, 1 ml	21.90	5	Kenacort-A
Inj 40 mg per ml, 1 ml		5	✓ Kenacort-A40
, .		Ű	<u></u>
Sex Hormones Non Contraceptive			
Androgen Agonists and Antagonists			
PROTERONE ACETATE – Retail pharmacy-Specialist			
Tab 50 mg		50	✓ <u>Siterone</u>
Tab 100 mg		50	✓ Siterone
STOSTERONE			
Transdermal patch, 2.5 mg per day		60	Androderm
STOSTERONE CYPIONATE – Retail pharmacy-Specialist	76 50	1	A Dono-Tostostarana
Inj long-acting 100 mg per ml, 10 ml		I	Depo-Testosterone
STOSTERONE ESTERS – Retail pharmacy-Specialist			
Inj 250 mg per ml, 1 ml		1	<ul> <li>Sustanon Ampoules</li> </ul>
STOSTERONE UNDECANOATE – Retail pharmacy-Specialist			
Cap 40 mg		60	Andriol Testocaps
Inj 250 mg per ml, 4 ml		1	Reandron 1000
Iormone Replacement Therapy - Systemic	_	_	

### ►SA1018 Special Authority for Alternate Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

1 acute or significant liver disease - where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or

continued...

(	Subsidy	Fully	Brand or
	Manufacturer's Price)	Subsidised	Generic
	\$	Per 🖌	Manufacturer

continued...

- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

#### **Prescribing Guideline**

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

## Oestrogens

OE	STRADIOL – See prescribing guideline above			
	Tab 1 mg		28 OP	
	ő	(10.55)		Estrofem
*	Tab 2 mg		28 OP	
	Ŭ	(10.55)		Estrofem
*	TDDS 25 mcg per day		8	
		(10.86)		Estradot
	<ul> <li>a) Higher subsidy of \$10.86 per 8 patch with Special Autl</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>	hority see SA1018	on the previou	s page
*	TDDS 3.9 mg (releases 50 mcg of oestradiol per day)	4.12	4	
		(13.18)		Climara 50
		(32.50)		Femtran 50
	<ul> <li>a) Higher subsidy of \$13.18 per 4 patch with Special Auth</li> <li>b) No more than 1 patch per week</li> <li>c) Only on a prescription</li> </ul>		·	s page
*	TDDS 50 mcg per day		8	
		(13.18)		Estradot 50 mcg
	<ul> <li>a) Higher subsidy of \$13.18 per 8 patch with Special Auth</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>	nority see SA1018	on the previou	s page
*	TDDS 7.8 mg (releases 100 mcg of oestradiol per day)	7.05	4	
		(16.14)		Climara 100
		(35.00)		Femtran 100
	<ul> <li>a) Higher subsidy of \$16.14 per 4 patch with Special Autl</li> <li>b) No more than 1 patch per week</li> <li>c) Only on a prescription</li> </ul>	hority see SA1018	on the previou	s page
*	TDDS 100 mcg per day	7.05	8	
		(16.14)		Estradot
	<ul> <li>a) Higher subsidy of \$16.14 per 8 patch with Special Auth</li> <li>b) No more than 2 patch per week</li> <li>c) Only on a prescription</li> </ul>	hority see SA1018	on the previou	s page

	Subsidy (Manufacturer's Pric	e)	Full Subsidise	,
	\$	Per		<ul> <li>Manufacturer</li> </ul>
ESTRADIOL VALERATE – See prescribing guideline on the	previous page			
Tab 1 mg		84	~	Progynova
Tab 2 mg	12.36	84	~	Progynova
ESTROGENS – See prescribing guideline on the previous	bade			
Conjugated, equine tab 300 mcg	U U	28		
	(11.48)			Premarin
Conjugated, equine tab 625 mcg		28		
	(11.48)			Premarin
Progestogens				
EDROXYPROGESTERONE ACETATE - See prescribing g	uideline on the previou	e nade		
Tab 2.5 mg		30 30	~	Provera
Tab 5 mg		100		Provera
Tab 10 mg		30		Provera
5				
Progestogen and Oestrogen Combined Prepa	arations			
ESTRADIOL WITH NORETHISTERONE – See prescribing	guideline on the previo	ous page	9	
Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP		
	(14.52)			Kliovance
Tab 2 mg with 1 mg norethisterone acetate		28 OP		
	(14.52)			Kliogest
Tab 2 mg with 1 mg norethisterone acetate (10), and 2	U U			
oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP		<b>-</b> .
	(14.52)			Trisequens
ESTROGENS WITH MEDROXYPROGESTERONE – See	prescribing guideline or	n the pre	vious pag	ge
Tab 625 mcg conjugated equine with 2.5 mg medroxyprog	,			
terone acetate tab (28)		28 OP		
	(22.96)			Premia 2.5
				Continuous
Tab 625 mcg conjugated equine with 5 mg medroxyprog	,			
terone acetate tab (28)		28 OP		Premia 5 Continuous
	(22.96)			Premia 5 Continuous
Other Oestrogen Preparations				
THINYLOESTRADIOL				
Tab 10 mcg	17.60	100	~	NZ Medical and
			·	Scientific
ESTRIOL				
Tab 2 mg	7.00	30	~	Ovestin
Other Progestogen Preparations				
Siner Progestogen Preparations				
EVONORGESTREL				
Levonorgestrel - releasing intrauterine system 20 mcg/2-	4 hr			

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
`\$	Per	~	Manufacturer	

### SA0782 Special Authority for Subsidy

**Initial application** — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPRO	GESTI	ERC	NE A	CETATE	

* Tab 100 mg – Retail pharmacy-Specialist	96.50	100	Provera
* Tab 200 mg – Retail pharmacy-Specialist	70.50	30	Provera
NORETHISTERONE			
<ul> <li>Tab 5 mg – Up to 30 tab available on a PSO</li> </ul>		100	Primolut N
PROGESTERONE			
Cap 100 mg – Special Authority see SA1392 below – Retail			
pharmacy	16.50	30	<ul> <li>Utrogestan</li> </ul>
F			

### SA1392 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour\*; and
- 2 Either:
  - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6)

l l	Subsidy Manufacturer's Price		Fully Brand or bsidised Generic
(	\$	Per	Manufacturer
Thyroid and Antithyroid Agents			
CARBIMAZOLE			
Tab 5 mg	10.80	100	✓ AFT \$29
			✓ Neo-Mercazole
EVOTHYROXINE			
₭ Tab 25 mcg	3.89	90	Synthroid
‡ Safety cap for extemporaneously compounded oral liquid p			
€ Tab 50 mcg		28	Mercury Pharma
	4.05	90	<ul> <li>Synthroid</li> </ul>
	64.28	1,000	<ul> <li>Eltroxin</li> </ul>
‡ Safety cap for extemporaneously compounded oral liquid p to Tab 100 mag		28	
K Tab 100 mcg	4.21	28 90	<ul> <li>Mercury Pharma</li> <li>Synthroid</li> </ul>
	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid p		1,000	
ROPYLTHIOURACIL – Special Authority see SA1199 below – Re	•		
Propylthiouracil is not recommended for patients under the age		e the natio	nt is preapant and other treatmer
are contraindicated.	or to years unles	is the patte	ni is pregnani and other treatmer
Tab 50 mg	35.00	100	PTU \$29
SA1199 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid for Both:			
<ul> <li>Special Authority for Subsidy</li> <li>nitial application from any relevant practitioner. Approvals valid for Both:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is compared.</li> </ol> </li> </ul>	r 2 years for appli ontraindicated.	ications me	eeting the following criteria:
<ul> <li>Special Authority for Subsidy</li> <li>nitial application from any relevant practitioner. Approvals valid for 80th:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is consensual from any relevant practitioner. Approvals valid for 2 year</li> </ol> </li> </ul>	r 2 years for appli ontraindicated.	ications me	eeting the following criteria:
<ul> <li>Special Authority for Subsidy</li> <li>itial application from any relevant practitioner. Approvals valid for soft:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is contenewal from any relevant practitioner. Approvals valid for 2 year enefitting from the treatment.</li> </ol> </li> </ul>	r 2 years for appli ontraindicated.	ications me	eting the following criteria:
<ul> <li>SA1199 Special Authority for Subsidy</li> <li>nitial application from any relevant practitioner. Approvals valid for Both:</li> <li>1 The patient has hyperthyroidism; and</li> </ul>	r 2 years for appli ontraindicated.	ications me	eeting the following criteria:
<ul> <li>Special Authority for Subsidy</li> <li>nitial application from any relevant practitioner. Approvals valid for 8oth:         <ol> <li>The patient has hyperthyroidism; and</li> <li>The patient is intolerant of carbimazole or carbimazole is consensual from any relevant practitioner. Approvals valid for 2 year benefitting from the treatment.</li> </ol> </li> <li>Trophic Hormones</li> </ul>	r 2 years for appli ontraindicated. rs where the trea ite <u>http://www.ph</u>	tment rem	eeting the following criteria: ains appropriate and the patient
<ul> <li>SA1199 Special Authority for Subsidy         <ul> <li>Thial application from any relevant practitioner. Approvals valid for 30th:                 <ul></ul></li></ul></li></ul>	r 2 years for appli ontraindicated. rs where the trea ite <u>http://www.ph</u> <u>harmac.govt.nz</u> 160.00	tment rem	eeting the following criteria: ains appropriate and the patient
→SA1199       Special Authority for Subsidy         initial application from any relevant practitioner. Approvals valid for         Both:       1         1       The patient has hyperthyroidism; and         2       The patient is intolerant of carbimazole or carbimazole is co         Renewal from any relevant practitioner. Approvals valid for 2 year         enefitting from the treatment.         Trophic Hormones	r 2 years for appli ontraindicated. rs where the trea ite <u>http://www.ph</u> <u>harmac.govt.nz</u> 160.00	ications me tment rem armac.gov	eeting the following criteria: ains appropriate and the patient t.nz or: Cenotropin
<ul> <li>▶SA1199 Special Authority for Subsidy         hitial application from any relevant practitioner. Approvals valid for             Solution             1 The patient has hyperthyroidism; and             2 The patient is intolerant of carbimazole or carbimazole is co             Renewal from any relevant practitioner. Approvals valid for 2 year             enefitting from the treatment.            Trophic Hormones           SA1279 Special Authority for Subsidy           Special Authority approved by the Growth Hormone Committee             lotes: Application details may be obtained from PHARMAC's websi             /ZGHC Coordinator             HARMAC, PO Box 10-254, WELLINGTON             WHARMAC, PO Box 10-254, WELLINGTON             6:0800 808 476, Fax: (09) 929 3221, Email: growthhormone @pf             6:0MATROPIN – Special Authority see SA1279 above – [Xpharm]             In cartridge 16 iu (5.3 mg)             In cartridge 36 iu (12 mg)</li></ul>	r 2 years for appli ontraindicated. rs where the trea ite <u>http://www.ph</u> <u>harmac.govt.nz</u> 160.00	ications me tment rem armac.gov	eeting the following criteria: ains appropriate and the patient t.nz or: Cenotropin
Special Authority for Subsidy  Mitial application from any relevant practitioner. Approvals valid for Soft:  I The patient has hyperthyroidism; and The patient is intolerant of carbimazole or carbimazole is co Renewal from any relevant practitioner. Approvals valid for 2 year enefitting from the treatment.  Trophic Hormones  SA1279 Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee lotes: Application details may be obtained from PHARMAC's websi IZGHC Coordinator  HARMAC, PO Box 10-254, WELLINGTON El: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone@pt GOMATROPIN – Special Authority see SA1279 above – [Xpharm]  I in cartridge 16 iu (5.3 mg)  GGRRH Analogues  GOSERELIN ACETATE	r 2 years for appli ontraindicated. rs where the trea ite <u>http://www.ph</u> <u>harmac.govt.nz</u> 160.00 360.00	tment rem armac.gov	eting the following criteria: ains appropriate and the patient <u>t.nz</u> or: ✓ Genotropin ✓ Genotropin
Special Authority for Subsidy  Special Authority for Subsidy  Special Authority for Subsidy  Special Authority for Subsidy  The patient has hyperthyroidism; and  The patient is intolerant of carbimazole or carbimazole is co  tenewal from any relevant practitioner. Approvals valid for 2 year enefitting from the treatment.  Trophic Hormones  SA1279 Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee  Satary Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee  Satary Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee  Satary Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee  Satary Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee  Satary Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee  Satary Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee  Satary Special Authority for Subsidy  Special Authority approved by the Growth Hormone Committee  Satary Special Authority approved by the Growth Hormone Committee  Special Auth	r 2 years for appli ontraindicated. rs where the trea ite <u>http://www.ph</u> narmac.govt.nz 160.00 360.00	ications me tment rem armac.gov	eting the following criteria: ains appropriate and the patient t.nz or:

(M	Subsidy lanufacturer's Price \$	) Per	Full <u>y</u> Subsidised	d Generic
EUPRORELIN				
Inj 3.75 mg prefilled syringe	221.60	1	~	Lucrin Depot PDS
Inj 7.5 mg		1	~	Eligard
Inj 11.25 mg prefilled syringe	591.68	1	~	Lucrin Depot PDS
Inj 22.5 mg		1	~	Eligard
Inj 30 mg	591.68	1	~	Eligard
Inj 30 mg prefilled syringe	1,109.40	1	~	Lucrin Depot PDS
Inj 45 mg	832.05	1	~	Eligard
Vasopressin Agonists ESMOPRESSIN				
Tab 100 mcg – Special Authority see SA1401 below – Retail pharmacy	36.40	30	~	Minirin
Tab 200 mcg – Special Authority see SA1401 below – Retail pharmacy	93.60	30	~	Minirin
Nasal drops 100 mcg per ml - Retail pharmacy-Specialist	39.03 2.	.5 ml C	P V	Minirin
Nasal spray 10 mcg per dose - Retail pharmacy-Specialist		6 ml Of	• •	Desmopressin- PH&T
Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below				
<ul> <li>Retail pharmacy</li> </ul>	67.18	10	~	Minirin

#### SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Other Endocrine Agents**

### CABERGOLINE

		Tab 0.5 mg – Maximum of 2 tab per prescription; can be
2 V Dostinex	2	waived by Special Authority see SA1370 on the next page6.25
8 V Dostinex	8	25.00

Subsidy	Fully	Brand or
(Manufacturer's	Price) Subsidised	Generic
\$	Per 🗸	Manufacturer

## SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly\*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment. Note: Indication marked with \* is an Unapproved indication.

Note: Indication marked with ^ is an Unapproved indicatio

Tab 50 mg		10	✓ Serophene
DANAZOL			
Cap 100 mg		100	🗸 Azol
Cap 200 mg	97.83	100	🖌 Azol
METYRAPONE			
Cap 250 mg – Retail pharmacy-Specialist		50	<ul> <li>Metopirone</li> </ul>

	Subsidy		Fully Brand or
	(Manufacturer's Pr \$	Per Sut	osidised Generic Manufacturer
Anthelmintics			
ALBENDAZOLE - Special Authority see SA1318 below - Retail	pharmacy		
Tab 400 mg		60	Eskazole S29
⇒SA1318 Special Authority for Subsidy Initial application only from an infectious disease specialist or patient has hydatids. Renewal only from an infectious disease specialist or clinical m			
remains appropriate and the patient is benefitting from the treatm			
MEBENDAZOLE – Only on a prescription Tab 100 mg	24 10	24	✔ De-Worm
Oral liq 100 mg per 5 ml		15 ml	• <u>De-wom</u>
	(7.17)		Vermox
PRAZIQUANTEL Tab 600 mg	68 00	8	✓ Biltricide
Antibacterials		0	• Bittioido
<ul> <li>a) For topical antibacterials, refer to DERMATOLOGICALS, page</li> <li>b) For anti-infective eye preparations, refer to SENSORY ORGAN</li> </ul>			
	13, page 194		
Cephalosporins and Cephamycins			
CEFACLOR MONOHYDRATE			
Cap 250 mg		100	Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml – Wastage claimable – se		100 1	
rule 3.3.2 on page 17	3.53	100 ml	Ranbaxy-Cefaclor
CEFALEXIN MONOHYDRATE Cap 500 mg	5 70	20	Cephalexin ABM
Grans for oral liq 125 mg per 5 ml – Wastage claimable – se		20	
rule 3.3.2 on page 17		100 ml	✓ Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in amo		days treatm	ent per dispensing.
Grans for oral liq 250 mg per 5 ml – Wastage claimable – se rule 3.3.2 on page 17		100 ml	✓ Cefalexin Sandoz
Note: Cefalexin grans for oral lig will not be funded in amo			
CEFAZOLIN SODIUM – Subsidy by endorsement			
Only if prescribed for dialysis or cellulitis in accordance with a ingly.	a DHB approved p	rotocol and th	e prescription is endorsed accord-
Inj 500 mg		5	✓ <u>AFT</u>
lnj 1 g	3.99	5	✓ <u>AFT</u>

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
EFTRIAXONE – Subsidy by endorsement				
a) Up to 5 inj available on a PSO	the section of the sector			
<li>b) Subsidised only if prescribed for a dialysis or cystic fibro pelvic inflammatory disease, or the treatment of suspected r</li>			•	
the prescription or PSO is endorsed accordingly.	neningilis in patients	who have	a KIIOW	in allergy to periodilin, an
Inj 500 mg vial	1.50	1	VC	eftriaxone-AFT
, .	(2.70)		Ve	eracol
Inj 1 g vial	5.22	5	<b>v</b> c	efriaxone-AFT
	(10.49)		A	spen Ceftriaxone
Veracol Inj 500 mg vial to be delisted 1 June 2014)				
Aspen Ceftriaxone Inj 1 g vial to be delisted 1 June 2014)				
EFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the pres				
Tab 250 mg		50	🗸 Zi	nnat
EFUROXIME SODIUM				
Inj 750 mg – Maximum of 1 inj per prescription; can be waived				
by endorsement		5		-Cefuroxime
Waiver by endorsement must state that the prescription is	for dialysis or cystic fi	brosis pat	ient.	
Macrolides				
ZITHROMYCIN – Maximum of 5 days treatment per prescriptio	n; can be waived by e	ndorseme	nt	
For Endorsement, patient has either:				
<ol> <li>Received a lung transplant and requires treatment or pro</li> </ol>				
2) Cystic fibrosis and has chronic infection with Pseudomo	onas aeruginosa or P	seudomor	nas rela	ted gram negative organ
isms*.				
ndications parked with * are Unapproved Indications Tab 250 mg	10.00	30	<b>1</b> A	po-Azithromycin
Tab 500 mg – Up to 8 tab available on a PSO		2		po-Azithromycin
Grans for oral lig 200 mg per 5 ml – Wastage claimable – see		2	• <u>^</u>	po Azitinomyom
rule 3.3.2 on page 17		15 ml	🖌 Zi	thromax
· •·· • ••• •••				
ARITHROMYCINI – Maximum of 500 mg per procorintion: con	ha waivad hy Shoola		366 QH	
			ν Δ	
Tab 250 mg	4.19	14	✓ <u>A</u>	po-Clarithromycin
CLARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17	4.19		✓ <u>А</u> ✓К	po-Clarithromycin

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 Atypical mycobacterial infection; or

2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Pri \$	ce) Per	Fully Subsidised	
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg		100	~	E-Mycin
<ul> <li>a) Up to 20 tab available on a PSO</li> </ul>				
b) Up to 2 x the maximum PSO quantity for RFPP – see				
Grans for oral liq 200 mg per 5 ml	4.35	100 ml	V	E-Mycin
<ul> <li>a) Up to 300 ml available on a PSO</li> <li>b) Up to 2 x the maximum PSO guantity for RFPP – see</li> </ul>		01		
c) Wastage claimable – see rule 3.3.2 on page 17	rule 5.2.0 on page 2	21		
Grans for oral lig 400 mg per 5 ml	5 85	100 ml	~	E-Mycin
a) Up to 200 ml available on a PSO		100 111	•	
b) Wastage claimable - see rule 3.3.2 on page 17				
ERYTHROMYCIN LACTOBIONATE				
Inj 1 g		1	~	Erythrocin IV
ERYTHROMYCIN STEARATE				-
Tab 250 mg – Up to 30 tab available on a PSO	14 95	100		
	(22.29)	100		ERA
Tab 500 mg		100		
ů –	(44.58)			ERA
ROXITHROMYCIN				
Tab 150 mg	7.48	50	~	Arrow-
ů –				Roxithromycin
Tab 300 mg	14.40	50	~	Arrow- Roxithromycin
Penicillins				
AMOXYCILLIN				
Cap 250 mg		500	~	Alphamox
			~	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – se				
Cap 500 mg		500		Apo-Amoxi
a) Un ta 20 can available an a DCO	26.50		V	Alphamox
<ul> <li>a) Up to 30 cap available on a PSO</li> <li>b) Up to 10 x the maximum PSO quantity for RFPP – se</li> </ul>	o rulo 5 2 6 on pago	21		
Grans for oral lig 125 mg per 5 ml		100 ml	~	Ospamox
a) Up to 200 ml available on a PSO		100 111	•	oopuniox
b) Wastage claimable – see rule 3.3.2 on page 17				
Grans for oral liq 250 mg per 5 ml	1.10	100 ml	~	Ospamox
a) Up to 300 ml available on a PSO				
<li>b) Up to 10 x the maximum PSO quantity for RFPP – see</li>	e rule 5.2.6 on page	21		
c) Wastage claimable – see rule 3.3.2 on page 17				
Inj 250 mg		10		Ibiamox
Inj 500 mg		10		Ibiamox
Inj 1 g – Up to 5 inj available on a PSO	21.94	10	~	<u>Ibiamox</u>
(Alphamox Cap 250 mg to be delisted 1 June 2014)				

	Subsidy (Manufacturer's F \$	Price) Su Per	Fully Brand or bsidised Generic ✓ Manufacturer
MOXYCILLIN CLAVULANATE			
Tab amoxycillin 500 mg with potassium clavulanate 125 mg			
- Up to 30 tab available on a PSO		100	Curam Duo
Grans for oral liq amoxycillin 125 mg with potassium clavu-			
lanate 31.25 mg per 5 ml		100 ml	Augmentin
<ul> <li>a) Up to 200 ml available on a PSO</li> </ul>			
<ul> <li>b) Wastage claimable – see rule 3.3.2 on page 17</li> </ul>			
Grans for oral liq amoxycillin 250 mg with potassium clavu-			
lanate 62.5 mg per 5 ml	2.19	100 ml	Augmentin
a) Up to 200 ml available on a PSO			
<ul> <li>b) Wastage claimable – see rule 3.3.2 on page 17</li> </ul>			
ENZATHINE BENZYLPENICILLIN			
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	Bicillin LA
ENZYLPENICILLIN SODIUM (PENICILLIN G)			
Inj 600 mg – Up to 5 inj available on a PSO	11.50	10	Sandoz
LUCLOXACILLIN SODIUM			
Cap 250 mg – Up to 30 cap available on a PSO	22.00	250	Staphlex
Cap 500 mg		500	✓ Staphlex
Grans for oral liq 125 mg per 5 ml		100 ml	✓ AFT
			✓ AFT
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 17			
Grans for oral liq 250 mg per 5 ml	3.25	100 ml	✓ <u>AFT</u>
			✓ <u>AFT</u>
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 17			<i>.</i>
Inj 250 mg		10	Flucioxin
Inj 500 mg		10	✓ <u>Flucloxin</u>
Inj 1 g – Up to 5 inj available on a PSO	14.28	10	Flucloxin
HENOXYMETHYLPENICILLIN (PENICILLIN V)			
Cap potassium salt 250 mg - Up to 30 cap available on a			
PSO		50	Cilicaine VK
Cap potassium salt 500 mg	14.45	50	Cilicaine VK
a) Up to 20 cap available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP - see ru			4
Grans for oral liq 125 mg per 5 ml	1.64	100 ml	✓ <u>AFT</u>
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 17	1 74	100 m!	
Grans for oral liq 250 mg per 5 mla) Up to 300 ml available on a PSO	1./4	100 ml	✓ <u>AFT</u>
b) Up to 2 x the maximum PSO quantity for RFPP – see ru	lle 5 2 6 on page	01	
c) Wastage claimable – see rule 3.3.2 on page 17	10 J.Z.0 011 page	561	
, 6			
ROCAINE PENICILLIN	100 50	F	A Cilionine
Inj 1.5 mega u – Up to 5 inj available on a PSO	123.50	5	Cilicaine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Tetracyclines				
DOXYCYCLINE HYDROCHLORIDE				
* Tab 50 mg – Up to 30 tab available on a PSO	2.90	30		
	(6.00)		0	)oxy-50
* Tab 100 mg – Up to 30 tab available on a PSO	7.95	250	\[         \begin{aligned}         &	Doxine
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg - Additional subsidy by Special Authority see	ł.			
SA1355 below – Retail pharmacy	5.79	60		
	(12.05)		Ν	/lino-tabs
* Cap 100 mg		100		
	(52.04)		Ν	<i>l</i> inomycin
SA1355 Special Authority for Manufacturers Price Initial application from any relevant practitioner. Approvals val rosacea.	id without further ren	iewal	unless noti	fied where the patient has

TETRACYCLINE – Special Authority see SA1332 belo	w – Retail pharmacy		
Cap 500 mg		30	<ul> <li>Tetracyclin</li> </ul>
			Wolff S29

### ➡SA1332 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

## **Other Antibiotics**

For topical antibiotics, refer to DERMATOLOGICALS, page 66

### CIPROFLOXACIN

Recommended for patients with any of the following:

- i) microbiologically confirmed and clinically significant pseudomonas infection; or
- ii) prostatitis; or
- iii) pyelonephritis; or
- iv) gonorrhoea.

Tab 250 mg – Up to 5 tab available on a PSO		✓ <u>Cipflox</u> ✓ <u>Cipflox</u> ✓ Cipflox
Tab 750 mg5 5	.15 28 .52 30	<ul> <li>✓ Cipflox</li> <li>✓ Ciprofloxacin Rex</li> </ul>
CLINDAMYCIN		
Cap hydrochloride 150 mg – Maximum of 4 cap per prescrip- tion; can be waived by endorsement - Retail pharmacy - Specialist	.80 16	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml – Retail pharmacy- Specialist100		✓ <u>Dalacin C</u>
CO-TRIMOXAZOLE		
<ul> <li>Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – Up to 30 tab available on a PSO20</li> <li>Oral lig trimethoprim 40 mg and sulphamethoxazole 200 mg</li> </ul>	.97 500	🖌 Trisul
per 5 ml – Up to 200 ml available on a PSO2	.15 100 ml	<ul> <li>Deprim</li> </ul>

	Subsidy (Manufacturer's Price) \$	Sub: Per	Fully sidised	Brand or Generic Manufacturer
COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - S				
Only if prescribed for dialysis or cystic fibrosis patient and the Inj 150 mg		sed accord		colistin-Link
FUSIDIC ACID				
Tab 250 mg – Retail pharmacy-Specialist		12		ucidin
Prescriptions must be written by, or on the recommendation	on of, an infectious dis	ease phys	ician o	r a clinical microbiologist
GENTAMICIN SULPHATE Inj 10 mg per ml, 1 ml – Subsidy by endorsement	8 56	5	• н	lospira
Only if prescribed for a dialysis or cystic fibrosis patient or c accordingly.				•
Inj 10 mg per ml, 2 ml – Subsidy by endorsement	175.10	25	🗸 A	\PP
				Pharmaceuticals S29
Only if prescribed for a dialysis or cystic fibrosis patient or o accordingly.	complicated urinary tra	ict infectio	n and tl	he prescription is endorsed
Inj 40 mg per ml, 2 ml – Subsidy by endorsement		10	✓ P	
Only if prescribed for a dialysis or cystic fibrosis patient or o accordingly.	complicated urinary tra	ict infectio	n and tl	he prescription is endorsed
MOXIFLOXACIN – Special Authority see SA1358 below – Retail No patient co-payment payable	pharmacy			
Tab 400 mg		5	🗸 A	velox

## SA1358 Special Authority for Subsidy

**Initial application — (Tuberculosis)** only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 Active tuberculosis\*; and
  - 1.2 Any of the following:
    - 1.2.1 Documented resistance to one or more first-line medications; or
    - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
    - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
    - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
    - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.\*.

Note: Indications marked with \* are Unapproved Indications (refer to Section A: General Rules, Part I (Interpretations and Definitions) and Part IV (Miscellaneous Provisions) rule 4.6).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

96

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium\*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

continued...

I	NFECTIONS - A	AGENTS	S FOR S	SYSTEMIC USE
	Subsidy (Manufacturer's Price \$	e) Si Per	Fully ubsidised	Brand or Generic Manufacturer
continued Initial application — (Penetrating eye injury) only from an or requires prophylaxis following a penetrating eye injury and treatm Note: Indications marked with * are Unapproved Indications (refer tions) and Part IV (Miscellaneous Provisions) rule 4.6).	ent is for 5 days onl	у.		
PAROMOMYCIN - Special Authority see SA1324 below - Retail				
Cap 250 mg	126.00	16	🗸 Н	umatin S29
■SA1324 Special Authority for Subsidy Initial application only from an infectious disease specialist or clin has confirmed cryptosporidium infection. Renewal only from an infectious disease specialist or clinical m confirmed cryptosporidium infection.	crobiologist. Appro			
PYRIMETHAMINE – Special Authority see SA1328 below – Reta				
Tab 25 mg		30		araprim S29
SA1328 Special Authority for Subsidy	36.95	50	V D	araprim S29
<ul> <li>the following criteria:</li> <li>Any of the following:</li> <li>1 For the treatment of toxoplasmosis in patients with HIV for 2 For pregnant patients for the term of the pregnancy; or 3 For infants with congenital toxoplasmosis until 12 months</li> </ul>		ths; or		
SULFADIAZINE SODIUM - Special Authority see SA1331 below				
Tab 500 mg	221.00	56	🖌 M	ockhardt S29
<ul> <li>➡SA1331 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals valid the following criteria:</li> <li>Any of the following:         <ol> <li>For the treatment of toxoplasmosis in patients with HIV for 2 For pregnant patients for the term of the pregnancy; or 3 For infants with congenital toxoplasmosis until 12 months</li> </ol> </li> </ul>	or a period of 3 mon		ess notifie	d for applications meeting
TOBRAMYCIN Inj 40 mg per ml, 2 ml – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and		5		BL Tobramycin
	the prescription is e		according	ıy.
TRIMETHOPRIM * Tab 300 mg – Up to 30 tab available on a PSO	9.28	50	🖌 T	MP
VANCOMYCIN HYDROCHLORIDE – Subsidy by endorsement			÷ 1	
Only if prescribed for a dialysis or cystic fibrosis patient or for following metronidazole failure and the prescription is endors		ocarditis or	for treatr	nent of Clostridium difficile
Inj 500 mg		1	✓ M	lylan

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
Antifungals				
<ul> <li>a) For topical antifungals refer to DERMATOLOGICALS, page 66</li> <li>b) For topical antifungals refer to GENITO URINARY, page 80</li> <li>FLUCONAZOLE</li> </ul>				
Cap 50 mg – Retail pharmacy-Specialist Cap 150 mg – Subsidy by endorsement		28 1	✓ <u>0:</u> ✓ <u>0:</u>	
<ul> <li>a) Maximum of 1 cap per prescription; can be waived by e</li> <li>b) Patient has vaginal candida albicans and the practition recommended and the prescription is endorsed according</li> </ul>	er considers that a to ly; can be waived by e	opical imid endorseme	azole (ι ent - Rei	used intra-vaginally) is not tail pharmacy - Specialist.
Cap 200 mg – Retail pharmacy-Specialist Powder for oral suspension 10 mg per ml – Special Authority		28	✓ <u>0</u> ;	zole
see SA1359 below – Retail pharmacy Wastage claimable – see rule 3.3.2 on page 17		35 ml	🗸 Di	iflucan

### SA1359 Special Authority for Subsidy

**Initial application — (Systemic candidiasis)** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

#### ITRACONAZOLE

Cap 100 mg – Subsidy by endorsement ......2.99 15 V <u>Itrazole</u>

Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology, or for tinea unguium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement -Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist. Oral lig 10 mg per ml – Special Authority see SA1322 on the

	Subsidy (Manufacturer's F	Price) Su	Fully	Brand or Generic
	\$	Per	V	Manufacturer
SA1322 Special Authority for Subsidy				
nitial application only from an infectious disease specialist, c	linical microbiologist	, clinical immu	unologist	or any relevant practitioner
n the recommendation of a infectious disease physician, c	linical microbiologist	or clinical in	nmunolog	gist. Approvals valid for 6
nonths where the patient has a congenital immune deficiency				
<b>tenewal</b> from any relevant practitioner. Approvals valid for 6 enefitting from the treatment.	months where the t	reatment rem	nains app	propriate and the patient is
ETOCONAZOLE				
Tab 200 mg – Retail pharmacy-Specialist		30	🖌 N	izoral S29
Prescriptions must be written by, or on the recomme dermatologist, endocrinologist or oncologist	endation of, an infec	ctious disease	e physici	an, clinical microbiologist
IYSTATIN				
Tab 500,000 u	14.16	50		
	(17.09)		N	ilstat
Cap 500,000 u	12.81	50		
	(15.47)		N	ilstat
OSACONAZOLE - Special Authority see SA1285 below - F	Retail pharmacy			
Oral liq 40 mg per ml		105 ml OP	🖌 N	oxafil

### ►SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy: or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy\*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

- Either:
  - 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
  - 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression\* and requires on going posaconazole treatment.

Note: \* Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids ( $\geq$  1 mg per kilogram of body weight per day for patients with acute GVHD or  $\geq$  0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

#### **TERBINAFINE**

Tab 250 mg – For terbinafine oral liquid formulation refer,

page 200	1.78	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE - Special Authority see SA1273 on the next page	- Retail pharr	nacy	
Tab 50 mg	730.00	56	Vfend
Tab 200 mg	2,930.00	56	Vfend
Powder for oral suspension 40 mg per ml - Wastage			
claimable – see rule 3.3.2 on page 17	730.00	70 ml	<ul> <li>Vfend</li> </ul>

Subsidy (Manufacturer's Price)	g	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

### ➡SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient has proven or probable invasive aspergillus infection; or
  - 3.2 Patient has possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
  - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

## Antimalarials

PRIMAQUINE PHOSPHATE – Special Authority see SA1326 below – Retail pharmacy

### SA1326 Special Authority for Subsidy

**Initial application** only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaquine is to be given for a maximum of 21 days.

## Antiparasitics

## Antiprotozoals

2UININE SULPHATE ₭ Tab 300 mg		🗸 Q 300
Antitrichomonal Agents		
IETRONIDAZOLE		
Tab 200 mg – Up to 30 tab available on a PSO10.	45 100	Trichozole
Tab 400 mg18.	15 100	Trichozole
Oral lig benzoate 200 mg per 5 ml25.	00 100 ml	FlagyI-S
Suppos 500 mg24.		✓ Flagyl
DRNIDAZOLE		
Tab 500 mg16.	50 10	<ul> <li>Arrow-Ornidazole</li> </ul>

	Subsidy (Manufacturer's Price	a) <u>C</u> i	Fully	Brand or Generic
	(Manulacturer s Price \$	Per	ibsiuiseu V	Manufacturer
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceutical	s listed in the Antituber	culotics an	d Antilep	rotics group regardless of
immigration status.				
CLOFAZIMINE – Retail pharmacy-Specialist				
<ul><li>a) No patient co-payment payable</li><li>b) Prescriptions must be written by, or on the recomme</li></ul>	ndation of an infectious	s disease	nhvsician	clinical microbiologist o
dermatologist.			priyololari	, omnour microbiologist o
* Cap 50 mg		100	🖌 La	amprene S29
CYCLOSERINE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recomme	ndation of, an infectious	s disease	physician	i, clinical microbiologist oi
respiratory physician. Cap 250 mg		100	<b>/</b> K	ing S29
DAPSONE – Retail pharmacy-Specialist	,			
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recomme	ndation of, an infectious	s disease	physician	n, clinical microbiologist or
dermatologist	05.00	100		
Tab 25 mg Tab 100 mg		100 100		apsone apsone
ETHAMBUTOL HYDROCHLORIDE – Retail pharmacy-Spec		100	V D	apsone
a) No patient co-payment payable	JailSt			
b) Prescriptions must be written by, or on the recomme	ndation of, an infectious	s disease	physician	n, clinical microbiologist o
respiratory physician				
Tab 100 mg		56		yambutol S29
Tab 400 mg		56	V M	yambutol S29
ISONIAZID – Retail pharmacy-Specialist a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommend	dation of. an internal me	dicine phy	sician, pa	aediatrician. clinical micro
biologist, dermatologist or public health physician			, .	,
* Tab 100 mg		100	✓ <u>P</u>	
<ul> <li>* Tab 100 mg with rifampicin 150 mg</li> <li>* Tab 150 mg with rifampicin 300 mg</li> </ul>		100 100		ifinah ifinah
		100	V n	iiiiaii
PARA-AMINO SALICYLIC ACID – Retail pharmacy-Specialis a) No patient co-payment payable	SL			
b) Specialist must be an infectious disease specialist, clir	nical microbiologist or re	spiratory s	pecialist.	
Grans for oral liq 4 g sachet		30		aser S29
PROTIONAMIDE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Specialist must be an infectious disease specialist, clir	nical microbiologist or re	spiratory s 100		
Tab 250 mg		100	¥ F	eteha S29
PYRAZINAMIDE – Retail pharmacy-Specialist a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recomme	ndation of, an infectious	s disease	physician	n, clinical microbiologist or
respiratory physician				
* Tab 500 mg – For pyrazinamide oral liquid formulation r		100		
page 200		100	V A	FT-Pyrazinamide

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
RIFABUTIN – Retail pharmacy-Specialist a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendation	tion of, an infectious	disease	physiciar	n, respiratory physician or
gastroenterologist * Cap 150 mg - For rifabutin oral liquid formulation refer, page	2			
200		30	✓ <u>M</u>	ycobutin
RIFAMPICIN – Subsidy by endorsement				
a) No patient co-payment payable	a combination with ath	or offood	ivo onti ot	anhula agaaal antimiarahial
<li>b) For confirmed recurrent Staphylococcus aureus infection in based on susceptibilities and the prescription is endorsed a</li>				
Specialist. Specialist must be an internal medicine physici	0.7			
health physician.			Ū	
* Tab 600 mg	114.40	30	🖌 Ri	ifadin
* Cap 150 mg		100		ifadin
* Cap 300 mg		100		ifadin
* Oral liq 100 mg per 5 ml		60 ml	🖌 Ri	ifadin
Antivirals				
For eye preparations refer to Eye Preparations, Anti-Infective Pre	norational nago 104			
For eye preparations relef to Eye Preparations, Anti-Intective Pre	paralions, page 194			
Hepatitis B Treatment				
ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below – Tab 10 mg		30	V He	epsera

## SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and
- Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1  $\times\,$  ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load  $\geq$  10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic; and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic; and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

**Renewal** only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1  $\times\,$  ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load  $\geq$  10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

continued...

	Subsidy (Manufacturer's Price) \$	Fu Subsidis Per	
continued Adefovir dipivoxil should be stopped 6 months following HBeAg s adefovir dipivoxil. The recommended dose of adefovir dipivoxil is no more than 10 In patients with renal insufficiency adefovir dipivoxil dose should Adefovir dipivoxil should be avoided in pregnant women and chil	ng daily. be reduced in accordai dren.		
ENTECAVIR – Special Authority see SA1361 below – Retail ph Tab 0.5 mg		30	Baraclude
<ul> <li>SA1361 Special Authority for Subsidy</li> <li>Initial application only from a gastroenterologist or infectious on the following:</li> <li>All of the following:</li> <li>Patient has confirmed Hepatitis B infection (HBsAg pose 2 Patient is Hepatitis B nucleoside analogue treatment-national 3 Entecavir dose 0.5 mg/day; and 4 Either:</li> </ul>	itive for more than 6 mc		vithout further renewal unless
<ul><li>4.1 ALT greater than upper limit of normal; or</li><li>4.2 Bridging fibrosis (Metavir stage 3 or greater or n</li></ul>	noderate fibrosis) or cirr	hosis on liver	histology; and
5 Either:			
<ul> <li>5.1 HBeAg positive; or</li> <li>5.2 patient has ≥ 2,000 IU HBV DNA units per ml a</li> <li>6 No continuing alcohol abuse or intravenous drug use; a</li> <li>7 Not co-infected with HCV, HIV or HDV; and</li> <li>8 Neither ALT nor AST greater than 10 times upper limit of</li> <li>9 No history of hypersensitivity to entecavir; and</li> <li>10 No previous documented lamivudine resistance (either</li> </ul>	nd of normal; and	ge 2 or greate	er) on liver histology; and
<ul> <li>Notes:</li> <li>Entecavir should be continued for 6 months following d of HBeAg plus appearance of anti-HBe plus loss of s commencing this agent. This period of consolidation th fibrosis (Metavir Stage F3 or F4).</li> </ul>	ocumentation of comple serum HBV DNA) for p	atients who w	were HBeAg positive prior to

• Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

Tab 100 mg	32.50	28	✓ Zetlam
Oral liq 5 mg per ml	90.00	240 ml	🖌 Zeffix

### SA1360 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

**Renewal** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine; and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine 2 All of the following:

- 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
- 2.2 Patient is cirrhotic; and
  - Documented resistance to lamivudine, defined as:
- 2.3 Patient has raised serum ALT (> 1  $\times$  ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1  $\times$  ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

## **Herpesvirus Treatments**

#### ACICLOVIR

*         Tab dispersible 200 mg         1.78           *         Tab dispersible 400 mg         5.98           *         Tab dispersible 800 mg         6.64	25 56 35	✓ <u>Lovir</u> ✓ <u>Lovir</u> ✓ <u>Lovir</u>
VALACICLOVIR – Special Authority see SA1363 on the next page – Retail pharmacy Tab 500 mg 102.72	30	<ul> <li>Valtrex</li> </ul>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

### SA1363 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application - (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application - (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Initial application — (immunocompromised patients) from any medical practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patients is immunocompromised: and
- 2 Patient has herpes zoster: and
- 3 Valaciclovir is to be given for a maximum of 7 days per course.

VALGANCICLOVIR - Special Authority see SA1404 below - Retail pharmacy	1
T   150 0.000 00	~~

Tab 450 mg		60	<ul> <li>Valcyte</li> </ul>
------------	--	----	-----------------------------

## SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis: and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
  - 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months): and
  - 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cvtomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylavis

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Fither:
  - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
  - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:

continued.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
- 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
- 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

## Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1362 below

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil furnarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 108

## SA1362 Special Authority for Waiver of Rule

**Initial application** — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased  $\geq$  10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

#### continued...

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased  $\geq~$  10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
  positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
  negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- · Tenofovir disoproxil fumarate is not approved for use in children.

## **Hepatitis C Treatment**

BOCEPREVIR - Special Authority see SA1402 below - Retail pha	armacy		
Cap 200 mg - Wastage claimable - see rule 3.3.2 on page			
17	5,015.00	336	✓ <u>Victrelis</u>

### SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and

continued...

Subsidy (Manufacturer's			
\$	Per	<ul> <li>Manufacturer</li> </ul>	

continued...

- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegylated interferon treatment; and
- 3 Any of the following:
  - 3.1 Patient was a responder relapser; or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10<sup>9</sup> /l or Albumin <35 g/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

## Antiretrovirals

## ➡SA1364 Special Authority for Subsidy

**Initial application — (Confirmed HIV)** only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>; or
      - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both:
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts  $< 500 \text{ cells/mm}^3$ .

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal — (Confirmed HIV)** only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

1 Prevention of maternal foetal transmission; or

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

continued...

2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

### Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ – Special Authority see SA1364 on the previo	ous page – Retail pharr	nacy	
Tab 50 mg		30	Stocrin S29
Tab 200 mg		90	<ul> <li>Stocrin</li> </ul>
Tab 600 mg		30	<ul> <li>Stocrin</li> </ul>
Oral liq 30 mg per ml	145.79	180 ml OP	Stocrin S29

Subsidie         Full brand or Subsidied Generic Per           2         Subsidied Generic Per         Subsidied Generic Per           2         Manufacturer's Price         Subsidied Generic Per           2         Manufacturer's Price         Subsidied Generic Per           2         Manufacturer's Price         V         Intelence           NEVIRAPINE - Special Authority see SA1364 on page 108 - Retail pharmacy         Tab 200 mg         - Viriamune           2         Subsidied Company         - Viriamune         Subsidied Person           0ral suspension 10 mg per ml				
S       Per       ✓ Manufacturer         ETRAVIRINE – Special Authority see SA1364 on page 108 – Retail pharmacy       770.00       60       ✓ Intelence         NEVIRAPINE – Special Authority see SA1364 on page 108 – Retail pharmacy       700.00       60       ✓ Nevirapine         2433265) - see page 198 for details		Subsidy	riaa) Cub	Fully Brand or
Tab 200 mg		· ·		
Tab 200 mg				
Tab 200 mg - Brand switch fee payable (Pharmacode 2433265) - see page 198 for details	, , , , , , , , , , , , , , , , , , , ,		60	✓ Intelence
243326Š) - see page 198 for details				
Oral suspension 10 mg per ml	<b>o</b> 1, <b>j</b> 1, <b>j</b>		60	
Nucleosides Reverse Transcriptase Inhibitors         ABACAVIR SULPHATE – Special Authority see SA1364 on page 108 – Retail pharmacy Tab 300 mg gm ml       229.00       60       ✓ Ziagen Ziagen         Oral liq 20 mg per ml	Oral suspension 10 mg per ml	134.55	240 ml	
ABACAVIR SULPHATE – Special Authority see SA1364 on page 108 – Retail pharmacy Tab 300 mg				Suspension
Tab 300 mg	Nucleosides Reverse Transcriptase Inhibitors			
Tab 300 mg	ABACAVIB SUI PHATE - Special Authority see SA1364 on page	108 – Retail pha	rmacy	
Oral liq 20 mg per ml       50.00       240 ml OP       ✓ Ziagen         ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority see SA1364 on page 108 – Retail pharmacy       Note: abacavir with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.         Tab 600 mg with lamivudine 300 mg       630.00       30       ✓ Kivexa         DIDANOSINE [DDI]       Special Authority see SA1364 on page 108 – Retail pharmacy       7       7         Cap 125 mg       115.05       30       ✓ Videx EC       7         Cap 200 mg       184.08       30       ✓ Videx EC       7         Cap 400 mg       368.16       30       ✓ Videx EC       7         Cap 400 mg       368.16       30       ✓ Videx EC       7         Cap 400 mg       368.16       30       ✓ Videx EC       7         Cap 400 mg       368.16       30       ✓ Videx EC       7         Cap 400 mg       368.16       30       ✓ Videx EC       7         Cap 400 mg       368.16       30       ✓ Videx EC       7         Cap 400 mg       360 mathembricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority       7       8       8       8       8				🖌 Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority see SA1364 on page 108 – Retail pharmacy Note: abacavir with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti retroviral Special Authority. Tab 600 mg with lamivudine 300 mg	5		240 ml OP	<b>v</b>
Note: abacavir with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority.         Tab 600 mg with lamivudine 300 mg	ABACAVIB SLIL PHATE WITH LAMIVI IDINE - Special Authority	see SA1364 on n	ane 108 – Re	-
retroviral Special Authority. Tab 600 mg with lamivudine 300 mg				
Tab 600 mg with lamivudine 300 mg			ovinal modical	
DIDANOSINE [DDI] – Special Authority see SA1364 on page 108 – Retail pharmacy Cap 125 mg	, ,	630.00	30	✓ Kivexa
Cap 125 mg	• •		ICV	
Cap 200 mg			,	Videx EC
Cap 250 mg				
Cap 400 mg				
<ul> <li>EFAVIREZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL FUMARATE - Special Authority see SA1364 on page 104 - Retail pharmacy</li> <li>Note: Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority</li> <li>Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority see SA1364 on page 108 - Retail pharmacy</li> <li>Cap 200 mg</li></ul>				
<ul> <li>Retail pharmacy         <ul> <li>Note: Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority             <ul></ul></li></ul></li></ul>	1 0			
Note:       Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority         Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg       1,313.19       30       ✓ Atripla         EMTRICITABINE       – Special Authority see SA1364 on page 108 – Retail pharmacy       307.20       30       ✓ Emtriva         EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE       – Special Authority see SA1364 on page 108 – Retail pharmacy       Note: Emtricitabine with tenofovir disoproxil fumarate counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority       30       ✓ Emtriva         EAMIVUDINE       – Special Authority       52.50       60       ✓ Truvada         LAMIVUDINE       – Special Authority see SA1364 on page 108 – Retail pharmacy       52.50       60       ✓ Lamivudine         Alphapharm       – Oral liq 10 mg per ml       102.50       240 ml OP       3TC         STAVUDINE [D4T]       – Special Authority see SA1364 on page 108 – Retail pharmacy       503.80       60       ✓ Zerit         Powder for oral soln 1 mg per ml       100.76       200 ml OP       ✓ Zerit       529         ZIDOVUDINE [AZT]       – Special Authority see SA1364 on page 108 – Retail pharmacy       52.55       100       ✓ Retrovir		OXIL FUMARATE	E – Special A	uthority see SA1364 on page 108
fumarate 300 mg       1,313.19       30       ✓ Atripla         EMTRICITABINE – Special Authority see SA1364 on page 108 – Retail pharmacy       307.20       30       ✓ Emtriva         EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE – Special Authority see SA1364 on page 108 – Retail pharmacy       Note:       Emtriva         EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE – Special Authority see SA1364 on page 108 – Retail pharmacy       Note:       Furtriva         Note:       Emtricitabine with tenofovir disoproxil fumarate counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority       Tab 200 mg with tenofovir disoproxil fumarate 300 mg       838.20       30       ✓ Truvada         LAMIVUDINE – Special Authority see SA1364 on page 108 – Retail pharmacy       Tab 150 mg       S2.50       60       ✓ Lamivudine         Oral liq 10 mg per ml       102.50       240 ml OP       ✓ 3TC         STAVUDINE [D4T] – Special Authority see SA1364 on page 108 – Retail pharmacy       Cap 40 mg       503.80       60       ✓ Zerit         Powder for oral soln 1 mg per ml       100.76       200 ml OP       ✓ Zerit       ZilDOVUDINE [AZT] – Special Authority see SA1364 on page 108 – Retail pharmacy         Cap 100 mg	Note: Efavirenz with emtricitabine and tenofovir disoproxil fum	arate counts as t	hree anti-retro	viral medications for the purposes
EMTRICITABINE – Special Authority see SA1364 on page 108 – Retail pharmacy Cap 200 mg	Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil			
Cap 200 mg       30       ✓ Emtriva         EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE – Special Authority see SA1364 on page 108 – Retail pharmacy Note: Emtricitabine with tenofovir disoproxil fumarate counts as two anti-retroviral medications for the purposes of the anti retroviral Special Authority         Tab 200 mg with tenofovir disoproxil fumarate 300 mg       838.20       30       ✓ Truvada         LAMIVUDINE – Special Authority see SA1364 on page 108 – Retail pharmacy Tab 150 mg       52.50       60       ✓ Lamivudine Alphapharm         Oral liq 10 mg per ml       102.50       240 ml OP       ✓ 3TC         STAVUDINE [D4T] – Special Authority see SA1364 on page 108 – Retail pharmacy Cap 40 mg       503.80       60       ✓ Zerit         Powder for oral soln 1 mg per ml       100.76       200 ml OP       ✓ Zerit       200         ZIDOVUDINE [AZT] – Special Authority see SA1364 on page 108 – Retail pharmacy Cap 100 mg       152.25       100       ✓ Retrovir	fumarate 300 mg	1,313.19	30	<ul> <li>Atripla</li> </ul>
Cap 200 mg       30       ✓ Emtriva         EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE – Special Authority see SA1364 on page 108 – Retail pharmacy Note: Emtricitabine with tenofovir disoproxil fumarate counts as two anti-retroviral medications for the purposes of the anti retroviral Special Authority         Tab 200 mg with tenofovir disoproxil fumarate 300 mg       838.20       30       ✓ Truvada         LAMIVUDINE – Special Authority see SA1364 on page 108 – Retail pharmacy Tab 150 mg       52.50       60       ✓ Lamivudine Alphapharm         Oral liq 10 mg per ml       102.50       240 ml OP       ✓ 3TC         STAVUDINE [D4T] – Special Authority see SA1364 on page 108 – Retail pharmacy Cap 40 mg       503.80       60       ✓ Zerit         Powder for oral soln 1 mg per ml       100.76       200 ml OP       ✓ Zerit       200         ZIDOVUDINE [AZT] – Special Authority see SA1364 on page 108 – Retail pharmacy Cap 100 mg       152.25       100       ✓ Retrovir	EMTRICITABINE - Special Authority see SA1364 on page 108 -	Retail pharmacy		
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE – Special Authority see SA1364 on page 108 – Retail pharmacy Note: Emtricitabine with tenofovir disoproxil fumarate counts as two anti-retroviral medications for the purposes of the anti retroviral Special Authority Tab 200 mg with tenofovir disoproxil fumarate 300 mg	_			Emtriva
Note:       Emtricitabine with tenofovir disoproxil fumarate counts as two anti-retroviral medications for the purposes of the anti-retroviral Special Authority         Tab 200 mg with tenofovir disoproxil fumarate 300 mg				4 on none 100 Detail shormoor
Tab 200 mg with tenofovir disoproxil fumarate 300 mg	Note: Emtricitabine with tenofovir disoproxil fumarate counts			
Tab 150 mg		838.20	30	Truvada
Tab 150 mg	AMIVLIDINE - Special Authority see SA1364 on page 108 - Re	tail nharmaov		
Alphapharm         Oral liq 10 mg per ml         0ral liq 10 mg per ml         102.50       240 ml OP         STAVUDINE [D4T]         STAVUDINE [D4T]         STAVUDINE [D4T]         STAVUDINE [D4T]         Statutor	, , , , , , , , , , , , , , , , , , , ,		60	🖌 Lamivudine
Oral liq 10 mg per ml       102.50       240 ml OP       ✓ 3TC         STAVUDINE [D4T] – Special Authority see SA1364 on page 108 – Retail pharmacy       503.80       60       ✓ Zerit         Powder for oral soln 1 mg per ml       100.76       200 ml OP       ✓ Zerit \$29         ZIDOVUDINE [AZT] – Special Authority see SA1364 on page 108 – Retail pharmacy       Cap 100 mg       152.25       100       ✓ Retrovir			00	
STAVUDINE [D4T] - Special Authority see SA1364 on page 108 - Retail pharmacy         Cap 40 mg       503.80       60       ✓ Zerit         Powder for oral soln 1 mg per ml       100.76       200 ml OP       ✓ Zerit \$29         ZIDOVUDINE [AZT] - Special Authority see SA1364 on page 108 - Retail pharmacy       152.25       100       ✓ Retrovir	Oral lig 10 mg per ml		240 ml OP	
Cap 40 mg				· · · · · · · · · · · · · · · · · · ·
Powder for oral soln 1 mg per ml				🖌 Zorit
ZIDOVUDINE [AZT] – Special Authority see SA1364 on page 108 – Retail pharmacy Cap 100 mg				
Cap 100 mg				
Oral liq 10 mg per ml				
	Oral liq 10 mg per ml		200 ml OP	Retrovir

	Subsidy		Fully Brand or	_
	(Manufacturer's F \$	Price) Sub Per	sidised Generic Manufacturer	
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority se Note: zidovudine [AZT] with lamivudine (combination tablet anti-retroviral Special Authority.				of th
Tab 300 mg with lamivudine 150 mg	667.20	60	<ul> <li>✓ <u>Alphapharm</u></li> <li>✓ Combivir</li> </ul>	
(Combivir Tab 300 mg with lamivudine 150 mg to be delisted 1.	lune 2014)			
Protease Inhibitors				
ATAZANAVIR SULPHATE – Special Authority see SA1364 on p Cap 150 mg Cap 200 mg		bharmacy 60 60	<ul><li>✔ Reyataz</li><li>✔ Reyataz</li></ul>	
DARUNAVIR – Special Authority see SA1364 on page 108 – Ro Tab 400 mg Tab 600 mg		60 60	<ul><li>✓ Prezista</li><li>✓ Prezista</li></ul>	
INDINAVIR – Special Authority see SA1364 on page 108 – Ret Cap 200 mg Cap 400 mg	519.75 519.75	360 180	<ul><li>Crixivan</li><li>Crixivan</li></ul>	
LOPINAVIR WITH RITONAVIR – Special Authority see SA1364 Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 50 mg Oral liq 80 mg with ritonavir 20 mg per ml		etail pharmacy 60 120 300 ml OP	<ul> <li>✓ Kaletra</li> <li>✓ Kaletra</li> <li>✓ Kaletra</li> </ul>	
RITONAVIR – Special Authority see SA1364 on page 108 – Re Tab 100 mg Oral liq 80 mg per ml	43.31	30 90 ml OP	✓ <u>Norvir</u> ✓ Norvir	
Strand Transfer Inhibitors				
RALTEGRAVIR POTASSIUM – Special Authority see SA1364 c Tab 400 mg Antiretrovirals - Additional Therapies		ail pharmacy 60	✓ Isentress	_
HIV Fusion Inhibitors				
ENFUVIRTIDE – Special Authority see SA0845 below – Retail Powder for inj 90 mg per ml $\times$ 60		1	✔ Fuzeon	
SA0845 Special Authority for Subsidy     Initial application only from a named specialist. Approvals valid     All of the following:	d for 3 months for a	applications me	eeting the following criteria:	
<ol> <li>Confirmed HIV infection; and</li> <li>Enfuvirtide to be given in combination with optimized ba the patient has never previously been exposed to) for tr</li> <li>Either:</li> </ol>			east 1 other antiretroviral drug	g tha
<ul><li>3.1 Patient has evidence of HIV replication, despite</li><li>3.2 Patient has treatment-limiting toxicity to previous</li></ul>				
<ul><li>4 Previous treatment with 3 different antiretroviral regime</li><li>5 All of the following:</li></ul>	ns has failed; and			
5.1 Previous treatment with a non-nucleoside reverse	se transcriptase in	hibitor has faile	ed; and continu	ied
			oontinu	50

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsid	sed	Generic	
\$	Per	r	Manufacturer	

continued...

- 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
- 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

### **Immune Modulators**

### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### **Criteria for Treatment**

- a) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

### **Exclusion Criteria**

- Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia (<2.0  $\times$  10<sup>9</sup>) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

#### Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

### INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

#### INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

a) See prescribing guideline above

b) Prescriptions must be written b	v. or on the recommendation of.	an internal medicine ph	vsician or ophthalmologist

Inj 18 m iu, 1.2 ml multidose pen	187.92	1	Intron-A
Inj 30 m iu, 1.2 ml multidose pen	313.20	1	Intron-A
Inj 60 m iu, 1.2 ml multidose pen	626.40	1	Intron-A

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PEGYLATED INTERFERON ALFA-2A – Special Authority see S/	A1400 below – Retail	l pharm	acy	
See prescribing guideline on the previous page				
Inj 135 mcg prefilled syringe	1,448.00	4	✓ P	egasys
Inj 180 mcg prefilled syringe	900.00	4	✓ P	egasys
Inj 135 mcg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				
112	1,799.68	1 OP	✓ P	egasys RBV
				Combination Pack
Inj 135 mcg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$			4 -	
168	1,975.00	1 OP		egasys RBV
lai 100 men avafillad avrinana v 1 vitte vite vitia tate 000 men v				Combination Pack
Inj 180 mcg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$ 112		1 OP		
112	1,159.64	TUP		egasys RBV Combination Book
Inj 180 mcg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				Combination Pack
168		1 OP		eqasys RBV
100	1,230.00	I UF		Combination Pack
				Compination 1 dok

#### SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
  - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
  - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:

	Subsidy	Fully	Brand or
	ufacturer's Price)	Subsidised	Generic
(Man	\$ Pe		Manufacturer

#### continued...

- 3.1 Patient has responder relapsed; or
- 3.2 Patient was a partial responder; or
- 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

#### Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

### **Urinary Tract Infections**

HEXAMINE HIPPURATE      * Tab 1 g	18.40	100	
	(38.10)		Hiprex
NITROFURANTOIN			
* Tab 50 mg – For nitrofurantoin oral liquid formulation refer,			
page 200	22.20	100	Nifuran
* Tab 100 mg	37.50	100	Nifuran
NORFLOXACIN			
Tab 400 mg – Maximum of 6 tab per prescription; can be			
waived by endorsement - Retail pharmacy - Specialist	15.45	100	Arrow-Norfloxacin

	Subsidy (Manufacturer's Pric	a) Si	Fully Brand or ubsidised Generic
	(Manulacturer's Fric	Per	Manufacturer
nticholinesterases			
	140.00	50	. A Astro Zamana
Inj 2.5 mg per ml, 1 ml ampoule		50	AstraZeneca
RIDOSTIGMINE BROMIDE			
Tab 60 mg		100	✓ Mestinon
Ion-Steroidal Anti-Inflammatory Drugs			
SA1038 Special Authority for Manufacturers Price			
te: Subsidy for patients with existing approvals prior to 1 Septe	mber 2010 Approve	ale valid wit	hout further renewal unless not
new approvals will be granted from 1 September 2010.			
CLOFENAC SODIUM			
Tab EC 25 mg	4.00	100	Apo-Diclo
-		100	
Tab 50 mg dispersible – Additional subsidy by Special Au		20	
thority see SA1038 above – Retail pharmacy		20	Voltaren D
Tab EC 50 mg	(8.00)	500	✓ Apo-Diclo
Tab long-acting 75 mg		500 500	✓ <u>Apo-Dicio</u> ✓ Diclax SR
Tab long-acting 100 mg		500	✓ Diclax SR
Inj 25 mg per ml, 3 ml		5	✓ Voltaren
Up to 5 inj available on a PSO	12.00	5	Voltaren
Suppos 12.5 mg	1.85	10	Voltaren
Suppos 25 mg		10	Voltaren
Suppos 50 mg		10	Voltaren
Up to 10 supp available on a PSO		10	<u>voluion</u>
Suppos 100 mg	6.36	10	Voltaren
			· · · · · · · · · · · · · · · · · · ·
JPROFEN	10.75	1 000	✓ Arrowcare
Tab 200 mg		1,000	• Allowcale
Tab 400 mg – Additional subsidy by Special Authority se		30	
SA1038 above – Retail pharmacy	(4.56)	30	Brufen
Tab 600 mg Additional subsidy by Cassial Authority as	· · ·		DIUIEII
Tab 600 mg – Additional subsidy by Special Authority se		20	
SA1038 above – Retail pharmacy		30	Brufen
Tab long-acting 800 mg	(6.84)	30	✓ Brufen SR
tab long-acting 600 mg		200 ml	✓ Fenpaed
		200 111	• I clipacu
TOPROFEN			
Cap long-acting 100 mg		100	✓ Oruvail SR
Cap long-acting 200 mg ruvail SR Cap long-acting 100 mg to be delisted 1 September		28	<ul> <li>Oruvail SR</li> </ul>
FENAMIC ACID – Additional subsidy by Special Authority se	e SA1038 above - F	Retail nhar	macv
Cap 250 mg		20	inacy
	(5.60)	20	Ponstan
	1.25	50	i onotan
	(9.16)		Ponstan
	(3		

		Subsidy		Ful	
		(Manufacturer's Price) \$	) Per	Subsidise	ed Generic Manufacturer
AP	ROXEN				
	Tab 250 mg	21.25	500	~	Noflam 250
	Tab 500 mg		250		Noflam 500
	Tab long-acting 750 mg		90		Naprosyn SR 750
	Tab long-acting 1,000 mg		90		Naprosyn SR 1000
JLI	NDAC - Additional subsidy by Special Authority see SA103	8 on the previous pa	ge – R	etail phar	macy
	Tab 100 mg	2.66	50		
		(8.55)			Aclin
	Tab 200 mg	3.36	50		
		(15.10)			Aclin
EN	DXICAM				
	Tab 20 mg	23.75	100	~	Tilcotil
I	nj 20 mg vial	9.95	1	~	AFT
IS	AIDs Other				
ELO	OXICAM – Special Authority see SA1034 below – Retail pha	armacy			
	Tab 7.5 mg		30	~	Arrow-Meloxicam
01	<ol> <li>the following:</li> <li>The patient has moderate to severe haemophilia with I factor; and</li> <li>The patient has haemophilic arthropathy; and</li> <li>Pain and inflammation associated with haemophilic arthribation and the patient has had been been been been been been been bee</li></ol>	·			-
Гор	<ol> <li>The patient has moderate to severe haemophilia with I factor; and</li> <li>The patient has haemophilic arthropathy; and</li> <li>Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont</li> <li>Dical Products for Joint and Muscular Pain</li> </ol>	ropathy is inadequate			-
	<ol> <li>The patient has moderate to severe haemophilia with I factor; and</li> <li>The patient has haemophilic arthropathy; and</li> <li>Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are control</li> </ol>	ropathy is inadequate raindicated.		trolled by	-
AP: () itia stec	<ol> <li>The patient has moderate to severe haemophilia with I factor; and</li> <li>The patient has haemophilic arthropathy; and</li> <li>Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont</li> <li>Dical Products for Joint and Muscular Pain</li> <li>SAICIN</li> <li>Crm 0.025% - Special Authority see SA1289 below - Retai pharmacy</li> <li>A1289 Special Authority for Subsidy</li> <li>I application from any relevant practitioner. Approvals va barthritis that is not responsive to paracetamol and oral non-tirheumatoid Agents</li> </ol>	ropathy is inadequate raindicated. I 9.95 4 lid without further re	ely con 5 g Ol newal	trolled by	alternative funded treatm Zostrix
AP: () itia itia	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthri- options, or alternative funded treatment options are cont <b>Dical Products for Joint and Muscular Pain</b> SAICIN     Crm 0.025% – Special Authority see SA1289 below – Retai pharmacy <b>M1289</b> Special Authority for Subsidy     I application from any relevant practitioner. Approvals va parthritis that is not responsive to paracetamol and oral non tirheumatoid Agents     ANOFIN	ropathy is inadequate raindicated.	ely con 5 g Ol newal natorie:	unless no s are con	alternative funded treatm Zostrix Dified where the patient traindicated.
O AP: ( itia tec	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthri- options, or alternative funded treatment options are cont <b>Dical Products for Joint and Muscular Pain</b> SAICIN Crm 0.025% - Special Authority see SA1289 below - Retai pharmacy     A1289 Special Authority for Subsidy     If application from any relevant practitioner. Approvals va barthritis that is not responsive to paracetamol and oral non- tirheumatoid Agents ANOFIN Tab 3 mg	ropathy is inadequate raindicated.	ely con 5 g Ol newal	unless no s are con	alternative funded treatm Zostrix
OP AP: ( →S itia teo IR, /D	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthri- options, or alternative funded treatment options are cont <b>Dical Products for Joint and Muscular Pain</b> SAICIN Crm 0.025% – Special Authority see SA1289 below – Retai pharmacy     Market Sector Subsidy     application from any relevant practitioner. Approvals va boarthritis that is not responsive to paracetamol and oral non- tirheumatoid Agents ANOFIN Tab 3 mg ROXYCHLOROQUINE	ropathy is inadequate raindicated.	sly con 5 g Ol newal hatorie: 60	unless no s are con	alternative funded treatm Zostrix Diffied where the patient traindicated. Ridaura s29 529
O AP: ( →S itia tec	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont <b>Dical Products for Joint and Muscular Pain</b> SAICIN     Crm 0.025% – Special Authority see SA1289 below – Retai     pharmacy <b>A1289 Special Authority for Subsidy I application</b> from any relevant practitioner. Approvals va     barthritis that is not responsive to paracetamol and oral non- <b>tirheumatoid Agents</b> ANOFIN     Tab 3 mg     many and the set of th	ropathy is inadequate raindicated.	ely con 5 g Ol newal natorie:	unless no s are con	alternative funded treatm Zostrix Dified where the patient traindicated.
O AP: ( ) S tia tec I I R, ( ) I R, ( ) I R, ( ) I R, ( ) I R, ( ) I I I R, ( ) I I I I I I I I I I I I I I I I I I	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont <b>Dical Products for Joint and Muscular Pain</b> SAICIN     Crm 0.025% - Special Authority see SA1289 below - Retai     pharmacy <b>A1289</b> Special Authority for Subsidy <b>I application</b> from any relevant practitioner. Approvals va     barthritis that is not responsive to paracetamol and oral non <b>tirheumatoid Agents</b> ANOFIN     Tab 3 mg     COXYCHLOROQUINE     Tab 200 mg     LUNOMIDE	ropathy is inadequate raindicated.	5 g Ol newal atorie: 60 100	trolled by unless no s are con	alternative funded treatm Zostrix Diffied where the patient traindicated. Ridaura s29 s29 Plaquenil
O AP: ( →S tia teo IR. /DI 	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont <b>bical Products for Joint and Muscular Pain</b> SAICIN Crm 0.025% - Special Authority see SA1289 below - Retai     pharmacy <b>A1289</b> Special Authority for Subsidy <b>application</b> from any relevant practitioner. Approvals va     barthritis that is not responsive to paracetamol and oral non <b>tirheumatoid Agents</b> ANOFIN Tab 3 mg ROXYCHLOROQUINE Tab 200 mg	ropathy is inadequate raindicated.	5 g Ol newal atorie: 60 100 30	trolled by unless no s are com	alternative funded treatm Zostrix Diffied where the patient traindicated. Ridaura s29 529 Plaquenil Arava
O AP: ( →S tia teo IR. /DI 	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont <b>Dical Products for Joint and Muscular Pain</b> SAICIN     Crm 0.025% - Special Authority see SA1289 below - Retai     pharmacy <b>A1289</b> Special Authority for Subsidy <b>I application</b> from any relevant practitioner. Approvals va     barthritis that is not responsive to paracetamol and oral non <b>tirheumatoid Agents</b> ANOFIN     Tab 3 mg     COXYCHLOROQUINE     Tab 200 mg     LUNOMIDE	ropathy is inadequate raindicated.	100 solution of the second sec	unless no s are con	alternative funded treatm Zostrix Diffied where the patient traindicated. Ridaura s29 529 Plaquenil Arava Arava
op AP: ( ) Sitia tec ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( IR, ( ) IR, ( IR, ( ) IR, ( ) IR, ( IR, ( IR)) IR, ( IR) (IR) (IR) (IR) (IR) (IR) (IR) (IR) (	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont <b>bical Products for Joint and Muscular Pain</b> SAICIN Crm 0.025% - Special Authority see SA1289 below - Retai     pharmacy <b>A1289</b> Special Authority for Subsidy <b>application</b> from any relevant practitioner. Approvals va     barthritis that is not responsive to paracetamol and oral non <b>tirheumatoid Agents</b> ANOFIN Tab 3 mg ROXYCHLOROQUINE Tab 200 mg	ropathy is inadequate raindicated. I 9.95 4 lid without further re steroidal anti-inflamm 68.99 	5 g Ol newal atorie: 60 100 30	unless no s are con	alternative funded treatm Zostrix Diffied where the patient traindicated. Ridaura s29 529 Plaquenil Arava
O AP: ( ) Sitia tec ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( ) IR, ( IR, ( ) IR, ( IR, ( IR)) I (IR) (IR) (IR) (IR) (IR) (IR) (IR) (IR)	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont <b>bical Products for Joint and Muscular Pain</b> SAICIN Crm 0.025% – Special Authority see SA1289 below – Retai     pharmacy <b>A1289</b> Special Authority for Subsidy I application from any relevant practitioner. Approvals va     barthritis that is not responsive to paracetamol and oral non <b>tirheumatoid Agents</b> ANOFIN Tab 3 mg	ropathy is inadequate raindicated. I 9.95 4 lid without further re steroidal anti-inflamm 68.99 	100 solution of the second sec	unless no s are con	alternative funded treatm Zostrix Diffied where the patient traindicated. Ridaura s29 529 Plaquenil Arava Arava
YD = ENI	The patient has moderate to severe haemophilia with I factor; and     The patient has haemophilic arthropathy; and     Pain and inflammation associated with haemophilic arthropotions, or alternative funded treatment options are cont <b>bical Products for Joint and Muscular Pain</b> SAICIN Crm 0.025% - Special Authority see SA1289 below - Retai     pharmacy <b>A1289</b> Special Authority for Subsidy <b>application</b> from any relevant practitioner. Approvals va     barthritis that is not responsive to paracetamol and oral non <b>tirheumatoid Agents</b> ANOFIN Tab 3 mg ROXYCHLOROQUINE Tab 200 mg UNOMIDE Tab 10 mg Tab 20 mg	ropathy is inadequate raindicated.	100 solution of the second sec	unless no s are con	alternative funded treatm Zostrix Diffied where the patient traindicated. Ridaura s29 529 Plaquenil Arava Arava

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
SODIUM AUROTHIOMALATE					
Inj 10 mg in 0.5 ml ampoule		10	🖌 M	lyocrisin	
Inj 20 mg in 0.5 ml ampoule	113.17	10	🖌 M	lyocrisin	
Inj 50 mg in 0.5 ml ampoule		10	🖌 M	lyocrisin	

# **Drugs Affecting Bone Metabolism**

### Alendronate for Osteoporosis

### SA1039 Special Authority for Subsidy

**Initial application** — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq 2.5$  standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq -2.5$ ) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD  $\geq$  1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

**Renewal** — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy ( $\geq$  5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq 2.5$  standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq -2.5$ ) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score  $\leq$  -3.0 (see Note); or

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
(Included of Fried)	Per 🖌	Manufacturer	

continued...

- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALI	ALENDRONATE SODIUM – Special Authority see SA1039 on the previous page – Retail pharmacy					
*	Tab 70 mg		4	Fosamax		
ALI	ENDRONATE SODIUM WITH CHOLECALCIFEROL – Specia	al Authority see	SA1039 on the	previous page - Retail pha	armacy	
*	Tab 70 mg with cholecalciferol 5,600 iu		4	Fosamax Plus		

### Alendronate for Paget's Disease

#### SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

	E SODIUM – Special Authority see SA0949 above –		30	✓ Fosamax
Other Trea	tments			
	DISODIUM – See prescribing guideline below g uidelines	15.80	100	✓ <u>Arrow-Etidronate</u>

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

	(Manufacturer's Price) \$	S Per	ubsidised V	Brand or Generic Manufacturer
PAMIDRONATE DISODIUM				
Inj 3 mg per ml, 5 ml		1	🖌 F	Pamisol
Inj 3 mg per ml, 10 ml		1	✓ <u>F</u>	Pamidronate BNM
Inj 6 mg per ml, 10 ml		1	🖌 F	Pamidronate BNM
Inj 9 mg per ml, 10 ml		1	🖌 🖌 F	Pamidronate BNM

### SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age: or
- 3 History of two significant osteoporotic fractures demonstrated radiologically: or
- 4 Documented T-Score  $\leq$  -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture  $\geq$  3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and guantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score  $\leq$  -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has guantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Sandoz
Sar

#### ► SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma: and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Subsidy (Manufacturer's Price)	Sub	Fully osidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID - Special Authority see SA1187 below - R	etail pharmacy		
Soln for infusion 5 mg in 100 ml	600.00	100 ml OP	<ul> <li>Aclasta</li> </ul>

### ►SA1187 Special Authority for Subsidy

**Initial application — (Paget's disease)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq 2.5$  standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq -2.5$ ) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score  $\leq$  -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

**Initial application — (Underlying cause - glucocorticosteroid therapy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

Subsidy		Fully Subsidised	Brand or
(Manufacturer's Price) \$	Per		Generic Manufacturer

continued...

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD  $\geq$  1.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq 2.5$  standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq -2.5$ ) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score  $\leq$  -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

 BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.

(Manu	Subsidy	Fully	Brand or
	facturer's Price)	Subsidised	Generic
	\$ P	Per 🖌	Manufacturer

continued...

- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

### Hyperuricaemia and Antigout

ALLOPURINOL			
* Tab 100 mg	15.90 1,0	000 🖌	Apo-Allopurinol
* Tab 300 mg - For allopurinol oral liquid formulation refer,			
page 200	16.75 5	00 🖌	Apo-Allopurinol
BENZBROMARONE - Special Authority see SA1319 below - Retail	pharmacy		
Tab 100 mg	45.00 1	00 🖌	Benzbromaron AL
			100 \$29

### SA1319 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and appropriate doses of probenecid; or
  - 1.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite appropriate doses of probenecid; or
  - 1.3 Both:
    - 1.3.1 The patient has renal impairment and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note); and
    - 1.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
  - 1.4 All of the following:
    - 1.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
    - 1.4.2 Allopurinol is contraindicated; and
    - 1.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 2 The patient is receiving monthly liver function tests.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
continued				
Notes: Benzbromarone has been associated with potentially fatal Optimal treatment with allopurinol in patients with renal impairmed dose of allopurinol then, if serum urate remains greater than 0.36 in the maximum tolerated dose.	ent is defined as treamol/I, a gradual inc	rease of the	e dose	of allopurinol to 600 mg or
The New Zealand Rheumatology Association has developed inform http://www.rheumatology.org.nz/benzbromarone_prescriber_inform		s which ca	n be ac	cessed from its website at
COLCHICINE * Tab 500 mcg	10.08	100	<u>√ c</u>	<u>olgout</u>
PROBENECID  * Tab 500 mg	55.00	100	🖌 Pi	robenecid-AFT
Muscle Relaxants				
BACLOFEN				
* Tab 10 mg - For baclofen oral liquid formulation refer, page				
200 Inj 0.05 mg per ml. 1 ml ampoule – Subsidy by endorsement.		100 1		<u>acifen</u> ioresal Intrathecal
Subsidised only for use in a programmable pump in patie caused intolerable side effects and the prescription is endo	nts where oral antis	•		
Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement Subsidised only for use in a programmable pump in patie caused intolerable side effects and the prescription is endo	nts where oral antis	1 pastic ager		ioresal Intrathecal e been ineffective or have
DANTROLENE				
* Cap 25 mg * Cap 50 mg		100 100	• -	antrium antrium
ORPHENADRINE CITRATE		100	ΨU	
Tab 100 mg		100	🗸 N	orflex

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✔ Manufacturer
gents for Parkinsonism and Related Disorders			
Dopamine Agonists and Related Agents			
MANTADINE HYDROCHLORIDE			
Cap 100 mg		60	Symmetrel
POMORPHINE HYDROCHLORIDE			
Inj 10 mg per ml, 2 ml	110.00	5	Apomine
ROMOCRIPTINE MESYLATE			
• Tab 2.5 mg		100	Apo-Bromocriptine
Cap 5 mg	60.43	100	Apo-Bromocriptine
po-Bromocriptine Cap 5 mg to be delisted 1 October 2014)			
NTACAPONE			
Tab 200 mg	47.92	100	Entapone
EVODOPA WITH BENSERAZIDE			
Tab dispersible 50 mg with benserazide 12.5 mg		100	Madopar Rapid
Cap 50 mg with benserazide 12.5 mg		100	Madopar 62.5
Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
Cap 200 mg with benserazide 50 mg		100	✓ Madopar 250
			•
• Tab 100 mg with carbidopa 25 mg - For levodopa with car	_		
bidopa oral liquid formulation refer, page 200		50	Sindopa
bidopa oral liquid formulation relet, page 200	20.00	100	✓ Sinemet
Tab long-acting 200 mg with carbidopa 50 mg		100	Sinemet CR
Tab 250 mg with carbidopa 25 mg		100	✓ Sinemet
<b>o i o</b>			
SURIDE HYDROGEN MALEATE Tab 200 mcg	25.00	20	
	25.00	30	<ul> <li>Dopergin</li> </ul>
ERGOLIDE			4.5
Tab 0.25 mg		100	Permax
Tab 1 mg	170.00	100	Permax
Permax Tab 0.25 mg to be delisted 1 September 2014)			
Permax Tab 1 mg to be delisted 1 September 2014)			
RAMIPEXOLE HYDROCHLORIDE			
. Tab 1 mg	7.20	30	Dr Reddy's
			Pramipexole
	24.39	100	Ramipex S29
Tab 0.125 mg	1.95	30	Dr Reddy's
			Pramipexole
Tab 0.25 mg	2.40	30	Dr Reddy's
			Pramipexole
	7.20	100	Ramipex S29
Tab 0.5 mg	4.20	30	🖌 Dr Reddy's
			Pramipexole

	Subsidy (Manufacturer's Price)		Full Subsidise	
	\$	Per	~	Manufacturer
ROPINIROLE HYDROCHLORIDE				
▲ Tab 0.25 mg	2.36	100	~	Apo-Ropinirole
	1.98	84		
A Tab days	(6.20)	400		Ropin
Tab 1 mg		100	V	Apo-Ropinirole
	4.47	84		Donin
Tab 2 mg	(15.95)	100		Ropin Apo-Ropinirole
	6.48	84	v	Apo-nopinitole
	(24.95)	04		Ropin
Tab 5 mg	· · · ·	100	~	Apo-Ropinirole
	12.16	84	•	
	(38.00)	•		Ropin
Ropin Tab 0.25 mg to be delisted 1 June 2014)	( )			
Ropin Tab 1 mg to be delisted 1 June 2014)				
Ropin Tab 2 mg to be delisted 1 June 2014)				
Ropin Tab 5 mg to be delisted 1 June 2014)				
ELEGILINE HYDROCHLORIDE				
₭ Tab 5 mg		100	~	Apo-Selegiline
				Apo-Selegiline
				S29 S29
TOLCAPONE				
▲ Tab 100 mg	126.20	100	~	Tasmar
•	120.20	100	•	Tasmar
Anticholinergics				
BENZTROPINE MESYLATE				
Tab 2 mg	7.99	60	~	Benztrop
Inj 1 mg per ml, 2 ml	95.00	5	~	Cogentin
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
ORPHENADRINE HYDROCHLORIDE				
Tab 50 mg	35.15	250	~	Disipal
Disipal Tab 50 mg to be delisted 1 November 2014)				
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	7.40	100	~	Kemadrin
Agents for Essential Tremor, Chorea and Related				
RILUZOLE - Special Authority see SA1403 below - Retail pharm	асу			
Wastage claimable – see rule 3.3.2 on page 17				
Tab 50 mg	400.00	56	~	Rilutek
►>SA1403 Special Authority for Subsidy				
itial application only from a neurologist or respiratory special	ist. Approvals valid	for 6	months	or applications meeting

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and

	Subsidy (Manufacturer's Price \$	e) Per	Fu Subsidise	
ontinued				
4 The patient has not experienced respiratory failure; and				
5 Any of the following:				
<ul><li>5.1 The patient is ambulatory; or</li><li>5.2 The patient is able to use upper limbs; or</li></ul>				
5.3 The patient is able to use upper limbs, of 5.3				
enewal from any relevant practitioner. Approvals valid for 18 mo	nths for application	s meeti	na the fo	lowing criteria:
I of the following:				
1 The patient has not undergone a tracheostomy; and				
2 The patient has not experienced respiratory failure; and				
3 Any of the following:				
3.1 The patient is ambulatory; or				
<ul><li>3.2 The patient is able to use upper limbs; or</li><li>3.3 The patient is able to swallow.</li></ul>				
ETRABENAZINE Tab 25 mg	118.00	112	~	' Motetis
ů.			•	
Anaesthetics				
₋ocal				
DOCAINE [LIGNOCAINE]				
Gel 2%, 10 ml urethral syringe – Subsidy by endorsement		10	V	' Pfizer
a) Up to 5 each available on a PSO				
b) Subsidised only if prescribed for urethral or cervical adm	ninistration and the	prescrip	otion is e	ndorsed accordingly.
DOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Viscous soln 2%		200 m		Xylocaine Viscous
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO	8.75 17.50	25 50	V	'Lidocaine-Claris
	(35.00)	50		Xylocaine
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO	()	25	V	Lidocaine-Claris
Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO	2.40	1	V	Lidocaine-Claris
	12.00	5		
	(20.00)	1		Xylocaine Lidocaine-Claris
Ini 2% 20 ml ampoule – I in to 5 ini available on a PSO	2 /0		v	
Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO	2.40			
DOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE		ı		
DOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –			v	' Pfizer
DOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement		10	v	' Pfizer
DOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes –		10	-	
DOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement a) Up to 5 each available on a PSO	43.26 ninistration and the	10 prescriț	otion is e	ndorsed accordingly.
DOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement	ninistration and the vrity see SA0906 be number 340.00	10 prescriț	otion is e Retail pha	ndorsed accordingly.

### ➡SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Analgesics				
For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, p	age 115			
Non-opioid Analgesics				
ASPIRIN				
* Tab EC 300 mg	2.00	100		
the Table discount in the COO many of the terror to the second in the second DOO.	(8.50)	400		spec 300
* Tab dispersible 300 mg – Up to 30 tab available on a PSO.	2.55	100		thics Aspirin
CAPSAICIN – Subsidy by endorsement				
<ul> <li>a) For aspirin &amp; chloroform application refer Standard Formut</li> <li>b) Subsidised only if prescribed for post-herpetic neuralgia of the standard standard</li></ul>			athy and th	a prescription is endorse
accordingly.		incurop	any and in	
Crm 0.075%		45 g OF	> <b>√</b> Z	ostrix HP
NEFOPAM HYDROCHLORIDE				
Tab 30 mg	23.40	90	🗸 A	cupan
PARACETAMOL				
* Tab 500 mg – Up to 30 tab available on a PSO		1,000		arafast
*‡ Oral liq 120 mg per 5 ml	2.21	500 ml	✓ <u>E</u>	thics Paracetamol
<ul> <li>a) Up to 200 ml available on a PSO</li> <li>b) Not in combination</li> </ul>				
*‡ Oral liq 250 mg per 5 ml	6.70	1,000 m	n 🖌 P	aracare Double
		,	_	Strength
a) Up to 100 ml available on a PSO				
b) Not in combination * Suppos 125 mg	7 49	20	V P	anadol
* Suppos 250 mg		20		anadol
* Suppos 500 mg		50	✓ P	aracare
Opioid Analgesics				
CODEINE PHOSPHATE – Safety medicine; prescriber may dete	ermine dispensina fr	eauency	/	
Tab 15 mg		100	✓ <u>Р</u>	<u>SM</u>
Tab 30 mg		100		-
Tab 60 mg		100	✓ P	SM
	10.51		4 -	
Tab long-acting 60 mg	13.64	60	✓ <u>D</u>	HC Continus

	Subsidy (Manufacturer's Price	) 0.	Fully ubsidised	Brand or Generic
	(Manulacturer's Price	Per		Manufacturer
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing free	quency			
lnj 50 mcg per ml, 2 ml		10	🖌 В	oucher and Muir
Inj 50 mcg per ml, 10 ml	11.77	10	🖌 🖌	oucher and Muir
Transdermal patch 12.5 mcg per hour	8.90	5	✓ M	ylan Fentanyl Patch
Transdermal patch 25 mcg per hour	9.15	5	🗸 M	ylan Fentanyl
T		_		Patch
Transdermal patch 50 mcg per hour	11.50	5	V M	ylan Fentanyl Patch
Transdermal patch 75 mcg per hour	13.60	5	✔ M	ylan Fentanyl Patch
Transdermal patch 100 mcg per hour	14.50	5	✔ M	ylan Fentanyl Patch
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing free				
d) Extemporaneously compounded methadone will only be r	eimbursed at the rat	e of the c	heapest f	orm available (methadone
powder, not methadone tablets).				
e) For methadone hydrochloride oral liquid refer Standard Fo				
Tab 5 mg		10		ethatabs
Oral liq 2 mg per ml     Oral liq 5 mg per ml		200 ml 200 ml		<u>iodone</u> iodone Forte
Oral liq 5 mg per ml     Oral liq 10 mg per ml		200 ml		iodone Extra Forte
Inj 10 mg per ml, 1 ml		10	V D V A	
	01.00	10	• •	
a) Only on a controlled drug form				
<ul> <li>b) No patient co-payment payable</li> <li>c) Safety medicine; prescriber may determine dispensing free</li> </ul>				
		200 ml		A-Morph
Oral liq 1 mg per ml     Oral liq 2 mg per ml		200 ml		A-Morph
Oral liq 2 mg per ml     Oral liq 5 mg per ml		200 ml		A-Morph
Oral lig 10 mg per ml		200 ml		A-Morph

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing free	equency			
Tab immediate-release 10 mg	2.80	10	✓ 5	Sevredol
Tab long-acting 10 mg	1.95	10	V <u>P</u>	Arrow-Morphine LA
Tab immediate-release 20 mg	5.52	10		Sevredol
Tab long-acting 30 mg		10		Arrow-Morphine LA
Tab long-acting 60 mg		10		Arrow-Morphine LA
Tab long-acting 100 mg		10	_	Arrow-Morphine LA
Cap long-acting 10 mg		10		n-Eslon
Cap long-acting 30 mg		10		n-Eslon
Cap long-acting 60 mg		10		n-Eslon
Cap long-acting 100 mg		10		n-Eslon
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	•	DBL Morphine Sulphate
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PSO	4.79	5	✓ [	DBL Morphine
Inj 15 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.01	5	✓ [	Sulphate OBL Morphine
Inj 30 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.30	5	✓ [	<u>Sulphate</u> DBL Morphine Sulphate
<ul> <li>a) Only on a controlled drug form</li> <li>b) No patient co-payment payable</li> <li>c) Safety medicine; prescriber may determine dispensing free Inj 80 mg per ml, 1.5 ml</li> </ul>		5	_	<u>Iospira</u>
Inj 80 mg per ml, 5 ml		5	<b>v</b> <u>F</u>	<u>lospira</u>
YCODONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing fre				
Tab controlled-release 5 mg		20		DxyContin
Tab controlled-release 10 mg		20		Dxydone BNM
Tab controlled-release 20 mg	11.50	20		Dxydone BNM
Tab controlled-release 40 mg		20		Dxydone BNM
Tab controlled-release 80 mg		20	_	Dxydone BNM
Cap immediate-release 5 mg		20		DxyNorm
Cap immediate-release 10 mg		20		DxyNorm
Cap immediate-release 20 mg		20		DxyNorm
Oral liq 5 mg per 5 ml		250 ml		DxyNorm
Inj 10 mg per ml, 1 ml		5		Dxycodone Orion
Inj 10 mg per ml, 2 ml		5		Dxycodone Orion
Inj 50 mg per ml, 1 ml	60.00	5	<u> </u>	DxyNorm
RACETAMOL WITH CODEINE - Safety medicine; prescribe	r may determine dispe	nsina f	requencv	
Tab paracetamol 500 mg with codeine phosphate 8 mg		100		Paracetamol + Codeine (Relieve

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	
ETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing fre	quency			
Tab 50 mg		10	~	PSM
Tab 100 mg		10	~	PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	<b>/</b>	DBL Pethidine Hydrochloride
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5.83	5	•	DBL Pethidine Hydrochloride
AMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg	2.14	20	~	Tramal SR 100
Tab sustained-release 150 mg	3.21	20	~	Tramal SR 150
Tab sustained-release 200 mg	4.28	20		Tramal SR 200
Cap 50 mg	4.95	100	✓.	Arrow-Tramadol
Intidepressants				
cyclic and Related Agents				
ITRIPTYLINE - Safety medicine; prescriber may determine	dispensing frequency			
Tab 10 mg		100	~	Arrow Amitriptyline
Tab 25 mg	1.85	100		Amitrip
Tab 50 mg	3.60	100		Amitrip
OMIPRAMINE HYDROCHLORIDE - Safety medicine; presc	riber may determine di	spensi	ing freque	ency
Tab 10 mg		100		Apo-Clomipramine
Tab 25 mg	8.68	100	~	Apo-Clomipramine
THIEPIN HYDROCHLORIDE – Safety medicine; prescriber I	nay determine dispen	sing fre	equencv	
Tab 75 mg		100		Dopress
Cap 25 mg		100		Dopress
DXEPIN HYDROCHLORIDE – Safety medicine; prescriber ma				
Cap 10 mg	6.30	100		Anten
Cap 25 mg		100		Anten
Cap 50 mg		100		Anten
IPRAMINE HYDROCHLORIDE – Safety medicine; prescriber				
Tab 10 mg		50	· · ·	Tofranil
	6.58	60	· · ·	Tofranil
	10.96	100		Tofranil
Tab 25 mg		50		Tofranil
APROTILINE HYDROCHLORIDE – Safety medicine; prescrib		-		
Tab 25 mg		30	· · ·	Ludiomil
<b>T</b>	25.06	100	-	Ludiomil
Tab 75 mg	14.01 21.01	20 30		Ludiomil Ludiomil
ANSERIN HYDROCHLORIDE – Safety medicine; prescriber				
Tab 30 mg	24.86	30	1	Tolvon
ORTRIPTYLINE HYDROCHLORIDE - Safety medicine; preso				
Tab 10 mg		100		Norpress
Tab 25 mg	9.00	180	~	Norpress

	Subsidy (Manufacturer's Price	) Si	Fully ubsidised	Brand or Generic
	\$	Per	~	Manufacturer
Monoamine-Oxidase Inhibitors (MAOIs) - No	n Selective			
HENELZINE SULPHATE			• • •	
• Tab 15 mg	95.00	100	🖌 Na	ardil
RANYLCYPROMINE SULPHATE	00.04	50		arnate
• Tab 10 mg	22.94	50	V Pa	imate
Monoamine-Oxidase Type A Inhibitors				
IOCLOBEMIDE Note: There is a significant cost differential between mo expensive). For depressive syndromes it is therefore mo ing prescribing moclobemide.		•		•
• Tab 150 mg		500		oo-Moclobemide
• Tab 300 mg		100	✓ <u>A</u>	oo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
ITALOPRAM HYDROBROMIDE				
• Tab 20 mg	2.34	84	✓ <u>A</u>	row-Citalopram
SCITALOPRAM				
Tab 10 mg		28		oxalate
• Tab 20 mg	4.20	28	V LO	oxalate
LUOXETINE HYDROCHLORIDE	ot 0.50	20		rrow-Fluoxetine
<ul> <li>Tab dispersible 20 mg, scored – Subsidy by endorseme</li> </ul>	112.50	30	✓ AI	
Subsidised by endorsement			•	
1) When prescribed for a patient who cannot swallow w	whole tablets or capsules	and the p	rescriptio	n is endorsed accordingly
or 2) When prescribed in a daily dose that is not a multip Note: Tablets should be combined with capsules to	U U		•	deemed to be endorsed
Cap 20 mg		90		rrow-Fluoxetine
	1.62	84		
	(2.70)		Fl	uox
Fluox Tab dispersible 20 mg, scored to be delisted 1 July 20 Fluox Cap 20 mg to be delisted 1 July 2014)	)14)			
AROXETINE HYDROCHLORIDE				
🗧 Tab 20 mg	4.32	90	✓ Lo	oxamine
ERTRALINE				
🗧 Tab 50 mg	3.64	90	✓ <u>A</u>	rrow-Sertraline
• Tab 100 mg	6.28	90	✓ <u>A</u>	rrow-Sertraline
Other Antidepressants				
IIRTAZAPINE – Special Authority see SA0994 on the next	page – Retail pharmacv			
IIRTAZAPINE – Special Authority see SA0994 on the next Tab 30 mg		30 30	✓ <u>A</u>	<u>/anza</u>

Subsidy (Manufacturer's Price)		Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

### SA0994 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has a severe major depressive episode; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

### VENLAFAXINE

Tab 37.5	mg	5.06	28	<ul> <li>Arrow-Venlafaxine XR</li> </ul>
Tab 75 m	g	6.44	28	<ul> <li>Arrow-Venlafaxine XR</li> </ul>
Tab 150 r	ng	8.86	28	<ul> <li>Arrow-Venlafaxine XR</li> </ul>
Tab 225 r	ng	14.34	28	<ul> <li>Arrow-Venlafaxine XR</li> </ul>
Con 27 F	ma Chaniel Authority and CA1061 holew. Batail			
	mg – Special Authority see SA1061 below – Retail macy	8.71	28	<ul> <li>Efexor XR</li> </ul>
Can 75 n	ng - Special Authority see SA1061 below - Retail			
	macy	17.42	28	<ul> <li>Efexor XR</li> </ul>
Can 150	mg – Special Authority see SA1061 below – Retail			
	macy	21.35	28	Efexor XR
	-			

### ➡SA1061 Special Authority for Subsidy

**Initial application** only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

# Antiepilepsy Drugs

# Agents for Control of Status Epilepticus

CLONAZEPAM - Safety medicine; prescriber may determine dispense	sing frequency		
Inj 1 mg per ml, 1 ml	19.00	5	<ul> <li>Rivotril</li> </ul>

	Subsidy (Manufacturer's Price \$	e) Per	Full Subsidised	
<ul> <li>DIAZEPAM – Safety medicine; prescriber may determine dispension of the second second</li></ul>	9.24	5	V	Hospira
c) PSO must be endorsed "not for anaesthetic procedures Rectal tubes 5 mg – Up to 5 tube available on a PSO		5	~	Stesolid
Rectal tubes 10 mg – Up to 5 tube available on a PSO		5	~	Stesolid
PARALDEHYDE				
* Inj 5 ml	1,500.00	5	~	AFT
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	69.24	5	~	Hospira
* Inj 50 mg per ml, 5 ml - Up to 5 inj available on a PSO	77.27	5	~	Hospira
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg		100	~	Tegretol
* Tab long-acting 200 mg		100		Tegretol CR
* Tab 400 mg		100		Tegretol
* Tab long-acting 400 mg		100	~	Tegretol CR
*‡ Oral liq 100 mg per 5 ml		250 m	· ·	Tegretol
CLOBAZAM - Safety medicine; prescriber may determine disper	nsina frequency			
Tab 10 mg		50	V	Frisium
‡ Safety cap for extemporaneously compounded oral liquid				
CLONAZEPAM – Safety medicine; prescriber may determine dis	pensing frequency			
Tral drops 2.5 mg per ml		0 ml 0	P 🖌	Rivotril
ETHOSUXIMIDE				
* Cap 250 mg		200	~	Zarontin
*‡ Oral lig 250 mg per 5 ml		200 m	I V	Zarontin
GABAPENTIN – Special Authority see SA1071 below – Retail ph	armacy			
▲ Cap 100 mg		100		Arrow-Gabapentin Nupentin
<ul> <li>Cap 300 mg – For gabapentin oral liquid formulation refer,</li> </ul>				
page 200	11.00	100		Arrow-Gabapentin
A	10 75	400		Nupentin
▲ Cap 400 mg	13.75	100		Arrow-Gabapentin
			~	Nupentin

#### SA1071 Special Authority for Subsidy

**Initial application — (Epilepsy)** from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

**Initial application** — (Neuropathic pain) from any relevant practitioner. Approvals valid for 3 months where the patient has tried and failed, or has been unable to tolerate, treatment with a tricyclic antidepressant.

**Renewal** — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

GABAPENTIN (NEURONTIN) - Special Authority see SA0973 be	elow – Retail pha	rmacy	
▲ Tab 600 mg	67.50	100	Neurontin
▲ Cap 100 mg	13.26	100	<ul> <li>Neurontin</li> </ul>
▲ Cap 300 mg - For gabapentin (neurontin) oral liquid formu-			
lation refer, page 200		100	Neurontin
▲ Cap 400 mg	53.01	100	<ul> <li>Neurontin</li> </ul>

#### ➡SA0973 Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy

▲ Tab 50 mg		14	🖌 Vimpat
▲ Tab 100 mg		14	Vimpat
J.	200.24	56	Vimpat
▲ Tab 150 mg		14	Vimpat
J.	300.40	56	Vimpat
▲ Tab 200 mg		56	<ul> <li>Vimpat</li> </ul>

#### SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

**Renewal** from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	(Manulacturer's Frice) \$	Per		Manufacturer
MOTRIGINE				
Tab dispersible 2 mg	6.74	30	🖌 La	amictal
Tab dispersible 5 mg	9.64	30	🖌 La	amictal
	15.00	56	🗸 A	rrow-Lamotrigine
Tab dispersible 25 mg		56	🖌 Lo	ogem
	20.40		🗸 A	rrow-Lamotrigine
			🖌 M	ogine
	29.09		🖌 La	amictal
Tab dispersible 50 mg		56	🖌 Lo	ogem
	34.70		🗸 A	rrow-Lamotrigine
			🖌 M	ogine
	47.89			amictal
Tab dispersible 100 mg		56		ogem
	59.90			rrow-Lamotrigine
				ogine
	79.16		🖌 La	amictal
VETIRACETAM				
Tab 250 mg		60	🖌 Le	evetiracetam-Rex
Tab 500 mg – For levetiracetam oral liquid formulation refer,				
page 200		60	V Le	evetiracetam-Rex
Tab 750 mg		60		evetiracetam-Rex
5				
IENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, page		500		CM
Tab 15 mg		500 500		
Tab 30 mg	29.00	500	✓ <u>P</u> :	5111
ENYTOIN SODIUM				
Tab 50 mg		200	• =	ilantin Infatab
Cap 30 mg		200	• =	ilantin
Cap 100 mg		200		ilantin
: Oral liq 30 mg per 5 ml		600 ml	V D	ilantin
IMIDONE				
Tab 250 mg		100	🗸 A	po-Primidone
Tab 100 mg	13.65	100	V Fi	pilim Crushable
Tab 200 mg EC		100		
Tab 500 mg EC		100		
t Oral lig 200 mg per 5 ml		100 300 ml		pilim S/F Liquid
				pilim Syrup
Inj 100 mg per ml, 4 ml	41.50	1		pilim IV
			÷ -	
IRIPENTOL – Special Authority see SA1330 on the next page		~~		
Cap 250 mg		60		iacomit S29
Powder for oral liq 250 mg sachet		60	🗸 D	iacomit S29

Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic	
\$	Per	<ul> <li>✓</li> </ul>	Manufacturer	

### ►SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

#### TOPIRAMATE

▲ Tab 25 mg	11.07	60	<ul> <li>Arrow-Topiramate</li> </ul>
	26.04		Topamax
▲ Tab 50 mg		60	Arrow-Topiramate
-	44.26		Topamax
▲ Tab 100 mg		60	Arrow-Topiramate
Ĵ	75.25		🖌 Topamax
▲ Tab 200 mg		60	Arrow-Topiramate
-	129.85		Topamax
▲ Sprinkle cap 15 mg		60	<ul> <li>Topamax</li> </ul>
Sprinkle cap 25 mg		60	Topamax
VIGABATRIN – Special Authority see SA1072 below	<ul> <li>Retail pharmacy</li> </ul>		
▲ Tab 500 mg		100	<ul> <li>Sabril</li> </ul>

#### ➡SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and
  - 1.2.2 Either:
    - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
    - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

#### 2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and

2 Either:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

### **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 115

### **Acute Migraine Treatment**

01.00	100	
31.00	100	<ul> <li>Cafergot</li> </ul>
6 77	60	🖌 Paramax
	00	
	30	Rizamelt
	100	Arrow-Sumatriptan
54.80	100	Arrow-Sumatriptan
10.00		Arrow-Sumatriptan
13.80	209	Arrow-Sumatriptan
TEM, page 55		
23.21	100	Sandomigran
rmacy		
116.00	3 OP	Emend Tri-Pack
		int is undergoing highly emetogeni
		noing highly emetogenic chemothe
malignancy.		
4.95	84	Vergo 16
4.95	84	<ul> <li>Vergo 16</li> </ul>
4.95 0.59	84 10	<ul> <li>Vergo 16</li> <li>Nausicalm</li> </ul>
		Ū

		~	Manufacturer
3.25	100	✓ P	rokinex
6.66	5	✔ Н	ospira
11.95	2	✓ <u>s</u>	copoderm TTS
	6.66	6.66 5	6.66 5 🖌 H

#### ►SA1387 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

. ..

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

<b>*</b> 1	Tab 10 mg – For metoclopramide hydrochloride oral liquid			
	formulation refer, page 200		100	Metamide
*	nj 5 mg per ml, 2 ml $-$ Up to 5 inj available on a PSO	4.50	10	✓ Pfizer
OND	ANSETRON			
* 1	Fab 4 mg	5.51	50	Onrex
	Fab disp 4 mg		10	✓ Dr Reddy's
				Ondansetron
<b>*</b> 1	Fab 8 mg	6.19	50	Onrex
	Tab disp 8 mg		10	✓ Dr Reddy's
				Ondansetron
PRO	CHLORPERAZINE			
-	Fab 3 mg buccal		50	
		(15.00)		Buccastem
<b>*</b> 1	Tab 5 mg – Up to 30 tab available on a PSO	( )	500	✓ Antinaus
	nj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10	✓ Stemetil
	Suppos 25 mg		5	<ul> <li>Stemetil</li> </ul>
-	Tab 25 mg	1 20	10	
ጥ ነ	ab 25 mg	(6.24)	10	Avomine
		(0.24)		Avoninc
-	PISETRON			
	a) Maximum of 6 cap per prescription			
	<ul> <li>Maximum of 3 cap per dispensing</li> </ul>			
	e) Not more than one prescription per month.			
(	Cap 5 mg	77.41	5	Navoban

Subsidy		Fully	Bra
(Manufacturer's Price)	Su	osidised	Ge
\$	Por	~	M

Brand or Generic Manufacturer

# Antipsychotics

#### Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

### General

AMISULPRIDE - Safety medicine; prescriber may deter	mine dispensing frequenc	y	
Tab 100 mg	6.22	30	Solian
Tab 200 mg		60	Solian
Tab 400 mg		60	Solian
Oral liq 100 mg per ml		60 ml	Solian
ARIPIPRAZOLE – Special Authority see SA0920 below Safety medicine; prescriber may determine dispensir			
Tab 10 mg		30	🖌 Abilify
Tab 15 mg		30	🖌 Abilify
Tab 20 mg	213.42	30	🖌 Abilify
Tab 30 mg		30	Abilify

#### ➡SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg - Up to 30 tab available on a PSO	12.36	100	Largactil
Tab 25 mg – Up to 30 tab available on a PSO	13.02	100	Largactil
Tab 100 mg – Up to 30 tab available on a PSO	30.61	100	Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	25.66	10	<ul> <li>Largactil</li> </ul>

	Subsidy		Fully	/ Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per	~	Manufacturer
CLOZAPINE – Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing free	luencv			
Tab 25 mg		50	~	Clozaril
	26.74	100	V	Clozaril
	6.69	50	~	Clopine
	13.37	100		Clopine
Tab 50 mg	8.67	50	~	Clopine
0	17.33	100	~	Clopine
Tab 100 mg		50	~	Clozaril
•	69.30	100	~	Clozaril
	17.33	50	~	Clopine
	34.65	100	~	Clopine
Tab 200 mg		50	~	Clopine
-	69.30	100	~	Clopine
Suspension 50 mg per ml		100 m	~	Clopine
HALOPERIDOL - Safety medicine; prescriber may determine	dispensing frequency			-
Tab 500 mcg – Up to 30 tab available on a PSO		100	~	Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO		100		Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100		Serenace
Oral lig 2 mg per ml – Up to 200 ml available on a PSO		100 m		Serenace
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10		Serenace
LEVOMEPROMAZINE MALEATE – Safety medicine; prescribe		nsing 100		Nozinan
Tab 25 mg		100	-	Nozinan Nozinan
Tab 100 mg		100	-	Nozinan
Inj 25 mg per ml, 1 ml			v	Nozinan
LITHIUM CARBONATE - Safety medicine; prescriber may deter				
Tab 250 mg		500		Lithicarb FC
Tab 400 mg		100		Lithicarb FC
Tab long-acting 400 mg	19.20	100		Priadel
Cap 250 mg	9.42	100	<b>v</b>	<u>Douglas</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✓ Manufacturer
OLANZAPINE – Safety medicine; prescriber may determine of	dispensing frequency		
Tab 2.5 mg	2.00	28	Dr Reddy's
			Olanzapine
			<ul> <li>Olanzine</li> </ul>
			<ul> <li>Zypine</li> </ul>
	(51.07)		Zyprexa
Tab 5 mg	3.85	28	✓ Dr Reddy's
			Olanzapine
			<ul> <li>Olanzine</li> </ul>
			<ul> <li>Zypine</li> </ul>
	(101.21)		Zyprexa
Tab orodispersible 5 mg	6.36	28	✓ Dr Reddy's
			Olanzapine
			Olanzine-D
			Zypine ODT
Tab 10 mg	6.35	28	✓ Dr Reddy's
			Olanzapine
			Olanzine
			Zypine
	(204.49)		Zyprexa
Tab orodispersible 10 mg	8.76	28	✓ Dr Reddy's
			Olanzapine
			Olanzine-D
			Zypine ODT
Wafer 5 mg	6.36	28	
ů –	(102.19)		Zyprexa Zydis
Wafer 10 mg		28	51 5
ő	(204.37)		Zyprexa Zydis
Olanzine Tab 2.5 mg to be delisted 1 August 2014)	. ,		
PERICYAZINE – Safety medicine; prescriber may determine	dispensing frequency		
Tab 2.5 mg		100	Neulactil
Tab 10 mg		100	Neulactil
QUETIAPINE - Safety medicine; prescriber may determine d	ispensing frequency		
Tab 25 mg	7.00	60	🖌 Dr Reddy's
·			Quetiapine
			<ul> <li>Seroquel</li> </ul>
	10.50	90	✓ Quetapel
Tab 100 mg	14.00	60	✓ Seroquel
U C	21.00	90	✓ Dr Reddy's
			Quetiapine
			V Quetapel
Tab 200 mg	24.00	60	✓ Dr Reddy's
			Quetiapine
			✓ Seroquel
	36.00	90	V Quetapel
Tab 300 mg		90 60	✓ Dr Reddy's
		00	Quetiapine
			•
	60.00	90	<ul> <li>Seroquel</li> <li>Oustanal</li> </ul>
	00.00	90	Quetapel

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
PERIDONE - Safety medicine; prescriber may determine dis	pensing frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927	,			
below – Retail pharmacy	21.42	28	~	<b>Risperdal Quicklet</b>
Tab 0.5 mg	3.51	60	~	Apo-Risperidone
			V	Dr Reddy's Risperidone
			~	Ridal
	1.17	20	•	Indu
	(2.86)	20		Risperdal
Tab 1 mg	( )	60	~	Apo-Risperidone
Tab T Tity	0.00	00		Dr Reddy's
			•	Risperidone
				Ridal
	(10.00)		V	
	(16.92)			Risperdal
Tab orodispersible 1 mg - Special Authority see SA0927 be-				
low – Retail pharmacy		28		<b>Risperdal Quicklet</b>
Tab 2 mg	11.00	60		Apo-Risperidone
			~	Dr Reddy's
				Risperidone
			~	Ridal
	(33.84)			Risperdal
Tab orodispersible 2 mg - Special Authority see SA0927 be-				
low – Retail pharmacy		28	~	<b>Risperdal Quicklet</b>
Tab 3 mg		60	~	Apo-Risperidone
,			~	Dr Reddy's Risperidone
			~	Ridal
	(50.78)		•	Risperdal
Tab 4 mg	( )	60	~	Apo-Risperidone
יווש די וווש	20.00	00		Dr Reddy's
				Risperidone
				Ridal
	(67.60)		~	
	(67.68)	00 m'		Risperdal
Oral liq 1 mg per ml		30 ml		Apo-Risperidone
	(05.00)		V	Risperon
	(25.26)			Risperdal

### ➡SA0927 Special Authority for Subsidy

**Initial application — (Acute situations)** from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
continued				
2 The patient is under direct supervision for administration	on of medicine.			
Renewal from any relevant practitioner. Approvals valid for 1 ye	ear for applications mee	ting the f	ollowing	criteria:
Both:				
<ol> <li>The patient is unable to take standard risperidone table or oral liquid; and</li> </ol>	ts or oral liquid, or once	stabilized	d refuses	to take risperidone tablets
2 The patient is under direct supervision for administration	on of medicine.			
Note: Risperdal Quicklets cost significantly more than risperido	ne tablets and should o	nly be us	ed where	e necessary.
TRIFLUOPERAZINE HYDROCHLORIDE - Safety medicine; p	rescriber may determin	e dispen	sina freau	Jency
Tab 1 mg		100		telazine
Tab 2 mg	14.64	100	🖌 Si	telazine
Tab 5 mg	16.66	100	🖌 Si	telazine
ZIPRASIDONE – Subsidy by endorsement				
a) Safety medicine; prescriber may determine dispensing fi	requency			
b) Ziprasidone is subsidised for patients suffering from sch	izophrenia or related pa	sychoses	after a t	rial of an effective dose o
risperidone or quetiapine that has been discontinued, or is	in the process of being	discontin	ued, bec	ause of unacceptable side
effects or inadequate response, and the prescription is end	orsed accordingly.			
Cap 20 mg		60		eldox
Cap 40 mg		60	V Ze	
Cap 60 mg		60	✓ Ze	
Cap 80 mg		60	🗸 Ze	
ZUCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; pi	rescriber may determine	e dispens	ing frequ	iency
Tab 10 mg	31.45	100	V C	lopixol
Depot Injections				
		,		
FLUPENTHIXOL DECANOATE – Safety medicine; prescriber r		<b>U</b> 1		uanxol
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO		5 5		uanxol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		uanxol
		-		uunxon
FLUPHENAZINE DECANOATE – Safety medicine; prescriber i				- d t-
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 5		odecate odecate
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 5		odecate
				ouecale
HALOPERIDOL DECANOATE – Safety medicine; prescriber m		•		
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ H	
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	V H	aldol Concentrate
OLANZAPINE - Special Authority see SA1428 on the next page				
Safety medicine; prescriber may determine dispensing freq			4 -	
Inj 210 mg vial		1		prexa Relprevv
Inj 300 mg vial		1 1		prexa Relprevv
Inj 405 mg vial		I	✓ 2)	prexa Relprevv

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

### ➡SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia; and
  - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 below - Retail pharmacy

Safety medicine; prescriber may determine d	ispensing frequency		
Inj 25 mg syringe		1	Invega Sustenna
Inj 50 mg syringe		1	Invega Sustenna
Inj 75 mg syringe		1	Invega Sustenna
Inj 100 mg syringe		1	Invega Sustenna
Inj 150 mg syringe		1	🗸 Invega Sustenna

### SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE – Safety medicine; prescriber Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSC Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSC	)	frequen 10 10	cy ✔ Piportil ✔ Piportil
RISPERIDONE - Special Authority see SA1427 on the ne Safety medicine; prescriber may determine dispensing			
Inj 25 mg vial		1	Risperdal Consta
Inj 37.5 vial		1	Risperdal Consta
lnj 50 mg vial	217.56	1	<ul> <li>Risperdal Consta</li> </ul>

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

#### SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO 19.80 5 🗸 Clopix	ol
---	----

## Anxiolytics

ALPRAZOLAM – Safety medicine; prescriber may determine dispensing frequency Tab 250 mcg	50	✓ <u>Xanax</u>
Tab 500 mcg	50	✓ <u>Xanax</u>
Tab 1 mg       5.00         ‡ Safety cap for extemporaneously compounded oral liquid preparations.	50	✓ <u>Xanax</u>
BUSPIRONE HYDROCHLORIDE		4 - 10 - 1
Tab 5 mg	100	<ul> <li>Pacific Buspirone</li> </ul>
Tab 10 mg17.00	100	Pacific Buspirone
CLONAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 500 mcg6.68	100	🖌 Paxam
Tab 2 mg12.75	100	Paxam
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 2 mg11.44	500	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 5 mg	500	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		•
LORAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 1 mg	250	✓ Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 2.5 mg	100	✓ Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
OXAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 10 mg	100	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		· · · · · · · · · · · · · · · · · · ·
Tab 15 mg	100	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

## **Multiple Sclerosis Treatments**

### SA1062 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Budget managed by appointed clinicians on the Multiple Sclerosis Treatment Assessments Committee (MSTAC).

Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Appeals against MSTAC's decision and/or the processing of any application may be lodged with the MSTAC coordinator. Concerns that cannot be or have not been adequately addressed by MSTAC will be forwarded to a separate Appeal Committee if necessary. Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

**Entry Criteria** 

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- b) patients must have active relapsing MS (confirmed by MR scan where necessary) with or without underlying progression; and
- c) patients must have either:
  - a) EDSS score 2.5 5.5 with 2+ relapses:
    - experienced at least 2 significant relapses of MS in the previous 12 months, and
    - an EDSS score of between 2.5 and 5.5 inclusive; or
  - b) EDSS score 2.0 with 3+ relapses:
    - experienced at least 3 significant relapses of MS in the previous 12 months, and
    - an EDSS score of 2.0; and
- d) Each relapse must:
  - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) follow a period of stability of at least one month;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and

Subsidy
Manufacturer's Price)
\$

- e) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- g) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician: and
- h) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and
- i) patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they receive funding for beta-interferon or glatiramer acetate.

#### Stopping Criteria

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as any of:
  - a) an increase of 2 EDSS points where starting EDSS was 2.0; or
  - b) an increase of 1.5 EDSS points where starting EDSS was 2.5 or 3.0; or
  - c) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
  - d) an increase in EDSS score to 6.0 or more; or
- b) stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note): or
- c) pregnancy and/or lactation; or
- d) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate: or
- e) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC: or
- f) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferons [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

GLATIRAMER ACETATE – Special Authority see SA1062 on	the previous page - [	Xpharm]	
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA – Special Authority see SA10	62 on the previous pa	age – [Xpha	rm]
Inj 6 million iu prefilled syringe	1,229.91	4	🖌 Avonex
Injection 6 million iu per 0.5 ml pen injector	1,229.91	4	Avonex Pen
Inj 6 million iu per vial	1,229.91	4	Avonex
INTERFERON BETA-1-BETA – Special Authority see SA106 Inj 8 million iu per 1 ml		15 15	<ul> <li>Betaferon</li> </ul>
Sedatives and Hypnotics	·		
LORMETAZEPAM – Safety medicine; prescriber may determ	1 0 1		
Tab 1 mg	3.11 (23.50)	30	Noctamid
± Safety cap for extemporaneously compounded oral I	( )		

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
MIDAZOLAM - Safety medicine; prescriber may determine dispension	sing frequency			
Inj 1 mg per ml, 5 ml		10	~	Pfizer
	10.75		~	Hypnovel
Inj 5 mg per ml, 3 ml	11.90	5	~	Hypnovel
			~	Pfizer
NTRAZEPAM – Safety medicine; prescriber may determine disper	nsing frequency			
Tab 5 mg		100	~	Nitrados
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
PHENOBARBITONE SODIUM – Special Authority see SA1386 be	low – Retail pharma	асу		
Inj 200 mg per ml, 1 ml ampoule		10	~	Martindale S29
BSA1386 Special Authority for Subsidy				

#### SA1386 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequency         Tab 10 mg         ‡ Safety cap for extemporaneously compounded oral liquid preparations.         TENACULAT         2         10 mg         1.27         10 mg         1.27 <t< th=""><th>25</th><th>✓ <u>Normison</u></th></t<>	25	✓ <u>Normison</u>
TRIAZOLAM – Safety medicine; prescriber may determine dispensing frequency	100	
Tab 125 mcg5.10 (7.25)	100	Hypam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		Typam
Tab 250 mcg4.10	100	
(8.70)		Hypam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
ZOPICLONE		
Tab 7.5 mg11.90	500	Apo-Zopiclone
Stimulants/ADHD Treatments		
Stimulants/ADHD treatments		
ATOMOXETINE – Special Authority see SA1416 below – Retail pharmacy		
Cap 10 mg107.03	28	<ul> <li>Strattera</li> </ul>
Cap 18 mg107.03	28	<ul> <li>Strattera</li> </ul>
Cap 25 mg107.03	28	✓ Strattera
Cap 40 mg107.03	28	<ul> <li>Strattera</li> </ul>
Cap 60 mg107.03	28	✓ Strattera
Cap 80 mg139.11	28	<ul> <li>Strattera</li> </ul>
Cap 100 mg139.11	28	Strattera

#### SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

- 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
- 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
- 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
- 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMPHETAMINE SULPHATE – Special Authority see SA1149 below – Retail pharmacy

a) Only on a controlled drug form

b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg ......16.50 100 🗸 <u>PSM</u>

#### SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
  - 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
  - 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

**Renewal — (ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

**Renewal** — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
METHYLPHENIDATE HYDROCHLORIDE – Special Authority see a) Only on a controlled drug form b) Safety medicine; prescriber may determine dispensing freq		etail phar	macy	
Tab immediate-release 5 mg		30	🖌 R	ubifen
Tab immediate-release 10 mg		30	🖌 R	italin
Ŭ			🖌 R	ubifen
Tab immediate-release 20 mg	7.85	30	🖌 R	ubifen
Tab sustained-release 20 mg		30	🖌 R	ubifen SR
Ũ	50.00	100	🖌 R	italin SR

## ➡SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

**Renewal — (ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 Either:
    - 2.1 Applicant is a paediatrician or psychiatrist; or
    - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

**Renewal — (ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Ritalin LA

Ritalin LA

	Subsidy (Manufacturer's Pri \$	ice) S Per	Fully Subsidised	Brand or Generic Manufacturer
METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEAS	E – Special Aut	thority see	SA1151 d	on the next page - Retail
pharmacy	·			
a) Only on a controlled drug form				
b) Safety medicine; prescriber may determine dispensing free	luency			
Tab extended-release 18 mg		30	🖌 C	oncerta
Tab extended-release 27 mg	65.44	30	🖌 C	oncerta
Tab extended-release 36 mg	71.93	30	🖌 C	oncerta
Tab extended-release 54 mg		30	V C	oncerta
Cap modified-release 10 mg		30	🖌 R	italin LA
Cap modified-release 20 mg	25.50	30	🖌 R	italin LA

#### SA1151 Special Authority for Subsidy

**Initial application** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria: All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder); and

- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient; and

30

30

- 4 Either:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or
  - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

**Renewal** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 24 months for applications meeting the following criteria:

- Both:
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 Either:
    - 2.1 Applicant is a paediatrician or psychiatrist; or
    - 2.2 Applicant is a medical practitioner and confirms that a relevant specialist has been consulted within the last 2 years and has recommended treatment for the patient.

MODAFINIL - Special Authority see SA1126 below - Retail pharmacy

Tab 100 mg	72.50	30	Modavigil
------------	-------	----	-----------

#### ➡SA1126 Special Authority for Subsidy

**Initial application** only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and

2 Either:

2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or

bsidy F	Fully	Brand or
urer's Price) Subsid	lised	Generic
\$ Per	~	

2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

3 Either:

- 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
- 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia		
DONEPEZIL HYDROCHLORIDE		
* Tab 5 mg7.71	90	Donepezil-Rex
* Tab 10 mg14.06	90	Donepezil-Rex
Treatments for Substance Dependence BUPRENORPHRINE WITH NALOXONE – Special Authority see SA1203 below –	Retail phar	macv
a) No patient co-payment payable		,
<ul> <li>b) Safety medicine; prescriber may determine dispensing frequency</li> </ul>		
Tab sublingual 2 mg with naloxone 0.5 mg	28	Suboxone
Tab sublingual 8 mg with naloxone 2 mg	28	Suboxone

### SA1203 Special Authority for Subsidy

**Initial application — (Detoxification)** from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

## Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any

medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

#### **BUPROPION HYDROCHLORIDE**

Tab modified-release 150 mg	4.97	30	<ul> <li>Zyban</li> </ul>
DISULFIRAM Tab 200 mg	24.30	100	Antabuse
NALTREXONE HYDROCHLORIDE - Special Authority see SA			
Tab 50 mg	76.00	30	Naltraccord

### ➡SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

#### NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Patch 14 mg – Up to 28 patch available on a PSO	ol
<b>3</b> - Free - Fre	_
Lozenge 1 mg – Up to 216 loz available on a PSO 19.94 216 V Habitre	ol
Lozenge 2 mg – Up to 216 loz available on a PSO24.27 216 V Habitre	ol
Gum 2 mg (Classic) – Up to 384 piece available on a PSO	ol
Gum 2 mg (Fruit) – Up to 384 piece available on a PSO	ol
Gum 2 mg (Mint) – Up to 384 piece available on a PSO	ol
Gum 4 mg (Classic) – Up to 384 piece available on a PSO42.04 384 V Habitre	ol
Gum 4 mg (Fruit) – Up to 384 piece available on a PSO	ol
Gum 4 mg (Mint) – Up to 384 piece available on a PSO42.04 384 🖌 Habitre	ol

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic Menufacturer
۵ 	Per 🖌	Manufacturer

VARENICLINE TARTRATE - Special Authority see SA1161 below - Retail pharmacy

Tab 0.5 mg  $\times$  11 and 1 mg  $\times$  14 .....60.48

a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.

b) A maximum of 3 months' varenicline will be subsidised on each Specia	I Authority approva	ıl.
Tab 1 mg67.74	28	Champix
135.48	56	Champix

## ►SA1161 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and

Champix

25 OP

- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
  - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
  - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 3 months' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 3 months' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Note: a maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

	Subsidy (Manufacturer's \$	Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BUSULPHAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg	59.50	100	🗸 N	lyleran
ARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 5 ml	20.00	1	🖌 C	arboplatin Ebewe
Inj 10 mg per ml, 15 ml	19.50	1	🖌 C	arbaccord
	22.50		🖌 C	arboplatin Ebewe
Inj 10 mg per ml, 45 ml		1	🖌 C	arbaccord
	50.00		🖌 C	arboplatin Ebewe
				BL Carboplatin
Inj 10 mg per ml, 100 ml		1		arboplatin Ebewe
Inj 1 mg for ECP	0.13	1 mg	🗸 В	axter
ARMUSTINE – PCT only – Specialist				
Inj 100 mg	204.13	1	🗸 В	iCNU
Inj 100 mg for ECP		100 mg OP	🗸 В	axter
HLORAMBUCIL – PCT – Retail pharmacy-Specialist		0		
Tab 2 mg	22.35	25	<b>1</b>	eukeran FC
•		20	• -	
ISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml	15.00	1		isplatin Ebewe
				ospira
Inj 1 mg per ml, 100 ml	21.00	1		isplatin Ebewe
Ini 1 mm for EOD	0.07	4		ospira
Inj 1 mg for ECP	0.27	1 mg	VB	axter
YCLOPHOSPHAMIDE				
Tab 50 mg – PCT – Retail pharmacy-Specialist	25.71	50	✓ C	ycloblastin
	79.00		🖌 E	ndoxan S29
	158.00	100	🖌 P	rocytox S29
Wastage claimable - see rule 3.3.2 on page 17				•
Inj 1 g – PCT – Retail pharmacy-Specialist		1	🖌 E	ndoxan
	127.80	6	🖌 C	ytoxan
Inj 2 g – PCT only – Specialist		1	🖌 E	ndoxan
Inj 1 mg for ECP – PCT only – Specialist	0.03	1 mg	🖌 В	axter
Cycloblastin Tab 50 mg to be delisted 1 September 2014)				
OSFAMIDE - PCT only - Specialist				
Inj 1 g		1	🗸 Н	oloxan
lnj 2 g		1		oloxan
Inj 1 mg for ECP		1 mg		axter
DMUSTINE – PCT – Retail pharmacy-Specialist		3		
Cap 10 mg	132 50	20	40	eeNU
Cap 10 mg		20		eeNU
		20		
ELPHALAN		<u> </u>		
Tab 2 mg – PCT – Retail pharmacy-Specialist		25		lkeran
Inj 50 mg – PCT only – Specialist		1	V A	lkeran

(IN	Subsidy (Manufacturer's Price)		Full Subsidise	
ζ	\$	Per	·	
XALIPLATIN – PCT only – Specialist				
Inj 50 mg	15.32	1	~	Oxaliplatin Actavis 50
	55.00		~	Oxaliplatin Ebewe
	200.00			Eloxatin
Inj 100 mg		1	· · ·	Oxaliplatin Actavis
				100
	110.00			Oxaliplatin Ebewe
	400.00		-	Eloxatin
Inj 1 mg for ECP	0.28	1 mg	V	Baxter
HIOTEPA – PCT only – Specialist				
lnj 15 mg	CBS	1	~	Bedford S29
			~	THIO-TEPA S29
			~	Tepadina S29
Antimetabolites				
ALCIUM FOLINATE				
Tab 15 mg         – PCT – Retail pharmacy-Specialist		10	~	DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist		5		Hospira
Inj 50 mg – PCT – Retail pharmacy-Specialist		5	~	Calcium Folinate Ebewe
Inj 100 mg – PCT only – Specialist	9.75	1	~	Calcium Folinate Ebewe
Inj 300 mg – PCT only – Specialist	30.00	1	~	Calcium Folinate Ebewe
Inj 1 g – PCT only – Specialist	90.00	1	~	Calcium Folinate Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.10	1 mg	~	Baxter
APECITABINE – Retail pharmacy-Specialist		-		
Tab 150 mg	115.00	60	~	Xeloda
Tab 500 mg		120	~	Xeloda
LADRIBINE – PCT only – Specialist				
Inj 1 mg per ml, 10 ml	5,249.72	7	~	Leustatin
Inj 10 mg for ECP	749.96	10 mg O	P 🖌	Baxter
YTARABINE				
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist	55.00	5	~	Pfizer
	80.00		~	Hospira
Inj 500 mg – PCT – Retail pharmacy-Specialist		1		Pfizer
	95.36	5	~	Hospira
Inj 100 mg per ml, 10 ml vial – PCT – Retail pharmacy-	0.00			D"
Specialist		1		Pfizer
Ini 100 ma par mi 20 mi vial PCT. Pateil abormany	42.65		V	Hospira
Inj 100 mg per ml, 20 ml vial – PCT – Retail pharmacy- Specialist	17 65	1		Pfizer
ορουαιιοι	17.05 34.47	I		Hospira
Inj 1 mg for ECP – PCT only – Specialist		10 mg		Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Specialist		00 mg 0		Baxter

	Subsidy (Manufacturer's   \$	Price) Sut Per	Fully Brand or osidised Generic ✓ Manufacturer
FLUDARABINE PHOSPHATE			
Tab 10 mg – PCT – Retail pharmacy-Specialist		20	Fludara Oral
Inj 50 mg – PCT only – Specialist		5	Fludarabine Ebewe
	1,430.00		Fludara
Inj 50 mg for ECP – PCT only – Specialist	105.00	50 mg OP	Baxter
FLUOROURACIL SODIUM			
Inj 50 mg per ml, 10 ml - PCT only - Specialist		5	Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml - PCT only - Specialist		1	Fluorouracil Ebewe
Inj 25 mg per ml, 100 ml - PCT only - Specialist		1	Hospira
Inj 50 mg per ml, 50 ml - PCT only - Specialist		1	Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml - PCT only - Specialist		1	Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.77	100 mg	<ul> <li>Baxter</li> </ul>
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist			
Ini 1 g	62.50	1	DBL Gemcitabine
, ,			<ul> <li>Gemcitabine</li> </ul>
			Actavis 1000
			Gemcitabine Ebewe
	349.20		<ul> <li>Gemzar</li> </ul>
Inj 200 mg		1	<ul> <li>Gemcitabine</li> </ul>
, ,			Actavis 200
			Gemcitabine Ebewe
	78.00		<ul> <li>Gemzar</li> </ul>
Inj 1 mg for ECP	0.07	1 mg	Baxter
Gemcitabine Actavis 1000 Inj 1 g to be delisted 1 November 20		0	
Gemcitabine Actavis 200 Inj 200 mg to be delisted 1 November	2014)		
RINOTECAN - PCT only - Specialist			
Inj 20 mg per ml, 2 ml	9.34	1	Irinotecan Actavis
			40
	41.00		✓ Camptosar
	-1.00		✓ Irinotecan-Rex
Inj 20 mg per ml, 5 ml	23.34	1	<ul> <li>Irinotecan Actavis</li> </ul>
	2010 1	•	100
	100.00		✓ Camptosar
	100.00		✓ Irinotecan-Rex
Inj 1 mg for ECP	0.24	1 mg	✓ Baxter
		9	
MERCAPTOPURINE – PCT – Retail pharmacy-Specialist	40.44	05	A Duri nothal
Tab 50 mg		25	Puri-nethol

	ubsidy cturer's Price)		Full Subsidised	d Generic
	\$	Per	~	Manufacturer
IETHOTREXATE				
<ul> <li>Tab 2.5 mg – PCT – Retail pharmacy-Specialist</li></ul>	.82	30	~	Trexate
	.22		~	Methoblastin
<ul> <li>Tab 10 mg – PCT – Retail pharmacy-Specialist26</li> </ul>	.25	50	~	Trexate
	.93		~	Methoblastin
Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	.65	5	~	Hospira
<ul> <li>Inj 7.5 mg prefilled syringe17</li> </ul>	.19	1	~	Methotrexate
				Sandoz
<ul> <li>Inj 10 mg prefilled syringe17</li> </ul>	.25	1	~	Methotrexate
				Sandoz
<ul> <li>Inj 15 mg prefilled syringe17</li> </ul>	.38	1	~	Methotrexate
				Sandoz
<ul> <li>Inj 20 mg prefilled syringe17</li> </ul>	.50	1	~	Methotrexate
				Sandoz
Inj 25 mg prefilled syringe17	.63	1	~	Methotrexate
				Sandoz
<ul> <li>Inj 30 mg prefilled syringe17</li> </ul>	.75	1	~	Methotrexate
				Sandoz
Inj 25 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist		5		Hospira
Inj 25 mg per ml, 20 ml – PCT – Retail pharmacy-Specialist		1		Hospira
Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialist25		1		Methotrexate Ebewe
Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist		1		Methotrexate Ebewe
Inj 1 mg for ECP – PCT only – Specialist		1 mg	· · ·	Baxter
<ul> <li>Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist4</li> </ul>	.73 5 r	ng OP		Baxter
HIOGUANINE – PCT – Retail pharmacy-Specialist				
Tab 40 mg97	.16	25	~	Lanvis
Other Cytotoxic Agents				
MSACRINE – PCT only – Specialist				
Inj 75 mgCI	BS	6	~	Amsidine S29
NAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Specialist				
	00	100		A anylin 520
Cap 0.5 mgCl	55	100		Agrylin S29
			V	Teva S29
RSENIC TRIOXIDE – PCT only – Specialist				
Inj 10 mg4,817	.00	10	~	AFT S29
LEOMYCIN SULPHATE – PCT only – Specialist				
Inj 15,000 iu	00	1		DBL Bleomycin
iiij 15,000 lu	.00	I	~	Sulfate
	00 4	000 :		
Inj 1,000 iu for ECP9		000 iu	V	Baxter
ORTEZOMIB – PCT only – Specialist – Special Authority see SA1127		0		
Inj 1 mg540		1		Velcade
Inj 3.5 mg		1	· · ·	Velcade Baxter

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

### SA1127 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Either:

- 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
- 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis \*; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

1 Either:

- 1.1 The patient has relapsed or refractory multiple myeloma; or
- 1.2 The patient has relapsed or refractory systemic AL amyloidosis \*; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

COLASPASE [L\_ASPARAGINASE] \_ PCT only \_ Specialist

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

Inj 10,000 iu Inj 10,000 iu for ECP		1 10,000 iu OP	<ul><li>Leunase</li><li>Baxter</li></ul>
DACARBAZINE – PCT only – Specialist Inj 200 mg vial Inj 200 mg for ECP		1 200 mg OP	<ul><li>✔ Hospira</li><li>✔ Baxter</li></ul>
DACTINOMYCIN [ACTINOMYCIN D] – PCT only – Specialist Inj 0.5 mg Inj 0.5 mg for ECP		1 0.5 mg OP	<ul><li>✔ Cosmegen</li><li>✔ Baxter</li></ul>
DAUNORUBICIN – PCT only – Specialist Inj 2 mg per ml, 10 ml Inj 20 mg for ECP		1 20 mg OP	<ul><li>✓ Pfizer</li><li>✓ Baxter</li></ul>
DOCETAXEL – PCT only – Specialist Inj 20 mg Inj 20 mg per ml, 1 ml Inj 20 mg per ml, 4 ml Inj 80 mg Inj 1 mg for ECP	48.75 	1 1 1 1 1 mg	<ul> <li>Docetaxel Sandoz</li> <li>Taxotere</li> <li>Taxotere</li> <li>Docetaxel Sandoz</li> <li>Baxter</li> </ul>

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
DXORUBICIN – PCT only – Specialist			
Inj 10 mg		1	Doxorubicin Ebewe
Inj 50 mg	17.00	1	Arrow-Doxorubicin
	40.00		DBL Doxorubicin
			DBL Doxorubicin
			<b>S29</b> S29
			Doxorubicin Ebewe
Inj 100 mg		1	Doxorubicin Ebewe
Inj 200 mg	65.00	1	Arrow-Doxorubicin
	150.00		Adriamycin
			Doxorubicin Ebewe
Inj 1 mg for ECP	0.37	1 mg	Baxter
PIRUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 5 ml		1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml		1	<ul> <li>DBL Epirubicin</li> </ul>
··· j = ··· <del>j</del> ; - · ··· , - · ···			Hydrochloride
	87.50		Epirubicin Ebewe
Inj 2 mg per ml, 50 ml		1	✓ DBL Epirubicin
		•	Hydrochloride
	125.00		Epirubicin Ebewe
Inj 2 mg per ml, 100 ml		1	✓ DBL Epirubicin
		•	Hydrochloride
	210.00		Epirubicin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
	0.02	g	•
OPOSIDE	040 70	00	Veneoid
Cap 50 mg – PCT – Retail pharmacy-Specialist Cap 100 mg – PCT – Retail pharmacy-Specialist		20 10	<ul><li>Vepesid</li><li>Vepesid</li></ul>
Inj 20 mg per ml, 5 ml – PCT – Retail pharmacy-Specialist		1	✓ Vepesid
ing 20 mg per mi, 5 mi – POT – Retail pharmacy-opecialis	612.20	10	Vepesid
Inj 1 mg for ECP – PCT only – Specialist		1 mg	Baxter
, .	0.00	ring	
OPOSIDE PHOSPHATE – PCT only – Specialist	40.00		
Inj 100 mg (of etoposide base)		1	Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	Baxter
DROXYUREA – PCT – Retail pharmacy-Specialist			
Cap 500 mg	31.76	100	<ul> <li>Hydrea</li> </ul>
ARUBICIN HYDROCHLORIDE			
Cap 5 mg - PCT - Retail pharmacy-Specialist		1	Zavedos
Cap 10 mg - PCT - Retail pharmacy-Specialist		1	✓ Zavedos
Inj 5 mg – PCT only – Specialist		1	Zavedos
Inj 10 mg – PCT only – Specialist		1	Zavedos
Inj 1 mg for ECP - PCT only - Specialist		1 mg	Baxter
ESNA		Ũ	
Tab 400 mg – PCT – Retail pharmacy-Specialist	227 50	50	Uromitexan
Tab 600 mg – PCT – Retail pharmacy-Specialist		50 50	✓ Uromitexan
Inj 100 mg per ml, 4 ml ampoule – PCT only – Specialist.		15	✓ Uromitexan
ing rooms por mi, + mi ampoule i or only - opecialist.	+ 330 00	15	✓ Uromitexan
Ini 100 mg per ml. 10 ml ampoule – PCT only – Specialis			
Inj 100 mg per ml, 10 ml ampoule – PCT only – Specialis Inj 1 mg for ECP – PCT only – Specialist		00 mg	

Subsidy	<b>`</b>	Fully	
(Manufacturer's Price \$	e) Per	Subsidised	
79.75	1	V <u>I</u>	Arrow
16.43	1 mg	<b>/</b>	Baxter
	1	<b>~</b>	Mitozantrone Ebewe
	1	<b>~</b>	Mitozantrone Ebewe
	1	~	Onkotrone
	1 mg	<b>v</b> 1	Baxter
	5	<b>~</b>	Paclitaxel Ebewe
	1	<b>1</b>	Paclitaxel Actavis
		<b>1</b>	Paclitaxel Ebewe
	1	<b>v</b> 1	Anzatax
		<b>1</b>	Paclitaxel Actavis
		<b>/</b>	Paclitaxel Ebewe
275.00	1	~	Anzatax
		<b>v</b> 1	Paclitaxel Actavis
		<b>/</b>	Paclitaxel Ebewe
	1		Paclitaxel Ebewe
1.02	1 mg	<b>v</b> 1	Baxter
5 below			
3,005.00	1	~	Oncaspar S29
	(Manufacturer's Price	(Manufacturer's Price)         Per	(Manufacturer's Price)       Subsidised         \$       Per

#### SA1325 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

#### PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialist

Inj 10 mg	CBS	1	✔ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail phar	macy-Specialist		
Cap 50 mg		50	Natulan S29
TEMOZOLOMIDE - Special Authority see SA1063 on the n	ext page – Retail phari	nacy	
Cap 5 mg	8.00	5	Temaccord
Cap 20 mg		5	Temaccord
Cap 100 mg		5	Temaccord
Cap 250 mg		5	✓ Temaccord

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	~	Manufacturer	

### ➡SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
  - 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m<sup>2</sup>.

Notes: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

THALIDOMIDE	- PCT only - Specialist - Special Authority see SA1124 below	N	
Cap 50 mg		28	Thalomid
Cap 100 mg		28	<ul> <li>Thalomid</li> </ul>

### SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis\*.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with \* is an Unapproved Indication.

### TRETINOIN

Cap 10 mg – PCT – Retail pharmacy-Specialist	100	Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg – PCT – Retail pharmacy-Specialist	1	Hospira
137.50	5	Hospira
Inj 1 mg for ECP – PCT only – Specialist	1 mg	<ul> <li>Baxter</li> </ul>
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	5	Hospira
Inj 1 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist	5	Hospira
Inj 1 mg for ECP – PCT only – Specialist	1 mg	<ul> <li>Baxter</li> </ul>
VINORELBINE – PCT only – Specialist		
Inj 10 mg per ml, 1 ml12.85	1	Navelbine
42.00		Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml64.25	1	Navelbine
210.00		Vinorelbine Ebewe
Inj 1 mg for ECP1.45	1 mg	<ul> <li>Baxter</li> </ul>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
Protein-tyrosine Kinase Inhibitors					
DASATINIB – Special Authority see SA0976 below – [Xpharm]					
Tab 20 mg	3,774.06	60	🖌 S	prycel	
Tab 50 mg	6,214.20	60	🖌 S	prycel	
Tab 70 mg	7,692.58	60	🖌 S	prycel	
Tab 100 mg	6,214.20	30	🗸 S	prycel	

### ➡SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz
Mallin estan	

Wellington

### Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^{9}$ /L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB – Retail	pharmacy-Specialist -	- Special Authority se	e SA1411 on the next page

Tab 100 mg .	·····	 ·		0 30	<ul> <li>Tarceva</li> </ul>
Tab 150 mg .		 	1,700.0	0 30	<ul> <li>Tarceva</li> </ul>

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

#### ➡SA1411 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

- Either:
  - 1 All of the following:
    - 1.1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
    - 1.2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
    - 1.3 Either:
      - 1.3.1 Patient is treatment naive; or
      - 1.3.2 Both:
        - 1.3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
        - 1.3.2.2 Patient has not received prior treatment with gefitinib; and
    - 1.4 Erlotinib is to be given for a maximum of 3 months; or
  - 2 The patient received funded erlotinib prior to 31 December 2013 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

#### GEFITINIB - Retail pharmacy-Specialist

Tab 250 mg − Special Authority see SA1226 below......1,700.00 30 🖌 Iressa

### SA1226 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient has treatment naive locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
  - 1.2 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
  - 1.3 Gefitinib is to be given for a maximum of 3 months; or
- 2 The patient received gefitinib treatment prior to 1 August 2012 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

### IMATINIB MESILATE

\*

Tob 100 mg	<ul> <li>Special Authority</li> </ul>	1000 840642 00	the next page
lab 100 mg	- Special Authonic	y SEE SAU043 UI	line next page

	– [Xpharm]			60	Glivec
•	Cap 100 mg - No pati	ent co-payment pa	ayable	60	Imatinib-AFT

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA0643 in Section B of the Pharmaceutical Schedule.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	Ibsidised	Generic
\$	Per	~	Manufacturer

#### ➡SA0643 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990			
PHARMAC	Facsimile: (04) 916 7571			
PO Box 10 254	Email: mary.chesterfield@pharmac.govt.nz			

Wellington

#### Special Authority criteria for CML – access by application

- Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 600 mg/day for accelerated or blast phase, and 400 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if after 6 months from initiating therapy a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) >  $1.5 \times 10^9$ /L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- Prescribers should consider discontinuation of treatment if after 18 months from initiating therapy a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

### Special Authority criteria for GIST – access by application

- a) Funded for patients:
  - a) with a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST); and
  - b) who have immunohistochemical documentation of c-kit (CD117) expression by the tumour.
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

### LAPATINIB DITOSYLATE – Special Authority see SA1191 on the next page – Retail pharmacy

Tab 250 mg ......1,899.00

7 Tykerb

70

	Subsidy Inufacturer's Price)	F Subsid	ully	Brand or Generic
(1014	\$	Per	V	Manufacturer

### ➡SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 All of the following:
  - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
  - 1.3 Lapatinib not to be given in combination with trastuzumab; and
  - 1.4 Lapatinib to be discontinued at disease progression; or

#### 2 All of the following:

- 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
- 2.3 The cancer did not progress whilst on trastuzumab; and
- 2.4 Lapatinib not to be given in combination with trastuzumab; and
- 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg1,334.70	30	Votrient
Tab 400 mg2,669.40	30	<ul> <li>Votrient</li> </ul>

#### ➡SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 Both:
    - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
    - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
  - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	Ibsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
- 5.5 Karnofsky performance score of  $\leq$  70; or
- 5.6  $\geq$  2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg	2,315.38	28	<ul> <li>Sutent</li> </ul>
Cap 25 mg	4,630.77	28	<ul> <li>Sutent</li> </ul>
Cap 50 mg	9,261.54	28	<ul> <li>Sutent</li> </ul>

#### SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
  - 2.4 Both:
    - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
    - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of  $\leq$  70; or
  - 5.6  $\geq$  2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and

- 2 Either:
  - 2.1 The patient's disease has progressed following treatment with imatinib; or

Subsidy	Ful	y Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per •	<ul> <li>Manufacturer</li> </ul>	

2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

**Renewal** — (**RCC**) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression: and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

**Renewal** — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
  - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
  - 1.2 The patient has had a partial response (a decrease in size of  $\geq 10\%$  or decrease in tumour density in Hounsfield Units (HU) of  $\geq 15\%$  on CT and no new lesions and no obvious progression of non measurable disease); or
  - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: RCC - Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

GIST - It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of  $\geq 10\%$  and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy								
For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormon	es, page 88							
BICALUTAMIDE – Special Authority see SA0941 below – Retail pharmacy								
Tab 50 mg10.00	28	Bicalaccord						
SA0941 Special Authority for Subsidy								
<b>Initial application</b> from any medical practitioner. Approvals valid without further advanced prostate cancer.	r renewal un	less notified where the patient has						
FLUTAMIDE – Retail pharmacy-Specialist								
Tab 250 mg16.50	30	✓ Flutamin S29 S29						
55.00	100	<ul> <li>Flutamin</li> </ul>						
MEGESTROL ACETATE – Retail pharmacy-Specialist								
Tab 160 mg51.55	30	Apo-Megestrol						
OCTREOTIDE (SOMATOSTATIN ANALOGUE)								
Inj 50 mcg per ml, 1 ml19.24	5	✓ Octreotide MaxRx						
Inj 100 mcg per ml, 1 ml36.38	5	✓ Octreotide MaxRx						
Inj 500 mcg per ml, 1 ml131.25	5	✓ Octreotide MaxRx						
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special Authority see SA10	)16 on the ne	ext page – Retail pharmacy						
Inj LAR 10 mg prefilled syringe1,772.50	1	Sandostatin LAR						
Inj LAR 20 mg prefilled syringe2,358.75	1	Sandostatin LAR						
Inj LAR 30 mg prefilled syringe2,951.25	1	Sandostatin LAR						

Subs	osidy Fu	lly Brand or	
(Manufactu	urer's Price) Subsidis	ed Generic	
\$	\$ Per	<ul> <li>Manufacturer</li> </ul>	

### SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

**Renewal** — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

**Initial application** — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
  - 2.1 Gastrinoma; and
  - 2.2 Either:
    - 2.2.1 Patient has failed surgery; or
    - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
  - 3.1 Insulinomas; and
  - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
  - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  - 5.2 Disabling symptoms not controlled by maximal medical therapy.

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully bsidised	Brand or Generic Manufacturer
continued				
Note: The use of octreotide in patients with fistulae, oesophage	al varices, miscellan	eous diar	rhoea ar	nd hypotension will not b
unded as a Special Authority item Renewal — (Other Indications) only from a relevant speciali	st or medical practit	ioner on t	the reco	mmendation of a releva
specialist. Approvals valid for 2 years where the treatment remain				
TAMOXIFEN CITRATE				
* Tab 10 mg	2.63	60		ienox
	17.50	100		enox
* Tab 20 mg	2.63 8.75	30 100	-	ienox ienox
	0.75	100	• <u>u</u>	
Aromatase Inhibitors				
ANASTROZOLE				
₭ Tab 1 mg	26.55	30		remed
				rimidex
			V D	P-Anastrozole
EXEMESTANE	00.57	00		
* Tab 25 mg		30	• <u>A</u>	romasin
LETROZOLE * Tab 2.5 mg	1 95	30		etraccord
5	4.00	30		ellaccoru
Immunosuppressants				
Cytotoxic Immunosuppressants				
AZATHIOPRINE – Retail pharmacy-Specialist				
* Tab 50 mg - For azathioprine oral liquid formulation refer,	9			
page 200		100		zamun
	18.45			nuprine nuran
₭ Inj 50 mg		1	V IN	nuran
MYCOPHENOLATE MOFETIL – Special Authority see SA1041 b		acy 50		ellcept
Tab 500 mg Cap 250 mg		50 100		elicept elicept
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement		5 ml OP		ellcept
Mycophenolate powder for oral liquid is subsidised only for		swallow ta	ablets an	nd capsules, and when th

prescription is endorsed accordingly.

### ➡SA1041 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

1 Transplant recipient; or

2 Both:

- Patients with diseases where
- 2.1 Steroids and azathioprine have been trialled and discontinued because of unacceptable side effects or inadequate clinical response; and
- 2.2 Either:

Patients with diseases where

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 2.2.1 Cyclophosphamide has been trialled and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2.2.2 Cyclophosphamide treatment is contraindicated.

## **Fusion Proteins**

ETANERCEPT - Special Authority see SA1372 below - Retail pharma	асу		
Inj 25 mg	949.96	4	<ul> <li>Enbrel</li> </ul>
Inj 50 mg autoinjector1,	899.92	4	<ul> <li>Enbrel</li> </ul>
Inj 50 mg prefilled syringe1,	899.92	4	<ul> <li>Enbrel</li> </ul>

### SA1372 Special Authority for Subsidy

**Initial application** — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
  - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
  - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
  - 2.5 Both:
    - 2.5.1 Either:
      - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
      - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
    - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

#### 2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

#### 2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Subsidy	Fu	ly Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per	<ul> <li>Manufacturer</li> </ul>	

continued...

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years Male: 7.0 cm; Female: 5.5 cm
- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm
- 65-74 years Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (severe chronic plaque psoriasis)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

**Renewal** — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a rheumatologist; or
    - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
  - 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
  - 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
  - 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:

Subsi	idy Full	Brand or
(Manufacture	er's Price) Subsidise	Generic
\$	Per 🖌	Manufacturer

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

### **Immune Modulators**

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist Inj 50 mg per ml, 5 ml2,137.50	5	🖌 ATGAM	
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist Subsidised only for bladder cancer. Inj 2-8 × 100 million CFU149.37	1	✔ OncoTICE	
Monoclonal Antibodies			
ADALIMUMAB - Special Authority see SA1371 below - Retail pharmacy	_	<b>.</b>	

Inj 20 mg per 0.4 ml prefilled syringe	1,799.92	2	Humira
Inj 40 mg per 0.8 ml prefilled pen	1,799.92	2	HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,799.92	2	<ul> <li>Humira</li> </ul>

### SA1371 Special Authority for Subsidy

**Initial application** — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Any of the following:
    - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
    - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
    - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
  - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Subsidy		ully	Brand or	
(Manufacturer's Price)	Subsidis	ed	Generic	
\$	Per	~	Manufacturer	

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm
- 65-74 years Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

**Initial application — (psoriatic arthritis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
  - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.2 Patient diagnosed with JIA; and
  - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
  - 2.5 Both:
    - 2.5.1 Either:
      - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
      - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
    - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
  - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
  - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. **Renewal — (rheumatoid arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

- 1.1 Applicant is a rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

3 Either:

- 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

**Renewal** — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
  - 1 Either:
    - 1.1 Applicant is a gastroenterologist; or
    - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
  - 2 Either:
    - 2.1 Either:
      - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
      - 2.1.2 CDAI score is 150 or less; or
    - 2.2 Both:
      - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
    - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
  - 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

## ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy		Fully	Brand or
(Manufacturer's Price)	5	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1.1 Applicant is a dermatologist; or
- 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

**Renewal — (ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

**Renewal** — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

#### continued...

**Renewal** — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal — (fistulising Crohn's disease)** only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
  - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 below

Inj 100 mg per 10 ml via	l	2	Mabthera
Inj 500 mg per 50 ml via	l2,688.30	1	Mabthera
Inj 1 mg for ECP		1 mg	Baxter

#### ➡SA1152 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Fither:

1 Both:

- 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 6 treatment cycles; or

2 Both:

- 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

## ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
  - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
  - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
  - 3.1 The patient is chemotherapy treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
    - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance  $\geq$  30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

1 The patient has had a rituximab treatment-free interval of 12 months or more; and

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
(Wandacuters i nee)	Per	V Subsidised	Manufacturer	

continued...

- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB -	PCT only – Specialist – Special Authority see SA1192 below		
Inj 150 mg vial .		1	<ul> <li>Herceptin</li> </ul>
Inj 440 mg vial .		1	<ul> <li>Herceptin</li> </ul>
Inj 1 mg for ECF	9.36	1 mg	Baxter

### SA1192 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 All of the following:

- 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
- 1.3 Trastuzumab not to be given in combination with lapatinib; and
- 1.4 Trastuzumab to be discontinued at disease progression; or

2 All of the following:

- 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
- 2.3 The cancer did not progress whilst on lapatinib; and
- 2.4 Trastuzumab not to be given in combination with lapatinib; and
- 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

**Initial application** — (early breast cancer\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: All of the following:

1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and

## ONCOLOGY AGENTS AND IMMUNOSUPPRESSANTS

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
  - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
  - 3.1 All of the following:
    - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
    - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
    - 3.1.3 Trastuzumab to be discontinued at disease progression; or
  - 3.2 All of the following:
    - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress whilst on lapatinib; and
    - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
    - 3.2.4 Trastuzumab to be discontinued at disease progression; or
  - 3.3 All of the following:
    - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
    - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
    - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: \* For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

## Other Immunosuppressants

## CYCLOSPORIN

Cap 25 mg	44.63	50	Neoral
Cap 50 mg		50	Neoral
Cap 100 mg	177.81	50	Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	Neoral
SIROLIMUS - Special Authority see SA0866 on the next page - Retai	l pharmacy		
Tab 1 mg	813.00	100	Rapamune
Tab 2 mg1,	626.00	100	<ul> <li>Rapamune</li> </ul>
Oral liq 1 mg per ml	487.80	60 ml OP	<ul> <li>Rapamune</li> </ul>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SA0866 Special Authority for Subsidy				
Initial application from any medical practitioner. Approvals valid	without further rene	wal u	nless notifie	d where the drug is to be
used for rescue therapy for an organ transplant recipient.				
Notes: Rescue therapy defined as unresponsive to calcineurin inhi	ibitor treatment as de	fined	by refractor	y rejection; or intolerant to
calcineurin inhibitor treatment due to any of the following:				
• GFR<30 ml/min; or				
<ul> <li>Rapidly progressive transplant vasculopathy; or</li> </ul>				
Rapidly progressive obstructive bronchiolitis; or				
<ul> <li>HUS or TTP; or</li> <li>Leukoencepthalopathy; or</li> </ul>				
<ul> <li>Leukoencepthalopathy; or</li> <li>Significant malignant disease</li> </ul>				
5 5				
TACROLIMUS – Special Authority see SA0669 below – Retail pha		100	. / T	analimus Canalan
Cap 0.5 mg		100		crolimus Sandoz
Conting	214.00	100		ograf crolimus Sandoz
Cap 1 mg	428.00	100		ograf
Can E ma	420.00		• FI	ograf
Cap 5 mg – For tacrolimus oral liquid formulation refer, page 200	429.00	50	<b>1</b>	crolimus Sandoz
200	1.070.00	50		ograf
(Prograf Cap 0.5 mg to be delisted 1 November 2014)	1,070.00		• FI	ogiai
(Prograf Cap 1 mg to be delisted 1 November 2014)				

(Prograf Cap 5 mg to be delisted 1 November 2014)

## ►SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

	Subsidy		Fully	Brand or
	(Manufacturer's F \$	rice) Su Per	bsidised	Generic Manufacturer
	*		-	
Antiallergy Preparations				
■SA1367 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals vali	d for 2 years for a	pplications me	eeting the	e following criteria:
Both:				
<ol> <li>RAST or skin test positive; and</li> <li>Patient has had severe generalised reaction to the sens</li> </ol>	itising agent.			
<b>Renewal</b> only from a relevant specialist. Approvals valid for 2 y benefiting from treatment.	ears where the t	reatment remain	ains appr	opriate and the patient is
BEE VENOM ALLERGY TREATMENT - Special Authority see	SA1367 above – F	Retail pharma	су	
Maintenance kit - 6 vials 120 mcg freeze dried venom, 6 dilu	-			
ent 1.8 ml		1 OP	🖌 Al	bay
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluer		4.00		
9 ml, 3 diluent 1.8 ml		1 OP	🗸 Al	Бау
WASP VENOM ALLERGY TREATMENT - Special Authority see		<ul> <li>Retail pharm</li> </ul>	nacy	
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freez		1.00		how
dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freez		1 OP	V AI	рау
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml		1 OP	🗸 Al	bav
•	200100		• 74	~~;
Antihistamines				
CETIRIZINE HYDROCHLORIDE				
* Tab 10 mg		100	✓ Ze	
*‡ Oral liq 1 mg per ml	3.52	200 ml	✓ <u>Ce</u>	etirizine - AFT
CHLORPHENIRAMINE MALEATE				
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	🖌 Hi	stafen
DEXTROCHLORPHENIRAMINE MALEATE				
* Tab 2 mg		20	<b>D</b> .	ta na na far a
	(5.99) 2.02	40	PC	laramine
	(8.40)	40	Po	laramine
*‡ Oral liq 2 mg per 5 ml		100 ml		
	(10.29)		Po	laramine
FEXOFENADINE HYDROCHLORIDE				
* Tab 60 mg	4.34	20		
	(11.53)		Te	lfast
* Tab 120 mg		10	τ.	161
	(11.53) 14.22	30	Ie	lfast
	(29.81)	50	Te	lfast
LORATADINE	(_0.01)		.0	
* Tab 10 mg		100	🖌 Lo	orafix
* Oral liq 1 mg per ml		100 ml		orapaed
PROMETHAZINE HYDROCHLORIDE				-
* Tab 10 mg	1.99	50	🖌 🖌	lersoothe
* Tab 25 mg		50	🖌 🖌	lersoothe
*‡ Oral liq 5 mg per 5 ml		100 ml		lersoothe
* Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	11.00	5	V Ho	ospira

	Subsidy (Manufacturer's \$	Price) Subs Per	Fully sidised	Brand or Generic Manufacturer
TRIMEPRAZINE TARTRATE				
the second		100 ml OP		
	(8.06)		Va	allergan Forte
Inhaled Corticosteroids				
BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP	🖌 В	eclazone 50
Aerosol inhaler, 100 mcg per dose CFC-free	12.50	200 dose OP	🖌 В	eclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free	22.67	200 dose OP	🗸 В	eclazone 250
BUDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	🖌 P	ulmicort
				Turbuhaler
Powder for inhalation, 200 mcg per dose		200 dose OP	🖌 P	ulmicort
				Turbuhaler
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	🖌 P	ulmicort
				Turbuhaler
FLUTICASONE				
Aerosol inhaler, 50 mcg per dose CFC-free	7.50	120 dose OP	🖌 F	lixotide
Powder for inhalation, 50 mcg per dose	7.50	60 dose OP	🖌 F	lixotide Accuhaler
Powder for inhalation, 100 mcg per dose	7.50	60 dose OP	🖌 F	lixotide Accuhaler
Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP		lixotide
Aerosol inhaler, 250 mcg per dose CFC-free		120 dose OP		lixotide
Powder for inhalation, 250 mcg per dose	13.60	60 dose OP	🖌 Fl	lixotide Accuhaler

## Inhaled Long-acting Beta-adrenoceptor Agonists

Prescribing Guideline for Inhaled Long-Acting Beta-Adrenoceptor Agonists

The addition of inhaled long-acting beta-adrenoceptor agonists (LABAs) to inhaled corticosteroids is recommended:

- For younger children (aged under 12 years) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 200 mcg beclomethasone or budesonide (or 100 mcg fluticasone).
- For adults and older children (aged 12 years and over) where asthma is poorly controlled despite using inhaled corticosteroids for at least three months at total daily doses of 400 mcg beclomethasone or budesonide (or 200 mcg fluticasone).
   Note:

Further information on the place of inhaled corticosteroids and inhaled LABAs in the management of asthma can be found in the New Zealand guidelines for asthma in adults (www.nzgg.org.nz) and in the New Zealand guidelines for asthma in children aged 1-15 (www.paediatrics.org.nz).

EFORMOTEROL FUMARATE – See prescribing guideline above		
Powder for inhalation, 6 mcg per dose, breath activated	60 dose OP	
(16.90)		Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de-		
vice	60 dose	
(35.80)		Foradil
SALMETEROL – See prescribing guideline above		
Aerosol inhaler CFC-free, 25 mcg per dose	120 dose OP	<ul> <li>Serevent</li> </ul>
Powder for inhalation, 50 mcg per dose, breath activated	60 dose OP	<ul> <li>Serevent Accuhaler</li> </ul>

Turbuhaler 400/12

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully sidised	Brand or Generic Manufacturer
Inhaled Corticosteroids with Long-Acting Beta-A	drenocepto	r Agonists		
BUDESONIDE WITH EFORMOTEROL – Special Authority see SA Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg Powder for inhalation 100 mcg with eformoterol fumarate		•		annair
6 mcg	55.00	120 dose OP		ymbicort Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg Powder for inhalation 200 mcg with eformoterol fumarate	31.25	120 dose OP	🖌 Va	annair
6 mcg	60.00	120 dose OP	✔ S	ymbicort Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate 12 mcg - No more than 2 dose per day	60.00	60 dose OP	✔ S	ymbicort

### SA1179 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient is a child under the age of 12; and
  - 1.2 Has been treated with inhaled corticosteroids of at least 400 mcg per day beclomethasone or budesonide, or 200 mcg per day fluticasone; and
  - 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
  - 2.1 Patient is over the age of 12; and
  - 2.2 Has been treated with inhaled corticosteroids of at least 800 mcg per day beclomethasone or budesonide, or 500 mcg per day fluticasone; and
  - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### FLUTICASONE WITH SALMETEROL

	Aerosol inhaler 50 mcg with salmeterol 25 mcg	120 dose OP	<ul> <li>Seretide</li> </ul>
	Aerosol inhaler 125 mcg with salmeterol 25 mcg	120 dose OP	✓ Seretide
	Powder for inhalation 100 mcg with salmeterol 50 mcg - No		
	more than 2 dose per day	60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
	Powder for inhalation 250 mcg with salmeterol 50 mcg - No		
	more than 2 dose per day49.69	60 dose OP	<ul> <li>Seretide Accuhaler</li> </ul>
В	eta-Adrenoceptor Agonists		
SA	LBUTAMOL		
‡	Oral liq 400 mcg per ml2.06	150 ml	✓ Ventolin
	Infusion 1 mg per ml, 5 ml	10	
	(130.21)		Ventolin
	Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO12.90	5	<ul> <li>Ventolin</li> </ul>

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic ✔ Manufacturer
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO		200 dose OP	<ul> <li>✓ Respigen</li> <li>✓ Salamol Ventolin</li> </ul>
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO		20	✓ Asthalin
TERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	<ul> <li>Bricanyl Turbuhaler</li> </ul>
Inhaled Anticholinergic Agents			
IPRATROPIUM BROMIDE Aerosol inhaler, 20 mcg per dose CFC-free Nebuliser soln, 250 mcg per ml, 1 ml – Up to 40 neb available		200 dose OP	✓ Atrovent
on a PSO Nebuliser soln, 250 mcg per ml, 2 ml – Up to 40 neb available	3.26	20	✓ <u>Univent</u>
on a PSO		20	✓ <u>Univent</u>
TIOTROPIUM BROMIDE – Special Authority see SA1193 below Powder for inhalation, 18 mcg per dose		acy 30 dose	✓ Spiriva

## SA1193 Special Authority for Subsidy

**Initial application** only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator of at least 40 mcg ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and

Applicant must state recent measurement of:

- 4 All of the following:
  - 4.1 Actual FEV1 (litres); and
  - 4.2 Predicted FEV1 (litres); and
  - 4.3 Actual FEV $_1$  as a % of predicted (must be below 60%); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

	Subsidy (Manufacturer's Price	e) Subs	. ,	Brand or Generic
	\$	Per	~	Manufacturer
continued				
<ol> <li>Patient is compliant with the medication; and</li> <li>Patient has experienced improved COPD symptom control Applicant must state recent measurement of:</li> <li>All of the following:</li> </ol>	bl (prescriber deter	mined); and		
3.1 Actual FEV <sub>1</sub> (litres); and 3.2 Predicted FEV <sub>1</sub> (litres); and 3.3 Actual FEV <sub>1</sub> as a % of predicted.				
Inhaled Beta-Adrenoceptor Agonists with Antich	olinergic Age	nts		
SALBUTAMOL WITH IPRATROPIUM BROMIDE Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg				
per dose CFC-free Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per		0 dose OP	🖌 Du	olin HFA
vial, 2.5 ml – Up to 20 neb available on a PSO	3.75	20	✓ Du	olin
Leukotriene Receptor Antagonists				
MONTELUKAST - Special Authority see SA1421 below - Retail	pharmacy			

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg	48 2	28 🖌 🖌 Singulai	r
Tab 5 mg	48 2	28 🖌 Singulai	r
Tab 10 mg	48 2	28 🖌 Singulai	r

### ➡SA1421 Special Authority for Subsidy

**Initial application — (Pre-school wheeze)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Subs Per	sidised Generic Manufacturer
Mast Cell Stabilisers			
NEDOCROMIL			
Aerosol inhaler, 2 mg per dose CFC-free		112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE			
Powder for inhalation, 20 mg per dose		50 dose	✓ Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free		112 dose OP	Intal Forte CFC Free
Methylxanthines			
AMINOPHYLLINE			
Inj 25 mg per ml, 10 ml – Up to 5 inj available on a PSO	53.75	5	DBL Aminophylline
THEOPHYLLINE			4 H H AR
* Tab long-acting 250 mg		100	✓ Nuelin-SR
κ‡ Oral liq 80 mg per 15 ml	15.50	500 ml	Nuelin
Mucolytics			
OORNASE ALFA – Special Authority see SA0611 below – R	letail pharmacy		
Nebuliser soln, 2.5 mg per 2.5 ml ampoule	250.00	6	<ul> <li>Pulmozyme</li> </ul>
SA0611 Special Authority for Subsidy			
Special Authority approved by the Cystic Fibrosis Advisory Pa lotes: Application details may be obtained from PHARMAC's		w.pharmac.govt.ı	nz or:
	e: (04) 460 4990		_
	nile: (04) 916 7571		
	: CFPanel@pharm	ac dovt nz	
			ediatricians who have experien
and expertise in treating cystic fibrosis.			ediatricians who have experien
and expertise in treating cystic fibrosis. SODIUM CHLORIDE			ediatricians who have experiend
and expertise in treating cystic fibrosis.	itten by respiratory		ediatricians who have experient
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%	itten by respiratory	physicians or par	
nd expertise in treating cystic fibrosis. GOIUM CHLORIDE Not funded for use as a nasal drop. Soln 7% Nasal Preparations	itten by respiratory	physicians or par	
Ind expertise in treating cystic fibrosis. GODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%	itten by respiratory	physicians or par	
Ind expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7% Nasal Preparations Allergy Prophylactics BECLOMETHASONE DIPROPIONATE	itten by respiratory	90 ml OP	
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7% Nasal Preparations Allergy Prophylactics	itten by respiratory 23.50	physicians or par	✓ Biomed
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%		90 ml OP 200 dose OP	
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7% Nasal Preparations Allergy Prophylactics BECLOMETHASONE DIPROPIONATE		90 ml OP	✓ Biomed
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%		90 ml OP 200 dose OP	✓ Biomed Alanase
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%		90 ml OP 200 dose OP	✓ Biomed Alanase
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%		90 ml OP 200 dose OP 200 dose OP	✓ Biomed Alanase
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7% Nasal Preparations Allergy Prophylactics BECLOMETHASONE DIPROPIONATE Metered aqueous nasal spray, 50 mcg per dose Metered aqueous nasal spray, 100 mcg per dose BUDESONIDE		90 ml OP 200 dose OP 200 dose OP	Biomed      Alanase     Alanase     Butacort Aqueous
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%		90 ml OP 200 dose OP 200 dose OP 200 dose OP	✔ Biomed Alanase Alanase
Soln 7% Nasal Preparations Allergy Prophylactics BECLOMETHASONE DIPROPIONATE Metered aqueous nasal spray, 50 mcg per dose Metered aqueous nasal spray, 100 mcg per dose BUDESONIDE Metered aqueous nasal spray, 50 mcg per dose Metered aqueous nasal spray, 50 mcg per dose		90 ml OP 200 dose OP 200 dose OP 200 dose OP 200 dose OP 200 dose OP	Biomed      Alanase     Alanase     Butacort Aqueous     Butacort Aqueous
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%		90 ml OP 200 dose OP 200 dose OP 200 dose OP	Biomed Alanase Alanase Butacort Aqueous Butacort Aqueous Control action of the second of
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%		90 ml OP 200 dose OP 200 dose OP 200 dose OP 200 dose OP 200 dose OP	Biomed      Alanase     Alanase     Butacort Aqueous     Butacort Aqueous
and expertise in treating cystic fibrosis. SODIUM CHLORIDE Not funded for use as a nasal drop. Soln 7%		90 ml OP 200 dose OP 200 dose OP 200 dose OP 200 dose OP 200 dose OP	Biomed Alanase Alanase Butacort Aqueous Butacort Aqueous Control action of the second of

(	Subsidy Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Respiratory Devices				
MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under Size 2	2.99	1		Z-fit Paediatric Mask
PEAK FLOW METER a) Up to 10 dev available on a PSO b) Only on a PSO Low range	11.44	1	✓ <u>B</u>	reath-Alert
Normal range	11.44	1	✓ <u>B</u>	reath-Alert
SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO				
230 ml (single patient)	4.72	1		pace Chamber Plus
800 ml	8.50	1		<u>plumatic</u>
SPACER DEVICE AUTOCLAVABLE a) Up to 5 dev available on a PSO b) Only on a PSO				
230 ml (autoclavable) – Subsidy by endorsement Available where the prescriber requires a spacer device th endorsed accordingly.		1 sterilisa		pace Chamber autoclave and the PSO is
Respiratory Stimulants				
CAFFEINE CITRATE				
Oral liq 20 mg per ml (10 mg base per ml)		25 ml O	P 🖌 B	iomed

	Subsidy	<b>D</b> : \ 0.1	Fully Brand or
	(Manufacturer's \$	Price) Sut Per	osidised Generic Manufacturer
	÷		
ar Preparations			
ETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN	IZETHONIUM		
For Vosol ear drops with hydrocortisone powder refer Standar		ge 203	
Ear drops 2% with 1, 2-Propanediol diacetate 3% and			. <b>/</b> Marcal
benzethonium chloride 0.02%		35 ml OP	✔ Vosol
	4.46		Locacorten-Viaform
Ear drops 0.02% with clioquinol 1%	4.40	7.5 ml OP	ED's
			✓ Locorten-Vioform
NAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN	N AND NYSTAT	IN	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate			
2.5 mg and gramicidin 250 mcg per g		7.5 ml OP	<ul> <li>Kenacomb</li> </ul>
ar/Eye Preparations			
EXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml		8 ml OP	
gramoun of mog per mit			Sofradex
AMYCETIN SULPHATE	(0)		
	4.40		
	4.13	8 ml OP	
Ear/Eye drops 0.5%	4.13 (8.65)	8 mi OP	Soframycin
		8 mi OP	Soframycin
Eye Preparations	(8.65)		Soframycin
ye Preparations	(8.65)		Soframycin
ye Preparations re preparations are only funded for use in the eye, unless explici	(8.65)		Soframycin
Eye Preparations ye preparations are only funded for use in the eye, unless explici Anti-Infective Preparations	(8.65)		Soframycin
ye Preparations re preparations are only funded for use in the eye, unless explici Anti-Infective Preparations CICLOVIR	(8.65) itly stated other	wise.	Soframycin
ye Preparations e preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3%	(8.65) itly stated other		
ye Preparations e preparations are only funded for use in the eye, unless explici nti-Infective Preparations ICLOVIR Eye oint 3% ILORAMPHENICOL Eye oint 1%	(8.65) itly stated other 	wise.	
e preparations e preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3%	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP	✓ Zovirax
ye Preparations e preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3% HLORAMPHENICOL Eye oint 1% Eye drops 0.5% Funded for use in the ear*. Indications marked with * are U	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP	✓ Zovirax ✓ <u>Chlorsig</u>
ye Preparations re preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3% LORAMPHENICOL Eye oint 1% Eye drops 0.5% Funded for use in the ear*. Indications marked with * are U PROFLOXACIN	(8.65) itly stated other 	4.5 g OP 4 g OP 10 ml OP cations.	✓ Zovirax ✓ <u>Chlorsig</u> ✓ <u>Chlorafast</u>
ye Preparations re preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3% LORAMPHENICOL Eye oint 1% Eye drops 0.5% Funded for use in the ear*. Indications marked with * are U PROFLOXACIN Eye Drops 0.3%	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP	✓ Zovirax ✓ <u>Chlorsig</u> ✓ <u>Chlorafast</u> ✓ Ciloxan
ye Preparations re preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3% LORAMPHENICOL Eye oint 1% Eye drops 0.5% Funded for use in the ear*. Indications marked with * are U PROFLOXACIN Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial conju	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP	✓ Zovirax ✓ <u>Chlorsig</u> ✓ <u>Chlorafast</u> ✓ Ciloxan
ye Preparations e preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3% HLORAMPHENICOL Eye oint 1% Eye drops 0.5% Funded for use in the ear*. Indications marked with * are U PROFLOXACIN Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial conju ISIDIC ACID	(8.65) itly stated other 	4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP nt to chloramph	<ul> <li>✓ Zovirax</li> <li>✓ <u>Chlorsig</u></li> <li>✓ <u>Chlorafast</u></li> <li>✓ Ciloxan enicol.</li> </ul>
ye Preparations re preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3% LORAMPHENICOL Eye oint 1% Eye drops 0.5% Funded for use in the ear*. Indications marked with * are U PROFLOXACIN Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial conju USIDIC ACID Eye drops 1%	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP	✓ Zovirax ✓ <u>Chlorsig</u> ✓ <u>Chlorafast</u> ✓ Ciloxan
ye Preparations re preparations are only funded for use in the eye, unless explici anti-Infective Preparations CICLOVIR Eye oint 3% LORAMPHENICOL Eye oint 1% Eye drops 0.5% Funded for use in the ear*. Indications marked with * are U PROFLOXACIN Eye Drops 0.3% For treatment of bacterial keratitis or severe bacterial conju USIDIC ACID Eye drops 1% ENTAMICIN SULPHATE	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP nt to chloramph 5 g OP	<ul> <li>Zovirax</li> <li><u>Chlorsig</u></li> <li><u>Chlorafast</u></li> <li><u>Chlorafast</u></li> <li><u>Ciloxan</u></li> <li><u>Ciloxan</u></li> <li><u>Fucithalmic</u></li> </ul>
Eye Preparations         ve preparations are only funded for use in the eye, unless explicid         Anti-Infective Preparations         CICLOVIR         Eye oint 3%         HLORAMPHENICOL         Eye drops 0.5%         Funded for use in the ear*. Indications marked with * are U         PROFLOXACIN         Eye Drops 0.3%         For treatment of bacterial keratitis or severe bacterial conju         JSIDIC ACID         Eye drops 1%         ENTAMICIN SULPHATE         Eye drops 0.3%	(8.65) itly stated other 	4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP nt to chloramph	<ul> <li>✓ Zovirax</li> <li>✓ <u>Chlorsig</u></li> <li>✓ <u>Chlorafast</u></li> <li>✓ Ciloxan enicol.</li> </ul>
Eye Preparations         ve preparations are only funded for use in the eye, unless explicit         Anti-Infective Preparations         CICLOVIR         Eye oint 3%         HLORAMPHENICOL         Eye drops 0.5%         Funded for use in the ear*. Indications marked with * are U         PROFLOXACIN         Eye Drops 0.3%         For treatment of bacterial keratitis or severe bacterial conju         JSIDIC ACID         Eye drops 1%         ENTAMICIN SULPHATE         Eye drops 0.3%         ROPAMIDINE ISETHIONATE	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP nt to chloramph 5 g OP 5 ml OP	<ul> <li>Zovirax</li> <li><u>Chlorsig</u></li> <li><u>Chlorafast</u></li> <li><u>Chlorafast</u></li> <li><u>Ciloxan</u></li> <li><u>Ciloxan</u></li> <li><u>Fucithalmic</u></li> </ul>
Eye Preparations         re preparations are only funded for use in the eye, unless explicing         Anti-Infective Preparations         CICLOVIR         Eye oint 3%         Eye oint 3%         HLORAMPHENICOL         Eye oint 1%         Funded for use in the ear*. Indications marked with * are U         PROFLOXACIN         Eye Drops 0.3%         For treatment of bacterial keratitis or severe bacterial conju         ISIDIC ACID         Eye drops 1%         ENTAMICIN SULPHATE         Eye drops 0.3%         ROPAMIDINE ISETHIONATE	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP nt to chloramph 5 g OP	<ul> <li>Zovirax</li> <li><u>Chlorsig</u></li> <li><u>Chlorafast</u></li> <li><u>Chlorafast</u></li> <li><u>Ciloxan</u></li> <li>Ciloxan</li> <li>Fucithalmic</li> <li>Genoptic</li> </ul>
Eye Preparations         re preparations are only funded for use in the eye, unless explicit         Anti-Infective Preparations         CICLOVIR         Eye oint 3%         Eye oint 3%         HLORAMPHENICOL         Eye oint 1%         Funded for use in the ear*. Indications marked with * are U         PROFLOXACIN         Eye Drops 0.3%         For treatment of bacterial keratitis or severe bacterial conju         ISIDIC ACID         Eye drops 1%         ENTAMICIN SULPHATE         Eye drops 0.3%         ROPAMIDINE ISETHIONATE         Eye drops 0.1%	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP nt to chloramph 5 g OP 5 ml OP	<ul> <li>Zovirax</li> <li><u>Chlorsig</u></li> <li><u>Chlorafast</u></li> <li><u>Chlorafast</u></li> <li><u>Ciloxan</u></li> <li><u>Ciloxan</u></li> <li><u>Fucithalmic</u></li> </ul>
Eye Preparations         ve preparations are only funded for use in the eye, unless explicit         Anti-Infective Preparations         CICLOVIR         Eye oint 3%         HLORAMPHENICOL         Eye drops 0.5%         Funded for use in the ear*. Indications marked with * are U         PROFLOXACIN         Eye Drops 0.3%         For treatment of bacterial keratitis or severe bacterial conju         JSIDIC ACID         Eye drops 1%         ENTAMICIN SULPHATE         Eye drops 0.3%         ROPAMIDINE ISETHIONATE	(8.65) itly stated other 	wise. 4.5 g OP 4 g OP 10 ml OP cations. 5 ml OP nt to chloramph 5 g OP 5 ml OP	<ul> <li>Zovirax</li> <li><u>Chlorsig</u></li> <li><u>Chlorafast</u></li> <li><u>Chlorafast</u></li> <li><u>Ciloxan</u></li> <li>Ciloxan</li> <li>Fucithalmic</li> <li>Genoptic</li> </ul>

SENSORY	ORGANS
---------	--------

	Subsidy	Drine) Cu	Fully	Brand or
	(Manufacturer's I \$	Price) Su Per	bsidised	Generic Manufacturer
	•			
Corticosteroids and Other Anti-Inflammatory Pre-	eparations			
DEXAMETHASONE				
* Eye oint 0.1%	5.86	3.5 g OP	✓ <u>M</u>	axidex
* Eye drops 0.1%	4.50	5 ml OP	🖌 M	axidex
DEXAMETHASONE WITH NEOMYCIN AND POLYMYXIN B SUL	.PHATE			
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin				
B sulphate 6,000 u per g		3.5 g OP	✓ <u>M</u>	axitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-				
xin B sulphate 6,000 u per ml	4.50	5 ml OP	<u> M</u>	axitrol
DICLOFENAC SODIUM				
* Eye drops 1 mg per ml	13.80	5 ml OP	✓ Vo	ltaren Ophtha
FLUOROMETHOLONE				
* Eye drops 0.1%	3.80	5 ml OP	✓ <u>FI</u>	ucon
LEVOCABASTINE				
Eye drops 0.5 mg per ml		4 ml OP		
	(10.34)		Li	vostin
LODOXAMIDE TROMETAMOL				
Eye drops 0.1%	8.71	10 ml OP	• <u>Lo</u>	omide
PREDNISOLONE ACETATE			4 -	
* Eye drops 0.12%		5 ml OP		ed Mild
* Eye drops 1%	4.50	5 ml OP	V Pr	ed Forte
SODIUM CROMOGLYCATE	4.40			
Eye drops 2%	1.18	5 ml OP	V R	exacrom
Glaucoma Preparations - Beta Blockers				
BETAXOLOL HYDROCHLORIDE				
* Eye drops 0.25%	11.80	5 ml OP	🖌 <u>B</u> e	etoptic S
* Eye drops 0.5%	7.50	5 ml OP	🖌 <u>B</u> e	etoptic
LEVOBUNOLOL				
* Eye drops 0.25%		5 ml OP		etagan
* Eye drops 0.5%	7.00	5 ml OP	🖌 Be	etagan
TIMOLOL MALEATE				
* Eye drops 0.25%		5 ml OP		row-Timolol
* Eye drops 0.25%, gel forming		2.5 ml OP 5 ml OP		<u>moptol XE</u> row-Timolol
* Eye drops 0.5%      * Eye drops 0.5%, gel forming		2.5 ml OP		moptol XE
		2.0 111 01	• 11	
Glaucoma Preparations - Carbonic Anhydrase Ir	mbillors			
ACETAZOLAMIDE				
<ul> <li>* Tab 250 mg – For acetazolamide oral liquid formulation refer,</li> </ul>				
page 200	17.03	100	✓ <u>Di</u>	amox
BRINZOLAMIDE				
* Eye Drops 1%	9.77	5 ml OP	V Az	topt
DORZOLAMIDE HYDROCHLORIDE				
* Eye drops 2%		5 ml OP	-	
	(13.95)		Ir	usopt

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Pric \$	ce) Su Per	Fully Brand or bsidised Generic ✔ Manufacturer
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE * Eye drops 2% with timolol maleate 0.5%	15.50	5 ml OP	✔ Cosopt
Glaucoma Preparations - Prostaglandin Analogu	les		
BIMATOPROST * Eye drops 0.03% LATANOPROST		3 ml OP	✔ Lumigan
* Eye drops 50 mcg per ml, 2.5 ml TRAVOPROST	1.99	2.5 ml OP	✓ <u>Hysite</u>
* Eye drops 0.004%	19.50	2.5 ml OP	🗸 Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE * Eye Drops 0.2% BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE	6.45	5 ml OP	✓ Arrow-Brimonidine
* Eye drops 0.2% with timolol maleate 0.5%		5 ml OP	<ul> <li>Combigan</li> </ul>
PILOCARPINE         * Eye drops 1%         * Eye drops 2%         * Eye drops 4%         Subsidised for oral use pursuant to the Standard Formulae         * Eye drops 2% single dose – Special Authority see SA0895	5.35 7.99 e.	15 ml OP 15 ml OP 15 ml OP	<ul> <li>✓ Isopto Carpine</li> <li>✓ Isopto Carpine</li> <li>✓ Isopto Carpine</li> </ul>
below – Retail pharmacy	31.95 (32.72)	20 dose	Minims

### ➡SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Mydriatics and Cycloplegics**

ATROPINE SULPHATE * Eye drops 1%	17.36	15 ml OP	✔ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	8.76	15 ml OP	Cyclogyl
TROPICAMIDE           *         Eye drops 0.5%           *         Eye drops 1%		15 ml OP 15 ml OP	<ul> <li>✓ <u>Mydriacyl</u></li> <li>✓ <u>Mydriacyl</u></li> </ul>
Preparations for Tear Deficiency			
For acetylcysteine eye drops refer Standard Formulae, page 203			
HYPROMELLOSE * Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt

			OLNOC	
	Subsidy (Manufacturer's I \$	Price) Su Per	bsidised (	Brand or Generic Manufacturer
HYPROMELLOSE WITH DEXTRAN				
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	🖌 Poly	r-Tears
POLYVINYL ALCOHOL * Eye drops 1.4%	0.69	15 ml OP	🖌 Vist	
* Eye drops 1.4%		15 ml OP	Vist	
Preservative Free Ocular Lubricants				
<ul> <li>SA1388 Special Authority for Subsidy</li> <li>Initial application from any relevant practitioner. Approvals va Both:</li> <li>1 Confirmed diagnosis by slit lamp of severe secretory of</li> </ul>		or applications	meeting th	e following criteria:
2 Either:				
<ul><li>2.1 Patient is using eye drops more than four time</li><li>2.2 Patient has had a confirmed allergic reaction t</li></ul>	, ,			
Renewal from any relevant practitioner. Approvals valid for 24 and has benefited from treatment. CARBOMER – Special Authority see SA1388 above – Retail Ophthalmic gel 0.3%, 0.5 g	oharmacy	patient continu 30	ues to requi	
MACROGOL 400 AND PROPYLENE GLYCOL – Special Auth				
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	•	24		tane Unit Dose
SODIUM HYALURONATE – Special Authority see SA1388 ab Eye drops 1 mg per ml Note: Hylo-Fresh has a 6 month expiry after opening. T not relevant and therefore only the prescribed dosage t	22.00 The Pharmacy Hand	10 ml OP dbook restrictio		
Other Eye Preparations				
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%	4.15	15 ml OP	✔ <u>Nap</u>	hcon Forte
OLOPATADINE Eye drops 0.1%	17.00	5 ml OP	🗸 Pata	nol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin	3.63	3.5 g OP	🖌 Refi	resh Night Time
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.63	3.5 g OP	🖌 Poly	v-Visc
RETINOL PALMITATE Eye oint 138 mcg per g	3.80	5 g OP	🖌 VitA	-POS

SENSORY ORGANS

	Subsidy (Manufacturer's Pri \$	ce) Sub Per	Fully sidised	Brand or Generic Manufacturer
Agents Used in the Treatment of Poisonings				
Antidotes				
ACETYLCYSTEINE – Retail pharmacy-Specialist				
Inj 200 mg per ml, 10 ml	178.00	10	✓ M	lartindale Acetylcysteine
Inj 200 mg per ml, 30 ml	219.00	4	🖌 A	cetadote
NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO b) Only on a PSO				
* Inj 400 mcg per ml, 1 ml		5	🖌 Н	ospira
Removal and Elimination				
CHARCOAL * Oral liq 50 g per 250 mla) Up to 250 ml available on a PSO b) Only on a PSO	43.50	250 ml OP	✔ C	arbosorb-X
DEFERIPRONE - Special Authority see SA1042 below - Retail	pharmacy			
Tab 500 mg		100		erriprox
Oral liq 100 mg per 1 ml		250 ml OP	V F	erriprox
►SA1042 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals va been diagnosed with chronic transfusional iron overload due to co Note: For the purposes of this Special Authority, a relevant special DESFERRIOXAMINE MESYLATE	ongenital inherited	anaemia.		fied where the patient has
* Inj 500 mg	99.00	10	🖌 Н	ospira
SODIUM CALCIUM EDETATE				
* Inj 200 mg per ml, 5 ml	53.31 (156.71)	6	С	alcium Disodium Versenate

## INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacyspecialist).
  - c) Menthol crystals only in the following bases:

Aqueous cream Urea cream 10% Wool fat with mineral oil lotion Hydrocortisone 1% with wool fat and mineral oil lotion Glycerol, paraffin and cetyl alcohol lotion.

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- · Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

## **Explanatory notes**

## **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website **www.pharminfotech.co.nz** has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

#### Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml	Flecainide 20 mg/ml	Rifabutin 20 mg/ml
Allopurinol 20 mg/ml	Gabapentin 100 mg/ml	Sildenafil 2 mg/ml
Amlodipine 1 mg/ml	Gabapentin (Neurontin) 100 mg/ml	Sotalol 5 mg/ml
Azathioprine 50 mg/ml	Hydrocortisone 1 mg/ml	Sulphasalazine 100 mg/ml
Baclofen 10 mg/ml	Labetolol 10 mg/ml	Tacrolimus 1 mg/ml
Carvedilol 1 mg/ml	Levetiracetam 100 mg/ml	Terbinafine 25 mg/ml
Clopidogrel 5 mg/ml	Levodopa with carbidopa (5 mg lev-	Ursodeoxycholic acid 50 mg/ml
Diazoxide 10 mg/ml	odopa + 1.25 mg carbidopa)/ml	Valganciclovir 60 mg/ml*
Diltiazem hydrochloride 12 mg/ml	Metoclopramide 1 mg/ml	Verapamil hydrochloride 50 mg/ml
Dipyridamole 10 mg/ml	Metoprolol tartrate 10 mg/ml	
Domperidone 1 mg/ml	Nitrofurantoin 10 mg/ml	
Enalapril 1 mg/ml	Pyrazinamide 100 mg/ml	

\*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

or

Solid dose form

qs to 100%

Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.


### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 199) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).

One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.



# **Standard Formulae**

•••••••	
ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs
ASPIRIN AND CHLOROFORM APPLICAT Aspirin Soluble tabs 300 mg Chloroform	ION 12 tabs to 100 ml
CODEINE LINCTUS PAEDIATRIC (3 mg pr Codeine phosphate Glycerol Preservative Water	er 5 ml) 60 mg 40 ml qs to 100 ml
CODEINE LINCTUS DIABETIC (15 mg per Codeine phosphate Glycerol Preservative Water	5 ml) 300 mg 40 ml qs to 100 ml
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pro-	
MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% Methyl hydroxybenzoate Water	275 g 1.5 g to 1,000 ml
METHADONE MIXTURE Methadone powder Glycerol Water	qs qs to 100 ml
METHYL HYDROXYBENZOATE 10% SOL Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml or mixture)	10 g to 100 ml

OMPOUNDED PRODUCTS AND G	ALENICALS
OMEPRAZOLE SUSPENSION Omeprazole capules or powder Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml
PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
PHENOBARBITONE SODIUM PAEDIATRI LIQUID (10 mg per ml) Phenobarbitone Sodium Glycerol BP Water	C ORAL 400 mg 4 ml to 40 ml
PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops Preservative Water (Preservative should be used if quantity sup more than 5 days.)	qs qs to 500 ml oplied is for
SALIVA SUBSTITUTE FORMULA Methylcellulose Preservative Water (Preservative should be used if quantity sup more than 5 days. Maximum 500 ml per pre	
SODIUM CHLORIDE ORAL LIQUID Sodium chloride inj 23.4%, 20 ml Water (Only funded if prescribed for treatment of h	qs qs nyponatraemia)

## VOSOL EAR DROPS

WITH HYDROCORTISONE POWDER 1%	
Hydrocortisone powder	1%
Vosol Ear Drops	to 35 ml

	Subsidy (Manufacturer's F	Price) Sul	Fully Brand or bsidised Generic
	(Manulacturers i \$	Per	Manufacturer
xtemporaneously Compounded Preparations	and Galenica	ls	
NZOIN			
Tincture compound BP		50 ml	
······	(5.10)		PSM
	24.42	500 ml	
	(38.00)		PSM
LOROFORM – Only in combination			
Only in aspirin and chloroform application.			
Chloroform BP	25.50	500 ml	🖌 PSM
DEINE PHOSPHATE - Safety medicine; prescriber may dete	ermine dispensing	g frequency	
Powder – Only in combination		5 g	
,, ,	(25.46)	- 5	Douglas
	63.09	25 g	5
	(90.09)	- 5	Douglas
a) Only in extemporaneously compounded codeine linctu	s diabetic or code	ine linctus pae	0
b) ‡ Safety cap for extemporaneously compounded oral li			
LLODION FLEXIBLE			
Collodion flexible		100 ml	🖌 PSM
MPOUND HYDROXYBENZOATE – Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	2/ 10	100 ml	David Craig
		100 111	V David Clarg
YCERIN WITH SODIUM SACCHARIN – Only in combination			
Only in combination with Ora-Plus.			
Suspension	35.50	473 ml	Ora-Sweet SF
YCERIN WITH SUCROSE – Only in combination			
Only in combination with Ora-Plus.			
Suspension		473 ml	Ora-Sweet
YCEROL			
Liquid – Only in combination	17.86	2,000 ml	✓ healthE
Only in extemporaneously compounded oral liquid prepar		2,000 mi	
	ations.		
GNESIUM HYDROXIDE Paste 29%	00.61	500 a	🖌 PSM
		500 g	V PSW
THADONE HYDROCHLORIDE			
<ul> <li>a) Only on a controlled drug form</li> </ul>			
<ul> <li>b) No patient co-payment payable</li> </ul>			
c) Safety medicine; prescriber may determine dispensing fre			
d) Extemporaneously compounded methadone will only be	reimbursed at the	rate of the ch	eapest form available (metha
powder, not methadone tablets).			
Powder		1 g	🖌 AFT
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.		
THYL HYDROXYBENZOATE			
Powder	8.00	25 g	🖌 PSM
	8.98	č	✓ Midwest
THYLCELLULOSE			
Powder	36 95	100 g	✓ MidWest

## EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's P \$	rice) Si Per	Fully ubsidised	Brand or Generic Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	ARIN – Only in co	ombination		
Suspension		473 ml	<b>V</b> 0	ra-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	in combination			
Suspension		473 ml	<b>V</b> 0	ra-Blend
PHENOBARBITONE SODIUM				
Powder – Only in combination		10 g	🖌 M	idWest
,	325.00	100 g	🖌 M	idWest
<ul> <li>a) Only in children up to 12 years</li> <li>b) ‡ Safety cap for extemporaneously compounded oral lic</li> </ul>	uid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo	pate 10% solution	า.		
Liq		500 ml	🖌 P:	• • • •
	11.25		🖌 M	idwest
SODIUM BICARBONATE				
Powder BP – Only in combination	8.95	500 g	🖌 M	idwest
	9.80			
	(29.50)		D	avid Craig
Only in extemporaneously compounded omeprazole and la	ansoprazole susp	pension.		
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparatio				
Liq	21.75	2,000 ml	V M	idwest
WATER				
Tap – Only in combination	0.00	1 ml	🖌 Ta	ap water

## EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

Initial Applications:	Only from a dietitian, relevant specialist or a vocationally registered general
	practitioner.
Reapplications:	Only from a dietitian, relevant specialist or a vocationally registered general
	practitioner or general practitioner on the recommendation of a dietitian, rele-
	vant specialist or a vocationally registered general practitioner. Other general
	practitioners must include the name of the dietitian, relevant specialist or voca-
	tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition

### **Dietitian Prescribing**

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

#### ASCORBIC ACID Tab 100 mg

#### CALCIUM CARBONATE

- ✓ Tab eff 1.75 g (1 g elemental)
- ✓ Tab 1.25 g (500 mg elemental)

## COMPOUND ELECTROLYTES

✓ Powder for oral soln

## DEXTROSE WITH ELECTROLYTES

✓ Soln with electrolytes

### FERROUS FUMARATE

✓ Tab 200 mg (65 mg elemental)

### FERROUS FUMARATE WITH FOLIC ACID

✓ Tab 310 mg (100 mg elemental) with folic acid 350 mcg

## FERROUS SULPHATE

- ✓ Tab long-acting 325 mg (105 mg elemental)
- Oral liq 30 mg (6 mg elemental) per 1 ml

### FERROUS SULPHATE WITH FOLIC ACID

Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg

## FOLIC ACID

✔ Tab 0.8 mg

## MULTIVITAMINS

### Powder

#### PANCREATIC ENZYME

✓ Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease

## POTASSIUM BICARBONATE

✓ Tab eff 315 mg with sodium acid phosphate 1.937 g and sodium bicarbonate 350 mg

## POTASSIUM CHLORIDE

- Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)
- ✓ Tab long-acting 600 mg

### POTASSIUM IODATE

✓ Tab 256 mcg (150 mcg elemental iodine)

## PYRIDOXINE HYDROCHLORIDE

- ✓ Tab 25 mg
- ✓ Tab 50 mg

#### SODIUM CHLORIDE ✓ Inj 23.4%, 20 ml

✓ Inj 23.4%, 20 mi

## SODIUM FLUORIDE

✓ Tab 1.1 mg (0.5 mg elemental)

## THIAMINE HYDROCHLORIDE

✔ Tab 50 mg

### VITAMIN A WITH VITAMINS D AND C

✓ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

### VITAMIN B COMPLEX

✓ Tab, strong, BPC

#### VITAMINS

- Tab (BPC cap strength)
- Cap (fat soluble vitamins A, D, E, K)

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

## **Nutrient Modules**

## Carbohydrate

#### ► SA1373 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Either:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula.

Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT – Special Authority see SA1373 above – Hospital pharmacy [HP3]				
Powder	5.29	400 g OP	Polycal	
	1.30	368 g OP	-	
	(12.00)	-	Moducal	
(Moducal Powder to be delisted 1 June 2014)	. ,			

## Carbohydrate And Fat

#### ►SA1376 Special Authority for Subsidy

**Initial application** — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children; or
  - 2.2 faltering growth; or
  - 2.3 bronchopulmonary dysplasia; or
  - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

```
CARBOHYDRATE AND FAT SUPPLEMENT – Special Authority see SA1376 on the previous page – Hospital pharmacy [HP3]
```

### Fat

#### ►SA1374 Special Authority for Subsidy

**Initial application** — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 acites; or
- 11 for use as a component in a modular formula.

Subsidy (Manufacturer's Price)	Su	Fully bsidised	Brand or Generic	
\$	Per	~	Manufacturer	

#### continued...

Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1374 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)		200 ml OP	✓ Calogen
	30.75	500 ml OP	Calogen
Emulsion (strawberry)		200 ml OP	Calogen
Oil		500 ml OP	MCT oil (Nutricia)
Oil, 250 ml		4 OP	<ul> <li>Liquigen</li> </ul>

## Protein

### SA1375 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA1375 ab	ove – Hospital phar	macy [HP3]	
Powder	7.90	225 g OP	Protifar
	8.95	227 g OP	Resource
			Beneprotein
Powder (vanilla)		275 g OP	Promod

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
Oral Supplements/Complete Diet (Nasogastric/Complete Diet (Nasogastric/Comp	Gastrostomy Tube	e Feed)	
Respiratory Products			
⇒SA1094 Special Authority for Subsidy     Initial application only from a dietitian, relevant specialist or voc     where the patient has CORD and hypercapnia, defined as a CO2     Renewal only from a dietitian, relevant specialist, vocationally re     mendation of a dietitian, relevant specialist or vocationally registe     meeting the following criteria:     Both:	2 value exceeding 55 m gistered general practit	mHg. ioner or general	practitioner on the recom-
<ol> <li>The treatment remains appropriate and the patient is be</li> <li>General Practitioners must include the name of the died tioner and date contacted.</li> </ol>			registered general practi-
CORD ORAL FEED 1.5KCAL/ML – Special Authority see SA109 Liquid			ulmocare
Diabetic Products			
→SA1095 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or voc where the patient is a type I or and II diabetic who is suffering we Renewal only from a dietitian, relevant specialist, vocationally re mendation of a dietitian, relevant specialist or vocationally registe meeting the following criteria: Both:	ight loss and malnutrition gistered general practit	on that requires ioner or general	nutritional support. practitioner on the recom-
<ol> <li>The treatment remains appropriate and the patient is be</li> <li>General Practitioners must include the name of the died tioner and date contacted.</li> </ol>			registered general practi-
DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see Liquid		) mi OP 🖌 Di V G	P3] iason RTH lucerna Select RTH
DIABETIC ORAL FEED 1KCAL/ML – Special Authority see SA1 Liquid (strawberry) Liquid (vanilla)		ml OP 🖌 Di ml OP 🖌 Di	

## **Fat Modified Products**

## SA1381 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

(2.10)

(2.10)

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed for adults.

continued...

**Resource Diabetic** 

Sustagen Diabetic

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT M	ODIFIED FEED	0 – Special Authority see SA138	on the previous page -	<ul> <li>Hospital pharmacy [HP3]</li> </ul>	

Powder	60.48	400 g OP	Monoger
--------	-------	----------	---------

## **High Protein Products**

### SA1378 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 decompensating liver disease without encephalopathy; or
- 2 protein losing gastro-enteropathy.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

```
HIGH PROTEIN ORAL FEED 1KCAL/ML - Special Authority see SA1378 above - Hospital pharmacy [HP3]
```

## Paediatric Products For Children Awaiting Liver Transplant

### SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

#### ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Powder (unflavoured)		400 g OP	V	Heparon Junior
----------------------	--	----------	---	----------------

Subsid	dy	Fully	Brand or	_
(Manufacturer	r's Price) Su	ubsidised	Generic	
\$	Per	~	Manufacturer	

## Paediatric Products For Children With Chronic Renal Failure

#### ►SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

## **Paediatric Products**

#### SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
  - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
  - 2.2 any condition causing malabsorption; or
  - 2.3 faltering growth in an infant/child; or
  - 2.4 increased nutritional requirements; or
  - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 above Liquid2.68		
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see Liquid6.00		
PAEDIATRIC ORAL FEED – Special Authority see SA1379 above – Hospital phare Powder (vanilla)	macy [HP3] 900 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 above – Liquid (strawberry)	Hospital pharma 200 ml OP 200 ml OP	acy [HP3] ✔ Fortini ✔ Fortini

	Subsidy (Manufacturer's P \$	rice) Subs Per	Fully sidised	Brand or Generic Manufacturer
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA	A1379 on the prev	vious page – H	ospital	pharmacy [HP3]
Liquid (chocolate)		200 ml OP	V P	ediasure
Liquid (strawberry)	1.07	200 ml OP	V P	ediasure
Liquid (vanilla)		200 ml OP	V P	ediasure
	1.34	250 ml OP	V P	ediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special [HP3]	Authority see SA	1379 on the pr	evious	page – Hospital pharmacy
Liquid (chocolate)		200 ml OP	🖌 F	ortini Multi Fibre
Liquid (strawberry)		200 ml OP	🖌 F	ortini Multi Fibre
Liquid (vanilla)	1.60	200 ml OP	🖌 F	ortini Multi Fibre
Renal Products				

#### ➡SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 2 KCAL/ML – Special Authority see SA1101 above – Hospital pharmacy [HP3]

RENAL ORAL FEED 2KCAL/ML - Special Authority see SA1101 above - Hospital pharmacy [HP3]

Liquid	2.43	200 ml OP	<ul> <li>Nepro (strawberry)</li> </ul>
			Nepro (vanilla)
	3.80	237 ml OP	Suplena
	2.88		
	(3.31)		NovaSource Renal
Liquid (apricot)		125 ml OP	Renilon 7.5
Liquid (caramel)	2.88	125 ml OP	Renilon 7.5
Liquid (apricot) 125 ml	11.52	4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	Renilon 7.5
(Renilon 7.5 Liquid (apricot) to be delisted 1 October 2014)			
(Renilon 7.5 Liquid (caramel) to be delisted 1 October 2014)			

## **Specialised And Elemental Products**

## SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Subsidy		Fully	Brand or	
(Manufacturer's Pri	ce)	Subsidised	Generic	
\$	Pe	r 🖌	Manufacturer	

continued...

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3]

Powder	79 g OP	Vital HN
7.50	76 g OP	<ul> <li>Alitraq</li> </ul>

ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see SA1377 on the previous page – Hospital pharmacy [HP3]

Liquid (grapefruit)	9.50 250 ml OP	<ul> <li>Elemental 028 Extra</li> </ul>
Liquid (pineapple & orange)	9.50 250 ml OP	<ul> <li>Elemental 028 Extra</li> </ul>
Liquid (summer fruits)	9.50 250 ml OP	<ul> <li>Elemental 028 Extra</li> </ul>
Liquid (grapefruit), 250 ml carton	171.00 18 OP	<ul> <li>Elemental 028 Extra</li> </ul>
Liquid (pineapple & orange), 250 ml carton	171.00 18 OP	<ul> <li>Elemental 028 Extra</li> </ul>
Liquid (summer fruits), 250 ml carton	171.00 18 OP	<ul> <li>Elemental 028 Extra</li> </ul>
(Elemental 028 Extra Liquid (grapefruit) to be delisted 1 August 2014)		
(Elemental 028 Extra Liquid (pineapple & orange) to be delisted 1 Augu	ıst 2014)	
(Elemental 028 Extra Liquid (summer fruits) to be delisted 1 August 20	14)	

ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA1377 on the previous page – Hospital pharmacy [HP3] Powder (unflavoured) ......4.50 80.4 g OP Vivonex TEN

## Paediatric Products For Children With Low Energy Requirements

#### SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML	- Special Authority	see SA1196 above	e – H	lospital pharmacy [HP3]
Liquid	4.00	500 ml OP	🗸 N	lutrini Low Energy
				Multi Fibre

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per 🖌 Manufacturer	
--	--

## **Standard Supplements**

### SA1228 Special Authority for Subsidy

Initial application — (Children) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
  - 2.1 The patient has a condition causing malabsorption; or
  - 2.2 The patient has failure to thrive; or
  - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - Patient is Malnourished
  - 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
  - 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
  - 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:
  - Patient has not responded to first-line dietary measures over a 4 week period by:
  - 2.1 Increasing their food intake frequency (eg snacks between meals); or
  - 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
  - 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
  - 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
  - 2 Any of the following:
    - Patient is Malnourished
    - 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
    - 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
    - 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

#### continued...

**Initial application — (Adults transitioning from hospital Discretionary Community Supply)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has had up to a 30 day supply of a 1.0 or a 1.5 kcal/ml Standard Oral Supplement; and
- 2 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 3 Any of the following:

### Patient is Malnourished

- 3.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 3.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 3.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 Is being feed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

**Renewal — (Short-term medical condition)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

continued...

 Fully Subsidised	Brand or Generic
\$ Per 🖌	Manufacturer

continued...

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria): or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease: or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm<sup>3</sup>); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria): or
- 2 Cystic Fibrosis; or
- 3 Liver disease: or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease: or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1228 on page 216 – Liquid	Hospital pharmad 1,000 ml	cy [HP3] V Nutrison Energy
ENTERAL FEED 1KCAL/ML - Special Authority see SA1228 on page 216 - He	ospital pharmacy	[HP3]
Liquid	250 ml OP	✓ Isosource Standard
•		Osmolite
5.29	1,000 ml OP	Isosource Standard
		RTH
		Nutrison Standard
		RTH
2.65	500 ml OP	Osmolite RTH
5.29	1,000 ml OP	<ul> <li>Osmolite RTH</li> </ul>
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1228 on	page 216 – Hosp	bital pharmacy [HP3]
Liquid	237 ml OP	✓ Jevity
2.65	500 ml OP	Jevity RTH
5.29	1,000 ml OP	Jevity RTH
		✔ Nutrison Multi Fibre

	Subaidu		Fully Brand or
	Subsidy (Manufacturer's		sidised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority s	see SA1228 on	page 216 - Hos	spital pharmacy [HP3]
Liquid	1.75	250 ml OP	Ensure Plus HN
	7.00	1,000 ml OP	Ensure Plus RTH
			Jevity HiCal RTH
			Nutrison Energy
			Multi Fibre
DRAL FEED (POWDER) – Special Authority see SA1228 on pag	e 216 – Hospita	al pharmacy [HF	23]
Powder (chocolate)		900 g OP	✓ Sustagen Hospital
		0	Formula
	13.00	850 g OP	✓ Ensure
Powder (vanilla)	9.50	900 g OP	✓ Fortisip
	10.22	<b>J</b>	<ul> <li>Sustagen Hospital</li> </ul>
			Formula
	13.00	850 g OP	✓ Ensure
DRAL FEED 1.5KCAL/ML – Special Authority see SA1228 on pa	ae 216 – Hospi	ital pharmacy [H	IP3]
Additional subsidy by endorsement is available for patients be	•		-
molysis bullosa. The prescription must be endorsed according	0	liough a looding	
Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with			
Endorsement		200 ml OP	
	(1.26)	200 01	Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of up to \$1.33 per 237 ml	( )		i or dolp
with Endorsement		200 ml OP	
	(1.26)	200 111 01	Ensure Plus
	0.85	237 ml OP	LIISUIE FIUS
	(1.33)	237 IIII OF	Ensure Plus
	0.72	200 ml OP	LIISUIE FIUS
	(1.26)	200 111 01	Fortisip
Liquid (fruit of the fareat) Lligher subsidy of \$1.06 per 000 ml	( )		Forusip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml		000	
with Endorsement		200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with		000	
Endorsement		200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (toffee) – Higher subsidy of \$1.26 per 200 ml with En-			
dorsement		200 ml OP	
	(1.26)		Fortisip
Liquid (tropical fruit) - Higher subsidy of \$1.26 per 200 ml			
with Endorsement		200 ml OP	
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Fortisip
	(===)		

SPECIAL FOODS

	Subsidy (Manufacturer's F \$	Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see Additional subsidy by endorsement is available for patients be molysis bullosa. The prescription must be endorsed according Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with	ing bolus fed thi		•	
Endorsement	0.72 (1.26)	200 ml OP	F	ortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72	200 ml OP		
Endorsement	(1.26)	200 IIII OF	F	ortisip Multi Fibre
Liquid (vanilla) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72 (1.26)	200 ml OP	F	ortisip Multi Fibre

# **High Calorie Products**

## ➡SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 faltering growth in an infant/child; or
  - 1.3 increased nutritional requirements; or
  - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

**Renewal — (Cystic fibrosis)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Por Manufacturer \$ ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] 500 ml OP Nutrison Concentrated 11 00 1.000 ml OP Two Cal HN RTH ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolvsis bullosa. The prescription must be endorsed accordingly. Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with 200 ml OP Two Cal HN (1.90)Food Thickeners SA1106 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practi-

FOOD THICKENER - Special Authority see SA1106 above - Hospital pharmacy [HP3]

Powder7	.25	380 g OP

### Feed Thickener Karicare Aptamil

SPECIAL FOODS

# **Gluten Free Foods**

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

# SA1107 Special Authority for Subsidy

tioner and date contacted.

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107 above – Hospital pharmacy [HP3]

Powder	 · · · · · · · · · · · · · · · · · · ·	2.81	1,000 g OP
		(5.15)	

Healtheries Simple Baking Mix

# SPECIAL FOODS

	Subsidy (Manufacturer's		Fully Brand or ised Generic
	\$	Per	<ul> <li>Manufacturer</li> </ul>
GLUTEN FREE BREAD MIX – Special Authority see SA1107 or	n the previous pa	age – Hospital pha	rmacy [HP3]
Powder		1,000 g OP	
	(7.32)	-	NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 on the	previous page -	- Hospital pharmad	v [HP3]
Powder		2,000 g OP	/[ -]
	(18.10)	, 3 -	Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA1107 on the		Hospital pharmacy	(IHP3)
Buckwheat Spirals		250 g OP	
	(3.11)	200 9 01	Orgran
Corn and Vegetable Shells	· · · ·	250 g OP	orgran
	(2.92)		Orgran
Corn and Vegetable Spirals		250 g OP	Ū
	(2.92)	•	Orgran
Rice and Corn Lasagne Sheets		200 g OP	-
	(3.82)		Orgran
Rice and Corn Macaroni	2.00	250 g OP	
	(2.92)		Orgran
Rice and Corn Penne	2.00	250 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals		250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals		250 g OP	<b>^</b>
Discound some some bettigter sollers	(3.11)	075 00	Orgran
Rice and corn spaghetti noodles		375 g OP	Oraron
Vegetable and Disc Chirola	(2.92)	250 a OB	Orgran
Vegetable and Rice Spirals		250 g OP	Oraran
Italian long style spaghatti	(2.92)	220 a OP	Orgran
Italian long style spaghetti	2.00 (3.11)	220 g OP	Orgran
	( )		Orgian

# Foods And Supplements For Inborn Errors Of Metabolism

## SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

# **Supplements For Homocystinuria**

	Subsidy (Manufacturer's \$		Fully Subsidised	Brand or Generic Manufacturer
upplements For MSUD				
/INOACID FORMULA WITHOUT VALINE, LEUCINE AND ISC Hospital pharmacy [HP3]	DLEUCINE – S	pecial Authorit	ty see SA	1108 on the previous p
Powder		500 g OP		ISUD Maxamaid ISUD Maxamum
upplements For PKU				
/INOACID FORMULA WITHOUT PHENYLALANINE – Specia P3]	I Authority see S	SA1108 on the	previous	page – Hospital pharm
Tabs		75 OP	🖌 P	hlexy 10
Powder (unflavoured) 29 g sachets		30	🖌 P	KU Anamix Junior
Infant formula	174.72	400 g OP	🖌 P	KU Anamix Infant
Powder (orange)	221.00	500 g OP	🖌 X	P Maxamaid
	320.00		🖌 X	P Maxamum
Powder (unflavoured)	221.00	500 g OP	🖌 X	P Maxamaid
	320.00		🖌 X	P Maxamum
Liquid (berry)	13.10	125 ml OF	° 🖌 P	KU Anamix Junior
Liquid (citrus)		62.5 ml OF	° 🖌 P	KU Lophlex LQ 10
	31.20	125 ml OF	Р 🖌 Р	KU Lophlex LQ 20
Liquid (forest berries)		250 ml OF	Р 🖌 Е	asiphen Liquid
Liquid (juicy berries)		62.5 ml OF	° 🖌 P	KU Lophlex LQ 10
	31.20	125 ml OF	° 🖌 P	KU Lophlex LQ 20
Liquid (juicy orange)	15.65	62.5 ml OF		KU Lophlex LQ 10
	31.20	125 ml OF		KU Lophlex LQ 20
Liquid (orange)	13.10	125 ml OF		KU Anamix Junior
Liquid (unflavoured)	13.10	125 ml OF	° 🖌 P	KU Anamix Junior
				asiphen Liquid

# Foods

LOW PROTEIN BAKING MIX – Special Authority see SA110 Powder			oharmacy [HP3] Loprofin Mix
LOW PROTEIN PASTA - Special Authority see SA1108 on the	ne previous page – H	lospital pharma	acy [HP3]
Animal shapes	11.91	500 g OP	Loprofin
Lasagne	5.95	250 g OP	<ul> <li>Loprofin</li> </ul>
Low protein rice pasta	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Macaroni	5.95	250 g OP	<ul> <li>Loprofin</li> </ul>
Penne	11.91	500 g OP	Loprofin
Spaghetti	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>
Spirals	11.91	500 g OP	<ul> <li>Loprofin</li> </ul>

# Infant Formulae

# For Premature Infants

PRETERM POST-DISCHARGE INFANT FORMULA	- Special Authority see SA1	198 on the next	page – Hospital pharmacy [HP3]
Powder		400 g OP	S-26 Gold Premgro

SPECIAL FOODS

Subsidy	Fully	Brand or
(Manufacturer's	Price) Subsidised	Generic
\$	Per 🗸	Manufacturer

### ➡SA1198 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Either:
  - 2.1 The infant has faltering growth (downward crossing of percentiles); or
  - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

# For Williams Syndrome

### SA1110 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powde	r	 	44.40	400 g OP	Locaso	)I

# **Gastrointestinal and Other Malabsorptive Problems**

Powder6.0	0 48.5 g OP	Vivonex Pediatric
53.0	0 400 g OP	Neocate LCP
Powder (unflavoured)53.0	0 400 g OP	Elecare
	0	Elecare LCP
		Neocate Advance
		Neocate Gold
Powder (vanilla)	0 400 g OP	Elecare
	0	Neocate Advance

### ➡SA1219 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

- continued...
  - 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
  - 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

### Karicare Aptamil

### SA1380 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  - 1.2 Either:
    - 1.2.1 Soy milk formula has been trialled without resolution of symptoms; or
    - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Step Down from Amino Acid Formula) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

All of the following:

- 1 The infant is currently receiving funded amino acid formula; and
- 2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

# **Ketogenic Diet**

### ➡SA1197 Special Authority for Subsidy

**Initial application** only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special Authority see SA1197 above - Retail pharmacy

Powder (unflavoured)	300 g OP	<ul> <li>KetoCal 4:1</li> <li>Ketocal 3:1</li> </ul>
Powder (vanilla)35.50	300 g OP	✓ KetoCal 4:1

# Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE ✓ Inj 1 in 1,000, 1 ml ampoule5 ✓ Inj 1 in 10,000, 10 ml ampoule5
AMINOPHYLLINE ✓ Inj 25 mg per ml, 10 ml5
AMIODARONE HYDROCHLORIDE Inj 50 mg per ml, 3 ml ampoule6
AMOXYCILLIN ✓ Cap 250 mg
AMOXYCILLIN CLAVULANATE ✓ Tab amoxycillin 500 mg with potassium clavulanate 125 mg
<ul> <li>Grans for oral liq amoxycillin 125 mg with potassium clavulanate 31.25 mg per 5 ml</li></ul>
ASPIRIN ✓ Tab dispersible 300 mg
ATROPINE SULPHATE Inj 600 mcg per ml, 1 ml ampoule
AZITHROMYCIN V Tab 500 mg – See note on page 928
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] V Tab 2.5 mg – See note on page 59
BENZATHINE BENZYLPENICILLIN V Inj 1.2 mega u per 2.3 ml
BENZTROPINE MESYLATE V Inj 1 mg per ml, 2 ml
BENZYLPENICILLIN SODIUM (PENICILLIN G) ✔ Inj 600 mg5
BLOOD GLUCOSE DIAGNOSTIC TEST METER ✓ Meter with 50 lancets, a lancing device and 10 diagnostic test strips – Subsidy by endorsement – See note on page 30
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP ✓ Blood glucose test strips – See note on page 30

BLOOD KETONE DIAGNOSTIC TEST METER ✔ Meter – See note on page 291
<ul> <li>CEFTRIAXONE</li> <li>✓ Inj 500 mg vial – Subsidy by endorsement – See note on page 92</li></ul>
CHARCOAL ✓ Oral liq 50 g per 250 ml 250 ml
CHLORPROMAZINE HYDROCHLORIDE ✓ Tab 10 mg
CIPROFLOXACIN ✓ Tab 250 mg – See note on page 955 ✓ Tab 500 mg – See note on page 955
<ul> <li>CO-TRIMOXAZOLE</li> <li>✓ Tab trimethoprim 80 mg and sulphamethoxazole 400 mg30</li> <li>✓ Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml</li></ul>
COMPOUND ELECTROLYTES  Powder for oral soln10
CONDOMS       144         49 mm
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs
<ul> <li>✓ Tab 1 mg - Retail pharmacy-Specialist</li></ul>

# (continued)

DEXAMETHASONE PHOSPHATE
✓ Inj 4 mg per ml, 1 ml ampoule – See note on page 83
✓ Inj 4 mg per ml, 2 ml ampoule – See note on page 83
DEXTROSE ✓ Inj 50%, 10 ml
DIAPHRAGM         ✓ 65 mm – See note on page 771         ✓ 70 mm – See note on page 771         ✓ 75 mm – See note on page 771         ✓ 80 mm – See note on page 771
DIAZEPAM ✓ Inj 5 mg per ml, 2 ml – Subsidy by endorsement – See note on page 1335 ✓ Rectal tubes 5 mg5 ✓ Rectal tubes 10 mg5
DICLOFENAC SODIUM ✓ Inj 25 mg per ml, 3 ml
DIGOXIN ✓ Tab 62.5 mcg
DOXYCYCLINE HYDROCHLORIDE           Tab 50 mg
ERGOMETRINE MALEATE ✔ Inj 500 mcg per ml, 1 ml
ERYTHROMYCIN ETHYL SUCCINATE         ✓           ✓ Tab 400 mg
ERYTHROMYCIN STEARATE Tab 250 mg
ETHINYLOESTRADIOL WITH DESOGESTREL Tab 20 mcg with desogestrel 150 mcg and 7 inert tab
ETHINYLOESTRADIOL WITH LEVONORGESTREL ✓ Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab
✓ Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab

Tab 30 mcg with levonorgestrel 150 mcg63 ✓ Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab84
ETHINYLOESTRADIOL WITH NORETHISTERONE <ul> <li>Tab 35 mcg with norethisterone 1 mg63</li> <li>Tab 35 mcg with norethisterone 1 mg and 7 inert tab</li></ul>
FLUCLOXACILLIN SODIUM       30         Grans for oral liq 125 mg per 5 ml       200 ml         Grans for oral liq 250 mg per 5 ml       200 ml         Inj 1 g       5
FLUPENTHIXOL DECANOATE         ✓ Inj 20 mg per ml, 1 ml         ✓ Inj 20 mg per ml, 2 ml         ✓ Inj 100 mg per ml, 1 ml
FLUPHENAZINE DECANOATE         ✓ Inj 12.5 mg per 0.5 ml, 0.5 ml         ✓ Inj 25 mg per ml, 1 ml         ✓ Inj 100 mg per ml, 1 ml
FUROSEMIDE [FRUSEMIDE]           ✓ Tab 40 mg
GLUCAGON HYDROCHLORIDE V Inj 1 mg syringe kit5
GLYCERYL TRINITRATE ✓ Tab 600 mcg
HALOPERIDOL ✓ Tab 500 mcg
HALOPERIDOL DECANOATE ✓ Inj 50 mg per ml, 1 ml
HYDROCORTISONE ✓ Inj 100 ml vial
HYDROXOCOBALAMIN ✓ Inj 1 mg per ml, 1 ml
continued

# PRACTITIONER'S SUPPLY ORDERS

continued) HYOSCINE N-BUTYLBROMIDE ✔ Inj 20 mg, 1 ml5	
INTRA-UTERINE DEVICE ✓ IUD40	
IPRATROPIUM BROMIDE ✓ Nebuliser soln, 250 mcg per ml, 1 ml40 ✓ Nebuliser soln, 250 mcg per ml, 2 ml40	
IVERMECTIN V Tab 3 mg – See note on page 71100	
KETONE BLOOD BETA-KETONE ELECTRODES ✓ Test strip	
LEVONORGESTREL Tab 30 mcg	
LIDOCAINE [LIGNOCAINE] ✓ Gel 2%, 10 ml urethral syringe – Subsidy by endorsement – See note on page 1265	
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE ✓ Inj 1%, 5 ml ampoule	
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE ✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement – See note on page 1265	
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg	
MASK FOR SPACER DEVICE ✓ Size 2 – See note on page 19320	
MEDROXYPROGESTERONE ACETATE Inj 150 mg per ml, 1 ml syringe	
METOCLOPRAMIDE HYDROCHLORIDE Inj 5 mg per ml, 2 ml	
METRONIDAZOLE ✓ Tab 200 mg30	
MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml – Only on a controlled drug form	

✓ Inj 15 mg per ml, 1 ml – Only on a controlled drug form
✓ Inj 30 mg per ml, 1 ml – Only on a controlled drug form
NALOXONE HYDROCHLORIDE V Inj 400 mcg per ml, 1 ml5
NICOTINE              Patch 7 mg – See note on page 153
NORETHISTERONE ✔ Tab 350 mcg
OXYTOCIN ✓ Inj 5 iu per ml, 1 ml ampoule
PARACETAMOL ✓ Tab 500 mg
PEAK FLOW METER ✓ Low range
<ul> <li>PETHIDINE HYDROCHLORIDE</li> <li>✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form</li></ul>
PHENOXYMETHYLPENICILLIN (PENICILLIN V)         Cap potassium salt 250 mg         Cap potassium salt 500 mg         Carp ortassium salt 500 mg         Grans for oral liq 125 mg per 5 ml         Grans for oral liq 250 mg per 5 ml         Grans for oral liq 250 mg per 5 ml
PHENYTOIN SODIUM ✓ Inj 50 mg per ml, 2 ml

#### (continued)

PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml
PIPOTHIAZINE PALMITATE           ✓ Inj 50 mg per ml, 1 ml           ✓ Inj 50 mg per ml, 2 ml
PREDNISOLONE SODIUM PHOSPHATE ✓ Oral liq 5 mg per ml – See note on page 84
PREDNISONE V Tab 5 mg
PREGNANCY TESTS - HCG URINE Cassette
PROCAINE PENICILLIN Vinj 1.5 mega u5
PROCHLORPERAZINE ✓ Tab 5 mg
PROMETHAZINE HYDROCHLORIDE V Inj 25 mg per ml, 2 ml
SALBUTAMOL ✓ Inj 500 mcg per ml, 1 ml

# SALBUTAMOL WITH IPRATROPIUM BROMIDE ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ......20 SILVER SULPHADIAZINE SODIUM BICARBONATE ✓ Inj 8.4%, 100 ml......5 SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 51 ...... 2000 ml ✓ Inj 0.9%, 5 ml – See note on page 51......5 SPACER DEVICE SPACER DEVICE AUTOCLAVABLE ✓ 230 ml (autoclavable) – Subsidy by endorsement - See note on page 193 .....5 TRIMETHOPRIM VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule ......5 WATER ✓ Purified for inj, 5 ml – See note on page 51......5 ✓ Purified for inj, 10 ml – See note on page 51......5 ZUCLOPENTHIXOL DECANOATE

1	ni 200	ma per ml.	1	ml	5
• •		Ing per mi,			-

# **Rural Areas for Practitioner's Supply Orders**

# NORTH ISLAND

Northland DHB Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

### Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

### Auckland DHB

Great Barrier Island Oneroa Ostend

#### Counties Manukau DHB Tuakau

Waiuku

#### Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

# Bay of Plenty DHB

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

# Lakes DHB

Mangakino Turangi

#### Tairawhiti DHB

Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

#### Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

#### Hawkes Bay DHB

Chatham Islands Waipawa Waipukurau Wairoa Whanganui DHB Bulls Marton Ohakune Raetihi Taihape Waiouru

### MidCentral DHB

Dannevirke Foxton Levin Otaki Pahiatua Shannon Woodville

### Wairarapa DHB

Carteron Featherston Greytown Martinborough

### SOUTH ISLAND

#### Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

### West Coast DHB

Dobson Greymouth Hokitika Karamea Reefton South Westland Westport Whataroa

# **Canterbury DHB**

Akaroa Amberley Amuri Cheviot Darfield Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia Rolleston Rotherham Templeton Waikari

### South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

#### Southern DHB

Alexandra Balclutha Cromwell Gore Kurow I awrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah Tapanui Te Anau Tokonui Tuatapere Wanaka Winton

# SECTION F: PART I

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

# SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility;
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

# SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a **\*** within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a \* please refer to Section F; Part II
- Note the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

### ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

**INSULIN GLARGINE** 

**INSULIN GLULISINE** 

**INSULIN ISOPHANE** 

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

**INSULIN NEUTRAL** 

### CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

# FLECAINIDE ACETATE

Tab 50 mgTambocorTab 100 mgTambocorCap long-acting 100 mgTambocor CRCap long-acting 200 mgTambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

# HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

#### DESMOPRESSIN

Nasal drops 100 mcg Minirin per ml Nasal spray 10 mcg per Desmopressin-PH&T dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

### NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LACOSAMIDE

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PERGOLIDE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

# SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

# Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

# Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

# Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

### ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE Oral lig 30 mg (6 mg el- Ferodan emental) per 1 ml

### CARDIOVASCULAR SYSTEM

AMILOBIDE HYDROCHLOBIDE Oral liq 1 mg per ml Biomed

CAPTOPRIL Oral lig 5 mg per ml Capoten

**CHLOROTHIAZIDE** Oral lig 50 mg per ml Biomed

DIGOXIN Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE] Oral lig 10 mg per ml Lasix

SPIBONOI ACTONE Oral lig 5 mg per ml

### HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

Biomed

I FVOTHYROXINF Tab 25 mcg Synthroid Tab 50 mcg Eltroxin Mercury Pharma Synthroid Eltroxin Tab 100 mcg Mercurv Pharma Synthroid

(Extemporaneously compounded oral liquid preparations)

### INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE Tab 300 mg Q 300 (Extemporaneously compounded oral liquid preparations)

### MUSCULOSKELETAL SYSTEM

**IBUPROFEN** Oral lig 20 mg per ml Fenpaed

### NERVOUS SYSTEM

AI PRAZOLAM Tab 250 mcg Xanax Xanax Tab 500 mcg Tab 1 mg Xanax (Extemporaneously compounded oral liquid preparations)

#### CARBAMAZEPINE

Oral lig 100 mg per 5 ml Tegretol

CLOBAZAM Frisium Tab 10 mg (Extemporaneously compounded oral liquid preparations)

CLONAZEPAM Oral drops 2.5 mg per Rivotril ml

DIAZEPAM Tab 2 mg Arrow-Diazepam Arrow-Diazepam Tab 5 mg (Extemporaneously compounded oral liquid preparations)

**ETHOSUXIMIDE** Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM Tab 1 mg Ativan Ativan Tab 2.5 mg (Extemporaneously compounded oral liquid preparations)

#### **I ORMETAZEPAM**

Tab 1 mg Noctamid (Extemporaneously compounded oral liquid preparations)

### METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone **Biodone Forte** Oral lig 5 mg per ml Oral lig 10 mg per ml

**Biodone Extra Forte** 

#### MORPHINE HYDROCHLORIDE

Oral lig 1 mg per ml Oral lig 2 mg per ml Oral lig 5 mg per ml Oral lig 10 mg per ml

RA-Morph **RA-Morph RA-Morph RA-Morph** 

#### NITRA7FPAM

Nitrados Tab 5 mg (Extemporaneously compounded oral liquid preparations)

#### OXAZEPAM

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam (Extemporaneously compounded oral liquid preparations)

**OXYCODONE HYDROCHLORIDE** Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL Oral lig 120 mg per 5 ml **Ethics Paracetamol** Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM Oral lig 30 mg per 5 ml Dilantin

235

# SAFETY CAP MEDICINES

SODIUM VALPROATE Oral liq 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

TEMAZEPAM Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

TRIAZOLAM Tab 125 mcg Hypam Tab 250 mcg Hypam (Extemporaneously compounded oral liquid preparations)

### **RESPIRATORY SYSTEM AND ALLERGIES**

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Cetirizine - AFT

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE Oral liq 5 mg per 5 ml Allersoothe SALBUTAMOL Oral liq 400 mcg per ml Ventolin

THEOPHYLLINE Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

# NATIONAL IMMUNISATION SCHEDULE

	Quitait		E. II.	Desard an
	Subsidy (Manufacturer's Price) \$	) Su Per	Fully bsidised	Brand or Generic Manufacturer
Vaccinations				
<ul> <li>BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm]</li> <li>For infants at increased risk of tuberculosis. Increased risk is</li> <li>1) living in a house or family with a person with current or p</li> <li>2) have one or more household members or carers who with the other of the other sectors with the other sectors with a person with the other sectors with a sector of the other sectors with a sector of the other sectors with a sector sector sector sector sectors with a sector sector sector sector sectors with a sector s</li></ul>	past history of TB or ithin the last 5 years I in a country with a ra w.moh.govt.nz/immuni	ite of TB :	> or equa	l to 40 per 100,000
DIPHTHERIA AND TETANUS VACCINE – [Xpharm] For adults aged 45 and 65 years old, and for susceptible ind Inj 0.5 ml		1	🗸 A	DT Booster
DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE – [Xphar For children aged 11 years old and pregnant women betwee Inj 0.5 ml	n gestional weeks 28	and 38 d 1		demics. <b>oostrix</b>
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE - For children aged 4 years old. Inj 0.5 ml		1	🗸 In	fanrix-IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AN For children aged 6 weeks, 3 months, and 5 months old.	ND HAEMOPHILUS I			
Inj 0.5 ml HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm]	0.00	1	🗸 In	fanrix-hexa
For children aged 15 months old, children aged 0-16 years v Inj 0.5 ml		a, or for p 1		re- and post-splenectomy. <b>ct-HIB</b>
<ul> <li>HEPATITIS A VACCINE – [Xpharm]</li> <li>A single dose of hepatitis A vaccine is funded for the followin officer of health:</li> <li>Children, aged 1-4 years inclusive who reside in Ashburto</li> <li>Children, aged 1-9 years inclusive, residing in Ashburton</li> <li>Children, aged 1-9 years inclusive, who attend a presch</li> <li>Children, aged older than 9 years, who attend a school of Inj</li> </ul>	ton district; or n; or ool or school in Ashbi with children aged 9 y	urton; or	or less, in	
HEPATITIS B VACCINE - [Xpharm]	0.00	I	VП	
For household or sexual contacts of known hepatitis B carr antigen (HBsAg) postive. Inj 0.5 ml	,	oorn to m		ho are hepatitis B surface
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV] Three doses over a period of six months for young women a Inj 0.5 ml	– [Xpharm] ged between 12 and	-	old.	ardasil
INFLUENZA VACCINE – [Xpharm] Inj 45 mcg in 0.5 ml syringe	90.00	10		luarix fluvac

# NATIONAL IMMUNISATION SCHEDULE

Subsidy (Manufacturer's Price) ¢	Subsidised	Generic
\$	Per 🗸	Manufacturer

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
  - a) all people 65 years of age and over;
  - b) people under 65 years of age who:
    - i) have any of the following cardiovascular disease:
      - a) ischaemic heart disease,
      - b) congestive heart disease,
      - c) rheumatic heart disease,
      - d) congenital heart disease, or
      - e) cerebo-vascular disease;
    - ii) have either of the following chronic respiratory disease:
      - a) asthma, if on a regular preventative therapy, or
      - b) other chronic respiratory disease with impaired lung function;
    - iii) have diabetes;
    - iv) have chronic renal disease;
    - v) have any cancer, excluding basal and squamous skin cancers if not invasive;
    - vi) have any of the following other conditions:
      - a) autoimmune disease,
      - b) immune suppression,
      - c) HIV,
      - d) transplant recipients,
      - e) neuromuscular and CNS diseases,
      - f) haemoglobinopathies, or
      - g) are children on long term aspirin, or
    - vii) are pregnant
  - c) people under 18 years of age living within the boundaries of the Canterbury District Health Board.
  - children aged four and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

### MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

For children aged 15 months and 4 years old or for any individual susceptible to measles, mumps or rubella.

Inj 0.5 ml0.00 1 🖌 M-M-R
INJ 0.5 MI

### MENINGOCOCCAL A, C, Y AND W-135 VACCINE - [Xpharm]

For patients pre- and post-splenectomy	or children aged 0-10	6 years with functio	nal asplenia.	For organisation	and community
based outbreaks.					
Inj 0.5 ml		0.00	1	<ul> <li>Menomune</li> </ul>	

### PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm]

For high risk c	hildren	under the	age of 5 an	d those a	ged less than	16 years pre- c	or post-sple	enectom	y or with functi	onal asplenia.
Ini 0.5 ml						0.00	1	~	Prevenar 13	

# PNEUMOCOCCAL POLYSACCHARIDE VACCINE – [Xpharm]

# For patients pre- and post-splenectomy or children aged 0-16 years with functional asplenia.

Inj 0.5 ml ......0.00 1 🖌 Pneumovax 23

# NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PNEUMOCOCCAL VACCINE – [Xpharm] For children aged 6 weeks, 3 months, and 5 months, and 15 m Inj 0.5 ml		1	✓ Sj	ynflorix
POLIOMYELITIS VACCINE – [Xpharm] A primary course of three doses for previously unvaccinated in Inj 0.5 ml		1	🖌 IP	OL

- Symbols -	
3TC	.110
50X 3.0 Reservoir	36
- A -	
A-Lices	73
A-Scabies	
Abacavir sulphate	
Abacavir sulphate	.110
Abacavir sulphate with	
lamivudine	
Abilify	
ABM Hydroxocobalamin	
Acarbose	
Accarb	
Accu-Chek Ketur-Test	
Accu-Chek Performa	30
Accuretic 10	53
Accuretic 20	53
Acetadote	.198
Acetazolamide	.195
Acetec	
Acetic acid with 1, 2- propanediol	
diacetate and	
benzethonium	194
Acetic acid with hydroxyquinoline	
and ricinoleic acid	. 80
Acetylcysteine	
Aci-Jel	
Aciclovir	
Infection	104
Sensory	
Acidex	
Acipimox	
Acitretin	
Aclasta	
Aclin	
Act-HIB	
Actinomycin D	
Actrapid	28
Acupan	.127
Adalat 10	
Adalat Oros	57
Adalimumab	
Adapalene	
Adefin XL	
Adefovir dipivoxil	.102
ADR Cartridge 1.8 ADR Cartridge 3.0	36
Adrenaline	
Adriamycin	.160
ADT Booster	.237
Advantan	68

Advate	
AFT-Pyrazinamide	101
Agents Affecting the	
Renin-Angiotensin System	52
Agents for Parkinsonism and	
Related Disorders	124
Agents Used in the Treatment of	
Poisonings	198
Agrylin	
Alanase	
Albay	
Albendazole	
Albustix	
Aldara	
Alendronate sodium	
Alendronate sodium with	
cholecalciferol	110
Alfacalcidol	
Alginic acid	
Alitraq	
Alkeran	
Allersoothe	
Allopurinol Alpha Adrenoceptor Blockers	122
Alpha Adrenoceptor Blockers	52
Alpha-Keri Lotion	70
Alphamox	
Alprazolam	
Alu-Tab	
Aluminium hydroxide	24
Amantadine hydrochloride	
Ambrisentan	
Amiloride hydrochloride	59
Amiloride hydrochloride with	
furosemide	59
Amiloride hydrochloride with	
hydrochlorothiazide	59
Aminophylline	192
Amiodarone hydrochloride	54
Amisulpride	
Amitrip	
Amitriptyline	130
Amlodipine	57
Amorolfine	66
Amoxycillin	93
Amoxycillin clavulanate	94
Amphotericin B	
Amsacrine	158
Amsidine	
Amyl nitrite	
Anaesthetics	
Anagrelide hydrochloride	158
Analgesics	

Anastrozole	170
Andriol Testocaps	
Androderm	84
Animas Battery Cap	32
Animas Cartridge	
Animas Vibe	32
Antabuse	153
Antacids and Antiflatulants	
Anten	
Anthelmintics	
Antiacne Preparations	
Antiallergy Preparations	107
Antianergy Freparations	10/
Antianaemics Antiandrogen Oral	44
Contraceptives	00
Antiarrhythmics	
Antibacterials	91
Antibacterials Topical	
Anticholinesterases	115
Antidepressants	130
Antidiarrhoeals	24
Antiepilepsy Drugs	132
Antifibrinolytics, Haemostatics	
and Local Sclerosants Antifungals	45
Antifungals	98
Antifungals Topical	66
Antihistamines	187
Antihypotensives	55
Antimalarials	100
Antimigraine Preparations	137
Antinaus	138
Antinausea and Vertigo	
Agents	137
Antiparasitics	100
Antipruritic Preparations	67
Antipsychotics	139
Antiretrovirals	108
Antiretrovirals - Additional	
Therapies	111
Antirheumatoid Agents	116
Antispasmodics and Other	
Agents Altering Gut	
Motility	
Antithrombotic Agents	
Antithymocyte globulin	
(equine)	176
Antitrichomonal Agents	
Antituberculotics and	
Antileprotics	101
Antiulcerants	26
Antivirals	
Anxiolytics	

Anzatax161
Apidra28
Apidra SoloStar28
Apo-Allopurinol122
Apo-Amiloride59
Apo-Amlodipine57
Apo-Amoxi
Apo-Azithromycin92
Apo-Bromocriptine124
Apo-Ciclopirox66
Apo-
Cilazapril/Hydrochlorothiazide53
Apo-Cimetidine26
Apo-Clarithromycin
Alimentary
Infection
Apo-Clomipramine130
Apo-Diclo115
Apo-Diltiazem CD57
Apo-Doxazosin
Apo-Folic Acid44
Apo-Gliclazide29
Apo-Megestrol168
Apo-Moclobemide131
Apo-Nadolol
Apo-Nicotinic Acid60
Apo-Oxybutynin81
Apo-Perindopril53
Apo-Pindolol
Apo-Prazo52
Apo-Prazosin
Apo-Prednisone
Apo-Prednisone S2984
Apo-Primidone135
Apo-Propranolol
Apo-Pyridoxine41
Apo-Risperidone142
Apo-Ropinirole
Apo-Selegiline125
Apo-Selegiline S29125
Apo-Thiamine41
Apo-Timol
Apo-Zopiclone148
Apomine
Apomorphine hydrochloride124
Aprepitant137
Apresoline62
Aquasun 30+75
Aqueous cream70
Aratac
Arava116
Aremed170
Arimidex170

Aripiprazole139
Aristocort69
Aromasin170
Arrow - Clopid46
Arrow Amitriptyline130
Arrow-Bendrofluazide
Arrow-Brimonidine
Arrow-Calcium
Arrow-Citalopram131
Arrow-Diazepam145
Arrow-Doxorubicin
Arrow-Etidronate
Arrow-Fluoxetine
Arrow-Gabapentin133
Arrow-Lamotrigine135
Arrow-Lisinopril53
Arrow-Losartan &
Hydrochlorothiazide54
Arrow-Meloxicam116
Arrow-Morphine LA129
Arrow-Nifedipine XR57
Arrow-Norfloxacin114
Arrow-Ornidazole100
Arrow-Quinapril 1053
Arrow-Quinapril 2053
Arrow-Quinapril 553
Arrow-Ranitidine
Arrow-Roxithromycin
Arrow-Sertraline131
Arrow-Simva 10mg60
Arrow-Simva 20mg60
Arrow-Simva 40mg60
Arrow-Simva 80mg60
Arrow-Sumatriptan137
Arrow-Timolol195
Arrow-Tolterodine82
Arrow-Topiramate136
Arrow-Tramadol130
Arrow-Venlafaxine XR132
Arsenic trioxide
Asacol
Asamax
Ascorbic acid41
Aspec 300127
Aspec 300
Aspen Aurenaline
Aspen Ceftriaxone92
Aspirin Blood46
Nervous127
Asthalin190
Atazanavir sulphate111
Atenolol55
Atenolol AFT55

ATGAM176
Ativan145
Atomoxetine148
Atorvastatin60
Atripla110
Atropine sulphate
Cardiovascular54
Sensory196
Atropt196
Atrovent190
Augmentin94
Auranofin116
Ava 20 ED78
Ava 30 ED78
Avanza131
Avelox96
Avomine138
Avonex147
Avonex Pen147
Azamun170
Azathioprine170
Azithromycin92
Azol
Azopt195
AZT110
- B -
B-D Micro-Fine31
B-D Ultra Fine31
B-D Ultra Fine31 B-D Ultra Fine II31
B-D Ultra Fine31 B-D Ultra Fine II31 Bacillus Calmette-Guerin (BCG)
B-D Ultra Fine
B-D Ultra Fine       31         B-D Ultra Fine II       31         Bacillus Calmette-Guerin (BCG)       vaccine         vaccine       176         Bacillus Calmette-Guerin       vaccine         vaccine       237         Baclofen       123         Bactroban       66         Bakels Gluten Free Health Bread       Mix         Mix       222         Baraclude       103         Barrier Creams and       70         Batrafen       66         BCG Vaccine       237         Beclazone 100       188         Beclazone 50       188         Beclomethasone       dipropionate         Mix       188, 192
B-D Ultra Fine       31         B-D Ultra Fine II       31         Bacillus Calmette-Guerin (BCG)       vaccine         vaccine       176         Bacillus Calmette-Guerin       vaccine         vaccine       237         Baclofen       123         Bactroban       66         Bakels Gluten Free Health Bread       Mix         Mix       222         Baraclude       103         Barrier Creams and       103         Emollients       70         Batrafen       66         BCG Vaccine       237         Beclazone 100       188         Beclazone 50       188         Beclazone 50       188         Beclomethasone       dipropionate         dipropionate       188, 192         Bee venom allergy       treatment         treatment       187
B-D Ultra Fine       31         B-D Ultra Fine II       31         Bacillus Calmette-Guerin (BCG)       vaccine         vaccine       176         Bacillus Calmette-Guerin       vaccine         vaccine       237         Baclofen       123         Bactroban       66         Bakels Gluten Free Health Bread       Mix         Mix       222         Baraclude       103         Barrier Creams and       103         Emollients       70         Batrafen       66         BCG Vaccine       237         Beclazone 100       188         Beclazone 50       188         Beclazone 50       188         Beclomethasone       dipropionate         dipropionate       188, 192         Bee venom allergy       treatment         treatment       187
B-D Ultra Fine
B-D Ultra Fine       31         B-D Ultra Fine II       31         Bacillus Calmette-Guerin (BCG)       vaccine         vaccine       176         Bacillus Calmette-Guerin       vaccine         vaccine       237         Baclofen       123         Bactroban       66         Bakels Gluten Free Health Bread       Mix         Mix       222         Baraclude       103         Barrier Creams and       103         Emollients       70         Batrafen       66         BCG Vaccine       237         Beclazone 100       188         Beclazone 50       188         Beclazone 50       188         Beclomethasone       dipropionate         dipropionate       188, 192         Bee venom allergy       treatment         treatment       187

Benhex71
Benzathine benzylpenicillin94
Benzbromaron AL 100
Derizbioinatori AL 100122
Benzbromarone122
Benzoin204
Benztrop125
Benztropine mesylate
Benzydamine hydrochloride40
Benzylpenicillin sodium (penicillin
G)94
Beta Adrenoceptor Blockers55
Beta Cream
Beta Ointment68
Beta Scalp74
Beta-Adrenoceptor Agonists
Betadine
Betadine Skin Prep71
Betaferon147
Betagan195
Betahistine dihydrochloride137
Betamethasone dipropionate68
Betamethasone dipropionate
belametriasone upropionale
with calcipotriol
Betamethasone sodium
phosphate with
betamethasone acetate
Betamethasone valerate
Retamethasone valerate with
Betamethasone valerate with
clioquinol 69
clioquinol 69 Betamethasone valerate with
clioquinol
clioquinol
clioquinol 69 Betamethasone valerate with
clioquinol
clioquinol69Betamethasone valerate with fusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate-C69Betoptic195Betoptic S195Bezalibrate59Bezalip Retard59Bicalaccord168Bicalutamide168
clioquinol69Betamethasone valerate with fusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate-C69Betoptic195Betoptic S195Bezalip59Bezalip Retard59Bicalutamide168Bicalutamide168Bicillin LA94
clioquinol
clioquinol       69         Betamethasone valerate with       fusidic acid       69         Betaxolol hydrochloride       195         Betnovate       68         Betnovate       69         Betoptic       195         Betoptic       195         Betoptic       195         Betoptic S       195         Bezalip Retard       59         Bezalip Retard       59         Bicalutamide       168         Bicillin LA       94         BiCNU       155         Bitricide       91
clioquinol
clioquinol       69         Betamethasone valerate with       fusidic acid       69         Betaxolol hydrochloride       195         Betnovate       68         Betnovate       69         Betoptic       195         Betoptic       195         Betoptic       195         Betoptic S       195         Bezalip Retard       59         Bezalip Retard       59         Bicalutamide       168         Bicillin LA       94         BiCNU       155         Bitricide       91
clioquinol69Betamethasone valerate with fusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate-C69Betoptic195Betoptic S195Bezafibrate59Bezalip Retard59Bicalaccord168Bicillin LA94BiCNU155Bitricide91Bimatoprost196
clioquinol69Betamethasone valerate withfusidic acidfusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate-C69Betoptic195Betoptic195Betafibrate59Bezalip Retard59Bicalaccord168Bicillin LA94BiCNU155Bithricide91Bimatoprost196Biodone128Biodone Extra Forte128
clioquinol69Betamethasone valerate withfusidic acidfusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate-C69Betoptic195Betaptic195Bezafibrate59Bezalip59Bicaluacord168Bicalutamide168Bicillin LA94Bitricide91Binatoprost196Biodone128Biodone Extra Forte128Biodone Forte128
clioquinol69Betamethasone valerate with fusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate69Betoptic195Betoptic S195Bezalip59Bezalip59Bicalutamide168Bicillin LA94BiCNU155Bittatoprost196Biodone128Biodone128Biodone128Biodone128Bioacodyl39
clioquinol69Betamethasone valerate withfusidic acidfusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate-C69Betoptic195Betoptic S195Bezafibrate59Bezalip59Bicalaccord168Bicillin LA94Bitricide91Bimatoprost196Biodone128Biodone Forte128Biodone Forte128Bisacodyl39Bismuth trioxide27
clioquinol69Betamethasone valerate with fusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate69Betoptic195Betoptic S195Bezalip59Bezalip59Bezalip Retard59Bicalutamide168Bicillin LA94BiCNU155Bitricide91Bimatoprost196Biodone128Biodone Extra Forte128Bisacodyl39Bismuth trioxide27Bisoprolol55
clioquinol69Betamethasone valerate withfusidic acidfusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate69Betoptic195Betoptic S195Bezalip59Bezalip Retard59Bicalaccord168Bicillin LA94BiCNU155Bitricide91Bimatoprost196Biodone128Biodone Extra Forte128Biodone Forte128Bisacodyl39Bismuth trioxide27Bisoprolol55BK Lotion70
clioquinol69Betamethasone valerate with fusidic acid69Betaxolol hydrochloride195Betnovate68Betnovate69Betoptic195Betoptic S195Bezalip59Bezalip59Bezalip Retard59Bicalutamide168Bicillin LA94BiCNU155Bitricide91Bimatoprost196Biodone128Biodone Extra Forte128Bisacodyl39Bismuth trioxide27Bisoprolol55

Blood Colony-stimulating
Factors
Blood glucose diagnostic test
meter
Blood glucose diagnostic test
strip
Blood glucose test strips (visually
impaired)
Blood ketone diagnostic test meter
BNM
Cardiovascular
Genito-Urinary80
Boceprevir
Bonjela40
Boostrix
Bortezomib158
Bosentan63
Bosvate55
Bplex41
Breath-Alert193
Brevinor 1/2179
Brevinor 1/2879
Brevinor 21
Bricanyl Turbuhaler
Brilinta
Brimonidine tartrate
Brimonidine tartrate with timolol maleate
Brinzolamide
Brolene
Bromocriptine mesylate
Brufen115
Brufen SR115
Buccastem138
Budesonide
Alimentary24
Respiratory188, 192
Budesonide with
eformoterol 189
Bumetanide58
Buprenorphrine with
naloxone
Bupropion hydrochloride153
Burinex
Buscopan
Buspirone hydrochloride145
Busulphan155 Butacort Aqueous192
-C-
Cabergoline
Cafergot137 Caffeine citrate193
Janonio olliale

Cal-d-Forte41
Calamine67
Calcipotriol74
Calcitonin83
Calcitriol41
Calcitriol-AFT41
Calcium carbonate24, 42
Calcium Channel Blockers57
Calcium Disodium
Versenate 198
Calcium folinate156
Calcium Folinate Ebewe156
Calcium gluconate42
Calcium Homeostasis83
Calcium polystyrene
sulphonate
Calcium Resonium51
Calogen210
Calsource42
Camptosar157
Candesartan cilexetil53
Candestar53
Canesten66
Capecitabine156
Capoten
Cansaicin
Musculoskeletal System116
Nervous127
Captopril
Carafate
Carbaccord155
Carbamazepine133
Carbimazole
Carbomer
Carboplatin155
Carboplatin Ebewe155
Carbosorb-X198
Cardinol LA
Cardizem CD
CareSens
CareSens II
CareSens N
CareSens N POP30
Carmustine155
Carvedilol55
Catapres
Catapres-TTS-158
Catapres-TTS-2
Catapres-TTS-3
CeeNU
Cefaclor monohydrate91
Cefalexin monohydrate
ออเฉเองแก กายกอกฐนาณธ
Cefalexin Sandoz91

Cefazolin sodium91
Cefriaxone-AFT92
Ceftriaxone92
Ceftriaxone-AFT92
Cefuroxime axetil
Celuloxime axeli
Cefuroxime sodium92
Celestone Chronodose83
Celiprolol55
Cellcept170
Celol
Centrally-Acting Agents
Cephalexin ABM91
Cerezyme
Cetirizine - AFT187
Cetirizine hydrochloride187
Cetomacrogol70
Cetomacrogol with glycerol70
Champix154
Charcoal198
Chemotherapeutic Agents
Chlorafast194
Chlorambucil155
Chloramphenicol194
Chlorhexidine gluconate
Alimentary40
Dermatological69
Chloroform204
Chlorothiazide
Chlorpheniramine maleate
Chlorpromazine
hydrochloride 139
Chlorsig194
Chlortalidone
[Chlorthalidone]59
Chlorthalidone
Chlorvescent
Cholecalciferol41
Cholestyramine
Choline salicylate with
cetalkonium chloride 40
Cholvastin60
Ciclopirox olamine66
Cilazapril52
Cilazapril with
hydrochlorothiazide
Cilicaine
Cilicaine VK
Ciloxan
Cimetidine26
Cipflox95
Ciprofloxacin
Infection95
Sensory194

Ciprofloxacin Rex	
Alimentary26	
Infection92	
Clexane	
Climara 10085	
Climara 5085	
Clindamycin95	
Clindamycin ABM95	
Clobazam133	
Clobetasol propionate68, 74	
Clobetasone butyrate68	
Clofazimine	
Clomazol	
Dermatological	
Genito-Urinary80	
Clomiphene citrate90	
Clomipramine hydrochloride	
Clonazepam	
Clonidine	
Clonidine BNM	
Clonidine hydrochloride58	
Clopidogrel46	
Clopine140	
Clopixol143, 145	
Clotrimazole	
Dermatological66	
Genito-Urinary80	
Clozapine140	
Clozaril140	
Co-Renitec53	
Co-trimoxazole95	
Coal tar74	
Coal tar with allantoin, menthol,	
phenol and sulphur74	
Coal tar with salicylic acid and	
sulphur	
Coco-Scalp74	
Codeine phosphate	
Extemporaneous204	
Nervous127	
Cogentin125 Colaspase [L-asparaginase]159	
Colaspase [L-asparaginase]	
Colchicine	
Colestid60	
Colestipol hydrochloride60	
Colgout123	
Colifoam25	
Colistin sulphomethate96	

Colistin-Link96	
Collodion flexible204	
Colofac26	
Coloxyl	
Combigan196	
Combivir111	
Comfort	
Comfort Short34	ł
Compound electrolytes51	
Compound	
hydroxybenzoate	ł
Concerta151	
Condoms77	,
Condyline75	5
Contact-D	3
Contraceptives - Hormonal78	3
Contraceptives -	
Non-hormonal77	1
Copaxone147	1
Corangin61	
Cordarone-X54	L
Corticosteroids and Related	
Agents for Systemic Use	2
Corticosteroids Topical	
Cosmegen159	, ,
Cosopt196	
Coumadin49	
Coversyl	
Creon 1000037	
Creon 2500037	
Creon Forte	
Crixivan111	
Crotamiton67	
Crystaderm66 Curam Duo94	) 
Cvite	
Cyclizine hydrochloride	
Cyclizine lactate	
Cycloblastin155	)
Cyclogyl196	)
Cyclopentolate	
hydrochloride 196	;
Cyclophosphamide155	
Cycloserine101	
Cyclosporin185	
Cyklokapron46	;
Cyproterone acetate84	ł
Cyproterone acetate with	
ethinyloestradiol	)
Cytarabine156	5
Cytotec26	
Cytoxan155	;

- D -	
D-Penamine	116
d4T	110
Dabigatran	49
Dacarbazine	159
Dactinomycin [Actinomycin	
D]	159
Daivobet	7/
Daivonex	
Daktarin	67
Dalacin C	05
Dalteparin sodium	
Danepalin Soulum	47
Danazol	90
Danthron with poloxamer	
Dantrium	123
Dantrolene	
Daonil	
Dapa-Tabs	59
Dapsone	101
Daraprim	97
Darunavir	
Dasatinib	163
Daunorubicin	159
DBL Aminophylline	192
DBL Bleomycin Sulfate	158
DBL Carboplatin	155
DBL Doxorubicin	160
DBL Doxorubicin S29	160
DBL Epirubicin	
Hydrochloride	160
DBL Ergometrine	
DBL Gemcitabine	
DBL Leucovorin Calcium	156
DBL Morphine Sulphate	120
DBL Pethidine	120
Hydrochloride	120
DBL Tobramycin	07
DDI	
De Nol	27
De-Worm	1 ∠
Decozol	91
Decozol	40
Deferiprone	198
Deoxycoformycin	101
Depo-Medrol	83
Depo-Medrol with Lidocaine	
Depo-Provera	79
Depo-Testosterone	
Deprim	95
Dermol68	, 74
Desferrioxamine mesylate	198
Desmopressin	89
Desmonressin-PH&T	80

Detection of Substances in
Urine82
Dexamethasone
Hormone83
Sensory195
Dexamethasone phosphate
Dexamethasone with framycetin
and gramicidin
Dexamethasone with neomycin
and polymyxin b sulphate
Dexamethasone-hameln
Dexamphetamine sulphate
Dextrochlorpheniramine
maleate
Dextrose
Dextrose with electrolytes51
DHC Continus127
Diabetes27
Diabetes Management29
Diacomit135
Diamide Relief24
Diamox195
Diaphragm77
Diasip211
Diason RTH211
Diazepam133, 145
Diazoxide27
Dibenyline52
Diclax SR115
Diclofenac sodium
Musculoskeletal System
Sensory195
Didanosine [DDI]110
Differin
Difflam40
Diflucan
Diflucortolone valerate
Digestives Including
Enzymes
Elizyilles
Digoxin54 Dihydrocodeine tartrate
Dilantin
Dilantin Infatab135
Dilatrend55
Diltiazem hydrochloride57
Dilzem
Dimethicone70
Dipentum25
Diphtheria and tetanus
vaccine237
Diphtheria, tetanus and pertussis
vaccine
Diphtheria, tetanus, pertussis

and polio vaccine	237
Diphtheria, tetanus, pertussis,	
polio, hepatitis B and	
haemophilus influenzae type	В
vaccine	
Diprosone	68
Diprosone OV	68
Dipyridamole	
Disinfecting and Cleansing	
Agents	69
Disipal	125
Disopyramide phosphate	54
Disulfiram	
Diuretics	
Diurin 40	
Docetaxel	
Docetaxel Sandoz	159
Docusate sodium	
Docusate sodium with	
sennosides	38
Domperidone	
Donepezil hydrochloride	
Donepezil-Rex	152
Dopergin	124
Dopress	
Dornase alfa	
Dorzolamide hydrochloride	
Dorzolamide hydrochloride with	
timolol maleate	196
Dostinex	
Dothiepin hydrochloride	
Doxazosin	
Doxepin hydrochloride	130
Doxine	
Doxorubicin	
Doxorubicin Ebewe	160
Doxy-50	
Doxycycline hydrochloride	95
DP Lotion	
DP Lotn HC	68
DP-Anastrozole	170
Dr Reddy's Olanzapine	
Dr Reddy's Omeprazole	
Dr Reddy's Ondansetron	138
Dr Reddy's Pantoprazole	
Dr Reddy's Pramipexole	124
Dr Reddy's Quetiapine	141
Dr Reddy's Risperidone	142
Dr Reddy's Terbinafine	
Drugs Affecting Bone	
Metabolism	117
Dulcolax	
Duocal Super Soluble	
· · · · · · · · · · · · · · · · · · ·	

Powder	209
Duolin	
Duolin HFA	
Duoini TIFA	191
Durex Confidence	//
Durex Extra Safe	77
Durex Select Flavours	77
Duride	
Dynacirc-SRO	
	57
- E -	
E-Mycin	03
Ear Preparations	104
	194
Ear/Eye Preparations	
Easiphen Liquid	223
Econazole nitrate	67
Efavirenz	
Efavirenz with emtricitabine and	
tenofovir disoproxil	
fumarate	
Efexor XR	132
Effient	46
Eformoterol fumarate	188
Efudix	
Egopsoryl TA	
Elecare	
Elecare LCP	224
Elemental 028 Extra	215
Eligard	89
Elocon	
Eloxatin	
Eltrombopag	
Eltroxin	88
Emend Tri-Pack	137
EMLA	
Emtricitabine	
Emtricitabine with tenofovir	
disoproxil fumarate	110
Emtriva	110
Emulsifying ointment	70
Enalapril maleate	52
Englanril maleate with	
Enalapril maleate with hydrochlorothiazide	50
Enbrel	1/1
Endocrine Therapy	
Endoxan	155
Enerlyte	
Enfuvirtide	
Enoxaparin sodium	
Ensure	
Ensure Plus	219
Ensure Plus HN	219
Ensure Plus RTH	219
Entacapone	124

Entapone124
Entecavir103
Entocort CIR24
Epilim135
Epilim Crushable135
Epilim IV135
Epilim S/F Liquid135
Epilim Syrup135
Epirubicin160
Epirubicin Ebewe160
Eprex
Eptacog alfa [Recombinant factor
VIIa]
ERA93
Ergometrine maleate80
Ergotamine tartrate with
caffeine
Erlotinib
Erythrocin IV93
Erythromycin ethyl succinate93
Erythromycin lactobionate
Erythromycin stearate
Erythropoietin alpha
Erythropoietin beta44
Escitalopram131
Eskazole91
Estradot85
Estrofem85
Etanercept171
Ethambutol hydrochloride
Ethics Aspirin
Ethics Aspirin EC46
Ethics Enalapril52
Ethics Paracetamol127
Ethinyloestradiol86
Ethinyloestradiol with
desogestrel
Ethinyloestradiol with
levonorgestrel
Ethinyloestradiol with
norethisterone
Ethosuximide133
Etidronate disodium118
Etopophos160
Etoposide160
Etoposide phosphate160
Etravirine110
Eumovate68
Evista119
Exemestane170
Extemporaneously Compounded
Preparations and
Galenicals 204

Eye Preparations	194
EZ-fit Paediatric Mask	193
Ezetimibe	60
Ezetimibe with simvastatin	61
Ezetrol	
-F-	
Factor eight inhibitors bypassing	
agent	15
Feed Thickener Karicare	45
Aptamil	221
FEIBA	
Felodipine	
Femtran 100	
Femtran 50	
Fenpaed	
Fentanyl	
Ferodan	
Ferriprox	
Ferro-F-Tabs	42
Ferro-tab	
Ferrograd	42
Ferrograd F	42
Ferrous fumarate	42
Ferrous fumarate with folic	
acid	42
Ferrous sulphate	42
Ferrous sulphate with folic	
acid	
Ferrum H	42
Fexofenadine hydrochloride	
Fibro-vein	
Filgrastim	
Finasteride	
Flagyl	100
Flagyl-S	100
Flamazine	66
Flecainide acetate	
Fleet Phosphate Enema	39
Flixonase Hayfever &	
Allergy	. 192
Flixotide	
Flixotide Accuhaler	
Florinef	83
Fluanxol	143
Fluarix	237
Flucloxacillin sodium	94
Flucloxin	94
Flucon	195
Fluconazole	98
Fludara	
Fludara Oral	157
Fludarabine Ebewe	157
Fludarabine phosphate	157

Fludrocortisone acetate83	3
Fluids and Electrolytes50	
Flumetasone pivalate194	4
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	5
Fluorometholone195	5
Fluorouracil Ebewe157	
Fluorouracil sodium	
Dermatological76	ŝ
Oncology157	7
Fluox	
Fluoxetine hydrochloride13	
Flupenthixol decanoate	
Fluphenazine decanoate	2
Flutamide	
Flutamin168	
Flutamin S29168	
Fluticasone	
Fluticasone propionata 100	5
Fluticasone propionate	2
Foban	
Folic acid	
Food Thickeners	1
Foods And Supplements For	
Inborn Errors Of	
Metabolism 222	,
Foradil188	3
Foradil188 Forteo119	3 9
Foradil	3 9 2
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213	3 9 2 3
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214	3 2 3 4
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         214	3 9 2 3 4 9
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         214           Fortisip         214           Fortisip         214	3 9 2 3 4 9 0
Foradil	39234903
Foradil       188         Forteo       119         Fortimel Regular       212         Fortini       213         Fortini Multi Fibre       214         Fortisip       214         Fortisip       214         Fortisip       214         Fortisip       214         Fortisip       216         Fortisip       216         Fortisip       216         Fosamax       118         Fosamax Plus       118	392349033
Foradil       188         Forteo       119         Fortimel Regular       212         Fortini       213         Fortini Multi Fibre       214         Fortisip       214         Fortisip       214         Fortisip       214         Fortisip       214         Fortisip       216         Fortisip       216         Fortisip       216         Fosamax       118         Fosamax Plus       118         Fragmin       47	3923490337
Foradil       188         Forteo       119         Fortimel Regular       212         Fortini       213         Fortini Multi Fibre       214         Fortisip       215         Fortisip Multi Fibre       226         Fosamax       118         Fosamax Plus       111         Fragmin       44         Fragmycetin sulphate       194	89234908874
Foradil       188         Forteo       119         Fortimel Regular       212         Fortini       213         Fortini Multi Fibre       214         Fortisip       215         Fortisip Multi Fibre       226         Fosamax       118         Fosamax Plus       111         Fragmin       44         Fragmycetin sulphate       194	89234908874
Foradil       188         Forteo       119         Fortimel Regular       212         Fortini       213         Fortini Multi Fibre       214         Fortisip       215         Fortisip       216         Fortisip       217         Fortisip       218         Fortisip       219         Fortisip       219         Fortisip       210         Fosamax       118         Fosamax Plus       118         Fragmin       47         Freestyle Optium       29, 30         Freestyle Optium       29, 30         Freestyle Optium Ketone       29	3923490337409
Foradil       188         Forteo       119         Fortimel Regular       212         Fortini       213         Fortini Multi Fibre       214         Fortisip       215         Fortisip Multi Fibre       226         Fosamax       118         Fosamax Plus       118         Fragmin       44         Framycetin sulphate       199         Freestyle Optium       29, 30         Freestyle Optium Ketone       226         Frisium       133	39234903374093
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         215           Fortisip         216           Fortisip Multi Fibre         220           Fosamax         118           Fosamax         118           Fragmin         47           Freastyle Optium         29, 30           Freestyle Optium         29, 33           Freestyle Optium Ketone         29           Frisium         133           Frumil         56	892349088740939
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         215           Fortisip Multi Fibre         216           Fosamax         118           Fosamax         118           Fosamax         118           Fragmin         47           Franycetin sulphate         194           Freestyle Optium         29, 30           Freestyle Optium Ketone         22           Frisium         133           Frumil         55           Frusemide         56	8923490887409398
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         215           Fortisip Multi Fibre         226           Fosamax         118           Fosamax         118           Fosamax         118           Fragmin         47           Framycetin sulphate         199           Freestyle Optium         29, 30           Freestyle Optium Ketone         22           Frisium         133           Frumil         59           Frusemide         56           Frusemide         56	89234908874093988
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         214           Fortisip         215           Fortisip Multi Fibre         226           Fosamax         118           Fosamax         118           Fragmin         47           Franycetin sulphate         194           Freestyle Optium         29, 30           Freestyle Optium Ketone         225           Frisium         133           Frusemide         56           Frusemide         56           Fusemide         56           Fusemide         56           Fusemide         56	B 9 2 3 4 9 0 B B 7 4 0 9 3 9 B B 9
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         215           Fortisip         216           Fortisip Multi Fibre         226           Fosamax         118           Fosamax         118           Fosamax Plus         118           Fragmin         47           Franycetin sulphate         194           Freestyle Optium         29, 30           Freestyle Optium Ketone         22           Frusemide         56           Frusemide         56           Frusemide         56           Fucicort         56           Fuciort         56	8923490887409398896
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         214           Fortisip         215           Fortisip Multi Fibre         226           Fosamax         118           Fosamax         118           Fragmin         47           Franycetin sulphate         194           Freestyle Optium         29, 30           Freestyle Optium Ketone         225           Frisium         133           Frusemide         56           Frusemide         56           Fusemide         56           Fusemide         56           Fusemide         56	8923490887409398896
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini         214           Fortini         214           Fortini         214           Fortisip         214           Fragmin         214           Framycetin sulphate         114           Framycetin sulphate         194           Freestyle Optium         29, 30           Frusemide         56           Frusemide         56           Frusemide         56           Fucientalmic         56           Fucithalmic         194           Fundilin         44	892349088740939889640
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         215           Fortisip Multi Fibre         216           Fosamax         118           Fosamax         118           Fosamax Plus         118           Fragmin         47           Franycetin sulphate         194           Freestyle Optium         29, 30           Frestyle Optium Ketone         22           Frusemide         56           Frusemide         56           Frusemide         56           Fuciort         66           Fucidalmic         194	892349088740939889640
Foradil       188         Forteo       119         Fortimel Regular       212         Fortini       213         Fortini Multi Fibre       214         Fortisip       215         Fortisip Multi Fibre       226         Fosamax       118         Fosamax       118         Fosamax       118         Fragmin       44         Framycetin sulphate       199         Freestyle Optium       29, 30         Freestyle Optium       29, 30         Frusemide       56         Frusemide       56         Frusemide       56         Fuciont       69         Fucidin       99         Fucidin       99         Fucidalmic       194         Fucidalmic       194         Fucidalmic       194         Fusemide       56         Fusethalmic       194	8923490887409398896408
Foradil         188           Forteo         119           Fortimel Regular         212           Fortini         213           Fortini Multi Fibre         214           Fortisip         215           Fortisip         216           Fortisip         217           Fortisip         218           Fortisip         219           Fortisip         210           Fortisip         214           Fosamax         118           Fosamax         118           Fragmin         47           Frasyle         0ptium           Freestyle         0ptium           Frusemide         56           Frusemide         56           Frusemide         56           Fuciort         66           Fucithalmic         194           Fungilin         40           Furosemide         56	8923490887409398896408
Foradil       188         Forteo       119         Fortimel Regular       212         Fortini       213         Fortini Multi Fibre       214         Fortisip       215         Fortisip Multi Fibre       226         Fosamax       118         Fosamax       118         Fosamax       118         Fragmin       44         Framycetin sulphate       199         Freestyle Optium       29, 30         Freestyle Optium       29, 30         Frusemide       56         Frusemide       56         Frusemide       56         Fuciont       69         Fucidin       99         Fucidin       99         Fucidalmic       194         Fucidalmic       194         Fucidalmic       194         Fusemide       56         Fusethalmic       194	B 9 2 3 4 9 0 B B 7 4 0 9 3 9 B B 9 6 4 0 B 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6

Fuzeon111
- G -
Gabapentin133
Gabapentin (Neurontin)134
Gamma benzene
hexachloride71
Gardasil237
Gastrosoothe26
Gaviscon Double Strength24
Gaviscon Infant24
Gefitinib164
Gemcitabine Actavis 1000157
Gemcitabine Actavis 200157
Gemcitabine Ebewe157
Gemcitabine hydrochloride157
Gemfibrozil59
Gemzar157
Genoptic194
Genotropin88
Genox
Gentamicin sulphate
Gentamicin sulphate Infection
Jensory
Ginet 8480
Glatiramer acetate
Glibenclamide29 Gliclazide29
Glipizide29
Glivec
Glucagen Hypokit27
Glucagon hydrochloride27
Glucerna Select
Glucerna Select RTH211
Gluten Free Foods
Glycerin with sodium
saccharin 204
saccharin
Glycerol
Alimentary38
Extemporaneous204
Glyceryl trinitrate
Alimentary26
Cardiovascular61
Glytrin61
Gold Knight77
Gopten53
Goserelin acetate88
Gutron55
Gynaecological
Anti-infectives 80
- H -
Habitrol153

Haemophilus influenzae type B	
vaccine	237
Haldol	
Haldol Concentrate	143
Haloperidol	
Haloperidol decanoate	143
Hamilton Sunscreen	75
Havrix Junior	
HBvaxPro	237
healthE Dimethicone 5%	70
healthE Fatty Cream	
healthE Urea Cream	70
Healtheries Simple Baking	
Mix	221
Hemastix	
Heparin sodium	49
Heparinised saline	
Heparon Junior	
Hepatitis A vaccine	
Hepatitis B vaccine	
Hepsera	
Herceptin	
Hexamine hippurate	
Hiprex	
Histafen	
Holoxan	
Horleys Bread Mix	
Horleys Flour	222
Hormone Replacement Therapy	-
Systemic	
HPV	
Humalog	
Humalog Mix 25	28
Humalog Mix 50	28
Human papillomavirus (6, 11, 16	007
and 18) vaccine [HPV]	
Humatin	
Humira	
HumiraPen	
Humulin 30/70 Humulin NPH	
Humulin R	
Hybloc	
Hydralazine	50 60
Hydralazine hydrochloride	20
Hydrea	160
Hydrocortisone	100
Dermatological	68
Hormone	גע גע
Hydrocortisone acetate	
Hydrocortisone butyrate	
Hydrocortisone with	
cinchocaine	26

			INDEX
Generic	Chemicals	and	Brands

Iron polymaltose ......42

Hydrocortisone with	
miconazole	69
Hydrocortisone with natamycin	
and neomycin	69
Hydrocortisone with wool fat and	
mineral oil	
Hydroderm Lotion	70
Hydrogen peroxide	
Alimentary	40
Dermatological	66
Hydroxocobalamin	41
Hydroxychloroquine	.116
Hydroxyurea	.160
Hygroton	59
Hylo-Fresh	.197
Hyoscine hydrobromide	.138
Hyoscine N-butylbromide	26
Hypam	.148
Hyperuricaemia and	
Antigout	122
Hypnovel	.148
Hypromellose	.196
Hypromellose with Dextran	.197
Hysite	.196
· 	
Ibiamox	93
Ibuproten	115
Ibuprofen	
Idarubicin hydrochloride	.160
Idarubicin hydrochloride Ifosfamide	.160 .155
Idarubicin hydrochloride Ifosfamide Ikorel	.160 .155 62
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost	.160 .155 62 64
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate	.160 .155 62 64 .164
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imatinib-AFT	.160 .155 62 64 .164 .164
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imatinib-AFT Imiglucerase	.160 .155 62 64 .164 .164 39
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imatinib-AFT Imiglucerase Imipramine hydrochloride	.160 .155 62 64 .164 .164 39 .130
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imatinib-AFT Imiglucerase Imipramine hydrochloride Imiquimod	.160 .155 62 64 .164 .164 39 .130 75
Idarubicin hydrochloride Ifosfamide Ikorel Imatinib mesilate Imatinib-AFT Imiglucerase Imipramine hydrochloride Imiquimod Immune Modulators	.160 .155 62 64 .164 .164 39 .130 75 .112
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imiglucerase Imipramine hydrochloride Imiquimod Immune Modulators Immunosuppressants	.160 .155 62 64 .164 .164 39 .130 75 .112 .170
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imiglucerase Imiglucerase Imiquimod Immune Modulators Immunosuppressants Imuprine	.160 .155 62 64 .164 .164 .130 75 .112 .170
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imiglucerase Imipramine hydrochloride Imiquimod Immune Modulators Immunosuppressants Imuprine Imuran	.160 .155 62 64 .164 .164 .130 75 .112 .170 .170 .170
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imiglucerase Imipramine hydrochloride Imiquimod Immunosuppressants Imuprine Imuran Indapamide	.160 .155 62 64 .164 .164 39 .130 75 .112 .170 .170 .170 59
Idarubicin hydrochloride Ifosfamide Ikorel Imatinib mesilate Imatinib AFT Imiglucerase Imipramine hydrochloride Imiquimod Immunosuppressants Imuprine Imuran Indapamide Indinavir	.160 .155 62 64 .164 .164 .164 .130 75 .112 .170 .170 .170 59 .111
Idarubicin hydrochloride Ifosfamide Ikorel Inatinib mesilate Imatinib AFT Imiglucerase Imiguinod Immune Mydrochloride Immunosuppressants Imuprine Imuprine Imuran Indapamide Indinavir Infanrix-hexa	.160 .155 62 64 .164 .164 .164 39 .130 75 .112 .170 .170 59 .111 .237
Idarubicin hydrochloride Ifosfamide Ikorel Imatinib mesilate Imatinib-AFT Imiglucerase Imipramine hydrochloride Imipramine hydrochloride Immune Modulators Immunosuppressants Imuprine Indapamide Indapamide Indinavir Infanrix-hexa Infanrix-HPV	.160 .155 62 64 .164 .164 .164 39 .130 75 .112 .170 .170 59 .111 .237 .237
Idarubicin hydrochloride Ifosfamide Ikorel Imatinib mesilate Imatinib -AFT Imiglucerase Imipramine hydrochloride Imipramine hydrochloride Immune Modulators Immunosuppressants Imuprine Indapamide Indapamide Indanavir Infanrix-hexa Infanrix-HPV Infant Formulae	.160 .155 62 64 .164 .164 .164 .130 75 .112 .170 .170 .170 .170 .170 .237 .237 .223
Idarubicin hydrochloride Ifosfamide Ikorel Imatinib mesilate Imatinib-AFT Imiglucerase Imigramine hydrochloride Imigramine hydrochloride Immune Modulators Immunosuppressants Imuprine Indapamide Indapamide Infanrix-hexa Infanrix-hexa Infanrix-HPV Infanrix-HPV Infanrix-IPV Infanrix-IPV Infanrix-IPV Infanrix-termulae Influenza vaccine	.160 .155 62 64 .164 .164 .164 .130 75 .112 .170 .170 .170 59 .111 .237 .223 .237
Idarubicin hydrochloride Ifosfamide Ikorel Imatinib mesilate Imatinib -AFT Imiglucerase Imipramine hydrochloride Imipramine hydrochloride Immune Modulators Immunosuppressants Imuprine Indapamide Indapamide Indanavir Infanrix-hexa Infanrix-HPV Infant Formulae	.160 .155 62 64 .164 .164 .164 .130 75 .112 .170 .170 .170 59 .111 .237 .223 .237
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imiglucerase Imiglucerase Imiglucerase Imiglucerase Imiglucerase	.160 .155 62 64 .164 .164 .164 75 .112 .170 .170 .170 59 .111 .237 .237 .237 .237
Idarubicin hydrochloride Ifosfamide Ikorel Imatinib mesilate Imatinib-AFT Imiglucerase Imipramine hydrochloride Imipramine hydrochloride Immune Modulators Immunosuppressants Imuprine Indapamide Indapamide Indapamide Indanavir Infanrix-hexa Infanrix-hexa Infanrix-hexa Infanrix-hexa Infanrix-hexa Infanrix-hexa Infanrix-hexa Infanrix-hexa Infanrix-hexa Infanrix-hexa Infuenza vaccine Influenza vaccine	.160 .155 62 64 .164 .164 .164 .130 75 .112 .170 .170 .170 59 .111 .237 .233 .237 .233 .237
Idarubicin hydrochloride Ifosfamide Ikorel Iloprost Imatinib mesilate Imiglucerase Imiglucerase Imiglucerase	.160 .155 62 64 .164 .164 .164 .130 75 .112 .170 .170 .170 59 .111 .237 .233 .237 .233 .237

Agonists 188
Inhibace Plus53
Innovacon hCG One Step
Pregnancy Test
Inset 30
Inset II
Insulin aspart28
Insulin aspart with insulin aspart
protamine
Insulin glargine
Insulin glulisine
Insulin isophane28 Insulin isophane with insulin
neutral
Insulin lispro
Insulin lispro with insulin lispro
protamine28
Insulin neutral28
Insulin pen needles31
Insulin pump32
Insulin pump accessories
Insulin pump infusion set (steel
cannula)
Insulin pump infusion set (teflon
cannula, angle insertion with
insertion device)
Insulin pump infusion set (teflon
cannula, angle insertion)
Insulin pump infusion set (teflon
cannula, straight insertion with
insertion device)
Insulin pump infusion set (teflon
cannula, straight insertion)
Insulin pump reservoir
Insulin syringes, disposable with
attached needle
Intal Forte CFC Free
Intal Spincaps
Intelence
Interferon alfa-2a112
Interferon alfa-2b112
Interferon beta-1-alpha147
Interferon beta-1-beta147
Intra-uterine device77
Intron-A112
Invega Sustenna144
IPOL
Ipratropium bromide190, 192
Iressa
Irinotecan157
Irinotecan Actavis 100157
Irinotecan Actavis 40157
Irinotecan-Rex157

sentress	111
smo 20	61
smo 40 Retard	
soniazid	101
soprenaline	
soptin	
sopto Carpine	
sosorbide mononitrate	61
sosource Standard	218
sosource Standard RTH	218
sotretinoin	65
spaghula (psyllium) husk	38
sradipine	
suprel	
tch-Soothe	
traconazole	
trazole	98
vermectin	71
- J -	
Jadelle	79
Jevity	
Jevity HiCal RTH	
Jevity RTH	218
- K -	
Kaletra	111
Kaleria Kemadrin	
Kenacomb	

- K -	
Kaletra	.111
Kemadrin	.125
Kenacomb	.194
Kenacort-A	84
Kenacort-A40	84
Ketocal 3:1	.226
KetoCal 4:1	.226
Ketoconazole	
Dermatological	74
Infection	
Ketogenic Diet	.226
Ketone blood beta-ketone	
electrodes	29
Ketoprofen	.115
Ketostix	29
Kindergen	.213
Kivexa	.110
Klacid	92
Kliogest	86
Kliovance	
Kogenate FS	
Konakion MM	46
Konsyl-D	38
•L•	
L-asparaginase	.159
Labetalol	56

Lacosamide .....134

Lactulose
Laevolac
Lamictal135
Lamivudine103, 110
Lamivudine Alphapharm110
Lamotrigine135
Lamprene101
Lanoxin54
Lanoxin PG54
Lansoprazole26
Lantus28
Lantus SoloStar28
Lanvis158
Lapatinib Ditosylate165
Largactil139
Lasix
Latanoprost196
Lax-Sachets
Lax-Tab
Laxatives
Laxofast 120
Laxofast 50
Laxsol
Leflunomide116
Letraccord170
Letrozole170
Leukeran FC155
Leukotriene Receptor
Antagonists 191
Leunase159
Leuprorelin
Leustatin
Levetiracetam135
Levetiracetam-Rex135
Levobunolol195
Levocabastine
Levodopa with benserazide
Levodopa with carbidopa124
Levomepromazine maleate
Levonorgestrel
Genito-Urinary
Hormone
Levothyroxine
Lidocaine [Lignocaine]126
Lidocaine [Lignocaine]
hydrochloride
Lidocaine [Lignocaine] with
chlorhexidine
Lidocaine [Lignocaine] with
prilocaine
Lidocaine-Claris
Lifestyles Flared
Lignocaine

L La marca a	~~
Hormone	
Nervous	126
Lioresal Intrathecal	123
Lipazil	59
Lipid-Modifying Agents	
Liquigen	
Lisinopril	
Lisuride hydrogen maleate	124
Lithicarb FC	140
Lithium carbonate	
Livostin	195
Locacorten-Viaform ED's	194
Local preparations for Anal and	
Rectal Disorders	
Locasol	
Loceryl	66
Locoid	
Locoid Crelo	68
Locoid Lipocream	68
Locorten-Vioform	194
Lodoxamide trometamol	195
Logem	135
Lomide	
Lomustine	155
Loniten	
Loperamide hydrochloride	24
Lopinavir with ritonavir	111
Lopresor	56
Loprofin	223
Loprofin Mix	223
Lorafix	
Lorapaed	
Loratadine	187
Lorazepam	
Lormetazepam	
Losartan potassium	
Losartan potassium with	
hydrochlorothiazide	54
Lostaar	54
Lovir	104
Loxalate	131
Loxamine	131
Lucrin Depot PDS	89
Ludiomil	
Lumigan	
Lycinate	
Lyderm	
- M -	
- IVI -	

m-Cefuroxime	92
m-Eslon	.129
M-M-R II	.238
m-Mometasone	69
Mabthera	.182

Macrogol 3350	38
Macrogol 400 and propylene	
glycol	197
Madopar 125	124
Madopar 250	
Madopar 62.5	124
Madopar HBS	
Madopar Rapid	124
Magnesium hydroxide	204
Magnesium sulphate	
Malathion	73
Malathion with permethrin and	
piperonyl butoxide	73
Maprotiline hydrochloride	130
Marevan Marine Blue Lotion SPF 30+	49
Marine Blue Lotion SPF 30+	75
Marine Blue Lotion SPF 50+	
Marquis Black	
Marquis Conforma	
Marquis Protecta	
Marquis Selecta	
Marquis Sensolite	
Marquis Supalite	
Marquis Titillata	
MarquisTantiliza	
Martindale Acetylcysteine	198
Marvelon 28	78
Mask for spacer device	193
Mast Cell Stabilisers	192
Maxidex	195
Maxitrol	195
MCT oil (Nutricia)	210
Measles, mumps and rubella	
vaccine	
Mebendazole	91
Mebeverine hydrochloride	
Medrol	83
Medroxyprogesterone acetate	
Genito-Urinary	
Hormone	86-87
Mefenamic acid	115
Megestrol acetate	168
Meloxicam	116
Melphalan	155
Meningococcal A, C, Y and	
W-135 vaccine	
Menomune	
Menthol	67
Mercaptopurine	
Mercilon 28	
Mesalazine	
Mesna	
Mestinon	115

Metabolic Disorder Agents
Metamide138
Metformin hydrochloride29
Methadone hydrochloride
Extemporaneous204
Nervous128
Methatabs128
Methoblastin158
Methopt196
Methotrexate158
Methotrexate Ebewe158
Methotrexate Sandoz158
Methyl hydroxybenzoate204
Methylcellulose204
Methylcellulose with glycerin and
sodium saccharin
Methylcellulose with glycerin and
sucrose
Methyldopa
Methylphenidate
hydrochloride 150
Methylphenidate hydrochloride
extended-release
Methylprednisolone
Methylprednisolone
aceponate
Methylprednisolone acetate
Methylprednisolone acetate with
lidocaine [Lignocaine]83
Methylprednisolone sodium
succinate
Methylxanthines192
Metoclopramide
hydrochloride138
Metoclopramide hydrochloride
with paracetamol 137
Metolazone59
Metopirone90
Metoprolol - AFT CR56
Metoprolol succinate56
Metoprolol tartrate56
Metronidazole100
Metyrapone90
Mexiletine hydrochloride55
Mexiletine Hydrochloride
USP
Miacalcic83
Mianserin hydrochloride130
Micolette
Miconazole40
Miconazole nitrate
Dermatological
Genito-Urinary80

Micreme	
Micreme H	.69
Microgynon 30	.78
Microgynon 50 ED	
Microlut	
Midazolam1	48
Midodrine	
Minerals	
Minidiab	
Minirin	
Mino-tabs	.95
Minocycline hydrochloride Minomycin	.95
Minor Skin Infections	
Minoxidil	
Mirena	
Mirtazapine1	31
Misoprostol	.26
Mitomycin C1	61
Mitozantrone1	
Mitozantrone Ebewe1	
Mixtard 30	
Moclobemide1	
Modafinil1	
Modavigil1	
Modecate1	
Moducal2	
Moduretic	
Mogine1	35
Mometasone furoate	
Monogen2	
Montelukast1	91
Moroctocog alfa [Recombinant	
factor VIII]	45
Morphine hydrochloride1	
Morphine sulphate1	29
Morphine tartrate1	
Motetis1	26
Mouth and Throat	.40
Moxifloxacin	
MSUD Maxamaid2	
MSUD Maxamum2	23
Mucilaginous laxatives with	
stimulants	38
Mucolytics1	92
Multiload Cu 375	
Multiload Cu 375 SL	.77
Multiple Sclerosis	
Treatments 1	
Treatments 1 Multivitamins	.41
Treatments 1 Multivitamins Mupirocin	.41 .66
Treatments 1 Multivitamins	.41 .66 23

### - N -

Nadolol	
Nalcrom	
Naloxone hydrochloride	198
Naltraccord	153
Naltrexone hydrochloride	153
Naphazoline hydrochloride	
Naphcon Forte	197
Naprosyn SR 1000	
Naprosyn SR 750	
Naproxen	
Nardil	
Nasal Preparations	
Natulan	161
Nausicalm	
Navelbine	
Navoban	
Nedocromil	
Nefopam hydrochloride	
Neo-Mercazole	
Neocate Advance	
Neocate Gold	
Neocate LCP	
Neoral	
NeoRecormon	
Neostigmine metilsulfate	115
Neotigason	
Nepro (strawberry)	214
Nepro (vanilla)	214
Nepro RTH	
Nerisone	
Neulactil	
Neulastim	
NeuroKare	
Neurontin	
Nevirapine	110
Nevirapine Alphapharm	110
Nicorandil	
Nicotine	
Nicotinic acid	60

Nifedipine57
Nifuran114
Nilstat
Alimentary40
Genito-Urinary80
Infection
Nipent161
Nitrados148
Nitrates61
Nitrazepam148
Nitroderm TTS61
Nitrofurantoin114
Nizoral
Noctamid147
Nodia
Noflam 250116
Noflam 500
Non-Steroidal Anti-Inflammatory
Drugs 115
Nonacog alfa [Recombinant
factor IX] 46
Norethisterone
Genito-Urinary79
Hormone87
Norflex123
Norfloxacin114
Noriday 2879
Norimin79
Normacol Plus
Normison148
Norpress130
Nortriptyline hydrochloride130
Norvir
NovaSource Renal214
Novatretin73
NovoFine
NovoMix 30 FlexPen28
NovoRapid28
NovoRapid Penfill
NovoSeven RT45
Novoseven RT45
Noxafil
Nozinan140
Nuelin
Nuelin-SR192
Nupentin
Nutrient Modules
Nutrini Energy Multi Fibre213
Nutrini Energy RTH213
Nutrini Low Energy Multi
Fibre
Nutrini RTH213
Nutrini RTH213

Nutrison Energy218
Nutrison Energy Multi Fibre
Nutrison Multi Fibre
Nutrison Standard RTH218
Nyefax Retard
Nystatin
Alimentary40
Dermatological
Genito-Urinary80
Infection
NZB Low Gluten Bread Mix222
- 0 -
Octocog alfa [Recombinant factor
VIII]
Octreotide (somatostatin
analogue) 168
Octreotide LAR (somatostatin
analogue) 168
Octreotide MaxRx168
Oestradiol85
Oestradiol valerate86
Oestradiol with
norethisterone
Oestriol
Genito-Urinary80
Hormone86
Oestrogens86
Oestrogens with
Oestrogens with medroxyprogesterone
Oestrogens with medroxyprogesterone
Oestrogens with       86         Oil in water emulsion       70         Olanzapine       141, 143         Olanzine       141         Olanzine       141         Olanzine       60         Olopatadine       197
Oestrogens with medroxyprogesterone
Oestrogens with medroxyprogesterone
Oestrogens with medroxyprogesterone
Oestrogens with medroxyprogesterone       86         Oil in water emulsion       70         Olanzapine       141, 143         Olanzine       141         Olabatine       141         Olopatadine       197         Olsalazine       25         Omeprazole       27         Omezol Relief       27         Oncaspar       161
Oestrogens with medroxyprogesterone       86         Oil in water emulsion       70         Olanzapine       141, 143         Olanzine       141         Olabazine       141         Olopatadine       197         Olsalazine       25         Omezol Relief       27         OncoTICE       176
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141           Olanzine-D         141           Olopatadine         197           Olsalazine         25           Omeprazole         27           Oncaspar         161           OncoTICE         176           Ondansetron         138
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141           Olabetan         60           Olopatadine         197           Olsalazine         25           Omeprazole         27           Oncaspar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141           Olanzine         141           Olanzine         141           Olapitadine         197           Olopatadine         197           Olsalazine         25           Omeprazole         27           Oncospar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onelink         62
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141           Olanzine-D         141           Olapatadine         197           Olsalazine         25           Omeprazole         27           Oncaspar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onelink         62           Onkotrone         161
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141           Olanzine         141           Olapine         141           Olapine         141           Olapine         141           Olapine         141           Olapine         141           Olopatadine         197           Olsalazine         25           Omeprazole         27           Oncaspar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onelink         62           Onkotrone         161           Onrex         138
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141           Olanzine         141           Olanzine-D         141           Olopatadine         197           Olsalazine         25           Omeprazole         27           Oncaspar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onelink         62           Onkotrone         161           Onrex         138           Ora-Blend         205
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141           Olanzine         141           Olapine         141           Olopatadine         197           Olsalazine         25           Omeprazole         27           Omcaspar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onelink         62           Onkotrone         161           Onrex         138           Ora-Blend         205
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141           Olanzine-D         141           Olapatadine         197           Olsalazine         25           Omeprazole         27           Omcospar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onkotrone         161           Onrex         138           Ora-Blend         205           Ora-Blend SF         205           Ora-Plus         204
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141, 143           Olanzine         141           Olapataine         197           Olsalazine         25           Omeprazole         27           Oncaspar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onelink         62           Onkotrone         161           Onrex         138           One-Alpha         41           Onelink         62           Onkotrone         161           Onrex         138           Ora-Blend         205           Ora-Plus         204           Ora-Sueet         204
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141, 143           Olanzine         141           Olanzine-D         141           Olbetam         60           Olopatadine         197           Olsalazine         25           Omeprazole         27           Omcospar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onkotrone         161           Onrex         138           Ora-Blend         205           Ora-Blend SF         205           Ora-Plus         204           Ora-Sweet         204
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141, 143           Olanzine         141           Olanzine-D         141           Olopatadine         197           Olsalazine         25           Omeprazole         27           Oncospar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onleink         62           Onkotrone         161           Onrex         138           Ora-Blend         205           Ora-Blend SF         205           Ora-Plus         204           Ora-Sweet         204           Ora-Sweet SF         204           Orabase         40
Oestrogens with medroxyprogesterone         86           Oil in water emulsion         70           Olanzapine         141, 143           Olanzine         141, 143           Olanzine         141           Olanzine-D         141           Olbetam         60           Olopatadine         197           Olsalazine         25           Omeprazole         27           Omcospar         161           OncoTICE         176           Ondansetron         138           One-Alpha         41           Onkotrone         161           Onrex         138           Ora-Blend         205           Ora-Blend SF         205           Ora-Plus         204           Ora-Sweet         204

(Nasogastric/Gastrostomy	
Tube Feed)	211
Oratane	
Orgran	
Ornidazole	100
Orphenadrine citrate	123
Orphenadrine hydrochloride	125
Ortho All-flex	77
Ortho-tolidine	82
Oruvail SR	
Osmolite	
Osmolite RTH	.218
Ospamox	
Other Endocrine Agents	
Other Oestrogen	
Preparations	86
Other Progestogen	00
Other Progestogen Preparations	86
Other Skin Preparations	00
Ovestin	
Genito-Urinary	80
Hormone	
Ox-Pam	
Oxaliplatin	
Oxaliplatin Actavis 100	.156
Oxaliplatin Actavis 50	
Oxaliplatin Ebewe	.156
Oxazepam	145
Oxis Turbuhaler	
Oxpentifylline	
Oxybutynin	81
Oxycodone hydrochloride	
Oxycodone Orion	
OxyContin	129
Oxydone BNM	129
OxyNorm	
Oxytocin	
Oxytocin BNM	80
Ozole	98
- P -	
Pacifen	123
Pacific Buspirone	
Paclitaxel	
Paclitaxel Actavis	
Paclitaxel Ebewe	
Paediatric Seravit	41
Paliperidone	144
Pamidronate BNM	119
Pamidronate disodium	119
Pamisol	119
Panadol	127
Pancreatic enzyme	37
Pantoprazole	

Pantoprazole Actavis 2027
Pantoprazole Actavis 4027
Panzytrat
Papaverine hydrochloride62
Para Plus
Para-amino salicylic acid101
Paracare
Paracare Double Strength
5
Paracetamol
Paracetamol + Codeine
(Relieve) 129
Paracetamol with codeine
Paradigm 1.8 Reservoir
Paradigm 3.0 Reservoir36
Paradigm 52232
Paradigm 72232
Paradigm Mio MMT-92135
Paradigm Mio MMT-92335
Paradigm Mio MMT-92535
Paradigm Mio MMT-94135
Paradigm Mio MMT-94335
Paradigm Mio MMT-94535
Paradigm Mio MMT-96535
Paradigm Mio MMT-97535
Paradigm Quick-Set
MMT-386
Paradium Quick-Set
MMT-387
Paradigm Quick-Set
MMT-396
Paradigm Quick-Set
MMT-397
Paradigm Quick-Set
MMT-398
Paradigm Quick-Set
MMT-399
Paradigm Silhouette
MMT-368
IVIIVI I-308
Paradigm Silhouette MMT-377
Paradigm Silhouette
MMT-378
Paradigm Silhouette MMT-38134
MMT-381
Paradigm Silhouette
MMT-382
Paradigm Silhouette
MMT-383
Paradigm Silhouette
MMT-384
Paradigm Sure-T MMT-86433
Paradigm Sure-T MMT-86633
Paradigm Sure-T MMT-87433
-

Paradigm Sure-T MMT-876	33
Paradigm Sure-T MMT-884	
Paradigm Sure-T MMT-886	
Parafast1	
Paraffin	/ 1
Paraffin liquid with soft white	~7
paraffin 1	97
Paraffin liquid with wool fat1	
Paraldehyde1	
Paramax1	
Parasiticidal Preparations	
Parnate1	
Paromomycin	
Paroxetine hydrochloride1	
Paser1	01
Patanol1	97
Paxam1	45
Pazopanib1	66
Peak flow meter1	93
Pedialyte - Bubblegum	51
Pediasure213, 2	
Pediasure RTH2	
Pegaspargase1	
Pegasys1	
Pegasys RBV Combination	
Pack 1	13
Pegfilgrastim	
Pegylated interferon alfa-2a1	12
Penicillamine1	16
PenMix 30	
PenMix 40	
PenMix 50	20
Pentasa	25
Pentostatin [Deoxycoformycin]1	~
[Deoxycotormycin]1	61
Pentoxifylline [Oxpentifylline]	63
Pepti Junior Gold Karicare	
Aptamil 2	
Peptisoothe	
Peptisorb2	
Pergolide1	
Perhexiline maleate	
Pericyazine1	41
Perindopril	
Permax1	24
Permethrin	
Persantin	46
Peteha1	01
Pethidine hydrochloride1	30
Pevaryl	
Pexsig	57
Phenelzine sulphate1	
Phenobarbitone1	
	-

Extemporaneous205
Nervous148
Phenoxybenzamine
hydrochloride
Phenoxymethylpenicillin
(Penicillin V)
Phenytoin sodium
Phlexy 10
Phosphate-Sandoz
Phytomenadione
Pilocarpine
Pimafucort
Pindolol
Pinetarsol
Pinorax
Pinorax Forte
Pioglitazone
Piportil
Pipothiazine palmitate
Pizaccord
Pizotifen
PKU Anamix Infant
PKU Anamix Junior
PKU Anamix Junior LQ
PKU Lophlex LQ 10223
PKU Lophlex LQ 20
Plaquenil116
Plendil ER57
Plendil ER
pms-Bosentan63 Pneumococcal (PCV13)
pms-Bosentan63 Pneumococcal (PCV13)
pms-Bosentan63 Pneumococcal (PCV13) vaccine238
pms-Bosentan63 Pneumococcal (PCV13) vaccine
pms-Bosentan63 Pneumococcal (PCV13) vaccine238
pms-Bosentan

Pradaxa	
Pramipexole hydrochloride	
Prasugrel	46
Pravastatin	60
Praziquantel	
Prazosin	52
Pred Forte	
Pred Mild	195
Prednisolone acetate	195
Prednisolone sodium	
phosphate	84
Prednisone	84
Pregnancy Tests - hCG Urine	81
Premarin	
Premia 2.5 Continuous	86
Premia 5 Continuous	
Prevenar 13	
Prezista	111
Priadel	
Primacin	
Primaguine phosphate	
Primidone	
Primolut N	100
Probenecid	
Probenecid-AFT	123
Procaine penicillin	0/
Procarbazine hydrochloride	161
Prochlorperazine	120
Proctosedyl	
Procyclidine hydrochloride	105
Procytox	155
Prodopa	100
Progesterone	
Proglicem	
Prograf	
Programovo	001
Progynova Prokinex	100
Promethazine hydrochloride	
Promethazine theoclate	100
Promod	010
Propafenone hydrochloride	210
Propalenone hydrochlonde	
Propamidine isethionate	
Propranolol Propylene glycol	
Propylene giycoi	205
Propylthiouracil	88
Protamine sulphate	49
Protaphane	28
Protaphane Penfill	
Protifar	
Protionamide	101
Provera	
PSO227 Psoriasis and Eczema	-230
ESUNASIS AND ECZEMA	

Preparations PTU Pulmicort Turbuhaler Pulmocare Pulmozyme Puri-nethol Pyrazinamide Pyridoxtigmine bromide PyridoxADE	88 211 192 157 101 115 41
Pyridoxine hydrochloride	
Pyrimethamine	
Pytazen SR	40

### - Q -

Q 300	100
Questran-Lite	60
Quetapel	141
Quetiapine	141
Quick-Set MMT-390	36
Quick-Set MMT-391	36
Quick-Set MMT-392	36
Quick-Set MMT-393	36
Quinapril	53
Quinapril with	
hydrochlorothiazide	53
Quinine sulphate	100

#### - R -

RA-Morph	128
Raloxifene hydrochloride	119
Raltegravir potassium	111
Ramipex	124
Ranbaxy-Cefaclor	
Ranitidine hydrochloride	26
Rapamune	185
Reandron 1000	84
Recombinant factor IX	45
Recombinant factor VIIa	
Recombinant factor VIII	
Rectogesic	26
Redipred	
Refresh Night Time	
Renilon 7.5	
Resonium-A	51
Resource Beneprotein	
Resource Diabetic	
Respigen	190
Respiratory Devices	
Respiratory Stimulants	193
Retinol palmitate	
ReTrieve	65
Retrovir	110
Revolade	45
Rexacrom	195

Reyataz	
Ridal	142
Ridaura s29	116
Rifabutin	102
Rifadin	
Rifampicin	
Rifinah	
Rilutek	
Riluzole	
Riodine	71
Risedronate Sandoz	119
Risedronate sodium	119
Risperdal	
Risperdal Consta	
Risperdal Quicklet	
Risperidone	
Risperon	
Ritalin	
Ritalin LA	151
Ritalin SR	
Ritonavir	
Rituximab	
Rivaroxaban	49
Rivotril	132, 133
Rizamelt	137
Rizatriptan	137
Roferon-A	
Roferon-A	112 125
Roferon-A Ropin Ropinirole hydrochloride	112 125 125
Roferon-A Ropin Ropinirole hydrochloride Roxane	112 125 125 56
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary	112 125 125 56 24
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular	112 125 56 24 56
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary	112 125 56 24 56
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular	112 125 56 24 56 56 93
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Rubifen SR	112 125 56 24 93 150 150
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Rubifen Rubifen SR Rythmodan	112 125 125 56 24 56 93 150 150 54
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Rubifen	112 125 125 56 24 56 93 150 150 54
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Rubifen Rubifen SR Rythmodan Rytmonorm	112 125 125 56 24 56 93 150 150 54
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Rubifen Rubifen SR Rythmodan Rythmodan Rythmodar S -	112 125 56 56 
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Rubifen Rubifen SR Rythmodan Rytmonorm	112 125 56 24 56 24 56 93 150 55 55 
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Roxithromycin Rubifen Rubifen SR Rythmodan Rythmodan Rythmodan S - S - S-26 Gold Premgro Sabril	112 125 56 24 56 24 56 93 150 55 55 
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Rubifen SR Rubifen SR Rythmodan Rythmodan Rythmodan S-26 Gold Premgro Sabril Salamol	112 125 125 
Roferon-A Ropin Ropinirole hydrochloride Roxane Alimentary Cardiovascular Roxithromycin Roxithromycin Rubifen Rubifen SR Rythmodan Rythmodan Rythmodan S - S - S-26 Gold Premgro Sabril	112 125 125 56 24 93 150 150 55 55 55 

Salbutamol with ipratropium

Sedatives and Hypnotics147
Selegiline hydrochloride
Senna
Senokot
SensoCard
Serenace140
Seretide189
Seretide Accuhaler189
Serevent188
Serevent Accuhaler188
Serophene90
Seroquel141
Sertraline131
Sevredol129
Sex Hormones Non
Contraceptive
Shield 4977
Shield Blue77
Shield XL77
Silagra63
Sildenafil63
Silhouette MMT-37134
Silhouette MMT-37334
Silver sulphadiazine66
Simethicone24
Simvastatin60
Sindopa124
Sinemet
Sinemet CR124
Singulair191
Sirolimus185
Siterone
Slow-Lopresor
Sodibic51
Sodium acid phosphate39
Sodium alginate24
Sodium aurothiomalate117
Sodium bicarbonate
Blood50-51
Extemporaneous205
Sodium calcium edetate
Sodium
carboxymethylcellulose
Sodium chloride
Blood51
Respiratory
Sodium citrate with sodium lauryl
sulphoacetate
Sodium citro-tartrate82
Sodium cromoglycate
Alimentary25
Respiratory192
Sensory195
-

Sodium fluoride42
Sodium hyaluronate197
Sodium nitroprusside29
Sodium polystyrene
sulphonate
sulphonate
Sodium tetradecyl sulphate46
Sodium valproate135
Sofradex194
Soframycin194
Solian139
Solifenacin succinate
Solox
Solu-Cortef83
Solu-Medrol84
Somatropin88
Sotacor
Sotalol57
Space Chamber193
Space Chamber Plus193
Spacer device
Spacer device autoclavable
Span-K51
Spiractin59
Spiriva190
Spironolactone
Spirotone
Sporanox
Sprycel163
Staphlex94
Stavudine [d4T]110
Stelazine143
Stemetil
Stesolid133
Stimulants/ADHD
Treatments 148
Stiripentol135
Stocrin109
Stomahesive40
Strattera148
Stromectol71
Suboxone152
Sucralfate27
Sulfadiazine sodium
Sulindac116
Sulphasalazine25
Sulphur74
Sumatriptan
Sunitinib167
Sunscreens75
Sunscreens, proprietary75
Suplena214
Sure-T MMT-86333
Sure-T MMT-865

Sure-T MMT-873	33
Sure-T MMT-875	33
Sure-T MMT-883	33
Sure-T MMT-885	
Sustagen Diabetic	
Sustagen Hospital Formula	
Sustanon Ampoules	
Sutent	
Symbicort Turbuhaler 100/6	189
Symbicort Turbuhaler 200/6	189
Symbicort Turbuhaler	
400/12	189
Symmetrel	124
Sympathomimetics	62
Synacthen	84
Synacthen Depot	
Synflorix	239
Synthroid	
Syntometrine	80
Syrup (pharmaceutical	
grade)	205
Systane Unit Dose	197
-T-	
Tacrolimus	186
Tacrolimus Sandoz	186
Tambocor	
Tambocor CR	
Tamoxifen citrate	
Tamsulosin hydrochloride	
Tamsulosin-Rex	

Tap water	205
Tar with triethanolamine lauryl	
sulphate and fluorescein	74
Tarceva	163
Tasmar	125
Taxotere	159
Tegretol	133
Tegretol CR	
Telfast	
Temaccord	161
Temazepam	148
Temozolomide	
Tenofovir disoproxil	
fumarate	. 106
Tenoxicam	116
Tepadina	156
Terazosin	
Terbinafine	99
Terbutaline sulphate	190
Teriparatide	119
Testosterone	
Testosterone cypionate	84
Testosterone esters	84

Testosterone undecanoate
Tetrabenazine126
Tetrabromophenol82
Tetracosactrin
Tetracyclin Wolff95
Tetracycline95
Teva158
Thalidomide162
Thalomid
Theophylline
Thiamine hydrochloride41
THIO-TEPA156
Thioguanine
Thiotepa156
Thymol glycerin40
Thyroid and Antithyroid
Agents
Tilade192
Tilcotil116
Timolol maleate
Cardiovascular57
Sensory195
Timoptol XE195
Tiotropium bromide190
TMP
Tobramycin
Infection
Sensory194
Tobrex
Tofranil
Tolcapone125
Tolterodine82
Tolvon130
Topamax136
Topical Products for Joint and
Muscular Pain116
Topiramate136
Total parenteral nutrition
(TPN)
TPN
Tracleer63
Tramadol hydrochloride130
Tramal SR 100
Tramal SR 150
Tramal SR 200130
Trandate
Trandolapril
Tranexamic acid46
The sector management of the sector of the sector s
Tranylcypromine sulphate131
Trastuzumab184
Tranylcypromine sulphate131Trastuzumab184Travatan196Travoprost196

Treatments for Dementia	152
Treatments for Substance	
Dependence	
Trental 400	63
Tretinoin	
Dermatological	
Oncology	
Trexate	158
Triamcinolone acetonide	
Alimentary	40
Dermatological	
Hormone	84
Triamcinolone acetonide with	
gramicidin, neomycin and i	
Dermatological	
Sensory	194
Triazolam	
Trichozole	100
Triclosan	69
Trifluoperazine	
hydrochloride	143
Trimeprazine tartrate	
Trimethoprim	97
Trisequens	
Trisul	95
Trophic Hormones	
Tropicamide	
Tropisetron	
Trusopt	
Truvada	110
Two Cal HN	221
Two Cal HN RTH	221
Tykerb	
- U -	
Ultraproct	25
Univent	
Ural	,
Urea	
Urex Forte	

Valcyte .....105 Valganciclovir .....105 Vallergan Forte ......188

Valtrex ......104

Two Cal HN RTH Tykerb		VitA-POS Vitabdeck
- U - Ultraproct	25 190, 192 	Vitadol C Vital HN Vitamin A C Vitamins Vitamins Vivonex T Vivonex T Voloris Voltaren Voltaren I
Utrogestan		Voltaren ( Volumatio
- V - Vaccinations		Voriconaz Vosol
Valaciclovir		Votrient

Vasodilators	62
Vasopressin Agonists	89
Velcade	158
Venlafaxine	132
Ventavis	
Ventolin1	89, 190
Vepesid	160
Veracol	92
Verapamil hydrochloride	58
Vergo 16	137
Vermox	
Verpamil SR	
Vesanoid	162
Vesicare	
Vfend	
Viaderm KC	
Victrelis	
Videx EC	
Vigabatrin	
Vimpat	134
Vinblastine sulphate	162
Vincristine sulphate	162
Vinorelbine	
Vinorelbine Ebewe	162
Viramune Suspension	110
Viread	106
Vistil	
Vistil Forte	
VitA-POS	
Vitabdeck	
Vitadol C	
Vital HN	
Vitamin A with vitamins D and	215
C	/1
Vitamin B complex	
Vitamins	
Vivonex Pediatric	
Vivonex TEN	
Volibris	
Voltaren	
Voltaren D	115
Voltaren Ophtha	105
Volumatic	102
Voriconazole	193
Vosol	
Vosoi	
Vytorin	
- W -	
Warfarin sodium	

Vancomycin hydrochloride ......97 Varenicline tartrate ......154

Wart Preparations75		
Wasp venom allergy		
treatment		
Water		
Blood51		
Extemporaneous205		
Wool fat with mineral oil70		
- X -		
Xanax145		
Xarelto49		
Xeloda156		
XMET Maxamum222		
XP Maxamaid223		
XP Maxamum223		
Xylocaine126		
Xylocaine Viscous126		
Xyntha45		
-Z-		
Zantac		

Zapril Zarator	60
Zarontin	
Zaroxolyn	59
Zarzio	49
Zavedos	160
Zeffix	103
Zeldox	143
Zerit	110
Zetlam	
Zetop	187
Ziagen	
Zidovudine [AZT]	110
Zidovudine [AZT] with	
lamivudine	111
Zinc and castor oil	70
Zinc sulphate	43
Zincaps	43
Zinnat	

Ziprasidone	143
Zithromax	
Zoladex	
Zoledronic acid	120
Zopiclone	
Zostrix	
Zostrix HP	127
Zovirax	
Zuclopenthixol decanoate	145
Zuclopenthixol	
hydrochloride	143
Zyban	153
Zypine	141
Zypine ODT	141
Zyprexa	141
Zyprexa Relprevv	
Zyprexa Zydis	