December 2014

Volume 21 Number 3

Editor: Kaye Wilson email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/schedule/archive/

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

	Section A	General Rules	10		
	Section B	Alimentary Tract & Metabolism	24		
		Blood & Blood Forming Organs	44		
		Cardiovascular System	53		
		Dermatologicals	65		
		Genito Urinary System	76		
ı		Hormone Preparations – Systemic	82		
t e	Infe	ections – Agents For Systemic Use	94		
		Musculoskeletal System	118		
) I		Nervous System	127		
' ;	Oncolo	gy Agents & Immunosuppressants	161		
)		Respiratory System & Allergies	196		
		Sensory Organs	203		
1		Various	207		
	Section C Ext	emporaneous Compounds (ECPs)	209		
	Section D	Special Foods	216		
t :	Section E	Practitioner's Supply Orders	237		
1 , I	Rural Areas				
; '	Section F	Dispensing Period Exemptions	242		
1	Section G	Safety Cap Medicines	244		
1	Section I	National Immunisation Schedule	247		

Introducing PHARMAC

PHARMAC, the Pharmaceutical Management Agency, is a Crown entity established pursuant to the New Zealand Public Health and Disability Act 2000 (The Act). The primary objective of PHARMAC is to secure for eligible people in need of pharmaceuticals, the best health outcomes that are reasonably achievable from pharmaceutical treatment and from within the amount of funding provided.

The PHARMAC Board consists of up to six members appointed by the Minister of Health. All decisions relating to PHARMAC's operation are made by or under the authority of the Board. The functions of PHARMAC are to perform, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals within their hospitals, as applicable, and in accordance with its statement of intent and any directions given by the Minister (Section 103 of the Crown Entities Act).

Members of the PHARMAC Board

Stuart McLauchlan Nicole Anderson David Kerr
Jens Mueller Jan White

Decisions taken by the PHARMAC Board members, or made under the authority of the Board, incorporate a balanced view of the needs of prescribers and patients. The aim is to achieve long-term gains and efficient ways of making pharmaceuticals available to the community and for DHB Hospitals to purchase them.

The following attend PHARMAC's Board meetings as observers

- Murray Georgel, CE MidCentral DHB
- Kate Russell, Chair Consumer Advisory Committee
- Sisira Jayathissa, Chair Pharmacology and Therapeutics Advisory Committee (PTAC)

The functions of PHARMAC are to perform the following, within the amount of funding provided to it in the Pharmaceutical Budget or to DHBs from their own budgets for the use of pharmaceuticals in their hospitals, as applicable, and in accordance with its annual plan and any directions given by the Minister (Section 103 of the Crown Entities Act):

- a) to maintain and manage a pharmaceutical schedule that applies consistently throughout New Zealand, including determining eliqibility and criteria for the provision of subsidies;
- b) to manage incidental matters arising out of (a), including in exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the pharmaceutical schedule;
- to engage as it sees fit, but within its operational budget, in research to meet its objectives as set out in Section 47(a) of the Act:
- d) to promote the responsible use of pharmaceuticals:
- e) to manage the purchasing of any or all pharmaceuticals, whether used either in a hospital or outside it, on behalf of DHBs;
- f) any other functions given to PHARMAC by or under any enactment or authorised by the Minister.

The policies and criteria set out in the Pharmaceutical Schedule and PHARMAC's Operating Policies and Procedures arise out of, and are designed to help PHARMAC achieve and perform, PHARMAC's objective and functions under the Act.

However PHARMAC may, having regard to its public law obligations, depart from the strict application of those policies and criteria in certain exceptional cases where it considers this necessary or appropriate in the proper exercise of its statutory discretion and to give effect to its objective and functions, particularly with respect to:

- Determining eligibility and criteria for the provision of subsidies: and
- In exceptional circumstances providing for subsidies for the supply of pharmaceuticals not on the Pharmaceutical Schedule.

Decision Criteria

PHARMAC updates the Pharmaceutical Schedule at regular intervals to notify prescribers, pharmacists, hospital managers and patients of changes to Community Pharmaceutical subsidies and the prices for Hospital Pharmaceuticals. In making decisions about amendments to the Pharmaceutical Schedule, PHARMAC is guided by its Operating Policies and Procedures, as amended or supplemented from time to time. PHARMAC takes into account the following criteria when making decisions about Community Pharmaceuticals:

- the health needs of all eligible people within New Zealand (eligible defined by the Government's then current rules of eligibility);
- the particular health needs of Māori and Pacific peoples;
- the availability and suitability of existing medicines, therapeutic medical devices and related products and related things;
- the clinical benefits and risks of pharmaceuticals;
- the cost-effectiveness of meeting health needs by funding pharmaceuticals rather than using other publicly funded health and disability support services;
- the budgetary impact (in terms of the pharmaceutical budget and the Government's overall health budget) of any changes to the Pharmaceutical Schedule:
- the direct cost to health service users:

- the Government's priorities for health funding, as set out in any objectives notified by the Crown to PHARMAC, or in PHARMAC's Funding Agreement, or elsewhere; and
- such other criteria as PHARMAC thinks fit. PHARMAC will carry out appropriate consultation when it intends to take any such "other criteria" into account.

The Operating Policies and Procedures, including any supplements, also describe the way in which PHARMAC determines the level of subsidy or purchase price payable for each Community Pharmaceutical or Hospital Pharmaceutical, respectively.

The decision criteria for Hospital Pharmaceuticals are set out in the hospital supplement to the Operating Policies and Procedures and in the introductory part of Section H of the Pharmaceutical Schedule.

Copies of PHARMAC's Operating Policies and Procedures and of any applicable supplements are available on the PHARMAC website (www.pharmac.govt.nz), or on request.

PHARMAC's clinical advisors

Pharmacology and Therapeutics Advisory Committee (PTAC)

PHARMAC works closely with the Pharmacology and Therapeutics Advisory Committee (PTAC), an expert medical committee which provides independent advice to PHARMAC on health needs and the clinical benefits of particular pharmaceuticals for use in the community and/or in DHB Hospitals.

The committee members are all senior, practising clinicians. The chair of PTAC sits with the PHARMAC Board in an advisory capacity.

PTAC helps decide which community pharmaceuticals are to be subsidised from public monies by making recommendations to PHARMAC. Part of the role of PTAC is to review whether Community Pharmaceuticals already listed on the Schedule should continue to receive Government funds. The resources freed up can be used to subsidise other community pharmaceuticals with a greater therapeutic worth.

PHARMAC may obtain clinical advice from PTAC in relation to national purchasing strategies for Hospital Pharmaceuticals. There may be additional specialist hospital representatives on PTAC subcommittees, or additional PTAC subcommittees, where PHARMAC considers this necessary.

PTAC members are:

Sisira Jayathissa MMBS, MMedSc (Clin Epi), MD, FRCP (Lon, Edin), FRACP, FAFPHM, FNZCPHM, Dip Clin Epi,

Dip OHP, DipHSM, MBS, Chair

Melissa Copland PhD, BPharm(Hons), RegPharmNZ, FNZCP

Stuart Dalziel MBChB, PhD, FRACP

Ian Hosford MBChB, FRANZCP, psychiatrist

George Laking PhD, MD, FRACP

Graham Mills MBChB, MTropHlth, MD, FRACP, infectious disease specialist and general physician

Marius Rademaker BM (Soton), FRCP (Edn), FRACP DM

Jane Thomas MBChB, FANZGL

Mark Weatherall BA, MBChB, MApplStats, FRACP

Sean Hanna MB ChB, FRNZCGP, FRACGP, PGDipGP, PGCertClinEd

Jennifer Martin MBChB, MA(Oxon.), FRACP, PhD

Simon Wynn Thomas BMedSci (UK), MRCP (UK), MRCGP (UK)DFFP, FRNZCGP

Contact PTAC C/- PTAC Secretary, Pharmaceutical Management Agency, PO Box 10 254, WELLINGTON,

Email: PTAC@pharmac.govt.nz

PHARMAC's consumer advisors

Consumer Advisory Committee (CAC)

The Consumer Advisory Committee is an advisory committee to the PHARMAC Board. It provides written reports to the Board, and its Chair attends Board meetings as an observer to report on the activities and findings of the Committee, and to comment on consumer issues. While accountable to the Board, the Committee's general working relationship is with the staff of PHARMAC.

The Committee is made up of people from a range of backgrounds and interests including the health of Māori people, Pacific peoples, older people, women and mental health.

For current membership of the Consumer Advisory Committee, visit our website. The Consumer Advisory Committee can be contacted by email: CAC@pharmac.govt.nz, or you can write to the Consumer Advisory Committee at PHARMAC's postal address.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to
 contractors, as well as the manufacturer's price (if it differs from the Subsidy) and any access conditions that may apply;
 and
- some Hospital Pharmaceuticals that are purchased and used by DHB Hospitals, including those for which national prices have been negotiated by PHARMAC.

The purpose of the Schedule is not to show the final cost to Government of subsidising each Community Pharmaceutical or to DHBs in purchasing each Hospital Pharmaceutical since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for some Hospital Pharmaceuticals, on any logistics arrangements put in place by individual DHB Hospitals.

Finding Information in the Pharmaceutical Schedule

Community Pharmaceuticals

For Community Pharmaceuticals, the Schedule is organised in a way to help the reader find Community Pharmaceuticals, which may be used to treat similar conditions. To do this, Community Pharmaceuticals are first classified anatomically, originally based on the Anatomical Therapeutic Chemical (ATC) system, and then further classified under section headings structured for the New Zealand medical system.

- Section A lists the General Rules in relation to Community Pharmaceuticals and related products.
- Section B lists Community Pharmaceuticals and related products by anatomical classification, which are further divided into one or more therapeutic headings. Community Pharmaceuticals used to treat similar conditions are grouped together.
- Section C lists the rules in relation to Extemporaneously Compounded Products (ECPs) and Community Pharmaceuticals
 that will be subsidised when extemporaneously compounded.
- Section **D** lists the rules in relation to Special Foods and the Special Foods that are subsidised.
- Section E Part I lists the Community Pharmaceuticals that are subsidised on a Practitioner's Supply Order (PSO).
- Section E Part II lists rural areas for the purpose of PSOs.
- Section F lists the Community Pharmaceuticals dispensing period exemptions.
- Section **G** lists the Community Pharmaceuticals eligible for reimbursement of safety cap and related rules.
- Section I lists the National Immunisation Schedule.

The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classification level.

The therapeutic headings in the Pharmaceutical Schedule do not necessarily correspond to the therapeutic groups and therapeutic subgroups, which PHARMAC establishes for the separate purpose of determining the level of subsidy to be paid for each Community Pharmaceutical

The index located at the back of the book in which Sections A-G and I of the Pharmaceutical Schedule are published can be used to find page numbers for generic chemical entities, or product brand names.

Hospital Pharmaceuticals

Section H lists Pharmaceuticals that can be used in DHB Hospitals, and is split into the following parts:

- Part I lists the rules in relation to use of Pharmaceuticals by DHB Hospitals.
- Part II lists Hospital Pharmaceuticals that are funded for use in DHB Hospitals. These are classified based on the Anatomical Therapeutic Chemical (ATC) system used for Community Pharmaceuticals. It also provides information on any national contracts that exist, and an indication of which products have Hospital Supply Status (HSS).
- Part III lists Optional Pharmaceuticals for which national contracts exist, and DHB Hospitals may choose to fund. These
 are listed alphabetically by generic chemical entity name and line item, the relevant Price negotiated by PHARMAC and, if
 applicable, an indication of whether it has Hospital Supply Status (HSS) and any associated Discretionary Variance Limit
 (DV Limit).

The index located at the back of the Section H can be used to find page numbers for generic chemical entities, or product brand names, for Hospital Pharmaceuticals.


The listings are displayed alphabetically (where practical) within each level of the classification system. Each anatomical section contains a series of therapeutic headings, some of which may contain a further classificationlevel.

Community Pharmaceuticals are listed in a separate publication with Sections A to I (excluding Section H).

Explaining drug entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the amount of that subsidy paid to contractors, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gramkilograminternational unit	kg	microgram milligram millilitre	mg	millimoleunit	
Abbreviations					
Ampoule	Amp	Granules	Gran	Suppository	Supp
Capsule	Сар	Infusion	Inf	Tablet	Tab
Cream	Crm	Injection	Inj	Tincture	Tinc
Device	Dev	Linctus	Linc	Trans Dermal Delivery	
Dispersible	Disp	Liquid	Liq	System	TDDS
Effervescent	Eff	Long Acting	LA	•	
Emulsion	Emul	Ointment	Oint		
Enteric Coated	EC	Sachet	Sach		
Gelatinous	Gel	Solution	Soln		

BSO Bulk Supply Order.

CBS Cost Brand Source. There is no set manufacturer's price, and the Government subsidises the product at the price it is obtained by the pharmacy.

CE Compounded Extemporaneously.

CPD Cost Per Dose. The Funder (as defined in Part I of the General Rules) cost of a standard dose, without mark-ups or fees and excluding GST.

ECP Extemporaneously Compounded Preparation.

HSS Hospital Supply Status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- ‡ Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981. Practitioners prescribing this medication should:
 - a) be aware of and comply with their obligations under Section 29 of the Medicines Act 1981 and otherwise under that Act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - exercise their own skill, judgement, expertise and discretions, and make their own prescribing decisions with
 respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an indication for which it is not
 approved.

Note: Where medicines supplied under Section 29 that are used for emergency situations, patient details required under Section 29 of the Medicines Act may be retrospectively provided to the supplier.

	Definitions						
Abbrev.	Pharmacy Services Agreement	All other Pharmacy Agreements					
[HP3] Subsidised when dispensed from pharmacies that have a Special Foods Service appended to their Pharmacy Services Agreement by their DHB.		Available from selected pharmacies that have an exclusive contract to dispense Special Foods.					
[HP4]	Subsidised when dispensed from pharmacies that have the Monitored Therapy Variation (for Clozapine Services)	Avaliable from selected pharmacies that have an ex- clusive contract to dispense 'Hospital Pharmacy' [HP4] pharmaceuticals.					

Patient costs

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription Community Pharmaceutical is met by the Government through the Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to Contractors, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to Contractors does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

SALBUTAMOL		
Aerosol inhaler 100 mcg per dose	3.80	✓ Fully subsidised brand
	(6.00)	Higher priced brand

Pharmaceutical Co-Payments

Some Community Pharmaceutical costs are met by the patient. Generally a patient pays a prescription charge. In addition a patient will sometimes pay a manufacturer's surcharge, after hours service fee and any special packaging fee.

PRESCRIPTION CHARGE

From 1 January 2013, everyone who is eligible for publicly funded health and disability services should in most circumstances pay only \$5 for subsidised medicines.

All prescriptions from a public hospital, a midwife and a Family Planning Clinic are covered for \$5 co-payments.

Prescriptions from the following providers are approved for \$5 co-payments on subsidised medicines if they meet the specified criteria:

- After Hours Accident and Medical Services with a DHB or a PHO contract.
- Youth Health Clinics with a DHB or a PHO contract.
- Dentists who write a prescription that relates to a service being provided under a DHB contract.
- Private specialists (for example, ophthalmologists and orthopaedics) who write a prescription for a patient receiving a
 publicly funded service contracted by the DHB.
- General practitioners who write a prescription during normal business hours to a person who is not enrolled in the general
 practice provided the person is eligible for publicly funded health and disability services and the general practice is part of
 a PHO.
- Hospices that have a contract with a DHB.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Eligibility Direction on the Ministry of Health's website.

To check if a medicine is fully subsidised, refer to the Pharmaceutical Schedule on PHARMAC's website or ask your pharmacist or general practitioner.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

NOTE: Information sourced from Ministry of Health Website, for more information please visit www.moh.govt.nz

MANUFACTURER'S SURCHARGE

Not all Community Pharmaceuticals are fully subsidised. Although PHARMAC endeavours to fully subsidise at least one Community Pharmaceutical in each therapeutic group, and has contracts with some suppliers to maintain the price of a particular product, manufacturers are able to set their own price to pharmacies. When these prices exceed the subsidy, the pharmacist may recoup the difference from the patient.

To estimate the amount a patient will pay on top of the prescription charge, take the difference between the manufacturer's price and the subsidy, and multiply this by 1.86. The 1.86 factor represents the pharmacy mark-up on the surcharge plus other costs such as GST. Pharmacies charge different mark-ups so this may vary.

Manufacturer's surcharge to patient = (price - subsidy) $\times 1.86$

For example, a Community Pharmaceutical with a supplier (ex-manufacturer) cost of \$11.00 per pack with a \$10.00 subsidy will cost the patient a surcharge of \$1.86 on top of the prescription charge. The most a patient should pay is therefore \$16.86 - being \$15.00 maximum prescription charge, plus \$1.86.

Hospital Pharmaceutical and Pharmaceutical Cancer Treatment Costs

The cost of purchasing Hospital Pharmaceuticals (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) is met by the relevant DHB hospital Funder from its own budget. Pharmaceutical Cancer Treatments (for use in DHB hospitals and/or in association with Outpatient services provided in DHB hospitals) are funded through the Combined Pharmaceutical Budget. As required by section 23(7) of the Act, in performing any of their functions in relation to the supply of Pharmaceuticals including Pharmaceutical Cancer Treatments, DHBs must not act inconsistently with the Pharmaceutical Schedule.

PHARMAC web site

PHARMAC has set up an interactive Schedule on the Internet.

Other information about PHARMAC is also available on our website. This includes copies of the Annual Review, Annual Report and Annual Plan, as well as information such as the Pharmaceutical Schedule, Pharmaceutical Schedule Updates, National Hospital Pharmaceutical Strategy, other publications and recent press releases.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person. Applications must be submitted to the Ministry of Health by the prescriber for the request to be processed.

Subsidy

Once approved, the prescriber will be provided a Special Authority number which must appear on the prescription. Specialists who make an application must communicate the valid authority number to the prescriber who will be writing the prescriptions.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website.

For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised. Criteria for each Special Authority Community Pharmaceutical are updated regularly, based on the decision criteria of PHARMAC. The appropriateness of the listing of a Community Pharmaceutical in the Special Authority category will also be regularly reviewed. Applications for inclusion of further Community Pharmaceuticals in the Special Authority category will generally be made by a pharmaceutical supplier.

Special Authority Applications

Application forms can be found at www.pharmac.govt.nz. Requests for fax copies should be made to PHARMAC, phone 04 460 4990. Applications are processed by the Ministry of Health, and should be sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

For enquiries, phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666

Note: The Ministry of Health can only provide information on Special Authority applications to prescribers and pharmacists.

Each application must:

- Include the patients name, date of birth and NHI number (codes for AIDS patients' applications)
- Include the practitioner's name, address and registration number
- Clearly indicate that the relevant criteria, have been met.
- Be signed by the practitioner.

Named Patient Pharmaceutical Assessment policy

The Named Patient Pharmaceutical Assessment (NPPA) Policy is PHARMAC's process for considering applications about named patients seeking funding for treatments not listed on the Schedule, either at all or for the named patient's clinical circumstances. For PHARMAC to perform its legislative function of maintaining and managing a Schedule that applies consistently throughout New Zealand, the NPPA Policy will, and must, operate in a way that does not undermine the Schedule decision making process. Together, the Schedule process and the NPPA Policy, ensure there is a pathway for consideration of an individual's clinical circumstances. If an individual has a set of clinical circumstances not covered by the NPPA Policy, the Schedule decision making process is available. It is not the purpose of the NPPA Policy to provide access to every treatment not listed on the Schedule.

There are two main pathways by which named patients can be considered for funding under the NPPA Policy. PHARMAC will exercise its discretion to determine the most appropriate pathway for an application under the NPPA Policy based on the information that is provided.

Information concerning NPPA in hospital use can be forund at http://www.pharmac.health.nz/tools-resources/forms/named-patient-pharmaceutical-assessment-nppa-forms.

PHARMAC will assess applications that meet the prerequisites described below according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions. For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 66 00 50 option 3.

Unusual Clinical Circumstance (UCC)

The purpose of the Unusual Clinical Circumstances (UCC) pathway is to provide a process for consideration for funding for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule. The prerequisite requirements for UCC consideration are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that are so unusual that PHARMAC is unlikely to
 consider listing treatments for these on the Schedule; and
- Generally, PHARMAC has not already considered/is not considering, through the Schedule decision making process, the
 treatment for the patient's clinical circumstances, or has not considered the treatment at all.

Urgent Assessment (UA)

The purpose of the Urgent Assessment (UA) pathway is to provide a process for PHARMAC to consider funding treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing. The prerequisite requirements for UA are:

- The patient has reasonably tried and failed all alternative funded treatments (or alternative treatments have been contraindicated, or there are no other treatments available), or the patient has experienced such serious side effects with all other relevant funded treatments that treatment has been ceased or cannot reasonably be continued; and
- The patient is experiencing an indication or set of clinical circumstances that may be experienced by a population group (either currently or over time); and
- The patient has serious clinical circumstances and not receiving the treatment within six to 12 months would lead to either a
 significant deterioration in a serious clinical condition or the patient would miss the opportunity for significant improvement
 in clinical outcome (length or quality of life); and
- The treatment has either not been prioritised by PHARMAC, or if it has, PHARMAC has funded the treatment under the NPPA Policy for the same clinical circumstances prior to prioritisation.
- PHARMAC has not declined to list, on the Schedule, this treatment for these clinical circumstances.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 December 2014 and is to be referred to as the Pharmaceutical Schedule Volume 21 Number 3, 2014. Distribution will be from 20 December 2014. This Schedule comes into force on 1 December 2014.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
 - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
 - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
 - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area;
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
 - "Act", means the New Zealand Public Health and Disability Act 2000.
 - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
 - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
 - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
 - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
 - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be

required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber", means a nurse who is a Designated Prescriber—Registered Nurses Practising in Diabetes Health as determined by the Nursing Council of New Zealand to practice in diabetes health and has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
 - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
 - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/healthpros/EC/ECForms)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a

national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Precriber", means a person who is a nurse practitioner in terms of the Medicines Act 1981, or a Diabetes Nurse Prescriber

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"**Practitioner**", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations

1984.

"Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol". or
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.

"Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist",, in relation to a Prescription, means a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of competency; or
- d) the doctor writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules. Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives) The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot:
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect: or
 - b) both
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
 that part of any Prescription that is dispensed within the time frames specified above is eligible for
 Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or

- any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Dietitians' Prescriptions

The following provisions apply to every Prescription written by a Dietitian:

- 3.5.1 Prescriptions written by a Dietitian for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) special foods, as listed in Section D: or
 - any other Pharmaceutical that has been identified in Section D of the Pharmaceutical Schedule as being able to be prescribed by a Dietitian, providing that the products being prescribed are not classified as Prescription Medicines or Restricted Medicines.
- 3.5.2 For the purposes of Dietitians prescribing pursuant to this clause 3.5, the prescribing and dispensing of these products is required to be in accordance with regulations 41 and 42 of the Medicines Regulations 1984.

3.6 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.6.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical listed below:
 aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic
 test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable
 with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir,
 ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip,
- 3.6.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.7 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
 and
- b) written on a Quitcard.

PART IV

DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;

- iii) a benzodiazepine;
- iv) a Class B Controlled Drug:
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial";
 and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on the previous page; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS": and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V

MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders

with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or
 if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2. for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1:
 - b) clauses 2.1 to 2.2;
 - c) clauses 3.1 to 3.4: and
 - d) clause 5.4.
 - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under

- the Medicines Act 1981 or for an Unapproved Indication; or
- not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication. Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted' Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID			
Sodium alginate 225 mg and magnesium alginate 87.5 mg	4.50	00	. 4 O and a same first and
per sachet	4.50	30	✓ Gaviscon Infant
SIMETHICONE * Oral liq aluminium hydroxide 200 mg with magnesium hydrox-			
ide 200 mg and activated simethicone 20 mg per 5 ml	1.50	500 ml	
3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	(4.26)		Mylanta P
SODIUM ALGINATE			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium			
carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double
	(0.00)		Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium			y -
carbonate 160 mg per 10 ml		500 ml	
	(4.95)		Acidex
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE			
* Tab 600 mg	12.56	100	✓ Alu-Tab
CALCIUM CARBONATE			
Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement	30.00	500 ml	✓ Roxane
Only when prescribed for children under 12 years of age fo endorsed accordingly.			
Antidiarrhoeals			
Agents Which Reduce Motility			
OPERAMIDE HYDROCHLORIDE - Up to 30 cap available on a PS	80		
* Tab 2 mg		400	✓ Nodia
* Cap 2 mg	7.84	400	✓ <u>Diamide Relief</u>
Rectal and Colonic Anti-inflammatories			
BUDESONIDE			
Cap 3 mg - Special Authority see SA1155 below - Retail			
pharmacy	166.50	90	✓ Entocort CIR
■SA1155 Special Authority for Subsidy			
itial application — (Crohn's disease) from any relevant practition ollowing criteria: 3oth:	ner. Approva	ls valid for 6 n	nonths for applications meeting th
Mild to moderate ileal, ileocaecal or proximal Crohn's diseas	e: and		
2 Any of the following:	o, and		

Subsidy (Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sul	bsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 Diabetes: or
- 2.2 Cushingoid habitus; or
- 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)25.30	21.1 g OP	✓ <u>Colifoam</u>
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✔ Pentasa
Modified release granules, 1 g141.72	120 OP	✔ Pentasa
Enema 1 g per 100 ml44.12	7	✔ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✔ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg89.21	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg - For sulphasalazine oral liquid formulation refer,		
page 21011.68	100	✓ Salazopyrin
* Tab EC 500 mg12.89	100	✓ Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AN	AD CINCHOCAINE
---	----------------

			Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cin-
Ultraproct	30 g OP	6.35	chocaine hydrochloride 5 mg per g
			Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and
Ultraproct	12	2.66	cinchocaine hydrochloride 1 mg

	Subsidy (Manufacturer's F \$	Price) Su Per	Fully Brand or bsidised Generic Manufacturer
HYDROCORTISONE WITH CINCHOCAINE Oint 5 mg with cinchocaine hydrochloride 5 mg per g Suppos 5 mg with cinchocaine hydrochloride 5 mg per g		30 g OP 12	✓ Proctosedyl ✓ Proctosedyl
Management of Anal Fissures			
GLYCERYL TRINITRATE – Special Authority see SA1329 belo * Oint 0.2%	•	cy 30 g OP	✓ Rectogesic
■ SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vachronic anal fissure that has persisted for longer than three week		renewal unles	ss notified where the patient has
Antispasmodics and Other Agents Altering Gu	t Motility		
HYOSCINE N-BUTYLBROMIDE			
Tab 10 mg Inj 20 mg, 1 ml – Up to 5 inj available on a PSO MEBEVERINE HYDROCHLORIDE		20 5	✓ Gastrosoothe✓ Buscopan
* Tab 135 mg	18.00	90	✓ Colofac
Antiulcerants			
Antisecretory and Cytoprotective			
MISOPROSTOL	50.00	120	. Contata
* Tab 200 mcg Helicobacter Pylori Eradication	50.92	120	✓ Cytotec
·			
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement a) Maximum of 14 tab per prescription	10.40	14	✓ <u>Apo-Clarithromycin</u>
 b) Subsidised only if prescribed for helicobacter pylori er Note: the prescription is considered endorsed if clarithromycin amoxicillin or metronidazole. 			
H2 Antagonists			
CIMETIDINE - Only on a prescription			
* Tab 200 mg	5.00 (7.50)	100	Apo-Cimetidine
* Tab 400 mg		100	Apo-Cimetidine
RANITIDINE - Only on a prescription			
* Tab 150 mg	5.15 10.30	250 500	✓ Arrow-Ranitidine✓ Ranitidine Relief
Ranitidine Relief to be Sole Supply on 1 February 2015 * Tab 300 mg	7.37	250	✓ Arrow-Ranitidine
	14.73	500	✓ Ranitidine Relief
Ranitidine Relief to be Sole Supply on 1 February 2015			4 =
* Oral liq 150 mg per 10 ml		300 ml	✓ Peptisoothe
 Inj 25 mg per ml, 2 ml	8./5	5	✓ Zantac

(Arrow-Ranitidine Tab 300 mg to be delisted 1 February 2015)

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
Proton Pump Inhibitors			
ANSOPRAZOLE ★ Cap 15 mg ★ Cap 30 mg DMEPRAZOLE	2.32	28 28	✓ <u>Solox</u> ✓ <u>Solox</u>
For omeprazole suspension refer Standard Formulae, page Cap 10 mg Omezol Relief to be Sole Supply on 1 February 2015		90	✓ Omezol Relief
Cap 20 mgOmezol Relief to be Sole Supply on 1 February 2015	2.91	90	✓ Omezol Relief
Cap 40 mg Omezol Relief to be Sole Supply on 1 February 2015 Omezol Relief to be Sole Supply on 1 February 2015	4.42	90	✓ Omezol Relief
Powder – Only in combination		5 g	✓ Midwest
k Inj 40 mg		5	✓ Dr Reddy's Omeprazole
PANTOPRAZOLE * Tab EC 20 mg	2.68	100	✓ <u>Pantoprazole</u> Actavis 20
* Tab EC 40 mg	3.54	100	Pantoprazole Actavis 40
Site Protective Agents			
BISMUTH TRIOXIDE Tab 120 mgSUCRALFATE	32.50	112	✓ De Nol®29
Tab 1 g	35.50 (48.28)	120	Carafate
Bile and Liver Therapy			
RIFAXIMIN - Special Authority see SA1461 below - Retail phar Tab 550 mg	•	56	✓ <u>Xifaxan</u>
■►SA1461 Special Authority for Subsidy Initial application only from a gastroenterologist, hepatologist application only from a gastroenterologist, hepatologist approvals valid for 6 months where the patient had olerated doses of lactulose. Renewal only from a gastroenterologist, hepatologist or Practition approvals valid without further renewal unless notified where the reatment.	s hepatic encephalopa ner on the recommenda	athy o	despite an adequate trial of maximu of a gastroenterologist or hepatologis

Hyperglycaemic Agents

DIAZOXIDE - Special Authority see SA1320 on the next page - Retail pharmacy						
Cap 25 mg	110.00	100	✓ Proglicem S29			
Cap 100 mg	280.00	100	✔ Proglicem S29			
Oral liq 50 mg per ml	620.00	30 ml OP	✔ Proglycem S29			

27

Per Manufacturer ⇒SA1320 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism. Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment. GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit - Up to 5 kit available on a PSO......32.00 Glucagen Hypokit **Insulin - Short-acting Preparations** INSULIN NEUTRAL ▲ Inj human 100 u per ml25.26 10 ml OP ✔ Actrapid ✔ Humulin R 5 ✓ Actrapid Penfill ✔ Humulin R Insulin - Intermediate-acting Preparations INSULIN ASPART WITH INSULIN ASPART PROTAMINE 5 ✓ NovoMix 30 FlexPen INSULIN ISOPHANE ▲ Inj human 100 u per ml17.68 ✔ Humulin NPH 10 ml OP ✔ Protaphane ▲ Inj human 100 u per ml, 3 ml29.86 5 ✔ Humulin NPH Protaphane Penfill INSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml25.26 10 ml OP ✔ Humulin 30/70 ✓ Mixtard 30 ▲ Inj human with neutral insulin 100 u per ml, 3 ml42.66 5 ✔ Humulin 30/70 ✓ PenMix 30 ✔ PenMix 40 ✔ PenMix 50 INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE ▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, ✔ Humalog Mix 25 ▲ Ini lispro 50% with insulin lispro protamine 50% 100 u per ml. 5 Humalog Mix 50 **Insulin - Long-acting Preparations** INSULIN GLARGINE ▲ Inj 100 u per ml, 10 ml63.00 ✓ Lantus 1 ▲ Inj 100 u per ml, 3 ml94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen94.50 ✓ Lantus SoloStar **Insulin - Rapid Acting Preparations** INSULIN ASPART ▲ Inj 100 u per ml, 3 ml syringe51.19 5 ✓ NovoRapid FlexPen ▲ Inj 100 u per ml, 3 ml51.19 5 ✓ NovoRapid Penfill

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

✓ NovoRapid

	Subsidy (Manufacturer's	Price) S	Full	•
	(Mandiacturer 3	Per	v V	
NSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	~	Apidra
▲ Inj 100 u per ml, 3 ml		5		Apidra
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	~	Apidra SoloStar
NSULIN LISPRO				
▲ Inj 100 u per ml, 10 ml	34.92	10 ml OP	~	Humalog
▲ Inj 100 u per ml, 3 ml	59.52	5	~	Humalog
Alpha Glucosidase Inhibitors				
ACARBOSE				
* Tab 50 mg	9.82	90	~	Accarb
* Tab 100 mg	15.83	90	~	<u>Accarb</u>
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	~	Daonil
GLICLAZIDE				
★ Tab 80 mg	11.50	500	~	Apo-Gliclazide
			~	Glizide
Glizide to be Sole Supply on 1 February 2015				
Apo-Gliclazide Tab 80 mg to be delisted 1 February 2015)				
GLIPIZIDE				
₭ Tab 5 mg	3.00	100	~	<u>Minidiab</u>
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg	12.30	1,000	/	Apotex
* Tab immediate-release 850 mg	10.10	500	~	Apotex
PIOGLITAZONE				
* Tab 15 mg	1.50	28	V	Pizaccord
★ Tab 30 mg		28		Pizaccord
* Tab 45 mg		28		Pizaccord
Diabetes Management				
Ketone Testing				
BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 met	tor available on a P	SO.		
Meter funded for the purposes of blood ketone diagnostics			nore eni	sodes of ketoacidosis and
at risk of future episodes or patient is on an insulin pump.				
Meter	, ,	1		Freestyle Optium
				, ,
ETONE BLOOD BETA-KETONE ELECTRODES				
(ETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO				
	15.50	10 strip OF	, ,	Freestyle Optium
a) Maximum of 20 strip per prescriptionb) Up to 10 strip available on a PSO	15.50	10 strip OF	· /	Freestyle Optium Ketone
a) Maximum of 20 strip per prescriptionb) Up to 10 strip available on a PSO		10 strip OF	· •	, ,
a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip – Not on a BSO	ription	10 strip OF		• •
a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip — Not on a BSO SODIUM NITROPRUSSIDE — Maximum of 50 strip per prescription	ription	·		Ketone

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
- 1) is receiving insulin or sulphonylurea therapy; or
- 2) is pregnant with diabetes: or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
- 4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome.

Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test

1 OP CareSens II

CareSens N

✓ CareSens N POP

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed;
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips - Note differing brand requirements

50 test OP

✓ CareSens ✓ CareSens N

28.75

✓ Accu-Chek Performa

✔ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

⇒SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788 Wellington Email: bgstrips@pharmac.govt.nz

■ SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bastrips@pharmac.govt.nz

30

✓ R-D Micro-Fine

(Ma	Subsidy nufacturer's Price)	Subsi	Fully dised	Brand or Generic	
	\$	Per	~	Manufacturer	

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

50 test OP ✓ SensoCard

Insulin Syringes and Needles

 $29 \, a \times 12.7 \, mm$

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INCLU IN DEN NEEDLES	 Maximum of 100 dev per prescription
INOULIN PEN NEEDLEO	- Maximum of 100 dev bei brescribtion

*	29 y × 12.7 111111	3.13	30	P-D MICIO-FINE
		10.50	100	✓ B-D Micro-Fine
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
*	31 g × 6 mm	10.50	100	✓ ABM
*	31 g × 8 mm		30	✓ B-D Micro-Fine
		10.50	100	✓ B-D Micro-Fine
				✓ ABM
*	$32 \text{ g} \times 4 \text{ mm}$	10.50	100	✓ B-D Micro-Fine
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 100	dev per pre	scription
*	Syringe 0.3 ml with 29 g \times 12.7 mm needle	1.30	10	•
	, ,	(1.99)		B-D Ultra Fine
		13.00	100	B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	1.30	10	
		(1.99)		B-D Ultra Fine II
		13.00	100	B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g \times 12.7 mm needle	1.30	10	
		(1.99)		B-D Ultra Fine
		13.00	100	B-D Ultra Fine
*	Syringe 0.5 ml with 31 g \times 8 mm needle	1.30	10	
		(1.99)		B-D Ultra Fine II
		13.00	100	B-D Ultra Fine II
*	Syringe 1 ml with 29 g \times 12.7 mm needle		100	✓ ABM
		1.30	10	
		(1.99)		B-D Ultra Fine
		13.00	100	B-D Ultra Fine
*	Syringe 1 ml with 31 g \times 8 mm needle		100	✓ ABM
		1.30	10	
		(1.99)		B-D Ultra Fine II
		13.00	100	B-D Ultra Fine II

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Insulin Pumps

INSULIN PUMP - Special Authority see SA1237 below - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

c) Maximum of 1 insulin pump per patient each four year period.	
Min basal rate 0.025 U/h; black colour4,500.00	Animas Vibe
Min basal rate 0.025 U/h; blue colour4,500.00	Animas Vibe
Min basal rate 0.025 U/h; green colour4,500.00 1	Animas Vibe
Min basal rate 0.025 U/h; pink colour4,500.00 1	Animas Vibe
Min basal rate 0.025 U/h; silver colour4,500.00	Animas Vibe
Min basal rate 0.05 U/h; blue colour4,400.00	✓ Paradigm 522
	Paradigm 722
Min basal rate 0.05 U/h; clear colour4,400.00 1	Paradigm 522
	Paradigm 722
Min basal rate 0.05 U/h; pink colour4,400.00 1	✓ Paradigm 522
	Paradigm 722
Min basal rate 0.05 U/h; purple colour4,400.00 1	✓ Paradigm 522
	Paradigm 722
Min basal rate 0.05 U/h; smoke colour4,400.00	✓ Paradigm 522
	Paradigm 722

⇒SA1237 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 974 7806 PO Box 10 254 Email: ipp@pharmac.govt.nz

Wellington

Insulin Pump Consumables

⇒SA1240 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 974 7806 PO Box 10 254 Email: ipp@pharmac.govt.nz

Wellington

INSULIN PUMP ACCESSORIES - Special Authority see SA1240 above - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

1 ✓ Animas Battery Cap

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1240 on the previous page - Retail pharmacy

a١	Maximum	of 3 se	ts ner	prescription
aı	IVIANIIIIUIII	UI U 30	วเอ มษา	DIESCHDUUH

a) Maximum of 3 sets per prescription b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line $\times10$			
with 10 needles	130.00	1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing \times			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line \times 10			
with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line \times 10		-	
with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×		-	
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
, , ,			

1 OP

✓ Sure-T MMT-875

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1240 on page 32 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

m teflon cannula; angle insertion; insertion device; 110		
m grey line \times 10 with 10 needles140.00	1 OP	✓ Inset 30
m teflon cannula; angle insertion; insertion device; 60		
m blue line × 10 with 10 needles140.00	1 OP	✓ Inset 30
m teflon cannula; angle insertion; insertion device; 60		
m grey line × 10 with 10 needles140.00	1 OP	✓ Inset 30
m teflon cannula; angle insertion; insertion device; 60		
m pink line × 10 with 10 needles140.00	1 OP	✓ Inset 30

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1240 on page 32 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

13 mm teflon cannula; angel insertion; 60 cm grey line \times 5			
with 10 needles	120.00	1 OP	✓ Comfort Short
13 mm teflon cannula; angle insertion; 120 cm line \times 10 with			
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-382
13 mm teflon cannula; angle insertion; 45 cm line \times 10 with			
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-368
13 mm teflon cannula; angle insertion; 60 cm line \times 10 with			
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-381
13 mm teflon cannula; angle insertion; 80 cm line \times 10 with			
10 needles	130.00	1 OP	✔ Paradigm Silhouette MMT-383
17 mm teflon cannula; angle insertion; 110 cm grey line \times 5			
with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 110 cm line \times 10 with			
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-377
17 mm teflon cannula; angle insertion; 110 cm line \times 10 with			
10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm grey line \times 5			
with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 60 cm line \times 10 with			
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-378
47 t-fl			WWW 1-370
17 mm teflon cannula; angle insertion; 60 cm line × 10 with	100.00	4 OD	· / Cilbarratta MMT 070
10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line \times 10 with			4
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-384

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1240 on page 32 - Retail pharmacy

SA1240 on page 32 – Retail pharmacy a) Maximum of 3 sets per prescription			
b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
6 mm teflon cannula; straight insertion; insertion device; 110			
cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device; 45			
cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45			WIWIT-541
cm pink tubing \times 10 with 10 needles	100.00	1 OP	✓ Paradigm Mio
crit plink tubing × 10 with 10 needles	130.00	TOP	MMT-921
O many to flow accounts a tradebility and the desired devices OO			IVIIVI 1-92 I
6 mm teflon cannula; straight insertion; insertion device; 60	100.00	4.00	45 " "
cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
			MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60			
cm pink tubing × 10 with 10 needles	130.00	1 OP	Paradigm Mio
			MMT-923
6 mm teflon cannula; straight insertion; insertion device; 80			
cm blue tubing × 10 with 10 needles	130.00	1 OP	Paradigm Mio
•			MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80			
cm clear tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
3 · · · · · · · · · · · · · · · · · · ·		-	MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80			
cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
cm plink tubing × 10 with 10 hecdies	100.00	1 01	MMT-925
6 mm teflon cannula; straight insertionl insertion device; 60			WIWI 1-323
cm blue line × 10 with 10 needles	140.00	1 OP	✓ Inset II
	140.00	TOP	V IIISELII
6 mm teflon cannula; straight insertionl insertion device; 60	440.00	4.00	4
cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertionl insertion device; 60			4
cm pink line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60			
cm blue line × 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60			
cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60			
cm pink line × 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 80			
cm clear tubing \times 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
			MMT-975
9 mm teflon cannula; straight insertionl insertion device; 110			
cm grey line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
on gray into A to with to needles	140.00	1 01	₩ III3Ct II

35

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1240 on page 32 -

iaii priarriacy		
a) Maximum of 3 se	ts per prescription	

b	Only	on	a į	prescription	on

c) N	/laximum	of 13	infusion	sets will	he f	inded	ner vear

c) Maximum of 13 infusion sets will be funded per year. 6 mm teflon cannula; straight insertion; 110 cm tubing × 10			
with 10 needles	130.00	1 OP	✔ Paradigm Quick-Set MMT-398
6 mm teflon cannula; straight insertion; 110 cm tubing \times 10			
with 10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing \times 10			4
with 10 needles	130.00	1 OP	✓ Paradigm Quick-Set MMT-399
6 mm teflon cannula; straight insertion; 60 cm tubing $ imes$ 10			
with 10 needles; luer lock	130.00	1 OP	Quick-Set MMT-393
6 mm teflon cannula; straight insertion; 80 cm tubing \times 10			
with 10 needles	130.00	1 OP	✓ Paradigm Quick-Set MMT-387
9 mm teflon cannula; straight insertion; 106 cm tubing \times 10			
with 10 needles	130.00	1 OP	✔ Paradigm Quick-Set MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing \times 10			
with 10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing \times 10			
with 10 needles	130.00	1 OP	✔ Paradigm Quick-Set MMT-397
9 mm teflon cannula; straight insertion; 60 cm tubing × 10			WIWI 1-037
with 10 needles; luer lock	130.00	1 OP	✓ Quick-Set MMT-392
9 mm teflon cannula; straight insertion; 80 cm tubing × 10	100.00	1 01	Galok Get IIIII 1 602
with 10 needles	130.00	1 OP	✓ Paradigm Quick-Set
with to ficedica	100.00	1 01	MMT-386

INSULIN PUMP RESERVOIR - Special Authority see SA1240 on page 32 - Retail pharmacy

r.		
50.00	1 OP	✓ ADR Cartridge 1.8
		•
50.00	1 OP	ADR Cartridge 3.0
50.00	1 OP	Animas Cartridge
50.00	1 OP	✓ Paradigm 1.8
		Reservoir
50.00	1 OP	Paradigm 3.0
		Reservoir
50.00	1 OP	✓ 50X 3.0 Reservoir
	50.00 50.00 50.00 50.00	50.00 1 OP50.00 1 OP50.00 1 OP50.00 1 OP50.00 1 OP

a) Maximum of 3 sets per prescription

b) Only on a prescription

Subsidised

Fully

Brand or

Generic

	\$ Per	
Digestives Including Enzymes		
PANCREATIC ENZYME		
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease	100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease	100	✓ Creon 25000
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease	100	✓ Panzytrat
URSODEOXYCHOLIC ACID - Special Authority see SA1383 bel Cap 250 mg - For ursodeoxycholic acid oral liquid formula-		
tion refer, page 210	100	✓ Ursosan

Subsidy

(Manufacturer's Price)

■ SA1383 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

ι

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (**Pregnancy**) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

continued...

(N	Subsidy lanufacturer's Pric \$	e) S Per	Fully Subsidised	Brand or Generic Manufacturer
continued Renewal — (Chronic severe drug induced cholestatic liver injury where the patient continues to benefit from treatment.	r) from any rele	vant pract	titioner. Ap	oprovals valid for 6 months
Renewal — (Pregnancy/Cirrhosis) from any relevant practitione appropriate and the patient is benefiting from treatment.	r. Approvals va	alid for 2	years whe	ere the treatment remains
Renewal — (Total parenteral nutrition induced cholestasis) from the paediatric patient continues to require TPN and who is benefiting flevels.	rom treatment, o	defined as	a sustaine	ed improvement in bilirubin
Note: Ursodeoxycholic acid is not an appropriate therapy for patients pensated cirrhosis). These patients should be referred to an approp bilirubin levels, absence of a significant decrease in ALP or ALT a marked worsening of pruritus or fatigue, histological progression by the state of the	riate transplant nd AST, develo	centre. Tr pment of	reatment fa varices, a	ailure - doubling of serum ascites or encephalopathy,
Laxatives				
Bulk-forming Agents				
ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	5.51	500 g OP	✓ <u>K</u>	onsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS * Dry	0.41	200 g OP		
* DIY	(8.72)	Ü	N	ormacol Plus
	6.02 (17.32)	500 g OP	N	ormacol Plus
Faecal Softeners				
DOCUSATE SODIUM — Only on a prescription * Tab 50 mg * Tab 120 mg * Cap 50 mg * Cap 120 mg * Enema conc 18%	3.13 2.57 3.48	100 100 100 100 100 ml OP	✔ C ✔ Li ✔ Li	oloxyl oloxyl axofast 50 axofast 120 oloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with sennosides 8 mg	4.40	200		axsol
POLOXAMER – Only on a prescription Not funded for use in the ear. * Oral drops 10%	3.78	30 ml OP	√ C	oloxyl
Osmotic Laxatives				
GLYCEROL * Suppos 3.6 g – Only on a prescription LACTULOSE – Only on a prescription	6.50	20	✓ <u>P</u>	<u>SM</u>

MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BICARBONATE AND SODIUM CHLORIDE - Special Authority see

500 ml

30

✓ Laevolac

✓ Lax-Sachets

SA1473 on the next page – Retail pharmacy

ride 350.7 mg - Maximum of 90 sach per prescription7.65

Powder for oral soln 13.125 g with potassium chloride 46.6 mg, sodium bicarbonate 178.5 mg and sodium chlo-

	ALIMENTAR	YIKAC	I AND	METABOLISM
	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
▶SA1473 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val Both:	lid for 6 months for appl	ications m	eeting th	ne following criteria:
 The patient has problematic constipation despite an where lactulose is not contraindicated; and The patient would otherwise require a per rectal prepa 	•	oral phari	nacothe	rapies including lactulose
Renewal from any relevant practitioner. Approvals valid for 1 benefit from treatment.	2 months where the pa	atient is co	mpliant	and is continuing to gain
SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1		eet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETAT Enema 90 mg with sodium lauryl sulphoacetate 9 mg per r 5 ml	ml,	tion 50	<u>✓ M</u>	icolette
Stimulant Laxatives				
BISACODYL – Only on a prescription * Tab 5 mg * Suppos 5 mg * Suppos 10 mg	3.00	200 6 6	✓ Di	ax-Tab ulcolax ulcolax
DANTHRON WITH POLOXAMER — Only on a prescription Note: Only for the prevention or treatment of constipation in Oral liq 25 mg with poloxamer 200 mg per 5 ml Oral liq 75 mg with poloxamer 1 g per 5 ml	21.30 3 43.60 3	300 ml 300 ml		inorax inorax Forte

SENNA - Only on a prescription

Gaucher's Disease

		ee SA0473 below – Retail pharmacy	IMIGLUCERASE - Special Authority see S
Cerezyme	1	1,072.00	Inj 40 iu per ml, 200 iu vial
✓ Cerezyme	1	2,144.00	Inj 40 iu per ml, 400 iu vial

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

(Pinorax Oral lig 25 mg with poloxamer 200 mg per 5 ml to be delisted 1 April 2015) (Pinorax Forte Oral liq 75 mg with poloxamer 1 g per 5 ml to be delisted 1 January 2015)

The Co-ordinator, Gaucher's Treatment Panel

PHARMAC, PO Box 10 254

Phone: (04) 460 4990 Facsimile: (04) 916 7571

Wellington

Email: gaucherpanel@pharmac.govt.nz

20

100

(1.72)2.17

(6.16)

Senokot

Senokot

39

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE			
Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with			
Endorsement		200 ml	
	(8.50)		Difflam
	9.00	500 ml	D:///
A delition of a choich, by an development for a matient color base and	(17.01)		Difflam
Additional subsidy by endorsement for a patient who has ora tion is endorsed accordingly.	i mucositis as	a result of treat	tment for cancer, and the prescrip
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.68	200 ml OP	✓ <u>healthE</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
	(5.62)	-	Bonjela
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste	17.20	56 g OP	✓ Stomahesive
	1.52	5 g OP	
	(3.60)		Orabase
	4.55	15 g OP	
AAPSI SI LUIS L	(7.90)	00 00	Orabase
With pectin and gelatin powder		28 g OP	Stomahesive
	(10.95)		Stomanesive
TRIAMCINOLONE ACETONIDE	4.04	- 00	40
0.1% in Dental Paste USP	4.34	5 g OP	✓ Oracort
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE			
Oral gel 20 mg per g	4.95	40 g OP	✓ <u>Decozol</u>
NYSTATIN			
Oral liq 100,000 u per ml	3.19	24 ml OP	✓ Nilstat
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute for	mula refer Sta	ndard Formula	e. page 213
HYDROGEN PEROXIDE			o, pago = 10
* Soln 10 vol – Maximum of 200 ml per prescription	1.28	100 ml	✓ PSM
• • • •		100 1111	V . VIII
THYMOL GLYCERIN			

500 ml

✓ PSM

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Vitamins

Alpha tocopheryl acetate is available fully subsidised for specific patients at the Medical Director of PHARMAC's discretion. Refer to PHARMAC website www.pharmac.govt.nz for the "Alpha tocopheryl acetate information sheet and application form".

Vitamin A		
VITAMIN A WITH VITAMINS D AND C		
* Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops4.50	10 ml OP	✓ Vitadol C
Vitamin B		
HYDROXOCOBALAMIN		4.5
* Inj 1 mg per ml, 1 ml - Up to 6 inj available on a PSO) 3	✓ <u>ABM</u> <u>Hydroxocobalamin</u>
PYRIDOXINE HYDROCHLORIDE		•
a) No more than 100 mg per dose b) Only on a prescription		
* Tab 25 mg - No patient co-payment payable2.1 PyridoxADE to be Sole Supply on 1 February 2015	5 90	✓ PyridoxADE
* Tab 50 mg11.5	5 500	✓ Apo-Pyridoxine
THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg	2 100	✓ Apo-Thiamine
VITAMIN B COMPLEX	100	Apo-miamine
* Tab, strong, BPC4.30	500	✓ <u>Bplex</u>
Vitamin C		
ASCORBIC ACID		
a) No more than 100 mg per dose b) Only on a prescription		
* Tab 100 mg7.00	500	✓ <u>Cvite</u>
Vitamin D		
ALFACALCIDOL * Cap 0.25 mcg26.3:	2 100	✓ One-Alpha
* Cap 1 mcg		✓ One-Alpha ✓ One-Alpha
* Oral drops 2 mcg per ml		✓ One-Alpha
CALCITRIOL CAR OF THE TANK	00	A Luftan
* Cap 0.25 mcg		✓ Airflow ✓ Calcitriol-AFT
* Cap 0.5 mcg		✓ Airflow
18.73	3 100	✓ Calcitriol-AFT
CHOLECALCIFEROL * Tab 1.25 mg (50,000 iu) – Maximum of 12 tab per prescription7.7	S 12	✓ Cal-d-Forte
) 12	V Cal-u-ronte
Multivitamin Preparations		
MULTIVITAMINS – Special Authority see SA1036 on the next page – Retail		A Doodietsie Court
* Powder72.00	200 g OP	✓ Paediatric Seravit

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1036 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

*	Tab (BPC cap strength)7.60	1,000	✓ Mvite
*	Cap (fat soluble vitamins A, D, E, K) - Special Authority see		
	SA1002 below – Retail pharmacy23.40	60	Vitabdeck

■ SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

	V	in	er	a	S
--	---	----	----	---	---

(,0	lcium
Ua.	lulli

CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental)	30 250	✓ Calsource✓ <u>Arrow-Calcium</u>✓ Hospira
Fluoride		
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)	100	✓ PSM
POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	90 90	✓ NeuroTabs NeuroKare
Iron		
FERROUS FUMARATE * Tab 200 mg (65 mg elemental)4.35	100	✓ Ferro-tab

FERROUS FUMARATE WITH FOLIC ACID

FERROUS SULPHATE

* Tab 310 mg (100 mg elemental) with folic acid 350 mcg4.75

60

30

500 ml

✔ Ferro-F-Tabs

✓ Ferrograd

✓ Ferodan

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
FERROUS SULPHATE WITH FOLIC ACID				
* Tab long-acting 325 mg (105 mg elemental) with folic acid				
350 mcg	1.80	30		
	(4.29)		F	errograd F
IRON POLYMALTOSE				
* Inj 50 mg per ml, 2 ml ampoule	15.22	5	✓ <u>F</u>	errum H
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, page	213			
MAGNESIUM SULPHATE				
* Inj 2 mmol per ml, 5 ml ampoule	12.65 (18.35)	10		BL lartindale
DBL to be Sole Supply on 1 January 2015 (Martindale Inj 2 mmol per ml, 5 ml ampoule to be delisted 1 Janu	, ,			
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	√ Z	incaps

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus: and
 - 3.1.2 Glomerular filtration rate < 30ml/min: or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus; and
 - 3.2.2 Glomerular filtration rate < 45ml/min: or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropojetin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*; and
- 2 Has had symptomatic anaemia with haemoglobin <100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of <500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 ju per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Authority	see SA1469 on the pro	evious pa	age – Re	tail pharmacy
Wastage claimable – see rule 3.3.2 on page 17	•		J	, ,
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	✓ Ep	orex
Eprex to be Sole Supply on 1 March 2015				
Inj 2,000 iu in 0.5 ml, syringe	120.18	6	✓ E	rex
Eprex to be Sole Supply on 1 March 2015				
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	✓ E	rex
Eprex to be Sole Supply on 1 March 2015				
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	✓ E	rex
Eprex to be Sole Supply on 1 March 2015				
Inj 5,000 iu in 0.5 ml, syringe	243.26	6	✓ Ep	rex
Eprex to be Sole Supply on 1 March 2015				
Inj 6,000 iu in 0.6 ml, syringe	291.92	6	✓ Ep	rex
Eprex to be Sole Supply on 1 March 2015				
Inj 10,000 iu in 1 ml, syringe	395.18	6	✓ Ep	rex
Eprex to be Sole Supply on 1 March 2015				
EPOETIN BETA [ERYTHROPOIETIN BETA] - Special Authority	see SA1469 on the pr	evious p	age – Re	tail pharmacy
Wastage claimable – see rule 3.3.2 on page 17				,
Inj 2,000 iu, prefilled syringe	120.18	6	✓ Ne	eoRecormon
Inj 3,000 iu, prefilled syringe		6	✓ Ne	eoRecormon
Inj 4,000 iu, prefilled syringe		6	✓ Ne	eoRecormon
Inj 5,000 iu, prefilled syringe		6	✓ Ne	eoRecormon
Inj 6,000 iu, prefilled syringe	291.29	6	✓ Ne	eoRecormon
Inj 10,000 iu, prefilled syringe		6	✓ Ne	eoRecormon
(NeoRecormon Inj 2,000 iu, prefilled syringe to be delisted 1 Mar	rch 2015)			
(NeoRecormon Inj 3,000 iu, prefilled syringe to be delisted 1 Mar	rch 2015)			
(NeoRecormon Inj 4,000 iu, prefilled syringe to be delisted 1 Mar	rch 2015)			
(NeoRecormon Inj 5,000 iu, prefilled syringe to be delisted 1 Mar	rch 2015)			
(NeoRecormon Inj 6,000 iu, prefilled syringe to be delisted 1 Mar	rch 2015)			
(NeoRecormon Inj 10,000 iu, prefilled syringe to be delisted 1 Ma	arch 2015)			

Megaloblastic

FO	LIC ACID			
*	Tab 0.8 mg	19.80	1,000	✓ Apo-Folic Acid
*	Tab 5 mg	10.21	500	✓ Apo-Folic Acid
	Oral lig 50 mcg per ml	24 00	25 ml OP	✓ Riomed

Antifibrinolytics, Haemostatics and Local Sclerosants

ELTROMBOPAG - Special Authority see SA1418 below - Retail pharmacy		
Wastage claimable – see rule 3.3.2 on page 17		
Tab 25 mg1,771.00	28	Revolade
Tab 50 mg3,542.00	28	✓ Revolade

►SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

1 Patient has had a splenectomy; and

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of $\leq 20,000$ platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of < 10.000 platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National

1,163.75	1	✓ NovoSeven RT
2,327.50	1	✓ Novoseven RT
·	1	✓ Novoseven RT
•	1	✓ Novoseven RT
	1,163.75 2,327.50 5,818.75 9,310.00	2,327.50 1 5,818.75 1

FACTOR EIGHT INHIBITORS BYPASSING AGENT - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group

		i acinopinia management en capi	
✓ FEIBA	1	Inj 500 U1,640.00	lnj
✓ FEIBA	1	Ini 1.000 U 3.280.00	Ini

MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group

riadinopillia managoment areap.			
Inj 250 iu vial	225.00	1	Xyntha
Inj 500 iu vial	450.00	1	Xyntha
Inj 1,000 iu vial	900.00	1	Xyntha
Inj 2,000 iu vial	1,800.00	1	Xyntha
Inj 3,000 iu vial	2,700.00	1	Xyntha

NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial310.00	1	✓ BeneFIX
Inj 500 iu vial620.00	1	✓ BeneFIX
Inj 1,000 iu vial	1	✓ BeneFIX
Inj 2,000 iu vial2,480.00	1	✓ BeneFIX

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Su Per	ibsidised •	Generic Manufacturer
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharr	nl			
For patients with haemophilia, whose treatment is manage		eaters Gr	oup in co	niunction with the Nation
Haemophilia Management Group.	, o a b y 11.0 . 100.110p1.1110	, a.c. c	- up u	
Inj 250 iu vial	237.50	1	✓ A	dvate
,	250.00		✓ K	ogenate FS
Inj 500 iu vial	475.00	1	✓ A	dvate
	500.00		✓ K	ogenate FS
Inj 1,000 iu vial	950.00	1	✓ A	dvate
	1,000.00		✓ K	ogenate FS
Inj 1,500 iu vial	1,425.00	1	✓ A	dvate
Inj 2,000 iu vial	1,900.00	1	✓ A	dvate
	2,000.00			ogenate FS
Inj 3,000 iu vial	·	1		dvate
	3,000.00		✓ K	ogenate FS
SODIUM TETRADECYL SULPHATE				
* Inj 3% 2 ml	28.50	5		
•	(73.00)		F	bro-vein
TRANEXAMIC ACID				
Tab 500 mg	23.00	100	√ C	yklokapron
			<u> </u>	<u>,</u>
Vitamin K				
PHYTOMENADIONE				
Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO	8.00	5	✓ K	onakion MM
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSO.		5	✓ K	onakion MM
Antithrombotic Agents				
-				
Antiplatelet Agents				
ASPIRIN				
* Tab 100 mg	10.50	990	√ E	thics Aspirin EC
CLOPIDOGREL			_	
* Tab 75 mg – For clopidogrel oral liquid formulation refer, p	2220			
210		84	•/ A	rrow - Clopid
		04	• 4	ilow - Clopiu
DIPYRIDAMOLE				
* Tab 25 mg - For dipyridamole oral liquid formulation i				
page 210		84		ersantin
* Tab long-acting 150 mg	11.52	60	✓ P	ytazen SR
PRASUGREL - Special Authority see SA1201 below - Reta	il pharmacy			
Tab 5 mg	108.00	28	√ E	ffient
Tab 10 mg	120.00	28	✓ E	ffient

■SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

continued...

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

* Tab 90 mg90.00 ✔ Brilinta

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALTEPARIN SODIUM - Special Authority see SA1270 below	w – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	✓ Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	✓ Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe		10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	✓ Fragmin

■ SA1270 | Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Renewal — (**Pregnancy or Malignancy**) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 below - Retail pharmacy

Inj 40 mg49.69 10 🗸 Cle	exane
	exane
Inj 80 mg99.86 10 🗸 <u>Cle</u>	exane
Inj 100 mg125.06 10	exane
Inj 120 mg	exane
	exane

⇒SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic INR with oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	13.36	10	Hospira
	66.80	50	✔ Hospira
	61.04		✔ Pfizer
Inj 1,000 iu per ml, 35 ml	16.00	1	Hospira
Inj 5,000 iu per ml, 1 ml	14.20	5	✔ Hospira
Inj 5,000 iu per ml, 5 ml	236.60	50	✔ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Hospira

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer
HEPARINISED SALINE	•	1 01		Manadataror
* Inj 10 iu per ml, 5 ml	39.00	50	✓ P	fizer
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml	22.40	10		
	(101.61)		Α	rtex S29
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg - No more than 2 cap per day	148.00	60	✓ P	radaxa
Cap 110 mg	148.00	60	✓ P	radaxa
Cap 150 mg	148.00	60	✓ P	radaxa
RIVAROXABAN - Special Authority see SA1066 below - Retail p	harmacy			

■ SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

15

✓ Xarelto

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

	Note: Marevan and Coumadin are not interchangeable.			
*	Tab 1 mg	3.46	50	Coumadin
	· ·	6.86	100	Marevan
*	Tab 2 mg	4.31	50	Coumadin
*	Tab 3 mg	9.70	100	Marevan
*	Tab 5 mg	5.93	50	Coumadin
		11.75	100	Marayan

Blood Colony-stimulating Factors

FILGRASTIM - Special Authority see SA1259 below - Retail pharm	macy		
Inj 300 mcg per 0.5 ml prefilled syringe	540.00	5	✓ Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	864.00	5	✓ Zarzio

⇒SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5×10^9 /L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10^9 /L).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PEGFILGRASTIM – Special Authority see SA1384 below – Reta Inj 6 mg per 0.6 ml syringe		1	✓ N	eulastim

▶SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$).

Note: *Febrile neutropenia risk > 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

OLUCOCE IDEVEDOCE

Intravenous Administration

GLUCUSE [DEXTRUSE]			
* Inj 50%, 10 ml ampoule - Up to 5 inj available on a PSO	27.50	5	✓ Biomed
* Inj 50%, 90 ml bottle - Up to 5 inj available on a PSO	14.50	1	✓ Biomed
POTASSIUM CHLORIDE			
* Inj 75 mg per ml, 10 ml	55.00	50	✓ AstraZeneca
SODIUM BICARBONATE			
	10.05		45
Inj 8.4%, 50 ml	19.95	1	Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			
Inj 8.4%, 100 ml	20.50	1	Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			

b) Not in combination

SODIUM CHLORIDE

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser 1100

doc.				
Inf 0.9% – Up to 2000 ml available on a PSO	3.06	500 ml	Baxter	
	4.06	1 000 ml	✓ Rayter	

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1,000 ml packs)

Inj 23.4%, 20 ml	31.25	5	✓ Biomed
For Sodium chloride oral liquid formulation refer Stand	ard Formulae, page 2	213	
Inj 0.9%, 5 ml - Up to 5 inj available on a PSO	10.85	50	Multichem
	15.50		✔ Pfizer
Inj 0.9%, 10 ml - Up to 5 inj available on a PSO	11.50	50	Multichem
	15.50		✔ Pfizer
Inj 0.9%, 20 ml	4.72	6	Pharmacia
	11.79	30	Pharmacia
	8.41	20	✓ Multichem
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy	-Specialist		
Infusion	•	1 OP	✓ TPN

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

WATER

- On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or
- 2) On a bulk supply order; or
- 3) When used in the extemporaneous compounding of eve drops.

,			•		
Purified for inj, 5 ml	- Up to 5 inj availa	able on a PSO	10.25	50	Multichem
Purified for inj, 10 m	nl – Up to 5 inj avai	ilable on a PSO	11.25	50	✓ Multichem
Purified for ini 20 m	nI – Un to 5 ini avai	ilable on a PSO	6.50	20	✓ Multichem

Oral Administration

CALCIUM POLYSTYRENE SULPHONATE Powder169.8	5 300 g OP	✓ Calcium Resonium
COMPOUND ELECTROLYTES		4
Powder for oral soln – Up to 10 sach available on a PSO1.8	0 10	✓ Enerlyte
DEXTROSE WITH ELECTROLYTES		
Soln with electrolytes6.5	5 1,000 ml OP	✓ <u>Pedialyte -</u> <u>Bubblegum</u>
PHOSPHORUS		
Tab eff 500 mg (16 mmol)82.5	0 100	✔ Phosphate-Sandoz
POTASSIUM CHLORIDE		
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	6 60	
(11.8	5)	Chlorvescent
* Tab long-acting 600 mg7.4	2 200	✓ Span-K
SODIUM BICARBONATE		
Cap 840 mg8.5	2 100	✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE		
Powder89.1	0 450 g OP	✓ Resonium-A

Brand or

Fully

	Subsidy	, ,	Fully Brand or
	(Manufacturer's Price \$	e) Sub Per	osidised Generic Manufacturer
	Ψ	rei	Manuacturer
Alpha Adrenoceptor Blockers			
DOXAZOSIN			
* Tab 2 mg	6.75	500	✓ Apo-Doxazosin
* Tab 4 mg		500	✓ Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE			
* Cap 10 mg	65.00	30	✓ BNM S29
		00	V Ditin
PRAZOSIN * Tab 1 mg	E E 2	100	✓ Apo-Prazo
* Tab 1 mg		100	✓ Apo-Prazosin
* Tab 2 mg	7.00	100	✓ Apo-Prazo
7 100 2 mg		100	✓ Apo-Prazosin
* Tab 5 mg	11.70	100	✓ Apo-Prazo
· ·			✓ Apo-Prazosin
(Apo-Prazo Tab 1 mg to be delisted 1 April 2015)			
(Apo-Prazo Tab 2 mg to be delisted 1 April 2015)			
(Apo-Prazo Tab 5 mg to be delisted 1 April 2015)			
TERAZOSIN			
* Tab 1 mg		28	✓ <u>Arrow</u>
* Tab 2 mg		28	✓ <u>Arrow</u>
* Tab 5 mg	0.68	28	✓ <u>Arrow</u>
Agents Affecting the Renin-Angiotensin System	1		
ACE Inhibitors			
CAPTOPRIL			
*‡ Oral lig 5 mg per ml	94.99	5 ml OP	✓ Capoten
Oral liquid restricted to children under 12 years of age.			•
CILAZAPRIL			
* Tab 0.5 mg	2.00	90	✓ Zapril
* Tab 2.5 mg	4.31	90	✓ Zapril
* Tab 5 mg	6.98	90	✓ Zapril
ENALAPRIL MALEATE			
* Tab 5 mg	1.19	100	Ethics Enalapril
* Tab 10 mg	1.47	100	✓ Ethics Enalapril

Subsidy

LISINOPRIL

100

90

90

90

53

✓ Ethics Enalapril

✓ Arrow-Lisinopril

Arrow-Lisinopril

✓ Arrow-Lisinopril

Tab 20 mg - For enalapril maleate oral liquid formulation re-

fer, page 210......1.91

Tab 10 mg4.08

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	
PERINDOPRIL				
* Tab 2 mg	3.75 (18.50)	30	~	Apo-Perindopril Coversyl
Apo-Perindopril to be Sole Supply on 1 January 2015	,			•
* Tab 4 mg		30	~	Apo-Perindopril
Apo-Perindopril to be Sole Supply on 1 January 2015 (Coversyl Tab 2 mg to be delisted 1 January 2015) (Coversyl Tab 4 mg to be delisted 1 January 2015)	(25.00)			Coversyl
QUINAPRIL				
* Tab 5 mg	3.44	90	/	Arrow-Quinapril 5
* Tab 10 mg		90		Arrow-Quinapril 10
* Tab 20 mg		90		Arrow-Quinapril 20
Higher subsidy by endorsement is available for patients who we prior to 1 June 1998. The prescription must be endorsed accor are "certified condition" or an appropriate description of the cardiac failure" or "CCF". For the purposes of this endorsem infarction with an ejection fraction of less than 40%. Patients we full subsidy by endorsement. * Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with Endorsement	rdingly. We recomme patient such as "conent, congestive heawho started on trand	end tha ongestiv art failu dolapril 28	at the wor ve heart ure includ	rds used to indicate eligibility failure", "CHF", "congestive des patients post myocardial
dorsement	4.43 (27.00)	28		Gopten
ACE Inhibitors with Diuretics				dopteri
ACE Inhibitors with Diuretics				Сори
				Copieri
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg	10.72	100	V	Apo- Cilazapril/Hydrochlorothia
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg			V	Apo-
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg		100	V	Apo-
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg ENALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE * Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32		V	<u>Apo-</u> <u>Cilazapril/Hydrochlorothia</u>
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg ENALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE * Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32 (8.70)			<u>Apo-</u> <u>Cilazapril/Hydrochlorothia</u>
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg ENALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE * Tab 20 mg with hydrochlorothiazide 12.5 mg		30	V	Apo- Cilazapril/Hydrochlorothia Co-Renitec
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg ENALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE * Tab 20 mg with hydrochlorothiazide 12.5 mg		30	V	Apo- Cilazapril/Hydrochlorothia Co-Renitec Accuretic 10
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg		30 30 30	V V macy	Apo- Cilazapril/Hydrochlorothia Co-Renitec Accuretic 10 Accuretic 20
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg		30 30 30 ail pharr 90	macy	Apo- Cilazapril/Hydrochlorothia Co-Renitec Accuretic 10 Accuretic 20
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg	3.32 (8.70) 3.37 4.57 he next page – Reta 4.13	30 30 30 ail pharr 90 90	macy	Apo- Cilazapril/Hydrochlorothia Co-Renitec Accuretic 10 Accuretic 20 Candestar Candestar
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg	3.32 (8.70) 3.37 4.57 he next page – Reta 4.13	30 30 30 ail pharr 90	macy	Apo- Cilazapril/Hydrochlorothia Co-Renitec Accuretic 10 Accuretic 20

Tab 32 mg17.66

✓ Candestar

90

Subsidy	Fully	Brand or
Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1223 | Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor);
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

LOSARTAN	POTASSIUM
----------	-----------

*	Tab 12.5 mg	1.55	84	Losartan Actavis
	•	2.88	90	✓ Lostaar
*	Tab 25 mg	1.90	84	Losartan Actavis
		3.20	90	✓ Lostaar
*	Tab 50 mg	2.25	84	Losartan Actavis
		5.22	90	✓ Lostaar
*	Tab 100 mg	2.60	84	Losartan Actavis
	-	8.68	90	✓ Lostaar

Angiotensin II Antagonists with Diuretics

LOSARTAN F	POTASSIUM	WITH HYDROCHLOROTHIA	AZIDE

Tab 50 mg with hydrochlorothiazide 12.5 mg2.18 30

For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 127

Cap 150 mg26.21

✓ Arrow-Losartan & Hydrochlorothiazide

Antiarrhythmics

AMI	ODARONE HYDROCHLORIDE			
\blacktriangle	Tab 100 mg - Retail pharmacy-Specialist	18.65	30	✓ Aratac
				Cordarone-X
	Tab 200 mg - Retail pharmacy-Specialist	30.52	30	✓ Aratac
				Cordarone-X
	Inj 50 mg per ml, 3 ml ampoule – Up to 6 inj available on a			
	PSO	22.80	6	✓ Cordarone-X
ATF	ROPINE SULPHATE			
*	Inj 600 mcg per ml, 1 ml ampoule - Up to 5 inj available on a			
	PSO	71.00	50	✓ AstraZeneca
DIG	OXIN			
	Tab 62.5 mcg - Up to 30 tab available on a PSO	6.67	240	✓ Lanoxin PG
	Tab 250 mcg – Up to 30 tab available on a PSO		240	✓ Lanoxin
	Oral liq 50 mcg per ml		60 ml	✓ Lanoxin
	OPYRAMIDE PHOSPHATE			
	Cap 100 mg	15.00	100	
_	σαρ 199 mg	(23.87)	.50	Rvthmodan
		(==:0.)		,

100

Rythmodan

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	d Generic
FLECAINIDE ACETATE – Retail pharmacy-Specialist				
▲ Tab 50 mg	38.95	60	/	Tambocor
▲ Tab 100 mg - For flecainide acetate oral liquid formulation				
refer, page 210	68.78	60	~	Tambocor
▲ Cap long-acting 100 mg	38.95	30	~	Tambocor CR
▲ Cap long-acting 200 mg	68.78	30	~	Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	~	Tambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	65.00	100	•	Mexiletine Hydrochloride USP \$29
▲ Cap 250 mg	102.00	100	~	Mexiletine Hydrochloride USP §29
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Speciali	st			
▲ Tab 150 mg		50	~	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA1474 below - Retail phar	macv			
Tab 2.5 mg	•	100	~	Gutron
Tab 5 mg		100	~	Gutron

⇒SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATI	ENOLOL			
*	Tab 50 mg	5.56	500	Mylan Atenolol
*	Tab 100 mg	9.12	500	Mylan Atenolol
*	Oral liq 25 mg per 5 ml	21.25	300 ml OP	Atenolol AFT
	Restricted to children under 12 years of age.			
BIS	SOPROLOL			
	Tab 2.5 mg	3.88	30	Bosvate
	Tab 5 mg	4.74	30	Bosvate
	Tab 10 mg	9.18	30	✓ Bosvate
CA	RVEDILOL			
*	Tab 6.25 mg	21.00	30	Dilatrend
*	Tab 12.5 mg	27.00	30	Dilatrend
*	Tab 25 mg - For carvedilol oral liquid formulation refer, p	age		
	210	33.75	30	Dilatrend
CE	LIPROLOL			
*	Tab 200 mg	19.00	180	✓ Celol

		Subsidy (Manufacturer's Price)		Fully Subsidised	
		(Manufacturer's Price) \$	Per	Subsidised ✓	
LAI	BETALOL				
*	Tab 50 mg	8.23	100	/	Hybloc
*	Tab 100 mg - For labetalol oral liquid formulation refer, page				•
	210	10.06	100	/	Hybloc
*	Tab 200 mg	17.55	100	/ 1	Hybloc
*	Inj 5 mg per ml, 20 ml ampoule	59.06	5		•
		(88.60)			Trandate
ME	TOPROLOL SUCCINATE				
*	Tab long-acting 23.75 mg	0.96	30	/	Metoprolol - AFT CR
*	Tab long-acting 47.5 mg	1.41	30		Metoprolol - AFT CR
*	Tab long-acting 95 mg	2.42	30	1	Metoprolol - AFT CR
*	Tab long-acting 190 mg	4.66	30	/	Metoprolol - AFT CR
ME	TOPROLOL TARTRATE				
*	Tab 50 mg - For metoprolol tartrate oral liquid formulation				
	refer, page 210	16.00	100	/ [Lopresor
*	Tab 100 mg	21.00	60	/ [Lopresor
*	Tab long-acting 200 mg	18.00	28	V :	Slow-Lopresor
*	Inj 1 mg per ml, 5 ml vial	24.00	5	/	Lopresor
NΑ	DOLOL				
*	Tab 40 mg	15.57	100	V	Apo-Nadolol
*	Tab 80 mg	23.74	100	1	Apo-Nadolol
PIN	IDOLOL			-	
*	Tab 5 mg	9.72	100	V	Apo-Pindolol
*	Tab 10 mg		100		Apo-Pindolol
*	Tab 15 mg	23.46	100	1	Apo-Pindolol
DR.	OPRANOLOL			-	
*	Tab 10 mg	3 65	100	•	Apo-
•••	14.5 10 11g		100	•	Propranolol \$29
					Fiopianoloi
*	Tab 40 mg	4.65	100	V	Apo-
	·				Propranolol S29
v.	Can long acting 160 mg	16.06	100		Cardinol LA
*	Cap long-acting 160 mg	10.00	100		Calullul LA
*	Oral liq 4 mg per ml – Special Authority see SA1327 below –	CBS F	500 ml	•	Roxane \$29
	Retail pharmacy		וווו טטי		TUNAITE 023

⇒SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only): or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's P	rice) Su	Fully ubsidised	Brand or Generic
	\$	Per		Manufacturer
SOTALOL				
Fab 80 mg - For sotalol oral liquid formulation refer, page		500	✓ My	
Fab 160 mg		100	✓ My	
Inj 10 mg per ml, 4 ml ampoule	65.39	5	✓ So	tacor
IMOLOL				
Tab 10 mg	10.55	100	Ap	o-Timol
Calcium Channel Blockers				
Dihydropyridine Calcium Channel Blockers				
MLODIPINE				
: Tab 2.5 mg	2.21	100	✓ Ap	o-Amlodipine
Apo-Amlodipine to be Sole Supply on 1 March 2015				
Tab 5 mg - For amlodipine oral liquid formulation refer, p	page			
210	2.65	100	Ap	o-Amlodipine
Tab 10 mg	4.15	100	Ap	o-Amlodipine
ELODIPINE				
Tab long-acting 2.5 mg	2.90	30	✓ Ple	endil ER
Tab long-acting 5 mg		30	✓ Ple	endil ER
Tab long-acting 10 mg	4.60	30	✓ Ple	endil ER
SRADIPINE				
Cap long-acting 2.5 mg	7.50	30	✓ Dv	nacirc-SRO
Cap long-acting 5 mg		30	•	nacirc-SRO
IFEDIPINE			•	
Tab long-acting 10 mg	17 79	60	√ ∆d	alat 10
Tab long-acting 20 mg		100		efax Retard
Tab long-acting 30 mg		30	•	efin XL
Tab long-acting 60 mg		30		efin XL
Other Calcium Channel Blockers				
ILTIAZEM HYDROCHLORIDE				
: Tab 30 mg	4.60	100	🗸 Dil	zem
Tab 60 mg - For diltiazem hydrochloride oral liquid form				
tion refer, page 210		100	🗸 Dil	zem
Cap long-acting 120 mg		30	✓ Ca	rdizem CD
	31.83	500	Ap	o-Diltiazem CD
Cap long-acting 180 mg	7.56	30	Ca	rdizem CD
	47.67	500		o-Diltiazem CD
Cap long-acting 240 mg		30		rdizem CD
	63.58	500	Ap	o-Diltiazem CD
ERHEXILINE MALEATE				
F Tab 100 mg	62.90	100	✓ Per	xsig

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
VERAPAMIL HYDROCHLORIDE				
* Tab 40 mg	7.01	100	✓ Iso	optin
* Tab 80 mg - For verapamil hydrochloride oral liquid formula-				-
tion refer, page 210	11.74	100	✓ Iso	optin
* Tab long-acting 120 mg		250	_	erpamil SR
* Tab long-acting 240 mg	25.00	250	✓ Ve	erpamil SR
* Inj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available on a				
PSO	7.54	5	✓ Iso	optin
Centrally-Acting Agents				
CLONIDINE				
* Patch 2.5 mg, 100 mcg per day - Only on a prescription	12.80	4	✓ Ca	atapres-TTS-1
* Patch 5 mg, 200 mcg per day - Only on a prescription		4		atapres-TTS-2
* Patch 7.5 mg, 300 mcg per day - Only on a prescription		4	✓ Ca	atapres-TTS-3
CLONIDINE HYDROCHLORIDE				
* Tab 25 mcg	15 09	112	✓ CI	onidine BNM
* Tab 150 mcg		100	. —	atapres
* Inj 150 mcg per ml, 1 ml ampoule		5	. —	atapres
METHYLDOPA		Ū	· <u>· · · · · · · · · · · · · · · · · · </u>	
* Tab 125 mg	14.05	100	4 / Dr	odopa
* Tab 250 mg		100		odopa
* Tab 500 mg		100		odopa
Diuretics		100	V 11	очори
Diuretics				
Loop Diuretics				
BUMETANIDE				
* Tab 1 mg	16.36	100	✓ Bu	ırinex
* Inj 500 mcg per ml, 4 ml vial	7.95	5	✓ Bu	ırinex
FUROSEMIDE [FRUSEMIDE]				
* Tab 40 mg - Up to 30 tab available on a PSO	10.25	1,000	🗸 Di	urin 40
* Tab 500 mg		50		ex Forte
*‡ Oral liq 10 mg per ml		30 ml Ol	⊃ 🗸 La	ısix
* Inj 10 mg per ml, 25 ml ampoule	48.14	5	✓ La	ısix
* Inj 10 mg per ml, 2 ml ampoule - Up to 5 inj available on a				
PSO		5	🗸 Fr	usemide-Claris
Potassium Sparing Diuretics				
AMILORIDE HYDROCHLORIDE				
* Tab 5 mg	17.50	100	✓ Ar	oo-Amiloride
‡ Oral liq 1 mg per ml	30.00	25 ml Ol		omed
METOLAZONE – Special Authority see SA1349 below – Retail pl				
Tab 5 mg	•	1	./ 11	etolazone S29
iab o nig				
		50	V ∠a	roxolyn S29

⇒SA1349 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where used for the treatment of patients with refractory heart failure who are intolerant or have not responded to loop diuretics and/or loop-thiazide combination therapy.

[†] safety ca

CARDIOVASCULAR SYSTEM

		Subsidy (Manufacturer's P	rice) Subs	Full idise	
		\$	Per	·	
PI	RONOLACTONE				
K	Tab 25 mg		100		Spiractin
F	Tab 100 mg Oral liq 5 mg per ml		100 25 ml OP		Spiractin Biomed
P	otassium Sparing Combination Diuretics				
М	ILORIDE HYDROCHLORIDE WITH FUROSEMIDE				
ĸ	Tab 5 mg with furosemide 40 mg	8.63	28	~	Frumil
M	ILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZID	E			
ŧ	Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	~	Moduretic
Tł	niazide and Related Diuretics				
	NDROFLUMETHIAZIDE [BENDROFLUAZIDE]				_
ŧ	Tab 2.5 mg – Up to 150 tab available on a PSO	5.48	500	/	Arrow- Bendrofluazide
	May be supplied on a PSO for reasons other than emergen	су.			Dendrondazide
ĸ	Tab 5 mg	8.95	500	~	Arrow-
·Ц	LOROTHIAZIDE				<u>Bendrofluazide</u>
/1 1	Oral liq 50 mg per ml	26.00	25 ml OP	1	Biomed
Ж	LORTALIDONE [CHLORTHALIDONE]				
	Tab 25 mg	8.00	50	~	Hygroton
	APAMIDE	_			
ŧ	Tab 2.5 mg	2.25	90	V	Dapa-Tabs
Ļ	pid-Modifying Agents				
Fi	brates				
ΒE	ZAFIBRATE				
k	Tab 200 mg		90		Bezalip Bezalia Betard
€ .⊏	Tab long-acting 400 mg	5.70	30	•	Bezalip Retard
	MFIBROZIL Tab 600 mg	17.60	60	1	Lipazil
	ther Lipid-Modifying Agents				
	PIMOX				
	Cap 250 mg	18.75	30	~	Olbetam
	COTINIC ACID Tab 50 mg	3 06	100	J	Ano-Nicotinio Acid
	Tab 500 mg		100		Apo-Nicotinic Acid Apo-Nicotinic Acid
	esins				
Н	OLESTYRAMINE				
	Powder for oral liq 4 g	19.25	50		
		(52.68)			Questran-Lite
Ю;	LESTIPOL HYDROCHLORIDE	00.00	00		0-1
	Grans for oral liq 5 g	22.00	30	~	Colestid

Subsidy Fully Brand or Generic (Manufacturer's Price) Subsidised \$ Per Manufacturer

HMG CoA Reductase Inhibitors (Statins)

Prescribing Guidelines

Treatment with HMG CoA Reductase Inhibitors (statins) is recommended for patients with dyslipidaemia and an absolute 5 year cardiovascular risk of 15% or greater.

ATORVASTATIN - See prescribing guideline above		
Tab 10 mg	30	✓ Lipitor
		✔ Pfizer atorvastatin
2.52	90	✓ Zarator
Tab 20 mg1.39	30	✓ Lipitor
		Pfizer atorvastatin
4.17	90	✓ Zarator
Tab 40 mg2.44	30	✓ Lipitor
		✓ Pfizer atorvastatin
7.32	90	✓ Zarator
Tab 80 mg5.41	30	✓ Lipitor
		✓ Pfizer atorvastatin
16.23	90	✓ Zarator
PRAVASTATIN - See prescribing guideline above		
* Tab 20 mg3.45	30	✓ Cholvastin
* Tab 40 mg6.36	30	✓ Cholvastin
SIMVASTATIN – See prescribing guideline above		
* Tab 10 mg0.95	90	✓ Arrow-Simva 10mg
* Tab 20 mg1.61	90	✓ Arrow-Simva 20mg
* Tab 40 mg	90	✓ Arrow-Simva 40mg
* Tab 80 mg7.91	90	✓ Arrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors		
EZETIMIBE - Special Authority see SA1045 below - Retail pharmacy		

Tab 10 mg34.43 ⇒SA1045 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin: or

30

' Ezetrol

- 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
- 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Generic Manufacturer	
EZETIMIBE WITH SIMVASTATIN - Special Authority see SA10	46 below – Retail pharr	nacy	1	
Tab 10 mg with simvastatin 10 mg	36.68	30	✓ Vytorin	
Tab 10 mg with simvastatin 20 mg	38.70	30	✓ Vytorin	
Tab 10 mg with simvastatin 40 mg		30	✓ Vytorin	
Tab 10 mg with simvastatin 80 mg		30	✓ Vytorin	

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Nitrates		
Mitales		
SLYCERYL TRINITRATE		
₹ Tab 600 mcg − Up to 100 tab available on a PSO8.00	100 OP	Lycinate
♦ Oral spray, 400 mcg per dose – Up to 250 dose available on		
a PSO4.45	250 dose OP	✓ Glytrin
k Patch 25 mg, 5 mg per day	30	Nitroderm TTS
Fatch 50 mg, 10 mg per day18.62	30	✓ Nitroderm TTS
SOSORBIDE MONONITRATE		
₭ Tab 20 mg17.10	100	✓ Ismo 20
* Tab long-acting 40 mg7.50	30	✓ Ismo 40 Retard
* Tab long-acting 60 mg3.94	90	✓ Duride
Sympathomimetics		
DRENALINE		
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO4.98	5	Aspen Adrenaline
5.25		✓ Hospira
Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a		
PSO27.00	5	✓ Hospira
49.00	10	Aspen Adrenaline
SOPRENALINE		
k Inj 200 mcg per ml, 1 ml ampoule36.80	25	
(164.20)		Isuprel
Vasodilators		
MYL NITRITE		
★ Liq 98% in 0.3 ml cap	12	_
(73.40)		Baxter

	C	AR	DIOVAS	SCULAR SYSTEM
	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	
HYDRALAZINE HYDROCHLORIDE				
* Tab 25 mg - Special Authority see SA1321 below - Retail			_	
pharmacy	CBS	1		Hydralazine
ate. Let 00 mm annual a	05.00	56		Onelink \$29
* Inj 20 mg ampoule	25.90	5	V	Apresoline
■ SA1321 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Either: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a nit				
inhibitors and/or angiotensin receptor blockers. MINOXIDIL – Special Authority see SA1271 below – Retail pharm		100		
Tab 10 mg →SA1271 Special Authority for Subsidy	70.00	100	•	Loniten
Initial application only from a relevant specialist. Approvals valid refractory hypertension which has failed to respond to extensive n NICORANDIL Tab 10 mg	nultiple therapies.	60 60	,	Ikorel
PAPAVERINE HYDROCHLORIDE				
* Inj 12 mg per ml, 10 ml ampoule	73.12	5	~	Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE]				
Tab 400 mg	36.94 (42.26)	50		Trental 400
Endothelin Receptor Antagonists				
■ SA0967 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertensic Notes: Application details may be obtained from PHARMAC's web The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.g	osite http://www.phar	mac.	govt.nz or	:
AMBRISENTAN - Special Authority see SA0967 above - Retail g	 harmacy			
Tab 5 mg	,	30	~	Volibris
Tab 10 mg	4,585.00	30	~	Volibris

60

60

4,585.00

4,585.00

✓ pms-Bosentan
✓ Tracleer

✓ pms-Bosentan✓ Tracleer

BOSENTAN – Special Authority see SA0967 above – Retail pharmacy
Tab 62.5 mg1,500.00

Tab 125 mg1,500.00

CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

Phosphodiesterase Type 5 Inhibitors

⇒SA1293 | Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below)) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7512 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 above - Retail pharmacy			
Tab 25 mg	1.85	4	Silagra
Tab 50 mg	1.85	4	✓ Silagra
Tab 100 mg - For sildenafil oral liquid formulation refer, page			-
210	7.45	4	Silagra

Prostacyclin Analogues

⇒SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7512, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

30 Ventavis

DERMATOLOGICALS

Oratane

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

120

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 94

ADAPAI FNF

- a) Maximum of 30 g per prescription
- b) Only on a prescription

Crm 0.1%	3 -	✓ Differin✓ Differin
ISOTRETINOIN - Special Authority see SA1475 below - Retail pharmacy		
Cap 10 mg18.71	120	Oratane

■ SA1475 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin: and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

50 a OP ReTrieve

	\$	Per	✓ Manufacturer
Antibacterials Topical			
For systemic antibacterials, refer to INFECTIONS, Antibacterials	s, page 94		
FUSIDIC ACID			
Crm 2%	2.52	15 g OP	✔ DP Fusidic Acid
			Cream
a) Maximum of 1F a new properintion	3.25		✓ Foban
a) Maximum of 15 g per prescription b) Only on a prescription			
c) Not in combination			
Oint 2%	3.45	15 g OP	✓ Foban
a) Maximum of 15 g per prescription		-	
b) Only on a prescription			
c) Not in combination			
HYDROGEN PEROXIDE	0.50	45 = OD	. / Omicata da um
* Crm 1%	8.56	15 g OP	✓ Crystaderm
MUPIROCIN Citat 20/	6.60	15 ~ OD	
Oint 2%	(9.26)	15 g OP	Bactroban
a) Only on a prescription	(3.20)		Dactiobali
b) Not in combination			
SILVER SULPHADIAZINE			
Crm 1%	12.30	50 g OP	✓ Flamazine
a) Up to 250 g available on a PSO			
b) Not in combination			
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals, page	ge 100		
AMOROLFINE			
a) Only on a prescription			
b) Not in combination			
Nail soln 5%		5 ml OP	✓ MycoNail
	37.86 (61.87)		Loceryl
CICLOPIROX OLAMINE	(01.07)		Localyi
a) Only on a prescription			
b) Not in combination			
Nail-soln 8%	8.23	7 ml OP	✓ Apo-Ciclopirox
CLOTRIMAZOLE			
* Crm 1%	0.52	20 g OP	✓ Clomazol
a) Only on a prescription			
b) Not in combination	4.00	00! 00	
* Soln 1%	4.36 (7.55)	20 ml OP	Canesten
a) Only on a prescription	(7.55)		Janesten
b) Not in combination			

Subsidy (Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

	Subsidy (Manufacturer's I	Price) Sul	Fully osidised	Brand or Generic
	\$	Per	V	Manufacturer
ECONAZOLE NITRATE				
Crm 1%	1.00	20 g OP		
	(7.48)		P	evaryl
a) Only on a prescription b) Not in combination				
Foaming soln 1%, 10 ml sachets	9.89	3		
r durining doing 17%, no this dubitions	(17.23)	Ū	Р	evaryl
a) Only on a prescription	(-,			,
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.46	15 g OP	✓ M	ultichem
a) Only on a prescription				
b) Not in combination				
₭ Lotn 2%		30 ml OP	_	
a) Oak an a marrialitan	(10.03)		D	aktarin
a) Only on a prescription				
b) Not in combination * Tinct 2%	136	30 ml OP		
N 111101 Z /0	(12.10)	30 1111 01	D	aktarin
a) Only on a prescription	(12.10)			artam
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g	1.00	15 g OP		
, ,	(7.90)	Ü	M	ycostatin
a) Only on a prescription				
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP	1.77	100 g	√ P	harmacy Health
Lotn, BP	13.45	2,000 ml	✓ <u>P</u>	<u>SM</u>
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.48	20 g OP	✓ <u>It</u>	ch-Soothe
MENTHOL - Only in combination				
Only in combination with aqueous cream, 10% urea crea mineral oil lotion, and glycerol, paraffin and cetyl alcohol		eral oil lotion, 1	% hydro	cortisone with wool fat ar
Crystals		25 g	✓ P	SM
•	6.92	- 3		idWest
	29.60	100 g	✓ M	idWest

67

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 82

A	! 4 -	!		:
Cort	icoste	erolas	: - P	ıaın

BETAMETHASONE DIPROPIONATE		
Crm 0.05%2.96	15 g OP •	✓ Diprosone
8.97	50 g OP •	✓ Diprosone
Crm 0.05% in propylene glycol base4.33	30 g OP •	✓ Diprosone OV
	15 g OP 🕒	✓ Diprosone
	50 g OP 🕒	✓ Diprosone
Oint 0.05% in propylene glycol base4.33	30 g OP 🕒	✓ Diprosone OV
BETAMETHASONE VALERATE		
* Crm 0.1%	50 g OP •	✓ Beta Cream
	· ·	✓ Beta Ointment
	•	✓ Betnovate
CLOBETASOL PROPIONATE		
	30 g OP	✓ Dermol
	3	✓ Dermol
	50 g Oi •	Definior
CLOBETASONE BUTYRATE	00 - OD	
	30 g OP	F
(7.09)	00 00	Eumovate
	00 g OP	
(22.00)		Eumovate
DIFLUCORTOLONE VALERATE		
Crm 0.1%8.97	50 g OP	
(15.86)		Nerisone
Fatty oint 0.1%8.97	50 g OP	
(15.86)		Nerisone
HYDROCORTISONE		
* Crm 1% – Only on a prescription	100 g	✓ Pharmacy Health
14.00		✓ Pharmacy Health
* Powder – Only in combination59.50	25 g •	∕ ABM
 a) Up to 5% in a dermatological base (not proprietary Topical Corticosteriod galenicals. Refer, page 209 b) ABM to be Sole Supply on 1 January 2015 	- Plain) with o	r without other dermatological
HYDROCORTISONE BUTYRATE		
	30 g OP	Locoid Lipocream
		Locoid Lipocream
		Locoid Lipocream
		✓ Locoid Crelo
	00 1111 01	<u> Locola Ofcio</u>
HYDROCORTISONE WITH WOOL FAT AND MINERAL OIL		
Lotn 1% with wool fat hydrous 3% and mineral oil - Only on		4
The same has	250 ml	✓ DP Lotn HC
DP Lotn HC to be Sole Supply on 1 January 2015		
METHYLPREDNISOLONE ACEPONATE		
Crm 0.1%4.95	15 g OP •	✓ Advantan
Oint 0.1%4.95	15 g OP •	✓ Advantan

	Subsidy (Manufacturer's P	riaa)	Full	
	(Manufacturer's P \$	rice) Per	Subsidise	d Generic Manufacturer
MOMETASONE FUROATE				
Crm 0.1%	1 78	15 g OF	· •	m-Mometasone
OIII 0.170	3.42	45 g OF		m-Mometasone
Oint 0.1%		15 g OF		m-Mometasone
Onk 0.1 /0	3.42	45 g OF		m-Mometasone
Lotn 0.1%		30 ml Ol		
	(11.13)			Elocon
TRIAMCINOLONE ACETONIDE	, ,			
Crm 0.02%	6.63	100 g Ol	· /	Aristocort
Oint 0.02%		100 g Ol		Aristocort
Corticosteroids - Combination				
Corticosterolas - Combination				
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a	prescription			
Crm 0.1% with clioquinol 3%	3.49	15 g OF)	
	(4.90)	•		Betnovate-C
Oint 0.1% with clioquinol 3%	3.49	15 g OF)	
	(4.90)			Betnovate-C
(Betnovate-C Oint 0.1% with clioquinol 3% to be delisted 1 Januar	y 2015)			
BETAMETHASONE VALERATE WITH FUSIDIC ACID				
Crm 0.1% with fusidic acid 2%	3.49	15 g OF)	
	(10.45)			Fucicort
a) Maximum of 15 g per prescription				
b) Only on a prescription				
HYDROCORTISONE WITH MICONAZOLE - Only on a prescripti	on			
* Crm 1% with miconazole nitrate 2%	2.10	15 g OF	· •	Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Onl		on		
Crm 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OF	· •	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OF	· •	Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN	I AND NYSTATII	٧		
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg				
and gramicidin 250 mcg per g - Only on a prescription	3.49	15 g OF)	
	(6.60)	_		Viaderm KC
Disinfecting and Cleansing Agents				
Distributing and Gloanoning Agonto				
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescription				
* Handrub 1% with ethanol 70%		500 ml		<u>healthE</u>
* Soln 4%	5.90	500 ml	•	Orion
TRICLOSAN – Subsidy by endorsement				
a) Maximum of 500 ml per prescription				
b)				
a) Only if prescribed for a patient identified with Methicillin-region because and according to the property of the prope		coccus au	reus (MF	(SA) prior to elective surgery
in hospital and the prescription is endorsed accordingly; o		ion and th	o proces	ation is and aroad assauding the
b) Only if prescribed for a patient with recurrent Staphylococc				•
Soln 1%		500 ml O		Pharmacy Health
	5.90		•	healthE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Barrier Creams and Emollients

Barrier Creams and Emollients			
Barrier Creams			
DIMETHICONE * Crm 5% pump bottle	4.73	500 ml OP	✓ <u>healthE</u> Dimethicone 5%
ZINC AND CASTOR OIL * Oint BP	3.83	500 g	✓ Multichem
Emollients			
AQUEOUS CREAM * Crm	1.96	500 g	✓ AFT
CETOMACROGOL * Crm BP	3.15	500 g	✓ PSM
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	4.50	500 ml OP	✓ Pharmacy Health Sorbolene with Glycerin
	6.50	1,000 ml OP	✓ Pharmacy Health Sorbolene with Glycerin
EMULSIFYING OINTMENT * Oint BP	3.04	500 g	✓ AFT
OIL IN WATER EMULSION	0.00	500 -	A hardlife Faller Occasion
* Crm	2.63	500 g	✓ <u>healthE Fatty Cream</u>
* Crm 10%	1.65	100 g OP	✓ <u>healthE Urea Cream</u>
WOOL FAT WITH MINERAL OIL - Only on a prescription * Lotn hydrous 3% with mineral oil		250 ml OP	
	(4.53) 5.60 (11.95)	1,000 ml	DP Lotion DP Lotion
	(20.53) 1.40 (7.73)	250 ml OP	Alpha-Keri Lotion BK Lotion
	5.60 (23.91)	1,000 ml	BK Lotion
Other Dermatological Bases	(23.31)		
PARAFFIN			
White soft - Only in combination	3.58 (7.78)	500 g	IPW

White soft - Only in combination	3.58	500 g	
•	(7.78)	ŭ	IPW
	20.20	2,500 g	✓ IPW
	3.58	500 g	
	(8.69)	_	PSM

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid – Plain.

Brand or

Canario

Orion

Fully

Subeidiead

(Manulacturer's P	Per		Manufacturer
3.27	25 g OP	✓ Bet	adine
	·		
0.19	15 ml		
(4.45)		Bet	adine
1.28	100 ml		
(8.25)		Bet	adine
6.20	500 ml	Bet	adine
1.28	100 ml		
(4.20)		Rio	dine
6.20	500 ml	✓ Rio	dine
1.63	100 ml		
(3.65)		Bet	adine Skin Prep
10.00	500 ml	Bet	adine Skin Prep
1.63	100 ml		
(6.04)		Orio	on
8.13	500 ml		
	\$	\$ Per	\$ Per

Subsidy

(Manufacturer's Price)

Parasiticidal Preparations

GAMMA BENZENE HEXACHLORIDE 50 a OP ✓ Benhex

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg - Up to 100 tab available on a PSO......17.20 ✓ Stromectol

1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.

(18.63)

- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- 3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

⇒SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist: and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution: and

continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
- 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

MAI ATHION

Liq 0.5%	.79	200 ml OP	✓ A-Lices
	.83		✓ A-Lices

MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE

Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2%11.15

90 a OP

Para Plus

	Subsidy (Manufacturer's \$		Fully Brand or bsidised Generic Manufacturer
PERMETHRIN			
Crm 5%	4.20	30 g OP	✓ Lyderm
Lotn 5%	3.19	30 ml OP	✓ A-Scabies
Psoriasis and Eczema Preparations			
ACITRETIN - Special Authority see SA1476 below - Retail pl	narmacy		
Cap 10 mg	17.86	60	✓ Novatretin
, ,	29.77	100	✓ Neotigason
Novatretin to be Sole Supply on 1 February 2015			•
Cap 25 mg	41.36	60	✓ Novatretin
,	68.93	100	✓ Neotigason
Novatretin to be Sole Supply on 1 February 2015			· ·
(Neotigason Cap 10 mg to be delisted 1 February 2015)			

(Neotigason Cap 25 mg to be delisted 1 February 2015)

⇒SA1476 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two vears after the completion of the treatment: or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL Oint 500 mcg with calcipotriol 50 mcg	30 g OP 30 g OP	✓ Daivobet✓ Daivobet
CALCIPOTRIOL		
Crm 50 mcg per g16.00	30 g OP	✓ Daivonex
45.00	100 g OP	✓ Daivonex
Oint 50 mcg per g45.00	100 g OP	✓ Daivonex
Soln 50 mcg per ml16.00	30 ml OP	✓ Daivonex
COAL TAR		
Soln – Only in combination12.55	200 ml	✓ Midwest
Up to 10 % Only in combination with a dermatological base or proprietary base, page 209 With or without other dermatological galenicals.	opical Corticos	teriod – Plain, refer dermatological

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or osidised Generic
	(Manulacturer 5	Per	✓ Manufacturer
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPI	HUR		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	3.43	30 g OP	
	(4.35)		Egopsoryl TA
	6.59	75 g OP	
	(8.00)		Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR Soln 12% with salicylic acid 2% and sulphur 4% oint	7.05	40 g OP	✓ Coco-Scalp
·	7.33	40 g Oi	V Coco-Scalp
SALICYLIC ACID Powder – Only in combination	10.00	250 g	✓ PSM
Only in combination with a dermatological base or prop		•	
dermatological base, page 209	inclary ropical	Oorticosteroid	riant of conodion hexible, feler
With or without other dermatological galenicals.			
SULPHUR			
Precipitated - Only in combination		100 g	✓ Midwest
 Only in combination with a dermatological base or propr 	ietary Topical (Corticosteroid –	Plain, refer dermatological base,
page 209			
With or without other dermatological galenicals.			
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLUC	PRESCEIN - C	Only on a prescr	ription
* Soln 2.3% with triethanolamine lauryl sulphate and fluores-	0.00	500 1	4 5
cein sodium		500 ml	✓ Pinetarsol
	5.82	1,000 ml	✓ Pinetarsol
Scalp Preparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.75	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			
* Scalp app 0.05%	6.96	30 ml OP	✓ Dermol
HYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65	100 ml OP	✓ <u>Locoid</u>
KETOCONAZOLE			
Shampoo 2%	2.99	100 ml OP	✓ Sebizole
a) Maximum of 100 ml per prescription			
b) Only on a prescription			
c) Sebizole to be Sole Supply on 1 January 2015			
Sunscreens			
CUNCODEFNO DDODDIETADY Cubaida baran and a			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivity s	secondary to a	defined clinical	Londition and the prescription is
endorsed accordingly.	secondary to a	delined cimica	i condition and the prescription is
Crm	3.30	100 g OP	
-	(5.89)	5	Hamilton Sunscreen
Lotn,	` '	100 g OP	✓ Marine Blue Lotion
			SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion
			SPF 50+
Lotn		125 ml OP	
	(6.94)		Aquasun 30+

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Por \$ Manufacturer

Wart Preparations

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 73

IMIQUIMOD - Special Authority see SA0923 below - Retail pharmacy

Crm 5%			 	62.00	12
Crm 5%,	250 mg sachet	t	 	17.98	12

✓ Aldara Apo-Imiguimod Cream 5%

⇒SA0923 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 The patient has external anogenital warts and podophyllotoxin has been tried and failed (or is contraindicated); or
- 2 The patient has external anogenital warts and podophyllotoxin is unable to be applied accurately to the site; or
- 3 The patient has confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate.

Notes: Superficial basal cell carcinoma

- Surgical excision remains first-line treatment for superficial basal cell carcinoma as it has a higher cure rate than imiguimod and allows histological assessment of tumour clearance.
- Imiguimod has not been evaluated for the treatment of superficial basal cell carcinoma within 1 cm of the hairline, eyes, nose, mouth or ears.
- Imiguimod is not indicated for recurrent, invasive, infiltrating, or nodular basal cell carcinoma.

External anogenital warts

Imiguimod is only indicated for external genital and perianal warts (condyloma acuminata).

Renewal from any relevant practitioner. Approvals valid for 4 months for applications meeting the following criteria: Any of the following:

- 1 Inadequate response to initial treatment for anogenital warts; or
- 2 New confirmed superficial basal cell carcinoma where other standard treatments, including surgical excision, are contraindicated or inappropriate; or
- 3 Inadequate response to initial treatment for superficial basal cell carcinoma.

Note: Every effort should be made to biopsy the lesion to confirm that it is a superficial basal cell carcinoma.

PODOPHYLLOTOXIN

3.5 ml OP Condvline

- a) Maximum of 3.50 ml per prescription
- b) Only on a prescription

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

20 g OP ✓ Efudix

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

Contraceptives - Non-hormonal

Condoms

# 49 mm - Up to 144 dev available on a PSO	CO	NDOMS		
* 52 mm - Up to 144 dev available on a PSO	*	49 mm - Up to 144 dev available on a PSO13	.36 144	MarquisTantiliza
# 52 mm extra strength — Up to 144 dev available on a PSO				
# 52 mm extra strength – Up to 144 dev available on a PSO	*	52 mm - Up to 144 dev available on a PSO13	.36 144	Marquis Selecta
* 52 mm extra strength — Up to 144 dev available on a PSO				Marquis Sensolite
* 53 mm - Up to 144 dev available on a PSO				Marquis Supalite
13.36	*	52 mm extra strength - Up to 144 dev available on a PSO13	.36 144	Marquis Protecta
1.11 12	*	53 mm - Up to 144 dev available on a PSO1	.11 12	Shield Blue
# 53 mm (chocolate) – Up to 144 dev available on a PSO		13	.36 144	Shield Blue
# 53 mm (chocolate) – Up to 144 dev available on a PSO		1	.11 12	Gold Knight
# 53 mm (chocolate) - Up to 144 dev available on a PSO		13	.36 144	Gold Knight
* 53 mm (chocolate) – Up to 144 dev available on a PSO				
# 53 mm (strawberry) – Up to 144 dev available on a PSO				Marquis Titillata
* 53 mm (strawberry) – Up to 144 dev available on a PSO	*	53 mm (chocolate) - Up to 144 dev available on a PSO1	.11 12	
# 54 mm, shaped – Up to 144 dev available on a PSO				
* 54 mm, shaped – Up to 144 dev available on a PSO	*	53 mm (strawberry) – Up to 144 dev available on a PSO1	.11 12	
(1.24) Lifestyles Flared 13.36 144 (14.84) Lifestyles Flared * 55 mm – Up to 144 dev available on a PSO				Gold Knight
# 55 mm – Up to 144 dev available on a PSO	*	54 mm, shaped – Up to 144 dev available on a PSO1	.12 12	
* 55 mm – Up to 144 dev available on a PSO		(1	.24)	Lifestyles Flared
* 55 mm - Up to 144 dev available on a PSO		13	.36 144	
* 56 mm – Up to 144 dev available on a PSO		(14	.84)	•
# 56 mm, shaped – Up to 144 dev available on a PSO	*			
★ 56 mm, shaped – Up to 144 dev available on a PSO	*			•
 ★ 56 mm, shaped – Up to 144 dev available on a PSO1.11 12 Durex Select Flavours ★ Durex Confidence 13.36 144 Durex Confidence Durex Confidence 		13	.36 144	•
* 56 mm, shaped – Up to 144 dev available on a PSO1.11 12 Flavours 13.36 144 Durex Confidence				Durex Extra Safe
13.36 144 ✓ Durex Confidence				
13.36 144 ✓ Durex Confidence	*	56 mm, shaped - Up to 144 dev available on a PSO1	.11 12	Durex Confidence
				✓ Durex Confidence
	*	60 mm - Up to 144 dev available on a PSO13	.36 144	✓ Shield XL

Contraceptive Devices

DIAPHRAGM – Up to 1 dev available on a PSO One of each size is permitted on a PSO.

	One of each size is permitted on a PSO.			
*	65 mm42.9	0	1	Ortho All-flex
*	70 mm	0	1	Ortho All-flex
*	75 mm	0	1	✔ Ortho All-flex
*	80 mm42.9	0	1	✔ Ortho All-flex

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
INTRA-UTERINE DEVICE a) Up to 40 dev available on a PSO				
b) Only on a PSO * IUD	39.50	1		ultiload Cu 375 ultiload Cu 375 SL
* IUD 29.1 mm length × 23.2 mm width	31.60	1		hoice TT380 Short iniTT380 Slimline
st IUD 33.6 mm length $ imes$ 29.9 mm width	31.60	1		hoice TT380 Standard
(Multiload Cu 375 IUD to be delisted 1 March 2015)			VT	T380 Slimline

Contraceptives - Hormonal

Combined Oral Contraceptives

■ SA0500 | Special Authority for Alternate Subsidy

(Multiload Cu 375 SL IUD to be delisted 1 March 2015)

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit: or
 - 1.2 Patient has an income no greater than the benefit; and

(MiniTT380 Slimline IUD 29.1 mm length × 23.2 mm width to be delisted 1 April 2015) (TT380 Slimline IUD 33.6 mm length × 29.9 mm width to be delisted 1 April 2015)

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit: or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

*	Tab 20 mcg with desogestrel 150 mcg and 7 inert tab6.62 84	
	(16.50)	Mercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above	
	b) Up to 84 tab available on a PSO	
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab6.62	
	(16.50)	Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 above	

b) Up to 84 tab available on a PSO

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
ETHINYLOESTRADIOL WITH LEVONORGESTREL				
* Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up to 84 tab available on a PSO		84	✓ A	va 20 ED
* Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up				
to 84 tab available on a PSO		84	✓ M	icrogynon 50 ED
* Tab 30 mcg with levonorgestrel 150 mcg	6.62	63		
	(16.50)		M	icrogynon 30
 a) Higher subsidy of \$15.00 per 63 tab with Special Author b) Up to 63 tab available on a PSO * Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up to 84 tab available on a PSO 	•	e pre		va 30 ED
ETHINYLOESTRADIOL WITH NORETHISTERONE				
* Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available on a PSO		63	✓ B	revinor 1/21
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab - Up to 84 tab available on a PSO		84	✓ Bi	revinor 1/28
* Tab 35 mcg with norethisterone 500 mcg - Up to 63 tab available on a PSO		63	✓ B	revinor 21
* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab - Up to 84 tab available on a PSO		84	✓ No	orimin

Progestogen-only Contraceptives

⇒SA0500 | Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit: or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit: or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL

*	Tab 30 mcg	32	84	
	(16.9)	50)		Microlut
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA	.0500 abov	re	
	b) Up to 84 tab available on a PSO			
*	Subdermal implant (2 × 75 mg rods)133.6	35	1	✓ <u>Jadelle</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
# Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PS NORETHISTERONE * Tab 350 mcg – Up to 84 tab available on a PSO		1 84	_	epo-Provera
Emergency Contraceptives				<u> </u>
LEVONORGESTREL * Tab 1.5 mg	3.50	1	✓ <u>Po</u>	ostinor-1

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

*	Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs — Up			
	to 168 tab available on a PSO	5.36	168	Ginet
		2.68	84	
		(3.89)		Ginet 84

Ginet to be Sole Supply on 1 March 2015

(Ginet 84 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs to be delisted 1 March 2015)

Gynaecological Anti-infectives

ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC At Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with	CID		
applicator	8.43	100 g OP	
	(24.00)	•	Aci-Jel
CLOTRIMAZOLE			
* Vaginal crm 1% with applicators	1.45	35 g OP	✓ Clomazol
* Vaginal crm 2% with applicators	2.20	20 g OP	✓ Clomazol
MICONAZOLE NITRATE			
* Vaginal crm 2% with applicator	3.95	40 g OP	✓ Micreme
NYSTATIN			
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ Nilstat

Myometrial and Vaginal Hormone Preparations

ERGOMETRINE MALEATE

	Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	94.70	5	✓ DBL Ergometrine
0E	STRIOL			
*	Crm 1 mg per g with applicator	6.30	15 g OP	✓ Ovestin
*	Pessaries 500 mcg	6.53	15	✓ Ovestin

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Generic
OXYTOCIN — Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule Inj 10 iu per ml, 1 ml ampoule Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	5.98	5 5 5	/]	Oxytocin BNM BNM Syntometrine
Pregnancy Tests - hCG Urine PREGNANCY TESTS - HCG URINE				
a) Up to 200 test available on a PSO b) Only on a PSO Cassette	22.80 40) test C	DP 🗸 I	Innovacon hCG One Step Pregnancy

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 115

5-Alpha Reductase Inhibitors

Finpro to be Sole Supply on 1 March 2015

(Rex Medical Tab 5 mg to be delisted 1 March 2015)

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE − Special Authority see SA1032 below − Retail pharmacy

* Cap 400 mcg13.51 100

✓ Tamsulosin-Rex

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OX	YBUTYNIN			
*	Tab 5 mg	11.20	500	Apo-Oxybutynin
*	Oral liq 5 mg per 5 ml	56.45	473 ml	Apo-Oxybutynin

Test

GENITO-URINARY SYSTEM

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

POTASSIUM CITRATE

Oral lig 3 mmol per ml - Special Authority see SA1083 below

✔ Biomed - Retail pharmacy30.00 200 ml OP

■ SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

SODIUM CITRO-TARTRATE

* Grans eff 4 g sachets	2 03	28	✓ Ural
Ural to be Sole Supply on 1 March 2015	2.30	20	V Olai
SOLIFENACIN SUCCINATE - Special Authority see SA0998 belo	w – Retail pharn	nacy	
Tab 5 mg	56.50	30	Vesicare
Tab 10 mg	56.50	30	✓ Vesicare

⇒SA0998 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

TOLTERODINE - Spe	ecial Authority see SA1272 below	– Retail pharmacy
-------------------	----------------------------------	-------------------

Tab 1 mg	14.56	56 🗸	Arrow-Tolterodine
Tab 2 mg	14.56	56 🗸	Arrow-Tolterodine

⇒SA1272 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

Detection of Substances in Urine

\sim	רם	ᇚ	\sim	т	\sim	111	וור	NF

* Compound diagnostic sticks	7.50 (8.25)	50 test OP	Hemastix
TETRABROMOPHENOL			
* Blue diagnostic strips	7.02	100 test OP	
• ,	(13.92)		Albustix

Subsidy

Fully

Brand or

Generic

(Manufacturer's Price) Subsidised Manufacturer \$ Per **Calcium Homeostasis** CALCITONIN Inj 100 iu per ml, 1 ml ampoule121.00 5 ✓ Miacalcic Corticosteroids and Related Agents for Systemic Use BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE * Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml19.20 5 (33.60)Celestone Chronodose DEXAMETHASONE 100 ✓ Douglas Up to 30 tab available on a PSO Tab 4 mg - Retail pharmacy-Specialist8.16 100 Douglas Up to 30 tab available on a PSO Oral liq 1 mg per ml - Retail pharmacy-Specialist45.00 25 ml OP ✓ Biomed Oral lig prescriptions: 1) Must be written by a Paediatrician or Paediatric Cardiologist; or 2) On the recommendation of a Paediatrician or Paediatric Cardiologist. DEXAMETHASONE PHOSPHATE Dexamethasone phosphate injection will not be funded for oral use. Inj 4 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSO25.80 10 Dexamethasonehameln Inj 4 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO17.98 5 ✓ Dexamethasonehameln FLUDROCORTISONE ACETATE ✓ Florinef 100 **HYDROCORTISONE** Tab 5 mg8.10 100 ✓ Douglas Tab 20 mg - For hydrocortisone oral liquid formulation refer, 100 ✓ Douglas 1 ✓ Solu-Cortef a) Up to 5 inj available on a PSO b) Only on a PSO METHYLPREDNISOLONE - Retail pharmacy-Specialist Tab 4 mg60.00 100 ✓ Medrol 20 ✓ Medrol METHYLPREDNISOLONE ACETATE 5 ✓ Depo-Medrol METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNOCAINE] Ini 40 mg per ml with lidocaine [lignocaine] 1 ml7.50 1 ✓ Depo-Medrol with Lidocaine METHYLPREDNISOLONE SODIUM SUCCINATE - Retail pharmacy-Specialist ✓ Solu-Medrol 1 ✓ Solu-Medrol 1 ✓ Solu-Medrol Inj 1 g37.50 ✓ Solu-Medrol

	Subsidy			Brand or
	(Manufacturer's I	Price) Sub Per		Generic Manufacturer
	\$	Per		viariulacturer
PREDNISOLONE				
* Oral liq 5 mg per ml - Up to 30 ml available on a PSO Restricted to children under 12 years of age.	7.50	30 ml OP	✓ Rec	lipred
PREDNISONE				
* Tab 1 mg	2.13	100	•	o-Prednisone 29 S29
	10.68	500	✓ Apo	-Prednisone
* Tab 2.5 mg	12.09	500	✓ Apo	-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO		500	✓ Apo	-Prednisone
* Tab 20 mg	29.03	500	✓ Apo	-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	17.71	1	✓ Syr	acthen
,	177.18	10	✓ Syr	acthen
* Inj 1 mg per ml, 1 ml	29.56	1	✓ Syr	acthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml	21.90	5	✓ Ker	acort-A
Inj 40 mg per ml, 1 ml		5	✓ Ker	acort-A40
Sex Hormones Non Contraceptive				
Sex normones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE - Retail pharmacy-Specialist				
Tab 50 mg	18.80	50	✓ Site	erone
Tab 100 mg		50	✓ Site	erone
•				

Hormone Replacement Therapy - Systemic

TESTOSTERONE CYPIONATE - Retail pharmacy-Specialist

TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialist

TESTOSTERONE ESTERS - Retail pharmacy-Specialist

Transdermal patch, 2.5 mg per day80.00

Inj 100 mg per ml, 10 ml vial76.50

Cap 40 mg31.17

Ini 250 ma per ml. 4 ml86.00

►SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

continued...

✓ Androderm

✓ Depo-Testosterone

✓ Sustanon Ampoules

✓ Andriol Testocaps

✓ Reandron 1000

60

60

TESTOSTERONE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

Oestrogens

OESTRADIOL - See prescribing guideline above			
* Tab 1 mg		28 OP	
	(11.10)		Estrofem
* Tab 2 mg	4.12	28 OP	
	(11.10)		Estrofem
* TDDS 25 mcg per day	3.01	8	
	(10.86)		Estradot
 a) Higher subsidy of \$10.86 per 8 patch with Special Auth b) No more than 2 patch per week c) Only on a prescription 	nority see SA1018	on the previo	ous page
* TDDS 3.9 mg (releases 50 mcg of oestradiol per day)	4.12	4	
· · · · · · · · · · · · · · · · · ·	(13.18)		Climara 50
	(32.50)		Femtran 50
a) Higher subsidy of \$13.18 per 4 patch with Special Autr	, ,	on the previo	
b) No more than 1 patch per week c) Only on a prescription	ionity dod on the re	on the provid	ao pago
* TDDS 50 mcg per day	/ 19	8	
* TDDO 30 fileg per day	(13.18)	O	Estradot 50 mcg
 a) Higher subsidy of \$13.18 per 8 patch with Special Auth b) No more than 2 patch per week c) Only on a prescription 	ority see SA1018	on the previo	ous page
* TDDS 7.8 mg (releases 100 mcg of oestradiol per day)	7.05	4	
	(16.14)		Climara 100
	(35.00)		Femtran 100
 a) Higher subsidy of \$16.14 per 4 patch with Special Auth b) No more than 1 patch per week c) Only on a prescription 	nority see SA1018	on the previo	ous page
* TDDS 100 mcg per day	7.05	8	
	(16.14)		Estradot
a) Higher subsidy of \$16.14 per 8 patch with Special Auth b) No more than 2 patch per week c) Only on a prescription (Femtran 50 TDDS 3.9 mg (releases 50 mcg of oestradiol per da (Femtran 100 TDDS 7.8 mg (releases 100 mcg of oestradiol per OESTRADIOL VALERATE – See prescribing quideline above	y) to be delisted 1	February 20	15)
1 00	10.06	84	✓ Progynova
* Tab 1 mg * Tab 2 mg		84	✓ Progynova ✓ Progynova

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Brand or Generic Manufacturer
STROGENS - See prescribing guideline on the previous	oage			
Conjugated, equine tab 300 mcg	3.01	28		
	(11.48)		Pr	emarin
Conjugated, equine tab 625 mcg	4.12	28		
	(11.48)		Pr	remarin
rogestogens				
EDROXYPROGESTERONE ACETATE - See prescribing g	uideline on the previous	page		
Tab 2.5 mg	3.09	30	✓ Pr	rovera
Tab 5 mg	13.06	100	✓ Pr	rovera
Tab 10 mg	6.85	30	✓ Pr	rovera
rogestogen and Oestrogen Combined Prepa	arations			
STRADIOL WITH NORETHISTERONE - See prescribing	guideline on the previou	ıs page	9	
Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP		
•	(18.10)		KI	iovance
Tab 2 mg with 1 mg norethisterone acetate	5.40	28 OP		
	(18.10)		KI	iogest
Tab 2 mg with 1 mg norethisterone acetate (10), and 2	mg			
oestradiol tab (12) and 1 mg oestradiol tab (6)	5.40	28 OP		
()	(18.10)		Tri	isequens
ESTROGENS WITH MEDROXYPROGESTERONE - See p	orescribina auideline on	the pre	evious page	·
Tab 625 mcg conjugated equine with 2.5 mg medroxyproc	0.0			
terone acetate tab (28)	,	28 OP		
torono doctato tab (±0)	(22.96)	20 01		remia 2.5
	(22.50)			Continuous
Tab 625 mcg conjugated equine with 5 mg medroxyproc	100-			Continuouo
terone acetate tab (28)		28 OP		
1010110 additate tab (20)	(22.96)	20 01		remia 5 Continuous
	(EE.00)		- ''	cinia o continuous
Other Oestrogen Preparations				
HINYLOESTRADIOL				
Tab 10 mcg	17.60	100	✓ N2	Z Medical and
				<u>Scientific</u>
ESTRIOL				
Tab 2 mg	7.00	30	✓ 0	vestin
Other Progestogen Preparations				
VONORGESTREL				
Levonorgestrel - releasing intrauterine system 20 mcg/24	1 hr			
Special Authority see SA0782 on the next page – Reference SA0782.				
, ,		1	✓ M	irona
pharmacy	209.50	I	V IVI	irena

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

⇒SA0782 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Fither:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria. Initial application — (Previous use before 1 October 2002) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria. Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

* Tab 100 mg - Retail pharmacy-Specialist96.	.50 100	0
* Tab 200 mg - Retail pharmacy-Specialist70. (Provera Tab 200 mg to be delisted 1 February 2015)	50 30	Provera
NORETHISTERONE * Tab 5 mg - Up to 30 tab available on a PSO26.	.50 100	0 Primolut N
PROGESTERONE		
Cap 100 mg - Special Authority see SA1392 below - Retail	=0 00	4111
pharmacy16.	.50 30	Utrogestan

⇒SA1392 Special Authority for Subsidy

MEDDOVVDDOGESTEDONE ACETATE

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*: and
- 2 Fither:
 - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents

CARBIMAZOLE			
Tab 5 mg	10.80	100	✓ Neo-Mercazole

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	d Generic
LEVOTHYROXINE				
* Tab 25 mcg	3.89	90	~	Synthroid
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			•
* Tab 50 mcg	4.05	90	~	Synthroid
•	64.28	1,000	~	Eltroxin
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
* Tab 100 mcg	4.21	90	~	Synthroid
•	66.78	1,000	~	Eltroxin
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
LEVOTHYROXINE (MERCURY PHARMA)				
* Tab 50 mcg	1.71	28	~	Mercury Pharma
* Tab 100 mcg	1.78	28	_	Mercury Pharma
PROPYLTHIOURACIL - Special Authority see SA1199 below -				•
Propylthiouracil is not recommended for patients under the agare contraindicated.	, ,	the pa	atient is pr	egnant and other treatments
Tab 50 mg	35.00	100	~	PTU S29

►SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

SOMATROPIN (GENOTROPIN) - Special Authority see SA1279 below - [Xpharm]

Inj 15 mg cartridge328.50

Omnitrope to be Sole Supply on 1 January 2015

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

	0 00.011 [r.p.i.a	J	
* Inj cartridge 16 iu (5.3 mg)	160.00	1	Genotropin
* Inj cartridge 36 iu (12 mg)	360.00	1	✓ Genotropin
(Genotropin Inj cartridge 16 iu (5.3 mg) to be delisted 1 January	<i>(</i> 2015)		-
(Genotropin Inj cartridge 36 iu (12 mg) to be delisted 1 January	2015)		
▶ SA1279 Special Authority for Subsidy			
Special Authority approved by the Growth Hormone Committee			
Notes: Application details may be obtained from PHARMAC's w	ebsite http://www.p	harmac.go	vt.nz or:
NZGHC Coordinator			
PHARMAC, PO Box 10-254, WELLINGTON			
Tel: 0800 808 476, Fax: (09) 929 3221, Email: growthhormone	@pharmac.govt.nz		
SOMATROPIN (OMNITROPE) – Special Authority see SA1451	on the next nega	Dotail pho	rmoov
No patient co-payment payable	on the next page -	- netali pila	Пасу
* Inj 5 mg cartridge	100 50	1	✓ Omnitrope
Omnitrope to be Sole Supply on 1 January 2015	109.50	'	Ommuope
1 117	210.00	4	4/ Omnitrono
* Inj 10 mg cartridge	219.00	ı	Omnitrope
Omnitrope to be Sole Supply on 1 January 2015			

Omnitrope

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1451 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: Fither:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older. GH testing with sex steroid priming is required; and
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon followup laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is ≥ 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity ≥ 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is > 2 cm per year, calculated over six months; and
- 3 A current bone age is \leq 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

continued...

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and</p>
- 3 A current bone age is \leq to 14 years (female patients) or \leq to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is ≤ 14 years (female patients) or ≤ 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

continued...

89

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria;
- 2 The patient's height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 Either:
 - 3.1 The patient is under two years of age and height velocity has been assessed over a minimum six month period from the age of 12 months, with at least three supine length measurements over this period demonstrating clear and consistent evidence of linear growth failure (with height velocity < 25th percentile); or
 - 3.2 The patient is aged two years or older; and
- 4 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 5 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 6 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by > 0.5 standard deviations in the preceding 12 months.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is > 2 cm per year as calculated over six months; and
- 3 A current bone age is ≤ 14 years (female patients) or ≤ 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of ≤ 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of ≤ 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 All of the following:

- 1.1 The patient has been treated with somatropin for < 12 months; and
- 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA⁽⁵⁾) score from baseline; and
- 1.3 Serum IGF-I levels have been increased within $\pm 1SD$ of the mean of the normal range for age and sex; and
- 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or

2 All of the following:

- 2.1 The patient has been treated with somatropin for more than 12 months; and
- 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA[®] score on treatment (other than due to obvious external factors such as external stressors); and
- 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
- 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

166.20	1	✓ Zoladex
443.76	1	✓ Zoladex
221.60	1	✓ Lucrin Depot PDS
166.20	1	✓ Eligard
591.68	1	✓ Lucrin Depot PDS
443.76	1	✓ Eligard
591.68	1	Eligard
1,109.40	1	✓ Lucrin Depot PDS
832.05	1	✓ Eligard

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

Vasopressin Agonists

DEGN	10PRESS	INI A		TE
DESIN	IUFNEGO	IIV A	\cup \subseteq IA	ı⊏

Tab 100 mcg - Special Authority see SA1401 below - Retail pharmacy36.40	30	✓ Minirin
Tab 200 mcg - Special Authority see SA1401 below - Retail pharmacy 93.60 Nasal drops 100 mcg per ml - Retail pharmacy-Specialist 39.03 Nasal spray 10 mcg per dose - Retail pharmacy-Specialist 22.95	30 2.5 ml OP 6 ml OP	✓ Minirin ✓ Minirin ✓ Desmopressin-
Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below – Retail pharmacy67.18	10	PH&T ✓ Minirin

⇒SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis: and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

ab 0.5 mg - Maximum of 2 tab per prescription; can be			
waived by Special Authority see SA1370 below	6.25	2	✓ Dostinex
	25.00	8	Dostinex

■ SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

\sim	\sim	ALDI	ILL	CITE	ATE

Tab 50 mg29.84	10	Serophene
----------------	----	-----------

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	Brand or Generic Manufacturer
DANAZOL				
Cap 100 mg	68.33	100	✓ A	zol
Cap 200 mg	97.83	100	✓ A	zol
METYRAPONE Cap 250 mg - Retail pharmacy-Specialist	520.00	50	✓ N	letopirone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer **Anthelmintics** ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy ✓ Eskazole \$29 Tab 400 mg849.65 ⇒SA1318 Special Authority for Subsidy Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids. Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment. MEBENDAZOLE - Only on a prescription Tab 100 mg24.19 ✓ De-Worm 24 Oral liq 100 mg per 5 ml2.18 15 ml Vermox PRAZIQUANTFI ✓ Biltricide **Antibacterials** a) For anti-infective eve preparations, refer to SENSORY ORGANS, page 203 b) For topical antibacterials, refer to DERMATOLOGICALS, page 66 Cephalosporins and Cephamycins CEFACLOR MONOHYDRATE 100 Ranbaxy-Cefaclor Grans for oral liq 125 mg per 5 ml - Wastage claimable - see 100 ml Ranbaxy-Cefaclor CFFALEXIN MONOHYDRATE Cap 500 mg5.70 20 Cephalexin ABM Grans for oral liq 125 mg per 5 ml - Wastage claimable - see rule 3.3.2 on page 178.50 100 ml ✓ Cefalexin Sandoz Note: Cefalexin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing. Grans for oral lig 250 mg per 5 ml - Wastage claimable - see Cefalexin Sandoz 100 ml Note: Cefalexin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing. CEFAZOLIN - Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly. CEFTRIAXONE - Subsidy by endorsement a) Up to 5 ini available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly. ✓ Ceftriaxone-AFT ✓ Ceftriaxone-AFT CEFUROXIME AXETIL - Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.

Zinnat

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
CEFUROXIME SODIUM				
Inj 750 mg – Maximum of 1 inj per prescription; can be waived		-		. 0.6
by endorsement		5 fibracia		n-Cefuroxime
· · · · · · · · · · · · · · · · · · ·	ioi dialysis of cyslic	IIDIOSI	s patient.	
Macrolides				
AZITHROMYCIN – Maximum of 5 days treatment per prescription For Endorsement, patient has either:	•			
 Received a lung transplant and requires treatment or pro Cystic fibrosis and has chronic infection with Pseudomo isms*. 			,	
Indications parked with * are Unapproved Indications				
Tab 250 mg	10.00	30	V 1	Apo-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSO		2	V <u>I</u>	Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml - Wastage claimable - see			4-	
rule 3.3.2 on page 17		15 ml		Zithromax
CLARITHROMYCIN - Maximum of 500 mg per prescription; can				
Tab 250 mg		14	V <u>I</u>	Apo-Clarithromycin
Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 17		70 ml		Clacid
	23.12	70 1111	V 1	Naciu
■SA1131 Special Authority for Waiver of Rule Initial application — (Mycobacterial infections) only from a re	eniratory enocialist	infactio	uie diepaed	specialist or paediatriciar
Approvals valid for 2 years for applications meeting the following of		micone	ao alocaoc	openianor or pactitational
Either:				
1 Atypical mycobacterial infection; or				
2 Mycobacterium tuberculosis infection where there is drug	g-resistance or intole	rance	to standard	pharmaceutical agents.
Renewal — (Mycobacterial infections) only from a respiratory s	pecialist, infectious	diseas	e specialist	or paediatrician. Approval
valid for 2 years where the treatment remains appropriate and the	patient is benefiting	from t	reatment.	
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg	16.95	100	✓ E	E-Mycin
a) Up to 20 tab available on a PSO	.l.			
b) Up to 2 x the maximum PSO quantity for RFPP – see ru Grans for oral liq 200 mg per 5 ml		100 m	/ 5	E-Mycin
a) Up to 300 ml available on a PSO	5.00	100 111		z-iviyeiii
b) Up to 2 x the maximum PSO quantity for RFPP – see ru	le 5.2.6 on page 21			
c) Wastage claimable – see rule 3.3.2 on page 17				
Grans for oral liq 400 mg per 5 ml	6.77	100 m	 	E-Mycin
 a) Up to 200 ml available on a PSO b) Wastage claimable – see rule 3.3.2 on page 17 				
ERYTHROMYCIN LACTOBIONATE				
Inj 1 g	16.00	1	✓ E	Erythrocin IV
ERYTHROMYCIN STEARATE				
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100		
	(22.29)		E	ERA
T-1- 500	00.00	400		

100

ERA

(44.58)

	Subsidy (Manufacturer's F	Orion) Cu		Brand or Generic
	(Manulacturers F	Per		Manufacturer
ROXITHROMYCIN				
Tab 150 mg	7 10	50	✓ Arr	OW-
Tab 150 mg	7.40	50		oxithromycin
Tab 300 mg	14.40	50	✓ Arr	
				oxithromycin
Penicillins				
AMOXICILLIN				
Cap 250 mg	16.18	500	✓ And	o-Amoxi
a) Up to 30 cap available on a PSO			· <u>p.</u>	7
b) Up to 10 x the maximum PSO quantity for RFPP - see	rule 5.2.6 on pag	je 21		
Cap 500 mg		500	✓ Apo	o-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – see			4	_
Grans for oral liq 125 mg per 5 ml	0.88	100 ml		hamox
				oxicillin Actavis
	1.55		✓ Rar ✓ Osp	
a) Up to 200 ml available on a PSO	1.55		V Os	Jaillox
b) Wastage claimable – see rule 3.3.2 on page 17				
Grans for oral liq 250 mg per 5 ml	0.97	100 ml	✓ Alp	hamox
				oxicillin Actavis
			✓ Rar	
	1.10		✓ Osp	oamox
a) Up to 300 ml available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – see	rule 5.2.6 on pag	ge 21		
c) Wastage claimable – see rule 3.3.2 on page 17	40.07	40	4	
Inj 250 mg vial		10	✓ <u>Ibia</u>	
Inj 500 mg vialInj 1 g vial – Up to 5 inj available on a PSO		10 10	✓ <u>Ibia</u> ✓ Ibia	
(Ospamox Grans for oral liq 125 mg per 5 ml to be delisted 1 June		10	₩ IDIO	IIIIOX
(Ospamox Grans for oral liq 250 mg per 5 ml to be delisted 1 June				
AMOXICILLIN WITH CLAVULANIC ACID	/			
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab avail-				
able on a PSO		20	✓ ∆110	gmentin
45.0 5.1 4.7 5.5	9.75	100	•	am Duo
Augmentin to be Sole Supply on 1 February 2015				
Grans for oral liq amoxicillin 125 mg with clavulanic acid				
31.25 mg per 5 ml	1.61	100 ml	✓ <u>Aug</u>	<u>gmentin</u>
			Cur	am
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 17				
Grans for oral liq amoxicillin 250 mg with clavulanic acid		100 1		
62.5 mg per 5 ml	2.19	100 ml	✓ Aug	g <u>mentin</u>
a) Up to 200 ml available on a PSO			₩ Cui	uiii
b) Wastage claimable – see rule 3.3.2 on page 17				
(Curam Duo Tab 500 mg with clavulanic acid 125 mg to be deliste	ed 1 February 20	115)		
BENZATHINE BENZYLPENICILLIN	,	,		
Inj 1.2 mega u per 2.3 ml – Up to 5 inj available on a PSO	315.00	10	✓ Ric	illin LA
, moga a por 2.0 mi op to o mj avanabio on a i oo		.0	+ <u>Dio</u>	

	Subsidy)	Fully	Brand or
	(Manufacturer's P \$	rice) Su Per	bsidised	Generic Manufacturer
BENZYLPENICILLIN SODIUM (PENICILLIN G)				
Inj 600 mg (1 million units) vial – Up to 5 inj available oi	n a			
PSO		10	✓ S	<u>andoz</u>
FLUCLOXACILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	22.00	250	✓ S	taphlex
Cap 500 mg	74.00	500		taphlex
Grans for oral liq 125 mg per 5 ml	2.49	100 ml	✓ <u>A</u>	<u>FT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 17				
Grans for oral liq 250 mg per 5 ml	3.25	100 ml	✓ <u>A</u>	<u>FT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 17 Inj 250 mg vial	0 00	10	•/ E	ucloxin
Inj 500 mg vial		10	_	ucloxin
Inj 1 g vial – Up to 10 inj available on a PSO		10	_	ucloxin
, ,		10	<u></u>	<u>Idoloxiii</u>
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap potassium salt 250 mg - Up to 30 cap available or PSO		50	./ 0	ilicaine VK
Cap potassium salt 500 mg		50 50		ilicaine VK
a) Up to 20 cap available on a PSO	14.43	30	• 0	ilicallic VIX
b) Up to 2 x the maximum PSO quantity for RFPP – see	e rule 5 2 6 on page	21		
Grans for oral liq 125 mg per 5 ml	, ,	100 ml	✓ A	FT
a) Up to 200 ml available on a PSO			_	_
b) Wastage claimable – see rule 3.3.2 on page 17				
Grans for oral liq 250 mg per 5 ml	1.74	100 ml	✓ <u>A</u>	<u>FT</u>
a) Up to 300 ml available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP – see	e rule 5.2.6 on page	21		
c) Wastage claimable – see rule 3.3.2 on page 17				
PROCAINE PENICILLIN			_	
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSC)123.50	5	✓ <u>C</u>	<u>ilicaine</u>
Tetracyclines				
DOXYCYCLINE				
* Tab 50 mg - Up to 30 tab available on a PSO	2 90	30		
in table my op to de tablavanable en a r de	(6.00)	00	D	oxy-50
* Tab 100 mg - Up to 30 tab available on a PSO	` '	250		oxine
MINOCYCLINE HYDROCHLORIDE			_	
* Tab 50 mg - Additional subsidy by Special Authority s	200			
SA1355 below – Retail pharmacy		60		
Ortrodo bolow Trotali pramady	(12.05)	00	М	ino-tabs
* Cap 100 mg		100		
	(52.04)		M	inomycin
■ SA1355 Special Authority for Manufacturers Price	•			
Initial application from any relevant practitioner. Approvals	valid without furthe	r renewal unl	ess notif	ied where the patient h
rosacea.				•
TETRACYCLINE - Special Authority see SA1332 on the next		nacy		
Cap 500 mg	46.00	30	✓ Te	etracyclin
Cap coo mg				•

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Other Antibiotics

For topical antibiotics	. refer to DERMATOLOGICALS, page 66

CIPROFLOXACIN

Recommended for patients with any of the following:

- i) microbiologically confirmed and clinically significant pseudomonas infection; or
- ii) prostatitis; or
- iii) pyelonephritis; or
- iv) gonorrhoea.

Tab 250 mg — Up to 5 tab available on a PSO Tab 500 mg — Up to 5 tab available on a PSO Tab 750 mg	2.00	28 28 28	✓ Cipflox ✓ Cipflox ✓ Cipflox
INDAMYCIN			
Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip-	=		
tion; can be waived by endorsement - Retail pharmacy -	-		
Specialist	5.80	16	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml - Retail pharmacy	-		

CO-TRIMOXAZOLE

CLI

*	iad trimetnoprim 80 mg and suipnametnoxazoie 400 mg	g –		
	Up to 30 tab available on a PSO	20.97	500	Trisul

木	Oral liq trimetriophin 40 mg and sulphametrioxazole 200 mg		
	per 5 ml - Up to 200 ml available on a PSO2.15	100 ml	✓ Deprim

COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - Subsidy by endorsement

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

Inj 150 mg	 	 65.00	1	✓ Colistin-Link

FUSIDIC ACID

1ab 250 mg	- Retail pharmacy-Sp	oecialist		34.50	12	V	ruciain	
Prescription	ons must be written by	v. or on the	recommendation of	an infectious	disease r	physician	or a clinical	microbiologist

GENTAMICIN SULPHATE

D. J. H. H. J. L. L. L. C. L.

Inj 10 mg per ml, 1 ml – Subsidy by endorsement8.56	5	~	Hospira
Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tr	ract infection	and	the prescription is endorsed
accordingly.			

Inj 10 mg per ml, 2 ml – Subsidy by endorsement175.10

Pharmaceuticals S29

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

10

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

10

✔ Dalacin C

	Subsidy (Manufacturer's Price) \$	S Per		Brand or Generic Manufacturer
MOXIFLOXACIN – Special Authority see SA1358 below – Retail No patient co-payment payable Tab 400 mg	,	5	✓ Av	/elox

⇒SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 Active tuberculosis*: and
 - 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications;
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 below - Retail pharmacv

Cap 250 mg126.00 16 ✓ Humatin S29

⇒SA1324 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy

30 ✓ Daraprim S29 36.95 50 ✓ Daraprim S29

⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

	Subsidy (Manufacturer's Price) \$	Sı Per	Fully Brand or ubsidised Generic ✓ Manufacturer
SULFADIAZINE SODIUM - Special Authority see SA1331 bel	ow – Retail pharmacy		
Tab 500 mg	221.00	56	✓ Wockhardt S29
■►SA1331 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals v ne following criteria: uny of the following: 1 For the treatment of toxoplasmosis in patients with HIV 2 For pregnant patients for the term of the pregnancy; o 3 For infants with congenital toxoplasmosis until 12 mon	V for a period of 3 month		ess notified for applications mee
OBRAMYCIN			
Inj 40 mg per ml, 2 ml – Subsidy by endorsement	29.32	5	✓ DBL Tobramycin
Only if prescribed for dialysis or cystic fibrosis patient at Solution for inhalation 60 mg per ml, 5 ml – Subsidy by	nd the prescription is en		
dorsement	2,200.00 5	6 dose	✓ TOBI
a) Wastage claimable – see rule 3.3.2 on page 17			
b) Only if prescribed for a cystic fibrosis patient and the	prescription is endorse	d accordi	ingly.
RIMETHOPRIM			
← Tab 300 mg – Up to 30 tab available on a PSO	9.28	50	✓ TMP
ANCOMYCIN – Subsidy by endorsement			
			for treatment of Clastridium diff
Only if prescribed for a dialysis or cystic fibrosis patient or		arditis or	ior treatment or clostricium din
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endo	orsed accordingly.		
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endo Inj 500 mg	orsed accordingly.	arditis or	✓ Mylan
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endo	orsed accordingly.		
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endo Inj 500 mg	orsed accordingly. 2.64		
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endo Inj 500 mg	orsed accordingly. 2.64		
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly. 2.64		
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly. 2.64	1	✓ <u>Mylan</u>
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is ended Inj 500 mg	orsed accordingly. 2.64 66		✓ Mylan ✓ Ozole
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly. 2.64 66 3.49 0.71	1 28 1	✓ <u>Mylan</u> ✓ <u>Ozole</u> ✓ <u>Ozole</u>
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly2.64 66 3.490.71 y endorsement - Retail p	1 28 1 Dharmac	✓ <u>Mylan</u> ✓ <u>Ozole</u> ✓ <u>Ozole</u> y - Specialist
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly2.64 66 3.490.71 y endorsement - Retail prioner considers that a tringly; can be waived by	1 28 1 oharmacy	✓ Mylan ✓ Ozole ✓ Ozole y - Specialist idazole (used intra-vaginally) is
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly2.64 66 3.490.71 y endorsement - Retail prioner considers that a tringly; can be waived by	1 28 1 oharmacy	✓ Mylan ✓ Ozole ✓ Ozole y - Specialist idazole (used intra-vaginally) is
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly	28 1 oharmacy opical im	✓ Mylan ✓ Ozole ✓ Ozole y - Specialist idazole (used intra-vaginally) is ment - Retail pharmacy - Specia
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly	28 1 oharmacy opical im	✓ Mylan ✓ Ozole ✓ Ozole y - Specialist idazole (used intra-vaginally) is ment - Retail pharmacy - Specia
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly	28 1 bharmacy opical im endorser 28	✓ Mylan ✓ Ozole ✓ Ozole y - Specialist idazole (used intra-vaginally) is ment - Retail pharmacy - Special ✓ Ozole
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly	28 1 bharmacy opical im endorser 28	✓ Mylan ✓ Ozole ✓ Ozole y - Specialist iidazole (used intra-vaginally) is ment - Retail pharmacy - Specia ✓ Ozole ✓ Diflucan
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly	28 1 bharmacy opical im endorser 28	✓ Mylan ✓ Ozole ✓ Ozole y - Specialist iidazole (used intra-vaginally) is ment - Retail pharmacy - Specia ✓ Ozole ✓ Diflucan
Only if prescribed for a dialysis or cystic fibrosis patient or following metronidazole failure and the prescription is endough in 500 mg	orsed accordingly	28 1 obharmacy opical im endorser 28 35 ml	✓ Mylan ✓ Ozole ✓ Ozole y - Specialist iidazole (used intra-vaginally) is ment - Retail pharmacy - Specia ✓ Ozole ✓ Diflucan ✓ Diflucan S29 \$29

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	5	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 1 Patient is immunocompromised: and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOLE

Cap 100 mg – Subsidy by endorsement2.99

Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology, or for tinea unguium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement - Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 below

Tab 200 mg - PCT - Retail pharmacy-Specialist - Subsidy

- Retail pharmacy141.80 150 ml OP ✓ Sporanox

⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KETOCONAZOLE

by endorsement	CBS	30	✓ Nizoral S29
Prescriptions must be written by, or on the recon	nmendation of an oncolog	ist	
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 on	the next page - Retail pha	armacy	
Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Manufacturer

⇒SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg - For terbinafine oral liquid formulation refer, page 210		14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE - Special Authority see SA1273 on the next pa	age – Retail phar	macy	
Tab 50 mg	730.00	56	✓ Vfend
Tab 200 mg	2,930.00	56	✓ Vfend
Powder for oral suspension 40 mg per ml - Wastage			
claimable – see rule 3.3.2 on page 17	730.00	70 ml	✓ Vfend

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
` \$	Per	V	Manufacturer	

⇒SA1273 | Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis: or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis: or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Antimalarials

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

Primacin S29 Tab 7.5 mg117.00

⇒SA1326 | Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QUININE SULPHATE

✓ Q 300 * Tab 300 mg54.06 500

‡ Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

METRONIDAZOLE			
Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg	18.15	100	✓ Trichozole
Oral lig benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	16.50	10	✓ Arrow-Ornidazole

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ Antituberculotics and Antileprotics Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status. CLOFAZIMINE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist. 100 ✓ Lamprene \$29 CYCLOSERINE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician. Cap 250 mg1,140.63 100 ✓ King S29 DAPSONE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist Tab 25 mg95.00 100 Dapsone 100 ✓ Dapsone ETHAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician Tab 100 mg48.01 56 ✓ Myambutol 56 ✓ Myambutol ISONIAZID - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician Tab 100 mg20.00 100 PSM Tab 100 mg with rifampicin 150 mg90.04 100 ✔ Rifinah 100 Rifinah PARA-AMINO SALICYLIC ACID - Retail pharmacy-Specialist a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist. ✓ Paser S29 PROTIONAMIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist. 100 ✓ Peteha S29 PYRAZINAMIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician * Tab 500 mg - For pyrazinamide oral liquid formulation refer.

AFT-Pvrazinamide

100

Subsidy (Manufacturer's	Price)	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

RIFABUTIN - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist
- Cap 150 mg For rifabutin oral liquid formulation refer, page 210213.19 30 ' Mycobutin

RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy -Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Tab 600 mg108.70	30	✓ Rifadin
*	Cap 150 mg55.75	100	✓ Rifadin
*	Cap 300 mg116.25	100	✓ Rifadin
*	Oral liq 100 mg per 5 ml12.00	60 ml	✔ Rifadin

Antivirals

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 203

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below – F	etail pharmacy		
Tab 10 mg	670.00	30	Hepsera

■SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic: and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamiyudine should be added to adefovir dipiyoxil if a patient develops documented resistance to adefovir dipiyoxil, defined as:

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

continued...

105

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Adefovir dipivoxil should be stopped 6 months following HBeAq seroconversion for patients who were HBeAq+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA1361 below - Retail pharmacy

Tab 0.5 mg400.00 Baraclude

⇒SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

✓ Zeffix (32.50)Zetlam Zeffix to be Sole Supply on 1 February 2015 Oral liq 5 mg per ml270.00 240 ml ✓ Zeffix

(Zetlam Tab 100 mg to be delisted 1 February 2015)

■ SA1360 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor: or

Subsidy (Manufacturer's Price)	Fully Subsidised		
\$	Per 🗸	Manufacturer	

continued...

- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or
- 6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,00 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamiyudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> $1 \times ULN$); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICI OVID

ACICLOVIR			
* Tab dispersible 200 mg	1.78	25	✓ Lovir
* Tab dispersible 400 mg	5.98	56	✓ Lovir
* Tab dispersible 800 mg	6.64	35	✓ Lovir
VALACICLOVIR - Special Authority see SA1363 below - Retail	pharmacy		
Tab 500 mg	102.72	30	✓ Valtrex

■SA1363 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (immunocompromised patients) from any medical practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patients is immunocompromised: and
- 2 Patient has herpes zoster; and
- 3 Valaciclovir is to be given for a maximum of 7 days per course.

VALGANCICLOVIR - Special Authority see SA1404 below - Retail pharmacy

Tab 450 mg3,000.00 60 ✓ Valcyte

⇒SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient is immunocompromised; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1362 below Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 111

Tab 300 mg531.00 30 **✓ Viread**

■SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation: or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAq positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disporoxil furnished for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

BOCEPREVIR - Special Authority see SA1402 below - Retail pharmacy

Cap 200 mg - Wastage claimable - see rule 3.3.2 on page

336 Victrelis 17 5,015.00

⇒SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

✓ fully subsidised

[HP4] refer page 7

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegulated interferon treatment; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 3 Any of the following:
 - 3.1 Patient was a responder relapser; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received pegylated interferon prior to 2004; and
 - 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
 - 5 Maximum of 44 weeks therapy.

Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x109 /l or Albumin <35 g/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

Antiretrovirals

■ SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 \times total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 500 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretro-

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1364 on the previous page - Retail pharmacy

Tab 50 mg	158.33	30	✓ Stocrin S29
•	474.99	90	✓ Stocrin
Tab 600 mg	474.99	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29

	Subsidy (Manufacturer's Pri	ce) Subs	Fully Brand or sidised Generic Manufacturer
ETRAVIRINE – Special Authority see SA1364 on page 111 – Ret Tab 200 mg		60	✓ Intelence
NEVIRAPINE - Special Authority see SA1364 on page 111 - Re Tab 200 mg - Brand switch fee payable (Pharmacode			
2433265) - see page 207 for details	95.94	60	✓ <u>Nevirapine</u> Alphapharm
Oral suspension 10 mg per ml	134.55	240 ml	✓ Viramune Suspension
Nucleosides Reverse Transcriptase Inhibitors			
ABACAVIR SULPHATE - Special Authority see SA1364 on page			
Tab 300 mg Oral lig 20 mg per ml		60 240 ml OP	✓ <u>Ziagen</u> ✓ Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE - Special Authority s			
Note: abacavir with lamivudine (combination tablets) counts retroviral Special Authority.	as two anti-retro	viral medicati	ons for the purposes of the anti-
Tab 600 mg with lamivudine 300 mg		30	✓ Kivexa
DIDANOSINE [DDI] – Special Authority see SA1364 on page 111 Cap 125 mg		;y 30	✓ Videx EC
Cap 200 mg		30	✓ Videx EC
Cap 250 mg		30	✓ Videx EC
Cap 400 mg		30	✓ Videx EC
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPRE - Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil fum of the anti-retroviral Special Authority Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg	arate counts as th		
EMTRICITABINE – Special Authority see SA1364 on page 111 – Cap 200 mg		30	✓ Emtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE Note: Emtricitabine with tenofovir disoproxil fumarate counts retroviral Special Authority		•	,
Tab 200 mg with tenofovir disoproxil fumarate 300 mg	838.20	30	✓ Truvada
LAMIVUDINE - Special Authority see SA1364 on page 111 - Re Tab 150 mg		60	✓ <u>Lamivudine</u> Alphapharm
Oral liq 10 mg per ml	102.50	240 ml OP	✓ <u>3TC</u>
STAVUDINE [D4T] - Special Authority see SA1364 on page 111 Cap 40 mg		60	✓ Zerit
Powder for oral soln 1 mg per ml		200 ml OP	✓ Zerit S29
ZIDOVUDINE [AZT] - Special Authority see SA1364 on page 11		су	
Cap 100 mg Oral liq 10 mg per ml	152.25	100 200 ml OP	✓ Retrovir ✓ Retrovir
1 01		-	

	Subsidy (Manufacturer's Pri \$	ce) Sub	Fully Brand or sidised Generic Manufactu	rer
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets) anti-retroviral Special Authority.	, ,		•	ourposes of the
Tab 300 mg with lamivudine 150 mg	44.00	60	✓ <u>Alphapharm</u>	<u>1</u>
Protease Inhibitors				
ATAZANAVIR SULPHATE - Special Authority see SA1364 on pa	ge 111 – Retail ph	armacy		
Cap 150 mg	•	60	✓ Revataz	
Cap 200 mg		60	✓ Reyataz	
DARUNAVIR - Special Authority see SA1364 on page 111 - Ret	tail pharmacy			
Tab 400 mg	, ,	60	✓ Prezista	
Tab 600 mg	1,190.00	60	✔ Prezista	
INDINAVIR - Special Authority see SA1364 on page 111 - Retai	il pharmacy			
Cap 200 mg	, ,	360	Crixivan	
Cap 400 mg		180	Crixivan	
LOPINAVIR WITH RITONAVIR - Special Authority see SA1364 of	on page 111 – Ret	ail pharmacy		
Tab 100 mg with ritonavir 25 mg		60	✓ Kaletra	
Tab 200 mg with ritonavir 50 mg		120	✓ Kaletra	
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓ Kaletra	
RITONAVIR - Special Authority see SA1364 on page 111 - Reta	ail pharmacy			
Tab 100 mg		30	✓ Norvir	
Oral liq 80 mg per ml	103.98	90 ml OP	✓ Norvir	
Strand Transfer Inhibitors				
RALTEGRAVIR POTASSIUM - Special Authority see SA1364 on	nago 111 Potoi	l pharmaou		
Tab 400 mg		60	✓ Isentress	
	1,000.00		+ 13011t1033	
Antiretrovirals - Additional Therapies				
HIV Fusion Inhibitors				

ENFUVIRTIDE − Special Authority see SA0845 below − Retail pharmacy
Powder for inj 90 mg per ml × 602,380.00 1
✓ Fuzeon

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Fither:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
(Manuacturer's Price)		Subsidised		
\$	Per	~	Manufacturer	

continued...

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- a) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- a) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

b) i recompliante made se whiten sy, or on the recommendate	ion oi, an intornar mo	alonio pri	yololari or oprilila
Inj 18 m iu, 1.2 ml multidose pen	187.92	1	✓ Intron-A
Ini 30 m iu. 1.2 ml multidose pen	313.20	1	✓ Intron-A

inj 30 m iu, 1.2 mi muitidose į	oen313.20	✓ Intron-A

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PEGYLATED INTERFERON ALFA-2A – Special Authority see SA See prescribing guideline on the previous page	1400 below – Retail	pharm	acy	
Inj 135 mcg prefilled syringe	1,448.00	4	✓ P	egasys
Inj 180 mcg prefilled syringe		4		egasys
Inj 135 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times 112	1,799.68	1 OP	✓ <u>P</u> e	egasys RBV Combination Pack
Inj 135 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times 168	1,975.00	1 OP	✓ <u>P</u> e	egasys RBV Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times 112	1,159.84	1 OP	✓ <u>P</u> e	egasys RBV Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times 168	1,290.00	1 OP	_	egasys RBV Combination Pack

⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV: or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Fither:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:

Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 3.1 Patient has responder relapsed; or
- 3.2 Patient was a partial responder; or
- 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal: and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.

proven resistance to first line agents and the prescription is endorsed accordingly.

- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

HE.	XAMINE HIPPURATE			
*	Tab 1 g	18.40	100	
		(38.10)		Hiprex
NIT	ROFURANTOIN			
*	Tab 50 mg - For nitrofurantoin oral liquid formulation refer,			
	page 210	22.20	100	✓ Nifuran
*	Tab 100 mg	37.50	100	✓ Nifuran
NO	RFLOXACIN			
	Tab 400 mg – Subsidy by endorsement	13.50	100	✓ <u>Arrow-Norfloxacin</u>
	Only if prescribed for a patient with an uncomplicated urinary	tract infection	n that is unres	ponsive to a first line agent or with

		Subsidy		Fully	/ Brand or
		(Manufacturer's Price		Subsidised	
_		\$	Per		Manufacturer
Α	nticholinesterases				
NE	OSTIGMINE METILSULFATE				
	Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	•	<u>AstraZeneca</u>
PY	RIDOSTIGMINE BROMIDE				
\blacktriangle	Tab 60 mg	38.90	100	~	Mestinon
N	on-Steroidal Anti-Inflammatory Drugs				
	• •				
	CLOFENAC SODIUM	4.00	400		
*	Tab EC 25 mg		100	•	Apo-Diclo
*	Tab 50 mg dispersible - Higher subsidy of \$8.00 per 20 tab		00		
	with Endorsement		20		Voltaren D
	Additional subsidy by endorsement for a patient who car	(8.00) anot swallow whole	tablete		
	ineffective or not tolerated, and the prescription is endorse		iabiclo	and in W	nom ibuprolen oral liquiu is
*	Tab EC 50 mg	0,	500	~	Apo-Diclo
*	Tab long-acting 75 mg		500		Diclax SR
*	Tab long-acting 100 mg		500	~	Diclax SR
*	Inj 25 mg per ml, 3 ml ampoule - Up to 5 inj available on a				
	PSO	13.20	5	~	Voltaren
*	Suppos 12.5 mg		10		Voltaren
*	Suppos 25 mg		10		<u>Voltaren</u>
*	2 - F		10		<u>Voltaren</u>
*	Suppos 100 mg	7.00	10	V	<u>Voltaren</u>
IBL	IPROFEN				
*	Tab 200 mg		1,000		Ibugesic
	Table to a series and a series	12.75	00		Arrowcare
*	Tab long-acting 800 mg		30 200 ml	٠.	Brufen SR Fenpaed
	Oral liq 20 mg per ml	1.09	200 1111	•	renpaeu
	TOPROFEN	40.07	00		0 1100
*	Cap long-acting 200 mg	12.07	28	V	Oruvail SR
ME	FENAMIC ACID				
*	Cap 250 mg		20		
		(5.60)			Ponstan
		1.25	50		Donaton
	DDOVEN	(9.16)			Ponstan
	PROXEN	04.05	F00		Nation 050
	Tab 250 mg		500 250		Noflam 250 Noflam 500
*	Tab 500 mg Tab long-acting 750 mg		90 90		Nonam 500 Naprosyn SR 750
	Tab long-acting 1,000 mg		90		Naprosyn SR 1000
			30	•	
\$U	LINDAC Tab 100 mg	8 55	50		Aclin
不 米	Tab 200 mg		50	•	Aclin
	ŭ		00		, t y
	NOXICAM Tab 20 mg	2.05	20	.,	Reutenox
*	Tab 20 mg	23.75	100		Reutenox Tilcotil
*	Inj 20 mg vial		1		AFT
•••	, _ vg *!\u00e4			•	

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
(Manadatarer e i 1100)	Dor 4	Manufacturar

NSAIDs Other

ME	MELOXICAM - Special Authority see SA1034 below - Retail pharmacy				
*	Tab 7.5 mg11.50	30	Arrow-Meloxicam		

⇒SA1034 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% - Special Authority see SA1289 below - Retail		
pharmacy	25 g OP	Zostrix
9.95	45 a OP	✓ Zostrix

⇒SA1289 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

AURANOFIN		
Tab 3 mg68.99	60	✓ Ridaura s29 S29
HYDROXYCHLOROQUINE * Tab 200 mg18.00	100	✓ <u>Plaquenil</u>
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ Arava
Tab 20 mg76.00	30	✓ Arava
Tab 100 mg54.44	3	Arava
PENICILLAMINE		
Tab 125 mg61.93	100	D-Penamine
Tab 250 mg98.98	100	D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	10	✓ Myocrisin
Inj 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

■SA1039 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (> 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (> 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.

continued...

✓ fully subsidised

[HP4] refer page 7

Subsidy		Fully	Brand or
(Manufacturer's Price)	;	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA1039 on page 119 - Retail pharmacy ✓ Fosamax ALENDRONATE SODIUM WITH CHOLECALCIFEROL - Special Authority see SA1039 on page 119 - Retail pharmacy ✓ Fosamax Plus

Alendronate for Paget's Disease

■SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or

- 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
- 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is

benefiting from treatment. ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

Other Treatments

ETIDRONATE DISODIUM - See prescribing quideline below 100 ✓ Arrow-Etidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	6.80	1	✓ Pamisol
Inj 6 mg per ml, 10 ml vial	13.20	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial	19.20	1	✓ Pamisol

HA	LOXIFENE HYDROCHLORIDE - Special Authority see SATT38 (on the next page	– нетан р	narmacy
*	Tab 60 mg	53.76	28	✓ Evista

30

✓ Fosamax

121

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene fundina.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM ✓ Risedronate Sandoz Tab 35 mg4.00 TERIPARATIDE - Special Authority see SA1139 below - Retail pharmacy ✔ Forteo

⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID − Special Authority see SA1187 below − Retail pharmacy
Inj 5 mg per 100 ml, vial600.00 100 ml OP ✓ Aclasta

⇒SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score < -3.0 (see Note): or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
- 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene: and
- 3 The patient will not be prescribed more than one infusion in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than one infusion in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note);
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or density metry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than one infusion in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	•	Manufacturer	

continued...

LLODUDINO

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPURINOL		
* Tab 100 mg	15.90 1,00	0
* Tab 300 mg - For allopurinol oral liquid formulation re-	fer,	
page 210	16.75 500	✓ Apo-Allopurinol
BENZBROMARONE - Special Authority see SA1319 below -	Retail pharmacy	
Tab 100 mg	45.00 100	✓ Benzbromaron AL
		100 \$29

⇒SA1319 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and appropriate doses of probenecid; or
 - 1.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite appropriate doses of probenecid; or
 - 1.3 Both:
 - 1.3.1 The patient has renal impairment and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note); and
 - 1.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 1.4 All of the following:
 - 1.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 1.4.2 Allopurinol is contraindicated; and
 - 1.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function;
- 2 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/downloads/Benzbromarone-prescriber-information-NZRA-V2.pdf

125

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
	\$	Per	~	Manufacturer	
COLCHICINE					
* Tab 500 mcg	10.08	100	✓ <u>C</u>	<u>olgout</u>	
FEBUXOSTAT - Special Authority see SA1431 below - Retail ph	narmacy				
Tab 80 mg	39.50	28	✓ A	denuric	
Tab 120 mg	39.50	28	✓ A	denuric	

►SA1431 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Any of the following:

- 1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and appropriate doses of probenecid; or
- 2 The patient has experienced intolerable side effects from all opurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite appropriate doses of probenecid; or
- 3 Both:
 - 3.1 The patient has renal impairment and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note): and
 - 3.2 The patient has a rate of creatinine clearance greater than or equal to 30 ml/min.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearanceadjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

✔ Probenecid-AFT * Tab 500 mg55.00 100

Muscle Relaxants

BACLOFEN

*	Tab 10 mg - For baclofen oral liquid formulation refer, page				
	210	3.85	100	✓ Pacifen	
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement	11.55	1	✓ Lioresal Intrathecal	
	Subsidised only for use in a programmable pump in patients caused intolerable side effects and the prescription is endors		, ,	ents have been ineffective or ha	ve
	Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement	209.29	1	Lioresal Intrathecal	
	Subsidised only for use in a programmable pump in patients caused intolerable side effects and the prescription is endors			ents have been ineffective or ha	ve
DA	NTROLENE				
*	Cap 25 mg	65.00	100	✓ Dantrium	
*	Cap 50 mg	77.00	100	✓ Dantrium	
OF	RPHENADRINE CITRATE				

100

✓ Norflex

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and Related Agents

AMANTADINE HYDROCHLORIDE A Cap 100 mg	38 24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE		00	<u> </u>
▲ Inj 10 mg per ml, 2 ml	110.00	5	✓ Apomine
, , ,	110.00	J	Apolilile
BROMOCRIPTINE MESYLATE	00.00	400	A Durana a saladia a
* Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	47.92	100	Entapone
LEVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg		100	Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg - For levodopa with	car-		
bidopa oral liquid formulation refer, page 210	10.00	50	✓ Sindopa
	20.00	100	✓ Kinson
			✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg		100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg		100	✓ Sinemet
(Sindopa Tab 100 mg with carbidopa 25 mg to be delisted 1	February 2015)		
LISURIDE HYDROGEN MALEATE			
▲ Tab 200 mcg	25.00	30	✓ Dopergin
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.125 mg	1.95	30	✓ Dr Reddy's
			Pramipexole
▲ Tab 0.25 mg	7.20	100	✓ Ramipex S29
•	2.16	30	•
	(2.40)		Dr Reddy's
			Pramipexole
Ramipex to be Sole Supply on 1 January 2015			4
▲ Tab 0.5 mg	4.20	30	✓ Dr Reddy's
			Pramipexole
▲ Tab 1 mg	7.20	30	✓ Dr Reddy's
			Pramipexole
Dominay to be Cale Cymply and January 2015	24.39	100	✓ Ramipex S29

Ramipex to be Sole Supply on 1 January 2015

⁽Dr Reddy's Pramipexole Tab 0.125 mg to be delisted 1 January 2015)

⁽Dr Reddy's Pramipexole Tab 0.25 mg to be delisted 1 January 2015)

⁽Dr Reddy's Pramipexole Tab 0.5 mg to be delisted 1 January 2015)

⁽Dr Reddy's Pramipexole Tab 1 mg to be delisted 1 January 2015)

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Generic
ROPINIROLE HYDROCHLORIDE				
▲ Tab 0.25 mg	2.36	100	'	Apo-Ropinirole
▲ Tab 1 mg	5.32	100		Apo-Ropinirole
▲ Tab 2 mg	7.72	100	'	Apo-Ropinirole
▲ Tab 5 mg	14.48	100	/	Apo-Ropinirole
SELEGILINE HYDROCHLORIDE				
* Tab 5 mg	16.06	100	~	Apo-Selegiline
3				Apo-Selegiline
				S29 S29
TOLCAPONE				V-V
	106.00	100		Tasmar
▲ Tab 100 mg	120.20	100		IdSIIIdI
Anticholinergics				
BENZTROPINE MESYLATE				
Tab 2 mg	7 99	60	~	Benztrop
Inj 1 mg per ml, 2 ml		5		Cogentin
a) Up to 5 inj available on a PSO		•	•	
b) Only on a PSO				
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	7.40	100	1	Kemadrin
		100		Nemaum
Agents for Essential Tremor, Chorea and Related	l Disorders			
RILUZOLE - Special Authority see SA1403 below - Retail pharm	acv			
Wastage claimable – see rule 3.3.2 on page 17	,			
Tab 50 mg	400.00	56	~	Rilutek
⇒SA1403 Special Authority for Subsidy	-			

►SA1403 | Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
 - 5.1 The patient is ambulatory; or
 - 5.2 The patient is able to use upper limbs: or
 - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
 - 3.1 The patient is ambulatory; or
 - 3.2 The patient is able to use upper limbs; or
 - 3.3 The patient is able to swallow.

Tab 25 mg118.00 112 ✓ <u>Motetis</u>

			NLHVOUS (JI JI LIVI
	Subsidy (Manufacturer's Pri \$	ce) S Per	Fully Brand or ubsidised Generic Manufact	urer
Anaesthetics				
Local				
IDOCAINE [LIGNOCAINE]				
Gel 2%, 10 ml urethral syringe – Subsidy by endorsement a) Up to 5 each available on a PSO		10	✔ Pfizer	
b) Subsidised only if prescribed for urethral or cervical adr	ministration and the	e prescripti	on is endorsed acco	ordingly.
DOCAINE [LIGNOCAINE] HYDROCHLORIDE			4	
Oral (viscous) soln 2%		200 ml	Xylocaine	
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO		25	Lidocaine-	Claris
	17.50	50		
	(35.00)		Xylocaine	.
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO		25	Lidocaine-	
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO		1	Lidocaine-	Claris
	12.00	5		
lai 00/ 00 and amenanda. Ha to 5 ini available an a BCO	(20.00)	4	Xylocaine	Olawia.
Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO	2.40	1	Lidocaine-	Ciaris
DOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement		10	✔ Pfizer	
a) Up to 5 each available on a PSO	miniatration and the		an is andersed see	معطنم هاب
b) Subsidised only if prescribed for urethral or cervical adr				orumgiy.
IDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Author	•			
Crm 2.5% with prilocaine 2.5%		30 g OP	✓ EMLA	
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	✓ EMLA	
SA0906 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals vali	d for 2 years whe	re the patie	ent is a child with a	chronic med
ondition requiring frequent injections or venepuncture.				
enewal from any relevant practitioner. Approvals valid for 2 years	ears where the tre	atment ren	nains appropriate a	nd the patien
enefiting from treatment.				
Analgesics				
<u> </u>	110			
or Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, pa	ige 118			
Non-opioid Analgesics				
SPIRIN				
F Tab EC 300 mg	2 00	100		
- 140 E0 000 Hig	(8.50)	100	Aspec 300	
Tab dispersible 300 mg - Up to 30 tab available on a PSO		100	✓ Ethics Asp	irin
		.50	± 111100 A3	
APSAICIN – Subsidy by endorsement	040			
a) For aspirin & chloroform application refer Standard Formul b) Subsidised only if prescribed for post-herpetic neuralgia o		al neuropa	thy and the prescrip	otion is endor

accordingly.

NEFOPAM HYDROCHLORIDE

45 g OP

90

✓ Zostrix HP

✓ Acupan

NERVOUS SYSTEM

	Subsidy (Manufacturer's	,	Fully osidised	Brand or Generic
	\$	Per		Manufacturer
PARACETAMOL				
* Tab 500 mg - Up to 30 tab available on a PSO	8.47	1,000		arafast harmacare
Pharmacare to be Sole Supply on 1 February 2015			V F	ilaililacaie
*‡ Oral lig 120 mg per 5 ml	2.08	500 ml	√ E	thics Paracetamol
	4.15	1,000 ml	✓ P	aracare
a) Up to 200 ml available on a PSO		•		
b) Not in combination				
c) Paracare to be Sole Supply on 1 January 2015				
*‡ Oral lig 250 mg per 5 ml	4.35	1,000 ml	✓ P	aracare Double
			_	Strength
a) Up to 100 ml available on a PSO				
b) Not in combination				
* Suppos 125 mg	7.49	20	✓ P	anadol
* Suppos 250 mg	14.40	20	✓ P	anadol
* Suppos 500 mg	20.70	50	✓ P	aracare
(Parafast Tab 500 mg to be delisted 1 February 2015)				
(Ethics Paracetamol Oral liq 120 mg per 5 ml to be delisted 1 Ja	nuary 2015)			

Opioid Analgesics

CODEINE PHOSPHATE – Safety medicine; prescriber may determine dispensing Tab 15 mg4.75 Tab 30 mg5.80 Tab 60 mg12.50	frequency 100 100 100	V PSM V PSM V PSM
DIHYDROCODEINE TARTRATE		4500 6 0
Tab long-acting 60 mg13.64	60	✓ DHC Continus
FENTANYL		
a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency		
Inj 50 mcg per ml, 2 ml	10	✓ Boucher and Muir
Inj 50 mcg per ml, 10 ml11.77	10	✓ Boucher and Muir
Patch 12.5 mcg per hour8.90	5	✓ Mylan Fentanyl
Tator 12.5 may per nour	3	Patch
Patch 25 mcg per hour9.15	5	✓ Mylan Fentanyl Patch
Patch 50 mcg per hour11.50	5	Mylan Fentanyl Patch
Patch 75 mcg per hour13.60	5	Mylan Fentanyl Patch
Patch 100 mcg per hour14.50	5	Mylan Fentanyl Patch

Brand or

Fully

		(Manufacturer's F	Orico) Su	bsidised Generic
		(Manuacturer S r	Per	✓ Manufacturer
_	THAD ONE HIVEDOOLII ODIDE			
ME	THADONE HYDROCHLORIDE			
	a) Only on a controlled drug form			
	b) No patient co-payment payable			
	c) Safety medicine; prescriber may determine dispensing frequency	•	vote of the ob	annest form available (mathadana
	d) Extemporaneously compounded methadone will only be rei	mbursed at the	e rate of the cr	neapest form available (methadone
	powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer Standard Forr	nulaa naga 01	2	
	Tab 5 mg		ა 10	✓ Methatabs
+	Oral lig 2 mg per ml		200 ml	✓ Biodone
‡ ‡	Oral lig 5 mg per ml		200 ml	✓ Biodone Forte
† ‡	Oral liq 10 mg per ml		200 ml	✓ Biodone Extra Forte
+	Inj 10 mg per ml, 1 ml		10	✓ AFT
	, , ,	01.00	10	V All
MC	PRPHINE HYDROCHLORIDE			
	a) Only on a controlled drug form			
	b) No patient co-payment payable			
	c) Safety medicine; prescriber may determine dispensing frequ			4
‡	Oral liq 1 mg per ml		200 ml	RA-Morph
‡	Oral liq 2 mg per ml		200 ml	RA-Morph
‡	Oral lig 5 mg per ml		200 ml	RA-Morph
‡	Oral liq 10 mg per ml	21.55	200 ml	✓ <u>RA-Morph</u>
MC	PRPHINE SULPHATE			
	a) Only on a controlled drug form			
	b) No patient co-payment payable			
	c) Safety medicine; prescriber may determine dispensing frequ			
	Tab immediate-release 10 mg		10	✓ Sevredol
	Tab long-acting 10 mg		10	Arrow-Morphine LA
	Tab immediate-release 20 mg		10	✓ Sevredol
	Tab long-acting 30 mg		10	Arrow-Morphine LA
	Tab long-acting 60 mg		10	Arrow-Morphine LA
	Tab long-acting 100 mg		10	Arrow-Morphine LA
	Cap long-acting 10 mg		10	✓ m-Eslon
	Cap long-acting 30 mg		10	m-Eslon
	Cap long-acting 100 mg		10 10	✓ <u>m-Eslon</u> ✓ m-Eslon
	Cap long-acting 100 mg		5	
	Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSO	12.40	5	✓ <u>DBL Morphine</u> Sulphate
	Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a			Sulphate
	PSO	9.09	5	✓ DBL Morphine
	1 30	9.09	3	Sulphate
	Inj 15 mg per ml, 1 ml ampoule - Up to 5 inj available on a			<u>ouipliate</u>
	PSO	9 77	5	✓ DBL Morphine
	1 00		Ü	Sulphate
	Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj available on a			<u>outpriors</u>
	PSO	12.43	5	✓ DBL Morphine
			v	Sulphate
M	DRPHINE TARTRATE			<u>ourprioto</u>
IVIC	a) Only on a controlled drug form			
	b) No patient co-payment payable			
	c) Safety medicine; prescriber may determine dispensing frequ	IANCV		
	Inj 80 mg per ml, 1.5 ml		5	✓ Hospira
	In: 00 and por fill, 1.0 fill	03.00	5	· Iloopiia

Subsidy

5

✓ Hospira

Inj 80 mg per ml, 5 ml107.67

[‡] safety cap

[▲]Three months supply may be dispensed at one time e if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
OXYCODONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
 c) Safety medicine; prescriber may determine dispensing for 				
Tab controlled-release 5 mg		20		xyContin
Tab controlled-release 10 mg	6.75	20	V 0	xycodone
				ControlledRelease
Tab controlled-release 20 mg	11 50	20	. / 0	Tablets(BNM) xycodone
Tab controlled-release 20 mg	11.30	20	<u> </u>	ControlledRelease
				Tablets(BNM)
Tab controlled-release 40 mg	18 50	20	~ 0	xycodone
Tab controlled foldage 40 mg		20	• •	ControlledRelease
				Tablets(BNM)
			v 0	xydone BNM
Tab controlled-release 80 mg	34.00	20	_	xycodone
· ·			_	ControlledRelease
				Tablets(BNM)
			✓ <u>0</u>	xydone BNM
Cap immediate-release 5 mg	2.83	20		xyNorm
Cap immediate-release 10 mg		20		xyNorm
Cap immediate-release 20 mg		20		xyNorm
‡ Oral liq 5 mg per 5 ml		250 ml		xyNorm
Inj 10 mg per ml, 1 ml		5	_	xycodone Orion
Inj 10 mg per ml, 2 ml		5	_	xycodone Orion
Inj 50 mg per ml, 1 ml		5	V <u>U</u>	xyNorm
(Oxydone BNM Tab controlled-release 40 mg to be delisted 1 F	• '			
(Oxydone BNM Tab controlled-release 80 mg to be delisted 1 J	,			
PARACETAMOL WITH CODEINE – Safety medicine; prescribe	, ,	•		
* Tab paracetamol 500 mg with codeine phosphate 8 mg	21.06	1,000	V P	aracetamol +
Paraestamal - Cadaina (Paliava) ta ha Cala Cumhy an	1 March 2015			Codeine (Relieve)
Paracetamol + Codeine (Relieve) to be Sole Supply on	I Maich 2015			
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing for		10	. / D	CM
Tab 50 mg Tab 100 mg		10 10	✓ <u>P</u> ✓ P	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	_	BL Pethidine
	3.31	5	V <u>D</u>	Hydrochloride
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.83	5	√ n	BL Pethidine
, 55 mg por mi, 2 mi – 5p to 5 mj avanabio 5m a 1 50		J	¥ <u>□</u>	Hydrochloride
TRAMADOL HYDROCHLORIDE				,
Tab sustained-release 100 mg	2 00	20	∠ T	ramal SR 100
Tab sustained-release 150 mg		20	_	ramal SR 150
Tab sustained-release 130 mg		20	_	ramal SR 200
Cap 50 mg		100	_	rrow-Tramadol
			¥ <u> </u>	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Antidepressants

Cyclic and Related Agents

o y one and monatou rigorno			
AMITRIPTYLINE - Safety medicine; prescriber may determ	ine dispensing frequen	су	
Tab 10 mg	1.68	100	Arrow Amitriptyline
Tab 25 mg	1.68	100	✓ Arrow-Amitriptyline
-	1.85		✓ Amitrip
Tab 50 mg	2.82	100	✓ Arrow-Amitriptyline
•	3.60		✓ Amitrip
CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; pr	rescriber may determin	e dispensing	frequency
Tab 10 mg	12.60	100	✓ Apo-Clomipramine
Tab 25 mg	8.68	100	✓ Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE - Safety medicine; prescri	ber may determine dis	pensing freg	uency
Tab 75 mg		100	✓ Dopress
Cap 25 mg		100	✓ Dopress
DOXEPIN HYDROCHLORIDE - Safety medicine; prescribe	er mav determine dispe	nsina freaue	ncv
Cap 10 mg		100	✓ Anten
Cap 25 mg		100	✓ Anten
Cap 50 mg		100	✓ Anten
IMIPRAMINE HYDROCHLORIDE – Safety medicine; presci	riber mav determine di	spensina fred	quencv
Tab 10 mg	•	60	✓ Tofranil s29 s29
	5.48	50	✓ Tofranil
	10.96	100	✓ Tofranil
Tab 25 mg		50	✓ Tofranil
MAPROTILINE HYDROCHLORIDE - Safety medicine; pres		dispensing fr	equency
Tab 25 mg	•	30	✓ Ludiomil
140 LO 119	12.53	50	✓ Ludiomil
	25.06	100	✓ Ludiomil
Tab 75 mg		20	✓ Ludiomil
100 / Cg	21.01	30	✓ Ludiomil
MIANSERIN HYDROCHLORIDE - Safety medicine; prescri	iber may determine dis	pensina frea	uencv
Tab 30 mg – Subsidy by endorsement		30	✓ Tolvon
Subsidised for patients who were taking mianserin hyd			
ingly. Pharmacists may annotate the prescription as			
hydrochloride. Note that supply of mianserin hydrocl			
there will be no stock of mianserin available beyond F			Louising and it is annoipated tha
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; p	•	na dienanein	a frequency
Tab 10 mg		100	Norpress
Tab 10 ing	4.00	100	₩ INDIPLESS

Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective

Tab 25 mg9.00

PHENELZINE SULPHATE		
* Tab 15 mg95.00	100	✓ Nardil
TRANYLCYPROMINE SULPHATE		
* Tab 10 mg22.94	50	Parnate

180

✓ Norpress

133

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

✓ Arrow-Fluovetine

Monoamine-Oxidase Type A Inhibitors

MOCLOBEMIDE

Note: There is a significant cost differential between moclobemide and fluoxetine (moclobemide being about three times more expensive). For depressive syndromes it is therefore more cost-effective to start treatment with fluoxetine first before considering prescribing moclobemide.

*	Tab 150 mg	81.83	500	✓ Apo-Moclobemide
*	Tab 300 mg	29.51	100	✓ Apo-Moclobemide

Selective Serotonin Reuptake Inhibitors

CITAL OPRAM HYDRORROMIDE

011	Tab 20 mg	2.34	84	~	Arrow-Citalopram
*	ALOPRAM HYDROBROMIDE (CELAPRAM) – Brand switch fee pa Tab 20 mglapram Tab 20 mg to be delisted 1 April 2015)	• `		,	- see page 207 for details Celapram
*	CITALOPRAM Tab 10 mg Tab 20 mg		28 28	-	Loxalate Loxalate
	JOXETINE HYDROCHLORIDE Tab dispersible 20 mg, scored – Subsidy by endorsement	2.50	30	,	Arrow-Fluoxetine

- Subsidised by endorsement

 1) When prescribed for a patient who cannot swallow whole tablets or capsules and the prescription is endorsed accordingly;
 - 2) When prescribed in a daily dose that is not a multiple of 20 mg in which case the prescription is deemed to be endorsed. Note: Tablets should be combined with capsules to facilitate incremental 10 mg doses.

ж Оар 20 mg	7 30	Allow-I luoxetille
PAROXETINE HYDROCHLORIDE * Tab 20 mg	2 90	✓ Loxamine
SERTRALINE		
* Tab 50 mg	4 90	Arrow-Sertraline
4.4		✓ Zoloft
* Tab 100 mg4.4	2 30	✓ Zoloft
6.2	8 90	✓ Arrow-Sertraline
(Zoloff Tob E0 mg to be delicted 1 January 2015)		

(Zoloft Tab 50 mg to be delisted 1 January 2015) (Zoloft Tab 100 mg to be delisted 1 January 2015)

Other Antidepressants

Can 20 mg

MIRTAZAPINE - Special Authority see SA0994 on the next page - Re	tail pharmacy		
Tab 30 mg	8.78	30	APO-Mirtazapine
•			✓ <u>Avanza</u>
Tab 45 mg	13.95	30	✓ Avanza
(APO-Mirtazapine Tab 30 mg to be delisted 1 June 2015)			

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

⇒SA0994 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has a severe major depressive episode; and
- 2 Fither:
 - 2.1 The patient must have had a trial of two different antidepressants and was unable to tolerate the treatments or failed to respond to an adequate dose over an adequate period of time (usually at least four weeks); or
 - - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and either could not tolerate it or failed to respond to an adequate dose over an adequate period of time.

Renewal from any relevant practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

VENLAFAXINE

Tab 37.5 mg5.06	28	Arrow-Venlafaxine XR
Tab 75 mg6.44	28	Arrow-Venlafaxine XR
Tab 150 mg8.86	28	Arrow-Venlafaxine XR
Tab 225 mg14.34	28	Arrow-Venlafaxine XR
Cap 37.5 mg - Special Authority see SA1061 below - Retail pharmacy8.68	28	✓ Efexor XR
Cap 75 mg - Special Authority see SA1061 below - Retail pharmacy12.18	28	✓ Efexor XR
Cap 150 mg - Special Authority see SA1061 below - Retail pharmacy20.16	28	✓ Efexor XR

⇒SA1061 | Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Fither:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM - Safety medicine; prescriber may determine dispens	ing frequency		
Inj 1 mg per ml, 1 ml	19.00	5	Rivotril

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	d Generic
DIAZEPAM – Safety medicine; prescriber may determine dispens Inj 5 mg per ml, 2 ml – Subsidy by endorsement	9.24	5	V	Hospira
c) PSO must be endorsed "not for anaesthetic procedures" Rectal tubes 5 mg - Up to 5 tube available on a PSO		5	~	Stesolid
Rectal tubes 10 mg — Up to 5 tube available on a PSO		5	-	Stesolid
PARALDEHYDE				
* Inj 5 ml	1,500.00	5	~	AFT
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	88.63	5	~	Hospira
st Inj 50 mg per ml, 5 ml – Up to 5 inj available on a PSO	133.92	5	~	Hospira
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	~	Tegretol
★ Tab long-acting 200 mg		100		Tegretol CR
★ Tab 400 mg		100		Tegretol
* Tab long-acting 400 mg		100		Tegretol CR
k‡ Oral liq 100 mg per 5 ml		250 ml	•	Tegretol
CLOBAZAM - Safety medicine; prescriber may determine dispen-				
Tab 10 mg		50	•	Frisium
‡ Safety cap for extemporaneously compounded oral liquid				
CLONAZEPAM - Safety medicine; prescriber may determine disp Oral drops 2.5 mg per ml		0 ml Ol	D ./	Rivotril
	7.30	U IIII O		nivouii
ETHOSUXIMIDE ★ Cap 250 mg	22.00	200		Zarontin
★ Cap 250 mg ★‡ Oral liq 250 mg per 5 ml		200 ml		Zarontin
GABAPENTIN – Special Authority see SA1477 below – Retail pha		200 1111	•	Zaroman
Cap 100 mg	•	100		Arrow-Gabapentin Nupentin
▲ Cap 300 mg - For gabapentin oral liquid formulation refer,				
page 210	11.00	100		Arrow-Gabapentin
A . O 400	40.75	400		Nupentin
▲ Cap 400 mg	13./5	100		Arrow-Gabapentin
			•	Nupentin

■SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with neuropathic pain; or
- 2 Both:
 - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
 - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Fither:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

Retail pha	armacy	
.67.50	100	✓ Neurontin
.13.26	100	✓ Neurontin
.39.76	100	✓ Neurontin
.53.01	100	✓ Neurontin
	- Retail pha .67.50 .13.26 .39.76 .53.01	.13.26 100 .39.76 100

⇒SA0973 | Special Authority for Subsidy

Notes: Subsidy for patients pre-approved by PHARMAC on 1 August 2009. Approvals valid without further renewal unless notified. No new approvals will be granted from 1 August 2009.

LAC	JOSAMIDE – Speciai Authority see SA1125 deiow – H	etali pnarmacy		
\blacktriangle	Tab 50 mg	25.04	14	Vimpat
\blacktriangle	Tab 100 mg	50.06	14	✓ Vimpat
	•	200.24	56	✓ Vimpat
\blacktriangle	Tab 150 mg	75.10	14	✓ Vimpat
	•	300.40	56	✓ Vimpat
\blacktriangle	Tab 200 mg	400.55	56	✓ Vimpat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

I A	M	O	ΓR	IGI	NE

\blacktriangle	Tab dispersible 2 mg	6.74	30	✓ Lamictal
\blacktriangle	Tab dispersible 5 mg	9.64	30	✓ Lamictal
		15.00	56	Arrow-Lamotrigine
\blacksquare	Tab dispersible 25 mg	19.38	56	✓ Logem
		20.40		Arrow-Lamotrigine
				✓ Mogine
		29.09		✓ Lamictal
\blacksquare	Tab dispersible 50 mg	32.97	56	✓ Logem
		34.70		Arrow-Lamotrigine
				✓ Mogine
		47.89		✓ Lamictal
\blacksquare	Tab dispersible 100 mg	56.91	56	✓ Logem
		59.90		Arrow-Lamotrigine
				✓ Mogine
		79.16		✓ Lamictal
I F\	/ETIRACETAM			
	Tab 250 mg	24 03	60	✓ Levetiracetam-Rex
	Tab 500 mg - For levetiracetam oral liquid formulation refer,		00	2 Zovotnaootam riox
	page 210	28 71	60	✓ Levetiracetam-Rex
	Tab 750 mg		60	✓ Levetiracetam-Rex
	· ·		00	• Leveliracetain-nex
PHI	ENOBARBITONE			
	For phenobarbitone oral liquid refer Standard Formulae, page			4
*	Tab 15 mg		500	✓ PSM
*	Tab 30 mg	29.00	500	✓ <u>PSM</u>
PHI	ENYTOIN SODIUM			
*	Tab 50 mg	50.51	200	Dilantin Infatab
*	Cap 30 mg	22.00	200	✓ Dilantin
*	Cap 100 mg	19.79	200	✓ Dilantin
* ‡	Oral liq 30 mg per 5 ml	22.03	500 ml	✓ Dilantin
PRI	MIDONE			
*	Tab 250 mg	17 25	100	✓ Apo-Primidone
	· ·	17.20	100	▼ Apo-i illilidolic
	DIUM VALPROATE			4
*	Tab 100 mg		100	Epilim Crushable
*	Tab 200 mg EC		100	✓ Epilim
*	Tab 500 mg EC		100	Epilim
*‡	Oral liq 200 mg per 5 ml	20.48	300 ml	Epilim S/F Liquid
				Epilim Syrup
*	Inj 100 mg per ml, 4 ml	41.50	1	✓ Epilim IV

NERVOUS SYSTEM

. / A..... T. ...!...

	Subsidy (Manufacturer's Price)	Per	Fully Brand or Subsidised Generic r ✓ Manufacturer
STIRIPENTOL – Special Authority see SA1330 below – Retail ph	narmacy		
Cap 250 mg	509.29	60	✓ Diacomit S29
Powder for oral liq 250 mg sachet	509.29	60	✓ Diacomit S29

⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

44 07

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

▲ lab 25 mg	11.07	60	Arrow-Topiramate
-			✓ Topiramate Actavis
	26.04		✓ Topamax
▲ Tab 50 mg	18.81	60	✓ Arrow-Topiramate
•			✓ Topiramate Actavis
	44.26		✓ Topamax
▲ Tab 100 mg	31.99	60	✓ Arrow-Topiramate
•			✓ Topiramate Actavis
	75.25		✓ Topamax
▲ Tab 200 mg	55.19	60	✓ Arrow-Topiramate
•			✓ Topiramate Actavis
	129.85		✓ Topamax
▲ Sprinkle cap 15 mg	20.84	60	✓ Topamax
▲ Sprinkle cap 25 mg	26.04	60	✓ Topamax
VIGABATRIN - Special Authority see SA1072 bel	ow – Retail pharmacy		
▲ Tab 500 mg	119.30	100	✓ Sabril

■SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Fither:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages,

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 118

Acute Migraine Treatment		
ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
RIZATRIPTAN Tab orodispersible 10 mg8.10	30	✓ <u>Rizamelt</u>
SUMATRIPTAN Tab 50 mg	100 100	✓ <u>Arrow-Sumatriptan</u> ✓ <u>Arrow-Sumatriptan</u>
Inj 12 mg per ml, 0.5 ml cartridge – Maximum of 10 inj per prescription13.80	2 OP	✓ Arrow-Sumatriptan
Prophylaxis of Migraine		
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 56 PIZOTIFEN		
* Tab 500 mcg23.21	100	✓ Sandomigran
Antinausea and Vertigo Agents		
For Antispasmodics refer to ALIMENTARY TRACT, page 26		
APREPITANT - Special Authority see SA0987 below - Retail pharmacy		

3 OP ✓ Emend Tri-Pack

⇒SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE

84 ✓ Vergo 16

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	0.59	10	✓ N	lausicalm
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	✓ N	lausicalm
DOMPERIDONE				
* Tab 10 mg - For domperidone oral liquid formulation refer,				
page 210	3.25	100	✓ <u>P</u>	rokinex
GRANISETRON				
* Tab 1 mg	5.98	50	✓ G	iranirex
Granirex to be Sole Supply on 1 February 2015				
HYOSCINE HYDROBROMIDE				
* Inj 400 mcg per ml, 1 ml	6.66	5	✓ H	lospira
	13.32	10	✓ N	lartindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retail				
pharmacy	11.95	2	√ <u>S</u>	copoderm TTS

⇒SA1387 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE

*	formulation refer, page 2101.82	100	✓ Metamide
*	Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO4.50	10	✓ Pfizer
ON	DANSETRON		
*	Tab 4 mg5.51	50	✓ Onrex
*	Tab disp 4 mg1.00	10	✓ Dr Reddy's
			Ondansetron
*	Tab 8 mg6.19	50	✓ Onrex
*	Tab disp 8 mg1.50	10	✓ Ondansetron
			ODT-DRLA
PR	OCHLORPERAZINE		
*	Tab 3 mg buccal	50	
	(15.00)		Buccastem
*	Tab 5 mg – Up to 30 tab available on a PSO9.75	500	✓ Antinaus
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO25.81	10	✓ Stemetil
*	Suppos 25 mg23.87	5	✓ Stemetil
	OMETHAZINE THEOCLATE	10	
*	Tab 25 mg	10	A
	(6.24)		Avomine

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Antipsychotics

Guidelines for the use of atypical antipsychotic agents

Diagnosis: Schizophrenia and related psychoses when positive symptoms (delusions, hallucinations and thought disorder) are prominent and/or disabling or when both positive symptoms and negative symptoms (flattened affect, emotional and social withdrawal and poverty of speech) are present. Treatment: Before initiating atypical antipsychotic therapy, physicians should consider whether the patient is likely to respond to and/or tolerate conventional antipsychotic therapy and, where appropriate, trial one or more conventional agent prior to use of an atypical agent.

General

AMISULPRIDE - Safety medicine; prescriber may deterr	nine dispensing frequenc	;y	
Tab 100 mg	6.22	30	✓ Solian
Tab 200 mg	21.92	60	✓ Solian
Tab 400 mg	44.52	60	✓ Solian
Oral liq 100 mg per ml	52.50	60 ml	✓ Solian
ARIPIPRAZOLE – Special Authority see SA0920 below - Safety medicine; prescriber may determine dispensin	, ,		
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	✓ Abilify
Tab 20 mg	213.42	30	✓ Abilify
Tab 30 mg	260.07	30	✓ Abilify

⇒SA0920 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

CHLORPROMAZINE HYDROCHLORIDE - Safety medicine: prescriber may determine dispensing frequency

Tab 10 mg - Up to 30 tab available on a PSO	12.36	100	Largactil
Tab 25 mg - Up to 30 tab available on a PSO	13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO	30.61	100	✓ Largactil
Ini 25 mg per ml. 2 ml. – Un to 5 ini available on a PSO	25.66	10	✓ Largactil

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
CLOZAPINE - Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing free	luency			
Tab 25 mg		50	V (Clozaril
•	26.74	100	V (Clozaril
	6.69	50	V (Clopine
	13.37	100	V (Clopine
Tab 50 mg	8.67	50	V (Clopine
	17.33	100	V (Clopine
Tab 100 mg	34.65	50	V (Clozaril
	69.30	100	V (Clozaril
	17.33	50	V (Clopine
	34.65	100	V (Clopine
Tab 200 mg	34.65	50	V (Clopine
•	69.30	100	V (Clopine
Suspension 50 mg per ml	17.33	100 ml	· •	Clopine
HALOPERIDOL - Safety medicine; prescriber may determine				•
Tab 500 mcg – Up to 30 tab available on a PSO		100		Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO		100	_	Serenace
Tab 5 mg - Up to 30 tab available on a PSO		100	_	Serenace
Oral lig 2 mg per ml – Up to 200 ml available on a PSO		100 100 ml	_	Serenace
		100 1111	·	Haloperidol -
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	21.00	10	V 1	MercuryPharma \$29
				MercuryPriarilla 329
			/ <u>9</u>	Serenace .
LEVOMEPROMAZINE MALEATE - Safety medicine; prescribe	er may determine dispe	nsing	frequency	
Tab 25 mg	16.93	100	· 1	Nozinan
Tab 100 mg	43.96	100	V 1	Nozinan
Inj 25 mg per ml, 1 ml		10	V 1	Nozinan
, ,		ionov		
LITHIUM CARBONATE - Safety medicine; prescriber may determine Tab 250 mg		500	4/1	ithicarb FC
ŭ		100	_	ithicarb FC
Tab 400 mg			_	Priadel
Tab long-acting 400 mg		100		
Cap 250 mg	9.42	100	V <u>I</u>	<u>Douglas</u>
OLANZAPINE				
a) Brand switch fee payable (Pharmacode 2470438) - see				
b) Safety medicine; prescriber may determine dispensing for				
Tab 2.5 mg	0.75	28	V 2	<u>Zypine</u>
Tab 5 mg		28	_	Zypine
Tab orodispersible 5 mg	1.75	28	V 2	Zypine ODT
Tab 10 mg	2.55	28	V 2	<u>Zypine</u>
Tab orodispersible 10 mg	3.05	28	V 2	Zypine ODT
PERICYAZINE – Safety medicine; prescriber may determine d	isnensing frequency			
Tab 2.5 mg		100	1	Neulactil
Tab 10 mg		100		Neulactil
1au 10 11ly		100	▼ 1	toulactii

143

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
QUETIAPINE				
a) Brand switch fee payable (Pharmacode 2470446) - see pa	ge 207 for details			
b) Safety medicine; prescriber may determine dispensing free	quency			
Tab 25 mg	2.10	90	/ <u>(</u>	Quetapel
Tab 100 mg	4.20	90	/ (Quetapel
Tab 200 mg		90		Quetapel
Tab 300 mg	12.00	90	/ <u>(</u>	Quetapel
RISPERIDONE - Safety medicine; prescriber may determine dis	pensing frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927				
on the next page – Retail pharmacy		28	✓ F	Risperdal Quicklet
Tab 0.5 mg		60	V 1	Actavis
•	3.51		V	Apo-Risperidone
				r Reddy's
				Risperidone
			✓ F	Ridal
	1.17	20		
	(2.86)		F	Risperdal
Tab 1 mg	` '	60		Actavis
y	6.00		V	Apo-Risperidone
			/ [r Reddy's
				Risperidone
			✓ F	Ridal
	(16.92)			Risperdal
Tab orodispersible 1 mg - Special Authority see SA0927 on	, ,			
the next page – Retail pharmacy		28	✓ F	Risperdal Quicklet
Tab 2 mg		60		Actavis
y	11.00		V	Apo-Risperidone
				Or Reddy's
				Risperidone
			✓ F	Ridal
	(33.84)			Risperdal
Tab orodispersible 2 mg - Special Authority see SA0927 on	, ,		•	
the next page – Retail pharmacy		28	✓ F	Risperdal Quicklet
Tab 3 mg		60		Actavis
y	15.00			Apo-Risperidone
				r Reddy's
				Risperidone
			✓ F	Ridal
	(50.78)			Risperdal
Tab 4 mg	` '	60		Actavis
•	20.00		V /	Apo-Risperidone
				Or Reddy's
				Risperidone
			✓ F	Ridal
	(67.68)			Risperdal
Oral lig 1 mg per ml - Brand switch fee payable (Pharmacode	` '		•	1
2470454) - see page 207 for details		30 ml	✓ F	Risperon
- , ,				

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

⇒SA0927 | Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

TRIFLUOPERAZINE HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

Stelazine	100	9.83	Tab 1 mg.
Stelazine	100	14.64	Tab 2 mg.
Stelazine	100	16.66	Tab 5 mg.

ZIPRASIDONE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Ziprasidone is subsidised for patients suffering from schizophrenia or related psychoses after a trial of an effective dose of risperidone or quetiapine that has been discontinued, or is in the process of being discontinued, because of unacceptable side effects or inadequate response, and the prescription is endorsed accordingly.

Cap 20 mg87.88	60	Zeldox
Cap 40 mg	60	Zeldox
Cap 60 mg247.17	60	Zeldox
Cap 80 mg329.56	60	Zeldox

ZUCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency Tab 10 mg31.45 100 ✓ Clopixol

Depot Injections

FLUPENTHIXOL DECANOALE	 Safety medicine; prescriber may 	determine dispensing frequency
------------------------	---	--------------------------------

✓ Fluanxol	5	Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	- 1
Fluanxol	5	Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO20.90	- I
✓ Fluanxol	5	Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO40.87	I

FLUPHENAZINE DECANOATE - Safety medicine: prescriber may determine dispensing frequency

Inj 12.5 mg per 0.5 ml, 0.5 ml - Up to 5 inj available on a PSO17.60	5	✓ Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO27.90	5	✓ Modecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO154.50	5	Modecate

HALOPERIDOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO) '	' Haldol
---	------------	----------

Ini 100 mg per ml. 1 ml - Up to 5 ini available on a PSO55.90 5 ✓ Haldol Concentrate

(Manufacturer's Price)	Subsic	dised	Generic	
\$	Per	~	Manufacturer	

Cubaldy

OLANZAPINE - Special Authority see SA1428 below - Retail pharmacy

- a) Brand switch fee payable (Pharmacode 2470438) see page 207 for details
- b) Safety medicine; prescriber may determine dispensing frequency

Zyprexa Relprevv	✓	1	280.00	 	 	lnj 210 mg vial .	
Zyprexa Relprevy		1				lnį 300 mg vial .	
Zyprexa Relprevy		1				lni 405 mg vial .	

■ SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 below - Retail pharmacy

Safety medicine; prescriber may determine dispens	sing frequency		
Inj 25 mg syringe	194.25	1	Invega Sustenna
Inj 50 mg syringe	271.95	1	✓ Invega Sustenna
Inj 75 mg syringe	357.42	1	✓ Invega Sustenna
Inj 100 mg syringe	435.12	1	✓ Invega Sustenna
Inj 150 mg syringe	435.12	1	✓ Invega Sustenna

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Inj 50 mg per ml, 1	ml – Up to 5 inj availa	able on a PSO	178.48	10	✔ Piportil
Inj 50 mg per ml, 2	ml - Up to 5 inj availa	able on a PSO	353.32	10	Piportil

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
RISPERIDONE – Special Authority see SA1427 below – Retail				
Safety medicine; prescriber may determine dispensing frequency	uency			
Inj 25 mg vial	135.98	1	✓ R	isperdal Consta
Inj 37.5 vial	178.71	1	✓ R	isperdal Consta
Inj 50 mg vial		1	✓ R	isperdal Consta

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine: prescriber may determine dispensing frequency

✔ Clopixol Inj 200 mg per ml, 1 ml - Up to 5 inj available on a PSO19.80

Anxiolytics

ALPRAZOLAM – Safety medicine; prescriber may determine dispensing frequency Tab 250 mcg	50	✓ <u>Xanax</u>
Tab 500 mcg3.25	50	✓ <u>Xanax</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations. Tab 1 mg5.00 ‡ Safety cap for extemporaneously compounded oral liquid preparations.	50	✓ <u>Xanax</u>
BUSPIRONE HYDROCHLORIDE		
* Tab 5 mg28.00	100	✓ Pacific Buspirone
* Tab 10 mg17.00	100	✓ Pacific Buspirone
CLONAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 500 mcg6.68	100	✓ Paxam
Tab 2 mg12.75	100	✓ Paxam
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 2 mg11.44	500	✓ Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		·
Tab 5 mg13.71	500	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
LORAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 1 mg19.82	250	✓ Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 2.5 mg13.49	100	✓ Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
OXAZEPAM – Safety medicine; prescriber may determine dispens	sing frequency				
Tab 10 mg	6.17	100	V 0	x-Pam	
a) ‡ Safety cap for extemporaneously compounded oral liqu	uid preparations.				
b) Ox-Pam to be Sole Supply on 1 January 2015					
Tab 15 mg	8.53	100	V 0	x-Pam	
a) ‡ Safety cap for extemporaneously compounded oral liqu	uid preparations.				
b) Ox-Pam to be Sole Supply on 1 January 2015					

Multiple Sclerosis Treatments

⇒SA1487 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of MRI activity on a scan within the past 24 months (either a contrast enhancing lesion or with new T2 lesions(s) compared with a previous scan); and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to fingolimod; and
- g) patients must have not previously had intolerance to fingolimod; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to fingolimod; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab and fingolimod is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1496 below - Retail pharmacy

✓ Tvsabri

■ SA1496 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Multiple Sclerosis Treatment Assessment Committee

PHARMAC PO Box 10 254

Phone: 04 460 4990 Facsimile: 04 916 7571

Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months: and
 - . Evidence of MRI activity on a scan within the past 24 months (either a contrast enhancing lesion or with new T2 lesions(s) compared with a previous scan); and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse:
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- g) patients must have no previous history of lack of response to natalizumab; and
- h) patients must have not previously had intolerance to natalizumab; and
- i) either
 - a) Patient is JC virus negative, or
 - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- i) patient will not be co-prescribed beta interferon or glatinamer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - a) 3.5 to 4.5; or h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to natalizumab; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier. Switching between natalizumab and fingolimod is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the EDSS stopping criteria are not met.

If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Other Multiple Sclerosis Treatments

⇒SA1484 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of MRI activity on a scan within the past 24 months (either a contrast enhancing lesion or with new T2 lesions(s) compared with a previous scan); and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1
 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- g) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- h) patient will not be co-prescribed natalizumab or fingolimod.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression
 of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5; or

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- d) 2.0 to 4.0; or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or
- g) 3.5 to 4.5: or
- h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

Entry Criteria for patients with an EDSS of 4.5-5.5 who have not had an application for funding considered prior to 1 November 2014

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis should as a rule include MRI confirmation. For patients diagnosed before MRI was widely utilised in New Zealand, confirmation of diagnosis via clinical assessment and laboratory/ancillary data must be provided; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 4.5-5.5 with 2+ relapses:
 - Experienced at least 2 significant relapses of MS in the previous 12 months, and
 - An EDSS score of between 4.5-5.5; and
- d) Each relapse must:
 - a) be confirmed by a neurologist or general physician (the patient may not necessarily have been seen during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) follow a period of stability of at least one month;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke functional systems scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - a) not be associated with a fever (T>37.5°C); and
- e) applications must be made at least four weeks after the date of the onset of the last known relapse; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate (see criteria for stopping).
- g) applications must be submitted to the Multiple Sclerosis Treatment Assessment Committee (MSTAC) by the patient's neurologist or a general physician; and
- h) patients must agree (via informed consent) to co-operate if as a result of their meeting the stopping criteria, funding is withdrawn. Patients must agree to the collection of clinical data relating to their MS and use of those data by PHARMAC; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

patients must agree to allow clinical data to be collected and reviewed by MSTAC annually for each year in which they
receive funding for beta-interferon or glatiramer acetate.

Stopping Criteria for patients with an EDSS of 4.5-5.5 who have not had an application for funding considered prior to 1 November 2014

Any of the following:

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression
 of disability is defined as progress by any of the following:
 - a) an increase of 1 EDSS point where starting EDSS 3.5 or greater; or
 - b) an increase in EDSS score to 6.0 or more; or
- stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) pregnancy and/or lactation; or
- d) within the 12 month approval year, intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- e) non-compliance with treatment, including refusal to undergo annual assessment or refusal to allow the results of the assessment to be submitted to MSTAC; or
- f) patients may, subject to conclusions drawn from published evidence available at the time, be excluded if they develop a high titre of neutralising anti-bodies to beta-interferon or glatiramer acetate.

Note: Patients who have a stable or increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet any of the other Stopping Criteria at annual review may switch to a different class of funded treatment (i.e. patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa). Patients may switch classes of treatment for this reason only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to stable or increasing relapse rate over 12 months of treatment).

GLATIRAMER ACETATE – Special Authority see SA1484 of	on page 150 – [Xpharm]		
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	1484 on page 150 – [Xp	harm]	
Inj 6 million iu prefilled syringe	1,170.00	4	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial		4	Avonex
INTERFERON BETA-1-BETA - Special Authority see SA14	184 on page 150 – [Xph	arm]	
Inj 8 million iu per 1 ml	1,322.89	15	Betaferon

Sedatives and Hypnotics

LORMETAZEPAM - Safety medicine; prescriber may determine dispe	nsing frequency		
Tab 1 mg	3.11	30	
	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral liquid pre	parations.		
MIDAZOLAM - Safety medicine; prescriber may determine dispensing	g frequency		
Inj 1 mg per ml, 5 ml	10.00	10	Pfizer
	10.75		Hypnovel
Inj 5 mg per ml, 3 ml	11.90	5	Hypnovel
			✔ Pfizer
NITRAZEPAM - Safety medicine; prescriber may determine dispensir	ng frequency		
Tab 5 mg	5.22	100	✓ Nitrados
a) † Safety cap for extemporaneously compounded oral liquid r			

b) Nitrados to be Sole Supply on 1 January 2015

[†] safety car

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
PHENOBARBITONE SODIUM - Special Authority see SA1386 be	•	Су		
Inj 200 mg per ml, 1 ml ampoule	46.20	10		Martindale S29
■SA1386 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Both:	without further renev	val ur	nless notifi	ed for applications meeting
1 For the treatment of terminal agitation that is unresponsive2 The applicant is part of a multidisciplinary team working in	•	i		
TEMAZEPAM – Safety medicine; prescriber may determine dispertable 10 mg	1.27	25	~ !	<u>Normison</u>
TRIAZOLAM – Safety medicine; prescriber may determine dispen Tab 125 mcg	5.10 (7.25)	100	1	Нурат
‡ Safety cap for extemporaneously compounded oral liquid Tab 250 mcg		100		

(8.70)

500

Hypam

✓ Apo-Zopiclone

Stimulants/ADHD Treatments

Stimulants/ADHD treatments

ATOMOXETINE - Special Authority see SA1416 below -	Retail pharmacy		
Cap 10 mg	107.03	28	Strattera
Cap 18 mg	107.03	28	✓ Strattera
Cap 25 mg	107.03	28	✓ Strattera
Cap 40 mg	107.03	28	✓ Strattera
Cap 60 mg	107.03	28	✓ Strattera
Cap 80 mg	139.11	28	✓ Strattera
Cap 100 mg	139.11	28	✓ Strattera

\$\frac{1}{2}\$ Safety cap for extemporaneously compounded oral liquid preparations.

ZOPICLONE — Safety medicine; prescriber may determine dispensing frequency
Tab 7.5 mg11.90

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or

(Mon	Subsidy jufacturer's Price)	Fully Subsidised	Brand or Generic
(Wal	. ,	Per 🗸	Manufacturer
	Ψ	1 C1 •	Manuacturei

continued...

- 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

100 PSM

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

155

	Ψ	101	• Manadada
METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1	150 below	– Retail phar	macy
a) Only on a controlled drug form			
b) Safety medicine; prescriber may determine dispensing frequency			
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg	3.00	30	Ritalin
·			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg	10.95	30	Rubifen SR

■ SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Subsidy

(Manufacturer's Price)

50.00

Fully

Subsidised

Por

100

Brand or

Generic

Ritalin SR

Manufacturer

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — **(Narcolepsy)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

✓ Ritalin LA

Ritalin I A

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail	r cturer
	ail pharmac
a) Only on a controlled drug form	
b) Safety medicine; prescriber may determine dispensing frequency	
Tab extended-release 18 mg58.96 30 ✔ Concerta	
Tab extended-release 27 mg	
Tab extended-release 36 mg71.93 30 ✔ Concerta	
Tab extended-release 54 mg86.24 30 ✔ Concerta	
Cap modified-release 10 mg19.50 30 ✔ Ritalin LA	
Cap modified-release 20 mg25.50 30 ✔ Ritalin LA	

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

1 ADHD (Attention Deficit and Hyperactivity Disorder); and

Cap modified-release 30 mg31.90

- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and

30

30

- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL - Special Authority see SA1126 below - Retail p	harmacy		
Tab 100 mg	72.50	30	Modavigil

■ SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

- 3 Fither:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE			
* Tab 5 mg	5.48	90	✓ Donepezil-Rex
Donepezil-Rex to be Sole Supply on 1 March 2015			·
* Tab 10 mg	10.51	90	✓ Donepezil-Rex
Donepezil-Rex to be Sole Supply on 1 March 2015			·
RIVASTIGMINE - Special Authority see SA1488 below - Reta	il pharmacy		
Patch 4.6 mg per 24 hour	90.00	30	✓ Exelon
Patch 9.5 mg per 24 hour	90.00	30	✓ Exelon

⇒SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine: prescriber may determine dispensing frequency

28 Suboxone

28 ✓ Suboxone

⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and continued...

Subsidy (Manufacturer's Price)	S	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE			
Tab modified-release 150 mg	4.97	30	✓ Zyban
DISULFIRAM			
Tab 200 mg	24.30	100	✓ Antabuse
NALTREXONE HYDROCHLORIDE - Special Authority see SA14	08 below – Reta	il pharmacy	
Tab 50 mg	76.00	30	✓ Naltraccord
BACA1409 Special Authority for Subsidy			

⇒SA1408 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

requericy	Tiule III allibulità le	oo iiiaii + w	eeks of fleatifierit
Patch 7 mg - Up to 28 patch available on a PSO	12.40	28	✓ <u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO	13.27	28	✓ <u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO	14.02	28	✓ <u>Habitrol</u>
Lozenge 1 mg - Up to 216 loz available on a PSO	15.15	216	✓ Habitrol
Lozenge 2 mg - Up to 216 loz available on a PSO	16.60	216	✓ Habitrol
Gum 2 mg (Classic) - Up to 384 piece available on a PSO.	26.13	384	✓ <u>Habitrol</u>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	26.13	384	✓ <u>Habitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	26.13	384	✓ <u>Habitrol</u>
Gum 4 mg (Classic) - Up to 384 piece available on a PSO.	30.12	384	✓ <u>Habitrol</u>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	30.12	384	✓ <u>Habitrol</u>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	30.12	384	Habitrol

VARENICLINE TARTRATE - Special Authority see SA1161 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 3 months' varenicline will be subsidised on each Special Authority approval

b) / maximum or o months	vareinenne win be subsidised on each openia	nationity approval	•
Tab 1 mg	67.74	28	Champix
3	135.48		✔ Champix
Tab 0.5 mg \times 11 and 1 mg :	× 1460.48	25 OP	✓ Champix

■SA1161 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 3 months' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 3 months' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Note: a maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Chemotherapeutic Agents

Alkylating Agents

BUSULPHAN - PCT - Retail pharmacy-Specialist			
Tab 2 mg	59.50	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			
Inj 10 mg per ml, 5 ml	20.00	1	Carboplatin Ebewe
Inj 10 mg per ml, 15 ml	19.50	1	✓ Carbaccord
•	22.50		Carboplatin Ebewe
Inj 10 mg per ml, 45 ml	48.50	1	✓ Carbaccord
	50.00		Carboplatin Ebewe
			DBL Carboplatin
Inj 10 mg per ml, 100 ml	105.00	1	Carboplatin Ebewe
Inj 1 mg for ECP	0.13	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg	532.00	1	✓ BiCNU
Inj 100 mg for ECP		100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist		Ü	
Tab 2 mg	22.35	25	✓ Leukeran FC
· ·	22.00	23	Leukeranii
CISPLATIN – PCT only – Specialist			4
Inj 1 mg per ml, 50 ml	15.00	1	✓ Cisplatin Ebewe
1.14	24.22		✓ Hospira
Inj 1 mg per ml, 100 ml	21.00	1	✓ Cisplatin Ebewe
laid one for EOD	0.07	4	✓ Hospira
Inj 1 mg for ECP	0.27	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE			
Tab 50 mg - PCT - Retail pharmacy-Specialist	79.00	50	✓ Endoxan S29
	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 17			•
Inj 1 g - PCT - Retail pharmacy-Specialist	26.70	1	✓ Endoxan
	127.80	6	Cytoxan
Inj 2 g - PCT only - Specialist	56.90	1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist	0.03	1 mg	✓ Baxter
IFOSFAMIDE - PCT only - Specialist			
Inj 1 g	96.00	1	✓ Holoxan
Inj 2 g		1	✓ Holoxan
Inj 1 mg for ECP		1 mg	✓ Baxter
LOMUSTINE - PCT - Retail pharmacy-Specialist		· ·	
Cap 10 mg	132.50	20	✓ CeeNU
Cap 40 mg		20	✓ CeeNU
, ,		20	- 500110
MELPHALAN	04.04	0.5	. A Allerman
Tab 2 mg — PCT – Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	52.15	1	✓ Alkeran

(1	Subsidy Manufacturer's Price) \$	Per	Full Subsidise	d Generic
OXALIPLATIN - PCT only - Specialist				
Inj 50 mg	15.32	1	•	Oxaliplatin Actavis 50
	55.00		~	Oxaliplatin Ebewe
	200.00		~	Eloxatin
Inj 100 mg	25.01	1	•	Oxaliplatin Actavis 100
	110.00		1	Oxaliplatin Ebewe
	400.00		~	Eloxatin
Inj 1 mg for ECP	0.28	1 mg	~	Baxter
THIOTEPA - PCT only - Specialist				
Inj 15 mg	CBS	1	1	Bedford S29
, ,			~	THIO-TEPA \$29
			~	Tepadina S29
Antimetabolites				
AZACITIDINE - PCT only - Specialist - Special Authority see SA	1467 below			
Inj 100 mg vial	605.00	1	~	Vidaza
Inj 1 mg for ECP	6.66	1 mg	~	Baxter

⇒SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome: or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
 - 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy (Manufacturer's Pric	م) وبياد	Fully Brand or osidised Generic
	(Manulacturer's Fric	Per Suit	✓ Manufacturer
CALCIUM FOLINATE			
Tab 15 mg - PCT - Retail pharmacy-Specialist	82.45	10	✓ DBL Leucovorin
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	Calcium ✔ Hospira
Inj 50 mg - PCT - Retail pharmacy-Specialist		5	✓ <u>Calcium Folinate</u> Ebewe
Inj 100 mg - PCT only - Specialist	7.33	1	✓ Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	✓ Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ Baxter
CAPECITABINE - Retail pharmacy-Specialist Brand switch fee payable (Pharmacode 2470462) - see page	207 for details		
Tab 150 mg		60	✓ <u>Capecitabine</u> Winthrop
Tab 500 mg	120.00	120	✓ <u>Capecitabine</u> Winthrop
CLADRIBINE - PCT only - Specialist			
Inj 1 mg per ml, 10 ml Inj 10 mg for ECP		7 10 mg OP	✓ Leustatin✓ Baxter
CYTARABINE			
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialis	st55.00	5	✓ Pfizer
	80.00		✓ Hospira
Inj 500 mg - PCT - Retail pharmacy-Specialist		1	✓ Pfizer
lai 100 mar ann an 10 mh sial - DOT - Datail abannanan	95.36	5	✓ Hospira
Inj 100 mg per ml, 10 ml vial – PCT – Retail pharmacy-		1	✓ Pfizer
Specialist	42.65	1	✓ Hospira
Inj 100 mg per ml, 20 ml vial - PCT - Retail pharmacy-			·
Specialist		1	✓ Pfizer
·	34.47		✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist	0.11	10 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialis	st11.00 1	00 mg OP	✓ Baxter
LUDARABINE PHOSPHATE			
Tab 10 mg - PCT - Retail pharmacy-Specialist	433.50	20	Fludara Oral
Inj 50 mg - PCT only - Specialist	525.00	5	✓ Fludarabine Ebewe
	1,430.00		✓ Fludara
Inj 50 mg for ECP - PCT only - Specialist	105.00	50 mg OP	✓ Baxter
LUOROURACIL SODIUM			
Inj 50 mg per ml, 10 ml - PCT only - Specialist		5	✓ Fluorouracil Ebeween
Inj 50 mg per ml, 20 ml - PCT only - Specialist	7.50	1	✓ Fluorouracil Ebeween
Inj 25 mg per ml, 100 ml - PCT only - Specialist	13.55	1	✓ Hospira
Inj 50 mg per ml, 50 ml - PCT only - Specialist	18.00	1	✓ Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml - PCT only - Specialist	34.50	1	✓ Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.77	100 mg	✓ Baxter

	Subsidy (Manufacturer's Price)	na)	Fully Brand or Subsidised Generic
'	(ivialidiacidiei s Fili	Per	✓ Manufacturer
EMCITABINE HYDROCHLORIDE - PCT only - Specialist			
Inj 1 g	15.89	1	✓ Gemcitabine Ebewe
", ' y	62.50	•	✓ DBL Gemcitabine
	349.20		✓ Gemzar
Inj 200 mg		1	✓ Gemcitabine Ebewe
" 200 mg	78.00	•	✓ Gemzar
Inj 1 mg for ECP		1 mg	✓ Baxter
INOTECAN - PCT only - Specialist		J	
Inj 20 mg per ml, 2 ml	0.34	1	✓ Irinotecan Actavis
IIIJ 20 IIIg pei IIII, 2 IIII		'	40
	41.00		✓ Camptosar
	41.00		✓ Irinotecan-Rex
Ini 00 ma nor ml. E ml	00.04	1	✓ Irinotecan-Rex ✓ Irinotecan Actavis
Inj 20 mg per ml, 5 ml	23.34	ı	100
	100.00		✓ Camptosar
	100.00		✓ Irinotecan-Rex
Inj 1 mg for ECP	0.24	1 mg	✓ Baxter
, •	0.24	ring	₽ Baxter
ERCAPTOPURINE – PCT – Retail pharmacy-Specialist			4
Tab 50 mg	49.41	25	✓ Puri-nethol
ETHOTREXATE			
Tab 2.5 mg - PCT - Retail pharmacy-Specialist	3.82	30	✓ <u>Trexate</u>
Tab 10 mg - PCT - Retail pharmacy-Specialist	26.25	50	✓ Trexate
Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5	✓ Hospira
Inj 7.5 mg prefilled syringe		1	✓ Methotrexate
, 31 , 3			Sandoz
Inj 10 mg prefilled syringe	17.25	1	✓ Methotrexate
, , , ,			Sandoz
Inj 15 mg prefilled syringe	17.38	1	✓ Methotrexate
			<u>Sandoz</u>
Inj 20 mg prefilled syringe	17.50	1	✓ Methotrexate
			<u>Sandoz</u>
Inj 25 mg prefilled syringe	17.63	1	✓ <u>Methotrexate</u>
			<u>Sandoz</u>
Inj 30 mg prefilled syringe	17.75	1	✓ Methotrexate
			<u>Sandoz</u>
Inj 25 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5	✓ Hospira
Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist		1	✓ Hospira
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist		1	✓ Methotrexate Ebewe
Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialist		1	✓ Methotrexate Ebeween
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist	4.73	5 mg Ol	P V Baxter
HOGUANINE - PCT - Retail pharmacy-Specialist			
Tab 40 mg	97.16	25	✓ Lanvis
Other Cytotoxic Agents			
MSACRINE – PCT only – Specialist	000	•	A Americal Solution
Inj 75 mg	CBS	6	✓ Amsidine S29

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Generic
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharmacy-S	pecialist			
Cap 0.5 mg	CBS	100	V	Agrylin S29
			V -	Teva S29
ARSENIC TRIOXIDE - PCT only - Specialist Inj 10 mg	4,817.00	10	v 1	AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist				
Inj 15,000 iu	136.80	1	/ I	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	10.58	1,000 ii	u 🗸 I	Baxter
BORTEZOMIB - PCT only - Specialist - Special Authority see	SA1127 below			
Inj 1 mg	540.70	1	~ \	Velcade
Inj 3.5 mg		1	~ \	Velcade
Inj 1 mg for ECP	594.77	1 mg	/ I	Baxter

■SA1127 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] – PCT only – Specialist	
Inj 10,000 iu102.32	Leunase
Inj 10,000 iu for ECP102.32 10,000 i	u OP 🗸 Baxter

165

	Subsidy	Drico\ Cub	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
DACARBAZINE - PCT only - Specialist			
Inj 200 mg vial	51.84	1	✓ Hospira
Inj 200 mg for ECP		200 mg OP	✓ Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist		-	
Inj 0.5 mg	13.52	1	✓ Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter
DAUNORUBICIN – PCT only – Specialist		one mg or	
Inj 2 mg per ml, 10 ml	119 79	1	✓ Pfizer
Inj 20 mg for ECP		20 mg OP	✓ Baxter
, •	110.72	20 mg Oi	Daxiel
DOCETAXEL - PCT only - Specialist	40.70		4 B B 1 B 1 B 1
Inj 20 mg		1	✓ DBL Docetaxel
let 00 man a small distrib	48.75		✓ Docetaxel Sandoz
Inj 20 mg per ml, 1 ml		1	✓ Taxotere
Inj 20 mg per ml, 4 ml		1	✓ Taxotere
Inj 80 mg		1	✓ DBL Docetaxel
let 4 mm for EOD	195.00	4	✓ Docetaxel Sandoz
Inj 1 mg for ECP	0.61	1 mg	✓ Baxter
DOXORUBICIN - PCT only - Specialist			
Inj 10 mg	10.00	1	Doxorubicin Ebewe
Inj 50 mg	17.00	1	Arrow-Doxorubicin
	40.00		DBL Doxorubicin
			DBL Doxorubicin
			S29 S29
			Doxorubicin Ebewe
Inj 100 mg	80.00	1	✓ Doxorubicin Ebewe
Inj 200 mg	65.00	1	Arrow-Doxorubicin
, ,	150.00		✓ Adriamycin
			Doxorubicin Ebewe
Inj 1 mg for ECP	0.37	1 mg	✓ Baxter
EPIRUBICIN - PCT only - Specialist		•	
Inj 2 mg per ml, 5 ml	25.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 25 ml		1	✓ DBL Epirubicin
11] 2 111g por 1111, 20 1111			Hydrochloride
	87.50		✓ Epirubicin Ebewe
Inj 2 mg per ml, 50 ml		1	✓ DBL Epirubicin
"IJ 2 TIIg por TIII, 00 TIII			Hydrochloride
	125.00		✓ Epirubicin Ebewe
Inj 2 mg per ml, 100 ml		1	✓ DBL Epirubicin
"IJ Z IIIg por IIII, 100 III		•	Hydrochloride
	210.00		✓ Epirubicin Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
	0.02	ring	₩ Davici
ETOPOSIDE			4
Cap 50 mg - PCT - Retail pharmacy-Specialist		20	✓ Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10	✓ Vepesid
Inj 20 mg per ml, 5 ml - PCT - Retail pharmacy-Specialist		1	✓ Hospira
Lid (FOR DOT : 2 . iii:	612.20	10	✓ Vepesid
Inj 1 mg for ECP - PCT only - Specialist	0.30	1 mg	✓ Baxter

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Brand or Subsidised Generic Manufacturer
ETOPOSIDE PHOSPHATE – PCT only – Specialist Inj 100 mg (of etoposide base)		1 1 mg	✓ Etopophos✓ Baxter
HYDROXYUREA - PCT - Retail pharmacy-Specialist Cap 500 mg	31.76	100	✓ Hydrea
IDARUBICIN HYDROCHLORIDE Cap 5 mg - PCT - Retail pharmacy-Specialist	144.50 100.00 200.00	1 1 1 1 1 mg	✓ Zavedos ✓ Zavedos ✓ Zavedos ✓ Zavedos ✓ Baxter
LENALIDOMIDE — Retail pharmacy-Specialist — Special Author Wastage claimable — see rule 3.3.2 on page 17 Cap 10 mg Cap 25 mg	6,207.00	w 21 21	✓ Revlimid✓ Revlimid

⇒SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade > 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments: and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MFSNA

Tab 400 mg - PCT - Retail pharmacy-Specialist	227.50	50	Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist	339.50	50	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist	148.05	15	Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist	339.90	15	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist	2.47	100 mg	✓ Baxter
MITOMYCIN C - PCT only - Specialist			
Inj 5 mg vial	79.75	1	✓ Arrow
Inj 1 mg for ECP	16.43	1 mg	✓ Baxter

167

	(Manufacturer's Price	!)	Subsidised	Generic
	\$	Per		Manufacturer
MITOZANTRONE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml	110.00	1	✓ N	Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml		1	✓ N	Mitozantrone Ebewe
Inj 2 mg per ml, 12.5 ml		1	V (Onkotrone
Inj 1 mg for ECP		1 mg	✓ E	Baxter
PACLITAXEL - PCT only - Specialist				
Inj 30 mg	45.00	5	✓ F	Paclitaxel Ebewe
lnj 100 mg	19.02	1	✓ F	Paclitaxel Ebewe
, ,	91.67		✓ F	Paclitaxel Actavis
Inj 150 mg	26.69	1	✓ F	Paclitaxel Ebewe
. •	137.50		V	Anzatax
			✓ F	Paclitaxel Actavis
Inj 300 mg	36.53	1	✓ F	Paclitaxel Ebewe
	275.00		V	Anzatax
			✓ F	Paclitaxel Actavis
Inj 600 mg	73.06	1	✓ F	Paclitaxel Ebewe
Inj 1 mg for ECP	0.17	1 mg	✓ E	Baxter
PEGASPARGASE - PCT only - Special Authority see SA1325				
Inj 3,750 IU per 5 ml	3,005.00	1	v (Oncaspar S29

■ SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist			
Inj 10 mg	CBS	1	✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy-S	pecialist		
Cap 50 mg	498.00	50	✓ Natulan S29
TEMOZOLOMIDE - Special Authority see SA1063 on the next pag	e – Retail phari	macy	
Cap 5 mg	8.00	5	✓ <u>Temaccord</u>
Cap 20 mg	36.00	5	✓ <u>Temaccord</u>
Cap 100 mg	175.00	5	✓ <u>Temaccord</u>
Cap 250 mg	410.00	5	✓ <u>Temaccord</u>

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

■ SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Notes: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

		 PCT only – Specialist – Special Authority see SA1124 below 	THALIDOMIDE
Thalomid	28	378.00	Cap 50 mg .
Thalomid	28	j756.00	Cap 100 mg

⇒SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Either:
 - 1 The patient has multiple myeloma; or
 - 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

TRETINOIN		
Cap 10 mg - PCT - Retail pharmacy-Specialist479.50	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 10 mg - PCT - Retail pharmacy-Specialist27.50	1	✓ Hospira
137.50	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist64.80	5	✓ Hospira
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist69.60	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist9.45	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist		
Inj 10 mg per ml, 1 ml12.85	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml64.25	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP1.45	1 mg	✓ Baxter

169

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 below - [Xpharm]

Tab 20 mg	3,774.06	60	Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tab 100 mg	6,214.20	30	✓ Sprycel

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz. and prescriptions should be

The CML/GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L. platelets $> 100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35%) metaphases), and absence of extramedullary disease); or
 - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 109/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB - Retail pharmacy-Specialist - Special A	authority see SA1411 on the ne	xt page	
Tab 100 mg	1,133.00	30	Tarceva
Tab 150 mg	1,700.00	30	✓ Tarceva

Subsidy Fully (Manufacturer's Price) Subsidised \$

Brand or Generic Manufacturer

■ SA1411 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
 - 1.2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
 - 1.3 Either:
 - 1.3.1 Patient is treatment naive; or
 - 1.3.2 Both:
 - 1.3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
 - 1.3.2.2 Patient has not received prior treatment with gefitinib; and
 - 1.4 Erlotinib is to be given for a maximum of 3 months; or
- 2 The patient received funded erlotinib prior to 31 December 2013 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist

Tab 250 mg − Special Authority see SA1226 below......1,700.00 30 ✓ Iressa

■SA1226 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 Patient has treatment naive locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC): and
 - 1.2 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
 - 1.3 Gefitinib is to be given for a maximum of 3 months; or
 - 2 The patient received gefitinib treatment prior to 1 August 2012 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 on the next page

	- [Xpnarm]2,400.00) 60	Glivec
*	Cap 100 mg - No patient co-payment payable298.90	60	✓ <u>Imatinib-AFT</u>
*	Cap 400 mg - No patient co-payment payable597.80	30	Imatinib-AFT

171

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for GIST – access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

70 ✓ Tvkerb

⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 on the next page - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 17

Cap 150 mg4,680.00 120 ✓ Tasigna 120 ✓ Tasigna

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

⇒SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Fither:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day: and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB – Special	Authority see SA1190 below -	Retail pharmacy
---------------------	------------------------------	-----------------

Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal: or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of < 70: or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg2,315.38	3 28	Sutent
Cap 25 mg		✓ Sutent
Cap 50 mg9,261.54	1 28	✓ Sutent

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70 ; or 5.6 > 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Fither:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

For Gorbi ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 87

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of $\geq 10\%$ and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For Grinn ANALOGUES - Telef to HONINOINE PREPARATIONS, Troprite Horito	nes, page or	
BICALUTAMIDE Tab 50 mg4.90	28	✓ Bicalaccord
· ·	20	<u> </u>
FLUTAMIDE – Retail pharmacy-Specialist		
Tab 250 mg16.50	30	✓ Flutamin S29 S29
55.00	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist		
Tab 160 mg51.55	30	✓ Apo-Megestrol
OCTREOTIDE		
Inj 50 mcg per ml, 1 ml vial13.50	5	✓ DBL
Inj 100 mcg per ml, 1 ml vial22.40	5	✓ DBL
Inj 500 mcg per ml, 1 ml vial89.40	5	✓ DBL
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special Authority see SA1	016 below - I	Retail pharmacy
Inj LAR 10 mg prefilled syringe1,772.50	1	Sandostatin LAR
Inj LAR 20 mg prefilled syringe2,358.75	1	Sandostatin LAR
Inj LAR 30 mg prefilled syringe2,951.25	1	Sandostatin LAR

⇒SA1016 | Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Fither:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas: and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFEN CITRATE

*	Tab 10 mg	2.63	60	Genox
	•	17.50	100	Genox
*	Tab 20 mg	2.63	30	Genox
	•	8.75	100	✓ Genox

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
Aromatase Inhibitors					
ANASTROZOLE * Tab 1 mg	26.55	30	✓ A	remed rimidex P-Anastrozole	
* Tab 25 mg	14.50	30	✓ <u>A</u>	romasin	
LETROZOLE * Tab 2.5 mg	4.85	30	✓ <u>L</u> e	etraccord	

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE - Retail pharmacy-Specialist

*	Tab 50 mg - For azathioprine oral liquid formulation refer,			
	page 21013	.22	100	Azamun
*	Inj 50 mg126	5.00	1	✓ Imuran
MY	COPHENOLATE MOFETIL			
	Tab 500 mg25	.00	50	✓ Cellcept
	Cap 250 mg25	.00	100	✓ Cellcept
	Powder for oral lig 1 g per 5 ml – Subsidy by endorsement	.25	165 ml OP	✓ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Fusion Proteins

ETANERCEPT – Special Authority see SA1478 below – Retail pharm	acy		
Inj 25 mg	.949.96	4	Enbrel
Inj 50 mg autoinjector1	,899.92	4	Enbrel
Inj 50 mg prefilled syringe1	,899.92	4	Enbrel

⇒SA1478 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Fither:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender ioints: or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold: or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints;
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

Subsidy (Manufacturer's Price) Sub \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or

2 All of the following:

- 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or

continued...

179

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or

2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, cyclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist gist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values: or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Either:

- 1.1 Applicant is a rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist			
Inj 50 mg per ml, 5 ml2,351.25	5	✓ ATGAM	
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist Subsidised only for bladder cancer.			
· · · · · · · · · · · · · · · · · · ·	1	✓ OncoTICE	

Monoclonal Antibodies

		A1479 below – Retail pharmacy	ADALIMUMAB – Special Authority see SA
Humira	2	1,799.92	Inj 20 mg per 0.4 ml prefilled syringe
HumiraPen	2	1,799.92	Inj 40 mg per 0.8 ml prefilled pen
Humira	2	1.799.92	Ini 40 mg per 0.8 ml prefilled syringe

■SA1479 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of cyclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints;
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease: and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection;
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

2.1 Either:

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, cyclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and

2.5 Either:

- 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
- 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

continued...

185

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm: Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm: Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm: Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis: and
 - - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (iuvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for iuvenile idiopathic arthritis: or
- 2 All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with JIA; and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease: and
- 2 Fither:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. **Initial application — (pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:

continued...

187

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
- 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
- 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Fither:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab;
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values: or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — **(ankylosing spondylitis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment: and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

continued...

189

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1.1 Applicant is a named specialist or rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — **(pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OMALIZUMAB - Special Authority see SA1490 below - Retail pharmacy

⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated: and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months. unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline: and
- 3. A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 below		
Inj 100 mg per 10 ml vial1,075.50	2	Mabthera
Inj 500 mg per 50 ml vial2,688.30	1	Mabthera
Inj 1 mg for ECP5.64	1 mg	Baxter

⇒SA1152 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles: or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglob-

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Fither:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
TRASTUZUMAB - PCT only - Specialist - Special Author	rity see SA1192 below		
Inj 150 mg vial	1,350.00	1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

⇒SA1192 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Trastuzumab not to be given in combination with lapatinib; and
 - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on lapatinib; and
 - 2.4 Trastuzumab not to be given in combination with lapatinib; and
 - 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- All of the following
 - 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and

continued...

193

Subsidy (Manufacturer's Price) Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 3 Any of the following:
 - 3.1 All of the following:
 - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
 - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.1.3 Trastuzumab to be discontinued at disease progression; or
 - 3.2 All of the following:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; and
 - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
 - 3.2.4 Trastuzumab to be discontinued at disease progression; or
 - 3.3 All of the following:
 - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Other Immunosuppressants

CICI OSPORINI

CICLOSI CITIIN			
Cap 25 mg	44.63	50	Neoral
Cap 50 mg	88.91	50	✓ Neoral
Cap 100 mg		50	✓ Neoral
Oral liq 100 mg per ml		50 ml OP	✓ Neoral
EVEROLIMUS - Special Authority see SA1491 below - Re	etail pharmacy		
Wastage claimable - see rule 3.3.2 on page 17			
Tab 5 mg	4,555.76	30	✓ Afinitor
Tab 10 mg	6,512.29	30	✓ Afinitor

⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIROLIMUS - Special Authority see SA0866 on the next page - Retail pharmacy

Tab 1 mg813	3.00 10	0
Tab 2 mg	6.00 10	0 Rapamune
Oral liq 1 mg per ml487	7.80 60 ml	OP Rapamune

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min: or
- Rapidly progressive transplant vasculopathy: or
- · Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP: or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA0669 below - Retail pharmacy

Brand switch fee payable (Pharmacode 2468468) - see page	e 207 for details		
Cap 0.5 mg	85.60	100	✓ Tacrolimus Sandoz
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer, page	е		
210	428.00	50	✓ Tacrolimus Sandoz

■SA0669 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Antiallergy Preparations

⇒SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT – Special Authority see SA1	367 above – F	Retail pharma	cy
Maintenance kit - 6 vials 120 mcg freeze dried venom, 6 dilu- ent 1.8 ml	285.00	1 OP	✓ Albay
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	285.00	1 OP	✓ Albay
WASP VENOM ALLERGY TREATMENT – Special Authority see S.	A1367 above -	- Retail pharn	nacy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	285.00	1 OP	✓ Albay
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze			
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	285.00	1 OP	Albay

Antihistamines

CETIF	RIZINE HYDROCHLORIDE			
* Ta	ab 10 mg	1.59	100	✓ Zetop
	ral liq 1 mg per ml		200 ml	✓ Histaclear
·		3.52		Cetirizine - AFT
CHLO	RPHENIRAMINE MALEATE			
* ‡ 0	ral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen
DEXT	ROCHLORPHENIRAMINE MALEATE			
* Ta	ab 2 mg	1.01	20	
		(5.99)		Polaramine
		2.02	40	
		(8.40)		Polaramine
* ‡0	ral liq 2 mg per 5 ml	1.77	100 ml	
·		(10.29)		Polaramine
FEXO	FENADINE HYDROCHLORIDE			
* Ta	ab 60 mg	4.34	20	
		(11.53)		Telfast
* Ta	ab 120 mg	4.74	10	
		(11.53)		Telfast
		14.22	30	
		(29.81)		Telfast
LORA	TADINE			
* Ta	ab 10 mg	1.30	100	✓ Lorafix
* 0	ral liq 1 mg per ml	4.25	200 ml	✓ LoraPaed
	LoraPaed to be Sole Supply on 1 February 2015			

	Subsidy	D:)	Fully Brand or
	(Manufacturer's	Price) Sub	sidised Generic Manufacturer
	Ψ	101	• Manadator
PROMETHAZINE HYDROCHLORIDE	4.00		4 411 11
* Tab 10 mg		50	✓ <u>Allersoothe</u>
* Tab 25 mg		50	Allersoothe
*‡ Oral liq 5 mg per 5 ml * Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		100 ml 5	Allersoothe
	11.00	5	✓ Hospira
TRIMEPRAZINE TARTRATE			
‡ Oral liq 30 mg per 5 ml		100 ml OP	Mallaman Fasts
	(8.06)		Vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 50 mcg per dose	9.30	200 dose OP	✓ Qvar
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP	✓ Beclazone 50
Aerosol inhaler, 100 mcg per dose		200 dose OP	✓ Qvar
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free		200 dose OP	✔ Beclazone 250
BUDESONIDE			
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✓ Pulmicort
Towast for initialiation, 100 mag per addo		200 0000 01	Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✓ Pulmicort
Towast for initialiation, 200 mag per addo		200 0000 01	Turbuhaler
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	✓ Pulmicort
r order for initial and fig. 100 mag per doce		200 0000 01	Turbuhaler
FLUTICASONE			
Aerosol inhaler, 50 mcg per dose CFC-free	7.50	120 dose OP	✓ Flixotide
Powder for inhalation, 50 mcg per dose		60 dose OP	✓ Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose		60 dose OP	✓ Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP	✓ Flixotide
Aerosol inhaler, 250 mcg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 250 mcg per dose		60 dose OP	✓ Flixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonist	s		
EFORMOTEROL FUMARATE Powder for inhalation, 6 mcg per dose, breath activated	10.22	60 dose OP	
rowder for initialation, o micy per dose, breath activated	(16.90)	60 dose OF	Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de-	, ,		טאוז ועוטעוומוכו
vice		60 dose	
	(35.80)	00 0000	Foradil
INDACATEDOL	(00.00)		roraan
INDACATEROL Powder for inhalation 150 mcg	61.00	30 dose OP	✓ Onbrez Breezhaler
Powder for inhalation 300 mcg		30 dose OP	✓ Onbrez Breezhaler ✓ Onbrez Breezhaler
· ·	01.00	OU GOSE OF	- CHDICL DICCLIGICI
SALMETEROL	00.45	100 07	40
Aerosol inhaler CFC-free, 25 mcg per dose		120 dose OP	Serevent
Powder for inhalation, 50 mcg per dose, breath activated	26.46	60 dose OP	Serevent Accuhaler

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subs	sidised	Generic
\$	Per	~	Manufacturer

Inhaled Corticosteroids with Long-Acting Beta-Adrenoceptor Agonists

BUDESONIDE WITH EFORMOTEROL – Special Authority see SA1179 below – F Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg26.49		✓ Vannair
Powder for inhalation 100 mcg with eformoterol fumarate 6 mcg55.00	120 dose OP	Symbicort Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg31.25 Powder for inhalation 200 mcg with eformoterol fumarate	120 dose OP	✓ Vannair
6 mcg	120 dose OP	✓ Symbicort Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate 12 mcg – No more than 2 dose per day60.00	60 dose OP	Symbicort Turbuhaler 400/12

⇒SA1179 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 All of the following:

В

- 1.1 Patient is a child under the age of 12; and
- 1.2 Has been treated with inhaled corticosteroids of at least 400 mcg per day beclomethasone or budesonide, or 200 mcg per day fluticasone; and
- 1.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product; or
- 2 All of the following:
 - 2.1 Patient is over the age of 12; and
 - 2.2 Has been treated with inhaled corticosteroids of at least 800 mcg per day beclomethasone or budesonide, or 500 mcg per day fluticasone; and
 - 2.3 The prescriber considers that the patient would receive additional clinical benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

FLUTICASONE WITH SALMETEROL

Aerosol inhaler 50 mcg with salmeterol 25 mcg	37.48	120 dose OP	Seretide	
Aerosol inhaler 125 mcg with salmeterol 25 mcg	49.69	120 dose OP	✓ Seretide	
Powder for inhalation 100 mcg with salmeterol 50 mcg - No)			
more than 2 dose per day	37.48	60 dose OP	Seretide Accuhaler	
Powder for inhalation 250 mcg with salmeterol 50 mcg - No)			
more than 2 dose per day	49.69	60 dose OP	Seretide Accuhaler	

Beta-Adrenoceptor Agonists

SA	LBUTAMOL			
‡	Oral liq 400 mcg per ml	2.06	150 ml	✓ <u>Ventolin</u>
	Infusion 1 mg per ml, 5 ml	118.38	10	
		(130.21)		Ventolin
	Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin

Fully

Subsidised

Brand or

Generic

	\$	Per	✓ Manufacturer
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL Aerosol inhaler, 100 mcg per dose CFC free - Up to 1000 dose available on a PSO	3.80	200 dose OP	✓ Respigen
	(6.00)		✓ Salamol Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml – Up to 30 neb available on a PSO	3.25	20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml – Up to 30 neb available on a PSO	3.44	20	✓ <u>Asthalin</u>
TERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	✓ Bricanyl Turbuhaler
Anticholinergic Agents			
IPRATROPIUM BROMIDE Aerosol inhaler, 20 mcg per dose CFC-free Nebuliser soln, 250 mcg per ml, 1 ml – Up to 40 neb available	16.20	200 dose OP	✓ Atrovent
on a PSO	3.26	20	✓ <u>Univent</u>

Subsidy

(Manufacturer's Price)

SALBUTAMOL WITH IPRATROPIUM BROMIDE

Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg			
per dose CFC-free	12.19	200 dose OP	Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per			
vial 2.5 ml = Un to 20 neh available on a PSO	3 75	20	✓ Duolin

Long-Acting Muscarinic Antagonists

■SA1485 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 μ g ipratropium q.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV₁ (litres); and
- 4.2 Predicted FEV₁ (litres); and
- 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Either:

continued...

20

Univent

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 All of the following:

Applicant must state recent measurement of:

- 3.1 Actual FEV₁ (litres); and
- 3.2 Predicted FEV₁ (litres); and
- 3.3 Actual FEV₁ as a % of predicted.

GLYCOPYRRONIUM - Special Authority see SA1485 on the previous page - Retail pharmacy

Glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium.

30 dose OP ✓ Seebri Breezhaler

TIOTROPIUM BROMIDE - Special Authority see SA1485 on the previous page - Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised glycopyrronium.

Powder for inhalation, 18 mcg per dose70.00 30 dose ✓ Spiriva

Leukotriene Receptor Antagonists

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg18.4	48 28	✓ Singulair
Tab 5 mg18.4	48 28	✓ Singulair
Tab 10 mg18.4	48 28	✓ Singulair

⇒SA1421 Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists: and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

Mast Cell Stabilisers

N 1	_	$\overline{}$	_	\sim		\sim			
N	ы	1)	U	(;	к	()	IV/I	ш	

Aerosol inhaler, 2 mg per dose CFC-free28.07 112 dose OP ✓ Tilade

SODIUM CROMOGLYCATE

50 dose ✓ Intal Spincaps 112 dose OP ✓ Intal Forte CFC Free

Methylxanthines

AMINOPHYLLINE

Inj 25 mg per ml, 10 ml ampoule - Up to 5 ini available on a 5 ✓ DBL Aminophylline THEOPHYLLINE ✓ Nuelin-SR

100 ✓ Nuelin 500 ml

Mucolytics

DORNASE ALFA - Special Authority see SA0611 below - Retail pharmacy Nebuliser soln, 2.5 mg per 2.5 ml ampoule250.00 ✔ Pulmozyme

⇒SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

SODIUM CHLORIDE

Not funded for use as a nasal drop.

90 ml OP Biomed

Nasal Preparations

Allergy Prophylactics

BECLOMETHASONE DIPROPIONATE

Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
, , , , , ,	(4.85)		Alanase
Metered aqueous nasal spray, 100 mcg per dose	2.46	200 dose OP	
	(5.75)		Alanase

	Subsidy	D: \	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
BUDESONIDE			
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
Material envisors need area, 100 mag need door	(4.85)	000 daaa OD	Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose	2.61 (5.75)	200 dose OP	Butacort Aqueous
FLUTICASONE PROPIONATE	, ,		,
Metered aqueous nasal spray, 50 mcg per dose	2.30	120 dose OP	✓ Flixonase Hayfever <u>& Allergy</u>
PRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%Univent to be Sole Supply on 1 February 2015	3.95	15 ml OP	✓ Univent
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under	0.00	4	. / F7 Sit Deceliateia
Size 2	2.99	1	✓ EZ-fit Paediatric Mask
PEAK FLOW METER			<u></u>
a) Up to 10 dev available on a PSO			
b) Only on a PSO			
Low range		1	✓ Breath-Alert
Normal range	11.44	1	✓ Breath-Alert
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO 230 ml (single patient)	4.70		A Cross Chambar
230 mi (single patient)	4.72	1	✓ <u>Space Chamber</u> Plus
800 ml	8.50	1	✓ <u>Volumatic</u>
SPACER DEVICE AUTOCLAVABLE			
a) Up to 5 dev available on a PSO			
b) Only on a PSO			
230 ml (autoclavable) – Subsidy by endorsement		1	Space Chamber
Available where the prescriber requires a spacer device t endorsed accordingly.	hat is capable	e of sterilisation	in an autoclave and the PSO
Respiratory Stimulants			

CAFFEINE CITRATE Oral liq 20 mg per ml (10 mg base per ml)14.85 25 ml OP ✔ Biomed

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
---	-----	---------------------	-------------------------------------	--

ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Vosol ear drops with hydrocortisone powder refer Standard Formulae, page Ear drops 2% with 1, 2-Propanediol diacetate 3% and	ge 213	
benzethonium chloride 0.02%6.97	35 ml OP	✓ Vosol
FLUMETASONE PIVALATE		
Ear drops 0.02% with clioquinol 1%4.46	7.5 ml OP	✓ Locacorten-Viaform ED's
		✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATI Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate	N	
2.5 mg and gramicidin 250 mcg per g5.16	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations		
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN		
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and		
gramicidin 50 mcg per ml4.50	8 ml OP	
(9.27)		Sofradex
FRAMYCETIN SULPHATE		
Ear/Eye drops 0.5%	8 ml OP	Soframycin

Eye Preparations

Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.

Anti-Infective Preparations

	CLOVIR			
*	Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
CHL	LORAMPHENICOL			
	Eye oint 1%	2.76	4 g OP	✓ Chlorsig
	Eye drops 0.5%	1.20	10 ml OP	✓ Chlorafast
	Funded for use in the ear*. Indications marked with * are Unappr	oved Indicat	tions.	
CIP	ROFLOXACIN			
	Eye Drops 0.3%	12.43	5 ml OP	Ciloxan
	For treatment of bacterial keratitis or severe bacterial conjunctivit	is resistant t	to chloramphe	nicol.
FUS	SIDIC ACID			
	Eye drops 1%	4.50	5 g OP	✓ Fucithalmic
GEN	NTAMICIN SULPHATE		· ·	
GLI	Eye drops 0.3%	11 40	5 ml OP	✓ Genoptic
DD(11.40	0 1111 01	• acrioptio
	DPAMIDINE ISETHIONATE	0.07	10 ml OD	
*	Eye drops 0.1%		10 ml OP	Dualana
		(7.99)		Brolene
TOE	BRAMYCIN			
	Eye oint 0.3%	10.45	3.5 g OP	✓ <u>Tobrex</u>
	Eye drops 0.3%	11.48	5 ml OP	✓ <u>Tobrex</u>

	Subsidy (Manufacturer's I \$	Price) Sub: Per	Fully Brand or sidised Generic Manufacturer
Corticosteroids and Other Anti-Inflammatory I	Preparations		
DEXAMETHASONE			
* Eye oint 0.1% * Eye drops 0.1%		3.5 g OP 5 ml OP	✓ <u>Maxidex</u>✓ <u>Maxidex</u>
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POL		ATE	
* Eye oint 0.1% with neomycin sulphate 0.35% and polymy b sulphate 6,000 u per g	5.39	3.5 g OP	✓ <u>Maxitrol</u>
Eye drops 0.1% with neomycin sulphate 0.35% and polyn xin b sulphate 6,000 u per ml	•	5 ml OP	✓ <u>Maxitrol</u>
DICLOFENAC SODIUM			
* Eye drops 0.1%	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE * Eye drops 0.1%	2.00	5 ml OP	4 Elucon
	3.00	3 1111 OF	✓ <u>Flucon</u>
LEVOCABASTINE Eye drops 0.5 mg per ml	8.71	4 ml OP	
_,o a.epo e.og po	(10.34)		Livostin
LODOXAMIDE			
Eye drops 0.1%	8.71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE	4.50	- 100	4.5
* Eye drops 0.12%		5 ml OP 5 ml OP	✓ Pred Mild ✓ Pred Forte
SODIUM CROMOGLYCATE	4.00	3 1111 01	• Trear one
Eye drops 2%	1.18	5 ml OP	✓ Rexacrom
Glaucoma Preparations - Beta Blockers			
BETAXOLOL			
* Eye drops 0.25%	11.80	5 ml OP	✓ Betoptic S
* Eye drops 0.5%	7.50	5 ml OP	✓ <u>Betoptic</u>
LEVOBUNOLOL	7.00	- 100	45.
* Eye drops 0.25%		5 ml OP 5 ml OP	✓ Betagan✓ Betagan
TIMOLOL	7.00	3 1111 01	Detagan
* Eye drops 0.25%	1.45	5 ml OP	✓ Arrow-Timolol
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%		5 ml OP	Arrow-Timolol
* Eye drops 0.5%, gel forming		2.5 ml OP	✓ <u>Timoptol XE</u>
Glaucoma Preparations - Carbonic Anhydrase	Inhibitors		
ACETAZOLAMIDE			
* Tab 250 mg – For acetazolamide oral liquid formulation rei page 210		100	✓ <u>Diamox</u>
BRINZOLAMIDE			
* Eye Drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE	0.77	5 ml OD	

Trusopt

5 ml OP

(13.95)

	Subsidy (Manufacturer's I \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
DORZOLAMIDE HYDROCHLORIDE WITH TIMOLOL MALEATE * Eye drops 2% with timolol maleate 0.5%	15.50	5 ml OP	✓ Cosopt
Glaucoma Preparations - Prostaglandin Analogu	es		
BIMATOPROST * Eye drops 0.03%	18.50	3 ml OP	✓ Lumigan
* Eye drops 50 mcg per ml, 2.5 ml TRAVOPROST	1.99	2.5 ml OP	✓ <u>Hysite</u>
* Eye drops 0.004%	19.50	2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE * Eye Drops 0.2%	4.32	5 ml OP	✓ <u>Arrow-Brimonidine</u>
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE * Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
PILOCARPINE HYDROCHLORIDE * Eye drops 1% * Eye drops 2% * Eye drops 4%	5.35 7.99	15 ml OP 15 ml OP 15 ml OP	✓ <u>Isopto Carpine</u> ✓ <u>Isopto Carpine</u> ✓ <u>Isopto Carpine</u>
Subsidised for oral use pursuant to the Standard Formulae Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy		20 dose	Minims

■ SA0895 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is

benefiting from treatment.

Mydriatics and Cycloplegics

* Eye drops 1%	17.36	15 ml OP	✓ <u>Atropt</u>
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	8.76	15 ml OP	✓ <u>Cyclogyl</u>
TROPICAMIDE * Eye drops 0.5% * Eye drops 1%			✓ <u>Mydriacyl</u> ✓ Mydriacyl
Preparations for Tear Deficiency			

For acetylcysteine eye drops refer Standard Formulae, page 213

HYPROMFI LOSE

15 ml OP (3.92)

Methopt

SENSORY ORGANS

	Subsidy (Manufacturer's I	Price) Sub	Fully sidised	Brand or Generic	
	\$	Per	~	Manufacturer	
HYPROMELLOSE WITH DEXTRAN					
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✓ P	oly-Tears	
POLYVINYL ALCOHOL					
* Eye drops 1.4%		15 ml OP	✓ V		
* Eye drops 3%	3.75	15 ml OP	✓ Vi	istil Forte	

Preservative Free Ocular Lubricants

⇒SA1388 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops

and has benefited from treatment.				
CARBOMER - Special Authority see SA1388 above - Retail pharm	acy			
Ophthalmic gel 0.3%, 0.5 g	8.25	30	✓ Poly-Gel	
MACROGOL 400 AND PROPYLENE GLYCOL - Special Authority	see SA1388 ab	ove – Retail p	harmacy	
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	4.30	24	✓ Systane Unit Dose	
SODIUM HYALURONATE - Special Authority see SA1388 above -	Retail pharma	су		
Eye drops 1 mg per ml	22.00	10 ml OP	✓ <u>Hylo-Fresh</u>	
Note: Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Handbook restriction allowing one bottle per month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.				

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%17.00	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.5 g OP	✓ Poly-Visc
RETINOL PALMITATE Eye oint 138 mcg per g	5 g OP	✓ VitA-POS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Various

May only be claimed once per patient.

PHARMACY SERVICES

Brand switch fee4.33 1 fee

- ✓ BSF Capecitabine Winthrop
- BSF Celapram
- ✓ BSF Quetapel
- BSF Risperon
- ✓ BSF Tacrolimus Sandoz
- ✓ BSF Zypine
- a) The Pharmacode for BSF Tacrolimus Sandoz is 2468468 see also page 195
- b) The Pharmacode for BSF Zypine is 2470438 see also page 146
- c) The Pharmacode for BSF Quetapel is 2470446 see also page 144
- d) The Pharmacode for BSF Risperon is 2470454 see also page 144
- e) The Pharmacode for BSF Capecitabine Winthrop is 2470462 see also page 163
- f) The Pharmacode for BSF Celapram is 2471558 see also page 134

(BSF Capecitabine Winthrop Brand switch fee to be delisted 1 March 2015)

(BSF Celapram Brand switch fee to be delisted 1 March 2015)

(BSF Quetapel Brand switch fee to be delisted 1 March 2015)

(BSF Risperon Brand switch fee to be delisted 1 March 2015)

(BSF Tacrolimus Sandoz Brand switch fee to be delisted 1 February 2015)

(BSF Zypine Brand switch fee to be delisted 1 March 2015)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE – Retail pharmacy-Specialist Inj 200 mg per ml, 10 ml	178.00	10	✓ Martindale Acetylcysteine
Inj 200 mg per ml, 30 ml	219.00	4	✓ Acetadote
NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO b) Only on a PSO * Inj 400 mcg per ml, 1 ml	33.00	5	✓ Hospira
Removal and Elimination			
CHARCOAL * Oral lin 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X

Oral liq 50 g per 250 ml43.50 250 mi Oi

a) Up to 250 ml available on a PSO

b) Only on a PSO

DEFERASIROX - Special Authority see SA1492 on the next page - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 17

28 Exiade 28 Exjade Tab 500 mg dispersible1,105.00 28 Exiade



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis: or
 - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 1.0 cells per μL).</p>

 $\textbf{Renewal} \ \text{only from a haematologist.} \ \text{Approvals valid for 2 years for applications meeting the following criteria:}$

Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE - Special Authority see SA1480 below - R	Retail pharmacy		
Tab 500 mg	533.17	100	Ferriprox
Oral lig 100 mg per 1 ml	266.59	250 ml OP	✓ Ferriprox

⇒SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERRIOXAMINE MESYLATE

*	Inj 500 mg	99.00	10	✓ Hospira
SC	DDIUM CALCIUM EDETATE			·
	Inj 200 mg per ml, 5 ml	53 31	6	
~	iiij 200 iiig pei iiii, 3 iiii		U	
		(156.71)		Calcium Disodium
				Versenate

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacyspecialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- · Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- · Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml Allopurinol 20 mg/ml Amlodipine 1 mg/ml Azathioprine 50 mg/ml Baclofen 10 mg/ml

Carvedilol 1 mg/ml Clopidogrel 5 mg/ml Diltiazem hydrochloride 12 mg/ml Dipyridamole 10 mg/ml Domperidone 1 mg/ml Enalapril 1 mg/ml Flecainide 20 mg/ml Gabapentin 100 mg/ml Gabapentin (Neurontin) 100 mg/ml

Hydrocortisone 1 mg/ml Labetolol 10 mg/ml Levetiracetam 100 mg/ml Levodopa with carbidopa (5 mg lev-

odopa + 1.25 mg carbidopa)/ml Metoclopramide 1 mg/ml Metoprolol tartrate 10 mg/ml Nitrofurantoin 10 mg/ml Pyrazinamide 100 mg/ml Rifabutin 20 mg/ml Sildenafil 2 mg/ml Sotalol 5 mg/ml

Sulphasalazine 100 mg/ml Tacrolimus 1 mg/ml Terbinafine 25 mg/ml Ursodeoxycholic acid 50 mg/ml

Ursodeoxycholic acid 50 mg/ml Valganciclovir 60 mg/ml* Verapamil hydrochloride 50 mg/ml

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 209) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



Standard Formulae PHENOBARBITONE ORAL LIQUID ACETYLCYSTEINE EYE DROPS Phenobarbitone Sodium 1 g Acetylcysteine inj 200 mg per ml, 10 ml gs Glycerol BP 70 ml Suitable eye drop base as Water to 100 ml ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg 12 tabs PHENOBARBITONE SODIUM PAEDIATRIC ORAL Chloroform to 100 ml LIQUID (10 mg per ml) CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Phenobarbitone Sodium 400 ma Glycerol BP 4 ml Codeine phosphate 60 ma Water to 40 ml Glycerol 40 ml Preservative as Water to 100 ml PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops qs CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Preservative Codeine phosphate 300 ma Water to 500 ml Glycerol 40 ml (Preservative should be used if quantity supplied is for Preservative as more than 5 days.) Water to 100 ml FOLINIC MOUTHWASH SALIVA SUBSTITUTE FORMULA Calcium folinate 15 mg tab 1 tab Methylcellulose 5 q Preservative as Preservative as Water to 500 ml Water to 500 ml (Preservative should be used if quantity supplied is for (Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.) more than 5 days. Maximum 500 ml per prescription.) MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% 275 g SODIUM CHLORIDE ORAL LIQUID Methyl hydroxybenzoate 1.5 g Sodium chloride ini 23.4%, 20 ml as Water to 1,000 ml Water as METHADONE MIXTURE (Only funded if prescribed for treatment of hyponatraemia) Methadone powder qs Glycerol qs VANCOMYCIN ORAL SOLUTION (50 mg per ml) Water to 100 ml Vancomycin 500 mg injection 10 vials METHYL HYDROXYBENZOATE 10% SOLUTION Glycerol BP 40 ml Methyl hydroxybenzoate Water to 100 ml 10 q Propylene glycol to 100 ml (Only funded if prescribed for treatment of Clostridium (Use 1 ml of the 10% solution per 100 ml of oral liquid difficile following metronidazole failure)

OMEPRAZOLE	SUSPENSION

mixture)

Omeprazole capules or powder qs Sodium bicarbonate powder BP 8.4 g Water to 100 ml WITH HYDROCORTISONE POWDER 1%
Hydrocortisone powder 1%
Vosol Ear Drops to 35 ml

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

Manufacturer Per **Extemporaneously Compounded Preparations and Galenicals** BENZOIN Tincture compound BP2.44 50 ml **PSM** (5.10)24.42 500 ml (38.00)**PSM** CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP25.50 500 ml ✓ PSM CODEINE PHOSPHATE - Safety medicine; prescriber may determine dispensing frequency (25.46)Douglas 63.09 25 q (90.09)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) ± Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE 100 ml ✓ PSM COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. 100 ml ✓ Midwest 34.18 David Craig GLYCERIN WITH SODIUM SACCHARIN - Only in combination Only in combination with Ora-Plus. ✓ Ora-Sweet SF 473 ml GLYCERIN WITH SUCROSE - Only in combination Only in combination with Ora-Plus. Suspension35.50 ✓ Ora-Sweet 473 ml **GLYCEROL** 500 ml ✓ healthE Glycerol BP 14.84 2.000 ml (17.86)healthE a) Only in extemporaneously compounded oral liquid preparations. b) healthE Glycerol BP to be Sole Supply on 1 March 2015 (healthE Liquid to be delisted 1 March 2015) MAGNESIUM HYDROXIDE 500 g ✓ PSM METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). ✓ AFT ± Safety cap for extemporaneously compounded oral liquid preparations.

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer	
METHYL HYDROXYBENZOATE					
Powder	8.00	25 g	✓ P	SM	
	8.98		✓ N	lidwest	
METHYLCELLULOSE					
Powder	36.95	100 g	✓ N	lidWest	
Suspension - Only in combination	35.50	473 ml	V 0	ra-Plus	
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACC	HARIN - Only in c	ombination			
Suspension	•	473 ml	V 0	ra-Blend SF	
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - O	nlv in combination				
Suspension		473 ml	V 0	ra-Blend	
PHENOBARBITONE SODIUM					
Powder – Only in combination	52.50	10 a	✓ N	lidWest	
,	325.00	100 g	VN	lidWest	
a) Only in children up to 12 years		•			
b) ‡ Safety cap for extemporaneously compounded oral	liquid preparations	i.			
PROPYLENE GLYCOL					
Only in extemporaneously compounded methyl hydroxyber	nzoate 10% solution	n.			
Liq		500 ml	✓ P	•	
	11.25		V	lidwest	
SODIUM BICARBONATE					
Powder BP - Only in combination		500 g	✓ N	lidwest	
	9.80				
	(29.50)		D	avid Craig	
Only in extemporaneously compounded omeprazole and	i lansoprazole sus	pension.			
SYRUP (PHARMACEUTICAL GRADE) – Only in combination					
Only in extemporaneously compounded oral liquid prepara		0 000 ml	./ 1/	lidwest	
Liq	21./5	2,000 ml	V IV	iiuwest	
WATER	0.00	4 1			
Tap - Only in combination	0.00	1 ml	V	ap water	

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Dietitian Prescribing

Prescriptions from Dietitians will be only valid for subsidy where they are for special foods, as listed in this section, or where they are for the following products:

ASCORBIC ACID

✓ Tab 100 mg

CALCIUM CARBONATE

- ✓ Tab eff 1.75 g (1 g elemental)
- ✓ Tab 1.25 g (500 mg elemental)

COMPOUND ELECTROLYTES

✔ Powder for oral soln

DEXTROSE WITH ELECTROLYTES

✓ Soln with electrolytes

FERROUS FUMARATE

✓ Tab 200 mg (65 mg elemental)

FERROUS FUMARATE WITH FOLIC ACID

✓ Tab 310 mg (100 mg elemental) with folic acid 350 mcg

FERROUS SULPHATE

- ✓ Tab long-acting 325 mg (105 mg elemental)
- ✓ Oral liq 30 mg (6 mg elemental) per 1 ml

FERROUS SULPHATE WITH FOLIC ACID

Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg

FOLIC ACID

✓ Tab 0.8 mg

MULTIVITAMINS

✔ Powder

PANCREATIC ENZYME

✓ Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease

PHOSPHORUS

✓ Tab eff 500 mg (16 mmol)

POTASSIUM CHI ORIDE

Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m en)

✓ Tab long-acting 600 mg

POTASSIUM IODATE

Tab 256 mcg (150 mcg elemental iodine)

PYRIDOXINE HYDROCHI ORIDE

- ✓ Tab 25 mg
- ✓ Tab 50 mg

SODIUM CHLORIDE

✓ Inj 23.4%, 20 ml

SODIUM FLUORIDE

✓ Tab 1.1 mg (0.5 mg elemental)

THIAMINE HYDROCHLORIDE

✓ Tab 50 mg

VITAMIN A WITH VITAMINS D AND C

✓ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops

VITAMIN B COMPLEX

✓ Tab, strong, BPC

VITAMINS

- ✓ Tab (BPC cap strength)
- ✓ Cap (fat soluble vitamins A, D, E, K)

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1373 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- itner:
 - 1 cystic fibrosis; or2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula.

Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1373 above - Hospital pharmacy [HP3]

Carbohydrate And Fat

■ SA1376 Special Authority for Subsidy

Initial application — **(Cystic fibrosis)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Fat

■SA1374 Special Authority for Subsidy

Initial application — (**Inborn errors of metabolism**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 acites: or
- 11 for use as a component in a modular formula.

Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1374 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)12.30	200 ml OP Calogen	
30.75	500 ml OP Calogen	
Emulsion (strawberry)12.30	200 ml OP Calogen	
Oil	500 ml OP / MCT oil (Nutricia)
Oil, 250 ml114.92	4 OP Liquigen	

Protein

▶SA1375 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT - Special Authority se	ee SA1375 above – Hospital phar	macy [HP3]	
Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource
			Beneprotein
Powder (vanilla)	12.90	275 g OP	✓ Promod

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

■SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic	
\$	Per	· ·	Manufacturer	

continued...

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 on the previous page - Hospital pharmacy [HP3]

Diabetic Products

►SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

Liquid	1,000 mi OP	✔ Diason RTH
		Glucerna Select
		RTH

DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

ADE HO OHAL FEED	TRUME - Special Authority see SA 1093 above - no	spilai pilaiillacy	(Info)
Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic
	(2.10)		Sustagen Diabetic

Fat Modified Products

■SA1381 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak: or
- 3 Modified as a modular feed for adults.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1381 above - Hospital pharmacy [HP3]



Subsidy (Manufacturer's Price) \$ Fully Subsidised Per Brand or Generic Manufacturer

High Protein Products

⇒SA1378 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 decompensating liver disease without encephalopathy; or
- 2 protein losing gastro-enteropathy.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

HIGH PROTEIN ORAL FEED 1KCAL/ML - Special Authority see SA1378 above - Hospital pharmacy [HP3]

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per V Manufacturer

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
 - 1 Child is aged one to ten years; and
 - 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1379 a Liquid2.68	, , , , ,
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML — Special Authorit Liquid6.00	
PAEDIATRIC ORAL FEED - Special Authority see SA1379 above - Hospital	pharmacy [HP3]
Powder (vanilla)20.00	
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see SA1379 about Liquid (strawberry)	0 200 ml OP Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see SA1379 above Liquid (chocolate)	7 200 ml OP
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority se Liquid (chocolate)	0 200 ml OP ✓ Fortini Multi Fibre 0 200 ml OP ✓ Fortini Multi Fibre

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Renal Products

⇒SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML - Special Authority s		Hospital pharm 500 ml OP	nacy [HP3] Nepro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority see S Liquid		pital pharmacy 220 ml OP	[HP3] ✓ Nepro HP (strawberry) ✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see SA	1101 above – Hospi	tal pharmacy [F	1P3]
Liquid		237 ml OP	✓ Suplena
	2.88		
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml		4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	Renilon 7.5
(Suplena Liquid to be delisted 1 June 2015)			

Specialised And Elemental Products

■SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis: or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Author	•	on the previous 79 g OP 76 g OP	~ V	- Hospital pharmacy [HP3] ital HN litraq
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Eliquid (grapefruit), 250 ml carton	171.00 171.00	orevious page – 18 OP 18 OP 18 OP	V E	al pharmacy [HP3] lemental 028 Extra lemental 028 Extra lemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA Powder (unflavoured)		evious page – F 80.4 g OP		pharmacy [HP3] ivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Autho	•	on the previous 1,000 ml OP		- Hospital pharmacy [HP3] eptisorb

Paediatric Products For Children With Low Energy Requirements

■SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Standard Supplements

►SA1228 Special Authority for Subsidy

Initial application — (**Children**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive; or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

1 The patient is under 18 years of age; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Adults transitioning from hospital Discretionary Community Supply) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 The patient has had up to a 30 day supply of a 1.0 or a 1.5 kcal/ml Standard Oral Supplement; and
- 2 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 3 Any of the following:

Patient is Malnourished

- 3.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 3.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 3.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being feed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result: or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery; or
- 5 Both:
 - 5.1 Pregnant: and

Subsidy (Manufacturer's Price)

Fully Subsidised Brand or Generic Manufacturer

continued...

- 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery; or
- 5 Both:
 - 5.1 Pregnant: and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being meet.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa: or
- 11 AIDS (CD4 count < 200 cells/mm³); or
- 12 Chronic pancreatitis.

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1228 on page 225 - Liquid		[HP3] ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML - Special Authority see SA1228 on page 225 - F Liquid1.24	250 ml OP	P3] ✓ Isosource Standard ✓ Osmolite
5.29	1,000 ml OP	✓ Isosource Standard RTH
		✓ Nutrison Standard RTH
2.65 5.29		✓ Osmolite RTH✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA1228 or Liquid	237 ml OP 500 ml OP 1,000 ml OP	al pharmacy [HP3] Jevity Jevity RTH Jevity RTH Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML — Special Authority see SA1228 c Liquid	250 ml OP 1,000 ml OP	tal pharmacy [HP3] Ensure Plus HN Ensure Plus RTH Jevity HiCal RTH Nutrison Energy Multi Fibre
ORAL FEED (POWDER) - Special Authority see SA1228 on page 225 - Hosp Powder (chocolate)10.22		✓ Sustagen Hospital Formula
13.00 Powder (vanilla)	350 g OP	✓ Ensure✓ Fortisip✓ Sustagen Hospital
· · · · · · · · · · · · · · · · · · ·	9	Formula

850 g OP

✓ Ensure

13.00

Fortisip Multi Fibre

Subsidy (Manufacturer's	. ,	Brand or Generic
\$	Per 🗸	Manufacturer

ORAL FEED 1.5KCAL/ML - Special Authority see SA1228 on page 225 - Hospital pharmacy [HP3]
Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epider-

molysis bullosa. The prescription must be endorsed accordingly. Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with		o o	·
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml	(- /		
with Endorsement	0.72	200 ml OP	
	(1.26)	200 0.	Ensure Plus
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with	(0)		
Endorsement	0.72	200 ml OP	
Lituoisement	(1.26)	200 1111 01	Ensure Plus
	(1.26)		Fortisip
Liquid (toffee) Lligher subsidir of \$1.00 per 000 pel with En	(1.20)		i oi tisip
Liquid (toffee) — Higher subsidy of \$1.26 per 200 ml with Endorsement	0.70	200 ml OP	
uorsement		200 MI OP	Cartinia
1: :14 : 16 : 10 : 11 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :	(1.26)		Fortisip
Liquid (tropical fruit) – Higher subsidy of \$1.26 per 200 ml	0.70	000 100	
with Endorsement		200 ml OP	
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement		200 ml OP	
	(1.26)		Ensure Plus
	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Fortisip
AL EEED WITH EIDDE 1 E KOAL/ML Chaolal Authority and CA1	000 an naa	o OOF Hoopital	sharmanı [LID0]

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1228 on page 225 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

(1.26)

Liquid (chocolate)	Higher	subsidy of \$1.26	per 200 ml with

Liquid (oriocolato)	riigher subsidy of \$1.20 per 200 mi with			
Endorsement		0.72	200 ml OP	
		(1.26)		Fortisip Multi Fibre
Liquid (strawberry)	 Higher subsidy of \$1.26 per 200 ml with 			
Endorsement		0.72	200 ml OP	
		(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - H	ligher subsidy of \$1.26 per 200 ml with			
Endorsement		0.72	200 ml OP	

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

High Calorie Products

⇒SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- All of the following:
 - 1 Cystic fibrosis; and
 - 2 other lower calorie products have been tried; and
 - 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ORAL FEED 2 KCAL/ML - Special Authority see SA1195 above - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Food Thickeners

⇒SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER – Special Authority see SA1106	above – Hospital pharmacy	[HP3]	
Powder	6.53	300 g OP	✓ Nutilis
	7.25	380 g OP	✓ Feed Thickener
		-	Karicare Aptamil

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

⇒SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107	above - Hospital	pharmacy [HP3]	
Powder	2.81	1,000 g OP	
	(5.15)		Healtheries Simple
			Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA1107	above – Hospital p	harmacy [HP3]	
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 above	e – Hospital pharn	nacy [HP3]	
Powder	5.62	2,000 g OP	
	(18.10)	3	Horleys Flour

	Subsidy (Manufacturer's Price)		d Generic
	\$	Per •	/ Manufacturer
GLUTEN FREE PASTA - Special Authority see SA1107 or	n the previous page – Hosp	ital pharmacy [F	HP3]
Buckwheat Spirals	2.00 25	50 g OP	
	(3.11)		Orgran
Corn and Vegetable Shells	2.00 25	50 g OP	
	(2.92)		Orgran
Corn and Vegetable Spirals	2.00 25	50 g OP	
	(2.92)		Orgran
Rice and Corn Lasagne Sheets	1.60 20	00 g OP	
	(3.82)		Orgran
Rice and Corn Macaroni	2.00 25	50 g OP	
	(2.92)		Orgran
Rice and Corn Penne	2.00 25	50 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals	2.00 25	50 g OP	
	(2.92)		Orgran
Rice and Millet Spirals	2.00 25	50 g OP	
	(3.11)		Orgran
Rice and corn spaghetti noodles	2.00 37	75 g OP	
	(2.92)		Orgran
Vegetable and Rice Spirals	2.00 25	50 g OP	
	(2.92)		Orgran
Italian long style spaghetti	2.00 22	20 g OP	
	(3.11)		Orgran
Foods And Supplements For Inborn Errors	Of Metabolism		

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA1108 above - Hospital pharmacy [HP3] Powder461.94 500 g OP ✓ XMET Maxamum

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 above - Hospital pharmacy [HP3]

500 g OP ✓ MSUD Maxamaid ✓ MSUD Maxamum 437.22

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Supp	lements	For	PKU
Oupp			1 1/0

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Tabs	99.00	75 OP	Phlexy 10
Powder (unflavoured) 29 g sachets	330.12	30	PKU Anamix Junior
Infant formula		400 g OP	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
, ,	320.00	ŭ	XP Maxamum
Powder (unflavoured)	221.00	500 g OP	✓ XP Maxamaid
	320.00	3 -	✓ XP Maxamum
Liquid (berry)	13.10	125 ml OP	PKU Anamix Junior
• • •			LQ
Liquid (citrus)	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (juicy berries)	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
, , , ,	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange)	15.65	62.5 ml OP	✓ PKU Lophlex LQ 10
, , , , ,	31.20	125 ml OP	✓ PKU Lophlex LQ 20
Liquid (orange)	13.10	125 ml OP	PKU Anamix Junior
1 (3 /			LQ
Liquid (unflavoured)	13.10	125 ml OP	✔ PKU Anamix Junior
4 (/			LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	✓ Easiphen Liquid

Foods

LOW PROTEIN BAKING MIX – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Powder8.22 500 g OP

✓ Loprofin Mix

LOW PROTEIN PASTA - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

Animal shapes11.	91 500 g OP Loprofin
Lasagne	95 250 g OP V Loprofin
Low protein rice pasta11.	
Macaroni5.	
Penne11.	91 500 g OP 🗸 Loprofin
Spaghetti11.	
Spirals11.	

Infant Formulae

For Premature Infants

Subsidy Fully (Manufacturer's Price) Subsidised \$ Per

Brand or

Generic

Manufacturer

⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA - Special Authority see SA1219 be	elow - Hospital phar	macy [HP3]	
Powder	6.00	48.5 g OP	✓ Vivonex Pediatric
	53.00	400 g OP	✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
		-	Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	53.00	400 g OP	✓ Elecare
•		ŭ	✓ Neocate Advance

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1380 below - Hospital pharmacy [HP3]

■ SA1380 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption: or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Step Down from Amino Acid Formula) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The infant is currently receiving funded amino acid formula; and
- 2 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Ketogenic Diet

⇒SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special Au	uthority see SA1197 a	bove – Retail p	harmacy
Powder (unflavoured)	35.50	300 g OP	✓ KetoCal 4:1
		-	Ketocal 3:1
Powder (vanilla)	35 50	300 a OP	✓ KetoCal 4:1

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule	✓ Inj 500 mg vial – Subsidy by endorsement –
✓ Inj 1 in 10,000, 10 ml ampoule5	See note on page 945
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See note on page 945
✓ Inj 25 mg per ml, 10 ml ampoule5	, ,
AMIODARONE HYDROCHLORIDE	CHARCOAL
✓ Inj 50 mg per ml, 3 ml ampoule6	✓ Oral liq 50 g per 250 ml250 ml
AMOXICILLIN	CHLORPROMAZINE HYDROCHLORIDE
✓ Cap 250 mg30	✓ Tab 10 mg30
✓ Cap 500 mg30	✓ Tab 25 mg
✓ Grans for oral liq 125 mg per 5 ml200 ml	✓ Tab 100 mg30
✓ Grans for oral liq 250 mg per 5 ml 300 ml	✓ Inj 25 mg per ml, 2 ml5
✓ Inj 1 g vial5	CIPROFLOXACIN
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 250 mg – See note on page 98
✓ Tab 500 mg with clavulanic acid 125 mg30	✓ Tab 500 mg – See note on page 985
✓ Grans for oral liq amoxicillin 125 mg with	CO-TRIMOXAZOLE
clavulanic acid 31.25 mg per	✓ Tab trimethoprim 80 mg and
5 ml200 ml	sulphamethoxazole 400 mg30
✓ Grans for oral liq amoxicillin 250 mg with	✓ Oral liq trimethoprim 40 mg and
clavulanic acid 62.5 mg per 5 ml200 ml	sulphamethoxazole 200 mg per
ASPIRIN	5 ml200 ml
✓ Tab dispersible 300 mg30	COMPOUND ELECTROLYTES
ATROPINE SULPHATE	✓ Powder for oral soln10
✓ Inj 600 mcg per ml, 1 ml ampoule5	CONDOMS
	✓ 49 mm144
AZITHROMYCIN ✓ Tab 500 mg – See note on page 958	✓ 52 mm144
V Tab 500 mg – See note on page 95	✓ 52 mm extra strength144
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	✓ 53 mm
✓ Tab 2.5 mg – See note on page 60150	 ✓ 53 mm (chocolate)
BENZATHINE BENZYLPENICILLIN	54 mm, shaped
✓ Inj 1.2 mega u per 2.3 ml5	✓ 55 mm
BENZTROPINE MESYLATE	✓ 56 mm144
✓ Inj 1 mg per ml, 2 ml	✓ 56 mm, shaped144
	✓ 60 mm144
BENZYLPENICILLIN SODIUM (PENICILLIN G)	CYPROTERONE ACETATE WITH
✓ Inj 600 mg (1 million units) vial5	ETHINYLOESTRADIOL
BLOOD GLUCOSE DIAGNOSTIC TEST METER	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
✓ Meter with 50 lancets, a lancing device and	7 inert tabs168
10 diagnostic test strips – Subsidy by	DEXAMETHASONE
endorsement – See note on page 301	✓ Tab 1 mg – Retail pharmacy-Specialist30
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	✓ Tab 4 mg – Retail pharmacy-Specialist
✔ Blood glucose test strips – See note on page	DEXAMETHASONE PHOSPHATE
3050 test	✓ Inj 4 mg per ml, 1 ml ampoule – See note on
BLOOD KETONE DIAGNOSTIC TEST METER	page 825
✓ Meter – See note on page 291	continued

PRACTITIONER'S SUPPLY ORDERS

(continued)	✓ Tab 35 mcg with norethisterone 1 mg and 7 inert tab84
✓ Inj 4 mg per ml, 2 ml ampoule – See note on page 82	
	✓ Tab 35 mcg with norethisterone 500 mcg
DIAPHRAGM	and 7 inert tab84
✓ 65 mm – See note on page 76	
✓ 70 mm – See note on page 76	
✓ 75 mm – See note on page 76 ✓ 80 mm – See note on page 76	
V 60 mm – See note on page 76	1 Grans for oral liq 125 mg per 5 ml
DIAZEPAM	✓ Grans for oral liq 250 mg per 5 ml
✓ Inj 5 mg per ml, 2 ml – Subsidy by	✓ Inj 1 g vial10
endorsement – See note on page 136	5 FLUPENTHIXOL DECANOATE
✓ Rectal tubes 5 mg	
✓ Rectal tubes 10 mg	
-	✓ Inj 100 mg per ml, 1 ml5
DICLOFENAC SODIUM	
✓ Inj 25 mg per ml, 3 ml ampoule	
✓ Suppos 50 mg1	
DIGOXIN	✓ Inj 25 mg per ml, 1 ml5
✓ Tab 62.5 mcg3	✓ Inj 100 mg per ml, 1 ml5
✓ Tab 250 mcg	
V Tab 250 mg	✓ Tab 40 mg30
DOXYCYCLINE	✓ Inj 10 mg per ml, 2 ml ampoule5
Tab 50 mg3	0
✓ Tab 100 mg3	0 GLUCAGON HYDROCHLORIDE
EDOOMETRING MALEATE	✓ Inj 1 mg syringe kit5
ERGOMETRINE MALEATE	CHICOGE (DEVIDOGE)
✓ Inj 500 mcg per ml, 1 ml ampoule	5 GLUCOSE [DEXTROSE] ✓ Inj 50%, 10 ml ampoule
ERYTHROMYCIN ETHYL SUCCINATE	✓ Inj 50%, 90 ml bottle
✓ Tab 400 mg20	0
✓ Grans for oral liq 200 mg per 5 ml 300 m	I GLYCERYL TRINITRATE
✓ Grans for oral liq 400 mg per 5 ml200 m	
	✓ Oral spray, 400 mcg per dose250 dose
ERYTHROMYCIN STEARATE	- HALODEDIDOL
Tab 250 mg3	
ETHINYLOESTRADIOL WITH DESOGESTREL	✓ Tab 500 mcg30
Tab 20 mcg with desogestrel 150 mcg and 7	✓ Tab 1.5 mg30
inert tab8	✓ Tab 5 mg30
Tab 30 mcg with desogestrel 150 mcg and 7	✓ Inj 5 mg per ml, 1 ml5
inert tab8	HALOPERIDOL DECANOATE
ETHINYLOESTRADIOL WITH LEVONORGESTREL	✓ Inj 50 mg per ml, 1 ml5
✓ Tab 20 mcg with levonorgestrel 100 mcg and	✓ Inj 100 mg per ml, 1 ml5
7 inert tab8	4
✓ Tab 50 mcg with levonorgestrel 125 mcg and	HYDROCORTISONE
7 inert tab8	✓ Inj 100 mg vial5
Tab 30 mcg with levonorgestrel 150 mcg6	
✓ Tab 30 mcg with levonorgestrel 150 mcg and	✓ Inj 1 mg per ml, 1 ml6
7 inert tab8	
, inortiao	HYOSCINE N-BUTYLBROMIDE
ETHINYLOESTRADIOL WITH NORETHISTERONE	✓ Inj 20 mg, 1 ml5
✓ Tab 35 mcg with norethisterone 1 mg6	3 continued
	231111404111

continued) INTRA-UTERINE DEVICE		✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form	5
✓ IUD ✓ IUD 29.1 mm length × 23.2 mm width ✓ IUD 33.6 mm length × 29.9 mm width	40	NALOXONE HYDROCHLORIDE ✓ Inj 400 mcg per ml, 1 ml	5
IPRATROPIUM BROMIDE ✓ Nebuliser soln, 250 mcg per ml, 1 ml ✓ Nebuliser soln, 250 mcg per ml, 2 ml	40	NICOTINE ✓ Patch 7 mg – See note on page 160 ✓ Patch 14 mg – See note on page 160 ✓ Patch 21 mg – See note on page 160	28
IVERMECTIN ✓ Tab 3 mg – See note on page 71	100	✓ Lozenge 1 mg – See note on page 160 ✓ Lozenge 2 mg – See note on page 160 ✓ Gum 2 mg (Classic) – See note on page 160	216 216
KETONE BLOOD BETA-KETONE ELECTRODES ✓ Test strip	10	✓ Gum 2 mg (Fruit) – See note on page 160 ✓ Gum 2 mg (Mint) – See note on page 160	384
LEVONORGESTREL Tab 30 mcg ✓ Tab 1.5 mg		 ✓ Gum 4 mg (Classic) – See note on page 160 ✓ Gum 4 mg (Fruit) – See note on page 160 ✓ Gum 4 mg (Mint) – See note on page 160 	384
LIDOCAINE [LIGNOCAINE] ✓ Gel 2%, 10 ml urethral syringe – Subsidy by endorsement – See note on page 129		NORETHISTERONE ✓ Tab 350 mcg ✓ Tab 5 mg	
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE ✓ Inj 1%, 5 ml ampoule ✓ Inj 2%, 5 ml ampoule ✓ Inj 1%, 20 ml ampoule ✓ Inj 2%, 20 ml ampoule	5 5	OXYTOCIN ✓ Inj 5 iu per ml, 1 ml ampoule ✓ Inj 10 iu per ml, 1 ml ampoule ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	5
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDIN ✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement – See note on page 129	E	PARACETAMOL ✓ Tab 500 mg ✓ Oral liq 120 mg per 5 ml	200 ml
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg ✓ Cap 2 mg	30	PEAK FLOW METER ✓ Low range ✓ Normal range	
MASK FOR SPACER DEVICE ✓ Size 2 – See note on page 202		PETHIDINE HYDROCHLORIDE ✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form	5
MEDROXYPROGESTERONE ACETATE ✓ Inj 150 mg per ml, 1 ml syringe		✓ Inj 50 mg per ml, 2 ml – Only on a controlled drug form	
METOCLOPRAMIDE HYDROCHLORIDE ✓ Inj 5 mg per ml, 2 ml ampoule		PHENOXYMETHYLPENICILLIN (PENICILLIN V) ✓ Cap potassium salt 250 mg	
METRONIDAZOLE ✓ Tab 200 mg	30	✓ Cap potassium salt 500 mg	200 ml
MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml ampoule – Only on a controlled drug form	5	PHENYTOIN SODIUM ✓ Inj 50 mg per ml, 2 ml ✓ Inj 50 mg per ml, 5 ml	
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form		PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml	
✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form	5	✓ Inj 10 mg per ml, 1 mlcontinu	

PRACTITIONER'S SUPPLY ORDERS

continued)
PIPOTHIAZINE PALMITATE
✓ Inj 50 mg per ml, 1 ml – Subsidy by
endorsement – See note on page 1465
✓ Inj 50 mg per ml, 2 ml – Subsidy by
endorsement – See note on page 1465
PREDNISOLONE
✓ Oral liq 5 mg per ml – See note on page
8330 ml
PREDNISONE
✓ Tab 5 mg30
PREGNANCY TESTS - HCG URINE
✓ Cassette
PROCAINE PENICILLIN
✓ Inj 1.5 g in 3.4 ml syringe5
PROCHLORPERAZINE
✓ Tab 5 mg30
✓ Inj 12.5 mg per ml, 1 ml5
PROMETHAZINE HYDROCHLORIDE
✓ Inj 25 mg per ml, 2 ml5
SALBUTAMOL
✓ Inj 500 mcg per ml, 1 ml5
✓ Aerosol inhaler, 100 mcg per dose CFC
free1000 dose
Nebuliser soln, 1 mg per ml, 2.5 ml30
✓ Nebuliser soln, 2 mg per ml, 2.5 ml30
SALBUTAMOL WITH IPRATROPIUM BROMIDE
✓ Nebuliser soln, 2.5 mg with ipratropium
bromide 0.5 mg per vial, 2.5 ml20

SILVER SULPHADIAZINE ✓ Crm 1%250 g
SODIUM BICARBONATE ✓ Inj 8.4%, 50 ml 5 ✓ Inj 8.4%, 100 ml 5
SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 51
SPACER DEVICE ✓ 230 ml (single patient) 20 ✓ 800 ml 20
SPACER DEVICE AUTOCLAVABLE ✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 2025
TRIMETHOPRIM ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule
WATER ✓ Purified for inj, 5 ml – See note on page 52
ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml5

Leeston

I incoln

Oxford

Rakaia

Rolleston

Rotherham

Templeton

Waikari

Fairlie

Geraldine

Temuka

Waimate

Twizel

Pleasant Point

Methven

Rural Areas for Practitioner's Supply Orders

Tairua

Taumarunui

Te Aroha

NORTH ISLAND Northland DHB Dargaville Hikurangi

Kaeo Kaikohe Kaitaia Kawakawa Kerikeri

Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu

Waitemata DHB Helensville Huapai Kumeu Snells Beach

Whangaroa

Waimauku Warkworth Wellsford

Auckland DHB Great Barrier Island

Oneroa

Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB Coromandel Huntly Kawhia Matamata

Morrinsville Ngatea Otorohanga Paeroa Pauanui Reach Putaruru

Raglan

Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga **Bay of Plenty DHB** Edaecumbe

Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Reach Whakatane

Lakes DHB Mangakino Turangi

Tairawhiti DHB Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki

Tokomaru Bay Tolaga Bay

Taranaki DHB Eltham Inglewood Manaja Oakura Okato Opunake Patea Stratford Waverley

Hawkes Bay DHB Chatham Islands Waipawa Waipukurau Wairoa

Whanganui DHB Bulls

Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB Dannevirke Foxton I evin Otaki Pahiatua Shannon

Woodville

Wairarapa DHB Carteron Featherston Grevtown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB Havelock

Manua Motueka Murchison Picton Takaka Wakefield

West Coast DHB Dobson Grevmouth Hokitika Karamea Reefton South Westland Westport Whataroa

Canterbury DHB Akaroa Amberlev Amuri Cheviot Darfield Diamond Harbour Hanmer Springs

Kaikoura

South Canterbury DHB

Southern DHB Alexandra Balclutha Cromwell Gore Kurow Lawrence Lumsden Mataura

Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah

Tananui Te Anau Tokonui Tuatapere Wanaka Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the
prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies
"certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

The following Community Pharmaceuticals are identified with a \triangle within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X

Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Tab 100 mg Tambocor

Cap long-acting 100 mg Tambocor CR
Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

GABAPENTIN (NEURONTIN)

LACOSAMIDE

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '±'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE Oral lig 30 mg (6 mg el- Ferodan

emental) per 1 ml

CARDIOVASCULAR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral lig 5 mg per ml Capoten

CHLOROTHIAZIDE

Oral liq 50 mg per ml **Biomed**

DIGOXIN

I anoxin Oral lig 50 mcg per ml

FUROSEMIDE [FRUSEMIDE]

Oral liq 10 mg per ml Lasix

SPIRONOLACTONE

Oral lig 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

I FVOTHYROXINE

Tab 25 mcg Synthroid Tab 50 mcg Eltroxin

Synthroid Eltroxin

Tab 100 mcg

Synthroid

(Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

0.300Tab 300 mg

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

AI PRAZOI AM

Tab 250 mcg Xanax Tab 500 mcg Xanax Xanax Tab 1 mg

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 100 mg per 5 ml Tearetol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHI ORIDE

Oral lig 2 mg per ml **Biodone** Biodone Forte Oral lig 5 mg per ml

Oral lig 10 mg per ml Biodone Extra Forte MORPHINE HYDROCHI ORIDE

Oral lig 1 mg per ml RA-Morph Oral lig 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph Oral lig 10 mg per ml RA-Morph

NITRAZFPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Ox-Pam Tab 10 mg Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare

Ethics Paracetamol

Paracare Double Strength Oral liq 250 mg per 5 ml

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral lig 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

SAFETY CAP MEDICINES

TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Cetirizine - AFT

Histaclear

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 5 mg per 5 ml Allersoothe

SALBUTAMOL

Oral liq 400 mcg per ml Ventolin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Powder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

Subsidy		Fully	Brand or	
(Manufacturer's Price		Subsidised	Generic	
\$	Per	~	Manufacturer	

Vaccinations

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients: or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds; or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000

Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/in

Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38 during epidemics; or
- A course of up to four vaccines is funded for children from age 7 to 17 years inclusive to complete full primary immunisation;
- A course of up to four vaccines is funded for children from age 7 to 17 years inclusive for reimmunisation following immunosuppression.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg per-

tussis filamentous haemagluttinin and 2.5 mcg pertactin

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	d Generic
 DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE Funded for any of the following: 1) A single dose for children up to the age of 7 who have of 2. 2) A course of four vaccines is funded for catch up progra immunisation; or 3) An additional four doses (as appropriate) are funded for post splenectomy; pre- or post solid organ transplar or 	ompleted primary imr mmes for children (to r (re-)immunisation fo	the age r patien	of 10 years ts post H	SCT, or chemotherapy; pre-
4) Five doses will be funded for children requiring solid org Note: Please refer to the Immunisation Handbook for appropriat Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoi 25 mcg pertussis toxoid, 25 mcg pertussis filamentou haemagluttinin, 8 mcg pertactin and 80 D-antigen uni poliomyelitis virus in 0.5ml syringe	e schedule for catch u d, s s	p progr 1 10	V	<u>Infanrix IPV</u> Infanrix IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B A Funded for patients meeting any of the following criteria: 1) Up to four doses for children up to the age of 10 for prin 2) Up to four doses (as appropriate) for children are fund pre- or post splenectomy; renal dialysis and other sever 3) Up to five doses for children up to the age of 10 receivit Note: A course of up-to four vaccines is funded for catch up primary immunisation. Please refer to the Immunisation Handbo	nary immunisation; or ed for (re)immunisatio ely immunosuppressi ng solid organ transpla programmes for childr	NFLUE on for payer reginantation en (to t	NZAE TY atients ponens; or . he age o	PE B VACCINE - [Xpharm] ost HSCT, or chemotherapy of 10 years) to complete ful
Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pe tussistoxoid, 25mcg pertussisfilamentoushaemagluttini 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitist	1, 3-	1		Infanrix-hexa
surfaceantigen in 0.5ml syringe		10	~	Infanrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] Inj 10 mcg vial with diluent syringe One dose for patients meeting any of the following: 1) For primary vaccination in children; or 2) For revaccination of children following immunosuppress 3) For children aged 0-18 years with functional asplenia; or 4) For patients pre- and post-splenectomy; or 5) For use in testing for primary immunodeficiency disea	ion; or r	1	V	Act-HIB

	Cubaidu		Fully	Drand av
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial	0.00	1	✓ <u>H</u>	BvaxPRO
Funded for any of the following criteria:				
1) for household or sexual contacts of known hepatitis B ca				
 for children born to mothers who are hepatitis B surface a for children up to the age of 18 years inclusive who are 				nitivo porology and require
additional vaccination: or	considered not to hav	e aci	ileveu a po	silive serology and require
for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following immunosuppression; or				
7) for transplant patients.				
Inj 10 mcg per 1 ml vial	0.00	1	✓ H	BvaxPRO
Funded for any of the following criteria:				
1) for household or sexual contacts of known hepatitis B car	rriers; or			
for children born to mothers who are hepatitis B surface a				
3) for children up to the age of 18 years inclusive who are	considered not to have	e ach	nieved a po	sitive serology and require
additional vaccination; or				
4) for HIV positive patients; or5) for hepatitis C positive patients; or				
6) for patients following immunosuppression; or				
7) for transplant patients.				
Inj 40 mcg per 1 ml vial	0.00	1	✓ H	BvaxPRO
Funded for any of the following criteria:		•	•	<u> </u>
1) for dialysis patients; or				
2) for liver or kidney transplant patient.				
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV]	- [Xpharm]			
Maximum of three doses for patient meeting any of the follow	ing criteria:			
1) Females aged under 20 years old; or				
Patients aged under 26 years old with confirmed HIV infe	ection; or			
For use in transplant patients.				
Inj 120 mcg in 0.5 ml syringe	0.00	1		ardasil
		10	✓ <u>G</u>	ardasil .
INFLUENZA VACCINE - [Xpharm]				
Inj 45 mcg in 0.5 ml syringe	90.00	10		luarix
			✓ Ir	nfluvac
A) is available each year for patients who meet the following	criteria, as set by PH	ARM	AC:	

- ailable each year for patients who meet the following criteria, as set by PHARMAC:
 - a) all people 65 years of age and over;
 - b) people under 65 years of age who:
 - i) have any of the following cardiovascular disease:
 - a) ischaemic heart disease,
 - b) congestive heart disease,
 - c) rheumatic heart disease,
 - d) congenital heart disease, or
 - e) cerebo-vascular disease;
 - ii) have either of the following chronic respiratory disease:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function;
 - iii) have diabetes;

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- iv) have chronic renal disease:
- v) have any cancer, excluding basal and squamous skin cancers if not invasive;
- vi) have any of the following other conditions:
 - a) autoimmune disease.
 - b) immune suppression,
 - c) HIV.
 - d) transplant recipients.
 - e) neuromuscular and CNS diseases,
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
- vii) are pregnant
- c) people under 18 years of age living within the boundaries of the Canterbury District Health Board.
- d) children aged four and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease,
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression: or
- 3) For any individual susceptible to measles, mumps or rubella.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000

MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONGUGATE VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses for patients pre- and post splenectomy and for patients with functional or anatomic asplenia; or
- One dose every five years for patients with HIV, complement deficiency (acquired or inherited), functional or anatomic asplenia or pre or post solid organ transplant; or
- 3) One dose for close contacts of meningococcal cases; or
- 4) A maximum of two doses for bone marrow transplant patients; or
- 5) A maximum of two doses for patients following immunosuppression*.

Note: children under seven years of age require a second dose three years after the first and then five yearly.

*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 4 mcg of each meningococcal polysaccharide conjugated

to a total of approximately 48 mcg of diphtheria toxoid

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ MENINGOCOCCAL C CONGUGATED VACCINE - [Xpharm] Any of the following: 1) Up to three doses for patients pre- and post splenectomy and for patients with functional or anatomic asplenia; or 2) One dose every five years for patients with HIV, complement deficiency (acquired or inherited), functional or anatomic asplenia or pre or post solid organ transplant; or 3) One dose for close contacts of meningococcal cases; or 4) A maximum of two doses for bone marrow transplant patients; or 5) A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require a second dose three years after the first and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days. ✓ Neisvac-C 10 ✓ Neisvac-C PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm] Any of the following: 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV10; or 3) One dose is funded for high risk children who have previously received four doses of PCV10; or 4) Up to an additional four doses (as appropriate) are funded for (re-)immunisation for patients with HIV, for patients post HSCT, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis and other severely immunosuppressive regimens up to the age of 18: or 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician. Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Prevenar 13 10 ✔ Prevenar 13 PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [Xpharm] Fither of the following: 1) Up to three doses for patients pre- or post-splenectomy or with functional asplenia; or 2) Up to two doses are funded for high risk children to the age of 18. Inj 575 mcg in 0.5 ml vial (25 mcg of each 23 pneumococcal Pneumovax 23 POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following: 1) For partially vaccinated or previously unvaccinated individuals; or 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes. ✓ IPOL ROTAVIRUS LIVE REASSORTANT ORAL VACCINE - [Xpharm] Maximum of three doses for patients meeting the following: 1) first dose to be administered in infants aged under 15 weeks of age; and 2) no vaccination being administered to children aged 8 months or over. Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units 10 RotaTeg

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

- 1) For non-immune patients:
 - a) with chronic liver disease who may in future be candidates for transplantation; or
 - b) with deteriorating renal function before transplantation; or
 - c) prior to solid organ transplant; or
 - d) prior to any elective immunosuppression*.
- 2) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 3) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 4) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- 5) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
- 6) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
- 7) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

immunosuppression due to steroid or other immunosuppressive	e therapy must be for	r a treatment	period of greater than 28 days
Inj 2000 PFU vial with diluent	0.00	1	✓ <u>Varilrix</u>

- Symbols -
3TC113
50X 3.0 Reservoir36
- A -
A-Lices72
A-Scabies73
Abacavir sulphate113
Abacavir sulphate with
lamivudinė113
Abilify142
ABM Hydroxocobalamin41
Acarbose29
Accarb29
Accu-Chek Ketur-Test29
Accu-Chek Performa30
Accuretic 1054
Accuretic 2054
Acetadote207
Acetazolamide204
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium203
Acetic acid with hydroxyquinoline
and ricinoleic acid79
Acetylcysteine207
Aci-Jel79
Aciclovir
Infection107
Sensory203
Acidex24
Acipimox60
Acitretin73
Aclasta123
Aclin118
Act-HIB248
Actavis144
Actinomycin D166
Actrapid28
Actrapid Penfill28
Acupan129
Adalat 1058
Adalimumab183
Adapalene65
Adefin XL58
Adefovir dipivoxil105
Adenuric126
ADR Cartridge 1.836
ADR Cartridge 3.036
Adrenaline62
Adriamycin166
ADT Booster247
Adult diphtheria and tetanus

vaccine	. 247
Advantan	68
Advate	47
Afinitor	194
AFT-Pyrazinamide	104
Agents Affecting the	
Renin-Angiotensin System	53
Agents for Parkinsonism and	
Related Disorders	127
Agents Used in the Treatment of	
Poisonings	. 207
Agrylin	165
Alanase	201
Albay	196
Albendazole	94
Albustix	81
Aldara	75
Alendronate sodium	121
Alendronate sodium with	
cholecalciferol	121
Alfacalcidol	41
Alginic acid	24
Alitraq	225
Alkeran	161
Allersoothe	
Allopurinol	125
Alpha Adrenoceptor Blockers	53
Alpha-Keri Lotion	70
Alphamox	96
Alprazolam	147
Alu-Tab	24
Aluminium hydroxide	24
Amantadine hydrochloride	
Ambrisentan	63
Amiloride hydrochloride	59
Amiloride hydrochloride with	
furosemide	60
Amiloride hydrochloride with	
hydrochlorothiazide	60
Aminophylline	201
Amiodarone hydrochloride	55
Amisulpride	142
Amitrip	133
Amitriptyline	133
Amlodipine	58
Amorolfine	66
Amoxicillin	96
Amoxicillin Actavis	96
Amoxicillin with clavulanic	
acid	96
Amprojericin B	4(

Amsidine	164
Amyl nitrite	62
Anaesthetics	129
Anagrelide hydrochloride	165
Analgesics	
Anastrozole	
Andriol Testocaps	83
Androderm	
Animas Battery Cap	32
Animas Cartridge	
Animas Vibe	
Antabuse	
Antacids and Antiflatulants	
Anten	133
Anthelmintics	
Antiacne Preparations	
Antiallergy Preparations	
Antianaemics	
Antiandrogen Oral	
Contraceptives	79
Antiarrhythmics	55
Antibacterials	
Antibacterials Topical	66
Anticholinergic Agents	199
Anticholinesterases	
Antidepressants	
Antidiarrhoeals	
Antiepilepsy Drugs	135
Antifibrinolytics, Haemostatics	
and Local Sclerosants	45
Antifungals	
Antifungals Topical	66
Antihistamines	
Antihypotensives	
Antimalarials	
Antimigraine Preparations	140
Antinaus	141
Antinausea and Vertigo	
Agents	140
Antiparasitics	103
Antipruritic Preparations	67
Antipsychotics	142
Antiretrovirals	111
Antiretrovirals - Additional	
Therapies	114
Antirheumatoid Agents	119
Antispasmodics and Other	
Agents Altering Gut	
Motility	26
Antithrombotic Agents	47
Antithymocyte globulin	17
(equine)	183

Antituberculotics and Antileprotics Apresoline Antileprotics 104 Aquasun 30+ Antiulcerants 26 Aqueous cream Antivirals 105 Aratac Anxiolytics 147 Arava Anzatax 168 Aremed Apidra 29 Arimidex Apidra SoloStar 29 Aripiprazole Apo-Allopurinol 125 Aristocort Apo-Amiloride 59 Aromasin	
Antiulcerants .26 Aqueous cream Antivirals .105 Aratac Anxiolytics .147 Arava Anzatax .168 Aremed Apidra .29 Arimidex Apidra SoloStar .29 Aripiprazole Apo-Allopurinol .125 Aristocort Apo-Amiloride .59 Aromasin	
Antivirals 105 Aratac Anxiolytics 147 Arava Anzatax 168 Aremed Apidra 29 Arimidex Apidra SoloStar 29 Aripiprazole Apo-Allopurinol 125 Aristocort Apo-Amiloride 59 Aromasin	
Anxiolytics 147 Arava Anzatax 168 Aremed Apidra 29 Arimidex Apidra SoloStar 29 Aripiprazole Apo-Allopurinol 125 Aristocort Apo-Amiloride 59 Aromasin	
Anzatax 168 Aremed	
Apidra .29 Arimidex Apidra SoloStar .29 Aripiprazole Apo-Allopurinol .125 Aristocort Apo-Amiloride .59 Aromasin	
Apidra SoloStar .29 Aripiprazole Apo-Allopurinol .125 Aristocort Apo-Amiloride .59 Aromasin	142 Ativan14 69 Atomoxetine15
Apo-Allopurinol 125 Aristocort Apo-Amiloride 59 Aromasin	
Apo-Amiloride59 Aromasin	
	177 Atorvastatin 6
Apo-Amlodipine58 Arrow - Clopid	47 Atripla11
Apo-Amoxi96 Arrow Amitriptyline	133 Atropine sulphate
Apo-Azithromycin95 Arrow-Amitriptyline	133 Cardiovascular5
Apo-Bromocriptine127 Arrow-Bendrofluazio	de60 Sensory20
Apo-Ciclopirox66 Arrow-Brimonidine	205 Atropt20
Apo- Arrow-Calcium	
Cilazapril/Hydrochlorothiazide54 Arrow-Citalopram	9
Apo-Cimetidine26 Arrow-Diazepam	147 Auranofin11
Apo-Clarithromycin Arrow-Doxorubicin	
Alimentary26 Arrow-Etidronate	70 Ava 30 ED
Infection95 Arrow-Fluoxetine	134 Avanza13
Apo-Clomipramine133 Arrow-Gabapentin	9
Apo-Diclo118 Arrow-Lamotrigine	138 Avomine14
Apo-Diltiazem CD58 Arrow-Lisinopril	53 Avonex15
Apo-Doxazosin53 Arrow-Losartan &	Avonex Pen15
Apo-Folic Acid45 Hydrochlorothiaz	ride55 Azacitidine16
Apo-Gliclazide29 Arrow-Meloxicam	119 Azamun17
Apo-Imiquimod Cream 5%75 Arrow-Morphine LA	
Apo-Megestrol175 Arrow-Norfloxacin .	
APO-Mirtazapine134 Arrow-Ornidazole	9
Apo-Moclobemide134 Arrow-Quinapril 10	54 Azopt
Apo-Nadolol57 Arrow-Quinapril 20	
Apo-Nicotinic Acid60 Arrow-Quinapril 5	
Apo-Oxybutynin80 Arrow-Ranitidine	
Apo-Perindopril54 Arrow-Roxithromyci	n96 B-D Ultra Fine
Apo-Pindolol57 Arrow-Sertraline	
Apo-Prazo53 Arrow-Simva 10mg	
Apo-Prazosin53 Arrow-Simva 20mg	
Apo-Prednisone83 Arrow-Simva 40mg	
Apo-Prednisone S2983 Arrow-Simva 80mg	
Apo-Primidone138 Arrow-Sumatriptan	140 Baclofen12
Apo-Propranolol57 Arrow-Timolol	204 Bactroban6
Apo-Pyridoxine41 Arrow-Tolterodine .	
Apo-Risperidone144 Arrow-Topiramate .	139 Mix
Apo-Ropinirole128 Arrow-Tramadol	
Apo-Selegiline128 Arrow-Venlafaxine X	
Apo-Selegiline S29128 Arsenic trioxide	
Apo-Thiamine41 Asacol	
Apo-Timol58 Asamax	
Apo-Zopiclone154 Ascorbic acid	
Apomine127 Aspec 300	
Apomorphine hydrochloride127 Aspen Adrenaline .	

dipropionate 197, 201	Biodone	131	Bumetanide
Bee venom allergy	Biodone Extra Forte		Buprenorphine
treatment196	Biodone Forte		naloxone
Bendrofluazide60	Bisacodyl		Bupropion hyd
Bendroflumethiazide	Bismuth trioxide		Burinex
[Bendrofluazide]60	Bisoprolol		Buscopan
BeneFIX46	BK Lotion		Buspirone hyd
Benhex71	Bleomycin sulphate		Busulphan
Benzathine benzylpenicillin96	Blood Colony-stimulating	100	Butacort Aque
Benzbromaron AL 100125	Factors	50	Butacont Aque
Benzbromarone125	Blood glucose diagnostic test	30	
Benzoin214	ŭ ŭ	20	Cabergoline
	meter	30	Cafergot
Benztrop128	Blood glucose diagnostic test	00	Caffeine citrate
Benztropine mesylate128	strip		Cal-d-Forte
Benzydamine hydrochloride40	Blood glucose test strips (visuall	-	Calamine
Benzylpenicillin sodium (penicillin	impaired)	31	Calcipotriol
G)97	Blood ketone diagnostic test		Calcitonin
Beta Adrenoceptor Blockers56	meter	29	Calcitriol
Beta Cream68	BNM		Calcitriol-AFT
Beta Ointment68	Cardiovascular		Calcium carbo
Beta Scalp74	Genito-Urinary		Calcium Chan
Beta-Adrenoceptor Agonists198	Boceprevir	110	Calcium Disoc
Betadine71	Bonjela	40	Versenate
Betadine Skin Prep71	Boostrix	247	Calcium folina
Betaferon153	Bortezomib	165	Calcium Folina
Betagan204	Bosentan	63	Calcium gluco
Betahistine dihydrochloride140	Bosvate	56	Calcium Home
Betamethasone dipropionate68	Bplex	41	Calcium polys
Betamethasone dipropionate	Breath-Alert	202	sulphonate
with calcipotriol73	Brevinor 1/21	78	Calcium Reso
Betamethasone sodium	Brevinor 1/28	78	
phosphate with	Brevinor 21		Calogen
betamethasone acetate82	Bricanyl Turbuhaler	199	Calsource
Betamethasone valerate68, 74	Brilinta		Camptosar
Betamethasone valerate with	Brimonidine tartrate		Candesartan
clioquinol69	Brimonidine tartrate with timolol		Candestar
Betamethasone valerate with	maleate	205	Canesten
fusidic acid69	Brinzolamide		Capecitabine
Betaxolol204	Brolene		Capecitabine
Betnovate68	Bromocriptine mesylate		Capoten
Betnovate-C69	Brufen SR		Capsaicin
Betoptic204	BSF Capecitabine Winthrop		Musculoske
Betoptic S204	BSF Celapram		Nervous
Bezafibrate60	BSF Quetapel		Captopril
Bezalip60			Carafate
·	BSF Risperon		Carbaccord
Bezalip Retard60	BSF Tacrolimus Sandoz		Carbamazepir
Bicalaccord	BSF Zypine		Carbimazole .
Bicalutamide	Buccastem	141	Carbomer
Bicillin LA96	Budesonide	٠.	Carboplatin
BiCNU161	Alimentary		Carboplatin El
Bile and Liver Therapy27	Respiratory19	7, 202	Carbosorb-X
Biltricide94	Budesonide with	465	Cardinol LA
Bimatoprost205	eformoterol	198	Cardizem CD

Bumetanide	59
Buprenorphine with naloxone	
Bupropion hydrochloride1 Burinex	
Buscopan	
Buspirone hydrochloride1	∠0 47
Busulphan1	41 61
Butacort Aqueous2	02
- C -	02
Cabergoline	92
Cafergot1	40
Caffeine citrate2	
Cal-d-Forte	
Calamine	
Calcipotriol	
Calcitonin	
Calcitriol	
Calcitriol-AFT24,	41
Calcium Channel Blockers24,	42
Calcium Disodium	00
Versenate2	ΛR
Calcium folinate1	
Calcium Folinate Ebewe1	63
Calcium gluconate	
Calcium Homeostasis	
Calcium polystyrene	
sulphonate	52
Calcium Resonium	52
Calogen2	
Calsource	
Camptosar1	64
Candesartan cilexetil	
Candestar	
Canesten	
Capecitabine1 Capecitabine Winthrop1	
Capoten	
Capsaicin	ეე
Musculoskeletal System1	10
Nervous1	
Captopril	
Carafate	
Carbaccord1	
Carbamazepine1	36
Carbimazole	86
Carbomer2	
Carboplatin1	61
Carboplatin Ebewe1	61
Carbosorb-X2	
Cardinol LA	
Cardizem CD	58

CareSens	30	Cholecalciferol	41	Co-Renitec	54
CareSens II	30	Cholestyramine	60	Co-trimoxazole	98
CareSens N	30	Choline salicylate with		Coal tar	73
CareSens N POP	30	cetalkonium chloride	40	Coal tar with allantoin, menthol,	
Carmustine	161	Cholvastin	61	phenol and sulphur	74
Carvedilol	56	Ciclopirox olamine	66	Coal tar with salicylic acid and	
Catapres	59	Ciclosporin	194	sulphur	74
Catapres-TTS-1	59	Cilazapril	53	Coco-Scalp	74
Catapres-TTS-2	59	Cilazapril with		Codeine phosphate	
Catapres-TTS-3	59	hydrochlorothiazide	54	Extemporaneous	214
CeeNU	161	Cilicaine	97	Nervous	130
Cefaclor monohydrate	94	Cilicaine VK	97	Cogentin	128
Cefalexin monohydrate	94	Ciloxan	203	Colaspase [L-asparaginase]	16
Cefalexin Sandoz	94	Cimetidine	26	Colchicine	126
Cefazolin	94	Cipflox	98	Colestid	60
Ceftriaxone	94	Ciprofloxacin		Colestipol hydrochloride	60
Ceftriaxone-AFT	94	Infection	98	Colgout	126
Cefuroxime axetil	94	Sensory	203	Colifoam	
Cefuroxime sodium	95	Cisplatin	161	Colistin sulphomethate	98
Celapram		Cisplatin Ebewe	161	Colistin-Link	98
Celestone Chronodose	82	Citalopram hydrobromide		Collodion flexible	
Celiprolol	56	Citalopram hydrobromide		Colofac	26
Cellcept		(Celapram)	134	Coloxyl	
Celol		Cladribine		Combigan	
Centrally-Acting Agents		Clarithromycin		Comfort	34
Cephalexin ABM		Alimentary	26	Comfort Short	
Cerezyme		Infection		Compound electrolytes	
Cetirizine - AFT		Clexane	49	Compound	
Cetirizine hydrochloride	196	Climara 100	84	hydroxybenzoate	214
Cetomacrogol		Climara 50	84	Concerta	
Cetomacrogol with glycerol .		Clindamycin	98	Condoms	76
Champix		Clindamycin ABM	98	Condyline	75
Charcoal		Clobazam		Contact-D	
Chemotherapeutic Agents	161	Clobetasol propionate	68, 74	Contraceptives - Hormonal	7
Chicken pox vaccine		Clobetasone butyrate		Contraceptives -	
Chlorafast		Clofazimine	104	Non-hormonal	76
Chlorambucil		Clomazol		Copaxone	
Chloramphenicol		Dermatological	66	Cordarone-X	
Chlorhexidine gluconate		Genito-Urinary		Corticosteroids and Related	
Alimentary	40	Clomiphene citrate	92	Agents for Systemic Use	82
Dermatological		Clomipramine hydrochloride		Corticosteroids Topical	
Chloroform		Clonazepam135		Cosmegen	
Chlorothiazide		Clonidine		Cosopt	
Chlorpheniramine maleate		Clonidine BNM	59	Coumadin	50
Chlorpromazine		Clonidine hydrochloride		Coversyl	
hydrochloride	142	Clopidogrel		Creon 10000	
Chlorsig		Clopine		Creon 25000	
Chlortalidone		Clopixol		Crixivan	
[Chlorthalidone]	60	Clotrimazole		Crotamiton	
Chlorthalidone		Dermatological	66	Crystaderm	
Chlorvescent		Genito-Urinary		Curam	
Choice TT380 Short		Clozapine		Curam Duo	
Choice TT380 Standard		Clozaril		Cvite	
C		0.020111		•	т

Ovelinia e levelue eleleviele	4.44
Cyclizine hydrochloride	141
Cyclizine lactate	
Cyclogyl	205
Cyclopentolate	
hydrochloride	205
Cyclophosphamide	161
Cycloserine	104
Cyklokapron	47
Cyproterone acetate	83
Cyproterone acetate with	
ethinyloestradiol	79
Cytarabine	163
Cytotec	
Cytoxan	
- D -	
	440
D-Penamine	
d4T	
Dabigatran	
Dacarbazine	166
Dactinomycin [Actinomycin	
D]	166
Daivobet	73
Daivonex	73
Daktarin	67
Dalacin C	98
Dalteparin sodium	48
Danazol	93
Danthron with poloxamer	
Dantrium	
Dantrolene	
Daonil	
Dapa-Tabs	
Dapsone	
Daraprim	10 4
Darunavir	
Dasatinib	
Daunorubicin	166
DBL Aminophylline	201
DBL Bleomycin Sulfate	165
DBL Carboplatin	161
DBL Docetaxel	
DBL Doxorubicin	166
DBL Doxorubicin S29	166
DBL Epirubicin	
Hydrochloride	
DBL Ergometrine	79
DBL Gemcitabine	164
DBL Leucovorin Calcium	163
DBL Morphine Sulphate	131
DBL Pethidine	
Hydrochloride	132
DBL Tobramycin	100
DDI	
JJ	

De Nol	27
De-Worm	94
Decozol	40
Deferasirox	.207
Deferiprone	.208
Deoxycoformycin	.168
Depo-Medrol	82
Depo-Medrol with Lidocaine	
Depo-Provera	79
Depo-Testosterone	83
Deprim	
Dermol68	3, 74
Desferrioxamine mesylate	
Desmopressin acetate	
Desmopressin-PH&T	92
Detection of Substances in	
Urine	81
Dexamethasone	
Hormone	
Sensory	
Dexamethasone phosphate	82
Dexamethasone with framycetin	
and gramicidin	203
Dexamethasone with neomycin	
sulphate and polymyxin B	
sulphate	204
Dexamethasone-hameln	
Dexamfetamine sulfate	.155
Dextrochlorpheniramine	400
maleate	
Dextrose with electrolytes	
DHC Continus	
Diabetes	
Diabetes Management	
Diacomit	
Diamide Relief	24
Diamox	
Diaphragm	
Diasip	221
Diason RTH	221
Diazepam136,	
Diazoxide	
Diclax SR	
Diclofenac sodium	
Musculoskeletal System	.118
Sensory	
Didanosine [DDI]	.113
Differin	
Difflam	
Diflucan	
Diflucan S29	.100
Diflucortolone valerate	68

Digestives Including	
Enzymes	37
Digoxin	55
Dihydrocodeine tartrate	
Dilantin	
Dilantin Infatab	
Dilatrend	
Diltiazem hydrochloride	58
Dilzem	58
Dimethicone	70
Dipentum	
Diphtheria, tetanus and pertussis	
vaccine	247
Diphtheria tetanus pertussis	
and polio vaccine	248
Diphtheria, tetanus, pertussis,	
polio, hepatitis B and	
haemophilus influenzae type B	
vaccine	248
Diprosone	68
Diprosone OV	
Dipyridamole	
Disinfecting and Cleansing	,
Agents	69
Disopyramide phosphate	55
Disulfiram	150
Diuretics	
Diurin 40	50 50
Docetaxel	
Docetaxel Sandoz	
Docusate sodium	001.
Docusate sodium with	30
sennosides	20
Domperidone	
Denonari budrashlarida	150
Donepezil hydrochloride Donepezil-Rex	150
Dopergin	100
Dopergin	.12/
Dopress	. 133
Dornase alfa	۱ ۵۵.
Dorzolamide hydrochloride	.204
Dorzolamide hydrochloride with timolol maleate	005
Dostinex	92
Dothiepin hydrochloride	.133
Doxazosin	53
Doxepin hydrochloride	
Doxine	97
Doxorubicin	.100
Doxorubicin Ebewe	
Doxy-50	97
Doxycycline	97
DP Fusidic Acid Cream	
DP Lotion	/()

DP Lotn HC	68	Endocrine Therapy	175	Ethinyloestradiol with	
DP-Anastrozole	177	Endoxan	161	norethisterone	78
Dr Reddy's Omeprazole	27	Enerlyte	52	Ethosuximide	136
Dr Reddy's Ondansetron	141	Enfuvirtide		Etidronate disodium	121
Dr Reddy's Pramipexole		Enoxaparin sodium		Etopophos	167
Dr Reddy's Risperidone		Ensure	228	Etoposide	
Dr Reddy's Terbinafine		Ensure Plus	229	Etoposide phosphate	
Drugs Affecting Bone		Ensure Plus HN	228	Etravirine	
Metabolism	119	Ensure Plus RTH	228	Eumovate	
Dulcolax		Entacapone	127	Everolimus	194
Duocal Super Soluble		Entapone		Evista	
Powder	219	Entecavir		Exelon	
Duolin		Entocort CIR		Exemestane	
Duolin HFA		Epilim		Exjade	
Durex Confidence		Epilim Crushable		Extemporaneously Compounde	
Durex Extra Safe		Epilim IV		Preparations and	
Durex Select Flavours		Epilim S/F Liquid		Galenicals	214
Duride		Epilim Syrup		Eye Preparations	
Dynacirc-SRO		Epirubicin		EZ-fit Paediatric Mask	
•		Epirubicin Ebewe		Ezetimibe	
-E-		Epoetin alfa [erythropoietin	100	Ezetimibe with simvastatin	
E-Mycin			45	Ezetrol	
Ear Preparations		alfa] Epoetin beta [erythropoietin	40		01
Ear/Eye Preparations		beta]	45	-F-	
Easiphen Liquid		Eprex		Factor eight inhibitors bypassin	
Econazole nitrate	67			agent	
Efavirenz	112	Eptacog alfa [Recombinant fac		Febuxostat	126
Efavirenz with emtricitabine	and	VIIa]		Feed Thickener Karicare	
tenofovir disoproxil		ERA		Aptamil	
fumarate		Ergometrine maleate	19	FEIBA	
Efexor XR	135	Ergotamine tartrate with	440	Felodipine	
Effient	47	caffeine		Femtran 100	
Eformoterol fumarate	197	Erlotinib		Femtran 50	
Efudix	75	Erythrocin IV		Fenpaed	
Egopsoryl TA	74	Erythromycin ethyl succinate .		Fentanyl	
Elecare		Erythromycin lactobionate		Ferodan	42
Elecare LCP	234	Erythromycin stearate		Ferriprox	
Elemental 028 Extra	225	erythropoietin alfa		Ferro-F-Tabs	42
Eligard	91	erythropoietin beta		Ferro-tab	42
Elocon	69	Escitalopram		Ferrograd	42
Eloxatin	162	Eskazole		Ferrograd F	43
Eltrombopag	45	Estradot		Ferrous fumarate	42
Eltroxin		Estrofem		Ferrous fumarate with folic	
Emend Tri-Pack	140	Etanercept		acid	42
EMLA	129	Ethambutol hydrochloride		Ferrous sulphate	42
Emtricitabine	113	Ethics Aspirin		Ferrous sulphate with folic	
Emtricitabine with tenofovir		Ethics Aspirin EC	47	acid	43
disoproxil fumarate	113	Ethics Enalapril		Ferrum H	43
Emtriva		Ethics Paracetamol		Fexofenadine hydrochloride	196
Emulsifying ointment		Ethinyloestradiol	85	Fibro-vein	47
Enalapril maleate		Ethinyloestradiol with		Filgrastim	50
Enalapril maleate with		desogestrel	77	Finasteride	
hydrochlorothiazide	54	Ethinyloestradiol with		Fingolimod	
Enbrel		levonorgestrel	78	Finpro	
				•	

Flagyl103
Flagyl-S103
Flamazine66
Flecainide acetate56
Fleet Phosphate Enema39
Flixonase Hayfever &
Allergy202
Flixotide197
Flixotide Accuhaler197
Florinef82
Fluanxol145
Fluarix249
Flucloxacillin
Flucioxin
Flucon
Fluconazole
Fludara163
Fludara Oral
Fludarabine Ebewe163 Fludarabine phosphate163
Fludarabine phosphate163
Fludrocortisone acetate82
Fluids and Electrolytes51
Flumetasone pivalate203
Fluocortolone caproate with
fluocortolone pivalate and
cinchocaine
Fluorometholone
Fluorouracil Ebewe163
Fluorouracil sodium Dermatological75
Oncology163
Chronotine budge placed 124
Fluoxetine hydrochloride134 Flupenthixol decanoate145
Fluphenazine decanoate145
Flutamide
Flutamin
Flutamin S29175
Fluticasone
Fluticasone propionate202 Fluticasone with salmeterol198
Foban
Folic acid45
Food Thickeners231
Foods And Supplements For
Foods And Supplements For Inborn Errors Of
Foods And Supplements For Inborn Errors Of Metabolism232
Foods And Supplements For Inborn Errors Of Metabolism
Foods And Supplements For Inborn Errors Of Metabolism 232 Foradil 197 Forteo 122
Foods And Supplements For Inborn Errors Of Metabolism 232 Foradil 197 Forteo 122 Fortimel Regular 222
Foods And Supplements For Inborn Errors Of Metabolism 232 Foradil 197 Forteo 122 Fortimel Regular 222 Fortini 223
Foods And Supplements For Inborn Errors Of Metabolism 232 Foradil 197 Forteo 122 Fortimel Regular 222 Fortini 223 Fortini Multi Fibre 223
Foods And Supplements For Inborn Errors Of Metabolism 232 Foradil 197 Forteo 122 Fortimel Regular 222 Fortini 223

Fosamax	.12
Fosamax Plus	.12
Fragmin	48
Framycetin sulphate	.200
Freestyle Optium29	9, 30
Freestyle Optium Ketone	29
Frisium	.136
Frumil	60
Frusemide	59
Frusemide-Claris	59
Fucicort	69
Fucidin	
Fucithalmic	
Fungilin	40
Furosemide [Frusemide]	59
Fusidic acid	
Dermatological	66
Infection	98
Sensory	20:
Fuzeon	114
- G -	
	40/
Gabapentin	.13
	.13
Gamma benzene	_
hexachloride	7
Gardasil	.249
Gastrosoothe	26
Gaviscon Double Strength	
Gaviscon Infant	24
Gefitinib	
Gemcitabine Ebewe	.164
Gemcitabine hydrochloride	.164
Gemfibrozil	
Gemzar	.16
Genoptic	.200
Genotropin	8
Genox	.176
Gentamicin sulphate	
Infection	98
Sensory	.200
Gilenya	
Ginet	79
Ginet 84	79
Glatiramer acetate	.150
Glibenclamide	
Gliclazide	20
Glipizide	20
Glivec	17
Glizide	. 17
Glucagon Hypoleit	2
Glucagen HypokitGlucagon hydrochloride	20
Glucerna Select	.22

0	
Glucose [Dextrose]	
Gluten Free Foods23	51
Glycerin with sodium saccharin21	
Glycerin with sucrose21	4
Glycerol Alimentary3	
Extemporaneous21	4
Glyceryl trinitrate Alimentary2	0.0
Cardiovascular6	0.
Glycopyrronium20	iU
Gold Knight7	12
Gopten5	
Goserelin acetate9	
Granirex14	
Granisetron14	
Gutron5	Ю
Gynaecological Anti-infectives	, '
	9
-H-	
Habitrol16	ıU
Haemophilus influenzae type B	
vaccine24	
Haldol14	C
Haldol Concentrate14	
Haloperidol14	٠.3
Haloperidol - MercuryPharma14	
MercuryPharma14	.3
Haloperidol decanoate14	
Hamilton Sunscreen	
Havrix24	
Havrix Junior24	
HBvaxPRO24 healthE Dimethicone 5%7	
healthE Fatty Cream7	
healthE Glycerol BP21	
healthE Urea Cream7	
Healtheries Simple Baking	U
Mix23	۱1
Hemastix8	
Heparin sodium4	a
Heparinised saline5	in
Heparon Junior22	2
Hepatitis A vaccine24	R
Hepatitis B recombinant	
vaccine24	ιq
Hepsera10	
Herceptin19	
Hexamine hippurate11	
Hiprex11	7
Histaclear 19	

Histafen	
Holoxan	
Horleys Bread Mix	231
Horleys Flour	231
Hormone Replacement Therapy -	
Systemic	83
HPV	
Humalog	
Humalog Mix 25	28
Humalog Mix 50	28
Human papillomavirus (6, 11, 16	
and 18) vaccine [HPV]	. 249
Humatin	
Humira	
HumiraPen	
Humulin 30/70	
Humulin NPH	
Humulin R	
Hybloc	
Hydralazine	63
Hydralazine hydrochloride	63
Hydrea	167
Hydrocortisone	
Dermatological	
Hormone	
Hydrocortisone acetate	25
Hydrocortisone butyrate6	8, 74
Hydrocortisone with	
cinchocaine	26
Hydrocortisone with	
miconazole	69
Hydrocortisone with natamycin	
and neomycin	69
Hydrocortisone with wool fat and	
mineral oil	68
Hydrogen peroxide	
Alimentary	40
Dermatological	
Hydroxocobalamin	
Hydroxychloroquine	119
Hydroxyurea	167
Hygroton	
Hylo-Fresh	206
Hyoscine hydrobromide	141
Hyoscine N-butylbromide	26
Hypam Hyperuricaemia and	154
Antigout	105
Hypnovel	125
Hypromolloso	I DJ
Hypromellose Hypromellose with Dextran	∠u5 ane
Hysite	200 20F
1 Iyono	∠∪3

-1-	
Ibiamox	96
Ibugesic	
Ibuprofen	118
Idarubicin hydrochloride	
Ifosfamide	
Ikorel	63
lloprost	
Imatinib mesilate	171
Imatinib-AFT	171
Imiglucerase	
Imipramine hydrochloride	133
Imiquimod	75
Immune Modulators	115
Immunosuppressants	
Imuran	177
Indacaterol	
Indapamide	60
Indinavir	114
Infanrix IPV	248
Infanrix-hexa	248
Infant Formulae	233
Influenza vaccine	249
Influvac	249
Inhaled Corticosteroids	197
Inhaled Long-acting	
Beta-adrenoceptor	
Agonists	. 197
Innovacon hCG One Step	
Pregnancy Test	80
Inset 30	34
Inset II	
Insulin aspart	28
Insulin aspart with insulin aspart	
protamine	28
Insulin glargine	28
Insulin glulisine	29
Insulin isophane	
Insulin isophane with insulin	
neutral	28
Insulin lispro	
Insulin lispro with insulin lispro	
protamine	28
Insulin neutral	
Insulin pen needles	
Insulin pump	
Insulin pump accessories	32
Insulin pump infusion set (steel	
cannula)	33
Insulin pump infusion set (teflon	55
cannula, angle insertion with	
insertion device)	34

nsulin pump infusion set (teflon	
cannula, angle insertion)	34
nsulin pump infusion set (teflon	
cannula, straight insertion with	
insertion device)	25
insertion device)	ა၁
nsulin pump infusion set (teflon	
cannula, straight insertion)	36
nsulin pump reservoir	36
nsulin syringes, disposable with	
attached needle	31
ntal Forte CFC Free2	01
ntal Spincaps2	01
ntelence1	13
nterferon alfa-2a1	15
nterferon alfa-2b1	
nterferon beta-1-alpha1	
nterferon beta-1-beta1	
ntra-uterine device	
ntron-A1	15
nvega Sustenna1	46
POL2	51
pratropium bromide199, 2	02
ressa1	71
rinotecan1	
rinotecan Actavis 1001	64
rinotecan Actavis 401	64
rinotecan-Rex1	64
	40
ron polymaltose	43
sentress1	
smo 20	62
smo 40 Retard	
soniazid1	04
soprenaline	
soptin	59
sopto Carpine2	05
sosorbide mononitrate	
sosource Standard2	
sosource Standard RTH2	28
sotretinoin	
spaghula (psyllium) husk	00
spagnula (psyllium) nusk	30 50
sradipine	
suprel	
tch-Soothe	67
traconazole1	01
trazole1	01
vermectin	71
1 -	
adelle	78
evity2	28
levity HiCal RTH2	20
levity RTH2	2ŏ

- K -
Kaletra114
Kemadrin128
Kenacomb203
Kenacort-A83
Kenacort-A4083
Ketocal 3:1236
KetoCal 4:1236
Ketoconazole
Dermatological74
Infection101
Ketogenic Diet236
Ketone blood beta-ketone
electrodes29
Ketoprofen118
Ketostix29
Kindergen222
Kinson127
Kivexa113
Klacid95
Kliogest85
Kliovance85
Kogenate FS47
Konakion MM47
Konsyl-D38
-L-
L-asparaginase165
Labetalol57
Lacosamide137
Lactulose38
Laevolac38
Lamictal138
Lamivudine106, 113
Lamivudine Alphapharm113
Lamotrigine138
Lamprene104
Lanoxin55
Lanoxin PG55
Lansoprazole27
Lantus28
Lantus SoloStar28
Lanvis164
Lapatinib ditosylate172
Largactil142
Lasix59
Latanoprost205
Lax-Sachets38
Lax-Tab39
Laxatives38
Laxofast 12038
Laxofast 5038
Laxsol38

Leflunomide	119
Lenalidomide	167
Letraccord	177
Letrozole	177
Leukeran FC	161
Leukotriene Receptor Antagonists Leunase	200
Leunase	165
Leuprorelin	91
Leustatin	
Levetiracetam	
Levetiracetam-Rex	
Levobunolol	
Levocabastine	204
Levodopa with benserazide	127
Levodopa with carbidopa	
Levomepromazine maleate	143
Levonorgestrel	170
Genito-Urinary	78_70
Hormone	.10-13 25
Levothyroxine	
Levothyroxine (mercury	07
pharma)	07
Lidocaine [Lignocaine]	0/
	129
Lidocaine [Lignocaine] hydrochloride	100
Lidocaine [Lignocaine] with	129
chlorhexidine	100
Lidocaine [Lignocaine] with	129
	100
prilocaine	
Lidocaine-Claris	
Lifestyles Flared	
Lignocaine	
Hormone	
Nervous	
Lioresal Intrathecal	
Lipazil	60
Lipid-Modifying Agents	60
Lipitor	
Liquigen	
Lisinopril	
Lisuride hydrogen maleate	127
Lithicarb FC	143
Lithium carbonate	143
Livostin	204
Locacorten-Viaform ED's	
Local preparations for Anal and	
Rectal Disorders	25
Locasol	
Loceryl	
Locoid	.68, 74
Locoid Crelo	68

Locoid Lipocream68

Locorten-Vioform	203
Lodoxamide	204
Logem	
Lomide	
Lomustine	
Loniten	
Loperamide hydrochloride	
Lopinavir with ritonavir	114
Lopresor	 57
Loprofin	
Loprofin Mix	
Lorafix	
LoraPaed	
Loratadine	196
Lorazepam	
Lormetazepam	
Losartan Actavis	155
Losartan potassium	33
Losartan potassium with hydrochlorothiazide	
nydrochiorothiazide	55
Lostaar	
Lovir	
Loxalate	
Lucrin Depot PDS	134
Lucrin Depot PDS	91
Ludiomil	
Lumigan	
Lycinate	62
Lyderm	73
- M -	
m-Cefuroxime	
m-Eslon	
M-M-R II	
m-Mometasone	69
Mabthera	191
Macrogol 3350 with potassium	
chloride, sodium bicarbonate	
and sodium chloride	38
Macrogol 400 and propylene	
glycol	. 206
Madopar 125	127
Madopar 250	
Madopar 62.5	127
Madopar HBS	127
Madopar Rapid	127
Magnesium hydroxide	214
Magnesium sulphate	43
Malathion	72
Malathion with permethrin and	
piperonyl butoxide	72
Maprotiline hydrochloride	133
Marevan	50
Marevan Marine Blue Lotion SPF 50+	74

Marquis Black	76	sodium saccharin	215	Mirtazapine	134
Marquis Conforma	76	Methylcellulose with glycerin	and	Misoprostol	26
Marquis Protecta	76	sucrose	215	Mitomycin C	167
Marquis Selecta	76	Methyldopa	59	Mitozantrone	168
Marquis Sensolite	76	Methylphenidate		Mitozantrone Ebewe	168
Marquis Supalite	76	hydrochloride	156	Mixtard 30	28
Marquis Titillata		Methylphenidate hydrochlorid		Moclobemide	
MarquisTantiliza		extended-release		Modafinil	157
Martindale Acetylcysteine		Methylprednisolone	82	Modavigil	
Marvelon 28		Methylprednisolone		Modecate	
Mask for spacer device		aceponate	68	Moduretic	
Mast Cell Stabilisers		Methylprednisolone acetate		Mogine	138
Maxidex		Methylprednisolone acetate v		Mometasone furoate	
Maxitrol		lidocaine [Lignocaine]		Monogen	
MCT oil (Nutricia)		Methylprednisolone sodium		Montelukast	
Measles, mumps and rubella		succinate	82	Moroctocog alfa [Recombinar	
vaccine	250	Methylxanthines		factor VIII]	
Mebendazole		Metoclopramide		Morphine hydrochloride	
Mebeverine hydrochloride		hydrochloride	1/11	Morphine sulphate	
Medrol		Metolazone		Morphine tartrate	
Medroxyprogesterone acetate		Metopirone		Motetis	
Genito-Urinary		Metoprolol - AFT CR		Mouth and Throat	
Hormone		Metoprolol succinate		Moxifloxacin	
Mefenamic acid		Metoprolol tartrate		MSUD Maxamaid	
				MSUD Maxamum	
Megestrol acetate		Metronidazole			232
Meloxicam		Metyrapone		Mucilaginous laxatives with	20
Melphalan		Mexiletine hydrochloride	00	stimulants	
Menactra		Mexiletine Hydrochloride	FC	Mucolytics	
Meningococcal (groups A, C, \	Y	USP		Multiload Cu 375	
and W-135) congugate	050	Miacalcic		Multiload Cu 375 SL	/
vaccine	250	Mianserin hydrochloride		Multiple Sclerosis	4.4
Meningococcal c congugated	054	Micolette		Treatments	
vaccine		Miconazole	40	Multivitamins	
Menthol		Miconazole nitrate	.=	Mupirocin	
Mercaptopurine		Dermatological		Muscle Relaxants	
Mercilon 28		Genito-Urinary		Mvite	
Mesalazine		Micreme		Myambutol	
Mesna		Micreme H		Mycobutin	
Mestinon		Microgynon 30		MycoNail	
Metabolic Disorder Agents		Microgynon 50 ED		Mycophenolate mofetil	
Metamide		Microlut		Mycostatin	6
Metformin hydrochloride	29	Midazolam		Mydriacyl	
Methadone hydrochloride		Midodrine		Mylan Atenolol	
Extemporaneous		Minerals		Mylan Fentanyl Patch	
Nervous		Minidiab		Mylanta P	
Methatabs		Minirin		Myleran	
Methopt		MiniTT380 Slimline		Myocrisin	
Methotrexate		Mino-tabs		Myometrial and Vaginal Horm	
Methotrexate Ebewe		Minocycline hydrochloride		Preparations	79
Methotrexate Sandoz		Minomycin		- N -	
Methyl hydroxybenzoate		Minor Skin Infections		Nadolol	57
Methylcellulose		Minoxidil		Nalcrom	
Methylcellulose with glycerin a	ınd	Mirena	85		

Naloxone hydrochloride207
Naltraccord159
Naltrexone hydrochloride159
Naphazoline hydrochloride206
Naphcon Forte206
Naprosyn SR 1000118
Naprosyn SR 750118
Naproxen118
Nardil133
Nasal Preparations201
Natalizumab149
Natulan168
Nausicalm141
Navelbine169
Nedocromil201
Nefopam hydrochloride129
Neisvac-C251
Neo-Mercazole86
Neocate Advance234
Neocate Gold234
Neocate LCP234
Neoral194
NeoRecormon45
Neostigmine metilsulfate118
Neotigason73
Nepro HP (strawberry)224
Tropio in (onavidenty)
Nepro HP (vanilla) 224
Nepro HP (vanilla)224
Nepro HP (vanilla)224 Nepro HP RTH224
Nepro HP (vanilla)
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotnib .172
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotinic .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotinib .172 Nilstat
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotinib .172 Nilstat .40
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotinib .172 Nilstat .40 Alimentary .40 Genito-Urinary .79
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotinib .172 Nilstat .40
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulactim .51 NeuroKare .42 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotinib .172 Nilstat Alimentary .40 Genito-Urinary .79 Infection .101 Nipent .168
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicotandil .63 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotinib .172 Nilstat .40 Genito-Urinary .79 Infection .101
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilstat .172 Nilstat .40 Genito-Urinary .79 Infection .101 Nipent .168 Nitrados .153 Nitrates .62
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilstat .172 Nilstat .40 Genito-Urinary .79 Infection .101 Nipent .168 Nitrados .153 Nitrates .62
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 NeuroTabs .42 Nevirapine .113 Nevirapine Alphapharm .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotinib .172 Nilstat .40 Genito-Urinary .79 Infection .101 Nipent .168 Nitrados .153
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 NeuroTabs .42 Nevirapine .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilstat .172 Nilstat .40 Genito-Urinary .79 Infection .101 Nipent .168 Nitrados .153 Nitrates .62 Nitrazepam .153
Nepro HP (vanilla) .224 Nepro HP RTH .224 Nerisone .68 Neulactil .143 Neulastim .51 NeuroKare .42 Neurontin .137 Nevorabs .42 Nevirapine .113 Nicorandil .63 Nicotine .160 Nicotinic acid .60 Nifedipine .58 Nifuran .117 Nilotinib .172 Nilstat .172 Alimentary .40 Genito-Urinary .79 Infection .101 Nipent .168 Nitrados .153 Nitrates .62 Nitrazepam .153 Nitroderm TTS .62

Noctamid153
Nodia24
Noflam 250118
Noflam 500118
Non-Steroidal Anti-Inflammatory
Drugs118
Nonacog alfa [Recombinant factor IX]46
Norethisterone
Genito-Urinary79
Hormone86
Norflex126
Norfloxacin
Noriday 2879 Norimin78
Normacol Plus38
Normison154
Norpress133
Nortriptyline hydrochloride133
Norvir114
NovaSource Renal224
Novatretin73
NovoMix 30 FlexPen28
NovoRapid28
NovoRapid FlexPen28
NovoRapid Penfill28
NovoSeven RT46
Novoseven RT46
Noxafil101
Nozinan143
Nuelin201
Nuelin-SR201
Nupentin136
Nutilis231
Nutrient Modules218
Nutrini Energy Multi Fibre223
Nutrini Energy RTH223
Nutrini Low Energy Multi
Fibre225
Nutrini RTH223
Nutrison Concentrated230
Nutrison Energy228
Nutrison Energy Multi Fibre228
Nutrison Multi Fibre228
Nutrison Standard RTH228
Nyefax Retard58
Nystatin
Alimentary40
Dermatological67
Genito-Urinary79
Infection
NZB Low Gluten Bread Mix231

-0-	
Octocog alfa [Recombinant factor VIII]	47
Octreotide	175
Octreotide LAR (somatostatin	.175
Octreolide LAR (somatostatin	475
analogue)	1/5
Oestradiol	84
Oestradiol valerate	84
Oestradiol with	
norethisterone	85
Oestriol	
Genito-Urinary	79
Hormone	
Oestrogens	85
Oestrogens with	
medroxyprogesterone	
Oil in water emulsion	70
Olanzapine143,	146
Olbetam	60
Olopatadine	.206
Olsalazine	25
Omalizumab	.190
Omeprazole	27
Omezol Relief	27
Omnitrope	87
Onbrez Breezhaler	.197
Oncaspar	
OncoTICE	.183
Ondansetron	.141
Ondansetron ODT-DRLA	.141
One-Alpha	41
Onelink	63
Onkotrone	168
Onrex	1 <u>4</u> 1
Ora-Blend	215
Ora-Blend SF	215
Ora-Plus	215
Ora-Sweet	217
Ora-Sweet SF	214 217
Orabase	۱۹ ک. ۱۸
Oracort	40
Oral Supplements/Complete Diet	
(Nasogastric/Gastrostomy	
Tube Feed)	220
Oratane	65
Orgran	.232
Ornidazole	.103
Orphenadrine citrate	
Ortho All-flex	76
Ortho-tolidine	81
Oruvail SR	
Osmolite	.228

Osmolite RTH	228	(Relieve)	132	Parnate	133
Ospamox	96	Paracetamol with codeine		Paromomycin	99
Other Endocrine Agents	92	Paradigm 1.8 Reservoir	36	Paroxetine hydrochloride	134
Other Oestrogen		Paradigm 3.0 Reservoir	36	Paser	104
Preparations	85	Paradigm 522	32	Patanol	206
Other Progestogen		Paradigm 722	32	Paxam	147
Preparations	85	Paradigm Mio MMT-921	35	Pazopanib	173
Other Skin Preparations	75	Paradigm Mio MMT-923	35	Peak flow meter	202
Ovestin		Paradigm Mio MMT-925	35	Pedialyte - Bubblegum	52
Genito-Urinary	79	Paradigm Mio MMT-941	35	Pediasure	223
Hormone	85	Paradigm Mio MMT-943	35	Pediasure RTH	223
Ox-Pam		Paradigm Mio MMT-945	35	Pegaspargase	
Oxaliplatin	162	Paradigm Mio MMT-965	35	Pegasys	116
Oxaliplatin Actavis 100	162	Paradigm Mio MMT-975	35	Pegasys RBV Combination	
Oxaliplatin Actavis 50	162	Paradigm Quick-Set		Pack	116
Oxaliplatin Ebewe		MMT-386	36	Pegfilgrastim	
Oxazepam		Paradigm Quick-Set		Pegylated interferon alfa-2a	
Oxis Turbuhaler		MMT-387	36	Penicillamine	
Oxpentifylline		Paradigm Quick-Set		PenMix 30	
Oxybutynin		MMT-396	36	PenMix 40	28
Oxycodone ControlledReleas		Paradigm Quick-Set		PenMix 50	28
Tablets(BNM)		MMT-397	36	Pentasa	25
Oxycodone hydrochloride		Paradigm Quick-Set		Pentostatin	
Oxycodone Orion		MMT-398	36	[Deoxycoformycin]	168
OxyContin		Paradigm Quick-Set		Pentoxifylline [Oxpentifylline]	
Oxydone BNM		MMT-399	36	Pepti Junior Gold Karicare	
OxyNorm		Paradigm Silhouette		Aptamil	235
Oxytocin		MMT-368	34	Peptisoothe	
Oxytocin BNM		Paradigm Silhouette		Peptisorb	225
Ozole		MMT-377	34	Perhexiline maleate	
- P -		Paradigm Silhouette		Pericyazine	143
Pacifen	126	MMT-378	34	Perindopril	
Pacific Buspirone		Paradigm Silhouette		Permethrin	73
Paclitaxel		MMT-381	34	Persantin	47
Paclitaxel Actavis		Paradigm Silhouette		Peteha	104
Paclitaxel Ebewe		MMT-382	34	Pethidine hydrochloride	132
Paediatric Seravit		Paradigm Silhouette		Pevaryl	
Paliperidone		MMT-383	34	Pexsig	58
Pamidronate disodium		Paradigm Silhouette		Pharmacare	
Pamisol		MMT-384	34	Pharmacy Services	207
Panadol		Paradigm Sure-T MMT-864	33	Phenelzine sulphate	133
Pancreatic enzyme		Paradigm Sure-T MMT-866	33	Phenobarbitone	138
Pantoprazole		Paradigm Sure-T MMT-874	33	Phenobarbitone sodium	
Pantoprazole Actavis 20		Paradigm Sure-T MMT-876	33	Extemporaneous	215
Pantoprazole Actavis 40		Paradigm Sure-T MMT-884	33	Nervous	154
Panzytrat		Paradigm Sure-T MMT-886		Phenoxybenzamine	
Papaverine hydrochloride		Parafast		hydrochloride	53
Para Plus		Paraffin		Phenoxymethylpenicillin	
Para-amino salicylic acid		Paraffin liquid with soft white		(Penicillin V)	97
Paracare		paraffin	206	Phenytoin sodium13	36, 138
Paracare Double Strength		Paraffin liquid with wool fat		Phlexy 10	
Paracetamol		Paraldehyde	136	Phosphate-Sandoz	52
Paracetamol + Codeine		Parasiticidal Preparations	71	Phosphorus	52

Phytomenadione4	7
Pilocarpine hydrochloride20	5
Pimafucort6	
Pindolol5	
Pinetarsol7	
Pinorax3	
Pinorax Forte3	
Pioglitazone2	9
Piportil14	6
Pipothiazine palmitate14	6
Pizaccord2	9
Pizotifen14	0
PKU Anamix Infant23	3
PKU Anamix Junior23	3
PKU Anamix Junior LQ23	
PKU Lophlex LQ 1023	
PKU Lophlex LQ 2023	2
Plaquenil11	
Plendil ER5	
pms-Bosentan6	3
Pneumococcal (PCV13)	
vaccine25	1
Pneumococcal (PPV23)	
polysaccharide vaccine 25	1
Pneumovax 2325	1
Podophyllotoxin7	
Polaramine19	
Poliomyelitis vaccine25	
Poloxamer3	
Poly-Gel20	
Poly-Tears20	
Poly-Visc20	6
Polycal21	8
Polyvinyl alcohol20	6
Ponstan11	8
Posaconazole10	1
Postinor-17	
Potassium chloride51–5	
Potassium citrate8	
Potassium iodate4	
Povidone iodine7	
Pradaxa5	
Pramipexole hydrochloride12	7
Prasugrel4	
Pravastatin6	
Praziquantel9	
Prazosin5	3
Pred Forte20	4
Pred Mild20	4
Prednisolone8	
Prednisolone acetate20	
Prednisone8	
Pregnancy Tests - hCG Urine8	n
1 regulation lesis - HOU Office0	J

Premarin	85
Premia 2.5 Continuous	85
Premia 5 Continuous	85
Prevenar 13	.251
Prezista	.114
Priadel	
Primacin	.103
Primaquine phosphate	.103
Primidone	.138
Primolut N	86
Probenecid	126
Probenecid-AFT	126
Procaine penicillin	
Procarbazine hydrochloride	169
Prochlorperazine	
Prostocodyl	. 141 26
ProctosedylProcyclidine hydrochloride	120
Procycliditie Hydrochionde	161
Procytox Prodopa	. 101
Progesterone	58
Proglicem	21
Proglycem	21
Progynova	
Prokinex	
Promethazine hydrochloride	.197
Promethazine theoclate	.141
Promod	.220
Propafenone hydrochloride	50
Propamidine isethionate	
Propranolol	57
Propylene glycol	.215
Propylthiouracil	87
Protamine sulphate	50
Protaphane	28
Protaphane Penfill	28
Protifar	.220
Protionamide	.104
Provera85	5, 86
PSO237-	-240
Psoriasis and Eczema	
Preparations	73
PTU	87
Pulmicort Turbuhaler	.197
Pulmocare	.221
Pulmozyme	.201
Puri-nethol	.164
Pyrazinamide	.104
Pyridostigmine bromide	.118
PyridoxADE	41
Pyridoxine hydrochloride	41
Pyrimethamine	99
vtazen SR	

- Q -

2 300	.103
Questran-Lite	60
Quetapel	
Quetiapine	144
Quick-Set MMT-390	36
Quick-Set MMT-391	36
Quick-Set MMT-392	oo 36
Quick-Set MMT-393	oo
Quinapril	50 5.1
Quinapril with	54
kuliapili willi	E 4
hydrochlorothiazide Quinine sulphate	54
Quinine suipnate Qvar	. 103
- R - RA-Morph	121
Raloxifene hydrochloride	101
Raltegravir potassium	. 14 I
RamipexRanbaxy-Cefaclor	. 127
Ranbaxy-Cetaclor	94
Ranitidine	26
Ranitidine Relief	
Ranmoxy	
Rapamune	.194
Reandron 1000	83
Recombinant factor IX	46
Recombinant factor VIIa	46
Recombinant factor VIII	46
Rectogesic	26
Redipred	83
Refresh Night Time	.206
Renilon 7.5	.224
Resonium-A	52
Resource Beneprotein	
Resource Diabetic	.221
Respigen	.199
Respiratory Devices	.202
Respiratory Stimulants	.202
Retinol palmitate	.206
ReTrieve	
Retrovir	.113
Reutenox	.118
Revlimid	
Revolade	45
Rexacrom	204
Reyataz	114
Ridal	144
Ridaura s29	110
Rifabutin	105
Rifadin	105
Rifampicin	
Rifaximin	
111QA1111111	∠/

Rifinah	104	Selegiline hydrochloride	128	Sodium nitroprusside	29
Rilutek	128	Senna	39	Sodium polystyrene	
Riluzole	128	Senokot	39	sulphonate	52
Riodine	71	SensoCard	31	Sodium tetradecyl sulphate	47
Risedronate Sandoz	122	Serenace	143	Sodium valproate	138
Risedronate sodium	122	Seretide	198	Sofradex	
Risperdal	144	Seretide Accuhaler	198	Soframycin	203
Risperdal Consta	147	Serevent	197	Solian	
Risperdal Quicklet		Serevent Accuhaler	197	Solifenacin succinate	81
Risperidone		Serophene		Solox	
Risperon		Sertraline	134	Solu-Cortef	82
Ritalin	156	Sevredol	131	Solu-Medrol	82
Ritalin LA		Sex Hormones Non		Somatropin (Genotropin)	
Ritalin SR		Contraceptive	83	Somatropin (Omnitrope)	
Ritonavir	114	Shield 49		Sotacor	
Rituximab	191	Shield Blue	76	Sotalol	
Rivaroxaban	50	Shield XL		Space Chamber	
Rivastigmine		Silagra		Space Chamber Plus	
Rivotril		Sildenafil	64	Spacer device	
Rizamelt		Silhouette MMT-371	34	Spacer device autoclavable	
Rizatriptan	140	Silhouette MMT-373	34	Span-K	
Roferon-A	115	Silver sulphadiazine	66	Spiractin	
Ropinirole hydrochloride	128	Simethicone		Spiriva	
RotaTeq	251	Simvastatin	61	Spironolactone	
Rotavirus live reassortant of		Sindopa	127	Sporanox	
vaccine	251	Sinemet		Sprycel	
Roxane	57	Sinemet CR	127	Staphlex	
Alimentary		Singulair	200	Stavudine [d4T]	
Cardiovascular		Sirolimus		Stelazine	
Roxithromycin	96	Siterone	83	Stemetil	141
Rubifen		Slow-Lopresor		Stesolid	
Rubifen SR	156	Sodibic	52	Stimulants/ADHD	
Rythmodan	55	Sodium acid phosphate	39	Treatments	154
Rytmonorm		Sodium alginate		Stiripentol	139
-8-		Sodium aurothiomalate		Stocrin	
S-26 Gold Premgro	222	Sodium bicarbonate		Stomahesive	40
Sabril		Blood	51–52	Strattera	154
		Extemporaneous	215	Stromectol	71
Salamol		Sodium calcium edetate	208	Suboxone	158
SalazopyrinSalazopyrin EN		Sodium		Sucralfate	27
Salbutamol		carboxymethylcellulose	40	Sulfadiazine sodium	100
Salbutamol with ipratropiun		Sodium chloride		Sulindac	
bromide		Blood	51	Sulphasalazine	25
		Respiratory	201	Sulphur	
Salicylic acid		Sodium citrate with sodium I		Sumatriptan	
Salmeterol Sandomigran		sulphoacetate		Sunitinib	
•		Sodium citro-tartrate		Sunscreens	
Sandostatin LAR Scalp Preparations		Sodium cromoglycate		Sunscreens, proprietary	74
Scopoderm TTS		Alimentary	25	Suplena	
Sebizole		Respiratory		Sure-T MMT-863	
Sedatives and Hypnotics		Sensory		Sure-T MMT-865	
Seebri Breezhaler		Sodium fluoride		Sure-T MMT-873	33
Occord Diccellater	200	Sodium hyaluronate	206	Sure-T MMT-875	

Sure-T MMT-88333
Sure-T MMT-88533
Sustagen Diabetic221
Sustagen Hospital Formula228
Sustanon Ampoules83
Sutent174
Symbicort Turbuhaler 100/6198
Symbicort Turbuhaler 200/6198
Symbicort Turbuhaler
400/12198
Symmetrel127
Sympathomimetics62
Synacthen83
Synacthen Depot83
Synthroid87
Syntometrine80
Syrup (pharmaceutical
grade)215
Systane Unit Dose206
-T-
Tacrolimus195
Tacrolimus Sandoz195
Tambocor56
Tambocor CR56
Tamoxifen citrate176
Tamsulosin hydrochloride80
Tamsulosin-Rex 80
Tamsulosin-Rex80 Tap water215
Tap water215
Tap water215 Tar with triethanolamine lauryl
Tap water215 Tar with triethanolamine lauryl sulphate and fluorescein74
Tap water215 Tar with triethanolamine lauryl
Tap water215 Tar with triethanolamine lauryl sulphate and fluorescein74 Tarceva170
Tap water
Tap water 215 Tar with triethanolamine lauryl sulphate and fluorescein 74 Tarceva 170 Tasigna 172 Tasmar 128
Tap water 215 Tar with triethanolamine lauryl sulphate and fluorescein 74 Tarceva 170 Tasigna 172 Tasmar 128 Taxotere 166
Tap water 215 Tar with triethanolamine lauryl sulphate and fluorescein 74 Tarceva 170 Tasigna 172 Tasmar 128 Taxotere 166 Tegretol 136
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168
Tap water 215 Tar with triethanolamine lauryl sulphate and fluorescein 74 Tarceva 170 Tasigna 172 Tasmar 128 Taxotere 166 Tegretol 136 Tegretol CR 136 Telfast 196
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil fumarate .109
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil fumarate .109 Tenoxicam .118
Tap water 215 Tar with triethanolamine lauryl sulphate and fluorescein 74 Tarceva 170 Tasigna 172 Tasmar 128 Taxotere 166 Tegretol 136 Tegretol CR 136 Telfast 196 Temaccord 168 Temazepam 154 Temozolomide 168 Tenofovir disoproxil fumarate 109 Tenoxicam 118 Tepadina 162 Terazosin 53 Terbinafine 102
Tap water 215 Tar with triethanolamine lauryl sulphate and fluorescein 74 Tarceva 170 Tasigna 172 Tasmar 128 Taxotere 166 Tegretol 136 Tegretol CR 136 Telfast 196 Temaccord 168 Temazepam 154 Temozolomide 168 Tenofovir disoproxil fumarate 109 Tenoxicam 118 Tepadina 162 Terazosin 53
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil fumarate .109 Tenoxicam .118 Tepadina .162 Terazosin .53 Terbinafine .102 Terbutaline sulphate .199 Teriparatide .122
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil fumarate .109 Tenoxicam .118 Tepadina .162 Terazosin .53 Terbinafine .102 Terbutaline sulphate .199 Teriparatide .122 Testosterone .83
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil fumarate .109 Tenoxicam .118 Tepadina .162 Terazosin .53 Terbinafine .102 Terbutaline sulphate .199 Teriparatide .122 Testosterone .83 Testosterone cypionate .83
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil fumarate .109 Tenoxicam .118 Tepadina .162 Terazosin .53 Terbinafine .102 Terbutaline sulphate .199 Teriparatide .122 Testosterone .83 Testosterone esters .83
Tap water .215 Tar with triethanolamine lauryl sulphate and fluorescein .74 Tarceva .170 Tasigna .172 Tasmar .128 Taxotere .166 Tegretol .136 Tegretol CR .136 Telfast .196 Temaccord .168 Temazepam .154 Temozolomide .168 Tenofovir disoproxil fumarate .109 Tenoxicam .118 Tepadina .162 Terazosin .53 Terbinafine .102 Terbutaline sulphate .199 Teriparatide .122 Testosterone .83 Testosterone cypionate .83

Tetrabromophenol Tetracyclin Wolff Tetracycline Wolff Tetracycline 1 Thalidomide 1 Thalomid 1 Theophylline 2 Thiamine hydrochloride 1 Thiotepa 1 Thymol glycerin 1 Thyroid and Antithyroid Agents 1 Ticagrelor 2 Tilde 2 Tilcotil 1	83 97 97 65 69 01 41 62 40
Tetracosactrin	83 97 97 65 69 01 41 62 40
Tetracyclin Wolff Tetracycline Teva 1 Thalidomide 1 Thalomid 1 Theophylline 2 Thiamine hydrochloride 1 THIO-TEPA 1 Thioguanine 1 Thymol glycerin 1 Thyroid and Antithyroid Agents Ticagrelor 1 Tilade 2 Tilcotil 1	97 65 69 61 41 62 64 62 40
Teva 1 Thalidomide 1 Thalomid 1 Theophylline 2 Thiamine hydrochloride 1 THIO-TEPA 1 Thiotepa 1 Thymol glycerin 1 Thyroid and Antithyroid Agents Ticagrelor 1 Tilade 2 Tilcotil 1	65 69 69 01 41 62 64 40
Teva 1 Thalidomide 1 Thalomid 1 Theophylline 2 Thiamine hydrochloride 1 THIO-TEPA 1 Thiotepa 1 Thymol glycerin 1 Thyroid and Antithyroid Agents Ticagrelor 1 Tilade 2 Tilcotil 1	65 69 69 01 41 62 64 62 40
Thalomid 1 Theophylline 2 Thiamine hydrochloride 2 THIO-TEPA 1 Thioguanine 1 Thytotepa 1 Thymol glycerin 1 Thyroid and Antithyroid 4 Agents 1 Ticagrelor 1 Tilade 2 Tilcotil 1	69 01 41 62 62 40
Theophylline	01 41 62 64 62 40
Thiamine hydrochloride	41 62 64 62 40
Thiamine hydrochloride	41 62 64 62 40
THIO-TEPA	62 62 40
Thioguanine	64 62 40
Thiotepa	62 40
Thymol glycerin	40
Thyroid and Antithyroid Agents Ticagrelor Tilade2 Tilcotil	
Agents	86 48
Tilade2 Tilcotil1	48
Tilade2 Tilcotil1	
	18
Timolol	
Cardiovascular	58
Sensory2	04
Timoptol XE2	04
Tiotropium bromide2	00
TMP1	
TOBI1	00
Tobramycin	•
Infection1	Λſ
Sensory2	n:
Tobrex2	03
Tofranil1	33
Tofranil s291	33
Tolcapone1	28
Tolterodine	<u>-</u> ر
Tolvon1	
Topamax1	
Topical Products for Joint and	U
Muscular Pain1	10
Topiramate1	
Topiramate Actavis1	30
Total parenteral nutrition	U
(TPN)	51
TPN	51
Tracleer	
ITACIEET	30
Tramadal hydrochlarida 1	02
Tramadol hydrochloride1	ൗവ
Tramal SR 1001	32
Tramal SR 1001 Tramal SR 1501	32
Tramal SR 100	32 32
Tramal SR 100	32 32 57
Tramal SR 100 1 Tramal SR 150 1 Tramal SR 200 1 Trandate 1 Trandolapril 1	32 32 57 54
Tramal SR 100 1 Tramal SR 150 1 Tramal SR 200 1 Trandate 1 Trandolapril 1 Tranexamic acid 1	32 57 54 47
Tramadol hydrochloride 1 Tramal SR 100 1 Tramal SR 150 1 Tramal SR 200 1 Trandate 1 Trandolapril 1 Tranexamic acid 1 Tranylcypromine sulphate 1 Trastuzumab 1	32 32 57 54 47 33

Travoprost	205
Treatments for Dementia	158
Treatments for Substance	100
Dependence	158
Trental 400	130
Tretinoin	00
Dermatological	e.
Openiani	00
Oncology	109
Trexate	164
Triamcinolone acetonide	
Alimentary	40
Dermatological	69
Hormone	83
Triamcinolone acetonide with	
gramicidin, neomycin and nysi	
Dermatological	69
Sensory	203
Triazolam	
Trichozole	103
Triclosan	69
Trifluoperazine	
hydrochloride	145
Trimeprazine tartrate	197
Trimethoprim	100
Trisequens	85
Trisul	98
Trophic Hormones	87
Tropicamide	205
Trusopt	204
Truvada	113
TT380 Slimline	
Two Cal HN	<i>1</i>
Two Cal HN RTH	220
Tykerb	170
Typehvi	
Tysabri	149
- U -	
Ultraproct	25
Univent199	
Ural	
Urea	70
Urex Forte	59
Urinary Agents	80
Urinary Tract Infections	117
Uromitexan	167
Ursodeoxycholic acid	37
Ursosan	37
Utrogestan	
- V -	
	047
Vaccinations	247
Valaciclovir	10/
Valcyte	108
Valganciclovir	108

Vallergan Forte	.197
Valtrex	.107
Vancomycin	.100
Vannair	.198
Varenicline tartrate	.160
Varicella vaccine [Chicken pox	
vaccine]	252
Varilrix	.252
Various	.207
Vasodilators	62
Vasopressin Agonists	92
Velcade	.165
Venlafaxine	.135
Ventavis	64
Ventolin198,	
Vepesid	.166
Verapamil hydrochloride	59
Vergo 16	.140
Vermox	94
Verpamil SR	59
Vesanoid	
Vesicare	81
Vfend	.102
Viaderm KC	69
Victrelis	.110
Vidaza	.162
Videx EC	.113
Vigabatrin	.139
Vimpat	.137
Vinblastine sulphate	.169
Vincristine sulphate	.169
Vinorelbine	.169
Vinorelbine Ebewe	.169
Viramune Suspension	.113
Viread	.109
Vistil	.206
Vistil Forte	.206
VitA-POS	

Vitadol C	
Vital HN	225
Vitamin A with vitamins D and	
C	
Vitamin B complex	41
Vitamins	
Vivonex Pediatric	
Vivonex TEN	225
Volibris	63
Voltaren	118
Voltaren D	118
Voltaren Ophtha	204
Volumatic	
Voriconazole	102
Vosol	203
Votrient	173
Vytorin	62
- W -	
Warfarin sodium	50
Wart Preparations	
Wasp venom allergy	•
treatment	196
Water	
Blood	52
Extemporaneous	
Wool fat with mineral oil	
- X -	
Xanax	147
Xarelto	
Xifaxan	
XMET Maxamum	
Xolair	
XP Maxamaid	233
XP Maxamum	
Xylocaine	
Xylocaine Viscous	
Ayroodillo vidoodd	123

Xyntha46

- Z -	
Zantac	26
Zapril	
Zarator	61
Zarontin	136
Zaroxolyn	59
Zarzio	50
Zavedos	167
Zeffix	106
Zeldox	
Zerit	113
Zetlam	106
Zetop	196
Ziagen	
Zidovudine [AZT]	113
Zidovudine [AZT] with	
lamivudine	
Zinc and castor oil	
Zinc sulphate	
Zincaps	
Zinnat	
Ziprasidone	
Zithromax	
Zoladex	
Zoledronic acid	
Zoloft	
Zopiclone	
Zostrix	
Zostrix HP	
Zovirax	
Zuclopenthixol decanoate	147
Zuclopenthixol	
hydrochloride	145
Zyban	
Zypine	143
Zypine ODT	
Zyprexa Relprevv	146