January 2016 Volume 23 Number 0

Editor: Kaye Wilson email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/schedule/archive/

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

	Section A	General Rules	6
	Section B	Alimentary Tract & Metabolism	20
		Blood & Blood Forming Organs	41
		Cardiovascular System	50
		Dermatologicals	62
		Genito Urinary System	73
ı		Hormone Preparations – Systemic	79
t ;	Infe	ections – Agents For Systemic Use	91
		Musculoskeletal System	115
)		Nervous System	125
;	Oncolo	gy Agents & Immunosuppressants	158
)		Respiratory System & Allergies	194
		Sensory Organs	202
		Various	207
'	Section C Exte	emporaneous Compounds (ECPs)	209
	Section D	Special Foods	216
t ;	Section E	Practitioner's Supply Orders	236
, ,		Rural Areas	240
; /	Section F	Dispensing Period Exemptions	241
)	Section G	Safety Cap Medicines	243
;	Section I	National Immunisation Schedule	246

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.health.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram g kilogram kg international unit iu	microgrammcg milligrammg millilitreml	millimolemmol unitu
Abbreviations		
Ampoule Amp	GelatinousGel	SolutionSoln
CapsuleCap	GranulesGran	SuppositorySupp
CreamCrm	InfusionInf	TabletTab
Device	InjectionInj	TinctureTinc
DispersibleDisp	LiquidLiq	Trans Dermal Delivery
Effervescent Eff	Long ActingLA	SystemTDDS
Emulsion Emul	OintmentOint	,
Enteric CoatedEC	Sachet Sach	
BSO Bulk Supply Order		

BSO Bulk Supply Order.

CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- ‡ Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981.
- HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.
- HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy Variation (for Clozapine Services).

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at

http://www.pharmac.health.nz/link/nppa, or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 January 2016 and is to be referred to as the Pharmaceutical Schedule Volume 23 Number 0, 2016. Distribution will be from 20 January 2016. This Schedule comes into force on 1 January 2016.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
 - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
 - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
 - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
 - "Act", means the New Zealand Public Health and Disability Act 2000.
 - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
 - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
 - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
 - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
 - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be

required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber", means a nurse who is a Designated Prescriber—Registered Nurses Practising in Diabetes Health as determined by the Nursing Council of New Zealand to practice in diabetes health and has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
 - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
 - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/healthpros/EC/ECForms)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a

national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber", means a person who is a nurse practitioner in terms of the Medicines Act 1981, or a Diabetes Nurse Prescriber

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"**Practitioner**", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations

1984.

- "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.
- "Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.
- "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
 - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.
- "Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

- "Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.
- "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.
- "Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist",, in relation to a Prescription, means a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:
 - a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: or
 - b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
 - the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of competency; or
 - d) the doctor writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules. Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives) The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot:
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect: or
 - b) both
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
 that part of any Prescription that is dispensed within the time frames specified above is eligible for
 Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or

- any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.5.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical listed below:
 aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic
 test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable
 with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir,
 ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip.
- 3.5.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.6 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
 and
- b) written on a Quitcard.

PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or

- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial";
 and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on the previous page; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V

MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders

with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or
 if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2. for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1:
 - b) clauses 2.1 to 2.2;
 - c) clauses 3.1 to 3.4: and
 - d) clause 5.4.
 - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under

- the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication. Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted' Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

Antacids and Reflux Barrier Agents ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	
per sachet4.50 30 🗸 Gaviscon Infant	
SIMETHICONE	t
 Oral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml	
SODIUM ALGINATE	
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	à
Strength	•
 Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml (4.95) Acidex	
Phosphate Binding Agents	
ALUMINIUM HYDROXIDE	
* Tab 600 mg	
CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) − Subsidy by endorsement	escription i
Antidiarrhoeals	
Agents Which Reduce Motility	
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO ★ Tab 2 mg 400 ★ Cap 2 mg 7.84 400 ✓ Diamide Relief	
Rectal and Colonic Anti-inflammatories	
BUDESONIDE	
Cap 3 mg − Special Authority see SA1155 below − Retail pharmacy166.50 90 ✓ Entocort CIR	
■ SA1155 Special Authority for Subsidy Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications r following criteria: Both:	neeting th
1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and	

Subsidy (Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

continued...

Subsidy (Manufacturer's Pric	e)	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 Diabetes: or
- 2.2 Cushingoid habitus; or
- 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy: or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)26.55	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✔ Pentasa
Tab 800 mg85.55	90	✓ Asacol
Modified release granules, 1 g141.72	120 OP	✔ Pentasa
Enema 1 g per 100 ml41.30	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		•
Cap 100 mg89.21	100	✓ Nalcrom
	100	• Naicioni
SULPHASALAZINE		
* Tab 500 mg – For sulphasalazine oral liquid formulation refer,		
page 21011.68	100	Salazopyrin
* Tab EC 500 mg12.89	100	✓ Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

ELLICCOPTOL		WITH ELLIOCOPTOL	ONE DIVALATE	AND CINCHOCAINE
	UNFUAPRUALE	WITE ELUUNUMIUL	UNE PIVALALE	AINITUINUTUUAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cin-		
chocaine hydrochloride 5 mg per g6.35	30 g OP	Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and		
cinchocaine hydrochloride 1 mg2.66	12	Ultraproct

	Subsidy (Manufacturer's Pri \$	ice) Su Per	Fully ubsidised	Brand or Generic Manufacturer
HYDROCORTISONE WITH CINCHOCAINE Oint 5 mg with cinchocaine hydrochloride 5 mg per g Suppos 5 mg with cinchocaine hydrochloride 5 mg per g		30 g OP 12		roctosedyl roctosedyl
Management of Anal Fissures				
GLYCERYL TRINITRATE – Special Authority see SA1329 below * Oint 0.2% SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid	22.00	30 g OP		ectogesic
chronic anal fissure that has persisted for longer than three weeks Antispasmodics and Other Agents Altering Gut	S.	eriewai uriie	SS HOUNE	a where the patient has
GLYCOPYRRONIUM BROMIDE Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj available on a PSO		10	✓ M	lax Health
HYOSCINE N-BUTYLBROMIDE * Tab 10 mg * Inj 20 mg, 1 ml – Up to 5 inj available on a PSO		20 5		astrosoothe uscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg	18.00	90	√ <u>C</u>	<u>olofac</u>
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL * Tab 200 mcg	56.92	120	√ C	ytotec
Helicobacter Pylori Eradication				
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement	10.40	14	✓ <u>A</u>	po-Clarithromycin
 b) Subsidised only if prescribed for helicobacter pylori erac Note: the prescription is considered endorsed if clarithromycin is amoxicillin or metronidazole. 				
H2 Antagonists				
CIMETIDINE – Only on a prescription * Tab 200 mg		100	٨	na Cimatidina
₭ Tab 400 mg	(7.50) 10.00 (12.00)	100		po-Cimetidine po-Cimetidine
Apo-Cimetidine Tab 200 mg to be delisted 1 February 2016) Apo-Cimetidine Tab 400 mg to be delisted 1 February 2016)	(12.00)		^	po omonanto
RANITIDINE – Only on a prescription * Tab 150 mg * Tab 300 mg		500 500		anitidine Relief anitidine Relief
* Oral liq 150 mg per 10 ml* * Inj 25 mg per ml, 2 ml	4.92	300 ml 5	P	eptisoothe antac

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
Proton Pump Inhibitors				
LANSOPRAZOLE				
* Cap 15 mg	1.42	28	V :	Solox
	5.08	100	/	Lanzol Relief
Lanzol Relief to be Sole Supply on 1 April 2016				
* Cap 30 mg	1.66	28	V :	Solox
•	5.93	100	/	Lanzol Relief
Lanzol Relief to be Sole Supply on 1 April 2016 (Solox Cap 15 mg to be delisted 1 April 2016) (Solox Cap 30 mg to be delisted 1 April 2016)				
OMEPRAZOLE				
For omeprazole suspension refer Standard Formulae, page 21				
* Cap 10 mg		90		Omezol Relief
* Cap 20 mg	2.91	90		Omezol Relief
* Cap 40 mg	4.42	90	-	Omezol Relief
* Powder – Only in combination		5 g	/	Midwest
Only in extemporaneously compounded omeprazole suspen	nsion.			
* Inj 40 mg	28.65	5	/	Dr Reddy's Omeprazole
PANTOPRAZOLE				
* Tab EC 20 mg	2.68	100	~	Pantoprazole
.				Actavis 20
* Tab EC 40 mg	3.54	100	/	Pantoprazole Actavis 40
Site Protective Agents				
BISMUTH TRIOXIDE				
Tab 120 mg	32 50	112	/	De Nol S29
<u> </u>				
SUCRALFATE				
Tab 1 g		120		
	(48.28)		(Carafate
Bile and Liver Therapy				
RIFAXIMIN - Special Authority see SA1461 below - Retail pharm	acv			
·	•	56	√	Xifaxan
Tab 550 mg	625.00	56	'	<u> xitaxan</u>

⇒SA1461 Special Authority for Subsidy

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

	(Manufacturer's Pi	rice) Sub	sidised Generic
	\$	Per	✓ Manufacturer
Diabetes			
Hyperglycaemic Agents			
DIAZOXIDE - Special Authority see SA1320 below - Retail pharm	macy		
Cap 25 mg		100	✓ Proglicem S29
Cap 100 mg	280.00	100	✓ Proglicem S29
Oral liq 50 mg per ml	620.00	30 ml OP	✓ Proglycem \$29
■SA1320 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid glycaemia caused by hyperinsulinism. Renewal from any relevant practitioner. Approvals valid without fu priate and the patient is benefiting from treatment.			
GLUCAGON HYDROCHLORIDE			
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	32.00	1	✓ Glucagen Hypokit
Insulin - Short-acting Preparations			
INSULIN NEUTRAL			
▲ Inj human 100 u per ml	25.26	10 ml OP	✓ Actrapid✓ Humulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓ Actrapid Penfill ✓ Humulin R
Insulin - Intermediate-acting Preparations			
INSULIN ASPART WITH INSULIN ASPART PROTAMINE			
▲ Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	✓ NovoMix 30 FlexPen
INSULIN ISOPHANE			
▲ Inj human 100 u per ml	17.68	10 ml OP	✓ Humulin NPH
▲ Inj human 100 u per ml, 3 ml	20.06	5	✓ Protaphane ✓ Humulin NPH
Inj numan 100 u per mi, 3 mi	29.00	5	✔ Protaphane Penfill
INSULIN ISOPHANE WITH INSULIN NEUTRAL			
▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	✓ Humulin 30/70✓ Mixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ Humulin 30/70✓ PenMix 30✓ PenMix 40✓ PenMix 50
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,	40.00	E	A Humalan Min OF
3 ml		5	✓ Humalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml, 3 ml		5	✓ Humalog Mix 50

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Price \$	e) Sub Per	Fully sidised	Brand or Generic Manufacturer
Insulin - Long-acting Preparations				
NSULIN GLARGINE				
▲ Inj 100 u per ml, 10 ml		1		antus
▲ Inj 100 u per ml, 3 ml		5		antus
Inj 100 u per ml, 3 ml disposable pen	94.50	5	V L	antus SoloStar
Insulin - Rapid Acting Preparations				
NSULIN ASPART				
Inj 100 u per ml, 3 ml syringe		5		ovoRapid FlexPen
▲ Inj 100 u per ml, 3 ml		5		ovoRapid Penfill
Inj 100 u per ml, 10 ml	30.03	1	∨ N	ovoRapid
NSULIN GLULISINE				
Inj 100 u per ml, 10 ml		1		pidra
Inj 100 u per ml, 3 ml Inj 100 u per ml, 3 ml disposable pen		5 5		pidra pidra SoloStar
		3	• ^	piara obiobiai
NSULIN LISPRO ▶ Inj 100 u per ml, 10 ml	24.02	10 ml OP	./ U	umalog
Inj 100 u per mi, 10 mi		5		umalog
Alpha Glucosidase Inhibitors				g
CARBOSE	4.00	00		la.a.h.a
★ Tab 50 mg ★ Tab 100 mg		90 90	_	<u>lucobay</u> lucobay
	7.70	90	<u>u</u>	iucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
€ Tab 5 mg	5.00	100	✓ D	aonil
SLICLAZIDE				
€ Tab 80 mg	11.50	500	✓ <u>G</u>	<u>lizide</u>
SLIPIZIDE				
€ Tab 5 mg	2.85	100	✓ <u>M</u>	<u>linidiab</u>
METFORMIN HYDROCHLORIDE				
Fab immediate-release 500 mg		1,000		letchek
Matabak ta ha Cala Cumbu an 1 Fahruan: 2010	(12.30)		Α	potex
Metchek to be Sole Supply on 1 February 2016	7 00	500	./ 14	otformin Mulan
Tab immediate-release 850 mg	(10.10)	500		l etformin Mylan potex
Metformin Mylan to be Sole Supply on 1 March 2016	(10.10)		^	potox

(Apotex Tab immediate-release 500 mg to be delisted 1 February 2016) (Apotex Tab immediate-release 850 mg to be delisted 1 March 2016)

[‡] safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PIOGLITAZONE				
* Tab 15 mg	1.08	28	✓ P	izaccord
·	3.47	90	✓ V	exazone
Vexazone to be Sole Supply on 1 March 2016				
* Tab 30 mg	1.57	28	✓ P	izaccord
· ·	5.06	90	V	exazone
Vexazone to be Sole Supply on 1 March 2016				
* Tab 45 mg	2.21	28	✓ P	izaccord
·	7.10	90	✓ V	exazone
Vexazone to be Sole Supply on 1 March 2016				
(Pizaccord Tab 15 mg to be delisted 1 March 2016)				
(Pizaccord Tab 30 mg to be delisted 1 March 2016)				
(Pizaccord Tab 45 mg to be delisted 1 March 2016)				

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter available on a Meter funded for the purposes of blood ketone diagnostics only. Patient ha at risk of future episodes or patient is on an insulin pump. Only one meter p Meter	s had one or mor	
(Freestyle Optium Meter to be delisted 1 May 2016)		
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO		
Test strip – Not on a BSO15.50	10 strip OP	Freestyle Optium Ketone
SODIUM NITROPRUSSIDE – Maximum of 50 strip per prescription		
* Test strip - Not on a BSO	50 strip OP	Accu-ChekKetur-Test
14.14		✓ Ketostix

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
- 1) is receiving insulin or sulphonylurea therapy; or
- 2) is pregnant with diabetes; or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
- 4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome. Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed

where there exists a record of prior dispensing of insulin or sulphonylureas.

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription
 as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips - Note differing brand requirements

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

■ SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

►SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

27

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

\$ Per ✓ Manufacturer

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed;
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INSULIN PEN NEEDLES	Maximum of 100	day par proceription
INSULIN PEN NEEDLES	- Maximum of 100	dev ber brescribtion

*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine
*	31 g × 6 mm		100	✓ ABM
*	31 g × 8 mm	10.50	100	✓ B-D Micro-Fine
*	32 g × 4 mm		100	✓ B-D Micro-Fine
INS	ULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 1	00 dev per p	rescription
*	Syringe 0.3 ml with 29 g \times 12.7 mm needle	13.00	100	B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g \times 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g \times 12.7 mm needle	13.00 [′]	100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g \times 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100	B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00 [°]	100	✓ B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Insulin Pumps

INSULIN PUMP - Special Authority see SA1237 below - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

		four vear period.

c) Maximum of 1 insulin pump per patient each four year period.		
Min basal rate 0.025 U/h; black colour4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour4,500.00	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour4,400.00	1	✓ Paradigm 522
		✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour4,400.00	1	✓ Paradigm 522
		✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour4,400.00	1	✓ Paradigm 522
		✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour4,400.00	1	✓ Paradigm 522
		Paradigm 722
Min basal rate 0.05 U/h; smoke colour4,400.00	1	✓ Paradigm 522
		Paradigm 722

⇒SA1237 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 974 7806 PO Box 10 254 Email: ipp@pharmac.govt.nz

Wellington

Insulin Pump Consumables

■ SA1240 | Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 974 7806 PO Box 10 254 Email: ipp@pharmac.govt.nz

Wellington

INSULIN PUMP ACCESSORIES - Special Authority see SA1240 above - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

1 ✓ Animas Battery Cap

29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1240 on the previous page - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year

c) Maximum of 13 infusion sets will be funded per year. 10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×		
10 with 10 needles	1 OP	✔ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles; luer lock130.00	1 OP	✓ Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	101	• Guic i illilii 600
10 with 10 needles	1 OP	✓ Paradigm Sure-T MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing \times		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line ×	. •	
10 with 10 needles	1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×		
10 with 10 needles	1 OP	✓ Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		
10 with 10 needles	1 OP	✔ Paradigm Sure-T MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line ×		
10 with 10 needles130.00	1 OP	✓ Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line $ imes$		
10 with 10 needles130.00	1 OP	✓ Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$		
10 with 10 needles130.00	1 OP	Paradigm Sure-T
		MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing \times		4
10 with 10 needles130.00	1 OP	✓ Paradigm Sure-T MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing \times		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-875

|--|

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1240 on page 29 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula; angle insertion; insertion device; 110 cm grey line × 10 with 10 needles140.00
- 13 mm teflon cannula: angle insertion: insertion device:
- 13 mm teflon cannula: angle insertion: insertion device:
- 60 cm grey line × 10 with 10 needles140.00
- 13 mm teflon cannula; angle insertion; insertion device; 60 cm pink line × 10 with 10 needles140.00 1 OP

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1240 on page 29 - Retail pharmacv

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula: angel insertion: 60 cm grev line ×
- 13 mm teflon cannula; angle insertion; 120 cm line \times 10 with
 - 1 OP
- 13 mm teflon cannula; angle insertion; 45 cm line \times 10 with
- 13 mm teflon cannula; angle insertion; 60 cm line \times 10 with
- 13 mm teflon cannula; angle insertion: 80 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 110 cm grey line \times
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 110 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 60 cm grey line \times 17 mm teflon cannula; angle insertion; 60 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 60 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 80 cm line \times 10 with

- 1 OP ✓ Inset 30
- 1 OP ✓ Inset 30
- 1 OP

- ✓ Inset 30
- ✓ Inset 30
- - Comfort Short
 - ✔ Paradigm Silhouette MMT-382
 - ✔ Paradigm Silhouette MMT-368
 - ✔ Paradigm Silhouette MMT-381
 - ✔ Paradigm Silhouette MMT-383
 - ✓ Comfort
 - ✔ Paradigm Silhouette MMT-377
 - ✓ Silhouette MMT-371
 - ✓ Comfort
 - ✓ Paradigm Silhouette
 - MMT-378
 - ✓ Silhouette MMT-373
 - ✓ Paradigm Silhouette MMT-384

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1240 on page 29 - Retail pharmacy

Maximum			

	a prescription

c) Maximum of 1	3 infusion sets	will be funded per year.	
-----------------	-----------------	--------------------------	--

c) Maximum of 13 infusion sets will be funded per year.			
6 mm teflon cannula; straight insertion; insertion device; 110 cm grey line × 10 with 10 needles	. 140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device;			
45 cm blue tubing × 10 with 10 needles	.130.00	1 OP	✓ Paradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device;			
45 cm pink tubing × 10 with 10 needles	.130.00	1 OP	✓ Paradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device;			
60 cm blue tubing × 10 with 10 needles	.130.00	1 OP	✓ Paradigm Mio MMT-943
6 mm teflon cannula; straight insertion; insertion device;			
60 cm pink tubing $ imes$ 10 with 10 needles	.130.00	1 OP	✓ Paradigm Mio MMT-923
6 mm teflon cannula; straight insertion; insertion device;			
80 cm blue tubing × 10 with 10 needles	.130.00	1 OP	✓ Paradigm Mio MMT-945
6 mm teflon cannula; straight insertion; insertion device;			
80 cm clear tubing × 10 with 10 needles	.130.00	1 OP	✓ Paradigm Mio MMT-965
6 mm teflon cannula; straight insertion; insertion device;			
80 cm pink tubing $ imes$ 10 with 10 needles	.130.00	1 OP	✓ Paradigm Mio MMT-925
6 mm teflon cannula; straight insertionl insertion device;			
60 cm blue line \times 10 with 10 needles	.140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertionl insertion device;			
60 cm grey line × 10 with 10 needles	.140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertionl insertion device;			
60 cm pink line \times 10 with 10 needles	.140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device;			
60 cm blue line \times 10 with 10 needles	.140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device;			
60 cm grey line \times 10 with 10 needles	.140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device;			
60 cm pink line \times 10 with 10 needles	.140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device;			4
80 cm clear tubing $ imes$ 10 with 10 needles	.130.00	1 OP	✓ Paradigm Mio MMT-975
9 mm teflon cannula; straight insertionl insertion device;			
110 cm grey line \times 10 with 10 needles	.140.00	1 OP	✓ Inset II

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1240 on page 29 -Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 6 mm teflon cannula: straight insertion: 110 cm tubing × 1 OP ✓ Paradigm Quick-Set MMT-398 6 mm teflon cannula; straight insertion; 110 cm tubing \times Quick-Set MMT-391 1 OP 6 mm teflon cannula; straight insertion; 60 cm tubing \times 1 OP ✔ Paradigm Quick-Set MMT-399 6 mm teflon cannula: straight insertion: 60 cm tubing × Quick-Set MMT-393 1 OP 6 mm teflon cannula; straight insertion; 80 cm tubing \times ✔ Paradigm Quick-Set 1 OP MMT-387 9 mm teflon cannula; straight insertion; 106 cm tubing × 1 OP ✓ Paradigm Quick-Set MMT-396 9 mm teflon cannula; straight insertion; 110 cm tubing \times ✓ Quick-Set MMT-390 1 OP 9 mm teflon cannula: straight insertion: 60 cm tubing × ✓ Paradigm Quick-Set 1 OP MMT-397 9 mm teflon cannula; straight insertion; 60 cm tubing \times 1 OP ✓ Quick-Set MMT-392 9 mm teflon cannula; straight insertion: 80 cm tubing \times 1 OP ✓ Paradigm Quick-Set MMT-386 INSULIN PUMP RESERVOIR - Special Authority see SA1240 on page 29 - Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 packs of reservoir sets will be funded per year. 10 × luer lock conversion cartridges 1.8 ml for Paradigm 1 OP ✓ ADR Cartridge 1.8 10 × luer lock conversion cartridges 3.0 ml for Paradigm ✓ ADR Cartridge 3.0 1 OP ✓ Animas Cartridge 1 OP

Cartridge for 5 and 7 series pump; 1.8 ml \times 1050.00

Syringe and cartridge for 50X pump, 3.0 ml \times 1050.00

(ADR Cartridge 3.0 10 × luer lock conversion cartridges 3.0 ml for Paradigm pumps to be delisted 1 June 2016)

1 OP

1 OP

1 OP

✓ Paradigm 1.8 Reservoir

✔ Paradigm 3.0 Reservoir

✓ 50X 3.0 Reservoir

[±] safety cap

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)	,	Subsidised	Generic
\$	Per	~	Manufacturer

Digestives Including Enzymes

PANCREATIC ENTYME

TANOTIE AND ENETINE			
Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease	34.93	100	✓ Creon 10000
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease	94.38	100	✓ Creon 25000
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease	94.40	100	✓ Panzytrat
URSODEOXYCHOLIC ACID – Special Authority see SA1383 below Cap 250 mg – For ursodeoxycholic acid oral liquid formula-	ı – Retail phar	macy	
tion refer, page 210	53.40	100	✓ <u>Ursosan</u>

⇒SA1383 Special Authority for Subsidy

Initial application — (Alaqille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults: and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🗸	Brand or Generic Manufacturer	
--	---	------------------------------	-------------------------------------	--

continued...

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatique, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives		
Bulk-forming Agents		
ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS		
* Dry6.02 (17.32)	500 g OP	Normacol Plus
2.41	200 g OP	Normacor rius
(8.72)		Normacol Plus
Faecal Softeners		
DOCUSATE SODIUM — Only on a prescription * Tab 50 mg	100 100 100 ml OP 200 30 ml OP	Coloxyl Coloxyl Coloxyl Laxsol
Osmotic Laxatives		
GLYCEROL * Suppos 3.6 g - Only on a prescription	20	✓ <u>PSM</u>
LACTULOSE – Only on a prescription * Oral liq 10 g per 15 ml	500 ml	✓ Laevolac
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BICARBONATE A SA1473 on the next page – Retail pharmacy Powder for oral soln 13.125 g with potassium chloride	ND SODIUM CI	HLORIDE - Special Authority see

30

✓ Lax-Sachets

46.6 mg, sodium bicarbonate 178.5 mg and sodium chlo-

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

⇒SA1473 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has problematic constipation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated; and
- 2 The patient would otherwise require a per rectal preparation.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

2.50	1	✓ Fleet Phosphate
	cription 50	Enema ✓ Micolette
5.99	200	✓ Lax-Tab
3.78	10	✓ Lax-Suppositories
2.27	6	• •
(3.00)		Dulcolax
2.17	100	
(6.84)		Senokot
0.43	20	
(1.72)		Senokot
		- Only on a prescription

Metabolic Disorder Agents

Gaucher's Disease

	ERASE - Special Authority see SA0473 below - Retail pharmacy		
Cerezyme	1		Inj 40 iu per ml, 200 iu vial
Cerezyme	1	2,144.00	Inj 40 iu per ml, 400 iu vial

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: (04) 460 4990 The Co-ordinator, Gaucher's Treatment Panel PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Email: gaucherpanel@pharmac.govt.nz Wellington

Subsidised

Fully

Brand or

Generic

Subsidy

(Manufacturer's Price)

	\$	Per	✓ Manufacturer
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE Soln 0.15% – Higher subsidy of up to \$17.01 per 500 ml with Endorsement	(17.01) 3.60 (8.50)	500 ml 200 ml	Difflam Difflam
Additional subsidy by endorsement for a patient who has ora tion is endorsed accordingly.	al mucositis as	a result of treat	ment for cancer, and the prescrip-
CHLORHEXIDINE GLUCONATE Mouthwash 0.2% CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE	2.57	200 ml OP	✓ <u>healthE</u>
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06 (6.00)	15 g OP	Bonjela
SODIUM CARBOXYMETHYLCELLULOSE With pectin and gelatin paste	17.20 4.55 (7.90)	56 g OP 15 g OP	✓ Stomahesive Orabase
With pectin and gelatin powder	1.52 [°] (3.60)	5 g OP 28 g OP	Orabase Stomahesive
TRIAMCINOLONE ACETONIDE Paste 0.1%	, ,	5 g OP	✓ Kenalog in Orabase
Oropharyngeal Anti-infectives			
AMPHOTERICIN B Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE Oral gel 20 mg per g	4.79	40 g OP	✓ <u>Decozol</u>
NYSTATIN Oral liq 100,000 u per ml	2.55 3.35	24 ml OP	✓ m-Nystatin✓ Nilstat
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute for HYDROGEN PEROXIDE	mula refer Sta	ındard Formulae	e, page 213
* Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 ml	✓ Pharmacy Health
THYMOL GLYCERIN * Compound, BPC	9.15	500 ml	✓ PSM

Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	4.50	10 ml OP	✓ Vitadol C
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a PSO. PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription	2.31	3	✓ Neo-B12
* Tab 25 mg – No patient co-payment payable * Tab 50 mg		90 500	✓ <u>Vitamin B6 25</u> ✓ <u>Apo-Pyridoxine</u>
THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg	5.62	100	✓ Apo-Thiamine
VITAMIN B COMPLEX * Tab, strong, BPC	4.30	500	✓ <u>Bplex</u>
Vitamin C			
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription * Tab 100 mg	7.00	500	✓ Cvite
Vitamin D			
ALFACALCIDOL * Cap 0.25 mcg * Cap 1 mcg * Oral drops 2 mcg per ml	87.98	100 100 20 ml OP	✓ One-Alpha ✓ One-Alpha ✓ One-Alpha
CALCITRIOL * Cap 0.25 mcg	3.03 10.10	30 100	✓ Airflow ✓ Calcitriol-AFT
* Cap 0.5 mcg	5.62 18.73	30 100	✓ Airflow ✓ Calcitriol-AFT
CHOLECALCIFEROL * Tab 1.25 mg (50,000 iu) - Maximum of 12 tab per prescription	7.76	12	✓ Cal-d-Forte
Multivitamin Preparations			
MULTIVITAMIN RENAL - Special Authority see SA1546 on the next * Cap		l pharmacy 30	✔ Clinicians Renal Vit

Subsidy (Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	
` \$	Per 🗸	Manufacturer

■SA1546 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 The patient has chronic kidney disease and is receiving either peritoneal dialysis or haemodialysis; or
- 2 The patient has chronic kidney disease grade 5, defined as patient with an estimated glomerular filtration rate of < 15 ml/min/1.73 m² body surface area (BSA).

MULTIVITAMINS - Special Authority see SA1036 below - Retail pharmacy

✔ Paediatric Seravit * Powder72.00 200 q OP

⇒SA1036 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

*	Tab (BPC cap strength)7.60	1,000	✓ Mvite
*	Cap (fat soluble vitamins A, D, E, K) - Special Authority see		
	SA1002 below – Retail pharmacy23.40	60	Vitabdeck

⇒SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Minerals

Calcium

Calcium		
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental)	30 250	✓ Calsource✓ Arrow-Calcium
CALCIUM GLUCONATE * Inj 10%, 10 ml ampoule34.24	10	✓ Hospira
Fluoride		
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)5.00	100	✓ PSM
lodine		
POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	90	✓ <u>NeuroTabs</u>
Iron		
FERROUS FUMARATE * Tab 200 mg (65 mg elemental)2.89	100	✓ <u>Ferro-tab</u>
FERROUS FUMARATE WITH FOLIC ACID * Tab 310 mg (100 mg elemental) with folic acid 350 mcg4.75	60	✓ Ferro-F-Tabs

39

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
* Tab long-acting 325 mg (105 mg elemental) *‡ Oral liq 30 mg (6 mg elemental) per 1 ml FERROUS SULPHATE WITH FOLIC ACID * Tab long-acting 325 mg (105 mg elemental) with folic acid	10.28	30 500 ml		errograd erodan
350 mcg		30	F	errograd F
# Inj 50 mg per ml, 2 ml ampoule	15.22	5	√ <u>F</u>	errum H
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, page MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml ampoule		10	√ <u>D</u>	BL
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	√ <u>Z</u>	incaps

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus: and
 - 3.1.2 Glomerular filtration rate < 30ml/min: or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus: and
 - 3.2.2 Glomerular filtration rate < 45ml/min: or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*: and
- 2 Has had symptomatic anaemia with haemoglobin <100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of <500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 ju per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		sidised	Generic
	<u> </u>	Per	~	Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Authority	see SA1469 on the pr	revious paç	 је – Re	etail pharmacy
Wastage claimable – see rule 3.3.2 on page 13				
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	√ <u>E</u>	prex
Inj 2,000 iu in 0.5 ml, syringe		6	✓ E	prex
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	✓ E	prex
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	✓ <u>E</u>	prex
Inj 5,000 iu in 0.5 ml, syringe		6	√ <u>E</u>	prex
Inj 6,000 iu in 0.6 ml, syringe		6	✓ E	prex
Inj 8,000 iu in 0.8 ml, syringe	352.69	6	√ <u>E</u>	prex
Inj 10,000 iu in 1 ml, syringe	395.18	6	✓ E	prex
Inj 40,000 iu in 1 ml, syringe	263.45	1	✓ <u>E</u>	prex
Megaloblastic				
FOLIC ACID				
* Tab 0.8 mg	20.60	1,000	✓ A	po-Folic Acid
* Tab 5 mg		500	_	po-Folic Acid
Oral liq 50 mcg per ml		5 ml OP	. –	Biomed
Antifibrinolytics, Haemostatics and Local Scler	osants			

■ SA1418 Special Authority for Subsidy

Wastage claimable – see rule 3.3.2 on page 13

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of $\leq 10,000$ platelets per microlitre.

ELTROMBOPAG - Special Authority see SA1418 below - Retail pharmacy

Tab 25 mg1.771.00

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe1,163.75	1	✓ NovoSeven RT
Inj 2 mg syringe2,327.50	1	✓ NovoSeven RT
Inj 5 mg syringe5,818.75	1	✓ NovoSeven RT
Inj 8 mg syringe9,310.00	1	✓ NovoSeven RT

28

✔ Revolade

✓ Revolade

	Subsidy (Manufacturer's Price)		Fully	Brand or Generic
,	vianutacturer's Price) \$	Per	ibsidised ✓	Manufacturer
ACTOR EIGHT INHIBITOR BYPASSING FRACTION - [Xpharm]				
For patients with haemophilia, whose funded treatment is mana	ged by the Haemop	hilia Tre	aters Gr	oup in conjunction with t
National Haemophilia Management Group.				
Inj 500 U	.1,450.00	1	√ F	EIBA NF
Inj 1,000 U	.2,900.00	1	√ F	EIBA NF
Inj 2,500 U	.7,250.00	1	√ F	EIBA NF
OROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]				
For patients with haemophilia, whose treatment is managed by the	ne Haemophilia Trea	aters Gr	oup in co	niunction with the Nation
Haemophilia Management Group.				,
Inj 250 iu prefilled syringe	210.00	1	VX	yntha
Inj 500 iu prefilled syringe		1		yntha
Inj 1,000 iu prefilled syringe		1		yntha
Inj 2,000 iu prefilled syringe		1		yntha
Inj 3,000 iu prefilled syringe		1		yntha
	.2,020.00	•	•	ymma
IONACOG ALFA [RECOMBINANT FACTOR IX] – [Xpharm]				
For patients with haemophilia, whose funded treatment is mana	ged by the Haemop	ohilia Ire	aters Gr	oup in conjunction with t
National Haemophilia Management Group.				
Inj 250 iu vial		1		BeneFIX
Inj 500 iu vial		1		BeneFIX
Inj 1,000 iu vial	,	1		BeneFIX
Inj 2,000 iu vial	*	1		BeneFIX
Inj 3,000 iu vial	.3,720.00	1	✓ B	BeneFIX
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]				
For natients with haemonhilia, whose treatment is managed by the	ne Haemonhilia Tre:	aters Gr	oun in co	niunction with the Natio
For patients with haemophilia, whose treatment is managed by the	ne Haemophilia Trea	aters Gr	oup in co	onjunction with the Nation
Haemophilia Management Group.	·			,
	237.50	aters Gr 1	✓ K	ogenate FS
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50	1	✓ K	Cogenate FS
Haemophilia Management Group.	237.50 287.50 475.00		✓ K ✓ A ✓ K	Cogenate FS dvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial Inj 500 iu vial	237.50 287.50 475.00 575.00	1	✓ K ✓ A ✓ K	Cogenate FS Idvate Cogenate FS Idvate
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00	1	✓ K ✓ A ✓ K	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial Inj 500 iu vial Inj 1,000 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00	1 1 1	KKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKKK<l< td=""><td>Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate</td></l<>	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate
Haemophilia Management Group. Inj 250 iu vial Inj 500 iu vial Inj 1,000 iu vial Inj 1,500 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00	1 1 1	/ K / K / K / K / A	Cogenate FS Lidvate Cogenate FS Lidvate Cogenate FS Lidvate Cogenate FS Lidvate Lidvate Lidvate
Haemophilia Management Group. Inj 250 iu vial Inj 500 iu vial Inj 1,000 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00	1 1 1	/ K / A / A / A / A / A / A / A	Cogenate FS Lidvate Cogenate FS Lidvate Cogenate FS Lidvate Lidvate Lidvate Lidvate Lidvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial Inj 500 iu vial Inj 1,000 iu vial Inj 1,500 iu vial Inj 2,000 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00	1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS cdvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial Inj 500 iu vial Inj 1,000 iu vial Inj 1,500 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00	1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial Inj 500 iu vial Inj 1,000 iu vial Inj 1,500 iu vial Inj 2,000 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00	1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS cdvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00	1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00 3,450.00	1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00 3,450.00	1 1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00 3,450.00	1 1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Idvate Idvate Cogenate FS Idvate Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00 3,450.00 28.50 (73.00)	1 1 1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Idvate Idvate Cogenate FS Idvate
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00 3,450.00 28.50 (73.00)	1 1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Idvate Idvate Cogenate FS Idvate Idvate Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00 3,450.00 28.50 (73.00)	1 1 1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 .1,725.00 .1,900.00 2,300.00 .2,850.00 3,450.00 28.50 (73.00)	1 1 1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate
Haemophilia Management Group. Inj 250 iu vial	237.50 287.50 475.00 575.00 950.00 1,150.00 1,795.00 2,300.00 2,300.00 2,850.00 3,450.00 28.50 (73.00)	1 1 1 1 1 1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Cogenate FS Idvate Cogenate FS Idvate Cogenate FS Idvate Idvate Idvate Cogenate FS Idvate

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per

Antithrombotic Agents

Antiplatelet Agents

ASPIRIN	10.50	990	✓ Ethics Aspirin EC
CLOPIDOGREL			
* Tab 75 mg – For clopidogrel oral liquid formulation refer, page 210	5.48	84	✓ Arrow - Clopid
DIPYRIDAMOLE			
* Tab 25 mg - For dipyridamole oral liquid formulation refer,			
page 210	8.36	84	✓ Persantin
* Tab long-acting 150 mg	11.52	60	✓ Pytazen SR
PRASUGREL - Special Authority see SA1201 below - Retail pharr	nacy		
Tab 5 mg	108.00	28	✓ Effient
Tab 10 mg		28	✓ Effient

⇒SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

✔ Brilinta * Tab 90 mg90.00

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Subsidy (Manufacturer's Price)	Sul	Fully bsidised	Brand or Generic	
\$	Per		Manufacturer	

Heparin and Antagonist Preparations

DALTEPARIN SODIUM - Special Authority see SA1270 bel	low – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	✓ Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe		10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	✓ Fragmin

⇒SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 on the next page - Retail pharmacy

			4
Inj 20 mg	37.24	10	Clexane
Inj 40 mg	49.69	10	Clexane
Inj 60 mg	74.91	10	Clexane
Inj 80 mg	99.86	10	Clexane
Inj 100 mg	125.06	10	Clexane
Inj 120 mg	155.40	10	Clexane
Inj 150 mg	177.60	10	Clexane

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	~	Manufacturer	

⇒SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- y or the following.
 - 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
 - 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
 - 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
 - 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
 - 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM			
Inj 1,000 iu per ml, 5 ml	13.36	10	Hospira
	61.04	50	✔ Pfizer
	66.80		Hospira
Inj 1,000 iu per ml, 35 ml vial		1	✓ Hospira
Inj 5,000 iu per ml, 1 ml	14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml	236.60	50	✔ Pfizer
Inj 25,000 iu per ml, 0.2 ml	9.50	5	Hospira
HEPARINISED SALINE			
Inj 10 iu per ml, 5 ml	39.00	50	Pfizer
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml	22.40	10	
	(119.23)		Artex

Oral Anticoagulants

DARIGATRAN

DADIGATIAN		
Cap 75 mg - No more than 2 cap per day148.	.00 60	Pradaxa
Cap 110 mg148.	.00 60	Pradaxa
Cap 150 mg148.	.00 60	Pradaxa
RIVAROXABAN - Special Authority see SA1066 on the next page - Retail	pharmacy	
Tab 10 mg153.	.00 15	Xarelto

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
	v	6.86	100	✓ Marevan
*	Tab 2 mg	4.31	50	✓ Coumadin
	Tab 3 mg		100	✓ Marevan
	Tab 5 mg		50	✓ Coumadin
	v	11.75	100	✓ Marevan

Blood Colony-stimulating Factors

FILGRASTIM - Special Authority see SA1259 below - Retail pha	armacy		
Inj 300 mcg per 0.5 ml prefilled syringe	540.00	5	Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	864.00	5	Zarzio

⇒SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5×10^9 /L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10^9 /L).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

⇒SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$).

Note: *Febrile neutropenia risk $\geq 20\%$ after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

47

	(Manufacturer's Pr	rice) Subs Per	sidised Generic Manufacturer
Fluids and Electrolytes			
Intravenous Administration			
GLUCOSE [DEXTROSE] * Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO * Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO		5 1	✓ <u>Biomed</u> ✓ <u>Biomed</u>
POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml	55.00	50	✓ AstraZeneca
SODIUM BICARBONATE Inj 8.4%, 50 ml a) Up to 5 inj available on a PSO	19.95	1	✓ Biomed
b) Not in combination Inj 8.4%, 100 ml a) Up to 5 inj available on a PSO b) Not in combination	20.50	1	✓ Biomed
SODIUM CHLORIDE Not funded for use as a nasal drop. Only funded for nebulise use.	r use when in con	junction with a	n antibiotic intended for nebuliser
Inf 0.9% - Up to 2000 ml available on a PSO	3.06 4.06	500 ml 1,000 ml	✔ Baxter✔ Baxter
Only if prescribed on a prescription for renal dialysis, mat for emergency use. (500 ml and 1,000 ml packs)	ernity or post-nata	al care in the h	nome of the patient, or on a PSO
Inj 23.4%, 20 ml ampoule For Sodium chloride oral liquid formulation refer Standard		5 !13	∠ <u>Biomed</u>
Inj 0.9%, 5 ml – Up to 5 inj available on a PSO	10.85 15.50	50	✓ Multichem✓ Pfizer
Inj 0.9%, 10 ml – Up to 5 inj available on a PSO	15.50	50	✓ Multichem✓ Pfizer
Inj 0.9%, 20 ml	8.41	6 20	✓ Pharmacia✓ Multichem
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Sp	11.79 ecialist	30	✓ Pharmacia
Infusion		1 OP	✓ TPN
On a prescription or Practitioner's Supply Order only wh Schedule requiring a solvent or diluent; or On a bulk supply order; or When used in the extemporaneous compounding of eye		orm as an injed	ction listed in the Pharmaceutical
Purified for inj, 5 ml — Up to 5 inj available on a PSO Purified for inj, 10 ml — Up to 5 inj available on a PSO Purified for inj, 20 ml — Up to 5 inj available on a PSO	11.25	50 50 20	✓ Multichem ✓ Multichem ✓ Multichem
Oral Administration			
CALCIUM POLYSTYRENE SULPHONATE Powder	169.85	300 g OP	✓ Calcium Resonium
COMPOUND ELECTROLYTES Powder for oral soln — Up to 10 sach available on a PSO	1.80	10	✓ Enerlyte

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's \$	Price) Sub	Fully Brand or sidised Generic Manufacturer
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.55	1,000 ml OP	✓ Pedialyte - Bubblegum
PHOSPHORUS			
Tab eff 500 mg (16 mmol)	82.50	100	✔ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
	(11.85)		Chlorvescent
Tab long-acting 600 mg (8 mmol)	7.42	200	✓ Span-K
SODIUM BICARBONATE			
Cap 840 mg	8.52	100	✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE			
Powder	84.65	454 g OP	✓ Resonium-A

CARDIOVASCULAR SYSTEM

	Subsidy		Fully	Brand or
	(Manufacturer's Price	e) Sub	sidised	Generic
	\$	Per	~	Manufacturer
	<u> </u>			
Alpha Adrenoceptor Blockers				
Alpha Adichocoptor Blookers				
DOXAZOSIN				
* Tab 2 mg	6.75	500	./ A	po-Doxazosin
3			. –	
* Tab 4 mg	9.07	500	V A	po-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	65.00	30	✓ B	NM \$29
, ,		00	• •	
PRAZOSIN				
* Tab 1 mg	5.53	100	✓ A	po-Prazosin
* Tab 2 mg	7.00	100	✓ A	po-Prazosin
* Tab 5 mg	11.70	100	✓ A	po-Prazosin
· ·				•
TERAZOSIN	0.50	00		
* Tab 1 mg		28	A	
* Tab 2 mg		28	✓ <u>A</u>	
* Tab 5 mg	0.68	28	✓ <u>A</u>	rrow
Agente Affection the Denin Annietonein Custom				
Agents Affecting the Renin-Angiotensin System				
ACE Inhibitors				
CAPTOPRIL			_	
*‡ Oral liq 5 mg per ml	94.99	95 ml OP	√ C	apoten
Oral liquid restricted to children under 12 years of age.				
CILAZAPRIL				
* Tab 0.5 mg	2.00	90	✓ Z	anril
* Tab 0.5 mg		90	✓ Z	
ŭ				
* Tab 5 mg	6.98	90	✓ <u>Z</u>	<u>aprii</u>
ENALAPRIL MALEATE				
* Tab 5 mg	0.96	100	√ E	thics Enalapril
* Tab 10 mg		100	_	thics Enalapril
		100	* =	anoo znalapin
* Tab 20 mg – For enalapril maleate oral liquid formulation re-		400		dele e Forelessell
fer, page 210	1./8	100	V E	thics Enalapril
LISINOPRIL				
* Tab 5 mg	1.80	90	√ E	thics Lisinopril
· · ···g	(3.58)	••		rrow-Lisinopril
Ethics Lisinopril to be Sole Supply on 1 April 2016	(0.00)			11011 Elolilopili
	2.05	00	./ =	thias Lisinanril
* Tab 10 mg		90		thics Lisinopril
Fil. 1 ". 1 0 1 0 1 4 4 "	(4.08)		А	rrow-Lisinopril
Ethics Lisinopril to be Sole Supply on 1 April 2016			4	
* Tab 20 mg	2.76	90	✓ E	thics Lisinopril
	(4.88)		Α	rrow-Lisinopril
Ethics Lisinopril to be Sole Supply on 1 April 2016				
(Arrow-Lisinopril Tab 5 mg to be delisted 1 April 2016)				
(Arrow-Lisinopril Tab 10 mg to be delisted 1 April 2016)				
(Arrow-Lisinopril Tab 20 mg to be delisted 1 April 2016)				
PERINDOPRIL				
* Tab 2 mg	3.75	30	✓ <u>A</u>	po-Perindopril
* Tab 4 mg	4.80	30	✓ A	po-Perindopril
- -				

	(CARDIC	OVASC	ULAR SYSTEM
	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
QUINAPRIL				_
₭ Tab 5 mg	4.31	90		rrow-Quinapril 5
₹ Tab 10 mg		90	_	rrow-Quinapril 10
F Tab 20 mg	5.97	90	✓ <u>A</u>	rrow-Quinapril 20
Higher subsidy by endorsement is available for patients who we prior to 1 June 1998. The prescription must be endorsed accordance "certified condition" or an appropriate description of the cardiac failure" or "CCF". For the purposes of this endorse infarction with an ejection fraction of less than 40%. Patients full subsidy by endorsement.	ordingly. We recommon patient such as "comment, congestive heat who started on trans	end that t ongestive art failure	the words heart fa includes	s used to indicate eligibility ilure", "CHF", "congestive s patients post myocardial
Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with Endorsement		28	G	opten
Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with Endorsement		28	G	opten
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	10.72	100	✓ <u>A</u>	<u>po-</u> <u>Cilazapril/Hydrochlorothia</u>
NALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg	3.32 (8.70)	30	С	o-Renitec
Co-Renitec Tab 20 mg with hydrochlorothiazide 12.5 mg to be de	listed 1 April 2016)			
QUINAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 10 mg with hydrochlorothiazide 12.5 mg		30	_	ccuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg	4.78	30	✓ <u>A</u>	ccuretic 20
Angiotensin II Antagonists				

CANDESARTAN CILEXETIL - Special Authority see SA1223 below - Retail pharmacy					
*	Tab 4 mg	2.50	90	Candestar	
*	Tab 8 mg	3.68	90	✓ Candestar	
*	Tab 16 mg	6.12	90	✓ Candestar	
*	Tab 32 mg	10.66	90	✓ Candestar	

⇒SA1223 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor);
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

CARDIOVASCULAR SYSTEM

	(Manufacturer's Pric	e) Si	Fully Brand or ubsidised Generic
	\$	Per	✓ Manufacturer
OSARTAN POTASSIUM			
€ Tab 12.5 mg	1.55	84	✓ Losartan Actavis
← Tab 25 mg		84	✓ Losartan Actavis
€ Tab 50 mg		84	✓ Losartan Actavis
← Tab 100 mg	2.60	84	✓ Losartan Actavis
Angiotensin II Antagonists with Diuretics			
OSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE			
Tab 50 mg with hydrochlorothiazide 12.5 mg	2.18	30	✓ <u>Arrow-Losartan &</u> <u>Hydrochlorothiazide</u>
Antiarrhythmics			
or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaes	thetics, Local, page	125	
MIODARONE HYDROCHLORIDE			
▲ Tab 100 mg - Retail pharmacy-Specialist	18.65	30	✓ Aratac
T 1 000 D 1 11 1 0 11 11 1	22.52	00	✓ Cordarone-X
▲ Tab 200 mg — Retail pharmacy-Specialist	30.52	30	✓ Aratac
1.50			✓ Cordarone-X
Inj 50 mg per ml, 3 ml ampoule – Up to 6 inj available on a		0	. (O
PSO	22.80	6	✓ Cordarone-X
TROPINE SULPHATE			
Inj 600 mcg per ml, 1 ml ampoule - Up to 5 inj available on a			
PSO	71.00	50	✓ AstraZeneca
IGOXIN			
Tab 62.5 mcg - Up to 30 tab available on a PSO	6.67	240	✓ Lanoxin PG
Tab 250 mcg - Up to 30 tab available on a PSO		240	✓ Lanoxin
€‡ Oral liq 50 mcg per ml		60 ml	✓ Lanoxin
ISOPYRAMIDE PHOSPHATE			
▲ Cap 100 mg	15.00	100	
Σ σαρ του mg	(23.87)	100	Rythmodan
▲ Cap 150 mg		100	✓ Rythmodan
		100	• Hydiiiloddii
LECAINIDE ACETATE - Retail pharmacy-Specialist	00.05	00	
Tab 50 mg		60	✓ Tambocor
▲ Tab 100 mg — For flecainide acetate oral liquid formulation			4- 1
refer, page 210		60	✓ Tambocor
Cap long-acting 100 mg		30	✓ Tambocor CR
Cap long-acting 200 mg		30	✓ Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	✓ Tambocor
Tambocor Tab 100 mg to be delisted 1 April 2016)			
IEXILETINE HYDROCHLORIDE			
▲ Cap 150 mg	162.00	100	✓ Mexiletine Hydrochloride USP \$29
▲ Cap 250 mg	202.00	100	✓ Mexiletine Hydrochloride USP \$29
ROPAFENONE HYDROCHLORIDE - Retail pharmacy-Special	ist		

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
· · · ·	Dor		Monufacturar

Antihypotensives

MIDODRINE - Special Authority see SA1474 below - Retail pl	harmacy		
Tab 2.5 mg	53.00	100	Gutron
Tab 5 mg	79.00	100	Gutron

⇒SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATE	NOLOL			
*	Tab 50 mg	4.61	500	✓ Mylan Atenolol
*	Tab 100 mg	7.67	500	Mylan Atenolol
*	Oral liq 25 mg per 5 ml	21.25	300 ml OP	✓ Atenolol AFT
	Restricted to children under 12 years of age.			
BIS	OPROLOL FUMARATE			
	Tab 2.5 mg	2.40	30	✓ Bosvate
	Tab 5 mg		30	✓ Bosvate
	Tab 10 mg	6.40	30	✓ Bosvate
САБ	RVEDILOL			
	Tab 6.25 mg	3 90	60	✓ Dicarz
	Tab 12.5 mg		60	✓ Dicarz
	Tab 25 mg – For carvedilol oral liquid formulation refer, page		00	<u> </u>
~	210	6.30	60	✓ Dicarz
051			00	<u> Diourz</u>
	JPROLOL Table 2000 areas	04.40	400	. 4 0-1-1
*	Tab 200 mg	21.40	180	✓ Celol
LAB	BETALOL			
*	Tab 50 mg	8.23	100	✓ Hybloc
*	Tab 100 mg - For labetalol oral liquid formulation refer, page			
	210	10.06	100	✓ Hybloc
*	Tab 200 mg	17.55	100	✓ Hybloc
*	Inj 5 mg per ml, 20 ml ampoule	59.06	5	
		(88.60)		Trandate
ME	TOPROLOL SUCCINATE			
	Tab long-acting 23.75 mg	0.96	30	✓ Metoprolol - AFT CR
	Tab long-acting 47.5 mg		30	✓ Metoprolol - AFT CR
	Tab long-acting 95 mg		30	✓ Metoprolol - AFT CR
	Tab long-acting 190 mg	4.66	30	✓ Metoprolol - AFT CR
MET	TOPROLOL TARTRATE			
	Tab 50 mg – For metoprolol tartrate oral liquid formulation			
~	refer, page 210	16.00	100	✓ Lopresor
*	Tab 100 mg		60	✓ Lopresor
	Tab long-acting 200 mg		28	✓ Slow-Lopresor
	Inj 1 mg per ml, 5 ml vial		5	✓ Lopresor

53

CARDIOVASCULAR SYSTEM

		Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
		\$	Per	~	Manufacturer
NA	DOLOL				
*	Tab 40 mg		100	✓ <u>A</u>	po-Nadolol
*	Tab 80 mg	24.70	100	✓ A	po-Nadolol
PIN	IDOLOL				
*	Tab 5 mg	9.72	100	✓ A	po-Pindolol
*	Tab 10 mg		100	✓ <u>A</u>	po-Pindolol
*	Tab 15 mg	23.46	100	✓ A	po-Pindolol
PR	OPRANOLOL				
*	Tab 10 mg	3.65	100	✓ A	po-
					Propranolol S29
*	Tab 40 mg	4.65	100	✓ A	po-
	·			·	Propranolol S29
*	Cap long-acting 160 mg	18.17	100	✓ C	ardinol LA
*	Oral liq 4 mg per ml - Special Authority see SA1327 below -				
	Retail pharmacy	CBS	500 m	l ✓ R	oxane S29

⇒SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

AMI ODIPINE

*	Tab 80 mg – For sotalol oral liquid formulation refer, page 21027.50	500	✓ Mylan	
*	Tab 160 mg10.50	100	✓ Mylan	
*	Inj 10 mg per ml, 4 ml ampoule65.39	5	✓ Sotacor	
TIN	MOLOL			
*	Tab 10 mg10.55	100	✓ Apo-Timol	

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

/ tivi	LODII IIIL			
*	Tab 2.5 mg	2.21	100	✓ Apo-Amlodipine
*	Tab 5 mg - For amlodipine oral liquid formulation refer, page			
	210	5.04	250	✓ Apo-Amlodipine
*	Tab 10 mg	7.21	250	✓ Apo-Amlodipine
FE	LODIPINE			
*	Tab long-acting 2.5 mg	1.45	30	✓ Plendil ER
	Tab long-acting 5 mg		30	✓ Plendil ER
	Tab long-acting 10 mg		30	✔ Plendil ER

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SRADIPINE				
* Cap long-acting 2.5 mg	7.50	30	/ [ynacirc-SRO
* Cap long-acting 5 mg		30		Dynacirc-SRO
VIFEDIPINE				•
K Tab long-acting 10 mg	17.70	60	.//	Adalat 10
Tab long-acting 10 mg		100		lyefax Retard
Refrability acting 20 mg		30		Adefin XL
Tab long-acting 60 mg		30	_	Adefin XL
Other Calcium Channel Blockers	5.75	30	<u> </u>	AUCIIII AL
DILTIAZEM HYDROCHLORIDE			_	
₹ Tab 30 mg		100	✓ [Dilzem
Tab 60 mg – For diltiazem hydrochloride oral liquid formula	a-			
tion refer, page 210	8.50	100		Dilzem
Cap long-acting 120 mg	1.91	30	V (Cardizem CD
	31.83	500	V	Apo-Diltiazem CD
Cap long-acting 180 mg	7.56	30	V (Cardizem CD
	47.67	500	V	Apo-Diltiazem CD
Cap long-acting 240 mg	10.22	30	V (Cardizem CD
	63.58	500	V	Apo-Diltiazem CD
ERHEXILINE MALEATE				
₭ Tab 100 mg	62.90	100	✓ F	Pexsig
/ERAPAMIL HYDROCHLORIDE				
₹ Tab 40 mg	7.01	100	V !	soptin
Tab 80 mg - For verapamil hydrochloride oral liquid formula	a-			•
tion refer, page 210		100	V I	soptin
Fab long-acting 120 mg		250	VĪ	erpamil SR
← Tab long-acting 240 mg		250		erpamil SR
Inj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available on				•
PSO		5	✓ !:	soptin
Centrally-Acting Agents				
CLONIDINE				
Patch 2.5 mg, 100 mcg per day - Only on a prescription	12.80	4	V (Catapres-TTS-1
Patch 5 mg, 200 mcg per day — Only on a prescription		4	_	Catapres-TTS-2
Patch 7.5 mg, 300 mcg per day — Only on a prescription		4		Catapres-TTS-3
LONIDINE HYDROCHLORIDE		7	• •	outupies i i o o
	10.50	110	.,,	Namidina DNM
Tab 25 mcg		112	_	Clonidine BNM
€ Tab 150 mcg € Inj 150 mcg per ml, 1 ml ampoule		100 5		Catapres Catapres
, , , ,	10.07	J	•	ναιαμισο
METHYLDOPA	4405	400	- د	
← Tab 125 mg		100		Prodopa
* Tab 250 mg		100		Prodopa
★ Tab 500 mg	23.15	100	✓ F	Prodopa

55

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Diuretics			
Loop Diuretics			
BUMETANIDE			
* Tab 1 mg	16.36	100	✓ Burinex
* Inj 500 mcg per ml, 4 ml vial	7.95	5	✓ Burinex
FUROSEMIDE [FRUSEMIDE]			
* Tab 40 mg - Up to 30 tab available on a PSO		1,000	✓ Diurin 40
* Tab 500 mg		50	✓ <u>Urex Forte</u>
*‡ Oral liq 10 mg per ml		30 ml OP 6	✓ Lasix✓ Lasix
 Inj 10 mg per ml, 25 ml ampoule Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on 		0	Lasix
PSO		5	✓ Frusemide-Claris
		•	
Potassium Sparing Diuretics			
AMILORIDE HYDROCHLORIDE			
* Tab 5 mg	17.50	100	✓ Apo-Amiloride
‡ Oral liq 1 mg per ml	30.00	25 ml OP	✓ Biomed
METOLAZONE - Special Authority see SA1349 below - Retail	pharmacy		
Tab 5 mg	CBS	1	✓ Metolazone S29
		50	✓ Zaroxolyn S29
⇒SA1349 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals vali	d without further	renewal unless	notified where used for the treat-
ment of patients with refractory heart failure who are intolerant o	r have not respor	nded to loop diu	retics and/or loop-thiazide combi-
nation therapy.			
SPIRONOLACTONE			4.6 1
* Tab 100 mg		100 100	Spiractin
* Tab 100 mg ‡ Oral liq 5 mg per ml		25 ml OP	✓ <u>Spiractin</u> ✓ Biomed
Potassium Sparing Combination Diuretics		23 1111 01	₽ bioineu
Totassium Sparing Combination Diaretics			
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE			
* Tab 5 mg with furosemide 40 mg	8.63	28	✓ Frumil
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZ			
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✓ Moduretic
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]			
* Tab 2.5 mg - Up to 150 tab available on a PSO	5.48	500	✓ Arrow-
Marcha arradiad an a DCO far record ather their arrays			<u>Bendrofluazide</u>
May be supplied on a PSO for reasons other than emerge * Tab 5 mg	•	500	✓ Arrow-
* Iab 5 mg	0.93	300	Bendrofluazide
CHLOROTHIAZIDE			
‡ Oral liq 50 mg per ml	26.00	25 ml OP	✓ Biomed
CHLORTALIDONE [CHLORTHALIDONE]			. =:=:::==
* Tab 25 mg	8.00	50	✓ Hygroton
		•	, 9.0.0

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Generic Manufacturer	
NDAPAMIDE			45	
• Tab 2.5 mg	2.25	90	✓ <u>Dapa-Tabs</u>	
Lipid-Modifying Agents				
Fibrates				
EZAFIBRATE Tab 200 mg	0.05	90	✓ Bezalip	
€ Tab long-acting 400 mg		30	✓ Bezalip Retard	
GEMFIBROZIL				
F Tab 600 mg	17.60	60	✓ <u>Lipazil</u>	
Other Lipid-Modifying Agents				
CIPIMOX	10.75	20	. / Olhatam	
Cap 250 mg	10./5	30	✓ Olbetam	
IICOTINIC ACID ← Tab 50 mg	3.96	100	✓ Apo-Nicotinic Ac	id
Tab 500 mg		100	✓ Apo-Nicotinic Ac	
Resins				
HOLESTYRAMINE				
Powder for oral liq 4 g		50		
	(52.68)		Questran-Lite	
OLESTIPOL HYDROCHLORIDE	00.00	20	✓ Colestid	
Grans for oral liq 5 g HMG CoA Reductase Inhibitors (Statins)	22.00	30	Colestia	
rescribing Guidelines eatment with HMG CoA Reductase Inhibitors (statins) is a ardiovascular risk of 15% or greater. FORVASTATIN – See prescribing guideline above	recommended for patients	with	dyslipidaemia and an absol	ute 5
Tab 10 mg	2.52	90	✓ Zarator	
Tab 20 mg		90	✓ Zarator	
Tab 40 mg	7.32	90	✓ Zarator	
Tab 80 mg	16.23	90	✓ Zarator	
RAVASTATIN - See prescribing guideline above				
Tab 20 mg Tab 40 mg		30	✓ <u>Cholvastin</u>	
Tab 40 mg	6.36	30	✓ <u>Cholvastin</u>	
MVASTATIN – See prescribing guideline above	0.05	90	Arrow-Simua 10r	~ ~
Tab 10 mg Tab 20 mg		90	✓ <u>Arrow-Simva 10r</u> ✓ Arrow-Simva 20r	_
Tab 40 mg		90	✓ Arrow-Simva 40r	_
: Tab 80 mg		90	✓ Arrow-Simva 80r	_
Selective Cholesterol Absorption Inhibitors				
ZETIMIBE - Special Authority see SA1045 on the next pa				
Brand switch fee payable (Pharmacode 2490773) - see	page 207 for details			

[‡] safety cap

30

✓ Ezemibe

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

CARDIOVASCULAR SYSTEM

Brand or Subsidy Fully (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than $10 \times normal$) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Brand switch fee payable (Pharmacode 2490765) - see page 207 for details

Tab 10 mg with simvastatin 10 mg	J5.1	5 30	✓ Zimybe
Tab 10 mg with simvastatin 20 mg	J	5 30	✓ Zimybe
Tab 10 mg with simvastatin 40 mg	,	5 30	✓ Zimybe
Tab 10 mg with simvastatin 80 mg	J8.1	5 30	✓ Zimybe

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Brand or

Fully

	(Manufacturer's	Price) Subs	sidised Generic	
	\$	Per	✓ Manufacturer	
Nitrates				
Miliates				
GLYCERYL TRINITRATE				
* Tab 600 mcg - Up to 100 tab available on a PSO	8.00	100 OP	Lycinate	
* Oral pump spray, 400 mcg per dose - Up to 250 dose avail-				
able on a PSO	4.45	250 dose OP	Nitrolingual Pump	
			Spray	
* Oral spray, 400 mcg per dose – Up to 250 dose available on				
a PSO		250 dose OP	✓ Glytrin	
* Patch 25 mg, 5 mg per day		30	Nitroderm TTS	
* Patch 50 mg, 10 mg per day	18.62	30	✓ Nitroderm TTS	
ISOSORBIDE MONONITRATE				
* Tab 20 mg		100	✓ Ismo 20	
* Tab long-acting 40 mg		30	✓ Ismo 40 Retard	
* Tab long-acting 60 mg	3.94	90	✓ Duride	
Sympathomimetics				
ADRENALINE		_	4	
Inj 1 in 1,000, 1 ml ampoule - Up to 5 inj available on a PSO		5	✓ Aspen Adrenaline	
	5.25		✓ Hospira	
Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a		_	4.1.	
PSO		5	✓ Hospira	
	49.00	10	Aspen Adrenaline	
ISOPRENALINE				
* Inj 200 mcg per ml, 1 ml ampoule		25		
	(164.20)		Isuprel	
Vasodilators				
AMYL NITRITE				
* Liq 98% in 0.3 ml cap		12	Decitor	
	(73.40)		Baxter	
HYDRALAZINE HYDROCHLORIDE				
* Tab 25 mg - Special Authority see SA1321 below - Retail				
pharmacy	CBS	1	Hydralazine	
		56	✓ Onelink \$29	
* Inj 20 mg ampoule	25.90	5	✓ Apresoline	
■SA1321 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	d without furthe	er renewal unless	s notified for applications me	eting
the following criteria:				
Either:				
 For the treatment of refractory hypertension; or 				
2 For the treatment of heart failure in combination with a nit	rate, in patients	s who are intolera	ant or have not responded to	ACE
inhibitors and/or angiotensin receptor blockers.				
MINOXIDIL - Special Authority see SA1271 below - Retail pharm	nacy			
▲ Tab 10 mg	70.00	100	✓ Loniten	

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where patient has severe

Subsidy

± safety cap

59

refractory hypertension which has failed to respond to extensive multiple therapies.

⇒SA1271 | Special Authority for Subsidy

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price)	Per	Full Subsidise	d Generic
NICORANDIL				
▲ Tab 10 mg	27.95	60	~	Ikorel
▲ Tab 20 mg	33.28	60	~	Ikorel
PAPAVERINE HYDROCHLORIDE * Inj 12 mg per ml, 10 ml ampoule	217.90	5	~	Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE]				
Tab 400 mg	36.94	50		
	(42.26)			Trental 400

Endothelin Receptor Antagonists

⇒SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC. PO Box 10-254. WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

.ac.gc.tin.z		
etail pharmacy		
4,585.00	30	✓ Volibris
4,585.00	30	✓ Volibris
pharmacy		
375.00	56	Mylan-Bosentan
401.79	60	
(1,500.00)		pms-Bosentan
(4,585.00)		Tracleer
375.00	56	Mylan-Bosentan
401.79	60	
(1,500.00)		pms-Bosentan
(4,585.00)		Tracleer
	(1,500.00) (4,585.00) 375.00 401.79 (1,500.00)	etail pharmacy 30 30 30 30 30 30 30 30 30 30 30 30 30

Mylan-Bosentan to be Sole Supply on 1 April 2016 (pms-Bosentan Tab 62.5 mg to be delisted 1 April 2016) (Tracleer Tab 62.5 mg to be delisted 1 April 2016) (pms-Bosentan Tab 125 mg to be delisted 1 April 2016) (Tracleer Tab 125 mg to be delisted 1 April 2016)

Phosphodiesterase Type 5 Inhibitors

⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has Ravnaud's Phenomenon*: and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

continued...

CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 on the previous page	- Retail pharm	nacy	
Tab 25 mg	0.75	4	✓ Vedafil
Tab 50 mg	0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page			
210	2.75	4	Vedafil

Prostacyclin Analogues

⇒SA0969 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

✓ Ventavis 30

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 91

ADAPAI FNF

a) Maximum of 30 g per prescription

b) Only on a prescription

Crm 0.1%	.22.89	30 g OP	Differin
Gel 0.1%	.22.89	30 g OP	Differin

ISC

OTRETINOIN - Special Authority see SA1475 be	elow – Retail pharmacy		
Cap 10 mg	12.47	100	Isotane 10
	14.96	120	Oratane
Cap 20 mg	19.27	100	✓ Isotane 20
	23.12	120	Oratane

⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRFTINOIN

50 q OP ReTrieve

Brand or

Fully

	(Manufacturer's F	Price) Sub Per	sidised Generic Manufacturer
	Ψ 	rei	Manuacturer
Antibacterials Topical			
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 91		
FUSIDIC ACID		05	4
Crm 2%	2.52	15 g OP	✓ <u>DP Fusidic Acid</u> Cream
a) Maximum of 15 g per prescription			Cleam
b) Only on a prescription			
c) Not in combination Oint 2%	3 45	15 g OP	✓ Foban
a) Maximum of 15 g per prescription		10 9 01	· ioban
b) Only on a prescription			
c) Not in combination			
HYDROGEN PEROXIDE * Crm 1%	8 56	15 g OP	✓ Crystaderm
MUPIROCIN	0.50	13 g O1	• Crystaderiii
Oint 2%	6.60	15 g OP	
	(9.26)	Ü	Bactroban
a) Only on a prescription			
b) Not in combination SILVER SULPHADIAZINE			
Crm 1%	12.30	50 g OP	✓ Flamazine
a) Up to 250 g available on a PSO		Ü	
b) Not in combination			
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals, page	97		
AMOROLFINE			
a) Only on a prescription b) Not in combination			
Nail soln 5%	19.95	5 ml OP	✓ MycoNail
CICLOPIROX OLAMINE			
a) Only on a prescription			
b) Not in combination Nail-soln 8%	6.50	7 ml OP	Ana Cialaninay
	0.50	/ IIII OP	✓ Apo-Ciclopirox
CLOTRIMAZOLE * Crm 1%	0.52	20 g OP	✓ Clomazol
a) Only on a prescription		5	
b) Not in combination * Soln 1%	4.00	00 ml OD	
* 50III 170	4.36 (7.55)	20 ml OP	Canesten
a) Only on a prescription	(1.00)		3411001011
b) Not in combination			

Subsidy

	Subsidy (Manufacturer's \$	Price)	Full Subsidise	d Generic
ECONAZOLE NITRATE				
Crm 1%	1.00 (7.48)	20 g C)P	Pevaryl
a) Only on a prescription	(7.40)			1 Cvaryi
b) Not in combination				
Foaming soln 1%, 10 ml sachets	9.89 (17.23)	3		Pevaryl
a) Only on a prescription	, ,			•
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.55	15 g C	OP 🗸	<u>Multichem</u>
a) Only on a prescription				
b) Not in combination * Lotn 2%	4.36	30 ml ()P	
	(10.03)	00 1111 1	0 1	Daktarin
a) Only on a prescription	(/			
b) Not in combination				
* Tinct 2%		30 ml (OP	D
a) Only on a prescription	(12.10)			Daktarin
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g	1.00	15 g C)P	
	(7.90)	Ü		Mycostatin
a) Only on a prescription				
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination Crm, aqueous, BP	1 /10	100 (· •	Pharmacy Health
Lotn. BP		2.000		PSM
CROTAMITON		,		
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.37	20 g C	OP 🗸	Itch-Soothe
MENTHOL - Only in combination				
 Only in combination with a dermatological base or propage 209 	prietary Topical C	Corticoste	riod – Plair	n, refer dermatological base
With or without other dermatological galenicals.				
Crystals		25 g		PSM
	6.92 29.60	100		MidWest MidWest
	29.60	100 (y /	wiavvest

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 79

Corticosteroids - Plain

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	Diprosone OV
Oint 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.15	50 g OP	✓ Beta Cream
* Oint 0.1%	3.15	50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	3.20	30 g OP	✓ Clobetasol BNM
* Oint 0.05%		30 g OP	✓ Clobetasol BNM
		00 g 01	<u> </u>
CLOBETASONE BUTYRATE	F 00	00 - 00	
Crm 0.05%		30 g OP	F
	(7.09)	100 - OD	Eumovate
	16.13	100 g OP	From such a
	(22.00)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8.97	50 g OP	
	(15.86)		Nerisone
Fatty oint 0.1%		50 g OP	
	(15.86)		Nerisone
HYDROCORTISONE			
* Crm 1% - Only on a prescription	3.75	100 g	✓ Pharmacy Health
, , ,	14.00	500 g	✓ Pharmacy Health
* Powder - Only in combination	59.50	25 g	✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary Topical galenicals. Refer, page 209	Corticosterio	d - Plain) with	or without other dermatological
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only			
on a prescription	10.57	250 ml	✓ DP Lotn HC
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%	2.30	30 g OP	✓ Locoid Lipocream
r	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%		100 ml OP	✓ Locoid Crelo
METHYLPREDNISOLONE ACEPONATE			
Crm 0.1%	4 05	15 g OP	✓ Advantan
Oint 0.1%		15 g OP	✓ Advantan
OII IL 0.1 /0	4.33	13 y O1	▼ Auvanian

[‡] safety cap

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy		Fully Brand or
	(Manufacturer's I		bsidised Generic
	\$	Per	✓ Manufacturer
MOMETASONE FUROATE			
Crm 0.1%	1.51	15 g OP	✓ Elocon Alcohol Free
	2.90	50 g OP	✓ Elocon Alcohol Free
	1.51	15 g OP	
	(1.78)	.0 9 0.	m-Mometasone
Elocon Alcohol Free to be Sole Supply on 1 February 2016	٠,		
Oint 0.1%		15 g OP	✓ Elocon
	2.90	50 g OP	✓ Elocon
	1.51	15 g OP	Liocon
	(1.78)	10 9 01	m-Mometasone
Elocon to be Sole Supply on 1 February 2016	(1.70)		III Wometasone
Lotn 0.1%	7 35	30 ml OP	✓ Elocon
n-Mometasone Crm 0.1% to be delisted 1 February 2016)	1.00	JU IIII OF	LIOCOII
m-Mometasone Oint 0.1% to be delisted 1 February 2016)			
• •			
RIAMCINOLONE ACETONIDE			
Crm 0.02%		100 g OP	✓ Aristocort
Oint 0.02%	6.35	100 g OP	✓ Aristocort
Corticosteroids - Combination			
ETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a	procorintion		
Crm 0.1% with clioquinol 3%		15 g OP	
Citil 0.170 With Giloquinor 570	(4.90)	13 g Oi	Betnovate-C
	(4.90)		Deli lovale-C
ETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%		15 g OP	
	(10.45)		Fucicort
a) Maximum of 15 g per prescription			
b) Only on a prescription			
YDROCORTISONE WITH MICONAZOLE - Only on a prescript	ion		
Crm 1% with miconazole nitrate 2%	2.00	15 g OP	✓ Micreme H
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - On	ly on a procerin	tion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
		ū	Fillialucoit
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN	N AND NYSTAT	IN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg			
and gramicidin 250 mcg per g - Only on a prescription	3.49	15 g OP	
	(6.60)		Viaderm KC
Disinfecting and Cleansing Agents			
HLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescription	is endorsed an	cordingly	
Handrub 1% with ethanol 70%		500 ml	✓ healthE
		500 1111	+ ilcaitiiL

500 ml

✓ healthE

Subsidy	Fully	Brand or
acturer's Price)	Subsidised	Generic
\$ Per	~	

TRICLOSAN - Subsidy by endorsement

- a) Maximum of 500 ml per prescription
- a) Only if prescribed for a patient identified with Methicillin-resistant Staphylococcus aureus (MRSA) prior to elective surgery in hospital and the prescription is endorsed accordingly; or
- b) Only if prescribed for a patient with recurrent Staphylococcus aureus infection and the prescription is endorsed accordingly

b) Only in presented for a patient with recurrent etaphylococous dareds into	otion and the pre	soonphorn to chachoca accordingly
Soln 1%4.50	500 ml OP	✓ Pharmacy Health
5.90		✓ healthE

Barrier Creams and Emollients

	_
Barrier	Croomo
DALLIEL	CHEAILIS

Barrier Creams			
DIMETHICONE			
* Crm 5% pump bottle	4.73	500 ml OP	✓ <u>healthE</u> Dimethicone 5%
* Crm 10% pump bottle	4.90	500 ml OP	✓ healthE Dimethicone 10%
ZINC AND CASTOR OIL * Oint BP	3.83	500 g	✓ Multichem
Emollients			
AQUEOUS CREAM			
* Crm	1.96 1.99	500 g	✓ AFT ✓ AFT SLS-free
CETOMACROGOL			
* Crm BP	2.74 (3.15)	500 g	✓ healthE PSM
healthE to be Sole Supply on 1 February 2016 (PSM Crm BP to be delisted 1 February 2016)	,		
CETOMACROGOL WITH GLYCEROL			
Crm 90% with glycerol 10%	4.50	500 ml OP	✓ Pharmacy Health Sorbolene with Glycerin
	6.50	1,000 ml OP	Pharmacy Health Sorbolene with Glycerin
EMULSIFYING OINTMENT			
* Oint BP	2.73	500 g	✓ <u>AFT</u>
OIL IN WATER EMULSION * Crm	2.25	500 g	✓ O/W Fatty Emulsion Cream
	2.63		✓ healthE Fatty Cream
UREA			
* Crm 10%	1.65	100 g OP	✓ <u>healthE Urea Cream</u>

	Subsidy (Manufacturer's \$	Price) Subs	Fully sidised	Brand or Generic Manufacturer
WOOL FAT WITH MINERAL OIL - Only on a prescription				
* Lotn hydrous 3% with mineral oil	5.60	1,000 ml		
•	(11.95)		D	P Lotion
	1.40	250 ml OP		
	(4.53)		D	P Lotion
	5.60	1,000 ml		
	(20.53)		A	lpha-Keri Lotion
	(23.91)		В	K Lotion
	1.40	250 ml OP		
	(7.73)		В	K Lotion

Other Dermatological Bases

PΑ	R	Δ	F	F	IN	

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid - Plain.

Minor Skin Infections

POVIDONE IODINE		
Oint 10%	25 g OP	✓ Betadine
a) Maximum of 100 g per prescription b) Only on a prescription		
Antiseptic soln 10%6.20	500 ml	✓ Betadine
		✓ Riodine
1.28	100 ml	
(4.20)		Riodine
(8.25)		Betadine
0.19	15 ml	
(4.45)		Betadine
Skin preparation, povidone iodine 10% with 30% alcohol10.00	500 ml	Betadine Skin Prep
1.63	100 ml	
(3.65)		Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13	500 ml	
(18.63)		Orion
1.63	100 ml	
(6.04)		Orion

Parasiticidal Preparations

IVERMECTIN - Special Authority see SA1225 on the next page - Retail pharmacy

Tab 3 mg − Up to 100 tab available on a PSO......17.20 4 Stromectol

- PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

Subsidy Fully (Manufacturer's Price) Subsidised \$ Per

Brand or Generic Manufacturer

■ SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Fither:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy:
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist: and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution: and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently;
 - 2.2.3 Any of the following:

continued...

69

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or

2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;

2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE

Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2%11.15 90 a OP Para Plus

PERMETHRIN

Crm 5%4.20 30 g OP ✓ Lyderm 30 ml OP ✓ A-Scabies

Psoriasis and Eczema Preparations

ACITRETIN – Special Authority see SA1476 below – Retail pharmacy		
Cap 10 mg17.86	60	✓ Novatretin
Cap 25 mg41.36	60	✓ Novatretin

⇒SA1476 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two vears after the completion of the treatment: or
- Patient is male.

BETAMETHASONE DIPROPIONATE WITH CAI CIPOTRIOI

g OP ✓ Daivol	30 g OP	26.12	Gel 500 mcg with calcipotriol 50 mcg per g
g OP V Daivol	30 g OP	ı26.12	Oint 500 mcg with calcipotriol 50 mcg per g

	Subsidy		Fully Brand of	
	(Manufacturer's \$	Price) Sub Per	osidised Generic Manufa	
OH CIRCTRIAL	Ψ		- Manaia	otaror
CALCIPOTRIOL Crm 50 mcg per g	16.00	20 a OB	✓ Daivonex	
Offit 50 fricg per g	45.00	30 g OP 100 g OP	✓ Daivonex	
Oint 50 mcg per g		100 g OP	✓ Daivonex	
Soln 50 mcg per ml		30 ml OP	✓ Daivonex	
COAL TAR				
Soln – Only in combination	12 55	200 ml	✓ Midwest	
Up to 10% only in combination with a dermatological base base, page 209 With or without other dermatological galenicals.				fer dermatological
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULP	HUR			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and				
allantoin crm 2.5%		75 g OP		
	(8.00)	-	Egopsoryl	TA
	3.43	30 g OP		
	(4.35)		Egopsoryl	TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR				
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-Sca	alp
SALICYLIC ACID				
Powder - Only in combination	18.88	250 g	✓ PSM	
 Only in combination with a dermatological base or project dermatological base, page 209 With or without other dermatological galenicals. 	orietary Topical	Corticosteroid	- Plain or collo	dion flexible, refer
SULPHUR Propinitated Only in combination	6.25	100 ~	✓ Midwest	
Precipitated – Only in combination		100 g		matalogical baco
page 209 2) With or without other dermatological galenicals.	netary ropical t	Jorticosteroia -	- Flaili, lelei dei	matological base,
TAR WITH TRIETHANOLAMINE LAURYL SULPHATE AND FLU	ORESCEIN - C	Inly on a presci	rintion	
* Soln 2.3% with triethanolamine lauryl sulphate and fluores-		on a presen	приоп	
cein sodium		500 ml	✓ Pinetarso	ol .
		000 1111	T motaroe	<u></u>
Scalp Preparations				
BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.75	100 ml OP	✓ Beta Scal	р
CLOBETASOL PROPIONATE				-
* Scalp app 0.05%	6.96	30 ml OP	✓ Dermol	
HYDROCORTISONE BUTYRATE	-			
Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid	
KETOCONAZOLE		.00 1111 01	2 2000.0	
Shampoo 2%	2 90	100 ml OP	✓ Sebizole	
a) Maximum of 100 ml per prescription		100 1111 01	- CONIZOIG	
,				

b) Only on a prescription

[‡] safety cap

	Subsidy (Manufacturer's Pr \$	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer
Sunscreens				
SUNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivity endorsed accordingly.	secondary to a d	efined clinical	conditio	on and the prescription i
Crm	3.30	100 g OP		
	(5.89)		Ha	milton Sunscreen
Lotn,	3.30	100 g OP		arine Blue Lotion SPF 50+
	5.10	200 g OP		arine Blue Lotion SPF 50+
Lotn	4.13 (6.94)	125 ml OP	Aq	uasun 30+
Wart Preparations				
For salicylic acid preparations refer to PSORIASIS AND ECZEMA IMIQUIMOD	PREPARATIONS	S, page 70		
Crm 5%, 250 mg sachet	17.98	12	_	oo-Imiquimod Cream 5%
PODOPHYLLOTOXIN				
Soln 0.5%	33.60	3.5 ml OP	✓ Co	ondyline
Other Skin Preparations				

Crm 5%8.95

20 g OP

✓ Efudix

Antineoplastics
FLUOROURACIL SODIUM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Contraceptives - Non-hormonal

Condoms

CO	NDOMS			
*	49 mm - Up to 144 dev available on a PSO	13.36	144	✓ MarquisTantiliza
				✓ Shield 49
*	52 mm - Up to 144 dev available on a PSO	13.36	144	✓ Marquis Selecta
				Marquis Sensolite
				Marquis Supalite
*	52 mm extra strength – Up to 144 dev available on a PSO		144	Marquis Protecta
*	53 mm - Up to 144 dev available on a PSO	1.11	12	Gold Knight
				Shield Blue
		13.36	144	Marquis Black
				Marquis Titillata
				Shield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO	1.11	12	Gold Knight
		13.36	144	Gold Knight
*	53 mm (strawberry) - Up to 144 dev available on a PSO	1.11	12	Gold Knight
		13.36	144	✓ Gold Knight
*	54 mm, shaped - Up to 144 dev available on a PSO	1.12	12	
		(1.24)		Lifestyles Flared
		13.36	144	-
		(14.84)		Lifestyles Flared
*	55 mm - Up to 144 dev available on a PSO	13.36	144	✓ Marquis Conforma
*	56 mm - Up to 144 dev available on a PSO	1.11	12	✓ Gold Knight
		13.36	144	✓ Durex Extra Safe
				Gold Knight
*	56 mm, shaped - Up to 144 dev available on a PSO	1.11	12	Durex Confidence
		13.36	144	Durex Confidence
*	60 mm - Up to 144 dev available on a PSO	13.36	144	✓ Shield XL
(Ma	arquis Sensolite 52 mm to be delisted 1 May 2016)			
	arquis Supalite 52 mm to be delisted 1 May 2016)			
,	arquis Titillata 53 mm to be delisted 1 May 2016)			
٠.	, , , , , , , , , , , , , , , , , , , ,			

Contraceptive Devices

DIAPHRAGM – Up to 1 dev available on a PSO
•
One of each size is permitted on a PSO.

*	65 mm	42.90	1	Ortho All-flex
*	70 mm	42.90	1	Ortho All-flex
*	75 mm	42.90	1	Ortho All-flex
*	80 mm	42.90	1	Ortho All-flex
INT	FRA-UTERINE DEVICE			
	a) Up to 40 dev available on a PSO			
	b) Only on a PSO			

^{*} IUD 33.6 mm length × 29.9 mm width31.60

✓ Choice

TT380 Standard

[✓] Choice TT380 Short

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

Mercilon 28

Contraceptives - Hormonal

Combined Oral Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- · have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

(19.80)

ETHINYLOESTRADIOL WITH DESOGESTREL

	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	above	
	b) Up to 84 tab available on a PSO			
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
		(19.80)		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authorityb) Up to 84 tab available on a PSO	see SA0500 a	above	
ETI	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.65	84	✓ Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	9.45	84	Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
		(16.50)		Microgynon 30
	 a) Higher subsidy of \$15.00 per 63 tab with Special Authority b) Up to 63 tab available on a PSO 	see SA0500 a	above	-
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.30	84	✓ Ava 30 ED

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
ETHINYLOESTRADIOL WITH NORETHISTERONE					
* Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available on a PSO		63	✓ B	revinor 1/21	
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO		84	✓ B	revinor 1/28	
* Tab 35 mcg with norethisterone 500 mcg - Up to 63 tab available on a PSO		63	✓ B	revinor 21	
* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab — Up to 84 tab available on a PSO		84	✓ N	lorimin	

Progestogen-only Contraceptives

■ SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL Tab 20 mag

*	1ab 30 mcg	84	
	(16.50))	Microlut
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA05	500 above	
	b) Up to 84 tab available on a PSO		
*	Subdermal implant (2 \times 75 mg rods)133.65	1	✓ <u>Jadelle</u>
MF	EDROXYPROGESTERONE ACETATE		
	Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO7.00	1	✓ Depo-Provera
NC	DRETHISTERONE		
*	Tab 350 mcg - Up to 84 tab available on a PSO	84	✓ Noriday 28

75

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	V	Manufacturer

Emergency Contraceptives

LEVONORGESTREL

- ✔ Postinor-1
 - a) Maximum of 2 tab per prescription
 - b) Up to 5 tab available on a PSO

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs - Up

168 ✓ Ginet

Gynaecological Anti-infectives

Jelly with glacial acetic acid 0.94%, hydroxyguinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43

100 g OP (24.00)

CLOTRIMAZOLE

✔ Clomazol 35 q OP Vaginal crm 2% with applicators2.20 20 g OP ✓ Clomazol MICONAZOLE NITRATE

Vaginal crm 100.000 u per 5 g with applicator(s)4.71 ✓ Nilstat 75 g OP

Myometrial and Vaginal Hormone Preparations

ERGOMETRINE MALEATE

Inj 500 mcg per ml, 1 ml ampoule - Up to 5 inj available on a PSO.......94.70 5 ✓ DBL Ergometrine OFSTRIOL

* Crm 1 mg per g with applicator6.30 15 q OP Ovestin

Ovestin 15

OXYTOCIN - Up to 5 inj available on a PSO 5 Oxvtocin BNM

5 Oxytocin BNM

OXYTOCIN WITH ERGOMETRINE MALEATE - Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml11.13

Aci-Jel

✓ Micreme

40 g OP

GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

y Brand or d Generic Manufacturer

Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE

- a) Up to 200 test available on a PSO
- b) Only on a PSO

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 111

5-Alpha Reductase Inhibitors

FINASTERIDE - Special Authority see SA0928 below - Retail pharmacy

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN

 ★ Tab 5 mg
 11.20
 500
 ✓ Apo-Oxybutynin

 ★ Oral liq 5 mg per 5 ml
 56.45
 473 ml
 ✓ Apo-Oxybutynin

POTASSIUM CITRATE

Oral liq 3 mmol per ml – Special Authority see SA1083 below

⇒SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Pri \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer
SODIUM CITRO-TARTRATE				
* Grans eff 4 g sachets	2.93	28	✓ <u>U</u>	<u>Iral</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998	below - Retail pharm	acy		
Tab 5 mg	37.50	30	✓ V	esicare/
Tab 10 mg	37.50	30	V	'esicare
Initial application from any relevant practitioner. Approvals overactive bladder and a documented intolerance of, or is nor TOLTERODINE — Special Authority see SA1272 below — Ret Tab 1 mg	r-responsive to oxybuty ail pharmacy 14.56 14.56 alid without further rer	ynin. 56 56	✓ A	rrow-Tolterodine
Detection of Substances in Urine				
ORTHO-TOLIDINE				
* Compound diagnostic sticks	7.50 (8.25)	50 test C	-	lemastix
TETRABROMOPHENOL				
* Blue diagnostic strips	7.02	100 test 0	OP	

(13.92)

Albustix

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Calcium Homeostasis				
CALCITONIN * Inj 100 iu per ml, 1 ml ampoule	121.00	5	✓ <u>M</u>	iacalcic
ZOLEDRONIC ACID				
Inj 4 mg per 5 ml, vial - Special Authority see SA1512 below				
- Retail pharmacy	550.00	1	✓ Zo	ometa

► SA1512 | Special Authority for Subsidy

Initial application only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
 - 2.1 Patient has bone metastases or involvement; and
 - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
 - 3.1 Patient has bone metastases or involvement; and
 - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

Corticosteroids and Related Agents for Systemic Use

RETAMETHASONE SODILIM PHOSPHATE WITH RETAMETHASONE ACETATE

BEI	AMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE		
*	Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml19.20 (36.96)	5	Celestone Chronodose
DE	KAMETHASONE		
*	Tab 0.5 mg — Retail pharmacy-Specialist	30	✓ Dexmethsone
*	Tab 1 mg — Retail pharmacy-Specialist	100	✓ Douglas
*	Tab 4 mg - Retail pharmacy-Specialist	30	Dexmethsone
	6.13	100	✓ Douglas
	a) Up to 30 tab available on a PSO b) Dexmethsone to be Sole Supply on 1 April 2016		·
	Oral liq 1 mg per ml — Retail pharmacy-Specialist	25 ml OP	✓ Biomed
(Do	uglas Tab 1 mg to be delisted 1 April 2016)		
,	uglas Tab 4 mg to be delisted 1 April 2016)		
	(AMETHASONE PHOSPHATE Dexamethasone phosphate injection will not be funded for oral use.		
	Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO25.80	10	✓ <u>Dexamethasone-</u> hameIn
*	Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO17.98	5	Dexamethasone- hameln

		Subsidy		Fully	Brand or
		(Manufacturer's Price) Per	Subsidised	Generic Manufacturer
ELI	JDROCORTISONE ACETATE				
*	Tab 100 mcg	14.32	100	V 1	lorinef
	· ·				
	DROCORTISONE Tab 5 mg	0.10	100	./ 1	Noveloo
*			100	V <u>I</u>	<u>Douglas</u>
*	Tab 20 mg – For hydrocortisone oral liquid formulation refe		100		Namla.a
	page 210		100	_	Douglas
*	a) Up to 5 inj available on a PSO	4.99	1	V <u>s</u>	Solu-Cortef
	b) Only on a PSO				
ME	THYLPREDNISOLONE – Retail pharmacy-Specialist				
*	Tab 4 mg		100		<u>//ledrol</u>
*	Tab 100 mg	180.00	20	/ <u>!</u>	<u>/ledrol</u>
ИE	THYLPREDNISOLONE (AS SODIUM SUCCINATE) - Reta	il pharmacy-Specialist			
	Inj 40 mg vial		1	v 9	Solu-Medrol
	Inj 125 mg vial		1		Solu-Medrol
	Inj 500 mg vial		1		Solu-Medrol
	Inj 1 g vial		1		Solu-Medrol
				• •	
VΙΕ	THYLPREDNISOLONE ACETATE	40.00	_		Name Madad
	Inj 40 mg per ml, 1 ml vial	40.00	5	/ [Depo-Medrol
ИE	THYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGN	OCAINE]			
	Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial	-	1	V [Depo-Medrol with
	, 01			_	Lidocaine
PR	EDNISOI ONE				
	EDNISOLONE Oral lig 5 mg per ml — Un to 30 ml available on a PSO	7.50 3	0 ml 0	p 🗸 i	Redinred
	Oral liq 5 mg per ml - Up to 30 ml available on a PSO	7.50 3	0 ml O	P 🗸 I	Redipred
*	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age.	7.50 3	0 ml O	P 🗸 I	Redipred
* PR	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE				·
*	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age.		0 ml O 100		Redipred Apo-Prednisone S29 529
* PR	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE	2.13	100	V 1	Apo-Prednisone S29 S29
* PR *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg	2.13	100	V 1	Apo-Prednisone S29 S29 Apo-Prednisone
* ** *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg	2.13 10.68 12.09	100 500 500	V 1	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone
* PR * * *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg — Up to 30 tab available on a PSO	2.13 10.68 12.09 11.09	100 500 500 500	V V V	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone
* PR * * * *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO	2.13 10.68 12.09 11.09	100 500 500	V V V	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone
* PR * * * *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg	2.13 10.68 12.09 11.09 29.03	100 500 500 500 500	V V V	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone
* PR * * * *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO	2.13 10.68 12.09 11.09 29.03	100 500 500 500 500	V V V V V V V V V V	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen
* PR * * * TE *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg IRACOSACTRIN Inj 250 mcg per ml, 1 ml ampoule	2.13 10.68 12.09 11.09 29.03 17.71 177.18	100 500 500 500 500	V V V V V V V V V V V V V V V V V V V	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen
* PR * * * TE	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg	2.13 10.68 12.09 11.09 29.03 17.71 177.18	100 500 500 500 500	V V V V V V V V V V V V V V V V V V V	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen
* PR * * * TE * *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg IRACOSACTRIN Inj 250 mcg per ml, 1 ml ampoule	2.13 10.68 12.09 11.09 29.03 17.71 177.18	100 500 500 500 500	V V V V V V V V V V V V V V V V V V V	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen
* PR * * * TE * *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg FRACOSACTRIN Inj 250 mcg per ml, 1 ml ampoule Inj 1 mg per ml, 1 ml AMCINOLONE ACETONIDE	2.13 10.6812.0911.0929.0317.71 177.1829.56	100 500 500 500 500 1 10	V V V V V V V V V V	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen
* PR * * * TE * *	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg FRACOSACTRIN Inj 250 mcg per ml, 1 ml ampoule Inj 1 mg per ml, 1 ml AMCINOLONE ACETONIDE Inj 10 mg per ml, 1 ml ampoule	2.13 10.6812.0911.0929.0317.71 177.1829.5620.80	100 500 500 500 500 1 10 1	V / V / V / V / V / V / V / V / V / V /	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen Depot
* PR	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg FRACOSACTRIN Inj 250 mcg per ml, 1 ml ampoule Inj 1 mg per ml, 1 ml AMCINOLONE ACETONIDE Inj 10 mg per ml, 1 ml ampoule Inj 40 mg per ml, 1 ml ampoule	2.13 10.6812.0911.0929.0317.71 177.1829.5620.80	100 500 500 500 500 1 10	V / V / V / V / V / V / V / V / V / V /	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen
* PR	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg FRACOSACTRIN Inj 250 mcg per ml, 1 ml ampoule Inj 1 mg per ml, 1 ml AMCINOLONE ACETONIDE Inj 10 mg per ml, 1 ml ampoule	2.13 10.6812.0911.0929.0317.71 177.1829.5620.80	100 500 500 500 500 1 10 1	V / V / V / V / V / V / V / V / V / V /	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen Depot
* PR	Oral liq 5 mg per ml — Up to 30 ml available on a PSO Restricted to children under 12 years of age. EDNISONE Tab 1 mg Tab 2.5 mg Tab 5 mg — Up to 30 tab available on a PSO Tab 20 mg FRACOSACTRIN Inj 250 mcg per ml, 1 ml ampoule Inj 1 mg per ml, 1 ml AMCINOLONE ACETONIDE Inj 10 mg per ml, 1 ml ampoule Inj 40 mg per ml, 1 ml ampoule	2.13 10.6812.0911.0929.0317.71 177.1829.5620.80	100 500 500 500 500 1 10 1	V / V / V / V / V / V / V / V / V / V /	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen Depot
* PR * * * TR S A	Oral liq 5 mg per ml — Up to 30 ml available on a PSO	2.13 10.6812.0911.0929.0317.71 177.1829.5620.80	100 500 500 500 500 1 10 1	V / V / V / V / V / V / V / V / V / V /	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen Depot
* PR * * * TR S A	Oral liq 5 mg per ml — Up to 30 ml available on a PSO	2.13 10.6812.0911.0929.0317.71 177.1829.5620.8051.10	100 500 500 500 500 1 10 1	V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen Depot
* PR * * * TR S A	Oral liq 5 mg per ml — Up to 30 ml available on a PSO		100 500 500 500 500 1 10 1 5 5	V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen Depot Cenacort-A 10 Cenacort-A 40
* PR	Oral liq 5 mg per ml — Up to 30 ml available on a PSO		100 500 500 500 500 1 10 1 5 5	V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1 V 1	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen Depot Kenacort-A 10 Kenacort-A 40
* PR	Oral liq 5 mg per ml — Up to 30 ml available on a PSO		100 500 500 500 500 1 10 1 5 5	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Apo-Prednisone S29 S29 Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Apo-Prednisone Synacthen Synacthen Synacthen Synacthen Depot Cenacort-A 10 Cenacort-A 40

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist Inj 100 mg per ml, 10 ml vial	76.50	1	✓ <u>De</u>	epo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.98	1	✓ St	ustanon Ampoules
TESTOSTERONE UNDECANOATE — Retail pharmacy-Specialist Cap 40 mg Inj 250 mg per ml, 4 ml vial	16.80	60 1	_	ndriol Testocaps eandron 1000

Hormone Replacement Therapy - Systemic

⇒SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy.

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

Subsidy

Fully

Brand or

(Manufacturer's Price) Subsidised Generic \$ Per Manufacturer **Oestrogens** OESTRADIOL - See prescribing guideline on the previous page Tab 1 mg4.12 28 OP Estrofem 28 OP **Estrofem** (11.10)8 (10.86)**Estradot** a) Higher subsidy of \$10.86 per 8 patch with Special Authority see SA1018 on the previous page b) No more than 2 patch per week c) Only on a prescription TDDS 3.9 mg (releases 50 mcg of oestradiol per day)4.12 4 Climara 50 a) Higher subsidy of \$13.18 per 4 patch with Special Authority see SA1018 on the previous page b) No more than 1 patch per week c) Only on a prescription TDDS 50 mcg per day4.12 8 Estradot 50 mcg a) Higher subsidy of \$13.18 per 8 patch with Special Authority see SA1018 on the previous page b) No more than 2 patch per week c) Only on a prescription TDDS 7.8 mg (releases 100 mcg of oestradiol per day)7.05 Climara 100 a) Higher subsidy of \$16.14 per 4 patch with Special Authority see SA1018 on the previous page b) No more than 1 patch per week c) Only on a prescription TDDS 100 mcg per day7.05 8 (16.14)Estradot a) Higher subsidy of \$16.14 per 8 patch with Special Authority see SA1018 on the previous page b) No more than 2 patch per week c) Only on a prescription OESTRADIOL VALERATE - See prescribing guideline on the previous page 84 Progynova Progynova OESTROGENS - See prescribing guideline on the previous page Conjugated, equine tab 300 mcg3.01 28 Premarin Conjugated, equine tab 625 mcg4.12 28 (11.48)Premarin **Progestogens** MEDROXYPROGESTERONE ACETATE - See prescribing guideline on the previous page 30 Provera 100 Provera 30 Provera

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Progestogen and Oestrogen Combined Preparate	tions			
OESTRADIOL WITH NORETHISTERONE – See prescribing gui * Tab 1 mg with 0.5 mg norethisterone acetate		28 OP		liovance
* Tab 2 mg with 1 mg norethisterone acetate	, ,	28 OP		liogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	Trisequens	
OESTROGENS WITH MEDROXYPROGESTERONE - See pres		page 8	31	
* Tab 625 mcg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28)		28 OP	Premia 2.5 Continuous	
* Tab 625 mcg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)		28 OP		remia 5 Continuous
Other Oestrogen Preparations				
ETHINYLOESTRADIOL				
* Tab 10 mcg	17.60	100	_	Z Medical and Scientific
OESTRIOL * Tab 2 mg	7.00	30	v 0	vestin

Other Progestogen Preparations

LEVONORGESTREL

★ Levonorgestrel - releasing intrauterine system 20 mcg/24 hr – Special Authority see SA0782 below – Retail pharmacy269.50
1
✓ Mirena

►SA0782 | Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (**Previous use before 1 October 2002**) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE	E ACETATE
---------------------	-----------

*	Tab 100 mg - Retail pharmacy-Specialist	96.50	100	✓ Provera
NC	RETHISTERONE			
*	Tab 5 mg - Up to 30 tab available on a PSO	18.29	100	✓ Primolut N
PR	OGESTERONE			
	Cap 100 mg - Special Authority see SA1392 below - Retail			
	pharmacy	16.50	30	Utrogestan

⇒SA1392 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*; and
- 2 Fither:

CARBIMAZOI F

- 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
- 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents

* Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg		90	✓ Synthroid
* Tab 50 mcg	4.05	90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	uid preparations.		
* Tab 100 mcg	4.21	90	✓ Synthroid
-	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	uid preparations.		
LEVOTHYROXINE (MERCURY PHARMA)			
* Tab 50 mcg	1.71	28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liqu			•
* Tab 100 mcg		28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liqu			•
PROPYLTHIOURACIL - Special Authority see SA1199 on the	next page – Retail r	harmacy	
Propylthiouracil is not recommended for patients under the a are contraindicated.	1 0 1	,	nt is pregnant and other treatments
Tab 50 mg	35.00	100	✓ PTU S29
ř			

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA1199 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

SO	MATROPIN (OMNITROPE) – Special Authority see SA	1451 below – Retail phar	macy	
*	Inj 5 mg cartridge	109.50	1	Omnitrope
*	Inj 10 mg cartridge	219.00	1	✓ Omnitrope
*	Inj 15 mg cartridge	328.50	1	✓ Omnitrope

■ SA1451 | Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon followup laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is ≥ 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity > 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is ≥ 2 cm per year, calculated over six months; and
- 3 A current bone age is \leq 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is \leq to 14 years (female patients) or \leq to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease: and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Fither:
 - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine $(umol/l) \times 40 = corrected GFR (ml/min/1.73m²) in a child who may or may not be receiving dialysis; or$
 - 6.2 The patient has received a renal transplant and has received < 5mg/m²/day of prednisone or equivalent for at least 6 months...

Subsidy (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient's height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 Fither:
 - 3.1 The patient is under two years of age and height velocity has been assessed over a minimum six month period from the age of 12 months, with at least three supine length measurements over this period demonstrating clear and consistent evidence of linear growth failure (with height velocity < 25th percentile); or
 - 3.2 The patient is aged two years or older; and
- 4 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 5 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 6 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is ≤ 14 years (female patients) or ≤ 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of ≤ 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of ≤ 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors): and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

✓ fully subsidised

[HP4] refer page 4

GOSERELIN ACE IAI E			
Inj 3.6 mg	166.20	1	Zoladex
Inj 10.8 mg	443.76	1	Zoladex

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
LEUPRORELIN				
Inj 3.75 mg prefilled syringe	221.60	1	✓ Li	ucrin Depot PDS
Inj 7.5 mg	166.20	1	√ E	ligard
Inj 11.25 mg prefilled syringe	591.68	1	✓ Li	ucrin Depot PDS
Inj 22.5 mg	443.76	1	√ E	ligard
Inj 30 mg	591.68	1	√ E	ligard
Inj 30 mg prefilled syringe	1,109.40	1	✓ Li	ucrin Depot PDS
Inj 45 mg		1	✓ E	ligard .
Vasopressin Agonists				
DESMOPRESSIN ACETATE				

Tab 100 mcg - Special Authority see SA1401 below - Retail			
pharmacy	36.40	30	Minirin
Tab 200 mcg - Special Authority see SA1401 below - Retail			
pharmacy	93.60	30	✓ Minirin
Nasal drops 100 mcg per ml - Retail pharmacy-Specialist	39.03	2.5 ml OP	✓ Minirin
Nasal spray 10 mcg per dose - Retail pharmacy-Specialist	22.95	6 ml OP	✓ <u>Desmopressin-</u>
	pharmacy	pharmacy	pharmacy 36.40 30 Tab 200 mcg - Special Authority see SA1401 below - Retail pharmacy 93.60 30 Nasal drops 100 mcg per ml - Retail pharmacy-Specialist 39.03 2.5 ml OP

■SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

		Tab 0.5 mg - Maximum of 2 tab per prescription; can be
✓ Dostine	2	waived by Special Authority see SA1370 on the next page4.75
✓ Dostine	8	19.00

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

■ SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

Tab 50 mg	.29.84	10	✓ <u>Serophene</u>
DANAZOL			
Cap 100 mg	.68.33	100	✓ Azol
Cap 200 mg	.97.83	100	✓ Azol
METYRAPONE			
Cap 250 mg - Retail pharmacy-Specialist	520.00	50	✓ Metopirone

✓ fully subsidised

[HP4] refer page 4

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Anthelmintics

ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy

60 Eskazole \$29

✔ Biltricide

■ SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOLE - Only on a prescription

Tab 100 mg	24.19	24	De-Worm
Oral lig 100 mg per 5 ml		15 ml	
	(7.17)		Vermox
PRAZIQUANTEL			

Antibacterials

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 63
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 202

Tab 600 mg68.00

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE

26.00	100	Ranbaxy-Cetaclor
3.53	100 ml	✓ Ranbaxy-Cefaclor
5.70	20	Cephalexin ABM
		•
8.00	100 ml	✓ Cefalexin Sandoz
ts more than 1	4 days treatm	ent per dispensing.
11.00	100 ml	Cefalexin Sandoz
	3.53 5.70 8.00	5.70 208.00 100 ml ts more than 14 days treatm

Note: Cefalexin grans for oral liq will not be funded in amounts more than 14 days treatment per dispensing.

CEFAZOLIN - Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly.

CEFTRIAXONE - Subsidy by endorsement

- a) Up to 5 ini available on a PSO
- b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.

✓ Ceftriaxone-AFT Inj 1 g vial5.22 5 ✓ Ceftriaxone-AFT

CEFUROXIME AXETIL - Subsidy by endorsement

Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.

Zinnat

Subsidy Brand or Fully (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

70 ml

100

✓ Klacid

✓ F-Mycin

Macrolides

AZITHROMYCIN - Maximum of 5 days treatment per prescription; can be waived by endorsement

For Endorsement, patient has either:

- 1) Received a lung transplant and requires treatment or prophylaxis for bronchiolitis obliterans syndrome*; or
- 2) Cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms*.

Indications marked with * are Unapproved Indications			
Tab 250 mg	9.00	30	Apo-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSO	1.05	2	✓ Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) - Wastag	je		
claimable – see rule 3.3.2 on page 13	12.50	15 ml	✓ Zithromax
CLARITHROMYCIN - Maximum of 500 mg per prescription; ca	n be waived by Sp	ecial Authorit	y see SA1131 below
Tab 250 mg	3.98	14	✓ Apo-Clarithromycin
Grans for oral liq 125 mg per 5 ml - Wastage claimable - se	ee		

⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection: or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

16 05

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

FRYTHROMYCIN FTHYL SUCCINATE

Tah 400 mg

a) Up to 20 tab available on a PSO	10.95	100	E-WyCIII
b) Up to 2 x the maximum PSO quantity for RFPP –	see rule 5.2.6 on page	17	
Grans for oral liq 200 mg per 5 ml	, 0	100 ml	E-Mycin
a) Up to 300 ml available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP -	see rule 5.2.6 on page	17	
c) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	E-Mycin
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 13			
ERYTHROMYCIN LACTOBIONATE			
Inj 1 g	16.00	1	Erythrocin IV
ERYTHROMYCIN STEARATE			
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100	
• '	(22.29)		ERA
Tab 500 mg	29.90	100	
	(44.58)		ERA
ROXITHROMYCIN			
Tab 150 mg	7.48	50	✓ Arrow-
	•		Roxithromycin
Tab 300 mg	14.40	50	✓ Arrow-
-			Roxithromycin

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

Manufacturer \$ Per **Penicillins AMOXICILLIN** ✓ Apo-Amoxi Cap 250 mg16.18 500 a) Up to 30 cap available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP - see rule 5.2.6 on page 17 500 ' Apo-Amoxi a) Up to 30 cap available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP – see rule 5.2.6 on page 17 100 ml ✓ Alphamox Amoxicillin Actavis ✔ Ranmoxv 2.00 Ospamox a) Up to 200 ml available on a PSO b) Wastage claimable - see rule 3.3.2 on page 13 100 ml ✓ Alphamox ✓ Amoxicillin Actavis ✓ Ranmoxv Ospamox 2.00 a) Up to 300 ml available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP - see rule 5.2.6 on page 17 c) Wastage claimable - see rule 3.3.2 on page 13 Inj 250 mg vial10.67 10 ✓ Ibiamox 10 ✓ Ibiamox Inj 1 q vial - Up to 5 inj available on a PSO......17.29 10 Ibiamox AMOXICILLIN WITH CLAVULANIC ACID Tab 500 mg with clavulanic acid 125 mg - Up to 30 tab avail-20 Augmentin ✓ Curam Duo 100 Grans for oral lig amoxicillin 125 mg with clavulanic acid 100 ml Augmentin ✓ Curam a) Up to 200 ml available on a PSO b) Wastage claimable - see rule 3.3.2 on page 13 Grans for oral lig amoxicillin 250 mg with clavulanic acid 100 ml Augmentin Curam a) Up to 200 ml available on a PSO b) Wastage claimable - see rule 3.3.2 on page 13 (Curam Grans for oral lig amoxicillin 125 mg with clavulanic acid 31.25 mg per 5 ml to be delisted 1 April 2016) (Curam Grans for oral liq amoxicillin 250 mg with clavulanic acid 62.5 mg per 5 ml to be delisted 1 April 2016) BENZATHINE BENZYI PENICII I IN Inj 900 mg (1.2 million units) in 2.3 ml syringe - Up to 5 ini available on a PSO......315.00 10 ✔ Bicillin LA BENZYLPENICILLIN SODIUM (PENICILLIN G) Ini 600 mg (1 million units) vial - Up to 5 ini available on a

10

Sandoz

PSO.......10.35

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's P	rice)	Full Subsidise	
	` \$	Per		 Manufacturer
FLUCLOXACILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	18.70	250	~	Staphlex
Cap 500 mg	62.90	500	~	<u>Staphlex</u>
Grans for oral liq 25 mg per ml	2.29	100 ml	~	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 ml	•	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.00	10		Fluelavia
Inj 250 mg vial		10 10		<u>Fluctoxin</u>
Inj 500 mg vialInj 1 g vial – Up to 10 inj available on a PSO		10		Flucioxin Flucioxin
	11.00	10	•	FIUCIOXIII
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg – Up to 30 cap available on a PSO		50		Cilicaine VK
Cap 500 mg	4.73	50	•	Cilicaine VK
a) Up to 20 cap available on a PSO	.la	17		
b) Up to 2 x the maximum PSO quantity for RFPP – see ru		100 ml	.,	ACT
Grans for oral liq 125 mg per 5 ml	1.04	100 1111	•	<u>AFT</u>
a) Up to 200 ml available on a PSO b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1 7/	100 ml	V	AFT
a) Up to 300 ml available on a PSO	1.74	100 1111	•	<u> </u>
b) Up to 2 x the maximum PSO quantity for RFPP – see ru	ıle 5 2 6 on nage	17		
c) Wastage claimable – see rule 3.3.2 on page 13	no o.e.o on pago	• • •		
PROCAINE PENICILLIN				
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO	123 50	5	V	Cilicaine
, , , , , ,	120.00	, ,		<u>Omounic</u>
Tetracyclines				
DOXYCYCLINE				
* Tab 50 mg - Up to 30 tab available on a PSO	2.90	30		
3	(6.00)			Doxy-50
* Tab 100 mg - Up to 30 tab available on a PSO	6.75 [′]	250	~	Doxine
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg - Additional subsidy by Special Authority see				
SA1355 below – Retail pharmacy		60		
SA1000 below - Hetali pharmacy	(12.05)	00		Mino-tabs
* Cap 100 mg		100		Will to tabo
- Cap 100 mg	(52.04)			Minomycin
▶ SA1355 Special Authority for Manufacturers Price	(0=.01)			
Initial application from any relevant practitioner. Approvals val	id without further	r renewal i	inless no	itified where the nationt ha
rosacea.	ia without fulfiller	i ronewal t	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	amou whole the patient ha
TETRACYCLINE – Special Authority see SA1332 below – Retail	nharmacy			
Cap 500 mg		30	V	Tetracyclin
		-	•	Wolff S29
The CA 1222 Change Authority for Cubaidy				TIVIII TO

⇒SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer Other Antibiotics For topical antibiotics, refer to DERMATOLOGICALS, page 63 CIPROFI OXACIN Recommended for patients with any of the following: i) microbiologically confirmed and clinically significant pseudomonas infection; or ii) prostatitis: or iii) pyelonephritis: or iv) gonorrhoea. 28 Cipflox Tab 500 mg - Up to 5 tab available on a PSO......2.00 28 Cipflox 28 ✓ Cipflox CLINDAMYCIN Cap hydrochloride 150 mg - Maximum of 4 cap per prescription; can be waived by endorsement - Retail pharmacy -Clindamycin ABM 16 Ini phosphate 150 mg per ml. 4 ml - Retail pharmacy-10 Dalacin C CO-TRIMOXAZOLE Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -500 ' Trisul Oral lig trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml - Up to 200 ml available on a PSO......2.15 100 ml ✓ Deprim COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Inj 150 mg65.00 Colistin-Link **FUSIDIC ACID** ✔ Fucidin 12 Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist GENTAMICIN SULPHATE Inj 10 mg per ml, 1 ml - Subsidy by endorsement8.56 5 ✔ Hospira Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed Inj 10 mg per ml, 2 ml - Subsidy by endorsement175.10 ✓ APP 25 Pharmaceuticals \$29 Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed Inj 40 mg per ml, 2 ml ampoule - Subsidy by endorsement......6.00 10 Pfizer

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed

5

✓ Avelox

95

No patient co-payment payable

MOXIFLOXACIN - Special Authority see SA1358 on the next page - Retail pharmacy

Tab 400 mg52.00

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Active tuberculosis*: and
 - 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (**Penetrating eye injury**) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 below - Retail pharmacy

Cap 250 mg126.00 16 ✔ Humatin 🖘

► SA1324 | Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy

⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy: or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

SULFADIAZINE SODIUM - Special Authority see SA1331 on the next page - Retail pharmacy

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

⇒SA1331 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

TOBRAMYCIN

Inj 40 mg per ml, 2 ml ampoule - Subsidy by endorsement	38.00	5	DBL Tobramycin		
Only if prescribed for dialysis or cystic fibrosis patient and	I the prescription	is endorsed ac	cordingly.		
Solution for inhalation 60 mg per ml, 5 ml - Subsidy by en	 -				
dorsement	2,200.00	56 dose	✓ TOBI		
a) Wastage claimable – see rule 3.3.2 on page 13					
b) Only if prescribed for a cystic fibrosis patient and the prescription is endorsed accordingly.					

TRIMETHOPRIM

★ Tab 300 mg - Up to 30 tab available on a PSO......15.00
50
✓ TMP

VANCOMYCIN - Subsidy by endorsement

0 40

2

. / 0--1-

Antifungals

- a) For topical antifungals refer to DERMATOLOGICALS, page 63
- b) For topical antifungals refer to GENITO URINARY, page 76

Can EO ma Datail pharmagy Chanieliat

FLUCONAZOLE

Cap 50 mg - Retail pharmacy-Specialist	3.49	28	✓ <u>Ozoie</u>	
Cap 150 mg – Subsidy by endorsement	0.71	1	✓ <u>Ozole</u>	
a) Maximum of 1 cap per prescription; can be waived by	endorsement - Re	tail pharmacy	/ - Specialist	
b) Patient has vaginal candida albicans and the practition	ner considers that	a topical imi	idazole (used intra-vaginally) is no	t
recommended and the prescription is endorsed according	gly; can be waived	by endorsen	nent - Retail pharmacy - Specialist	
Cap 200 mg - Retail pharmacy-Specialist	9.69	28	✓ <u>Ozole</u>	
Powder for oral suspension 10 mg per ml - Special Authorit	у			
see SA1359 below - Retail pharmacy	34.56	35 ml	✓ Diflucan S29 S29	
	98.50		✓ Diflucan	

Wastage claimable - see rule 3.3.2 on page 13

■ SA1359 | Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOLE

✓ Itrazole 15

Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology. or for tinea unquium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement -Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 below

- Retail pharmacy141.80 150 ml OP ✓ Sporanox

⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KETOCONAZOLE

Tab 200 mg - PCT - Retail pharmacy-Specialist - Sub	osidy		
by endorsement	CBS	30	✓ Link Healthcare S29
			✓ Nizoral S29

Prescriptions must be written by, or on the recommendation of an oncologist

•	•	•		
NYSTATIN				
Tab 500,000 u		14.16	50	
		(17.09)		Nilstat
Cap 500,000 u		12.81	50	
		(15.47)		Nilstat
POSACONAZOLE - S	Special Authority see SA1285 belo	w – Retail pharmacy		

Oral liq 40 mg per ml761.13 105 ml OP ✓ Noxafil

⇒SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy: or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Subsidy (Manufacturer's Price	۸	Fully Subsidised	Brand or Generic	
(Warlacedor 5 1 No.	Per	€ Cubolaloca	Manufacturer	

continued...

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg - For terbinafine oral liquid formulation refer, page 210	1.50	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE - Special Authority see SA1273 below - Retail p	harmacy		
Tab 50 mg	130.00	56	✓ Vttack
·	(730.00)		Vfend
Vttack to be Sole Supply on 1 April 2016	,		
Tab 200 mg	500.00	56	✓ Vttack
	(2,930.00)		Vfend
Vttack to be Sole Supply on 1 April 2016			
Powder for oral suspension 40 mg per ml - Wastage			
claimable – see rule 3.3.2 on page 13	730.00	70 ml	✓ Vfend
(Vfend Tab 50 mg to be delisted 1 April 2016)			
(Vfend Tab 200 mg to be delisted 1 April 2016)			

► SA1273 | Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

Antimalarials

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

✓ Primacin S29

Arrow-Ornidazole

⇒SA1326 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QUININE SULPHATE

Tab 300 mg54.06 500 ✓ Q 300 ± Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

METRONIDAZOLE

Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg	18.15	100	Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg		10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	16.50	10	Arrow-Orn

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

100 ✓ Lamprene S29

CYCLOSERINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

Cap 250 mg1,294.50 100 ✓ King S29

DAPSONE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist

100 ✓ Dapsone 100 ✓ Dapsone

	ır	NECTIONS - A	GEN	15 FUK	SYSTEMIC USE
		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
ET	HAMBUTOL HYDROCHLORIDE – Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendati	on of, an infectious	disea	se physicia	n, clinical microbiologist or
	respiratory physician				
	Tab 100 mg		56		Myambutol
	Tab 400 mg	49.34	56	/	Myambutol
ISC	NIAZID - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendation biologist, dermatologist or public health physician	n of, an internal med	licine	physician, ¡	paediatrician, clinical micro-
	Tab 100 mg		100	-	<u>PSM</u>
*	Tab 100 mg with rifampicin 150 mg		100	-	<u>Rifinah</u>
*	Tab 150 mg with rifampicin 300 mg	170.60	100	/]	<u>Rifinah</u>
PAI	RA-AMINO SALICYLIC ACID - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Specialist must be an infectious disease specialist, clinical		pirato	ry specialis	t.
	Grans for oral liq 4 g sachet	280.00	30	/	Paser S29
PR	OTIONAMIDE - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Specialist must be an infectious disease specialist, clinical		•		
	Tab 250 mg	305.00	100	/	Peteha S29
PΥ	RAZINAMIDE – Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendati	on of, an infectious	disea	se physicia	n, clinical microbiologist or
	respiratory physician				
*	Tab 500 mg - For pyrazinamide oral liquid formulation refer,				
	page 210	59.00	100	•	AFT-Pyrazinamide
RIF	ABUTIN – Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendation	on of, an infectious	disea	ise physicia	an, respiratory physician or
	gastroenterologist				
*	Cap 150 mg - For rifabutin oral liquid formulation refer, page				
	210	213.19	30	/	<u>Mycobutin</u>
RIF	AMPICIN – Subsidy by endorsement				
	a) No patient co-payment payable				
	b) For confirmed recurrent Staphylococcus aureus infection in				
	based on susceptibilities and the prescription is endorsed ac				
	Specialist. Specialist must be an internal medicine physicial	n, clinical microbiolo	ogist,	dermatolog	jist, paediatrician, or public
	health physician.	400 ==	0.5		n.,
	Tab 600 mg		30	_	Rifadin Difadin
	Cap 150 mg		100	-	Rifadin Difadin
	Cap 300 mg Oral lig 100 mg per 5 ml		100 60 ml	-	<u>Rifadin</u> Rifadin
	fodin Tab 600 mg to be delicted 1. July 2016)	12.00	00 1111	•	niiauiii

(Rifadin Tab 600 mg to be delisted 1 July 2016)

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Antivirals

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 202

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy

Tab 10 mg670.00

30 ✓ Hepsera

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA1361 below - Retail pharmacy

30

✓ Baraclude

⇒SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAq positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Fither:
 - 4.1 ALT greater than upper limit of normal; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

continued...

- 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive: or
 - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
 of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
 commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
 fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy		
Tab 100 mg6.00	28	Zeffix
Oral liq 5 mg per ml270.00	240 ml	✓ Zeffix

⇒SA1360 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or
- 6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine: and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and
 - Documented resistance to lamivudine, defined as:
 - 2.3 Patient has raised serum ALT (> 1 \times ULN); and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation: or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamiyudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir: and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICLOVIR

*	Tab dispersible 200 mg	1.78	25	✓ Lovir
*	Tab dispersible 400 mg	5.98	56	✓ Lovir
	Tab dispersible 800 mg		35	Lovir
VAL	ACICLOVIR - Special Authority see SA1363 below - Retail pharm	пасу		
	Tab 500 mg	6.42	30	✓ Vaclovir
	•	102.72		✓ Valtrex
	Tab 1,000 mg	12.75	30	✓ Vaclovir

⇒SA1363 Special Authority for Subsidy

Initial application — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the patient has genital herpes with 2 or more breakthrough episodes in any 6 month period while treated with aciclovir 400 mg twice daily.

Renewal — (recurrent genital herpes) from any medical practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (ophthalmic zoster) from any medical practitioner. Approvals valid without further renewal unless notified where the patient has previous history of ophthalmic zoster and the patient is at risk of vision impairment.

Initial application — (CMV prophylaxis) from any medical practitioner. Approvals valid for 3 months where the patient has undergone organ transplantation.

Initial application — (immunocompromised patients) from any medical practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patients is immunocompromised; and
- 2 Patient has herpes zoster: and
- 3 Valaciclovir is to be given for a maximum of 7 days per course.

VALGANCICLOVIR - Special Authority see SA1404 below - Retail pharmacy

60 Valcyte

⇒SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months): and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1362 on the next

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 107

Tab 300 mg531.00 30 Viread

105

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

■ SA1362 Special Authority for Waiver of Rule

Initial application — **(Chronic Hepatitis B)** only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation: or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Roth:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
 negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

BOCEPREVIR - Special Authority see SA1402 below - Retail pharmacy

Cap 200 mg - Wastage claimable - see rule 3.3.2 on page

⇒SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegylated interferon treatment; and
- 3 Any of the following:
 - 3.1 Patient was a responder relapser; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10⁹ /l or Albumin <35 g/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

Antiretrovirals

⇒SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

1 Confirmed HIV infection; and

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under: or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 500 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Prevention of maternal foetal transmission: or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretro-

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ – Special Authority see SA1364 on page 107	 Retail pharmacy 		
Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg	190.15	90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29
ETRAVIRINE - Special Authority see SA1364 on page 10	7 – Retail pharmacy		
Tab 200 mg	770.00	60	✓ Intelence
NEVIRAPINE - Special Authority see SA1364 on page 10	7 – Retail pharmacy		
Tab 200 mg	65.00	60	✓ Nevirapine
			Alphapharm
Oral suspension 10 mg per ml	134.55	240 ml	✓ Viramune
			Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIN SOLFRATE - Special Authority see SA 1304 on page	iui – netali pri	armacy	
Tab 300 mg	229.00	60	Ziagen
Oral liq 20 mg per ml			✓ Ziagen
		_	

ABACAVIR SULPHATE WITH LAMIVUDINE - Special Authority see SA1364 on page 107 - Retail pharmacy

Note: abacavir with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the antiretroviral Special Authority.

✓ Kivexa 30

	Subsidy (Manufacturer's Pri \$	ce) Sul	Fully bsidised	Brand or Generic Manufacturer
DIDANOSINE [DDI] - Special Authority see SA1364 on page 1	<u> </u>			wandacturer
Cap 125 mg	•	.y 30	√ V	idex EC
Cap 200 mg		30		idex EC
Cap 250 mg		30		idex EC
Cap 400 mg		30		idex EC
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOP - Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil fu of the anti-retroviral Special Authority		·		. •
Tab 600 mg with emtricitabine 200 mg and tenofovir disopros fumarate 300 mg		30	✓ A	tripla
EMTRICITABINE - Special Authority see SA1364 on page 107 Cap 200 mg		30	√ E	mtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE Note: Emtricitabine with tenofovir disoproxil fumarate cour retroviral Special Authority Tab 200 mg with tenofovir disoproxil fumarate 300 mg	nts as two anti-retro		tions fo	
_AMIVUDINE - Special Authority see SA1364 on page 107 - F				
Tab 150 mg		60	/ <u>L</u>	amivudine Alphapharm
Oral liq 10 mg per ml	102.50	240 ml OP	√ <u>3</u>	
STAVUDINE [D4T] - Special Authority see SA1364 on page 10	7 – Retail pharmacy	I		
Cap 40 mg		60	√ Z	erit
Powder for oral soln 1 mg per ml		200 ml OP		erit S29
ZIDOVUDINE [AZT] - Special Authority see SA1364 on page 1		^ \/		
Cap 100 mg		100	~ 0	etrovir
Oral liq 10 mg per ml		200 ml OP	. –	etrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE — Special Authority se Note: zidovudine [AZT] with lamivudine (combination tablet anti-retroviral Special Authority.	ee SA1364 on page s) counts as two an	107 – Retail	pharma nedicatio	ons for the purposes of th
Tab 300 mg with lamivudine 150 mg	44.00	60	✓ <u>A</u>	<u>lphapharm</u>
Protease Inhibitors				
ATAZANAVIR SULPHATE - Special Authority see SA1364 on p	age 107 – Retail ph	armacy		
Cap 150 mg	-	60	✓ R	leyataz
Cap 200 mg		60		leyataz
DARUNAVIR - Special Authority see SA1364 on page 107 - Ro				•
Tab 400 mg		60	√ D	rezista
Tab 600 mg		60		rezista
ŭ	,	00	V F	16215la
NDINAVIR - Special Authority see SA1364 on page 107 - Ret				
Cap 200 mg		360		crixivan
Cap 400 mg		180		rixivan
LOPINAVIR WITH RITONAVIR - Special Authority see SA1364	l on page 107 – Ret	ail pharmacy		
Tab 100 mg with ritonavir 25 mg	183.75	60	✓ K	Caletra
T 1 444 11 11 11 11 11 11 11 11 11 11 11	705.00	100	. / K	Caletra
Tab 200 mg with ritonavir 50 mg		120	₩ N	aicua

	Subsidy (Manufacturer's Pi \$	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer
RITONAVIR – Special Authority see SA1364 on page 107 – Reta Tab 100 mg Oral liq 80 mg per ml	43.31	30 90 ml OP	✓ N	•. •
Strand Transfer Inhibitors				
RALTEGRAVIR POTASSIUM – Special Authority see SA1364 on Tab 400 mg	1 0	ail pharmacy 60	✓ Is	entress
Antiretrovirals - Additional Therapies				

HIV Fusion Inhibitors

ENFUVIRTIDE - Special Authority see SA0845 below - Retail pharmacy Powder for inj 90 mg per ml \times 602,380.00 Fuzeon

■SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed: and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- a) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test: or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

	(Manufacturer's Price) \$	Su Per	bsidised	Generic Manufacturer
continued				
 Autoimmune liver disease. (Interferon may exacerbate such as thyroid disease). 	e autoimmune liver disea	ase as v	vell as ot	her autoimmune diseases
b) Pregnancy.				
c) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.				
d) Continuing alcohol abuse and/or continuing intravenou	s drug users.			
Dosage	•			
The current recommended dosage is 3 million units of interfero	n alfa-2a or interferon al	fa-2b ad	ministere	ed subcutaneously 3 times
a week for 52 weeks (twelve months)				
Exit Criteria				
The patient's response to interferon treatment should be review	wed at either three or fo	ur mont	hs. Inter	feron treatment should be
discontinued in patients who do not show a substantial reduction	n (50%) in their mean pr	e-treatn	nent ALT	level at this stage.
INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist				
a) See prescribing guideline on the previous page				
b) Prescriptions must be written by, or on the recommenda	tion of, an internal medic	ine phys	sician or	ophthalmologist
Inj 3 m iu prefilled syringe		1 ′		oferon-A
INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist				
a) See prescribing guideline on the previous page				
b) Prescriptions must be written by, or on the recommendar	tion of an internal medic	ina nhv	cician or	onhthalmologiet
Inj 18 m iu, 1.2 ml multidose pen	·	1		tron-A
Inj 30 m iu, 1.2 ml multidose pen		1		tron-A
Inj 60 m iu, 1.2 ml multidose pen		1		tron-A
•				lion-A
PEGYLATED INTERFERON ALFA-2A — Special Authority see	SA1400 below – Retail p	oharmad	СУ	
See prescribing guideline on the previous page		_		
Inj 135 mcg prefilled syringe	1,448.00	4	<u> </u>	egasys

Subsidy

Fully

Brand or

Pegasys

Pegasys RBV

Pegasys RBV

✓ Pegasys RBV

Pegasys RBV

Combination Pack

Combination Pack

Combination Pack

Combination Pack

1 OP

1 OP

1 OP

1 OP

Ini 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times

⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or

Inj 180 mcg prefilled syringe900.00

Inj 135 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times

Inj 135 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times

Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times

- 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Fither:
 - 3.1 Patient has responder relapsed: or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.

8.40	100	
8.10)		Hiprex
2.20	100	✓ Nifuran
7.50	100	✓ Nifuran
3.50	100	✓ Arrow-Norfloxacin
2	2.20 7.50	2.20 100 7.50 100

		Subsidy		Fully Brand or
		(Manufacturer's Price)		Subsidised Generic
		\$	Per	✓ Manufacturer
Antic	holinesterases			
NEOST	IGMINE METILSULFATE			
	2.5 mg per ml, 1 ml ampoule	08.00	50	✓ AstraZeneca
,	31 , 1	90.00	30	Astrazeneca
	OSTIGMINE BROMIDE			4
▲ lab	0 60 mg	38.90	100	✓ Mestinon
Non-	Steroidal Anti-Inflammatory Drugs			
DICI OF	FENAC SODIUM			
	EC 25 mg	1.30	50	✓ Diclofenac Sandoz
-1- Tab	, 20 20 mg	2.60	100	Diolotorido Carta CE
		(4.00)	100	Apo-Diclo
Г	Diclofenac Sandoz to be Sole Supply on 1 March 2016	(4.00)		Apo Biolo
	50 mg dispersible	1 50	20	✓ Voltaren D
	EC 50 mg		50	✓ Diclofenac Sandoz
* Idb	, LO 30 mg	10.00	500	Diciolenae Sandoz
		(16.00)	000	Apo-Diclo
1	Diclofenac Sandoz to be Sole Supply on 1 March 2016	(10.00)		Apo Biolo
	o long-acting 75 mg	15.20	500	✓ Apo-Diclo SR
л так	riorig-acting 75 mg	15.20	300	✓ Diclax SR
	Apo-Diclo SR to be Sole Supply on 1 March 2016			₩ DICIAX SIT
	o long-acting 100 mg	26.20	500	✓ Apo-Diclo SR
本 Iau	rong-acting rooming	20.20	500	✓ Apo-biclo Sh ✓ Diclax SR
	Apo-Diclo SR to be Sole Supply on 1 March 2016			V Diciax Sh
	25 mg per ml, 3 ml ampoule – Up to 5 inj available on a			
本 IIIJ .	PSO		5	✓ <u>Voltaren</u>
* Sur	ppos 12.5 mg		10	✓ Voltaren
			10	✓ Voltaren
	opos 25 mgopos 50 mg – Up to 10 supp available on a PSO		. •	✓ Voltaren
			10 10	
	opos 100 mg	7.00	10	✓ <u>Voltaren</u>
	iclo Tab EC 25 mg to be delisted 1 March 2016)			
` '	iclo Tab EC 50 mg to be delisted 1 March 2016)			
•	SR Tab long-acting 75 mg to be delisted 1 March 2016)			
(Diciax	SR Tab long-acting 100 mg to be delisted 1 March 2016)			
IBUPRO	DFEN			
* Tab	200 mg	9.45	1,000	✓ <u>Ibugesic</u>
* Tab	long-acting 800 mg	7.99	30	✓ Brufen SR
* Ora	al liq 20 mg per ml	1.89	200 ml	Fenpaed
KETOP	ROFEN			
-	o long-acting 200 mg	12.07	28	✔ Oruvail SR
	AMIC ACID	1.05	ΕO	
* Cap	p 250 mg		50	Donaton
		(9.16)	00	Ponstan
		0.50	20	Donaton
		(5.60)		Ponstan

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
NAPROXEN				
* Tab 250 mg	18.06	500	~	Noflam 250
* Tab 500 mg	18.91	250	~	Noflam 500
* Tab long-acting 750 mg	18.00	90	~	Naprosyn SR 750
* Tab long-acting 1 g	21.00	90	~	Naprosyn SR 1000
SULINDAC				
* Tab 100 mg	8.55	50	~	Aclin
* Tab 200 mg		50	~	Aclin
TENOXICAM				
* Tab 20 mg	3.05	20	~	Reutenox
* Inj 20 mg vial		1	1	AFT
NSAIDs Other				
MELOXICAM - Special Authority see SA1034 below - Retail phart	macy			

■SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and

✓ Arrow-Meloxicam

30

- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

JAH	SAI	ااز	V
	_	_	_

⇒SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antiv	ACIIMA	toid	Agar	1
Antir	neuma	llolu	Agei	เเร

AURANOFIN		
Tab 3 mg68.	99 60	✓ Ridaura s29 S29
HYDROXYCHLOROQUINE		
* Tab 200 mg10.	50 100	✓ Plaquenil
LEFLUNOMIDE		
Tab 10 mg55.	00 30	Arava
Tab 20 mg76.	00 30	✓ Arava
Tab 100 mg54.	44 3	✓ Arava
PENICILLAMINE		
Tab 125 mg61.	93 100	✓ D-Penamine
Tab 250 mg98.	98 100	D-Penamine

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
SODIUM AUROTHIOMALATE					
Inj 10 mg in 0.5 ml ampoule	76.87	10	✓ N	/Iyocrisin	
Inj 20 mg in 0.5 ml ampoule	113.17	10	✓ N	lyocrisin	
Inj 50 mg in 0.5 ml ampoule		10	✓ N	lyocrisin	

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

■ SA1039 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age: or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or

Subsidy (Manufacturer's Price) Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score < -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA1039 on the previous page - Retail pharmacy

✓ Fosamax

ALENDRONATE SODIUM WITH CHOLECALCIFEROL - Special Authority see SA1039 on the previous page - Retail pharmacy ✓ Fosamax Plus

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity: or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

30 ✓ Fosamax

Other Treatments

ETIDRONATE DISODIUM - See prescribing guideline below

100 ✓ Arrow-Etidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PAMIDRONATE DISODIUM				
Inj 3 mg per ml, 10 ml vial	6.80	1	✓ Pa	amisol
Inj 6 mg per ml, 10 ml vial		1	✓ Pa	amisol
Inj 9 mg per ml, 10 ml vial		1	✓ Pa	amisol
RALOXIFENE HYDROCHLORIDE - Special Authority see SA11	38 below – Retail pha	rmac	V	
* Tab 60 mg	'	28	´ 🗸 E	vista

⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM			
Tab 35 mg	4.00	4	Risedronate Sandoz
TERIPARATIDE - Special Authority see SA1139 below - Retail pl	narmacy		
Inj 250 mcg per ml, 2.4 ml	490.00	1	✓ Forteo

⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see ✓ Aclasta 100 ml OP

⇒SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity: or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene: and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid: or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Note):
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically: or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.

continued...

121

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

ALL OBLIBINO

- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPURINOL		
* Tab 100 mg	15.11 1,000	Apo-Allopurinol
* Tab 300 mg - For allopurinol oral liquid formulation ref	er,	
page 210	15.91 500	Apo-Allopurinol
BENZBROMARONE - Special Authority see SA1537 below -	Retail pharmacy	
Tab 100 mg	45.00 100	Benzbromaron AL
		100 S29

■ SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/downloads/Benzbromarone-prescriber-information-NZRA-V2.pdf

COLCHICINE			
* Tab 500 mcg	10.08	100	✓ Colgout
FEBUXOSTAT - Special Authority see SA1538 below - Retail pha	rmacy		
Tab 80 mg	39.50	28	Adenuric
Tab 120 mg	39.50	28	Adenuric

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose: or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearanceadjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

✓ Probenecid-AFT Tab 500 mg55.00 100

Muscle Relaxants

BACLOFEN

*	Tab 10 mg - For baclofen oral liquid formulation refer, page			
	210	3.85	100	✓ Pacifen
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement	11.55	1	✓ Lioresal Intrathecal
	Subsidised only for use in a programmable pump in patients caused intolerable side effects and the prescription is endorsed		, ,	nts have been ineffective or have
	Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement	209.29	1	✓ Lioresal Intrathecal
	Subsidised only for use in a programmable pump in patients caused intolerable side effects and the prescription is endorsed		, ,	nts have been ineffective or have

DANTROI ENF

*	Cap 25 mg	65.00	100	✓ Dantrium
*	Cap 50 mg	77.00	100	✓ Dantrium

[±] safety cap

k k

	Subsidy (Manufacturer's Price)				Fully osidised	Brand or Generic	
	\$	Per		Manufacturer			
ORPHENADRINE CITRATE							
Tab 100 mg	18.54	100	✓ No	orflex			

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and Related Agents			
AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Apomine
BROMOCRIPTINE MESYLATE			
* Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	28.00	100	✓ Entapone
LEVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg		100	✓ Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100	Madopar 62.5
 Cap 100 mg with benserazide 25 mg Cap long-acting 100 mg with benserazide 25 mg 		100 100	✓ Madopar 125✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg		100	✓ Madopar 250
LEVODOPA WITH CARBIDOPA	20.00	100	v maaopai 200
* Tab 100 mg with carbidopa 25 mg - For levodopa with car-	_		
bidopa oral liquid formulation refer, page 210		100	✓ Kinson
			✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
LISURIDE HYDROGEN MALEATE			
▲ Tab 200 mcg	25.00	30	✓ Dopergin
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg		100	✓ Ramipex
▲ Tab 1 mg	24.39	100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg		100	Apo-Ropinirole
▲ Tab 1 mg		100	Apo-Ropinirole
▲ Tab 2 mg		100 100	✓ <u>Apo-Ropinirole</u> ✓ Apo-Ropinirole
· ·	14.40	100	Apo-nopinilole
SELEGILINE HYDROCHLORIDE * Tab 5 mg	16.06	100	✓ Apo-Selegiline
* 1ab 5 mg	10.00	100	✓ Apo-Selegiline
			S29 S29
TOLCAPONE			
▲ Tab 100 mg	126 20	100	✓ Tasmar
-			- Idoliidi
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 mla) Up to 5 inj available on a PSO	95.00	5	✓ Cogentin
a) up to 5 inj avaliable on a PSO			

b) Only on a PSO

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$) Per	Fully Subsidised	Brand or Generic Manufacturer
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg Agents for Essential Tremor, Chorea and Related		100	✓ K	emadrin
RILUZOLE – Special Authority see SA1403 below – Retail pharma				
Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	•	56	✓ R	ilutek
▶SA1403 Special Authority for Subsidy	et Δnorovale valid	d for 6	months for	r annlications meeting the

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
 - 5.1 The patient is ambulatory; or
 - 5.2 The patient is able to use upper limbs; or
 - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
 - 3.1 The patient is ambulatory; or
 - 3.2 The patient is able to use upper limbs; or

Gel 2%, 10 ml urethral syringe – Subsidy by endorsement................43.26

3.3 The patient is able to swallow.

a) Up to 5 each available on a PSO

IEINADENAZINE			
Tab 25 mg	118.00	112	✓ Motetis

Anaesthetics

LIDOCAINE [LIGNOCAINE]

TETDADENIAZINIE

Local

b) Subsidised only if prescribed for urethral or cervical adn	ninistration and t	he prescriptio	n is endorsed accordingly.
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE			
Oral (viscous) soln 2%	55.00	200 ml	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓ Lidocaine-Claris
	17.50	50	
	(35.00)		Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	✓ Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris
	12.00	5	
	(20.00)		Xylocaine
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris

✔ Pfizer

10

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement		10	✓ P	fizer
a) Up to 5 each available on a PSOb) Subsidised only if prescribed for urethral or cervical adm	ninistration and the pr	escri	otion is endo	orsed accordingly.

Topical Local Anaesthetics

■ SA0906 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authority see S	A0906 above – Retail pharr	macy	
Crm 4%	27.00	30 g OP	✓ LMX4
Crm 4% (5 g tubes)	27.00	5	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Sp	ecial Authority see SA0906	above - Reta	il pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	EMLA

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 115

Non-opioid Analgesics

Tab 30 mg23.40

For aspirin & chloroform application refer Standard Formulae, page	ge 213		
ASPIRIN			
* Tab EC 300 mg	2.00	100	
	(8.50)		Aspec 300
$\ensuremath{\mbox{\#}}$ Tab dispersible 300 mg $$ – Up to 30 tab available on a PSO $$	2.55	100	Ethics Aspirin
CAPSAICIN – Subsidy by endorsement			
Subsidised only if prescribed for post-herpetic neuralgia or accordingly.	diabetic periphera	al neuropathy	and the prescription is endorsed
Crm 0.075%	12.50	45 g OP	✓ Zostrix HP
NEFOPAM HYDROCHLORIDE			

90

Acupan

127

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Sub	osidised Generic
	\$	Per	✓ Manufacturer
PARACETAMOL			
* Tab 500 mg - Up to 30 tab available on a PSO	8.47	1,000	✓ Pharmacare
*‡ Oral liq 120 mg per 5 ml		1,000 ml	✓ Paracare
a) Up to 200 ml available on a PSO			
b) Not in combination			
*‡ Oral liq 250 mg per 5 ml	4.35	1,000 ml	✓ Paracare Double
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			<u>Strength</u>
a) Up to 100 ml available on a PSO			
b) Not in combination	0.00	10	
* Suppos 125 mg		10 20	✓ Gacet
	7.38	20	Panadol
Gacet to be Sole Supply on 1 March 2016	(7.49)		Fallauul
* Suppos 250 mg	3 79	10	✓ Gacet
The Outplot 200 mg	7.58	20	Guoci
	(14.40)		Panadol
Gacet to be Sole Supply on 1 March 2016	()		T GITGGOT
* Suppos 500 mg	12.60	50	✓ Paracare
(Panadol Suppos 125 mg to be delisted 1 March 2016)			
(Panadol Suppos 250 mg to be delisted 1 March 2016)			
Opioid Analgesics			
•			
CODEINE PHOSPHATE - Safety medicine; prescriber may of			. 4 pou
Tab 15 mg		100	✓ PSM
Tab 30 mg		100	✓ <u>PSM</u>
Tab 60 mg	12.50	100	✓ <u>PSM</u>
DIHYDROCODEINE TARTRATE			
Tab long-acting 60 mg	13.64	60	✓ DHC Continus
FENTANYL			
a) Only on a controlled drug form			
b) No patient co-payment payable			
 c) Safety medicine; prescriber may determine dispensing 			
Inj 50 mcg per ml, 2 ml ampoule		10	✓ Boucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10	Boucher and Muir
Patch 12.5 mcg per hour		5	Fentanyl Sandoz
Patch 25 mcg per hour		5	Fentanyl Sandoz
Patch 50 mcg per hour		5 5	Fentanyl Sandoz
Patch 75 mcg per hour	9.18	5	Fentanyl Sandoz

5

✓ Fentanyl Sandoz

Patch 100 mcg per hour11.29

Brand or

Fully

	Subsidy	Duine)	Fully Brand or
	(Manufacturer's F	Price) Su Per	bsidised Generic Manufacturer
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing freq	uency		
d) Extemporaneously compounded methadone will only be re		rate of the ch	neanest form available (methador
powder, not methadone tablets).	inibarood at the	rate or the or	ioapoot ioim available (metilade)
e) For methadone hydrochloride oral liquid refer Standard For	mulae nage 21	3	
Tab 5 mg		10	✓ Methatabs
Oral liq 2 mg per ml		200 ml	✓ Biodone
Oral liq 5 mg per ml		200 ml	✓ Biodone Forte
Oral lig 10 mg per ml		200 ml	✓ Biodone Extra Forte
Inj 10 mg per ml, 1 ml		10	✓ AFT
, •	01.00	10	V AFI
MORPHINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing freq	uency		
: Oral liq 1 mg per ml	8.84	200 ml	✓ RA-Morph
Oral liq 2 mg per ml	14.00	200 ml	✓ RA-Morph
Oral liq 5 mg per ml		200 ml	✓ RA-Morph
Oral liq 10 mg per ml	26.00	200 ml	✓ RA-Morph
MORPHINE SULPHATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing freq	•	40	. 4.0
Tab immediate-release 10 mg		10	Sevredol Array Marrahina I A
Tab long-acting 10 mg		10	Arrow-Morphine LA
Tab immediate-release 20 mg		10	✓ <u>Sevredol</u>
Tab long-acting 30 mg		10	Arrow-Morphine LA
Tab long-acting 60 mg		10	Arrow-Morphine LA
Tab long-acting 100 mg		10	Arrow-Morphine LA
Cap long-acting 10 mg		10	<u>m-Eslon</u>
Cap long-acting 30 mg		10	<u>m-Eslon</u>
Cap long-acting 60 mg		10	✓ m-Eslon
Cap long-acting 100 mg		10	✓ m-Eslon
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSC	112.48	5	✓ DBL Morphine
			<u>Sulphate</u>
Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a			
PSO	9.09	5	✓ DBL Morphine
			<u>Sulphate</u>
Inj 15 mg per ml, 1 ml ampoule - Up to 5 inj available on a			
PSO	9.77	5	✓ DBL Morphine
			<u>Sulphate</u>
Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj available on a			
PSO	12.43	5	✓ DBL Morphine
			Sulphate
ORPHINE TARTRATE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing freq	Hency		
Inj 80 mg per ml, 1.5 ml	•	5	✓ Hospira
Inj 60 mg per mi, 1.5 mi		5	- IIospiia

Subsidy

5

✔ Hospira

Inj 80 mg per ml, 5 ml107.67

[‡] safety cap

[▲]Three months supply may be dispensed at one time spensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

=		Subsidy		Fully	Brand or
		(Manufacturer's Price)		Subsidised	
		` \$	Per	~	Manufacturer
	YCODONE HYDROCHLORIDE				
OA	a) Only on a controlled drug form				
	b) No patient co-payment payable				
	c) Safety medicine; prescriber may determine dispensing free	IIIencv			
	Tab controlled-release 5 mg		20	1	OxyContin
	Tab controlled-release 10 mg		20		Oxycodone
	Tab controlled follows for fig.				ControlledRelease Tablets(BNM)
	Tab controlled-release 20 mg	11.50	20	•	Oxycodone ControlledRelease Tablets(BNM)
	Tab controlled-release 40 mg	18.50	20	V (Oxycodone ControlledRelease Tablets(BNM)
	Tab controlled-release 80 mg	34.00	20	V (Oxycodone ControlledRelease Tablets(BNM)
	Cap immediate-release 5 mg	1.98	20	V (OxyNorm
	Cap immediate-release 10 mg		20	-	OxyNorm
	Cap immediate-release 20 mg		20		OxyNorm
‡	Oral lig 5 mg per 5 ml		.50 ml	-	OxyNorm
•	Inj 10 mg per ml, 1 ml ampoule		5	V (OxyNorm
	, 01	10.08		V (Oxycodone Orion
	Inj 10 mg per ml, 2 ml ampoule	16.89	5		OxyNorm
		19.87		V (Oxycodone Orion
	Inj 50 mg per ml, 1 ml ampoule	51.00	5	V (OxyNorm
ΡΔΙ	RACETAMOL WITH CODEINE - Safety medicine; prescriber		neina f	reguency	
*	Tab paracetamol 500 mg with codeine phosphate 8 mg		1,000		Paracetamol + Codeine (Relieve)
PE	THIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frec	juency			
	Tab 50 mg	4.46	10	/ <u> </u>	PSM
	Tab 100 mg	6.25	10	/	PSM
	Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	5.51	5	/ <u> </u>	DBL Pethidine Hydrochloride
	Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5.83	5	/ <u>[</u>	DBL Pethidine Hydrochloride
TR	AMADOL HYDROCHLORIDE				
	Tab sustained-release 100 mg		20		Tramal SR 100
	Tab sustained-release 150 mg		20		Tramal SR 150
	Tab sustained-release 200 mg	4.00	20	'	Tramal SR 200
	Cap 50 mg - For tramadol hydrochloride oral liquid formula-				
	tion refer, page 210	2.50	100		Arrow-Tramadol

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Antidepressants

Cyclic and Related Agents

AMITRIPTYLINE - Safety medicine; prescriber may de	termine dispensing frequen	су	
Tab 10 mg	1.68	100	Arrow Amitriptyline
Tab 25 mg	1.68	100	Arrow-Amitriptyline
Tab 50 mg	2.82	100	Arrow-Amitriptyline
CLOMIPRAMINE HYDROCHLORIDE - Safety medicin	ne; prescriber may determin	e dispensin	g frequency
Tab 10 mg	12.60	100	✓ Apo-Clomipramine
Tab 25 mg	8.68	100	✓ Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE - Safety medicine; pro	escriber may determine dis	pensing fred	quency
Tab 75 mg	,	100	✓ Dopress
Cap 25 mg	6.17	100	✓ Dopress
DOXEPIN HYDROCHLORIDE - Safety medicine; presi	criber may determine dispe	nsina freau	encv
Cap 10 mg		100	✓ Anten
Cap 25 mg		100	✓ Anten
Cap 50 mg		100	✓ Anten
MIPRAMINE HYDROCHLORIDE - Safety medicine; p	rescriber may determine di	spensing fre	equency
Tab 10 mg		50	✓ Tofranil
·	6.58	60	✓ Tofranil s29 S29
	10.96	100	✓ Tofranil
Tab 25 mg	8.80	50	✓ Tofranil
MAPROTILINE HYDROCHLORIDE - Safety medicine;		dispensina t	frequency
Tab 25 mg		30	✓ Ludiomil
•	12.53	50	✓ Ludiomil
	25.06	100	✓ Ludiomil
Tab 75 mg	14.01	20	✓ Ludiomil
	21.01	30	✓ Ludiomil
/IIANSERIN HYDROCHLORIDE - Safety medicine; pr	escriber may determine dis	pensing free	quency
Tab 30 mg - Subsidy by endorsement	24.86	30	✓ Tolvon
Subsidised for patients who were taking mianseri	n hydrochloride prior to 1 Ju	ly 2014 and	the prescription is endorsed accord
ingly. Pharmacists may annotate the prescription	n as endorsed where there	exists a rec	ord of prior dispensing of mianse
hydrochloride. Note that supply of mianserin hydrochloride.		tinued in Ne	w Zealand and it is anticipated the
there will be no stock of mianserin available beyo	ond November 2015.		
(Talvan Tab 20 mg to be delicted 1 April 2016)			

(Tolvon Tab 30 mg to be delisted 1 April 2016)

NORTRIPTYLINE HYDROCHLORIDE	 Safety medicine: prescriber may determine dispensing frequency

Tab 10 mg	4.00	100	✓ Norpress
Tab 25 mg	9.00	180	✓ Norpress

Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective

ENELZINE SULPHATE			
Tab 15 mg	95.00	100	✓ Nardil
·			
ANYLCYPROMINE SULPHATE			
Tab 10 mg	22.94	50	✔ Parnate
	Tab 15 mgANYLCYPROMINE SULPHATE	Tab 15 mg95.00	Tab 15 mg 95.00 100 ANYLCYPROMINE SULPHATE 100 100

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Monoamine-Oxidase Type A Inhibitors				
MOCLOBEMIDE * Tab 150 mg * Tab 300 mg		500 100		Apo-Moclobemide Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE * Tab 20 mg	1.79	84		Arrow-Citalopram PSM Citalopram
PSM Citalopram to be Sole Supply on 1 April 2016 (Arrow-Citalopram Tab 20 mg to be delisted 1 April 2016)				
# Tab 10 mg * Tab 20 mg		28 28	_	Air Flow Products Air Flow Products
FLUOXETINE HYDROCHLORIDE * Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement 1) When prescribed for a patient who cannot swallow whole		30	_	Arrow-Fluoxetine
or 2) When prescribed in a daily dose that is not a multiple of Note: Tablets should be combined with capsules to facility	20 mg in which case	the pr	escription	0,
* Cap 20 mg		90		Arrow-Fluoxetine
PAROXETINE HYDROCHLORIDE				
* Tab 20 mgSERTRALINE	4.32	90	/ <u>I</u>	_oxamine
Tab 50 mg	1.21	30	v 9	Sertraline Actavis (\$29)
	3.64	90		Arrow-Sertraline
Tab 100 mg	6.28	90	<u> </u>	Arrow-Sertraline
Other Antidepressants				
MIRTAZAPINE Tab 30 mg		30		Apo-Mirtazapine
Apo-Mirtazapine to be Sole Supply on 1 February 2016 Tab 45 mg	(8.78)	30		Avanza Apo-Mirtazapine
Apo-Mirtazapine to be Sole Supply on 1 February 2016 (Avanza Tab 30 mg to be delisted 1 February 2016) (Avanza Tab 45 mg to be delisted 1 February 2016)	(13.95)			Avanza

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
VENLAFAXINE				
Tab 37.5 mg	5.06	28	*	rrow-Venlafaxine XR
Tab 75 mg	6.44	28	*	rrow-Venlafaxine XR
Tab 150 mg	8.86	28	*	rrow-Venlafaxine XR
Tab 225 mg	14.34	28	✓ A	rrow-Venlafaxine XR
Cap 37.5 mg - Special Authority see SA1061 below - Retail				
pharmacy	5.69	28	✓ E	fexor XR
Cap 75 mg - Special Authority see SA1061 below - Retail pharmacy	11.40	28	✓ E	fexor XR
pharmacy	13.98	28	√ E	fexor XR

■ SA1061 | Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml19.00	5	✔ Rivotril
DIAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Inj 5 mg per ml, 2 ml ampoule - Subsidy by endorsement11.83	5	Hospira
a) Up to 5 inj available on a PSO		
b) Only on a PSO		
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg - Up to 5 tube available on a PSO25.05	5	Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO30.50	5	Stesolid
PARALDEHYDE		
* Inj 5 ml	5	✓ AFT

133

	Subsidy (Manufacturer's Price)		Fully ubsidised	Brand or
	(Manufacturer's Price	Per	ubsidised	Generic Manufacturer
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO	88.63	5	✓ <u>H</u>	<u>ospira</u>
* Inj 50 mg per ml, 5 ml ampoule - Up to 5 inj available on a PSO	133.92	5	✓ <u>H</u>	<u>ospira</u>
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓ To	egretol
* Tab long-acting 200 mg	16.98	100	✓ To	egretol CR
* Tab 400 mg	34.58	100	✓ To	egretol
* Tab long-acting 400 mg	39.17	100	✓ To	egretol CR
*‡ Oral liq 20 mg per ml	26.37	250 ml	✓ To	egretol
CLOBAZAM - Safety medicine; prescriber may determine dispen-	sing frequency			
Tab 10 mg‡ Safety cap for extemporaneously compounded oral liquid	9.12	50	✓ F	risium
CLONAZEPAM - Safety medicine; prescriber may determine disp	ensing frequency			
‡ Oral drops 2.5 mg per ml	7.38	10 ml OP	✓ R	ivotril
ETHOSUXIMIDE				
Cap 250 mg	16.45	100	✓ Z	arontin
0 up = 00g	32.90	200		arontin
† Oral lig 250 mg per 5 ml		200 ml		arontin
GABAPENTIN – Special Authority see SA1477 below – Retail pha				
, ,	,	100		rrow-Gabapentin
▲ Cap 100 mg	7.10	100		rrow-Gabapentin eurontin
A One 200 and Franchis and Finish formulation arts.			V N	upentin
▲ Cap 300 mg – For gabapentin oral liquid formulation refer,	44.00	400		
page 210	11.00	100		rrow-Gabapentin
				eurontin
A Com 400 mm	10.75	100		upentin
▲ Cap 400 mg	13./5	100		rrow-Gabapentin
				eurontin
			∨ N	upentin

⇒SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 The patient has been diagnosed with neuropathic pain; or

Subsidy (Manufacturer's I	Price)	Fully Subsidised	Brand or Generic	
\$	Per	r 🗸	Manufacturer	

continued...

2 Both:

- 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
- 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LAC	COSAMIDE	 Special . 	Authority see	SA1125	oelow – H	letail pharmad	СУ
\blacktriangle	Tab 50 mg						.25.0

_	1ab 50 mg	25.04	14	✓ vimpat
	Tab 100 mg		14	Vimpat
	· ·	200.24	56	Vimpat
	Tab 150 mg	75.10	14	Vimpat
	•	300.40	56	✓ Vimpat
	Tab 200 mg	400.55	56	✓ Vimpat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

135

	Subsidy (Manufacturer's Price)		Fully Subsidised	,
	\$	Per	V	Manufacturer
AMOTRIGINE				
Tab dispersible 2 mg	6.74	30	~	Lamictal
Tab dispersible 5 mg		30		Lamictal
3	15.00	56	1	Arrow-Lamotrigine
Tab dispersible 25 mg	19.38	56		Logem
	20.40			Arrow-Lamotrigine
				Mogine
	29.09			Lamictal
Tab dispersible 50 mg		56		Logem
	34.70			Arrow-Lamotrigine
	• •			Mogine
	47.89			Lamictal
Tab dispersible 100 mg		56		Logem
a. a.epotoloto too mg	59.90	-		Arrow-Lamotrigine
	33.30			Mogine Mogine
	79.16			Lamictal
Mogine Tab dispersible 25 mg to be delisted 1 April 2016)	73.10		•	Lamitai
Mogine Tab dispersible 23 mg to be delisted 1 April 2016)				
Mogine Tab dispersible 100 mg to be delisted 1 April 2016)				
EVETIRACETAM				
Tab 250 mg	24.03	60	~	Levetiracetam-Rex
Tab 500 mg - For levetiracetam oral liquid formulation refer,				
page 210	28.71	60	~	Levetiracetam-Rex
Tab 750 mg	45.23	60	~	Levetiracetam-Rex
HENOBARBITONE				
	010			
For phenobarbitone oral liquid refer Standard Formulae, page				DOM
Tab 15 mg		500		PSM PSM
Tab 30 mg	31.00	500	•	<u>PSM</u>
HENYTOIN SODIUM				
Tab 50 mg	50.51	200	~	Dilantin Infatab
Cap 30 mg	22.00	200	~	Dilantin
Cap 100 mg		200	~	Dilantin
‡ Oral lig 30 mg per 5 ml		500 ml	~	Dilantin
RIMIDONE	47.05	400		A Balantalana
Tab 250 mg	17.25	100	•	Apo-Primidone
ODIUM VALPROATE				
: Tab 100 mg	13.65	100	~	Epilim Crushable
Tab 200 mg EC	27.44	100	~	Epilim
Tab 500 mg EC		100		Epilim
‡ Oral lig 200 mg per 5 ml		300 ml		Epilim S/F Liquid
T 1 9				Epilim Syrup
Inj 100 mg per ml, 4 ml	41.50	1		Epilim IV
•		•	•	-p
FIRIPENTOL - Special Authority see SA1330 on the next page -				
Cap 250 mg	509.29	60	~	Diacomit S29
Powder for oral liq 250 mg sachet	509.29	60	~	Diacomit S29

✓ fully subsidised

[HP4] refer page 4

Subsidy (Manufacturer's Price)	Su	Fully bsidised	Brand or Generic	
\$	Per	~	Manufacturer	

⇒SA1330 | Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

	Tab 25 mg11.07	60	Arrow-Topiramate
			✓ Topiramate Actavis
	26.04		✓ Topamax
\blacktriangle	Tab 50 mg18.81	60	Arrow-Topiramate
	•		✓ Topiramate Actavis
	44.26		✓ Topamax
\blacktriangle	Tab 100 mg31.99	60	✓ Arrow-Topiramate
	•		✓ Topiramate Actavis
	75.25		✓ Topamax
\blacktriangle	Tab 200 mg55.19	60	✓ Arrow-Topiramate
			✓ Topiramate Actavis
	129.85		✓ Topamax
\blacktriangle	Sprinkle cap 15 mg20.84	60	✓ Topamax
\blacktriangle	Sprinkle cap 25 mg	60	✓ Topamax
VIG	ABATRIN - Special Authority see SA1072 below - Retail pharmacy		
\blacktriangle	Tab 500 mg119.30	100	✓ Sabril

►SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Fither:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 115

Acute	M	igraine	Treatment
-------	---	---------	-----------

ERGOTAMINE TARTRATE WITH CAFFEINE			
Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
RIZATRIPTAN			
Tab orodispersible 10 mg	8.10	30	✓ Rizamelt
SUMATRIPTAN			
Tab 50 mg	29.80	100	✓ Arrow-Sumatriptan
Tab 100 mg	54.80	100	✓ Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml cartridge - Maximum of	10 inj per		
prescription	13.80	2 OP	Arrow-Sumatriptan
			✓ Sun Pharma S29

Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 53

PIZOTIFFN

100 ✓ Sandomigran

Antinausea and Vertigo Agents

For Antispasmodics refer to ALIMENTARY TRACT, page 22

APREPITANT - Special Authority see SA0987 below - Retail pharmacy

Cap 2 \times 80 mg and 1 \times 125 mg100.00 3 OP ✓ Emend Tri-Pack

⇒SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE

✓ Vergo 16 * Tab 16 mg4.95

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	0.59	20	✓ N	lauzene
	0.30	10		
	(0.59)		N	lausicalm
Nauzene to be Sole Supply on 1 April 2016 (Nausicalm Tab 50 mg to be delisted 1 April 2016)				
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	✓ N	lausicalm
DOMPERIDONE				
* Tab 10 mg - For domperidone oral liquid formulation refer,				
page 210		100	✓ F	Prokinex
GRANISETRON			_	
* Tab 1 mg	5 98	50	V (Granirex
•		00	• 3	M M M M
HYOSCINE HYDROBROMIDE	46.50	5		la amira
* Inj 400 mcg per ml, 1 ml ampoule		-		lospira
B	93.00	10	V 1	Martindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retail		_		
pharmacy	11.95	2	✓ <u>S</u>	Scopoderm TTS

■ SA1387 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE

*	Tab 10 mg - For metoclopramide hydrochloride oral liquid			
•••	formulation refer, page 210	1.82	100	✓ Metamide
*	Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO		10	✓ Pfizer
•	, , ,			111201
ON	DANSETRON			
*	Tab 4 mg	5.51	50	✓ Onrex
*	Tab disp 4 mg	1.00	10	✓ Dr Reddy's
	, ,			Ondansetron
*	Tab 8 mg	6.19	50	✓ Onrex
*	Tab disp 8 mg		10	✓ Ondansetron
*	Tab disp of fig	1.50	10	
				ODT-DRLA
PR	OCHLORPERAZINE			
*	Tab 3 mg buccal	5.97	50	
	ŭ	(15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	٠,	500	✓ Antinaus
				✓ Stemetil
*	Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO		10	
*	Suppos 25 mg	23.87	5	Stemetil
(St	emetil Suppos 25 mg to be delisted 1 July 2016)			
PR	OMETHAZINE THEOCLATE			
*	Tab 25 mg	1.20	10	
不	1au 20 mg		10	A
		(6.24)		Avomine

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Antipsychotics

General

AMISULPRIDE - Safety medicine; prescriber may determine	e dispensing frequenc	:y	
Tab 100 mg	6.22	30	✓ Solian
Tab 200 mg	21.92	60	✓ Solian
Tab 400 mg	44.52	60	✓ Solian
Oral liq 100 mg per ml	52.50	60 ml	✓ Solian
ARIPIPRAZOLE – Special Authority see SA1539 below – R Safety medicine; prescriber may determine dispensing f			
Tab 5 mg - No more than 1 tab per day	123.54	30	Abilify
Tab 10 mg	123.54	30	Abilify
Tab 15 mg	175.28	30	Abilify
Tab 20 mg	213.42	30	Abilify
Tab 30 mg	260.07	30	✓ Abilify

⇒SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Fither:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg - Up to 30 tab available on a PSO	12.36	100	Largactil
Tab 25 mg - Up to 30 tab available on a PSO	13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO	30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓ Largactil

	Subsidy (Manufacturer's Price \$) Per	Fully Brand or Subsidised Generic Manufacturer
CLOZAPINE – Hospital pharmacy [HP4]			
Safety medicine; prescriber may determine dispensing frequency	uencv		
Tab 25 mg	•	50	✓ Clozaril
·	6.69		Clopine
	11.36	100	✓ Clozaril
	13.37		Clopine
Tab 50 mg	8.67	50	✓ Clopine
	17.33	100	Clopine
Tab 100 mg	14.73	50	Clozaril
	17.33		Clopine
	29.45	100	Clozaril
	34.65		Clopine
Tab 200 mg	34.65	50	Clopine
	69.30	100	Clopine
Suspension 50 mg per ml	17.33	100 ml	Clopine
HALOPERIDOL - Safety medicine; prescriber may determine of	dispensing frequency		
Tab 500 mcg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg - Up to 30 tab available on a PSO		100	✓ Serenace
Oral lig 2 mg per ml - Up to 200 ml available on a PSO	23.84	100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml - Up to 5 inj available on a PSO	21.55	10	✓ Serenace
LEVOMEPROMAZINE MALEATE - Safety medicine; prescribe	r may determine disne	nsina f	frequency
Tab 25 mg		100	✓ Nozinan
Tab 100 mg		100	✓ Nozinan
Inj 25 mg per ml, 1 ml		10	✓ Nozinan
, , ,			
LITHIUM CARBONATE – Safety medicine; prescriber may dete		500	✓ Lithicarb FC
Tab 250 mg		100	✓ Lithicarb FC
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg		100	✓ Douglas
, ,		100	Douglas
OLANZAPINE – Safety medicine; prescriber may determine dis			4
Tab 2.5 mg		28	Zypine
Tab 5 mg		28	✓ Zypine
Tab orodispersible 5 mg		28	Zypine ODT
Tab 10 mg		28	✓ Zypine
Tab orodispersible 10 mg	3.05	28	✓ Zypine ODT
PERICYAZINE - Safety medicine; prescriber may determine dis	spensing frequency		
Tab 2.5 mg	12.49	100	✓ Neulactil
Tab 10 mg	44.45	100	✓ Neulactil
QUETIAPINE - Safety medicine; prescriber may determine dis	pensina frequency		
Tab 25 mg		90	✓ Quetapel
Tab 100 mg		90	✓ Quetapel
Tab 200 mg		90	✓ Quetapel
Tab 300 mg		90	✓ Quetapel
··· · · · · · · · · · · · · · · · · ·	—. = =		- <u></u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
RISPERIDONE – Safety medicine; prescriber may determine disp	pensing frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927				
below - Retail pharmacy	21.42	28	/	Risperdal Quicklet
Tab 0.5 mg	1.90	60	'	Actavis
Tab 1 mg	2.10	60	'	<u>Actavis</u>
Tab orodispersible 1 mg - Special Authority see SA0927 be-				
low – Retail pharmacy	42.84	28	/	Risperdal Quicklet
Tab 2 mg	2.34	60	/	Actavis
Tab orodispersible 2 mg - Special Authority see SA0927 be-				
low – Retail pharmacy	85.71	28	/	Risperdal Quicklet
Tab 3 mg	2.55	60	'	Actavis
Tab 4 mg	3.50	60	1	Actavis
Oral liq 1 mg per ml	9.75	30 ml	~	Risperon

⇒SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

TRIELLOPED AZINE LIVED COLL ORIDE. Cofeb. and disinguished and address of the superior dispersion of t

TRIFLUOPERAZINE HYDROCHLORIDE – Safety medicine	e; prescriber may deter	mine dispen	sing frequency
Tab 1 mg	9.83	100	Stelazine
Tab 2 mg	14.64	100	Stelazine
Tab 5 mg	16.66	100	Stelazine
ZIPRASIDONE - Safety medicine; prescriber may determin	ne dispensing frequency	у	
Cap 20 mg	14.56	60	Zusdone
	(87.88)		Zeldox
Zusdone to be Sole Supply on 1 April 2016			
Cap 40 mg	24.75	60	Zusdone
	(164.78)		Zeldox
Zusdone to be Sole Supply on 1 April 2016			
Cap 60 mg	33.87	60	Zusdone
	(247.17)		Zeldox
Zusdone to be Sole Supply on 1 April 2016	, ,		
Cap 80 mg	39.74	60	Zusdone
, •	(329.56)		Zeldox
Zusdone to be Sole Supply on 1 April 2016	, ,		

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

S Per ✔ Manufacturer

(Zeldox Cap 20 mg to be delisted 1 April 2016)

(Zeldox Cap 40 mg to be delisted 1 April 2016)

(Zeldox Cap 60 mg to be delisted 1 April 2016)

(Zeldox Cap 80 mg to be delisted 1 April 2016)

Depot Injections

FLUPENTHIXOL DECANOATE - Safety medicine; prescribe	er may determine dispensing free	quency
Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO	13.14 5	✓ Fluanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO	20.90 5	✓ Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	40.87 5	✓ Fluanxol
FLUPHENAZINE DECANOATE - Safety medicine; prescribe	er may determine dispensing free	quency
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a	PSO17.60 5	✓ Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO	27.90 5	✓ Modecate
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	154.50 5	✓ Modecate
HALOPERIDOL DECANOATE - Safety medicine; prescriber	may determine dispensing frequency	uency
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	28.39 5	Haldol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	55.90 5	Haldol Concentrate
OLANZAPINE – Special Authority see SA1428 below – Reta Safety medicine; prescriber may determine dispensing fr	. ,	
Inj 210 mg vial	' '	✓ Zyprexa Relprevv
Inj 300 mg vial		✓ Zyprexa Relprevv
Inj 405 mg vial		✓ Zyprexa Relprevv
iiij 705 iiig viai		₩ Zypicka ncipicvv

⇒SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 on the next page - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg syringe	194.25	1	Invega Sustenna
Inj 50 mg syringe	271.95	1	Invega Sustenna
Inj 75 mg syringe	357.42	1	Invega Sustenna
Inj 100 mg syringe	435.12	1	Invega Sustenna
Inj 150 mg syringe	435.12	1	✓ Invega Sustenna

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Inj 50 mg per ml, 1 ml	- Up to 5 inj available on a PSO	178.48	10	Piportil
lnj 50 mg per ml, 2 ml	- Up to 5 inj available on a PSO	353.32	10	✔ Piportil

RISPERIDONE - Special Authority see SA1427 below - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

 Inj 25 mg vial
 135.98

 Inj 37.5 mg vial
 178.71

 Inj 50 mg vial
 217.56

✓ Risperdal Consta

✓ Risperdal Consta
✓ Risperdal Consta

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml - Up to 5 inj available on a PSO19.80

5

1

1

✔ Clopixol

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Anxiolytics				
ALPRAZOLAM – Safety medicine; prescriber may determine dis Tab 250 mcg	2.50	50	✓ <u>X</u>	anax_
Tab 500 mcg	3.25	50	✓ <u>X</u>	anax
Tab 1 mg		50	✓ <u>X</u>	<u>anax</u>
BUSPIRONE HYDROCHLORIDE * Tab 5 mg * Tab 10 mg		100 100		acific Buspirone acific Buspirone
CLONAZEPAM – Safety medicine; prescriber may determine dis Tab 500 mcg Tab 2 mg	7.53	100 100		axam axam
DIAZEPAM – Safety medicine; prescriber may determine dispen Tab 2 mg	11.44	500	✓ A	rrow-Diazepam
Tab 5 mg	13.71 id preparations.	500	✓ A	rrow-Diazepam
Tab 1 mg‡ Safety cap for extemporaneously compounded oral liqui	10.79	250	✓ <u>A</u>	<u>tivan</u>
Tab 2.5 mg‡ Safety cap for extemporaneously compounded oral liqui	13.88 id preparations.	100	✓ <u>A</u>	<u>tivan</u>
OXAZEPAM – Safety medicine; prescriber may determine dispertable 10 mg	6.17	100	√ <u>0</u>	x-Pam
Tab 15 mg‡ Safety cap for extemporaneously compounded oral liqui	8.53	100	√ <u>0</u>	x-Pam
Multiple Sclerosis Treatments				
FINGOLIMOD - Special Authority see SA1487 below - Retail of	harmacy			

0 1 . 1

■ SA1487 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of MRI activity on a scan within the past 24 months (either a contrast enhancing lesion or with new T2 lesions(s) compared with a previous scan); and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to fingolimod; and
- g) patients must have not previously had intolerance to fingolimod; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to fingolimod; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab and fingolimod is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1496 on the next page - Retail pharmacy

Inj 20 mg per ml, 15 ml vial1,750.00

1

✓ Tvsabri



Subsidy (Manufacturer's Price) \$ Fully Subsidised Per Brand or Generic Manufacturer

■ SA1496 | Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254

Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of MRI activity on a scan within the past 24 months (either a contrast enhancing lesion or with new T2 lesions(s) compared with a previous scan); and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue; and
 - a) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- g) patients must have no previous history of lack of response to natalizumab; and
- h) patients must have not previously had intolerance to natalizumab; and
- i) either
 - a) Patient is JC virus negative, or
 - Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- j) patient will not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or

continued...

147

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

c) 1.5 to 3.5: or

d) 2.0 to 4.0; or

e) 2.5 to 4.5; or

f) 3.0 to 4.5; or

a) 3.5 to 4.5: or h) 4.0 to 4.5.

b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or

c) intolerance to natalizumab; or

d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier. Switching between natalizumab and fingolimod is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the EDSS stopping criteria are not met.

If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Other Multiple Sclerosis Treatments

⇒SA1553 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: 04 460 4990 The coordinator Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of MRI activity on a scan within the past 24 months (either a contrast enhancing lesion or with new T2 lesions(s) compared with a previous scan); and
- d) A significant relapse must:

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse:
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- g) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- h) patient will not be co-prescribed natalizumab or fingolimod.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1553 on	the previous page – [2	Kpharm]	
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA15	53 on the previous pa	ge – [Xpha	rm]
Inj 6 million iu prefilled syringe	1,170.00	4	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial	1,170.00	4	Avonex

149

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	d Generic
INTERFERON BETA-1-BETA – Special Authority see SA1553 on Inj 8 million iu per 1 ml		i] 15	~	Betaferon
Sedatives and Hypnotics				
LORMETAZEPAM – Safety medicine; prescriber may determine d Tab 1 mg	3.11 (23.50)	30		Noctamid
MIDAZOLAM — Safety medicine; prescriber may determine disper Inj 1 mg per ml, 5 ml	10.00 10.75	10 5	V	Pfizer Hypnovel Hypnovel Pfizer
NITRAZEPAM – Safety medicine; prescriber may determine dispertab 5 mg	preparations.	100	V	<u>Nitrados</u>
PHENOBARBITONE SODIUM - Special Authority see SA1386 built in 200 mg per ml, 1 ml ampoule	46.20	10		Martindale 529 fied for applications meeting
1 For the treatment of terminal agitation that is unresponsive 2 The applicant is part of a multidisciplinary team working in		d		
TEMAZEPAM – Safety medicine; prescriber may determine dispersal 10 mg	preparations.	25	~	<u>Normison</u>
TRIAZOLAM – Safety medicine; prescriber may determine disper Tab 125 mcg	5.10 (7.25)	100		Нурат
‡ Safety cap for extemporaneously compounded oral liquid Tab 250 mcg ‡ Safety cap for extemporaneously compounded oral liquid	4.10 (8.70)	100		Нурат
ZOPICLONE – Safety medicine; prescriber may determine disper Tab 7.5 mg	nsing frequency	500		Zopiclone Actavis Apo-Zopiclone
Zopiclone Actavis to be Sole Supply on 1 March 2016				

(Apo-Zopiclone Tab 7.5 mg to be delisted 1 March 2016)

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Stimulants/ADHD Treatments

Stimulants/ADHD treatments

ATOMOXETINE - Special Authority see SA1416 below	v – Retail pharmacy		
Cap 10 mg	107.03	28	Strattera
Cap 18 mg	107.03	28	Strattera
Cap 25 mg		28	Strattera
Cap 40 mg	107.03	28	Strattera
Cap 60 mg	107.03	28	Strattera
Cap 80 mg	139.11	28	Strattera
Cap 100 mg	139.11	28	✓ Strattera

⇒SA1416 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing: and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk: or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

100

✓ PSM

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — **(Narcolepsy)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg	3.00	30	✓ Ritalin
			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg .	10.95	30	Rubifen SR
	50.00	100	Ritalin SR

■ SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — **(ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 on the next page - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg	65.44	30	Concerta
Tab extended-release 36 mg	71.93	30	Concerta
Tab extended-release 54 mg		30	Concerta
Cap modified-release 10 mg		30	Ritalin LA
Cap modified-release 20 mg		30	Ritalin LA
Cap modified-release 30 mg		30	Ritalin LA
Cap modified-release 40 mg		30	Ritalin LA

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 2.1 Applicant is a paediatrician or psychiatrist; or
- 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL - Special Authority see SA1126 below - Retail pharmacy ✓ Modaviqil Tab 100 mg72.50

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more: and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE		
* Tab 5 mg5.48	90	✓ Donepezil-Rex
* Tab 10 mg10.51	90	✓ Donepezil-Rex
RIVASTIGMINE - Special Authority see SA1488 below - Retail pharmacy		
Patch 4.6 mg per 24 hour90.00	30	Exelon
Patch 9.5 mg per 24 hour90.00	30	Exelon

⇒SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

✓ Suboxone	28	ng57.40	Tab sublingual 2 mg with naloxone 0.5 m
Suboxone	28	j166.00	Tab sublingual 8 mg with naloxone 2 mg

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

■ SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE Tab modified-release 150 mg	4.97	30	✓ <u>Zyban</u>
DISULFIRAM Tab 200 mg	24.30	100	✓ Antabuse
NALTREXONE HYDROCHLORIDE – Special Authority see SA Tab 50 mg		pharmacy 30	✓ Naltraccord

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Patch 7 mg - Up to 28 patch available on a PSO1	0.57	28	<u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO1	1.31 2	28	<u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO1	1.95	28	<u>Habitrol</u>
Lozenge 1 mg - Up to 216 loz available on a PSO1	2.91 2	16	<u>Habitrol</u>
Lozenge 2 mg - Up to 216 loz available on a PSO1	4.14 2	16	<u>Habitrol</u>
Gum 2 mg (Classic) - Up to 384 piece available on a PSO2	22.26 3	84	<u>Habitrol</u>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO2	22.26 3	84	<u>Habitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO2	22.26 3	84 🗸	<u>Habitrol</u>
Gum 4 mg (Classic) - Up to 384 piece available on a PSO2	25.67 3	84 🗸	<u>Habitrol</u>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO2	25.67 3	84	<u>Habitrol</u>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO2	25.67 3	84	<u>Habitrol</u>

VARENICLINE TARTRATE - Special Authority see SA1161 below - Retail pharmacy

- a) A maximum of 3 months' varenicline will be subsidised on each Special Authority approval.
- b) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.

b) varonicimo vin not bo fanaca anaci mo Bioponomy i	requeries riale in arrior	arito 1000 triai	L WOONG OF HOU
Tab 1 mg	67.74	28	Champix
•	135.48	56	✓ Champix
Tab 0.5 mg \times 11 and 1 mg \times 14	60.48	25 OP	✓ Champix

⇒SA1161 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and

Subsidy (Manufacturer's Price)	Fully Subsidised		
\$	Per 🗸	 Manufacturer 	

continued...

- 6 The patient is not pregnant; and
 - 7 The patient will not be prescribed more than 3 months' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking;
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 3 months' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Note: a maximum of 3 months' varenicline will be subsidised on each Special Authority approval.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Chemotherapeutic Agents

Alky	lating	Agents

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			, , , ,
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
.,	20.00		✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	✓ DBL Carboplatin
, ,	19.50		✓ Carbaccord
	22.50		Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	DBL Carboplatin
	48.50		✓ Carbaccord
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP		100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist		J	
Tab 2 mg	29.06	25	✓ Leukeran FC
· ·	20.00	23	Leakeraniio
CISPLATIN - PCT only - Specialist			4.554.44.44
Inj 1 mg per ml, 50 ml vial		1	DBL Cisplatin
1.14	15.00		✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
Ini 4 may few FOD	22.46	4	✓ DBL Cisplatin
Inj 1 mg for ECP	0.28	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE			
Tab 50 mg - PCT - Retail pharmacy-Specialist	79.00	50	✓ Endoxan S29
	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13			•
Inj 1 g vial - PCT - Retail pharmacy-Specialist	35.03	1	✓ Endoxan
	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist	70.06	1	Endoxan
Inj 1 mg for ECP - PCT only - Specialist	0.04	1 mg	✓ Baxter
IFOSFAMIDE - PCT only - Specialist			
Inj 1 g	96.00	1	✓ Holoxan
lnį 2 g	180.00	1	✓ Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter
LOMUSTINE - PCT - Retail pharmacy-Specialist		•	
Cap 10 mg	132 59	20	✓ CeeNU
Cap 40 mg		20	✓ CeeNU
MELPHALAN The Array DCT Detail pharmacus Considiret	40.70	05	. Alleanan
Tab 2 mg — PCT – Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg – PCT only – Specialist	07.80	1	✓ Alkeran

(1	Subsidy Manufacturer's Price \$	e) Per	Fully Subsidised	Generic
DXALIPLATIN - PCT only - Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1		Oxaliccord
Inj 50 mg vial	15.32	1		Oxaliplatin Actavis 50
	55.00		~	Oxaliplatin Ebewe
	200.00		/	Eloxatin
Inj 100 mg vial	25.01	1		Oxaliplatin Actavis 100
	110.00		~	Oxaliplatin Ebewe
	400.00			Eloxatin
Inj 5 mg per ml, 20 ml vial	16.00	1	~	Oxaliccord
Inj 1 mg for ECP	0.28	1 mg	/	Baxter
THIOTEPA - PCT only - Specialist				
Inj 15 mg vial	CBS	1	/	Bedford S29
			V	THIO-TEPA S29
			V.	Tepadina S29
Inj 100 mg vial	CBS	1	V.	Tepadina S29
Antimetabolites				
AZACITIDINE - PCT only - Specialist - Special Authority see SA	1467 below			
Inj 100 mg vial		1	~	Vidaza
Inj 1 mg for ECP	6.66	1 mg	/	Baxter

■SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy		Fully	Brand or
	Manufacturer's P		sidised	Generic
	\$	Per		Manufacturer
CALCIUM FOLINATE				
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	V D	BL Leucovorin
		_		Calcium
Inj 3 mg per ml, 1 ml — PCT — Retail pharmacy-Specialist		5		lospira
Inj 50 mg - PCT - Retail pharmacy-Specialist	18.25	5	V <u>C</u>	Calcium Folinate Ebewe
Inj 100 mg - PCT only - Specialist	7 33	1	~ 0	Calcium Folinate
ing too mg to tomy operation		·	•	Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	V 0	alcium Folinate
, , , ,				Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	v 0	alcium Folinate
				Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ B	Baxter
APECITABINE - Retail pharmacy-Specialist				
Tab 150 mg	30.00	60	/ 0	apecitabine
				<u>Winthrop</u>
Tab 500 mg	120.00	120	✓ <u>C</u>	apecitabine
				<u>Winthrop</u>
LADRIBINE – PCT only – Specialist		_		
Inj 1 mg per ml, 10 ml		7		eustatin
Inj 10 mg for ECP	/49.96	10 mg OP	V B	Baxter
YTARABINE		_		
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialist.		5		fizer
Inj 500 mg - PCT - Retail pharmacy-Specialist	80.00	1		lospira Pfizer
iiij 500 iiig	95.36	5		lospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-	00.00	· ·	•	юорна
Specialist	8.83	1	✓ P	fizer
	42.65	•		lospira
Inj 100 mg per ml, 20 ml vial - PCT - Retail pharmacy-				•
Specialist	17.65	1	✓ P	fizer
	34.47			lospira
Inj 1 mg for ECP — PCT only — Specialist		10 mg		Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialist.	11.00	100 mg OP	✓ B	Baxter
LUDARABINE PHOSPHATE				
Tab 10 mg - PCT - Retail pharmacy-Specialist		20	_	ludara Oral
Inj 50 mg - PCT only - Specialist		5		ludarabine Ebewe
Ini FO ma for ECD DCT only Consistint	1,430.00	E0 ma OD		ludara
Inj 50 mg for ECP - PCT only - Specialist	105.00	50 mg OP	V 5	Baxter
LUOROURACIL	40.00			
Inj 50 mg per ml, 20 ml vial — PCT only — Specialist		1		luorouracil Ebewe
Inj 50 mg per ml, 50 ml vial – PCT only – Specialist Inj 50 mg per ml, 100 ml vial – PCT only – Specialist		1 1		luorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist		100 mg		axter
my my for Lor only - opedation		100 mg	¥ D	unioi

(N)	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
(IV	\$	Per	✓ Manufacturer
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist			
Inj 1 g	15.89	1	✓ Gemcitabine Ebewe
, ,	62.50		DBL Gemcitabine
	349.20		✓ Gemzar
Inj 200 mg	8.36	1	✓ Gemcitabine Ebewe
, 3	78.00		✓ Gemzar
Inj 1 mg for ECP	0.02	1 mg	✓ Baxter
RINOTECAN HYDROCHLORIDE - PCT only - Specialist			
Inj 20 mg per ml, 2 ml vial	11 50	1	✓ Irinotecan Actavis
11) 20 119 por 111, 2 111 vai		•	40
	41.00		✓ Camptosar
	41.00		✓ Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	✓ Irinotecan Actavis
ing 20 mg per mi, 3 mi viai	17.00	1	100
	100.00		✓ Camptosar
	100.00		✓ Irinotecan-Rex
Inj 1 mg for ECP	0.10	1 mg	✓ Innotecan-nex ✓ Baxter
	0.19	i iliy	Daxlei
IERCAPTOPURINE – PCT – Retail pharmacy-Specialist			4
Tab 50 mg	49.41	25	✓ Puri-nethol
IETHOTREXATE			
Tab 2.5 mg - PCT - Retail pharmacy-Specialist	3.18	30	✓ <u>Trexate</u>
Tab 10 mg - PCT - Retail pharmacy-Specialist		50	✓ Trexate
Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5	✓ Hospira
Inj 7.5 mg prefilled syringe		1	✓ Methotrexate
, , , ,			Sandoz
Inj 10 mg prefilled syringe	17.25	1	✓ Methotrexate
			Sandoz
Inj 15 mg prefilled syringe	17.38	1	✓ Methotrexate
			<u>Sandoz</u>
Inj 20 mg prefilled syringe	17.50	1	✓ <u>Methotrexate</u>
			<u>Sandoz</u>
Inj 25 mg prefilled syringe	17.63	1	✓ <u>Methotrexate</u>
			<u>Sandoz</u>
Inj 30 mg prefilled syringe	17.75	1	✓ Methotrexate
			<u>Sandoz</u>
Inj 25 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5	✓ Hospira
Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist		1	✓ Hospira
F Inj 100 mg per ml, 10 ml − PCT − Retail pharmacy-Specialist		1	✓ Methotrexate Ebewe
Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialist		1	✓ Methotrexate Ebewe
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist	4.73 5	mg Ol	○ ✓ Baxter
HIOGUANINE - PCT - Retail pharmacy-Specialist			
Tab 40 mg	126.31	25	✓ Lanvis
Other Cytotoxic Agents			
MSACRINE - PCT only - Specialist			
MSACRINE – PCT only – Specialist	1 500 00	•	Amaleller -
Inj 50 mg per ml, 1.5 ml ampoule		6	✓ Amsidine S29
Inj 75 mg	1,250.00	5	✓ AmsaLyo S29

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
ANAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Sp	pecialist			
Cap 0.5 mg	CBS	100		grylin 829 eva 829
ARSENIC TRIOXIDE - PCT only - Specialist				
Inj 10 mg	4,817.00	10	✓ A	FT \$29
BLEOMYCIN SULPHATE - PCT only - Specialist				
Inj 15,000 iu, vial	150.48	1		BL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	✓ B	axter
BORTEZOMIB - PCT only - Specialist - Special Authority see	SA1127 below			
Inj 1 mg	540.70	1	✓ Vo	elcade
Inj 3.5 mg	1,892.50	1	✓ Vo	elcade
Inj 1 mg for ECP	594.77	1 mg	✓ B	axter

■ SA1127 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] - PCT only - Specialist			
Inj 10,000 iu	102.32	1	✓ Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✔ Baxter

	Subsidy		
	(Manufacturer's P \$	Price) Sub Per	sidised Generic Manufacturer
DACARBAZINE - PCT only - Specialist			
Inj 200 mg vial	51.84	1	✓ Hospira
Inj 200 mg for ECP		200 mg OP	✓ Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist		3 -	
Inj 0.5 mg vial	145.00	1	✓ Cosmegen
, 0		0.5 mg OP	✓ Baxter
Inj 0.5 mg for ECP	145.00	0.5 Hig OF	Daxiei
DAUNORUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 10 ml		1	✓ Pfizer
Inj 20 mg for ECP	118.72	20 mg OP	✓ Baxter
DOCETAXEL - PCT only - Specialist			
Inj 20 mg	13.70	1	DBL Docetaxel
. •	48.75		✓ Docetaxel Sandoz
Inj 20 mg per ml, 1 ml	48.75	1	✓ Taxotere
Inj 20 mg per ml, 4 ml	195.00	1	✓ Taxotere
Inj 80 mg	29.99	1	✓ DBL Docetaxel
. •	195.00		✓ Docetaxel Sandoz
Inj 1 mg for ECP	0.61	1 mg	✓ Baxter
DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist		_	
Inj 2 mg per ml, 5 ml vial	10.00	1	✓ Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1	✓ Doxorubicin Ebew
ing 2 mg per mi, 20 mi viai	17.00		✓ Arrow-Doxorubicin
Inj 50 mg vial		1	✓ DBL Doxorubicin
iij 60 iig 11di		•	✓ DBL Doxorubicin S29 S29
Inj 2 mg per ml, 50 ml vial	23.00	1	✓ Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1	✓ Doxorubicin Ebewe
., g p ,	65.00		✓ Arrow-Doxorubicing
	150.00		✓ Adriamycin
Inj 1 mg for ECP	0.37	1 mg	✓ Baxter
EPIRUBICIN HYDROCHLORIDE - PCT only - Specialist		Ü	
Inj 2 mg per ml, 5 ml vial	25.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1	✓ Epirubicin Ebewe
ing 2 mg per mi, 25 mi viai	39.38	1	✓ DBL Epirubicin
	39.30		Hydrochloride
Ini O ma nor ml. EO ml. viol	20.50	4	•
Inj 2 mg per ml, 50 ml vial	52.50 58.20	1	✓ Epirubicin Ebewe
	38.20		✓ DBL Epirubicin
Ini 0 ma nor ml 100 ml viol	GE 00	4	Hydrochloride
Inj 2 mg per ml, 100 ml vial		1	✓ Epirubicin Ebewe
	94.50		✓ DBL Epirubicin
1:4 (500			Hydrochloride
Inj 1 mg for ECP	0.36	1 mg	✓ Baxter
ETOPOSIDE			
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	✓ Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist	340.73	10	✓ Vepesid
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Speciali	st25.00	1	✓ Hospira
	612.20	10	✓ Vepesid
Inj 1 mg for ECP - PCT only - Specialist	0.30	1 mg	✓ Baxter

	Subsidy (Manufacturer's Prio \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer
ETOPOSIDE PHOSPHATE - PCT only - Specialist Inj 100 mg (of etoposide base) Inj 1 mg (of etoposide base) for ECP		1 1 mg		topophos axter
HYDROXYUREA – PCT – Retail pharmacy-Specialist Cap 500 mg	31.76	100	✓ H	ydrea
IDARUBICIN HYDROCHLORIDE Inj 5 mg vial - PCT only - Specialist Inj 10 mg vial - PCT only - Specialist Inj 1 mg for ECP - PCT only - Specialist	250.00	1 1 1 mg	√ z	avedos avedos axter
LENALIDOMIDE – Retail pharmacy-Specialist – Special Authori Wastage claimable – see rule 3.3.2 on page 13	ty see SA1468 bel	OW		
Cap 10 mg		21 21	* . * .	evlimid evlimid

■ SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
 - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA

Tab 400 mg - PCT - Retail pharmacy-Specialist	227.50	50	Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist	339.50	50	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist	148.05	15	Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist	339.90	15	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist	2.47	100 mg	✓ Baxter
MITOMYCIN C - PCT only - Specialist			
Inj 5 mg vial	79.75	1	✓ Arrow
Inj 1 mg for ECP	16.43	1 mg	✓ Baxter
MITOZANTRONE - PCT only - Specialist			
Inj 2 mg per ml, 10 ml vial	97.50	1	Mitozantrone Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter

	Subsidy (Manufacturer's Price)) Per	Fully Subsidised	d Generic
PACLITAXEL - PCT only - Specialist				
Inj 30 mg	45.00	5	~	Paclitaxel Ebewe
Inj 100 mg	19.02	1	~	Paclitaxel Ebewe
•	91.67		~	Paclitaxel Actavis
Inj 150 mg	26.69	1	~	Paclitaxel Ebewe
, ,	137.50		~	Anzatax
			~	Paclitaxel Actavis
Inj 300 mg	36.53	1	~	Paclitaxel Ebewe
,	275.00		~	Anzatax
			~	Paclitaxel Actavis
Inj 600 mg	73.06	1	1	Paclitaxel Ebewe
Inj 1 mg for ECP		1 mg	/	Baxter
PEGASPARGASE - PCT only - Special Authority see SA1325 b	elow			
Inj 3,750 IU per 5 ml	3,005.00	1	~	Oncaspar S29

⇒SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist			
Inj 10 mg	.CBS	1 (✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy-Spec	ialist		
Cap 50 mg4	198.00	50	✓ Natulan S29
TEMOZOLOMIDE - Special Authority see SA1063 below - Retail phar	macy		
Cap 5 mg	8.00	5	✓ <u>Temaccord</u>
Cap 20 mg	.36.00	5	✓ <u>Temaccord</u>
Cap 100 mg	175.00	5	✓ <u>Temaccord</u>
Cap 250 mg4	110.00	5	✓ <u>Temaccord</u>

■SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

Notes: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

		 PCT only – Specialist – Special Authority see SA1124 below 	THALIDOMIDE
Thalomid	28	378.00	Cap 50 mg
Thalomid	28	756.00	Cap 100 mg

■ SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- The patient has multiple myeloma; or
 - 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen. Indication marked with * is an Unapproved Indication.

TRETINOIN

Cap 10 mg - PCT - Retail pharmacy-Specialist479.50	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specialist37.29	1	✓ Hospira
186.46	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist64.80	5	✓ Hospira
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist69.60	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist9.45	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist		
Inj 10 mg per ml, 1 ml vial8.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial40.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP	1 mg	✓ Baxter

Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 on the nex	t page – [Xpharm]		
Tab 20 mg	3,774.06	60	Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tab 100 mg	6.214.20	30	✓ Sprvcel

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990

PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5×10^9 /L, platelets > 100×10^9 /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB	 Retail pharmacy-Specialist 	 Special Author 	ority see SA1519 b	oelow

Tab 100 mg	1,000.00	30	✓ <u>Tarceva</u>
Tab 150 mg	1,500.00	30	✓ Tarceva

►SA1519 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
 - 1.2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
 - 1.3 Any of the following:
 - 1.3.1 Patient is treatment naive; or
 - 1.3.2 Both:

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1.3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
- 1.3.2.2 Patient has not received prior treatment with gefitinib; or
- 1.3.3 Both:
 - 1.3.3.1 The patient has discontinued gefitinib within 6 weeks of starting treatment due to intolerance; and
 - 1.3.3.2 The cancer did not progress while on gefitinib; and
- 1.4 Erlotinib is to be given for a maximum of 3 months; or
- 2 The patient received funded erlotinib prior to 31 December 2013 and radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist

Tab 250 mg − Special Authority see SA1520 below......1,700.00 30 Iressa

⇒SA1520 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Either:
 - 2.1 Patient is treatment naive; or
 - 2.2 Both:
 - 2.2.1 The patient has discontinued erlotinib within 6 weeks of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on erlotinib; and
 - 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
 - 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	✔ Glivec
*	Cap 100 mg	298.90	60	✓ <u>Imatinib-AFT</u>
*	Cap 400 mg	597.80	30	Imatinib-AFT

■ SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for GIST aAS access by application

Funded for patients:

Subsidy Fully Brand or Generic (Manufacturer's Price) Subsidised \$ Per Manufacturer

continued...

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

70 ' Tykerb

■SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology): and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology):
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab: and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

Cap 150 mg4,680.00 120 ✓ Tasigna 120 Tasigna

■ SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Fither:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day: and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB -	 Special Authority 	y see SA1190 below -	- Retail pharmacy

Tab 200 mg	1,334.70	30	Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70; or
 - $5.6 \ge 2$ sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 on the next page - Retail pharmacy

Cap 12.5 mg	 2,315.38	28	✓ Sutent
, ,	 ·	28	✓ Sutent
Cap 50 mg	 9,261.54	28	✓ Sutent

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval: or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
- The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of \leq 70; or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:
Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or

	Subsidy	Fully	Brand or
(Ma	inufacturer's Price)	Subsidised	Generic
	\$	Por 🗸	Manufacturer

continued...

- 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or
- 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of ≥ 10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 85

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable - see rule 3.3.2 on page 13

Tab 250 mg4,276.19 120 **✓ Zytiga**

⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

55.00

All of the following:

DICALLITAMIDE

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

Tab 50 mg	4.90	28	✓ <u>Bicalaccord</u>
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	16.50	30	✓ Flutamide
			Mylan S29

(Flutamide Mylan S29) Tab 250 mg to be delisted 1 July 2016)

✓ Flutamin

100

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
MEGESTROL ACETATE - Retail pharmacy-Specialist Tab 160 mg	54.30	30	v	Apo-Megestrol
OCTREOTIDE Inj 50 mcg per ml, 1 ml vial Inj 100 mcg per ml, 1 ml vial Inj 500 mcg per ml, 1 ml vial	22.40	5 5 5	1	DBL DBL DBL
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) – Special A Inj LAR 10 mg prefilled syringe	1,772.50 2,358.75	elow 1 1 1	V	narmacy Sandostatin LAR Sandostatin LAR Sandostatin LAR

■ SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:

continued...

173

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 2.2.1 Patient has failed surgery; or
- 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas: and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFFN CITRATE

*	Tab 10 mg17.50	100	Genox
	Tab 20 mg		Genox
	8.79	100	✓ Genox

Aromatase Inhibitors

٩N	IAS	TRO	OZC)LE

赤 IaD I IIIg	20.55	30	✓ Arimidex ✓ DP-Anastrozole
EXEMESTANE	44.50	00	. A A warmana lan
* Tab 25 mg LETROZOLE	14.50	30	✓ <u>Aromasin</u>
* Tab 2.5 mg	2 95	30	✓ I etrole

(4.85)

Letrole to be Sole Supply on 1 April 2016 (Letraccord Tab 2.5 mg to be delisted 1 April 2016)

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE – Retail pharmacy-Specialist * Tab 25 mg	8.28	60	✓ Azamun
* Tab 50 mg - For azathioprine oral liquid formu			
page 210	·	100	✓ Azamun
* Inj 50 mg	126.00	1	✓ Imuran
MYCOPHENOLATE MOFETIL			
Tab 500 mg	25.00	50	✓ Cellcept
Cap 250 mg	25.00	100	✓ Cellcept
Powder for oral lig 1 g per 5 ml - Subsidy by endo	orsement187.25	165 ml OP	Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

I etraccord

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic
S Per Manufacturer

Fusion Proteins

ETANERCEPT - Special Authority see SA1478 below - Retail pharmacy			
Inj 25 mg799.	.96	4 🗸 Ent	orel
Inj 50 mg autoinjector1,599.	.96	4 🗸 Ent	orel
Inj 50 mg prefilled syringe1,599.	.96	4 🗸 Ent	orel

⇒SA1478 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA: or

2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender ioints: or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
- 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Fither:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints;
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.7 Fither:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or

2 All of the following:

2.1 Either:

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot, where the plague or plagues have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm: Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or

2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Fither:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints:
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pvoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules: and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:

continued...

179

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
- 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Fither:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Roth:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

	Subsidy (Manufacturer's Price)	Fully Subsidised Per 🗸		Brand or Generic Manufacturer
Immune Modulators				
ANTITHYMOCYTE GLOBULIN (EQUINE) — PCT only — Specialinj 50 mg per ml, 5 ml	2,351.25 Specialist 149.37	5 1 3		GAM ncoTICE I-Onco-BCG \$29
Monoclonal Antibodies				
ADALIMUMAB — Special Authority see SA1479 below — Retail ph Inj 10 mg per 0.2 ml prefilled syringe	1,599.96 1,599.96 1,599.96	2 2 2 2	✓ Hu ✓ Hu ✓ Hu	ımira ımiraPen

■SA1479 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection:
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plague psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot, where the plague or plagues have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm: Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis: or

2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 q per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Fither:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
 - 2.2 Patient diagnosed with JIA; and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Fither:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. **Initial application** — **(pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Fither:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and

4 Fither:

- 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
- 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

- - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

2 Fither:

- 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab;
 - 2.1.2 CDAI score is 150 or less; or
- 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

- 1.1 Applicant is a dermatologist; or
- 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

2 Fither:

- 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plague psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
 - 2.2.1 Patient had severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values: or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

All of the following

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

- 1.1 Applicant is a named specialist or rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline: or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Fither:

1.1 Applicant is a gastroenterologist; or

continued...

Subsidy Fully
(Manufacturer's Price) Subsidised
\$ Per

Brand or

Generic

Manufacturer

continued...

1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

- All of the following:
 - 1 Patient has shown clinical improvement; and
 - 2 Patient continues to require treatment; and
 - 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OMALIZUMAB − Special Authority see SA1490 below − Retail pharmacy
Inj 150 mg vial500.00 1 ✓ Xolair

⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 on the next page

Inj 100 mg per 10 ml vial1,075.50	2	Mabthera
Inj 500 mg per 50 ml vial2,688.30	1	Mabthera
Inj 1 mg for ECP5.64	1 mg	Baxter

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1152 | Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and

Subsidy Fully (Manufacturer's Price) Subsidised Per \$

Brand or

Generic

Manufacturer

continued...

8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

- All of the following:
 - 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
 - 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
 - 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglob-

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TBASTUZUMAB - PCT only - Specialist - Special Authority see SA1521 below

Inj 150 mg vial1	,350.00	1	✔ Herceptin
Inj 440 mg vial3	,875.00	1	✔ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

⇒SA1521 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology): and
 - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Trastuzumab not to be given in combination with lapatinib; and
 - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology): and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

- 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
- 2.3 The cancer did not progress whilst on lapatinib; and
- 2.4 Trastuzumab not to be given in combination with lapatinib; and
- 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadiuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology):
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 All of the following:
 - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
 - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.1.3 Trastuzumab to be discontinued at disease progression; or
 - 3.2 All of the following:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; and
 - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
 - 3.2.4 Trastuzumab to be discontinued at disease progression; or
 - 3.3 All of the following:
 - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 3.3.2 Trastuzumab not to be given in combination with lapatinib: and
 - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

	(Manufacturer's Pric	e) Su Per	bsidised	Generic Manufacturer
	Ψ	1 61		Iviariulacturei
Other Immunosuppressants				
CICLOSPORIN				
Cap 25 mg	44.63	50	✓ N	eoral
Cap 50 mg	88.91	50	✓ N	eoral
Cap 100 mg	177.81	50	✓ N	eoral
Oral liq 100 mg per ml	198.13	50 ml OP	✓ N	eoral
EVEROLIMUS - Special Authority see SA1491 below - Retail ph	armacy			
Wastage claimable – see rule 3.3.2 on page 13	•			
Tab 5 mg	4,555.76	30	✓ A	finitor
Tab 10 mg	6.512.29	30	✓ A	finitor

Subsidy

Fully

Brand or

⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIROLIMUS - Special Authority see SA0866 below - Retail pharmacy

lab 1 mg	813.00	100	Rapamune
Tab 2 mg	1,626.00	100	Rapamune
Oral liq 1 mg per ml	487.80	60 ml OP	Rapamune

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min: or
- Rapidly progressive transplant vasculopathy: or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP: or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA1540 on the next page -	Retail pharmad	СУ	
Cap 0.5 mg	85.60	100	✓ Tacrolimus Sandoz
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer, page			
210	428.00	50	✓ Tacrolimus Sandoz

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

⇒SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS; and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with * are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

Subsidy (Manufacturer's Price) Fully Subsidised Per Brand or Generic Manufacturer

✓ Firazyr

Antiallergy Preparations

Allergic Emergenices

ICATIBANT - Special Authority see SA1558 below - Retail pharmacy

Inj 10 mg per ml, 3 ml prefilled syringe2,668.00 1

⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- Both:
 - 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
 - 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

⇒SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

BEE VENOM ALLERGY TREATMENT - Special Authority see SA1367 above - Retail pharmacy

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Maintenance kit - 6 vials 120 mcg freeze dried venom, 6 dilu- ent 1.8 ml	285.00	1 OP	✓ Albay ✓ Venomil \$29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml		1 OP elisted 1 Feb	✓ Albey oruary 2016)
WASP VENOM ALLERGY TREATMENT - Special Authority see SA	A1367 above – R	etail pharma	су
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze	305.00	1 OP	✓ Albey
dried venom, 6 diluent 1.8 ml	305.00	1 OP	✓ Venomil S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, 6 diluent 1.8 ml	305.00	1 OP	✓ Venomil S29
Antihistamines			

fully subsidised	
rully subsidised	
ILID 41 automorphic 4	
[HP4] refer page 4	

CETIBIZINE HYDROCHI ORIDE

CHI ORPHENIRAMINE MAI FATE

100

200 ml

500 ml

✓ Zetop

Histafen

Histaclear

	RESPIRATORY SYSTEM AND ALLER			
	Subsidy (Manufacturer's \$	Price) Sub	Fully osidised	Brand or Generic Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE				
★ Tab 2 mg	2.02	40		
3	(8.40)		P	olaramine
	`1.01 [′]	20		
	(5.99)		P	olaramine
‡ Oral liq 2 mg per 5 ml	1.77	100 ml		
	(10.29)		P	olaramine
XOFENADINE HYDROCHLORIDE				
Tab 60 mg	4.34	20		
5	(11.53)		Te	elfast
Tab 120 mg		30	.,	
· · · · · · · · · · · · · · · · · ·	(29.81)		Te	elfast
	4.74	10		
	(11.53)		Te	elfast
RATADINE	, ,			
Tab 10 mg	1.30	100	V 1	orafix
Oral lig 1 mg per ml		200 ml	_	oraPaed
· •		200 1111	¥ <u>=</u>	
OMETHAZINE HYDROCHLORIDE	1 70	50		llavaaaths
Tab 10 mg		50		llersoothe
Tab 25 mg		50	_	llersoothe
Oral liq 1 mg per 1 ml		100 ml	✓ A	llersoothe
Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a		-		lua
PSO	11.99	5	∨ H	ospira
MEPRAZINE TARTRATE				
Oral liq 30 mg per 5 ml		100 ml OP		
	(8.06)		V	allergan Forte
haled Corticosteroids				
COLOMETHA CONE DIDDODIONATE				
CLOMETHASONE DIPROPIONATE	0.20	200 dose OP	√ 0	war
Aerosol inhaler, 50 mcg per dose		200 dose OP 200 dose OP		eclazone 50
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP	V B	
Aerosol inhaler, 100 mcg per dose		200 dose OP		var eclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free		200 dose OP		eclazone 100 eclazone 250
	22.01	200 dose OF	₩ 0	COIGEOIDE 200
JDESONIDE	47.00			
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✓ P	ulmicort
			4-	Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✓ P	ulmicort

Powder for inhalation, 400 mcg per dose32.00

Turbuhaler

Turbuhaler

	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
FLUTICASONE			
Aerosol inhaler, 50 mcg per dose	7 50	120 dose OP	✓ Floair
Aerosol inhaler, 50 mcg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 50 mcg per dose		60 dose OP	✓ Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose		60 dose OP	✓ Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose		120 dose OP	✓ Floair
Aerosol inhaler, 125 mcg per dose CFC-free	13.60	120 dose OP	✓ Flixotide
Aerosol inhaler, 250 mcg per dose	27.20	120 dose OP	✓ Floair
Aerosol inhaler, 250 mcg per dose CFC-free	27.20	120 dose OP	✓ Flixotide
Powder for inhalation, 250 mcg per dose	13.60	60 dose OP	Flixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonist	ts		
EFORMOTEROL FUMARATE			
Powder for inhalation, 6 mcg per dose, breath activated	10.32	60 dose OP	
υ το το του του του του του του του του	(16.90)		Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de	- ` ′		
vice		60 dose	
	(35.80)		Foradil
INDACATEROL			
Powder for inhalation 150 mcg	61.00	30 dose OP	✓ Onbrez Breezhaler
Powder for inhalation 300 mcg		30 dose OP	Onbrez Breezhaler
SALMETEROL			
Aerosol inhaler CFC-free, 25 mcg per dose	26.46	120 dose OP	✓ Serevent
Aerosol inhaler 25 mcg per dose		120 dose OP	✓ Meterol
Powder for inhalation, 50 mcg per dose, breath activated		60 dose OP	✓ Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	Adrenocept	or Agonists	
PUDECONUE WITH FEODMOTEROL Created Authority and		Datail mhairman	
BUDESONIDE WITH EFORMOTEROL – Special Authority see S Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg		- Retail pharmacy 120 dose OP	y ✔ Vannair
		120 dose OP	₩ Valiliali
Powder for inhalation 100 mcg with eformoterol fumarate		120 dose OP	✓ Symbicort
6 mcg	35.00	120 dose OP	Turbuhaler 100/6
Acrosol inhalar 200 mag with oformatoral fumerate 6 mag	21.25	120 dose OP	✓ Vannair
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg		120 005e OP	♥ valiliali
Powder for inhalation 200 mcg with eformoterol fumarate		100 doos OD	4 Cumbicart
6 mcg	00.00	120 dose OP	✓ Symbicort Turbuhaler 200/6
Douglay for inholotion 400 man with afavorational formands			TUI DUITAIET 200/0
Powder for inhalation 400 mcg with eformoterol fumarate 12 mcg – No more than 2 dose per day		60 dose OP	✓ Symbicort
12 mby - No more man 2 dose per day	00.00	ou dose of	Turbuhaler 400/12
			Turbunaler 400/12

⇒SA1179 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient is a child under the age of 12; and
 - 1.2 Has been treated with inhaled corticosteroids of at least 400 mcg per day beclomethasone or budesonide, or 200 mcg per day fluticasone; and

	11201 11171	01011	III AITO ALLEITOILO
	Subsidy (Manufacturer's I \$	Price) Subs Per	Fully Brand or sidised Generic Manufacturer
continued			
 1.3 The prescriber considers that the patient would product; or 	receive additiona	al clinical benefit	t from switching to a combinati
2 All of the following:			
2.1 Patient is over the age of 12; and2.2 Has been treated with inhaled corticosteroids	of at least 800 n	ncg per day be	clomethasone or budesonide,
500 mcg per day fluticasone; and2.3 The prescriber considers that the patient would product.	receive additiona	al clinical benefit	t from switching to a combinati
$\mbox{\bf Renewal}$ from any relevant practitioner. Approvals valid for 2 y benefiting from treatment.	ears where the t	reatment remai	ns appropriate and the patient
FLUTICASONE WITH SALMETEROL			
Aerosol inhaler 50 mcg with salmeterol 25 mcg	37.48	120 dose OP	✓ RexAir ✓ Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg	49.69	120 dose OP	✓ Seretide ✓ RexAir ✓ Seretide
Powder for inhalation 100 mcg with salmeterol 50 mcg - N more than 2 dose per day	37.48	60 dose OP	✓ Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg - N		00 1 00	40 4
more than 2 dose per day	49.69	60 dose OP	✓ Seretide Accuhaler
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
‡ Oral liq 400 mcg per ml	2.06	150 ml	✓ <u>Ventolin</u>
Infusion 1 mg per ml, 5 ml		10	Ventolin
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	(130.21) 12.90	5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
illialed beta-Adienoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 mcg per dose CFC free - Up to 100 dose available on a PSO		200 dose OP	✓ Respigen ✓ SalAir
			✓ Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 ne available on a PSO	3.19	20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 ne available on a PSO		20	✓ <u>Asthalin</u>
TERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	✓ Bricanyl Turbuhaler

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Anticholinergic Agents

IPRATROPIUM BROMIDE

16.20	200 dose OP	✓ Atrovent
3.26	20	Univent
3.37	20	Univent
	3.26	

Inhaled Beta-Adrenoceptor Agonists with Anticholinergic Agents

SALBUTAMOL WITH IPRATROPIUM BROMIDE

Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg			4
per dose CFC-free12	2.19	200 dose OP	Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per			
vial, 2.5 ml ampoule - Up to 20 neb available on a PSO	3.59	20	Duolin

Long-Acting Muscarinic Antagonists

⇒SA1485 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 ug ipratropium g.i.d for one month; and
- 3 Either:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV1 (litres); and
- 4.2 Predicted FEV₁ (litres); and
- 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined); and
- 3 All of the following:

Applicant must state recent measurement of:

- 3.1 Actual FEV₁ (litres); and
- 3.2 Predicted FEV₁ (litres); and
- 3.3 Actual FEV₁ as a % of predicted.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per Brand or Generic Manufacturer

✓ Seebri Breezhaler

GLYCOPYRRONIUM - Special Authority see SA1485 on the previous page - Retail pharmacy

Glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium.

Powder for inhalation 50 mcg per dose61.00 30

TIOTROPIUM BROMIDE – Special Authority see SA1485 on the previous page – Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised glycopyrronium.

Powder for inhalation, 18 mcg per dose70.00 30 dose ✓ Spiriva

Leukotriene Receptor Antagonists

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses

in short treatment oburdes.		
Tab 4 mg18	.48 28	✓ Singulair
Tab 5 mg	.48 28	✓ Singulair
Tab 10 mg18	.48 28	✓ Singulair

⇒SA1421 Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

Mast Cell Stabilisers

NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free28.07	112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE		
Powder for inhalation, 20 mg per dose17.94	50 dose	✓ Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free28.07	112 dose OP	✓ Intal Forte CFC Free

	Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
Methylxanthines				
AMINOPHYLLINE				
* Inj 25 mg per ml, 10 ml ampoule - Up to 5 inj avai		_	4.5	
PSO	118.25	5	<u> </u>	BL Aminophylline
THEOPHYLLINE				
* Tab long-acting 250 mg		100		uelin-SR
*‡ Oral liq 80 mg per 15 ml	15.50	500 ml	✓ N	uelin
Mucolytics				
DORNASE ALFA - Special Authority see SA0611 belo	w – Retail pharmacy			
Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	✓ P	ulmozyme
Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Advis Notes: Application details may be obtained from PHARI		armac.g	ovt.nz or:	·
The Co-ordinator, Cystic Fibrosis Advisory Panel	Phone: (04) 460 4990			
•	Facsimile: (04) 916 7571			
Wellington	Email: CFPanel@pharmac.g	ovt.nz		
Prescriptions for patients approved for treatment must and expertise in treating cystic fibrosis.	pe written by respiratory phys	icians or	r paediatric	ians who have experience
SODIUM CHLORIDE				
Not funded for use as a nasal drop.				
Soln 7%	23.50	90 ml OF	• ✓ B	iomed
Nasal Preparations				
Allergy Prophylactics				
BECLOMETHASONE DIPROPIONATE				
Metered aqueous nasal spray, 50 mcg per dose	2.35 20	0 dose 0	OP	
, , , ,	(4.85)		A	anase
Metered aqueous nasal spray, 100 mcg per dose	2.46 20	0 dose 0	OP	
	(5.75)		A	anase
BUDESONIDE				
Metered aqueous nasal spray, 50 mcg per dose	2.35 20	0 dose 0	OP	
	(4.85)		В	utacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose	2.61 20	00 dose 0	OP	
	(5.75)		В	utacort Aqueous
FLUTICASONE PROPIONATE				
Metered aqueous nasal spray, 50 mcg per dose	2.18 12	0 dose 0	OP 🗸 FI	ixonase Hayfever

15 ml OP

& Allergy

Univent

IPRATROPIUM BROMIDE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Respiratory Devices** MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under ✓ EZ-fit Paediatric Mask ✓ e-chamber Mask e-chamber Mask to be Sole Supply on 1 February 2016 (EZ-fit Paediatric Mask Size 2 to be delisted 1 February 2016) PEAK FLOW METER a) Up to 10 dev available on a PSO b) Only on a PSO ✓ Mini-Wright AFS Low Range ✔ Breath-Alert 11.44 Mini-Wright AFS Low Range to be Sole Supply on 1 February 2016 ✓ Mini-Wright 1 Standard 11 44 ✓ Rreath-Alert Mini-Wright Standard to be Sole Supply on 1 February 2016 (Breath-Alert Low range to be delisted 1 February 2016) (Breath-Alert Normal range to be delisted 1 February 2016) SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO e-chamber Turbo e-chamber Turbo to be Sole Supply on 1 February 2016 230 ml (single patient)4.72 Space Chamber Plus 510 ml (single patient)5.12 e-chamber La Grande 800 ml8.50 Volumatic (Space Chamber Plus 230 ml (single patient) to be delisted 1 February 2016) SPACER DEVICE AUTOCLAVABLE a) Up to 5 dev available on a PSO b) Only on a PSO Space Chamber Available where the prescriber requires a spacer device that is capable of sterilisation in an autoclave and the PSO is endorsed accordingly. (Space Chamber 230 ml (autoclavable) to be delisted 1 February 2016) Respiratory Stimulants CAFFFINE CITRATE 25 ml OP Biomed

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Ear Preparations

ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Vosol ear drops with hydrocortisone powder refer Standard Formulae, page Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	ge 213 35 ml OP	✓ Vosol
	00 1111 01	V 10301
FLUMETASONE PIVALATE Ear drops 0.02% with clioquinol 1%	7.5 ml OP	Locacorten-Viaform ED's
		✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATI	N	
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g5.16	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations		
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN		
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and		
gramicidin 50 mcg per ml4.50	8 ml OP	
(9.27)		Sofradex
FRAMYCETIN SULPHATE		
Ear/Eye drops 0.5%	8 ml OP	Soframycin

Eye Preparations

Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.

Anti-Infective Preparations

ACICLOVIR * Eye oint 3%	37.53	4.5 g OP	✓ Zovirax
CHLORAMPHENICOL			4
Eye oint 1%		4 g OP	✓ Chlorsig
Eye drops 0.5%		10 ml OP	Chlorafast
Funded for use in the ear*. Indications marked with * are Unap	proved Indic	ations.	
CIPROFLOXACIN			
Eye Drops 0.3%	12.43	5 ml OP	Ciloxan
For treatment of bacterial keratitis or severe bacterial conjuncti	vitis resistan	t to chloramph	enicol.
FUSIDIC ACID		·	
Eye drops 1%	4.50	5 g OP	✓ Fucithalmic
GANCICLOVIR		- 3 -	
	07.50	- 00	410
Eye gel 0.15%	37.53	5 g OP	✓ Virgan S29
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	Genoptic
PROPAMIDINE ISETHIONATE			·
* Eye drops 0.1%	2 97	10 ml OP	
* Lyo diopo 0.1 /0	(7.99)	10 1111 01	Brolene
	(1.33)		DIGIELLE

	Subsidy (Manufacturer's I \$	Price) Sub Per	Fully Brand or cosidised Generic Manufacturer
TOBRAMYCIN			
Eye oint 0.3%	10.45	3.5 g OP	✓ Tobrex
Eye drops 0.3%	11.48	5 ml OP	✓ Tobrex
Corticosteroids and Other Anti-Inflammatory Pr	eparations		
DEXAMETHASONE			
* Eye oint 0.1%	5.86	3.5 g OP	✓ Maxidex
* Eye drops 0.1%		5 ml OP	✓ Maxidex
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYN	YXIN B SULPH	ATE	
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxir	1		
b sulphate 6,000 u per g		3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		Ü	
xin b sulphate 6,000 u per ml	4.50	5 ml OP	✓ <u>Maxitrol</u>
DICLOFENAC SODIUM			
* Eye drops 0.1%	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	3.09	5 ml OP	✓ FML
LEVOCABASTINE		• • .	- <u></u>
Eye drops 0.5 mg per ml	8 71	4 ml OP	
_,o slope oleg po	(10.34)	• .	Livostin
LODOXAMIDE	, ,		
Eye drops 0.1%	8.71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE	***************************************	· ···· · · ·	
* Eye drops 0.12%	4 50	5 ml OP	✓ Pred Mild
* Eye drops 1%		5 ml OP	✓ Pred Forte
PREDNISOLONE SODIUM PHOSPHATE - Special Authority se		• • .	
Eye drops 0.5%, single dose (preservative free)		20 dose	✓ Minims
2,0 0,000 0.070, onigio dood (procervative 1100)		20 0000	Prednisolone

►SA1547 Special Authority for Subsidy

Initial application only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

0.85

5 ml OP

✓ Rexacrom

SODIUM CROMOGLYCALE	
Eve drops 2%	

Lyo dropo 2 / 0	0 1111 01	▼ <u>HCXUOTOTII</u>	
Glaucoma Preparations - Beta Blockers			
BETAXOLOL * Eye drops 0.25%	5 ml OP 5 ml OP	✓ Betoptic S ✓ Betoptic	
LEVOBUNOLOL * Eve drops 0.5%	5 ml OP	✓ Betagan	

	Subsidy	Dring) OI-	Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
TIMOLOL			
* Eye drops 0.25%	1.45	5 ml OP	✓ Arrow-Timolol
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ Timoptol XE
* Eye drops 0.5%		5 ml OP	✓ Arrow-Timolol
* Eye drops 0.5%, gel forming		2.5 ml OP	✓ Timoptol XE
Glaucoma Preparations - Carbonic Anhydras	se Inhibitors		
ACETAZOLAMIDE			
* Tab 250 mg - For acetazolamide oral liquid formulation	refer.		
page 210		100	✓ Diamox
BRINZOLAMIDE			
* Eye Drops 1%	9 77	5 ml OP	✓ Azopt
		0 1111 01	4 1120pt
DORZOLAMIDE HYDROCHLORIDE * Eye drops 2%	0.77	5 ml OP	
* Eye drops 2%	(17.44)	3 1111 07	Trusopt
	(17.44)		πασυμι
DORZOLAMIDE WITH TIMOLOL	0.45	F! OD	Aman Pertin
* Eye drops 2% with timolol 0.5%		5 ml OP	✓ Arrow-Dortim
Arrow-Dortim to be Sole Supply on 1 March 2016	(15.50)		Cosopt
(Cosopt Eye drops 2% with timolol 0.5% to be delisted 1 Mai	rch 2016)		
Glaucoma Preparations - Prostaglandin Ana	iogues		
BIMATOPROST			
* Eye drops 0.03%	18.50	3 ml OP	✓ Lumigan
_ATANOPROST			· ·
* Eye drops 0.005%	1.50	2.5 ml OP	✓ Hysite
•		•.	
TRAVOPROST * Eve drops 0.004%	19.50	2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other	10.00	2.5 1111 01	+ maraudi
•			
BRIMONIDINE TARTRATE	4.00	F! OD	Aman Polos solal
* Eye drops 0.2%	4.32	5 ml OP	✓ <u>Arrow-Brimonidine</u>
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE			
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
PILOCARPINE HYDROCHLORIDE			
* Eye drops 1%		15 ml OP	✓ Isopto Carpine
* Eye drops 2%		15 ml OP	✓ Isopto Carpine
* Eye drops 4%		15 ml OP	✓ <u>Isopto Carpine</u>
	nulaa		
Subsidised for oral use pursuant to the Standard Forn			
Subsidised for oral use pursuant to the Standard Forr Eye drops 2% single dose – Special Authority see SA on the next page – Retail pharmacy	0895	20 dose	✓ Minims Pilocarpine

SENSORY ORGANS

Subsidy			Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA0895 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Mydriatics and Cycloplagies

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cyclopiegics		
ATROPINE SULPHATE * Eye drops 1%	15 ml OP	✓ <u>Atropt</u>
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%8.76	15 ml OP	✓ Cyclogyl
TROPICAMIDE * Eye drops 0.5%	15 ml OP 15 ml OP	✓ <u>Mydriacyl</u> ✓ Mydriacyl
Preparations for Tear Deficiency		
For acetylcysteine eye drops refer Standard Formulae, page 213		
HYPROMELLOSE * Eye drops 0.5%	15 ml OP	Methopt
HYPROMELLOSE WITH DEXTRAN * Eye drops 0.3% with dextran 0.1%	15 ml OP	✓ Poly-Tears
POLYVINYL ALCOHOL * Eye drops 1.4%	15 ml OP 15 ml OP	✓ Vistil✓ Vistil Forte

Preservative Free Ocular Lubricants

⇒SA1388 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

су		
8.25	30	✓ Poly-Gel
ee SA1388 ab	oove – Retail p	pharmacy
4.30	24	Systane Unit Dose
see SA1388	above – Retail	l pharmacy
22.00	10 ml OP	✓ Hylo-Fresh
Procedures	Manual restric	tion allowing one bottle per
	4.30 see SA1388 22.00	8.25 30 ee SA1388 above – Retail p4.30 24 see SA1388 above – Retail22.00 10 ml OP

Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per month is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.

SENSORY ORGANS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic Manufacturer

Other Eye Preparations		
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%17.00	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.5 g OP	✓ Poly-Visc
RETINOL PALMITATE Eye oint 138 mcg per g	5 g OP	✓ VitA-POS



Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsid	lised	Generic	
\$	Per	~	Manufacturer	

Various

May only be claimed once per patient.

PHARMACY SERVICES

Brand switch fee4.33

✓ BSF Ezetimibe 1 fee BSF Zimybe

a) The Pharmacode for BSF Ezetimibe is 2490773 - see also page 57

b) The Pharmacode for BSF Zimybe is 2490765 - see also page 58

(BSF Ezetimibe Brand switch fee to be delisted 1 February 2016)

(BSF Zimvbe Brand switch fee to be delisted 1 February 2016)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE - Hetail pharmacy-Specialist		
Inj 200 mg per ml, 10 ml ampoule	78.34 10	✓ DBL Acetylcysteine

NALOXONE HYDROCHLORIDE

a) Up to 5 inj available on a PSO

b) Only on a PSO

Inj 400 mcg per ml, 1 ml ampoule48.84 5 ✔ Hospira

Removal and Elimination

CHARCOAL

*	Oral liq 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X
---	--------------------------	-------	-----------	---------------

a) Up to 250 ml available on a PSO

b) Only on a PSO

DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13			
Tab 125 mg dispersible	276.00	28	Exjade
Tab 250 mg dispersible	552.00	28	Exjade
Tab 500 mg dispersible	1,105.00	28	Exjade

⇒SA1492 | Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis; or
 - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μ L) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per μ L).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Either:



Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	bsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE - Special Authority see SA1480 below - R	etail pharmacy		
Tab 500 mg	533.17	100	✓ Ferriprox
Oral lig 100 mg per 1 ml	266.59	250 ml OP	✓ Ferriprox

■ SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DEOFEDE		14EOU ATE
DESEER	NOXAMINE	MESHALE

* Inj 500 mg vial	51.52	10	✓ Desferal
, ,	109.89		✔ Hospira
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
, ,	(156.71)		Calcium Disodium Versenate

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacyspecialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- · Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml

Allopurinol 20 mg/ml

Allopurinol 20 mg/ml

Amlodipine 1 mg/ml

Azathioprine 50 mg/ml

Baclofen 10 mg/ml

Carvedilol 1 mg/ml

Clopidogrel 5 mg/ml

Levetiracetam 100 mg/ml

Levedopa with carbidopa (5 mg levOdopa + 1.25 mg carbidopa)/ml

Tacrolimus 1 mg/ml

Terbinafine 25 mg/ml

Tramadol 10 mg/ml

Clopidogrel 5 mg/ml odopa + 1.25 mg carbidopa)/ml Tramadol 10 mg/ml
Diltiazem hydrochloride 12 mg/ml Metoclopramide 1 mg/ml Ursodeoxycholic acid 50 mg/ml
Dipyridamole 10 mg/ml Metoprolol tartrate 10 mg/ml Valganciclovir 60 mg/ml*
Domperidone 1 mg/ml Nitrofurantoin 10 mg/ml Verapamil hydrochloride 50 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 209) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



VOSOL FAR DROPS

Vosol Ear Drops

Hydrocortisone powder

WITH HYDROCORTISONE POWDER 1%

Standard Formulae PHENOBARBITONE ORAL LIQUID ACETYLCYSTEINE EYE DROPS Phenobarbitone Sodium 1 g Acetylcysteine inj 200 mg per ml, 10 ml gs Glycerol BP 70 ml Suitable eye drop base as Water to 100 ml ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg 12 tabs PHENOBARBITONE SODIUM PAEDIATRIC ORAL Chloroform to 100 ml LIQUID (10 mg per ml) CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Phenobarbitone Sodium 400 ma Glycerol BP 4 ml Codeine phosphate 60 ma Water to 40 ml Glycerol 40 ml Preservative as Water to 100 ml PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops qs CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Preservative Codeine phosphate 300 ma Water to 500 ml Glycerol 40 ml (Preservative should be used if quantity supplied is for Preservative as more than 5 days.) Water to 100 ml **FOLINIC MOUTHWASH** SALIVA SUBSTITUTE FORMULA Calcium folinate 15 mg tab 1 tab Methylcellulose 5 q Preservative as Preservative as Water to 500 ml Water to 500 ml (Preservative should be used if quantity supplied is for (Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.) more than 5 days. Maximum 500 ml per prescription.) MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% 275 g SODIUM CHLORIDE ORAL LIQUID Methyl hydroxybenzoate 1.5 g Sodium chloride ini 23.4%, 20 ml as Water to 1,000 ml Water as METHADONE MIXTURE (Only funded if prescribed for treatment of hyponatraemia) Methadone powder qs Glycerol qs VANCOMYCIN ORAL SOLUTION (50 mg per ml) Water to 100 ml Vancomycin 500 mg injection 10 vials METHYL HYDROXYBENZOATE 10% SOLUTION Glycerol BP 40 ml Methyl hydroxybenzoate Water to 100 ml 10 q Propylene glycol to 100 ml (Only funded if prescribed for treatment of Clostridium (Use 1 ml of the 10% solution per 100 ml of oral liquid difficile following metronidazole failure)

mixture)

Water

OMEPRAZOLE SUSPENSION

Omeprazole capules or powder

Sodium bicarbonate powder BP

8.4 q

to 100 ml

213

1%

to 35 ml

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Extemporaneously Compounded Preparations and Galenicals BENZOIN Tincture compound BP24.42 500 ml (39.90)Pharmacy Health 2.44 50 ml Pharmacy Health (5.10)CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP25.50 500 ml ✓ PSM CODEINE PHOSPHATE - Safety medicine; prescriber may determine dispensing frequency Powder - Only in combination63.09 25 g (90.09)Douglas 12.62 5 g (25.46)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) ± Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE 100 ml ✓ PSM COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. 100 ml ✓ Midwest 34.18 David Craig GLYCERIN WITH SODIUM SACCHARIN - Only in combination Only in combination with Ora-Plus. ✓ Ora-Sweet SF 473 ml GLYCERIN WITH SUCROSE - Only in combination Only in combination with Ora-Plus. ✓ Ora-Sweet 473 ml **GLYCEROL** 500 ml ✓ healthE Glycerol BP Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE ✓ PSM 500 a METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). ✓ AFT 1 q ‡ Safety cap for extemporaneously compounded oral liquid preparations. METHYL HYDROXYBENZOATE 25 g ✓ PSM Powder 8.00 ✓ Midwest METHYLCELLULOSE 100 g ✓ MidWest 473 ml Ora-Plus

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's Pri	ce) Su Per	bsidised	Generic
	\$	Per		Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	ARIN - Only in co	mbination		
Suspension	•	473 ml	V 0	ra-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	in combination			
Suspension	32.50	473 ml	V 0	ra-Blend
PHENOBARBITONE SODIUM				
Powder - Only in combination	52.50	10 g	✓ N	lidWest
•	325.00	100 g	✓ N	lidWest
a) Only in children up to 12 years		•		
b) ‡ Safety cap for extemporaneously compounded oral liq	uid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo	oate 10% solution.			
Liq	10.50	500 ml	✓ P	SM
	11.25		✓ N	lidwest
SODIUM BICARBONATE				
Powder BP - Only in combination	8.95	500 g	✓ N	lidwest
·	9.80	•		
	(29.50)			avid Craig
Only in extemporaneously compounded omeprazole and la	ansoprazole suspe	ension.		
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparation	ns.			
Liq	21.75	2,000 ml	✓ N	lidwest
WATER				
Tap – Only in combination	0.00	1 ml	✓ T	ap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Fully Subsidised Per

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3]

Carbohydrate And Fat

⇒SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Infant or child aged four years or under; and
- 2 cvstic fibrosis.



Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children: or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT – Special Auth	ority see SA1376 on th	e previous pag	e – Hospital pharmacy [HP3]
Powder (neutral)	60.31	400 g OP	✓ Duocal Super
			Soluble Powder

Fat

■ SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia: or
- 3 fat malabsorption; or
- 4 lymphangiectasia: or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 ascites; or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Subsidy	Su	Fully	Brand or
(Manufacturer's Price)		ibsidised	Generic
\$	Per	~	Manufacturer

continued...

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Roth:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)12.30	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)12.30	200 ml OP	✓ Calogen
Oil30.00	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml114.92	4 OP	✓ Liquigen

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT	 Special Authority see SA1524 above – Hospital pha 	rmacy [HP3]	
Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource
Powder (vanilla)	12.90	275 g OP	Beneprotein ✓ Promod

Fully Subsidised Per Brand or Generic Manufacturer

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 above - Hospital pharmacy [HP3]

Diabetic Products

⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

ADEING ON ALIED	THO TETRIE Openial Flatificity does of those above	ricopital priarriacy	[' '' 0]
Liquid (strawberry) .	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	3 237 ml OP	
	(2.10))	Resource Diabetic
	(2.10))	Sustagen Diabetic

Fat Modified Products

■ SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak: or

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 on the previous page - Hospital pharmacy [HP3] 400 a OP ✓ Monogen

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

400 a OP ✔ Heparon Junior

Paediatric Products For Children With Chronic Renal Failure

■SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy (HP3)

Liquid54.00 400 a OP ✓ Kindergen

Fully Subsidised

Brand or Generic Manufacturer

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
 - 1 Child is aged one to ten years; and
 - 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority	see SA1379 abo	ove – Hospital pl	harmacy [HP3]
Liquid	6.00	500 ml OP	Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority s Liquid		e – Hospital pha 500 ml OP	rmacy [HP3] ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Sp. Liquid	•	e SA1379 above 500 ml OP	e – Hospital pharmacy [HP3] Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED - Special Authority see SA1379 abo	ve – Hospital pha	rmacy [HP3]	
Powder (vanilla)	20.00	850 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see Liquid (strawberry)Liquid (vanilla)	1.60	- Hospital pharn 200 ml OP 200 ml OP	nacy [HP3] Fortini Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see S	SA1379 above – F	Hospital pharma	cy [HP3]
Liquid (chocolate)	1.07	200 ml OP	✓ Pediasure
Liquid (strawberry)	1.07	200 ml OP	✓ Pediasure
Liquid (vanilla)	1.07	200 ml OP	✓ Pediasure
	1.34	250 ml OP	✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special	Authority see SA	1379 above – H	Hospital pharmacy [HP3]
Liquid (chocolate)	1.60	200 ml OP	✓ Fortini Multi Fibre
Liquid (strawberry)		200 ml OP	✓ Fortini Multi Fibre
Liquid (vanilla)		200 ml OP	✓ Fortini Multi Fibre

Fully Subsidised Per

Brand or Generic Manufacturer

Renal Products

⇒SA1101 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML – Special Autho Liquid	,		,
RENAL ORAL FEED 1.8 KCAL/ML — Special Authority s Liquid			
RENAL ORAL FEED 2 KCAL/ML - Special Authority se	e SA1101 above – Hospi	tal pharmacy [l	HP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	✓ Renilon 7.5

Specialised And Elemental Products

■ SA1377 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption: or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas: or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

76 q OP

✓ Alitrag

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA1377 above - Hospital pharmacy [HP3] 79 a OP ✓ Vital HN Powder4.40

Per Manufacturer (Vital HN Powder to be delisted 1 February 2016) ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] ✓ Vital 1.000 ml OP ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] Liquid (grapefruit), 250 ml carton171.00 18 OP ✓ Elemental 028 Extra 18 OP ✓ Elemental 028 Extra Liquid (pineapple & orange), 250 ml carton171.00 Liquid (summer fruits), 250 ml carton171.00 18 OP ✓ Elemental 028 Extra ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] Powder (unflavoured)4.50 80.4 q OP ✓ Vivonex TEN SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] ✔ Peptisorb 1,000 ml OP Paediatric Products For Children With Low Energy Requirements **⇒**SA1196 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML - Special Authority see SA1196 above - Hospital pharmacy [HP3] Liquid4.00 500 ml OP ✓ Nutrini Low Energy Multi Fibre

Standard Supplements

■ SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive: or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Fer V Manufacturer

continued...

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn.s disease.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn.s disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being feed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (**Long-term medical condition**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis: or
- 3 Liver disease: or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia: or

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 7 Short bowel syndrome; or
 - 8 Bowel fistula; or
 - 9 Severe chronic neurological conditions; or
 - 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm³); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner or the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis: or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or

8 Bowel fistula; or9 Severe chronic neurological conditions.		
ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 224 - F Liquid7.00	lospital pharmac 1,000 ml OP	
ENTERAL FEED 1KCAL/ML - Special Authority see SA1554 on page 224 - Ho Liquid1.24	spital pharmacy 250 ml OP	
2.65 5.29	500 ml OP 1,000 ml OP	✓ Osmolite RTH ✓ Isosource Standard RTH ✓ Nutrison Standard RTH
		✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1554 on p Liquid	page 224 – Hosp 237 ml OP 500 ml OP 1,000 ml OP	✓ Jevity ✓ ✓ ✓ Jevity RTH
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority see SA1554 on Liquid1.75 7.00	page 224 – Hos 250 ml OP 1,000 ml OP	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Formula

ORAL FEED (POWDER) - Special Authority see SA1554 on page 224 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$14.90 per 840

g with Endorsement	13.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)		Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 224 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of up to \$1.33 per 237 ml	, ,		•
with Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200	, ,		•
ml with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with	, ,		
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 224 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

High Calorie Products

■SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements: or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

SPECIAL FOODS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

500 ml OP ✓ Nutrison

Concentrated 11 00 1.000 ml OP ✓ Two Cal HN RTH

ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with

200 ml OP

> Two Cal HN (1.90)

Food Thickeners

⇒SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER - Special Authority see SA1106 above - Hospital pharmacy [HP3]

✓ Nutilis 300 a OP 380 a OP ✓ Feed Thickener 7.25

Karicare Aptamil

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

⇒SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3]

1.000 a OP

(5.15)

Healtheries Simple Baking Mix

	0.1.1		
	Subsidy (Manufacturer's		Fully Brand or dised Generic
	\$	Per	✓ Manufacturer
GLUTEN FREE BREAD MIX – Special Authority see SA1107 or	the previous pa	age – Hospital pha	irmacy [HP3]
Powder		1,000 g OP	
	(7.32)	,	NZB Low Gluten
	, ,		Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free
			Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 on the	previous page -	- Hospital pharmad	cy [HP3]
Powder		2,000 g OP	
	(18.10)		Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA1107 on the	orevious page -	Hospital pharmac	y [HP3]
Buckwheat Spirals	2.00	250 g OP	,
	(3.11)	-	Orgran
Corn and Vegetable Shells	2.00	250 g OP	
	(2.92)		Orgran
Corn and Vegetable Spirals		250 g OP	_
Ti 10 1 0 1	(2.92)		Orgran
Rice and Corn Lasagne Sheets		200 g OP	•
Discount Open Manager'	(3.82)	050 - 00	Orgran
Rice and Corn Macaroni		250 g OP	Oraran
Rice and Corn Penne	(2.92)	250 g OP	Orgran
nice and com remie	(2.92)	250 g OF	Orgran
Rice and Maize Pasta Spirals	, ,	250 g OP	Orgian
Thoc and Maize Lasta Ophais	(2.92)	250 g O1	Orgran
Rice and Millet Spirals	, ,	250 g OP	Orgium
a a a a a	(3.11)	_00 g 0.	Orgran
Rice and corn spaghetti noodles		375 g OP	- · g
. •	(2.92)	J	Orgran
Vegetable and Rice Spirals	, ,	250 g OP	-
•	(2.92)	-	Orgran
Italian long style spaghetti	2.00	220 g OP	
	(3.11)		Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Tabs	99.00	75 OP	✓ Phlexy 10
Powder (unflavoured) 29 g sachets		30	✓ PKU Anamix Junior
Powder (unflavoured) 36 g sachets		30	✓ PKU Anamix Junior
Infant formula	174.72	400 g OP	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
	320.00	•	XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Liquid (berry)	13.10	125 ml OP	✔ PKU Anamix Junior LQ
Liquid (orange)	13.10	125 ml OP	✔ PKU Anamix Junior LQ
Liquid (unflavoured)	13.10	125 ml OP	✓ PKU Anamix Junior LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	✓ Easiphen Liquid
Liquid (juicy berries) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml	939.00	60 OP	✔ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	✔ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml	936.00	30 OP	✔ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml		30 OP	✔ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml		30 OP	✔ PKU Lophlex LQ 20
(U Anamix Junior Powder (unflavoured) 29 g sachets to	be delisted 1 May 201	(6)	

Foods

LOW PROTEIN BAKING MIX - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

LOW PROTEIN PASTA - Special Authority see SA1108	on the previous page – F	Hospital pharma	acv [HP3]
Animal shapes		500 g OP	✓ Loprofin
Lasagne	5.95	250 g OP	Loprofin
Low protein rice pasta	11.91	500 g OP	✓ Loprofin
Macaroni		250 g OP	✓ Loprofin
Penne	11.91	500 g OP	✓ Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirals	11.91	500 g OP	Loprofin

Infant Formulae

For Premature Infants

Subsidy (Manufacturer's Price) S	Subsidised Generic	
(Manufacturers Frice) S	✓ Manufacturer	

■SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA - Special Authority see SA1219 below - Hospital	pharmacy [HP3]	
Powder6.0	0 48.5 g OP	✓ Vivonex Pediatric
53.0	0 400 g OP	✓ Neocate LCP
Powder (unflavoured)53.0	0 400 g OP	✓ Elecare
	_	✓ Elecare LCP
		✓ Neocate Advance
		✓ Neocate Gold
Powder (vanilla)53.0	0 400 g OP	✓ Elecare
•	· ·	✓ Neocate Advance

■SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy	Full	lly Brand or	
(Manufacturer's Price)	Subsidise	ed Generic	
\$	Per •	Manufacturer	

continued...

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1557 below - Hospital pharmacy [HP3]

> ✓ Pepti Junior Gold Karicare Aptamil

(Pepti Junior Gold Karicare Aptamil Powder to be delisted 1 June 2016)

■SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea: or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure; or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula; and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been under-
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Subsidy (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Ketogenic Diet

⇒SA1197 | Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special Authority see SA1197	above – Retail p	oharmacy
Powder (unflavoured)35.50	300 g OP	KetoCal 4:1
		Ketocal 3:1
Powder (vanilla)35.50	300 g OP	KetoCal 4:1

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule5	✓ Inj 500 mg vial – Subsidy by endorsement –
✓ Inj 1 in 10,000, 10 ml ampoule5	See note on page 915
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See
✓ Inj 25 mg per ml, 10 ml ampoule5	note on page 915
AMIODARONE HYDROCHLORIDE	CHARCOAL
✓ Inj 50 mg per ml, 3 ml ampoule6	✓ Oral liq 50 g per 250 ml250 ml
AMOXICILLIN	CHLORPROMAZINE HYDROCHLORIDE
✓ Cap 250 mg30	✓ Tab 10 mg30
✓ Cap 500 mg30	✓ Tab 25 mg30
✓ Grans for oral liq 125 mg per 5 ml200 ml	✓ Tab 100 mg30
✓ Grans for oral liq 250 mg per 5 ml	✓ Inj 25 mg per ml, 2 ml5
• •	CIPROFLOXACIN
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 250 mg – See note on page 955
✓ Tab 500 mg with clavulanic acid 125 mg	✓ Tab 500 mg – See note on page 955
clavulanic acid 31.25 mg per	CO-TRIMOXAZOLE
5 ml200 ml	✓ Tab trimethoprim 80 mg and
✓ Grans for oral lig amoxicillin 250 mg with	sulphamethoxazole 400 mg30
clavulanic acid 62.5 mg per 5 ml200 ml	✓ Oral lig trimethoprim 40 mg and
• .	sulphamethoxazole 200 mg per
ASPIRIN	5 ml
✓ Tab dispersible 300 mg30	0 1111
ATROPINE SULPHATE	COMPOUND ELECTROLYTES
✓ Inj 600 mcg per ml, 1 ml ampoule5	✓ Powder for oral soln10
AZITHROMYCIN	CONDOMS
✓ Tab 500 mg – See note on page 928	✓ 49 mm144
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	✓ 52 mm144
✓ Tab 2.5 mg – See note on page 56	✓ 52 mm extra strength144
▼ Tab 2.5 mg = See note on page 30130	✓ 53 mm144
BENZATHINE BENZYLPENICILLIN	✓ 53 mm (chocolate)144
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe5	✓ 53 mm (strawberry)144
BENZTROPINE MESYLATE	54 mm, shaped144
✓ Inj 1 mg per ml, 2 ml5	✓ 55 mm144
	✓ 56 mm144
BENZYLPENICILLIN SODIUM (PENICILLIN G)	✓ 56 mm, shaped144
✓ Inj 600 mg (1 million units) vial5	✓ 60 mm144
BLOOD GLUCOSE DIAGNOSTIC TEST METER	CYPROTERONE ACETATE WITH
✓ Meter with 50 lancets, a lancing device and	ETHINYLOESTRADIOL WITH
10 diagnostic test strips – Subsidy by	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
endorsement – See note on page 271	7 inert tabs168
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	DEVANETUACONE
✔ Blood glucose test strips – See note on page	DEXAMETHASONE
2750 test	✓ Tab 0.5 mg – Retail pharmacy-Specialist
BLOOD KETONE DIAGNOSTIC TEST METER	✓ Tab 1 mg – Retail pharmacy-Specialist
✓ Meter – See note on page 261	✓ Tab 4 mg – Retail pharmacy-Specialist30
▼ IVICICI - SEE HOLE OH PAYE 20	continued

continued)	ETHINYLOESTRADIOL WITH NORETHISTERONE
DEXAMETHASONE PHOSPHATE ✓ Inj 4 mg per ml, 1 ml ampoule – See note on	✓ Tab 35 mcg with norethisterone 1 mg
page 795	7 inert tab84
✓ Inj 4 mg per ml, 2 ml ampoule – See note on page 795	✓ Tab 35 mcg with norethisterone 500 mcg63 ✓ Tab 35 mcg with norethisterone 500 mcg
DIAPHRAGM	and 7 inert tab84
✓ 65 mm – See note on page 73	FLUCLOXACILLIN
✓ 70 mm – See note on page 73	✓ Cap 250 mg30
✓ 75 mm – See note on page 731	✓ Grans for oral liq 25 mg per ml
✓ 80 mm – See note on page 73 1	✓ Grans for oral liq 50 mg per ml200 ml
DIAZEPAM	✓ Inj 1 g vial10
✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by	FLUPENTHIXOL DECANOATE
endorsement – See note on page 1335	✓ Inj 20 mg per ml, 1 ml5
✓ Rectal tubes 5 mg5	✓ Inj 20 mg per ml, 2 ml5
✓ Rectal tubes 10 mg5	✓ Inj 100 mg per ml, 1 ml5
DICLOFENAC SODIUM	FLUPHENAZINE DECANOATE
✓ Inj 25 mg per ml, 3 ml ampoule5	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml
✓ Suppos 50 mg	✓ Inj 25 mg per ml, 1 ml5
.,	✓ Inj 100 mg per ml, 1 ml5
DIGOXIN	ELIDOCEMIDE (EDLICEMIDE)
✓ Tab 62.5 mcg	FUROSEMIDE [FRUSEMIDE] ✓ Tab 40 mg30
✓ Tab 250 mcg30	✓ Inj 10 mg per ml, 2 ml ampoule5
DOXYCYCLINE	
Tab 50 mg30	GLUCAGON HYDROCHLORIDE
✓ Tab 100 mg30	✓ Inj 1 mg syringe kit5
ERGOMETRINE MALEATE	GLUCOSE [DEXTROSE]
✓ Inj 500 mcg per ml, 1 ml ampoule5	✓ Inj 50%, 10 ml ampoule5
	✓ Inj 50%, 90 ml bottle5
ERYTHROMYCIN ETHYL SUCCINATE ✓ Tab 400 mg20	GLYCERYL TRINITRATE
✓ Grans for oral liq 200 mg per 5 ml	✓ Tab 600 mcg100
✓ Grans for oral liq 400 mg per 5 ml	✓ Oral pump spray, 400 mcg per dose250 dose
. •	✓ Oral spray, 400 mcg per dose250 dose
ERYTHROMYCIN STEARATE	
Tab 250 mg30	GLYCOPYRRONIUM BROMIDE ✓ Inj 200 mcg per ml, 1 ml ampoule10
ETHINYLOESTRADIOL WITH DESOGESTREL	Firing 200 micg per mil, i mil ampoule
Tab 20 mcg with desogestrel 150 mcg and	HALOPERIDOL
7 inert tab84	✓ Tab 500 mcg30
Tab 30 mcg with desogestrel 150 mcg and	✓ Tab 1.5 mg30
7 inert tab84	✓ Tab 5 mg
ETHINYLOESTRADIOL WITH LEVONORGESTREL	✓ Oral liq 2 mg per ml
✓ Tab 20 mcg with levonorgestrel 100 mcg and	✓ Inj 5 mg per ml, 1 ml5
7 inert tab84	HALOPERIDOL DECANOATE
✓ Tab 50 mcg with levonorgestrel 125 mcg and	✓ Inj 50 mg per ml, 1 ml5
7 inert tab84	✓ Inj 100 mg per ml, 1 ml5
Tab 30 mcg with levonorgestrel 150 mcg63	HYDROCORTISONE
✓ Tab 30 mcg with levonorgestrel 150 mcg and	✓ Inj 100 mg vial5
7 inert tab84	continued
	continued

PRACTITIONER'S SUPPLY ORDERS

(continued)	MORPHINE SULPHATE
HYDROXOCOBALAMIN	✓ Inj 5 mg per ml, 1 ml ampoule – Only on a
✓ Inj 1 mg per ml, 1 ml ampoule6	controlled drug form5
LIVOQQINE N. BUTVI BROMIDE	✓ Inj 10 mg per ml, 1 ml ampoule – Only on a
HYOSCINE N-BUTYLBROMIDE	controlled drug form5
✓ Inj 20 mg, 1 ml5	✓ Inj 15 mg per ml, 1 ml ampoule – Only on a
INTRA-UTERINE DEVICE	controlled drug form5
✓ IUD 29.1 mm length × 23.2 mm width	✓ Inj 30 mg per ml, 1 ml ampoule – Only on a
✓ IUD 33.6 mm length × 29.9 mm width40	controlled drug form5
·	NALOXONE HYDROCHLORIDE
IPRATROPIUM BROMIDE	✓ Inj 400 mcg per ml, 1 ml ampoule5
✓ Nebuliser soln, 250 mcg per ml, 1 ml	Fing 400 mag per mi, 1 mi ampodio
✓ Nebuliser soln, 250 mcg per ml, 2 ml40	NICOTINE
IVERMECTIN	✓ Patch 7 mg – See note on page 15628
✓ Tab 3 mg – See note on page 68100	✓ Patch 14 mg – See note on page 15628
	✓ Patch 21 mg – See note on page 156
KETONE BLOOD BETA-KETONE ELECTRODES	Lozenge 1 mg – See note on page 156216
✓ Test strip10	✓ Lozenge 2 mg – See note on page 156216
LEVONORGESTREL	✓ Gum 2 mg (Classic) – See note on page 156384
Tab 30 mcg84	✓ Gum 2 mg (Fruit) – See note on page 156
Tab 1.5 mg	✓ Gum 4 mg (Classic) – See note on page 156384
▼ 1ab 1.5 mg	✓ Gum 4 mg (Fruit) – See note on page 156384
LIDOCAINE [LIGNOCAINE]	✓ Gum 4 mg (Mint) – See note on page 156384
✓ Gel 2%, 10 ml urethral syringe – Subsidy by	
endorsement – See note on page 1265	NORETHISTERONE
	✓ Tab 350 mcg
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	✓ Tab 5 mg30
✓ Inj 1%, 5 ml ampoule	OXYTOCIN
✓ Inj 2%, 5 ml ampoule	✓ Inj 5 iu per ml, 1 ml ampoule5
✓ Inj 2%, 20 ml ampoule	✓ Inj 10 iu per ml, 1 ml ampoule5
• 111 270, 20 111 diripodio	OXYTOCIN WITH ERGOMETRINE MALEATE
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	✓ Inj 5 iu with ergometrine maleate 500 mcg
✓ Gel 2% with chlorhexidine 0.05%, 10 ml	per ml, 1 ml5
urethral syringes – Subsidy by	
endorsement – See note on page 1275	PARACETAMOL
LOPERAMIDE HYDROCHLORIDE	✓ Tab 500 mg30
✓ Tab 2 mg30	✓ Oral liq 120 mg per 5 ml
✓ Cap 2 mg	✓ Oral liq 250 mg per 5 ml100 ml
• Oap 2 mg	PEAK FLOW METER
MASK FOR SPACER DEVICE	✓ Low range10
✓ Size 2 – See note on page 20120	✓ Normal range10
✓ Small – See note on page 20120	PETHIDINE HYDROCHLORIDE
MEDDOVVDDOCECTEDONE ACETATE	✓ Inj 50 mg per ml, 1 ml – Only on a controlled
MEDROXYPROGESTERONE ACETATE	drug form5
✓ Inj 150 mg per ml, 1 ml syringe5	✓ Inj 50 mg per ml, 2 ml – Only on a controlled
METOCLOPRAMIDE HYDROCHLORIDE	drug form5
✓ Inj 5 mg per ml, 2 ml ampoule5	
	PHENOXYMETHYLPENICILLIN (PENICILLIN V)
METRONIDAZOLE	✓ Cap 250 mg30
✓ Tab 200 mg30	continued

continued)
✓ Cap 500 mg20
✓ Grans for oral liq 125 mg per 5 ml 200 ml
✓ Grans for oral liq 250 mg per 5 ml 300 ml
PHENYTOIN SODIUM
✓ Inj 50 mg per ml, 2 ml ampoule5
✓ Inj 50 mg per ml, 5 ml ampoule5
PHYTOMENADIONE
✓ Inj 2 mg per 0.2 ml
✓ Inj 10 mg per ml, 1 ml5
PIPOTHIAZINE PALMITATE
✓ Inj 50 mg per ml, 1 ml – Subsidy by endorsement – See note on page 1445
✓ Inj 50 mg per ml, 2 ml – Subsidy by
endorsement – See note on page 1445
PREDNISOLONE
✓ Oral liq 5 mg per ml – See note on page
8030 ml
PREDNISONE
✓ Tab 5 mg30
PREGNANCY TESTS - HCG URINE
✓ Cassette
PROCAINE PENICILLIN
PROCAINE PENICILLIN ✓ Inj 1.5 g in 3.4 ml syringe5
✓ Inj 1.5 g in 3.4 ml syringe5
✓ Inj 1.5 g in 3.4 ml syringe5 PROCHLORPERAZINE
✓ Inj 1.5 g in 3.4 ml syringe5
 ✓ Inj 1.5 g in 3.4 ml syringe
✓ Inj 1.5 g in 3.4 ml syringe
✓ Inj 1.5 g in 3.4 ml syringe
✓ Inj 1.5 g in 3.4 ml syringe
✓ Inj 1.5 g in 3.4 ml syringe
✓ Inj 1.5 g in 3.4 ml syringe

SALBUTAMOL WITH IPRATROPIUM BROMIDE ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule20
SILVER SULPHADIAZINE ✓ Crm 1%250 g
SODIUM BICARBONATE ✓ Inj 8.4%, 50 ml 5 ✓ Inj 8.4%, 100 ml 5
SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 48
SPACER DEVICE ✓ 220 ml (single patient) 20 ✓ 230 ml (single patient) 20 ✓ 510 ml (single patient) 20 ✓ 800 ml 20
SPACER DEVICE AUTOCLAVABLE ✓ 230 ml (autoclavable) – Subsidy by endorsement – See note on page 2015
TRIMETHOPRIM ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule5
WATER ✓ Purified for inj, 5 ml – See note on page 48
ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml5

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND **Northland DHB** Dargaville Hikurangi Kaeo Kaikohe Kaitaia

Kerikeri Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka

Kawakawa

Waipu Whangaroa Waitemata DHB

Russell

Tutukaka

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

Auckland DHB Great Barrier Island

Oneroa

Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia

Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach

Putaruru Raglan

Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi

Whangamata Whitianga

Bay of Plenty DHB Edaecumbe Katikati Kawerau Murupara Opotiki

Taneatua Te Kaha Waihi Reach Whakatane Lakes DHR

Mangakino Turangi

Tairawhiti DHB Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki

Tokomaru Bay Tolaga Bay

Taranaki DHB Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford

Waverley **Hawkes Bay DHB** Chatham Islands Waipawa Waipukurau Wairoa

Whanganui DHB Bulls

Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB Dannevirke Foxton I evin Otaki

Pahiatua

Shannon

Woodville Wairarapa DHB Carteron Featherston Grevtown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB Havelock

Manua Motueka Murchison Picton Takaka Wakefield

West Coast DHB Dobson Grevmouth Hokitika Karamea Reefton South Westland Westport Whataroa

Canterbury DHB Akaroa Amberlev Amuri Cheviot Darfield

Diamond Harbour Hanmer Springs Kaikoura

Leeston I incoln Methven Oxford Rakaia

Rolleston Rotherham Templeton Waikari

South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

Southern DHB

Alexandra Balclutha Cromwell Gore Kurow Lawrence Lumsden Mataura

Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown

Ranfurly Riverton Roxburah Tapanui Te Anau Tokonui Tuatapere Wanaka Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots:
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the
prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies
"certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area:
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

SECTION F

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg
Tambocor
Tab 100 mg
Tambocor
Cap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR
Tambocor CR
Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral liq 30 mg (6 mg el- Ferodan

emental) per 1 ml

CARDIOVASCULAR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral lig 5 mg per ml Capoten

CHLOROTHIAZIDE

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral liq 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 25 mcg Synthroid
Tab 50 mcg Eltroxin

Synthroid

Tab 100 mcg Eltroxin

Synthroid

(Extemporaneously compounded oral liquid preparations)

LEVOTHYROXINE (MERCURY PHARMA)

Tab 50 mcg Mercury Pharma
Tab 100 mcg Mercury Pharma

(Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 mcg Xanax
Tab 500 mcg Xanax
Tab 1 mg Xanax

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 20 mg per ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam
Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone
Oral liq 5 mg per ml Biodone Forte
Oral liq 10 mg per ml Biodone Extra Forte

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml
Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
RA-Morph
Oral liq 10 mg per ml

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral lig 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE
Oral lig 1 mg per 1 ml Allersoothe

SALBUTAMOL

Oral lig 400 mcg per ml Ventolin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

owder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Vaccinations

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients: or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds; or
- For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000 Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcqatlas.org/index.php.

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

		Subsidy (Manufacturer's Price) \$	Subs Per	idised	Brand or Generic Manufacturer	
DIPHTHERIA, TETANUS, PERTUSSIS AN Funded for any of the following: 1) A single dose for children up to the 2) A course of four vaccines is funded immunisation; or 3) An additional four doses (as approor post splenectomy; pre- or post or 4) Five doses will be funded for childr Note: Please refer to the Immunisation Inj 30 IU diphtheria toxoid with 40 25 mcg pertussis toxoid, 25 mcg haemagluttinin, 8 mcg pertactin a	age of 7 who have cord for catch up programmer apriate) are funded for (solid organ transplant, ren requiring solid organ Handbook for approprior IU tetanus toxoid, pertussis filamentous	npleted primary immines for children (to the re-)immunisation for renal dialysis and other transplantation.	ne age of 1 patients pener severe	0 years) ost HSC ly immur	Γ, or chemothera	py; pre
poliomyelitis virus in 0.5ml syringe		0.00	1 10		nrix IPV nrix IPV	
DIPHTHERIA, TETANUS, PERTUSSIS, PC Funded for patients meeting any of the 1) Up to four doses for children up to 2) An additional four doses (as approare patients post haematopoietic sorgan transplant, renal dialysis and 3) Up to five doses for children up to a Note: A course of up-to four vaccines to complete full primary immunisation. programmes. Inj 30IU diphtheriatoxoid with 40IU teta tussistoxoid, 25mcg pertussisfilam 8 mcgpertactin, 80 D-AgUpoliovis surfaceantigen in 0.5ml syringe	following criteria: and under the age of 1 priate) are funded for (istem cell transplantation of other severely immune and under the age of 10 is funded for catch up Please refer to the Immustoxoid, 25mcg perentoushaemagluttinin, rus, 10mcghepatitisB-	O for primary immunice-)immunisation for on, or chemotherapy; osuppressive regimen or receiving solid orga programmes for child munisation Handboo	sation; or children up pre or pos ns; or n transpla dren (up to	to and it splened ntation. and und ppropriat	under the age of ctomy; pre- or po der the age of 1	10 who
HAEMOPHILUS INFLUENZAE TYPE B VA One dose for patients meeting any of the			ı	V IIIIa	iiiix-iiexa	
For primary vaccination in children An additional dose (as appropriate tion, or chemotherapy; pre or post dialysis and other severely immund For use in testing for primary imm paediatrician. Inj 10 mcg vial with diluent syringe	; or) is funded for (re-)imm splenectomy; pre- or p osuppressive regimens; nunodeficiency disease	ost solid organ trans or s, on the recommend	plant, pre-	or post	cochlear implan	ts, rena
HEPATITIS A VACCINE – [Xpharm]		0.00	ı	V ACI	<u>-ПІБ</u>	
Funded for patients meeting any of the 1) Two vaccinations for use in transpla 2) Two vaccinations for use in children 3) One dose of vaccine for close cont	ant patients; or n with chronic liver dise acts of known hepatitis	A cases.		4		
Inj 1440 ELISA units in 1 ml syringe Inj 720 ELISA units in 0.5 ml syringe			1	✓ <u>Hav</u>	<u>rrix</u> rrix Junior	
ing 720 ELION dilito in 0.0 nii ayriilge			1	₩ IIdV	THA VUIIIVI	

NATIONAL IMMUNISATION SCHEDULE				
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial	0.00	1	✓ <u>H</u>	BvaxPRO
Funded for patients meeting any of the following criteria: 1) for household or sexual contacts of known acute hepatiti	o D nationto ar hanatiti	o D or	arriara: ar	
for children born to mothers who are hepatitis B surface.				
3) for children up to and under the age of 18 years inclusive				red a positive serology and
require additional vaccination; or				
 for HIV positive patients; or 				
for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse;	or			
7) for patients following immunosuppression; or				
8) for transplant patients; or				
9) following needle stick injury.				
Inj 10 mcg per 1 ml vial	0.00	1	✓ <u>H</u>	<u>BvaxPRO</u>
Funded for patients meeting any of the following criteria:	5	_		
for household or sexual contacts of known acute hepatitic for abildren horn to method who are hopetitic Regulation.				
 for children born to mothers who are hepatitis B surface for children up to and under the age of 18 years inclusive 	0 1 0/1			rad a positive sorology and
require additional vaccination; or	who are considered in	01 10 1	lave acrilev	eu a positive serology and
for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse;	or			
7) for patients following immunosuppression; or				
8) for transplant patients; or				
9) following needle stick injury.				
Inj 40 mcg per 1 ml vial	0.00	1	✓ H	BvaxPRO
Funded for any of the following criteria:			_	
1) for dialysis patients; or				
for liver or kidney transplant patient.				
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV]	- [Xpharm]			
Maximum of three doses for patient meeting any of the follow				
1) Females aged under 20 years old; or	•			
2) Patients aged under 26 years old with confirmed HIV infe	ection; or			
For use in transplant (including stem cell) patients; or				
 An additional dose for patients under 26 years of age por 	st chemotherapy.			
Inj 120 mcg in 0.5 ml syringe	0.00	10	. —	ardasil
		1	✓ <u>G</u>	<u>ardasil</u>

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

INFLUENZA VACCINE - [Xpharm]

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
 - a) all people 65 years of age and over; or
 - b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease: or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - i) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
 - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor, or
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

Inj 45 mcg in 0.5 ml syringe	90.00	10	Fluarix
, , ,			✓ Influvac

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression; or
- 3) For any individual susceptible to measles, mumps or rubella; or
- 4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 1000 TCID50 measles, 12500 TCID50 mumps and

10 ✓ M-M-R II ✓ M-M-R II

MENINGOCOCCAL (GROUPS A. C. Y AND W-135) CONGUGATE VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases: or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 4 mcg of each meningococcal polysaccharide conjugated

to a total of approximately 48 mcg of diphtheria toxoid

✓ Menactra

MENINGOCOCCAL C CONGUGATED VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases: or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

✓ Neisvac-C 10 ✓ Neisvac-C

10

✔ RotaTeg

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm] Any of the following: 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV10: or 3) One dose is funded for high risk children (over the age of 17 months and up to the age of 18) who have previously received four doses of PCV10: or 4) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients with HIV, for patients post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or postsolid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician. Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes ✓ Prevenar 13 1 ✓ Prevenar 13 PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [Xpharm] Either of the following: 1) Up to three doses for patients pre- or post-splenectomy or with functional asplenia; or 2) Up to two doses are funded for high risk children to the age of 18. Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each Pneumovax 23 POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following: 1) For partially vaccinated or previously unvaccinated individuals; or 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes. ROTAVIRUS LIVE REASSORTANT ORAL VACCINE - [Xpharm] Maximum of three doses for patients meeting the following: 1) first dose to be administered in infants aged under 15 weeks of age; and 2) no vaccination being administered to children aged 8 months or over. Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Generic

\$ Per Manufacturer

VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

- 1) For non-immune patients:
 - a) with chronic liver disease who may in future be candidates for transplantation; or
 - b) with deteriorating renal function before transplantation; or
 - c) prior to solid organ transplant; or
 - d) prior to any elective immunosuppression*.
- 3) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 4) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 5) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- 6) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
- 7) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
- 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

* immunosuppression due to steroid or other immunosuppres	ssive therapy must be	for a trea	atment period of greater tha	n 28 days
Inj 2000 PFU vial with diluent	0.00	1	✓ Varilrix	

- Symbols -	
3TC110	0
- A -	
A-Scabies70	0
Abacavir sulphate109	9
Abacavir sulphate with	
lamiyudine109	9
Abilify140	
Abiraterone acetate172	
Acarbose25	
Accu-Chek Ketur-Test26	
Accu-Chek Performa2	
Accuretic 105	
Accuretic 205	
Acetazolamide204	
Acetic acid with 1, 2- propanediol	•
diacetate and	
benzethonium202	2
Acetic acid with hydroxyquinoline	-
and ricinoleic acid76	6
Acetylcysteine207	7
Aci-Jel70	
Aciclovir	
Infection104	4
Sensory202	
Acidex20	
Acipimox5	
Acitretin70	
Aclasta120	
Aclin116	
Act-HIB24	
Actavis142	
Actinomycin D163	3
Actrapid24	
Actrapid Penfill24	4
Acupan127	
Adalat 1055	
Adalimumab18	1
Adapalene62	2
Adefin XL5	5
Adefovir dipivoxil102	2
Adenuric123	
ADR Cartridge 1.833	3
ADR Cartridge 3.033	3
Adrenaline59	
Adriamycin163	3
ADT Booster246	
Adult diphtheria and tetanus	
vaccine246	ô
Advantan69	5
Advate43	3
Afinitor192	

AFT SLS-free67
AFT-Pyrazinamide101
Agents Affecting the
Renin-Angiotensin System50
Agents for Parkinsonism and
Related Disorders125
Agents Used in the Treatment of
Poisonings207
Agrylin162
Air Flow Products132
Alanase200
Albay194
Albendazole91
Albey194
Albustix78
Alendronate sodium118
Alendronate sodium with
cholecalciferol118
Alfacalcidol38
Alginic acid20
Alitraq223
Alkeran158
Allersoothe195
Allopurinol122
Alpha Adrenoceptor Blockers50
Alpha-Keri Lotion68
Alphamox93
Alprazolam145
Alu-Tab20
Aluminium hydroxide20
Amantadine hydrochloride125
Ambrisentan60
Amiloride hydrochloride56
Amiloride hydrochloride with
furosemide56
Amiloride hydrochloride with
hydrochlorothiazide56
Aminophylline200
Amiodarone hydrochloride52
Amisulpride140
Amitriptyline131
Amlodipine54
Amorolfine63
Amoxicillin93
Amoxicillin Actavis93
Amoxicillin with clavulanic
acid93
Amphotericin B37
Amsacrine161
AmsaLyo161
Amsidine161
Amyl nitrite59
,

Anaesthetics	.126
Anagrelide hydrochloride	.162
Analgesics	
Anastrozole	
Andriol Testocaps	81
Androderm	80
Animas Battery Cap	29
Animas Cartridge	33
Animas Vibe	29
Antabuse	.155
Antacids and Antiflatulants	20
Anten	
Anthelmintics	
Antiacne Preparations	62
Antiallergy Preparations	.194
Antianaemics	
Antiandrogen Oral	
Contraceptives	76
Antiarrhythmics	
Antibacterials	91
Antibacterials Topical	63
Anticholinergic Agents	
Anticholinesterases	
Antidepressants	
Antidiarrhoeals	
Antiepilepsy Drugs	.133
Antifibrinolytics, Haemostatics	
Antifibrinolytics, Haemostatics and Local Sclerosants	
and Local Sclerosants	42
and Local Sclerosants	42 97
and Local Sclerosants	42 97 63
and Local Sclerosants	42 97 63
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials	42 97 63 .194 53
and Local Sclerosants	42 97 63 .194 53
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus	42 97 63 .194 53 .100
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo	42 97 63 .194 53 .100 .138
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo	42 97 63 .194 53 .100 .138
and Local Sclerosants	42 97 63 .194 53 .100 .138 .139
and Local Sclerosants	42 97 63 .194 53 .100 .138 .139
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents	42 97 63 .194 53 .100 .138 .139
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents Antipruritic Preparations Antipruritic Preparations Antipsychotics Antiretrovirals	42 97 63 .194 53 .100 .138 .139 .138 .100 64
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents Antiparasitics Antipurritic Preparations Antipychotics Antiretrovirals Antiretrovirals Antiretrovirals Antiretrovirals	42 97 63 .194 53 .100 .138 .139 .100 64 .140
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents Antiparasitics Antipurritic Preparations Antipychotics Antiretrovirals Antiretrovirals Antiretrovirals Antiretrovirals	42 97 63 .194 53 .100 .138 .139 .100 64 .140
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents Antipruritic Preparations Antipruritic Preparations Antipsychotics Antiretrovirals	42 97 63 .194 53 .100 .138 .139 .138 .100 64 .140
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents Antiparasitics Antipruritic Preparations Antipruritic Prepara	42 97 63 .194 53 .100 .138 .139 .138 .100 64 .140
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents Antiparasitics Antiparasitics Preparations Antiparitic Preparations Antipruritic Preparations Antipruritic Preparations Antipruritic Preparations Antipruritic Preparations Antiprerovirals Antiretrovirals Antiretrovirals - Additional Therapies Antirheumatoid Agents Antispasmodics and Other Agents Altering Gut	42 97 63 .194 53 .100 .138 .139 .130 64 .140 .107
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antipruritic Preparations Antipruritic P	42 97 63 .194 53 .100 .138 .139 .100 64 .140 .107
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antipruritic Preparations Antipruritic P	42 97 63 .194 53 .100 .138 .139 .100 64 .140 .107
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihistamines Antimypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antiparasitics Antiparasitics Antipruritic Preparations Antipsychotics Antiretrovirals Antiretrovirals - Additional Therapies Antirheumatoid Agents Antirheumatoid Agents Antispasmodics and Other Agents Altering Gut Motility Antithrombotic Agents Antithymocyte globulin	422 97 63 .194 53 .100 .138 .139 .100 64 .140 .107 .111 .116
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihistamines Antimypotensives Antimalarials Antimigraine Preparations Antinaus Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antiparasitics Antiparasitics Antipruritic Preparations Antipsychotics Antiretrovirals Antiretrovirals - Additional Therapies Antirheumatoid Agents Antirheumatoid Agents Antispasmodics and Other Agents Altering Gut Motility Antithrombotic Agents Antithymocyte globulin	422 97 63 .194 53 .100 .138 .139 .100 64 .140 .107 .111 .116
and Local Sclerosants Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antipruritic Preparations Antipruritic P	42 97 63 .194 53 .100 .138 .139 .100 64 .140 .107 116

Antileprotics	100	Aqueous cream	67	Asthalin	197
Antiulcerants	22	Aratac	52	Atazanavir sulphate	110
Antivirals	102	Arava	116	Atenolol	53
Anxiolytics	145	Aremed	174	Atenolol AFT	53
Anzatax	165	Arimidex	174	ATGAM	181
Apidra	25	Aripiprazole	140	Ativan	145
Apidra SoloStar	25	Aristocort	66	Atomoxetine	151
Apo-Allopurinol		Aromasin		Atorvastatin	
Apo-Amiloride		Arrow - Clopid	44	Atripla	110
Apo-Amlodipine		Arrow Amitriptyline		Atropine sulphate	
Apo-Amoxi		Arrow-Amitriptyline		Cardiovascular	52
Apo-Azithromycin		Arrow-Bendrofluazide		Sensory	
Apo-Bromocriptine		Arrow-Brimonidine		Atropt	
Apo-Ciclopirox		Arrow-Calcium		Atrovent	
Аро-		Arrow-Citalopram		Augmentin	
Cilazapril/Hydrochlorothiazide	<u> 51</u>	Arrow-Diazepam		Auranofin	
Apo-Cimetidine		Arrow-Dortim		Avanza	
Apo-Clarithromycin		Arrow-Doxorubicin		Avelox	
Alimentary	22	Arrow-Etidronate		Avomine	
Infection		Arrow-Fluoxetine		Avonex	
Apo-Clomipramine		Arrow-Gabapentin		Avonex Pen	
Apo-Diclo		Arrow-Lamotrigine		Azacitidine	
Apo-Diclo SR		Arrow-Lisinopril	50	Azamun	
Apo-Diltiazem CD		Arrow-Losartan &	50	Azathioprine	
Apo-Doxazosin		Hydrochlorothiazide		Azithromycin	
Apo-Folic Acid		Arrow-Meloxicam		Azol	
Apo-Imiquimod Cream 5%		Arrow-Morphine LA		Azopt	
Apo-Megestrol		Arrow-Norfloxacin		AZT	110
Apo-Mirtazapine		Arrow-Ornidazole		- B -	
Apo-Moclobemide		Arrow-Quinapril 10		B-D Micro-Fine	
Apo-Nadolol	54	Arrow-Quinapril 20	51	B-D Ultra Fine	28
Apo-Nicotinic Acid	57	Arrow-Quinapril 5		B-D Ultra Fine II	28
Apo-Oxybutynin	77	Arrow-Roxithromycin		Bacillus Calmette-Guerin (BC	(G)
Apo-Perindopril	50	Arrow-Sertraline		vaccine	181
Apo-Pindolol	54	Arrow-Simva 10mg	57	Bacillus Calmette-Guerin	
Apo-Prazosin	50	Arrow-Simva 20mg	57	vaccine	246
Apo-Prednisone	80	Arrow-Simva 40mg	57	Baclofen	
Apo-Prednisone S29	80	Arrow-Simva 80mg		Bactroban	
Apo-Primidone		Arrow-Sumatriptan		Bakels Gluten Free Health Br	
Apo-Propranolol	54	Arrow-Timolol	204	Mix	
Apo-Pyridoxine	38	Arrow-Tolterodine	78	Baraclude	
Apo-Ropinirole		Arrow-Topiramate	137	Barrier Creams and	
Apo-Selegiline		Arrow-Tramadol		Emollients	67
Apo-Selegiline S29		Arrow-Venlafaxine XR		BCG Vaccine	
Apo-Thiamine		Arsenic trioxide		Beclazone 100	
Apo-Timol		Asacol		Beclazone 250	
Apo-Zopiclone		Asamax		Beclazone 50	
Apomine		Ascorbic acid		Beclomethasone	130
Apomorphine hydrochloride		Aspec 300		dipropionate	105 200
Aprepitant		Aspen Adrenaline			190, 200
Apresoline		Aspirin		Bee venom allergy	104
Aptamil Gold+ Pepti Junior		Blood	11	treatment	
Aquasun 30+		Nervous		Bendrofluazide	56
7 YOUGUIT OUT		14017003	141	Bendroflumethiazide	

[Bendrofluazide]56
BeneFIX43
Benzathine benzylpenicillin93
Benzbromaron AL 100122
Benzbromarone122
Benzoin214
Benztrop125
Benztropine mesylate125
Benzydamine hydrochloride37
Benzylpenicillin sodium (penicillin
G)93
Beta Adrenoceptor Blockers53
Beta Cream65
Beta Ointment65
Beta Scalp71
Beta-Adrenoceptor Agonists197
Betadine68
Betadine Skin Prep68
Betaferon150
Betagan203
Betahistine dihydrochloride138
Betamethasone dipropionate65
Betamethasone dipropionate
with calcipotriol70
Betamethasone sodium
phosphate with
betamethasone acetate79
betamethasone acetate
Betamethasone valerate65, 71 Betamethasone valerate with
Betamethasone valerate65, 71 Betamethasone valerate with clioquinol66
Betamethasone valerate65, 71 Betamethasone valerate with clioquinol66 Betamethasone valerate with
Betamethasone valerate65, 71 Betamethasone valerate with clioquinol66 Betamethasone valerate with fusidic acid
Betamethasone valerate65, 71 Betamethasone valerate with clioquinol
Betamethasone valerate65, 71 Betamethasone valerate with clioquinol66 Betamethasone valerate with fusidic acid
Betamethasone valerate

BK Lotion68
Bleomycin sulphate162
Blood Colony-stimulating
Factors 47
Blood glucose diagnostic test
meter27
Blood glucose diagnostic test
strip27
Diad disease test string (siesells
Blood glucose test strips (visually
impaired)28
Blood ketone diagnostic test
meter26
BNM50
Boceprevir107
Bonjela37
Boostrix246
Bortezomib162
Bosentan60
Bosvate53
Bplex38
Breath-Alert201
Brevinor 1/2175
Brevinor 1/2875
Brevinor 2175
Bricanyl Turbuhaler197
Brilinta44
Brimonidine tartrate204
Brimonidine tartrate with timolol
maleate
Brinzolamide204
Brolene202
Bromocriptine mesylate125
Brufen SR115
BSF Ezetimibe207
BSF Zimybe207
Buccastem139
Budesonide
Alimentary20
Respiratory195, 200
Budesonide with
eformoterol196
Bumetanide56
Buprenorphine with
naloxone154
Bupropion hydrochloride155
Burinex56
Buscopan
Buspirone hydrochloride145
Busulfan
Butacort Aqueous200
- C -
Cabergoline89

Cafergot	138
Caffeine citrate	
Cal-d-Forte	
Oal-u-la	00
Calamine	64
Calcipotriol	71
Calcitonin	79
Calcitriol	38
Calcitriol-AFT	38
Calcium carbonate	20. 39
Calcium Channel Blockers	-0, 50 54
Calcium Disodium	
Versenate	000
Calcium folinate	160
Calcium Folinate Ebewe	
Calcium gluconate	
Calcium Homeostasis	79
Calcium polystyrene	
sulphonate	48
Calcium Resonium	م م
Oalama	40
Calogen	219
Calsource	39
Camptosar	161
Candesartan cilexetil	
Candestar	51
Canesten	63
Capecitabine	
Capecitabine Winthrop	160
Capoten	50
Capsaicin	50
Musculoskeletal	110
Nusculoskeletai	110
Nervous	12/
Captopril	50
Carafate	23
Carbaccord	158
Carbamazepine	134
Carbimazole	84
Carbomer	205
Carboplatin	158
Carboplatin Ebewe	159
Carbosorb-X	
Carbosorb-A	207
Cardinol LA	54
Cardizem CD	
CareSens	27
CareSens II	27
CareSens N	27
CareSens N POP	27
Carmustine	158
Carvedilol	53
Catapres	50
Catapres Catapres-TTS-1	55
Oatamer TTO C	55
Catapres-TTS-2	55
Catapres-TTS-3	55
CeeNU	158

Cefaclor monohydrate	91	Infection	95	Colgout	123
Cefalexin	91	Sensory	202	Colifoam	21
Cefalexin Sandoz	91	Cisplatin	158	Colistin sulphomethate	95
Cefazolin	91	Cisplatin Ebewe		Colistin-Link	95
Ceftriaxone	91	Citalopram hydrobromide	132	Collodion flexible	214
Ceftriaxone-AFT	91	Cladribine		Colofac	
Cefuroxime axetil	91	Clarithromycin		Coloxyl	
Celestone Chronodose	79	Alimentary	22	Combigan	
Celiprolol	53	Infection		Comfort	
Cellcept		Clexane		Comfort Short	31
Celol		Climara 100	82	Compound electrolytes	48
Centrally-Acting Agents		Climara 50		Compound	
Cephalexin ABM		Clindamycin	95	hydroxybenzoate	214
Cerezyme		Clindamycin ABM		Concerta	
Cetirizine hydrochloride		Clinicians Renal Vit		Condoms	
Cetomacrogol		Clobazam		Condyline	
Cetomacrogol with glycerol		Clobetasol BNM		Contact-D	
Champix		Clobetasol propionate		Contraceptives - Hormonal	
Charcoal		Clobetasone butyrate		Contraceptives -	
Chemotherapeutic Agents		Clofazimine		Non-hormonal	73
Chicken pox vaccine		Clomazol		Copaxone	
Chlorafast		Dermatological	63	Cordarone-X	
Chlorambucil		Genito-Urinary		Corticosteroids and Related	52
Chloramphenicol		Clomiphene citrate		Agents for Systemic Use	70
Chlorhexidine gluconate	202	Clomipramine hydrochloride		Corticosteroids Topical	
Alimentary	27	Clonazepam133		Cosmegen	
Dermatological		Clonidine		Cosopt	
•		Clonidine BNM		•	
Chloroform				Cross 10000	
Chlorothiazide		Clonidine hydrochloride		Creon 10000	
Chlorpheniramine maleate .	194	Clopidogrel		Creon 25000	
Chlorpromazine	110	Clopine			
hydrochloride		Clopixol	143, 144	Crotamiton	
Chlorsig	202	Clotrimazole	00	Crystaderm	
Chlortalidone	50	Dermatological		Curam	
[Chlorthalidone]		Genito-Urinary		Curam Duo	
Chlorthalidone		Clozapine		Cvite	
Chlorvescent		Clozaril		Cyclizine hydrochloride	
Cholecalciferol		Co-Renitec		Cyclizine lactate	
Cholestyramine	5/	Co-trimoxazole		Cyclogyl	205
Choline salicylate with		Coal tar		Cyclopentolate	
cetalkonium chloride		Coal tar with allantoin, ment		hydrochloride	
Cholvastin		phenol and sulphur		Cyclophosphamide	
Ciclopirox olamine		Coal tar with salicylic acid a		Cycloserine	
Ciclosporin		sulphur		Cyklokapron	
Cilazapril	50	Coco-Scalp	71	Cyproterone acetate	80
Cilazapril with		Codeine phosphate		Cyproterone acetate with	
hydrochlorothiazide		Extemporaneous		ethinyloestradiol	
Cilicaine		Nervous	128	Cytarabine	
Cilicaine VK		Cogentin		Cytotec	
Ciloxan		Colaspase [L-asparaginase]		Cytoxan	158
Cimetidine		Colchicine		- D -	
Cipflox	95	Colestid		D-Penamine	116
Ciprofloxacin		Colestipol hydrochloride	57	d4T	

Dabigatran	46	Detection of Substances in		Diphtheria, tetanus, pertussis	
Dacarbazine	163			and polio vaccine	247
Dactinomycin [Actinomycin		Dexamethasone		Diphtheria, tetanus, pertussis,	
D]	163	Hormone	79	polio, hepatitis B and	
Daivobet		Sensory		haemophilus influenzae typ	е В
Daivonex	71	Dexamethasone phosphate		vaccine	
Daktarin		Dexamethasone with framy		Diprosone	
Dalacin C		and gramicidin		Diprosone OV	
Dalteparin sodium	45	Dexamethasone with neom		Dipyridamole	
Danazol		sulphate and polymyxin		Disinfecting and Cleansing	
Dantrium		sulphate		Agents	66
Dantrolene		Dexamethasone-hameln		Disopyramide phosphate	
Daonil		Dexamfetamine sulfate		Disulfiram	
Dapa-Tabs		Dexmethsone		Diuretics	
Dapsone		Dextrochlorpheniramine		Diurin 40	
Daraprim		maleate	105	Docetaxel	
Darunavir		Dextrose		Docetaxel Sandoz	
Dasatinib		Dextrose with electrolytes .		Docusate sodium	
Daunorubicin		DHC Continus		Docusate sodium with	33
DBL Acetylcysteine		Diabetes		sennosides	25
, ,					
DBL Aminophylline		Diabetes Management		Domperidone	
DBL Bleomycin Sulfate		Diacomit		Donepezil hydrochloride	
DBL Carboplatin		Diamide Relief		Donepezil-Rex	
DBL Cisplatin		Diamox		Dopergin	
DBL Docetaxel		Diaphragm		Dopress	
DBL Doxorubicin		Diasip		Dornase alfa	
DBL Doxorubicin S29	163	Diason RTH		Dorzolamide hydrochloride	
DBL Epirubicin		Diazepam	,	Dorzolamide with timolol	
Hydrochloride		Diazoxide		Dostinex	
DBL Ergometrine		Dicarz		Dothiepin hydrochloride	
DBL Gemcitabine		Diclax SR		Doxazosin	
DBL Leucovorin Calcium	160	Diclofenac Sandoz	115	Doxepin hydrochloride	131
DBL Morphine Sulphate	129	Diclofenac sodium		Doxine	
DBL Pethidine		Musculoskeletal	115	Doxorubicin Ebewe	163
Hydrochloride	130	Sensory	203	Doxorubicin hydrochloride	163
DBL Tobramycin	97	Didanosine [DDI]	110	Doxy-50	94
DDI	109	Differin	62	Doxycycline	94
De Nol	23	Difflam	37	DP Fusidic Acid Cream	63
De-Worm	91	Diflucan	97	DP Lotion	68
Decozol	37	Diflucan S29	97	DP Lotn HC	65
Deferasirox	207	Diflucortolone valerate	65	DP-Anastrozole	174
Deferiprone	208	Digestives Including		Dr Reddy's Omeprazole	23
Deoxycoformycin	165	Enzymes	34	Dr Reddy's Ondansetron	
Depo-Medrol		Digoxin		Dr Reddy's Terbinafine	99
Depo-Medrol with Lidocaine	80	Dihydrocodeine tartrate		Drugs Affecting Bone	
Depo-Provera		Dilantin		Metabolism	117
Depo-Testosterone		Dilantin Infatab	136	Dulcolax	36
Deprim		Diltiazem hydrochloride		Duocal Super Soluble	
Dermol		Dilzem		Powder	218
Desferal		Dimethicone		Duolin	
Desferrioxamine mesilate		Dipentum		Duolin HFA	
Desmopressin acetate		Diphtheria, tetanus and per		Durex Confidence	
Desmopressin-PH&T		vaccine		Durex Extra Safe	
		***************************************		04.0	

Duride	59	Epilim	136	Galenicals	214
Dynacirc-SRO	55	Epilim Crushable	136	Eye Preparations	202
-E-		Epilim IV	136	EZ-fit Paediatric Mask	201
e-chamber La Grande	201	Epilim S/F Liquid	136	Ezemibe	57
e-chamber Mask		Epilim Syrup		Ezetimibe	57
e-chamber Turbo		Epirubicin Ebewe		Ezetimibe with simvastatin	58
		Epirubicin hydrochloride		-F-	
E-Mycin		Epoetin alfa [Erythropoietin		Factor eight inhibitor bypassing	
Ear Preparations		alfa]	42	fraction	
Ear/Eye Preparations		Eprex		Febuxostat	
Easiphen Liquid		Eptacog alfa [Recombinant fac		Feed Thickener Karicare	123
EasyCheck		VIIa]		Aptamil	220
Econazole nitrate		ERA		FEIBA NF	
Efavirenz	109	Ergometrine maleate			
Efavirenz with emtricitabine and		Ergotamine tartrate with		Felodipine	
tenofovir disoproxil		caffeine	138	Fenpaed	
fumarate		Erlotinib		Fentanyl	
Efexor XR		Erythrocin IV		Fentanyl Sandoz	
Effient		Erythromycin ethyl succinate		Ferodan	
Eformoterol fumarate		Erythromycin lactobionate		Ferriprox	
Efudix		•		Ferro-F-Tabs	
Egopsoryl TA		Erythromycin stearate		Ferro-tab	
Elecare	233	Erythropoietin alfa		Ferrograd	
Elecare LCP	233	Escitalopram		Ferrograd F	
Eligard	89	Eskazole		Ferrous fumarate	39
Elocon	66	Estradot		Ferrous fumarate with folic	
Elocon Alcohol Free	66	Estrofem		acid	39
Eloxatin	159	Etanercept		Ferrous sulphate	40
Eltrombopag	42	Ethambutol hydrochloride		Ferrous sulphate with folic	
Eltroxin	84	Ethics Aspirin		acid	40
Emend Tri-Pack	138	Ethics Aspirin EC		Ferrum H	40
EMLA	127	Ethics Enalapril		Fexofenadine hydrochloride	195
Emtricitabine	110	Ethics Lisinopril		Fibro-vein	43
Emtricitabine with tenofovir		Ethinyloestradiol	83	Filgrastim	47
disoproxil fumarate	110	Ethinyloestradiol with		Finasteride	77
Emtriva		desogestrel	74	Fingolimod	145
Emulsifying ointment		Ethinyloestradiol with		Finpro	77
Enalapril maleate		levonorgestrel	74	Firazyr	
Enalapril maleate with		Ethinyloestradiol with		Flagyl	100
hydrochlorothiazide	51	norethisterone	75	Flagyl-S	
Enbrel		Ethosuximide	134	Flamazine	
Endocrine Therapy		Etidronate disodium	118	Flecainide acetate	
Endoxan		Etopophos	164	Fleet Phosphate Enema	
Enerlyte		Etoposide	163	Flixonase Hayfever &	
Enfuvirtide		Etoposide phosphate		Allergy	200
Enoxaparin sodium		Etravirine	109	Flixotide	
Ensure		Eumovate		Flixotide Accuhaler	
		Everolimus		Floair	
Ensure Plus		Evista		Florinef	
Ensure Plus HN		Exelon		Fluanxol	
Ensure Plus RTH		Exemestane			
Entacapone		Exiade		Fluarix Flucloxacillin	
Entapone		Extemporaneously Compound			
Entecavir		Preparations and	Ju	FlucloxinFluconazole	
Entocort CIR	20	. roparations and		FIUCUTIAZUIE	9/

Fludara1	Infection	95 G
Fludara Oral1	Sensory	202 G
Fludarabine Ebewe1		
Fludarabine phosphate1		
Fludrocortisone acetate	Gabapentin	134 H
Fluids and Electrolytes		
Flumetasone pivalate2		
Fluocortolone caproate with	Gardasil	
fluocortolone pivalate and	Gastrosoothe	
cinchocaine		
Fluorometholone2		
Fluorouracil1		
Fluorouracil Ebewe1	Gemcitabine Ebewe	
Fluorouracil sodium		
Fluoxetine hydrochloride1	0.0	
Flupenthixol decanoate1	GOTTING OZII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	
Fluphenazine decanoate1		
Flutamide1	G.G.:.op.i.G	
Flutamin1		1/4 II h
Fluticasone1	acritariioiii oaipriate	•••
Fluticasone propionate2	11110011011	
Fluticasone with salmeterol1		
FML2	20101194	
Foban		
Folic acid	diamanto acciaio	
Food Thickeners2	aliberiolarriae	
Foods And Supplements For	GIIGIGEIGG	
Inborn Errors Of	Glipizide	
Metabolism2	Glivec	
Foradil	GIIZIGG	
Forteo1	alacagem Typokit	
Fortini2	alucagon nyurochionuc	
Fortini Multi Fibre2	aldociria ocicot	
	aldocina ocicot i i i i i i i i i i i i i i i i i i i	
Fortisip2		
Fortisip Multi Fibre2	CHARGOOD [DOMINOCO]	
Fosamax1		
Fosamax Plus1	alyocilii witii oodidiii	Н
Fragmin		
Framycetin sulphate2		214 H
Freestyle Optium26,	o, oo. o.	
Freestyle Optium Ketone	7	
Freestyle Optium Neo		
Frisium1	aryour yr triritrato	Н
Frumil	Allinoritary	
Frusemide	Odialovaoodiai	
Frusemide-Claris	any copy in critical in a second	
Fucicort	aryoopyrroman bronnac	22 H
Fucidin	City till	59 H
Fucithalmic2	dola rangia	73 H
Fungilin		51 H
Furosemide [Frusemide]	Goserelin acetate	
Fusidic acid	Granirex	139 H
Dermatological	Granisetron	139 H

Gutron53
Gynaecological
Anti-infectives76
- H -
Habitrol156
Haemophilus influenzae type B
vaccine247
Haldol143
Haldol Concentrate143
Haloperidol141
Haloperidol decanoate143
Hamilton Sunscreen72
Havrix247
Havrix Junior247
HBvaxPRO248
healthE Dimethicone 10%67
healthE Dimethicone 5%67
healthE Fatty Cream67
healthE Glycerol BP214
healthE Urea Cream67
Healtheries Simple Baking
Main and a simple baking
Mix230
Hemastix78
Heparin sodium46
Heparinised saline46
Heparon Junior221
Hepatitis A vaccine247
Hepatitis B recombinant
vaccine248
Hepsera102
Herceptin190
Hexamine hippurate114
Hiprex114
Histaclear194
Histafen194
Holoxan158
Horleys Bread Mix231
Horleys Flour231
Hormone Replacement Therapy -
Systemic 81
HPV248
Humalog25
Humalog Mix 2524
Humalog Mix 5024
Humatin96
Humira181
HumiraPen181
Humulin 30/7024
Humulin NPH24
Humulin R24
Hyaluronic acid205
Hybloc53
Hydralazine59

Hydralazine hydrochloride	59
Hydrea	164
Hydrocortisone	
Dermatological	65
Hormone	
Hydrocortisone acetate	
Hydrocortisone and paraffin	
liquid and lanolin	65
Hydrocortisone butyrate65	71
Hydrocortisone with	, , ,
cinchocaine	00
Hydrocortisone with	. 22
miconazole	cc
miconazole	. 00
Hydrocortisone with natamycin	
and neomycin	. 66
Hydrogen peroxide	
Alimentary	37
Dermatological	63
Hydroxocobalamin	38
Hydroxychloroquine	116
Hydroxyurea	164
Hygroton	56
Hylo-Fresh	205
Hyoscine hydrobromide	139
Hyoscine N-butylbromide	22
Hypam	150
Hyperuricaemia and	
Antigout	122
Hypnovel	150
Hypromellose	205
Hypromellose with Dextran	205
Hysite	
	204
-1-	
Ibiamox	93
Ibugesic	115
Ibuprofen	115
Icatibant	194
Idarubicin hydrochloride	164
Ifosfamide	158
Ikorel	60
lloprost	61
Imatinib mesilate	168
Imatinib-AFT	168
Imiglucerase	36
Imipramine hydrochloride	oc
Imiquimod	
Immune Modulators	/2 111
Immunosuppressants	111
inimunosuppressants	1/4
Imuran	1/4
Indacaterol	
Indapamide	57
Indinavir	110
Infanrix IPV	247

Infanrix-hexa	.247
Infant Formulae	.232
Influenza vaccine	.249
Influvac	.249
Inhaled Corticosteroids	.195
Inhaled Long-acting	
Beta-adrenoceptor	
Agonists	196
Inset 30	
Inset II	32
Insulin aspart	25
Insulin aspart with insulin aspart	
protamine	24
Insulin glargine	
Insulin glulisine	25
Insulin isophane	24
Insulin isophane with insulin	
neutral	24
Insulin lispro	25
Insulin lispro with insulin lispro	
protamine	24
Insulin neutral	24
Insulin pen needles	
Insulin pump	29
Insulin pump accessories	29
Insulin pump infusion set (steel	
cannula)	30
Insulin pump infusion set (teflon	
cannula, angle insertion with	
insertion device)	31
Insulin pump infusion set (teflon	
cannula, angle insertion)	31
Insulin pump infusion set (teflon	
cannula, straight insertion with	
insertion device)	32
Insulin pump infusion set (teflon	
cannula, straight insertion)	33
Insulin pump reservoir	33
Insulin syringes, disposable with	
attached needle	28
Intal Forte CFC Free	.199
Intal Spincaps	.199
Intelence	.109
Interferon alfa-2a	.112
Interferon alfa-2b	.112
Interferon beta-1-alpha	.149
Interferon beta-1-beta	.150
Intra-uterine device	73
Intron-A	.112
Invega Sustenna	.143
IPOL	.251
Ipratropium bromide198,	200
l	400

rinotecan Actavis 100	.161
rinotecan Actavis 40	.161
rinotecan hydrochloride	.161
rinotecan-Rex	.161
ron polymaltose	40
sentress	.111
smo 20	
soniazid	
soprenaline	
soptin	55
sopto Carpine	.204
sosorbide mononitrate	59
sosource Standard	.227
sosource Standard RTH	
sotane 10	
sotane 20	
sotretinoin	62
spaghula (psyllium) husk	35
sradipine	55
suprel	59
tch-Soothe	
traconazoletrazole	98
vermectin	98
	00
- J - Jadelle	
ladelle	
L	/5
Jevity	.227
Jevity Jevity HiCal RTH	.227 .227
Jevity Jevity HiCal RTH Jevity RTH	.227 .227
levitylevity HiCal RTHlevity RTH	.227 .227 .227
levity	.227 .227 .227
levity	.227 .227 .227 .110 .126
levity	.227 .227 .227 .110 .126 .202
levity	.227 .227 .227 .110 .126 .202 80
levity	.227 .227 .227 .110 .126 .202 80
levity	.227 .227 .227 .110 .126 .202 80 80 37
levity	.227 .227 .227 .110 .126 .202 80 80 37 .235
Jevity	.227 .227 .227 .110 .126 .202 80 80 37 .235
levity	.227 .227 .227 .110 .126 .202 80 80 37 .235 .235
levity	.227 .227 .227 .110 .126 .202 80 37 .235 235
Jevity	.227 .227 .110 .126 .202 80 37 .235 .235
Jevity	.227 .227 .110 .126 .202 80 37 .235 .235
levity	.227 .227 .227 .110 .126 .202 80 37 .235 71 98 .235
levity	.227 .227 .227 .110 .126 .202 80 37 .235 71 98 .235
levity	.227 .227 .227 .110 .126 .202 80 37 .235 71 98 .235
levity	.227 .227 .227 .110 .126 .202 80 37 .235 71 98 .235 71 98 .235
levity	.227 .227 .227 .110 .126 .202 80 37 .235 .235 71 98 .235 25 26 .115 26
levity	.227 .227 .227 .110 .126 .202 80 37 .235 71 98 .235 71 98 .235
levity	.227 .227 .227 .110 .126 .202 80 37 .235 235 71 98 .235 235 26 115 26 221 125 109
levity	.227 .227 .227 .110 .126 .202 80 37 .235 71 98 .235 235 24 25 25 21 26 21 29 21

Kogenate FS 4 Konakion MM 4 Konsyl-D 3	3
- L - L-asparaginase16	2
Labetalol5	
Lacosamide13	5
Lactulose3	5
Laevolac3	
Lamictal13	6
Lamivudine103, 11	
Lamivudine Alphapharm11	
Lamotrigine13	
Lamprene10	
Lanoxin5	
Lanoxin PG5	2
Lansoprazole2	3
Lantus2	
Lantus SoloStar2	5
Lanvis16	1
Lanzol Relief2	
Lapatinib ditosylate16	9
Largactil14	
Lasix5	6
Latanoprost20	
Lax-Sachets3	
Lax-Suppositories3	
Lax-Tab3	
Laxatives3	
Laxsol3	
Leflunomide11	
Lenalidomide16	
Letraccord17	
Letrole17	
Letrozole17	
Leukeran FC15	B
Leukotriene Receptor Antagonists19	^
Leunase16	
Leuprorelin8	
Leustatin16	
Levetiracetam13	
Levetiracetam-Rex13	
Levobunolol	
Levocabastine20	
Levodopa with benserazide12	
Levodopa with carbidopa12	5
Levomepromazine maleate14	1
Levonorgestrel	
Genito-Urinary75–7	6
Hormone8	
Levothyroxine8	
•	

Levothyroxine (mercury pharma)	
pharma)	84
Lidocaine	
[Lignocaine]126-	27
Lidocaine [Lignocaine]	
hydrochloride	126
Lidocaine [Lignocaine] with	
chlorhexidine	27
Lidocaine [Lignocaine] with	
prilocaine	127
Lidocaine-Claris	126
Lifestyles Flared	.73
Lignocaine	
Hormone	
Nervous126, 1	
Link Healthcare	
Lioresal Intrathecal	
Lipazil	
Lipid-Modifying Agents	
Liquigen2	
Lisinopril	.50
Lisuride hydrogen maleate	125
Lithicarb FC	141
Lithium carbonate	
Livostin2	
LMX4	127
Locacorten-Viaform ED's2	202
Local preparations for Anal and Rectal Disorders	04
Locasol	
Locoid65,	
Locoid Crelo Locoid Lipocream	.05
Locold Lipocream2	
Lodoxamide	
Lomide	
Lomustine Loniten	
Loperamide hydrochloride	
Loperamide nydrochlonde Lopinavir with ritonavir	.20
Lopresor	E0
Loprofin2	
Loprofin Mix2	
Loproliti wix	
LoraPaed Loratadine	
Loratadine Lorazepam	כטו
	145
	145 150
Losartan Actavis	145 150 .52
Lorenten potassium	145 150 .52
Losartan Actavis	145 150 .52 .52

Lovir	
Loxamine	132
Lucrin Depot PDS	89
Ludiomil	131
Lumigan	204
Lycinate	59
Lyderm	70
- M -	
m-Eslon	100
M-M-R II	129
IVI-IVI-IX II	200
m-Mometasone	
m-Nystatin	3/
Mabthera	188
Madopar 125	125
Madopar 250	
Madopar 62.5	125
Madopar HBS	125
Madopar Rapid	125
Magnesium hydroxide	214
Magnesium sulphate	40
Malathion with permethrin and	
piperonyl butoxide	70
Maprotiline hydrochloride	131
Marevan	47
Marine Blue Lotion SPF 50+	
Marquis Black	73
Marquis Conforma	73
Marquis Protecta	73
Marquis Selecta	73
Marquis Sensolite	73
Marquis Supalite	73
Marquis Titillata	73
MarquisTantiliza	73
Marvelon 28	74
Mask for spacer device	201
Mast Cell Stabilisers	199
Max Health	
Maxidex	203
Maxitrol	
MCT oil (Nutricia)	219
Measles, mumps and rubella	
vaccine	250
Mebendazole	
Mebeverine hydrochloride	
Medrol	80
Medroxyprogesterone acetate	
Genito-Urinary	75
Hormone	82 84
Mefenamic acid	115
Megestrol acetate	179
Meloxicam	116
Melphalan	150
Menactra	
IVIO 1 140 (1 4	∠JU

Meningococcal (groups A, C, Y		Mexiletine hydrochloride	52	stimulants	
and W-135) congugate		Mexiletine Hydrochloride		Mucolytics	200
vaccine2	250	USP		Multiple Sclerosis	
Meningococcal c congugated	.=.	Miacalcic		Treatments	
vaccine2		Mianserin hydrochloride		Multivitamin renal	
Menthol		Micolette		Multivitamins	
Mercaptopurine		Miconazole	37	Mupirocin	
Mercilon 28		Miconazole nitrate		Muscle Relaxants	
Mesalazine		Dermatological	64	Mvite	
Mesna		Genito-Urinary		Myambutol	101
Mestinon	15	Micreme	76	Mycobutin	101
Metabolic Disorder Agents	.36	Micreme H	66	MycoNail	63
Metamide	39	Microgynon 30	74	Mycophenolate mofetil	174
Metchek	.25	Microlut	75	Mycostatin	64
Meterol	96	Midazolam	150	Mydriacyl	205
Metformin hydrochloride	.25	Midodrine	53	Mylan Atenolol	53
Methadone hydrochloride		Minerals	39	Mylan-Bosentan	
Extemporaneous2	214	Mini-Wright AFS Low Range .	201	Mylanta P	20
Nervous	29	Mini-Wright Standard	201	Myleran	158
Methatabs	29	Minidiab		Myocrisin	117
Methopt2		Minirin	89	Myometrial and Vaginal Hormo	
Methotrexate		Mino-tabs		Preparations	
Methotrexate Ebewe		Minocycline hydrochloride		- N -	
Methotrexate Sandoz		Minomycin			5 4
Methyl hydroxybenzoate2		Minor Skin Infections		Nadolol	
Methylcellulose		Minoxidil		Nalcrom	
Methylcellulose with glycerin and	.17	Mirena		Naloxone hydrochloride	
sodium saccharin	015	Mirtazapine		Naltraccord	
Methylcellulose with glycerin and	-13	Misoprostol		Naltrexone hydrochloride	
sucrose	15	Mitomycin C		Naphazoline hydrochloride	
Methyldopa		Mitozantrone		Naphcon Forte	
	.55	Mitozantrone Ebewe		Naprosyn SR 1000	116
Methylphenidate	E0			Naprosyn SR 750	116
hydrochloride1	52	Mixtard 30		Naproxen	116
Methylphenidate hydrochloride		Moclobemide		Nardil	
extended-release		Modafinil		Nasal Preparations	200
Methylprednisolone	.80	Modavigil		Natalizumab	146
Methylprednisolone (as sodium		Modecate		Natulan	165
succinate)	80	Moduretic		Nausicalm	139
Methylprednisolone		Mogine		Nauzene	139
aceponate		Mometasone furoate		Navelbine	166
Methylprednisolone acetate	.80	Monogen		Nedocromil	199
Methylprednisolone acetate with		Montelukast	199	Nefopam hydrochloride	
lidocaine [Lignocaine]	80	Moroctocog alfa [Recombinant		Neisvac-C	
Methylxanthines2	200	factor VIII]	43	Neo-B12	
Metoclopramide		Morphine hydrochloride	129	Neo-Mercazole	
hydrochloride1	39	Morphine sulphate	129	Neocate Advance	
Metolazone	.56	Morphine tartrate	129	Neocate Gold	
Metopirone	.90	Motetis	126	Neocate LCP	
Metoprolol - AFT CR	.53	Mouth and Throat	37	Neoral	
Metoprolol succinate	.53	Moxifloxacin	95	Neostigmine metilsulfate	
Metoprolol tartrate		MSUD Maxamaid	232	Nepro HP (strawberry)	
Metronidazole		MSUD Maxamum	232	Nepro HP (vanilla)	
Metyrapone		Mucilaginous laxatives with		reprotti (varilla)	220

Nepro HP RTH	223	Nozinan	141	Ondansetron ODT-DRLA	139
Nerisone	65	Nuelin	200	One-Alpha	38
Neulactil	141	Nuelin-SR	200	Onelink	59
Neulastim	47	Nupentin	134	Onrex	139
Neurontin	134	Nutilis		Ora-Blend	215
NeuroTabs	39	Nutrient Modules	217	Ora-Blend SF	215
Nevirapine	109	Nutrini Energy Multi Fibre	222	Ora-Plus	214
Nevirapine Alphapharm	109	Nutrini Energy RTH		Ora-Sweet	214
Nicorandil		Nutrini Low Energy Multi Fibre		Ora-Sweet SF	
Nicotine	156	224		Orabase	
Nicotinic acid	57	Nutrini RTH	222	Oral Supplements/Complete D	Diet
Nifedipine	55	Nutrison Concentrated	230	(Nasogastric/Gastrostomy	
Nifuran		Nutrison Energy	227	Tube Feed)	220
Nilotinib	169	Nutrison Energy Multi Fibre		Oratane	
Nilstat		Nutrison Multi Fibre		Orgran	
Alimentary	37	Nutrison Standard RTH		Ornidazole	
Genito-Urinary		Nyefax Retard		Orphenadrine citrate	
Infection		Nystatin		Ortho All-flex	
Nipent		Alimentary	37	Ortho-tolidine	
Nitrados		Dermatological		Oruvail SR	
Nitrates		Genito-Urinary		Osmolite	
Nitrazepam		Infection		Osmolite RTH	
Nitroderm TTS		NZB Low Gluten Bread Mix		Ospamox	
Nitrofurantoin		- O -	201	Other Endocrine Agents	
Nitrolingual Pump Spray		•	67	Other Oestrogen	
Nizoral		O/W Fatty Emulsion Cream		Preparations	83
Noctamid		Octocog alfa [Recombinant fa		Other Progestogen	
Nodia		VIII] Octreotide		Preparations	83
Noflam 250				Other Skin Preparations	
Noflam 500		Octreotide LAR (somatostatin		Ovestin	
Non-Steroidal Anti-Inflammato		analogue) Oestradiol		Genito-Urinary	76
Drugs		Oestradiol valerate		Hormone	
Nonacog alfa [Recombinant		Oestradiol with	02	Ox-Pam	
factor IX]	43	norethisterone	02	Oxaliccord	
Norethisterone		Oestriol	03	Oxaliplatin	
Genito-Urinary	75		76	Oxaliplatin Actavis 100	
Hormone		Genito-Urinary		Oxaliplatin Actavis 50	
Norflex		Hormone		Oxaliplatin Ebewe	
Norfloxacin		Oestrogens Oestrogens with	02	Oxazepam	
Noriday 28		•	02	Oxis Turbuhaler	
Norimin		medroxyprogesterone		Oxpentifylline	
Normacol Plus		Oil in water emulsion		Oxybutynin	77
Normison		Olbetam		Oxycodone ControlledRelease	
Norpress		Olopatadine		Tablets(BNM)	
Nortriptyline hydrochloride		Olsalazine		Oxycodone hydrochloride	
Norvir		Omalizumab		Oxycodone Orion	
NovaSource Renal		Omeprazole		OxyContin	
Novatretin		Omezol Relief		OxyNorm	
NovoRapid		Omnitrope		Oxytocin	
NovoRapid FlexPen		Onbrez Breezhaler		Oxytocin BNM	
NovoRapid Penfill		Oncaspar		Oxytocin with ergometrine	
NovoSeven RT		OncoTICE		maleate	76
Noxafil		Ondansetron		Ozole	
		Unuansenun	138	2200	

- P -		MMT-378	31	Permethrin	70
= ·	100	Paradigm Silhouette		Persantin	44
Pacific Bushirana		MMT-381	31	Peteha	101
Pacific Buspirone		Paradigm Silhouette		Pethidine hydrochloride	130
Paclitaxel		MMT-382	31	Pevaryl	64
Paclitaxel Actavis		Paradigm Silhouette		Pexsig	
Paclitaxel Ebewe		MMT-383	31	Pharmacare	
Paediatric Seravit		Paradigm Silhouette		Pharmacy Services	207
Paliperidone		MMT-384	31	Phenelzine sulphate	
Pamidronate disodium		Paradigm Sure-T MMT-864		Phenobarbitone	
Pamisol		Paradigm Sure-T MMT-866		Phenobarbitone sodium	
Panadol		Paradigm Sure-T MMT-874		Extemporaneous	215
Pancreatic enzyme		Paradigm Sure-T MMT-876		Nervous	
Pantoprazole		Paradigm Sure-T MMT-884		Phenoxybenzamine	
Pantoprazole Actavis 20		Paradigm Sure-T MMT-886		hydrochloride	50
Pantoprazole Actavis 40		Paraffin		Phenoxymethylpenicillin	
Panzytrat		Paraffin liquid with soft white		(Penicillin V)	94
Papaverine hydrochloride		paraffin	206	Phenytoin sodium	
Para Plus		Paraffin liquid with wool fat		Phlexy 10	
Para-amino salicylic acid	101	Paraldehyde		Phosphate-Sandoz	
Paracare	128	Parasiticidal Preparations		Phosphorus	
Paracare Double Strength	128	Parnate		•	
Paracetamol	128			Phytomenadione	
Paracetamol + Codeine		Paromomycin		Pilocarpine hydrochloride	
(Relieve)	130	Paroxetine hydrochloride		Pimafucort	
Paracetamol with codeine	130	Paser		Pindolol	
Paradigm 522	29	Patanol		Pinetarsol	
Paradigm 722	29	Paxam		Pioglitazone	
Paradigm Mio MMT-921	32	Pazopanib		Piportil	
Paradigm Mio MMT-923		Peak flow meter		Pipothiazine palmitate	
Paradigm Mio MMT-925		Pedialyte - Bubblegum		Pizaccord	
Paradigm Mio MMT-941		Pediasure		Pizotifen	
Paradigm Mio MMT-943		Pediasure RTH		PKU Anamix Infant	
Paradigm Mio MMT-945		Pegaspargase		PKU Anamix Junior	
Paradigm Mio MMT-965		Pegasys	112	PKU Anamix Junior LQ	
Paradigm Mio MMT-975		Pegasys RBV Combination		PKU Lophlex LQ 10	
Paradigm Quick-Set		Pack		PKU Lophlex LQ 20	
MMT-386	33	Pegfilgrastim		Plaquenil	
Paradigm Quick-Set		Pegylated interferon alfa-2a		Plendil ER	
MMT-387	33	Penicillamine		pms-Bosentan	60
Paradigm Quick-Set		PenMix 30		Pneumococcal (PCV13)	
MMT-396	33	PenMix 40	24	vaccine	251
Paradigm Quick-Set		PenMix 50	24	Pneumococcal (PPV23)	
MMT-397	33	Pentasa	21	polysaccharide vaccine .	251
Paradigm Quick-Set		Pentostatin		Pneumovax 23	251
MMT-398	33	[Deoxycoformycin]	165	Podophyllotoxin	
Paradigm Quick-Set		Pentoxifylline [Oxpentifylline] .	60	Polaramine	
MMT-399	33	Pepti Junior Gold Karicare		Poliomyelitis vaccine	251
Paradigm Silhouette		Aptamil	234	Poloxamer	35
MMT-368	31	Peptisoothe	22	Poly-Gel	205
Paradigm Silhouette	01	Peptisorb		Poly-Tears	205
MMT-377	31	Perhexiline maleate	55	Poly-Visc	206
Paradigm Silhouette	01	Pericyazine		Polycal	
i aradigiti olillouelle		Perindopril	50	Polyvinyl alcohol	205

Ponstan	115
Posaconazole	98
Postinor-1	
Potassium chloride	48–49
Potassium citrate	
Potassium iodate	
Povidone iodine	
Pradaxa	
Pramipexole hydrochloride	125
Prasugrel	
Pravastatin	
Praziguantel	
Prazosin	
Pred Forte	
Pred Mild	
Prednisolone	
Prednisolone acetate	
Prednisolone sodium	203
phosphate	000
priospriate	203
Prednisone Pregnancy Tests - hCG Urine	80
Premarin	
Prevenar 13	
Prezista	
Priadel	
Primacin	
Primaquine phosphate Primidone	100
Primidone	136
Primolut N	
Probenecid	123
Probenecid-AFT	123
Procaine penicillin	94
Procarbazine hydrochloride	165
Prochlorperazine	
Proctosedyl	22
Procur	80
Procyclidine hydrochloride	126
Procytox	158
ProcytoxProdopa	55
Procytox Prodopa Progesterone	55 84
Procytox	55 84 24
Procytox	55 84 24 24
Procytox	55 84 24 24
Procytox	55 24 24 24 82
Procytox Prodopa Progesterone Proglicem Proglicem Proglycem Progynova Prokinex	55 24 24 24 24 82 139
Procytox	55 84 24 24 82 139 195
Procytox	55 84 24 24 82 139 195 139
Procytox Prodopa Progesterone Proglicem Proglicem Proglycem Progryova Prokinex Promethazine hydrochloride Promod	55 84 24 24 82 139 139 139
Procytox Prodopa Progesterone Proglicem Proglicem Proglycem Progynova Prokinex Promethazine hydrochloride Promod Propafenone hydrochloride	55 84 24 24 82 139 139 139 219
Procytox Prodopa Progesterone Proglicem Proglicem Proglycem Progynova Prokinex Promethazine hydrochloride Promod Propafenone hydrochloride Propamidine isethionate	558424248213913913921952
Procytox	558424248213919513921921952
Procytox Prodopa Progesterone Proglicem Proglicem Proglycem Progynova Prokinex Promethazine hydrochloride Promod Propafenone hydrochloride Propamidine isethionate	5584242482139139139219525254215

Protamine sulphate46
Protaphane24
Protaphane Penfill24
Protifar219
Protionamide101
Provera82, 84
Psoriasis and Eczema
Psoriasis and Eczema Preparations70
PTU84
Pulmicort Turbuhaler195
Pulmocare220
Pulmozyme200
Puri-nethol161
Pyrazinamide101
Pyridostiamine bromide115
Pyridoxine hydrochloride38
Pyrimethamine96
Pytazen SR44
- Q -
Q 300100
Questran-Lite57
Quetapel141
Quetiapine141
Quick-Set MMT-39033
Quick-Set MMT-39133
Quick-Set MMT-39233
Quick-Set MMT-39333
Quinapril51
Quinapril with
hydrochlorothiazide51
Quinine sulphate100
Qvar195
-R-
RA-Morph129
Raloxifene hydrochloride119
Raltegravir potassium111
Ramipex125
Ranbaxy-Cefaclor91
Ranitidine22
Ranitidine Relief22
Ranmoxy93
Rapamune192
Reandron 100081
Recombinant factor IX43
Recombinant factor VIIa42
Recombinant factor VIII43
Rectogesic22
Redipred80
Refresh Night Time206
Renilon 7.5223
Resonium-A49
Resource Beneprotein219

Resource Diabetic	.220
Respigen	.197
Respiratory Devices	.201
Respiratory Stimulants	.201
Retinol palmitate	.206
ReTrieve	62
Retrovir	.110
Reutenox	.116
Revlimid	.164
Revolade	42
Rexacrom	.203
RexAir	.197
Reyataz	.110
Ridaura s29	116
Rifabutin	101
Rifadin	101
Rifampicin	101
Rifaximin	.101
Rifinah	101
Rilutek	
Riluzole	106
Riodine Risedronate Sandoz	00
Risedronate sodium	.118
Risedronate sodium	.118
Risperdal Consta	.144
Risperdal Quicklet	.142
Risperidone142,	144
Risperon	.142
Ritalin	.152
Ritalin LA	.153
Ritalin SR	.152
Ritonavir	.111
Rituximab	.188
Rivaroxaban	46
Rivastigmine	.154
Rivotril133,	134
Rizamelt	
Rizatriptan	.138
Roferon-A	.112
Ropinirole hydrochloride	.125
RotaTeq	.251
Rotavirus live reassortant oral	
vaccine	
Roxane	20
Roxane	54
Roxithromycin	92
Rubifen	.152
Rubifen SR	.152
Rythmodan	
Rytmonorm	52
- S -	.137
0-14:-	407

Salamol	197	Sodium		Sucralfate	23
Salazopyrin	21	carboxymethylcellulose	37	Sulfadiazine sodium	96
Salazopyrin EN	21	Sodium chloride		Sulindac	116
Salbutamol	197	Blood	48	Sulphasalazine	
Salbutamol with ipratropium		Respiratory	200	Sulphur	71
bromide	198	Sodium citrate with sodium la		Sumatriptan	
Salicylic acid		sulphoacetate	•	Sun Pharma	
Salmeterol		Sodium citro-tartrate		Sunitinib	
Sandomigran		Sodium cromoglycate		Sunscreens	
Sandostatin LAR		Alimentary	21	Sunscreens, proprietary	
Scalp Preparations		Respiratory		Sure-T MMT-863	
Scopoderm TTS		Sensory		Sure-T MMT-865	
Sebizole		Sodium fluoride		Sure-T MMT-873	
Sedatives and Hypnotics		Sodium hyaluronate [Hyaluron		Sure-T MMT-875	
Seebri Breezhaler		acid]		Sure-T MMT-883	
Selegiline hydrochloride		Sodium nitroprusside		Sure-T MMT-885	
Senna		Sodium polystyrene	20	Sustagen Diabetic	
Senokot		sulphonate	10	Sustagen Hospital Formula	
SensoCard		Sodium tetradecyl sulphate		Sustanon Ampoules	
Serenace		Sodium valproate		Sutent	
Seretide		Sofradex		Symbicort Turbuhaler 100/6	
Seretide Accuhaler				,	
Serevent		Soframycin		Symbicort Turbuhaler 200/6	190
		Solian		Symbicort Turbuhaler	100
Serevent Accuhaler		Solifenacin succinate		400/12	
Serophene		Solox		Symmetrel	
Sertraline		Solu-Cortef		Sympathomimetics	
Sertraline Actavis		Solu-Medrol		Synacthen	
Sevredol	129	Somatropin (Omnitrope)		Synacthen Depot	
Sex Hormones Non	00	Sotacor		Synthroid	
Contraceptive		Sotalol		Syntometrine	/6
Shield 49		Space Chamber		Syrup (pharmaceutical	
Shield Blue		Space Chamber Plus		grade)	
Shield XL		Spacer device		Systane Unit Dose	205
SII-Onco-BCG		Spacer device autoclavable		-T-	
Sildenafil		Span-K		Tacrolimus	192
Silhouette MMT-371		Spiractin		Tacrolimus Sandoz	192
Silhouette MMT-373		Spiriva		Tambocor	52
Silver sulphadiazine		Spironolactone		Tambocor CR	52
Simethicone	20	Sporanox	98	Tamoxifen citrate	174
Simvastatin		Sprycel	166	Tamsulosin hydrochloride	
Sinemet		Staphlex		Tamsulosin-Rex	
Sinemet CR		Stavudine [d4T]		Tap water	
Singulair	199	Stelazine	142	Tar with triethanolamine lauryl	
Sirolimus	192	Stemetil	139	sulphate and fluorescein	71
Slow-Lopresor	53	Stesolid	133	Tarceva	
Sodibic	49	Stimulants/ADHD		Tasigna	
Sodium acid phosphate	36	Treatments	151	Tasmar	
Sodium alginate	20	Stiripentol	136	Taxotere	
Sodium aurothiomalate	117	Stocrin	109	Tegretol	
Sodium bicarbonate		Stomahesive	37	Tegretol CR	
Blood	48-49	Strattera	151	Telfast	
Extemporaneous	215	Stromectol	68	Temaccord	
Sodium calcium edetate		Suboxone	154	ICIIIa000Iu	103

Temazepam	150
Temozolomide	
Tenofovir disoproxil	100
fumarate	105
Tenoxicam	
Tepadina	
Terazosin	
Terbinafine	
Terbutaline sulphate	107
Teriparatide	
Testosterone	
Testosterone cypionate	00
Testosterone esters	01
Testosterone undecanoate	
Tetrabenazine	120
Tetrapromophenol	/0
Tetracosactrin	
Tetracyclin Wolff	
Tetracycline	
Teva	
Thalidomide	
Thalomid	
Theophylline	200
Thiamine hydrochloride	38
THIO-TEPA	
Thioguanine	
Thiotepa	
Thymol glycerin	37
Thyroid and Antithyroid	
Agents	84
Ticagrelor	
Tilade	199
Timolol	
Cardiovascular	54
Sensory	204
Timoptol XE	
Tiotropium bromide	
TMP	
TOBI	97
Tobramycin	
Infection	
Sensory	
Tobrex	
Tofranil	
Tofranil s29	
Tolcapone	
Tolterodine	
Tolvon	
Topamax	137
Topical Products for Joint and	
Muscular Pain	116
Topiramate	137
Topiramate Actavis	137

Tatal manastanal modulian	
Total parenteral nutrition	
(TPN)	
TPN	
Tracleer	
Tramadol hydrochloride	130
Tramal SR 100	130
Tramal SR 150	
Tramal SR 200	130
Trandate	
Trandolapril	
Tranexamic acid	
Tranylcypromine sulphate	131
Trastuzumab	
Travatan	
Travoprost	204
Treatments for Dementia	154
Treatments for Substance	
Dependence	154
Trental 400	
Tretinoin	
Dermatological	62
Oncology	166
Trexate	101
Triamcinolone acetonide	
Alimentary	37
Dermatological	66
Hormone	
Triamcinolone acetonide with	
gramicidin, neomycin and	nystatin
Dermatological	66
Sensory	202
Triazolam	150
Trichozole	
Triclosan	
	07
Trifluoperazine	140
hydrochloride	142
Trimeprazine tartrate	
Trimethoprim	
Trisequens	
Trisul	95
Trophic Hormones	85
Tropicamide	205
Trusopt	
Truvada	
Two Cal HN	
Two Cal HN RTH	
Tykerb	20U
Tysabri	146
- U -	
Ultraproct	21
Univent	108 200
	. 190, 200
Ural	

Urex Forte	56
Urinary Agents	77
Urinary Tract Infections	114
Uromitexan	.164
Ursodeoxycholic acid	34
Ursosan	34
Utrogestan	04 84
	04
- V -	
Vaccinations	246
Vaclovir	104
Valaciclovir	104
Valcyte	104
Valganciclovir	104
Vallergan Forte	195
Valtrex	104
Vancomycin	97
Vannair	196
Varenicline tartrate	156
Varicella vaccine [Chicken pox	
vaccine]	. 252
Varilrix	252
Various	207
Vasodilators	
Vasopressin Agonists	89
Vedafil	61
Velcade	162
Venlafaxine	.133
Venomil	194
Ventavis	61
Ventolin	197
Venesid	163
VepesidVerapamil hydrochloride	55
Vergo 16	138
Vermox	91
Verpamil SR	51 55
Vesanoid	166
Vesicare	
Vexazone	
Vfend	02
Viaderm KC	99 88
Victrelis	107
Vidaza	150
Videx EC	
Vigabatrin	127
Vimpat	125
Vinblastine sulphate	166
Vincristine sulphate	166
Vinorelbine	100
Vinoralbina Ebayra	100
Vinorelbine EbeweViramune Suspension	100
Virgad	109
Viread	105
Virgan	202
Vistil	205

Vistil Forte	205
VitA-POS	206
Vitabdeck	39
Vitadol C	38
Vital	224
Vital HN	223
Vitamin A with vitamins D and	
C	38
Vitamin B complex	38
Vitamins	38–39
Vivonex Pediatric	233
Vivonex TEN	224
Volibris	60
Voltaren	115
Voltaren D	115
Voltaren Ophtha	203
Volumatic	201
Voriconazole	99
Vosol	202
Votrient	170
Vttack	99
- W -	
Warfarin sodium	47
Wart Preparations	72
Wasp venom allergy	
treatment	194
Water	
Blood	48

Extemporaneous	215
Wool fat with mineral oil	68
- X -	
Xanax	145
Xarelto	
Xifaxan	
XMET Maxamum	
Xolair	
XP Maxamaid	
XP Maxamum	
Xylocaine	
Xylocaine Viscous	
Xyntha	
- Z -	
Zantac	20
Zapril	
Zarator	
Zarontin	
Zaroxolyn	
Zarzio	
Zavedos	
Zeffix	
Zeldox	
Zerit	
Zetop	
Ziagen	
Zidovudine [AZT]	
Zidovudine [AZT] with	
Zidovadino [AZ i] With	

lamivudine	110
Zimybe	
Zinc and castor oil	
Zinc sulphate	
Zincaps	
Zinnat	
Ziprasidone	
•	
Zithromax	
Zoladex	88
Zoledronic acid	
Hormone	
Musculoskeletal	
Zometa	
Zopiclone	150
Zopiclone Actavis	150
Zostrix	
Zostrix HP	127
Zovirax	
Zuclopenthixol decanoate	
Zuclopenthixol	
hydrochloride	143
Zusdone	
Zyban	
Zypine	
Zypine ODT	
Zyprexa Relprevv	
/ VIII (14)	1/2