March 2016

Volume 23 Number 0

Editor: Kaye Wilson email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

Section A	General Rules	6
Section B	Alimentary Tract & Metabolism	20
	Blood & Blood Forming Organs	41
	Cardiovascular System	50
	Dermatologicals	62
	Genito Urinary System	73
	Hormone Preparations – Systemic	79
	Infections – Agents For Systemic Use	91
	Musculoskeletal System	115
	Nervous System	124
Onc	ology Agents & Immunosuppressants	160
	Respiratory System & Allergies	195
	Sensory Organs	203
	Various 2	208
Section C	Extemporaneous Compounds (ECPs)	210
Section D	Special Foods 2	217
Section E	Drastitionar's Cumply Ordays	227
Jection E	Practitioner's Supply Orders	

	Rural Areas 241
Section F	Dispensing Period Exemptions 242
Section G	Safety Cap Medicines 244
Section I	National Immunisation Schedule 247

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram g kilogram kg international unit iu	microgrammcg milligrammg millilitreml	millimolemmol unitu
Abbreviations		
Ampoule Amp	GelatinousGel	SolutionSoln
CapsuleCap	GranulesGran	SuppositorySupp
CreamCrm	InfusionInf	TabletTab
Device	InjectionInj	TinctureTinc
DispersibleDisp	LiquidLiq	Trans Dermal Delivery
Effervescent Eff	Long ActingLA	SystemTDDS
Emulsion Emul	OintmentOint	,
Enteric CoatedEC	Sachet Sach	
BSO Bulk Supply Order		

BSO Bulk Supply Order.

CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- ‡ Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981.
- HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.
- HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy Variation (for Clozapine Services).

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at

http://www.pharmac.govt.nz/nppa. or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 March 2016 and is to be referred to as the Pharmaceutical Schedule Volume 23 Number 0, 2016. Distribution will be from 20 March 2016. This Schedule comes into force on 1 March 2016.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
 - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
 - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
 - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
 - "Act", means the New Zealand Public Health and Disability Act 2000.
 - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
 - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
 - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
 - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
 - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be

required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber", means a nurse who is a Designated Prescriber—Registered Nurses Practising in Diabetes Health as determined by the Nursing Council of New Zealand to practice in diabetes health and has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
 - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
 - iiii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email:
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a

national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Prescriber", means a person who is a nurse practitioner in terms of the Medicines Act 1981, or a Diabetes Nurse Prescriber

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"**Practitioner**", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations

1984.

- "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.
- "Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.
- "Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.
- "Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.
- "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
 - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.
- "Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

- "Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.
- "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.
- "Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.
- "Specialist",, in relation to a Prescription, means a doctor who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:
 - a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: or
 - b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
 - the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of competency; or
 - d) the doctor writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules. Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives) The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Prescriber, an Optometrist, or a Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife or Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot:
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect: or
 - b) both
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
 that part of any Prescription that is dispensed within the time frames specified above is eligible for
 Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Prescriber or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or

- any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.5.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical listed below:
 aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic
 test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable
 with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir,
 ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip.
- 3.5.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.6 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
 and
- b) written on a Quitcard.

PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or

- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial";
 and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on the previous page; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V

MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders

with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or
 if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2. for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1:
 - b) clauses 2.1 to 2.2;
 - c) clauses 3.1 to 3.4: and
 - d) clause 5.4.
 - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under

- the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication. Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted' Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

Antacids and Reflux Barrier Agents ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	
Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	
per sachet4.50 30 🗸 Gaviscon Infant	
SIMETHICONE	t
 Oral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml	
SODIUM ALGINATE	
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	à
Strength	•
 Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml (4.95) Acidex	
Phosphate Binding Agents	
ALUMINIUM HYDROXIDE	
* Tab 600 mg	
CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) − Subsidy by endorsement	escription i
Antidiarrhoeals	
Agents Which Reduce Motility	
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a PSO ★ Tab 2 mg 8.95 400 ✓ Nodia ★ Cap 2 mg 7.84 400 ✓ Diamide Relief	
Rectal and Colonic Anti-inflammatories	
BUDESONIDE	
Cap 3 mg − Special Authority see SA1155 below − Retail pharmacy166.50 90 ✓ Entocort CIR	
■ SA1155 Special Authority for Subsidy Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications r following criteria: Both:	neeting th
1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and	

Subsidy (Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

continued...

Subsidy	_	Fully	Brand or	
(Manufacturer's Price)	Si	ubsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 Diabetes: or
- 2.2 Cushingoid habitus; or
- 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy: or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)26.55	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✔ Pentasa
Tab 800 mg85.55	90	✓ Asacol
Modified release granules, 1 g141.72	120 OP	✔ Pentasa
Enema 1 g per 100 ml41.30	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		•
Cap 100 mg92.91	100	✓ Nalcrom
	100	• Naicioni
SULPHASALAZINE		
* Tab 500 mg – For sulphasalazine oral liquid formulation refer,		
page 21111.68	100	Salazopyrin
* Tab EC 500 mg12.89	100	✓ Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

	11	\cap	\sim	\cap	D	T	\cap	1 1	\cap	N		^	7	١c	DE	r	١٨	١Т		٦	٨١	IT	L	1	ı	H	\cap	\sim	\sim		т	~	١١	\cap	M		יוכ	11	١ı	۸	Т		۸۱	N	П	. (٦I	N	\sim	ш٨	\sim	C	Λ١	N		
ΓI	u	"	ι,	u	חי	ш		ı١	u	IV	_	·	,,	٩ı	76	11	JP	٩ı	_	١	W	H	г	1	ı	ш	u	ι,	ι.	'n	i I	ι.	"	u	IJΝ		71	V F	41	н	ш	_	А	N	IJ		,	IV	ι,	П١	U	/	41	IV	_	

		Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cin-	
Ultraproct	30 g OP	chocaine hydrochloride 5 mg per g	
		Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and	
Ultraproct	12	cinchocaine hydrochloride 1 mg2.66	

	Subsidy (Manufacturer's P	rice) Sul Per	Fully bsidised	Brand or Generic Manufacturer
HYDROCORTISONE WITH CINCHOCAINE Oint 5 mg with cinchocaine hydrochloride 5 mg per g Suppos 5 mg with cinchocaine hydrochloride 5 mg per g		30 g OP 12		roctosedyl roctosedyl
Management of Anal Fissures				
GLYCERYL TRINITRATE – Special Authority see SA1329 below * Oint 0.2%		y 30 g OP	✓ R	ectogesic
■ SA1329 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val chronic anal fissure that has persisted for longer than three week		renewal unles	ss notifie	ed where the patient has
Antispasmodics and Other Agents Altering Gut	Motility			
GLYCOPYRRONIUM BROMIDE Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj available or a PSO		10	✓ M	lax Health
HYOSCINE N-BUTYLBROMIDE ★ Tab 10 mg* ★ Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	2.18 9.57	20 5		astrosoothe uscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg	18.00	90	√ C	olofac
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL * Tab 200 mcg	56.92	120	√ C	ytotec
Helicobacter Pylori Eradication				
CLARITHROMYCIN Tab 500 mg – Subsidy by endorsement		14		po-Clarithromycin
Note: the prescription is considered endorsed if clarithromycin is amoxicillin or metronidazole.				
H2 Antagonists				
RANITIDINE - Only on a prescription				
* Tab 150 mg * Tab 300 mg	14.73	500 500	✓ R	anitidine Relief anitidine Relief

300 ml

5

✓ Peptisoothe

✓ Zantac

Oral liq 150 mg per 10 ml4.92

Inj 25 mg per ml, 2 ml8.75

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
Proton Pump Inhibitors				
ANSOPRAZOLE				
* Cap 15 mg	1.42	28	-	Solox
	5.08	100	/	Lanzol Relief
Lanzol Relief to be Sole Supply on 1 April 2016				
★ Cap 30 mg	1.66	28	/	Solox
	5.93	100	/	Lanzol Relief
Lanzol Relief to be Sole Supply on 1 April 2016 (Solox Cap 15 mg to be delisted 1 April 2016) (Solox Cap 30 mg to be delisted 1 April 2016)				
OMEPRAZOLE				
For omeprazole suspension refer Standard Formulae, page	214			
* Cap 10 mg	2.23	90	1	Omezol Relief
* Cap 20 mg	2.91	90	/	Omezol Relief
* Cap 40 mg	4.42	90	1	Omezol Relief
★ Powder – Only in combination	42.50	5 g	/	Midwest
Only in extemporaneously compounded omeprazole sus	pension.	•		
₭ Inj 40 mg		5	/	Dr Reddy's Omeprazole
PANTOPRAZOLE				
* Tab EC 20 mg	2.68	100	~	Pantoprazole
				Actavis 20
* Tab EC 40 mg	3.54	100	/	Pantoprazole Actavis 40
Site Protective Agents				
BISMUTH TRIOXIDE				
Tab 120 mg	32 50	112	~	De Nol S29
· ·				DU 1131
BUCRALFATE				
Tab 1 g		120		•
	(48.28)			Carafate
Bile and Liver Therapy				
RIFAXIMIN - Special Authority see SA1461 below - Retail pha	rmacy			
Tab 550 mg	•	56	1	Xifaxan

⇒SA1461 Special Authority for Subsidy

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

23

	(Manufacturer's Pr	rice) Sub	sidised Generic
	\$	Per	✓ Manufacturer
Diabetes			
Hyperglycaemic Agents			
DIAZOXIDE - Special Authority see SA1320 below - Retail pharm	macy		
Cap 25 mg		100	✓ Proglicem S29
Cap 100 mg	280.00	100	✓ Proglicem S29
Oral liq 50 mg per ml	620.00	30 ml OP	✓ Proglycem S29
■SA1320 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid glycaemia caused by hyperinsulinism. Renewal from any relevant practitioner. Approvals valid without fu priate and the patient is benefiting from treatment.			
GLUCAGON HYDROCHLORIDE			
Inj 1 mg syringe kit – Up to 5 kit available on a PSO	32.00	1	✓ Glucagen Hypokit
Insulin - Short-acting Preparations			
INSULIN NEUTRAL			
▲ Inj human 100 u per ml	25.26	10 ml OP	✓ Actrapid✓ Humulin R
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓ Actrapid Penfill ✓ Humulin R
Insulin - Intermediate-acting Preparations			
INSULIN ASPART WITH INSULIN ASPART PROTAMINE			
▲ Inj 100 iu per ml, 3 ml prefilled pen	52.15	5	✓ NovoMix 30 FlexPen
INSULIN ISOPHANE			
▲ Inj human 100 u per ml	17.68	10 ml OP	✓ Humulin NPH
▲ Inj human 100 u per ml, 3 ml	20.96	5	✓ Protaphane ✓ Humulin NPH
Inj numan 100 u per mi, 3 mi	29.00	3	✓ Protaphane Penfill
INSULIN ISOPHANE WITH INSULIN NEUTRAL			
▲ Inj human with neutral insulin 100 u per ml	25.26	10 ml OP	✓ Humulin 30/70✓ Mixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	✓ Humulin 30/70✓ PenMix 30✓ PenMix 40✓ PenMix 50
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,	40.00	-	A Humalan Nin Of
3 ml A Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,	42.66	5	✓ Humalog Mix 25
3 ml	42.66	5	✔ Humalog Mix 50

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Price \$	e) Sul Per	Fully bsidised	Brand or Generic Manufacturer
Insulin - Long-acting Preparations				
NSULIN GLARGINE				
▲ Inj 100 u per ml, 10 ml	63.00	1	✓ La	antus
▲ Inj 100 u per ml, 3 ml		5		antus
Inj 100 u per ml, 3 ml disposable pen	94.50	5	✓ Li	antus SoloStar
nsulin - Rapid Acting Preparations				
ISULIN ASPART				
Inj 100 u per ml, 3 ml syringe	51.19	5	✓ N	ovoRapid FlexPen
Inj 100 u per ml, 3 ml	51.19	5	✓ N	ovoRapid Penfill
Inj 100 u per ml, 10 ml	30.03	1	✓ N	ovoRapid
ISULIN GLULISINE				
Inj 100 u per ml, 10 ml	27.03	1	✓ A	pidra
Inj 100 u per ml, 3 ml	46.07	5	✓ A	pidra
Inj 100 u per ml, 3 ml disposable pen	46.07	5	✓ A	pidra SoloStar
ISULIN LISPRO				
Inj 100 u per ml, 10 ml	34.92	10 ml OP	✓ H	umalog
Inj 100 u per ml, 3 ml		5	✓ H	umalog
Alpha Glucosidase Inhibitors				
CARBOSE				
: Tab 50 mg	4.28	90	√ G	lucobay
Tab 100 mg	7.78	90	✓ G	lucobay
Oral Hypoglycaemic Agents				
LIBENCLAMIDE				
Tab 5 mg	5.00	100	√ D	aonil
•		100		uv
LICLAZIDE · Tab 80 mg	11 50	500	40	lizida
· ·	11.30	300	<u> </u>	<u>lizide</u>
LIPIZIDE	0.05	100	. / 11	inialia la
Tab 5 mg	2.85	100	V N	<u>inidiab</u>
ETFORMIN HYDROCHLORIDE			4	
Tab immediate-release 500 mg		1,000	_	etchek
Tab immediate-release 850 mg	7.82	500	<u> M</u>	etformin Mylan
OGLITAZONE				
Tab 15 mg		90	_	exazone
: Tab 30 mg		90		<u>exazone</u>
Tab 45 mg	7.10	90	<u> </u>	<u>exazone</u>

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter available on a PSO

Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis and is at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.

Meter 40.00

✔ Freestyle Optium ✓ Freestyle Optium

Neo

(Freestyle Optium Meter to be delisted 1 May 2016)

KETONE BLOOD BETA-KETONE ELECTRODES

a) Maximum of 20 strip per prescription

b) Up to 10 strip available on a PSO

✓ Freestyle Optium 10 strip OP Ketone

SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription

✓ Accu-Chek 50 strip OP **Ketur-Test**

> 14.14 ✓ Ketostix

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
- 1) is receiving insulin or sulphonylurea therapy; or
- 2) is pregnant with diabetes; or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
- 4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome. Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed

where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test

1 OP

✓ CareSens II ✓ CareSens N

CareSens N POP

Note: Only 1 meter available per PSO

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription
 as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed;
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips - Note differing brand requirements

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

⇒SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

■SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription
 as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INSULIN PEN NEEDLES – Maximum of 100 dev per prescription						
*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine		
*	31 g \times 5 mm	11.75	100	✓ B-D Micro-Fine		
*	31 g \times 6 mm	10.50	100	✓ ABM		
*	31 g \times 8 mm	10.50	100	✓ B-D Micro-Fine		
*	$32 \text{ g} \times 4 \text{ mm}$	10.50	100	✓ B-D Micro-Fine		
INS	ULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 10	00 dev per pr	escription		
*	Syringe 0.3 ml with 29 g \times 12.7 mm needle		100	B-D Ultra Fine		
		1.30	10			
		(1.99)		B-D Ultra Fine		
*	Syringe 0.3 ml with 31 g \times 8 mm needle	13.00	100	B-D Ultra Fine II		
		1.30	10			
		(1.99)		B-D Ultra Fine II		
*	Syringe 0.5 ml with 29 g \times 12.7 mm needle	13.00	100	B-D Ultra Fine		
		1.30	10			
		(1.99)		B-D Ultra Fine		
*	Syringe 0.5 ml with 31 g \times 8 mm needle		100	✓ B-D Ultra Fine II		
		1.30	10			
		(1.99)		B-D Ultra Fine II		
*	Syringe 1 ml with 29 g \times 12.7 mm needle		100	✓ B-D Ultra Fine		
		1.30	10			
		(1.99)		B-D Ultra Fine		
*	Syringe 1 ml with 31 g \times 8 mm needle		100	✓ B-D Ultra Fine II		
		1.30	10			
		(1.99)		B-D Ultra Fine II		

Insulin Pumps

INSULIN PUMP - Special Authority see SA1237 on the next page - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

c) Maximum of 1 insulin pump per patient each four year period.		
Min basal rate 0.025 U/h; black colour	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour4,500.00	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour4,400.00	1	Paradigm 522
		✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour4,400.00	1	✓ Paradigm 522
		✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour4,400.00	1	✓ Paradigm 522
		✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour4,400.00	1	✓ Paradigm 522
		✓ Paradigm 722
Min basal rate 0.05 U/h; smoke colour	1	✓ Paradigm 522
		Paradigm 722

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1237 | Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 974 7806 PO Box 10 254 Email: ipp@pharmac.govt.nz

Wellington

Insulin Pump Consumables

⇒SA1240 | Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The IPP Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 974 7806 PO Box 10 254 Email: ipp@pharmac.govt.nz

Wellington

INSULIN PUMP ACCESSORIES - Special Authority see SA1240 above - Retail pharmacy

a) Maximum of 1 cap per prescription

b) Only on a prescription

c) Maximum of 1 prescription per 180 days.

Battery cap32.00 1 ✓ Animas Battery Cap

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1240 on the previous page - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year

c) Maximum of 13 infusion sets will be funded per year. 10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×		
10 with 10 needles	1 OP	✔ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles; luer lock130.00	1 OP	✓ Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	101	• Guic i illilii 600
10 with 10 needles	1 OP	✓ Paradigm Sure-T MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing \times		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line ×	. •	
10 with 10 needles	1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×		
10 with 10 needles	1 OP	✓ Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		
10 with 10 needles	1 OP	✔ Paradigm Sure-T MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line ×		
10 with 10 needles130.00	1 OP	✓ Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line $ imes$		
10 with 10 needles130.00	1 OP	✓ Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$		
10 with 10 needles	1 OP	Paradigm Sure-T
		MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing $ imes$		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing \times		4
10 with 10 needles130.00	1 OP	✓ Paradigm Sure-T MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing \times		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-875

|--|

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1240 on page 29 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula; angle insertion; insertion device; 110 cm grey line × 10 with 10 needles140.00
- 13 mm teflon cannula: angle insertion: insertion device:
- 13 mm teflon cannula: angle insertion: insertion device:
- 60 cm grey line × 10 with 10 needles140.00
- 13 mm teflon cannula; angle insertion; insertion device; 60 cm pink line × 10 with 10 needles140.00 1 OP

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1240 on page 29 - Retail pharmacv

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula: angel insertion: 60 cm grey line ×
- 13 mm teflon cannula; angle insertion; 120 cm line \times 10 with
 - 1 OP
- 13 mm teflon cannula; angle insertion; 45 cm line \times 10 with
- 13 mm teflon cannula; angle insertion; 60 cm line \times 10 with
- 13 mm teflon cannula; angle insertion: 80 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 110 cm grey line \times
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 60 cm grey line \times 17 mm teflon cannula; angle insertion; 60 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 60 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 80 cm line \times 10 with

- 1 OP ✓ Inset 30
- 1 OP ✓ Inset 30
- 1 OP

- ✓ Inset 30
- ✓ Inset 30
- - Comfort Short
 - ✔ Paradigm Silhouette MMT-382
 - ✔ Paradigm Silhouette MMT-368
 - ✔ Paradigm Silhouette MMT-381
 - ✓ Paradigm Silhouette MMT-383
 - ✓ Comfort
 - ✔ Paradigm Silhouette MMT-377
 - ✓ Silhouette MMT-371
 - ✓ Comfort
 - ✔ Paradigm Silhouette MMT-378
 - ✓ Silhouette MMT-373
 - ✓ Paradigm Silhouette
 - MMT-384

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1240 on page 29 - Retail pharmacy

Maximum			

	prescription

c) Maximum of 1	3 infusion sets	will be funded per year.	
-----------------------------------	-----------------	--------------------------	--

c) Maximum of 13 infusion sets will be funded per year.			
6 mm teflon cannula; straight insertion; insertion device; 110 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device;			
45 cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device;			
45 cm pink tubing \times 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device;			
60 cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-943
6 mm teflon cannula; straight insertion; insertion device;			
60 cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-923
6 mm teflon cannula; straight insertion; insertion device;			
80 cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-945
6 mm teflon cannula; straight insertion; insertion device;			
80 cm clear tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-965
6 mm teflon cannula; straight insertion; insertion device;			
80 cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-925
6 mm teflon cannula; straight insertionl insertion device;			
60 cm blue line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertionl insertion device;			
60 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertionl insertion device;			
60 cm pink line × 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device;			
60 cm blue line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device;			
60 cm grey line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device;			
60 cm pink line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device;			
80 cm clear tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio MMT-975
9 mm teflon cannula; straight insertionl insertion device;			
110 cm grey line \times 10 with 10 needles	140.00	1 OP	✓ Inset II

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1240 on page 29 -Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 6 mm teflon cannula: straight insertion: 110 cm tubing × 1 OP ✓ Paradigm Quick-Set MMT-398 6 mm teflon cannula; straight insertion; 110 cm tubing \times Quick-Set MMT-391 1 OP 6 mm teflon cannula; straight insertion; 60 cm tubing \times 1 OP ✔ Paradigm Quick-Set MMT-399 6 mm teflon cannula: straight insertion: 60 cm tubing × Quick-Set MMT-393 1 OP 6 mm teflon cannula; straight insertion; 80 cm tubing \times ✔ Paradigm Quick-Set 1 OP MMT-387 9 mm teflon cannula; straight insertion; 106 cm tubing × 1 OP ✔ Paradigm Quick-Set MMT-396 9 mm teflon cannula; straight insertion; 110 cm tubing \times ✓ Quick-Set MMT-390 1 OP 9 mm teflon cannula: straight insertion: 60 cm tubing × ✔ Paradigm Quick-Set 1 OP MMT-397 9 mm teflon cannula; straight insertion; 60 cm tubing \times 1 OP ✓ Quick-Set MMT-392 9 mm teflon cannula; straight insertion: 80 cm tubing \times 1 OP ✔ Paradigm Quick-Set MMT-386 INSULIN PUMP RESERVOIR - Special Authority see SA1240 on page 29 - Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 packs of reservoir sets will be funded per year. 10 × luer lock conversion cartridges 1.8 ml for Paradigm 1 OP ✓ ADR Cartridge 1.8 10 × luer lock conversion cartridges 3.0 ml for Paradigm ✓ ADR Cartridge 3.0 1 OP ✓ Animas Cartridge 1 OP

Cartridge for 5 and 7 series pump; 1.8 ml \times 1050.00

Syringe and cartridge for 50X pump, 3.0 ml \times 1050.00

(ADR Cartridge 3.0 10 × luer lock conversion cartridges 3.0 ml for Paradigm pumps to be delisted 1 June 2016)

1 OP

1 OP

1 OP

✓ Paradigm 1.8 Reservoir

✔ Paradigm 3.0 Reservoir

✓ 50X 3.0 Reservoir

[±] safety cap

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Digestives Including Enzymes

PANCREATIC ENZYME

Cap EC 10,000 BP u lipase, 9,000 BP u amylase and 210 BP u protease	34.93	100	✓ <u>Creon 10000</u>
Cap EC 25,000 BP u lipase, 18,000 BP u amylase, 1,000 BP u protease	94.38	100	✓ Creon 25000
Cap EC 25,000 BP u lipase, 22,500 BP u amylase, 1,250 BP u protease	94.40	100	✓ Panzytrat
URSODEOXYCHOLIC ACID – Special Authority see SA1383 below Cap 250 mg – For ursodeoxycholic acid oral liquid formula-	ı – Retail pharı	macy	
tion refer, page 211	53.40	100	✓ <u>Ursosan</u>

⇒SA1383 Special Authority for Subsidy

Initial application — (Alaqille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults: and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

continued...

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🗸	Brand or Generic Manufacturer	
--	---	------------------------------	-------------------------------------	--

continued...

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatique, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives		
Bulk-forming Agents		
ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS		
* Dry6.02 (17.32)	500 g OP	Normacol Plus
2.41	200 g OP	Normacor rius
(8.72)		Normacol Plus
Faecal Softeners		
DOCUSATE SODIUM — Only on a prescription * Tab 50 mg	100 100 100 ml OP 200 30 ml OP	Coloxyl Coloxyl Coloxyl Laxsol
Osmotic Laxatives		
GLYCEROL * Suppos 3.6 g - Only on a prescription	20	✓ <u>PSM</u>
LACTULOSE – Only on a prescription * Oral liq 10 g per 15 ml	500 ml	✓ <u>Laevolac</u>
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BICARBONATE A SA1473 on the next page – Retail pharmacy Powder for oral soln 13.125 g with potassium chloride	ND SODIUM C	HLORIDE - Special Authority see

30

✓ Lax-Sachets

46.6 mg, sodium bicarbonate 178.5 mg and sodium chlo-

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

⇒SA1473 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has problematic constipation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated; and
- 2 The patient would otherwise require a per rectal preparation.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

2.50	1	✓ Fleet Phosphate	
	cription 50	Enema ✓ Micolette	
5.99	200	✓ Lax-Tab	
3.78	10	✓ Lax-Suppositories	
2.27	6	• •	
(3.00)		Dulcolax	
2.17	100		
(6.84)		Senokot	
0.43	20		
(1.72)		Senokot	
		- Only on a prescription	

Metabolic Disorder Agents

Gaucher's Disease

	IMIGLUCERASE – Special Authority see SA0473 below – Retail pharmacy		
Cerezyme	1		Inj 40 iu per ml, 200 iu vial
Cerezyme	1	2,144.00	Inj 40 iu per ml, 400 iu vial

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: (04) 460 4990 The Co-ordinator, Gaucher's Treatment Panel PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Email: gaucherpanel@pharmac.govt.nz Wellington

Subsidised

Per

Fully

Brand or

Generic

Manufacturer

Subsidy (Manufacturer's Price)

\$

	<u> </u>	1 01	- Manadadaroi
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE			
Soln 0.15% – Higher subsidy of up to \$17.01 per 500 ml with			
Endorsement		500 ml	5.00
	(17.01)	000	Difflam
	3.60 (8.50)	200 ml	Difflam
Additional subsidy by endorsement for a patient who has ora	٠,	a result of treat	
tion is endorsed accordingly.	i iliucositis as	a result of treat	anoni for cancer, and the prescrip
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ <u>healthE</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
	(6.00)	3 -	Bonjela
SODIUM CARBOXYMETHYLCELLULOSE			
With pectin and gelatin paste	17.20	56 g OP	✓ Stomahesive
	4.55	15 g OP	
	(7.90)	-	Orabase
	1.52	5 g OP	
	(3.60)		Orabase
With pectin and gelatin powder		28 g OP	Otemanhanium
	(10.95)		Stomahesive
TRIAMCINOLONE ACETONIDE	F 00	5 · OD	. / Kanalan la Ondra
Paste 0.1%	5.33	5 g OP	✓ Kenalog in Orabase
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE			
Oral gel 20 mg per g	4.79	40 g OP	✓ Decozol
NYSTATIN			
Oral liq 100,000 u per ml	2.55	24 ml OP	✓ Nilstat
			m-Nystatin
m-Nystatin to be Sole Supply on 1 May 2016			
(Nilstat Oral liq 100,000 u per ml to be delisted 1 May 2016)			
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute form	mula refer Sta	andard Formula	e, page 214
HYDROGEN PEROXIDE			
* Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 ml	✓ Pharmacy Health
THYMOL GLYCERIN			<u> </u>
* Compound, BPC	9.15	500 ml	✓ PSM
•			

		· manadataror
Vitamins		
Vitamin A		
VITAMIN A WITH VITAMINS D AND C * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops4.50	0 10 ml OP	✓ Vitadol C
Vitamin B		
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a PSO2.3 PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose b) Only on a prescription	1 3	✓ <u>Neo-B12</u>
* Tab 25 mg – No patient co-payment payable		✓ <u>Vitamin B6 25</u> ✓ Apo-Pyridoxine
THIAMINE HYDROCHLORIDE – Only on a prescription	300	Apo-r yriddxine
* Tab 50 mg5.62	2 100	✓ Apo-Thiamine
VITAMIN B COMPLEX * Tab, strong, BPC4.30	500	✓ <u>Bplex</u>
Vitamin C		
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription * Tab 100 mg) 500	✓ Cvite
Vitamin D	J 500	<u>Cvite</u>
# Cap 0.25 mcg	3 100	✓ One-Alpha ✓ One-Alpha ✓ One-Alpha
* Cap 0.25 mcg	3 30	✓ Airflow
* Cap 0.5 mcg5.6		✓ Calcitriol-AFT✓ Airflow
18.73		✓ Calcitriol-AFT
CHOLECALCIFEROL * Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescription3.89	5 12	✓ Vit.D3
Multivitamin Preparations		
MULTIVITAMIN RENAL – Special Authority see SA1546 on the next page – * Cap8.39	, ,	✓ Clinicians Renal Vit

Subsidy (Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	
` \$	Per 🗸	Manufacturer

■SA1546 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 The patient has chronic kidney disease and is receiving either peritoneal dialysis or haemodialysis; or
- 2 The patient has chronic kidney disease grade 5, defined as patient with an estimated glomerular filtration rate of < 15 ml/min/1.73 m² body surface area (BSA).

MULTIVITAMINS - Special Authority see SA1036 below - Retail pharmacy

✔ Paediatric Seravit * Powder72.00 200 q OP

⇒SA1036 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

*	Tab (BPC cap strength)7.60	1,000	✓ <u>Mvite</u>
*	Cap (fat soluble vitamins A, D, E, K) - Special Authority see		
	SA1002 below – Retail pharmacy	60	Vitabdeck

⇒SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Minerals

Calcium

Calcium		
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental)	30 250	✓ Calsource ✓ <u>Arrow-Calcium</u>
* Inj 10%, 10 ml ampoule34.24	10	✔ Hospira
Fluoride		
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)5.00	100	✓ PSM
lodine		
POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	90	✓ <u>NeuroTabs</u>
Iron		
FERROUS FUMARATE * Tab 200 mg (65 mg elemental)2.89	100	✓ Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID * Tab 310 mg (100 mg elemental) with folic acid 350 mcg4.75	60	✓ Ferro-F-Tabs

39

	Subsidy (Manufacturer's Pric \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
* Tab long-acting 325 mg (105 mg elemental) *‡ Oral liq 30 mg (6 mg elemental) per 1 ml FERROUS SULPHATE WITH FOLIC ACID * Tab long-acting 325 mg (105 mg elemental) with folic acid	10.28	30 500 ml		errograd erodan
350 mcg		30	F	errograd F
# Inj 50 mg per ml, 2 ml ampoule	15.22	5	√ <u>F</u>	errum H
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, page MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml ampoule		10	√ <u>D</u>	BL
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	√ <u>Z</u>	incaps

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus: and
 - 3.1.2 Glomerular filtration rate < 30ml/min: or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus: and
 - 3.2.2 Glomerular filtration rate < 45ml/min: or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*: and
- 2 Has had symptomatic anaemia with haemoglobin <100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of <500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 ju per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy		Fully	
	(Manufacturer's Price)		ubsidised	
	\$ 	Per		Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Authority	see SA1469 on the p	revious p	age – R	etail pharmacy
Wastage claimable – see rule 3.3.2 on page 13				
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	✓ <u>F</u>	<u>Eprex</u>
Inj 2,000 iu in 0.5 ml, syringe		6		Eprex
Inj 3,000 iu in 0.3 ml, syringe		6	✓ <u>F</u>	Eprex
Inj 4,000 iu in 0.4 ml, syringe		6	✓ F	Eprex
Inj 5,000 iu in 0.5 ml, syringe		6	✓ <u>F</u>	Eprex
Inj 6,000 iu in 0.6 ml, syringe		6	✓ <u>F</u>	Eprex
Inj 8,000 iu in 0.8 ml, syringe		6	✓ <u>F</u>	Eprex
Inj 10,000 iu in 1 ml, syringe		6	✓ F	Eprex
Inj 40,000 iu in 1 ml, syringe		1	_	Eprex
Megaloblastic				
FOLIC ACID				
* Tab 0.8 mg	20.60	1,000	V !	Apo-Folic Acid
* Tab 5 mg		500	_	Apo-Folic Acid
Oral liq 50 mcg per ml		5 ml OP		Biomed
Antifibrinolytics, Haemostatics and Local Scler	rosants			

■ SA1418 Special Authority for Subsidy

Wastage claimable – see rule 3.3.2 on page 13

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of $\leq 10,000$ platelets per microlitre.

ELTROMBOPAG - Special Authority see SA1418 below - Retail pharmacy

Tab 25 mg1.771.00

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe1,163.75	1	✓ NovoSeven RT
Inj 2 mg syringe2,327.50	1	✓ NovoSeven RT
Inj 5 mg syringe5,818.75	1	✓ NovoSeven RT
Inj 8 mg syringe9,310.00	1	✓ NovoSeven RT

28

✔ Revolade

✓ Revolade

Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or	
(Manuacturer 3 i rice)	Per 🗸	Manufacturer	

FACTOR EIGHT INHIBITOR BYPASSING FRACTION - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group

Inj 500 U	1,450.00	1	FEIBA NF
•	2,900.00	1	✓ FEIBA NF
Inj 2,500 U	7,250.00	1	✓ FEIBA NF

MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

Preferred Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Groun

210.00	1	Xyntha
	1	Xyntha
	1	Xyntha
	1	Xyntha
2,520.00	1	Xyntha
		420.00 1840.00 11,680.00 1

NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group

Inj 250 iu vial	310.00	1	✓ BeneFIX
Inj 500 iu vial	620.00	1	✓ BeneFIX
Inj 1,000 iu vial	1,240.00	1	✓ BeneFIX
Inj 2,000 iu vial		1	✓ BeneFIX
Ini 3.000 iu vial	· · · · · · · · · · · · · · · · · · ·	1	✓ BeneFIX

NONACOG GAMMA. [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	1	✓ RIXUBIS
, Inj 500 iu vial575.00		✓ RIXUBIS
Inj 1,000 iu vial1,150.00		✓ RIXUBIS
Inj 2,000 iu vial		✓ RIXUBIS
Inj 3,000 iu vial		✓ RIXUBIS

OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVATE) - [Xpharm]

Rare Clinical Circumstances Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 Option 2		
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881		
Wellington	Email: haemophilia@ph	vt.nz	
Inj 250 iu vial	287.50	1	✓ Advate
Inj 500 iu vial		1	
Inj 1,000 iu vial		1	Advate
Inj 1,500 iu vial	1,725.00	1	Advate
Inj 2,000 iu vial	2,300.00	1	Advate
Inj 3,000 iu vial	3,450.00	1	Advate

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGENATE FS) - [Xpharm]

Second Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz.or:

website http://www.priarmac.govt.nz or.				
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 0	Option 2		
PHARMAC PO Box 10 254	Facsimile: (04) 974 488	31		
Wellington	Email: haemophilia@p	harmac.gov	t.nz	
Inj 250 iu vial	237.50	1	~	Kogenate FS
Inj 500 iu vial	475.00	1	~	Kogenate FS
Inj 1,000 iu vial	950.00	1	~	Kogenate FS
Inj 2,000 iu vial	1,900.00	1		Kogenate FS
Inj 3,000 iu vial	2,850.00	1	~	Kogenate FS
SODIUM TETRADECYL SULPHATE				
* Inj 3% 2 ml	28.50	5		
,	(73.00)			Fibro-vein
TRANEXAMIC ACID	, ,			
Tab 500 mg	23.00	100	/	Cyklokapron
	20.00	100		<u>Оукіокаріон</u>
Vitamin K				
PHYTOMENADIONE				
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8.00	5		Konakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PS		5		Konakion MM
	J	•	_	Tronauton iiiii
Antithrombotic Agents				
Autiulatalat Augusta				
Antiplatelet Agents				
ASPIRIN				
* Tab 100 mg	10.50	990	~	Ethics Aspirin EC
CLOPIDOGREL				
* Tab 75 mg – For clopidogrel oral liquid formulation refe		84	.,	Arrow - Clopid
	3.40	04	•	Arrow - Ciopia
DIPYRIDAMOLE				
* Tab 25 mg - For dipyridamole oral liquid formulation				
page 211		84	•	Persantin
* Tab long-acting 150 mg	11.52	60	~	Pytazen SR
(Persantin Tab 25 mg to be delisted 1 September 2016)				
PRASUGREL - Special Authority see SA1201 below - Re	etail pharmacy			
Tab 5 mg		28	-	Effient
Tab 10 mg	120.00	28	~	Effient

⇒SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

continued...

Subsidy Fully (Manufacturer's Price) Subsidised Per

Brand or Generic Manufacturer

continued...

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergie*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

– Retail pharmacy		
19.97	10	Fragmin
39.94	10	Fragmin
60.03	10	✓ Fragmin
77.55	10	✓ Fragmin
99.96	10	✓ Fragmin
120.05	10	Fragmin
158.47	10	✓ Fragmin
	— Hetail pharmacy 	

⇒SA1270 Special Authority for Subsidy

Initial application — (**Pregnancy or Malignancy**) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner.
Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 below - Retail pharmacy

37.24	10	Clexane
49.69	10	✓ Clexane
74.91	10	Clexane
99.86	10	✓ Clexane
	10	Clexane
	10	Clexane
	10	Clexane

⇒SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	10	Hospira
61.04	50	✔ Pfizer
66.80		Hospira
Inj 1,000 iu per ml, 35 ml vial17.76	1	✓ Hospira
Inj 5,000 iu per ml, 1 ml14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml236.60	50	✔ Pfizer
Inj 25,000 iu per ml, 0.2 ml9.50	5	Hospira

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml	23.40	30		ecton Dickinson PosiFlush S29
	39.00	50	✓ P	fizer
PROTAMINE SULPHATE * Inj 10 mg per ml, 5 ml	22.40	10		
, , , , , , , , , , , , , , , , , , ,	(119.23)		A	rtex
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg - No more than 2 cap per day		60	✓ P	radaxa
Cap 110 mg	148.00	60	✓ P	radaxa
Cap 150 mg		60	✓ P	radaxa
RIVAROXABAN - Special Authority see SA1066 below - Retail p	harmacy			
Tab 10 mg	,	15	✓ X	arelto

▶SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	50	Coumadin
	6.86	100	✓ Marevan
*	Tab 2 mg4.31	50	Coumadin
*	Tab 3 mg9.70	100	Marevan
*	Tab 5 mg	50	Coumadin
	11.75	100	✓ Marevan

Blood Colony-stimulating Factors

		59 below – Retail pharmacy	FILGRASTIM – Special Authority see SA1259 below
Zarzio	5	270.00	Inj 300 mcg per 0.5 ml prefilled syringe
Zarzio	5	432.00	Inj 480 mcg per 0.5 ml prefilled syringe

⇒SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5×10^9 /L): or

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10^9 /L).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

✓ Neulastim

⇒SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk > 20%*).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

Intravenous Administration

GL	UCOSE [DEXTROSE]			
*	Inj 50%, 10 ml ampoule - Up to 5 inj available on a PSO	27.50	5	✓ Biomed
*	Inj 50%, 90 ml bottle - Up to 5 inj available on a PSO	14.50	1	✓ Biomed
PO	TASSIUM CHLORIDE			
*	Inj 75 mg per ml, 10 ml	55.00	50	✓ AstraZeneca
SO	DIUM BICARBONATE			
	Inj 8.4%, 50 ml	19.95	1	✓ Biomed
	a) Up to 5 inj available on a PSO			
	b) Not in combination			
	Inj 8.4%, 100 ml	20.50	1	✓ Biomed
	a) Up to 5 inj available on a PSO			
	b) Not in combination			

SODIUM CHLORIDE

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser IISA

ucc.			
Inf 0.9% - Up to 2000 ml available on a PSO	3.06	500 ml	✓ Baxter
	4.06	1,000 ml	✓ Baxter

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1.000 ml packs)

Inj 23.4%, 20 ml ampoule	31.25	5	✓ Biomed
For Sodium chloride oral liquid formulation refer Standard Form	ulae, page 214		
Inj 0.9%, 5 ml - Up to 5 inj available on a PSO	10.85	50	✓ Multichem
	15.50		✔ Pfizer
Inj 0.9%, 10 ml - Up to 5 inj available on a PSO	11.50	50	✓ Multichem
	15.50		✔ Pfizer
Inj 0.9%, 20 ml	4.72	6	Pharmacia
	8.41	20	✓ Multichem
	11.79	30	✔ Pharmacia

TOTAL PARENTERAL NUTRIT	ON (TPN) – Retail į	pharmacy-Specialist
Infusion		C

-f:	ODC.	4 AD	· / TDN
ntusion	 UB5	I OP	U IPN

✓ Sodibic

✓ Resonium-A

100

454 g OP

	DECOD AND	DECOD	1 0111	WIING OTIGANS
	Subsidy Manufacturer's Price \$	e) Subs Per	Fully idised	Brand or Generic Manufacturer
WATER				
1) On a prescription or Practitioner's Supply Order only when	on the same form	n as an injed	tion lis	ted in the Pharmaceutical
Schedule requiring a solvent or diluent; or				
2) On a bulk supply order; or3) When used in the extemporaneous compounding of eye dr	nns			
Purified for inj, 5 ml – Up to 5 inj available on a PSO		50	✓ M	ultichem
Purified for inj, 10 ml – Up to 5 inj available on a PSO		50		ultichem
Purified for inj, 20 ml - Up to 5 inj available on a PSO	6.50	20	✓ M	ultichem
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	800 g OP	✓ Call	alcium Resonium
COMPOUND ELECTROLYTES				
Powder for oral soln - Up to 10 sach available on a PSO	1.80	10	✓ E	<u>nerlyte</u>
DEXTROSE WITH ELECTROLYTES				
Soln with electrolytes	6.55 1,0	000 ml OP		<u>edialyte -</u> Bubblegum
PHOSPHORUS				
Tab eff 500 mg (16 mmol)	82.50	100	✓ PI	hosphate-Sandoz
POTASSIUM CHLORIDE				
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)		60		
Tables and the common (O common)	(11.85)	000		hlorvescent
Tab long-acting 600 mg (8 mmol)	7.42	200	V S	pan-K

SODIUM BICARBONATE

SODIUM POLYSTYRENE SULPHONATE

Cap 840 mg8.52

Powder84.65

	Subsidy		Fully	
	(Manufacturer's P \$	rice) Sub Per	sidised •	d Generic Manufacturer
Aluba Advana santar Blastrara				
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg		500		Apo-Doxazosin
* Tab 4 mg	9.67	500	~	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	65.00	30	~	BNM S29
PRAZOSIN				
* Tab 1 mg		100		Apo-Prazosin
* Tab 2 mg * Tab 5 mg		100 100		Apo-Prazosin Apo-Prazosin
v	11.70	100	•	Apo-riazosiii
TERAZOSIN * Tab 1 mg	0.50	28		Arrow
* Tab 2 mg		28		Arrow
* Tab 5 mg		28		Arrow
Agents Affecting the Renin-Angiotensin System				
Agents Affecting the Herrin-Affgloterism System				
ACE Inhibitors				
CAPTOPRIL				
*‡ Oral liq 5 mg per ml Oral liquid restricted to children under 12 years of age.	94.99	95 ml OP	~	Capoten
CILAZAPRIL				
* Tab 0.5 mg		90		<u>Zapril</u>
* Tab 2.5 mg		90		Zapril
* Tab 5 mg	0.98	90	•	<u>Zapril</u>
ENALAPRIL MALEATE * Tab 5 mg	0.06	100	.,	Ethics Enalapril
* Tab 10 mg		100		Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation re-		100	•	Zanoo Znalapin
fer, page 211		100	~	Ethics Enalapril
LISINOPRIL				
* Tab 5 mg	1.80	90	1	Ethics Lisinopril
	(3.58)			Arrow-Lisinopril
Ethics Lisinopril to be Sole Supply on 1 April 2016	0.05	00		Ethica Liainanull
* Tab 10 mg	2.05 (4.08)	90		Ethics Lisinopril Arrow-Lisinopril
Ethics Lisinopril to be Sole Supply on 1 April 2016	(4.00)			Allow-Lisinophi
* Tab 20 mg	2.76	90	~	Ethics Lisinopril
	(4.88)			Arrow-Lisinopril
Ethics Lisinopril to be Sole Supply on 1 April 2016				
(Arrow-Lisinopril Tab 5 mg to be delisted 1 April 2016) (Arrow-Lisinopril Tab 10 mg to be delisted 1 April 2016)				
(Arrow-Lisinopril Tab 10 mg to be delisted 1 April 2016)				
PERINDOPRIL				
* Tab 2 mg	3.75	30	1	Apo-Perindopril
* Tab 4 mg		30		Apo-Perindopril
-				

(Subsidy Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
QUINAPRIL				
← Tab 5 mg		90		rrow-Quinapril 5
₹ Tab 10 mg		90	_	rrow-Quinapril 10
€ Tab 20 mg	5.97	90	V A	rrow-Quinapril 20
RANDOLAPRIL				
Higher subsidy by endorsement is available for patients who wer				
prior to 1 June 1998. The prescription must be endorsed accordance "certified condition" or an appropriate description of the				
cardiac failure" or "CCF". For the purposes of this endorseme				
infarction with an ejection fraction of less than 40%. Patients w				
full subsidy by endorsement.				9 · · ·
Cap 1 mg - Higher subsidy of \$18.67 per 28 cap with En-				
dorsement		28	_	
	(18.67)		G	iopten
Cap 2 mg - Higher subsidy of \$27.00 per 28 cap with En-	4.40	00		
dorsement	(27.00)	28	G	iopten
Gopten Cap 1 mg to be delisted 1 September 2016)	(27.00)		C	юртен
Gopten Cap 2 mg to be delisted 1 September 2016)				
ACE Inhibitors with Diuretics				
ACL IIIIIDIOIS WIIII DIUIEUCS				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 5 mg with hydrochlorothiazide 12.5 mg	10.72	100	✓ <u>A</u>	
				Cilazapril/Hydrochloroth
NALAPRIL MALEATE WITH HYDROCHLOROTHIAZIDE				
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30		- "
Co Bonitoo Tob 20 mg with budrooblarathia ido 10 5 mg to be deli-	(8.70)		C	o-Renitec
Co-Renitec Tab 20 mg with hydrochlorothiazide 12.5 mg to be delis	sieu i April 2016)			
QUINAPRIL WITH HYDROCHLOROTHIAZIDE	0.05	00		
Tab 10 mg with hydrochlorothiazide 12.5 mg		30 30	_	ccuretic 10 ccuretic 20
<u> </u>	4./0	30	V A	ccureuc 20
Angiotensin II Antagonists				

EXETIL – Special Authority see SA1223 below – Retail pharmacy

*	Tab 4 mg	50	90	✓ Candestar
	Tab 8 mg		90	✓ Candestar
	Tab 16 mg6.		90	Candestar
	Tab 32 mg10.		90	Candestar

⇒SA1223 Special Authority for Subsidy

Initial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has persistent ACE inhibitor induced cough that is not resolved by ACE inhibitor retrial (same or new ACE inhibitor);
- 2 Patient has a history of angioedema.

Initial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without further renewal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor.

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
OSARTAN POTASSIUM			
★ Tab 12.5 mg		84	Losartan Actavis
₭ Tab 25 mg	1.90	84	 Losartan Actavis
k Tab 50 mg		84	 Losartan Actavis
₭ Tab 100 mg	2.60	84	✓ Losartan Actavis
Angiotensin II Antagonists with Diuretics			
OSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE			
Tab 50 mg with hydrochlorothiazide 12.5 mg	2.18	30	Arrow-Losartan & Hydrochlorothiazide
Antiarrhythmics			
or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaes	thetics, Local, page 1	24	
MIODARONE HYDROCHLORIDE			
▲ Tab 100 mg - Retail pharmacy-Specialist	18.65	30	✓ Aratac
, , ,			✓ Cordarone-X
▲ Tab 200 mg - Retail pharmacy-Specialist	30.52	30	✓ Aratac
			✓ Cordarone-X
Inj 50 mg per ml, 3 ml ampoule - Up to 6 inj available on a	ı		
PSO	22.80	6	✓ Cordarone-X
ATROPINE SULPHATE			
Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO		50	✓ AstraZeneca
	71.00	30	Astrazeneca
DIGOXIN	0.07	0.40	41
* Tab 62.5 mcg – Up to 30 tab available on a PSO		240	Lanoxin PG
* Tab 250 mcg – Up to 30 tab available on a PSO		240	✓ Lanoxin
*‡ Oral liq 50 mcg per ml	10.00	60 ml	✓ Lanoxin
DISOPYRAMIDE PHOSPHATE			
▲ Cap 100 mg	15.00	100	
	(23.87)		Rythmodan
▲ Cap 150 mg	26.21	100	Rythmodan
FLECAINIDE ACETATE - Retail pharmacy-Specialist			
▲ Tab 50 mg	38.95	60	✓ Tambocor
▲ Tab 100 mg - For flecainide acetate oral liquid formulation			
refer, page 211		60	✓ Tambocor
▲ Cap long-acting 100 mg		30	✓ Tambocor CR
▲ Cap long-acting 200 mg		30	✓ Tambocor CR
Inj 10 mg per ml, 15 ml ampoule		5	✓ Tambocor
Tambocor Tab 100 mg to be delisted 1 April 2016)		ŭ	
MEXILETINE HYDROCHLORIDE			
▲ Cap 150 mg	162.00	100	✓ Mexiletine
Cap 150 mg	102.00	100	Hydrochloride USP \$29
▲ Cap 250 mg	202.00	100	✓ Mexiletine
Cap 250 mg	202.00	100	Hydrochloride USP \$29
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Special	list		

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
¢	Dor	./	Manufacturor

Antihypotensives			
MIDODRINE - Special Authority see SA1474 below - Retail pha	armacy		
Tab 2.5 mg	53.00	100	Gutron
Tab 5 mg	79.00	100	Gutron

▶SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATENOLOL			
* Tab 50 mg	4.61	500	✓ Mylan Atenolol
* Tab 100 mg	7.67	500	✓ Mylan Atenolol
* Oral liq 25 mg per 5 ml		300 ml OP	✓ Atenolol AFT
Restricted to children under 12 years of age.			
BISOPROLOL FUMARATE			
Tab 2.5 mg	2.40	30	✓ Bosvate
Tab 5 mg	3.50	30	✓ Bosvate
Tab 10 mg	6.40	30	✓ Bosvate
CARVEDILOL			
* Tab 6.25 mg	3.90	60	✓ Dicarz
* Tab 12.5 mg		60	✓ Dicarz
* Tab 25 mg - For carvedilol oral liquid formulation refer,			
211		60	✓ Dicarz
CELIPROLOL			
* Tab 200 mg	21.40	180	✓ Celol
LABETALOL			
* Tab 50 mg	0.00	100	✓ Hybloc
		100	riybioc
* Tab 100 mg - For labetalol oral liquid formulation refer, 211		100	✓ Hybloc
* Tab 200 mg		100	✓ Hybloc
•		5	• пуріос
* Inj 5 mg per ml, 20 ml ampoule	(88.60)	5	Trandate
	(00.00)		nanuale
METOPROLOL SUCCINATE			
Tab long-acting 23.75 mg		30	✓ Metoprolol - AFT CR
	2.39	90	✓ Metoprolol - AFT CR
Tab long-acting 47.5 mg		30	✓ Metoprolol - AFT CR
	3.48	90	✓ Metoprolol - AFT CR
Tab long-acting 95 mg		30	✓ Metoprolol - AFT CR
	5.73	90	Metoprolol - AFT CR
Tab long-acting 190 mg	4.66	30	Metoprolol - AFT CR

		Subsidy (Manufacturer's Price)	Per	Full Subsidise	
	TODDOLOL TADEDATE	Ψ	1 61		- iviandiacturei
	TOPROLOL TARTRATE				
*	Tab 50 mg - For metoprolol tartrate oral liquid formulation				
	refer, page 211		100		Lopresor
*	Tab 100 mg	21.00	60	~	Lopresor
*	Tab long-acting 200 mg	18.00	28	~	Slow-Lopresor
*	Inj 1 mg per ml, 5 ml vial	24.00	5	~	Lopresor
NΑ	DOLOL				
	Tab 40 mg	16.05	100	~	Apo-Nadolol
*	Tab 80 mg		100		Apo-Nadolol
•	•		100	•	Apo Nadoloi
PIN	IDOLOL				
*	Tab 5 mg	9.72	100		Apo-Pindolol
*	Tab 10 mg	15.62	100	~	Apo-Pindolol
*	Tab 15 mg	23.46	100	~	Apo-Pindolol
PR	OPRANOLOL				
*	Tab 10 mg	3.65	100	~	Аро-
•				•	Propranolol S29
					1 Topianolor 323
*	Tab 40 mg	4.65	100	~	Аро-
	·- · · · · · · · · · · · · · · · ·				Propranolol S29
					r Topianoloi 929
*	Cap long-acting 160 mg	18.17	100	V	Cardinol LA
*	Oral liq 4 mg per ml — Special Authority see SA1327 below —		. 50	•	
4.	Retail pharmacy	CRS F	500 ml	~	Roxane S29
			,00 1111		I IOAUIIC

■SA1327 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons
 - 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

*	Tab 80 mg - For sotalol oral liquid formulation refer, page 211	27.50	500	Mylan
*	Tab 160 mg	10.50	100	✓ Mylan
*	Inj 10 mg per ml, 4 ml ampoule	65.39	5	✓ Sotacor
TIN	1OLOL			
*	Tab 10 mg	10.55	100	Apo-Timol

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
Calcium Channel Blockers				
Dihydropyridine Calcium Channel Blockers				
AMLODIPINE				
* Tab 2.5 mg	2.21	100	✓ <u>A</u>	po-Amlodipine
* Tab 5 mg – For amlodipine oral liquid formulation refer, page				
211* Tab 10 mg		250 250		po-Amlodipine po-Amlodipine
· ·	7.21	230	V A	po-Amiouipine
FELODIPINE * Tab long-acting 2.5 mg	1.45	30	•/ D	lendil ER
* Tab long-acting 2.5 mg		30	_	lendil ER
* Tab long-acting 10 mg		30		lendil ER
SRADIPINE				
* Cap long-acting 2.5 mg	7.50	30	✓ D	ynacirc-SRO
* Cap long-acting 5 mg		30		ynacirc-SRO
VIFEDIPINE				•
* Tab long-acting 10 mg	17.72	60	✓ A	dalat 10
* Tab long-acting 20 mg		100	✓ N	yefax Retard
* Tab long-acting 30 mg		30	✓ <u>A</u>	defin XL
* Tab long-acting 60 mg	5.75	30	✓ <u>A</u>	defin XL
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
* Tab 30 mg	4.60	100	✓ D	ilzem
* Tab 60 mg - For diltiazem hydrochloride oral liquid formula-				
tion refer, page 211	8.50	100		ilzem
* Cap long-acting 120 mg		30		ardizem CD
Mr. Con long action 100 mg	31.83	500		po-Diltiazem CD
★ Cap long-acting 180 mg		30		ardizem CD po-Diltiazem CD
* Cap long-acting 240 mg	47.67 10.22	500 30		ardizem CD
Cup long dotting 240 mg	63.58	500		po-Diltiazem CD
PERHEXILINE MALEATE	00.00		•	po 2a20 02
* Tab 100 mg	62 90	100	✓ P	exsig
VERAPAMIL HYDROCHLORIDE		100	• .	onoig
* Tab 40 mg	7.01	100	√ le	optin
* Tab 80 mg - For verapamil hydrochloride oral liquid formula-	7.01	100	V 13	юрин
tion refer, page 211	11.74	100	✓ Is	optin
* Tab long-acting 120 mg		250		erpamil SR
* Tab long-acting 240 mg		250	✓ V	erpamil SR
* Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	7.54	5	√ lo	optin
Centrally-Acting Agents		J	¥ 13	
, ,				
CLONIDINE			_	
* Patch 2.5 mg, 100 mcg per day — Only on a prescription		4		atapres-TTS-1
* Patch 5 mg, 200 mcg per day - Only on a prescription		4 4		atapres-TTS-2 atapres-TTS-3
* Patch 7.5 mg, 300 mcg per day - Only on a prescription	22.00	4	<u> </u>	atapies-113-3

[‡] safety cap

55

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy			nd or
	(Manufacturer's P \$	rice) Sui Per	bsidised Gen ✓ Mar	eric iufacturer
LONIDINE HYDROCHLORIDE				
- Tab 25 mcg	10.53	112	✔ Clonid	ine BNM
Tab 150 mcg		100	✓ Catapı	
Inj 150 mcg per ml, 1 ml ampoule	16.07	5	✓ Catapr	es
ETHYLDOPA				
Tab 125 mg	14.25	100	✓ Prodo	oa
: Tab 250 mg	15.10	100	✔ Prodo	oa
Tab 500 mg	23.15	100	✔ Prodo	oa
Diuretics				
_oop Diuretics				
UMETANIDE				
: Tab 1 mg	16.36	100	✓ Burine	x
Inj 500 mcg per ml, 4 ml vial	7.95	5	Burine	x
UROSEMIDE [FRUSEMIDE]				
Tab 40 mg - Up to 30 tab available on a PSO	8.00	1,000	Diurin	40
Tab 500 mg	25.00	50	✓ Urex F	orte
‡ Oral liq 10 mg per ml	10.66	30 ml OP	Lasix	
Inj 10 mg per ml, 25 ml ampoule		6	Lasix	
Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a		5	✓ Fruser	nide-Claris
Potassium Sparing Diuretics			114001	
MILORIDE HYDROCHLORIDE				
Tab 5 mg	17.50	100	✓ Apo-A	miloride
Oral liq 1 mg per ml		25 ml OP	✓ Biome	
ETOLAZONE - Special Authority see SA1349 below - Retail p	harmacy			
Tab 5 mg	•	1	✓ Metola	70ne \$29
lab o nig		50	✓ Zaroxo	
SA1349 Special Authority for Subsidy		30	₩ Zaiox	nyii ozo
itial application from any relevant practitioner. Approvals valide ent of patients with refractory heart failure who are intolerant or tion therapy. PIRONOLACTONE				
Tab 25 mg	3.65	100	✓ Spirac	tin
: Tab 100 mg	11.80	100	✓ Spirac	
Oral liq 5 mg per ml	30.00	25 ml OP	✓ Biome	d
Potassium Sparing Combination Diuretics				
MILORIDE HYDROCHLORIDE WITH FUROSEMIDE				
Tab 5 mg with furosemide 40 mg	8.63	28	✓ Frumil	
MILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZII	DF			
WILCHIDE HIDNOCHLONIDE WITH HIDNOCHLONOTHIAZII				

	Subsidy		Fully Brand or
	(Manufacturer's F	Price) Sul	osidised Generic
	\$	Per	✓ Manufacturer
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]			
* Tab 2.5 mg - Up to 150 tab available on a PSO	5.48	500	✓ Arrow-
May be supplied on a PSO for reasons other than emo	argancy		<u>Bendrofluazide</u>
* Tab 5 mg	• .	500	✓ Arrow-
· ·			Bendrofluazide
CHLOROTHIAZIDE			4 = 1
‡ Oral liq 50 mg per ml	26.00	25 ml OP	✓ Biomed
CHLORTALIDONE [CHLORTHALIDONE]	9.00	E0	4/ Hyaratan
* Tab 25 mg	8.00	50	✓ Hygroton
INDAPAMIDE * Tab 2.5 mg	2 25	90	✓ Dapa-Tabs
Lipid-Modifying Agents			V Bubu lubo
Lipid-Modifying Agents			
Fibrates			
BEZAFIBRATE			
* Tab 200 mg	9.05	90	✓ Bezalip
* Tab long-acting 400 mg	6.78	30	Bezalip Retard
GEMFIBROZIL			4
* Tab 600 mg	17.60	60	✓ <u>Lipazil</u>
Other Lipid-Modifying Agents			
ACIPIMOX			4
* Cap 250 mg	18.75	30	✓ Olbetam
NICOTINIC ACID * Tab 50 mg	2.06	100	Ana Nicotinia Acid
* Tab 50 mg * Tab 500 mg		100	✓ Apo-Nicotinic Acid ✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE Powder for oral liq 4 g	19.25	50	
Tondo to orderly by	(52.68)	00	Questran-Lite
COLESTIPOL HYDROCHLORIDE			
Grans for oral liq 5 g	22.00	30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			
Prescribing Guidelines Treatment with HMG CoA Reductase Inhibitors (statins) is re	acommended for not	ionte with due	linidaemia and an absolute 5 vo
cardiovascular risk of 15% or greater.	oconimonaca ioi pai	ionio willi uyo	iipidaoiilia aila ali absolute 5 ye
ATORVASTATIN – See prescribing guideline above			
* Tab 10 mg	2.52	90	✓ Zarator
* Tab 20 mg		90	✓ Zarator
* Tab 40 mg * Tab 80 mg		90 90	✓ Zarator✓ Zarator
τ ιαυ ου my	10.20	90	→ Laiatoi

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully bsidised	Brand or Generic Manufacturer
PRAVASTATIN – See prescribing guideline on the previous page * Tab 20 mg * Tab 40 mg		30 30	·	<u>holvastin</u> holvastin
SIMVASTATIN – See prescribing guideline on the previous page * Tab 10 mg * Tab 20 mg * Tab 40 mg * Tab 80 mg	1.61 2.83	90 90 90 90	V A	rrow-Simva 10mg rrow-Simva 20mg rrow-Simva 40mg rrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE – Special Authority see SA1045 below – Retail phart	•	30	✓ <u>E</u> :	zemibe

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than $10 \times \text{normal}$) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

ETHINDE TITTE CHITTIES THE COOLER TRANSPORT COOL	olow I lotali p	nannaoy	
Tab 10 mg with simvastatin 10 mg	5.15	30	✓ Zimybe
Tab 10 mg with simvastatin 20 mg	6.15	30	✓ Zimybe
Tab 10 mg with simvastatin 40 mg	7.15	30	✓ Zimybe
Tab 10 mg with simvastatin 80 mg	8.15	30	Zimybe

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

continued...

(N	Subsidy Manufacturer's Price)	Subs	Fully sidised	Brand or Generic
	\$	Per	~	Manufacturer

continued...

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Nitrate	25
---------	----

GLYCERYL TRINITRATE		
* Tab 600 mcg - Up to 100 tab available on a PSO8.00	100 OP	✓ Lycinate
* Oral pump spray, 400 mcg per dose - Up to 250 dose avail-		
able on a PSO4.45	250 dose OP	✓ Nitrolingual Pump
		Spray
* Oral spray, 400 mcg per dose – Up to 250 dose available on		4.00
a PSO	250 dose OP	Glytrin
* Patch 25 mg, 5 mg per day	30	Nitroderm TTS
* Patch 50 mg, 10 mg per day	30	✓ <u>Nitroderm TTS</u>
ISOSORBIDE MONONITRATE		4.
* Tab 20 mg	100	✓ Ismo 20
* Tab long-acting 40 mg	30 90	✓ Ismo 40 Retard ✓ Duride
* Tab long-acting 60 mg3.94	90	Duride
Sympathomimetics		
ADRENALINE		
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO4.98	5	✓ Aspen Adrenaline
5.25		✓ Hospira
Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a		
PSO27.00	5	✓ Hospira
49.00	10	Aspen Adrenaline
ISOPRENALINE		
* Inj 200 mcg per ml, 1 ml ampoule36.80	25	
(164.20)		Isuprel
Vasodilators		
AMYL NITRITE		
* Liq 98% in 0.3 ml cap	12	ъ.
(73.40)		Baxter
HYDRALAZINE HYDROCHLORIDE		
* Tab 25 mg - Special Authority see SA1321 on the next page		
- Retail pharmacyCBS	1	✓ Hydralazine
	56	✓ Onelink S29

✓ Apresoline

5

Subsidy (Manufacturer's Price) Per

Fully Subsidised

Brand or Generic Manufacturer

⇒SA1321 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 For the treatment of refractory hypertension; or
- 2 For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers.

MINOXIDIL - Special Authority see SA1271 below - Retail pharmacy

▲ Tab 10 mg70.00 100 ✓ Loniten

⇒SA1271 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where patient has severe refractory hypertension which has failed to respond to extensive multiple therapies.

NICORANDIL

▲ Tab 10 mg	27.95	60	✓ Ikorel
▲ Tab 20 mg		60	✓ Ikorel
PAPAVERINE HYDROCHLORIDE			
* Inj 12 mg per ml, 10 ml ampoule	217.90	5	Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE]			
Tab 400 mg	36.94	50	
-	(42.26)		Trental 400

Endothelin Receptor Antagonists

⇒SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN	 Special Authorit 	y see SA0967	' above – Retail	pharmacy
Tab 5 ma				1 505

Tab 5 mg4,585.00	30	✓ Volibris
Tab 10 mg4,585.00	30	✓ Volibris

BOSENTAN	 Special Author 	ity see SA0967	7 above – Retail	pharmacy
----------	------------------------------------	----------------	------------------	----------

boolin An - Special Authority see SA0307 above - Hetali	priarriacy	
Tab 62.5 mg	375.00	56
	401.79	60
	(1,500.00)	
	(4,585.00)	
Mylan-Bosentan to be Sole Supply on 1 April 2016		
Tab 125 mg	375.00	56

Mylan-Bosentan to be Sole Supply on	1 April 2016	
ab 125 mg	375.00	56
-	401.79	60
	(1.500.00)	

	(1,500.00)
	(4,585.00)
Mylan-Bosentan to be Sole Supply on 1 April 2016	

pms-Bosentan Tracleer

✓ Mylan-Bosentan

pms-Bosentan Tracleer

(pms-Bosentan Tab 62.5 mg to be delisted 1 April 2016) (Tracleer Tab 62.5 mg to be delisted 1 April 2016) (pms-Bosentan Tab 125 mg to be delisted 1 April 2016) (Tracleer Tab 125 mg to be delisted 1 April 2016)

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Phosphodiesterase Type 5 Inhibitors

■ SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 above - Retail pharma	асу		
Tab 25 mg	0.75	4	✓ <u>Vedafil</u>
Tab 50 mg	0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page			
211	2 75	4	✓ Vedafil

Prostacyclin Analogues

⇒SA0969 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

30 Ventavis

61

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 91

ADAPAI FNF

a) Maximum of 30 g per prescription

b) Only on a prescription

Crm 0.1%	.22.89	30 g OP	Differin
Gel 0.1%	.22.89	30 g OP	Differin

ISC

OTRETINOIN - Special Authority see SA1475 be	elow – Retail pharmacy		
Cap 10 mg	12.47	100	Isotane 10
	14.96	120	Oratane
Cap 20 mg	19.27	100	✓ Isotane 20
	23.12	120	Oratane

⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRFTINOIN

50 q OP ReTrieve

Brand or

Fully

	(Manufacturer's F	Price) Sub Per	sidised Generic Manufacturer
	Ψ 	rei	Manuacturer
Antibacterials Topical			
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 91		
FUSIDIC ACID		05	4
Crm 2%	2.52	15 g OP	✓ <u>DP Fusidic Acid</u> Cream
a) Maximum of 15 g per prescription			Cleam
b) Only on a prescription			
c) Not in combination Oint 2%	3 45	15 g OP	✓ Foban
a) Maximum of 15 g per prescription		10 9 01	· ioban
b) Only on a prescription			
c) Not in combination			
HYDROGEN PEROXIDE * Crm 1%	8 56	15 g OP	✓ Crystaderm
MUPIROCIN	0.50	13 9 01	• Crystaueriii
Oint 2%	6.60	15 g OP	
	(9.26)	Ü	Bactroban
a) Only on a prescription			
b) Not in combination SILVER SULPHADIAZINE			
Crm 1%	12.30	50 g OP	✓ Flamazine
a) Up to 250 g available on a PSO		Ü	
b) Not in combination			
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals, page	97		
AMOROLFINE			
a) Only on a prescription b) Not in combination			
Nail soln 5%	19.95	5 ml OP	✓ MycoNail
CICLOPIROX OLAMINE			
a) Only on a prescription			
b) Not in combination Nail-soln 8%	6.50	7 ml OP	Ana Cialaninay
	0.50	/ IIII OP	✓ Apo-Ciclopirox
CLOTRIMAZOLE * Crm 1%	0.52	20 g OP	✓ Clomazol
a) Only on a prescription		5	
b) Not in combination * Soln 1%	4.00	00 ml OD	
* SUII 170	4.36 (7.55)	20 ml OP	Canesten
a) Only on a prescription	(1.00)		3411001011
b) Not in combination			

Subsidy

DERMATOLOGICALS

	Subsidy (Manufacturer's		Fully bsidised	Brand or Generic
	\$	Per	~	Manufacturer
ECONAZOLE NITRATE				
Crm 1%	1.00	20 g OP		
	(7.48)		Pe	evaryl
a) Only on a prescription				
b) Not in combination	0.00			
Foaming soln 1%, 10 ml sachets		3	D	word
a) Only on a prescription	(17.23)		г	evaryl
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.55	15 g OP	✓ M	ultichem
a) Only on a prescription	0.55	13 g Oi	V IVI	unionem
b) Not in combination				
* Lotn 2%	4.36	30 ml OP		
	(10.03)		Da	aktarin
a) Only on a prescription	, ,			
b) Not in combination				
* Tinct 2%		30 ml OP		
	(12.10)		D	aktarin
a) Only on a prescription				
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g		15 g OP		
a) Only an a preservintion	(7.90)		IVI	ycostatin
a) Only on a prescription b) Not in combination				
,				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Ćrm, aqueous, BP	1.49	100 g	✓ PI	harmacy Health
Lotn, BP	12.94	2,000 ml	✓ P:	SM
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Ćrm 10%	3.37	20 g OP	✓ <u>Ita</u>	ch-Soothe
MENTHOL – Only in combination				
Only in combination with a dermatological base or processing the second se	oprietary Topical (Corticosteriod -	- Plain, r	efer dermatological base
page 210	, , , , , , , , , , , , , , , , , , , ,		,	
With or without other dermatological galenicals.				
Crystals	6.50	25 g	✓ P:	SM
•	6.92	·	✓ M	idWest
	29.60	100 g	✓ M	idWest

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 79

Corticosteroids - Plain

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
Oint 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.15	50 g OP	✓ Beta Cream
* Oint 0.1%		50 g OP	✓ Beta Ointment
* Lotn 0.1%		50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	2.00	20 ~ OD	✓ Clobetasol BNM
		30 g OP	
* Oint 0.05%	3.20	30 g OP	✓ Clobetasol BNM
CLOBETASONE BUTYRATE			
Crm 0.05%		30 g OP	
	(7.09)		Eumovate
	16.13	100 g OP	
	(22.00)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8.97	50 g OP	
	(15.86)	•	Nerisone
Fatty oint 0.1%	8.97	50 g OP	
	(15.86)	_	Nerisone
HYDROCORTISONE			
* Crm 1% – Only on a prescription	3.75	100 g	✓ Pharmacy Health
The state of the process proce	14.00	500 g	✓ Pharmacy Health
* Powder – Only in combination		25 g	✓ ABM
Up to 5% in a dermatological base (not proprietary Topical			
galenicals. Refer, page 210			
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only			
on a prescription	10.57	250 ml	✓ DP Lotn HC
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%	2.20	30 g OP	✓ Locoid Lipocream
Lipocream 0.176		•	
Oint 0.1%	6.85	100 g OP 100 g OP	✓ Locoid Lipocream✓ Locoid
Milky emul 0.1%		100 g OP	✓ Locoid Crelo
•	0.00	100 1111 01	Locold Cielo
METHYLPREDNISOLONE ACEPONATE			
Crm 0.1%		15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan

DERMATOLOGICALS

	Subsidy	2:) 0.1	Fully Brand or
	(Manufacturer's F	Price) Sub Per	sidised Generic Manufacturer
MOMETASONE FUROATE			
Crm 0.1%	1.51	15 g OP	✓ Elocon Alcohol Free
	2.90	50 g OP	Elocon Alcohol Free
Oint 0.1%		15 g OP	Elocon
Lotn 0.1%	2.90	50 g OP 30 ml OP	✓ <u>Elocon</u> ✓ Elocon
	7.35	30 IIII OF	Elocoli
TRIAMCINOLONE ACETONIDE Crm 0.02%	6 20	100 g OP	✓ Aristocort
Oint 0.02%		100 g OP	✓ Aristocort
Corticosteroids - Combination			
PETAMETHA CONE VALEDATE WITH CLICOLUNIOL Control	properintion		
BETAMETHASONE VALERATE WITH CLIOQUINOL — Only on a Crm 0.1% with clioquinol 3%		15 g OP	
OTH 6.176 With Glioquinor 676	(4.90)	10 9 01	Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID	(/		
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
	(10.45)	J	Fucicort
a) Maximum of 15 g per prescriptionb) Only on a prescription			
HYDROCORTISONE WITH MICONAZOLE - Only on a prescript			
* Crm 1% with miconazole nitrate 2%	2.00	15 g OP	✓ Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - On Crm 1% with natamycin 1% and neomycin sulphate 0.5% Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	tion 15 g OP 15 g OP	✓ Pimafucort ✓ Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN		•	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg	VAND WICIAN	111	
and gramicidin 250 mcg per g - Only on a prescription	3.49	15 g OP	
	(6.60)	Ū	Viaderm KC
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescription	is endorsed ac	cordingly.	
* Handrub 1% with ethanol 70%		500 ml	✓ <u>healthE</u>
* Soln 4% wash	3.98	500 ml	✓ <u>healthE</u>
TRICLOSAN – Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
 b) a) Only if prescribed for a patient identified with Methicillin-rin hospital and the prescription is endorsed accordingly; 		ococcus aureu	s (MRSA) prior to elective surgery
b) Only if prescribed for a patient with recurrent Staphylococ		ction and the pr	escription is endorsed accordingly
Soln 1%		500 ml OP	✓ Pharmacy Health ✓ healthE

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Barrier Creams and Emollients

Barrier Creams		
DIMETHICONE		
* Crm 5% pump bottle	500 ml OP	✓ <u>healthE</u> Dimethicone 5%
* Crm 10% pump bottle	500 ml OP	<u>healthE</u> <u>Dimethicone 10%</u>
ZINC AND CASTOR OIL		4
* Oint BP	500 g	Multichem
Emollients		
AQUEOUS CREAM		
* Crm	500 g	✓ AFT
(AFT Crm to be delisted 1 June 2016)		✓ AFT SLS-free
CETOMACROGOL * Crm BP	500 g	✓ healthE
CETOMACROGOL WITH GLYCEROL	500 g	<u> Ilcultill</u>
Crm 90% with glycerol 10%4.50	500 ml OP	✓ Pharmacy Health
		Sorbolene with
		Glycerin
6.50	1,000 ml OP	✓ Pharmacy Health Sorbolene with Glycerin
EMULSIFYING OINTMENT		
* Oint BP2.73	500 g	✓ <u>AFT</u>
OIL IN WATER EMULSION		
* Crm	500 g	✓ O/W Fatty Emulsion
(0.60)		Cream
O/W Fatty Emulsion Cream to be Sole Supply on 1 June 2016)	healthE Fatty Cream
(healthE Fatty Cream Crm to be delisted 1 June 2016)		
UREA		
* Crm 10%	100 g OP	✓ <u>healthE Urea Cream</u>
WOOL FAT WITH MINERAL OIL - Only on a prescription		
* Lotn hydrous 3% with mineral oil	1,000 ml	DD Lation
(11.95) 1.40	,	DP Lotion
(4.53		DP Lotion
5.60	•	
(20.53)	•	Alpha-Keri Lotion
(23.91) 1.40		BK Lotion
1.40	250 1111 012	DIC Latina

(7.73)

BK Lotion

DERMATOLOGICALS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Other Dermatological Bases

PA	RA	FF	IN

✓ IPW White soft - Only in combination20.20 2.500 a 3.58 500 g (7.78)**IPW** (8.69)**PSM**

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid - Plain.

Minor Skin Infections

POVIDONE IODINE		
Oint 10%	25 g OP	✓ Betadine
a) Maximum of 100 g per prescription		
b) Only on a prescription		
Antiseptic soln 10%6.20	500 ml	Betadine
		✓ Riodine
1.28	100 ml	
(4.20)		Riodine
(8.25)		Betadine
0.19	15 ml	
(4.45)		Betadine
Skin preparation, povidone iodine 10% with 30% alcohol	500 ml	Betadine Skin Prep
1.63	100 ml	·
(3.65)		Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13	500 ml	•
(18.63)		Orion
1.63	100 ml	
(6.04)		Orion
` ,		

Parasiticidal Preparations

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg - Up to 100 tab available on a PSO......17.20 ✓ Stromectol

- 1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- 3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

⇒SA1225 Special Authority for Subsidy

Initial application — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist: and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or

continued...

DERMATOLOGICALS

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or
- 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
- 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently;
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scables with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

	Subsidy (Manufacturer's Pr \$	rice) Sub Per	Fully sidised	Brand or Generic Manufacturer	
MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2%	11.15	90 g OP	✓ P	ara Plus	
PERMETHRIN Crm 5% Lotn 5%	4.20 3.19	30 g OP 30 ml OP		yderm -Scabies	

Psoriasis and Eczema Preparations

ACITRETIN - Special Authority see SA1476 below - Retail pharmacy		
Cap 10 mg17.86	60	✓ Novatretin
Cap 25 mg41.36	60	✓ Novatretin

■ SA1476 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or

00 40

2 Patient is male.

Gel 500 mcg with calcipotriol 50 mcg per g26.	.12 30 g OF	<u>Daivobet</u>
Oint 500 mcg with calcipotriol 50 mcg per g26.	.12 30 g OF	Daivobet ✓ Daivobet
CALCIPOTRIOL		
Crm 50 mcg per g16.	.00 30 g OF	Daivonex
45.	.00 100 g O	P 🗸 Daivonex
Oint 50 mcg per g45.	.00 100 g O	P V Daivonex
Soln 50 mcg per ml16.	.00 30 ml Ol	P V Daivonex
COAL TAR		
Soln - Only in combination12	.55 200 ml	✓ <u>Midwest</u>
 Up to 10% only in combination with a dermatological base or proprie base, page 210 		costeriod – Plain, refer dermatological
2) With or without other dermatological galenicals.		

COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL

Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% a	and		
allantoin crm 2.5%	6.59	75 g OP	
	(8.00)		Egopsoryl TA
	3.43	30 g OP	
	(4.35)	-	Egopsoryl TA

				LOGICALS
	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand psidised Gene Manu	
COAL TAR WITH SALICYLIC ACID AND SULPHUR Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✓ Coco-S	calp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORES * Soln 2.3% with trolamine laurilsulfate and fluorescein sodiur		n a prescription 500 ml	✓ Pinetars	sol
SALICYLIC ACID Powder – Only in combination		250 g Corticosteroid	✓ PSM - Plain or col	odion flexible, refer
SULPHUR Precipitated - Only in combination		100 g Corticosteroid –	✓ Midwes Plain, refer d	-
Scalp Preparations				
BETAMETHASONE VALERATE * Scalp app 0.1%	7.75	100 ml OP	✓ Beta Sc	alp
CLOBETASOL PROPIONATE * Scalp app 0.05%	6.96	30 ml OP	✓ Dermol	
HYDROCORTISONE BUTYRATE Scalp lotn 0.1%		100 ml OP	✓ Locoid	
KETOCONAZOLE Shampoo 2% a) Maximum of 100 ml per prescription b) Only on a prescription	2.99	100 ml OP	✓ <u>Sebizol</u>	<u>9</u>
Sunscreens				
SUNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivity endorsed accordingly. Crm			I condition and	I the prescription is
OIII	(5.89)	100 g OP	Hamilton	Sunscreen
Lotn,	3.30	100 g OP	✓ Marine SPF 5	Blue Lotion 0+
	5.10	200 g OP	✓ Marine SPF 5	Blue Lotion 0+
Lotn	4.13 (6.94)	125 ml OP	Aquasui	n 30+
Wart Preparations				
For salicylic acid preparations refer to PSORIASIS AND ECZEM	A PREPARATION	NS, page 70		
IMIQUIMOD Crm 5%, 250 mg sachet	17.98	12	✓ Apo-Imi Crean	-

DERMATOLOGICALS

Subsidy Fully (Manufacturer's Price) Subsidised Per \$

3.5 ml OP

Brand or

✓ Condyline

Generic Manufacturer

PODOPHYLLOTOXIN

a) Maximum of 3.5 ml per prescription

b) Only on a prescription

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

✓ Efudix 20 g OP

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Contraceptives - Non-hormonal

Condoms

CO	NDOMS			
*	49 mm - Up to 144 dev available on a PSO	13.36	144	✓ MarquisTantiliza
				✓ Shield 49
*	52 mm - Up to 144 dev available on a PSO	13.36	144	Marquis Selecta
				Marquis Sensolite
				Marquis Supalite
*	52 mm extra strength – Up to 144 dev available on a PSO		144	Marquis Protecta
*	53 mm - Up to 144 dev available on a PSO	1.11	12	Gold Knight
				Shield Blue
		13.36	144	Marquis Black
				Marquis Titillata
				Shield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO	1.11	12	Gold Knight
		13.36	144	Gold Knight
*	53 mm (strawberry) - Up to 144 dev available on a PSO	1.11	12	Gold Knight
		13.36	144	✓ Gold Knight
*	54 mm, shaped - Up to 144 dev available on a PSO	1.12	12	
		(1.24)		Lifestyles Flared
		13.36	144	-
		(14.84)		Lifestyles Flared
*	55 mm - Up to 144 dev available on a PSO	13.36	144	✓ Marquis Conforma
*	56 mm - Up to 144 dev available on a PSO	1.11	12	✓ Gold Knight
		13.36	144	✓ Durex Extra Safe
				Gold Knight
*	56 mm, shaped - Up to 144 dev available on a PSO	1.11	12	✓ Durex Confidence
		13.36	144	Durex Confidence
*	60 mm - Up to 144 dev available on a PSO	13.36	144	✓ Shield XL
(Ma	arquis Sensolite 52 mm to be delisted 1 May 2016)			
	arquis Supalite 52 mm to be delisted 1 May 2016)			
,	arquis Titillata 53 mm to be delisted 1 May 2016)			
٠.	, , , , , , , , , , , , , , , , , , , ,			

Contraceptive Devices

DIAPHRAGM – Up to 1 dev available on a PSO
•
One of each size is permitted on a PSO.

*	65 mm	42.90	1	Ortho All-flex
*	70 mm	42.90	1	Ortho All-flex
*	75 mm	42.90	1	Ortho All-flex
*	80 mm	42.90	1	Ortho All-flex
INT	FRA-UTERINE DEVICE			
	a) Up to 40 dev available on a PSO			
	b) Only on a PSO			

^{*} IUD 33.6 mm length × 29.9 mm width31.60

✓ Choice

TT380 Standard

[✓] Choice TT380 Short

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

Mercilon 28

Contraceptives - Hormonal

Combined Oral Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- · have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

(19.80)

ETHINYLOESTRADIOL WITH DESOGESTREL

	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	above	
	b) Up to 84 tab available on a PSO			
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
		(19.80)		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authorityb) Up to 84 tab available on a PSO	see SA0500 a	above	
ETI	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.65	84	✓ Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	9.45	84	Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
		(16.50)		Microgynon 30
	 a) Higher subsidy of \$15.00 per 63 tab with Special Authority b) Up to 63 tab available on a PSO 	see SA0500 a	above	-
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.30	84	✓ Ava 30 ED

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
ETHINYLOESTRADIOL WITH NORETHISTERONE					
* Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available on a PSO		63	✓ B	revinor 1/21	
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO		84	✓ B	revinor 1/28	
* Tab 35 mcg with norethisterone 500 mcg - Up to 63 tab available on a PSO		63	✓ B	revinor 21	
* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab — Up to 84 tab available on a PSO		84	✓ N	lorimin	

Progestogen-only Contraceptives

■ SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL Tab 20 mag

*	1ab 30 mcg	. 84	
	(16.50)	Microlut
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0	500 above	
	b) Up to 84 tab available on a PSO		
*	Subdermal implant (2 \times 75 mg rods)133.65	1	✓ <u>Jadelle</u>
M	EDROXYPROGESTERONE ACETATE		
	Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO7.00	1	✓ Depo-Provera
NC	DRETHISTERONE		
	Tab 350 mcg - Up to 84 tab available on a PSO	84	✓ Noriday 28

75

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	V	Manufacturer

Emergency Contraceptives

LEVONORGESTREL

- ✔ Postinor-1
 - a) Maximum of 2 tab per prescription
 - b) Up to 5 tab available on a PSO

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs - Up

168 ✓ Ginet

Gynaecological Anti-infectives

Jelly with glacial acetic acid 0.94%, hydroxyguinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43

100 g OP (24.00)

CLOTRIMAZOLE

✔ Clomazol 35 q OP Vaginal crm 2% with applicators2.20 20 g OP ✓ Clomazol MICONAZOLE NITRATE

Vaginal crm 100.000 u per 5 g with applicator(s)4.71 ✓ Nilstat 75 g OP

Myometrial and Vaginal Hormone Preparations

ERGOMETRINE MALEATE

Inj 500 mcg per ml, 1 ml ampoule - Up to 5 inj available on a PSO.......94.70 5 ✓ DBL Ergometrine OFSTRIOL

* Crm 1 mg per g with applicator6.30 15 q OP Ovestin

Ovestin 15

OXYTOCIN - Up to 5 inj available on a PSO 5 Oxvtocin BNM

5 Oxytocin BNM

OXYTOCIN WITH ERGOMETRINE MALEATE - Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml11.13

Aci-Jel

✓ Micreme

40 g OP

GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

y Brand or d Generic Manufacturer

Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE

- a) Up to 200 test available on a PSO
- b) Only on a PSO

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 111

5-Alpha Reductase Inhibitors

FINASTERIDE – Special Authority see SA0928 below – Retail pharmacy

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN

 ★ Tab 5 mg
 11.20
 500
 ✓ Apo-Oxybutynin

 ★ Oral liq 5 mg per 5 ml
 56.45
 473 ml
 ✓ Apo-Oxybutynin

POTASSIUM CITRATE

Oral liq 3 mmol per ml – Special Authority see SA1083 below

⇒SA1083 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Pri \$	ce) Per	Fully Subsidised	Brand or Generic Manufacturer
SODIUM CITRO-TARTRATE				
* Grans eff 4 g sachets	2.93	28	✓ <u>U</u>	<u>Iral</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998	below - Retail pharm	acy		
Tab 5 mg	37.50	30	V	esicare/
Tab 10 mg	37.50	30	V	'esicare
Initial application from any relevant practitioner. Approvals overactive bladder and a documented intolerance of, or is nor TOLTERODINE − Special Authority see SA1272 below − Ret Tab 1 mg	r-responsive to oxybuty ail pharmacy 14.56 14.56 alid without further rer	ynin. 56 56	✓ A	rrow-Tolterodine
Detection of Substances in Urine				
ORTHO-TOLIDINE				
* Compound diagnostic sticks	7.50 (8.25)	50 test C	-	lemastix
TETRABROMOPHENOL				
* Blue diagnostic strips	7.02	100 test 0	OP	

(13.92)

Albustix

Subsidy

Fully

Brand or

	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer	
Calcium Homeostasis					
CALCITONIN * Inj 100 iu per ml, 1 ml ampoule	121.00	5	✓ <u>M</u>	<u>iacalcic</u>	
ZOLEDRONIC ACID					
Inj 4 mg per 5 ml, vial – Special Authority see SA1512 below – Retail pharmacy	550.00	1	✓ Zo	ometa	

■ SA1512 Special Authority for Subsidy

Initial application only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
 - 2.1 Patient has bone metastases or involvement; and
 - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
 - 3.1 Patient has bone metastases or involvement; and
 - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

Corticosteroids and Related Agents for Systemic Use

BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE		
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml19.20	5	
(36.96)		Celestone
		Chronodose
DEXAMETHASONE		
* Tab 0.5 mg - Retail pharmacy-Specialist	30	✓ Dexmethsone
a) Up to 60 tab available on a PSO	30	Dexilienisone
b) Dexmethsone to be Sole Supply on 1 April 2016		
, , , ,	100	4 Douglas
* Tab 1 mg — Retail pharmacy-Specialist	100	✓ Douglas
Up to 30 tab available on a PSO	00	. / Daymathaana
* Tab 4 mg - Retail pharmacy-Specialist	30	✓ Dexmethsone
6.13	100	Douglas
a) Up to 30 tab available on a PSO		
b) Dexmethsone to be Sole Supply on 1 April 2016		4
Oral liq 1 mg per ml - Retail pharmacy-Specialist45.00	25 ml OP	✓ Biomed
Oral liq prescriptions:		
 Must be written by a Paediatrician or Paediatric Cardiologist; or 		
2) On the recommendation of a Paediatrician or Paediatric Cardiologist.		
(Douglas Tab 1 mg to be delisted 1 April 2016)		
(Douglas Tab 4 mg to be delisted 1 April 2016)		
DEXAMETHASONE PHOSPHATE		
Dexamethasone phosphate injection will not be funded for oral use.		
* Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO14.19	10	✓ Max Health
* Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO12.59	5	✓ Max Health
	J	₩ INIAN FIEAILII
FLUDROCORTISONE ACETATE		
* Tab 100 mcg14.32	100	✓ Florinef

	Subsidy (Manufacturer's I	Price) Sul	Fully osidised	Brand or Generic
	\$	Per	~	Manufacturer
IYDROCORTISONE				
€ Tab 5 mg	8.10	100	✓ D	ouglas
Tab 20 mg - For hydrocortisone oral liquid formulation re				
page 211		100	✓ D	ouglas
Inj 100 mg vial		1		olu-Cortef
a) Up to 5 inj available on a PSO				
b) Only on a PSO				
METHYLPREDNISOLONE - Retail pharmacy-Specialist				
← Tab 4 mg	80.00	100	✓ M	edrol
← Tab 100 mg	180.00	20	✓ M	edrol
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Ret	ail nharmacy-Sneci	alist		
Inj 40 mg vial		1	✓ S	olu-Medrol
Inj 125 mg vial		1	_	olu-Medrol
Inj 500 mg vial		1	. –	olu-Medrol
Inj 1 g vial		1		olu-Medrol
METHYLPREDNISOLONE ACETATE				
Inj 40 mg per ml, 1 ml vial	40.00	5	✓ D	epo-Medrol
		•	· <u>-</u>	
IETHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGI Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial	•	1	√ D	epo-Medrol with
inj 40 mg për mi with ildocame [lighocame] i mi viai	9.25	ı		Lidocaine
DEDNICOLONE				Lidocairie
REDNISOLONE	7.50	30 ml OP	. / D	adiarad
 Oral liq 5 mg per ml – Up to 30 ml available on a PSO Restricted to children under 12 years of age. 	7.50	30 IIII OF	V n	edipred
• •				
PREDNISONE ← Tab 1 mg	0.10	100		na Dradnicana
€ Tab 1 mg	2.13	100		po-Prednisone
	40.00	500		S29 S29
/ Tob 0.5 mg	10.68	500 500		po-Prednisone
Tab 2.5 mg		500 500		po-Prednisone
 Tab 5 mg - Up to 30 tab available on a PSO Tab 20 mg 		500		po-Prednisone po-Prednisone
· ·	29.03	500	VA	po-rieuliisolie
ETRACOSACTRIN				
Inj 250 mcg per ml, 1 ml ampoule		1		ynacthen
Inj 1 mg per ml, 1 ml	29.56	1	V 5	ynacthen Depot
RIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule		5		enacort-A 10
Inj 40 mg per ml, 1 ml ampoule	51.10	5	✓ <u>K</u>	enacort-A 40
Sex Hormones Non Contraceptive				
•				
Androgen Agonists and Antagonists				
YPROTERONE ACETATE - Retail pharmacy-Specialist				
Tab 50 mg	15.87	50	✓ <u>P</u> i	rocur
Tab 100 mg	30.40	50	✓ <u>P</u> i	rocur
ESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	✓ A	ndroderm
ESTOSTERONE CYPIONATE - Retail pharmacy-Specialist				
Inj 100 mg per ml, 10 ml vial		1	∠ D	epo-Testosterone
,		•	- <u>5</u>	

	Subsidy (Manufacturer's Price)	Per		Brand or Generic Manufacturer
TESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.98	1	√ S	sustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialis Cap 40 mg		60	✓ Δ	Indriol Testocaps
Inj 250 mg per ml, 4 ml vial		1	_	Reandron 1000

Hormone Replacement Therapy - Systemic

⇒SA1018 Special Authority for Alternate Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 years for applications meeting the following criteria: Any of the following:

- 1 acute or significant liver disease where oral oestrogens are contraindicated as determined by a gastroenterologist or general physician. The applicant must keep written confirmation from such a specialist with the patient's record; or
- 2 oestrogen induced hypertension requiring antihypertensive therapy documented evidence must be kept on file that raised blood pressure levels or inability to control blood pressure adequately occurred post oral oestrogens; or
- 3 hypertriglyceridaemia documented evidence must be kept on file that triglyceride levels increased to at least 2 × normal triglyceride levels post oral oestrogens; or
- 4 Somatropin co-therapy patient is being prescribed somatropin with subsidy provided under a valid approval issued under Special Authority.

Note: Prescriptions with a valid Special Authority (CHEM) number will be reimbursed at the level of the lowest priced TDDS product within the specified dose group.

Renewal from any relevant practitioner. Approvals valid for 5 years where the treatment remains appropriate and the patient is benefiting from treatment, or the patient remains on subsidised somatropin co-therapy. **Prescribing Guideline**

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004"

Subsidy

Fully

Brand or

(Manufacturer's Price) Subsidised Generic \$ Per Manufacturer **Oestrogens** OESTRADIOL - See prescribing guideline on the previous page Tab 1 mg4.12 28 OP Estrofem 28 OP **Estrofem** (11.10)8 (10.86)**Estradot** a) Higher subsidy of \$10.86 per 8 patch with Special Authority see SA1018 on the previous page b) No more than 2 patch per week c) Only on a prescription TDDS 3.9 mg (releases 50 mcg of oestradiol per day)4.12 4 Climara 50 a) Higher subsidy of \$13.18 per 4 patch with Special Authority see SA1018 on the previous page b) No more than 1 patch per week c) Only on a prescription TDDS 50 mcg per day4.12 8 Estradot 50 mcg a) Higher subsidy of \$13.18 per 8 patch with Special Authority see SA1018 on the previous page b) No more than 2 patch per week c) Only on a prescription TDDS 7.8 mg (releases 100 mcg of oestradiol per day)7.05 Climara 100 a) Higher subsidy of \$16.14 per 4 patch with Special Authority see SA1018 on the previous page b) No more than 1 patch per week c) Only on a prescription TDDS 100 mcg per day7.05 8 (16.14)Estradot a) Higher subsidy of \$16.14 per 8 patch with Special Authority see SA1018 on the previous page b) No more than 2 patch per week c) Only on a prescription OESTRADIOL VALERATE - See prescribing guideline on the previous page 84 Progynova Progynova OESTROGENS - See prescribing guideline on the previous page Conjugated, equine tab 300 mcg3.01 28 Premarin Conjugated, equine tab 625 mcg4.12 28 (11.48)Premarin **Progestogens** MEDROXYPROGESTERONE ACETATE - See prescribing guideline on the previous page 30 Provera 100 Provera 30 Provera

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Progestogen and Oestrogen Combined Preparate	tions			
OESTRADIOL WITH NORETHISTERONE – See prescribing gui * Tab 1 mg with 0.5 mg norethisterone acetate		28 OP		liovance
* Tab 2 mg with 1 mg norethisterone acetate	, ,	28 OP		liogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP		risequens
OESTROGENS WITH MEDROXYPROGESTERONE - See pres		page 8	31	
* Tab 625 mcg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28)		28 OP	P	remia 2.5 Continuous
* Tab 625 mcg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)		28 OP		remia 5 Continuous
Other Oestrogen Preparations				
ETHINYLOESTRADIOL				
* Tab 10 mcg	17.60	100	_	Z Medical and Scientific
OESTRIOL * Tab 2 mg	7.00	30	v 0	vestin

Other Progestogen Preparations

LEVONORGESTREL

★ Levonorgestrel - releasing intrauterine system 20 mcg/24 hr – Special Authority see SA0782 below – Retail pharmacy269.50
1
✓ Mirena

►SA0782 | Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Initial application — (**Previous use before 1 October 2002**) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient had a clinical diagnosis of heavy menstrual bleeding; and
- 2 Patient demonstrated clinical improvement of heavy menstrual bleeding; and
- 3 Applicant to state date of the previous insertion.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE A	CETATE
-----------------------	--------

*	Tab 100 mg - Retail pharmacy-Specialist	96.50	100	✓ Provera
NC	RETHISTERONE			
*	Tab 5 mg - Up to 30 tab available on a PSO	18.29	100	✓ Primolut N
PR	OGESTERONE			
	Cap 100 mg - Special Authority see SA1392 below - Retail			
	pharmacy	16.50	30	Utrogestan

⇒SA1392 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*; and
- 2 Fither:

CARBIMAZOI F

- 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
- 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents

* Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg		90	✓ Synthroid
* Tab 50 mcg	4.05	90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	uid preparations.		
* Tab 100 mcg	4.21	90	✓ Synthroid
-	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	uid preparations.		
LEVOTHYROXINE (MERCURY PHARMA)			
* Tab 50 mcg	1.71	28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liqu			•
* Tab 100 mcg		28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liqu			•
PROPYLTHIOURACIL - Special Authority see SA1199 on the	next page – Retail r	harmacy	
Propylthiouracil is not recommended for patients under the a are contraindicated.	1 0 1	,	nt is pregnant and other treatments
Tab 50 mg	35.00	100	✓ PTU S29
ř			

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA1199 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

SO	MATROPIN (OMNITROPE) – Special Authority see SA1	1451 below – Retail phar	macy	
*	Inj 5 mg cartridge	109.50	1	Omnitrope
*	Inj 10 mg cartridge	219.00	1	✓ Omnitrope
*	Inj 15 mg cartridge	328.50	1	✓ Omnitrope

■ SA1451 | Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon followup laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is ≥ 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity > 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is ≥ 2 cm per year, calculated over six months; and
- 3 A current bone age is ≤ 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is \leq to 14 years (female patients) or \leq to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease: and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Fither:
 - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine $(umol/l) \times 40 = corrected GFR (ml/min/1.73m²) in a child who may or may not be receiving dialysis; or$
 - 6.2 The patient has received a renal transplant and has received < 5mg/m²/day of prednisone or equivalent for at least 6 months...

Subsidy (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient's height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 Fither:
 - 3.1 The patient is under two years of age and height velocity has been assessed over a minimum six month period from the age of 12 months, with at least three supine length measurements over this period demonstrating clear and consistent evidence of linear growth failure (with height velocity < 25th percentile); or
 - 3.2 The patient is aged two years or older; and
- 4 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 5 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 6 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is ≤ 14 years (female patients) or ≤ 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of ≤ 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of ≤ 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors): and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

✓ fully subsidised

[HP4] refer page 4

GOSERELIN ACE IAI E			
Inj 3.6 mg	166.20	1	Zoladex
Inj 10.8 mg	443.76	1	Zoladex

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
LEUPRORELIN				
Inj 3.75 mg prefilled syringe	221.60	1	✓ Li	ucrin Depot PDS
Inj 7.5 mg	166.20	1	√ E	ligard
Inj 11.25 mg prefilled syringe	591.68	1	✓ Li	ucrin Depot PDS
Inj 22.5 mg	443.76	1	√ E	ligard
Inj 30 mg	591.68	1	√ E	ligard
Inj 30 mg prefilled syringe	1,109.40	1	✓ Li	ucrin Depot PDS
Inj 45 mg		1	✓ E	ligard .
Vasopressin Agonists				
DESMOPRESSIN ACETATE				

Tab 100 mcg - Special Authority see SA1401 below - Retail			
pharmacy	36.40	30	Minirin
Tab 200 mcg - Special Authority see SA1401 below - Retail			
pharmacy	93.60	30	✓ Minirin
Nasal drops 100 mcg per ml - Retail pharmacy-Specialist	39.03	2.5 ml OP	✓ Minirin
Nasal spray 10 mcg per dose - Retail pharmacy-Specialist	22.95	6 ml OP	✓ <u>Desmopressin-</u>
	pharmacy	pharmacy	pharmacy 36.40 30 Tab 200 mcg - Special Authority see SA1401 below - Retail pharmacy 93.60 30 Nasal drops 100 mcg per ml - Retail pharmacy-Specialist 39.03 2.5 ml OP

■SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

		Tab 0.5 mg - Maximum of 2 tab per prescription; can be
✓ Dostine	2	waived by Special Authority see SA1370 on the next page4.75
✓ <u>Dostine</u>	8	19.00

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

■ SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

Tab 50 mg	.29.84	10	✓ <u>Serophene</u>
DANAZOL			
Cap 100 mg	.68.33	100	✓ Azol
Cap 200 mg	.97.83	100	✓ Azol
METYRAPONE			
Cap 250 mg - Retail pharmacy-Specialist	520.00	50	✓ Metopirone

✓ fully subsidised

[HP4] refer page 4

INFECTIONS - AGENTS FOR SYSTEMIC USE Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Anthelmintics** ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy 60 Eskazole \$29 ►SA1318 Special Authority for Subsidy Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids. Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment. MEBENDAZOLE - Only on a prescription Tab 100 mg24.19 ✓ De-Worm 24 Oral lig 100 mg per 5 ml2.18 15 ml Vermox PRAZIQUANTFI ✓ Biltricide Tab 600 mg68.00 **Antibacterials** a) For topical antibacterials, refer to DERMATOLOGICALS, page 63 b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 203 Cephalosporins and Cephamycins CEFACLOR MONOHYDRATE ✔ Ranbaxy-Cefaclor Cap 250 mg26.00 100 Grans for oral liq 125 mg per 5 ml - Wastage claimable - see 100 ml Ranbaxy-Cefaclor **CFFALEXIN** 20 Cephalexin ABM Grans for oral lig 25 mg per ml - Wastage claimable - see 100 ml ✓ Cefalexin Sandoz Note: Cefalexin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing. Grans for oral lig 50 mg per ml - Wastage claimable - see rule 3.3.2 on page 1311.00 100 ml Cefalexin Sandoz Note: Cefalexin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing. CEFAZOLIN - Subsidy by endorsement Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly. CEFTRIAXONE - Subsidy by endorsement a) Up to 5 ini available on a PSO

- b) Subsidised only if prescribed for a dialysis or cystic fibrosis patient, or the treatment of gonorrhoea, or the treatment of pelvic inflammatory disease, or the treatment of suspected meningitis in patients who have a known allergy to penicillin, and the prescription or PSO is endorsed accordingly.

inj 500 mg viai	l	Cettriaxone-AFT
Inj 1 g vial5.22	5	Ceftriaxone-AFT

CEFUROXIME AXETIL – Subsidy by endorsement

Only if prescribed for prophylaxis of endocarditis and the prescription is endorsed accordingly.

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy Brand or Fully (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

70 ml

100

✓ Klacid

✓ F-Mycin

Macrolides

AZITHROMYCIN - Maximum of 5 days treatment per prescription; can be waived by endorsement

rule 3.3.2 on page 1323.12

For Endorsement, patient has either:

- 1) Received a lung transplant and requires treatment or prophylaxis for bronchiolitis obliterans syndrome*; or
- 2) Cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms*.

Indications marked with * are Unapproved Indications			
Tab 250 mg	9.00	30	Apo-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSO	1.05	2	✓ Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) - Wastag	je		
claimable – see rule 3.3.2 on page 13	12.50	15 ml	✓ Zithromax
CLARITHROMYCIN - Maximum of 500 mg per prescription; ca	n be waived by Sp	ecial Authorit	y see SA1131 below
Tab 250 mg	3.98	14	✓ Apo-Clarithromycin
Grans for oral liq 125 mg per 5 ml - Wastage claimable - se	ee		

⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection: or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

16 05

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

FRYTHROMYCIN FTHYL SUCCINATE

Tah 400 mg

a) Up to 20 tab available on a PSO	10.95	100	E-WyCIII
b) Up to 2 x the maximum PSO quantity for RFPP –	see rule 5.2.6 on page	17	
Grans for oral liq 200 mg per 5 ml	, 0	100 ml	E-Mycin
a) Up to 300 ml available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP -	see rule 5.2.6 on page	17	
c) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	E-Mycin
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 13			
ERYTHROMYCIN LACTOBIONATE			
Inj 1 g	16.00	1	Erythrocin IV
ERYTHROMYCIN STEARATE			
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100	
• '	(22.29)		ERA
Tab 500 mg	29.90	100	
	(44.58)		ERA
ROXITHROMYCIN			
Tab 150 mg	7.48	50	✓ Arrow-
	•		Roxithromycin
Tab 300 mg	14.40	50	✓ Arrow-
-			Roxithromycin

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

Manufacturer \$ Per **Penicillins AMOXICILLIN** ✓ Apo-Amoxi Cap 250 mg16.18 500 a) Up to 30 cap available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP - see rule 5.2.6 on page 17 500 ' Apo-Amoxi a) Up to 30 cap available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP – see rule 5.2.6 on page 17 100 ml ✓ Alphamox Amoxicillin Actavis ✔ Ranmoxv 2.00 Ospamox a) Up to 200 ml available on a PSO b) Wastage claimable - see rule 3.3.2 on page 13 100 ml ✓ Alphamox ✓ Amoxicillin Actavis ✔ Ranmoxv Ospamox 2.00 a) Up to 300 ml available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP - see rule 5.2.6 on page 17 c) Wastage claimable - see rule 3.3.2 on page 13 Inj 250 mg vial10.67 10 ✓ Ibiamox 10 ✓ Ibiamox Inj 1 q vial - Up to 5 inj available on a PSO......17.29 10 Ibiamox AMOXICILLIN WITH CLAVULANIC ACID Tab 500 mg with clavulanic acid 125 mg - Up to 30 tab avail-20 Augmentin **Curam Duo** 100 Grans for oral liq amoxicillin 125 mg with clavulanic acid 100 ml ✓ Curam Augmentin a) Up to 200 ml available on a PSO b) Wastage claimable - see rule 3.3.2 on page 13 Grans for oral lig amoxicillin 250 mg with clavulanic acid 62.5 mg per 5 ml2.19 100 ml Curam 4.97 Augmentin a) Up to 200 ml available on a PSO b) Wastage claimable - see rule 3.3.2 on page 13 (Curam Grans for oral lig amoxicillin 125 mg with clavulanic acid 31.25 mg per 5 ml to be delisted 1 April 2016) (Curam Grans for oral liq amoxicillin 250 mg with clavulanic acid 62.5 mg per 5 ml to be delisted 1 April 2016) BENZATHINE BENZYI PENICII I IN Inj 900 mg (1.2 million units) in 2.3 ml syringe - Up to 5 ini available on a PSO......315.00 10 ✔ Bicillin LA BENZYLPENICILLIN SODIUM (PENICILLIN G) Ini 600 mg (1 million units) vial - Up to 5 ini available on a PSO.......10.35 10 Sandoz

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's P	rice)	Full Subsidise	
	` \$	Per		 Manufacturer
FLUCLOXACILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	18.70	250	~	Staphlex
Cap 500 mg	62.90	500	~	<u>Staphlex</u>
Grans for oral liq 25 mg per ml	2.29	100 ml	~	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 ml	•	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.00	10		Fluelavia
Inj 250 mg vial		10 10		<u>Fluctoxin</u>
Inj 500 mg vialInj 1 g vial – Up to 10 inj available on a PSO		10		Flucioxin Flucioxin
	11.00	10	•	FIUCIOXIII
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg – Up to 30 cap available on a PSO		50		Cilicaine VK
Cap 500 mg	4.73	50	•	Cilicaine VK
a) Up to 20 cap available on a PSO	.la	17		
b) Up to 2 x the maximum PSO quantity for RFPP – see ru		100 ml	.,	ACT
Grans for oral liq 125 mg per 5 ml	1.04	100 1111	•	<u>AFT</u>
a) Up to 200 ml available on a PSO b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1 7/	100 ml	V	AFT
a) Up to 300 ml available on a PSO	1.74	100 1111	•	<u> </u>
b) Up to 2 x the maximum PSO quantity for RFPP – see ru	ıle 5 2 6 on nage	17		
c) Wastage claimable – see rule 3.3.2 on page 13	no o.e.o on pago	• • •		
PROCAINE PENICILLIN				
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO	123 50	5	V	Cilicaine
, , , , , ,	120.00	, ,		<u>Omounic</u>
Tetracyclines				
DOXYCYCLINE				
* Tab 50 mg - Up to 30 tab available on a PSO	2.90	30		
3	(6.00)			Doxy-50
* Tab 100 mg - Up to 30 tab available on a PSO	6.75 [′]	250	~	Doxine
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg - Additional subsidy by Special Authority see				
SA1355 below – Retail pharmacy		60		
SA1000 below - Hetali pharmacy	(12.05)	00		Mino-tabs
* Cap 100 mg		100		Will to tabo
- Cap 100 mg	(52.04)			Minomycin
▶ SA1355 Special Authority for Manufacturers Price	(0=.01)			
Initial application from any relevant practitioner. Approvals val	id without further	r renewal i	inless no	itified where the nationt ha
rosacea.	ia without fulfille	i ronewal t	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	amou whole the patient ha
TETRACYCLINE – Special Authority see SA1332 below – Retail	nharmacy			
Cap 500 mg		30	V	Tetracyclin
		-	•	Wolff S29
The CA 1222 Change Authority for Cubaidy				TIVIII TO

⇒SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer Other Antibiotics For topical antibiotics, refer to DERMATOLOGICALS, page 63 CIPROFI OXACIN Recommended for patients with any of the following: i) microbiologically confirmed and clinically significant pseudomonas infection; or ii) prostatitis: or iii) pyelonephritis: or iv) gonorrhoea. 28 Cipflox Tab 500 mg - Up to 5 tab available on a PSO......2.00 28 Cipflox 28 ✓ Cipflox CLINDAMYCIN Cap hydrochloride 150 mg - Maximum of 4 cap per prescription; can be waived by endorsement - Retail pharmacy -Clindamycin ABM 16 Ini phosphate 150 mg per ml. 4 ml - Retail pharmacy-10 Dalacin C CO-TRIMOXAZOLE Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -500 ' Trisul Oral lig trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml - Up to 200 ml available on a PSO......2.15 100 ml ✓ Deprim COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Inj 150 mg65.00 Colistin-Link **FUSIDIC ACID** ✔ Fucidin 12 Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist GENTAMICIN SULPHATE Inj 10 mg per ml, 1 ml - Subsidy by endorsement8.56 5 ✔ Hospira Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed Inj 10 mg per ml, 2 ml - Subsidy by endorsement175.10 ✓ APP 25 Pharmaceuticals \$29 Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed Inj 40 mg per ml, 2 ml ampoule - Subsidy by endorsement......6.00 10 Pfizer

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed

5

✓ Avelox

95

No patient co-payment payable

MOXIFLOXACIN - Special Authority see SA1358 on the next page - Retail pharmacy

Tab 400 mg52.00

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Active tuberculosis*: and
 - 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (**Penetrating eye injury**) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 below - Retail pharmacy

Cap 250 mg126.00 16 ✔ Humatin 🖘

► SA1324 | Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy

⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy: or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

SULFADIAZINE SODIUM - Special Authority see SA1331 on the next page - Retail pharmacy

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

⇒SA1331 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

TOBRAMYCIN

Inj 40 mg per ml, 2 ml ampoule - Subsidy by endorsement	38.00	5	DBL Tobramycin
Only if prescribed for dialysis or cystic fibrosis patient and	the prescription	is endorsed ac	ccordingly.
Solution for inhalation 60 mg per ml, 5 ml - Subsidy by en)-		
dorsement	2,200.00	56 dose	✓ TOBI
a) Wastage claimable – see rule 3.3.2 on page 13			
b) Only if prescribed for a cystic fibrosis patient and the p	rescription is end	lorsed accordin	ngly.

TRIMETHOPRIM

★ Tab 300 mg - Up to 30 tab available on a PSO......15.00
50
✓ TMP

VANCOMYCIN - Subsidy by endorsement

0 40

2

. / 0--1-

Antifungals

- a) For topical antifungals refer to DERMATOLOGICALS, page 63
- b) For topical antifungals refer to GENITO URINARY, page 76

Can EO ma Datail pharmagy Chanieliat

FLUCONAZOLE

Cap 50 mg - Retail pharmacy-Specialist	3.49	28	✓ <u>Ozoie</u>	
Cap 150 mg – Subsidy by endorsement	0.71	1	✓ <u>Ozole</u>	
a) Maximum of 1 cap per prescription; can be waived by	endorsement - Re	tail pharmacy	/ - Specialist	
b) Patient has vaginal candida albicans and the practition	ner considers that	a topical imi	idazole (used intra-vaginally) is no	t
recommended and the prescription is endorsed according	gly; can be waived	by endorsen	nent - Retail pharmacy - Specialist	
Cap 200 mg - Retail pharmacy-Specialist	9.69	28	✓ <u>Ozole</u>	
Powder for oral suspension 10 mg per ml - Special Authorit	у			
see SA1359 below - Retail pharmacy	34.56	35 ml	✓ Diflucan S29 S29	
	98.50		✓ Diflucan	

Wastage claimable - see rule 3.3.2 on page 13

■ SA1359 | Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOLE

✓ Itrazole 15

Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology. or for tinea unquium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement -Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 below

- Retail pharmacy141.80 150 ml OP ✓ Sporanox

⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KETOCONAZOLE

Tab 200 mg - PCT - Retail pharmacy-Specialist - Sub	osidy		
by endorsement	CBS	30	✓ Link Healthcare S29
			✓ Nizoral S29

Prescriptions must be written by, or on the recommendation of an oncologist

•	•	•		
NYSTATIN				
Tab 500,000 u		14.16	50	
		(17.09)		Nilstat
Cap 500,000 u		12.81	50	
		(15.47)		Nilstat
POSACONAZOLE - S	Special Authority see SA1285 belo	w – Retail pharmacy		

Oral liq 40 mg per ml761.13 105 ml OP ✓ Noxafil

⇒SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy: or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

(Mani	Subsidy	Fully	Brand or
	ufacturer's Price)	Subsidised	Generic
	\$ P	Per 🗸	Manufacturer

continued...

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg - For terbinafine oral liquid formulation refer, page 211	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE - Special Authority see SA1273 below - Retail pharmacy		
Tab 50 mg	56	✓ Vttack Vfend
Vttack to be Sole Supply on 1 April 2016		
Tab 200 mg500.00 (2,930.00)	56	✓ Vttack Vfend
Vttack to be Sole Supply on 1 April 2016		
Powder for oral suspension 40 mg per ml - Wastage		
claimable – see rule 3.3.2 on page 13730.00 (Vfend Tab 50 mg to be delisted 1 April 2016) (Vfend Tab 200 mg to be delisted 1 April 2016)	70 ml	✓ Vfend

► SA1273 | Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

Antimalarials

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

✓ Primacin S29

Arrow-Ornidazole

⇒SA1326 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QUININE SULPHATE

Tab 300 mg54.06 500 ✓ Q 300 ± Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

METRONIDAZOLE

Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg	18.15	100	Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg		10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	16.50	10	Arrow-Orn

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.

100 ✓ Lamprene S29

CYCLOSERINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

Cap 250 mg1,294.50 100 ✓ King S29

DAPSONE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist

100 ✓ Dapsone 100 ✓ Dapsone

	ıı,	NFECTIONS - A	GEN	13 FUI	N 3131EWIIC USE
		Subsidy (Manufacturer's Price)	Per	Ful Subsidise	
ETI	HAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendati	on of, an infectious	diseas	se physic	cian, clinical microbiologist or
	respiratory physician				
	Tab 100 mg	48.01	56	~	' Myambutol
	Tab 400 mg	49.34	56	~	' Myambutol
ISC	NIAZID - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendation	n of, an internal med	licine ı	ohvsician	. paediatrician, clinical micro-
	biologist, dermatologist or public health physician	,		,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
*	Tab 100 mg	20.00	100	~	'PSM
	Tab 100 mg with rifampicin 150 mg		100	~	Rifinah
*	Tab 150 mg with rifampicin 300 mg	170.60	100	~	' Rifinah
DΔI	RA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist				
iΛ	a) No patient co-payment payable				
	b) Specialist must be an infectious disease specialist, clinical	microhiologist or res	nirato	rv snacial	liet
	Grans for oral liq 4 g sachet		30		Paser \$29
		200.00	00	•	I doci sas
PR	OTIONAMIDE – Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Specialist must be an infectious disease specialist, clinical				
	Tab 250 mg	305.00	100	V	Peteha S29
PY	RAZINAMIDE – Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendati	on of, an infectious	disea	se physic	cian, clinical microbiologist or
	respiratory physician				
*	Tab 500 mg - For pyrazinamide oral liquid formulation refer,				
	page 211	59.00	100	~	' AFT-Pyrazinamide
RIF	ABUTIN - Retail pharmacy-Specialist				
	a) No patient co-payment payable				
	b) Prescriptions must be written by, or on the recommendat	ion of, an infectious	disea	se physic	cian, respiratory physician or
	gastroenterologist			. ,	
*	Cap 150 mg - For rifabutin oral liquid formulation refer, page				
	211	213.19	30	~	Mycobutin
RIF	AMPICIN – Subsidy by endorsement				
	a) No patient co-payment payable				
	b) For confirmed recurrent Staphylococcus aureus infection in	combination with oth	er effe	ective anti	i-stanhylococcal antimicrobial
	based on susceptibilities and the prescription is endorsed at				
	Specialist. Specialist must be an internal medicine physicia				
	health physician.	,	J. J.,		. J . / F
*	Tab 600 mg	108.70	30	~	' Rifadin
	Cap 150 mg		100		' Rifadin
	Cap 300 mg		100		' Rifadin
	Oral liq 100 mg per 5 ml		60 ml		Rifadin
	fadin Tab 600 mg to be delicated 1 July 2016)				

(Rifadin Tab 600 mg to be delisted 1 July 2016)

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Antivirals

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 203

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy

Tab 10 mg670.00

30 ✓ Hepsera

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA1361 below - Retail pharmacy

30

✓ Baraclude

⇒SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Fither:
 - 4.1 ALT greater than upper limit of normal; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

continued...

- 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive: or
 - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

L

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

_AMIVUDINE - Special Authority see SA1360 below - Retail phare	macy		
Tab 100 mg	6.00	28	Zeffix
Oral liq 5 mg per ml	270.00	240 ml	✓ Zeffix

⇒SA1360 | Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or
- 6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine: and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and
 - Documented resistance to lamivudine, defined as:
 - 2.3 Patient has raised serum ALT (> 1 × ULN); and

continued...

103

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation: or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamiyudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

AC	ICLOVIR
v.	Tob dian

ACICLOVIA			
* Tab dispersible 200 mg	1.78	25	✓ Lovir
* Tab dispersible 400 mg	5.98	56	✓ Lovir
	6.64	35	✓ Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	✓ Vaclovir
•	(102.72)		Valtrex
Vaclovir to be Sole Supply of	n 1 June 2016		
Tab 1,000 mg	12.75	30	Vaclovir
Vaclovir to be Sole Supply of	n 1 June 2016		
(Valtrex Tab 500 mg to be delisted	1 June 2016)		
VALGANCICLOVIR - Special Auth	ority see SA1404 below - Retail pharmacy		
Tab 450 mg	1,050.00	60	✓ Valcyte

⇒SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis: and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months): and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

1 Patient has undergone a lung transplant; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2 Fither:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised: and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1362 below Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil furnarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 107

⇒SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation: or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
 - 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
 negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

BOCEPREVIR - Special Authority see SA1402 on the next page - Retail pharmacy

Cap 200 mg - Wastage claimable - see rule 3.3.2 on page

336

✓ <u>Victrelis</u>

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

■ SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
 - 2 Patient has not received prior pegylated interferon treatment; and
 - 3 Patient has IL-28B genotype CT or TT; and
 - 4 Patient is to be treated in combination with pegylated interferon and ribavirin: and
 - 5 Patient is hepatitis C protease inhibitor treatment-naive; and
 - 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegylated interferon treatment; and
- 3 Any of the following:
 - 3.1 Patient was a responder relapser; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10⁹ /l or Albumin <35 g/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

Antiretrovirals

■SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 \times total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 500 cells/mm³.

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Subsidy (Manufacturer's Price)		ully Brand or sed Generic
\$	Per	✓ Manufacturer

continued...

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretro-

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1364 on page 107 -	Retail pharmacy		
Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg	190.15	90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29
ETRAVIRINE – Special Authority see SA1364 on page 107 – Tab 200 mg	, ,	60	✓ Intelence
NEVIRAPINE - Special Authority see SA1364 on page 107 -	- Retail pharmacy		
Tab 200 mg	65.00	60	✓ Nevirapine
Oral suspension 10 mg per ml	134.55	240 ml	Alphapharm ✓ Viramune Suspension

Nucleosides Reverse Transcriptase Inhibitors

ARACAVIR SUI PHATE - Special Authority see SA1364 on page 107 - Retail pharmacy

Tab 300 mg	229.00	60 240 ml OP	✓ <u>Ziagen</u>✓ <u>Ziagen</u>
ABACAVIR SULPHATE WITH LAMIVUDINE — Special Authority see Note: abacavir with lamivudine (combination tablets) counts as retroviral Special Authority. Tab 600 mg with lamivudine 300 mg	s two anti-ret		
DIDANOSINE [DDI] - Special Authority see SA1364 on page 107 -	Retail pharm	acy	
Cap 125 mg	115.05	30	✓ Videx EC
Cap 200 mg	184.08	30	✓ Videx EC
Cap 250 mg	230.10	30	✓ Videx EC
Cap 400 mg	368.16	30	✓ Videx EC

EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL FUMARATE - Special Authority see SA1364 on page 107 - Retail pharmacy

Note: Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority

Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil

	•		•
EMTRICITABINE	E - Special Authority see SA1364 on page 107 - Retail pharmacy		
Cap 200 mg	307.20	30	Emtriva

/ Atrinla

30

	Subsid (Manufacturer		Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE Note: Emtricitabine with tenofovir disoproxil fumarate coun retroviral Special Authority	•	•	
Tab 200 mg with tenofovir disoproxil fumarate 300 mg	838.20	30	✓ Truvada
LAMIVUDINE - Special Authority see SA1364 on page 107 - R Tab 150 mg		60	✓ <u>Lamivudine</u>
Oral liq 10 mg per ml	102.50	240 ml OP	Alphapharm ✓ 3TC
STAVUDINE [D4T] - Special Authority see SA1364 on page 10			·
Cap 40 mg		60	✓ Zerit
Powder for oral soln 1 mg per ml	100.76	200 ml OP	✓ Zerit S29
ZIDOVUDINE [AZT] - Special Authority see SA1364 on page 1	07 – Retail pha	rmacy	
Cap 100 mg		100	Retrovir
Oral liq 10 mg per ml		200 ml OP	✓ Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority se Note: zidovudine [AZT] with lamivudine (combination tablets anti-retroviral Special Authority. Th 200 an with lamivuding 150 and	s) counts as tw	o anti-retroviral m	nedications for the purposes of
Tab 300 mg with lamivudine 150 mg	44.00	60	✓ Alphapharm
Protease Inhibitors			
ATAZANAVIR SULPHATE - Special Authority see SA1364 on p	age 107 – Reta	ail pharmacy	
Cap 150 mg	568.34	60 60	✓ Reyataz✓ Reyataz
DARUNAVIR - Special Authority see SA1364 on page 107 - Re	etail pharmacy		
Tab 400 mg		60	✓ Prezista
Tab 600 mg		60	✓ Prezista
INDINAVIR – Special Authority see SA1364 on page 107 – Reta		260	A Culvivan
Cap 200 mg Cap 400 mg		360 180	✓ Crixivan✓ Crixivan
LOPINAVIR WITH RITONAVIR - Special Authority see SA1364			
Tab 100 mg with ritonavir 25 mg		60	✓ Kaletra
Tab 200 mg with ritonavir 50 mg		120	✓ Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓ Kaletra
RITONAVIR - Special Authority see SA1364 on page 107 - Re			
Tab 100 mg		30	Norvir
Oral liq 80 mg per ml	103.98	90 ml OP	✓ Norvir
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM - Special Authority see SA1364 o	n page 107 – F	Retail pharmacy	
Tab 400 mg	. •		✓ Isentress
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
ENFUVIRTIDE – Special Authority see SA0845 on the next pag Powder for inj 90 mg per ml × 60		rmacy 1	✓ Fuzeon

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed: and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12: and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- a) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test: or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- a) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

✓ Roferon-A

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INTERFERON ALFA-2B — PCT — Retail pharmacy-Specialist a) See prescribing guideline on the previous page b) Prescriptions must be written by, or on the recommendation		icine p	•	,
Inj 18 m iu, 1.2 ml multidose pen		1		ntron-A
Inj 30 m iu, 1.2 ml multidose pen		1		ntron-A
Inj 60 m iu, 1.2 ml multidose pen	689.04	1	V li	ntron-A
PEGYLATED INTERFERON ALFA-2A — Special Authority see SA See prescribing guideline on the previous page		pharr 4	-	Nomonyo
Inj 135 mcg prefilled syringe		4		Pegasys
Inj 180 mcg prefilled syringe	900.00	•	V <u>F</u>	<u>Pegasys</u>
112	1,799.68	1 OP	✓ <u>F</u>	Pegasys RBV Combination Pack
Inj 135 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times				
168	1,975.00	1 OP	✓ <u>F</u>	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times				
112	1,159.84	1 OP	✓ <u>F</u>	Pegasys RBV Combination Pack
Inj 180 mcg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$				
168	1,290.00	1 OP	✓ <u>F</u>	Pegasys RBV Combination Pack

■SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C. genotype 1: and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

continued...

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C. genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Fither:
 - 5.1 HBeAg positive: or
 - 5.2 serum HBV DNA > 2.000 units/ml and significant fibrosis (> Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet quide-
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

IEVANALE LUBBURATE

18.40	100	
(38.10)		Hiprex

113

	(Manufacturer's Price) \$	Per	Subsidise	d Generic Manufacturer
NITROFURANTOIN				
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer,				
page 211	22.20	100	~	Nifuran
* Tab 100 mg	37.50	100	~	Nifuran
NORFLOXACIN				
Tab 400 mg – Subsidy by endorsement	13.50	100	~	Arrow-Norfloxacin
Only if prescribed for a patient with an uncomplicated uring				e to a first line agent or with
proven resistance to first line agents and the prescription is	endorsed according	lly.		

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Prid \$	ce) S Per	Fully Brand or ubsidised Generic Manufacturer
Anticholinesterases			
EOSTIGMINE METILSULFATE			
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	✓ AstraZeneca
YRIDOSTIGMINE BROMIDE			
▲ Tab 60 mg	38.90	100	✓ Mestinon
Non-Steroidal Anti-Inflammatory Drugs	00.00	100	• mestinon
CLOFENAC SODIUM Tab EC 25 mg	4.00	50	. / Distatores Constan
Tab EC 25 mg		50	✓ <u>Diclofenac Sandoz</u>
Tab 50 mg dispersible		20	✓ Voltaren D
Tab EC 50 mg		50	✓ <u>Diclofenac Sandoz</u>
Tab long-acting 75 mg		500	Apo-Diclo SR
Tab long-acting 100 mg		500	✓ Apo-Diclo SR
Inj 25 mg per ml, 3 ml ampoule - Up to 5 inj available on			
PSO	13.20	5	✓ <u>Voltaren</u>
Suppos 12.5 mg	2.04	10	✓ Voltaren
Suppos 25 mg	2.44	10	✓ Voltaren
Suppos 50 mg - Up to 10 supp available on a PSO	4.22	10	✓ <u>Voltaren</u>
Suppos 100 mg	7.00	10	✓ Voltaren
JPROFEN			
Tab 200 mg	9.45	1,000	✓ Ibugesic
Tab long-acting 800 mg		30	✓ Brufen SR
Oral liq 20 mg per ml		200 ml	Fenpaed
, ,,	1.00	200 1111	renpaca
TOPROFEN			4.0
Cap long-acting 200 mg	12.07	28	Oruvail SR
FENAMIC ACID			
Cap 250 mg	1.25	50	
	(9.16)		Ponstan
	0.50	20	
	(5.60)		Ponstan
PROXEN	, ,		
Tab 250 mg	18.06	500	✓ Noflam 250
Tab 500 mg		250	Noflam 500
•		90	✓ Naprosyn SR 750
Tab long-acting 750 mg		90	
Tab long-acting 1 g	21.00	90	✓ Naprosyn SR 1000
LINDAC			
Tab 100 mg		50	✓ Aclin
Tab 200 mg	15.10	50	✓ Aclin
NOXICAM			
Tab 20 mg	3.05	20	✓ Reutenox
Inj 20 mg vial		1	✓ AFT
ISAIDs Other			
	Datail sharms		
ELOXICAM – Special Authority see SA1034 on the next page		20	A Aurent Melecies
Tab 7.5 mg	11.50	30	Arrow-Meloxicam

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% - Special Authority see SA1289 below - Retail			
pharmacy	6.95	25 g OP	✓ Zostrix
	9.95	45 a OP	✓ Zostrix

⇒SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

AURANOFIN		
Tab 3 mg68.99	60	✔ Ridaura s29 S29
HYDROXYCHLOROQUINE		
* Tab 200 mg10.50	100	✓ <u>Plaquenil</u>
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ Arava
Tab 20 mg76.00	30	✓ Arava
Tab 100 mg54.44	3	✓ Arava
PENICILLAMINE		
Tab 125 mg61.93	100	D-Penamine
Tab 250 mg98.98	100	D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	10	✓ Myocrisin
Inj 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Note); or

continued...

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

117

	Subsidy (Manufacturer's Price) \$	Per	Subsidised (Brand or Generic Manufacturer	
ALENDRONATE SODIUM - Special Authority see SA1039 on pa		nacy 4	✓ Fos	amax	
ALENDRONATE SODIUM WITH CHOLECALCIFEROL – Specia * Tab 70 mg with cholecalciferol 5,600 iu		9 on 4		etail pharmacy amax Plus	

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity: or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

AL	ENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy		
*	Tab 40 mg133.00	30	✓ Fosamax

Other Treatments

ETI	DRONATE DISODIUM - See prescribing guideline below		
	Tab 200 mg	100	✓ Arrow-Etidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	6.80	1	Pamisol
Inj 6 mg per ml, 10 ml vial		1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial		1	✓ Pamisol
RALOXIFENE HYDROCHLORIDE - Special Authority see	SA1138 below – Retail p	harmacy	
* Tab 60 mg	53.76	28	Evista

⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

R

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes): or

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

♣ Per ✔ Manufacturer

continued...

6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM

►SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with cholecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial − Special Authority see

SA1187 on the next page − Retail pharmacy600.00 100 ml OP ✓ Aclasta

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease: and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Note):
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically: or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture > 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene: and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and

continued...

Subsidy (Manufacturer's Price)	Fully Subsidised		
(Manuacuters Frice)	Per 🗸	Manufacturer	

continued...

2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (> 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note);
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score < -3.0 (see Note): or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

	OPURINOL			4
*	Tab 100 mg	15.11	1,000	Apo-Allopurinol
*	Tab 300 mg - For allopurinol oral liquid formulation refer,			
	page 211	15.91	500	Apo-Allopurinol

121

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
BENZBROMARONE – Special Authority see SA1537 below – Ro	' '	100	✓ Benzbromaron AL

■SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/downloads/Benzbromarone-prescriber-information-NZRA-V2.pdf

COLCHICINE		
* Tab 500 mcg10.08	100	✓ Colgout
FEBUXOSTAT - Special Authority see SA1538 on the next page - Retail pharmacy		
Tab 80 mg39.50	28	✓ Adenuric
Tab 120 mg39.50	28	✓ Adenuric

Subsidy	Fully	Brand or
acturer's Price)	Subsidised	Generic
\$ Per	· •	

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose: or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearanceadjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

100 ✔ Probenecid-AFT Tab 500 mg55.00

Muscle Relaxants

BACLOFEN

*	Tab 10 mg - For baclofen oral liquid formulation refer, page				
	211	3.85	100	✓ Pacifen	
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement	11.55	1	✓ Lioresal I	ntrathecal
	Subsidised only for use in a programmable pump in patients v	where ora	al antispastic agen	its have been i	neffective or have
	caused intolerable side effects and the prescription is endorsed	l accordin	ngly.		
	Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement	.209.29	1	Lioresal I	ntrathecal
	Subsidised only for use in a programmable pump in patients v	where ora	al antispastic agen	its have been i	neffective or have
	caused intolerable side effects and the prescription is endorsed	l accordin	ngly.		

\Box	A IT	-00		
DA	NI	ĸ	" ⊢	IVI I

* Cap 50 mg	77.00	100	Dantrium
ORPHENADRINE CITRATE			
Tab 100 mg	18.54	100	✓ Norflex

Cap 25 mg65.00

100

✓ Dantrium

123

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and R	elated Agents
-------------------------	---------------

AMANTADINE HYDROCHLORIDE	00.04	00	. 4 Commontered
▲ Cap 100 mg	38.24	60	✓ <u>Symmetrel</u>
APOMORPHINE HYDROCHLORIDE	110.00	_	. Amandina
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Apomine
BROMOCRIPTINE MESYLATE	00.00	400	44 5
* Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	28.00	100	✓ Entapone
LEVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg		100	Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	✓ Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg - For levodopa with car	r-		
bidopa oral liquid formulation refer, page 211	20.00	100	✓ Kinson
			✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
LISURIDE HYDROGEN MALEATE			
▲ Tab 200 mcg	25.00	30	✓ Dopergin
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.20	100	✓ Ramipex
▲ Tab 1 mg		100	Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	2.36	100	✓ Apo-Ropinirole
▲ Tab 1 mg		100	✓ Apo-Ropinirole
▲ Tab 2 mg		100	✓ Apo-Ropinirole
▲ Tab 5 mg		100	✓ Apo-Ropinirole
SELEGILINE HYDROCHLORIDE			
* Tab 5 mg	16.06	100	✓ Apo-Selegiline
i ub o mg		100	✓ Apo-Selegiline
			S29 \$29
TOLOADONE			023 020
TOLCAPONE	100.00	100	. / Taaman
▲ Tab 100 mg	126.20	100	✓ Tasmar
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
a) Up to 5 inj available on a PSO			ŭ
b) Only on a PSO			
•			

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	\$	Per	~	Manufacturer
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	7.40	100	✓ K	emadrin
Agents for Essential Tremor, Chorea and Related	Disorders			
RILUZOLE - Special Authority see SA1403 below - Retail pharma	асу			
Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	400.00	56	✓ R	lilutek
▶ SA1403 Special Authority for Subsidy				
Initial application only from a neurologist or respiratory special	ist. Approvals valid	for 6	months for	r applications meeting the
following criteria:				
All of the following:				
1 The patient has amyotrophic lateral sclerosis with disease	,		*	
2. The nationt has at least 60 percent of predicted forced vita	al congoity within 2 r	nantha	a prior to the	nitial applications and

- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
 - 5.1 The patient is ambulatory; or
 - 5.2 The patient is able to use upper limbs; or
 - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
 - 3.1 The patient is ambulatory; or
 - 3.2 The patient is able to use upper limbs; or

Gel 2%, 10 ml urethral syringe - Subsidy by endorsement......43.26

3.3 The patient is able to swallow.

TETRABENAZINE

Tab 25 mg118.00 112 ✓ Motetis

Anaesthetics

LIDOCAINE [LIGNOCAINE]

Local

a) Up to 5 each available on a PSO			
b) Subsidised only if prescribed for urethral or cervical adm	inistration and t	the prescriptio	n is endorsed accordingly.
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE			
Oral (viscous) soln 2%	55.00	200 ml	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓ Lidocaine-Claris
	17.50	50	

Oral (viscous) soln 2%	55.00	200 ml	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓ Lidocaine-Claris
	17.50	50	
	(35.00)		Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	✓ Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris
	12.00	5	
	(20.00)		Xylocaine
Ini 2%, 20 ml ampoule – Up to 5 ini available on a PSO	2.40	1	✓ Lidocaine-Claris

10

✔ Pfizer

125

[±] safety cap

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes -				
Subsidy by endorsement	43.26	10	✓ Pf	fizer
a) Up to 5 each available on a PSO				
b) Subsidised only if prescribed for urethral or cervical adm	inistration and the pr	escrip	otion is endo	rsed accordingly.

Topical Local Anaesthetics

⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authority see SA0906 above	e – Retail pha	armacy	
Crm 4%	27.00	30 g OP	✓ LMX4
Crm 4% (5 g tubes)	27.00	5	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Authori	ty see SA090	06 above – Retai	l pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	EMLA

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 115

No	on-opioid Analgesics			
For	aspirin & chloroform application refer Standard Formulae, page	214		
ASF	PIRIN			
*	Tab dispersible 300 mg - Up to 30 tab available on a PSO	2.55	100	Ethics Aspirin
CAI	PSAICIN – Subsidy by endorsement			
	Subsidised only if prescribed for post-herpetic neuralgia or d accordingly.	iabetic periphe	eral neuropathy	and the prescription is endorsed
	Crm 0.075%	12.50	45 g OP	✓ Zostrix HP
NEI	FOPAM HYDROCHLORIDE			
	Tab 30 mg	23.40	90	Acupan
PAF	RACETAMOL			
*	Tab 500 mg - Up to 30 tab available on a PSO	8.47	1,000	✓ Pharmacare
* ‡	Oral liq 120 mg per 5 ml	4.15	1,000 ml	✓ Paracare
	a) Up to 200 ml available on a PSO			
	b) Not in combination			
* ‡	Oral liq 250 mg per 5 ml	4.35	1,000 ml	✓ Paracare Double
	a) He to 400 and a collection at BOO			<u>Strength</u>
	a) Up to 100 ml available on a PSO			
	b) Not in combination			4.4
*	Suppos 125 mg		10	✓ <u>Gacet</u>
*	Suppos 250 mg		10	✓ <u>Gacet</u>
*	Suppos 500 mg	12.60	50	✓ Paracare

	Subsidy (Manufacturer's Pri \$	ice) S Per	Fully ubsidised	Brand or Generic Manufacturer
Opioid Analgesics				
CODEINE PHOSPHATE – Safety medicine; prescriber	may determine dispensing f	frequency		
Tab 15 mg	4.75	100	✓ P:	SM_
Tab 30 mg	5.80	100	✓ P:	<u>SM</u>
Tab 60 mg	12.50	100	✓ P:	<u>SM</u>
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	13.64	60	✓ DI	HC Continus
ENTANYL		-		
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispe	ancina fraguency			
Inj 50 mcg per ml, 2 ml ampoule		10	✓ R	oucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10	_	oucher and Muir
Patch 12.5 mcg per hour		5	_	entanyl Sandoz
Patch 25 mcg per hour		5	_	entanyl Sandoz
Patch 50 mcg per hour		5		entanyl Sandoz
Patch 75 mcg per hour		5		entanyl Sandoz
Patch 100 mcg per hour		5		entanyl Sandoz
METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine disped) Extemporaneously compounded methadone will powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer Statab 5 mg	only be reimbursed at the randard Formulae, page 214	ate of the c	·	orm available (methado
Oral liq 2 mg per ml		200 ml		iodone
Oral liq 5 mg per ml		200 ml	_	iodone Forte
Oral lig 10 mg per ml		200 ml		iodone Extra Forte
Inj 10 mg per ml, 1 ml		10	✓ A	
iORPHINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispe				
C) Salety medicine, prescriber may determine dispe		200 ml	✓ R	A-Morph
Oral lig 2 mg per ml		200 ml		A-Morph
Oral lig 5 mg por ml		200 ml		A-Morph

‡

200 ml

200 ml

✓ RA-Morph

✓ RA-Morph

Oral liq 10 mg per ml26.00

(Manufacturer's Price) Subsidised Generic \$ Per Manufacturer MORPHINE SUI PHATE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency ✓ Sevredol Tab immediate-release 10 mg2.80 10 10 Arrow-Morphine LA 10 ✓ Sevredol Tab long-acting 30 mg2.98 ✓ Arrow-Morphine LA 10 ✓ Arrow-Morphine LA 10 Tab long-acting 100 mg6.45 10 ✓ Arrow-Morphine LA Cap long-acting 10 mg1.70 10 m-Eslon ✓ m-Eslon Cap long-acting 30 mg2.50 10 10 ✓ m-Eslon 10 m-Eslon ✓ DBL Morphine Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSO12.48 5 Sulphate Ini 10 mg per ml. 1 ml ampoule - Up to 5 ini available on a PSO 9.09 5 ✔ DBL Morphine Sulphate Ini 15 mg per ml. 1 ml ampoule - Up to 5 ini available on a 5 DBL Morphine Sulphate Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj available on a 5 DBL Morphine Sulphate MORPHINE TARTRATE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency ✔ Hospira 5

Subsidy

Fully

Brand or

5

✓ Hospira

_					
		Subsidy		Fully	
		(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
_					That lata data of
OX	YCODONE HYDROCHLORIDE				
	a) Only on a controlled drug form				
	b) No patient co-payment payable				
	c) Safety medicine; prescriber may determine dispensing free				
	Tab controlled-release 5 mg		20		OxyContin
	Tab controlled-release 10 mg	6.75	20		Oxycodone
					ControlledRelease
					Tablets(BNM)
	Tab controlled-release 20 mg	11.50	20	~	Oxycodone
	•				ControlledRelease
					Tablets(BNM)
	Tab controlled-release 40 mg	18 50	20	1	Oxycodone
	Tab controlled follower formy			•	ControlledRelease
					Tablets(BNM)
	Tab controlled release 90 mg	24.00	20		
	Tab controlled-release 80 mg	34.00	20	•	Oxycodone
					ControlledRelease
					Tablets(BNM)
	Cap immediate-release 5 mg		20		OxyNorm
	Cap immediate-release 10 mg		20	-	OxyNorm
	Cap immediate-release 20 mg		20	-	OxyNorm
‡	Oral liq 5 mg per 5 ml		250 ml		OxyNorm
	Inj 10 mg per ml, 1 ml ampoule	8.57	5		OxyNorm
		(10.08)			Oxycodone Orion
	OxyNorm to be Sole Supply on 1 May 2016				
	Inj 10 mg per ml, 2 ml ampoule	16.89	5	~	OxyNorm
		(19.87)		(Oxycodone Orion
	OxyNorm to be Sole Supply on 1 May 2016				
	Inj 50 mg per ml, 1 ml ampoule		5	/	OxyNorm
(0.	kycodone Orion Inj 10 mg per ml, 1 ml ampoule to be delisted	1 May 2016)			
(0.	kycodone Orion Inj 10 mg per ml, 2 ml ampoule to be delisted	1 May 2016)			
РΑ	RACETAMOL WITH CODEINE - Safety medicine; prescriber i	may determine disne	nsina 1	frequency	
*			1,000		Paracetamol +
•	ina paraconamo, oco mg mai ocucino pricopriate o mg mini		.,000	•	Codeine (Relieve)
DE	THIDINE HYDROCHLORIDE				<u>oodomo (nonovo)</u>
r					
	a) Only on a controlled drug form				
	b) No patient co-payment payable				
	c) Safety medicine; prescriber may determine dispensing free		40		2011
	Tab 50 mg		10	-	PSM Post
	Tab 100 mg		10		PSM PSI Partition
	Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	•	DBL Pethidine
	1.50	- 00	_		<u>Hydrochloride</u>
	Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.83	5	'	DBL Pethidine
					<u>Hydrochloride</u>
TR	AMADOL HYDROCHLORIDE				
	Tab sustained-release 100 mg	2.00	20	'	Tramal SR 100
	Tab sustained-release 150 mg		20	'	Tramal SR 150
	Tab sustained-release 200 mg	4.00	20	V	Tramal SR 200
	Cap 50 mg - For tramadol hydrochloride oral liquid formula-				
	tion refer, page 211		100	/	Arrow-Tramadol
	· · / F · · · ·				

[‡] safety cap

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Antidepressants

Cyclic and Related Agents

AMITRIPTYLINE - Safety medicine; prescriber ma	y determine dispensing frequenc	су	
Tab 10 mg	1.68	100	Arrow Amitriptyline
Tab 25 mg	1.68	100	✓ Arrow-Amitriptyline
Tab 50 mg	2.82	100	Arrow-Amitriptyline
CLOMIPRAMINE HYDROCHLORIDE - Safety me	dicine; prescriber may determine	dispensin	ng frequency
Tab 10 mg	12.60	100	✓ Apo-Clomipramine
Tab 25 mg	8.68	100	✓ Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE - Safety medicine	e; prescriber may determine disp	ensing free	quency
Tab 75 mg		100	✓ Dopress
Cap 25 mg	6.17	100	✓ Dopress
DOXEPIN HYDROCHLORIDE - Safety medicine;	prescriber may determine disper	sina freau	encv
Cap 10 mg		100	✓ Anten
Cap 25 mg	6.86	100	✓ Anten
Cap 50 mg	8.55	100	✓ Anten
IMIPRAMINE HYDROCHLORIDE - Safety medicin	ne; prescriber may determine dis	pensing fre	equency
Tab 10 mg		50	✓ Tofranil
	6.58	60	✓ Tofranil s29 S29
	10.96	100	✓ Tofranil
Tab 25 mg	8.80	50	✓ Tofranil
MAPROTILINE HYDROCHLORIDE - Safety medic	cine; prescriber may determine d	ispensing	frequency
Tab 25 mg	7.52	30	✓ Ludiomil
	12.53	50	✓ Ludiomil
	25.06	100	✓ Ludiomil
Tab 75 mg		20	✓ Ludiomil
	21.01	30	✓ Ludiomil
MIANSERIN HYDROCHLORIDE - Safety medicin-	e; prescriber may determine disp	ensing fre	quency
Tab 30 mg - Subsidy by endorsement		30	✓ Tolvon
Subsidised for patients who were taking miar			
ingly. Pharmacists may annotate the prescr			
hydrochloride. Note that supply of mianseri		nued in Ne	ew ∠ealand and it is anticipated tha
there will be no stock of mianserin available	beyond November 2015.		
(Tolvon Tab 30 mg to be delisted 1 April 2016)			

MONTH IN THE INDITION IN THE TOTAL THE TOTAL THE TOTAL THE TOTAL THE TOTAL THE TIME TO THE TOTAL THE TIME TO THE T	NORTRIPTYLINE HYDROCHLORIDE	- Safety	medicine;	prescriber may	determine dis	pensing fre	equency
--	-----------------------------	----------	-----------	----------------	---------------	-------------	---------

Tab 10 mg	4.00	100	✓ Norpress
Tab 25 mg		180	✓ Norpress

Monoamine-Oxidase Inhibitors (MAOIs) - Non Selective

PH	ENELZINE SULPHATE			
*	Tab 15 mg	.95.00	100	✓ Nardil
	•			
IR	ANYLCYPROMINE SULPHATE			
*	Tab 10 mg	.22.94	50	✔ Parnate

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
Monoamine-Oxidase Type A Inhibitors				
MOCLOBEMIDE	05.40	500		A Ma alabamida
* Tab 150 mg * Tab 300 mg		500 100		Apo-Moclobemide Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE			_	
* Tab 20 mg	1./9	84		Arrow-Citalopram PSM Citalopram
PSM Citalopram to be Sole Supply on 1 April 2016 (Arrow-Citalopram Tab 20 mg to be delisted 1 April 2016)				·
ESCITALOPRAM	1.40	00		Air Flour Bus ducate
* Tab 10 mg * Tab 20 mg		28 28		Air Flow Products Air Flow Products
FLUOXETINE HYDROCHLORIDE				
Tab dispersible 20 mg, scored – Subsidy by endorsemen Subsidised by endorsement	2.50	30	/	Arrow-Fluoxetine
When prescribed for a patient who cannot swallow will be a patient with the patient will be a patient will be a patient with the patient will be appeared by the patient will be a patient with the patient will be a	nole tablets or capsules a	and the	e prescripti	ion is endorsed according
or 2) When prescribed in a daily dose that is not a multiple	of 20 mg in which cook	the n	rocarintian	is deemed to be endere
Note: Tablets should be combined with capsules to fa				is deemed to be endorse
* Cap 20 mg	1.74	90	/	Arrow-Fluoxetine
PAROXETINE HYDROCHLORIDE				
* Tab 20 mg	4.32	90	/	<u>Loxamine</u>
SERTRALINE Tab 50 mg	1 21	30	V	Sertraline
145 00 mg		00		Actavis S29
	3.64	90	-	Arrow-Sertraline
Tab 100 mg	6.28	90	/	Arrow-Sertraline
Other Antidepressants				
MIRTAZAPINE - Brand switch fee payable (Pharmacode 249	, ,	detai		
Tab 30 mg	2.55	30	'	Apo-Mirtazapine

30

✓ Apo-Mirtazapine

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
VENLAFAXINE				
Tab 37.5 mg	5.06	28		row-Venlafaxine XR
Tab 75 mg	6.44	28		row-Venlafaxine XR
Tab 150 mg	8.86	28		row-Venlafaxine XR
Tab 225 mg	14.34	28		row-Venlafaxine XR
Cap 37.5 mg - Special Authority see SA1061 below - Retail				
pharmacy	5.69	28	✓ Ef	exor XR
Cap 75 mg - Special Authority see SA1061 below - Retail pharmacy	11.40	28	✓ Ef	exor XR
Cap 150 mg - Special Authority see SA1061 below - Retail				
pharmacy	13.98	28	✓ Ef	exor XR

⇒SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM - Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml19.00	5	✔ Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement11.83	5	✓ Hospira
a) Up to 5 inj available on a PSO	5	• поѕріга
b) Only on a PSO		
 c) PSO must be endorsed "not for anaesthetic procedures". 		
Rectal tubes 5 mg - Up to 5 tube available on a PSO25.05	5	Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO30.50	5	Stesolid
PARALDEHYDE		
* Inj 5 ml1,500.00	5	✓ AFT

	Subsidy (Manufacturer's Pri \$	ice) Sub	Fully Brand or osidised Generic Manufacturer
DUENNE CODUM	Ψ	- Fei	- Ivianulacturei
PHENYTOIN SODIUM * Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on PSO		5	✓ Hospira
* Inj 50 mg per ml, 5 ml ampoule - Up to 5 inj available on PSO		5	✓ <u>Hospira</u>
Control of Epilepsy			
CARBAMAZEPINE * Tab 200 mg * Tab long-acting 200 mg * Tab 400 mg * Tab long-acting 400 mg * Toral liq 20 mg per ml CLOBAZAM — Safety medicine; prescriber may determine dispertation of the control of the		100 100 100 100 250 ml	✓ Tegretol ✓ Tegretol CR ✓ Tegretol ✓ Tegretol CR ✓ Tegretol
‡ Safety cap for extemporaneously compounded oral liqu CLONAZEPAM – Safety medicine; prescriber may determine di † Oral drops 2.5 mg per ml	spensing frequency	, 10 ml OP	✓ Rivotril
Trail drops 2.5 mg per ml ETHOSUXIMIDE Cap 250 mg		100 200	✓ Zarontin ✓ Zarontin
‡ Oral liq 250 mg per 5 ml		200 ml	✓ Zarontin
GABAPENTIN – Special Authority see SA1477 below – Retail p Cap 100 mg	,	100	Arrow-GabapentinNeurontinNupentin
▲ Cap 300 mg − For gabapentin oral liquid formulation refe page 211		100	Arrow-GabapentinNeurontinNupentin
▲ Cap 400 mg	13.75	100	✓ Arrow-Gabapentin ✓ Neurontin ✓ Nupentin

⇒SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 The patient has been diagnosed with neuropathic pain; or

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2 Both:
 - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
 - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LA(COSAMIDE – Special Authority see SA1125 below – I	Retail pharmacy		
\blacktriangle	Tab 50 mg	25.04	14	Vimpat
\blacktriangle	Tab 100 mg	50.06	14	✓ Vimpat
	•	200.24	56	✓ Vimpat
\blacktriangle	Tab 150 mg	75.10	14	✓ Vimpat
	· ·	300.40	56	✓ Vimpat
\blacktriangle	Tab 200 mg	400.55	56	✓ Vimpat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
AMOTRIGINE			
▲ Tab dispersible 2 mg	6.74	30	✓ Lamictal
▲ Tab dispersible 5 mg		30	✓ Lamictal
	15.00	56	✓ Arrow-Lamotrigine
▲ Tab dispersible 25 mg	19.38	56	✓ Logem
	20.40		✓ Arrow-Lamotrigine
			✓ Mogine
	29.09		✓ Lamictal
▲ Tab dispersible 50 mg	32.97	56	✓ Logem
	34.70		✓ Arrow-Lamotrigine
			✓ Mogine
	47.89		✓ Lamictal
▲ Tab dispersible 100 mg	56.91	56	✓ Logem
	59.90		✓ Arrow-Lamotrigine
			✓ Mogine
	79.16		✓ Lamictal
Mogine Tab dispersible 25 mg to be delisted 1 April 2016)			
Mogine Tab dispersible 50 mg to be delisted 1 April 2016)			
Mogine Tab dispersible 100 mg to be delisted 1 April 2016)			
EVETIRACETAM			
Tab 250 mg	24.03	60	✓ Everet
1ab 250 mg	24.03	00	✓ Levetiracetam-Rex
Tab 500 mg. For lovative estam and liquid formulation refer			▶ Leveliraceiaiii-nex
Tab 500 mg – For levetiracetam oral liquid formulation refer	•	00	. / Franch
page 211	28.71	60	✓ Everet
T-h 750	45.00	00	✓ Levetiracetam-Rex ✓ Everet
Tab 750 mg	45.23	60	
Toh 1 000 mg	E0 10	60	✓ Levetiracetam-Rex ✓ Everet
Tab 1,000 mg	59.12	60	Everet
Levetiracetam-Rex Tab 250 mg to be delisted 1 August 2016)			
Levetiracetam-Rex Tab 500 mg to be delisted 1 August 2016)			
Levetiracetam-Rex Tab 750 mg to be delisted 1 August 2016)			
HENOBARBITONE			
For phenobarbitone oral liquid refer Standard Formulae, page			
₹ Tab 15 mg	30.00	500	✓ <u>PSM</u>
₹ Tab 30 mg	31.00	500	✓ <u>PSM</u>
PHENYTOIN SODIUM			
★ Tab 50 mg	50.51	200	✓ Dilantin Infatab
₭ Cap 30 mg		200	✓ Dilantin
₭ Cap 100 mg		200	✓ Dilantin
k‡ Oral liq 30 mg per 5 ml		500 ml	
· · · · · · · · · · · · · · · · · · ·			
RIMIDONE	17.05	100	Ana Drimidana
← Tab 250 mg	17.25	100	Apo-Primidone
ODIUM VALPROATE			
★ Tab 100 mg	13.65	100	Epilim Crushable
← Tab 200 mg EC	27.44	100	✓ Epilim
★ Tab 500 mg EC		100	✓ Epilim
k‡ Oral liq 200 mg per 5 ml	20.48	300 ml	✓ Epilim S/F Liquid
			✓ Epilim Syrup
k Inj 100 mg per ml, 4 ml	41.50	1	✓ Epilim IV

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. ‡ safety cap *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
STIRIPENTOL – Special Authority see SA1330 below – Retail ph	armacy				
Cap 250 mg	509.29	60	✓ D	iacomit S29	
Powder for oral liq 250 mg sachet	509.29	60	✓ D	iacomit S29	

⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

\blacktriangle	Tab 25 mg	11.07	60	Arrow-Topiramate
	-			✓ Topiramate Actavis
		26.04		✓ Topamax
\blacktriangle	Tab 50 mg	18.81	60	✓ Arrow-Topiramate
	-			✓ Topiramate Actavis
		44.26		✓ Topamax
\blacktriangle	Tab 100 mg	31.99	60	Arrow-Topiramate
				Topiramate Actavis
		75.25		✓ Topamax
\blacktriangle	Tab 200 mg	55.19	60	Arrow-Topiramate
	-			✓ Topiramate Actavis
		129.85		✓ Topamax
\blacktriangle	Sprinkle cap 15 mg	20.84	60	✓ Topamax
	Sprinkle cap 25 mg		60	✓ Topamax
VIC	GABATRIN - Special Authority see SA1072 below -	Retail pharmacy		
\blacktriangle	Tab 500 mg	119.30	100	✓ Sabril

⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Fither:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

continued...

(M	Subsidy fanufacturer's Price)	Subsi	Fully dised	Brand or Generic
	\$	Per	~	Manufacturer

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 115

Acute Migraine Treatment		
ERGOTAMINE TARTRATE WITH CAFFEINE		
Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
RIZATRIPTAN		
Tab orodispersible 10 mg3.24	12	✓ Rizamelt
8.10	30	✓ Rizamelt
SUMATRIPTAN		
Tab 50 mg29.80	100	Arrow-Sumatriptan
Tab 100 mg54.80	100	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml cartridge – Maximum of 10 inj per		
prescription13.80	2 OP	✓ Arrow-Sumatriptan
		✓ Sun Pharma S29
Prophylaxis of Migraine		
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 53		
PIZOTIFEN		
* Tab 500 mcg23.21	100	✓ Sandomigran
Antinausea and Vertigo Agents		
For Antispasmodics refer to ALIMENTARY TRACT, page 22		
APREPITANT - Special Authority see SA0987 below - Retail pharmacy		
Cap 2 \times 80 mg and 1 \times 125 mg	3 OP	✓ Emend Tri-Pack

■ SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Generic
BETAHISTINE DIHYDROCHLORIDE				
* Tab 16 mg	4.95	84	/	Vergo 16
CYCLIZINE HYDROCHLORIDE				
Tab 50 mg	0.59	20	/	Nauzene
	0.30	10		
	(0.59)		1	Nausicalm
Nauzene to be Sole Supply on 1 April 2016 (Nausicalm Tab 50 mg to be delisted 1 April 2016)				
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml	14.95	5	/	Nausicalm
DOMPERIDONE				
* Tab 10 mg - For domperidone oral liquid formulation refer,				
page 211	3.20	100	/ [<u>Prokinex</u>
GRANISETRON				
* Tab 1 mg	5.98	50	1	Granirex
HYOSCINE HYDROBROMIDE				
* Inj 400 mcg per ml, 1 ml ampoule	46.50	5	/	Hospira
, ,	93.00	10		Martindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retail	22.30	. •	•	
pharmacy	11.95	2	V	Scopoderm TTS

■ SA1387 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE

*	Tab 10 mg - For metoclopramide hydrochloride oral liquid		
	formulation refer, page 2111.82	100	✓ <u>Metamide</u>
*	Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO4.50	10	✓ Pfizer
ON	IDANSETRON		
*	Tab 4 mg5.51	50	✓ Onrex
*	Tab disp 4 mg1.00	10	✓ Dr Reddy's
			Ondansetron
*	Tab 8 mg6.19	50	✓ Onrex
*	Tab disp 8 mg1.50	10	✓ Ondansetron
			ODT-DRLA
PR	OCHLORPERAZINE		
*	Tab 3 mg buccal5.97	50	
	(15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO9.75	500	✓ Antinaus
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO25.81	10	✓ Stemetil
*	Suppos 25 mg23.87	5	✓ Stemetil
(St	emetil Suppos 25 mg to be delisted 1 July 2016)		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PROMETHAZINE THEOCLATE					
* Tab 25 mg	1.20 (6.24)	10	A	vomine	
Antipsychotics	(*-= -)				
General					
AMISULPRIDE - Safety medicine; prescriber may determine di	spensing frequency				
Tab 100 mg	6.22	30	✓ S	<u>olian</u>	
Tab 200 mg	21.92	60	✓ S	<u>olian</u>	
Tab 400 mg	44.52	60	✓ S	<u>olian</u>	
Oral liq 100 mg per ml	52.50	60 ml	✓ S	<u>olian</u>	
ARIPIPRAZOLE - Special Authority see SA1539 below - Retai	l pharmacy				
Safety medicine; prescriber may determine dispensing frequ	iency				
Tab 5 mg - No more than 1 tab per day		30	✓ A	bilify	
Tab 10 mg	123.54	30	✓ A	bilify	
Tab 15 mg	175.28	30	✓ A	bilify	
Tab 20 mg	213.42	30	✓ A	bilify	

■ SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Dotion

1 Patient is suffering from schizophrenia or related psychoses; and

- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or

30

Abilify

2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg - Up to 30 tab available on a PSO12.36	100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO13.02	100	✓ Largactil
Tab 100 mg – Up to 30 tab available on a PSO30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO25.66	10	Largactil

	Subsidy (Manufacturer's Price)		Fully Brand or ubsidised Generic
	\$	Per	✓ Manufacture
CLOZAPINE – Hospital pharmacy [HP4]			
Safety medicine; prescriber may determine dispensing frequent	ncv		
Tab 25 mg		50	✓ Clozaril
	6.69	•	✓ Clopine
	11.36	100	✔ Clozaril
	13.37		✓ Clopine
Tab 50 mg	8.67	50	✓ Clopine
-	17.33	100	✔ Clopine
Tab 100 mg	14.73	50	Clozaril
	17.33		Clopine
	29.45	100	Clozaril
	34.65		Clopine
Tab 200 mg	34.65	50	Clopine
	69.30	100	✓ Clopine
Suspension 50 mg per ml	17.33	100 ml	Clopine
HALOPERIDOL - Safety medicine; prescriber may determine dis	pensing frequency	V	
Tab 500 mcg - Up to 30 tab available on a PSO		100	Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO	9.43	100	✓ Serenace
Tab 5 mg - Up to 30 tab available on a PSO	29.72	100	✓ Serenace
Oral liq 2 mg per ml - Up to 200 ml available on a PSO	23.84	100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml – Up to 5 inj available on a PSO	21.55	10	✓ Serenace
LEVOMEPROMAZINE MALEATE - Safety medicine; prescriber m	nav determine dis	pensina fre	auency
Tab 25 mg		100	✓ Nozinan
Tab 100 mg		100	✓ Nozinan
Inj 25 mg per ml, 1 ml	73.68	10	Nozinan
LITHIUM CARBONATE - Safety medicine; prescriber may determ	nine disnensina fr	equency	
Tab 250 mg	, ,	500	✓ Lithicarb FC
Tab 400 mg		100	✓ Lithicarb FC
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg		100	✓ Douglas
OLANZAPINE – Safety medicine; prescriber may determine dispe			
Tab 2.5 mg	. ,	28	✓ Zypine
Tab 5 mg		28	✓ Zypine
Tab orodispersible 5 mg		28	✓ Zypine ODT
Tab 10 mg		28	✓ Zypine
Tab orodispersible 10 mg		28	✓ Zypine ODT
			- =/
PERICYAZINE – Safety medicine; prescriber may determine disp		100	✓ Neulactil
Tab 2.5 mg		100	✓ Neulactil
Tab 10 mg		100	Neulacili
QUETIAPINE – Safety medicine; prescriber may determine dispe	. ,		4
Tab 25 mg		90	✓ Quetapel
Tab 100 mg		90	Quetapel
Tab 200 mg		90	Quetapel
Tab 300 mg	12.00	90	✓ Quetapel

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	I Generic
RISPERIDONE – Safety medicine; prescriber may determine disp	ensing frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927				
below - Retail pharmacy	21.42	28	~	Risperdal Quicklet
Tab 0.5 mg	1.90	60	/	Actavis
Tab 1 mg	2.10	60	1	Actavis
Tab orodispersible 1 mg - Special Authority see SA0927 be-				
low – Retail pharmacy	42.84	28	~	Risperdal Quicklet
Tab 2 mg	2.34	60	1	Actavis
Tab orodispersible 2 mg - Special Authority see SA0927 be-				
low – Retail pharmacy	85.71	28	~	Risperdal Quicklet
Tab 3 mg	2.55	60	/	Actavis
Tab 4 mg	3.50	60	/	Actavis
Oral liq 1 mg per ml	9.75	30 ml	1	Risperon

■SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

TRIELLIOPERAZINE HYDROCHLORIDE - Safety medicine: prescriber may determine dispensing frequency

TRIFLUOPERAZINE INTUROUNLORIDE - Salety medicine	e, prescriber may deter	mine disper	ising frequency
Tab 1 mg	9.83	100	Stelazine
Tab 2 mg	14.64	100	Stelazine
Tab 5 mg		100	Stelazine
ZIPRASIDONE - Safety medicine; prescriber may determin	e dispensing frequenc	у	
Cap 20 mg	14.56	60	✓ Zeldox✓ Zusdone
Zusdone to be Sole Supply on 1 April 2016			
Cap 40 mg	24.75	60	✓ Zeldox✓ Zusdone
Zusdone to be Sole Supply on 1 April 2016			
Cap 60 mg	33.87	60	✓ Zeldox
7 redone to be Cale Cumply on 1 April 2016			✓ Zusdone
Zusdone to be Sole Supply on 1 April 2016	00.74	00	. / Zaldau
Cap 80 mg	39.74	60	✓ Zeldox ✓ Zusdone

Zusdone to be Sole Supply on 1 April 2016

Subsidy (Manufacturer's Price) Subsidised Per

5

5

Fully Brand or Generic

✓ Fluanxol

✔ Fluanxol

Manufacturer

(Zeldox Cap 20 mg to be delisted 1 April 2016)

(Zeldox Cap 40 mg to be delisted 1 April 2016)

(Zeldox Cap 60 mg to be delisted 1 April 2016)

(Zeldox Cap 80 mg to be delisted 1 April 2016)

ZUCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency ✔ Clopixol Tab 10 mg31.45 100

FLUPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO20.90

Depot Injections

✓ Fluanxol	~	5	Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO40.87
	quency	dispensing free	FLUPHENAZINE DECANOATE - Safety medicine; prescriber may determine disp
✓ Modecate	· /	5	Inj 12.5 mg per 0.5 ml, 0.5 ml - Up to 5 inj available on a PSO17.60
Modecate	~	5	Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO27.90
✓ Modecate	~	5	Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO154.50
	uency	spensing frequ	HALOPERIDOL DECANOATE - Safety medicine; prescriber may determine dispe
✓ Haldol	~	5	Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO28.39
 Haldol Concentrate 	~	5	Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO55.90

OLANZAPINE - Special Authority see SA1428 below - Retail pharmacy Safety medicine: prescriber may determine dispensing frequency

outerly mountainer, pro-	sonia on may determine dispensing in equality		
Inj 210 mg vial	280.00	1	Zyprexa Relprevv
Inj 300 mg vial	460.00	1	✓ Zyprexa Relprevv
Inj 405 mg vial	560.00	1	✓ Zyprexa Relprevy

⇒SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of clanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 on the next page - Retail pharmacy

Safety medicine: prescriber may determine dispensing frequency

Inj 25 mg syringe194.25	1	Invega Sustenna
Inj 50 mg syringe271.95	1	✓ Invega Sustenna
Inj 75 mg syringe357.42	1	✓ Invega Sustenna
Inj 100 mg syringe435.12	1	✓ Invega Sustenna
Inj 150 mg syringe435.12	1	Invega Sustenna

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder: and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO178.48	10	✔ Piportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	10	Piportil

RISPERIDONE - Special Authority see SA1427 below - Retail pharmacy Safety medicine: prescriber may determine dispensing frequency

Salety medicine, prescriber may	determine dispensing nequency	
Ini OE ma viol		101

Inj 25 mg vial135.98	1	Risperdal Consta
Inj 37.5 mg vial178.71	1	Risperdal Consta
Ini 50 mg vial 217.56	1	✓ Risperdal Consta

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

✓ Clopixol

	Out at the		F. II.	Describer
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Anxiolytics				
ALPRAZOLAM – Safety medicine; prescriber may determine disp	ensina freauency			
Tab 250 mcg		50	✓ <u>X</u>	<u>(anax</u>
‡ Safety cap for extemporaneously compounded oral liquid			4 -	
Tab 500 mcg‡ Safety cap for extemporaneously compounded oral liquid		50	✓ <u>X</u>	<u>(anax</u>
Tab 1 mg		50	VX	anax
‡ Safety cap for extemporaneously compounded oral liquid				
BUSPIRONE HYDROCHLORIDE				
* Tab 5 mg		100		acific Buspirone
* Tab 10 mg	17.00	100	✓ P	acific Buspirone
CLONAZEPAM – Safety medicine; prescriber may determine disp	. ,	400	4-	
Tab 500 mcg		100 100		axam axam
Tab 2 mg		100	V P	axam
DIAZEPAM – Safety medicine; prescriber may determine dispens Tab 2 mg		500	~ N	rrow-Diazepam
Safety cap for extemporaneously compounded oral liquid		300	• -	inow-biazepain
Tab 5 mg		500	VA	rrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
LORAZEPAM - Safety medicine; prescriber may determine dispe				
Tab 1 mg		250	<u> </u>	<u>ttivan</u>
‡ Safety cap for extemporaneously compounded oral liquid Tab 2.5 mg		100	V 1	tivan
‡ Safety cap for extemporaneously compounded oral liquid			• -	
OXAZEPAM - Safety medicine; prescriber may determine dispens	sing frequency			
Tab 10 mg	6.17	100	/ <u>C</u>)x-Pam
‡ Safety cap for extemporaneously compounded oral liquid		400		D
Tab 15 mg‡ Safety cap for extemporaneously compounded oral liquid		100	V <u>C</u>	<u>)x-Pam</u>
	гргораганопо.			
Multiple Sclerosis Treatments				
DIMETHYL FUMARATE - Special Authority see SA1559 below -	Retail pharmacy			
Wastage claimable – see rule 3.3.2 on page 13	500.00	4.4		'a afidawa
Cap 120 mg	520.00	14	V 1	ecfidera

⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

Cap 240 mg2,000.00

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

continued...

56

✓ Tecfidera

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
 - f) be distinguishable from the effects of general fatigue; and
 - a) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl furnarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to dimethyl fumarate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.



Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

28 Gilenya

⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator

Multiple Sclerosis Treatment Assessment Committee

PHARMAC PO Box 10 254

Phone: 04 460 4990 Facsimile: 04 916 7571

Email: mstaccoordinator@pharmac.govt.nz

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

Wellington

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse:
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to fingolimod; and
- g) patients must have not previously had intolerance to fingolimod; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- b) 1.0 to 3.0: or
- c) 1.5 to 3.5: or
- d) 2.0 to 4.0; or
- e) 2.5 to 4.5: or
- f) 3.0 to 4.5; or
- g) 3.5 to 4.5; or h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to fingolimod; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

' Tvsabri

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse;
- be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- g) patients must have no previous history of lack of response to natalizumab; and
- h) patients must have not previously had intolerance to natalizumab; and
 - a) Patient is JC virus negative, or
 - Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- j) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to natalizumab; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 on the next page - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

28

Aubagio

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

■ SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571 Email: mstaccoordinator@pharmac.govt.nz

PHARMAC PO Box 10 254

Wellington Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable

opportunity. Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse:
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to teriflunomide; and
- g) patients must have not previously had intolerance to teriflunomide; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

e) 2.5 to 4.5; or

f) 3.0 to 4.5; or

g) 3.5 to 4.5; or

h) 4.0 to 4.5.

- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to teriflunomide; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Other Multiple Sclerosis Treatments

■ SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC), Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator

Phone: 04 460 4990 Facsimile: 04 916 7571

Multiple Sclerosis Treatment Assessment Committee

Email: mstaccoordinator@pharmac.govt.nz

PHARMAC PO Box 10 254

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:

✓ fully subsidised

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse:
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- g) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- h) patient will not be co-prescribed natalizumab or fingolimod.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE - Special Authority see SA1564 on the	ne previous page – [>	(pharm)	
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA156	4 on the previous pa	ge – [Xpha	rm]
Inj 6 million iu prefilled syringe	1,170.00	4	✓ Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial		4	✓ Avonex

(Me	Subsidy anufacturer's Price)		Fully Subsidised	Brand or Generic
<u> </u>	\$	Per		Manufacturer
INTERFERON BETA-1-BETA — Special Authority see SA1564 on paging 8 million iu per 1 ml] 15	✓ E	Betaferon
Sedatives and Hypnotics				
LORMETAZEPAM – Safety medicine; prescriber may determine dispertable 1 mg	3.11 (23.50) eparations.	30	N	loctamid
MIDAZOLAM – Safety medicine; prescriber may determine dispensin Inj 1 mg per ml, 5 ml	0 , ,	10		Pfizer lypnovel
Inj 5 mg per ml, 3 ml		5	√ ⊦	lypnovel Pfizer
NITRAZEPAM – Safety medicine; prescriber may determine dispensi Tab 5 mg‡ Safety cap for extemporaneously compounded oral liquid pre	5.22	100	<u>~ [</u>	litrados
PHENOBARBITONE SODIUM – Special Authority see SA1386 below Inj 200 mg per ml, 1 ml ampoule	46.20	10		Martindale \$290 ed for applications meeting
the following criteria: Both:				
1 For the treatment of terminal agitation that is unresponsive to2 The applicant is part of a multidisciplinary team working in pa	0 /	d		
TEMAZEPAM – Safety medicine; prescriber may determine dispensir Tab 10 mg ‡ Safety cap for extemporaneously compounded oral liquid pre	1.27	25	✓ <u>N</u>	<u>lormison</u>
TRIAZOLAM – Safety medicine; prescriber may determine dispensing Tab 125 mcg		100	ŀ	łypam
‡ Safety cap for extemporaneously compounded oral liquid pre Tab 250 mcg		100	H	lypam
‡ Safety cap for extemporaneously compounded oral liquid pre	eparations.			7 1
ZOPICLONE a) Brand switch fee payable (Pharmacode 2495538) - see page 2				
b) Safety medicine; prescriber may determine dispensing frequen Tab 7.5 mg	0.98	30		Copicione Actavis
	8.99	500	V <u>2</u>	Copicione Actavis

✓ fully subsidised [HP4] refer page 4

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Stimulants/ADHD Treatments

Stimulants/ADHD treatments

ATOMOXETINE - Special Authority see SA1416 below	v – Retail pharmacy		
Cap 10 mg	107.03	28	Strattera
Cap 18 mg	107.03	28	Strattera
Cap 25 mg		28	Strattera
Cap 40 mg	107.03	28	Strattera
Cap 60 mg	107.03	28	Strattera
Cap 80 mg	139.11	28	Strattera
Cap 100 mg	139.11	28	✓ Strattera

■ SA1416 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing: and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

Tab 5 mg17.00 100

✓ PSM

■SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — **(Narcolepsy)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg	3.00	30	✓ Ritalin
			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg .	10.95	30	Rubifen SR
	50.00	100	Ritalin SR

■ SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	V	Manufacturer	

continued...

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg		30	Concerta
Tab extended-release 36 mg		30	✓ Concerta
Tab extended-release 54 mg		30	✓ Concerta
Cap modified-release 10 mg		30	✓ Ritalin LA
Cap modified-release 20 mg		30	✓ Ritalin LA
Cap modified-release 30 mg		30	✓ Ritalin LA
Cap modified-release 40 mg		30	✓ Ritalin LA

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL - Special Authority see SA1126 below - Retail pharmacy

Tab 100 mg72.50

✓ Modavigil

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Fither:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eve movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Either:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects: or
 - 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia DONEDEZII LIVDDOOLII ODIDE

טט	NEFEZIE I II DROGI LORIDE		
*	Tab 5 mg5.48	90	✓ Donepezil-Rex
*	Tab 10 mg	90	✓ Donepezil-Rex

	Subsidy (Manufacturer's Price) \$	Per	Subsidised	Brand or Generic Manufacturer
RIVASTIGMINE – Special Authority see SA1488 below – Retail	,			
Patch 4.6 mg per 24 hour	90.00	30	✓ Exe	elon
Patch 9.5 mg per 24 hour	90.00	30	✓ Exe	elon

■SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 on the next page - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

Tab sublingual 2 mg with naloxone 0.5 mg	57.40	28	Suboxone
Tab sublingual 8 mg with naloxone 2 mg	166.00	28	Suboxone

⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and

Subsidy
(Manufacturer's Price)
\$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
 - 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE Tab modified-release 150 mg	4.97	30	✓ Zyban
DISULFIRAM Tab 200 mg	24.30	100	✓ Antabuse
NALTREXONE HYDROCHLORIDE - Special Autho	rity see SA1408 on the next pag	je – Retai	l pharmacy
Tab 50 mg	76.00	30	✓ Naltraccord

■ SA1408 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Theodine in the sector and a sector and a separating in equation in			
Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	✓ <u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO	11.31	28	✓ <u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	✓ <u>Habitrol</u>
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	✓ <u>Habitrol</u>
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	✓ <u>Habitrol</u>
Gum 2 mg (Classic) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	✓ Habitrol
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 4 mg (Classic) - Up to 384 piece available on a PSO	25.67	384	✓ <u>Habitrol</u>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	✓ <u>Habitrol</u>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

Tab 1 mg		28	✓ Champix
•	135.48	56	✓ Champix
Tab $0.5 \text{ mg} \times 11 \text{ and } 1 \text{ mg} \times 14$	60 48	25 OP	✓ Champix

⇒SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking:
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement
 - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this: and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking;
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

159

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Chemotherapeutic Agents

Alky	lating	Age	ents

BUSULFAN - PCT - Retail pharmacy-Specialist Tab 2 mg	80.25	100	✓ Myleran
	09.23	100	Wiyician
CARBOPLATIN – PCT only – Specialist Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
ing to mg per mi, 5 mi viai	20.00	'	✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial		1	✓ DBL Carboplatin
.,	19.50	•	✓ Carbaccord
	22.50		Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	DBL Carboplatin
	48.50		Carbaccord
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial		1	✓ BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml vial	12.29	1	✓ DBL Cisplatin
.,	15.00	•	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial	21.00	1	Cisplatin Ebewe
	22.46		✓ DBL Cisplatin
Inj 1 mg for ECP	0.28	1 mg	✓ Baxter
CYCLOPHOSPHAMIDE			
Tab 50 mg - PCT - Retail pharmacy-Specialist	79.00	50	✓ Endoxan S29
	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13	100.00	100	V 1100ylox
Inj 1 g vial - PCT - Retail pharmacy-Specialist	35.03	1	✓ Endoxan
, , , , , , , , , , , , , , , , , , , ,	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist	70.06	1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist	0.04	1 mg	✓ Baxter
IFOSFAMIDE - PCT only - Specialist			
Inj 1 g	96.00	1	✓ Holoxan
Inj 2 g	180.00	1	✓ Holoxan
Inj 1 mg for ECP	0.10	1 mg	✓ Baxter
LOMUSTINE - PCT - Retail pharmacy-Specialist			
Cap 10 mg	132.59	20	✓ CeeNU
Cap 40 mg		20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist	40.70	25	✓ Alkeran
Inj 50 mg - PCT only - Specialist		1	✓ Alkeran
, , , ,	3,068.83		✓ Mylan
			Melphalan S29

(Subsidy Manufacturer's Price \$	e) Per	Fully Subsidised	I Generic
OXALIPLATIN - PCT only - Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1		Oxaliccord
Inj 50 mg vial	15.32	1		Oxaliplatin Actavis 50
	55.00		~	Oxaliplatin Ebewe
	200.00			Eloxatin
Inj 100 mg vial	25.01	1		Oxaliplatin Actavis 100
	110.00		~	Oxaliplatin Ebewe
	400.00			Eloxatin
Inj 5 mg per ml, 20 ml vial	16.00	1	~	Oxaliccord
Inj 1 mg for ECP	0.16	1 mg	/	Baxter
THIOTEPA - PCT only - Specialist				
Inj 15 mg vial	CBS	1	V	Bedford S29 THIO-TEPA S29 Tepadina S29
Inj 100 mg vial	CBS	1		Tepadina S29
Antimetabolites				
AZACITIDINE – PCT only – Specialist – Special Authority see SA		1	•	Vidaza
Inj 100 mg vial		1 mg	· .	Baxter

⇒SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy		Fully	Brand or
	(Manufacturer's Pr \$	ice) Sub Per	sidised	Generic Manufacturer
ALCIUM FOLINATE	<u> </u>			
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	✓ D	BL Leucovorin Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	✓ H	lospira
Inj 50 mg - PCT - Retail pharmacy-Specialist	18.25	5	✓ <u>C</u>	alcium Folinate Ebewe
Inj 100 mg - PCT only - Specialist	7.33	1	✓ 0	alcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	/ 0	alcium Folinate Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	~ 0	alcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ B	axter
APECITABINE - Retail pharmacy-Specialist				
Tab 150 mg	30.00	60	✓ <u>C</u>	apecitabine Winthrop
Tab 500 mg	120.00	120	✓ <u>C</u>	Apecitabine Winthrop
LADRIBINE - PCT only - Specialist				
Inj 1 mg per ml, 10 ml		7		eustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓ B	axter
YTARABINE				
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specialist	55.00	5	✓ P	
	80.00			lospira
Inj 500 mg - PCT - Retail pharmacy-Specialist		1		fizer
	95.36	5	✓ H	lospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-				
Specialist		1	P	
	42.65		V H	lospira
Inj 100 mg per ml, 20 ml vial - PCT - Retail pharmacy-	47.05			· · · · ·
Specialist		1	P	
Ini 1 mg for ECD DCT only Charles	34.47	10 ma		lospira
Inj 1 mg for ECP – PCT only – Specialist		10 mg 100 mg OP		laxter laxter
, , , , , , , , , , , , , , , , , , , ,	111.00	100 mg OP	•	axter
UDARABINE PHOSPHATE				
Tab 10 mg - PCT - Retail pharmacy-Specialist		20	_	ludara Oral
Inj 50 mg - PCT only - Specialist		5		ludarabine Ebewe
Ini 50 mm for 500 DOT and to Consider that	1,430.00	F0 OD		ludara
Inj 50 mg for ECP - PCT only - Specialist	105.00	50 mg OP	V B	laxter
UOROURACIL				
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist		1		luorouracil Ebewe
Inj 50 mg per ml, 50 ml vial - PCT only - Specialist		1		luorouracil Ebewe
Inj 50 mg per ml, 100 ml vial - PCT only - Specialist		1		luorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.66	100 mg	✓ B	axter

	Subsidy		Fully Brand or
((Manufacturer's Price)) Per	Subsidised Generic Manufacturer
EMCITABINE HYDROCHLORIDE - PCT only - Specialist			
Inj 1 g	15.89	1	✓ Gemcitabine Ebewe
-, - 5	62.50		✓ DBL Gemcitabine
	349.20		✓ Gemzar
Inj 200 mg		1	✓ Gemcitabine Ebewe
, = • • · · · · · · · · · · · · · · · · ·	78.00	·	✓ Gemzar
Inj 1 mg for ECP		1 mg	✓ Baxter
, 0		9	· James
RINOTECAN HYDROCHLORIDE – PCT only – Specialist	44.50		. / Inimata a m A atomia
Inj 20 mg per ml, 2 ml vial	11.50	1	✓ Irinotecan Actavis
			40
	41.00		✓ Camptosar
		,	✓ Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	✓ Irinotecan Actavis
			100
	100.00		✓ Camptosar
			✓ Irinotecan-Rex
Inj 1 mg for ECP	0.19	1 mg	✓ Baxter
ERCAPTOPURINE - PCT - Retail pharmacy-Specialist			
Tab 50 mg	49 41	25	✔ Puri-nethol
•			Turriouror
ETHOTREXATE			4
Tab 2.5 mg - PCT - Retail pharmacy-Specialist		30	<u>Trexate</u>
Tab 10 mg - PCT - Retail pharmacy-Specialist		50	✓ <u>Trexate</u>
Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist		5	✓ Hospira
Inj 7.5 mg prefilled syringe	17.19	1	✓ Methotrexate
			<u>Sandoz</u>
Inj 10 mg prefilled syringe	17.25	1	✓ <u>Methotrexate</u>
			Sandoz
Inj 15 mg prefilled syringe	17.38	1	✓ Methotrexate
			Sandoz
Inj 20 mg prefilled syringe	17.50	1	✓ <u>Methotrexate</u>
			Sandoz
Inj 25 mg prefilled syringe	17.63	1	✓ <u>Methotrexate</u>
			<u>Sandoz</u>
Inj 30 mg prefilled syringe	17.75	1	✓ <u>Methotrexate</u>
		_	<u>Sandoz</u>
Inj 25 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5	✓ Hospira
Inj 25 mg per ml, 20 ml - PCT - Retail pharmacy-Specialist		1	✓ <u>Hospira</u>
Inj 100 mg per ml, 10 ml — PCT – Retail pharmacy-Specialist		1	✓ Methotrexate Ebewe
Inj 100 mg per ml, 50 ml – PCT – Retail pharmacy-Specialist		_ 1	Methotrexate Ebewe
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist	4.73 5	mg Ol	P V Baxter
HIOGUANINE - PCT - Retail pharmacy-Specialist			
Tab 40 mg	126.31	25	✓ Lanvis
Other Cytotoxic Agents		-	
Julei Cytotoxic Agents			
MSACRINE - PCT only - Specialist			
Inj 50 mg per ml, 1.5 ml ampoule	1,500.00	6	✓ Amsidine S29

	Subsidy (Manufacturer's Price \$	e) : Per	Fully Subsidised	Brand or Generic Manufacturer
ANAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Sp	pecialist			
Cap 0.5 mg	CBS	100		grylin S29 eva S29
ARSENIC TRIOXIDE - PCT only - Specialist				
Inj 10 mg	4,817.00	10	✓ A	FT \$29
BLEOMYCIN SULPHATE - PCT only - Specialist				
Inj 15,000 iu, vial	150.48	1		BL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	✓ B	axter
BORTEZOMIB - PCT only - Specialist - Special Authority see	SA1576 below			
Inj 1 mg	540.70	1	✓ Vo	elcade
Inj 3.5 mg	1,892.50	1	✓ Vo	elcade
Inj 1 mg for ECP	594.77	1 mg	✓ B	axter

■SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] – PCT only – Specialist		
Inj 10,000 iu102.32	1	✓ Leunase
Inj 10,000 iu for ECP102.32	10,000 iu OP	Baxter

	Subsidy		Fully Brand or
	(Manufacturer's		sidised Generic
	<u> </u>	Per	✓ Manufacturer
DACARBAZINE - PCT only - Specialist			
Inj 200 mg vial	51.84	1	✓ Hospira
Inj 200 mg for ECP	51.84	200 mg OP	✓ Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
Inj 0.5 mg vial	145.00	1	✓ Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter
DAUNORUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 10 ml	110 70	1	✓ Pfizer
Inj 20 mg for ECP		20 mg OP	✓ Baxter
, •	110.72	20 mg Oi	Daxiei
DOCETAXEL - PCT only - Specialist			
Inj 20 mg		1	✓ DBL Docetaxel
	48.75		✓ Docetaxel Sandoz
Inj 20 mg per ml, 1 ml		1	✓ Taxotere
Inj 20 mg per ml, 4 ml		1	✓ Taxotere
Inj 80 mg		1	✓ DBL Docetaxel
	195.00		✓ Docetaxel Sandoz
Inj 1 mg for ECP	0.61	1 mg	✓ Baxter
DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist			
Inj 2 mg per ml, 5 ml vial	10.00	1	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial	11.50	1	Doxorubicin Ebewe
	17.00		Arrow-Doxorubicin
Inj 50 mg vial	40.00	1	DBL Doxorubicin
			DBL Doxorubicin
			S29 S29
Inj 2 mg per ml, 50 ml vial	23.00	1	✓ Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1	✓ Doxorubicin Ebewe
, 3, ,	65.00		✓ Arrow-Doxorubicin
	150.00		✓ Adriamycin
Inj 1 mg for ECP	0.25	1 mg	✓ Baxter
EPIRUBICIN HYDROCHLORIDE - PCT only - Specialist		· ·	
Inj 2 mg per ml, 5 ml vial	25.00	1	4 Enirubicin Ebowo
Inj 2 mg per ml, 25 ml vial		1	✓ Epirubicin Ebewe✓ Epirubicin Ebewe
111] 2 111g per 1111, 25 1111 viai	39.38	ı	✓ DBL Epirubicin
	39.30		Hydrochloride
Inj 2 mg per ml, 50 ml vial	20.50	1	✓ Epirubicin Ebewe
111] 2 111g per 1111, 50 1111 viai	52.50 58.20	ı	✓ DBL Epirubicin
	30.20		Hydrochloride
Ini 2 mg nor ml 100 ml viol	65.00	1	✓ Epirubicin Ebewe
Inj 2 mg per ml, 100 ml vial	94.50	ı	•
	94.50		✓ DBL Epirubicin Hydrochloride
Ini dana far FOD	0.00	4	•
Inj 1 mg for ECP	0.36	1 mg	✓ Baxter
ETOPOSIDE			
Cap 50 mg - PCT - Retail pharmacy-Specialist		20	✓ Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10	✓ Vepesid
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specia		1	✓ Rex Medical
	25.00		✓ Hospira
	612.20	10	✓ Vepesid
Inj 1 mg for ECP - PCT only - Specialist	0.30	1 mg	✓ Baxter

[‡] safety cap

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's I \$	Price) Per	Fully Subsidised	Brand or Generic Manufacturer
ETOPOSIDE PHOSPHATE – PCT only – Specialist Inj 100 mg (of etoposide base) Inj 1 mg (of etoposide base) for ECP		1 1 mg		topophos axter
HYDROXYUREA – PCT – Retail pharmacy-Specialist Cap 500 mg	31.76	100	✓ H	ydrea
IDARUBICIN HYDROCHLORIDE Inj 5 mg vial — PCT only – Specialist Inj 10 mg vial — PCT only – Specialist Inj 1 mg for ECP — PCT only – Specialist	250.00	1 1 1 mg	✓ Z	avedos avedos axter
LENALIDOMIDE – Retail pharmacy-Specialist – Special Authority Wastage claimable – see rule 3.3.2 on page 13	see SA1468 b	pelow		
Cap 10 mg	6,207.00 7,627.00	21 21	* . * .	evlimid evlimid

►SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
 - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA

Tab 400 mg - PCT - Retail pharmacy-Specialist	227.50	50	Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist	339.50	50	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist	148.05	15	Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist	339.90	15	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist	2.47	100 mg	✓ Baxter
MITOMYCIN C - PCT only - Specialist			
Inj 5 mg vial	79.75	1	✓ Arrow
Inj 1 mg for ECP	16.43	1 mg	✓ Baxter
MITOZANTRONE - PCT only - Specialist			
Inj 2 mg per ml, 10 ml vial	97.50	1	Mitozantrone Ebewe
Inj 1 mg for ECP	5.51	1 mg	✓ Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
PACLITAXEL - PCT only - Specialist				
Inj 30 mg	45.00	5	/	Paclitaxel Ebewe
Inj 100 mg		1	/	Paclitaxel Ebewe
	91.67		/	Paclitaxel Actavis
Inj 150 mg	26.69	1	/	Paclitaxel Ebewe
	137.50		/	Anzatax
			/	Paclitaxel Actavis
Inj 300 mg	36.53	1	/	Paclitaxel Ebewe
	275.00		/	Anzatax
			/	Paclitaxel Actavis
Inj 600 mg	73.06	1	/	Paclitaxel Ebewe
Inj 1 mg for ECP	0.17	1 mg	/	Baxter
PEGASPARGASE - PCT only - Special Authority see SA1325 b				
Inj 3,750 IU per 5 ml		1	•	Oncaspar S29

⇒SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

		YCOFORMYCIN] – PCT only – Specialist	PENTOSTATIN [DEOXY
✓ Nipent S29	1	CBS	Inj 10 mg
		PROCHLORIDE - PCT - Retail pharmacy-Specialist	PROCARBAZINE HYDR
✓ Natulan S29	50	498.00	Cap 50 mg
		Special Authority see SA1063 below – Retail pharmacy	TEMOZOLOMIDE - Spe
✓ <u>Temaccord</u>	5	8.00	Cap 5 mg
✓ <u>Temaccord</u>	5	36.00	Cap 20 mg
✓ <u>Temaccord</u>	5	175.00	Cap 100 mg
✓ Temaccord	5	410.00	Cap 250 mg

■SA1063 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 10 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of six cycles of 5 days treatment, at a maximum dose of 200 mg/m².

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

Notes: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme. Reapplications will not be approved.

Studies of temozolomide show that its benefit is predominantly in those patients with a good performance status (WHO grade 0 or 1 or Karnofsky score >80), and in patients who have had at least a partial resection of the tumour.

		 PCT only – Specialist – Special Authority see SA1124 below 	THALIDOMIDE
Thalomid	28	378.00	Cap 50 mg
Thalomid	28	756.00	Cap 100 mg

■ SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- citiei.
 - 1 The patient has multiple myeloma; or
 - 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen. Indication marked with * is an Unapproved Indication.

TRETINOIN

Cap 10 mg - PCT - Retail pharmacy-Specialist479.50	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specialist37.29	1	✓ Hospira
186.46	5	Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist64.80	5	✓ Hospira
Inj 1 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist69.60	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist9.45	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist		
Inj 10 mg per ml, 1 ml vial8.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial40.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP	1 mg	✓ Baxter

Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 on the nex	rt page – [Xpharm]		
Tab 20 mg	3,774.06	60	✓ Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tab 100 mg	6,214.20	30	✓ Sprycel

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be

sent to:

The CMI /GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis. accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5×10^9 /L, platelets $> 100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0×10^9 /L, platelets > $20 \times$ 109/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases). and absence of extramedullary disease); or
 - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%. PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB - Retail pharmacy-Specialist - Special Authority see SA1577 below

Tab 100 mg	1,000.00	30	✓ Tarceva
Tab 150 mg	1.500.00	30	✓ Tarceva

■ SA1577 | Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Any of the following:
 - 3.1 Patient is treatment naive; or
 - 3.2 Both:
 - 3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
 - 3.2.2 Patient has not received prior treatment with defitinib; or

continued...

169

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

3.3 Both:

- 3.3.1 The patient has discontinued gefitinib within 12 weeks of starting treatment due to intolerance; and
- 3.3.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1578 below

⇒SA1578 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Either:
 - 2.1 Patient is treatment naive; or
 - 2.2 Both:
 - 2.2.1 The patient has discontinued erlotinib within 12 weeks of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	✓ Glivec
*	Cap 100 mg		60	✓ Imatinib-AFT
*	Cap 400 mg	597.80	30	✓ Imatinib-AFT

■SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for GIST âĂŞ access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 on the next page - Retail pharmacy

Tab 250 mg1,899.00 70 **✓ Tykerb**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

Wastage claimable - see rule 3.3.2 on page 13

NILOTINIB - Special Authority see SA1489 below - Retail pharmacy

•	1 0		
Cap 150 mg	4,680.00	120	Tasigna
Cap 200 mg	6,532.00	120	Tasigna

►SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Fither:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

	Subsidy (Manufacturer's Price) \$		Subsidised	Brand or Generic Manufacturer
PAZOPANIB - Special Authority see SA1190 below - Retail phar	macy			
Tab 200 mg	1,334.70	30	✓ Vo	otrient
Tab 400 mg	2,669.40	30	✓ Vo	otrient

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal: or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of < 70: or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg	2,315.38	28	✓ Sutent
Cap 25 mg	4,630.77	28	✓ Sutent
Cap 50 mg	·	28	✓ Sutent

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment: or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
- 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal: or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of \leq 70; or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of ≥ 10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

173

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Endocrine Therapy

For GnRH ANALOGUES – refer to HORMONE PREPARATIONS, Trophic Hormones, page 85

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable - see rule 3.3.2 on page 13

■SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases: and
- 3 Patient's disease is castration resistant; and
- 4 Fither:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

BICALUTAMIDE Tab 50 mg4.90	28	✓ <u>Bicalaccord</u>
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg16.50	30	✓ Flutamide Mylan S29
55.00 (Flutamide Mylan 229 Tab 250 mg to be delisted 1 July 2016)	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist Tab 160 mg54.30	30	✓ Apo-Megestrol
OCTREOTIDE Inj 50 mcg per ml, 1 ml vial 13.50 Inj 100 mcg per ml, 1 ml vial 22.40 Inj 500 mcg per ml, 1 ml vial 89.40	5 5 5	✓ <u>DBL</u> ✓ <u>DBL</u> ✓ <u>DBL</u>

Fully

Brand or

Subsidy

	(Manufacturer's Price) \$			Generic Manufacturer
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special Au	uthority see SA1016 b	elow –	Retail pha	rmacy
Inj LAR 10 mg prefilled syringe	1,772.50	1	✓ Sa	andostatin LAR
Inj LAR 20 mg prefilled syringe	2,358.75	1	✓ Sa	andostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓ Sa	andostatin LAR

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed: and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma: and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas; and
 - 3.2 Surgery is contraindicated or has failed; or

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully bsidised	Brand or Generic Manufacturer
continued	· · · · · · · · · · · · · · · · · · ·			
continued 4 For pre-operative control of hypoglycaemia and for main	tenance therapy; or			
5 Both:				
5.1 Carcinoid syndrome (diagnosed by tissue pathol5.2 Disabling symptoms not controlled by maximal m		IAA anaiy	rsis); and	1
Note: The use of octreotide in patients with fistulae, oesophage funded as a Special Authority item	eal varices, miscellane	eous diar	rhoea ar	nd hypotension will not be
Renewal — (Other Indications) only from a relevant special				
specialist. Approvals valid for 2 years where the treatment remain	ns appropriate and the	patient i	s benefit	ing from treatment.
TAMOXIFEN CITRATE	17.50	100	✓ G	
* Tab 10 mg * Tab 20 mg		100 30	✓ G	
ጥ 1ab 20 mg	8.75	100	✓ G	
Aromatase Inhibitors				
ANASTROZOLE				
* Tab 1 mg	26.55	30	✓ Al	remed
•				rimidex
			✓ DI	P-Anastrozole
EXEMESTANE				
* Tab 25 mg	14.50	30	✓ AI	<u>romasin</u>
LETROZOLE				
* Tab 2.5 mg		30		etrole
Letrole to be Sole Supply on 1 April 2016	(4.85)		Le	etraccord
(Letraccord Tab 2.5 mg to be delisted 1 April 2016)				
Immunosuppressants				
Cytotoxic Immunosuppressants				
AZATHIOPRINE - Retail pharmacy-Specialist				
* Tab 25 mg*	8.28	60	✓ A:	zamun
* Tab 50 mg - For azathioprine oral liquid formulation refer		-•		
page 211		100	✓ <u>A</u>	<u>zamun</u>
* Inj 50 mg	126.00	1	✓ Im	nuran
MYCOPHENOLATE MOFETIL				

Fusion Proteins

ETANERCEPT - Special Authority see SA1478 on the next pa	age – Retail pharmac	У	
Inj 25 mg	799.96	4	Enbrel
Inj 50 mg autoinjector	1,599.96	4	Enbrel
Inj 50 mg prefilled syringe	1,599.96	4	Enbrel

Tab 500 mg25.00

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the

prescription is endorsed accordingly.

50

100

165 ml OP

✔ Cellcept

✔ Cellcept

✓ Cellcept

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1478 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or

continued...

177

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints;
 or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or

2 All of the following:

2.1 Either:

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin. or acitretin: and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

♣ Per ✔ Manufacturer

continued...

- 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
- 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Fither:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or

continued...

179

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pvoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD): or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate: and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values: or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or

continued...

181

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment, BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Fither:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma qangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) — PCT only	/ – Specialist		
Inj 50 mg per ml, 5 ml	2,351.25	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – Subsidised only for bladder cancer.	PCT only - Specialist		
•	140.27	1	✓ OncoTICE
Inj 2-8 × 100 million CFU	149.37		₽ Olicofice
Inj 40 mg per ml, vial	149.37	3	✓ SII-Onco-BCG S29

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	~	Manufacturer	

Monoclonal Antibodies

ADALIMUMAB - Special Authority see SA1479 below - F	Retail pharmacy	
Inj 10 mg per 0.2 ml prefilled syringe	1,599.96 2	Humira
Inj 20 mg per 0.4 ml prefilled syringe		Humira
Inj 40 mg per 0.8 ml prefilled pen	1,599.96 2	HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,599.96 2	Humira

⇒SA1479 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroguine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
- 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
- 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection;
- 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plague psoriasis; and
 - - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis: or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plague psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis: or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plagues have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from. at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plague psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plague psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot. as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist, Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis: or
- 2 All of the following:

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
- 2.5 Fither:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sacittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm: Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm: Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm: Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept: or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis: or

2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints:
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or

continued...

185

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
- 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
 - 2.2 Patient diagnosed with JIA: and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Fither:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender ioints: or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Fither:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. Initial application — (pvoderma gangrenosum) only from a dermatologist, Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:

continued...

187

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2.1 Either:

- 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab:
- 2.1.2 CDAI score is 150 or less; or
- 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plague psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment. BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

2 Either:

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist or Practitioner on the practical properties of th terologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pvoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- - 1 Patient has shown clinical improvement; and
 - 2 Patient continues to require treatment; and
 - 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

1 Either:

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 1.1 Applicant is a rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OMALIZUMAB - Special Authority see SA1490 below - Retail pharmacy

⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 below

✓ Mabthera	2	Inj 100 mg per 10 ml vial
Mabthera	1	Inj 500 mg per 50 ml vial2,688.30
Baxter	1 mg	Inj 1 mg for ECP5.64

⇒SA1152 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles: or
- 2 Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1521 below

Inj 150 mg vial	1,350.00	1	Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Ini 1 mg for ECP	9.36	1 ma	✓ Baxter

⇒SA1521 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Trastuzumab not to be given in combination with lapatinib; and
 - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on lapatinib; and
 - 2.4 Trastuzumab not to be given in combination with lapatinib; and
 - 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria: All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology):
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 All of the following:
 - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
 - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.1.3 Trastuzumab to be discontinued at disease progression; or
 - 3.2 All of the following:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; and
 - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
 - 3.2.4 Trastuzumab to be discontinued at disease progression; or
 - 3.3 All of the following:
 - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Other Immunosuppressants

CICLOSPORIN			
Cap 25 mg	44.63	50	Neoral
Cap 50 mg	88.91	50	Neoral
Cap 100 mg	177.81	50	Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	✓ Neoral
EVEROLIMUS - Special Authority see SA1491 on the next page	– Retail pharma	асу	
Wastage claimable – see rule 3.3.2 on page 13			
Tab 5 mg	4,555.76	30	Afinitor
Tab 10 mg	6,512.29	30	Afinitor

193

Subsidy Fully (Manufacturer's Price) Subsidised Per

Fully Brand or dised Generic

Manufacturer

⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIBOLIMI IS	- Special Authority	see SA0866 below	- Retail pharmacy
OII IOLIIVIOO	- ODECIAI AUTIOITO	A SEE OVOOOD DEIOM	– Hetali bilalillacv

Tab 1 mg	813.00	100	Rapamune
Tab 2 mg	1,626.00	100	✓ Rapamune
Oral liq 1 mg per ml	487.80	60 ml OP	Rapamune

■ SA0866 | Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP: or
- Leukoencepthalopathy: or
- Significant malignant disease

TACROLIMUS - Special Authority see SA1540 below - Retail pharmacy

Cap 0.5 mg	85.60	100	✓ <u>Tacrolimus Sandoz</u>
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer, page	Э		
211	428.00	50	✓ <u>Tacrolimus Sandoz</u>

■SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS; and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with * are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

/ Vanamil 920

✓ Venomil \$29

Antiallergy Preparations

Allergic Emergenices

ICATIBANT - Special Authority see SA1558 below - Retail pharmacy Inj 10 mg per ml, 3 ml prefilled syringe2,668.00 ✓ Firazyr

⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

ent 1 8 ml

W

⇒SA1367 | Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive: and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Maintenance kit - 6 vials 120 mcg freeze dried venom, 3 dilu-

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

285 00

1 OP

1 OP

BEE VENOM ALLERGY TREATMENT - Special Authority see SA1367 above - Retail pharmacy

CIR 1.0 III	200.00	1 01	A ACHOHIM
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
NASP VENOM ALLERGY TREATMENT - Special Authority see SA	1367 above	- Retail pharm	nacy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom	305.00	1 OP	✓ Venomil §29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze			

Antihistamines

dried venom

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.59	100	Zetop
*‡ Oral liq 1 mg per ml	2.99	200 ml	✓ <u>Histaclear</u>
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	Histafen

305.00

	Subsidy (Manufacturer's	Price) Sub	Fully	Brand or Generic
	(Manufacturer 3	Per	✓	Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE				
* Tab 2 mg	2.02	40		
•	(8.40)		Р	olaramine
	1.01	20		
	(5.99)		Р	olaramine
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml		
	(10.29)		Р	olaramine
FEXOFENADINE HYDROCHLORIDE				
* Tab 60 mg	4.34	20		
	(11.53)		T	elfast
* Tab 120 mg		30		
•	(29.81)		T	elfast
	` 4.74 [′]	10		
	(11.53)		T	elfast
LORATADINE				
* Tab 10 mg	1.30	100	v 1	orafix
* Oral lig 1 mg per ml		200 ml	_	oraPaed
, ,,		200	* =	
PROMETHAZINE HYDROCHLORIDE	1.70	50		llawa a ath a
* Tab 10 mg		50 50	_	<u>lllersoothe</u> lllersoothe
* Tab 25 mg *‡ Oral lig 1 mg per 1 ml		100 ml	_	llersoothe
		100 1111	V A	<u>lilersootile</u>
* Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a		_		
PSO	11.99	5	VH	lospira
TRIMEPRAZINE TARTRATE				
‡ Oral liq 30 mg per 5 ml		100 ml OP		
	(8.06)		V	allergan Forte
Inhaled Corticosteroids				
BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose	9 30	200 dose OP	√ 0	lvar
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP		eclazone 50
Aerosol inhaler, 30 mcg per dose		200 dose OP	√ 0	
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP		eclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free		200 dose OP		eclazone 250
		200 0000 0.	` -	
BUDESONIDE Powder for inhelation, 100 mag per dece	17.00	200 doog OD	. / D	ulmicort
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	V	ulmicort Turbuhaler
December for inholation, 000 many many data	10.00	000 daaa 00		
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	V	ulmicort
December for inhololism 400 means and as	00.00	000 de e 05		Turbuhaler
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	V	ulmicort

Turbuhaler

		10111 31311	Em AND ALLENGIES
	Subsidy (Manufacturer's \$		Fully Brand or sidised Generic Manufacturer
FLUTICASONE			
Aerosol inhaler, 50 mcg per dose		120 dose OP	✓ Floair
Aerosol inhaler, 50 mcg per dose CFC-free		120 dose OP	Flixotide
Powder for inhalation, 50 mcg per dose		60 dose OP	Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose		60 dose OP 120 dose OP	✓ Flixotide Accuhaler ✓ Floair
Aerosol inhaler, 125 mcg per dose Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP	✓ Flixotide
Aerosol inhaler, 250 mcg per dose Cr C-riee		120 dose OP	✓ Floair
Aerosol inhaler, 250 mcg per dose CFC-free		120 dose OP	✓ Flixotide
Powder for inhalation, 250 mcg per dose		60 dose OP	✓ Flixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonist	S		
EFORMOTEROL FUMARATE			
Powder for inhalation, 6 mcg per dose, breath activated	10.32	60 dose OP	
	(16.90)		Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de-	-		
vice	20.64	60 dose	
	(35.80)		Foradil
INDACATEROL			
Powder for inhalation 150 mcg	61.00	30 dose OP	Onbrez Breezhaler
Powder for inhalation 300 mcg	61.00	30 dose OP	Onbrez Breezhaler
SALMETEROL			
Aerosol inhaler CFC-free, 25 mcg per dose		120 dose OP	✓ Serevent
Aerosol inhaler 25 mcg per dose	26.46	120 dose OP	✓ Meterol
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 dose OP	Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	∆drenocent	or Agonists	
minuted Controcaterolds With Long Adding Bette I	чатепоосрі	or Agornoto	
BUDESONIDE WITH EFORMOTEROL			
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg		120 dose OP	✓ Vannair
Powder for inhalation 100 mcg with eformoterol fumarate			
6 mcg	33.74	120 dose OP	✓ Symbicort
			Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg		120 dose OP	✓ Vannair
Powder for inhalation 200 mcg with eformoterol fumarate		100 1 05	. 4 Occupations and
6 mcg	44.08	120 dose OP	Symbicort
Douglay for impolation 400 mag with of prostage from the			Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate 12 mcg – No more than 2 dose per day		60 dose OP	✓ Symbicort
12 mby - No more man 2 dose per day	44.00	ou dose OP	Turbuhaler 400/12
FILITIOA CONF. FILIPOATE MITTING ANTEROL			Turbundici 400/12
FLUTICASONE FUROATE WITH VILANTEROL	44.00	00 dese 00	· / Duce Fillinds
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	✓ Breo Ellipta

	Subsidy	Dring) Cube	Fully Brand or	
	(Manufacturer's \$	Price) Subs	sidised Generic Manufacturer	
FLUTICASONE WITH SALMETEROL				
Aerosol inhaler 50 mcg with salmeterol 25 mcg	33.74	120 dose OP	✓ Seretide	
	37.48		✔ RexAir	
Aerosol inhaler 125 mcg with salmeterol 25 mcg		120 dose OP	✓ Seretide	
Decides for inheliting 400 many illhools also 150 may 11	49.69		✓ RexAir	
Powder for inhalation 100 mcg with salmeterol 50 mcg — No more than 2 dose per day		60 dose OP	✓ Seretide Accul	nalor
Powder for inhalation 250 mcg with salmeterol 50 mcg – No		00 0030 01	V Ocietide Accui	iaici
more than 2 dose per day		60 dose OP	✓ Seretide Accul	naler
Beta-Adrenoceptor Agonists				
SALBUTAMOL				
‡ Oral liq 400 mcg per ml	2.06	150 ml	✓ Ventolin	
Infusion 1 mg per ml, 5 ml		10		
	(130.21)	_	Ventolin	
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin	
Inhaled Beta-Adrenoceptor Agonists				
SALBUTAMOL				
Aerosol inhaler, 100 mcg per dose CFC free - Up to 1000				
dose available on a PSO	3.80	200 dose OP	Respigen	
			✓ SalAir ✓ Salamol	
	(6.00)		Ventolin	
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule - Up to 30 nel	` '		volitomi	
available on a PSO	3.19	20	✓ <u>Asthalin</u>	
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule - Up to 30 neb				
available on a PSO	3.29	20	✓ <u>Asthalin</u>	
TERBUTALINE SULPHATE				
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	Bricanyl Turbul	haler
Anticholinergic Agents				
IPRATROPIUM BROMIDE				
Aerosol inhaler, 20 mcg per dose CFC-free	16.20	200 dose OP	✓ Atrovent	
Nebuliser soln, 250 mcg per ml, 1 ml – Up to 40 neb available				
on a PSO		20	✓ Univent	
Nebuliser soln, 250 mcg per ml, 2 ml - Up to 40 neb available				
on a PSO	3.37	20	✓ <u>Univent</u>	
Inhaled Beta-Adrenoceptor Agonists with Antic	holinergic A	gents		
SALBUTAMOL WITH IPRATROPIUM BROMIDE				
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg				
per dose CFC-free	12.19	200 dose OP	Duolin HFA	
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg pe			45 "	
vial, 2.5 ml ampoule – Up to 20 neb available on a PSC	3.59	20	✓ <u>Duolin</u>	

Subsidy (Manufacturer's Price) \$

Subsidised Per

Fully Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists

GLYCOPYRRONIUM - Subsidy by endorsement

- a) Inhaled glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium or umeclidinium.
- b) Glycopyrronium powder for inhalation 50 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly. From 1 March 2016 until 31 May 2016 pharmacists may annotate the prescription as endorsed where the patient has outstanding repeat dispensings at 1 March 2016 and the patient had a valid Special Authority approval at 29 February 2016.

Powder for inhalation 50 mcg per dose61.00 30 dose OP ✓ Seebri Breezhaler

TIOTROPIUM BROMIDE - Special Authority see SA1568 below - Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.

Powder for inhalation, 18 mcg per dose70.00 30 dose Spiriva 60 dose OP ✓ Spiriva Respimat

⇒SA1568 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 μg invatropium a.i.d for one month: and
- 3 Fither:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 4 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 5 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV1 (litres); and
- 4.2 Predicted FEV₁ (litres); and
- 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium hromide
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

30 dose OP ✓ Incruse Ellipta

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

⇒SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 ab	ove - Retail pha	rmacy
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00	30 dose OP	✔ Ultibro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584	above - Retail p	pharmacy
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00	60 dose OP	Spiolto Respimat
LIMECLIDINILIM WITH VII ANTEROL - Special Authority see SA1584 above -	Ratail nharmany	

UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 above - Retail pharmacy

Powder for inhalation 62.5 mcg with vilanterol 25 mcg77.00 ✓ Anoro Ellipta 30 dose OP

Leukotriene Receptor Antagonists

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg	18.48	28	✓ Singulair
Tab 5 mg	18.48	28	✓ Singulair
Tab 10 mg	18.48	28	Singulair

⇒SA1421 | Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists: and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

(N	Subsidy Nanufacturer's Price)	Subs	Fully	Brand or Generic
	\$	Per	~	Manufacturer

continued...

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

NSAID where challenge would be considered dangerous.	
Mast Cell Stabilisers	
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free28.07 112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose	✓ Intal Spincaps✓ Intal Forte CFC Free
Methylxanthines	
AMINOPHYLLINE	
* Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj available on a PSO118.25 5	✓ DBL Aminophylline
THEOPHYLLINE * Tab long-acting 250 mg21.51 100	✓ Nuelin-SR
*‡ Oral liq 80 mg per 15 ml	✓ Nuelin

Mucolytics

DORNASE ALFA - Special Authority see SA0611 below - Retail pharmacy

Nebuliser soln, 2.5 mg per 2.5 ml ampoule250.00

)

✓ Pulmozyme

►SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel

Phone: (04) 460 4990 Facsimile: (04) 916 7571

PHARMAC, PO Box 10 254

Email: CFPanel@pharmac.govt.nz

Wellington

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience

90 ml OP

.

SODIUM CHLORIDE

Not funded for use as a nasal drop.

Soln 7%

and expertise in treating cystic fibrosis.

.....23.50

✓ Biomed

Nasal Preparations

Allergy Prophylactics

BECLO	OMETHA	SONE [DIPROP	IONATE
-------	--------	--------	--------	--------

Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
	(4.85)		Alanase
Metered aqueous nasal spray, 100 mcg per dose	2.46	200 dose OP	
	(5.75)		Alanase

	Subsidy (Manufacturer's \$	Price) Sub	Fully Brand or sidised Generic Manufacturer
	3	rei	✓ Manufacturer
BUDESONIDE	0.05	000 1 00	
Metered aqueous nasal spray, 50 mcg per dose	(4.85)	200 dose OP	Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose	(/	200 dose OP	Dulacon Aqueous
motored aqueed hasar opray, 100 mag per dece	(5.75)	200 0000 01	Butacort Aqueous
FLUTICASONE PROPIONATE	, ,		•
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	✓ Flixonase Hayfever
1 2 21			& Allergy
PRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%	3.95	15 ml OP	✓ <u>Univent</u>
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSOc) Only for children aged six years and under			
Small	2 20	1	✓ e-chamber Mask
PEAK FLOW METER		•	o onambor mask
a) Up to 10 dev available on a PSO			
b) Only on a PSO			
Low range	9.54	1	✓ Mini-Wright AFS
· · · · · · · · · · · · · · · · · · ·			Low Range
Normal range	9.54	1	✓ Mini-Wright
			<u>Standard</u>
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO	0.05		
220 ml (single patient)510 ml (single patient)		1	✓ e-chamber Turbo✓ e-chamber La
510 IIII (Sillyle palletit)	3.12	ı	Grande
800 ml	6.50	1	✓ Volumatic
		•	
Respiratory Stimulants			

CAFFEINE CITRATE		
Oral lig 20 mg per ml (10 mg base per ml)14.85	25 ml OP	✓ Biomed

Subsidy (Manufacturer's P	Fully rice) Subsidised	
\$	Per 🗸	Manufacturer

ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Vosol ear drops with hydrocortisone powder refer Standard Formulae, pag Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	e 214 35 ml OP	✓ Vosol
	00 1111 01	• 10001
FLUMETASONE PIVALATE Ear drops 0.02% with clioquinol 1%4.46	7.5 ml OP	✓ Locacorten-Viaform ED's
		✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATIR Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate	N	
2.5 mg and gramicidin 250 mcg per g	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations		
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN		
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and		
gramicidin 50 mcg per ml4.50	8 ml OP	
(9.27)		Sofradex
FRAMYCETIN SULPHATE		
Ear/Eye drops 0.5%4.13	8 ml OP	
(8.65)		Soframycin

Eye Preparations

ACICI OVIR

Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.

Anti-Infective Preparations

ACICLOVIR		
* Eye oint 3%	4.5 g OP	Zovirax
CHLORAMPHENICOL		
Eye oint 1%3.19	4 g OP	Chlorsig
Eye drops 0.5%	10 ml OP	✓ Chlorafast
Funded for use in the ear*. Indications marked with * are Unapproved I	ndications.	
CIPROFLOXACIN		
Eye Drops 0.3%12.43	5 ml OP	Ciloxan
For treatment of bacterial keratitis or severe bacterial conjunctivitis resi	stant to chloramph	enicol.
FUSIDIC ACID		
Eye drops 1%4.50	5 g OP	Fucithalmic
GANCICLOVIR		
Eye gel 0.15%37.53	5 g OP	✓ Virgan S29
GENTAMICIN SULPHATE		
Eye drops 0.3%11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE		
* Eye drops 0.1%	10 ml OP	
(7.99		Brolene
	,	



	Subsidy (Manufacturer's F \$	rice) Sub Per	Fully Brand or sidised Generic Manufacturer
TOBRAMYCIN Eye oint 0.3% Eye drops 0.3%		3.5 g OP 5 ml OP	✓ <u>Tobrex</u> ✓ <u>Tobrex</u>
Corticosteroids and Other Anti-Inflammatory Pr	eparations		
DEXAMETHASONE * Eye oint 0.1% * Eye drops 0.1% DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYN	4.50 /IYXIN B SULPH/	3.5 g OP 5 ml OP ATE	✓ <u>Maxidex</u> ✓ <u>Maxidex</u>
Eye oint 0.1% with neomycin sulphate 0.35% and polymyxir b sulphate 6,000 u per g Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per ml	5.39 -	3.5 g OP 5 ml OP	✓ <u>Maxitrol</u> ✓ Maxitrol
DICLOFENAC SODIUM * Eye drops 0.1%		5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE * Eye drops 0.1%		5 ml OP	✓ <u>FML</u>
Eye drops 0.5 mg per ml	8.71 (10.34)	4 ml OP	Livostin
LODOXAMIDE Eye drops 0.1%	8.71	10 ml OP	✓ <u>Lomide</u>
PREDNISOLONE ACETATE * Eye drops 0.12% * Eye drops 1%		5 ml OP 5 ml OP	✓ Pred Mild ✓ Pred Forte
PREDNISOLONE SODIUM PHOSPHATE – Special Authority se Eye drops 0.5%, single dose (preservative free)		- Retail pharm 20 dose	nacy ✓ Minims Prednisolone

⇒SA1547 Special Authority for Subsidy

Initial application only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM CROMOGLYCATE Eye drops 2%0.85	5 ml OP	✓ Rexacrom
Glaucoma Preparations - Beta Blockers		
BETAXOLOL # Eye drops 0.25%	5 ml OP 5 ml OP	✓ Betoptic S ✓ Betoptic
LEVOBUNOLOL * Eye drops 0.5%	5 ml OP	✓ Betagan

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
# Eye drops 0.25%	1.45 3.30 1.45	5 ml OP 2.5 ml OP 5 ml OP 2.5 ml OP	✓ Arrow-Timolol ✓ Timoptol XE ✓ Arrow-Timolol ✓ Timoptol XE
Glaucoma Preparations - Carbonic Anhydrase Ir	hibitors		
ACETAZOLAMIDE			
* Tab 250 mg - For acetazolamide oral liquid formulation refer, page 211	17.03	100	✓ <u>Diamox</u>
BRINZOLAMIDE * Eye Drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE * Eye drops 2%	9.77 (17.44)	5 ml OP	Trusopt
DORZOLAMIDE WITH TIMOLOL – Brand switch fee payable (Pt * Eye drops 2% with timolol 0.5%		5511) - see pag 5 ml OP	e 208 for details Arrow-Dortim
Glaucoma Preparations - Prostaglandin Analogu	ies		
BIMATOPROST * Eye drops 0.03%	18.50	3 ml OP	✓ Lumigan
LATANOPROST * Eye drops 0.005%	1.50	2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST * Eye drops 0.004%	19.50	2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE * Eye drops 0.2%	4.32	5 ml OP	✓ <u>Arrow-Brimonidine</u>
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE * Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
PILOCARPINE HYDROCHLORIDE			4
* Eye drops 1%		15 ml OP	Isopto Carpine
Eye drops 2% Eye drops 4% Subsidised for oral use pursuant to the Standard Formulae	7.99	15 ml OP 15 ml OP	✓ <u>Isopto Carpine</u> ✓ <u>Isopto Carpine</u>
Eye drops 2% single dose – Special Authority see SA0895 below – Retail pharmacy		20 dose	✓ Minims Pilocarpine

⇒SA0895 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	(Manufacturer's F	Price) Sub Per	isidised Generic Manufacturer
Mydriatics and Cycloplegics			
ATROPINE SULPHATE * Eye drops 1%	17.36	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	8.76	15 ml OP	✓ <u>Cyclogyl</u>
TROPICAMIDE * Eye drops 0.5% * Eye drops 1%		15 ml OP 15 ml OP	✓ Mydriacyl ✓ Mydriacyl
Preparations for Tear Deficiency			
For acetylcysteine eye drops refer Standard Formulae, page 2 HYPROMELLOSE		45 100	
* Eye drops 0.5%	(3.92)	15 ml OP	Methopt
# Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✓ Poly-Tears
POLYVINYL ALCOHOL * Eye drops 1.4% * Eye drops 3%		15 ml OP 15 ml OP	✓ Vistil✓ Vistil Forte
Preservative Free Ocular Lubricants			
■►SA1388 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals v Both:	alid for 12 months fo	r applications r	neeting the following criteria:
1 Confirmed diagnosis by slit lamp of severe secretory2 Either:	dry eye; and		
2.1 Patient is using eye drops more than four time2.2 Patient has had a confirmed allergic reaction			
Renewal from any relevant practitioner. Approvals valid for 24 and has benefited from treatment.		oatient continu	es to require lubricating eye drops
CARBOMER – Special Authority see SA1388 above – Retail Ophthalmic gel 0.3%, 0.5 g		30	✓ Poly-Gel
MACROGOL 400 AND PROPYLENE GLYCOL - Special Aut Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml		bove – Retail p 24	oharmacy ✓ Systane Unit Dose
SODIUM HYALURONATE [HYALURONIC ACID] – Special A Eye drops 1 mg per ml Hylo-Fresh has a 6 month expiry after opening. The Pl is not relevant and therefore only the prescribed dosage	22.00 harmacy Procedures	10 ml OP Manual restric	✓ <u>Hylo-Fresh</u> tion allowing one bottle per month
Other Eye Preparations			
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%	4.15	15 ml OP	✓ Naphcon Forte

Subsidy

Fully

Brand or

✔ Patanol

Refresh Night Time

5 ml OP

3.5 g OP

PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN

Eye drops 0.1%17.00

SENSORY ORGANS

	Subsidy (Manufacturer's Prio \$	ce) Sub Per	Fully sidised	Brand or Generic Manufacturer
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.63	3.5 g OP	✓ <u>P</u> c	oly-Visc
RETINOL PALMITATE Eye oint 138 mcg per g	3.80	5 g OP	✓ Vi	itA-POS

Subsidy (Manufacturer's Price) Per

Fully Subsidised

Brand or Generic Manufacturer

Various

May only be claimed once per patient.

PHARMACY SERVICES

* Brand switch fee4.33

✓ BSF 1 fee

Apo-Mirtazapine

✓ BSF Arrow-Dortim

✓ BSF Zopiclone **Actavis**

- a) The Pharmacode for BSF Apo-Mirtazapine is 2493489 see also page 131
- b) The Pharmacode for BSF Arrow-Dortim is 2495511 see also page 205
- c) The Pharmacode for BSF Zopiclone Actavis is 2495538 see also page 152

(BSF Apo-Mirtazapine Brand switch fee to be delisted 1 May 2016)

(BSF Arrow-Dortim Brand switch fee to be delisted 1 June 2016)

(BSF Zopiclone Actavis Brand switch fee to be delisted 1 June 2016)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE – Retail pha	ırmacy-Specialist		
Inj 200 mg per ml, 10 ml am	ooule78.34	10	✓ DBL Acetylcysteine

NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO
- b) Only on a PSO
- ✔ Hospira

Removal and Elimination

CHARCOAL

*	Oral liq 50 g per 250 ml	43.50	250 ml OP	Carbosorb-X

a) Up to 250 ml available on a PSO

b) Only on a PSO

DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Tab 125 mg dispersible	276.00	28	Exjade
Tab 250 mg dispersible	552.00	28	Exjade
Tab 500 mg dispersible	1,105.00	28	Exjade

⇒SA1492 | Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis: or



Subsidy (Manufacturer'		Fully sidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μ L) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per μ L).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

		ERIPRONE – Special Authority see SA1480 below – Retail pharmacy	DEFERIPRONE
✓ Ferriprox	100	Tab 500 mg533.17	Tab 500 mg .
✔ Ferriprox	250 ml OP	Oral liq 100 mg per 1 ml266.59	Oral liq 100 r

⇒SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

.51.52

10

✓ Desferal

Fither:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DE:	SFERRIOXAMINE MESILATE	
*	Ini 500 mg vial	

Till 500 mg via	(109.89)	10	Hospira
Desferal to be Sole Supply on 1 May 2016			
(Hospira Inj 500 mg vial to be delisted 1 May 2016)			
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
	(156.71)		Calcium Disodium Versenate

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacyspecialist).
 - c) Menthol crystals only in the following bases:

Aqueous cream

Urea cream 10%

Wool fat with mineral oil lotion

Hydrocortisone 1% with wool fat and mineral oil lotion

Glycerol, paraffin and cetyl alcohol lotion.

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- · Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- · White soft paraffin
- Wool fat with mineral oil lotion
- Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- · Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/mlFlecainide 20 mg/mlRifabutin 20 mg/mlAllopurinol 20 mg/mlGabapentin 100 mg/mlSildenafil 2 mg/mlAmlodipine 1 mg/mlHydrocortisone 1 mg/mlSotalol 5 mg/ml

Azathioprine 50 mg/ml
Baclofen 10 mg/ml
Carvedilol 1 mg/ml
Clopidogrel 5 mg/ml
Diltiazem hydrochloride 12 mg/ml
Labetolol 10 mg/ml
Levetiracetam 100 mg/ml
Levetiracetam 100 mg/ml
Levedopa with carbidopa (5 mg levodopa 1.25 mg carbidopa)/ml
Tramadol 10 mg/ml
Ursodeoxycholic acid 50 mg/ml

Dipyridamole 10 mg/ml Metoprolol tartrate 10 mg/ml Valganciclovir 60 mg/ml*

Domperidone 1 mg/ml Nitrofurantoin 10 mg/ml Verapamil hydrochloride 50 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

^{*}Note this is a DCS formulation

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend. Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 210) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

Standard Formulae					
ACETYLCYSTEINE EYE DROPS		PHENOBARBITONE ORAL LIQUID			
Acetylcysteine inj 200 mg per ml, 10 ml	qs	Phenobarbitone Sodium	1 g		
Suitable eye drop base	qs	Glycerol BP	70 ml		
, ,	•	Water	to 100 ml		
ASPIRIN AND CHLOROFORM APPLICAT					
Aspirin Soluble tabs 300 mg	12 tabs	PHENOBARBITONE SODIUM PAEDIATRIC ORAL			
Chloroform	to 100 ml	LIQUID (10 mg per ml)			
CODEINE LINCTUS PAEDIATRIC (3 mg p	er 5 ml)	Phenobarbitone Sodium	400 mg		
Codeine phosphate	60 mg	Glycerol BP	4 ml		
Glycerol	40 ml	Water	to 40 ml		
Preservative	qs				
Water	to 100 ml	PILOCARPINE ORAL LIQUID			
CODEINE LINCTUS DIABETIC (15 mg per	r 5 ml)	Pilocarpine 4% eye drops	qs		
Codeine phosphate	300 mg	Preservative	qs		
Glycerol	40 ml	Water	to 500 ml		
Preservative	qs	(Preservative should be used if quantity sup	pplied is for		
Water	to 100 ml	more than 5 days.)			
FOLINIC MOUTHWASH					
Calcium folinate 15 mg tab	1 tab	SALIVA SUBSTITUTE FORMULA			
Preservative	qs	Methylcellulose	5 g		
Water	to 500 ml	Preservative	qs		
(Preservative should be used if quantity su		Water	to 500 ml		
more than 5 days. Maximum 500 ml per pro		(Preservative should be used if quantity supplied is for			
, ,	555p,	more than 5 days. Maximum 500 ml per pre	escription.)		
MAGNESIUM HYDROXIDE 8% MIXTURE	075 -				
Magnesium hydroxide paste 29%	275 g	SODIUM CHLORIDE ORAL LIQUID			
Methyl hydroxybenzoate	1.5 g	Sodium chloride inj 23.4%, 20 ml	qs		
Water	to 1,000 ml	Water	qs		
METHADONE MIXTURE		(Only funded if prescribed for treatment of I	hyponatraemia)		
Methadone powder	qs				
Glycerol	qs	VANCOMYCIN ORAL SOLUTION (50 mg)	per ml)		
Water	to 100 ml	Vancomycin 500 mg injection	10 vials		
METHYL HYDROXYBENZOATE 10% SOL	UTION	Glycerol BP	40 ml		
Methyl hydroxybenzoate	10 g	Water	to 100 ml		
Propylene glycol	to 100 ml	(Only funded if prescribed for treatment of Clostridium			
(Use 1 ml of the 10% solution per 100 ml o	f oral liquid	difficile following metronidazole failure)			
mixture)		-			
OMEDDAZOLE OLIODENOLONI		VOSOL FAR DROPS			

OMEPRAZOLE SUSPENSION

Omeprazole capules or powder	qs
Sodium bicarbonate powder BP	8.4 g
Water	to 100 ml

WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops 1% to 35 ml

Subsidy (Manufacturer's Price)	Su	Fully	Brand or Generic
\$	Per	~	Manufacturer

Extemporaneously Compounded Preparations and	d Galenica	ıls	
BENZOIN			
Tincture compound BP	24.42	500 ml	
	(39.90)		Pharmacy Health
	2.44	50 ml	
	(5.10)		Pharmacy Health
CHLOROFORM – Only in combination			
Only in aspirin and chloroform application.			
Chloroform BP		500 ml	✓ PSM
CODEINE PHOSPHATE - Safety medicine; prescriber may determ	nine dispensing	g frequency	
Powder – Only in combination		25 g	
	(90.09)		Douglas
	12.62	5 g	
	(25.46)		Douglas
 a) Only in extemporaneously compounded codeine linctus d b) ‡ Safety cap for extemporaneously compounded oral liquit 			ediatric.
COLLODION FLEXIBLE			
Collodion flexible	19.30	100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	30.00	100 ml	✓ Midwest
	34.18		David Craig
GLYCERIN WITH SODIUM SACCHARIN - Only in combination			
Only in combination with Ora-Plus.			
Suspension	32.50	473 ml	✓ Ora-Sweet SF
GLYCERIN WITH SUCROSE - Only in combination			
Only in combination with Ora-Plus.			
Suspension	32.50	473 ml	✓ Ora-Sweet
GLYCEROL			
* Liquid – Only in combination	3.71	500 ml	✓ healthE Glycerol BP
Only in extemporaneously compounded oral liquid preparation		0001111	Ticultine divocional
MAGNESIUM HYDROXIDE	00.		
Paste 29%	22.61	500 g	✓ PSM
		000 g	·
METHADONE HYDROCHLORIDE a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing frequ	encv		
d) Extemporaneously compounded methadone will only be rein		rate of the ch	neapest form available (methador
powder, not methadone tablets).			.oapoot io available (eailade.
Powder		1 g	✓ AFT
‡ Safety cap for extemporaneously compounded oral liquid	oreparations.	ŭ	
METHYL HYDROXYBENZOATE	•		
Powder	8.00	25 g	✓ PSM
	8.98	- 3	✓ Midwest
METHYLCELLULOSE			
Powder	36.95	100 g	✓ MidWest
Suspension – Only in combination		473 ml	✓ Ora-Plus

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's P \$	rice) Sul Per	Fully osidised	Brand or Generic Manufacturer	
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	RIN - Only in co	ombination			
Suspension	32.50	473 ml	V (ra-Blend SF	
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	in combination				
Suspension		473 ml	V 0	Pra-Blend	
PHENOBARBITONE SODIUM					
Powder - Only in combination	52.50	10 g	✓ N	/lidWest	
·	325.00	100 g	✓ N	/lidWest	
a) Only in children up to 12 years					
b) ‡ Safety cap for extemporaneously compounded oral liq	uid preparations.	•			
PROPYLENE GLYCOL	ata 100/ adution				
Only in extemporaneously compounded methyl hydroxybenzo		i. 500 ml	√ P	NO	
LIY	11.25	300 1111		/lidwest	
SODIUM BICARBONATE					
Powder BP — Only in combination	8 95	500 g	V N	/lidwest	
Torraci Bi Orny in combination	9.80	000 g	V		
	(29.50)			David Craig	
Only in extemporaneously compounded omeprazole and lansoprazole suspension.					
SYRUP (PHARMACEUTICAL GRADE) - Only in combination					
Only in extemporaneously compounded oral liquid preparation	ns.				
Liq	21.75	2,000 ml	✓ N	/lidwest	
WATER					
Tap - Only in combination	0.00	1 ml	✓ T	ap water	

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Either:
 - 1 cystic fibrosis; or
 - 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3]

Carbohydrate And Fat

▶SA1376 Special Authority for Subsidy

Initial application — **(Cystic fibrosis)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Infant or child aged four years or under; and
 - 2 cvstic fibrosis.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Soluble Powder

continued...

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under: and
- 2 Any of the following:
 - 2.1 cancer in children: or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT - S	Special Authority see SA1376 on th	e previous page –	Hospital pharmacy [HP3
Powder (neutral)	60.31	400 g OP ✓	Duocal Super

Fat

⇒SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia: or
- 3 fat malabsorption; or
- 4 lymphangiectasia: or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliarv atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 ascites: or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	idised	Generic	
\$	Per	~	Manufacturer	

continued...

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Roth:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

	,	p	
Emulsion (neutral)	12.30	200 ml OP	Calogen
	30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)	12.30	200 ml OP	✓ Calogen
Oil	30.00	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml	114.92	4 OP	✓ Liquigen

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

225 g OP ✓ Protifar 227 g OP ✓ Resource

Beneprotein 275 g OP
✓ Promod

Subsidy Fully (Manufacturer's Price)

Subsidised

Brand or Generic Manufacturer

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 above - Hospital pharmacy [HP3]

237 ml OP Pulmocare

Diabetic Products

⇒SA1095 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

1.000 ml OP ✓ Diason RTH Glucerna Select RTH

DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

Liquid (strawberry	1.50	200 ml OP	Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

Fat Modified Products

■ SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

(2.10)

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak: or

continued...

Sustagen Diabetic



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 on the previous page - Hospital pharmacy [HP3]

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

Subsidy Fully (Manufacturer's Price) Per \$

Subsidised

Brand or Generic Manufacturer

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Child is aged one to ten years; and
 - 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority s Liquid		ve – Hospital p 500 ml OP	harmacy [HP3] Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority ser Liquid		e – Hospital pha 500 ml OP	armacy [HP3] ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Spec Liquid	•	SA1379 above 500 ml OP	e – Hospital pharmacy [HP3] ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED - Special Authority see SA1379 above Powder (vanilla)		rmacy [HP3] 850 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see S Liquid (strawberry) Liquid (vanilla)	1.60	Hospital pharn 200 ml OP 200 ml OP	nacy [HP3] Fortini Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA Liquid (chocolate)	1.07 1.07	lospital pharma 200 ml OP 200 ml OP 200 ml OP 250 ml OP	cy [HP3] Pediasure Pediasure Pediasure Pediasure Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML — Special A Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	1.60 1.60	1379 above – F 200 ml OP 200 ml OP 200 ml OP	Hospital pharmacy [HP3] Fortini Multi Fibre Fortini Multi Fibre Fortini Multi Fibre



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Renal Products

⇒SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML - Special Authority ser Liquid			nacy [HP3] Nepro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority see SA Liquid		pital pharmacy 220 ml OP	[HP3] ✓ Nepro HP (strawberry) ✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see SA1	101 above – Hospi	tal pharmacy [F	HP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	Renilon 7.5

Specialised And Elemental Products

⇒SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption: or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas: or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML	 Special Authority see SA1377 	above – Hospit	al pharmacy [HP3]
Powder	7.50	76 g OP	✓ Alitraq

	Subsidy (Manufacturer's Price \$	Fully Subsidised Per	Brand or Generic Manufacturer
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML - Spermacy [HP3] Liquid	ŕ	A1377 on the prev	
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 171.00	18 OP	tal pharmacy [HP3] Elemental 028 Extra Elemental 028 Extra Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA Powder (unflavoured)	•		l pharmacy [HP3] 'ivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Autho	•		– Hospital pharmacy [HP3] Peptisorb

Paediatric Products For Children With Low Energy Requirements

■SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Standard Supplements

►SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive: or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
\$ Per ✔ Manufacturer

continued...

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube: or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions: or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 10 Epidermolysis bullosa: or
 - 11 AIDS (CD4 count < 200 cells/mm³); or
 - 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

Liquid epostar varionity see ex			✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML - Special Authority see SA1	554 on page 225 - Ho	spital pharmacy	[HP3]
Liquid	1.24	250 ml OP	✓ Isosource Standard
			✓ Osmolite
	2.65	500 ml OP	Osmolite RTH
	5.29	1,000 ml OP	✓ Isosource Standard RTH
			Nutrison Standard RTH
			✓ Osmolite RTH
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Aut	hority see SA1554 on	page 225 – Hosp	ital pharmacy [HP3]
Liquid	•	237 ml OP	✓ Jevity
·	2.65	500 ml OP	✓ Jevity RTH
	5.29	1,000 ml OP	✓ Jevity RTH
			✓ Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Au	thority see SA1554 or	n page 225 – Hos	pital pharmacy [HP3]
Liquid	1.75	250 ml OP	Ensure Plus HN
	7.00	1,000 ml OP	Ensure Plus RTH
			Jevity HiCal RTH
			Nutrison Energy
			Multi Fibre

ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 225 - Hospital pharmacy [HP3]

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

ORAL FEED (POWDER) - Special Authority see SA1554 on page 225 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$14.90 per 840

g with Endorsement	13.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)	_	Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 225 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200	, ,		·
ml with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with	, ,		
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml	, ,		
with Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sı	ubsidised	Generic	
\$	Per	~	Manufacturer	

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 225 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

High Calorie Products

1 Cystic fibrosis: and

■ SA1195 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- All of the following:
 - 2 other lower calorie products have been tried; and
 - 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements: or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] 500 ml OP ✓ Nutrison Concentrated 11.00 1.000 ml OP ✓ Two Cal HN RTH ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly. Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with 200 ml OP Two Cal HN

Food Thickeners

■ SA1106 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

(1.90)

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER - Special Authority see SA1106 above - Hospital pharmacy [HP3] ✓ Nutilis 300 a OP 380 a OP Feed Thickener 7.25 Karicare Aptamil

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

⇒SA1107 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3] 1.000 a OP Healtheries Simple (5.15)**Baking Mix**

	Subsidy (Manufacturer's F		Fully Brand or lised Generic Manufacturer
GLUTEN FREE BREAD MIX – Special Authority see SA1107 or Powder		ge – Hospital pha 1,000 g OP	rmacy [HP3] NZB Low Gluten
	(1.102)		Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 on the	previous page -	Hospital pharmac	y [HP3]
Powder		2,000 g OP	
	(18.10)		Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA1107 on the p	orevious page – F	Hospital pharmacy	/ [HP3]
Buckwheat Spirals	2.00	250 g OP	
	(3.11)		Orgran
Corn and Vegetable Shells	2.00	250 g OP	
	(2.92)		Orgran
Corn and Vegetable Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Corn Lasagne Sheets		200 g OP	
	(3.82)		Orgran
Rice and Corn Macaroni		250 g OP	•
B: 10 B	(2.92)	050 00	Orgran
Rice and Corn Penne		250 g OP	
Dies and Maine Daste Crivela	(2.92)	050 = OD	Orgran
Rice and Maize Pasta Spirals		250 g OP	Oraron
Rice and Millet Spirals	(2.92)	250 g OP	Orgran
nice and while ophais	(3.11)	250 g OF	Oraron
Rice and corn spaghetti noodles	` '	375 g OP	Orgran
nice and com spagnetti noodies	(2.92)	3/3 y OF	Orgran
Vegetable and Rice Spirals	` '	250 g OP	Orgini
rogotable and rife opinale	(2.92)	200 g Oi	Orgran
Italian long style spaghetti	` '	220 g OP	J.g.uii
	(3.11)	o g o.	Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✓ Manufacturer

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 on the previous page

Hospital pharmacy [HP3]

 500 g OP

✓ MSUD Maxamaid
✓ MSUD Maxamum

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Tabs		75 OP	✓ Phlexy 10
Powder (unflavoured) 29 g sachets	330.12	30	PKU Anamix Junior
Powder (unflavoured) 36 g sachets		30	PKU Anamix Junior
Infant formula	174.72	400 g OP	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
	320.00	•	XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Liquid (berry)	13.10	125 ml OP	PKU Anamix Junior
			LQ
Liquid (orange)	13.10	125 ml OP	✓ PKU Anamix Junior
			LQ
Liquid (unflavoured)	13.10	125 ml OP	✔ PKU Anamix Junior
1 (LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	Easiphen Liquid
Liquid (juicy berries) 62.5 ml	939.00	60 OP	✔ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml	939.00	60 OP	✔ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	✔ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml	936.00	30 OP	✔ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml	936.00	30 OP	✔ PKU Lophlex LQ 20

(PKU Anamix Junior Powder (unflavoured) 29 g sachets to be delisted 1 May 2016)

Foods

LOW PROTEIN BAKING MIX - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

LOW PROTEIN PASTA - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

OW FIOTEIN FASTA - Special Authority see SATTOO	on the previous page – r	105pilai pilailili	acy [nroj
Animal shapes	11.91	500 g OP	Loprofin
Lasagne	5.95	250 g OP	✓ Loprofin
Low protein rice pasta	11.91	500 g OP	✓ Loprofin
Macaroni		250 g OP	✓ Loprofin
Penne	11.91	500 g OP	✓ Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirale	11 01	500 a OP	✓ Lonrofin

Infant Formulae

For Premature Infants



Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powder44.40 400 g OP ✓ Locasol

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA — Special Authority see SA1219 below — Hospital	pharmacy [HP3]	
Powder6.	00 48.5 g OP	Vivonex Pediatric
53.	00 400 g OP	✓ Neocate LCP
Powder (unflavoured)53.	00 400 g OP	✓ Elecare
		✓ Elecare LCP
		✓ Neocate Advance
		✓ Neocate Gold
Powder (vanilla)53.	00 400 g OP	✓ Elecare
,	•	✓ Neocate Advance

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Karicare Aptamil

(Man	Subsidy nufacturer's Price)	Full Subsidise		
	\$	Per 🗸	 Manufacturer 	

continued...

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1557 below - Hospital pharmacy [HP3]

(Pepti Junior Gold Karicare Aptamil Powder to be delisted 1 June 2016)

⇒SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Fither:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure; or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula; and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Subsidy Fully (Manufacturer's Price) Subsidised

Generic Per \$ Manufacturer

Ketogenic Diet

⇒SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA -	 Special Authority see SA1197 	above - Retail p	harmacy
Powder (unflavoured)	35.50	300 g OP	✓ KetoCal 4:1
			✓ Ketocal 3:1

Brand or

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule5	✓ Inj 500 mg vial – Subsidy by endorsement –
✓ Inj 1 in 10,000, 10 ml ampoule5	See note on page 915
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See
✓ Inj 25 mg per ml, 10 ml ampoule5	note on page 915
AMIODARONE HYDROCHLORIDE	CHARCOAL
✓ Inj 50 mg per ml, 3 ml ampoule6	✓ Oral liq 50 g per 250 ml250 ml
AMOXICILLIN	CHLORPROMAZINE HYDROCHLORIDE
✓ Cap 250 mg30	✓ Tab 10 mg30
✓ Cap 500 mg30	✓ Tab 25 mg30
✓ Grans for oral liq 125 mg per 5 ml200 ml	✓ Tab 100 mg30
 ✓ Grans for oral liq 250 mg per 5 ml	✓ Inj 25 mg per ml, 2 ml5
	CIPROFLOXACIN
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 250 mg – See note on page 955
✓ Tab 500 mg with clavulanic acid 125 mg30 ✓ Grans for oral liq amoxicillin 125 mg with	✓ Tab 500 mg – See note on page 955
clavulanic acid 31.25 mg per	CO-TRIMOXAZOLE
5 ml200 ml	✓ Tab trimethoprim 80 mg and
✓ Grans for oral liq amoxicillin 250 mg with	sulphamethoxazole 400 mg30
clavulanic acid 62.5 mg per 5 ml	,
•.	✓ Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per
ASPIRIN	5 ml200 ml
✓ Tab dispersible 300 mg30	5 111200 1111
ATROPINE SULPHATE	COMPOUND ELECTROLYTES
✓ Inj 600 mcg per ml, 1 ml ampoule5	✔ Powder for oral soln10
AZITHROMYCIN	CONDOMS
✓ Tab 500 mg – See note on page 928	✓ 49 mm144
DENIDROCK LIMETURAZIDE (DENIDROCK LIAZIDE)	✓ 52 mm
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	✓ 52 mm extra strength144
✓ Tab 2.5 mg – See note on page 57150	✓ 53 mm
BENZATHINE BENZYLPENICILLIN	✓ 53 mm (chocolate)144
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe	✓ 53 mm (strawberry)144
BENZTROPINE MESYLATE	54 mm, shaped144
✓ Inj 1 mg per ml, 2 ml5	✓ 55 mm144
Till I ling por fill, 2 lill	✓ 56 mm144
BENZYLPENICILLIN SODIUM (PENICILLIN G)	✓ 56 mm, shaped144
✓ Inj 600 mg (1 million units) vial5	✓ 60 mm144
BLOOD GLUCOSE DIAGNOSTIC TEST METER	CYPROTERONE ACETATE WITH
✓ Meter with 50 lancets, a lancing device and	ETHINYLOESTRADIOL ACCIAIC WITH
10 diagnostic test strips – Subsidy by	
endorsement – See note on page 261	✓ Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs168
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	
✔ Blood glucose test strips – See note on page	DEXAMETHASONE
27 50 test	✓ Tab 0.5 mg – Retail pharmacy-Specialist60
	✓ Tab 1 mg – Retail pharmacy-Specialist30
BLOOD KETONE DIAGNOSTIC TEST METER	✓ Tab 4 mg – Retail pharmacy-Specialist30
✓ Meter – See note on page 261	continued

[✓] fully subsidised brand available

PRACTITIONER'S SUPPLY ORDERS

(continued)	ETHINYLOESTRADIOL WITH NORETHISTERONE
DEXAMETHASONE PHOSPHATE ✓ Inj 4 mg per ml, 1 ml ampoule – See note on	✓ Tab 35 mcg with norethisterone 1 mg63 ✓ Tab 35 mcg with norethisterone 1 mg and
page 795	7 inert tab84
✓ Inj 4 mg per ml, 2 ml ampoule – See note on page 795	✓ Tab 35 mcg with norethisterone 500 mcg63 ✓ Tab 35 mcg with norethisterone 500 mcg
DIAPHRAGM	and 7 inert tab84
✓ 65 mm – See note on page 73	FLUCLOXACILLIN
✓ 70 mm – See note on page 73	✓ Cap 250 mg30
✓ 75 mm – See note on page 731	✓ Grans for oral lig 25 mg per ml 200 ml
✓ 80 mm – See note on page 731	✓ Grans for oral liq 50 mg per ml
DIAZEPAM	✓ Inj 1 g vial10
	FLUPENTHIXOL DECANOATE
✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement – See note on page 1325	✓ Inj 20 mg per ml, 1 ml5
✓ Rectal tubes 5 mg5	✓ Inj 20 mg per ml, 7 ml
✓ Rectal tubes 10 mg	✓ Inj 100 mg per ml, 1 ml
Friectal tubes 10 mg	
DICLOFENAC SODIUM	FLUPHENAZINE DECANOATE
✓ Inj 25 mg per ml, 3 ml ampoule5	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml
✓ Suppos 50 mg10	✓ Inj 25 mg per ml, 1 ml5
DIGOXIN	✓ Inj 100 mg per ml, 1 ml5
✓ Tab 62.5 mcg30	FUROSEMIDE [FRUSEMIDE]
✓ Tab 250 mcg30	✓ Tab 40 mg30
	✓ Inj 10 mg per ml, 2 ml ampoule5
DOXYCYCLINE	
Tab 50 mg30	GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit5
✓ Tab 100 mg30	V IIIj I IIIg syllinge kit
ERGOMETRINE MALEATE	GLUCOSE [DEXTROSE]
✓ Inj 500 mcg per ml, 1 ml ampoule5	✓ Inj 50%, 10 ml ampoule5
ERYTHROMYCIN ETHYL SUCCINATE	✓ Inj 50%, 90 ml bottle5
✓ Tab 400 mg20	GLYCERYL TRINITRATE
✓ Grans for oral liq 200 mg per 5 ml	✓ Tab 600 mcg100
✓ Grans for oral liq 400 mg per 5 ml	✓ Oral pump spray, 400 mcg per dose250 dose
• •	✓ Oral spray, 400 mcg per dose
ERYTHROMYCIN STEARATE	OLYGODYDDONIUM DDONIDE
Tab 250 mg30	GLYCOPYRRONIUM BROMIDE
ETHINYLOESTRADIOL WITH DESOGESTREL	✓ Inj 200 mcg per ml, 1 ml ampoule10
Tab 20 mcg with desogestrel 150 mcg and	HALOPERIDOL
7 inert tab84	✓ Tab 500 mcg30
Tab 30 mcg with desogestrel 150 mcg and	✓ Tab 1.5 mg30
7 inert tab84	✓ Tab 5 mg30
	✓ Oral liq 2 mg per ml200 ml
ETHINYLOESTRADIOL WITH LEVONORGESTREL	✓ Inj 5 mg per ml, 1 ml5
✓ Tab 20 mcg with levonorgestrel 100 mcg and	HALOPERIDOL DECANOATE
7 inert tab84	✓ Inj 50 mg per ml, 1 ml5
✓ Tab 50 mcg with levonorgestrel 125 mcg and	✓ Inj 100 mg per ml, 1 ml
7 inert tab	,
Tab 30 mcg with levonorgestrel 150 mcg	HYDROCORTISONE
✓ Tab 30 mcg with levonorgestrel 150 mcg and	✓ Inj 100 mg vial5
7 inert tab84	continued

continued) HYDROXOCOBALAMIN	MORPHINE SULPHATE ✓ Inj 5 mg per ml, 1 ml ampoule – Only on a
✓ Inj 1 mg per ml, 1 ml ampoule6	controlled drug form5
HYOSCINE N-BUTYLBROMIDE ✓ Inj 20 mg, 1 ml5	✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form
V III 20 III 9, 1 III	✓ Inj 15 mg per ml, 1 ml ampoule – Only on a
INTRA-UTERINE DEVICE	controlled drug form
✓ IUD 29.1 mm length × 23.2 mm width	✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form5
IPRATROPIUM BROMIDE	NALOXONE HYDROCHLORIDE
✓ Nebuliser soln, 250 mcg per ml, 1 ml	✓ Inj 400 mcg per ml, 1 ml ampoule5 NICOTINE
•	✓ Patch 7 mg – See note on page 15828
IVERMECTIN	✓ Patch 14 mg – See note on page 15828
✓ Tab 3 mg – See note on page 68100	✓ Patch 21 mg – See note on page 158
KETONE BLOOD BETA-KETONE ELECTRODES	✓ Lozenge 1 mg – See note on page 158216 ✓ Lozenge 2 mg – See note on page 158216
✓ Test strip10	✓ Gum 2 mg (Classic) – See note on page 158384
LEVONODOFOTRE	✓ Gum 2 mg (Fruit) – See note on page 158
LEVONORGESTREL Tob 20 mag	✓ Gum 2 mg (Mint) – See note on page 158384
Tab 30 mcg	✓ Gum 4 mg (Classic) – See note on page 158384
• 1ab 1.5 mg	✓ Gum 4 mg (Fruit) – See note on page 158384
LIDOCAINE [LIGNOCAINE]	✓ Gum 4 mg (Mint) – See note on page 158384
✓ Gel 2%, 10 ml urethral syringe – Subsidy by	NORETHISTERONE
endorsement – See note on page 1255	✓ Tab 350 mcg84
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	✓ Tab 5 mg30
✓ Inj 1%, 5 ml ampoule25	OXYTOCIN
✓ Inj 2%, 5 ml ampoule5	✓ Inj 5 iu per ml, 1 ml ampoule5
✓ Inj 1%, 20 ml ampoule5	✓ Inj 10 iu per ml, 1 ml ampoule5
✓ Inj 2%, 20 ml ampoule5	OXYTOCIN WITH ERGOMETRINE MALEATE
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	✓ Inj 5 iu with ergometrine maleate 500 mcg
✓ Gel 2% with chlorhexidine 0.05%, 10 ml	per ml, 1 ml5
urethral syringes – Subsidy by	PARACETAMOL
endorsement – See note on page 1265	✓ Tab 500 mg30
	✓ Oral liq 120 mg per 5 ml200 ml
LOPERAMIDE HYDROCHLORIDE	✓ Oral liq 250 mg per 5 ml 100 ml
✓ Tab 2 mg	PEAK FLOW METER
V Oap 2 mg	✓ Low range10
MASK FOR SPACER DEVICE	✓ Normal range10
✓ Small – See note on page 20220	•
MEDROXYPROGESTERONE ACETATE	PETHIDINE HYDROCHLORIDE
✓ Inj 150 mg per ml, 1 ml syringe5	✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form5
Fig. 100 mg por mi, 1 mi synnigo	✓ Inj 50 mg per ml, 2 ml – Only on a controlled
METOCLOPRAMIDE HYDROCHLORIDE	drug form5
✓ Inj 5 mg per ml, 2 ml ampoule5	
METRONIDAZOLE	PHENOXYMETHYLPENICILLIN (PENICILLIN V) ✓ Cap 250 mg
✓ Tab 200 mg30	continued
- 3	continued

PRACTITIONER'S SUPPLY ORDERS

continued)
✓ Cap 500 mg20
Grans for oral liq 125 mg per 5 ml 200 ml
✓ Grans for oral liq 250 mg per 5 ml300 ml
PHENYTOIN SODIUM
✓ Inj 50 mg per ml, 2 ml ampoule
PHYTOMENADIONE
✓ Inj 2 mg per 0.2 ml
PIPOTHIAZINE PALMITATE
✓ Inj 50 mg per ml, 1 ml – Subsidy by endorsement – See note on page 1435
✓ Inj 50 mg per ml, 2 ml – Subsidy by
endorsement – See note on page 1435
PREDNISOLONE
✓ Oral liq 5 mg per ml – See note on page
8030 ml
PREDNISONE
✓ Tab 5 mg
PREGNANCY TESTS - HCG URINE
✓ Cassette
PROCAINE PENICILLIN ✓ Inj 1.5 q in 3.4 ml syringe5
, , , ,
PROCHLORPERAZINE
✓ Tab 5 mg
,
PROMETHAZINE HYDROCHLORIDE ✓ Inj 25 mg per ml, 2 ml ampoule5
SALBUTAMOL
✓ Inj 500 mcg per ml, 1 ml5

✓ Aerosol inhaler, 100 mcg per dose CFC
free
SALBUTAMOL WITH IPRATROPIUM BROMIDE Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule20
SILVER SULPHADIAZINE ✓ Crm 1%250 g
SODIUM BICARBONATE ✓ Inj 8.4%, 50 ml 5 ✓ Inj 8.4%, 100 ml 5
SODIUM CHLORIDE ✓ Inf 0.9% – See note on page 48
SPACER DEVICE ✓ 220 ml (single patient)
TRIMETHOPRIM ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule5
WATER ✓ Purified for inj, 5 ml – See note on page 49
ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml

Leeston

I incoln

Oxford

Rakaia

Rolleston

Rotherham

Templeton

South Canterbury DHB

Waikari

Methven

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND
Northland DHB
Dargaville
Hikurangi

Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui

Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth

Wellsford

Waitemata DHB

Auckland DHB
Great Barrier Island

Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB Coromandel Huntly Kawhia Matamata

Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru

Pauanui Be Putaruru Raglan Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi
Whangamata

Whitianga

Bay of Plenty DHB

Edgecumbe

Katikati

Kawerau

Murupara

Opotiki

Taneatua

Te Kaha

Lakes DHB Mangakino Turangi

Waihi Reach

Whakatane

Tairawhiti DHB
Ruatoria
Te Araroa
Te Karaka
Te Puia Springs
Tikitiki
Tokomaru Bay
Tolaga Bay

Taranaki DHB
Eltham
Inglewood
Manaia
Oakura
Okato
Opunake
Patea
Stratford
Waverley

Hawkes Bay DHB Chatham Islands Waipawa Waipukurau Wairoa

Whanganui DHBBulls

Marton
Ohakune
Raetihi
Taihape
Waiouru
MidCentral DHB

Foxton Levin Otaki Pahiatua Shannon Woodville

Dannevirke

Wairarapa DHB Fairlie
Carteron Geraldine
Featherston Pleasant Point
Greytown Temuka
Martinborough Waimate

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Southern DHB
Mapua Alexandra
Motueka Balclutha
Murchison Cromwell
Picton Gore
Takaka Kurow
Wakefield Lawrence

West Coast DHB
Dobson
Greymouth
Hokitika
Karamea
Reefton

Lawrence
Lumsden
Mataura
Milton
Oamaru
Oban
Otautau
Cuttom

South Westland Outram
Westport Owaka
Whataroa Queenstown
Canterbury DHB Ranfurly
Akaroa Riverton

Amberley Roxburgh
Amuri Tapanui
Cheviot Te Anau
Darfield Tokonui
Diamond Harbour Tuatapere
Hanmer Springs Wanaka
Kaikoura Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the
prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies
"certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

The following Community Pharmaceuticals are identified with a A within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

Cordarone-X

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Cordarone-X

Tab 100 mg

Tab 200 mg DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor Tab 100 mg Tambocor Cap long-acting 100 mg Tambocor CR

Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

FNTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

LISURIDE HYDROGEN MALEATE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '±'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral lig 30 mg (6 mg el- Ferodan

emental) per 1 ml

CARDIOVASCULAR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral lig 5 mg per ml Capoten

CHI OROTHIAZIDE

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral lig 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 25 mcg Synthroid Eltroxin Tab 50 mcg

Synthroid

Tab 100 mcg Eltroxin

Synthroid

(Extemporaneously compounded oral liquid preparations)

LEVOTHYROXINE (MERCURY PHARMA)

Tab 50 mcg Mercury Pharma Tab 100 mcg Mercury Pharma

(Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

Tab 300 mg 0.300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 mcg Xanax Xanax Tab 500 mcg Tab 1 mg Xanax

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 20 mg per ml Tegretol CLOBAZAM

Frisium Tab 10 mg

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

DIAZEPAM

Tab 2 mg Arrow-Diazepam Arrow-Diazepam Tab 5 mg

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan Ativan Tab 2.5 mg

(Extemporaneously compounded oral liquid preparations)

I ORMFTAZFPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone Biodone Forte Oral lig 5 mg per ml

Biodone Extra Forte Oral lig 10 mg per ml

MORPHINE HYDROCHLORIDE

Oral lig 1 mg per ml RA-Morph Oral lig 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph

Oral lig 10 mg per ml

RA-Morph

NITRAZFPAM

Nitrados Tab 5 mg

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral lig 30 mg per 5 ml Dilantin

SAFETY CAP MEDICINES

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 1 mg per 1 ml Allersoothe

SALBUTAMOL

Oral lig 400 mcg per ml Ventolin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

owder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

Vaccinations

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients: or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds: or
- For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000 Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.
- Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),

Danish strain 1331, live attenuated, vial with diluent0.00 1 BCG Vaccine

10 BCG Vaccine

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg per-

		Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer			
ודווםור	HERIA, TETANUS, PERTUSSIS AND POLIO VACCINE -	[Ynharm]						
	nded for any of the following:	[Apriaiiii]						
	A single dose for children up to the age of 7 who have co	moleted primary immu	inisation:	or				
	A course of four vaccines is funded for catch up program				s) to complete full primary			
-/	immunisation; or		o ago o	o jouis	s) to complete tall primar)			
3)	8) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post HSCT, or chemotherapy; proor post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimen or							
4)	Five doses will be funded for children requiring solid orga	n transplantation						
,	te: Please refer to the Immunisation Handbook for appropr		n up progr	ammes	i .			
	30 IU diphtheria toxoid with 40 IU tetanus toxoid,		3.					
,	25 mcg pertussis toxoid, 25 mcg pertussis filamentous							
	haemagluttinin, 8 mcg pertactin and 80 D-antigen units							
	poliomyelitis virus in 0.5ml syringe	0.00	1	✓ Interest	fanrix IPV			
			10	✓ Inf	fanrix IPV			
DIPHTI	HERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AN	D HAEMOPHILUS IN	FLUENZA	E TYPE	E B VACCINE - [Xpharm]			
	nded for patients meeting any of the following criteria:		-					
	Up to four doses for children up to and under the age of 1	0 for primary immunis	ation; or					
	An additional four doses (as appropriate) are funded for	(re-)immunisation for c	hildren up					
	are patients post haematopoietic stem cell transplantation	n, or chemotherapy; p	ore or pos	t splen	ectomy; pre- or post solic			
	organ transplant, renal dialysis and other severely immun							
	Up to five doses for children up to and under the age of 1							
	te: A course of up-to four vaccines is funded for catch up							
	complete full primary immunisation. Please refer to the Im	imunisation Handbook	c for the a	ppropri	ate schedule for catch up			
	grammes.							
1111	30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg per- tussistoxoid, 25mcg pertussisfilamentoushaemagluttinin,							
	8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisB-							
	surfaceantigen in 0.5ml syringe	0.00	10	✓ Inf	fanrix-hexa			
			1	_	fanrix-hexa			
1 V E V V	DPHILUS INFLUENZAE TYPE B VACCINE - [Xpharm]							
	e dose for patients meeting any of the following:							
	For primary vaccination in children; or							
	An additional dose (as appropriate) is funded for (re-)imi	munisation for patients	s post had	ematon	oietic stem cell transplan-			
-/	tation, or chemotherapy; functional asplenic; pre or pos							
	cochlear implants, renal dialysis and other severely immu			J	1 /1 1			
3)	For use in testing for primary immunodeficiency disease			ın interi	nal medicine physician o			
	paediatrician.							
Inj	10 mcg vial with diluent syringe	0.00	1	✓ Ac	ct-HIB			
	TIS A VACCINE - [Xpharm]							
	nded for patients meeting any of the following criteria:							
	Two vaccinations for use in transplant patients; or							
	Two vaccinations for use in children with chronic liver dise	ease: or						
,	One dose of vaccine for close contacts of known hepatitis							
,	1440 ELISA units in 1 ml syringe		1	✓ Ha	avrix			
	720 ELISA units in 0.5 ml syringe		1	_	avrix Junior			
,		-						

	NATIONAL IMMONISATION SCHEDOLE				
	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer	
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]					
Inj 5 mcg per 0.5 ml vial	0.00	1	✓ H	BvaxPRO	
Funded for patients meeting any of the following criteria:					
 for household or sexual contacts of known acute hepatit 			iers; or		
for children born to mothers who are hepatitis B surface					
3) for children up to and under the age of 18 years inclusive	e who are considered r	ot to hav	ve achiev	ed a positive serology and	
require additional vaccination; or					
4) for HIV positive patients; or					
5) for hepatitis C positive patients; or					
6) for patients following non-consensual sexual intercourse	e; or				
7) for patients following immunosuppression; or8) for transplant patients; or					
9) following needle stick injury.					
Inj 10 mcg per 1 ml vial	0.00	1		BvaxPRO	
Funded for patients meeting any of the following criteria:	0.00	1	V <u>n</u>	DVAXPHU	
To indeed for patients meeting any or the following criteria: To household or sexual contacts of known acute hepatitis.	ie B nationte or honatit	ic B carr	iore: or		
for children born to mothers who are hepatitis B surface			1013, 01		
3) for children up to and under the age of 18 years inclusive			ve achiev	red a positive serology and	
require additional vaccination; or				ou a positive controlly and	
4) for HIV positive patients; or					
5) for hepatitis C positive patients; or					
6) for patients following non-consensual sexual intercourse	e; or				
7) for patients following immunosuppression; or					
for transplant patients; or					
following needle stick injury.					
Inj 40 mcg per 1 ml vial	0.00	1	✓ <u>H</u>	BvaxPRO	
Funded for any of the following criteria:					
 for dialysis patients; or 					
for liver or kidney transplant patient.					
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV					
Maximum of three doses for patient meeting any of the follow	ving criteria:				
 Females aged under 20 years old; or 					
2) Patients aged under 26 years old with confirmed HIV in	fection; or				
3) For use in transplant (including stem cell) patients; or					
 An additional dose for patients under 26 years of age po 					
Inj 120 mcg in 0.5 ml syringe	0.00	10		ardasil	
		1	✓ <u>G</u>	<u>ardasil</u>	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

INFLUENZA VACCINE - [Xpharm]

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
 - a) all people 65 years of age and over; or
 - b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - i) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
 - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor, or
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

Inj 45 mcg in 0.5 ml syringe	90.00	10	Fluarix
			✓ Influva

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression; or
- 3) For any individual susceptible to measles, mumps or rubella; or
- 4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 1000 TCID50 measles, 12500 TCID50 mumps and

MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONGUGATE VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases; or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 4 mcg of each meningococcal polysaccharide conjugated

to a total of approximately 48 mcg of diphtheria toxoid

carrier per 0.5 ml vial0.00

Menactra

MENINGOCOCCAL C CONGUGATED VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases; or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm] Any of the following: 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV10: or 3) One dose is funded for high risk children (over the age of 17 months and up to the age of 18) who have previously received four doses of PCV10: or 4) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients with HIV, for patients post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or postsolid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician. Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Prevenar 13 1 ✔ Prevenar 13 PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [Xpharm] Either: 1) Up to three doses (as appropriate) for patients with HIV, for patients post haematopoietic stem cell transplant, or chemotherapy: pre- or post-splenectomy or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 2) Up to two doses are funded for high risk children to the age of 18. Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype)0.00 1 Pneumovax 23 POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following: 1) For partially vaccinated or previously unvaccinated individuals; or 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes. ✓ IPOL ROTAVIRUS LIVE REASSORTANT ORAL VACCINE - [Xpharm] Maximum of three doses for patients meeting the following: 1) first dose to be administered in infants aged under 15 weeks of age; and 2) no vaccination being administered to children aged 8 months or over. Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units 10 ✓ RotaTea

NATIONAL IMMUNISATION SCHEDULE

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

- 1) For non-immune patients:
- 2) a) with chronic liver disease who may in future be candidates for transplantation; or
 - b) with deteriorating renal function before transplantation; or
 - c) prior to solid organ transplant; or
 - d) prior to any elective immunosuppression*.
- 3) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 4) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 5) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- 6) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
- 7) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompro-
- 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

* immunosuppression due to steroid or other immunosuppre	essive therapy must be f	or a tre	treatment period of greater than 28 days
Inj 2000 PFU vial with diluent	0.00	1	✓ Varilrix

	AFT SLS-free67
- Symbols - BTC110	AFT-Pyrazinamide101
- A -	Agents Affecting the
Scabies70	Renin-Angiotensin System50
cavir sulphate109	Agents for Parkinsonism and
acavir sulphate with	Related Disorders 124
nivudine109	Agents Used in the Treatment of
	Poisonings208
/139	Agrylin164
raterone acetate174	Air Flow Products131
arbose25	Alanase201
cu-Chek Ketur-Test26	Albendazole91
cu-Chek Performa27	Albey195
curetic 1051	Albustix78
ccuretic 2051	Alendronate sodium118
cetazolamide205	Alendronate sodium with
cetic acid with 1, 2- propanediol	cholecalciferol118
diacetate and	Alfacalcidol38
benzethonium203	Alginic acid20
cetic acid with hydroxyquinoline	Alitraq224
and ricinoleic acid	Alkeran160
etylcysteine208	Allersoothe196
i-Jel76	Allopurinol121
ciclovir	Alpha Adrenoceptor Blockers50
Infection104	Alpha-Keri Lotion67
Sensory203	Alphamox93
cidex20	Alprazolam144
cipimox57	Alu-Tab20
tretin70	Aluminium hydroxide20
lasta119	Amantadine hydrochloride124
lin115	Ambrisentan60
t-HIB248	Amiloride hydrochloride56
ctavis141	Amiloride hydrochloride with
ctinomycin D165	furosemide56
ctrapid24	Amiloride hydrochloride with
ctrapid Penfill24	hydrochlorothiazide56
cupan126	Aminophylline201
dalat 1055	Amiodarone hydrochloride52
dalimumab183	Amisulpride139
dapalene62	Amitriptyline130
lefin XL55	Amlodipine55
efovir dipivoxil102	Amorolfine63
denuric122	Amoxicillin93
DR Cartridge 1.833	Amoxicillin Actavis93
DR Cartridge 3.033	Amoxicillin Actavis93
drenaline59	acid93
driamycin165	Amphotericin B37
OT Booster247	Amsacrine163
dult diphtheria and tetanus	AmsaLyo163
vaccine247	Amsidine163
.1	Amyl nitrite59
Advantan65	
Advartan55 Advate43	Anaesthetics125

Anagrelide hydrochloride	
Analgesics	.126
Anastrozole	.176
Andriol Testocaps	81
Androderm	80
Animas Battery Cap	29
Animas Cartridge	33
Animas Vibe	28
Anoro Ellipta	.200
Antabuse	.158
Antacids and Antiflatulants	20
Anten	.130
Anthelmintics	
Antiacne Preparations	62
Antiallergy Preparations	.195
Antianaemics	
Antiandrogen Oral	
Contraceptives	76
Antiarrhythmics	
Antibacterials	
Antibacterials Topical	63
Anticholinergic Agents	
Anticholinesterases	.115
Antidepressants	.130
Antidiarrhoeals	
Antiepilepsy Drugs	
Antifibrinolytics, Haemostatics	
and Local Sclerosants	
	42
Antifungals	
Antifungals Antifungals Topical	97
Antifungals Topical	97 63
Antifungals Topical Antihistamines	97 63 195
Antifungals Topical	97 63 195 53
Antifungals Topical	97 63 195 53
Antifungals Topical	97 63 195 53 100
Antifungals Topical	97 63 195 53 100
Antifungals Topical	97 63 195 53 100 137
Antifungals Topical	97 63 195 53 100 137 138
Antifungals Topical	97 63 195 53 100 137 138
Antifungals Topical	97 63 195 53 100 137 138 137 100
Antifungals Topical	97 63 195 53 100 137 138 137 100 64 139
Antifungals Topical	97 63 195 53 100 137 138 137 100 64 139
Antifungals Topical	97 63 195 53 100 137 138 137 100 64 139 107
Antifungals Topical	97 63 .195 53 100 137 138 137 100 64 139 107
Antifungals Topical	97 63 .195 53 100 137 138 137 100 64 139 107
Antifungals Topical	97 63 .195 53 100 137 138 137 100 64 139 107
Antifungals Topical	97 63 195 53 100 137 138 139 107 64 139 107
Antifungals Topical	97 63 195 53 100 137 138 137 100 64 64 139 107
Antifungals Topical	97 63 195 53 100 137 138 138 64 64 64 110 64 110
Antifungals Topical	97 63 195 53 100 137 138 138 64 64 64 110 64 110
Antifungals Topical	97631955310013713813910064139107116

Antileprotics	100	Aremed	176	ATGAM	182
Antiulcerants	22	Arimidex	176	Ativan	144
Antivirals	102	Aripiprazole	139	Atomoxetine	153
Anxiolytics	144	Aristocort	66	Atorvastatin	57
Anzatax	167	Aromasin	176	Atripla	109
Apidra	25	Arrow - Clopid	44	Atropine sulphate	
Apidra SoloStar		Arrow Amitriptyline	130	Cardiovascular	52
Apo-Allopurinol		Arrow-Amitriptyline		Sensory	
Apo-Amiloride		Arrow-Bendrofluazide		Atropt	
Apo-Amlodipine		Arrow-Brimonidine		Atrovent	
Apo-Amoxi		Arrow-Calcium	39	Aubagio	
Apo-Azithromycin		Arrow-Citalopram	131	Augmentin	
Apo-Bromocriptine		Arrow-Diazepam		Auranofin	
Apo-Ciclopirox		Arrow-Dortim		Avelox	
Apo-		Arrow-Doxorubicin		Avomine	
Cilazapril/Hydrochlorothiaz	ide51	Arrow-Etidronate		Avonex	
Apo-Clarithromycin		Arrow-Fluoxetine		Avonex Pen	
Alimentary	22	Arrow-Gabapentin		Azacitidine	
Infection		Arrow-Lamotrigine		Azamun	
Apo-Clomipramine		Arrow-Lisinopril		Azathioprine	
Apo-Diclo SR		Arrow-Losartan &		Azithromycin	
Apo-Diltiazem CD		Hydrochlorothiazide	52	Azol	
Apo-Doxazosin		Arrow-Meloxicam		Azopt	
Apo-Folic Acid		Arrow-Morphine LA		AZT	
Apo-Imiquimod Cream 5%		Arrow-Norfloxacin		-B-	
Apo-Megestrol		Arrow-Ornidazole		_	00
Apo-Mirtazapine		Arrow-Quinapril 10		B-D Micro-Fine	
Apo-Moclobemide		Arrow-Quinapril 20		B-D Ultra Fine	
Apo-Nadolol		Arrow-Quinapril 5		B-D Ultra Fine II	
Apo-Nicotinic Acid		Arrow-Roxithromycin		Bacillus Calmette-Guerin (BCC	,
Apo-Oxybutynin		Arrow-Noxidillorityciii		vaccine	182
				Bacillus Calmette-Guerin	0.4-
Apo-Perindopril Apo-Pindolol		Arrow Simva 20mg		vaccine	
•		Arrow Simva 40mg		Baclofen	
Apo-Prazosin Apo-Prednisone		Arrow Simva 40mg		Bactroban	
•		Arrow Sumatripton		Bakels Gluten Free Health Bre	
Apo-Prednisone S29		Arrow-Sumatriptan Arrow-Timolol		Mix	
Apo-Primidone		Arrow-Tolterodine		Baraclude	102
Apo-Propranolol				Barrier Creams and	
Apo-PyridoxineApo-Ropinirole		Arrow-Topiramate Arrow-Tramadol		Emollients	
		Arrow-Venlafaxine XR		BCG Vaccine	
Apo-Selegiline		Arsenic trioxide		Beclazone 100	
Apo-Selegiline S29		Asacol		Beclazone 250	
Apo-Thiamine		Asamax		Beclazone 50	196
Aportimol				Beclomethasone	
Apomine		Ascorbic acid		dipropionate 1	
Appomorphine hydrochloride .		Aspen Adrenaline	59	Becton Dickinson PosiFlush	47
Aprepitant		Aspirin	4.4	Bee venom allergy	
Apresoline		Blood		treatment	
Aptamil Gold+ Pepti Junior		Nervous		Bendrofluazide	57
Aquasun 30+		Asthalin		Bendroflumethiazide	
Aqueous cream		Atazanavir sulphate		[Bendrofluazide]	
Aratac		Atendol ATT		BeneFIX	
Arava	116	Atenolol AFT	53	Benzathine benzylpenicillin	93

Benzbromaron AL 100122	Factors 47
Benzbromarone122	Blood glucose diagnostic test
Benzoin215	meter26
Benztrop124	Blood glucose diagnostic test
Benztropine mesylate124	strip27
Benzydamine hydrochloride37	Blood glucose test strips (visually
Benzylpenicillin sodium (penicillin	impaired)27
G)93	Blood ketone diagnostic test
Beta Adrenoceptor Blockers53	meter
Beta Cream65	BNM50
Beta Ointment65	Boceprevir106
Beta Scalp71	Bonjela37
Beta-Adrenoceptor Agonists198	Boostrix247
Betadine68	Bortezomib164
Betadine Skin Prep68	Bosentan60
Betaferon152	Bosvate53
Betagan204	Bplex38
Betahistine dihydrochloride138	Breo Ellipta197
Betamethasone dipropionate65	Brevinor 1/2175
Betamethasone dipropionate	Brevinor 1/2875
with calcipotriol70	Brevinor 2175
Betamethasone sodium	Bricanyl Turbuhaler198
phosphate with	Brilinta45
betamethasone acetate79	Brimonidine tartrate205
Betamethasone valerate65, 71	Brimonidine tartrate with timolol
Betamethasone valerate with	maleate205
clioquinol66	Brinzolamide205
Betamethasone valerate with	Brolene203
fusidic acid66	Bromocriptine mesylate124
Betaxolol204	Brufen SR115
Betnovate65	BSF Apo-Mirtazapine208
Betnovate-C66	BSF Arrow-Dortim208
Betoptic204	BSF Zopiclone Actavis208
Betoptic S204	Buccastem138
Bezafibrate57	Budesonide
Bezalip57	Alimentary20
Bezalip Retard57	Respiratory196, 202
Bicalaccord174	Budesonide with
Bicalutamide174	eformoterol197
Bicillin LA93	Bumetanide56
BiCNU160	Buprenorphine with
Bile and Liver Therapy23	naloxone157
Biltricide91	Bupropion hydrochloride158
Bimatoprost205	Burinex56
Biodone127	Buscopan22
Biodone Extra Forte127	Buspirone hydrochloride144
Biodone Forte127	Busulfan160
Bisacodyl36	Butacort Aqueous202
Bismuth trioxide23	- C -
Bisoprolol fumarate53	Cabergoline89
DI/ Lation 67	•
BK Lotion67	Caterdot137
Bleomycin sulphate164 Blood Colony-stimulating	Cafergot137 Caffeine citrate202

Calcipotriol70
Galcipoti ioi 10
Calcitonin79
Calcitriol38
Calcitriol-AFT38
Calcium carbonate20. 39
Calcium Carbonale20, 39
Calcium Channel Blockers55
Calcium Disodium
Versenate209
Calcium folinate162
Calcium Folinate Ebewe162
Calcium gluconate39
Calcium Homeostasis79
Calcium polystyrene
Calcium polystyrene
sulphonate49
Calcium Resonium49
Calogen220
Calsource39
Camptosar163
Candesartan cilexetil51
Candestar51
Canesten63
Capecitabine162
Capecitabine Winthrop162
Capoten50
Capsaicin
Musculoskeletal116
Nervous126
Captopril50
Carafate23
Carbaccord
Carbamazepine133
Carbamazepine133 Carbimazole84
Carbamazepine 133 Carbimazole 84 Carbomer 206
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 CareSens 27
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 Care Sens 27 Care Sens II 26
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 Care Sens 27 Care Sens II 26 Care Sens N 26 27 26 28 27 29 20 20 20 21 22 22 23 23 24 24 25 25 26 26 27
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 CareSens 27 CareSens II 26 CareSens N 26, 27 CareSens N POP 26
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 CareSens 27 CareSens II 26 CareSens N 26, 27 CareSens N POP 26 Carmustine 160
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 Care Sens 27 Care Sens II 26 Care Sens N 26, 27 Care Sens N POP 26 Carmustine 160 Carvedilol 53
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 CareSens 27 CareSens II 26 CareSens N POP 26 Carmustine 160 Carvedilol 53 Catapres 56
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 Care Sens 27 CareSens II 26 CareSens N POP 26 Carmustine 160 Carvedilol 53 Catapres 56 Catapres-TTS-1 55
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 Care Sens 27 CareSens II 26 Care Sens N 26, 27 CareSens N POP 26 Carmustine 160 Carvedilol 53 Catapres 56 Catapres-TTS-1 55 Catapres-TTS-2 55
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 CareSens 27 CareSens II 26 CareSens N 26, 27 CareSens N POP 26 Carmustine 160 Carvedilol 53 Catapres 56 Catapres-TTS-1 55 Catapres-TTS-2 55 Catapres-TTS-3 55
Carbamazepine 133 Carbimazole 84 Carbomer 206 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 Care Sens 27 CareSens II 26 Care Sens N 26, 27 CareSens N POP 26 Carmustine 160 Catapres 56 Catapres 56 Catapres-TTS-1 55 Catapres-TTS-2 55 Catapres-TTS-3 55 CeeNU 160
Carbamazepine 133 Carbimazole 84 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 Care Sens 27 Care Sens II 26 Care Sens N 26, 27 Care Sens N POP 26 Carmustine 160 Carvedilol 53 Catapres 56 Catapres-TTS-1 55 Catapres-TTS-2 55 Catapres-TTS-3 55 CeeNU 160 Cefaclor monohydrate 91
Carbamazepine 133 Carbimazole 84 Carboplatin 160 Carboplatin Ebewe 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 CareSens 27 CareSens II 26 CareSens N 26, 27 CareSens N POP 26 Carmustine 160 Carvedilol 53 Catapres 56 Catapres-TTS-1 55 Catapres-TTS-2 55 Catapres-TTS-3 55 CaeNU 160 Cefaclor monohydrate 91 Cefalexin 91
Carbamazepine 133 Carbimazole 84 Carboplatin 160 Carboplatin Ebewe 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 CareSens 27 CareSens II 26 CareSens N 26, 27 CareSens N POP 26 Carmustine 160 Carvedilol 53 Catapres 56 Catapres-TTS-1 55 Catapres-TTS-2 55 Catapres-TTS-3 55 CaeNU 160 Cefaclor monohydrate 91 Cefalexin 91
Carbamazepine 133 Carbimazole 84 Carboplatin 160 Carboplatin Ebewe 160 Carbosorb-X 208 Cardinol LA 54 Cardizem CD 55 Care Sens 27 Care Sens II 26 Care Sens N 26, 27 Care Sens N POP 26 Carmustine 160 Carvedilol 53 Catapres 56 Catapres-TTS-1 55 Catapres-TTS-2 55 Catapres-TTS-3 55 CeeNU 160 Cefaclor monohydrate 91

Ceftriaxone	91	Cladribine	162	Colofac	22
Ceftriaxone-AFT	91	Clarithromycin		Coloxyl	35
Cefuroxime axetil	91	Alimentary	22	Combigan	205
Celestone Chronodose	79	Infection	92	Comfort	
Celiprolol	53	Clexane	46	Comfort Short	31
Cellcept		Climara 100	82	Compound electrolytes	49
Celol	53	Climara 50	82	Compound	
Centrally-Acting Agents	55	Clindamycin	95	hydroxybenzoate	215
Cephalexin ABM		Clindamycin ABM	95	Concerta	
Cerezyme		Clinicians Renal Vit		Condoms	73
Cetirizine hydrochloride		Clobazam		Condyline	72
Cetomacrogol		Clobetasol BNM		Contact-D	
Cetomacrogol with glycerol		Clobetasol propionate	65, 71	Contraceptives - Hormonal	74
Champix		Clobetasone butyrate	-	Contraceptives -	
Charcoal		Clofazimine		Non-hormonal	73
Chemotherapeutic Agents		Clomazol		Copaxone	
Chicken pox vaccine		Dermatological	63	Cordarone-X	
Chlorafast		Genito-Urinary		Corticosteroids and Related	
Chlorambucil		Clomiphene citrate		Agents for Systemic Use	79
Chloramphenicol	203	Clomipramine hydrochloride		Corticosteroids Topical	
Chlorhexidine gluconate		Clonazepam132		Cosmegen	
Alimentary	37	Clonidine		Coumadin	
Dermatological		Clonidine BNM		Creon 10000	
Chloroform		Clonidine hydrochloride	56	Creon 25000	34
Chlorothiazide		Clopidogrel		Crixivan	
Chlorpheniramine maleate		Clopine		Crotamiton	
Chlorpromazine		Clopixol		Crystaderm	
hydrochloride	139	Clotrimazole	,	Curam	
Chlorsig		Dermatological	63	Curam Duo	93
Chlortalidone		Genito-Urinary		Cvite	38
[Chlorthalidone]	57	Clozapine		Cyclizine hydrochloride	138
Chlorthalidone		Clozaril		Cyclizine lactate	138
Chlorvescent		Co-Renitec	51	Cyclogyl	
Cholecalciferol	38	Co-trimoxazole	95	Cyclopentolate	
Cholestyramine	57	Coal tar	70	hydrochloride	206
Choline salicylate with		Coal tar with allantoin, menth	ıol,	Cyclophosphamide	160
cetalkonium chloride	37	phenol and sulphur	70	Cycloserine	
Cholvastin		Coal tar with salicylic acid an	d	Cyklokapron	
Ciclopirox olamine	63	sulphur		Cyproterone acetate	
Ciclosporin	193	Coco-Scalp	71	Cyproterone acetate with	
Cilazapril		Codeine phosphate		ethinyloestradiol	76
Cilazapril with		Extemporaneous	215	Cytarabine	
hydrochlorothiazide	51	Nervous	127	Cytotec	
Cilicaine	94	Cogentin	124	Cytoxan	160
Cilicaine VK	94	Colaspase [L-asparaginase]	164	- D -	
Ciloxan	203	Colchicine	122	D-Penamine	116
Cipflox	95	Colestid	57	d4T	
Ciprofloxacin		Colestipol hydrochloride	57	Dabigatran	
Infection	95	Colgout		Dadigatian	
Sensory	203	Colifoam		Dactinomycin [Actinomycin	100
Cisplatin		Colistin sulphomethate		D]	165
Cisplatin Ebewe	160	Colistin-Link	95	Daivobet	
Citalopram hydrobromide		Collodion flexible	215	Daivonex	
• •				Daironox	

Daktarin	64	Dexamethasone with framyce	etin	Diprosone OV	65
Dalacin C	95	and gramicidin	203	Dipyridamole	44
Dalteparin sodium	45	Dexamethasone with neomyo	in	Disinfecting and Cleansing	
Danazol	90	sulphate and polymyxin B		Agents	66
Dantrium	123	sulphate	204	Disopyramide phosphate	
Dantrolene	123	Dexamfetamine sulfate	153	Disulfiram	
Daonil	25	Dexmethsone	79	Diuretics	
Dapa-Tabs	57	Dextrochlorpheniramine		Diurin 40	
Dapsone	100	maleate	196	Docetaxel	165
Daraprim	96	Dextrose	48	Docetaxel Sandoz	
Darunavir		Dextrose with electrolytes	49	Docusate sodium	
Dasatinib	168	DHC Continus	127	Docusate sodium with	
Daunorubicin	165	Diabetes	24	sennosides	35
DBL Acetylcysteine	208	Diabetes Management	26	Domperidone	
DBL Aminophylline	201	Diacomit	136	Donepezil hydrochloride	
DBL Bleomycin Sulfate	164	Diamide Relief	20	Donepezil-Rex	
DBL Carboplatin		Diamox	205	Dopergin	
DBL Cisplatin	160	Diaphragm	73	Dopress	
DBL Docetaxel		Diasip	221	Dornase alfa	201
DBL Doxorubicin	165	Diason RTH	221	Dorzolamide hydrochloride	
DBL Doxorubicin S29	165	Diazepam		Dorzolamide with timolol	
DBL Epirubicin		Diazoxide	24	Dostinex	
Hydrochloride	165	Dicarz		Dothiepin hydrochloride	
DBL Ergometrine		Diclofenac Sandoz	115	Doxazosin	
DBL Gemcitabine		Diclofenac sodium		Doxepin hydrochloride	
DBL Leucovorin Calcium	162	Musculoskeletal	115	Doxine	
DBL Morphine Sulphate	128	Sensory	204	Doxorubicin Ebewe	165
DBL Pethidine		Didanosine [DDI]		Doxorubicin hydrochloride	
Hydrochloride	129	Differin		Doxy-50	
DBL Tobramycin		Difflam	37	Doxycycline	
DDI		Diflucan	97	DP Fusidic Acid Cream	
De Nol	23	Diflucan S29	97	DP Lotion	
De-Worm	91	Diflucortolone valerate	65	DP Lotn HC	
Decozol	37	Digestives Including		DP-Anastrozole	176
Deferasirox	208	Enzymes	34	Dr Reddy's Omeprazole	23
Deferiprone	209	Digoxin		Dr Reddy's Ondansetron	
Deoxycoformycin	167	Dihydrocodeine tartrate		Dr Reddy's Terbinafine	
Depo-Medrol		Dilantin		Drugs Affecting Bone	
Depo-Medrol with Lidocaine .		Dilantin Infatab	135	Metabolism	116
Depo-Provera		Diltiazem hydrochloride	55	Dulcolax	36
Depo-Testosterone		Dilzem	55	Duocal Super Soluble	
Deprim	95	Dimethicone	67	Powder	219
Dermol	71	Dimethyl fumarate	144	Duolin	198
Desferal	209	Dipentum		Duolin HFA	198
Desferrioxamine mesilate	209	Diphtheria, tetanus and pertu		Durex Confidence	73
Desmopressin acetate	89	vaccine	247	Durex Extra Safe	73
Desmopressin-PH&T	89	Diphtheria, tetanus, pertussis		Duride	59
Detection of Substances in		and polio vaccine		Dynacirc-SRO	
Urine	78	Diphtheria, tetanus, pertussis		-E-	
Dexamethasone		polio, hepatitis B and		e-chamber La Grande	აია
Hormone	79	haemophilus influenzae typ	oe B	e-chamber Mask	
Sensory	204	vaccine	248	e-chamber Turbo	
Dexamethasone phosphate	79	Diprosone	65	o onambor rarbo	202

E-Mycin92	
Ear Preparations203	
Ear/Eye Preparations203	
Easiphen Liquid233	
EasyCheck77	
Econazole nitrate64	
Efavirenz109	
Efavirenz with emtricitabine and	
tenofovir disoproxil	
fumarate109	
Efexor XR132	
Effient44	
Eformoterol fumarate197	
Efudix72	
Egopsoryl TA70	
Elecare234	
Elecare LCP234	
Eligard89	
Elocon66	
Elocon Alcohol Free66	
Eloxatin161	
Eltrombopag42	
Eltroxin84	
Emend Tri-Pack137	
EMLA126	
Emtricitabine109	
Emtricitabine with tenofovir	
disoproxil fumarate110	
Emtriva109	
Emulsifying ointment67	
Enalapril maleate50	
Enalapril maleate with	
hydrochlorothiazide51	
Enbrel176	
Endocrine Therapy174	
Endoxan160	
Enerlyte49	
Enfuvirtide110	
Enoxaparin sodium46	
Ensure229	
Ensure Plus229	
Ensure Plus HN228	
Ensure Plus RTH228	
Entacapone124	
Entapone124	
Entecavir102	
Entocort CIR20	
Epilim	
Epilim Crushable135	
Epilim IV	
Epilim S/F Liquid135	
Epilim Syrup135	
Epirubicin Ebewe165	

Epirubicin hydrochloride	.165
Epoetin alfa [Erythropoietin	
alfa]	42
Eprex	42
Eptacog alfa [Recombinant factor	
VIIa]	42
ERA	92
Ergometrine maleate	76
Ergotamine tartrate with	
caffeine	. 137
Erlotinib	.169
Erythrocin IV	92
Erythromycin ethyl succinate	
Erythromycin lactobionate	92
Erythromycin stearate	92
Erythropoietin alfa	41
Escitalopram	.131
Eskazole	
Estradot	82
Estrofem	
Etanercept	.176
Ethambutol hydrochloride	.101
Ethics Aspirin	.126
Ethics Aspirin EC	44
Ethics Enalapril	50
Ethics Lisinopril	50
Ethinyloestradiol	83
Ethinylogetradiol with	
desogestrel	74
Ethinyloestradiol with	
levonorgestrel	74
Ethinyloestradiol with	
norethisterone	
Ethosuximide	.133
Etidronate disodium	.118
Etopophos	.166
Etoposide	.165
Etoposide phosphate	.166
Etravirine	.109
Eumovate	65
Everet	.135
Everolimus	.193
Evista	.118
Exelon	.157
Exemestane	.176
Exjade	.208
Extemporaneously Compounded	
Preparations and	
Galenicals	. 215
Eye Preparations	.203
Ezemibe	
Ezotimiho	E0

Ezetimibe with simvastatin58

- F -

Factor eight inhibitor bypassing	
fraction	43
Febuxostat	122
Feed Thickener Karicare	
Aptamil	231
FEIBA NF	43
Felodipine	55
Fenpaed	115
Fentanyl	127
Fentanyl Sandoz	127
Ferodan	40
Ferriprox	
Ferro-F-Tabs	39
Ferro-tab	39
Ferrograd	
Ferrograd F	40
Ferrous fumarate	39
Ferrous fumarate with folic	
acid	39
Ferrous sulphate	40
Ferrous sulphate with folic	
acid	40
Ferrum H	
Fexofenadine hydrochloride	106
Fibro-vein	
Filgrastim	
Finasteride	
Fingolimod	116
Finpro	140
Firazyr	105
Flagyl	
Flagyl-S	100
Flamazine	١٠٠٠
Flecainide acetate	
Fleet Phosphate Enema	36
Flixonase Hayfever & Allergy	000
Allergy	202
Flixotide	197
Flixotide Accuhaler	
Floair	197
Florinef	
Fluanxol	142
Fluarix	
Flucloxacillin	
Flucloxin	
Fluconazole	
Fludara	162
Fludara Oral	
Fludarabine Ebewe	
Fludarabine phosphate	
Fludrocortisone acetate	79

Fluids and Electrolytes	
Flumetasone pivalate	203
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	21
Fluorometholone	
Fluorouracil	
Fluorouracil Ebewe	162
Fluorouracil sodium	
Fluoxetine hydrochloride	
Flupenthixol decanoate	
Fluphenazine decanoate	142
Flutamide	
Flutamin	
Fluticasone	197
Fluticasone furoate with	407
vilanterol	197
Fluticasone propionate	202
Fluticasone with salmeterol	
FML	
Foban	63
Folic acid	
Food Thickeners	231
Foods And Supplements For	
Inborn Errors Of	
Metabolism	232
Foradil	
Forteo	119
Fortini	
Fortini Multi Fibre	
Fortisip	
Fortisip Multi Fibre	230
Fosamax	118
Fosamax Plus	
Fragmin	
Framycetin sulphate	
Freestyle Optium	
Freestyle Optium Ketone	.20, 21
Freestyle Optium Ketone Freestyle Optium Neo	20
Freestyle Optium Neo	20
Frisium	
Frumil	
Frusemide	56
Frusemide-Claris	
Fucicort	
Fucidin	
Fucithalmic	
Fungilin	37
Furosemide [Frusemide]	56
Fusidic acid	
Dermatological	
Infection	
Sensory	
Fuzeon	

- G -	
Gabapentin	.133
Gacet	.126
Ganciclovir	.203
Gardasil	.249
Gastrosoothe	22
Gaviscon Double Strength	20
Gaviscon Infant	20
Gefitinib	.170
Gemcitabine Ebewe	.163
Gemcitabine hydrochloride	.163
Gemfibrozil	
Gemzar	
Genoptic	.203
Genox	.176
Gentamicin sulphate	
Infection	95
Sensory	203
Gilenya	
Ginet	
Glatiramer acetate	151
Glibenclamide	25
Gliclazide	2c
Glipizide	
Glivec	170
Glizide	. i / (
Glucagen Hypokit	<u>2</u>
Glucagon hydrochloride	2
Glucerna Select	221
Glucerna Select RTH	221
Glucobay	ر کے۔ عر
Glucose [Dextrose]	،کزر ۱۸
Gluten Free Foods	40
Glycerin with sodium	.23
saccharin	015
Chaptin with average	210
Glycerin with sucrose	.215
Glycerol Alimentary	0.
Allmentary	dt
Extemporaneous	.215
Glyceryl trinitrate	0.0
Alimentary	22
Cardiovascular	58
Glycopyrronium	.199
Glycopyrronium bromide	22
Glycopyrronium with	
indacaterol	200
Glytrin	59
Gold Knight	73
Gopten	51
Goserelin acetate	88
Granirex	
Granisetron	.138

Gutron	53
Gynaecological	
Anti-infectives	76
- H -	
Habitrol	158
Haemophilus influenzae type B	
vaccine	248
Haldol	
Haldol Concentrate	142
Haloperidol	140
Haloperidol decanoate	142
Hamilton Sunscreen	
Havrix	
Havrix Junior	
HBvaxPRO	
healthE Dimethicone 10%	67
healthE Dimethicone 5%	67
healthE Fatty Cream	
healthE Glycerol BP	215
healthE Urea Cream	67
Healtheries Simple Baking	
Mix	231
Hemastix	
Heparin sodium	46
Heparinised saline	47
Heparon Junior	222
Hepatitis A vaccine	248
Hepatitis B recombinant	
vaccine	
Hepsera	102
Herceptin	192
Hexamine hippurate	
Hiprex	
Histaclear	
Histafen	
Holoxan	160
Horleys Bread Mix	232
Horleys Flour	232
Hormone Replacement Therapy	-
Systemic	81
HPV	
Humalog	25
Humalog Mix 25	24
Humalog Mix 50	
Humatin	
Humira	
HumiraPen	
Humulin 30/70Humulin NPH	24
Humulin R Hyaluronic acid	24
Hybloc	∠∪0
Hybioc	5

Hydrea	Hydralazine hydrochloride59
Dermatological	
Hormone	Hydrocortisone
Hydrocortisone acetate	
Hydrocortisone and paraffin liquid and lanolin 65 Hydrocortisone butyrate 65, 71 Hydrocortisone with cinchocaine 22 Hydrocortisone with miconazole 66 Hydrocortisone with natamycin and neomycin 66 Hydrogen peroxide Alimentary 37 Dermatological 63 Hydroxychloroquine 116 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyperuricaemia and Antigout 121 Hypnovel 152 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 -1- Ibiamox 93 Ibugesic 115 Ibuprofen 115 Idaribiant 195 Idarubicin hydrochloride 166 Ifosfamide 160	Hormone80
Iiquid and Ianolin	Hydrocortisone acetate21
Hydrocortisone butyrate	Hydrocortisone and paraffin
Hydrocortisone with cinchocaine 22 Hydrocortisone with miconazole 66 Hydrocortisone with natamycin and neomycin 66 Hydrogen peroxide Alimentary 37 Dermatological 63 Hydroxocobalamin 38 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyproruricaemia and 121 Antigout 121 Hypnovel 152 Hypromellose with Dextran 206 Hysite 205 -I- biamox 93 Ibugesic 115 Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imiglucerase 36 Imiprami	liquid and lanolin65
cinchocaine 22 Hydrocortisone with miconazole 66 Hydrocortisone with natamycin and neomycin 66 Hydrogen peroxide Alimentary Alimentary 37 Dermatological 63 Hydroxocobalamin 38 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hyoscine hydrobromide 22 Hypam 152 Hyperuricaemia and 121 Antigout 121 Hyprovel 152 Hypromellose with Dextran 206 Hypromellose with Dextran 206 Hysite 205 -I- biamox 93 bugesic 115 loarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imiglucerase 36 Imipramine hydrochloride 130 <td></td>	
Hydrocortisone with miconazole 66 Hydrocortisone with natamycin and neomycin 66 Hydrogen peroxide 37 Alimentary 37 Dermatological 63 Hydroxocobalamin 38 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hypreuricaemia and 112 Antigout 121 Hyprovel 152 Hypromellose 206 Hypromellose with Dextran 206 Hypromellose with Dextran 206 Hysite 205 -I- biamox 93 Ibugesic 115 Iburofen 115 Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61	Hydrocortisone with
miconazole 66 Hydrocortisone with natamycin and neomycin 66 Hydrogen peroxide 37 Alimentary 37 Dermatological 63 Hydroxocobalamin 38 Hydroxycyloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyperuricaemia and 121 Antigout 121 Hypnovel 152 Hypromellose 206 Hypromellose with Dextran 206<	
Hydrocortisone with natamycin and neomycin	
and neomycin 66 Hydrogen peroxide Alimentary 37 Dermatological 63 Hydroxocobalamin 38 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hysocine hydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyperuricaemia and Antigout 121 Hypnovel 152 Hypromellose 206 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 -1- Ibiamox 93 Ibugesic 115 Ibuprofen 115 Ibuprofen 115 Idarubicin hydrochloride 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 Immunosuppressants 176 Inuruse Ellipta 199 Indacaterol 197 Indapamide 57	miconazole66
Hydrogen peroxide	Hydrocortisone with natamycin
Alimentary 37 Dermatological 63 Hydroxocobalamin 38 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyperuricaemia and Antigout 121 Hypnovel 152 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 -I- Ibiamox 93 Ibugesic 115 Ibuprofen 115 Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 Immunosuppressants 176 Inuruse Ellipta 199 Indacaterol 197 Indapamide 57	and neomycin66
Dermatological 63 Hydroxocobalamin 38 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hyoscine Nydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyperuricaemia and 152 Antigout 121 Hypnovel 152 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 Ibiamox 93 Ibugesic 115 Ibuprofen 115 Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 </td <td>Hydrogen peroxide</td>	Hydrogen peroxide
Dermatological 63 Hydroxocobalamin 38 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton 57 Hylo-Fresh 206 Hyoscine Nydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyperuricaemia and 152 Antigout 121 Hypnovel 152 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 Ibiamox 93 Ibugesic 115 Ibuprofen 115 Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 </td <td>Alimentary37</td>	Alimentary37
Hydroxocobalamin 38 Hydroxychloroquine 116 Hydroxyurea 166 Hygroton .57 Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide .22 Hypam .152 Hyperuricaemia and .121 Antigout .121 Hyprowell .152 Hypromellose .206 Hypromellose with Dextran .205 Los .205 Los .1- Ibiamox .93 Ibugesic .115 Ibuprofen .115 Icatibant .195 Idarubicin hydrochloride .166 Ifosfamide .160 Ikorel .60 Iloprost .61 Imatinib mesilate .170 Imatinib-AFT .170 Imiglucerase .36 Imipramine hydrochloride .130 Imiquimod .71 Immune Modulators .111<	
Hydroxychloroquine 116 Hydroxyurea 166 Hygroton .57 Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyperuricaemia and 121 Antigout 121 Hyprowel 152 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 -I- Ibiamox 93 Ibugesic 115 Ibuprofen 115 Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 Immune Modulators 111 Immune Modulators	
Hydroxyurea 166 Hygroton .57 Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide .22 Hypam .152 Hyperuricaemia and .121 Antigout .121 Hyprowellose .206 Hypromellose with Dextran .206 Hysite .205 -I- Ibiamox .93 Ibugesic .115 Ibuprofen .115 Icatibant .195 Idarubicin hydrochloride .166 Ifosfamide .160 Ikorel .60 Iloprost .61 Imatinib mesilate .170 Imatinib-AFT .170 Imiglucerase .36 Imipramine hydrochloride .130 Imiquimod .71 Immune Modulators .111 Immune Modulators .111 Immune Modulators .111 Immune .176	Hydroxychloroguine 116
Hygroton .57 Hylo-Fresh .206 Hyoscine hydrobromide .138 Hyoscine N-butylbromide .22 Hypam .152 Hyperuricaemia and .121 Antigout .121 Hyprowell .206 Hypromellose with Dextran .206 Hypromellose with Dextran .205 -I- Ibiamox .93 Ibugesic .115 Icatibant .195 Idarubicin hydrochloride .166 Ifosfamide .160 Ikorel .60 Iloprost .61 Imatinib mesilate .170 Imatinib-AFT .170 Imiglucerase .36 Imipramine hydrochloride .130 Imiquimod .71 Immune Modulators .111 Immune Modulators .111 Immune Modulators .111 Immune Modulators .176 Incruse Ellipta .199 Indacaterol .197 </td <td>Hydroxyurea 166</td>	Hydroxyurea 166
Hylo-Fresh 206 Hyoscine hydrobromide 138 Hyoscine N-butylbromide 22 Hypam 152 Hyperuricaemia and 121 Antigout 121 Hypnovel 152 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 - I- Ibiamox 93 Ibugesic 115 Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 Immune Modulators 111 Immune Modulators 111 Immune Modulators 111 Immune Modulators 1176 Incruse Ellipta 199 Indacaterol 197	
Hyoscine hydrobromide 138 Hyoscine N-butylbromide .22 Hypam .152 Hyperuricaemia and .121 Antigout .121 Hypnovel .152 Hypromellose .206 Hypromellose with Dextran .206 Hysite .205 - I - Ibiamox .93 Bugesic .115 Ibuprofen .115 Icatibant .195 Idarubicin hydrochloride .166 Ifosfamide .60 Iloprost .61 Imatinib mesilate .170 Imiglucerase .36 Imipramine hydrochloride .130 Imiquimod .71 Immune Modulators .111 Immunosuppressants .176 Inuran .176 Inuran .176 Incruse Ellipta .199 Indacaterol .197 Indapamide .57	
Hyoscine N-butylbromide	
Hypam	Hypecine N-butylbromide 22
Hyperuricaemia and 121 Antigout 121 Hypnovel 152 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 -I - Ibiamox 93 Ibugesic 115 Ibuprofen 115 Icatibant 195 Idarubicin hydrochloride 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 Immunosuppressants 176 Imuran 176 Inuran 176 Inuran 199 Indacaterol 197 Indapamide 57	Hypom 150
Antigout	
Hypnovel 152 Hypromellose 206 Hypromellose with Dextran 206 Hysite 205 -I - Ibiamox 93 Ibugesic 115 Ibuprofen 115 Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod .71 Immune Modulators 111 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide 57	
Hypromellose	Hypnoyol 152
Hypromellose with Dextran 206	Liveremelless 200
Hysite	
Diamox	
Ibiamox	
Ibugesic	· •
Ibuprofen	
Icatibant 195 Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel .60 Iloprost .61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase .36 Imipramine hydrochloride 130 Imiquimod .71 Immune Modulators .111 Immunosuppressants 1.76 Imuran .176 Incruse Ellipta 199 Indacaterol .197 Indapamide .57	· ·
Idarubicin hydrochloride 166 Ifosfamide 160 Ikorel 60 Iloprost 61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 Immunosuppressants 176 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide 57	Ibuprofen115
Ifosfamide 160 Ikorel .60 Iloprost .61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase .36 Imipramine hydrochloride 130 Imiquimod .71 Immune Modulators .111 Immunosuppressants .176 Imuran .176 Incruse Ellipta .199 Indacaterol .197 Indapamide .57	Icatibant195
Ikorel 60 Iloprost .61 Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod .71 Immune Modulators 111 Immunosuppressants 176 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide .57	Idarubicin hydrochloride166
Iloprost	Ifosfamide160
Imatinib mesilate 170 Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 Immunosuppressants 176 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide 57	Ikorel60
Imatinib-AFT 170 Imiglucerase 36 Imipramine hydrochloride 130 Imiquimod 71 Immune Modulators 111 Immunosuppressants 176 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide 57	lloprost61
Imiglucerase .36 Imipramine hydrochloride .130 Imiquimod .71 Immune Modulators .111 Immunosuppressants .176 Imuran .176 Incruse Ellipta .199 Indacaterol .197 Indapamide .57	Imatinib mesilate170
Imipramine hydrochloride 130 Imiquimod .71 Immune Modulators 111 Immunosuppressants 176 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide .57	Imatinib-AFT170
Imipramine hydrochloride 130 Imiquimod .71 Immune Modulators 111 Immunosuppressants 176 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide .57	Imiglucerase36
Imiquimod	Imipramine hydrochloride130
Immune Modulators 111 Immunosuppressants 176 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide 57	
Immunosuppressants 176 Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide 57	
Imuran 176 Incruse Ellipta 199 Indacaterol 197 Indapamide 57	
Incruse Ellipta 199 Indacaterol 197 Indapamide 57	• • • • • • • • • • • • • • • • • • • •
Indacaterol197 Indapamide57	
Indapamide57	
	Indapamide

Infanrix IPV248
Infanrix-hexa248
Infant Formulae233
Influenza vaccine250
Influvac250
Inhaled Corticosteroids196
Inhaled Long-acting
Beta-adrenoceptor
Agonists 197
Inset 3031
Inset II32
Insulin aspart25
Insulin aspart with insulin aspart
protamine24
Insulin glargine25
Insulin glulisine25
Insulin isophane24
Insulin isophane with insulin
neutral24
Insulin lispro
Insulin lispro with insulin lispro
protamine
Insulin neutral24
Insulin pen needles28
Insulin pump28
Insulin pump accessories29
Insulin pump infusion set (steel
cannula)30
Insulin pump infusion set (teflon
cannula, angle insertion with
insertion device)31
Insulin pump infusion set (teflon
cannula, angle insertion) 31
Insulin pump infusion set (teflon
cannula, straight insertion with
insertion device)32
Insulin pump infusion set (teflon
cannula, straight insertion)33
Insulin pump reservoir33
Insulin syringes, disposable with
attached needle28
Intal Forte CFC Free201
Intal Spincaps201
Intelence109
Interferon alfa-2a111
Interferon alfa-2b112
Interferon beta-1-alpha151
Interferon beta-1-beta152
Intra-uterine device73
Intron-A112
Invega Sustenna142
IPOL252
Ipratropium bromide198, 202

Iressa	
Irinotecan Actavis 100	163
Irinotecan Actavis 40	163
Irinotecan hydrochloride	163
Irinotecan-Rex	163
Iron polymaltose	40
Isentress	110
Ismo 20	59
Isoniazid	101
Isoprenaline	59
Isoptin	55
Isopto Carpine	205
Isosorbide mononitrate	59
Isosource Standard	228
Isosource Standard RTH	228
Isotane 10	62
Isotane 20	62
Isotretinoin	62
Ispaghula (psyllium) husk	35
Isradipine	55
Isuprel	59
Itch-Soothe	64
Itraconazole	98
Itrazole	98
Ivermectin	68
- J -	
Jadelle	75
Jevitv	228
Jevity Jevity HiCal RTH	228
Jevity RTH	228
- K -	
Kaletra	110
Kemadrin	125
Kenacomb	203
Kenacort-A 10	80
Kenacort-A 40	80
Kenalog in Orabase	37
Ketocal 3:1	236
KetoCal 4:1	236
Ketoconazole	
Dermatological	71
Infection	
Ketogenic Diet	
Ketone blood beta-ketone	
Ketone blood beta-ketone electrodes	26
Ketoprofen	115
Ketostix	
Kindergen	
Kinson	124
Kivexa	100
Klacid	92
Kliogest	83
3	

Kliovance	
Kogenate FS	44
Konakion MM	44
Konsyl-D	35
-L-	
L-asparaginase	164
Labetalol	
Lacosamide	
Lactulose	
Laevolac	
Lamictal	
Lamivudine	103, 110
Lamivudine Alphapharm	110
Lamotrigine	135
Lamprene	100
Lanoxin	
Lanoxin PG	
Lansoprazole	
Lantus	25
Lantus SoloStar	25
Lanvis	
Lanzol Relief	
Lapatinib ditosylate	
Largactil	
Lasix	56
Latanoprost	
Lax-Sachets	
Lax-Suppositories	
Lax-Tab	36
Laxatives	35
Laxsol	35
Leflunomide	116
Lenalidomide	166
Letraccord	
Letrole	
Letrozole	
Leukeran FC	160
Leukotriene Receptor	
Antagonists	200
Leunase	
Leuprorelin	
Leustatin Levetiracetam	
Levetiracetam-Rex	
Levobunolol	
Levocabastine	
Levodopa with benserazide	
Levodopa with carbidopa	
Levomepromazine maleate	140
Levonorgestrel	
Genito-Urinary	
Hormone	83

Levothyroxine	84
Levothyroxine (mercury pharma)	٠.
pharma)	84
Lidocaine [Lignocaine]125-	106
Lidocaine [Lignocaine]	-120
hydrochloride	105
Lidocaine [Lignocaine] with	. 123
chlorhexidine	126
Lidocaine [Lignocaine] with	0
prilocaine	. 126
Lidocaine-Claris	.125
Lifestyles Flared	
Lignocaine	
Hormone	80
Nervous125	
Link Healthcare	
Lioresal Intrathecal	
Lipazil	57
Lipid-Modifying Agents	57
Liquigen	
Lisinopril	50
Lisuride hydrogen maleate	.124
Lithicarb FC	.140
Lithium carbonate	.140
Livostin	
LMX4 Locacorten-Viaform ED's	.126
Local preparations for Anal and	.203
Rectal Disorders	21
Locasol	23/
Locoid6	.204
Locoid Crelo	65
Locoid Lipocream	65
Locorten-Vioform	.203
Lodoxamide	.204
Logem	
Lomide	
Lomustine	
Loniten	60
Loperamide hydrochloride	20
Lopinavir with ritonavir	.110
Lopresor	54
Loprofin	.233
Loprofin Mix	
Lorafix	
LoraPaed	.196
Loratadine	.196
Lorazepam	
Lormetazepam	
Losartan Actavis	52
l acartan nataccuim	
Losartan potassiumtin	52

hydrochlorothiazide	
Lovir	.104
Loxamine Lucrin Depot PDS	.131
Lucrin Depot PDS	89
Ludiomil	130
Lumigan	205
Lycinate	
Lyderm	70
- M -	0
- M - m-Eslon	400
M-M-R II	
m-Nystatin	
Mabthera	
Madopar 125	.124
Madopar 250	
Madopar 62.5	.124
Madopar HBS	
Madopar Rapid	
Magnesium hydroxide	
Magnesium sulphate	40
Malathion with permethrin and	
piperonyl butoxide	70
Maprotiline hydrochloride	130
Marevan	
Marine Blue Lotion SPF 50+	71
Marquis Black	
Marquis Conforma	
Marguis Protecta	
Marquis Selecta	
Marquis Sensolite	73
Marquis Supalite	73
Marguis Titillata	
MarquisTantiliza	
Marvelon 28	
Mask for spacer device	202
Mast Cell Stabilisers	202
Max Health	.201
Alimentary	00
Hormone	22
Manidan	/9
Maxidex	
Maxitrol	
MCT oil (Nutricia)	.220
Measles, mumps and rubella	
vaccine	
Mebendazole	91
Mebeverine hydrochloride	
Medrol	80
Medroxyprogesterone acetate	
Genito-Urinary	75
Hormone82	2, 84
Mefenamic acid	.115
Megestrol acetate	
Meloxicam	.115

Melphalan160
Menactra251
Meningococcal (groups A, C, Y
and W-135) congugate
vaccine251
Meningococcal c congugated
vaccine251
Menthol64
Mercaptopurine163
Mercilon 2874
Mesalazine21
Mesna166
Mestinon115
Metabolic Disorder Agents36
Metamide138
Metchek25
Meterol197
Metformin hydrochloride25
Methadone hydrochloride
Extemporaneous215
Nervous127
Methatabs127
Methopt206
Methotrexate163
Methotrexate Ebewe163
Methotrexate Sandoz163
Methyl hydroxybenzoate215
Methylcellulose215 Methylcellulose with glycerin and
sodium saccharin216
Methylcellulose with glycerin and
sucrose216
Methyldopa56
Methylphenidate
hydrochloride154
Methylphenidate hydrochloride
extended-release
Methylprednisolone80
Methylprednisolone (as sodium
succinate)80
Methylprednisolone
aceponate65
Methylprednisolone acetate80
Methylprednisolone acetate with
lidocaine [Lignocaine]80
Methylxanthines201
Metoclopramide
hydrochloride138
Metolazone56
Metopirone90
Metoprolol - AFT CR53
Metoprolol succinate53
Metoprolol tartrate54

Metronidazole	100
Metyrapone	90
Mexiletine hydrochloride	52
Mexiletine Hydrochloride	
USP	
Miacalcic	79
Mianserin hydrochloride	130
Micolette	36
Miconazole	37
Miconazole nitrate	
Dermatological	64
Genito-Urinary	
Micreme	76
Micreme H	66
Microgynon 30	
Microlut	75
Midazolam	152
Midodrine	53
Minerals	
Mini-Wright AFS Low Range	
Mini-Wright Standard	202
Minidiab	25
Minirin	89
Mino-tabs	94
Minocycline hydrochloride	94
Minomycin	94
Minor Śkin Infections	68
Minoxidil	
Mirena	83
Mirtazapine	131
Misoprostol	22
Mitomycin C	166
Mitozantrone	166
Mitozantrone Ebewe	166
Mixtard 30	24
Moclobemide	131
Modafinil	
Modavigil	156
Modecate	142
Moduretic	56
Mogine	135
Mometasone furoate	
Monogen	
Montelukast	
Moroctocog alfa [Recombinant	
factor VIII]	43
Morphine hydrochloride	
Morphine sulphate	128
Morphine tartrate	.128
Motetis	125
Mouth and Throat	37
Moxifloxacin	95
MSUD Maxamaid	.233

MSUD Maxamum	.233
Mucilaginous laxatives with	
stimulants	
Mucolytics	.201
Multiple Sclerosis	
Treatments	144
Multivitamin renal	
Multivitamins	39
Mupirocin	63
Muscle Relaxants	.123
Mvite	39
Myambutol	.101
Mycobutin	.101
MycoNail	63
Mycophenolate mofetil	.176
Mycostatin	64
Mydriacyl	.206
Mylan Atenolol	53
Mylan Melphalan	
Mylan-Bosentan	60
Mylanta P	20
Myleran	.160
Myocrisin	.116
Myometrial and Vaginal Hormone	_,
Preparations	76
- N -	
Nadolol	54
Nalcrom	21
NalcromNaloxone hydrochloride	21 .208
Naloxone hydrochloride Naltraccord	21 .208 .158
Nalcrom	21 .208 .158
Nalcrom	21 .208 .158 .158
Nalcrom	21 .208 .158 .158 .206
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000	21 .208 .158 .158 .206
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750	21 .208 .158 .158 .206 .206
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen	21 .208 .158 .206 .206 .118
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardii	21 .208 .158 .206 .206 .118 .118
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphocon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations	21 .208 .158 .158 .206 .206 .118 .118 .118
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab	21 .208 .158 .206 .206 .115 .115 .115 .130
Nalcrom Naloxone hydrochloride	21 .208 .158 .158 .206 .206 .115 .115 .115 .147
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nausicalm	21 .208 .158 .206 .206 .211 .115 .115 .130
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nausicalm Nauzene	21 .208 .158 .206 .206 .115 .115 .136 .138 .138
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nausicalm Nauzene Navelbine	21 .208 .158 .206 .206 .215 .115 .115 .130 .201 .147 .138 .138
Nalcrom	21 .208 .158 .206 .206 .206 .115 .115 .130 .201 .138 .138
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nausicalm Nauzene Navelbine Nedocromil Nefopam hydrochloride	21 .208 .158 .206 .206 .206 .115 .115 .138 .138 .138 .138
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nauscalm Nauzene Navelbine Nedocromil Nefopam hydrochloride Neisvac-C	21 .208 .158 .158 .206 .206 .115 .115 .138 .138 .138 .138 .201 .126
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nausicalm Nauzene Navelbine Nedocromil Nefopam hydrochloride Neisvac-C Neo-B12	21 .208 .158 .206 .206 .115 .115 .115 .138 .138 .138 .126 .201
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nausicalm Nauzene Navelbine Nedocromil Nefopam hydrochloride Neso-B12 Neo-Mercazole	21 .208 .158 .158 .206 .206 .115 .115 .138 .138 .138 .138 .126 .201 .126 .251
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nauzene Navelbine Nedocromil Nefopam hydrochloride Nesoa-C Neo-B12 Neo-Mercazole Neocate Advance	21 .208 .158 .206 .206 .115 .115 .130 .201 .147 .138 .168 .201 .126 .251 38
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphocon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nausicalm Nauzene Navelbine Nedocromil Nefopam hydrochloride Neisvac-C Neo-B12 Neo-Mercazole Neocate Advance Neocate Gold	21 208 .158 .206 .206 .215 .115 .115 .130 .201 .138 .168 .201 .126 .251 38
Nalcrom Naloxone hydrochloride Naltraccord Naltrexone hydrochloride Naphazoline hydrochloride Naphcon Forte Naprosyn SR 1000 Naprosyn SR 750 Naproxen Nardil Nasal Preparations Natalizumab Natulan Nauzene Navelbine Nedocromil Nefopam hydrochloride Nesoa-C Neo-B12 Neo-Mercazole Neocate Advance	21 .208 .158 .206 .206 .115 .115 .115 .138 .138 .168 .201 .126 .251 38 84 .234 .234

Neostigmine metilsulfate	115	NovoRapid	25	Omeprazole	23
Nepro HP (strawberry)	224	NovoRapid FlexPen	25	Omezol Relief	23
Nepro HP (vanilla)		NovoRapid Penfill	25	Omnitrope	85
Nepro HP RTH		NovoSeven RT	42	Onbrez Breezhaler	
Nerisone	65	Noxafil	98	Oncaspar	167
Neulactil	140	Nozinan	140	OncoTICE	182
Neulastim	48	Nuelin	201	Ondansetron	138
Neurontin	133	Nuelin-SR	201	Ondansetron ODT-DRLA	138
NeuroTabs		Nupentin	133	One-Alpha	38
Nevirapine		Nutilis	231	Onelink	
Nevirapine Alphapharm		Nutrient Modules	218	Onrex	138
Nicorandil		Nutrini Energy Multi Fibre		Ora-Blend	
Nicotine	158	Nutrini Energy RTH	223	Ora-Blend SF	216
Nicotinic acid	57	Nutrini Low Energy Multi Fibre		Ora-Plus	215
Nifedipine		225		Ora-Sweet	
Nifuran		Nutrini RTH	223	Ora-Sweet SF	215
Nilotinib		Nutrison Concentrated		Orabase	
Nilstat		Nutrison Energy		Oral Supplements/Complete Die	
Alimentary	37	Nutrison Energy Multi Fibre		(Nasogastric/Gastrostomy	
Genito-Urinary		Nutrison Multi Fibre		Tube Feed)	221
Infection		Nutrison Standard RTH		Oratane	
Nipent		Nyefax Retard		Orgran	
Nitrados		Nystatin		Ornidazole	
Nitrates	59	Alimentary	37	Orphenadrine citrate	
Nitrazepam		Dermatological		Ortho All-flex	
Nitroderm TTS		Genito-Urinary		Ortho-tolidine	
Nitrofurantoin		Infection		Oruvail SR	
Nitrolingual Pump Spray		NZB Low Gluten Bread Mix		Osmolite	
Nizoral		-0-		Osmolite RTH	
Noctamid		O/W Fatty Emulsion Cream	67	Ospamox	
Nodia	20	Octocog alfa [Recombinant fac		Other Endocrine Agents	
Noflam 250	115	VIII] (Advate)		Other Oestrogen	
Noflam 500	115	Octocog alfa [Recombinant fac		Preparations	83
Non-Steroidal Anti-Inflammator		VIII] (Kogenate FS)		Other Progestogen	
Drugs		Octreotide		Preparations	83
Nonacog alfa [Recombinant		Octreotide LAR (somatostatin		Other Skin Preparations	
factor IX]	43	analogue)	175	Ovestin	
Nonacog gamma, [Recombinar		Oestradiol		Genito-Urinary	76
Factor IX]		Oestradiol valerate		Hormone	
Norethisterone		Oestradiol with		Ox-Pam	144
Genito-Urinary	75	norethisterone	83	Oxaliccord	161
Hormone	84	Oestriol		Oxaliplatin	161
Norflex	123	Genito-Urinary	76	Oxaliplatin Actavis 100	161
Norfloxacin	114	Hormone		Oxaliplatin Actavis 50	
Noriday 28	75	Oestrogens		Oxaliplatin Ebewe	
Norimin	75	Oestrogens with		Oxazepam	144
Normacol Plus		medroxyprogesterone	83	Oxis Turbuhaler	
Normison	152	Oil in water emulsion		Oxpentifylline	
Norpress		Olanzapine1		Oxybutynin	
Nortriptyline hydrochloride	130	Olbetam		Oxycodone ControlledRelease	
Norvir	110	Olopatadine		Tablets(BNM)	129
NovaSource Renal	224	Olsalazine		Oxycodone hydrochloride	129
Novatretin	70	Omalizumab	190	Oxycodone Orion	129

OxyContin	129	Paradigm Silhouette		Peptisoothe	22
OxyNorm		MMT-368	31	Peptisorb	225
Oxytocin		Paradigm Silhouette		Perhexiline maleate	
Oxytocin BNM		MMT-377	31	Pericyazine	
Oxytocin with ergometrine		Paradigm Silhouette		Perindopril	
maleate	76	MMT-378	31	Permethrin	
Ozole		Paradigm Silhouette		Persantin	
- P -		MMT-381	31	Peteha	
Pacifen	122	Paradigm Silhouette		Pethidine hydrochloride	
Pacific Buspirone		MMT-382	31	Pevaryl	
		Paradigm Silhouette		Pexsig	
Paclitaxel Paclitaxel Actavis		MMT-383	31	Pharmacare	
		Paradigm Silhouette		Pharmacy Services	
Paclitaxel Ebewe		MMT-384	31	Phenelzine sulphate	
Paediatric Seravit		Paradigm Sure-T MMT-864		Phenobarbitone	
Paliperidone		Paradigm Sure-T MMT-866		Phenobarbitone sodium	100
Pamidronate disodium		Paradigm Sure-T MMT-874		Extemporaneous	216
Pamisol		Paradigm Sure-T MMT-876		Nervous	
Pancreatic enzyme		Paradigm Sure-T MMT-884		Phenoxybenzamine	132
Pantoprazole				hydrochloride	E0.
Pantoprazole Actavis 20		Paradigm Sure-T MMT-886		•	50
Pantoprazole Actavis 40		Paraffin	68	Phenoxymethylpenicillin	0.4
Panzytrat		Paraffin liquid with soft white	000	(Penicillin V)	
Papaverine hydrochloride		paraffin		Phenytoin sodium	
Para Plus		Paraffin liquid with wool fat		Phlexy 10	
Para-amino salicylic acid	101	Paraldehyde		Phosphate-Sandoz	
Paracare	126	Parasiticidal Preparations		Phosphorus	
Paracare Double Strength	126	Parnate		Phytomenadione	
Paracetamol	126	Paromomycin		Pilocarpine hydrochloride	
Paracetamol + Codeine		Paroxetine hydrochloride		Pimafucort	
(Relieve)	129	Paser		Pindolol	54
Paracetamol with codeine	129	Patanol		Pine tar with trolamine	
Paradigm 522	28	Paxam		laurilsulfate and	
Paradigm 722	28	Pazopanib		fluorescein	
Paradigm Mio MMT-921	32	Peak flow meter	202	Pinetarsol	71
Paradigm Mio MMT-923	32	Pedialyte - Bubblegum	49	Pioglitazone	25
Paradigm Mio MMT-925	32	Pediasure	223	Piportil	143
Paradigm Mio MMT-941	32	Pediasure RTH	223	Pipothiazine palmitate	143
Paradigm Mio MMT-943	32	Pegaspargase	167	Pizotifen	137
Paradigm Mio MMT-945		Pegasys	112	PKU Anamix Infant	233
Paradigm Mio MMT-965		Pegasys RBV Combination		PKU Anamix Junior	233
Paradigm Mio MMT-975		Pack	112	PKU Anamix Junior LQ	233
Paradigm Quick-Set		Pegfilgrastim	48	PKU Lophlex LQ 10	233
MMT-386	33	Pegylated interferon alfa-2a	112	PKU Lophlex LQ 20	233
Paradigm Quick-Set		Penicillamine	116	Plaquenil	116
MMT-387	33	PenMix 30	24	Plendil ER	55
Paradigm Quick-Set		PenMix 40	24	pms-Bosentan	60
MMT-396	33	PenMix 50	24	Pneumococcal (PCV13)	
Paradigm Quick-Set		Pentasa	21	vaccine	252
MMT-397	33	Pentostatin		Pneumococcal (PPV23)	
Paradigm Quick-Set		[Deoxycoformycin]	167	polysaccharide vaccine	252
MMT-398	33	Pentoxifylline [Oxpentifylline] .		Pneumovax 23	
Paradigm Quick-Set		Pepti Junior Gold Karicare		Podophyllotoxin	
MMT-399	33	Aptamil	235	Polaramine	
IVIIVI I-000		r			

Poliomyelitis vaccine	252
Poloxamer	35
Poly-Gel	206
Poly-Tears	206
Poly-Visc	207
Polycal	218
Polyvinyl alcohol	
Ponstan	
Posaconazole	
Postinor-1	
Potassium chloride	
Potassium citrate	
Potassium iodate	
Povidone iodine	68
Pradaxa	
Pramipexole hydrochloride	124
Prasugrel	44
Pravastatin	
Praziquantel	
Prazosin	
Pred Forte	
Pred Mild	
Prednisolone	
Prednisolone acetate	
Prednisolone sodium	20
phosphate	204
Prednisone	80
Pregnancy Tests - hCG Urine	77
Premarin	82
Prevenar 13	
Prezista	
Priadel	
Primacin	
Primaquine phosphate	
Primidone	
Primolut N	
Probenecid	
Probenecid-AFT	123
Procaine penicillin	94
Procarbazine hydrochloride	167
Prochlorperazine	
Proctosedyl	
Procur	
Procyclidine hydrochloride	
Procytox	
Prodopa	56
Progesterone	
Proglicem	
Proglicem	
Proglycem	
Progynova	
Prokinex	
Promethazine hydrochloride	196
,,	

Promethazine theoclate	139
Promod	220
Propafenone hydrochloride	52
Propamidine isethionate	203
Propranolol	54
Propylene glycol	216
Propylthiouracil	<u>2</u> 10
Protamine sulphate	47
Protaphane	
Protaphane Penfill	-2
Protifar	220
Protionamide	101
Provera	IU
Pagricals and Forems	02, 04
Psoriasis and Eczema Preparations	70
Preparations	/(
PTU	-100
Pulmicort Turbuhaler	196
Pulmocare	221
Pulmozyme	201
Puri-nethol	163
Pyrazinamide	101
Pyridostigmine bromide	115
Pyridoxine hydrochloride	38
Pyrimethamine Pytazen SR	96
	44
- Q -	
0.000	
Q 300	
Questran-Lite	57
Questran-Lite	57 140
Questran-Lite	57 140 140
Questran-Lite	57 140 140
Questran-Lite	57 140 140 33
Questran-Lite	57 140 140 33
Questran-Lite	57 140 140 33
Questran-Lite	57 140 33 33
Questran-Lite Quetapel Quetiapine Quick-Set MMT-390 Quick-Set MMT-391 Quick-Set MMT-392 Quick-Set MMT-393 Quinapril Quinapril Quinapril with	57 140 33 33 33
Questran-Lite Quetapel Quetiapine Quick-Set MMT-390 Quick-Set MMT-391 Quick-Set MMT-392 Quick-Set MMT-393 Quinapril Quinapril Quinapril with	57 140 33 33 33
Questran-Lite	57 140 33 33 35 51
Questran-Lite	57 140 33 33 51
Questran-Lite	57 140 33 33 51
Questran-Lite	57 140 33 33 51 51
Questran-Lite	57 140 33 33 33 51 51 100
Questran-Lite	57 33 33 51 51 100
Questran-Lite	5714033335151100196118
Questran-Lite	5714033333351100127118
Questran-Lite	57140333333
Questran-Lite	57140
Questran-Lite	57 140 33 33 33 51 100 124 110 1124 1124
Questran-Lite	
Questran-Lite	57140
Questran-Lite	5714033333351100124118110124124124124
Questran-Lite	

Recombinant factor VIIa	42
Recombinant factor VIII	43
Rectogesic	22
Redipred	80
Refresh Night Time	206
Renilon 7.5Resonium-A	224
Resonium-A	49
Resource Beneprotein	220
Resource Diabetic	221
Respigen	198
Respiratory Devices	202
Respiratory Stimulants	202
Retinol palmitate	207
ReTrieve	62
Retrovir	110
Reutenox	115
Revlimid	166
Revolade	
Rexacrom	204
RexAir	
Reyataz	110
Ridaura s29	116
Rifabutin	
Rifadin	101
Rifampicin	101
Rifaximin	23
Rifinah	
Rilutek	
Riluzole	125
Riodine	123 60
Risedronate Sandoz	110
Risedronate sodium	
Riseuronale Sodium	119
Risperdal ConstaRisperdal Quicklet	143
Hisperdai Quickiet	141
Risperidone141	, 143
Risperon	141
Ritalin	154
Ritalin LA	155
Ritalin SR	154
Ritonavir	110
Rituximab	
Rivaroxaban	
Rivastigmine	
Rivotril132	
RIXUBIS	43
Rizamelt	137
Rizatriptan	137
Roferon-ARopinirole hydrochloride	111
Ropinirole hydrochloride	124
RotaTeg	252
Rotavirus live reassortant oral	
vaccine	
Roxane	

Roxane54
Roxithromycin92
Rubifen154
Rubifen SR154
Rythmodan52
Rytmonorm52
- S -
•
Sabril
Salamol
Salazopyrin21
Salazopyrin EN21
Salbutamol198
Salbutamol with ipratropium
bromide198
Salicylic acid71
Salmeterol197
Sandomigran137
Sandostatin LAR175
Scalp Preparations71
Scopoderm TTS138
Sebizole71
Sedatives and Hypnotics152
Seebri Breezhaler199
Selegiline hydrochloride124
Sena36
Senokot36
SensoCard27
Serenace140
Seretide198
Seretide Accuhaler198
Serevent197
Serevent Accuhaler197
Serophene90
Sertraline131
Sertraline Actavis131
Sevredol128
Sex Hormones Non
Contraceptive80
Shield 4973
Shield Blue73
Shield XL73
SII-Onco-BCG182
Sildenafil61
Silhouette MMT-37131
Silhouette MMT-37331
Silver sulphadiazine63
Simethicone20
Simvastatin58
Sinemet124
Sinemet CR124
Singulair200
Sirolimus194

Slow-Lopresor	
Sodibic	
Sodium acid phosphate	
Sodium alginate	20
Sodium aurothiomalate	116
Sodium bicarbonate	
Blood4	8–49
Extemporaneous	216
Sodium calcium edetate	209
Sodium	
carboxymethylcellulose	37
Sodium chloride	0,
Blood	48
Respiratory	⊤ს
Sodium citrate with sodium lauryl	201
sulphoacetate	20
Sulprioacetale	30
Sodium citro-tartrate	/ 0
Sodium cromoglycate Alimentary	~4
Allmentary	21
Respiratory	201
Sensory	204
Sodium fluoride	39
Sodium hyaluronate [Hyaluronic	
acid]	. 206
Sodium nitroprusside	26
Sodium polystyrene	
sulphonate	49
Sodium tetradecyl sulphate	44
Sodium valproate	135
Sofradex	203
Soframycin	203
Solian	
Solifenacin succinate	78
Solox	
Solu-Cortef	80
Solu-Medrol	
Somatropin (Omnitrope)	85
Sotacor	54
Sotalol	54
Spacer device	202
Span-K	
Spiolto Respimat	200
Spiractin	200 56
Spiriva	100
SpirivaSpiriva Respimat	100
Spironolactone	198
Spironolacione	or
Sporanox	98
Sprycel	
Staphlex	94
Stavudine [d4T]	110
Stelazine	
Stemetil	138

Stimulants/ADHD	
Treatments	153
Stiripentol	
Stocrin	
Stomahesive	
Strattera	
Stromectol	
Suboxone	
Sucralfate	
Sulfadiazine sodium	20
Suliadiazine sodium	90
Sulindac	
Sulphasalazine	
Sulphur	
Sumatriptan	
Sun Pharma	
Sunitinib	
Sunscreens	71
Sunscreens, proprietary	71
Sure-T MMT-863	
Sure-T MMT-865	30
Sure-T MMT-873	
Sure-T MMT-875	
Sure-T MMT-883	30
Sure-T MMT-885	30
Sustagen Diabetic	221
Sustagen Hospital Formula	229
Sustanon Ampoules	81
Sutent	172
Symbicort Turbuhaler 100/6	197
Symbicort Turbuhaler 200/6	197
Symbicort Turbuhaler	
400/12	197
Symmetrel	
Sympathomimetics	
Synacthen	80
Synacthen Depot	80
Synthroid	
Syntometrine	
Syrup (pharmaceutical	70
grade)	216
Systane Unit Dose	206
•	200
-T-	
Tacrolimus	194
Tacrolimus Sandoz	
Tambocor	
Tambocor CR	
Tamoxifen citrate	176
Tamsulosin hydrochloride	
Tamsulosin-Rex	
Tap water	
Tarceva	
Tasigna	171
Toomor	101

Taxotere165
Tecfidera144
Tegretol133
Tegretol CR133
Telfast196
Temaccord167
Temazepam152
Temozolomide167
Tenofovir disoproxil
fumarate105
Tenoxicam115
Tepadina161
Terazosin50
Terbinafine99
Terbutaline sulphate198
Teriflunomide148
Teriparatide119
Testosterone80
Testosterone cypionate80
Testosterone esters81
Testosterone undecanoate81
Tetrabenazine125
Tetrabromophenol78
Tetracosactrin80
Tetracyclin Wolff94
Tetracycline94
Teva164
Thalidomide168
Thalomid168
Theophylline201
Thiamine hydrochloride38
THIO-TEPA161
Thioguanine163
Thiotepa161
Thymol glycerin37
Thyroid and Antithyroid
Agents
Ticagrelor45
Tilade201
Timolol
Cardiovascular54
Sensory205
Timoptol XE205
Tiotropium bromide199
Tiotropium bromide with
olodaterol200
TMP97
TOBI97
Tobramycin
Infection97
Sensory204
Tobrex204
Tofranil130

Tofranil s29	130
Tolcapone	
Tolterodine	78
Tolvon	
Topamax	126
Topical Products for Joint and	100
Muscular Pain	110
Topiramate	110
Topiramate Actavis Total parenteral nutrition	130
iotal parenteral nutrition	40
(TPN)	48
TPN	
Tracleer	60
Tramadol hydrochloride	129
Tramal SR 100	
Tramal SR 150	129
Tramal SR 200	
Trandate	
Trandolapril	
Tranexamic acid	44
Tranylcypromine sulphate	130
Trastuzumab	192
Travatan	205
Travoprost	
Treatments for Dementia	156
Trootmonte for Substance	
Dependence	157
Trental 400	60
Tretinoin	
Dermatological	62
Oncology	168
Trexate	163
Triamcinolone acetonide	
Alimentary	37
Dermatological	6r
Dermatological Hormone	 90
Triamcinolone acetonide with	
gramicidin, neomycin and nys	tatin
Dermatological	101111 66
Concert	200
SensoryTriazolam	200
Trichozole	
Triclosan	bt
Trifluoperazine	
hydrochloride	141
Trimeprazine tartrate	196
Trimethoprim	
Trisequens	83
Trisul	95
Trophic Hormones	85
Tropicamide	
Trusopt	205

Two Cal HN	.231
Two Cal HN RTH	.231
Tykerb	.170
Tysabri	.147
- U -	
Ultibro Breezhaler	200
Ultraproct	
Umeclidinium	.199
Umeclidinium with vilanterol	
Univent198,	
Ural	
Urea	
Urex Forte	
Urinary Agents	//
Urinary Tract Infections	
Uromitexan	.166
Ursodeoxycholic acid	
Ursosan	
Utrogestan	84
- V -	
Vaccinations	
Vaclovir	
Valaciclovir	
Valcyte	.104
Valganciclovir	.104
Vallergan Forte	
Valtrex	
Vancomycin	
Vannair	.197
Varenicline tartrate	.159
Varicella vaccine [Chicken pox	
vaccine]	
Varilrix	
Various	
Vasodilators	59
Vasopressin Agonists	
Vedafil	
Velcade	
Venlafaxine	
Venomil	
Ventavis	
Ventolin	
Vepesid	
Verapamil hydrochloride	
Vergo 16	.138
Vermox	
Verpamil SR	55
Vesanoid	
Vesicare	
Vexazone	
Vfend	
Viaderm KC	66

Victrelis	106
Vidaza	161
Videx EC	109
Vigabatrin	
Vimpat	
Vinblastine sulphate	168
Vincristine sulphate	
Vinorelbine	
Vinorelbine Ebewe	168
Viramune Suspension	
Viread	
Virgan	203
Vistil	
Vistil Forte	206
Vit.D3	38
VitA-POS	207
Vitabdeck	
Vitadol C	38
Vital	225
Vitamin A with vitamins D and	
C	38
Vitamin B complex	38
Vitamins	38-39
Vivonex Pediatric	234
Vivonex TEN	
Volibris	60
Voltaren	115
Voltaren D	115
Voltaren Ophtha	
Volumatic	
Voriconazole	
Vosol	
Votrient	

Vttack99)
- W -	
Warfarin sodium47	7
Wart Preparations71	1
Wasp venom allergy	
treatment195	5
Water	
Blood49)
Extemporaneous216	3
Wool fat with mineral oil67	7
- X -	
Xanax144	1
Xarelto47	
Xifaxan23	3
XMET Maxamum232	2
Xolair190)
XP Maxamaid233	3
XP Maxamum233	
Xylocaine125	5
Xylocaine Viscous125	5
Xyntha43	
- Z -	
Zantac22	2
Zapril50	
Zarator57	7
Zarontin133	3
Zaroxolyn56	ò
Zarzio47	7
Zavedos166	ò
Zeffix103	3
Zeldox141	ı
Zerit110)

Zetop	195
Ziagen	109
Zidovudine [AZT]	
Zidovudine [AZT] with	
lamivudine	110
Zimybe	58
Zinc and castor oil	67
Zinc sulphate	
Zincaps	40
Zinnat	91
Ziprasidone	141–142
Zithromax	92
Zoladex	88
Zoledronic acid	
Hormone	79
Musculoskeletal	119
Zometa	79
Zopiclone	152
Zopiclone Actavis	
Zostrix	116
Zostrix HP	126
Zovirax	203
Zuclopenthixol decanoate	143
Zuclopenthixol	
hydrochloride	142
Zusdone	141
Zyban	158
Zypine	140
Zypine ODT	
Zyprexa Relprevv	
Zvtiga	174