October 2016

Volume 23 Number 2

Editor: Kaye Wilson email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and Decem ber. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cos from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic ver sion of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated ema address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit ou subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and T_FX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archiv

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 prin

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a cop of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be i written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors of omissions, and shall not be liable for an consequences arising there from.

Introducing PHARMAC

	Section A	General Rules	6
	Section B	Alimentary Tract & Metabolism	21
		Blood & Blood Forming Organs	46
		Cardiovascular System	55
		Dermatologicals	67
-		Genito Urinary System	78
t		Hormone Preparations – Systemic	84
at e	In	fections – Agents For Systemic Use	96
_		Musculoskeletal System	121
)		Nervous System	131
1 3 1	Oncol	ogy Agents & Immunosuppressants	167
r		Respiratory System & Allergies	205
•		Sensory Organs	213
1		Various	218
; /	Section CE	ktemporaneous Compounds (ECPs)	220
	Section D	Special Foods	227
	Section E	Practitioner's Supply Orders	247
		Rural Areas	251
•	Section F	Dispensing Period Exemptions	252
 	Section G	Safety Cap Medicines	254
	Section I	National Immunisation Schedule	257

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram g kilogram kg international unit iu	microgrammcg milligrammg millilitreml	millimolemmol unitu
Abbreviations		
Ampoule Amp	GelatinousGel	SolutionSoln
CapsuleCap	GranulesGran	SuppositorySupp
CreamCrm	InfusionInf	TabletTab
Device	InjectionInj	TinctureTinc
DispersibleDisp	LiquidLiq	Trans Dermal Delivery
Effervescent Eff	Long ActingLA	SystemTDDS
Emulsion Emul	OintmentOint	,
Enteric CoatedEC	Sachet Sach	
BSO Bulk Supply Order		

BSO Bulk Supply Order.

CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- ‡ Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981.
- HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.
- HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy Variation (for Clozapine Services).

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at

http://www.pharmac.govt.nz/nppa. or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor:
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 October 2016 and is to be referred to as the Pharmaceutical Schedule Volume 23 Number 2, 2016. Distribution will be from 20 October 2016. This Schedule comes into force on 1 October 2016.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
 - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
 - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
 - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility:
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
 - "Act", means the New Zealand Public Health and Disability Act 2000.
 - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
 - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
 - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
 - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
 - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be

required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber", means a nurse who is a Designated Prescriber—Registered Nurses Practising in Diabetes Health as determined by the Nursing Council of New Zealand to practice in diabetes health and has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
 - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
 - iiii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email:
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a

national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"**Practitioner**", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, a Diabetes Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document

signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

"Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol". or
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email:
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.

"Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or

- the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of competency; or
- d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Practitioners', Registered Nurse Prescribers', Diabetes Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber, Diabetes Nurse Prescriber, Optometrist, or Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamphetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamphetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber or Diabetes Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule: or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule. in Monthly Lots. unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - b) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
 that part of any Prescription that is dispensed within the time frames specified above is eligible for
 Subsidy.
- 3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber, or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eliqible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eq: if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the

wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.5.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical listed below:
 aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic
 test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable
 with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir,
 ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip.
- 3.5.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.6 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

- 3.6.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.6.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

3.7 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
 and
- b) written on a Quitcard.

PART IV

DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical

Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine:
- iv) a Class B Controlled Drug:
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial";

SECTION A: GENERAL RULES

and

 specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS": and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V

MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders

with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or
 if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally
 existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the
 amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2. for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval:
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.2;
 - c) clauses 3.1 to 3.4; and
 - d) clause 5.4.
 - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under

the Medicines Act 1981 or for an Unapproved Indication; or

 b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

Subsidy

Fully

Brand or

(Manufacturer's Price) Subsidised Generic \$ Per Manufacturer **Antacids and Antiflatulants** Antacids and Reflux Barrier Agents ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg 30 ✓ Gaviscon Infant SIMETHICONE Oral liq aluminium hydroxide 200 mg with magnesium hydrox-500 ml Mylanta P (Mylanta P Oral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg and activated simethicone 20 mg per 5 ml to be delisted 1 December 2016) SODIUM ALGINATE Tab 500 mg with sodium bicarbonate 267 mg and calcium 60 Gaviscon Double (8.60)Strenath Oral lig 500 mg with sodium bicarbonate 267 mg and calcium 500 ml Acidex **Phosphate Binding Agents** ALUMINIUM HYDROXIDE 100 ✓ Alu-Tab CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) -✓ Roxane 500 ml Only when prescribed for children under 12 years of age for use as a phosphate binding agent and the prescription is endorsed accordingly. **Antidiarrhoeals** Agents Which Reduce Motility LOPERAMIDE HYDROCHLORIDE - Up to 30 cap available on a PSO Tab 2 mg10.75 400 Nodia Nodia to be Sole Supply on 1 November 2016 Cap 2 mg7.05 400 Diamide Relief Rectal and Colonic Anti-inflammatories BUDESONIDE Cap 3 mg - Special Authority see SA1155 on the next page 90 ✓ Entocort CIR

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1155 Special Authority for Subsidy

Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:

HYDROCORTISONE ACETATE

- 2.1 Diabetes: or
- 2.2 Cushingoid habitus: or
- 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

Rectal foam 10%, CFC-Free (14 applications)26.55	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✓ Pentasa
Tab 800 mg85.55	90	✓ Asacol
Modified release granules, 1 g141.72	120 OP	✔ Pentasa
Enema 1 g per 100 ml41.30	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		•
Cap 100 mg92.91	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg - For sulphasalazine oral liquid formulation refer,		
page 22114.00	100	Salazopyrin
Salazopyrin to be Sole Supply on 1 November 2016		• •
* Tab EC 500 mg	100	Salazopyrin EN
Salazopyrin EN to be Sole Supply on 1 November 2016		.,

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CIN	CHOCAINE
Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cin-	
chocaine hydrochloride 5 mg per g	30 g OP

Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and

HYDROCORTISONE WITH CINCHOCAINE

Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00 Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90 30 q OP 12

30 g OP

12

✔ Proctosedvl ✔ Proctosedvl

Ultraproct

✓ Ultraproct

Management of Anal Fissures

GLYCERYL TRINITRATE - Special Authority see SA1329 below - Retail pharmacy

✔ Rectogesic

⇒SA1329 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

Antispasmodics and Other Agents Altering Gut Motility

GLYCOPYRRONIUM BROMIDE

	a PSOa PSO	17.14	10	✓ Max Health
HY	OSCINE N-BUTYLBROMIDE			
*	Tab 10 mg	2.18	20	✓ Gastrosoothe
*	Inj 20 mg, 1 ml - Up to 5 inj available on a PSO	9.57	5	Buscopan

MEBEVERINE HYDROCHLORIDE

✓ Colofac 90

Antiulcerants

Antisecretory and Cytoprotective

MISOPROSTOL

Tab 200 mcg41.50 120 Cytotec

Helicobacter Pylori Eradication

CLARITHROMYCIN

Tab 500 mg – Subsidy by endorsement10.40 ✓ Apo-Clarithromycin

a) Maximum of 14 tab per prescription

b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole

	Subsidy (Manufacturer's Pr \$	ice) Sub Per	Fully Brand or osidised Generic Manufacturer
H2 Antagonists			
RANITIDINE — Only on a prescription * Tab 150 mg * Tab 300 mg * Oral liq 150 mg per 10 ml * Inj 25 mg per ml, 2 ml	14.73 4.92	500 500 300 ml 5	✓ Ranitidine Relief ✓ Ranitidine Relief ✓ Peptisoothe ✓ Zantac
Proton Pump Inhibitors			
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg OMEPRAZOLE For omeprazole suspension refer Standard Formulae, page	5.93	100 100	 ✓ Lanzol Relief ✓ Lanzol Relief
Cap 10 mg	2.23 2.91 4.42 42.50	90 90 90 5 g	✓ Omezol Relief ✓ Omezol Relief ✓ Omezol Relief ✓ Midwest
* Inj 40 mg ampoule with diluent	•	5	✓ <u>Dr Reddy's</u> <u>Omeprazole</u>
PANTOPRAZOLE * Tab EC 20 mg	2.41 2.68	100	✓ Panzop Relief✓ Pantoprazole
* Tab EC 40 mg	3.35 3.54	100	✓ Panzop Relief✓ PantoprazoleActavis 40
Site Protective Agents			
BISMUTH TRIOXIDE Tab 120 mg(De Nol \$23\$ Tab 120 mg to be delisted 1 January 2017) COLLOIDAL BISMUTH SUBCITRATE	32.50	112	✔ De Nol S29
Tab 120 mg	14.51	50	✓ Gastrodenol S29
SUCRALFATE Tab 1 g	35.50 (48.28)	120	Carafate
Bile and Liver Therapy			
RIFAXIMIN – Special Authority see SA1461 on the next page – Tab 550 mg		56	✓ <u>Xifaxan</u>

Subsidy		Fully	Brand or
(Manufacturer's Price)	;	Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA1461 | Special Authority for Subsidy

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Diabetes

DIAZOXIDE - Special Authority see SA1320 below - Reta	il pharmacy		
Cap 25 mg	110.00	100	✔ Proglicem S29
Cap 100 mg	280.00	100	✔ Proglicem S29
Oral liq 50 mg per ml	620.00	30 ml OP	✔ Proglycem S29

⇒SA1320 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

GLUCAGON HYDROCHLORIDE

Inj 1 mg syringe kit -	 Up to 5 kit available on a PSO 	32.00 1	Glucagen Hypokit
------------------------	--	---------	------------------

Insulin - Short-acting Preparations

INSULIN NEUTRAL			
	INICILI	ININ	IΛC

•	Inj human 100 u per ml	10 ml OP	✓ Actrapid✓ Humulin R
	Inj human 100 u per ml, 3 ml42.66	5	✓ Actrapid Penfill ✓ Humulin R

Insulin - Intermediate-acting Preparations

INSULIN ASPART WITH INSULIN ASPART PROTAMINE Inj 100 iu per ml, 3 ml prefilled pen52.15	5	✓ NovoMix 30 FlexPen
INSULIN ISOPHANE		
▲ Inj human 100 u per ml17.68	10 ml OP	✓ Humulin NPH
		Protaphane
▲ Inj human 100 u per ml, 3 ml29.86	5	✓ Humulin NPH
		Protaphane Penfill
INSULIN ISOPHANE WITH INSULIN NEUTRAL		
▲ Inj human with neutral insulin 100 u per ml25.26	10 ml OP	✓ Humulin 30/70
		Mixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml42.66	5	✓ Humulin 30/70

25

✔ PenMix 30 ✓ PenMix 40 ✔ PenMix 50

	Subsidy		Fully Brand or
	(Manufacturer's Price		ubsidised Generic
	<u> </u>	Per	✓ Manufacturer
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,			
3 ml		5	✓ Humalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,			3
3 ml		5	✓ Humalog Mix 50
Insulin - Long-acting Preparations			
INSULIN GLARGINE			
▲ Inj 100 u per ml, 10 ml	63.00	1	✓ Lantus
▲ Inj 100 u per ml, 3 ml		5	✓ Lantus
▲ Inj 100 u per ml, 3 ml disposable pen		5	✓ Lantus SoloStar
	94.50	J	V Lantus Solostai
Insulin - Rapid Acting Preparations			
INSULIN ASPART			
▲ Inj 100 u per ml, 3 ml syringe	51.19	5	✓ NovoRapid FlexPen
▲ Inj 100 u per ml, 3 ml		5	✓ NovoRapid Penfill
▲ Inj 100 u per ml, 10 ml		1	✓ NovoRapid
, , ,		•	· · · · · · · · · · · · · · · · · · ·
INSULIN GLULISINE	07.00	4	. / Amidus
▲ Inj 100 u per ml, 10 ml		1	✓ Apidra
▲ Inj 100 u per ml, 3 ml		5	✓ Apidra
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	Apidra SoloStar
INSULIN LISPRO			
▲ Inj 100 u per ml, 10 ml	34.92 1	0 ml OP	Humalog
▲ Inj 100 u per ml, 3 ml	59.52	5	✓ Humalog
Alpha Glucosidase Inhibitors			
ACARBOSE	4.00	00	. d Olympik and
* Tab 50 mg		90	✓ Glucobay
* Tab 100 mg	7./8	90	✓ <u>Glucobay</u>
Oral Hypoglycaemic Agents			
GLIBENCLAMIDE			
* Tab 5 mg	5.00	100	✓ Daonil
		100	Daoini
GLICLAZIDE	44.50	500	. 4 011-1-1-
* Tab 80 mg	11.50	500	✓ Glizide
GLIPIZIDE			
* Tab 5 mg	2.85	100	✓ <u>Minidiab</u>
METFORMIN HYDROCHLORIDE			
* Tab immediate-release 500 mg	9.59	1,000	✓ Metchek
* Tab immediate-release 850 mg		500	✓ Metformin Mylan
PIOGLITAZONE			
* Tab 15 mg	2 47	90	✓ Vexazone
•		90 90	✓ <u>vexazone</u> ✓ <u>Vexazone</u>
		90 90	
* Tab 45 mg	/.10	90	✓ <u>Vexazone</u>

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

Diabetes Management

Ketone Testing

BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter available on a PSO

Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis and is at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.

KETONE BLOOD BETA-KETONE ELECTRODES

- a) Maximum of 20 strip per prescription
- b) Up to 10 strip available on a PSO

SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription

Ketur-Test

14.14

✓ Ketostix

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
- 1) is receiving insulin or sulphonylurea therapy: or
- 2) is pregnant with diabetes; or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
- 4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome. Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test

✓ CareSens N

✓ CareSens N POP

Note: Only 1 meter available per PSO

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips - Note differing brand requirements

50 test OP ✓ CareSens ✓ CareSens N ✓ Accu-Chek 28.75 Performa ✔ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

■ SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788 Wellington Email: bgstrips@pharmac.govt.nz

■ SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

✓ SensoCard 50 test OP

Fully Brand or Subsidy (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INSULIN PEN NEEDLES – Maximum of 100 dev per prescription					
*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine	
*	31 $g \times 5$ mm	11.75	100	✓ B-D Micro-Fine	
*	31 g \times 6 mm	10.50	100	✓ ABM	
*	31 g \times 8 mm	10.50	100	✓ B-D Micro-Fine	
*	32 g \times 4 mm	10.50	100	✓ B-D Micro-Fine	
INS	ULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of	f 100 dev per pres	scription	
*	Syringe 0.3 ml with 29 g \times 12.7 mm needle		100	✓ B-D Ultra Fine	
	, ,	1.30	10		
		(1.99)		B-D Ultra Fine	
*	Syringe 0.3 ml with 31 g \times 8 mm needle	13.00	100	✓ B-D Ultra Fine II	
		1.30	10		
		(1.99)		B-D Ultra Fine II	
*	Syringe 0.5 ml with 29 g \times 12.7 mm needle	13.00	100	B-D Ultra Fine	
		1.30	10		
		(1.99)		B-D Ultra Fine	
*	Syringe 0.5 ml with 31 g \times 8 mm needle	13.00	100	B-D Ultra Fine II	
		1.30	10		
		(1.99)		B-D Ultra Fine II	
*	Syringe 1 ml with 29 g \times 12.7 mm needle		100	✓ B-D Ultra Fine	
		1.30	10		
		(1.99)		B-D Ultra Fine	
*	Syringe 1 ml with 31 g \times 8 mm needle		100	✓ B-D Ultra Fine II	
		1.30	10		
		(1.99)		B-D Ultra Fine II	

Insulin Pumps

INSULIN PUMP - Special Authority see SA1603 on the next page - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

b) Only on a prescription			
c) Maximum of 1 insulin pump per patient each for	ur year period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour	The state of the s	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	Paradigm 522
·	•		✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	✓ Paradigm 522
,	•		✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	✓ Paradigm 522
71	•		✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour	4.400.00	1	✓ Paradigm 522
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		✓ Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4.400.00	1	✓ Paradigm 522
· · · · · · · · · · · · · · · · · · ·	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		✓ Paradigm 722

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

▶SA1603 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Fither:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Fither:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or

continued...

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Por \$ Manufacturer

continued...

3.2 The pump is due for replacement; and

- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1: and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol: and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Fither:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

8 Fither:

- 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
- 8.2 The pump is due for replacement; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 4.2 The pump is due for replacement; and
- 5 Either:
 - 5.1 Applicant is a relevant specialist; or
 - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Insulin Pump Consumables

⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Fither:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Fither:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

continued...

✓ fully subsidised

[HP4] refer page 4



continued...

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Fither:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — **(HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or

continued...

Subsidy Brand or Fully (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Fither:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 32 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

✓ Animas Battery Cap

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 32 - Retail pharmacy

a) Maximum of 3 set	s per prescription
---------------------	--------------------

a) Maximum of 3 sets per prescription b) Only on a prescription	·		. ,
c) Maximum of 13 infusion sets will be funded per year.			
10 mm steel needle; 29 G; manual insertion; 60 cm tubing \times 10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			IVI IVI 1-004
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T
TO WILL TO TIEBUIES	130.00	TOP	MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	100.00	1.00	✓ Sure-T MMT-885
10 with 10 needles; luer lock	130.00	1 OP	Sure-1 MIM 1-885
10 with 10 needles	130.00	1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing \times			4- " -
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing \times			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T
TO WILL TO FICEURS	100.00	101	MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing \times			4.0
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-865
10 with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line \times			
10 with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
			MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles; luer lock	120.00	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	130.00	TOP	Sure-1 WIWI1-073
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing \times			

1 OP

✓ Sure-T MMT-875

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

1 OP

✓ Inset 30

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 32 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

c) Maximum of 13 infusion sets will be funded per year.

13 mm teflon cannula; angle insertion; insertion device; 1 OP ✓ Inset 30 13 mm teflon cannula; angle insertion; insertion device; 1 OP ✓ Inset 30 13 mm teflon cannula: angle insertion: insertion device: 60 cm grey line × 10 with 10 needles140.00 1 OP ✓ Inset 30 13 mm teflon cannula; angle insertion; insertion device; 60 cm pink line \times 10 with 10 needles140.00

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1604 on page 32 - Retail pharmacv

- a) Maximum of 3 sets per prescription
- b) Only on a prescription

 13 mm teflon cannula; angel insertion; 60 cm grey line × 5 with 10 needles 13 mm teflon cannula; angle insertion; 120 cm line × 10 with 	120.00	1 OP	✓ Comfort Short
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-382
13 mm teflon cannula; angle insertion; 45 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-368
13 mm teflon cannula; angle insertion; 60 cm line \times 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-381
13 mm teflon cannula; angle insertion; 80 cm line \times 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-383
17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-377
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm grey line × 5 with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-378
17 mm teflon cannula; angle insertion; 60 cm line \times 10 with			

1 OP

1 OP

✓ Silhouette MMT-373

✓ Paradigm Silhouette MMT-384

17 mm teflon cannula: angle insertion: 80 cm line × 10 with

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 32 - Retail pharmacy

a)	Maximum	of 3	sets i	per	prescri	ption

9 mm teflon cannula: straight insertion: insertion device:

9 mm teflon cannula; straight insertion; insertion device;

9 mm teflon cannula; straight insertionl insertion device;

60 cm pink line × 10 with 10 needles140.00

110 cm grey line × 10 with 10 needles140.00

h)	Only	on a	prescription

	o) Only on a prescription			
) Maximum of 13 infusion sets will be funded per year.			
(6 mm teflon cannula; straight insertion; insertion device;			
	110 cm grey line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
(6 mm teflon cannula; straight insertion; insertion device;			
	45 cm blue tubing × 10 with 10 needles	130.00	1 OP	Paradigm Mio
				MMT-941
(6 mm teflon cannula; straight insertion; insertion device;			
	45 cm pink tubing × 10 with 10 needles	. 130.00	1 OP	✓ Paradigm Mio
	5 p 132 g / . 15 15554.55			MMT-921
	6 mm teflon cannula; straight insertion; insertion device;			💶
,	60 cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
	oo citi bide tabilig × 10 with 10 needles	130.00	1 01	MMT-943
	S man tofler compuler attained inscrition, inscrition devices			IVIIVI 1-343
,	6 mm teflon cannula; straight insertion; insertion device;	100.00	4.00	Dama di Mi a
	60 cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
				MMT-923
(6 mm teflon cannula; straight insertion; insertion device;			
	80 cm blue tubing \times 10 with 10 needles	130.00	1 OP	Paradigm Mio
				MMT-945
(6 mm teflon cannula; straight insertion; insertion device;			
	80 cm clear tubing × 10 with 10 needles	130.00	1 OP	Paradigm Mio
				MMT-965
(6 mm teflon cannula; straight insertion; insertion device;			
	80 cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
	, and government of the control of t		_	MMT-925
-	mm teflon cannula; straight insertionl insertion device;			
	60 cm blue line × 10 with 10 needles	140 00	1 OP	✓ Inset II
	6 mm teflon cannula; straight insertionl insertion device;	140.00	1 01	• mocen
,	60 cm grey line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
	· ,	140.00	TOF	V IIISELII
(6 mm teflon cannula; straight insertionl insertion device;	440.00	4.00	
	60 cm pink line × 10 with 10 needles	140.00	1 OP	✓ Inset II
(mm teflon cannula; straight insertion; insertion device;			
	60 cm blue line \times 10 with 10 needles	140.00	1 OP	✓ Inset II
(mm teflon cannula; straight insertion; insertion device;			
	60 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II

✓ Inset II

✓ Inset II

✔ Paradigm Mio

MMT-975

1 OP

1 OP

1 OP

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per \$

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1604 on page 32 -Retail pharmacy

a)	Maximum	of 3	sets	per	prescription
----	---------	------	------	-----	--------------

,								
h۱	Only		_	~ "		:	~+:	~~
D)	UHIV	OH	а	DIG	250	ж	יווט	ווט
/	,			F			F	

c) Maximum of 13 infusion sets will be funded per year.		
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Quick-Set MMT-398
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles; luer lock130.00	1 OP	✓ Quick-Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing \times 10 with 10 needles130.00	1 OP	✓ Paradigm Quick-Set
6 mm teflon cannula; straight insertion; 60 cm tubing ×		MMT-399
10 with 10 needles; luer lock	1 OP	✓ Quick-Set MMT-393
10 with 10 needles	1 OP	✓ Paradigm Quick-Set MMT-387
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Quick-Set MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing \times 10 with 10 needles; luer lock130.00	1 OP	✓ Quick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing \times 10 with 10 needles	1 OP	✓ Paradigm Quick-Set MMT-397
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with 10 needles; luer lock	1 OP	✓ Quick-Set MMT-392
9 mm teflon cannula; straight insertion; 80 cm tubing × 10 with 10 needles	1 OP	✓ Paradigm Quick-Set
10000	. •.	MMT-386

INSULIN PUMP RESERVOIR - Special Authority see SA1604 on page 32 - Retail pharmacy

c) Maximum of 13 packs of reservoir sets will be funded per year. 10 × luer lock conversion cartridges 1.8 ml for Paradigm

10 / late look conversion callinages in in lot landagin	
pumps50.00	
Cartridge 200 U, luer lock × 1050.00	
Cartridge for 5 and 7 series pump; 1.8 ml \times 1050.00	

~	ADR	Cartridge	1.8

[✓] Animas Cartridge ✔ Paradigm

1.8 Reservoir

✔ Paradigm 3.0 Reservoir

Syringe and cartridge for 50X pump, 3.0 ml \times 1050.00

1 OP 1 OP

1 OP

1 OP

1 OP

a) Maximum of 3 sets per prescription

b) Only on a prescription

100

100

Fully

Brand or

Creon 25000

' Ursosan

	(Manufacturer's Price) \$	Per	Subsidised Gener Manuf	ric facturer
Digestives Including Enzymes				
PANCREATIC ENZYME				
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase				
10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✓ Creon 10	0000
Cap pancreatin (314.650 - 350 175 mg (25,000 U lipase,				
22,500 U amylase, 1.250 U proteas))	94.40	100	✔ Panzytra	at
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase				

Subsidy

■ SA1383 | Special Authority for Subsidy Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

1 Patient has been diagnosed with Alagille syndrome; or

Cap 250 mg - For ursodeoxycholic acid oral liquid formula-

2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has chronic severe drug induced cholestatic liver injury; and

25,000 Ph Eur U, total protease 1,000 Ph Eur U)94.38

URSODEOXYCHOLIC ACID - Special Authority see SA1383 below - Retail pharmacy

- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (**Pregnancy**) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (**Pregnancy/Cirrhosis**) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

2 am 10 mm g / 13 am a			
ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	5.51	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS * Dry	6.02	500 g OP	
	(17.32) 2.41	200 g OP	Normacol Plus
	(8.72)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM - Only on a prescription			
* Tab 50 mg * Tab 120 mg		100 100	✓ <u>Coloxyl</u> ✓ Coloxyl
* Enema conc 18%		100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			•
* Tab 50 mg with sennosides 8 mg	4.40	200	✓ Laxsol
POLOXAMER – Only on a prescription Not funded for use in the ear.			
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			
GLYCEROL			
* Suppos 3.6 g - Only on a prescription	6.50	20	✓ <u>PSM</u>
LACTULOSE – Only on a prescription			4
* Oral liq 10 g per 15 ml		500 ml	✓ <u>Laevolac</u>
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM B SA1473 on the next page – Retail pharmacy Powder for oral soln 13.125 g with potassium chloric 46.6 mg, sodium bicarbonate 178.5 mg and sodium chl	de	ID SODIUM CH	HLORIDE – Special Authority see
ride 350.7 mg - Maximum of 90 sach per prescription	7.65	30	✓ <u>Lax-Sachets</u>

	ALIMENTA	RY TRAC	CT AND	METABOLISM
	Subsidy (Manufacturer's Prio \$	ce) Su Per	Fully ubsidised	Brand or Generic Manufacturer
■►SA1473 Special Authority for Subsidy Initial application from any relevant practitioner. Approval Both:	s valid for 6 months for ap	plications	meeting t	he following criteria:
The patient has problematic constipation despite where lactulose is not contraindicated; and The patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would only be a per costal of the patient would be problematic constitution. The patient has problematic constitution of the patient would be problematic constitution of the patient would be problematic constitution.	·	er oral pha	rmacothe	erapies including lactulose
2 The patient would otherwise require a per rectal property of the property	•	natient is	compliant	and is continuing to gair
benefit from treatment.	or 12 monato whore the	pationt io	Jornphan	and to continuing to gain
SODIUM ACID PHOSPHATE - Only on a prescription				
Enema 16% with sodium phosphate 8%	2.50	1	√ F	eet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACE Enema 90 mg with sodium lauryl sulphoacetate 9 mg	• •	iption		
5 ml		50	✓ M	icolette
Stimulant Laxatives				
BISACODYL - Only on a prescription				
* Tab 5 mg	5.99	200	✓ <u>L</u>	ax-Tab
* Suppos 10 mg	3.78	10	✓ <u>L</u>	ax-Suppositories
SENNA - Only on a prescription				
* Tab, standardised		100	_	
	(6.84)	00	S	enokot
	0.43 (1.72)	20	S	enokot
Metabolic Disorder Agents	(1.72)			crionot
Metabolic Disorder Agents				
GALSULFASE - Special Authority see SA1593 below - Re				
Inj 1 mg per ml, 5 ml vial	2,234.00	1	✓ N	aglazyme
■ SA1593 Special Authority for Subsidy Initial application only from a metabolic physician. Approx Both:	als valid for 12 months fo	r applicatio	ns meeti	ng the following criteria:
The patient has been diagnosed with mucopolysa: Either:	ccharidosis VI; and			
2.1 Diagnosis confirmed by demonstration of N		sulfatase (arylsulfat	ase B) deficiency by eithe
enzyme activity assay in leukocytes or skir 2.2 Detection of two disease causing mutation: VI.	· ·	who is kno	own to ha	ve mucopolysaccharidosi:
Renewal only from a metabolic physician. Approvals valid All of the following:	for 12 months for applicat	ions meetii	ng the fol	owing criteria:
1 The treatment remains appropriate for the patient	and the nationt is henofiti	na from tro	atment: a	nd
Patient has not had severe infusion-related adversand/or adjustment of infusion rates; and				
3 Patient has not developed another life threatening	ng or severe disease who	ere the lor	ig term p	rognosis is unlikely to be

4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

influenced by Enzyme Replacement Therapy (ERT); and

*Three months or six months, as applicable, dispensed all-at-once

SODIUM BENZOATE - Special Authority see SA1599 on the next page - Retail pharmacy

Soln 100 mg per mlCBS

100 ml

✓ Amzoate \$29

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1599 | Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE - Special Authority see SA1598 below - Retail pharmacy

174 a OP ✔ Pheburane

⇒SA1598 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Gaucher's Disease

IMIGLUCERASE - Special Authority see SA0473 below - Retail pharmacy

Inj 40 iu per ml, 400 iu vial2,144.00

✓ Cerezvme ✓ Cerezyme

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with

Endorsement 9.00 500 ml Difflam (17.01)3.60 200 ml Difflam (8.50)

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

CARMELLOSE SODILIM WITH GELATIN AND PECTIN

JARMELLOSE SODIUM WITH GELATIN AND PECTIN			
Paste	17.20	56 g OP	Stomahesive
	4.55	15 g OP	
	(7.90)	•	Orabase
	1.52	5 a OP	
	(3.60)	J	Orabase
Powder		28 g OP	
	(10.95)	Ü	Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ <u>healthE</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	

(6.00)

Bonjela

C

C

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully Brand or osidised Generic Manufacturer
RIAMCINOLONE ACETONIDE			
Paste 0.1%	5.33	5 g OP	Kenalog in Orabase
Oropharyngeal Anti-infectives			
AMPHOTERICIN B Lozenges 10 mg	5.86	20	✓ Fungilin
MICONAZOLE Oral gel 20 mg per g	4.79	40 g OP	✓ <u>Decozol</u>
NYSTATIN Oral liq 100,000 u per ml	2.55	24 ml OP	✓ m-Nystatin
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute for HYDROGEN PEROXIDE	ormula refer Star	ndard Formulae	e, page 224
* Soln 3% (10 vol) – Maximum of 200 ml per prescription THYMOL GLYCERIN	1.40	100 ml	✓ Pharmacy Health
* Compound, BPC	9.15	500 ml	✓ PSM
Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C * Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops	4.50	10 ml OP	✓ Vitadol C
Vitamin B			
HYDROXOCOBALAMIN * Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a PS PYRIDOXINE HYDROCHLORIDE a) No more than 100 mg per dose	O2.31	3	✓ <u>Neo-B12</u>
b) Only on a prescription * Tab 25 mg - No patient co-payment payable * Tab 50 mg		90 500	✓ <u>Vitamin B6 25</u> ✓ <u>Apo-Pyridoxine</u>
THIAMINE HYDROCHLORIDE – Only on a prescription * Tab 50 mg	5.62	100	✓ Apo-Thiamine
VITAMIN B COMPLEX * Tab, strong, BPC	4.30	500	✓ Bplex
Vitamin C			
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription			
* Tab 100 mg	7.00	500	✓ Cvite

	(Manufacturers i	Per Per	✓ Manufacturer
Vitamin D			
ALFACALCIDOL			
* Cap 0.25 mcg	26.32	100	✔ One-Alpha
* Cap 1 mcg	87.98	100	One-Alpha
* Oral drops 2 mcg per ml	60.68	20 ml OP	One-Alpha
CALCITRIOL			
* Cap 0.25 mcg	9.95	100	✓ Calcitriol-AFT
, ,	2.99	30	
	(3.03)		Airflow
Calcitriol-AFT to be Sole Supply on 1 November 2016			
* Cap 0.5 mcg		100	Calcitriol-AFT
	5.52	30	
0.1.1.1.4.5	(5.62)		Airflow
Calcitriol-AFT to be Sole Supply on 1 November 2016			
(Airflow Cap 0.25 mcg to be delisted 1 November 2016) (Airflow Cap 0.5 mcg to be delisted 1 November 2016)			
,			
COLECALCIFEROL			4.111.70
* Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescript	ion3.85	12	✓ Vit.D3
Multivitamin Preparations			
MULTIVITAMIN RENAL - Special Authority see SA1546 below -			
* Cap	8.39	30	Clinicians Renal Vit
▶ SA1546 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals vali	d without further	renewal unles	s notified for applications meeting
the following criteria:			
Either:			
1 The patient has chronic kidney disease and is receiving	•	•	•
2 The patient has chronic kidney disease grade 5, defii 15 ml/min/1.73 m ² body surface area (BSA).	ned as patient v	vith an estima	ted glomerular filtration rate of <
MULTIVITAMINS - Special Authority see SA1036 below - Retail	pharmacy		
* Powder		200 g OP	✔ Paediatric Seravit
		•	

Subsidy

(Manufacturer's Price)

Fully

Subsidised Generic

Brand or

⇒SA1036 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previous approval for multivitamins.

VITAMINS

	Tab (BPC cap strength)7.60	1,000	✓ Mvite
*	Cap (fat soluble vitamins A, D, E, K) - Special Authority see		
	SA1002 below – Retail pharmacy23.40	60	Vitabdeck

■ SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer
Minerals				
Calcium				
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental) * Tab 1.25 g (500 mg elemental) CALCIUM GLUCONATE * Inj 10%, 10 ml ampoule	5.38	30 250	✓ <u>A</u>	Calsource urrow-Calcium
Fluoride				•
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)	5.00	100	√ P	SM
lodine				
POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	3.65	90	✓ N	leuroTabs
Iron				
FERROUS FUMARATE * Tab 200 mg (65 mg elemental)	2.89	100	√ <u>F</u>	erro-tab
FERROUS FUMARATE WITH FOLIC ACID * Tab 310 mg (100 mg elemental) with folic acid 350 mcg	4.75	60	√ F	erro-F-Tabs
FERROUS SULPHATE * Tab long-acting 325 mg (105 mg elemental) *‡ Oral liq 30 mg (6 mg elemental) per 1 ml Ferodan to be Sole Supply on 1 November 2016 FERROUS SULPHATE WITH FOLIC ACID		30 500 ml		errograd erodan
* Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg		30	F	errograd F
IRON POLYMALTOSE * Inj 50 mg per ml, 2 ml ampoule	15.22	5	√ <u>F</u>	errum H
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, page MAGNESIUM SULPHATE * Inj 2 mmol per ml, 5 ml ampoule		10	v <u>n</u>	DBL .
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	✓ <u>Z</u>	incaps

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

⇒SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus: and
 - 3.1.2 Glomerular filtration rate < 30ml/min: or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus; and
 - 3.2.2 Glomerular filtration rate < 45ml/min: or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropojetin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*; and
- 2 Has had symptomatic anaemia with haemoglobin <100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of <500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 ju per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Authority s	see SA1469 on the pre	evious pa	ige – Re	tail pharmacy
Wastage claimable – see rule 3.3.2 on page 13				
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	✓ E	orex
Inj 2,000 iu in 0.5 ml, syringe	120.18	6	✓ E	orex
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	✓ E	
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	✓ E	orex
Inj 5,000 iu in 0.5 ml, syringe	243.26	6	✓ E	orex
Inj 6,000 iu in 0.6 ml, syringe	291.92	6	✓ E	
Inj 8,000 iu in 0.8 ml, syringe	352.69	6	✓ E	orex
Inj 10,000 iu in 1 ml, syringe	395.18	6	✓ E	
Inj 40,000 iu in 1 ml, syringe		1	✓ E	
Megaloblastic				

۲	U	LI	C	A	CI	D

*	lab 0.8 mg20.60	1,000	Apo-Folic Acid
*	Tab 5 mg10.92	500	Apo-Folic Acid
	Oral lig 50 mcg per ml24.00	25 ml OP	✓ Biomed

Antifibrinolytics, Haemostatics and Local Sclerosants

ELTROMBOPAG - Special Authority see SA1418 below	w – Retail pharmacy		
Wastage claimable – see rule 3.3.2 on page 13			
Tab 25 mg	1,771.00	28	Revolade
Tab 50 mg	3.542.00	28	✓ Revolade

⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab): and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding: or
 - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of $\leq 10,000$ platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1,178.30	1 🗸	NovoSeven RT
Inj 2 mg syringe	2,356.60	1 🗸	NovoSeven RT
Inj 5 mg syringe	5,891.50	1 🗸	NovoSeven RT
Inj 8 mg syringe	9,426.40	1 🗸	NovoSeven RT

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

FACTOR EIGHT INHIBITOR BYPASSING FRACTION - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

FEIBA NF	1	1,450.00	Inj 500 U
FEIBA NF	1	2,900.00	
✓ FEIBA NF	1	7,250.00	Ini 2.500 U

MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

Preferred Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

210.00	1	Xyntha
420.00	1	Xyntha
840.00	1	Xyntha
	1	Xyntha
	1	Xyntha
	210.00 420.00 840.00 1,680.00 2,520.00	

NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	310.00	1	✓ BeneFIX
Inj 500 iu vial		1	✓ BeneFIX
Inj 1,000 iu vial		1	✓ BeneFIX
Inj 2,000 iu vial	*	1	✓ BeneFIX
Ini 3,000 iu vial	•	1	✓ BeneFIX

NONACOG GAMMA, [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	.287.50 1	✓ RIXUBIS
lnj 500 iu vial	.575.00 1	✓ RIXUBIS
Inj 1,000 iu vial1		✓ RIXUBIS
Inj 2,000 iu vial2		✓ RIXUBIS
Inj 3,000 iu vial3	•	✓ RIXUBIS

OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVATE) - [Xpharm]

Rare Clinical Circumstances Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption 2	
PHARMAC PO Box 10 254	Facsimile: (04) 974 488	İ	
Wellington	Email: haemophilia@pl	narmac.go	vt.nz
Inj 250 iu vial	287.50	1	✓ Advate
Inj 500 iu vial	575.00	1	Advate
Inj 1,000 iu vial	1,150.00	1	Advate
Inj 1,500 iu vial	1,725.00	1	Advate
Inj 2,000 iu vial	2,300.00	1	Advate
Ini 3 000 iu vial	3.450.00	1	✓ Advate

Subsidised

Fully

Brand or

Generic Manufacturer

to

Subsidy

(Manufacturer's Price)

	\$	Per	✓ Manutacturer
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGEN Second Brand of recombinant factor VIII for patients w funded treatment by application to the Haemophilia Trewebsite http://www.pharmac.govt.nz or:	vith haemophilia from 1		
The Co-ordinator, Haemophilia Treatments Panel PHARMAC PO Box 10 254 Wellington	Phone: 0800 023 588 (Facsimile: (04) 974 48 (Email: haemophilia@	31	rt.nz
Inj 250 iu vial	237.50	1	✓ Kogenate FS
Inj 500 iu vial		1	✓ Kogenate FS
Inj 1,000 iu vial	950.00	1	✓ Kogenate FS
Inj 2,000 iu vial	1,900.00	1	✓ Kogenate FS
Inj 3,000 iu vial	2,850.00	1	✓ Kogenate FS
SODIUM TETRADECYL SULPHATE			
* Inj 3% 2 ml	28.50 (73.00)	5	Fibro-vein
TRANEXAMIC ACID Tab 500 mg	20.67	100	✓ Cyklokapron
Vitamin K			
PHYTOMENADIONE			
Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO	8.00	5	✓ Konakion MM
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PSC		5	✓ Konakion MM
Antithrombotic Agents			
Antiplatelet Agents			
ASPIRIN			
* Tab 100 mg Ethics Aspirin EC to be Sole Supply on 1 January 2		990	✓ Ethics Aspirin EC
CLOPIDOGREL			
* Tab 75 mg – For clopidogrel oral liquid formulation reference 221		84	✓ Arrow - Clopid
DIPYRIDAMOLE			·
* Tab long-acting 150 mg		60	✓ Pytazen SR
PRASUGREL – Special Authority see SA1201 below – Re Tab 5 mg		28	✓ Effient

■SA1201 | Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

continued...

28

' Effient

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

* Tab 90 mg90.00 ✔ Brilinta

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALTEPARIN SODIUM – Special Authority see SA1270 belo	w – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe		10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	✓ Fragmin

⇒SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery: or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or

continued...

(1	Subsidy Manufacturer's Price)	F Subsidi	ully	Brand or Generic
	\$	Per	~	Manufacturer

continued...

5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 bel	ow – Retail pharmacy		
Inj 20 mg in 0.2 ml syringe	30.91	10	Clexane
Inj 40 mg in 0.4 ml syringe	41.24	10	Clexane
Inj 60 mg in 0.6 ml syringe		10	Clexane
Inj 80 mg in 0.8 ml syringe		10	Clexane
Inj 100 mg in 1 ml syringe		10	Clexane
Inj 120 mg in 0.8 ml syringe		10	Clexane
Inj 150 mg in 1 ml syringe		10	Clexane

■ SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml13.36	10	Hospira
61.04	50	✔ Pfizer
66.80		Hospira
Inj 1,000 iu per ml, 35 ml vial17.76	1	✓ Hospira
Inj 5,000 iu per ml, 1 ml14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml236.60	50	Pfizer
Inj 25,000 iu per ml, 0.2 ml	5	Hospira

51

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e)	Subsidised	Generic
	\$	Per	~	Manufacturer
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml	23 40	30	√ R	ecton Dickinson
iiij 10 iu per iiii, 3 iiii	20.40	00	• 5	PosiFlush \$29
	39.00	50	✓ P	fizer
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml	22.40	10		
	(119.23)		Α	rtex
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg - No more than 2 cap per day	76.36	60	✓ P	radaxa
Cap 110 mg		60	✓ P	radaxa
Cap 150 mg		60	✓ P	radaxa
RIVAROXABAN - Special Authority see SA1066 below - Retail ph	armacy			
Tab 10 mg	•	15	✓ X	arelto

⇒SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Fither:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

	note: Marevan and Coumadin are not interchangeable.			
*	Tab 1 mg	3.46	50	Coumadin
	•	6.86	100	Marevan
*	Tab 2 mg	4.31	50	Coumadin
*	Tab 3 mg	9.70	100	Marevan
*	Tab 5 mg	5.93	50	Coumadin
	-	11.75	100	✓ Marevan

Blood Colony-stimulating Factors

Nata. Managan and Carras alla and not internal annual la

FILGRASTIM - Special Authority see SA1259 below - Retail phar	macy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	432.00	5	Zarzio

▶SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5×10^9 /L); or

continued...

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10^9 /L).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

✓ Neulastim

►SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk > 20%*).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

CLUCASE IDEXTRASEI

Intravenous Administration

* Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO27.50 * Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO14.50	5 1	✓ Biomed ✓ Biomed
POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml55.00	50	✓ AstraZeneca
SODIUM BICARBONATE Inj 8.4%, 50 ml19.95	1	✓ Biomed
a) Up to 5 inj available on a PSO b) Not in combination Inj 8.4%, 100 ml20.50	1	✓ Biomed
a) Up to 5 inj available on a PSO b) Not in combination		

SODIUM CHLORIDE

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser

500 ml ✓ Baxter 1.26 1,000 ml ✓ Baxter

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use, (500 ml and 1,000 ml packs)

11 79

30

Inj 23.4% (4 mmol/ml), 20 ml ampoule	33.00	5	✓ Biomed
a) For Sodium chloride oral liquid formulation refer Stand	dard Formulae, pag	e 224	
b) Biomed to be Sole Supply on 1 November 2016			
Inj 0.9%, 5 ml - Up to 5 inj available on a PSO	10.85	50	Multichem
	15.50		✔ Pfizer
Inj 0.9%, 10 ml - Up to 5 inj available on a PSO	11.50	50	✓ Multichem
	15.50		✔ Pfizer
Inj 0.9%, 20 ml	4.72	6	Pharmacia
•	8.41	20	✓ Multichem

TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Specialist			
Infusion	CBS	1 OP	✓ TPN

/ Pharmacia

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
WATER				
 On a prescription or Practitioner's Supply Order only wh Schedule requiring a solvent or diluent; or On a bulk supply order; or 	en on the same form	as an	injection lis	sted in the Pharmaceutical
3) When used in the extemporaneous compounding of eye	drops.			
Purified for inj, 5 ml - Up to 5 inj available on a PSO	10.25	50	✓ N	lultichem
Purified for inj, 10 ml - Up to 5 inj available on a PSO	11.25	50	✓ N	lultichem
Purified for inj, 20 ml - Up to 5 inj available on a PSO	6.50	20	✓ N	lultichem

Oral Administration	n
---------------------	---

CALCIUM POLYSTYRENE SULPHONATE Powder16	9.85	300 g OP	✓ Calcium Resonium
COMPOUND ELECTROLYTES			
Powder for oral soln — Up to 10 sach available on a PSO	2.30	10	✓ Enerlyte
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.55 1	,000 ml OP	✓ Pedialyte - Bubblegum \$29
Soln with electrolytes (2 × 500 ml)	6.55 1	,000 ml OP	✔ Pedialyte - Bubblegum
(Pedialyte - Bubblegum S29 Soln with electrolytes to be delisted 1 Decei	mber 2016	5)	•
PHOSPHORUS			
Tab eff 500 mg (16 mmol)8	2.50	100	✓ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
(1	1.85)		Chlorvescent
* Tab long-acting 600 mg (8 mmol)	7.42	200	✓ Span-K
SODIUM BICARBONATE			
Cap 840 mg	8.52	100	✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE			
Powder8	4.65	454 g OP	✓ Resonium-A

	Subsidy (Manufacturer's Price)) Per	Fully Subsidised	
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg		500		Apo-Doxazosin
* Tab 4 mg	9.67	500	,	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	65.00	30		BNM S29
PRAZOSIN	F F0	100	.,	Ana Duamasin
* Tab 1 mg * Tab 2 mg		100		Apo-Prazosin Apo-Prazosin
* Tab 5 mg		100		Apo-Prazosin
TERAZOSIN				
* Tab 1 mg	0.59	28	~	Actavis
* Tab 2 mg		28	1	Arrow
* Tab 5 mg	0.68	28	~	Arrow
Agents Affecting the Renin-Angiotensin System				
ACE Inhibitors				
AGE IIIIIBROIS				
CAPTOPRIL *‡ Oral liq 5 mg per ml Oral liquid restricted to children under 12 years of age.	94.99 9	5 ml OF	· /	Capoten
CILAZAPRIL				
* Tab 0.5 mg		90		Zapril
* Tab 2.5 mg	7.20	90 200		Zapril Apo-Cilazapril
* Tab 5 mg		90		Zapril
- 142 0 mg	12.00	200		Apo-Cilazapril
ENALAPRIL MALEATE				
* Tab 5 mg	0.96	100	1	Ethics Enalapril
* Tab 10 mg	1.24	100	'	Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation re-				
fer, page 221	1.78	100	•	Ethics Enalapril
LISINOPRIL				
* Tab 5 mg		90		Ethics Lisinopril
* Tab 10 mg * Tab 20 mg		90 90		Ethics Lisinopril Ethics Lisinopril
	2.70	30	•	Luncs Lismopin
PERINDOPRIL * Tab 2 mg	3.75	30		Apo-Perindopril
* Tab 4 mg		30		Apo-Perindopril
QUINAPRIL				
* Tab 5 mg	4.31	90	V	Arrow-Quinapril 5
* Tab 10 mg		90	-	Arrow-Quinapril 10
* Tab 20 mg	5.97	90	~	Arrow-Quinapril 20

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
AC	E Inhibitors with Diuretics				
	ZAPRIL WITH HYDROCHLOROTHIAZIDE Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	~	Apo- Cilazapril/Hydrochlorothi
k -	NAPRIL WITH HYDROCHLOROTHIAZIDE Tab 10 mg with hydrochlorothiazide 12.5 mg Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30		Accuretic 10 Accuretic 20
	giotensin II Antagonists		-		7000.010 <u>20</u>
	DESARTAN CILEXETIL - Special Authority see SA1223 be	Now - Retail nharmac	,		
	Tab 4 mg		90	~	Candestar
	Tab 8 mg		90		Candestar
	Tab 16 mg		90		Candestar
	Tab 32 mg		90		Candestar
	A1223 Special Authority for Subsidy		00	•	<u> </u>
	 Patient has persistent ACE inhibitor induced cough that is or 				(,
enev	Patient has a history of angioedema. I application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled.)				
enev OS/	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit	d on maximum tolerate		e of an A	
enev OS/	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM	d on maximum tolerate	d dos	e of an A	ČE inhibitor.
onev OS/ -	Patient has a history of angioedema. Application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate1.551.90	ed dos	e of an A	ČE inhibitor. <u>Losartan Actavis</u>
nev	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate1.551.902.25	84 84	e of an A	CE inhibitor. Losartan Actavis Losartan Actavis
OS/ e - e -	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg	d on maximum tolerate1.551.902.25	84 84 84 84	e of an A	OE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis
enev OS/ k k k k	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg Tab 100 mg	d on maximum tolerate1.551.902.252.60	84 84 84 84	e of an A	CE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
OSA An	2 Patient has a history of angioedema. Al application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate1.551.902.252.60	84 84 84 84 84	e of an A	CE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis
OSA An	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate1.551.902.252.60	84 84 84 84 84	e of an A	CE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
OSA Secondary An OSA	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg Tab 100 mg Igiotensin II Antagonists with Diuretics ARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg Itiarrhythmics Ignocaine hydrochloride refer to NERVOUS SYSTEM, Anaes	d on maximum tolerate1.551.902.252.60	84 84 84 84 84	e of an A	CE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
An OSA An OSA	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an A	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide
An OSA	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 84	e of an A	CE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
An OSA An OSA	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an Al	CE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Aratac Cordarone-X
An OSA An OSA	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an Al	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Aratac Cordarone-X Cordarone-X
An OSA An OSA	2 Patient has a history of angioedema. Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an Al	CE inhibitor. Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Aratac Cordarone-X
An OS	2 Patient has a history of angioedema. In application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an A	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Aratac Cordarone-X Cordarone-X
An OS	2 Patient has a history of angioedema. In application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	30 30 30	e of an A	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Aratac Cordarone-X Cordarone-X Aratac
An OSA	2 Patient has a history of angioedema. In application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an A	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide Aratac Cordarone-X Cordarone-X

	Subsidy	^	Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
ATRODINE OUR BUATE	-			
ATROPINE SULPHATE				
* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO		50	✓ A	straZeneca
DIGOXIN				
* Tab 62.5 mcg - Up to 30 tab available on a PSO	6.67	240	✓ L	anoxin PG
* Tab 250 mcg - Up to 30 tab available on a PSO	14.52	240	V L	anoxin
*‡ Oral liq 50 mcg per ml	16.60	60 ml	✓ L	anoxin
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	15.00	100		
	(23.87)		R	ythmodan
▲ Cap 150 mg		100	✓ R	ythmodan
(Rythmodan Cap 150 mg to be delisted 1 April 2017)				
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	38.95	60	✓ Ta	ambocor
▲ Cap long-acting 100 mg		30	✓ Ta	ambocor CR
▲ Cap long-acting 200 mg		30	✓ Ta	ambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	✓ Ta	ambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	162.00	100	✓ M	lexiletine Hydrochloride USP®29
▲ Cap 250 mg	202.00	100	✓ M	lexiletine Hydrochloride USP §29
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Special	ist			
▲ Tab 150 mg		50	✓ R	ytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA1474 below - Retail pha	rmacy			
Tab 2.5 mg		100	√ G	utron
Tab 5 mg		100		utron
The CA 1474 Connected Anathority for Conhected.				

■ SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ΑT	ENOLOL			
*	Tab 50 mg	4.61	500	Mylan Atenolol
*	Tab 100 mg	7.67	500	Mylan Atenolol
*	Oral liq 25 mg per 5 ml	21.25	300 ml OP	✓ Atenolol AFT
	Restricted to children under 12 years of age.			

	Subsidy		Fully Brand or
	(Manufacturer's Price	١	Subsidised Generic
	\$, Per	
BISOPROLOL FUMARATE			
	2.40	30	✓ Bosvate
Tab 2.5 mg		30	✓ Bosvate
Tab 5 mg		30	
Tab 10 mg	0.40	30	✓ Bosvate
CARVEDILOL			
* Tab 6.25 mg	3.90	60	✓ <u>Dicarz</u>
* Tab 12.5 mg	5.10	60	✓ <u>Dicarz</u>
* Tab 25 mg - For carvedilol oral liquid formulation refer, page			
221	6.30	60	✓ <u>Dicarz</u>
CELIPROLOL			
* Tab 200 mg	21.40	180	✓ Celol
· ·	21.70	100	• Ocioi
ABETALOL			4
★ Tab 50 mg		100	✓ Hybloc
★ Tab 100 mg – For labetalol oral liquid formulation refer, page			
221	11.36	100	✓ Hybloc
₭ Tab 200 mg	29.74	100	✓ Hybloc
★ Inj 5 mg per ml, 20 ml ampoule	59.06	5	
	(88.60)		Trandate
METOPROLOL SUCCINATE			
Tab long-acting 23.75 mg	2.39	90	✓ Metoprolol - AFT CR
Tab long-acting 47.5 mg		90	✓ Metoprolol - AFT CR
Tab long downg 17.5 mg	7.50	30	✓ Betaloc CR
Tab long-acting 95 mg		90	✓ Metoprolol - AFT CR
tab long adding oo mg	7.50	30	✓ Betaloc CR
Tab long-acting 190 mg		30	✓ Myloc CR
tab long downg for mg	11.54	90	✓ Metoprolol - AFT CR
Betaloc CR Tab long-acting 47.5 mg to be delisted 1 January 201	17)		
Betaloc CR Tab long-acting 95 mg to be delisted 1 January 2017,	")		
Myloc CR Tab long-acting 190 mg to be delisted 1 January 2017))		
METOPROLOL TARTRATE			
★ Tab 50 mg - For metoprolol tartrate oral liquid formulation			
• • • • • • • • • • • • • • • • • • • •		100	✓ Apo-Metoprolol
refer, page 221	(16.00)	100	Lopresor
Ana Matanzalal ta ha Cala Cupply on 1 Navambar 2016	(10.00)		Lopiesoi
Apo-Metoprolol to be Sole Supply on 1 November 2016	6.00	60	1/ Ano-Matanzalal
k Tab 100 mg		00	✓ Apo-Metoprolol
Ana Matanzalal ta ha Cala Cupply on 1 Navambar 2016	(21.00)		Lopresor
Apo-Metoprolol to be Sole Supply on 1 November 2016	00.40	00	A Claw Language
* Tab long-acting 200 mg		28	✓ Slow-Lopresor
k Inj 1 mg per ml, 5 ml vial	24.00	5	✓ Lopresor
Lopresor Tab 50 mg to be delisted 1 November 2016)			
Lopresor Tab 100 mg to be delisted 1 November 2016)			
NADOLOL			
★ Tab 40 mg	16.05	100	Apo-Nadolol
★ Tab 80 mg	24.70	100	Apo-Nadolol
PINDOLOL			
* Tab 5 mg	9 72	100	✓ Apo-Pindolol
★ Tab 10 mg		100	✓ Apo-Pindolol
* Tab 15 mg		100	✓ Apo-Pindolol
- iab io ing	20.70	100	• Apo i illuoioi

		Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	Brand or Generic Manufacturer
PR	OPRANOLOL				
*	Tab 10 mg	3.65	100	✓ A _l	po- Propranolol S29
*	Tab 40 mg	4.65	100	✓ A _l	po- Propranolol S29
*	Cap long-acting 160 mg Oral liq 4 mg per ml – Special Authority see SA1327 below –		100	✓ Ca	ardinol LA
	Retail pharmacy		500 ml	✓ Re	oxane S29

■SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only): or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons

100

✓ Apo-Amlodipine

2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

*	Tab 80 mg - For sotalol oral liquid formulation refer, page 221	39.53	500	Mylan
	Mylan to be Sole Supply on 1 November 2016			
*	Tab 160 mg	12.48	100	Mylan
	Mylan to be Sole Supply on 1 November 2016			
*	Inj 10 mg per ml, 4 ml ampoule	65.39	5	Sotacor
TIN	MOLOL			
*	Tab 10 mg	10.55	100	Apo-Timol

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

AIVII	LODIPINE	
*	Tab 2.5 mg	2.21

*	Tab 5 mg - For amlodipine oral liquid formulation refer, page			
	2215.0	4 250) /	Apo-Amlodipine
*	Tab 10 mg7.2	1 250	· •	Apo-Amlodipine
FE	LODIPINE			
*	Tab long-acting 2.5 mg1.4	5 30	/	Plendil ER
*	Tab long-acting 5 mg1.5	5 30	/	Plendil ER
	Tab long-acting 10 mg2.3		~	Plendil ER
ISF	RADIPINE			
*	Cap long-acting 2.5 mg7.5	0 30	/	Dynacirc-SRO
	Cap long-acting 5 mg7.8			Dynacirc-SRO

		Subsidy (Manufacturer's Price)		Fully	
		(Manufacturer's Price)	Per	Subsidised	
	DIDINE	<u> </u>			
	DIPINE	17.70	00		A -l - l - t - t 0
	ab long-acting 10 mg		60		Adalat 10
	ab long-acting 20 mg		100		Nyefax Retard
	ab long-acting 30 mg		30	-	Adefin XL
	ab long-acting 60 mg	5.75	30	<u>, , , , , , , , , , , , , , , , , , , </u>	Adefin XL
)th	er Calcium Channel Blockers				
LTI/	AZEM HYDROCHLORIDE				
T	ab 30 mg	4.60	100	/	Dilzem
	ab 60 mg - For diltiazem hydrochloride oral liquid formula-				
	tion refer, page 221	8 50	100	1	Dilzem
C	Cap long-acting 120 mg		30		Cardizem CD
C	ap long-acting 120 mg				
	Nam Januar anti-nam 100 man	31.83	500		Apo-Diltiazem CD
C	Cap long-acting 180 mg		30		Cardizem CD
_		47.67	500		Apo-Diltiazem CD
· C	Cap long-acting 240 mg		30		Cardizem CD
		63.58	500	•	Apo-Diltiazem CD
ERH	IEXILINE MALEATE				
T	ab 100 mg	62.90	100	/	Pexsig
	APAMIL HYDROCHLORIDE	7.04	100		
	ab 40 mg	/.01	100	•	soptin
T	ab 80 mg - For verapamil hydrochloride oral liquid formula-				
	tion refer, page 221		100		<u>soptin</u>
: T	ab long-acting 120 mg	15.20	250		/erpamil SR
T	ab long-acting 240 mg	25.00	250	~	Verpamil SR
: Ir	nj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available on a				
-	PSO	25.00	5	/	soptin
`er	ntrally-Acting Agents				_
	IIDINE	40.00		_	
	Patch 2.5 mg, 100 mcg per day — Only on a prescription		4		Catapres-TTS-1
	atch 5 mg, 200 mcg per day - Only on a prescription		4	-	Catapres-TTS-2
P	atch 7.5 mg, 300 mcg per day - Only on a prescription	22.68	4		Catapres-TTS-3
ON	IIDINE HYDROCHLORIDE				
	ab 25 mcg	10.53	112	1	Clonidine BNM
	ab 150 mcg		100		Catapres
	nj 150 mcg per ml, 1 ml ampoule		5	_	Catapres Catapres
	,	10.07	J	•	valapies
ETH	HYLDOPA				
: T	ab 125 mg	14.25	100	/	Prodopa
T	ab 250 mg	15.10	100	/	Prodopa
	ab 500 mg		100	/	Prodopa
	retics				·
	p Diuretics				
	•				
	ETANIDE				
- T	ab 1 mg	16.36	100		Burinex
		7.95	5		Burinex

	Subsidy (Manufacturer's F	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
* Tab 40 mg - Up to 30 tab available on a PSO* * Tab 500 mg* *† Oral liq 10 mg per ml* * Inj 10 mg per ml, 25 ml ampoule* * Inj 10 mg per ml, 2 ml ampoule - Up to 5 inj available on a	25.00 10.66 57.77	1,000 50 30 ml OP 6		
PSO	1.20	5	✓ <u>Fr</u>	usemide-Claris
Potassium Sparing Diuretics				
AMILORIDE HYDROCHLORIDE * Tab 5 mg † Oral liq 1 mg per ml METOLAZONE – Special Authority see SA1349 below – Retail pl	30.00	100 25 ml OP		po-Amiloride iomed
Tab 5 mg	CBS	1 50		etolazone S29 aroxolyn S29
ment of patients with refractory heart failure who are intolerant or nation therapy. SPIRONOLACTONE * Tab 25 mg	4.38	nded to loop diu 100 100 25 ml OP	✓ SI	nd/or loop-thiazide combi piractin piractin
Potassium Sparing Combination Diuretics		23 1111 01	V D	onica
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE * Tab 5 mg with furosemide 40 mg		28	✓ Fr	rumil
* Tab 5 mg with hydrochlorothiazide 50 mg		50	✓ M	oduretic
Thiazide and Related Diuretics				
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] * Tab 2.5 mg – Up to 150 tab available on a PSO		500	✓ <u>A</u>	rrow- Bendrofluazide
May be supplied on a PSO for reasons other than emerger * Tab 5 mg	•	500	✓ <u>A</u>	<u>rrow-</u> Bendrofluazide
CHLOROTHIAZIDE † Oral liq 50 mg per ml CHLORTALIDONE [CHLORTHALIDONE]	26.00	25 ml OP	✓ Bi	iomed
* Tab 25 mgINDAPAMIDE	8.00	50	✓ Hy	ygroton
* Tab 2.5 mg	2.60	90	✓ Da	apa-Tabs

		Subsidy (Manufacturer's Price)	Q.	Fully bsidised	Brand or Generic
		(Manufacturer's Frice)	Per	₩ W	Manufacturer
Ħ	in let Marel Marel Maren America				
Ц	pid-Modifying Agents				
Fi	brates				
BE	ZAFIBRATE				
*	Tab 200 mg		90	✓ <u>Be</u>	
*	Tab long-acting 400 mg	6.78	30	✓ <u>Be</u>	ezalip Retard
GE	MFIBROZIL				
*	Tab 600 mg	17.60	60	✓ Li	pazil
0	ther Lipid-Modifying Agents				
AC	IPIMOX				
*	Cap 250 mg	18.75	30	✓ 0I	betam
NIC	COTINIC ACID				
*	Tab 50 mg	3.96	100	_	oo-Nicotinic Acid
*	Tab 500 mg	17.37	100	✓ <u>A</u> p	oo-Nicotinic Acid
R	esins				
СН	OLESTYRAMINE				
	Powder for oral liq 4 g	19.25	50		
		(52.68)		Qı	uestran-Lite
CO	LESTIPOL HYDROCHLORIDE				
	Grans for oral liq 5 g	22.00	30	✓ Co	olestid
Н	MG CoA Reductase Inhibitors (Statins)				
Pre	escribing Guidelines				
Tre	atment with HMG CoA Reductase Inhibitors (statins) is recom	mended for patients	with dys	lipidaemi	a and an absolute 5 year
car	diovascular risk of 15% or greater.				
AT(DRVASTATIN – See prescribing guideline above				
*	Tab 10 mg		90	✓ Za	
110	Tab 00	9.29	500	✓ Lo	
*	Tab 20 mg	4.17 13.32	90 500	✓ Za	
*	Tab 40 mg		90	✓ Za	
Т	Tab 40 flig	21.23	500	✓ Lo	
*	Tab 80 mg		90	✓ Za	
•••	100 00 mg	36.26	500	✓ Lo	
PR	AVASTATIN - See prescribing guideline above				
*	Tab 20 mg	3.45	30	✓ Cl	nolvastin_
*	Tab 40 mg		30		nolvastin
SIN	/IVASTATIN - See prescribing guideline above			_	
*	Tab 10 mg	0.95	90	✓ Ar	row-Simva 10mg
*	Tab 20 mg		90		row-Simva 20mg
*	Tab 40 mg		90		row-Simva 40mg
*	Tab 80 mg		90	_	row-Simva 80mg
	-				

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Por \$ Manufacturer

Selective Cholesterol Absorption Inhibitors

EZETIMIBE - Special Authority see SA1045 below - Retail pharmacy 30 Ezemibe

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Tab 10 mg with simvastatin 10 mg5.15	30	Zimybe
Tab 10 mg with simvastatin 20 mg6.15	30	✓ Zimybe
Tab 10 mg with simvastatin 40 mg7.15	30	✓ Zimybe
Tab 10 mg with simvastatin 80 mg8.15	30	✓ Zimybe

■ SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

63

Nitrates			
GLYCERYL TRINITRATE			
* Tab 600 mcg – Up to 100 tab available on a PSO	8.00	100 OP	✓ Lycinate
* Oral pump spray, 400 mcg per dose – Up to 250 dose avail-	0.00	100 01	Lycinate
able on a PSO	4.45	250 dose OP	✓ Nitrolingual Pump Spray
* Oral spray, 400 mcg per dose - Up to 250 dose available on			
a PSO		250 dose OP	✓ Glytrin
* Patch 25 mg, 5 mg per day		30	Nitroderm TTS
* Patch 50 mg, 10 mg per day	18.62	30	✓ Nitroderm TTS
ISOSORBIDE MONONITRATE			
* Tab 20 mg		100	✓ <u>Ismo 20</u>
* Tab long-acting 40 mg		30	✓ Ismo 40 Retard
* Tab long-acting 60 mg	8.49	90	✓ Duride
Sympathomimetics			
ADRENALINE			
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO	4.98	5	✓ Aspen Adrenaline
., ,	5.25		✓ Hospira
Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a			
PSO	27.00	5	✓ Hospira
	49.00	10	✓ Aspen Adrenaline
ISOPRENALINE			
* Inj 200 mcg per ml, 1 ml ampoule	36.80	25	
,, <u></u>	(164.20)		Isuprel
Vacadilatara	()		1001
Vasodilators			
AMYL NITRITE			
* Liq 98% in 0.3 ml cap	62.92	12	
	(73.40)		Baxter
HYDRALAZINE HYDROCHLORIDE	, ,		
* Tab 25 mg - Special Authority see SA1321 below - Retail			
pharmacy	CBS	1	✓ Hydralazine
pharmacy		56	✓ Onelink S29
* Inj 20 mg ampoule	25.00	5	✓ Apresoline
	23.30	3	Apresonie
■ SA1321 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid v the following criteria: Either:	vithout furthe	er renewal unless	notified for applications meeting
 For the treatment of refractory hypertension; or For the treatment of heart failure in combination with a nitra inhibitors and/or angiotensin receptor blockers. 	te, in patient	s who are intolera	ant or have not responded to ACE
MINOVIDII - Occasiol Authority on CA4074 haloss - Datail alternation			

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where patient has severe

Subsidy

(Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

✓ fully subsidised [HP4] refer page 4

⇒SA1271 Special Authority for Subsidy

MINOXIDIL - Special Authority see SA1271 below - Retail pharmacy

▲ Tab 10 mg70.00

refractory hypertension which has failed to respond to extensive multiple therapies.

100

✓ Loniten

	Subsidy (Manufacturer's Price) \$	Per		
NICORANDIL				
▲ Tab 10 mg	27.95	60	✓ II	korel
▲ Tab 20 mg	33.28	60	✓ II	korel
PAPAVERINE HYDROCHLORIDE * Inj 12 mg per ml, 10 ml ampoule	217.90	5	√ H	łospira
PENTOXIFYLLINE [OXPENTIFYLLINE]				
Tab 400 mg	36.94	50		
·	(42.26)		T	rental 400

Endothelin Receptor Antagonists

⇒SA0967 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN - Special Authority see SA0967 above - Retail	pharmacy	
Tab 5 mg	4,585.00 30	✓ Volibris
Tab 10 mg	4,585.00 30	✓ Volibris
BOSENTAN - Special Authority see SA0967 above - Retail pha	rmacy	
Tab 62.5 mg	375.00 56	✓ Mylan-Bosentan
Tab 125 mg	375.00 56	✓ Mylan-Bosentan

Phosphodiesterase Type 5 Inhibitors

■SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has Raynaud's Phenomenon*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 above - Retail pharmacy

1ab 25 mg	4	✓ Vedatil
Tab 50 mg0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page		
2212.75	4	Vedafil

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

Prostacyclin Analogues

⇒SA0969 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

Nebuliser soln 10 mcg per ml, 2 ml1,185.00 30

✔ Ventavis

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 96

ADAPAI FNF

- a) Maximum of 30 g per prescription
- b) Only on a prescription

Crm 0.1%	22.89	30 g OP	✓ Differin
Gel 0.1%		30 g OP	✓ Differin
ISOTRETINOIN - Special Authority see SA1475 below - Ref	ail pharmacy		
Cap 10 mg	12.47	100	Isotane 10
, ,	14.96	120	Oratane
Cap 20 mg	19.27	100	Isotane 20
, -	23.12	120	Oratane

■ SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRFTINOIN

50 q OP ReTrieve

67

(Manufacturer's Price) Subsidised Generic Per Manufacturer \$ Antibacterials Topical For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 96 FUSIDIC ACID ✓ DP Fusidic Acid 15 q OP Cream a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination ✓ Foban 15 g OP a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination HYDROGEN PEROXIDE 15 q OP Crystaderm **MUPIROCIN** 15 g OP Bactroban (9.26)a) Only on a prescription b) Not in combination SILVER SUI PHADIAZINE 50 q OP ✓ Flamazine a) Up to 250 g available on a PSO b) Not in combination **Antifungals Topical** For systemic antifungals, refer to INFECTIONS, Antifungals, page 103 **AMOROLFINE** a) Only on a prescription b) Not in combination 5 ml OP MycoNail CICLOPIROX OLAMINE a) Only on a prescription b) Not in combination Nail-soln 8% 6.50 7 ml OP ✓ Apo-Ciclopirox CLOTRIMAZOLE 20 g OP ✓ Clomazol a) Only on a prescription b) Not in combination 20 ml OP

Subsidy

Brand or

Fully

(7.55)

Canesten

a) Only on a prescription b) Not in combination

	Subsidy (Manufacturer's	Subsidy (Manufacturer's Price)		Brand or Generic
	\$	Per	~	Manufacturer
ECONAZOLE NITRATE				
Crm 1%	1.00	20 g OP		
	(7.48)		P	evaryl
a) Only on a prescription				
b) Not in combination				
Foaming soln 1%, 10 ml sachets		3	_	
\ 0.1	(17.23)		Р	evaryl
a) Only on a prescription				
b) Not in combination				
MICONAZOLE NITRATE		05	4	
* Crm 2%	0.55	15 g OP	<u> </u>	<u>ultichem</u>
a) Only on a prescription				
b) Not in combination * Lotn 2%	4.26	30 ml OP		
本 LOUI 2 / 0	(10.03)	30 IIII OF	n	aktarin
a) Only on a prescription	(10.00)		D	antaiiii
b) Not in combination				
* Tinct 2%	4.36	30 ml OP		
	(12.10)		D	aktarin
a) Only on a prescription	, ,			
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g	1.00	15 g OP		
, 1 3	(7.90)	· ·	M	ycostatin
a) Only on a prescription				
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Crm, aqueous, BP	1.49	100 g	✓ <u>P</u>	harmacy Health
Lotn, BP	12.94	2,000 ml	✓ P:	<u>SM</u>
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.37	20 g OP	✓ <u>It</u>	ch-Soothe
MENTHOL – Only in combination				
Only in combination with a dermatological base o page 220	r proprietary Topical	Corticosteriod	- Plain,	refer dermatological bas
2) With or without other dermatological galenicals.				
Crystals	6.50	25 g	✓ P:	SM
	6.92			idWest
	29.60	100 g	✓ M	idWest

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 85

			DI-!
Cortic	enster	ann	- Plain

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
Oint 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.15	50 g OP	✓ Beta Cream
* Oint 0.1%		50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	2 20	30 g OP	✓ Dermol
* OIII 0.00 /v	3.20	00 g 01	✓ Clobetasol BNM
* Oint 0.05%		30 g OP	✓ Dermol
- Ont 0.0070	3.20	00 g 01	✓ Clobetasol BNM
OLODETA COME DUTYDATE	0.20		C Clobotacoi Bittii
CLOBETASONE BUTYRATE	F 00	00 × 0D	
Crm 0.05%		30 g OP	F
	(7.09)		Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8.97	50 g OP	
	(15.86)		Nerisone
Fatty oint 0.1%		50 g OP	
	(15.86)		Nerisone
HYDROCORTISONE			
* Crm 1% - Only on a prescription	3.75	100 g	✓ Pharmacy Health
, , ,	16.25	500 g	✓ Pharmacy Health
Pharmacy Health to be Sole Supply on 1 January 2017		•	·
* Powder - Only in combination	59.50	25 g	✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary Topic	al Corticosterio	od - Plain) with	or without other dermatological
galenicals. Refer, page 220			
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only			
on a prescription	10.57	250 ml	✓ DP Lotn HC
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%	2.20	20 a OB	✓ Locoid Lipocream
Lipocream 0.1%	2.30 6.85	30 g OP 100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid Lipocream
Milky emul 0.1%		100 g OF	✓ Locoid Crelo
	0.00	100 1111 01	¥ 2000ia 010i0
METHYLPREDNISOLONE ACEPONATE	4.05	45 00	4.1.
Crm 0.1%		15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan

	Subsidy		Fully Brand or
	(Manufacturer's Pr	rice) Sub	osidised Generic
	\$	Per	✓ Manufacturer
MOMETASONE FUROATE			
Crm 0.1%	1.51	15 g OP	✓ Elocon Alcohol Free
	2.90	50 g OP	✓ Elocon Alcohol Free
Oint 0.1%		15 g OP	✓ <u>Elocon</u>
1 1 0 10/	2.90	50 g OP	✓ <u>Elocon</u>
Lotn 0.1%		30 ml OP	✓ <u>Elocon</u>
TRIAMCINOLONE ACETONIDE			4.1.
Crm 0.02%		100 g OP	Aristocort
Oint 0.02%	6.35	100 g OP	✓ Aristocort
Corticosteroids - Combination			
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a p	orescription		
Crm 0.1% with clioquinol 3%	•	15 g OP	
·	(4.90)	Ū	Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
	(10.45)	•	Fucicort
a) Maximum of 15 g per prescription			
b) Only on a prescription			
HYDROCORTISONE WITH MICONAZOLE $$ – Only on a prescriptic			
* Crm 1% with miconazole nitrate 2%		15 g OP	✓ Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Only			
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	✓ Pimafucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN	AND NYSTATIN	1	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg			
and gramicidin 250 mcg per g - Only on a prescription		15 g OP	
	(6.60)		Viaderm KC
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescription i	s endorsed acco	ordingly.	
* Handrub 1% with ethanol 70%	4.29	500 ml	✓ <u>healthE</u>
* Soln 4% wash	3.98	500 ml	✓ <u>healthE</u>
TRICLOSAN – Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
b)			
a) Only if prescribed for a patient identified with Methicillin-res		coccus aureu	s (MRSA) prior to elective surger
in hospital and the prescription is endorsed accordingly; or		and the	rocarintian is and aroad accession
b) Only if prescribed for a patient with recurrent Staphylococc			· · · · · · · · · · · · · · · · · · ·
Soln 1%	4.50 5.90	500 ml OP	✓ Pharmacy Health ✓ healthE
(Pharmacy Health Soln 1% to be delisted 1 December 2016)	J.3U		▼ IIGaltiiL
1 marriady moduli Com 170 to be delicted 1 becomber 2010)			

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Sub Per	sidised Generic Manufacturer
Barrier Creams and Emollients			
Barrier Creams			
DIMETHICONE			
* Crm 5% pump bottle	4.59	500 ml OP	✓ <u>healthE</u> Dimethicone 5%
* Crm 10% pump bottle	4.90	500 ml OP	✓ healthE Dimethicone 10%
ZINC AND CASTOR OIL * Oint BP	3.83	500 g	✓ Multichem
Emollients		, ,	
AQUEOUS CREAM			
* Crm	1.99	500 g	✓ AFT SLS-free
CETOMACROGOL	0.74	500 -	. d backbr
* Crm BP CETOMACROGOL WITH GLYCEROL	2.74	500 g	✓ <u>healthE</u>
Crm 90% with glycerol 10%	2.82	500 ml OP	Pharmacy Health Sorbolene with
	3.87	1,000 ml OP	Glycerin Pharmacy Health Sorbolene with Glycerin
EMULSIFYING OINTMENT			GIYOOTIII
* Oint BP	2.73	500 g	✓ <u>AFT</u>
DIL IN WATER EMULSION * Crm	2.25	500 g	✓ O/W Fatty Emulsion
		557.9	Cream
JREA * Crm 10%	1.37	100 g OP	✓ healthE Urea Cream
WOOL FAT WITH MINERAL OIL - Only on a prescription		100 g 01	Tiodini Diod Groun
* Lotn hydrous 3% with mineral oil		1,000 ml	
	(11.95) 1.40	250 ml OP	DP Lotion
	(4.53)	230 1111 01	DP Lotion
	5.60	1,000 ml	DI LOUGH
	(20.53)	.,	Alpha-Keri Lotion
	(23.91)		BK Lotion
	1.40	250 ml OP	
	(7.73)		BK Lotion
Other Dermatological Bases			
PARAFFIN			
White soft - Only in combination		2,500 g	✓ IPW
	3.58	500 g	
	(7.78)		IPW
	(8.69)		PSM
Only in combination with a dermatological galenical or a	as a diluent for a p	roprietary Topica	al Corticosteroid – Plain.

Brand or

Generic Manufacturer

Fully

Subsidised

Per

·		
Minor Skin Infections		
POVIDONE IODINE		
Oint 10%	7 25 g OP	✓ Betadine
a) Maximum of 100 g per prescription		
b) Only on a prescription	0 500 ml	✓ Betadine
Antiseptic soln 10%	J 500 IIII	✓ Riodine
1.28	3 100 ml	Niouille
(4.20		Riodine
(8.25)	,	Betadine
0.19	9 [°] 15 ml	
(4.45)	5)	Betadine
Skin preparation, povidone iodine 10% with 30% alcohol10.00	0 500 ml	Betadine Skin Prep
1.63		
(3.65	,	Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13		
(18.63	,	Orion
1.63		0.1
(6.04	4)	Orion

Subsidy

(Manufacturer's Price)

\$

Parasiticidal Preparations

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg − Up to 100 tab available on a PSO......17.20 4 Stromectol

- PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

■ SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:



Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
- 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
- 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scables with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE

Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2%11.15 90 q OP ✔ Para Plus (Para Plus Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2% to be delisted 1 January 2017)

PFRMFTHRIN

Crm 5%.	4.20	30 g OP	Lyderm
Lotn 5%.	3.19	30 ml OP	✓ A-Scabies

(Subsidy Manufacturer's		Fully	Brand or Generic
`	\$	Per	~	Manufacturer
PHENOTHRIN				
Shampoo 0.5%	5.68	100 ml OP	√ F	Parasidose
•	11.36	200 ml OP	' √ F	Parasidose
Psoriasis and Eczema Preparations				
ACITRETIN - Special Authority see SA1476 below - Retail pharma	acv			
Cap 10 mg	17.86	60	✓ N	lovatretin
Cap 25 mg	41.36	60	✓ N	lovatretin

⇒SA1476 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL Gel 500 mcg with calcipotriol 50 mcg per g	30 g OP 30 g OP	✓ <u>Daivobet</u> ✓ <u>Daivobet</u>
CALCIPOTRIOL		
Crm 50 mcg per g16.00	30 g OP	Daivonex
45.00	100 g OP	Daivonex
Oint 50 mcg per g45.00	100 g OP	Daivonex
Soln 50 mcg per ml16.00	30 ml OP	Daivonex
COAL TAR		
Soln BP - Only in combination32.95	200 ml	✓ Midwest
a)		

- 1) Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod Plain, refer dermatological base, page 220
- 2) With or without other dermatological galenicals.
 - b) Midwest to be Sole Supply on 1 January 2017

COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHUR Soln 5% with sulphur 0.5% menthal 0.75% phenal 0.5% and

soin 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% an	a		
allantoin crm 2.5%	6.59	75 g OP	
	(8.00)	Ü	Egopsoryl TA
	3.43	30 g OP	0, ,
	(4.35)	•	Egopsoryl TA

75

DERMATOLOGICALS

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	(Wandlacturers	Per	✓ Manufacturer
OAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	✔ Coco-Scalp
INE TAR WITH TROLAMINE LAURILSULFATE AND FLUORS Soln 2.3% with trolamine laurilsulfate and fluorescein sodiu		n a prescription 500 ml	✓ <u>Pinetarsol</u>
ALICYLIC ACID			
Powder – Only in combination Only in combination with a dermatological base or producer base of producer base, page 220 With or without other dermatological galenicals.		250 g Corticosteroid	✓ PSMPlain or collodion flexible, ref
ULPHUR			
Precipitated - Only in combination	6.35	100 g	✓ Midwest
 Only in combination with a dermatological base or prepage 220 With or without other dermatological galenicals. 	oprietary Topical (Corticosteroid –	Plain, refer dermatological bas
Scalp Preparations			
ETAMETHASONE VALERATE			
Scalp app 0.1%	7.75	100 ml OP	✓ Beta Scalp
LOBETASOL PROPIONATE			
Scalp app 0.05%	6.96	30 ml OP	✓ Dermol
YDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid
ETOCONAZOLE			
Shampoo 2%	2.99	100 ml OP	✓ Sebizole
 a) Maximum of 100 ml per prescription b) Only on a prescription 			
Sunscreens			
UNSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensitivity	v secondary to a	defined clinical	condition and the prescription
endorsed accordingly.	,, 5555, 15 u		. containen ana ane precenpacin
Crm	3.30	100 g OP	
	(5.89)		Hamilton Sunscreen
Lotn,	3.30	100 g OP	✓ Marine Blue Lotion SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion SPF 50+
Lotn	4.13	125 ml OP	
	(6.94)		Aquasun 30+
Aquasun 30+ Lotn to be delisted 1 April 2017)			
Wart Preparations			
	MA PREPARATION	NS, page 75	
or salicylic acid preparations refer to PSORIASIS AND ECZE	• ,,	io, pago 10	
or salicylic acid preparations refer to PSORIASIS AND ECZEI			
or salicylic acid preparations refer to PSORIASIS AND ECZEI MQUIMOD Crm 5%, 250 mg sachet	17.00	12	✓ Apo-Imiquimod

DERMATOLOGICALS

	Subsidy (Manufacturer's Prio \$	ce) Sub Per	Fully sidised	Brand or Generic Manufacturer	
PODOPHYLLOTOXIN Soln 0.5% a) Maximum of 3.5 ml per prescription b) Only on a prescription	33.60	3.5 ml OP	✓ C	ondyline	
Other Skin Preparations					
Antineoplastics					

FLUOROURACIL SODIUM 20 g OP ✔ Efudix

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

Contraceptives - Non-hormonal

Condoms CONDOMS

CC	DNDOMS		
*	49 mm - Up to 144 dev available on a PSO13.36	144	✓ MarquisTantiliza
			✓ Shield 49
*	52 mm - Up to 144 dev available on a PSO13.36	144	Marquis Selecta
*	52 mm extra strength - Up to 144 dev available on a PSO13.36	144	✓ Marquis Protecta
*	53 mm - Up to 144 dev available on a PSO	12	✓ Gold Knight
	•		✓ Shield Blue
	13.36	144	✓ Marguis Black
			✓ Shield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
*	53 mm (strawberry) - Up to 144 dev available on a PSO1.11	12	✓ Gold Knight
	13.36	144	✓ Gold Knight
*	54 mm, shaped - Up to 144 dev available on a PSO	12	· ·
	(1.24)		Lifestyles Flared
	13.36	144	,
	(14.84)		Lifestyles Flared
*	55 mm – Up to 144 dev available on a PSO	144	✓ Marguis Conforma
*	56 mm - Up to 144 dev available on a PSO	12	✓ Gold Knight
	13.36	144	✓ Durex Extra Safe
			✓ Gold Knight
*	56 mm, shaped - Up to 144 dev available on a PSO1.11	12	✓ Durex Confidence
	13.36	144	✓ Durex Confidence
*	60 mm - Up to 144 dev available on a PSO	144	✓ Shield XL
	festyles Flared 54 mm, shaped to be delisted 1 November 2016)		

Contraceptive Devices

DIAPHRAGM – Up to 1	dev available on a PSO
One of each size is r	nermitted on a PSO

(Lifestyles Flared 54 mm, shaped to be delisted 1 November 2016)

One of each size is permitted on a 1 30.			
* 65 mm	42.90	1	✓ Ortho All-flex
* 70 mm	42.90	1	✓ Ortho All-flex
* 75 mm	42.90	1	✓ Ortho All-flex
* 80 mm	42.90	1	✓ Ortho All-flex
(Ortho All-flex 65 mm to be delisted 1 April 2017)			
(Ortho All-flex 70 mm to be delisted 1 April 2017)			
(Ortho All-flex 75 mm to be delisted 1 April 2017)			
(Ortho All-flex 80 mm to be delisted 1 April 2017)			
INTRA-UTERINE DEVICE			
a) Up to 40 dev available on a PSO			
b) Only on a PSO			
* IUD 29.1 mm length × 23.2 mm width	31.60	1	✓ Choice TT380 Short
* IUD 33.6 mm length × 29.9 mm width		1	✓ Choice
, , , , , , , , , , , , , , , , , , ,			TT380 Standard

✓ Choice Load 375

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

84

Contraceptives - Hormonal

Combined Oral Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and

Tab 20 mcg with desogestrel 150 mcg and 7 inert tab6.62

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Fither:
 - 1 Patient is on a Social Welfare benefit: or
 - 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

		(19.80)			Mercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	above		
	b) Up to 84 tab available on a PSO				
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84		
·		(19.80)	-		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	bove		
	b) Up to 84 tab available on a PSO				
СТ	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	2.65	84	~	Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	9.45	84	1	Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63		•
		(16.50)			Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Authority	see SA0500 a	above		•
	b) Up to 63 tab available on a PSO				
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	2.30	84	~	Ava 30 ED

GENITO-URINARY SYSTEM

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
ETHINYLOESTRADIOL WITH NO	RETHISTERONE					
* Tab 35 mcg with norethisteron on a PSO	e 1 mg - Up to 63 tab available	6.62	63	✓ B	revinor 1/21	
* Tab 35 mcg with norethisteron 84 tab available on a PSC	e 1 mg and 7 inert tab – Up to	6.62	84	✓ B	revinor 1/28	
	e 500 mcg – Up to 63 tab avail-	6.62	63	✓ B	revinor 21	
J J	ne 500 mcg and 7 inert tab – a PSO	6.62	84	✓ N	orimin	

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

6 62

0.4

LEVONORGESTREL

± Tab 20 maa

本	1ab 30 mcg	0.0∠	04	
	3	6.50)		Microlut
	 a) Higher subsidy of \$13.80 per 84 tab with Special Authority see \$ b) Up to 84 tab available on a PSO 	SA0500 abo	ve	
*	Subdermal implant (2 \times 75 mg rods)	3.65	1	✓ <u>Jadelle</u>
ME	DROXYPROGESTERONE ACETATE			
*	Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PSO Depo-Provera to be Sole Supply on 1 November 2016	7.25	1	✓ Depo-Provera
NO	PRETHISTERONE			
*	Tab 350 mcg - Up to 84 tab available on a PSO	6.25	84	✓ Noriday 28

		GENI	TO-URI	NARY SYSTEM
	Subsidy (Manufacturer's Pric	e) S Per	Fully ubsidised	Brand or Generic Manufacturer
Emergency Contraceptives				
# Tab 1.5 mg	3.50	1	√ P	ostinor-1
Antiandrogen Oral Contraceptives Prescribers may code prescriptions "contraceptive" (code "O") wh prescription charge will be as per other contraceptives, as follows • \$5.00 prescription charge (patient co-payment) will apply • prescription may be written for up to six months supply. Prescriptions coded in any other way are subject to the non cont of supply. ie. Prescriptions may be written for up to three months. CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL	: raceptive prescripti			
* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 168 tab available on a PSO		168	√ <u>G</u>	iinet
Gynaecological Anti-infectives				
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul- phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator		100 g OP	A	ci-Jel
CLOTRIMAZOLE	(=)			
* Vaginal crm 1% with applicators	1.60	35 g OP	✓ 0	lomazol
Clomazol to be Sole Supply on 1 December 2016 * Vaginal crm 2% with applicators	2.10	20 g OP	✓ C	lomazol
MICONAZOLE NITRATE * Vaginal crm 2% with applicator	3.95	40 g OP	✓ <u>N</u>	<u>licreme</u>
NYSTATIN Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ N	ilstat
Myometrial and Vaginal Hormone Preparations				
ERGOMETRINE MALEATE				
Inj 500 mcg per ml, 1 ml ampoule - Up to 5 inj available on a		5	✓ <u>D</u>	BL Ergometrine
OESTRIOL * Crm 1 mg per g with applicator	6.20	15 a OD	./ 0	vestin
* Pessaries 500 mcg		15 g OP 15		vestin
OXYTOCIN – Up to 5 inj available on a PSO				
Inj 5 iu per ml, 1 ml ampoule		5 5	_	xytocin BNM xytocin BNM

81

✓ Syntometrine

OXYTOCIN WITH ERGOMETRINE MALEATE - Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml11.13

GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE

- a) Up to 200 test available on a PSO
- b) Only on a PSO

Cassette 40 test OP ✓ EasyCheck

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 117

5-Alpha Reductase Inhibitors

FINASTERIDE - Special Authority see SA0928 below - Retail pharmacy 30 **Finpro**

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- - 1 Patient has symptomatic benign prostatic hyperplasia; and
 - 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

* Cap 400 mcg13.51

✓ Tamsulosin-Rex

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
 - 1 Patient has symptomatic benign prostatic hyperplasia; and
 - 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN

500 ✓ Apo-Oxybutynin ✓ Apo-Oxybutynin 473 ml

POTASSIUM CITRATE

Oral lig 3 mmol per ml - Special Authority see SA1083 below 200 ml OP ✓ Riomed

⇒SA1083 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

GENITO-URINARY SYSTEM

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e)	Subsidised	Generic
	\$	Per	~	Manufacturer
SODIUM CITRO-TARTRATE				
* Grans eff 4 g sachets	2.93	28	√ <u>L</u>	<u>Jral</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998	below - Retail pharma	асу		
Tab 5 mg	37.50	30	/ \	/esicare
Tab 10 mg	37.50	30	V \	/esicare
⇒SA0998 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals overactive bladder and a documented intolerance of, or is non			unless noti	fied where the patient ha
TOLTERODINE - Special Authority see SA1272 below - Reta	ail pharmacy			
Tab 1 mg	14.56	56	V	Arrow-Tolterodine
Tab 2 mg	14.56	56	V	Arrow-Tolterodine
⇒SA1272 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals valve bladder and a documented intolerance of, or is non-respondent		ewal unl	ess notified	d where patient has overage
Detection of Substances in Urine				
ORTHO-TOLIDINE				
* Compound diagnostic sticks	7.50 5 (8.25)	50 test C		Hemastix
TETRABROMOPHENOL				

Blue diagnostic strips7.02

100 test OP

Albustix

83

(13.92)

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Calcium Homeostasis

CAL		

✓ Miacalcic

CINACALCET - Special Authority see SA1618 below - Retail pharmacy

Tab 30 mg - Wastage claimable - see rule 3.3.2 on page 13403.70 Sensipar

⇒SA1618 Special Authority for Subsidy

Initial application only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
 - 1.2 The patient has persistent hypercalcaemia (serum calcium > 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
 - 1.3 The patient is symptomatic; or
- 2 All of the following:
 - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
 - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium ≥ 3 mmol/L); and
 - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

ZOLEDRONIC ACID

Inj 4 mg per 5 ml, vial - Special Authority see SA1512 below ✓ Zoledronic acid - Retail pharmacy84.50 Mvlan ✓ Zometa 550.00

⇒SA1512 Special Authority for Subsidy

Initial application only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
 - 2.1 Patient has bone metastases or involvement; and
 - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
 - 3.1 Patient has bone metastases or involvement; and
 - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

Subsidy

Fully

Brand or

(Manufacturer's Price) Subsidised Generic \$ Per Manufacturer Corticosteroids and Related Agents for Systemic Use BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE 5 Celestone (36.96)Chronodose DEXAMETHASONE 30 Dexmethsone Up to 60 tab available on a PSO 30 Dexmethsone Up to 30 tab available on a PSO Oral lig 1 mg per ml - Retail pharmacy-Specialist45.00 25 ml OP Biomed Oral lig prescriptions: 1) Must be written by a Paediatrician or Paediatric Cardiologist; or 2) On the recommendation of a Paediatrician or Paediatric Cardiologist. DEXAMETHASONE PHOSPHATE Dexamethasone phosphate injection will not be funded for oral use. Inj 4 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSO14.19 10 ✓ Max Health Inj 4 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO12.59 5 Max Health FLUDROCORTISONE ACETATE 100 ✓ Florinef HYDROCORTISONE Tab 5 mg8.10 ✓ Douglas 100 Tab 20 mg - For hydrocortisone oral liquid formulation refer. page 22120.32 100 Douglas Inj 100 mg vial5.30 ✓ Solu-Cortef a) Up to 5 inj available on a PSO b) Only on a PSO c) Solu-Cortef to be Sole Supply on 1 November 2016 METHYLPREDNISOLONE - Retail pharmacy-Specialist Tab 4 mg80.00 ✓ Medrol 100 20 ✓ Medrol METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retail pharmacy-Specialist 1 ✓ Solu-Medrol ✓ Solu-Medrol 1 ✓ Solu-Medrol 1 Inj 1 g vial16.00 1 ✓ Solu-Medrol METHYL PREDNISOLONE ACETATE Inj 40 mg per ml, 1 ml vial40.00 5 ✓ Depo-Medrol METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNOCAINE] ✓ Depo-Medrol with Ini 40 mg per ml with lidocaine [lignocaine] 1 ml vial9.25 1 Lidocaine PREDNISOLONE Oral lig 5 mg per ml - Up to 30 ml available on a PSO7.50 30 ml OP Redipred Restricted to children under 12 years of age.

		Subsidy (Manufacturer's Pri \$	ice) Per	Fully Subsidised	Brand or Generic Manufacturer
PR	EDNISONE				
*	Tab 1 mg	2.13	100	✓ A	po-Prednisone
					S29 S29
		10.68	500	✓ A	po-Prednisone
*	Tab 2.5 mg	12.09	500	✓ A	po-Prednisone
*	Tab 5 mg - Up to 30 tab available on a PSO	11.09	500	✓ A	po-Prednisone
*	Tab 20 mg	29.03	500	✓ A	po-Prednisone
TE	TRACOSACTRIN				
*	Inj 250 mcg per ml, 1 ml ampoule	75.00	1	✓ S	vnacthen
*	Inj 1 mg per ml, 1 ml ampoule		1	✓ S	ynacthen Depot
TR	AMCINOLONE ACETONIDE			,	
	Inj 10 mg per ml, 1 ml ampoule	20.80	5	✓ K	enacort-A 10
	Inj 40 mg per ml, 1 ml ampoule		5	· . —	enacort-A 40
	,g po,			·	

Sex Hormones Non Contraceptive

Androgen Agonists and Antagonists

CYPROTERONE ACETATE – Retail pharmacy-Specialist Tab 50 mg Tab 100 mg		50 50	✓ Procur ✓ Procur
TESTOSTERONE Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist Inj 100 mg per ml, 10 ml vial	76.50	1	✓ <u>Depo-Testosterone</u>
TESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.98	1	✓ Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialist			
Cap 40 mg	16.80	60	Andriol Testocaps
Inj 250 mg per ml, 4 ml vial	86.00	1	✓ Reandron 1000

Hormone Replacement Therapy - Systemic

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's P \$	Price) Su Per	Fully ubsidised	Brand or Generic Manufacturer
Oestrogens				
OESTRADIOL - See prescribing guideline on the previous pa	ige			
* Tab 1 mg	4.12	28 OP		
	(11.10)		Es	trofem
* Tab 2 mg		28 OP		
	(11.10)	_		trofem
* Patch 25 mcg per day	6.12	8	✓ Es	stradot
a) No more than 2 patch per week				
b) Only on a prescription				
c) Estradot to be Sole Supply on 1 November 2016		_		
* TDDS 3.9 mg (releases 50 mcg of oestradiol per day)		4		
AND THE RESERVE OF THE PARTY OF	(13.18)		Cli	imara 50
a) No more than 1 patch per week				
b) Only on a prescription		_		
* Patch 50 mcg per day	7.04	8	✓ Es	stradot 50 mcg
a) No more than 2 patch per week				
b) Only on a prescription	_			
c) Estradot 50 mcg to be Sole Supply on 1 January 201		_		
* TDDS 7.8 mg (releases 100 mcg of oestradiol per day)		4		
	(16.14)		Cli	imara 100
a) No more than 1 patch per week				
b) Only on a prescription		_		
* Patch 100 mcg per day	7.91	8	✓ Es	stradot
a) No more than 2 patch per week				
b) Only on a prescription				
c) Estradot to be Sole Supply on 1 January 2017				
(Climara 50 TDDS 3.9 mg (releases 50 mcg of oestradiol per o				
(Climara 100 TDDS 7.8 mg (releases 100 mcg of oestradiol pe	er day) to be delisted	d 1 January 2	2017)	
OESTRADIOL VALERATE - See prescribing guideline on the	previous page			
* Tab 1 mg	12.36	84	✓ Pr	ogynova
* Tab 2 mg	12.36	84	✓ <u>Pr</u>	ogynova
OESTROGENS – See prescribing guideline on the previous p	ane			
* Conjugated, equine tab 300 mcg		28		
* Conjugated, equine tab ood meg	(11.48)	20	Pr	emarin
* Conjugated, equine tab 625 mcg		28		Cilialiii
* Conjugated, equine tab 025 meg	(11.48)	20	Pr	emarin
	(11.40)			omann
Progestogens				
MEDROXYPROGESTERONE ACETATE - See prescribing gu	uideline on the previ	ous page		
* Tab 2.5 mg	•	30	✓ Pr	overa
Provera to be Sole Supply on 1 November 2016				
* Tab 5 mg	14.00	100	✓ Pr	overa
Provera to be Sole Supply on 1 November 2016			•	* · * · * ·
* Tab 10 mg	7.15	30	✓ Pr	overa
Provera to be Sole Supply on 1 November 2016				

		Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
P	rogestogen and Oestrogen Combined Preparat	tions			
0E	STRADIOL WITH NORETHISTERONE - See prescribing guid	deline on page 86			
*	Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP	K	liovance
*	Tab 2 mg with 1 mg norethisterone acetate	` '	28 OP		liogest
*	Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	(/	28 OP		
	0001144107 tas (12) and 1 mg 0001144107 tas (0) 111111111111	(18.10)	_0 0.	Tr	risequens
	STROGENS WITH MEDROXYPROGESTERONE - See pres	cribing guideline on	page 8	6	
*	Tab 625 mcg conjugated equine with 2.5 mg medroxyproges-	F 40	00 OD		
	terone acetate tab (28)	(22.96)	28 OP	Р	remia 2.5 Continuous
*	Tab 625 mcg conjugated equine with 5 mg medroxyproges-				2.0 00
	terone acetate tab (28)	5.40	28 OP		
		(22.96)		Р	remia 5 Continuous
0	ther Oestrogen Preparations				
ΕΤ	HINYLOESTRADIOL				
*	Tab 10 mcg	17.60	100	✓ <u>N</u>	Z Medical and Scientific
0E	STRIOL				
*	Tab 2 mg	7.00	30	~ 0	vestin
0	ther Progestogen Preparations				
E'	/ONORGESTREL				
v.	Intro utorino quotom 20 mag nor dou Chasial Authority and				

Intra-uterine system 20 mcg per day - Special Authority see Mirena

► SA1608 | Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
MEDROXYPROGESTERONE ACETATE * Tab 100 mg - Retail pharmacy-Specialist Provera HD to be Sole Supply on 1 November 2016	101.00	100	✓ Pr	rovera HD	
NORETHISTERONE * Tab 5 mg – Up to 30 tab available on a PSO PROGESTERONE	18.29	100	✓ <u>Pr</u>	rimolut N	
Cap 100 mg - Special Authority see SA1609 below - Retail pharmacy	16.50	30	✓ <u>Ut</u>	trogestan	

■ SA1609 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*; and
- 2 Fither:
 - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour*; and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Either:
 - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents **CARBIMAZOLE**

* Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
Tab 25 mcg ‡ Safety cap for extemporaneously compounded oral liquity.		90	✓ Synthroid
* Tab 50 mcg		90	✓ Synthroid
· ·	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.		
* Tab 100 mcg	4.21	90	✓ Synthroid
	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.		
LEVOTHYROXINE (MERCURY PHARMA)			
* Tab 50 mcg	1.71	28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.		·
* Tab 100 mcg	1.78	28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.		
PROPYLTHIOURACIL - Special Authority see SA1199 on the n	ext page – Retail i	oharmacy	
Propylthiouracil is not recommended for patients under the a are contraindicated.	1 0	,	nt is pregnant and other treatments
Tab 50 mg	35.00	100	✓ PTU S29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

⇒SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

SO	MATROPIN (OMNITROPE) - Special Authority see SA14	51 below – Retail pharr	nacy	
*	Inj 5 mg cartridge	109.50	1	✓ Omnitrope
*	Inj 10 mg cartridge	219.00	1	✓ Omnitrope
*	Ini 15 mg cartridge	328 50	1	✓ Omnitrone

⇒SA1451 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

Fither:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient seguelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon followup laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is ≥ 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

continued...

3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity ≥ 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is ≥ 2 cm per year, calculated over six months; and
- 3 A current bone age is \leq 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — **(short stature due to chronic renal insufficiency)** only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and</p>
- 3 A current bone age is \leq to 14 years (female patients) or \leq to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is > 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred;
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient's height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 Either:
 - 3.1 The patient is under two years of age and height velocity has been assessed over a minimum six month period from the age of 12 months, with at least three supine length measurements over this period demonstrating clear and consistent evidence of linear growth failure (with height velocity < 25th percentile); or
 - 3.2 The patient is aged two years or older; and
- 4 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 5 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 6 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g., surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of ≤ 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of ≤ 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

GOSERELIN			
Implant 3.6 mg, syringe	66.48	1	Zoladex
Zoladex to be Sole Supply on 1 December 2016			
Implant 10.8 mg, syringe	177.50	1	Zoladex
Zoladex to be Sole Supply on 1 December 2016			

93

	Subsidy (Manufacturer's Price \$) Per	Fully Brand or Subsidised Generic Manufacturer
LEUPRORELIN			
Inj 3.75 mg prefilled dual chamber syringe	221.60	1	✓ Lucrin Depot 1-month
Inj 7.5 mg syringe with diluent	166.20	1	Eligard 1 Month
Inj 11.25 mg prefilled dual chamber syringe		1	✓ Lucrin Depot 3-month
Inj 22.5 mg syringe with diluent	443.76	1	Eligard 3 Month
Inj 30 mg prefilled dual chamber syringe		1	✓ Lucrin Depot 6-month
Inj 45 mg syringe with diluent	832.05	1	✓ Eligard 6 Month
Vasopressin Agonists			
DESMOPRESSIN ACETATE			
Tab 100 mcg - Special Authority see SA1401 below - Retail pharmacy	25.00	30	✓ Minirin
Tab 200 mcg - Special Authority see SA1401 below - Retail	E 4 4 E	30	✓ Minirin
pharmacy		.5 ml Of	· . — —
▲ Nasal drops 100 mcg per ml − Retail pharmacy-Specialist ▲ Nasal spray 10 mcg per dose − Retail pharmacy-Specialist		.5 ml OP	*

⇒SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

✓ Minirin

10

- 1 The patient has primary nocturnal enuresis: and
- 2 The nasal forms of desmopressin are contraindicated; and

Ini 4 mcg per ml. 1 ml - Special Authority see SA1401 below

3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

✓ fully subsidised

[HP4] refer page 4

CABERGOLINE

g - Maximum of 2 tab per prescription; can be	
d by Special Authority see SA1370 on the next page4.75 2	ostinex
19.00 8 🗸 <u>D</u> o	ostinex

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

CLOMIPHENE CITRATE Tab 50 mg	29.84	10	✓ Mylan
			Clomiphen S29 ✓ Serophene
DANAZOL			
Cap 100 mg	68.33	100	✓ Azol
Cap 200 mg	97.83	100	✓ Azol
METYRAPONE Cap 250 mg - Retail pharmacy-Specialist	520.00	50	✓ Metopirone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Anthelmintics

ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy 60 ✓ Eskazole \$29

⇒SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

Tab 100 mg	24.19	24	De-Worm
Oral lig 100 mg per 5 ml	2.18	15 ml	
	(7.17)		Vermox
DAZIOLIANITEL			

PRAZIQUANTFI

✓ Biltricide Tab 600 mg68.00

Antibacterials

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 68
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 213

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE			
Cap 250 mg	24.70	100	Ranbaxy-Cefactor
Grans for oral liq 125 mg per 5 ml - Wastage claimable - se	е		
rule 3.3.2 on page 13	3.53	100 ml	Ranbaxy-Cefaclor
CEFALEXIN			
Cap 250 mg	3.50	20	Cephalexin ABM
Cephalexin ABM to be Sole Supply on 1 January 2017			
Cap 500 mg	3.95	20	Cephalexin ABM
Cephalexin ABM to be Sole Supply on 1 November 2016			
Grans for oral liq 25 mg per ml - Wastage claimable - se	е		
rule 3.3.2 on page 13	8.00	100 ml	Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in am	ounts more than 14	4 days treatm	ent per dispensing.
Grans for oral liq 50 mg per ml - Wastage claimable - se	е		
rule 3.3.2 on page 13	11.00	100 ml	Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in am	ounts more than 14	4 days treatm	ent per dispensing.

CEFAZOLIN - Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordinalv.

Inj 500 mg vial	3.99	5	✓ <u>AFT</u>
Ini 1 g vial	3.38	5	✓ AFT

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
CEFTRIAXONE – Subsidy by endorsement a) Up to 5 inj available on a PSO b) Subsidised only if prescribed for a dialysis or cystic fibro pelvic inflammatory disease, or the treatment of suspected n				
the prescription or PSO is endorsed accordingly. Inj 500 mg vial	1.50	1		DEVA Ceftriaxone-AFT
Inj 1 g vial	0.84 5.22	1 5		DEVA Ceftriaxone-AFT
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the pres Tab 250 mg		accord 50	0,	Zinnat
Macrolides				
AZITHROMYCIN – Maximum of 5 days treatment per prescription For Endorsement, patient has either: 1) Received a lung transplant and requires treatment or pro 2) Cystic fibrosis and has chronic infection with Pseudomorisms*.	phylaxis for bronchiol	tis ob	literans syr	
Indications marked with * are Unapproved Indications Tab 250 mg		30		Apo-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSOGrans for oral liq 200 mg per 5 ml (40 mg per ml) - Wastage		2	V <u>I</u>	Apo-Azithromycin
claimable – see rule 3.3.2 on page 13		I5 ml	√ <u>Z</u>	<u>Zithromax</u>
CLARITHROMYCIN – Maximum of 500 mg per prescription; can Tab 250 mg	3.98	Autho	· • <u>•</u>	A1131 below Apo-Clarithromycin Klacid
■SA1131 Special Authority for Waiver of Rule Initial application — (Mycobacterial infections) only from a re Approvals valid for 2 years for applications meeting the following of Either: 1 Atypical mycobacterial infection; or 2 Mycobacterium tuberculosis infection where there is drug	spiratory specialist, ir rriteria:			
Renewal — (Mycobacterial infections) only from a respiratory s valid for 2 years where the treatment remains appropriate and the ERYTHROMYCIN ETHYL SUCCINATE				or paediatrician. Approvals
Tab 400 mga) Up to 20 tab available on a PSO b) Up to 2 x the maximum PSO quantity for RFPP – see ru		100	✓ E	E-Mycin
Grans for oral liq 200 mg per 5 ml	5.00 1	00 ml	✓ E	E-Mycin
Grans for oral liq 400 mg per 5 ml	6.77 1	00 ml	✓ E	E-Mycin
Inj 1 g	16.00	1	✓ E	Erythrocin IV

[‡] safety cap

*Three months or six months, as applicable, dispensed all-at-once

[▲]Three months supply may be dispensed at one time

	Subsidy		Fully	Brand or
	(Manufacturer's Price	e) Per	Subsidised	Generic Manufacturer
	\$	rei		Manuaciurei
ERYTHROMYCIN STEARATE				
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100		
	(22.29)		Е	:RA
Tab 500 mg	29.90	100		
	(44.58)		Е	:RA
ROXITHROMYCIN				
Tab 150 mg	7.48	50	✓ A	rrow-
•				Roxithromycin
Tab 300 mg	14.40	50	VA	Arrow-
				Roxithromycin
Daviallina				,
Penicillins				
AMOXICILLIN				
Cap 250 mg	14.97	500	VA	po-Amoxi
a) Up to 30 cap available on a PSO			· ·	
b) Up to 10 x the maximum PSO quantity for RFPP – see ru	le 5.2.6 on page	18		
Cap 500 mg		500	VA	po-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – see ru	lle 5.2.6 on page	18		
Grans for oral liq 125 mg per 5 ml		100 ml	✓ A	Iphamox
2 4 4 5 9 4				moxicillin Actavis
			✓ R	lanmoxy
	2.00)spamox
a) Up to 200 ml available on a PSO				•
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	0.97	100 ml	✓ A	lphamox
				moxicillin Actavis
			✓ R	Ranmoxy
	2.00		V 0)spamox
a) Up to 300 ml available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – see ru	ule 5.2.6 on page	18		
c) Wastage claimable – see rule 3.3.2 on page 13				
Inj 250 mg vial	10.67	10	✓ <u>I</u> k	<u>oiamox</u>
Inj 500 mg vial		10	✓ <u>I</u> Ł	<u>piamox</u>
Inj 1 g vial – Up to 5 inj available on a PSO		10	✓ <u>lk</u>	<u>oiamox</u>
(Alphamox Grans for oral liq 125 mg per 5 ml to be delisted 1 Nove				
(Ranmoxy Grans for oral liq 125 mg per 5 ml to be delisted 1 Nove				
(Alphamox Grans for oral liq 250 mg per 5 ml to be delisted 1 Nove	,			
(Ranmoxy Grans for oral liq 250 mg per 5 ml to be delisted 1 Nove	mber 2016)			
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg - Up to 30 tab avail-				
able on a PSO	1.95	20	✓ <u>A</u>	<u>lugmentin</u>
Grans for oral liq amoxicillin 125 mg with clavulanic acid				
31.25 mg per 5 ml	3.83	100 ml	✓ A	augmentin
a) Up to 200 ml available on a PSO				•
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq amoxicillin 250 mg with clavulanic acid				
62.5 mg per 5 ml	4.97	100 ml	✓ A	augmentin
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				

	Subsidy (Manufacturer's P		Fully Brand or bsidised Generic
	\$	Per	✓ Manufacturer
BENZATHINE BENZYLPENICILLIN			
Inj 900 mg (1.2 million units) in 2.3 ml syringe - Up to 5 inj			
available on a PSO	315.00	10	✓ Bicillin LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)			
Inj 600 mg (1 million units) vial - Up to 5 inj available on a			
PSO		10	✓ Sandoz
FLUCLOXACILLIN			
Cap 250 mg - Up to 30 cap available on a PSO	18 70	250	✓ Staphlex
Cap 500 mg		500	✓ Staphlex
Grans for oral liq 25 mg per ml		100 ml	✓ AFT
a) Up to 200 ml available on a PSO		100 1111	V AII
b) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq 50 mg per ml	3.08	100 ml	✓ AFT
a) Up to 200 ml available on a PSO		1001111	+ <u>/11 1</u>
b) Wastage claimable – see rule 3.3.2 on page 13			
Inj 250 mg vial	8.80	10	✓ Flucloxin
Inj 500 mg vial		10	✓ Flucloxin
Inj 1 g vial – Up to 10 inj available on a PSO		10	Flucioxin
PHENOXYMETHYLPENICILLIN (PENICILLIN V)			<u></u>
Cap 250 mg – Up to 30 cap available on a PSO	0.00	50	✓ Cilicaine VK
Cap 500 mg		50 50	✓ Cilicaine VK
a) Up to 20 cap available on a PSO	4.73	50	Cilicalite VK
b) Up to 2 x the maximum PSO quantity for RFPP – see ru	ıla 5 2 6 on naga	10	
Grans for oral liq 125 mg per 5 ml		100 ml	✓ <u>AFT</u>
a) Up to 200 ml available on a PSO	1.40	100 1111	▼ <u>Al I</u>
b) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral lig 250 mg per 5 ml	1 58	100 ml	✓ AFT
a) Up to 300 ml available on a PSO		100 1111	¥ <u>Ai i</u>
b) Up to 2 x the maximum PSO quantity for RFPP – see ru	ıle 5.2.6 on nage	18	
c) Wastage claimable – see rule 3.3.2 on page 13	0. <u>-</u> 011 page	. •	
PROCAINE PENICILLIN			
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO	123 50	5	✓ Cilicaine
, , , , , ,	120.00	<u> </u>	▼ <u>Onicanic</u>
Tetracyclines			
DOXYCYCLINE			
* Tab 50 mg - Up to 30 tab available on a PSO	2.90	30	
• • • • • • • • • • • • • • • • • • • •	(6.00)		Doxy-50
* Tab 100 mg - Up to 30 tab available on a PSO	٠,	250	✓ Doxine
MINOCYCLINE HYDROCHLORIDE			
* Tab 50 mg - Additional subsidy by Special Authority see			
SA1355 below – Retail pharmacy		60	
OA 1000 DEIOW - NEIGH PHAITHACY	(12.05)	UU	Mino-tabs
* Cap 100 mg		100	IVIII IU-LAUS
~ Oup του mg		100	Minomycin
	(52.04)		Minomycin

■SA1355 Special Authority for Manufacturers Price

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has rosacea.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
TETRACYCLINE – Special Authority see SA1332 below – Retaction of Sap 500 mg	'	30		etracyclin Wolff 829	
■ SA1332 Special Authority for Subsidy					

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Other Antibiotics

For topical antibiotics, refer to DERMATOLOGICALS, page 68

CIPROFLOXACIN

Recommended for patients with any of the following:

- i) microbiologically confirmed and clinically significant pseudomonas infection; or
- ii) prostatitis: or
- iii) pyelonephritis; or
- iv) gonorrhoea.

Tab 250 mg - Up to 5 tab available on a PSO	1.75	28	✓ Cipflox
Tab 500 mg - Up to 5 tab available on a PSO	2.00	28	✓ Cipflox
Tab 750 mg	3.75	28	✓ Cipflox

CLINDAMYCIN

Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip-			
tion; can be waived by endorsement - Retail pharmacy -			
Specialist	4.10	16	✓ Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml ampoule - Retail			

CO-TRIMOXAZOLE

•••	Up to 30 tab available on a PSO22.90	500	Trisul
*	Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg		
	per 5 ml - Up to 200 ml available on a PSO2.15	100 ml	Deprim

COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - Subsidy by endorsement

pharmacy-Specialist65.00

* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly

Only if prescribed for dialysis of cystic librosis patient and the pr	Cochphon is ci	idoi sed dec	oranigiy.
Inj 150 mg	65.00	1	Colistin-Link

FUSIDIC ACID

Tab 250 mg -	 Retail pharmacy 	-Specialist	 34	1.50	12	~	Fucidin

Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist

10

Dalacin C

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer GENTAMICIN SUI PHATE Inj 10 mg per ml, 1 ml - Subsidy by endorsement8.56 5 ✔ Hospira Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly. ✓ APP 25 Pharmaceuticals \$29 Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

Inj 40 mg per ml, 2 ml ampoule - Subsidy by endorsement................6.00 10 ✔ Pfizer 30.00 50 ✔ Pfizer

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

MOXIFLOXACIN - Special Authority see SA1358 below - Retail pharmacy

No patient co-payment payable

5 ✓ Avelox

⇒SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Active tuberculosis*: and
 - 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications: or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eve injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 on the next page - Retail pharmacy

✓ Humatin \$29 16

101

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer ⇒SA1324 Special Authority for Subsidy Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection. Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection. PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy 30 ✓ Daraprim S29 50 ✓ Daraprim S29 36.95 ⇒SA1328 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following: 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or 2 For pregnant patients for the term of the pregnancy: or 3 For infants with congenital toxoplasmosis until 12 months of age. SULFADIAZINE SODIUM - Special Authority see SA1331 below - Retail pharmacy 56 ✓ Wockhardt S29 ⇒SA1331 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following: 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or 2 For pregnant patients for the term of the pregnancy: or 3 For infants with congenital toxoplasmosis until 12 months of age. **TOBRAMYCIN** Ini 40 mg per ml. 2 ml ampoule – Subsidy by endorsement...............38.00 ✔ DBL Tobramvcin Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Solution for inhalation 60 mg per ml, 5 ml - Subsidy by en-✔ TOBI dorsement.......2,200.00 56 dose a) Wastage claimable - see rule 3.3.2 on page 13 b) Only if prescribed for a cystic fibrosis patient and the prescription is endorsed accordingly. **TRIMFTHOPRIM** 50 ✓ TMP VANCOMYCIN - Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis or for treatment of Clostridium difficile following metronidazole failure and the prescription is endorsed accordingly.

✓ Mylan

Diflucan S29 S29 Diflucan

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Antifungals

- a) For topical antifungals refer to DERMATOLOGICALS, page 68
- b) For topical antifungals refer to GENITO URINARY, page 81

FLUCONAZOLE

Cap 50 mg - Retail pharmacy-Specialist	.3.49	28	✓ Ozole
Cap 150 mg – Subsidy by endorsement	.0.71	1	✓ Ozole

- a) Maximum of 1 cap per prescription; can be waived by endorsement Retail pharmacy Specialist
- b) Patient has vaginal candida albicans and the practitioner considers that a topical imidazole (used intra-vaginally) is not recommended and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist.

Cap 200 mg - Retail pharmacy-Specialist9.69

Powder for oral suspension 10 mg per ml - Special Authority

see SA1359 below - Retail pharmacy34.56 35 ml

Wastage claimable - see rule 3.3.2 on page 13

⇒SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOI F

15 Itrazole Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology. or for tinea unquium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement -Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 on the

next page – Retail pharmacy141.80 150 ml OP Sporanox

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KETOCONAZOLE

Tab 200 mg — PCT – Retail pharmacy-Specialist – Subsidy by endorsement	CBS	30	✓ Link Healthcare \$29 ✓ Nizoral \$29
Prescriptions must be written by, or on the recommendation of	f an oncologis	st	
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 below - Retail p	harmacy		
Tab modified-release 100 mg	•	24	✓ Noxafil
Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil

⇒SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg — For terbinatine oral liquid formulation refer, page 221	1.50	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE - Special Authority see SA1273 on the next page	– Retail pharma	су	
Tab 50 mg	130.00	56	✓ Vttack
Tab 200 mg	500.00	56	✓ Vttack
Powder for oral suspension 40 mg per ml - Wastage			
claimable – see rule 3.3.2 on page 13	876.00	70 ml	✓ Vfend

Fully Brand or Subsidy (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

⇒SA1273 | Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis: or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis: or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Antimalarials

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

Primacin S29 Tab 7.5 mg117.00

⇒SA1326 | Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QUININE SULPHATE

* Tab 300 mg61.91 ✓ Q 300 500

‡ Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

METRONIDAZOLE			
Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg	18.15	100	✓ Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	23.00	10	✓ Arrow-Ornidazole
Arrow-Ornidazole to be Sole Supply on 1 November 20)16		

105

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ Antituberculotics and Antileprotics Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status. CLOFAZIMINE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist. 100 ✓ Lamprene \$29 CYCLOSERINE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician. 100 ✓ King S29 DAPSONE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist Tab 25 mg95.00 100 Dapsone 100 ✓ Dapsone ETHAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician Tab 100 mg48.01 56 ✓ Myambutol 56 ✓ Myambutol ISONIAZID - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician Tab 100 mg20.00 ✓ PSM 100 ✔ Rifinah 100 Rifinah PARA-AMINO SALICYLIC ACID - Retail pharmacy-Specialist a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist. ✓ Paser S29 PROTIONAMIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist. 100 ✓ Peteha S29 PYRAZINAMIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician * Tab 500 mg - For pyrazinamide oral liquid formulation refer,

✓ AFT-Pvrazinamide

100

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

RIFABUTIN - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist
- Cap 150 mg − For rifabutin oral liquid formulation refer, page
 221275.00 30 ✓ Mycobutin
 Mycobutin to be Sole Supply on 1 November 2016

RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement Retail pharmacy Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Cap 150 mg	55.75	100	✓ Rifadin
	Cap 300 mg		100	✓ Rifadin
*	Oral lig 100 mg per 5 ml	12.00	60 ml	Rifadin

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 213

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below – R	etail pharmacy		
Tab 10 mg	670.00	30	Hepsera

■SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 \times ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

✓ Baraclude

⇒SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
 of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
 commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
 fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

 Tab 100 mg
 6.00
 28
 ✓ Zeffix

 Oral lig 5 mg per ml
 270.00
 240 ml
 ✓ Zeffix

⇒SA1360 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine: and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100.000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and
 - Documented resistance to lamivudine, defined as:
 - 2.3 Patient has raised serum ALT (> $1 \times ULN$); and
 - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICI OVID

ACIOLOVIII			
* Tab dispersible 200 mg	1.60	25	✓ Lovir
* Tab dispersible 400 mg	5.38	56	Lovir
* Tab dispersible 800 mg	5.98	35	Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	✓ Vaclovir
Tab 1,000 mg	12.75	30	✓ Vaclovir
VALGANCICLOVIR - Special Authority see SA1404 below	w – Retail pharmacy		
Tab 450 mg	1,050.00	60	✓ Valcyte

⇒SA1404 Special Authority for Subsidy

Initial application — **(transplant cytomegalovirus prophylaxis)** only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised: and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
 - 1 Patient is immunocompromised; and
 - 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1362 on the next page

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 113

Tab 300 mg531.00

30

Viread

Subsidy Fully (Manufacturer's Price) Subsidised \$

y Brand or d Generic Manufacturer

■ SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Any of the following:
 - 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation: or
 - 2 Patient is either listed or has undergone liver transplantation for HBV: or
 - 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 1 Patient is HBsAq positive and pregnant; and
 - 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

BOCEPREVIR - Special Authority see SA1402 below - Retail pharmacy

Cap 200 mg - Wastage claimable - see rule 3.3.2 on page

Victrelis

336

(Victrelis Cap 200 mg to be delisted 1 April 2017)

■ SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT: and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegulated interferon treatment; and
- 3 Any of the following:
 - 3.1 Patient was a responder relapser; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10⁹ /l or Albumin <35 g/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 on the next page - [Xpharm]

No patient co-payment payable

✔ Harvoni Tab 90 mg with sofosbuvir 400 mg24,363.46 28

Subsidy Fully (Manufacturer's Price) Subsidised \$ Per

Brand or Generic Manufacturer

⇒SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP). Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

a) No patient co-payment payable

b) Note - Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),

1 OP ✓ Viekira Pak

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

a) No patient co-payment payable

b) Note – Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

1 OP

✓ Viekira Pak-RBV

Antiretrovirals

▶SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 500 cells/mm³.

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Subsidy (Manufacturer's Price)		ully Brand or sed Generic
\$	Per	✓ Manufacturer

continued...

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretro-

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1364 on page 113	 Retail pharmacy 		
Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg	190.15	90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29
ETRAVIRINE - Special Authority see SA1364 on page 113	B – Retail pharmacy		
Tab 200 mg	770.00	60	✓ Intelence
NEVIRAPINE - Special Authority see SA1364 on page 113	3 – Retail pharmacy		
Tab 200 mg	65.00	60	✓ Nevirapine
			Alphapharm
Oral suspension 10 mg per ml	203.55	240 ml	✓ Viramune Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE - Special Authority see SA1364 on page 113 - Retail pharmacy

Tab 300 mg	229.00	60	✓ Ziagen
Oral liq 20 mg per ml	256.31	240 ml OP	✓ Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authori Note: abacavir with lamivudine (combination tablets) cou retroviral Special Authority. Tab 600 mg with lamivudine 300 mg	nts as two anti-ret		
DIDANOSINE [DDI] - Special Authority see SA1364 on page 1	13 - Retail pharm	nacy	
Cap 125 mg	115.05	30	✓ Videx EC
Cap 200 mg	184.08	30	✓ Videx EC
Cap 250 mg	230.10	30	✓ Videx EC

EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL FUMARATE - Special Authority see SA1364 on page 113 - Retail pharmacy

Note: Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority

Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil

	· ·		•
EMTRICITABIN	E - Special Authority see SA1364 on page 113 - Retail pharmacy		
Cap 200 mg	307.20	30	Emtriva

30

30

✓ Videx EC

/ Atrinla

	Subsidy	Orion) Ori-	Fully Brand or
	(Manufacturer's F \$	rice) Subs Per	sidised Generic Manufacturer
MTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE	- Special Autho	rity soo SA136/	I on nage 113 – Retail nharma
Note: Emtricitabine with tenofovir disoproxil fumarate counts retroviral Special Authority		•	
Tab 200 mg with tenofovir disoproxil fumarate 300 mg	838.20	30	✓ Truvada
AMIVUDINE - Special Authority see SA1364 on page 113 - Re	tail pharmacy		
Tab 150 mg	52.50	60	✓ Lamivudine Alphapharm
Oral liq 10 mg per ml	102.50	240 ml OP	✓ 3TC
TAVUDINE [D4T] - Special Authority see SA1364 on page 113		су	
Cap 40 mg		60	✓ Zerit
Powder for oral soln 1 mg per ml	100.76	200 ml OP	✓ Zerit S29
IDOVUDINE [AZT] - Special Authority see SA1364 on page 113		•	4=
Cap 100 mg		100	Retrovir
Oral liq 10 mg per ml		200 ml OP	✓ <u>Retrovir</u>
?IDOVUDINE [AZT] WITH LAMIVUDINE — Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets) anti-retroviral Special Authority.			
Tab 300 mg with lamivudine 150 mg	44.00	60	✓ Alphapharm
Protease Inhibitors			
TAZANAVIR SULPHATE - Special Authority see SA1364 on page	ge 113 – Retail r	oharmacy	
Cap 150 mg	-	60	✓ Reyataz
Cap 200 mg	757.79	60	✓ Reyataz
DARUNAVIR - Special Authority see SA1364 on page 113 - Ret			
Tab 400 mg		60	✓ Prezista
Tab 600 mg	1,190.00	60	✓ Prezista
NDINAVIR – Special Authority see SA1364 on page 113 – Retai			
Cap 200 mg		360	Crixivan
Cap 400 mg		180	✓ Crixivan
OPINAVIR WITH RITONAVIR — Special Authority see SA1364 of			. / Kalatua
Tab 100 mg with ritonavir 25 mg		60 120	✓ Kaletra ✓ Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml		300 ml OP	✓ Kaletra
RITONAVIR - Special Authority see SA1364 on page 113 - Reta			
Tab 100 mg		30	✓ Norvir
Oral liq 80 mg per ml		90 ml OP	✓ Norvir
Strand Transfer Inhibitors			
RALTEGRAVIR POTASSIUM - Special Authority see SA1364 on	nage 113 - Ret	ail nharmany	
Tab 400 mg	. •	60	✓ Isentress
Antiretrovirals - Additional Therapies	,		
HIV Fusion Inhibitors			
NFUVIRTIDE - Special Authority see SA0845 on the next page	Dotail pharma	201	
Powder for inj 90 mg per ml \times 60		acy 1	✓ Fuzeon
	,000.00		

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed: and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12: and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- a) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test: or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- a) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist
- ✓ Roferon-A

	(Manufacturer's Price	e) Su	bsidised Generic
	\$	Per	✓ Manufacturer
INTERFERON ALFA-2B – PCT – Retail pharmacy-Specialist			
a) See prescribing guideline on the previous page			
b) Prescriptions must be written by, or on the recommendation	on of, an internal med	dicine phys	sician or ophthalmologist
Inj 18 m iu, 1.2 ml multidose pen		1 .	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen		1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen	689.04	1	✓ Intron-A
PEGYLATED INTERFERON ALFA-2A - Special Authority see S	A1400 below – Reta	il pharmac	:V
See prescribing guideline on the previous page		p	•)
Inj 135 mcg prefilled syringe	1.448.00	4	✓ Pegasys
Inj 180 mcg prefilled syringe		4	Pegasys
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg >			
112		1 OP	✓ Pegasys RBV
			Combination Pack
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg >	(
168	1,975.00	1 OP	✓ Pegasys RBV
			Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times			
112	1,159.84	1 OP	✓ Pegasys RBV
Let 400 are a security of a section of A with all a side talk 000 are			Combination Pack
Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg >		4 OD	A Damasus DDV
168	1,290.00	1 OP	✓ Pegasys RBV Combination Book
			Combination Pack

Subsidy

Fully

Brand or

(Pegasys Inj 135 mcg prefilled syringe to be delisted 1 November 2016)

(Pegasys RBV Combination Pack Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 112 to be delisted 1 November 2016)

■SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400.000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C. genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Fither:
 - 5.1 HBeAg positive: or
 - 5.2 serum HBV DNA > 2.000 units/ml and significant fibrosis (> Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet quide-
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

HE.	KAMINE HIPPURATE			
*	Tab 1 g	18.40	100	
		(38.10)		Hiprex

119

	(Manufacturer's Price) \$	Per		d Generic Manufacturer
NITROFURANTOIN				
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer,				
page 221	22.20	100	~	Nifuran
* Tab 100 mg	37.50	100	~	Nifuran
NORFLOXACIN				
Tab 400 mg - Subsidy by endorsement	13.50	100	~	Arrow-Norfloxacin
Only if prescribed for a patient with an uncomplicated uring				ve to a first line agent or with
proven resistance to first line agents and the prescription is	endorsed according	ıly.		·

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	~	<u>AstraZeneca</u>
PYRIDOSTIGMINE BROMIDE				
A Tab 60 mg Mestinon to be Sole Supply on 1 December 2016	42.79	100	-	Mestinon
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM				
* Tab EC 25 mg	1.30	50	~	Diclofenac Sandoz
* Tab 50 mg dispersible		20		Voltaren D
* Tab EC 50 mg		50	_	Diclofenac Sandoz
* Tab long-acting 75 mg		500		Apo-Diclo SR
* Tab long-acting 100 mg		500	V	Apo-Diclo SR
* Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a		E		Valtaran
PSO* * Suppos 12.5 mg		5 10	_	<u>Voltaren</u> Voltaren
* Suppos 25 mg		10		Voltaren
* Suppos 50 mg – Up to 10 supp available on a PSO		10		Voltaren
* Suppos 100 mg		10		Voltaren
IBUPROFEN				
* Tab 200 mg	9.45	1,000	~	Ibugesic
Tab long-acting 800 mg		30		Brufen SR
* Oral lig 20 mg per ml		200 ml		Fenpaed
KETOPROFEN				•
* Cap long-acting 200 mg	12.07	28	~	Oruvail SR
			•	
MEFENAMIC ACID * Cap 250 mg	1 25	50		
* Cap 250 mg	(9.16)	50		Ponstan
	0.50	20		Tonstan
	(5.60)			Ponstan
NAPROXEN	,			
* Tab 250 mg	18.06	500	~	Noflam 250
* Tab 500 mg		250		Noflam 500
* Tab long-acting 750 mg		90		Naprosyn SR 750
* Tab long-acting 1 g		90		Naprosyn SR 1000
SULINDAC				-
* Tab 100 mg	8.55	50	~	Aclin
* Tab 200 mg		50	1	Aclin
TENOXICAM				
* Tab 20 mg	2.19	20	~	Reutenox
•	10.95	100		Tilcotil
Tilcotil to be Sole Supply on 1 December 2016				
* Inj 20 mg vial	9.95	1	~	AFT
(Reutenox Tab 20 mg to be delisted 1 December 2016)				

Subsidy (Manufacturer's Price)

Fully Subsidised Brand or Generic Manufacturer

NSAIDs Other

MELOXICAM - Special Authority see SA1034 below - Retail pharmacy Tab 7.5 mg11.50

30

Per

✓ Arrow-Meloxicam

⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

ALIBANOFINI

Crm 0.025% - Special Authority see SA1289 below - Retail

9.95

25 q OP

✓ Zostrix

45 q OP

✓ Zostrix

⇒SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

AUTANOFIN		
Tab 3 mg68.99	60	✓ Ridaura s29 S29
114.98	100	✓ Ridaura s29 S29
HYDROXYCHLOROQUINE		
* Tab 200 mg10.50	100	✓ Plaquenil
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ Arava
Tab 20 mg76.00	30	✓ Arava
PENICILLAMINE		
Tab 125 mg67.23	100	✓ D-Penamine
Tab 250 mg110.12	100	D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	10	✓ Myocrisin
Ini 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

■ SA1039 Special Authority for Subsidy

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age: or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.

continued...

123

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA1039 on page 122 - Retail pharmacy ✓ Fosamax

ALENDRONATE SODIUM WITH COLECALCIFEROL - Special Authority see SA1039 on page 122 - Retail pharmacy ✓ Fosamax Plus

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

30 ✓ Fosamax

Other Treatments

ETIDRONATE DISODIUM - See prescribing guideline below

100 ✓ Arrow-Etidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	6.80	1	✓ Pamisol
Inj 6 mg per ml, 10 ml vial	13.20	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial	19.20	1	✓ Pamisol

RALOXIFENE HYDROCHLORIDE - Special Authority see SA1138 on the next page - Retail pharmacy

* Tab 60 mg53.76 28 ✓ Evista

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM Tab 35 mg4.00

✓ Risedronate Sandoz

TERIPARATIDE – Special Authority see SA1139 below – Retail pharmacy Inj 250 mcg per ml, 2.4 ml

490.00 1 Forteo

⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see 100 ml OP ✓ Aclasta

⇒SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease: and
- 2 Any of the following:
 - 2.1 Bone or articular pain: or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery: and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score < -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:

				_
Subsidy		Fully	Brand or	
(Manufacturer's Price)	;	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
- 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.

continued...

127

Subsidy		Fully	Brand or
(Manufacturer's Price)	,	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

ALL ODUDINO

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPURINOL			
* Tab 100 mg	15.11	,000	Apo-Allopurinol
* Tab 300 mg - For allopurinol oral liquid formulation is	efer,		
page 221	15.91	500	Apo-Allopurinol
BENZBROMARONE - Special Authority see SA1537 below	- Retail pharmacy		
Tab 100 mg	45.00	100	Benzbromaron AL
			100 \$29

■ SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	I Generic	
\$	Per 🗸	Manufacturer	

continued...

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/downloads/Benzbromarone-prescriber-information-NZRA-V2.pdf

COLCHICINE * Tab 500 mcg	10.08	100	✓ Colgout
FEBUXOSTAT - Special Authority see SA1538 below - F	Retail pharmacy		
Tab 80 mg	39.50	28	✓ Adenuric
Tab 120 mg	39.50	28	Adenuric

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose: or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearanceadjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

✓ Probenecid-AFT Tab 500 mg55.00 100

Muscle Relaxants

BACLOFEN

*	Tab 10 mg - For baclofen oral liquid formulation refer, page	
	221	
	Inj 0.05 mg per ml, 1 ml ampoule – Subsidy by endorsement11.55	
	Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or becaused intolerable side effects and the prescription is endorsed accordingly.	nave
	Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement209.29	
	Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.	nave

DANTROI ENF

*	Cap 25 mg65	5.00 1	00	Dantrium
*	Cap 50 mg77	7.00 1	00	Dantrium

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer ORPHENADRINE CITRATE 100 ✓ Norflex

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and Related Agents			
AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Apomine✓ Movapo
(Apomine Inj 10 mg per ml, 2 ml ampoule to be delisted 1 Dece	ember 2016)		₩ Movapo
BROMOCRIPTINE MESYLATE			
* Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	28.00	100	✓ Entapone
LEVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg	12.50	100	✓ Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg	17.00	100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	✓ Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg - For levodopa with c	ar-		
bidopa oral liquid formulation refer, page 221		100	✓ Kinson
71 0			✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.20	100	✓ Ramipex
▲ Tab 1 mg	24.39	100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	2.78	100	✓ Apo-Ropinirole
▲ Tab 1 mg		100	✓ Apo-Ropinirole
▲ Tab 2 mg	7.72	100	✓ Apo-Ropinirole
▲ Tab 5 mg	16.51	100	✓ Apo-Ropinirole
SELEGILINE HYDROCHLORIDE			
* Tab 5 mg	22.00	100	✓ Apo-Selegiline
•			S29 S29
TOLCAPONE			
▲ Tab 100 mg	126 20	100	✓ Tasmar
•	120.20	100	• ruomui
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml	95.00	5	✓ Cogentin
	190.00	10	✓ Omega S29
a) Up to 10 inj available on a PSOb) Only on a PSO			-

[†] safety car

[▲]Three months supply may be dispensed at one time spensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$) Per	Fully Subsidised	Brand or Generic Manufacturer
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg Agents for Essential Tremor, Chorea and Related		100	✓ K	emadrin
RILUZOLE – Special Authority see SA1403 below – Retail pharma				
Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	•	56	✓ R	ilutek
⇒SA1403 Special Authority for Subsidy Initial application, only from a neurologist or respiratory special	et Δnorovale valid	d for 6	months for	r annlications meeting the

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
 - 5.1 The patient is ambulatory; or
 - 5.2 The patient is able to use upper limbs; or
 - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
 - 3.1 The patient is ambulatory; or
 - 3.2 The patient is able to use upper limbs; or

Gel 2%, 10 ml urethral syringe – Subsidy by endorsement................43.26

3.3 The patient is able to swallow.

a) Up to 5 each available on a PSO

TF	۲RA	١RF	NAZ	INE

112 ✓ Motetis

Anaesthetics

LIDOCAINE [LIGNOCAINE]

Local

b) Subsidised only if prescribed for urethral or cervical adn	ninistration and t	he prescriptio	n is endorsed accordingly.
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE			
Oral (viscous) soln 2%	55.00	200 ml	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓ Lidocaine-Claris
	17.50	50	
	(35.00)		Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	✓ Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris
	12.00	5	
	(20.00)		Xylocaine
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris

✔ Pfizer

10

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes -				
Subsidy by endorsement	43.26	10	✓ Pf	fizer
a) Up to 5 each available on a PSO				
b) Subsidised only if prescribed for urethral or cervical adm	ninistration and the pr	escri	otion is endo	rsed accordingly.

Topical Local Anaesthetics

■ SA0906 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authority see SAI	0906 above - Retail pharm	acy	
Crm 4%	27.00	30 g OP	✓ LMX4
Crm 4% (5 g tubes)	27.00	5	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Spec		above – Retai	l pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	✓ EMLA

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 121

Non-opioid Analgesics

For aspirin & chloroform application refer Standard Formulae, page 224

ASPIRIN

•	st - Tab dispersible 300 mg $$ - Up to 30 tab available on a PSO	3.90	100	Etnics Aspirin
	Ethics Aspirin to be Sole Supply on 1 January 2017			
(CAPSAICIN – Subsidy by endorsement			
	Subsidised only if prescribed for post-herpetic neuralgia or	diabetic peripheral	neuropathy	and the prescription is endorsed
	accordingly.			
	Crm 0.075%	12.50	45 a OP	✓ Zoetriy HD

NEFOPAM HYDROCHLORIDE Tab 30 mg	23.40	90	✓ Acupan
PARACETAMOL * Tab 500 mg - Up to 30 tab available on a PSO *† Oral lig 120 mg per 5 ml		1,000 1.000 ml	✓ <u>Pharmacare</u> ✓ Paracare
a) Up to 200 ml available on a PSO b) Not in combination	4.13	1,000 1111	raidcaic

¢‡ Oral liq 250 mg per 5 ml4.35	1,000 ml	✓ Paracare Double
a) Up to 100 ml available on a PSO		<u>Strength</u>

a) up io	100 IIII avallable oii a F30
b) Not in	combination

*	Suppos 250 mg	10	✓ Gacet
*	Suppos 500 mg12.60	50	✓ Paracare

10

✓ Gacet

	(Manufacturer's Price		Fully Subsidised	Generic
	\$ 	Per		Manufacturer
Opioid Analgesics				
CODEINE PHOSPHATE - Safety medicine; prescriber may det	ermine dispensing fre	equency		
Tab 15 mg		100	✓ P	
Tab 30 mg		100	✓ P	
Tab 60 mg	12.50	100	✓ P	SM
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	9.55	60	✓ D	HC Continus
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing fro	equency			
Inj 50 mcg per ml, 2 ml ampoule	3.95	10	✓ <u>B</u>	oucher and Muir
Inj 50 mcg per ml, 10 ml ampoule	10.45	10	✓ <u>B</u>	oucher and Muir
Patch 12.5 mcg per hour	2.92	5	✓ F	entanyl Sandoz
Patch 25 mcg per hour	3.66	5		entanyl Sandoz
Patch 50 mcg per hour		5		entanyl Sandoz
Patch 75 mcg per hour		5		entanyl Sandoz
Patch 100 mcg per hour	11.29	5	VF	entanyl Sandoz
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing from				
d) Extemporaneously compounded methadone will only be	reimbursed at the rat	e of the o	cheapest 1	form available (methadone
powder, not methadone tablets).	armulae nego 004			
e) For methadone hydrochloride oral liquid refer Standard F Tab 5 mg		10	• / N	lethatabs
		200 ml	_	iodone
‡ Oral liq 2 mg per ml ‡ Oral liq 5 mg per ml		200 ml		iodone Forte
‡ Oral liq 10 mg per ml		200 ml	_	iodone Extra Forte
Inj 10 mg per ml, 1 ml		10	V A	
MORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing fro	equency			

Subsidy

Fully

Brand or

200 ml

200 ml

200 ml

200 ml

✔ RA-Morph

✓ RA-Morph✓ RA-Morph

✔ RA-Morph

Oral liq 2 mg per ml14.00

Oral liq 10 mg per ml26.00

✔ Hospira

5

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequ	ency			
Tab immediate-release 10 mg	2.80	10	✓ <u>S</u>	<u>Sevredol</u>
Tab long-acting 10 mg	1.93	10	V <u>B</u>	Arrow-Morphine LA
Tab immediate-release 20 mg	5.52	10	✓ <u>S</u>	Sevredol
Tab long-acting 30 mg	2.85	10	V	Arrow-Morphine LA
Tab long-acting 60 mg	5.60	10	V	Arrow-Morphine LA
Tab long-acting 100 mg	6.10	10	V	Arrow-Morphine LA
Cap long-acting 10 mg	1.70	10	✓ n	n-Eslon
Cap long-acting 30 mg	2.50	10	✓ n	n-Eslon
Cap long-acting 60 mg	5.40	10	✓ n	n-Eslon
Cap long-acting 100 mg		10	✓ n	n-Eslon
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSO		5	<u> </u>	DBL Morphine Sulphate
Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO Inj 15 mg per ml, 1 ml ampoule – Up to 5 inj available on a	9.09	5	~ <u>[</u>	OBL Morphine Sulphate
PSOPSO	9.77	5	~ <u>[</u>	DBL Morphine Sulphate
Inj 30 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	12.43	5	~ <u>[</u>	DBL Morphine Sulphate
MORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequ	ency			
Inj 80 mg per ml, 1.5 ml ampoule	42.72	5	•	DBL Morphine Tartrate
DBL Morphine Tartrate to be Sole Supply on 1 November 20)16			
		_		

Inj 80 mg per ml, 5 ml107.67

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
OXYCODONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing fre			
Tab controlled-release 5 mg		20	✓ BNM
D. M. J. O. J. O. J. J. D. J. 2010	(7.51)		OxyContin
BNM to be Sole Supply on 1 December 2016	0.70		4 5.44
Tab controlled-release 10 mg		20	✓ BNM
	(6.75)		Oxycodone
			ControlledRelease Tablets(BNM)
BNM to be Sole Supply on 1 December 2016			lable(S(DIVIVI)
Tab controlled-release 20 mg	4 72	20	✓ BNM
Tab controlled-release 20 mg	(11.50)	20	Oxycodone
	(11.00)		ControlledRelease
			Tablets(BNM)
BNM to be Sole Supply on 1 December 2016			,
Tab controlled-release 40 mg	7.69	20	✓ BNM
•	(18.50)		Oxycodone
			ControlledRelease
			Tablets(BNM)
BNM to be Sole Supply on 1 December 2016			
Tab controlled-release 80 mg		20	✓ BNM
	(34.00)		Oxycodone
			ControlledRelease
DNM to be Cale Cumply on 1 December 2016			Tablets(BNM)
BNM to be Sole Supply on 1 December 2016 Cap immediate-release 5 mg	1 08	20	✓ OxyNorm
Cap immediate-release 10 mg		20	✓ OxyNorm
Cap immediate-release 20 mg		20	✓ OxyNorm
Oral lig 5 mg per 5 ml		250 ml	
Inj 10 mg per ml, 1 ml ampoule		5	✓ OxyNorm
Inj 10 mg per ml, 2 ml ampoule		5	OxyNorm
Inj 50 mg per ml, 1 ml ampoule	51.00	5	✓ OxyNorm
(OxyContin Tab controlled-release 5 mg to be delisted 1 Decemb	ner 2016)		-
(Oxycodone ControlledRelease Tablets(BNM) Tab controlled-rele			
(Oxycodone ControlledRelease Tablets(BNM) Tab controlled-rele			
(Oxycodone ControlledRelease Tablets(BNM) Tab controlled-rele			
(Oxycodone ControlledRelease Tablets(BNM) Tab controlled-rele	ease 80 mg to be delis	ted 1	December 2016)
PARACETAMOL WITH CODEINE - Safety medicine; prescriber		nsing	frequency
* Tab paracetamol 500 mg with codeine phosphate 8 mg	21.06	1,000	✓ Paracetamol +
			Codeine (Relieve)

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing free	quency			
Tab 50 mg		10		<u>PSM</u>
Tab 100 mg		10		<u>PSM</u>
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	5.51	5	/	DBL Pethidine
		_		<u>Hydrochloride</u>
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO	5.83	5	•	DBL Pethidine
				<u>Hydrochloride</u>
TRAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg		20		Tramal SR 100
Tab sustained-release 150 mg		20		Tramal SR 150
Tab sustained-release 200 mg		20	•	Tramal SR 200
Cap 50 mg - For tramadol hydrochloride oral liquid formula-				
tion refer, page 221	2.50	100	/	Arrow-Tramadol
Antidepressants				
Cyclic and Related Agents				
AMITRIPTYLINE - Safety medicine; prescriber may determine di	ispensing frequency			
Tab 10 mg		100	~	Arrow-Amitriptyline
Tab 25 mg	1.68	100		Arrow-Amitriptyline
Tab 50 mg	2.82	100	~	Arrow-Amitriptyline
CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; prescri	her may determine di	snens	sina freauc	incv
Tab 10 mg		100		Apo-Clomipramine
Tab 25 mg		100		Apo-Clomipramine
•		nina f		<u> </u>
DOTHIEPIN HYDROCHLORIDE – Safety medicine; prescriber m	,	31119 11 100		Dopress
Tab 75 mg Cap 25 mg		100		Dopress
' '				Dobiess
DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may		-		
Cap 10 mg		100		Anten
Cap 25 mg		100	-	Anten
Cap 50 mg	8.55	100	•	Anten
IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber	may determine disper	nsing	frequency	
Tab 10 mg	5.48	50	~	Tofranil
	6.58	60	~	Tofranil s29 S29
	10.96	100	~	Tofranil
Tab 25 mg	8.80	50	~	Tofranil
MAPROTILINE HYDROCHLORIDE - Safety medicine; prescribe	er may determine disp	ensin	a freauenc	CV .
Tab 25 mg		30		Ludiomil
•	12.53	50		Ludiomil
	25.06	100		Ludiomil
Tab 75 mg	14.01	20	/	Ludiomil
-	21.01	30	/	Ludiomil
NORTRIPTYLINE HYDROCHLORIDE - Safety medicine; prescr	iber may determine d	ispen	sina freau	encv
Tab 10 mg	,	100		Norpress
•	-			

180

Norpress

[‡] safety cap

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

	0.1		- 1
	Subsidy (Manufacturer's Price)		Fully Brand or ised Generic
	\$	Per	✓ Manufacturer
Monoamine-Oxidase Inhibitors (MAOIs) - Non Se	elective		
PHENELZINE SULPHATE	05.00	100	✓ Nardil
* Tab 15 mg	95.00	100	Naruii
TRANYLCYPROMINE SULPHATE * Tab 10 mg	22.94	50	✓ Parnate
Monoamine-Oxidase Type A Inhibitors			
MOCLOBEMIDE			
* Tab 150 mg	85.10	500	✓ Apo-Moclobemide
* Tab 300 mg	30.70	100	✓ Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors			
CITALOPRAM HYDROBROMIDE			
* Tab 20 mg	1.79	84	✓ PSM Citalopram
ESCITALOPRAM			4
* Tab 10 mg * Tab 20 mg			✓ Air Flow Products ✓ Air Flow Products
· ·	2.40	20	All Flow Floudels
FLUOXETINE HYDROCHLORIDE * Tab dispersible 20 mg, scored – Subsidy by endorsement a) Subsidised by endorsement	2.47	30	✓ Arrow-Fluoxetine
When prescribed for a patient who cannot swallow whole	tablets or capsules a	and the presc	ription is endorsed accordingly
or 2) When prescribed in a daily dose that is not a multiple of	20 mg in which case	the prescrip	tion is deemed to be endorsed
Note: Tablets should be combined with capsules to facilit	•		
b) Arrow-Fluoxetine to be Sole Supply on 1 November 201		00	
* Cap 20 mg	1.99	90	✓ Arrow-Fluoxetine
PAROXETINE HYDROCHLORIDE			
* Tab 20 mg	4.32	90	✓ Loxamine
SERTRALINE			
Tab 50 mg	3.05	90	✓ Arrow-Sertraline
	1.02	30	
	(1.21)		Sertraline
Arrow-Sertraline to be Sole Supply on 1 December 2016			Actavis S29
Tab 100 mg	5.25	90	✓ Arrow-Sertraline
Arrow-Sertraline to be Sole Supply on 1 December 2016 (Sertraline Actavis S29 Tab 50 mg to be delisted 1 December 20			
Other Antidepressants	•		
MIRTAZAPINE			
Tab 30 mg	2.55	30	✓ Apo-Mirtazapine
Tab 45 mg	3.25	30	✓ Apo-Mirtazapine

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
VENLAFAXINE				
Tab 37.5 mg	5.06	28	*	rrow-Venlafaxine XR
Tab 75 mg	6.44	28	*	rrow-Venlafaxine XR
Tab 150 mg	8.86	28	*	rrow-Venlafaxine XR
Tab 225 mg	14.34	28	✓ A	rrow-Venlafaxine XR
Cap 37.5 mg - Special Authority see SA1061 below - Retail				
pharmacy	5.69	28	✓ E	fexor XR
Cap 75 mg - Special Authority see SA1061 below - Retail pharmacy	11.40	28	✓ E	fexor XR
pharmacy	13.98	28	√ E	fexor XR

■ SA1061 | Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

5	✓ Rivotril
5	✔ Hospira
5 5	✓ Stesolid ✓ Stesolid
5	✓ AFT
	5 5 5

	Subsidy	, ,	Fully	Brand or
	(Manufacturer's Prices)	Per St	ıbsidised ✓	Generic Manufacturer
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO		5	✓ <u>H</u>	<u>ospira</u>
* Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO		5	✓ <u>H</u>	<u>ospira</u>
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓ To	egretol
* Tab long-acting 200 mg	16.98	100	✓ To	egretol CR
* Tab 400 mg	34.58	100	✓ To	egretol
* Tab long-acting 400 mg	39.17	100	✓ To	egretol CR
*‡ Oral liq 20 mg per ml	26.37	250 ml	✓ To	egretol
CLOBAZAM – Safety medicine; prescriber may determine disper	nsing frequency			
Tab 10 mg‡ Safety cap for extemporaneously compounded oral liquic	9.12	50	✓ F	risium
CLONAZEPAM - Safety medicine; prescriber may determine disp	pensing frequency			
Oral drops 2.5 mg per ml	7.38	10 ml OP	✓ R	ivotril
ETHOSUXIMIDE				
Cap 250 mg	16.45	100	✓ Z	arontin
	32.90	200		arontin
Oral lig 250 mg per 5 ml		200 ml		arontin
1 01			· -	
GABAPENTIN – Special Authority see SA1477 below – Retail ph	,	100		waw Cahanantin
▲ Cap 100 mg	/.10	100		rrow-Gabapentin eurontin
			V N	upentin
▲ Cap 300 mg – For gabapentin oral liquid formulation refer,		400		
page 221	11.00	100		rrow-Gabapentin
				eurontin
	40.75	400		upentin
▲ Cap 400 mg	13.75	100		rrow-Gabapentin
				eurontin
			✓ N	upentin

⇒SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 The patient has been diagnosed with neuropathic pain; or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	sidised	Generic	
\$	Per	~	Manufacturer	

continued...

2 Both:

- 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
- 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy

Tab 50 mg	25.04	14	✓ Vimpat
Tab 100 mg		14	✓ Vimpat
3	200.24	56	✓ Vimpat
Tab 150 mg	75.10	14	Vimpat
·	300.40	56	✓ Vimpat
Tab 200 mg	400.55	56	✓ Vimpat

►SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturer's Price)		Full	
	(Manuacturers Frice)	Per	Subsidise(Manufacturer
LAMOTRIGINE				
▲ Tab dispersible 2 mg	6.74	30	V	Lamictal
▲ Tab dispersible 5 mg		30		Lamictal
ab dispersible 5 mg	15.00	56		Arrow-Lamotrigine
▲ Tab dispersible 25 mg		56		Motrig
Tab dispersible 20 mg	19.38	50		Logem
	20.40			Arrow-Lamotrigine
	29.09			Lamictal
▲ Tab dispersible 50 mg		56		Motrig
a tab dispersible 50 mg	32.97	50		Logem
	34.70			Arrow-Lamotrigine
	47.89			Lamictal
▲ Tab dispersible 100 mg		56		Motrig
a lab dispersible 100 mg	56.91	50		Logem
	59.90			Arrow-Lamotrigine
	79.16			Lamictal
	79.10		•	Lailliciai
LEVETIRACETAM				
Tab 250 mg	24.03	60	~	Everet
Tab 500 mg - For levetiracetam oral liquid formulation refe	r,			
page 221	28.71	60	~	Everet
Tab 750 mg	45.23	60	~	Everet
Tab 1,000 mg	59.12	60	~	Everet
PHENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, page	ne 224			
* Tab 15 mg		500	~	PSM
* Tab 30 mg		500	1	PSM
· ·				
PHENYTOIN SODIUM	E0 E1	200		Dilantin Infatah
* Tab 50 mg		200		Dilantin Infatab Dilantin
Cap 30 mg		200		
Cap 100 mg		200		Dilantin
*‡ Oral liq 30 mg per 5 ml	22.03	600 ml	•	Dilantin
PRIMIDONE				
* Tab 250 mg	17.25	100	~	Apo-Primidone
SODIUM VALPROATE				
Tab 100 mg	13 65	100	~	Epilim Crushable
Tab 200 mg EC		100		Epilim
Tab 500 mg EC		100		Epilim
*‡ Oral lig 200 mg per 5 ml		300 ml		Epilim S/F Liquid
** - 0.2 = 0.0 g po. 0				Epilim Syrup
* Inj 100 mg per ml, 4 ml	41 50	1		Epilim IV
,		•	•	-F
STIRIPENTOL - Special Authority see SA1330 on the next pag			_	
Cap 250 mg	509.29	60	/	Diacomit S29
Powder for oral liq 250 mg sachet	509.29	60	~	Diacomit S29

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

⇒SA1330 | Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

	Tab 25 mg11.07	60	Arrow-Topiramate
			✓ Topiramate Actavis
	26.04		✓ Topamax
\blacktriangle	Tab 50 mg18.81	60	Arrow-Topiramate
	•		✓ Topiramate Actavis
	44.26		✓ Topamax
\blacktriangle	Tab 100 mg31.99	60	✓ Arrow-Topiramate
	•		✓ Topiramate Actavis
	75.25		✓ Topamax
\blacktriangle	Tab 200 mg55.19	60	✓ Arrow-Topiramate
			✓ Topiramate Actavis
	129.85		✓ Topamax
\blacktriangle	Sprinkle cap 15 mg20.84	60	✓ Topamax
\blacktriangle	Sprinkle cap 25 mg26.04	60	✓ Topamax
VIG	ABATRIN - Special Authority see SA1072 below - Retail pharmacy		
\blacktriangle	Tab 500 mg	100	✓ Sabril

▶SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy	
(Manufacturer's Price)	
\$	

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 121

Acute Migraine Treatment			
ERGOTAMINE TARTRATE WITH CAFFEINE			
Tab 1 mg with caffeine 100 mg	31.00	100	✓ Cafergot
			✓ Cafergot S29 S29
RIZATRIPTAN			
Tab orodispersible 10 mg		12	Rizamelt
	8.10	30	✓ Rizamelt
SUMATRIPTAN			
Tab 50 mg		100	✓ Arrow-Sumatriptan
Tab 100 mg	54.80	100	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml cartridge – Maximum of 10 inj per	10.00	0.00	A Compatinton
prescription	13.80	2 OP	✓ Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per prescription	13.80	2 OP	✓ Sun Pharma S29
	15.60	2 01	y Sun Filannia 🐷
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYST	EM, page 57		
PIZOTIFEN			
* Tab 500 mcg	23.21	100	✓ Sandomigran
Antinausea and Vertigo Agents			
For Antispasmodics refer to ALIMENTARY TRACT, page 23			
APREPITANT - Special Authority see SA0987 on the next page - F	Retail pharmacy	,	

3 OP

✓ Emend Tri-Pack

Subsidy (Manufacturer's Prict)	Fully Subsidised	Brand or Generic	
\$	Per	· •	Manufacturer	

■SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE * Tab 16 mg4.95	84	✓ <u>Vergo 16</u>
CYCLIZINE HYDROCHLORIDE Tab 50 mg0.59	20	✓ Nauzene
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml14.95	5	✓ Nausicalm
DOMPERIDONE		
* Tab 10 mg - For domperidone oral liquid formulation refer,		
page 2213.20	100	✓ Prokinex
GRANISETRON		
* Tab 1 mg5.98	50	✓ Granirex
HYOSCINE HYDROBROMIDE		
* Inj 400 mcg per ml, 1 ml ampoule46.50	5	✓ Hospira
93.00	10	✓ Martindale \$29
Patch 1.5 mg - Special Authority see SA1387 below - Retail		
pharmacy11.95	2	✓ Scopoderm TTS

■ SA1387 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCI OPRAMIDE HYDROCHI ORIDE

*	Tab 10 mg - For metoclopramide hydrochloride oral liquid			
	formulation refer, page 221	1.82	100	✓ <u>Metamide</u>
*	Inj 5 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO	4.50	10	✓ Pfizer
ON	DANSETRON			
*	Tab 4 mg	5.51	50	✓ Onrex
*	Tab disp 4 mg	1.00	10	✓ Dr Reddy's
				Ondansetron
*	Tab 8 mg	6.19	50	✓ Onrex
*	Tab disp 8 mg	1.50	10	✓ Ondansetron
				ODT-DRLA
PR	OCHLORPERAZINE			
*	Tab 3 mg buccal	5.97	50	
	(15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	9.75	500	✓ Antinaus
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO	25.81	10	✓ Stemetil

	Subsidy (Manufacturer's Price) \$	Sı Per	Fully bsidised	Brand or Generic Manufacturer
	Ψ	rei		Manuacturer
PROMETHAZINE THEOCLATE				
★ Tab 25 mg	1.20	10		
-	(6.24)		A	vomine
Antipsychotics				
General				
AMISULPRIDE - Safety medicine; prescriber may determ	nine dispensing frequency			
= 1 100	4 56	30	√ S	ulnriv
lab 100 mg	T.00	00		uipiix
Tab 100 mg	6.22	00		olian
	6.22	60	√ S	•
Tab 100 mg Tab 200 mg	6.22		√ S √ S	olian
	6.22 14.75 21.92		✓ S ✓ S ✓ S	olian ulprix
Tab 200 mg	6.22 14.75 21.92	60	✓ S ✓ S ✓ S	olian ulprix olian

RIPIPRAZOLE - Special Authority see SA1539 below - Retail pharmacy		
Safety medicine; prescriber may determine dispensing frequency		
Tab 5 mg - No more than 1 tab per day123.5	4 30	Abilify
Tab 10 mg123.5	4 30	✓ Abilify
Tab 15 mg175.20	30	Abilify
Tab 20 mg213.4	2 30	✓ Abilify
Tab 30 mg260.0	7 30	Abilify

⇒SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

	Subsidy		Fully Brand or
	(Manufacturer's Price		ubsidised Generic
	\$	Per	✓ Manufacturer
CHLORPROMAZINE HYDROCHLORIDE – Safety medicine; pre	scribar may datarmi	na diena	nsing fraguancy
Tab 10 mg – Up to 30 tab available on a PSO	•	100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO		100	✓ Largactil
	20.00	10	Largaotti
CLOZAPINE – Hospital pharmacy [HP4]			
Safety medicine; prescriber may determine dispensing freque	•		4
Tab 25 mg		50	✓ Clozaril
	6.69		✓ Clopine
	11.36	100	✓ Clozaril
-	13.37		✓ Clopine
Tab 50 mg		50	✓ Clopine
	17.33	100	✓ Clopine
Tab 100 mg		50	✓ Clozaril
	17.33		✓ Clopine
	29.45	100	✓ Clozaril
	34.65		✓ Clopine
Tab 200 mg		50	✓ Clopine
	69.30	100	✓ Clopine
Suspension 50 mg per ml		100 ml	Clopine
HALOPERIDOL - Safety medicine; prescriber may determine dis	pensing frequency		
Tab 500 mcg - Up to 30 tab available on a PSO		100	Serenace
Serenace to be Sole Supply on 1 November 2016			
Tab 1.5 mg - Up to 30 tab available on a PSO	9.43	100	Serenace
Serenace to be Sole Supply on 1 November 2016			
Tab 5 mg - Up to 30 tab available on a PSO	29.72	100	Serenace
Serenace to be Sole Supply on 1 November 2016			
Oral liq 2 mg per ml - Up to 200 ml available on a PSO	23.84	100 ml	Serenace
Serenace to be Sole Supply on 1 November 2016			
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSC)21.55	10	Serenace
Serenace to be Sole Supply on 1 November 2016			
LEVOMEPROMAZINE HYDROCHLORIDE - Safety medicine; pr	escriber mav detern	nine disp	ensina frequency
Inj 25 mg per ml, 1 ml ampoule		10	✓ Nozinan
, , ,			✓ Wockhardt
Wockhardt to be Sole Supply on 1 December 2016			
(Nozinan Inj 25 mg per ml, 1 ml ampoule to be delisted 1 Decemb	per 2016)		
LEVOMEPROMAZINE MALEATE - Safety medicine; prescriber r		noina fra	auonov
		100	vquency ✓ Nozinan
Tab 25 mg		100	✓ Nozinan ✓ Nozinan
Tab 100 mg			Nozinan
LITHIUM CARBONATE - Safety medicine; prescriber may determ		uency	
Tab 250 mg	34.30	500	✓ <u>Lithicarb FC</u>
Tab 400 mg		100	✓ <u>Lithicarb FC</u>
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg	9.42	100	✓ <u>Douglas</u>

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
OLANZADINE Cefeb medicine accepible and determine dis-	*	1 01		Mandidetarer
OLANZAPINE – Safety medicine; prescriber may determine disp	. ,	00		• •
Tab 2.5 mg		28	_	<u>Zypine</u>
Tab 5 mg		28	-	Zypine
Tab orodispersible 5 mg		28		Zypine ODT
Tab 10 mg		28	-	Zypine
Tab orodispersible 10 mg	3.05	28	V 2	Zypine ODT
PERICYAZINE - Safety medicine; prescriber may determine disp	ensing frequency			
Tab 2.5 mg	12.49	100	1	Neulactil
Tab 10 mg	44.45	100	V 1	Neulactil
QUETIAPINE - Safety medicine; prescriber may determine dispe	ensina frequency			
Tab 25 mg	. ,	90	V	Quetapel
Tab 100 mg		90	_	Quetapel
Tab 200 mg		90	V	Quetapel
Tab 300 mg		90		Quetapel
RISPERIDONE – Safety medicine; prescriber may determine disp	pensina frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927				
below – Retail pharmacy		28	1	Risperdal Quicklet
Tab 0.5 mg		60		Actavis
Tab 1 mg		60	-	Actavis
Tab orodispersible 1 mg — Special Authority see SA0927		00	· ·	TOTAL TIO
below – Retail pharmacy		28	1	Risperdal Quicklet
Tab 2 mg		60		Actavis
•		00	• •	-totavio
Tab orodispersible 2 mg - Special Authority see SA0927		28		Risperdal Quicklet
below – Retail pharmacy		20 60		•
Tab 3 mg		60		Actavis Natavia
Tab 4 mg		ชบ 30 ml	-	<u>Actavis</u> Pianaran
Oral liq 1 mg per ml(Risperdal Quicklet Tab orodispersible 0.5 mg to be delisted 1 Jun		JU IIII	V I	<u>Risperon</u>

(Risperdal Quicklet Tab orodispersible 0.5 mg to be delisted 1 June 2017) (Risperdal Quicklet Tab orodispersible 1 mg to be delisted 1 June 2017) (Risperdal Quicklet Tab orodispersible 2 mg to be delisted 1 June 2017)

■ SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
TRIFLUOPERAZINE HYDROCHLORIDE - Safety medicine; pre	scriber may determin	e disp	ensing fre	quency
Tab 1 mg	9.83	100	1	Stelazine
	11.01	112	/	AMCo S29
Tab 2 mg	14.64	100	V :	Stelazine
Tab 5 mg	16.66	100	/	Stelazine
ZIPRASIDONE - Safety medicine; prescriber may determine dis	pensing frequency			
Cap 20 mg	14.56	60	V 3	Zusdone
Cap 40 mg	24.75	60	/	Zusdone
Cap 60 mg	33.87	60	/	<u>Zusdone</u>
Cap 80 mg	39.74	60	/	Zusdone
ZUCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; pres	scriber may determine	e disp	ensing fred	quency
Tab 10 mg		100		Clopixol
Depot Injections				
FLUPENTHIXOL DECANOATE - Safety medicine; prescriber ma	av determine dispens	ina fre	equency	
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO	,	5	. ,	Fluanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	1	Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	/	Fluanxol
FLUPHENAZINE DECANOATE - Safety medicine; prescriber ma	av determine dispens	ina fre	equency	
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PS0	,	5	, ,	Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO		5	/	Modecate
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO		5	~	Modecate S29
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	1	Modecate
(Modecate S29 Inj 25 mg per ml, 2 ml to be delisted 1 January 2				
HALOPERIDOL DECANOATE - Safety medicine; prescriber ma	,	na frac	NUANCV	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	•	Haldol Concentrate
my roo mg per mi, r mi — op to o mj avanabio on a r oo		J		Haldol
				Decanoas S29
OLANZAPINE - Special Authority see SA1428 below - Retail ph	armacy			
Safety medicine; prescriber may determine dispensing frequency	•			
carety medicine, presented may determine dispensing freque	onlog			

Inj 300 mg vial460.00

Inj 210 mg vial280.00

Inj 405 mg vial560.00

⇒SA1428 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

1

149

✓ Zyprexa Relprevv ✓ Zyprexa Relprevy

✓ Zyprexa Relprevv

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer	
PALIPERIDONE - Special Authority see SA1429 below - Retail p	oharmacy				
Safety medicine; prescriber may determine dispensing freque	ency				
Inj 25 mg syringe	194.25	1	🗸 In	vega Sustenna	
Inj 50 mg syringe	271.95	1	🗸 In	vega Sustenna	
Inj 75 mg syringe	357.42	1	🗸 In	vega Sustenna	
Inj 100 mg syringe	435.12	1	✓ In	vega Sustenna	
Inj 150 mg syringe		1	✓ In	vega Sustenna	
				ŭ	

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

ing 50 mg per mi, i mi op to 5 mg available on a r 50	170.70	▼ i iportii
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32 10	✓ Piportil
RISPERIDONE - Special Authority see SA1427 on the next page -	- Retail pharmacy	
Safety medicine; prescriber may determine dispensing frequency	су	
Inj 25 mg vial	135.98 1	Risperdal Consta
Inj 37.5 mg vial	178.71 1	Risperdal Consta
Inj 50 mg vial	217.56 1	Risperdal Consta

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	/	Manufacturer	

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

✔ Clopixol

Anxiolytics

ALPRAZOLAM – Safety medicine; prescriber may determine dispensing frequency Tab 250 mcg2.50	50	✓ Xanax
‡ Safety cap for extemporaneously compounded oral liquid preparations. Tab 500 mcg3.25	50	✓ Xanax
‡ Safety cap for extemporaneously compounded oral liquid preparations. Tab 1 mg5.00 ‡ Safety cap for extemporaneously compounded oral liquid preparations.	50	✓ Xanax
BUSPIRONE HYDROCHLORIDE		
* Tab 5 mg23.80	100	✓ Orion
* Tab 10 mg14.96	100	✓ <u>Orion</u>
CLONAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 500 mcg7.53	100	✓ Paxam
Tab 2 mg14.37	100	✓ Paxam
DIAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 2 mg11.44	500	✓ Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		•
Tab 5 mg13.71	500	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
LORAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 1 mg10.79	250	✓ <u>Ativan</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 2.5 mg13.88	100	✓ <u>Ativan</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
OXAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 10 mg6.17	100	✓ <u>Ox-Pam</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.	100	. / Ou Daw
Tab 15 mg	100	✓ Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

Multiple Sclerosis Treatments

DIMETHYL FUMARATE - Special Authority see SA1559 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

 Cap 120 mg
 520.00
 14
 ✓ Tecfidera

 Cap 240 mg
 2,000.00
 56
 ✓ Tecfidera

⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to dimethyl fumarate: or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

28

Gilenva

■SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC), Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to fingolimod; and
- g) patients must have not previously had intolerance to fingolimod; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to fingolimod; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

Tysabri

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse:
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier: and
- g) patients must have no previous history of lack of response to natalizumab; and
- h) patients must have not previously had intolerance to natalizumab; and
 - a) Patient is JC virus negative, or
 - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- i) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5: or

continued...

155

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

d) 2.0 to 4.0; or

- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or
- a) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to natalizumab; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

28 Aubagio

⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: 04 460 4990

Facsimile: 04 916 7571

The coordinator Multiple Sclerosis Treatment Assessment Committee

Email: mstaccoordinator@pharmac.govt.nz

PHARMAC PO Box 10 254

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse:
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to teriflunomide: and
- g) patients must have not previously had intolerance to teriflunomide; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5: or
 - a) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to teriflunomide: or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Other Multiple Sclerosis Treatments

■ SA1564 | Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million ju of interferon beta-1-alpha per week, or 8 million ju of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse:
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- g) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- h) patient will not be co-prescribed natalizumab or fingolimod.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5: or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	;	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- g) 3.5 to 4.5: or
- h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's (interferon beta-1beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alphal to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564	on page 157 – [Xpharm]		
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	.1564 on page 157 – [Xp	harm]	
Inj 6 million iu prefilled syringe	1,170.00	4	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial		4	✓ Avonex
INTERFERON BETA-1-BETA - Special Authority see SA15	564 on page 157 – [Xph	arm]	
Inj 8 million iu per 1 ml	1,322.89	15	Betaferon

Sedatives and Hypnotics

LOT INIL TAZET AIN Galety medicine, prescriber may dete	ininic dispensing inequency	
Tab 1 mg	3.11 30	
•	(23.50)	Noctamid
‡ Safety cap for extemporaneously compounded or	al liquid preparations.	
MIDAZOLAM - Safety medicine; prescriber may determine	e dispensing frequency	
Inj 1 mg per ml, 5 ml	10.00 10	✓ Pfizer
	10.75	Hypnovel
Inj 5 mg per ml, 3 ml	11.90 5	✓ Hypnovel
. •		✓ Pfizer
NITRAZEPAM - Safety medicine; prescriber may determine	ne dispensing frequency	
Tab 5 mg	5.22 100	✓ <u>Nitrados</u>
‡ Safety cap for extemporaneously compounded or	al liquid preparations.	
PHENOBARBITONE SODIUM - Special Authority see SA	1386 below – Retail pharmacy	
Inj 200 mg per ml, 1 ml ampoule	46.20 10	✓ Martindale S29

►SA1386 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

LORMETAZEPAM - Safety medicine: prescriber may determine dispensing frequency

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
TEMAZEPAM - Safety medicine; prescriber may determine disper Tab 10 mg	1.27	25	✓ <u>N</u>	ormison
TRIAZOLAM – Safety medicine; prescriber may determine dispension 125 mcg	5.10 (9.85)	100	Н	ypam
‡ Safety cap for extemporaneously compounded oral liquid Tab 250 mcg ‡ Safety cap for extemporaneously compounded oral liquid	4.10 (11.20)	100	Н	ypam
ZOPICLONE – Safety medicine; prescriber may determine dispen-		500	√ <u>Z</u>	opiclone Actavis

Stimulants/ADHD Treatments

Stimulants/ADHD treatments

ATOMOXETINE - Special Authority see SA1416 below - Re	etail pharmacy		
Cap 10 mg	107.03	28	✓ Strattera
Cap 18 mg	107.03	28	✓ Strattera
Cap 25 mg	107.03	28	✓ Strattera
Cap 40 mg	107.03	28	✓ Strattera
Cap 60 mg	107.03	28	✓ Strattera
Cap 80 mg	139.11	28	✓ Strattera
Cap 100 mg		28	✓ Strattera

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamphetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 on the next page - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

120 5 mg	V PSIVI
----------	---------

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — **(ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg	3.00	30	Ritalin
· ·			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg	10.95	30	Rubifen SR
-	50.00	100	Ritalin SR

⇒SA1150 | Special Authority for Subsidy

Initial application — **(ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 3.1 Applicant is a paediatrician or psychiatrist; or
- 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg		30	Concerta
Tab extended-release 36 mg		30	Concerta
Tab extended-release 54 mg		30	Concerta
Cap modified-release 10 mg		30	Ritalin LA
Cap modified-release 20 mg		30	Ritalin LA
Cap modified-release 30 mg		30	Ritalin LA
Cap modified-release 40 mg		30	Ritalin LA

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Fither:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL – Special Authority see SA1126 below – Retail pharmacy

■SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eve movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Fither:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamphetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamphetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE			
* Tab 5 mg	5.48	90	✓ Donepezil-Rex
* Tab 10 mg	10.51	90	✓ Donepezil-Rex
RIVASTIGMINE - Special Authority see SA1488 below -	Retail pharmacy		
Patch 4.6 mg per 24 hour	90.00	30	Exelon
Patch 9.5 mg per 24 hour	90.00	30	Exelon
The CA 4 400 Connected Analysis of the Control of the			

► SA1488 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine: prescriber may determine dispensing frequency

Suboxone	28	g57.40	Tab sublingual 2 mg with naloxone 0.5 mg
Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

► SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE			
Tab modified-release 150 mg	4.97	30	Zyban
DISULFIRAM			
Tab 200 mg	24.30	100	Antabuse

	Subsidy (Manufacturer's Price)		osidised	Brand or Generic	
	\$	Per	~	Manufacturer	
NALTREXONE HYDROCHLORIDE - Special Authority see SA14	408 below – Retail pha	armacy			
Tab 50 mg	76.00	30	✓ Na	altraccord	

⇒SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

requestion in the full ded dispersing requestey in	ule ili allibullis i	oo man 4 w	ecks of treatmen
Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	✓ <u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO	11.31	28	✓ <u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	✓ <u>Habitrol</u>
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	✓ Habitrol
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	✓ Habitrol
Gum 2 mg (Classic) - Up to 384 piece available on a PSO	22.26	384	✓ Habitrol
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	✓ Habitrol
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	✓ Habitrol
Gum 4 mg (Classic) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
hitsel Own Own (Observe) to be delicted AM and OMA			

(Habitrol Gum 2 mg (Classic) to be delisted 1 March 2017)

(Habitrol Gum 4 mg (Classic) to be delisted 1 March 2017)

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

✓ Champix		Tab 1 mg	
✓ Champix	56	135.48	
✓ Champix	25 OP	Tab 0.5 mg \times 11 and 1 mg \times 14	Tab 0

■SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
- 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

✓ fully subsidised

[HP4] refer page 4

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Chemotherapeutic Agents

Alkylating Agents

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			•
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
, ,	20.00		✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	DBL Carboplatin
	19.50		✓ Carbaccord
	22.50		Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	DBL Carboplatin
	48.50		Carbaccord
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml vial	12.20	1	✓ DBL Cisplatin
iiij i iiig pei iiii, 50 iiii viai	15.00	'	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
ing i mg por mi, roo mi viai	22.46	•	✓ DBL Cisplatin
Inj 1 mg for ECP		1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		3	
	70.00	FO	✓ Endoxan S29
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	
Western deimakle and mile 0.000 an man 10	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13	25.02	1	✓ Endoxan
Inj 1 g vial – PCT – Retail pharmacy-Specialist	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
, , ,		11119	♥ Buxter
IFOSFAMIDE – PCT only – Specialist	00.00	_	. 4 11-1
Inj 1 g		1	✓ Holoxan
Inj 2 gInj 1 mg for ECP		1 mg	✓ Holoxan✓ Baxter
, ,	0.10	ring	Daxiei
LOMUSTINE - PCT - Retail pharmacy-Specialist			4.4
Cap 10 mg		20	CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	67.80	1	✓ Alkeran
	3,068.83		Mylan
			Melphalan S29

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DXALIPLATIN - PCT only - Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	V (xaliccord
Inj 50 mg vial		1	~ C)xaliplatin Actavis 50
	55.00		v 0)xaliplatin Ebewe
	200.00			loxatin
Inj 100 mg vial	25.01	1	~ 0)xaliplatin Actavis 100
	110.00		v 0)xaliplatin Ebewe
	400.00		✓ E	loxatin
Inj 5 mg per ml, 20 ml vial	16.00	1	V 0	xaliccord
Inj 1 mg for ECP	0.18	1 mg	✓ E	Baxter
THIOTEPA - PCT only - Specialist				
Inj 15 mg vial	CBS	1	✓ E	Bedford S29
, •			✓ T	HIO-TEPA \$29
			✓ T	epadina (\$29)
Inj 100 mg vial	CBS	1		epadina \$29

Antimetabolites

AZACITIDINE - PCT only - Specialist - Special Authority see SA1467 below		
Inj 100 mg vial605.00	1	Vidaza
Inj 1 mg for ECP6.66	1 mg	✓ Baxter

■ SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome: or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
 - 2 The treatment remains appropriate and patient is benefitting from treatment.

	0.1.1			B 1
	Subsidy (Manufacturer's	Price) Sub	Fully sidised	Brand or Generic
	\$	Per	√	Manufacturer
CALCIUM FOLINATE				
Tab 15 mg - PCT - Retail pharmacy-Specialist	104 26	10	✓ D	BL Leucovorin
ias io ing i or i ioian phamao, oposianoimininini			• -	Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	✓ H	lospira
Inj 50 mg - PCT - Retail pharmacy-Specialist		5		Calcium Folinate
.,,,g		-		Ebewe
Inj 100 mg - PCT only - Specialist	7.33	1	/ C	Calcium Folinate
, , , ,				Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	√ C	Calcium Folinate
, ,				Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	∠ 0	Calcium Folinate
, . g . c . c, oposia		·	• •	Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ B	Baxter
		9	• -	
CAPECITABINE – Retail pharmacy-Specialist	20.00	60		`anaaitahina
Tab 150 mg	30.00	60		Capecitabine
Tab 500 mm	100.00	100		Winthrop
Tab 500 mg	120.00	120	V (Capecitabine
				Winthrop
CLADRIBINE - PCT only - Specialist				
Inj 1 mg per ml, 10 ml		7		eustatin.
Inj 10 mg for ECP	749.96	10 mg OP	✓ B	Baxter
CYTARABINE				
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis	st55.00	5	✓ P	fizer
	80.00		✓ H	lospira
Inj 500 mg - PCT - Retail pharmacy-Specialist	18.15	1	√ P	fizer
	95.36	5	✓ H	lospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-	=			
Specialist	8.83	1	✓ P	fizer
	42.65		✓ H	lospira
Inj 100 mg per ml, 20 ml vial - PCT - Retail pharmacy-	=			
Specialist	17.65	1	✓ P	fizer
	34.47		✓ H	lospira
Inj 1 mg for ECP - PCT only - Specialist	0.11	10 mg	✓ B	Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialis	st11.00	100 mg OP	✓ B	Baxter
LUDARABINE PHOSPHATE				
Tab 10 mg - PCT - Retail pharmacy-Specialist	412.00	20	√ F	ludara Oral
Inj 50 mg vial - PCT only - Specialist		5	_	ludarabine Ebewe
,	1,430.00			ludara
Inj 50 mg for ECP - PCT only - Specialist	105.00	50 mg OP	✓ B	Baxter
LUOROURACIL		ŭ		
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist	10.00	1	√ ⊑	luorouracil Ebewe
Inj 50 mg per ml, 50 ml vial — PCT only — Specialist		1		luorouracil Ebewe
Inj 50 mg per ml, 100 ml vial – PCT only – Specialist		1		luorouracil Ebewe
Inj 1 mg for ECP — PCT only — Specialist		100 mg		Baxter
my my for Lot of only - opecialist		100 mg	¥ D	runtoi

//	Subsidy Manufacturer's Price)	Fully Subsidised	Brand or Generic
(r	\$	Per	€ Cubsidised	Manufacturer
EMCITABINE HYDROCHLORIDE - PCT only - Specialist				
Inj 1 g	15 89	1	v 0	emcitabine Ebewe
", ' y	62.50			BL Gemcitabine
	349.20			Gemzar
Inj 200 mg		1		emcitabine Ebewe
"1 200 mg	78.00	•		iemzar
Inj 1 mg for ECP		1 mg		Baxter
		ı mg		JUNIOI
INOTECAN HYDROCHLORIDE – PCT only – Specialist	44.50		٠.	
Inj 20 mg per ml, 2 ml vial	11.50	1	✓ II	inotecan Actavis 40
	41.00		V 0	amptosar
				inotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1		inotecan Actavis
, - Ur,		•	• "	100
	100.00		/ (Camptosar
	100.00			inotecan-Rex
Inj 1 mg for ECP	n 19	1 mg		Baxter
, ,	0.10	i ilig	• -	axter
ERCAPTOPURINE – PCT – Retail pharmacy-Specialist				
Tab 50 mg	49.41	25	✓ P	uri-nethol
ETHOTREXATE				
Tab 2.5 mg - PCT - Retail pharmacy-Specialist	3.18	30	✓ T	rexate
Tab 10 mg - PCT - Retail pharmacy-Specialist		50	√ T	rexate
Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5	_	lospira
Inj 7.5 mg prefilled syringe		1		lethotrexate
.,				Sandoz
Inj 10 mg prefilled syringe	14 66	1	√ N	lethotrexate
ing 10 mg promited syringe	14.00	'	V 11	Sandoz
Inj 15 mg prefilled syringe	14 77	1		Methotrexate
IIIJ 15 IIIg preililed syringe	14.77	1	V 1	Sandoz
Let 00 man and fills of south and	44.00			
Inj 20 mg prefilled syringe	14.88	1	V N	lethotrexate
				Sandoz
Inj 25 mg prefilled syringe	14.99	1	✓ N	lethotrexate
				Sandoz
Inj 30 mg prefilled syringe	15.09	1	✓ N	lethotrexate
				Sandoz
Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist	30.00	5	/ D	BL Methotrexate
				Onco-Vial
DBL Methotrexate Onco-Vial to be Sole Supply on 1 Novemb	er 2016			
Inj 25 mg per ml, 20 ml vial - PCT - Retail pharmacy-				
Specialist	45.00	1	✓ [BL Methotrexate
				Onco-Vial
DBL Methotrexate Onco-Vial to be Sole Supply on 1 Novemb	er 2016			
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist		1	✓ N	Methotrexate Ebew
Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialist		1	✓ N	Methotrexate Ebew
Inj 1 mg for ECP - PCT only - Specialist		1 mg	_	Baxter
Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist		mg OF		Baxter
HOGUANINE – PCT – Retail pharmacy-Specialist	100.01	0.5		
Tab 40 mg	126.31	25	VL	anvis.

	Subsidy (Manufacturer's F \$	Price) S Per	Fully Subsidised	Brand or Generic Manufacturer	
Other Cytotoxic Agents					
AMSACRINE - PCT only - Specialist					
Inj 50 mg per ml, 1.5 ml ampoule	1,500.00	6	✓ A	msidine \$29	
Inj 75 mg	1,250.00	5	✓ A	msaLyo S29	
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharmac	v-Specialist				
Cap 0.5 mg		100	✓ A	grylin \$29	
			✓ To	eva S29	
ARSENIC TRIOXIDE - PCT only - Specialist					
Inj 10 mg	4,817.00	10	✓ A	FT \$29	
BLEOMYCIN SULPHATE - PCT only - Specialist					
Inj 15,000 iu, vial	150.48	1		BL Bleomycin Sulfate	
Inj 1,000 iu for ECP	11.64	1,000 iu	✓ B	axter	
BORTEZOMIB - PCT only - Specialist - Special Authority	see SA1576 below				
Inj 1 mg		1	✓ Vo	elcade	
Inj 3.5 mg vial		1	✓ V	elcade	
Inj 1 mg for ECP		1 mg	✓ B	axter	
(Velcade Inj 1 mg to be delisted 1 December 2016)					

⇒SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *: and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- ______
 - 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
 - 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

continued...

171

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

a) a known therapeutic chemotherapy regimen and supportive treatments; or

b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

DACARBAZINE	COLASPASE [L-ASPARAGINASE] – PCT only – Specialist Inj 10,000 iu		1	✓ Leunase
Inj 200 mg vial		102.32	10,000 iu OP	✓ Baxter
Inj 200 mg for ECP				
DACTINOMYCIN [ACTINOMYCIN D]				
Inj 0.5 mg vial		58.06	200 mg OP	✓ Baxter
Inj 0.5 mg for ECP				
DAUNORUBICIN				
Inj 2 mg per ml, 10 ml	Inj 0.5 mg for ECP	145.00	0.5 mg OP	✓ Baxter
Inj 20 mg for ECP	DAUNORUBICIN - PCT only - Specialist			
DOCETAXEL - PCT only - Specialist Inj 20 mg	Inj 2 mg per ml, 10 ml	118.72	1	✓ Pfizer
Inj 20 mg	Inj 20 mg for ECP	118.72	20 mg OP	✓ Baxter
Inj 20 mg	DOCETAXEL - PCT only - Specialist			
Inj 20 mg per ml, 1 ml		13.70	1	✓ DBL Docetaxel
Inj 20 mg per ml, 4 ml	, ,			Docetaxel Sandoz
Inj 80 mg	Inj 20 mg per ml, 1 ml	48.75	1	✓ Taxotere
195.00	Inj 20 mg per ml, 4 ml	195.00	1	✓ Taxotere
Inj 1 mg for ECP	Inj 80 mg	29.99	1	DBL Docetaxel
DOXORUBICIN HYDROCHLORIDE		195.00		Docetaxel Sandoz
Inj 2 mg per ml, 5 ml vial 10.00 1	Inj 1 mg for ECP	0.61	1 mg	✓ Baxter
Inj 2 mg per ml, 5 ml vial 10.00 1	DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist			
Inj 2 mg per ml, 25 ml vial		10.00	1	✓ Doxorubicin Ebewe
Inj 50 mg vial			1	✓ Doxorubicin Ebewe
Inj 2 mg per ml, 50 ml vial 23.00 1		17.00		Arrow-Doxorubicin
S29 \$29	Inj 50 mg vial	40.00	1	DBL Doxorubicin
Inj 2 mg per ml, 50 ml vial				DBL Doxorubicin
Inj 2 mg per ml, 100 ml vial .46.00 1 ✓ Doxorubicin Ebewe 65.00 .47row-Doxorubicin ✓ Arrow-Doxorubicin ✓ Adriamycin ✓ Adriamycin Inj 1 mg for ECP .0.25 1 mg ✓ Baxter EPIRUBICIN HYDROCHLORIDE - PCT only - Specialist ✓ Epirubicin Ebewe Inj 2 mg per ml, 5 ml vial .25.00 1 ✓ Epirubicin Ebewe Inj 2 mg per ml, 25 ml vial .30.00 1 ✓ Epirubicin Ebewe				S29 S29
65.00	Inj 2 mg per ml, 50 ml vial	23.00	1	Doxorubicin Ebewe
150.00	Inj 2 mg per ml, 100 ml vial	46.00	1	Doxorubicin Ebewe
Inj 1 mg for ECP .0.25 1 mg ✓ Baxter EPIRUBICIN HYDROCHLORIDE – PCT only – Specialist .25.00 1 ✓ Epirubicin Ebewe Inj 2 mg per ml, 5 ml vial .30.00 1 ✓ Epirubicin Ebewe		65.00		Arrow-Doxorubicin
EPIRUBICIN HYDROCHLORIDE - PCT only - Specialist Inj 2 mg per ml, 5 ml vial				Adriamycin
Inj 2 mg per ml, 5 ml vial 25.00 1 ✓ Epirubicin Ebewe Inj 2 mg per ml, 25 ml vial 30.00 1 ✓ Epirubicin Ebewe	Inj 1 mg for ECP	0.25	1 mg	✓ Baxter
Inj 2 mg per ml, 25 ml vial	EPIRUBICIN HYDROCHLORIDE - PCT only - Specialist			
··) = ···g ····, = ····· · ··· = ····· = ···· = ···· = ···· = ···· = ···· = ···· = ···· = ···· = ···· = ····		25.00	1	Epirubicin Ebewe
39.38	Inj 2 mg per ml, 25 ml vial	30.00	1	✓ Epirubicin Ebewe
55.55 BBE Epirabicin		39.38		✔ DBL Epirubicin
Hydrochloride				Hydrochloride
Inj 2 mg per ml, 50 ml vial	Inj 2 mg per ml, 50 ml vial	32.50	1	
58.20 ✓ DBL Epirubicin		58.20		DBL Epirubicin
Hydrochloride				•
Inj 2 mg per ml, 100 ml vial	Inj 2 mg per ml, 100 ml vial	65.00	1	•
94.50 ✓ DBL Epirubicin		94.50		
				Hydrochloride
•	Inj 1 mg for ECP	0.36	1 mg	✓ Baxter
·	Inj 1 mg for ECP	0.36	1 mg	✓ Baxter

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
ETOPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	V \	/epesid
Cap 100 mg - PCT - Retail pharmacy-Specialist	340.73	10	/ \	/epesid
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Special	ist7.90	1	/ <u>[</u>	Rex Medical
Inj 1 mg for ECP - PCT only - Specialist	0.09	1 mg	✓ E	Baxter
ETOPOSIDE PHOSPHATE - PCT only - Specialist				
Inj 100 mg (of etoposide base)	40.00	1	✓ [Etopophos
Inj 1 mg (of etoposide base) for ECP	0.47	1 mg	✓ E	Baxter
HYDROXYUREA - PCT - Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	V	Hydrea
IDARUBICIN HYDROCHLORIDE				•
Inj 5 mg vial - PCT only - Specialist	125.00	1	V 2	Zavedos
Inj 10 mg vial - PCT only - Specialist		1	V 2	Zavedos
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ E	Baxter
LENALIDOMIDE – Retail pharmacy-Specialist – Special Authorit Wastage claimable – see rule 3.3.2 on page 13		ı		
Cap 10 mg	6,207.00	21	✓ F	Revlimid
Cap 25 mg	7,627.00	21	✓ F	Revlimid

■ SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
 - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA

Tab 400 mg - PCT - Retail pharmacy-Specialist273.00	50	Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist407.50	50	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist161.25	15	Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist370.35	15	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist2.69	100 mg	✓ Baxter

173

	Subsidy (Manufacturer's P		Fully	Brand or Generic
	\$ 	Per		Manufacturer
MITOMYCIN C - PCT only - Specialist				
Inj 5 mg vial	204.08	1	✓ A	rrow
Arrow to be Sole Supply on 1 November 2016				
Inj 1 mg for ECP	42.04	1 mg	✓ B	axter
MITOZANTRONE - PCT only - Specialist				
Inj 2 mg per ml, 10 ml vial	97.50	1	✓ N	litozantrone Ebewe
Inj 1 mg for ECP		1 mg	✓ B	axter
PACLITAXEL - PCT only - Specialist				
Inj 30 mg	45.00	5	✓ P	aclitaxel Ebewe
Inj 100 mg		1	✓ P	aclitaxel Ebewe
	91.67		✓ P	aclitaxel Actavis
Inj 150 mg	26.69	1	✓ P	aclitaxel Ebewe
•	137.50		✓ A	nzatax
			✓ P	aclitaxel Actavis
Inj 300 mg	36.53	1	✓ P	aclitaxel Ebewe
	275.00		✓ A	nzatax
			✓ P	aclitaxel Actavis
Inj 600 mg	73.06	1	✓ P	aclitaxel Ebewe
Inj 1 mg for ECP	0.17	1 mg	✓ B	axter
PEGASPARGASE - PCT only - Special Authority see SA13	25 below			
Inj 3,750 IU per 5 ml		1	v 0	ncaspar S29
	-,			•

■SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialis	st		
Inj 10 mg	CBS	1	✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmac	y-Specialist		
Cap 50 mg	498.00	50	✓ Natulan S29
TEMOZOLOMIDE - Special Authority see SA1616 on the next p	page – Retail phari	macy	
Cap 5 mg	8.00	5	Temaccord
Cap 20 mg	36.00	5	Temaccord
Cap 100 mg	175.00	5	Temaccord
Cap 250 mg	410.00	5	✓ Temaccord

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per Manufacturer

■SA1616 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has glioblastoma multiforme; and
 - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
 - 2.1 Patient has anaplastic astrocytoma*; and
 - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
 - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme.

THALIDOMIDE	 PCT only – Specialist – Special Authority see SA1124 belo 	W	
Cap 50 mg.	378.00	28	✓ Thalomid
Cap 100 mg	756.00	28	Thalomid

►SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

continued...

175

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

100

1 ma

✓ Vesanoid

Vinorelbine Ebewe

✓ Baxter

continued...

TRFTINOIN

VII

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

Cap 10 mg	- PCT - Retail pharmacy-Specialist	479.50
VINBLASTINE S	ULPHATE	

Inj 1 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist37.29	1	✔ Hospira
186.46	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
MODISTINE SHI DHATE		

VINCRISTINE SULPHATE

Inj 1 mg per ml, 1 ml vial – PCT – Retail pharmacy-Specialist74.52	5	DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist85.61	5	DBL Vincristine Sulfate
Inj 1 mg for ECP - PCT only - Specialist11.30	1 mg	✓ Baxter
INORELBINE - PCT only - Specialist		
Inj 10 mg per ml, 1 ml vial8.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial40.00	1	✓ Navelbine

210.00

Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 below - [3	Xpharm]		
Tab 20 mg	3,774.06	60	✓ Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tab 100 mg	6.214.20	30	✓ Sprvcel

■ SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.

Subsidy (Manufacturer's Brice)		Fully	
(Manufacturer's Price) \$	Per	Subsidised	Manufacturer

continued...

e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35%) metaphases), and absence of extramedullary disease); or
 - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0×10^9 /L. platelets > $20 \times$ 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%. PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB - Retail pharmacy-Specialist - Special Author	ority see SA1577 below		
Tab 100 mg	1,000.00	30	✓ Tarceva
Tab 150 mg	1,500.00	30	✓ Tarceva

⇒SA1577 | Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Any of the following:
 - 3.1 Patient is treatment naive: or
 - 3.2 Both:
 - 3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapv: and
 - 3.2.2 Patient has not received prior treatment with gefitinib; or
 - 3.3 Both:
 - 3.3.1 The patient has discontinued gefitinib within 12 weeks of starting treatment due to intolerance; and
 - 3.3.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1578 on the next page 30 lressa

177

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1578 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Fither:
 - 2.1 Patient is treatment naive: or
 - 2.2 Both:
 - 2.2.1 The patient has discontinued erlotinib within 12 weeks of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	✓ Glivec
*	Cap 100 mg	298.90	60	✓ Imatinib-AFT
*	Cap 400 mg	597.80	30	✓ Imatinib-AFT

⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlqistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for GIST âĂŞ access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic

\$ Per Manufacturer

continued...

- 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
- 1.3 Lapatinib not to be given in combination with trastuzumab; and
- 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 150 mg	4,680.00	120	Tasigna
Cap 200 mg	6,532.00	120	Tasigna

■ SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Either:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day: and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB – Special Authority see SA1190 on the nex	t page – Retail pharmacy		
Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
 - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal: or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70; or
- 5.6 ≥ 2 sites of organ metastasis; and 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg	2,315.38	28	Sutent
Cap 25 mg	· ·	28	✓ Sutent
Cap 50 mg	· ·	28	✓ Sutent

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval: or
 - 2.4 Both:

✓ fully subsidised

[HP4] refer page 4

- 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
- 2.4.2 The cancer did not progress whilst on pazopanib; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of < 70: or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of > 15% on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of ≥ 10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 90

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 on the next page

Wastage claimable - see rule 3.3.2 on page 13

' Zytiga

181

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases: and
- 3 Patient's disease is castration resistant: and
- 4 Fither:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

BICALUTAMIDE Tab 50 mg	4.90	28	✓ <u>Bicalaccord</u>
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	55.00	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist Tab 160 mg	54.30	30	✓ Apo-Megestrol
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial	13.50	5	✓ <u>DBL</u>
Inj 100 mcg per ml, 1 ml vial	22.40	5	✓ DBL
Inj 500 mcg per ml, 1 ml vial	89.40	5	✓ <u>DBL</u>
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Spe	cial Authority see SA101	6 below – F	Retail pharmacy
Inj LAR 10 mg prefilled syringe		1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe		1	Sandostatin LAR
Inj LAR 30 mg prefilled syringe		1	Sandostatin LAR

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive
- 2 Both:
 - 2.1 Gastrinoma: and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas: and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

TAMOXIFFN CITRATE

*	Tab 10 mg17.50	100	Genox
*	Tab 20 mg2.63	30	Genox
	8.75	100	Genox

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Aromatase Inhibitors				
ANASTROZOLE * Tab 1 mg	26.55	30	✓ A	remed rimidex P-Anastrozole
EXEMESTANE * Tab 25 mg	14.50	30	*	romasin fizer Exemestane
(Aromasin Tab 25 mg to be delisted 1 January 2017)			-	
LETROZOLE * Tab 2.5 mg	2.95	30	√ <u>L</u>	etrole_
Immunosuppressants				
Cytotoxic Immunosuppressants				
AZATHIOPRINE – Retail pharmacy-Specialist * Tab 25 mg		60	✓ A	zamun
** Tab 50 mg - For azathioprine oral liquid formulation refer, page 221 ** Inj 50 mg	13.22	100 1	*	zamun nuran
MYCOPHENOLATE MOFETIL				
Tab 500 mg Cap 250 mg Powder for oral liq 1 g per 5 ml – Subsidy by endorsement	25.00	50 100 5 ml C	✓ 0	cellcept cellcept cellcept

Fusion Proteins

- 17 (1 1 1 - 1 1 0 - 1 1	opoolar riamonty ood or triro bolon	riotan priarriacy		
Inj 25 mg		799.96	4	Enbrel
Inj 50 mg auto	oinjector	1,599.96	4	Enbrel
Ini 50 ma pref	filled syringe	1.599.96	4	✓ Enbrel

⇒SA1478 Special Authority for Subsidy

prescription is endorsed accordingly.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the

_....

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

continued...

185

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis: or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plague psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis: or
 - 2.1.2 Patient has severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot, where the plague or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plague psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plague psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

continued...

- 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right): or
- 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or

2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Fither:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient has pvoderma gangrenosum*; and

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised Brand or Generic Manufacturer

continued...

- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Fither:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD): or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992:19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment. BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

2 Either:

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment: and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Either:

1.1 Applicant is a rheumatologist; or

ANTITHYMOCYTE GLOBULIN (FQUINE) - PCT only - Specialist

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment: and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

Inj 50 mg per ml, 5 ml	2,351.25	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only	- Specialist		
Subsidised only for bladder cancer.			
Inj 2-8 × 100 million CFU	149.37	1	✓ OncoTICE
Inj 40 mg per ml, vial	149.37	3	✓ SII-Onco-BCG S29
(SII-Onco-BCG \$29 Ini 40 ma per ml. vial to be delisted 1 Febr	ruarv 2017)		

Monoclonal Antibodies

ADALIMUMAB - Special Authority see SA14	479 below – Retail pharmacy		
Inj 10 mg per 0.2 ml prefilled syringe	1,599.96	2	Humira
Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	Humira
Inj 40 mg per 0.8 ml prefilled pen	1,599.96	2	✓ HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,599.96	2	Humira

⇒SA1479 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 1.2.1 The patient has experienced intolerable side effects from etanercept; or
- 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease: and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and

continued...

191

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept: or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis: or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plague psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plague psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist, Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept: or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs. CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right): or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
 - 12 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:

continued...

193

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 2.2 Patient diagnosed with JIA; and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Fither:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone. ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Fither:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD);
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules:
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

- 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
- 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
- 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Fither:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab:

- 2.1.2 CDAI score is 150 or less: or
- 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

continued...

195

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2 Either:

- 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values: or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

continued...

- 1.1 Applicant is a named specialist or rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — **(pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OMALIZUMAB - Special Authority see SA1490 below - Retail pharmacy

Inj 150 mg vial500.00 1 **V** Xolair

►SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated: and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months. unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline: and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 below

Inj 100 mg per 10 ml vial		2	Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	Mabthera
Inj 1 mg for ECP	5.64	1 mg	Baxter

▶SA1152 | Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
 - 1.2 To be used for a maximum of 6 treatment cycles: or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglob-

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A. B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Fither:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles;
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Subsidy		Fully	Brand or
Manufacturer's Price)	S	ubsidised	Generic
\$	Per	~	Manufacturer

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Inj 100 mg vial	770.57	1	✓ Sylvant
Inj 400 mg vial	3,082.33	1	Sylvant

⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB - PCT only - Specialist - Special Au	uthority see SA1521 below		
Inj 150 mg vial	1,350.00	1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

■ SA1521 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Trastuzumab not to be given in combination with lapatinib; and
 - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on lapatinib; and
 - 2.4 Trastuzumab not to be given in combination with lapatinib; and
 - 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

Subsidy (Manufacturer's Price)	Ç.	Fully	Brand or	
(Manulacturer 5 Frice)	Per	ibsiuiseu	Manufacturer	

continued...

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 All of the following:
 - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
 - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.1.3 Trastuzumab to be discontinued at disease progression; or
 - 3.2 All of the following:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; and
 - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
 - 3.2.4 Trastuzumab to be discontinued at disease progression; or
 - 3.3 All of the following:
 - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
 - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Programmed Cell Death-1 (PD-1) Inhibitors

		NIVOLUMAB - PCT only - Specialist - Special Authority see SA1617 below
Opdivo	1	Inj 10 mg per ml, 4 ml vial
✓ Opdivo	1	Inj 10 mg per ml, 10 ml vial2,629.96
✓ Baxter	1 mg	Inj 1 mg for ECP27.62

■ SA1617 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV: and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
 - 3.1 Patient has not received funded pembrolizumab; or
 - 3.2 Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 3.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
- 3.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 4 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period: and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
 must have reduction in short axis to <10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

⇒SA1615 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
 - 3.1 Patient has not received funded nivolumab; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

3.2 Both:

- 3.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
- 3.2.2 The cancer did not progress while the patient was on nivolumab; and
- 4 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
 must have reduction in short axis to <10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

Other Immunosuppressants

CICLOSPORIN			
Cap 25 mg	44.63	50	✓ Neoral
Cap 50 mg	88.91	50	Neoral
Cap 100 mg	177.81	50	✓ Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	✓ Neoral
EVEROLIMUS – Special Authority see SA1491 on the next page Wastage claimable – see rule 3.3.2 on page 13	e – Retail pharma	асу	
Tab 5 mg	4,555.76	30	✓ Afinitor
Tab 10 mg	6,512.29	30	✓ Afinitor

C

F

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIBOLIMI IS	- Special Authority	see SA0866 below	- Retail pharmacy
SILIOLINIOS	- Opeciai Autilionii	A SEE OVOCOO DEION	- Hetali pilaililacy

Tab 1 mg	749.99	100	Rapamune
Tab 2 mg	1,499.99	100	✓ Rapamune
Oral liq 1 mg per ml	449.99	60 ml OP	Rapamune

■ SA0866 | Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP: or
- Leukoencepthalopathy: or
- Significant malignant disease

TACROLIMUS - Special Authority see SA1540 below - Retail pharmacy

Cap 0.5 mg	85.60	100	✓ <u>Tacrolimus Sandoz</u>
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer, page	Э		
221	428.00	50	✓ <u>Tacrolimus Sandoz</u>

■SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS; and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with * are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

Antiallergy Preparations

Allergic Emergencies

ICATIBANT - Special Authority see SA1558 below - Retail pharmacy ✓ Firazyr Inj 10 mg per ml, 3 ml prefilled syringe2,668.00

⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

۷

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

■ SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive: and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

1 OP

Venomil S29

BEE VENOM ALLERGY TREATMENT - Special Authority see SA1367 above - Retail pharmacy Maintenance kit - 6 vials 120 mcg freeze dried venom, with

Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see Sa	A1367 above	– Retail pharn	пасу
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil S29

Antihistamines

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.01	100	✓ Zista
v	1.59		✓ Zetop
*‡ Oral liq 1 mg per ml	2.99	200 ml	✓ Histaclear
CHLORPHENIRAMINE MALEATE *‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen

	0.1			-
	Subsidy (Manufacturer's	Drico) Sub-	Fully	Brand or Generic
	(Manufacturer's	Price) Sub:	siaisea •	Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE				
* Tab 2 mg	2.02	40		
ሉ Idb 2 IIIg	(8.40)	40		Polaramine
	1.01	20	Г	Olaraniine
	(5.99)	20		Polaramine
*‡ Oral liq 2 mg per 5 ml		100 ml	'	Olaramine
* Ural liq 2 mg per 3 mi	(10.29)	100 1111		Polaramine
	(10.23)		'	Olaramine
FEXOFENADINE HYDROCHLORIDE				
* Tab 60 mg	4.34	20		
	(11.53)		T	elfast
* Tab 120 mg		30		
	(29.81)		Т	elfast
	4.74	10		
	(11.53)		T	elfast
LORATADINE				
* Tab 10 mg	1.28	100	1	orafix
* Oral liq 1 mg per ml		200 ml		oraPaed
		200 1111	•	iorar aoa
PROMETHAZINE HYDROCHLORIDE				
* Tab 10 mg		50	_	<u>Illersoothe</u>
* Tab 25 mg		50	_	<u>Illersoothe</u>
*‡ Oral liq 1 mg per 1 ml		100 ml		<u>Illersoothe</u>
* Inj 25 mg per ml, 2 ml ampoule - Up to 5 inj available on a				
PSO	15.54	5	VH	lospira
Hospira to be Sole Supply on 1 November 2016				
TRIMEPRAZINE TARTRATE				
‡ Oral liq 30 mg per 5 ml	2.79	100 ml OP		
	(8.06)		٧	allergan Forte
Inhalad Cartinastavaida	, ,			
Inhaled Corticosteroids				
BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose	9.30	200 dose OP	v 0)var
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP		Beclazone 50
Aerosol inhaler, 30 mcg per dose		200 dose OP	V 0	
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP		Beclazone 100
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP		Beclazone 250
. • • • • • • • • • • • • • • • • • • •	22.01	200 0030 01	¥ L	COIGEOIDE EUU
BUDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	VP	ulmicort .
				Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✓ P	ulmicort
				Turbuhaler
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	✓ P	ulmicort
				Turbuhaler

		10111 3131		ND ALLEMONES
	Subsidy (Manufacturer's \$		Fully bsidised	Brand or Generic Manufacturer
FLUTICASONE				
Aerosol inhaler, 50 mcg per dose		120 dose OP	√ F	loair
Aerosol inhaler, 50 mcg per dose CFC-free		120 dose OP		lixotide
Powder for inhalation, 50 mcg per dose		60 dose OP		lixotide Accuhaler
Powder for inhalation, 100 mcg per dose		60 dose OP		lixotide Accuhaler
Aerosol inhaler, 125 mcg per dose Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP 120 dose OP		loair Iixotide
Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP		loair
Aerosol inhaler, 250 mcg per dose CFC-free		120 dose OP		lixotide
Powder for inhalation, 250 mcg per dose		60 dose OP		lixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonis				
initialed Long-acting Beta-adrenoceptor Agonis	เร			
EFORMOTEROL FUMARATE				
Powder for inhalation, 6 mcg per dose, breath activated	10.32	60 dose OP		
	(16.90)		C	xis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de				
vice		60 dose	_	
	(35.80)		F	oradil
INDACATEROL				
Powder for inhalation 150 mcg	61.00	30 dose OP		nbrez Breezhaler
Powder for inhalation 300 mcg	61.00	30 dose OP	V 0	nbrez Breezhaler
SALMETEROL				
Aerosol inhaler CFC-free, 25 mcg per dose		120 dose OP		erevent
Aerosol inhaler 25 mcg per dose		120 dose OP		leterol
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 dose OP	√ S	erevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	Adrenocept	or Agonists	;	
BUDESONIDE WITH EFORMOTEROL				
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	18 23	120 dose OP	· • v	annair
Powder for inhalation 100 mcg with eformoterol fumarat		120 0030 01	•	annan
6 mcg		120 dose OP	√ s	ymbicort
		0 0000 0.		Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21.40	120 dose OP	V	annair
Powder for inhalation 200 mcg with eformoterol fumarat				
6 mcg		120 dose OP	√ S	ymbicort
				Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarat	е			
12 mcg - No more than 2 dose per day	44.08	60 dose OP	√ S	ymbicort
				Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL				
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	✓ B	reo Ellipta

	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
FLUTICASONE WITH SALMETEROL			
Aerosol inhaler 50 mcg with salmeterol 25 mcg	33.74	120 dose OP	✓ Seretide
	37.48		✓ RexAir
Aerosol inhaler 125 mcg with salmeterol 25 mcg	44.08	120 dose OP	✓ Seretide
•	49.69		✓ RexAir
Powder for inhalation 100 mcg with salmeterol 50 mcg - No			
more than 2 dose per day	33.74	60 dose OP	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg - No			
more than 2 dose per day	44.08	60 dose OP	Seretide Accuhaler
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Oral liq 400 mcg per ml	2.06	150 ml	✓ Ventolin
Infusion 1 mg per ml, 5 ml		10	
	(130.21)		Ventolin
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 mcg per dose CFC free - Up to 1000			
dose available on a PSO	3.80	200 dose OP	✓ Respigen
			✓ SalAir
			✓ Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO		20	✓ Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule - Up to 30 neb			
available on a PSO	3.29	20	✓ Asthalin
Salamol Aerosol inhaler, 100 mcg per dose CFC free to be delist	ed 1 April 2017	7)	
FERBUTALINE SULPHATE			
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	Bricanyl Turbuhaler
Anticholinergic Agents			
Anticionnergic Agents			
PRATROPIUM BROMIDE			
Aerosol inhaler, 20 mcg per dose CFC-free - Up to 400 dose			
available on a PSO		200 dose OP	✓ Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule - Up to 40 neb			
available on a DCO	3.35	20	✓ Univent
available on a PSO			
Univent to be Sole Supply on 1 January 2017			
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb			411.1
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO		20	✓ Univent
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO	3.52		✓ Univent
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO	3.52		✓ Univent
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO	3.52		✓ Univent
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO Univent to be Sole Supply on 1 January 2017 Inhaled Beta-Adrenoceptor Agonists with Antich	3.52 nolinergic A		✓ Univent
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO Univent to be Sole Supply on 1 January 2017 Inhaled Beta-Adrenoceptor Agonists with Antick SALBUTAMOL WITH IPRATROPIUM BROMIDE	3.52		✓ Univent ✓ Duolin HFA
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO Univent to be Sole Supply on 1 January 2017 Inhaled Beta-Adrenoceptor Agonists with Antich SALBUTAMOL WITH IPRATROPIUM BROMIDE Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg	3.52 nolinergic A	Agents	

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists

GLYCOPYRRONIUM - Subsidy by endorsement

a) Inhaled glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium or umeclidinium.

b) Glycopyrronium powder for inhalation 50 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

✓ Seebri Breezhaler 30 dose OP

TIOTROPIUM BROMIDE - Special Authority see SA1568 below - Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.

Powder for inhalation, 18 mcg per dose50.37 30 dose Spiriva 60 dose OP Spiriva Respimat

⇒SA1568 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 μg ipratropium g.i.d for one month; and
- 3 Fither:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV₁ (litres); and
- 4.2 Predicted FEV1 (litres); and
- 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

30 dose OP ✓ Incruse Ellipta

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

⇒SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 above -	Retail pharmacy
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00 30	dose OP VIIIbro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584 abov	e – Retail pharmacy
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00 60	dose OP Spiolto Respimat
UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 above - Retail	pharmacy

Powder for inhalation 62.5 mcg with vilanterol 25 mcg77.00

30 dose OP ✓ Anoro Ellipta

Leukotriene Receptor Antagonists

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg18	8.48	28 🗸	Singulair
Tab 5 mg18	8.48	28	✓ Singulair
Tab 10 mg18	8.48	28	/ Singulair

⇒SA1421 | Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists: and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous

NSAID where challenge would be considered dangerous.		
Mast Cell Stabilisers		
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free28.07	112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose	50 dose 112 dose OP	✓ Intal Spincaps ✓ Intal Forte CFC Free
Methylxanthines		
AMINOPHYLLINE * Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj available on a PSO118.25 THEOPHYLLINE	5	✓ <u>DBL Aminophylline</u>

* Tab long-acting 250 mg21.51 *‡ Oral lig 80 mg per 15 ml15.50 Mucolytics

DORNASE ALFA - Special Authority see SA0611 below - Retail pharmacy Nebuliser soln, 2.5 mg per 2.5 ml ampoule250.00

✔ Pulmozyme

✓ Nuelin-SR ✓ Nuelin

100

500 ml

►SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel

Phone: (04) 460 4990 Facsimile: (04) 916 7571

PHARMAC, PO Box 10 254 Wellington

Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

SODIUM CHI ORIDE

Not funded for use as a nasal drop.

90 ml OP

✓ Biomed

Nasal Preparations

Allergy Prophylactics

BECLOMETHAS	ONE DIF	PROPIC	ONATE
-------------	---------	--------	-------

Metered aqueous nasal spray, 50 mcg per dose2.35	200 dose OP	
(5.26)		Alanase
Metered aqueous nasal spray, 100 mcg per dose2.46	200 dose OP	
(6.00)		Alanase

	Subsidy (Manufacturer's	Price) Subs	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
BUDESONIDE			
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
	(5.26)		Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	D. dans at Assessment
	(6.00)		Butacort Aqueous
FLUTICASONE PROPIONATE	0.40	100 1 00	4
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	✓ <u>Flixonase Hayfever</u> & Allergy
IPRATROPIUM BROMIDE			<u>a Allergy</u>
Aqueous nasal spray, 0.03%	3 05	15 ml OP	✓ Univent
	0.00	13 1111 01	<u>Onivent</u>
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under	0.00		4
Small	2.20	1	✓ e-chamber Mask
PEAK FLOW METER			
a) Up to 10 dev available on a PSO			
b) Only on a PSO Low range	0.54	1	✓ Mini-Wright AFS
Low range	9.54	ı	Low Range
Normal range	9.54	1	✓ Mini-Wright
•			Standard
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
220 ml (single patient)		1	e-chamber Turbo
510 ml (single patient)	5.12	1	✓ e-chamber La Grande
800 ml	6 50	1	✓ Volumatic
	0.50	· ·	+ volumatic
Respiratory Stimulants			
CAFFINE CITRATE			

CAFFEINE CITRALE		
Oral liq 20 mg per ml (10 mg base per ml)	14.85	25 ml OP

nl OP V Biomed

	Subsidy (Manufacturer's F \$	Price) Subs	Fully sidised	Brand or Generic Manufacturer
Ear Preparations	<u> </u>			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN	IZETHONII IM			
For Vosol ear drops with hydrocortisone powder refer Standa	rd Formulae, pa	ge 224		
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%		35 ml OP	✓ V	osol
FLUMETASONE PIVALATE				
Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	✓ L	ocacorten-Viaform ED's
			✓ L	ocorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII		N		
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g		7.5 ml OP	✓ K	enacomb
Ear/Eye Preparations				
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN				
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and		0 1 OD		
gramicidin 50 mcg per ml	(9.27)	8 ml OP	S	ofradex
FRAMYCETIN SULPHATE				
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	S	oframycin
Eye Preparations				
Eye preparations are only funded for use in the eye, unless explic	itly stated otherv	vise.		
Anti-Infective Preparations				
ACICLOVIR	44.00	4.5 - 0.0	. 4 14	·
* Eye oint 3%	(37.53)	4.5 g OP		iruPOS ovirax
ViruPOS to be Sole Supply on 1 January 2017 (Zovirax Eye oint 3% to be delisted 1 January 2017)				
CHLORAMPHENICOL	0.40	4 = OD		hlavain
Eye oint 1% Eye drops 0.5%		4 g OP 10 ml OP	_	<u>hlorsig</u> hlorafast
Funded for use in the ear*. Indications marked with * are L	Jnapproved Indic	cations.		
CIPROFLOXACIN Eye Drops 0.3%	12.43	5 ml OP	✓ C	iloxan
For treatment of bacterial keratitis or severe bacterial conju	unctivitis resistar	nt to chloramphe	enicol.	
FUSIDIC ACID Eye drops 1%	4.50	5 g OP	✓ F	ucithalmic
GANCICLOVIR		-		
Eye gel 0.15%	37.53	5 g OP	✓ V	irgan S29

GENTAMICIN SULPHATE

5 ml OP

✓ Genoptic

(Virgan S29 Eye gel 0.15% to be delisted 1 November 2016)

Eye drops 0.3%11.40

	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or bsidised Generic
	\$	Per	✓ Manufacturer
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1%	2.97	10 ml OP	
	(7.99)		Brolene
TOBRAMYCIN			
Eye oint 0.3%	10.45	3.5 g OP	✓ Tobrex
Eye drops 0.3%	11.48	5 ml OP	✓ <u>Tobrex</u>
Corticosteroids and Other Anti-Inflammatory Pre	parations		
DEXAMETHASONE			
* Eye oint 0.1%	5.86	3.5 g OP	✓ Maxidex
* Eye drops 0.1%	4.50	5 ml OP	✓ Maxidex
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMY	XIN B SULPH	ATF	
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin			
b sulphate 6,000 u per g	5.39	3.5 g OP	✓ Maxitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		J	
xin b sulphate 6,000 u per ml	4.50	5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM			
* Eye drops 0.1%	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	3.09	5 ml OP	✓ FML
•		0 1111 01	<u> </u>
LEVOCABASTINE Eye drops 0.5 mg per ml	0.71	4 ml OP	
Lye drops 0.5 mg per mi	(10.34)	4 IIII OF	Livostin
ODOVAMIDE	(10.04)		Livodin
_ODOXAMIDE	0.71	10 ml OP	✓ Lomide
•	0.7 1	10 IIII OF	Loillide
PREDNISOLONE ACETATE	4.50	5l OB	. d Dood Foots
¥ Eye drops 1%	4.50	5 ml OP	✓ Pred Forte
PREDNISOLONE SODIUM PHOSPHATE - Special Authority see			,
Eye drops 0.5%, single dose (preservative free)	38.50	20 dose	✓ Minims
			Prednisolone

Initial application only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Glaucoma Preparations - Beta Blockers			
BETAXOLOL # Eye drops 0.25%	5 ml OP 5 ml OP	✓ Betoptic S ✓ Betoptic	
LEVOBUNOLOL * Eve drops 0.5% 7.00	5 ml OP	✓ Betagan	

5 ml OP

✓ Rexacrom

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
TIMOLOL			
* Eye drops 0.25%		5 ml OP	✓ Arrow-Timolol
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ <u>Timoptol XE</u>
* Eye drops 0.5%		5 ml OP	Arrow-Timolol
* Eye drops 0.5%, gel forming		2.5 ml OP	✓ <u>Timoptol XE</u>
Glaucoma Preparations - Carbonic Anhydrase	Inhibitors		
ACETAZOLAMIDE			
* Tab 250 mg – For acetazolamide oral liquid formulation refe	r,		
page 221	17.03	100	✓ <u>Diamox</u>
BRINZOLAMIDE			
* Eye Drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE			
* Eye drops 2%	9.77	5 ml OP	
-,-,,	(17.44)		Trusopt
DORZOLAMIDE WITH TIMOLOL	, ,		'
* Eye drops 2% with timolol 0.5%	3 45	5 ml OP	✓ Arrow-Dortim
· ·		01111 01	7 THI DOLLING
Glaucoma Preparations - Prostaglandin Analog	ues		
BIMATOPROST			
* Eye drops 0.03%	3.65	3 ml OP	Bimatoprost Actavis
LATANOPROST			
* Eye drops 0.005%	1.50	2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST			
* Eye drops 0.004%	19.50	2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE			
* Eye drops 0.2%	4 22	5 ml OP	✓ Arrow-Brimonidine
,	4.32	5 IIII OF	Allow-Dillionidille
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE	10.50	5l OD	. A Osmillion
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
PILOCARPINE HYDROCHLORIDE			
* Eye drops 1%		15 ml OP	✓ <u>Isopto Carpine</u>
* Eye drops 2%		15 ml OP	✓ <u>Isopto Carpine</u>
* Eye drops 4%		15 ml OP	✓ <u>Isopto Carpine</u>
Subsidised for oral use pursuant to the Standard Formula			
Eye drops 2% single dose – Special Authority see SA089 below – Retail pharmacy		20 dose	✓ Minims Pilocarpine
below – Retail pharmacy	31.93	20 005 0	willing Phocarpine

■ SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is

benefiting from treatment.

	` \$	Per	✓ Manufacturer
Mydriatics and Cycloplegics			
ATROPINE SULPHATE * Eye drops 1%	17.36	15 ml OP	✓ <u>Atropt</u>
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	8.76	15 ml OP	✓ Cyclogyl
TROPICAMIDE * Eye drops 0.5%* * Eye drops 1%		15 ml OP 15 ml OP	✓ Mydriacyl✓ Mydriacyl
Preparations for Tear Deficiency			
For acetylcysteine eye drops refer Standard Formulae, page 2 HYPROMELLOSE	24		
* Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt
HYPROMELLOSE WITH DEXTRAN * Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✔ Poly-Tears
POLYVINYL ALCOHOL * Eye drops 1.4%* * Eye drops 3%		15 ml OP 15 ml OP	✓ <u>Vistil</u> ✓ <u>Vistil Forte</u>
Preservative Free Ocular Lubricants			
■ SA1388 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals value Both:		r applications	meeting the following criteria:
1 Confirmed diagnosis by slit lamp of severe secretory2 Either:	dry eye; and		
2.1 Patient is using eye drops more than four time2.2 Patient has had a confirmed allergic reaction t			
Renewal from any relevant practitioner. Approvals valid for 24 and has benefited from treatment. CARBOMER – Special Authority see SA1388 above – Retail Ophthalmic gel 0.3%, 0.5 g	pharmacy	patient continu	es to require lubricating eye drops Poly-Gel
MACROGOL 400 AND PROPYLENE GLYCOL - Special Auth	nority see SA1388 a	bove – Retail į	pharmacy
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml		24	✓ Systane Unit Dose
SODIUM HYALURONATE [HYALURONIC ACID] – Special Au	itnority see SA1388	above – Hetai	pnarmacy

- , -, -, -, -, -, -, -, -, -, -, -, -, -,		
NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%17.00	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin	3.5 g OP	✓ Refresh Night Time

Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per month

Eye drops 1 mg per ml22.00

is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.

10 ml OP

✔ Hylo-Fresh

Fully

Subsidised

Subsidy (Manufacturer's Price)

Brand or

Generic

Other Eve Preparations

SENSORY ORGANS

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.63	3.5 g OP	✓ <u>P</u> c	oly-Visc
RETINOL PALMITATE Eye oint 138 mcg per g	3.80	5 g OP	✓ Vi	itA-POS

217

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE - Hetaii pharmacy-Specialist		
Inj 200 mg per ml, 10 ml ampoule78.34	10	✓ DBL Acetylcysteine

NALOXONE HYDROCHLORIDE

- a) Up to 5 inj available on a PSO
- b) Only on a PSO
- * Inj 400 mcg per ml, 1 ml ampoule48.84 5 ✔ Hospira

Removal and Elimination

CHARCOAL

*	Oral liq 50 g per 250 ml43.50	250 ml OP	✓ Carbosorb-X
	a) Up to 250 ml available on a PSO		
	b) Only on a BOO		

b) Only on a PSO

DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy Wastana claimable - see rule 3 3 2 on nage 13

Wastage claimable See rule 0.0.2 on page 10			
Tab 125 mg dispersible	276.00	28	Exjade
Tab 250 mg dispersible	552.00	28	Exjade
Tab 500 mg dispersible	1,105.00	28	Exjade

⇒SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis; or
 - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μ L) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per μ L).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE - Special Authority see SA1480 on the n	next page - Retail pharm	acy	
Tab 500 mg	533.17	100	✓ Ferriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	✔ Ferriprox



(Man	Subsidy ufacturer's Price)	F Subsidi	ully	Brand or Generic
1	\$	Per	~	Manufacturer

■SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERRIOXAMINE MESILATE			
* Inj 500 mg vial	51.52	10	✓ Desferal
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
, •	(156.71)		Calcium Disodium Versenate

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml Flecainide 20 mg/ml Rifabutin 20 mg/ml
Allopurinol 20 mg/ml Gabapentin 100 mg/ml Sildenafil 2 mg/ml
Amlodipine 1 mg/ml Hydrocortisone 1 mg/ml Sotalol 5 mg/ml

Azathioprine 50 mg/ml
Baclofen 10 mg/ml
Carvedilol 1 mg/ml
Clopidogrel 5 mg/ml
Diltiazem hydrochloride 12 mg/ml
Labetolol 10 mg/ml
Levetiracetam 100 mg/ml
Levetiracetam 100 mg/ml
Levedopa with carbidopa (5 mg levodopa 1.25 mg carbidopa)/ml
Tramadol 10 mg/ml
Ursodeoxycholic acid 50 mg/ml

Dipyridamole 10 mg/ml

Metoprolol tartrate 10 mg/ml

Valganciclovir 60 mg/ml*

Verapamil hydrochloride 50 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative
 and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

^{*}Note this is a DCS formulation

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend. Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 220) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

Standard Formulae			
ACETYLCYSTEINE EYE DROPS		PHENOBARBITONE ORAL LIQUID	
Acetylcysteine inj 200 mg per ml, 10 ml	qs	Phenobarbitone Sodium	1 g
Suitable eye drop base	qs	Glycerol BP	70 ml
, ,	•	Water	to 100 ml
ASPIRIN AND CHLOROFORM APPLICATI	-		
Aspirin Soluble tabs 300 mg	12 tabs	PHENOBARBITONE SODIUM PAEDIATRI	C ORAL
Chloroform	to 100 ml	LIQUID (10 mg per ml)	
CODEINE LINCTUS PAEDIATRIC (3 mg pe	er 5 ml)	Phenobarbitone Sodium	400 mg
Codeine phosphate	60 mg	Glycerol BP	4 ml
Glycerol	40 ml	Water	to 40 ml
Preservative	qs		
Water	to 100 ml	PILOCARPINE ORAL LIQUID	
CODEINE LINCTUS DIABETIC (15 mg per	r 5 ml)	Pilocarpine 4% eye drops	qs
Codeine phosphate	300 mg	Preservative	qs
Glycerol	40 ml	Water	to 500 ml
Preservative	qs	(Preservative should be used if quantity su	pplied is for
Water	to 100 ml	more than 5 days.)	
FOLINIC MOUTHWASH			
Calcium folinate 15 mg tab	1 tab	SALIVA SUBSTITUTE FORMULA	
Preservative	qs	Methylcellulose	5 g
Water	to 500 ml	Preservative	qs
(Preservative should be used if quantity sup	oplied is for	Water	to 500 ml
more than 5 days. Maximum 500 ml per pre		(Preservative should be used if quantity su	
, , ,	,	more than 5 days. Maximum 500 ml per pro	escription.)
MAGNESIUM HYDROXIDE 8% MIXTURE	075 ~		
Magnesium hydroxide paste 29%	275 g	SODIUM CHLORIDE ORAL LIQUID	
Methyl hydroxybenzoate Water	1.5 g	Sodium chloride inj 23.4%, 20 ml	qs
	to 1,000 ml	Water	qs
METHADONE MIXTURE		(Only funded if prescribed for treatment of I	hyponatraemia)
Methadone powder	qs		
Glycerol	qs	VANCOMYCIN ORAL SOLUTION (50 mg)	per ml)
Water	to 100 ml	Vancomycin 500 mg injection	10 vials
METHYL HYDROXYBENZOATE 10% SOL	UTION	Glycerol BP	40 ml
Methyl hydroxybenzoate	10 g	Water	to 100 ml
Propylene glycol	to 100 ml	(Only funded if prescribed for treatment of	Clostridium
(Use 1 ml of the 10% solution per 100 ml of	f oral liquid	difficile following metronidazole failure)	
mixture)			
OMEDDA ZOLE OLIODENOLONI		VOSOL FAR DROPS	

OMEPRAZOLE SUSPENSION

Omeprazole capules or powder Sodium bicarbonate powder BP qs 8.4 g Water to 100 ml

VOSOL EAR DROPS

WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops 1% to 35 ml

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer	
temporaneously Compounded Preparations and Galenicals					
IZOIN					

BENZOIN	04.40	500 ···!	
Tincture compound BP		500 ml	Dharman, Haalth
	(39.90) 2.44	50 ml	Pharmacy Health
	(5.10)	JU IIII	Pharmacy Health
CHLOROFORM - Only in combination			•
Only in aspirin and chloroform application.			
Chloroform BP		500 ml	✓ PSM
CODEINE PHOSPHATE - Safety medicine; prescriber may determ	ine dispensino	g frequency	
Powder - Only in combination		25 g	
	(90.09)	_	Douglas
	12.62	5 g	Douglas
a) Only in extemporaneously compounded codeine linctus di	(25.46)	aina linctus no	Douglas adiatric
b) ‡ Safety cap for extemporaneously compounded oral liqui			iculati Ic.
COLLODION FLEXIBLE Collodion flexible	10.20	100 ml	✓ PSM
	13.30	100 1111	₩ FOIVI
COMPOUND HYDROXYBENZOATE – Only in combination			
Only in extemporaneously compounded oral mixtures. Soln	30.00	100 ml	✓ Midwest
	34.18	100 1111	✓ David Craig
SLYCERIN WITH SODIUM SACCHARIN - Only in combination			
Only in combination with Ora-Plus.			
Suspension	32.50	473 ml	✓ Ora-Sweet SF
SLYCERIN WITH SUCROSE – Only in combination			
Only in combination with Ora-Plus.			
Suspension	32.50	473 ml	✔ Ora-Sweet
GLYCEROL			
* Liquid - Only in combination		500 ml	✓ healthE Glycerol BP
Only in extemporaneously compounded oral liquid preparation	ons.		
MAGNESIUM HYDROXIDE			
Paste 29%	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable	anau.		
 c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be rein 		rate of the of	heanest form available (method
powder, not methadone tablets).	ווטטוסכט מו וווכ	iale oi lile oi	neapest ioini avallable (illetilat
Powder		1 g	✓ AFT
‡ Safety cap for extemporaneously compounded oral liquid p		3	
METHYL HYDROXYBENZOATE			
Powder	8.00	25 g	✓ PSM
	8.98		✓ Midwest
METHYLCELLULOSE			
Powder	36.95	100 g	✓ MidWest
Suspension - Only in combination	32.50	473 ml	✔ Ora-Plus

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's P \$	rice) Sul Per	Fully bsidised	Brand or Generic Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA Suspension		ombination 473 ml	v 0	ra-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only Suspension		473 ml	v 0	Pra-Blend
PHENOBARBITONE SODIUM				
Powder – Only in combination	52.50 325.00	10 g 100 g		lidWest lidWest
a) Only in children up to 12 yearsb) ‡ Safety cap for extemporaneously compounded oral lic	quid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenzo			√ P	CM
Liq	10.50	500 ml		SW lidwest
(PSM Liq to be delisted 1 November 2016)	11.20		•	num oot
SODIUM BICARBONATE				
Powder BP - Only in combination	8.95 9.80	500 g	✓ N	lidwest
	(29.50)		D	avid Craig
Only in extemporaneously compounded omeprazole and le	ansoprazole susp	ension.		
SYRUP (PHARMACEUTICAL GRADE) – Only in combination Only in extemporaneously compounded oral liquid preparation	ins.			
Liq		2,000 ml	✓ N	lidwest
WATER				
Tap - Only in combination	0.00	1 ml	V T	ap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Either:
 - 1 cystic fibrosis; or
 - 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3]

Carbohydrate And Fat

▶SA1376 Special Authority for Subsidy

Initial application — **(Cystic fibrosis)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Infant or child aged four years or under; and
 - 2 cystic fibrosis.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Soluble Powder

continued...

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under: and
- 2 Any of the following:
 - 2.1 cancer in children: or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT - S	Special Authority see SA1376 on th	e previous page –	Hospital pharmacy [HP3
Powder (neutral)	60.31	400 g OP ✓	Duocal Super

Fat

⇒SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia: or
- 3 fat malabsorption; or
- 4 lymphangiectasia: or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliarv atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 ascites: or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	/	Manufacturer

continued...

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

	,	p	
Emulsion (neutral)	12.30	200 ml OP	Calogen
	30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)	12.30	200 ml OP	✓ Calogen
Oil	30.00	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml	114.92	4 OP	✓ Liquigen

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA1524 above - Hospital pharmacy [HP3] 225 g OP 8.95

✔ Protifar 227 g OP ✓ Resource

Beneprotein ✓ Promod 275 a OP

Subsidy (Manufacturer's Price)

Fully Subsidised

Brand or Generic Manufacturer

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 above - Hospital pharmacy [HP3]

237 ml OP Pulmocare

Diabetic Products

⇒SA1095 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

1.000 ml OP ✓ Diason RTH Glucerna Select RTH

DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

Fat Modified Products

■ SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

(2.10)

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak: or

continued...

Sustagen Diabetic



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 on the previous page - Hospital pharmacy [HP3]

Paediatric Products For Children Awaiting Liver Transplant

■ SA1098 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per Manufacturer

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
 - 1 Child is aged one to ten years; and
 - 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

and all all all all all all all all all al			
PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority Liquid		ve – Hospital p 500 ml OP	harmacy [HP3] Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority s Liquid		e – Hospital pha 500 ml OP	armacy [HP3] ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Liquid	,	SA1379 above 500 ml OP	e – Hospital pharmacy [HP3] ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED – Special Authority see SA1379 above Powder (vanilla)		rmacy [HP3] 850 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see Liquid (strawberry) Liquid (vanilla)	1.60	Hospital pharn 200 ml OP 200 ml OP	nacy [HP3] Fortini Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S Liquid (chocolate)	1.07 1.07	lospital pharma 200 ml OP 200 ml OP 200 ml OP 250 ml OP	cy [HP3] Pediasure Pediasure Pediasure Pediasure Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	1.60 1.60	1379 above – F 200 ml OP 200 ml OP 200 ml OP	Hospital pharmacy [HP3] Fortini Multi Fibre Fortini Multi Fibre Fortini Multi Fibre



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Renal Products

⇒SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML – Special Authority see S Liquid			acy [HP3] Nepro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority see SA11 Liquid			[HP3] ✓ Nepro HP (strawberry) ✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see SA110	1 above – Hospit	tal pharmacy [H	IP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	Renilon 7.5

Specialised And Elemental Products

⇒SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption: or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML	 Special Authority see SA1377 	above – Ho	spital pharmacy [HP3]
Powder	7.50	76 g OP	Alitraq

	Subsidy (Manufacturer's Price \$	Fully) Subsidised Per 🗸	
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML - Spermacy [HP3] Liquid	ŕ	A1377 on the prev	
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 171.00	18 OP / I	ital pharmacy [HP3] Elemental 028 Extra Elemental 028 Extra Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA Powder (unflavoured)			al pharmacy [HP3] Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Autho	•		– Hospital pharmacy [HP3] Peptisorb

Paediatric Products For Children With Low Energy Requirements

■SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Standard Supplements

►SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive: or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

Subsidy Fully Brand or Manufacturer's Price) Subsidised Generic Manufacturer

\$ Per ✔ Manufacturer

continued...

- 1 The patient is under 18 years of age; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
` \$	Per	~	Manufacturer

continued...

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube: or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions: or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

continued...

- 10 Epidermolysis bullosa: or
 - 11 AIDS (CD4 count < 200 cells/mm³); or
 - 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 235 - Liquid7.00		y [HP3] ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML - Special Authority see SA1554 on page 235 - H Liquid	ospital pharmacy 250 ml OP 1,000 ml OP	✓ Isosource Standard
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1554 on Liquid	237 ml OP	
(Jevity Liquid to be delisted 1 June 2017)		
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority see SA1554 o Liquid	250 ml OP	

Multi Fibre

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

ORAL FEED (POWDER) - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$14.90 per 840

Triadi (directiate) ringiler dubblidge of up to \$1 mot per dire			
g with Endorsement	13.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)		Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Powder (vanilla) - Higher subsidy of up to \$14.90 per 840 g			
with Endorsement	3.67	350 g OP	✓ Fortisip
	13.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)	•	Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epider-molysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72	200 ml OP	
	(1.26) (1.26)	200 1111 01	Ensure Plus Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200			
ml with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

High Calorie Products

■SA1195 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- Cvstic fibrosis: and
 - 2 other lower calorie products have been tried; and
 - 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements: or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] 500 ml OP ✓ Nutrison Concentrated 11.00 1.000 ml OP ✓ Two Cal HN RTH ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly. Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with 200 ml OP Two Cal HN (1.90)

Food Thickeners

⇒SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

■SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
 - 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3]

Powder2.81 1,000 g OP

(5.15) Healtheries Simple
Baking Mix

	Subsidy (Manufacturer's F	Price) Subsi	Fully Brand or dised Generic
	\$	Per	✓ Manufacturer
GLUTEN FREE BREAD MIX - Special Authority see SA1107	on the previous pa	ge – Hospital pha	armacy [HP3]
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten
			Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free
			Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
(Bakels Gluten Free Health Bread Mix Powder to be delisted 1.	April 2017)		
GLUTEN FREE FLOUR - Special Authority see SA1107 on th	e previous page –	Hospital pharma	cv [HP3]
Powder		2,000 g OP	oy [o]
1 011001	(18.10)	2,000 g 0.	Horleys Flour
OULITED EDGE PAOTA O CLASS STATE OF CASA	(/		•
GLUTEN FREE PASTA – Special Authority see SA1107 on the			sy [HP3]
Buckwheat Spirals		250 g OP	0
0 11/ 11/ 01 11	(3.11)	050 05	Orgran
Corn and Vegetable Shells		250 g OP	0
Oran and Wantable Orinda	(2.92)	050 - 00	Orgran
Corn and Vegetable Spirals		250 g OP	0
Discount Court I are seen Observe	(2.92)	000 - 00	Orgran
Rice and Corn Lasagne Sheets		200 g OP	0
Dies and Com Massure	(3.82)	050 - 00	Orgran
Rice and Corn Macaroni		250 g OP	0
Dies and Com Deens	(2.92)	050 - 00	Orgran
Rice and Corn Penne		250 g OP	Oraran
Dies and Maiza Doeta Chivala	(2.92)	050 ~ OD	Orgran
Rice and Maize Pasta Spirals		250 g OP	Oraran
Dies and Millet Chirola	(2.92)	050 ~ OD	Orgran
Rice and Millet Spirals		250 g OP	Oraran
Dies and savn anaghatti naadlaa	(3.11)	07E ~ OD	Orgran
Rice and corn spaghetti noodles	(2.92)	375 g OP	Orgran
Vegetable and Rice Chirole	` '	250 a OB	Olylali
Vegetable and Rice Spirals		250 g OP	Oraran
Italian long style spaghetti	(2.92)	220 g OP	Orgran
italian long style spagnetti	(3.11)	220 y OF	Orgran
	(3.11)		Olylali

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 on the previous page

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Tabs	99.00	75 OP	✓ Phlexv 10
Powder (unflavoured) 36 g sachets		30	✔ PKU Anamix Junior
Infant formula		400 g OP	✓ PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
(3 /	320.00	J	✓ XP Maxamum
Powder (unflavoured)	221.00	500 g OP	✓ XP Maxamaid
,	320.00	ŭ	✓ XP Maxamum
Liquid (berry)	13.10	125 ml OP	PKU Anamix Junior
			LQ
Liquid (orange)	13.10	125 ml OP	PKU Anamix Junior
			LQ
Liquid (unflavoured)	13.10	125 ml OP	PKU Anamix Junior
			LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	Easiphen Liquid
Liquid (juicy berries) 62.5 ml	939.00	60 OP	PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml	939.00	60 OP	PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml	939.00	60 OP	PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml	936.00	30 OP	✔ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml	936.00	30 OP	✔ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml		30 OP	✓ PKU Lophlex LQ 20

Foods

LOW PROTEIN BAKING MIX − Special Authority see SA1108 on the previous page − Hospital pharmacy [HP3]

Powder8.22 500 g OP

Loprofin Mix

LOW PROTEIN PASTA - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

LOW PROTEIN PASTA - Special Authority see SA11	108 on the previous page – F	lospital pharma	acy [HP3]
Animal shapes	11.91	500 g OP	✓ Loprofin
Lasagne	5.95	250 g OP	✓ Loprofin
Low protein rice pasta	11.91	500 g OP	✓ Loprofin
Macaroni		250 g OP	✓ Loprofin
Penne	11.91	500 g OP	✓ Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirals	11.91	500 a OP	✓ Loprofin

Infant Formulae

For Premature Infants



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powder44.40 400 g OP ✓ Locasol

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA – Special Authority see SA12	19 below – Hospital pharr	nacy [HP3]	
Powder	6.00	48.5 g OP	Vivonex Pediatric
	53.00	400 g OP	✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
,		•	✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	53.00	400 g OP	✓ Elecare
,		Ü	✓ Neocate Advance

(Vivonex Pediatric Powder to be delisted 1 April 2017)

■ SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1557 below - Hospital pharmacy (HP3)

■SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea: or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure; or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula: and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate lgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Subsidy (Manufacturer's Price) S \$ Per

Fully Br Subsidised Ge

Brand or Generic Manufacturer

Ketogenic Diet

⇒SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA	Coopiel Authorit		ahaya Datail	~ h ~ ~ ~ ~ ~
	- Special Aumoni	v see 5a i i97	above – Reiaii	onarmacv

Powder (unflavoured)	35.50	300 g OP	✓ KetoCal 4:1 ✓ Ketocal 3:1
Powder (vanilla)	35.50	300 a OP	✓ KetoCal 4:1

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule	✓ Inj 500 mg vial – Subsidy by endorsement –
	See note on page 975 ✓ Inj 1 g vial – Subsidy by endorsement – See
AMINOPHYLLINE	note on page 975
✓ Inj 25 mg per ml, 10 ml ampoule5	
AMIODARONE HYDROCHLORIDE	CHARCOAL A Orollia FO a por 2F0 ml
✓ Inj 50 mg per ml, 3 ml ampoule6	✓ Oral liq 50 g per 250 ml250 ml
AMOXICILLIN	CHLORPROMAZINE HYDROCHLORIDE
✓ Cap 250 mg30	✓ Tab 10 mg
✓ Cap 500 mg30	✓ Tab 25 mg
✓ Grans for oral liq 125 mg per 5 ml200 ml	✓ Inj 25 mg per ml, 2 ml5
✓ Grans for oral liq 250 mg per 5 ml	
✓ Inj 1 g vial5	CIPROFLOXACIN ✓ Tab 250 mg – See note on page 1005
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 500 mg – See note on page 100
✓ Tab 500 mg with clavulanic acid 125 mg30	3 1 3
✓ Grans for oral liq amoxicillin 125 mg with	CO-TRIMOXAZOLE
clavulanic acid 31.25 mg per	✓ Tab trimethoprim 80 mg and
5 ml	sulphamethoxazole 400 mg30 ✓ Oral liq trimethoprim 40 mg and
clavulanic acid 62.5 mg per 5 ml	sulphamethoxazole 200 mg per
• .	5 ml200 ml
ASPIRIN	COMPOUND ELECTROLYTES
✓ Tab dispersible 300 mg30	✓ Powder for oral soln10
ATROPINE SULPHATE	
✓ Inj 600 mcg per ml, 1 ml ampoule5	CONDOMS
AZITHROMYCIN	✓ 49 mm
✓ Tab 500 mg – See note on page 978	✓ 52 mm extra strength144
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	✓ 53 mm144
✓ Tab 2.5 mg – See note on page 61150	✓ 53 mm (chocolate)144
BENZATHINE BENZYLPENICILLIN	✓ 53 mm (strawberry)144
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe	54 mm, shaped
	✓ 55 mm
BENZTROPINE MESYLATE	✓ 56 mm
✓ Inj 1 mg per ml, 2 ml10	✓ 60 mm
BENZYLPENICILLIN SODIUM (PENICILLIN G)	
✓ Inj 600 mg (1 million units) vial5	CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL
BLOOD GLUCOSE DIAGNOSTIC TEST METER	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
✓ Meter with 50 lancets, a lancing device and	7 inert tabs168
10 diagnostic test strips – Subsidy by	
endorsement – See note on page 271	DEXAMETHASONE ✓ Tab 0.5 mg – Retail pharmacy-Specialist
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	✓ Tab 4 mg – Retail pharmacy-Specialist
✓ Blood glucose test strips – See note on page	
2850 test	DEXAMETHASONE PHOSPHATE
BLOOD KETONE DIAGNOSTIC TEST METER	✓ Inj 4 mg per ml, 1 ml ampoule – See note on
✓ Meter – See note on page 271	page 855
- motor CCO note on page 27	continued

PRACTITIONER'S SUPPLY ORDERS

(continued)		✓ Tab 35 mcg with norethisterone 1 mg and	
✓ Inj 4 mg per ml, 2 ml ampoule – See note on		7 inert tab	
page 85	5	✓ Tab 35 mcg with norethisterone 500 mcg	63
DIADLIDACM		✓ Tab 35 mcg with norethisterone 500 mcg	
DIAPHRAGM	4	and 7 inert tab	84
✓ 65 mm – See note on page 78		FLUOLOVA OULLIN	
✓ 70 mm – See note on page 78		FLUCLOXACILLIN	
✓ 75 mm – See note on page 78✓ 80 mm – See note on page 78		✓ Cap 250 mg	
▶ 60 mm – See note on page 76	1	✓ Grans for oral liq 25 mg per ml	
DIAZEPAM		Grans for oral liq 50 mg per ml	200 ml
✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by		✓ Inj 1 g vial	10
endorsement – See note on page 139	5	FLUPENTHIXOL DECANOATE	
✓ Rectal tubes 5 mg		✓ Inj 20 mg per ml, 1 ml	5
✓ Rectal tubes 10 mg		✓ Inj 20 mg per ml, 2 ml	
-		✓ Inj 100 mg per ml, 1 ml	
DICLOFENAC SODIUM		• III, 100 IIIg por IIII, 1 III IIII IIII	
✓ Inj 25 mg per ml, 3 ml ampoule		FLUPHENAZINE DECANOATE	
✓ Suppos 50 mg	10	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml	5
DIGOVIN		✓ Inj 25 mg per ml, 1 ml	
DIGOXIN		✓ Inj 25 mg per ml, 2 ml	5
✓ Tab 62.5 mcg		✓ Inj 100 mg per ml, 1 ml	
✓ Tab 250 mcg	30		
DOXYCYCLINE		FUROSEMIDE [FRUSEMIDE]	
Tab 50 mg	30	✓ Tab 40 mg	30
✓ Tab 100 mg		✓ Inj 10 mg per ml, 2 ml ampoule	5
· ·	00	CLUCACON HYDDOCHI ODIDE	
ERGOMETRINE MALEATE		GLUCAGON HYDROCHLORIDE	-
✓ Inj 500 mcg per ml, 1 ml ampoule	5	✓ Inj 1 mg syringe kit	
ERYTHROMYCIN ETHYL SUCCINATE		GLUCOSE [DEXTROSE]	
	00	✓ Inj 50%, 10 ml ampoule	5
✓ Tab 400 mg		✓ Inj 50%, 90 ml bottle	
✓ Grans for oral liq 200 mg per 5 ml		· · · · · · · · · · · · · · · · · · ·	
✓ Grans for oral liq 400 mg per 5 ml20) mi	GLYCERYL TRINITRATE	
ERYTHROMYCIN STEARATE		✓ Tab 600 mcg	100
Tab 250 mg	30	✓ Oral pump spray, 400 mcg per dose	250 dose
100 200 mg	00	✓ Oral spray, 400 mcg per dose	250 dose
ETHINYLOESTRADIOL WITH DESOGESTREL		OLYGODY/DDOMINA DDOMINE	
Tab 20 mcg with desogestrel 150 mcg and		GLYCOPYRRONIUM BROMIDE	
7 inert tab	84	✓ Inj 200 mcg per ml, 1 ml ampoule	10
Tab 30 mcg with desogestrel 150 mcg and		HALOPERIDOL	
7 inert tab	84		20
7 HOT COD		✓ Tab 500 mcg	
ETHINYLOESTRADIOL WITH LEVONORGESTREL		✓ Tab 1.5 mg	
✓ Tab 20 mcg with levonorgestrel 100 mcg and		✓ Tab 5 mg	
7 inert tab	84	✓ Oral liq 2 mg per ml	
✓ Tab 50 mcg with levonorgestrel 125 mcg and		✓ Inj 5 mg per ml, 1 ml ampoule	5
7 inert tab	84	HALOPERIDOL DECANOATE	
Tab 30 mcg with levonorgestrel 150 mcg		✓ Inj 50 mg per ml, 1 ml	E
✓ Tab 30 mcg with levonorgestrel 150 mcg and	00	✓ Inj 100 mg per ml, 1 ml	
ŭ ŭ	0.4	• iiij 100 iiig periiii, 1 iiii	
7 inert tab	04	HYDROCORTISONE	
ETHINYLOESTRADIOL WITH NORETHISTERONE		✓ Inj 100 mg vial	5
✓ Tab 35 mcg with norethisterone 1 mg	63	•	
		•	continued

continued)	MORPHINE SULPHATE
HYDROXOCOBALAMIN	✓ Inj 5 mg per ml, 1 ml ampoule – Only on a
✓ Inj 1 mg per ml, 1 ml ampoule6	controlled drug form5
HYOSCINE N-BUTYLBROMIDE	✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form
✓ Inj 20 mg, 1 ml5	✓ Inj 15 mg per ml, 1 ml ampoule – Only on a
INTRA-UTERINE DEVICE	controlled drug form5
✓ IUD 29.1 mm length × 23.2 mm width40	✓ Inj 30 mg per ml, 1 ml ampoule – Only on a
✓ IUD 33.6 mm length × 29.9 mm width	controlled drug form5
✓ IUD 35.5 mm length × 19.6 mm width40	NALOYONE HYDDOCHLODIDE
IPRATROPIUM BROMIDE	NALOXONE HYDROCHLORIDE ✓ Inj 400 mcg per ml, 1 ml ampoule
✓ Aerosol inhaler, 20 mcg per dose	NICOTINE
CFC-free	✓ Patch 7 mg – See note on page 16528
Nebuliser soln, 250 mcg per ml, 1 ml ampoule40	✓ Patch 14 mg – See note on page 165
✓ Nebuliser soln, 250 mcg per ml, 2 ml ampoule40	✓ Patch 21 mg – See note on page 16528
IVERMECTIN	✓ Lozenge 1 mg – See note on page 165216
✓ Tab 3 mg – See note on page 73100	✓ Lozenge 2 mg – See note on page 165216
KETONE BLOOD BETA-KETONE ELECTRODES	✓ Gum 2 mg (Classic) – See note on page 165384
✓ Test strip10	✓ Gum 2 mg (Fruit) – See note on page 165
·	✓ Gum 2 mg (Mint) – See note on page 165
LEVONORGESTREL	✓ Gum 4 mg (Glassic) – See note on page 165
Tab 30 mcg	✓ Gum 4 mg (Mint) – See note on page 165
V 1ab 1.5 mg5	
LIDOCAINE [LIGNOCAINE]	NORETHISTERONE
✓ Gel 2%, 10 ml urethral syringe – Subsidy by	✓ Tab 350 mcg
endorsement – See note on page 1325	✓ Tab 5 mg30
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	OXYTOCIN
✓ Inj 1%, 5 ml ampoule25	✓ Inj 5 iu per ml, 1 ml ampoule5
✓ Inj 2%, 5 ml ampoule5	✓ Inj 10 iu per ml, 1 ml ampoule5
✓ Inj 1%, 20 ml ampoule5	OXYTOCIN WITH ERGOMETRINE MALEATE
✓ Inj 2%, 20 ml ampoule 5	✓ Inj 5 iu with ergometrine maleate 500 mcg
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	per ml, 1 ml5
✓ Gel 2% with chlorhexidine 0.05%, 10 ml	PARACETAMOL
urethral syringes – Subsidy by	✓ Tab 500 mg30
endorsement - See note on page 1335	✓ Oral liq 120 mg per 5 ml200 ml
	✓ Oral liq 250 mg per 5 ml 100 ml
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg30	PEAK FLOW METER
✓ Cap 2 mg30	✓ Low range10
	✓ Normal range
MASK FOR SPACER DEVICE	•
✓ Small – See note on page 21220	PETHIDINE HYDROCHLORIDE
MEDROXYPROGESTERONE ACETATE	✓ Inj 50 mg per ml, 1 ml – Only on a controlled
✓ Inj 150 mg per ml, 1 ml syringe5	drug form5
	✓ Inj 50 mg per ml, 2 ml – Only on a controlled
METOCLOPRAMIDE HYDROCHLORIDE ✓ Inj 5 mg per ml, 2 ml ampoule	drug form5
Fing 5 mg per mi, 2 mi ampoule	PHENOXYMETHYLPENICILLIN (PENICILLIN V)
METRONIDAZOLE	✓ Cap 250 mg30
✓ Tab 200 mg30	continued

PRACTITIONER'S SUPPLY ORDERS

continued)
✓ Cap 500 mg
✓ Grans for oral liq 125 mg per 5 ml
PHENYTOIN SODIUM ✓ Inj 50 mg per ml, 2 ml ampoule
PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml
PIPOTHIAZINE PALMITATE ✓ Inj 50 mg per ml, 1 ml – Subsidy by endorsement – See note on page 150
PREDNISOLONE ✓ Oral liq 5 mg per ml – See note on page 8530 ml
PREDNISONE ✓ Tab 5 mg30
PREGNANCY TESTS - HCG URINE ✓ Cassette
PROCAINE PENICILLIN ✓ Inj 1.5 g in 3.4 ml syringe5
PROCHLORPERAZINE ✓ Tab 5 mg
PROMETHAZINE HYDROCHLORIDE ✓ Inj 25 mg per ml, 2 ml ampoule
SALBUTAMOL ✓ Inj 500 mcg per ml, 1 ml5

✓ Aerosol inhaler, 100 mcg per dose CFC
free
SALBUTAMOL WITH IPRATROPIUM BROMIDE ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule20
SILVER SULPHADIAZINE ✓ Crm 1%250 g
SODIUM BICARBONATE ✓ Inj 8.4%, 50 ml 5 ✓ Inj 8.4%, 100 ml 5
SODIUM CHLORIDE ✓ Inj 0.9%, bag – See note on page 53
✓ Inj 0.9%, 5 ml – See note on page 53
SPACER DEVICE ✓ 220 ml (single patient) 20 ✓ 510 ml (single patient) 20 ✓ 800 ml 20
TRIMETHOPRIM ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule
WATER ✓ Purified for inj, 5 ml – See note on page 54
ZUCLOPENTHIXOL DECANOATE

✓ Inj 200 mg per ml, 1 ml......5

Kaikoura

Leeston

Lincoln

Methven

Oxford

Rakaia

Rolleston

Rotherham

Templeton

Waikari

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND
Northland DHB

Dargaville
Hikurangi
Kaeo
Kaikohe
Kaitaia
Kawakawa
Kerikeri

Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell Tutukaka Waipu

Whangaroa

Waitemata DHB
Helensville

Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

Auckland DHB
Great Barrier Island

Great Barrier Island

Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea

Otorohanga Paeroa Pauanui Beach

Putaruru Raglan Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi

Bay of Plenty DHB

Whangamata

Whitianga

Edgecumbe
Katikati
Kawerau
Murupara
Opotiki
Taneatua
Te Kaha
Waihi Beach
Whakatane

Lakes DHB

Mangakino Turangi

Tairawhiti DHB Ruatoria Te Araroa Te Karaka

Te Puia Springs Tikitiki

Tokomaru Bay Tolaga Bay

Taranaki DHB Eltham Inglewood

Manaia
Oakura
Okato
Opunake
Patea
Stratford
Waverley

Hawkes Bay DHB Waipawa

Waipawa Waipukurau Wairoa

Whanganui DHB

Bulls

Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB Dannevirke Foxton Levin Otaki

Pahiatua Shannon Woodville

Wairarapa DHB Fairlie
Carteron Geraldine
Featherston Pleasant Point
Greytown Temuka
Martinborough Townsel

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB Dobson

Grevmouth

Hokitika Karamea Reefton South Westland Westport Whataroa

Canterbury DHB Akaroa

Amberlev

Amuri Chatham Islands Cheviot Darfield

Darfield Diamond Harbour Hanmer Springs Southern DHB

Alexandra
Balclutha
Cromwell
Gore
Kurow
Lawrence
Lumsden

Waimate

Mataura
Milton
Oamaru
Oban
Otautau
Outram
Owaka
Palmerston
Queenstown
Ranfurly

Riverton Roxburgh Tapanui Te Anau Tokonui Tuatapere Wanaka Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the
prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies
"certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

The following Community Pharmaceuticals are identified with a \triangle within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

Cordarone-X

Cordarone-X

Tambocor

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg Corda

Tab 200 mg

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg

Cap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral lig 30 mg (6 mg el- Ferodan

emental) per 1 ml

CARDIOVASCULAR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral lig 5 mg per ml Capoten

CHI OROTHIAZIDE

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral lig 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 25 mcg Synthroid Eltroxin

Tab 50 mcg

Synthroid Tab 100 mcg Eltroxin

Synthroid

(Extemporaneously compounded oral liquid preparations)

LEVOTHYROXINE (MERCURY PHARMA)

Tab 50 mcg Mercury Pharma

Tab 100 mcg Mercury Pharma

(Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

Tab 300 mg 0.300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 mcg Xanax Xanax Tab 500 mcg

Tab 1 mg Xanax

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 20 mg per ml Tegretol CLOBAZAM

Frisium Tab 10 mg

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

DIAZEPAM

Tab 2 mg Arrow-Diazepam Arrow-Diazepam Tab 5 mg

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan Ativan Tab 2.5 mg

(Extemporaneously compounded oral liquid preparations)

I ORMFTAZFPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone Biodone Forte Oral lig 5 mg per ml

Biodone Extra Forte Oral lig 10 mg per ml

MORPHINE HYDROCHLORIDE

Oral lig 1 mg per ml RA-Morph Oral lig 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph

Oral lig 10 mg per ml RA-Morph

NITRAZFPAM

Nitrados Tab 5 mg

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral lig 30 mg per 5 ml Dilantin

SAFETY CAP MEDICINES

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 1 mg per 1 ml Allersoothe

SALBUTAMOL

Oral lig 400 mcg per ml Ventolin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

owder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

Vaccinations

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Ini 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml0.00 5 ADT Booster ✔ ADT Booster

Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients: or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds: or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000 Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.
- Ini Mycobacterium bovis BCG (Bacillus Calmette-Guerin).

Danish strain 1331, live attenuated, vial with diluent0.00 BCG Vaccine

10 ✓ BCG Vaccine

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- 2) A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation: or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg per-

tussis toxoid, 8 mcg pertussis filamentous haemagluttinin 10 Boostrix ' Boostrix '

	Subsidy (Manufacturer's Price)	Si Per	Fully ubsidised	Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE — Funded for any of the following: 1) A single dose for children up to the age of 7 who have co 2) A course of four vaccines is funded for catch up program immunisation; or 3) An additional four doses (as appropriate) are funded for or post splenectomy; pre- or post solid organ transplant, or 4) Five doses will be funded for children requiring solid organ Note: Please refer to the Immunisation Handbook for appropring 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis stoxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe	mpleted primary immumes for children (to the (re-)immunisation for prenal dialysis and other transplantation.	e age o	of 10 years s post HSC erely immu ogrammes	CT, or chemotherapy; pre inosuppressive regimens
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AN Funded for patients meeting any of the following criteria: 1) Up to four doses for children up to and under the age of 1 2) An additional four doses (as appropriate) are funded for are patients post haematopoietic stem cell transplantatic organ transplant, renal dialysis and other severely immur 3) Up to five doses for children up to and under the age of 1 Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the In programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisB-surfaceantigen in 0.5ml syringe	10 for primary immunis (re-)immunisation for con, or chemotherapy; posuppressive regimer 0 receiving solid orgal programmes for child promunisation Handbool	FLUEN sation; ochildren ore or p ns; or n transp Iren (up	ZAE TYPE or up to and oost splend olantation. to and up e appropri	I under the age of 10 who ectomy; pre- or post solid
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following: 1) For primary vaccination in children; or 2) An additional dose (as appropriate) is funded for (re-)im tation, or chemotherapy; functional asplenic; pre or pos cochlear implants, renal dialysis and other severely immu. 3) For use in testing for primary immunodeficiency disease paediatrician. Inj 10 mcg vial with diluent syringe	at splenectomy; pre- of unosuppressive regimes, on the recommend	s post I or post ens; or dation o	naematopi solid orga of an interi	oietic stem cell transplan n transplant, pre- or pos nal medicine physician o
Inj 1440 ELISA units in 1 ml syringeInj 720 ELISA units in 0.5 ml syringe		1	 ✓ <u>Ha</u> ✓ <u>Ha</u> 	<u>avrix</u> avrix Junior

	INATIONAL		MISAII	ON SCHEDULE
()	Subsidy Manufacturer's Price) \$	Sı Per	Fully obsidised	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial	0.00	1	✓ <u>H</u>	BvaxPRO
Funded for patients meeting any of the following criteria:				
1) for household or sexual contacts of known acute hepatitis B	patients or hepatit	is B carr	iers; or	
for children born to mothers who are hepatitis B surface ant				
for children up to and under the age of 18 years inclusive wh	no are considered n	ot to ha	ve achiev	ed a positive serology and
require additional vaccination; or				
for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse; or				
7) for patients following immunosuppression; or				
8) for transplant patients; or				
following needle stick injury.				
Inj 10 mcg per 1 ml vial	0.00	1	✓ <u>H</u>	BvaxPRO
Funded for patients meeting any of the following criteria:				
for household or sexual contacts of known acute hepatitis B			iers; or	
2) for children born to mothers who are hepatitis B surface ant	0 1 0/1			
3) for children up to and under the age of 18 years inclusive wh	no are considered n	ot to ha	ve achiev	ed a positive serology and
require additional vaccination; or				
4) for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse; or7) for patients following immunosuppression; or				
8) for transplant patients; or				
9) following needle stick injury.				
, , ,	0.00	1		BvaxPRO
Inj 40 mcg per 1 ml vial Funded for any of the following criteria:	0.00	1	V <u>n</u>	DVAXPHU
1) for dialysis patients; or				
2) for liver or kidney transplant patient.				
, , , ,	[V1			
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV] —				
Maximum of three doses for patient meeting any of the following 1) Females aged under 20 years old; or	criteria:			
2) Patients aged under 26 years old with confirmed HIV infection	on: or			
Fatients aged under 20 years old with commined fire fine circles. For use in transplant (including stem cell) patients; or	011, 01			
4) An additional dose for patients under 26 years of age post of a second control of the /li>	hemotherany			
		10		audaail
Inj 120 mcg in 0.5 ml syringe	0.00	10 1	_	<u>ardasil</u> ardasil
		1	<u> </u>	aiuaəii

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

INFLUENZA VACCINE - [Xpharm]

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
 - a) all people 65 years of age and over; or
 - b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
 - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor, or
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

nj 45 mcg in 0.5 ml syringe	90.00	10	Fluarix
, , ,			✓ Influya

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression; or
- 3) For any individual susceptible to measles, mumps or rubella; or
- 4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 1000 TCID50 measles, 12500 TCID50 mumps and

MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONGUGATE VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases; or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 4 mcg of each meningococcal polysaccharide conjugated

to a total of approximately 48 mcg of diphtheria toxoid

carrier per 0.5 ml vial0.00

Menactra

MENINGOCOCCAL C CONGUGATED VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases; or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm] Any of the following: 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV10: or 3) One dose is funded for high risk children (over the age of 17 months and up to the age of 18) who have previously received four doses of PCV10: or 4) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients with HIV, for patients post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or postsolid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician. Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Prevenar 13 1 ✔ Prevenar 13 PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [Xpharm] Either: 1) Up to three doses (as appropriate) for patients with HIV, for patients post haematopoietic stem cell transplant, or chemotherapy; pre- or post-splenectomy or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 2) Up to two doses are funded for high risk children to the age of 18. Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype)0.00 1 Pneumovax 23 POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following: 1) For partially vaccinated or previously unvaccinated individuals; or 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes. ✓ IPOL ROTAVIRUS LIVE REASSORTANT ORAL VACCINE - [Xpharm] Maximum of three doses for patients meeting the following: 1) first dose to be administered in infants aged under 15 weeks of age; and 2) no vaccination being administered to children aged 8 months or over. Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units 10 ✓ RotaTea

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

- 1) For non-immune patients:
- 2) a) with chronic liver disease who may in future be candidates for transplantation; or
 - b) with deteriorating renal function before transplantation; or
 - c) prior to solid organ transplant; or
 - d) prior to any elective immunosuppression*.
- 3) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 4) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 5) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- 6) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
- 7) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompro-
- 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

* immunosuppression due to steroid or other immunosuppression	ve therapy must be	e for a treat	tment perio	od of greater tha	n 28 days
Inj 2000 PFU vial with diluent	0.00	1	✓ Vai	rilrix	-

- Symbols -	
3TC110	6
- A -	
A-Scabies74	4
Abacavir sulphate11	5
Abacavir sulphate with	
lamivudine11	5
Abilify146	6
Abiraterone acetate18	1
Acarbose26	6
Accu-Chek Ketur-Test2	7
Accu-Chek Performa28	
Accuretic 1056	6
Accuretic 2056	6
Acetazolamide21	5
Acetic acid with 1, 2- propanediol	
diacetate and	
benzethonium215	3
Acetic acid with hydroxyquinoline	
and ricinoleic acid8	1
Acetylcysteine218	8
Aci-Jel8	1
Aciclovir	
Infection109	9
Sensory213	
Acidex2	
Acipimox62	
Acitretin75	5
Aclasta126	6
Aclin12	
Act-HIB258	
Actinomycin D172	2
Actrapid25	5
Actrapid Penfill25	5
Acupan133	
Adalat 1060	
Adalimumab190	
Adapalene6	
Adefin XL60	0
Adefovir dipivoxil10	
Adenuric129	
ADR Cartridge 1.838	8
Adrenaline64	
Adriamycin172	
ADT Booster25	7
Adult diphtheria and tetanus	
vaccine25	
Advantan70	
Advate48	
Afinitor203	
AFT SLS-free72	2
AFT-Pyrazinamide106	Ö

Agents Affecting the	
Renin-Angiotensin System Agents for Parkinsonism and	55
Related Disorders	101
Agents Used in the Treatment of	. 131
Poisonings	210
Agrylin	171
Alanase	1 / 1 211
Albendazole	۱۱ <u>ک</u>
Albey	205
Albustix	00 83
Alendronate sodium	124
Alendronate sodium with	
colecalciferol	. 124
Alfacalcidol	44
Alginic acid	21
Alitraq	234
Alkeran	167
Allersoothe	206
Allopurinol	128
Alpha Adrenoceptor Blockers	55
Alpha-Keri Lotion	72
Alphamox	98
Alprazolam	151
Alu-Tab	21
Aluminium hydroxide	21
Amantadine hydrochloride	131
Ambrisentan	65
AMCo	149
Amiloride hydrochloride	61
Amiloride hydrochloride with	
furosemide	61
Amiloride hydrochloride with	
hydrochlorothiazide	61
Aminophylline	211
Amiodarone hydrochloride	56
Amisulpride	146
Amitriptyline	137
Amlodipine	
Amorolfine	
Amoxicillin	
Amoxicillin Actavis	98
Amoxicillin with clavulanic	
acid	98
Amphotericin B	43
Amsacrine	1/1
AmsaLyo	1/1
Amsidine	1/1
Amyl nitrite	64
Amzoate	400
Anaesthetics	201
Anagrelide hydrochloride	🛮 / 🖯

Analgesics	
Anastrozole	184
Andriol Testocaps	86
Androderm	
Animas Battery Cap	34
Animas Cartridge	38
Animas Vibe	29
Anoro Ellipta	210
Antabuse	
Antacids and Antiflatulants	21
Anten	127
Anthelmintics	107
Antiacne Preparations	90
Antiallara Dranarations	07
Antiallergy PreparationsAntianaemics	205
	40
Antiandrogen Oral Contraceptives	0.4
Antiarrhythmics	56
Antibacterials	96
Antibacterials Topical	
Anticholinergic Agents	208
Anticholinesterases	121
Antidepressants	13/
Antidiarrhoeals	
Antiepilepsy Drugs	139
Antifibrinolytics, Haemostatics	
and Local Sclerosants	4/
Antifungals	103
Antifungals Topical	68
Antihistamines	205
Antihypotensives	
Antimalarials	105
Antimigraine Preparations	
Antinaus	145
Antinausea and Vertigo	
Agents	. 144
Antiparasitics	
Antipruritic Preparations	
Antipsychotics	
Antiretrovirals	113
Antiretrovirals - Additional	
Therapies	116
Antirheumatoid Agents	122
Antispasmodics and Other	
Agents Altering Gut	
Motility	23
Antithrombotic Agents	49
Antithymocyte globulin	
(equine)	
Antitrichomonal Agents	105
	105
Antituberculotics and	.100

Antiulcerants	23	Aremed	184	Atorvastatin	62
Antivirals	107	Arimidex	184	Atripla	
Anxiolytics	151	Aripiprazole	146	Atropine sulphate	
Anzatax		Aristocort		Cardiovascular	57
Apidra		Aromasin		Sensory	
Apidra SoloStar		Arrow - Clopid		Atropt	
Apo-Allopurinol		Arrow-Amitriptyline		Atrovent	
Apo-Amiloride		Arrow-Bendrofluazide		Aubagio	
Apo-Amlodipine		Arrow-Brimonidine		Augmentin	
Apo-Amoxi		Arrow-Calcium		Auranofin	
Apo-Azithromycin		Arrow-Diazepam		Avelox	
Apo-Bromocriptine		Arrow-Dortim		Avomine	
Apo-Ciclopirox		Arrow-Doxorubicin		Avonex	
Apo-Cilazapril		Arrow-Etidronate		Avonex Pen	
Apo-Gilazapili Apo-		Arrow-Fluoxetine		Azacitidine	
Cilazapril/Hydrochlorothiazi	ido 56	Arrow-Gabapentin		Azamun	
, ,	iue	•			
Apo-Clarithromycin	00	Arrow-Lamotrigine	142	Azathioprine	
Alimentary		Arrow-Losartan &	50	Azithromycin	
Infection		Hydrochlorothiazide		Azol	
Apo-Clomipramine		Arrow-Meloxicam		Azopt	
Apo-Diclo SR		Arrow-Morphine LA		AZT	116
Apo-Diltiazem CD		Arrow-Norfloxacin		-B-	
Apo-Doxazosin		Arrow-Ornidazole		B-D Micro-Fine	
Apo-Folic Acid		Arrow-Quinapril 10		B-D Ultra Fine	29
Apo-Imiquimod Cream 5%		Arrow-Quinapril 20		B-D Ultra Fine II	29
Apo-Megestrol		Arrow-Quinapril 5		Bacillus Calmette-Guerin (BC	
Apo-Metoprolol		Arrow-Roxithromycin		vaccine	190
Apo-Mirtazapine	138	Arrow-Sertraline	138	Bacillus Calmette-Guerin	
Apo-Moclobemide	138	Arrow-Simva 10mg		vaccine	257
Apo-Nadolol	58	Arrow-Simva 20mg	62	Baclofen	
Apo-Nicotinic Acid	62	Arrow-Simva 40mg	62	Bactroban	68
Apo-Oxybutynin	82	Arrow-Simva 80mg	62	Bakels Gluten Free Health Br	ead
Apo-Perindopril	55	Arrow-Sumatriptan	144	Mix	242
Apo-Pindolol	58	Arrow-Timolol	215	Baraclude	
Apo-Prazosin	55	Arrow-Tolterodine	83	Barrier Creams and	
Apo-Prednisone	86	Arrow-Topiramate	143	Emollients	72
Apo-Prednisone S29		Arrow-Tramadol	137	BCG Vaccine	
Apo-Primidone	142	Arrow-Venlafaxine XR	139	Beclazone 100	
Apo-Propranolol		Arsenic trioxide	171	Beclazone 250	
Apo-Pyridoxine		Asacol	22	Beclazone 50	
Apo-Ropinirole		Asamax	22	Beclomethasone	200
Apo-Selegiline S29		Ascorbic acid	43	dipropionate	206 211
Apo-Thiamine		Aspen Adrenaline		Becton Dickinson PosiFlush	
Apo-Timol		Aspirin		Bee venom allergy	
Apomine		Blood	49	treatment	205
Apomorphine hydrochloride		Nervous		Bendrofluazide	
Aprepitant		Asthalin		Bendroflumethiazide	
Apresoline		Atazanavir sulphate			64
Aptamil Gold+ Pepti Junior		Atenolol		[Bendrofluazide]	
Aquasun 30+		Atenolol AFT		BeneFIX	
Aqueous cream		ATGAM		Benzathine benzylpenicillin	95
Aratac		Ativan		Benzbromaron AL 100	
Arava		Atomoxetine		Benzbromarone	
niava	122	AIOIIIOXEIIIE	100	Benzoin	225

Benztrop	.131
Benztropine mesylate Benzydamine hydrochloride	.131
Benzydamine hydrochloride	42
Benzylpenicillin sodium (penicillin G)	99
Beta Adrenoceptor Blockers	57
Beta Cream	70
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists	208
Betadine	
Betadine Skin Prep	73
Betaferon	
Betagan	011
Betahistine dihydrochloride	-214
Betaloc CR	. 145
Betaloc CR	58
Betamethasone dipropionate	70
Betamethasone dipropionate	
with calcipotriol	75
Betamethasone sodium	
phosphate with	
betamethasone acetate	85
Betamethasone valerate70), 76
Betamethasone valerate with	
clioquinol	71
Betamethasone valerate with	
fusidic acid	71
Betaxolol	.214
Betnovate	70
Betnovate-C	
Betoptic	.214
Betoptic S	.214
Bezafibrate	62
Bezalip	
Bezalip Retard	62
Bicalaccord	
Bicalutamide	
Bicillin LA	
BiCNU	
Bile and Liver Therapy	. 107
Biltricide	24
Dill'icide	90
Bimatoprost Actavis	.215
Bimatoprost Actavis	.215
Biodone	.134
Biodone Extra Forte	
Biodone Forte	
Bisacodyl	
Bismuth trioxide	24
Bisoprolol fumarate	58
BK Lotion	72
Bleomycin sulphate	.171
Blood Colony-stimulating	
Factors	52

B	
Blood glucose diagnostic test meter	2
Blood glucose diagnostic test strip	
Blood glucose test strips (visually	20
impaired)	29
Blood ketone diagnostic test	20
meter	27
Boceprevir	112
Bonjela	42
Boostrix	.257
Bortezomib	.17
Bosentan	65
Bosvate	58
Bplex	43
Breo Ellipta	.207
Brevinor 1/21	
Brevinor 1/28	
Brevinor 21	
Bricanyl Turbuhaler	.208
Brilinta	50
Brimonidine tartrate	.21
Brimonidine tartrate with timolol	
maleate	. 21
Brinzolamide	
BroleneBromocriptine mesylate	.214
Brufen SR	10
Buccastem	14
Budesonide	. 170
Alimentary	2.
Alimentary206	212
Budesonide with	
eformoterol	. 20
Bumetanide	
Buprenorphine with	
naloxone	. 164
Bupropion hydrochloride	.164
Burinex	60
Buscopan	23
Buspirone hydrochloride	
Busulfan	.167
Butacort Aqueous	.212
- C -	
Cabergoline	
Cafergot	.14
Cafergot S29	.144
Caffeine citrate	.212
Calamine	69
Calcipotriol	/
Calcitonin	
Uaiciliiul	44

Calcitriol-AFT44

Calcium carbonate	.21, 45
Calcium Channel Blockers	59
Calcium Disodium	
Versenate	219
Calcium folinate	
Calcium Folinate Ebewe	
Calcium gluconate	
Calcium Homeostasis	84
Calcium polystyrene	
sulphonate	54
Calcium Resonium	54
Calogen	
Calaguras	23U
Calsource	45
Camptosar	170
Candesartan cilexetil	
Candestar	
Canesten	
Capecitabine	169
Capecitabine Winthrop	
Capoten	55
Capsaicin	
Musculoskeletal	122
Nervous	133
Captopril	55
Carafate	
Carbaccord	167
Carbamazepine	
Carbimazole	
Carbomer	
Carboplatin	167
Carboplatin Ebewe	167
Carbosorb-X	
Cardinol LA	
Cardizem CD	
CareSens	
CareSens II	2/
CareSens N	.27, 28
CareSens N POP	27
Carmellose sodium with gelatin	
and pectin	
Carmustine	
Carvedilol	58
Catapres	
Catapres-TTS-1	60
Catapres-TTS-2	60
Catapres-TTS-3	60
CeeNU	167
Cefaclor monohydrate	96
Cefalexin	96
Cefalexin Sandoz	96
Cefazolin	
Ceftriaxone	
Ceftriaxone-AFT	97

Cefuroxime axetil	97	(
Celestone Chronodose	85	
Celiprolol		
Cellcept	184	(
Celol		(
Centrally-Acting Agents		(
Cephalexin ABM	96	(
Cerezyme		(
Cetirizine hydrochloride	205	ì
Cetomacrogol	72	ì
Cetomacrogol with glycerol		ì
		`
Champix		,
Charcoal		(
Chemotherapeutic Agents		(
Chicken pox vaccine		
Chlorafast		
Chlorambucil		(
Chloramphenicol	213	(
Chlorhexidine gluconate		(
Alimentary		(
Dermatological	71	(
Chloroform	225	(
Chlorothiazide		(
Chlorpheniramine maleate	205	(
Chlorpromazine		(
hydrochloride	147	
Chlorsig		
Chlortalidone		(
[Chlorthalidone]	61	(
Chlorthalidone		
Chlorvescent		ì
Choice Load 375	78	ì
Cholestyramine		,
Choline salicylate with	02	,
cetalkonium chloride	40	,
Cholvastin		(
Ciclopirox olamine		(
Ciclosporin		
Cilazapril	55	
Cilazapril with		(
hydrochlorothiazide		(
Cilicaine		(
Cilicaine VK		(
Ciloxan	213	(
Cinacalcet	84	(
Cipflox	100	(
Ciprofloxacin		(
Infection	100	(
Sensory	213	(
Cisplatin	167	(
Cisplatin Ebewe	167	(
Citalopram hydrobromide	138	(
Cladribine		(
		•

Clarithromycin	
Alimentary	23
Infection	
Clexane	51
Climara 100	87
Climara 50	87
Clindamycin	.100
Clindamycin ABM	.100
Clinicians Renal Vit	44
Clobazam	
Clobetasol propionate70	0, 76
Clobetasone butyrate	70
Clofazimine	.106
Clomazol	
Dermatological	68
Genito-Urinary	
Clomiphene citrate	
Clomipramine hydrochloride	.137
Clonazepam139–140,	151
Clonidine	
Clonidine hydrochloride	60
Clopidogrel	40
Clopine	147
Clopixol149,	151
Clotrimazole	101
Dermatological	68
Genito-Urinary	0C
Clozapine	1/17
Clozaril	
Co-trimoxazole	100
Coal tar	75
Coal tar with allantain monthal	
phenol and sulphur	75
Coal tar with salicylic acid and	/ 5
sulphur	76
Coco-Scalp	/ C
Codeine phosphate	/0
Extemporaneous	225
Nervous	
Cogontin	104
Cogentin	170
Colaspase [L-asparaginase] Colchicine	100
Colecalciferol	. 128
Colestid	62
Colestipol hydrochloride	02
Colgout	
Colifoam	
Colistin sulphomethate	.100
Colistin-Link	.100
Collodion flexible	.225
Colloidal bismuth subcitrate	

Combigan2	215
Comfort	.36
Comfort Short	
Compound electrolytes	
Compound	
hydroxybenzoate2	25
Concerta1	62
Condoms	78
Condyline	77
Contact-D	. , , วร
Contraceptives - Hormonal	.00 70
Contraceptives -	. 7 0
Non-hormonal	70
Copaxone1	7 O
Cordarone-X	56
Corticosteroids and Related	.00
Agents for Systemic Use	0.5
Agents for Systemic Use	70
Corticosteroids Topical	.70
Cosmegen1	72
Coumadin	.52
Creon 10000	.39
Creon 25000	.39
Crixivan1	16
Crotamiton	.69
Crystaderm	.68
Cvite	.43
Cyclizine hydrochloride1	45
Cyclizine lactate1	45
Cyclogyl2	216
Cyclopentolate	
hydrochloride2	216
Cyclophosphamide1	67
Cycloserine1	06
Cyklokapron	.49
Cyproterone acetate	.86
Cyproterone acetate with	
ethinyloestradiol	81
Cytarabine1	69
Cytotec	.23
Cytoxan1	67
- D -	
D-Penamine1	22
d4T1	16
Dabigatran	52
Dacarbazine1	72
Dactinomycin [Actinomycin	-
D] 1	72
Daivobet	75
Daivonex	75
Daktarin	
Dalacin C1	
Dalteparin sodium	50

Dantrium	129	Sensory	214	vaccine	258
Dantrolene	129	Dexamethasone phosphate	85	Diprosone	70
Daonil	26	Dexamethasone with framyce	tin	Diprosone OV	70
Dapa-Tabs	61	and gramicidin	213	Dipyridamole	49
Dapsone	106	Dexamethasone with neomyo		Disinfecting and Cleansing	
Daraprim		sulphate and polymyxin B		Agents	7
Darunavir		sulphate	214	Disopyramide phosphate	57
Dasatinib		Dexamfetamine sulfate		Disulfiram	
Daunorubicin		Dexmethsone		Diuretics	
DBL Acetylcysteine		Dextrochlorpheniramine		Diurin 40	
DBL Aminophylline		maleate	206	Docetaxel	
DBL Bleomycin Sulfate		Dextrose		Docetaxel Sandoz	
DBL Carboplatin		Dextrose with electrolytes		Docusate sodium	
DBL Cisplatin		DHC Continus		Docusate sodium with	
DBL Dacarbazine		Diabetes		sennosides	10
DBL Docetaxel		Diabetes Management		Domperidone	
DBL Doxorubicin		•		Donepezil hydrochloride	
DBL Doxorubicin S29		Diacomit Diamide Relief			
	172			Donepezil-Rex	100
DBL Epirubicin	170	Diamox		Dopress	
Hydrochloride		Diaphragm		Dornase alfa	
DBL Ergometrine		Diasip		Dorzolamide hydrochloride	
DBL Gemcitabine		Diason RTH		Dorzolamide with timolol	
DBL Leucovorin Calcium	169	Diazepam		Dostinex	
DBL Methotrexate		Diazoxide		Dothiepin hydrochloride	
Onco-Vial		Dicarz		Doxazosin	
DBL Morphine Sulphate		Diclofenac Sandoz	121	Doxepin hydrochloride	
DBL Morphine Tartrate	135	Diclofenac sodium		Doxine	
DBL Pethidine		Musculoskeletal	121	Doxorubicin Ebewe	
Hydrochloride	137	Sensory	214	Doxorubicin hydrochloride	
DBL Tobramycin		Didanosine [DDI]	115	Doxy-50	99
DBL Vincristine Sulfate	176	Differin	67	Doxycycline	99
DDI	115	Difflam	42	DP Fusidic Acid Cream	68
De Nol	24	Diflucan	103	DP Lotion	
De-Worm	96	Diflucan S29	103	DP Lotn HC	70
Decozol	43	Diflucortolone valerate	70	DP-Anastrozole	184
Deferasirox	218	Digestives Including		Dr Reddy's Omeprazole	24
Deferiprone	218	Enzymes	39	Dr Reddy's Ondansetron	145
Deoxycoformycin	174	Digoxin	57	Dr Reddy's Terbinafine	
Depo-Medrol		Dihydrocodeine tartrate		Drugs Affecting Bone	
Depo-Medrol with Lidocaine .	85	Dilantin	142	Metabolism	122
Depo-Provera		Dilantin Infatab		Duocal Super Soluble	
Depo-Testosterone		Diltiazem hydrochloride		Powder	229
Deprim		Dilzem		Duolin	
Dermol		Dimethicone	72	Duolin HFA	208
Desferal		Dimethyl fumarate		Durex Confidence	
Desferrioxamine mesilate		Dipentum		Durex Extra Safe	
Desmopressin acetate		Diphtheria, tetanus and pertu		Duride	
Desmopressin-PH&T		vaccine		Dynacirc-SRO	
Detection of Substances in		Diphtheria, tetanus, pertussis		•	
Urine	83	and polio vaccine		-E-	
DEVA		Diphtheria, tetanus, pertussis		e-chamber La Grande	
Dexamethasone		polio, hepatitis B and	,	e-chamber Mask	
Hormone	25	haemophilus influenzae typ	ne R	e-chamber Turbo	212
1.01111011C		naemophilas inilaenzae typ	ם א		

E-Mycin	97	Eprex	47	Febuxostat	129
Ear Preparations	213	Eptacog alfa [Recombinant fac	tor	Feed Thickener Karicare	
Ear/Eye Preparations	213	VIIa]	47	Aptamil	241
Easiphen Liquid	243	ERA	98	FEIBA NF	48
EasyCheck	82	Ergometrine maleate	81	Felodipine	59
Econazole nitrate	69	Ergotamine tartrate with		Fenpaed	121
Efavirenz	115	caffeine	144	Fentanyl	134
Efavirenz with emtricitabine	and	Erlotinib	177	Fentanyl Sandoz	134
tenofovir disoproxil		Erythrocin IV	97	Ferodan	45
fumarate	115	Erythromycin ethyl succinate	97	Ferriprox	
Efexor XR		Erythromycin lactobionate	97	Ferro-F-Tabs	45
Effient	49	Erythromycin stearate	98	Ferro-tab	45
Eformoterol fumarate	207	Erythropoietin alfa	46	Ferrograd	45
Efudix	77	Escitalopram	138	Ferrograd F	45
Egopsoryl TA	75	Eskazole	96	Ferrous fumarate	45
Elecare	244	Estradot	87	Ferrous fumarate with folic	
Elecare LCP	244	Estrofem	87	acid	45
Elocon	71	Etanercept	184	Ferrous sulphate	45
Elocon Alcohol Free	71	Ethambutol hydrochloride	106	Ferrous sulphate with folic	
Eloxatin	168	Ethics Aspirin	133	acid	45
Eltrombopag	47	Ethics Aspirin EC	49	Ferrum H	45
Eltroxin	89	Ethics Enalapril	55	Fexofenadine hydrochloride	206
Emend Tri-Pack	144	Ethics Lisinopril	55	Fibro-vein	
EMLA	133	Ethinyloestradiol	88	Filgrastim	52
Emtricitabine	115	Ethinyloestradiol with		Finasteride	82
Emtricitabine with tenofovir		desogestrel	79	Fingolimod	153
disoproxil fumarate	116	Ethinyloestradiol with		Finpro	82
Emtriva	115	levonorgestrel	79	Firazyr	205
Emulsifying ointment	72	Ethinyloestradiol with		Flagyl	105
Enalapril maleate		norethisterone	80	Flagyl-S	105
Enbrel	184	Ethosuximide	140	Flamazine	68
Endocrine Therapy	181	Etidronate disodium	124	Flecainide acetate	57
Endoxan	167	Etopophos	173	Fleet Phosphate Enema	41
Enerlyte	54	Etoposide	173	Flixonase Hayfever &	
Enfuvirtide	116	Etoposide phosphate	173	Allergy	212
Enoxaparin sodium	51	Etravirine	115	Flixotide	
Ensure	239	Eumovate	70	Flixotide Accuhaler	207
Ensure Plus	239	Everet	142	Floair	207
Ensure Plus HN	238	Everolimus	203	Florinef	85
Ensure Plus RTH	238	Evista	124	Fluanxol	149
Entacapone	131	Exelon	163	Fluarix	260
Entapone	131	Exemestane	184	Flucloxacillin	99
Entecavir	108	Exjade	218	Flucloxin	99
Entocort CIR	21	Extemporaneously Compound	ed	Fluconazole	103
Epilim	142	Preparations and		Fludara	169
Epilim Crushable	142	Galenicals	225	Fludara Oral	169
Epilim IV		Eye Preparations	213	Fludarabine Ebewe	169
Epilim S/F Liquid	142	Ezemibe	63	Fludarabine phosphate	169
Epilim Syrup		Ezetimibe	63	Fludrocortisone acetate	
Epirubicin Ebewe		Ezetimibe with simvastatin	63	Fluids and Electrolytes	53
Epirubicin hydrochloride		-F-		Flumetasone pivalate	213
Epoetin alfa [Erythropoietin		Factor eight inhibitor bypassing	1	Fluocortolone caproate with	
alfa]	47	fraction	•	fluocortolone pivalate and	
-				·	

cinchocaine	23
Fluorometholone	214
Fluorouracil	
Fluorouracil Ebewe	
Fluorouracil sodium	77
Fluoxetine hydrochloride	138
Flupenthixol decanoate	
Fluphenazine decanoate	149
Flutamide	
Flutamin	
Fluticasone	
Fluticasone furoate with	201
vilanterol	207
Fluticasone propionate	212
Fluticasone with salmeterol	200
FML	
Foban	
Folic acid	
Food Thickeners	
Foods And Supplements For	241
Inborn Errors Of	
Metabolism	2/12
Foradil	
Forteo	
Fortini	
Fortini Multi Fibre	
Fortisip	
Fortisip Multi Fibre	240
Fosamax	
Fosamax Plus	
Fragmin	
Framycetin sulphate	213
Freestyle Optium	28
Freestyle Optium Ketone	27
Freestyle Optium Neo	27
Frisium	
Frumil	
Frusemide	
Frusemide-Claris	61
Fucicort	
Fucidin	
Fucithalmic	
Fungilin	
Furosemide [Frusemide]	61
Fusidic acid	
Dermatological	68
Infection	
Sensory	
Fuzeon	
- G -	
Gabapentin	140
Gacet	
Galsulfase	

Ganciclovir	213
Gardasil	259
Gastrodenol	24
Gastrosoothe	2
Gaviscon Double Strength	2
Gaviscon Infant	2
Gefitinib	177
Gemcitabine Ebewe	170
Gemcitabine EbeweGemcitabine hydrochloride	170
Gemfibrozil	62
Gemzar	170
Genoptic	213
Genox	183
Gentamicin sulphate	
Infection	10
Sensory	213
Gilenya	153
Ginet	8 ⁻
Glatiramer acetate	159
Glibenclamide	26
Gliclazide	
Glipizide	
Glivec	178
Glizide	26
Glucagen Hypokit	2
Glucagon hydrochloride	2
Glucerna Select	23
Glucerna Select RTH	23 ⁻
Glucobay	26
Glucose [Dextrose]	50
Gluten Free Foods	24
Glycerin with sodium	
saccharin	225
Glycerin with sucrose	22
Glycerol	
Alimentary	40
Extemporaneous	22
Glyceryl trinitrate	
Alimentary	2
Cardiovascular	64
Glycopyrronium	209
Glycopyrronium bromide	2
Glycopyrronium with	
indacaterol	210
Glytrin	
Gold Knight	78
Goserelin	93
Granirex	14
Granisetron	14!
Gutron	57
Gynaecological	
Anti-infectives	8 ⁻

- H -	
Habitrol	165
Haemophilus influenzae type B	
vaccine	. 258
Haldol	149
Haldol Concentrate	149
Haldol Decanoas	149
Haloperidol	147
Haloperidol decanoate	149
Hamilton Sunscreen	76
Harvoni	112
Havrix	258
Havrix Junior	258
HBvaxPRO	
healthE Dimethicone 10%	72
healthE Dimethicone 5%	72
healthE Glycerol BP	225
healthE Urea Cream	72
Healtheries Simple Baking Mix	
Mix	. 241
Hemastix	83
Heparin sodium	51
Heparinised saline	52
Heparon Junior	232
Hepatitis A vaccine	.258
the control of the co	
vaccine	. 259
Hepsera	107
Herceptin	
Hexamine hippurate	119
Hiprex	119
Histaclear	
Histafen	
Holoxan	
Horleys Bread Mix	
Horleys Flour	
Hormone Replacement Therapy -	
Systemic	86
HPV	259
Humalog	
Humalog Mix 25	26
Humalog Mix 50	26
Humatin	
Humira	
HumiraPen	
Humulin 30/70	25
Humulin NPH	25
Humulin R	25
Hvaluronic acid	216
Hybloc	58
Hydralazine	64
Hydralazine hydrochloride	

Hydrea173
Hydrocortisone
Dermatological70
Hormone85
Hydrocortisone acetate22
Hydrocortisone and paraffin
liquid and lanolin70
Hydrocortisone butyrate70, 76
Hydrocortisone with
cinchocaine23
Hydrocortisone with
miconazole71
Hydrocortisone with natamycin
and namusin 71
and neomycin71 Hydrogen peroxide
Alimentary43
Allmentary43
Dermatological68
Hydroxocobalamin43
Hydroxychloroquine122
Hydroxyurea173
Hygroton61
Hylo-Fresh216
Hyoscine hydrobromide145
Hyoscine N-butylbromide23
Hypam160
Hyperuricaemia and
Antigout128
Hypnovel159
Hypromellose216
Hypromellose with Dextran216
Hysite215
-1-
Ibiamox98
Ibugesic121
Ibuprofen121
Icatibant205
Idarubicin hydrochloride173
Ifosfamide 167
Ifosfamide
Ikorel65
Ikorel
Ikorel 65 Iloprost 66 Imatinib mesilate 178
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137 Imiquimod .76
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137 Imiquimod .76 Immune Modulators .117
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137 Imiquimod .76 Immune Modulators .117 Immunosuppressants .184
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137 Imiquimod .76 Immune Modulators .117 Immunosuppressants .184 Imuran .184
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137 Imiquimod .76 Immune Modulators .117 Immunosuppressants .184 Imuran .184 Incruse Ellipta .209
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137 Imiquimod .76 Immune Modulators .117 Immunosuppressants .184 Imuran .184 Incruse Ellipta .209 Indacaterol .207
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137 Imiquimod .76 Immune Modulators .117 Immunosuppressants .184 Imuran .184 Incruse Ellipta .209 Indacaterol .207 Indapamide .61
Ikorel .65 Iloprost .66 Imatinib mesilate .178 Imatinib-AFT .178 Imiglucerase .42 Imipramine hydrochloride .137 Imiquimod .76 Immune Modulators .117 Immunosuppressants .184 Imuran .184 Incruse Ellipta .209 Indacaterol .207

Infanrix-hexa	258
Infant Formulae	243
Influenza vaccine	260
Influvac	
Inhaled Corticosteroids	206
Inhaled Long-acting	
Beta-adrenoceptor	
Agonists	207
Inset 30	36
Inset II	37
Insulin aspart	26
Insulin aspart with insulin aspart	
protamine	25
Insulin glargine	26
Insulin glulisine	26
Insulin isophane	25
Insulin isophane with insulin	
neutral	25
Insulin lispro	
Insulin lispro with insulin lispro	
protamine	26
Insulin neutral	25
Insulin pen needles	29
Insulin pump	
Insulin pump accessories	34
Insulin pump infusion set (steel	
cannula)	35
Insulin pump infusion set (teflon	
cannula, angle insertion with	
insertion device)	36
Insulin pump infusion set (teflon	
cannula, angle insertion)	36
Insulin pump infusion set (teflon	
cannula, straight insertion with	ı
insertion device)	37
Insulin pump infusion set (teflon	
cannula, straight insertion)	38
Insulin pump reservoir	38
Insulin syringes, disposable with	
attached needle	29
Intal Forte CFC Free	211
Intal Spincaps	211
Intelence	115
Interferon alfa-2a	117
Interferon alfa-2b	118
Interferon beta-1-alpha	159
Interferon beta-1-beta	159
Intra-uterine device	78
Intron-A	
Invega Sustenna	150
IPOL	262
Ipratropium bromide208	3, 212

Irinotecan Actavis 100	170
Irinotecan Actavis 40	170
Irinotecan hydrochloride	170
Irinotecan-Rex	170
Iron polymaltose	45
Isentress	116
Ismo 20	64
Isoniazid	106
Isoprenaline	
Isoptin	60
Isopto Carpine	215
Isosorbide mononitrate	64
Isosource Standard	238
Isosource Standard RTH	238
Isotane 10	67
Isotane 20	67
Isotretinoin	67
Ispaghula (psyllium) husk	40
Isradipine	59
Isuprel	64
Itch-Soothe	69
Itraconazole	103
Itrazole	103
Ivermectin	73
- J -	
Jadelle	80
Jevity	238
Jevity HiCal RTH	238
Jevity RTH	238
- K -	
Kaletra	116
Kemadrin	
Kenacomb	213
Kenacort-A 10	86
Kenacort-A 40	86
Kenalog in Orabase	43
Ketocal 3:1	246
KetoCal 4:1	246
Ketoconazole	
Dermatological	
Infection	104
Ketogenic Diet	246
Ketone blood beta-ketone	
electrodes	27
Ketoprofen	121
Ketostix	27
Keytruda	202
Kindergen	232
Kinson	131
Kivexa	115
Klacid	97
Kliogest	88

Kliovance	88	Levothyroxine	89	hydrochlorothiazide	56
Kogenate FS	49	Levothyroxine (mercury		Lovir	109
Konakion MM		pharma)	89	Loxamine	
Konsyl-D	40	Lidocaine		Lucrin Depot 1-month	94
-L-		[Lignocaine]	. 132–133	Lucrin Depot 3-month	94
	170	Lidocaine [Lignocaine]		Lucrin Depot 6-month	
L-asparaginase		hydrochloride	132	Ludiomil	
Labetalol		Lidocaine [Lignocaine] with		Lycinate	
Lacosamide		chlorhexidine	133	Lyderm	
Lactulose		Lidocaine [Lignocaine] with			
Laevolac		prilocaine	133	- M -	405
Lamictal		Lidocaine-Claris		m-Eslon	
Lamivudine		Lifestyles Flared		M-M-R II	
Lamivudine Alphapharm		Lignocaine		m-Nystatin	
Lamotrigine	142	Hormone	95	Mabthera	
Lamprene		Nervous		Madopar 125	
Lanoxin		Link Healthcare	,	Madopar 250	
Lanoxin PG		Lioresal Intrathecal		Madopar 62.5	
Lansoprazole				Madopar HBS	
Lantus		Lipazil		Madopar Rapid	131
Lantus SoloStar	26	Lipid-Modifying Agents		Magnesium hydroxide	225
Lanvis	170	Liquigen		Magnesium sulphate	
Lanzol Relief	24	Lisinopril		Malathion with permethrin and	
Lapatinib ditosylate	178	Lithicarb FC		piperonyl butoxide	74
Largactil	147	Lithium carbonate		Maprotiline hydrochloride	137
Lasix	61	Livostin		Marevan	52
Latanoprost	215	LMX4		Marine Blue Lotion SPF 50+ .	76
Lax-Sachets	40	Locacorten-Viaform ED's		Marquis Black	78
Lax-Suppositories	41	Local preparations for Anal a		Marquis Conforma	78
Lax-Tab	41	Rectal Disorders		Marquis Protecta	
Laxatives	40	Locasol		Marquis Selecta	
Laxsol	40	Locoid		MarquisTantiliza	
Ledipasvir with sofosbuvir	112	Locoid Crelo	70	Marvelon 28	
Leflunomide		Locoid Lipocream		Mask for spacer device	
Lenalidomide	173	Locorten-Vioform		Mast Cell Stabilisers	
Letrole	184	Lodoxamide		Maxidex	
Letrozole	184	Logem	142	Maxitrol	214
Leukeran FC		Lomide	214	MCT oil (Nutricia)	
Leukotriene Receptor		Lomustine	167	Measles, mumps and rubella	
Antagonists	210	Loniten	64	vaccine	261
Leunase		Loperamide hydrochloride	21	Mebendazole	
Leuprorelin		Lopinavir with ritonavir	116	Mebeverine hydrochloride	
Leustatin		Lopresor	58	Medrol	
Levetiracetam		Loprofin	243	Medroxyprogesterone acetate	
Levobunolol		Loprofin Mix	243	Genito-Urinary	80
Levocabastine		Lorafix	206	Hormone	
Levodopa with benserazide		LoraPaed	206	Mefenamic acid	
Levodopa with carbidopa .		Loratadine	206	Megestrol acetate	
Levomepromazine		Lorazepam		Meloxicam	
hydrochloride	147	Lormetazepam	159	Melphalan	
Levomepromazine maleate		Lorstat	62	Menactra	
Levonorgestrel		Losartan Actavis	56	Meningococcal (groups A, C, \	
•	80 <u>-</u> 81	Losartan potassium		and W-135) congugate	
Genito-Urinary Hormone		Losartan potassium with		vaccine	261
1 101111011E	00	•		vα∪∪!!!□	201

Meningococcal c congugated		Miacalcic	84	Treatments	152
vaccine	261	Micolette	41	Multivitamin renal	44
Menthol	69	Miconazole	43	Multivitamins	44
Mercaptopurine	170	Miconazole nitrate		Mupirocin	68
Mercilon 28	79	Dermatological	69	Muscle Relaxants	
Mesalazine	22	Genito-Urinary		Mvite	44
Mesna		Micreme		Myambutol	106
Mestinon	121	Micreme H	71	Mycobutin	107
Metabolic Disorder Agents	41	Microgynon 30	79	MycoNail	
Metamide		Microlut		Mycophenolate mofetil	
Metchek		Midazolam		Mycostatin	
Meterol	207	Midodrine	57	Mydriacyl	
Metformin hydrochloride		Minerals		Mylan Atenolol	
Methadone hydrochloride		Mini-Wright AFS Low Range	212	Mylan Clomiphen	
Extemporaneous	225	Mini-Wright Standard		Mylan Melphalan	
Nervous		Minidiab		Mylan-Bosentan	
Methatabs		Minirin		Mylanta P	
Methopt		Mino-tabs		Myleran	
Methotrexate		Minocycline hydrochloride		Myloc CR	
Methotrexate Ebewe		Minomycin		Myocrisin	
Methotrexate Sandoz		Minor Skin Infections		Myometrial and Vaginal Horm	
Methyl hydroxybenzoate		Minoxidil		Preparations	
Methylcellulose		Mirena		·	
Methylcellulose with glycerin an		Mirtazapine		- N -	
sodium saccharin		Misoprostol		Nadolol	
Methylcellulose with glycerin an		Mitomycin C		Naglazyme	
sucrose		Mitozantrone		Nalcrom	
Methyldopa		Mitozantrone Ebewe		Naloxone hydrochloride	
Methylphenidate		Mixtard 30		Naltraccord	
hydrochloride	161	Moclobemide		Naltrexone hydrochloride	
Methylphenidate hydrochloride	101	Modafinil		Naphazoline hydrochloride	
extended-release	162	Modavigil		Naphcon Forte	
Methylprednisolone		Modecate		Naprosyn SR 1000	
Methylprednisolone (as sodium		Moduretic		Naprosyn SR 750	
succinate)		Mometasone furoate		Naproxen	
Methylprednisolone		Monogen		Nardil	
aceponate	70	Montelukast		Nasal Preparations	
Methylprednisolone acetate		Moroctocog alfa [Recombinant		Natalizumab	
Methylprednisolone acetate with		factor VIII]		Natulan	
lidocaine [Lignocaine]		Morphine hydrochloride		Nausicalm	
Methylxanthines		Morphine sulphate		Nauzene	
Metoclopramide		Morphine tartrate		Navelbine	
hydrochloride	145	Motetis		Nedocromil	
Metolazone		Motrig		Nefopam hydrochloride	
Metopirone		Mouth and Throat		Neisvac-C	
Metoprolol - AFT CR		Movapo		Neo-B12	
Metoprolol succinate		Moxifloxacin		Neo-Mercazole	
Metoprolol tartrate		MSUD Maxamaid		Neocate Advance	
Metronidazole		MSUD Maxamum		Neocate Gold	
Metyrapone		Mucilaginous laxatives with		Neocate LCP Neoral	
Mexiletine hydrochloride		stimulants	40		
Mexiletine Hydrochloride	*****	Mucolytics		Neostigmine metilsulfate	
USP	57	Multiple Sclerosis		Nepro HP (strawberry)	234
		•			

Nepro HP (vanilla)	234	NovoRapid Penfill	26	Omnitrope	90
Nepro HP RTH	234	NovoSeven RT	47	Onbrez Breezhaler	207
Nerisone	70	Noxafil	104	Oncaspar	174
Neulactil	148	Nozinan	147	OncoTICE	190
Neulastim	53	Nuelin	211	Ondansetron	145
Neurontin	140	Nuelin-SR	211	Ondansetron ODT-DRLA	145
NeuroTabs	45	Nupentin	140	One-Alpha	44
Nevirapine	115	Nutilis	241	Onrex	145
Nevirapine Alphapharm	115	Nutrient Modules	228	Opdivo	201
Nicorandil	65	Nutrini Energy Multi Fibre	233	Ora-Blend	226
Nicotine		Nutrini Energy RTH	233	Ora-Blend SF	226
Nicotinic acid	62	Nutrini Low Energy Multi Fibi		Ora-Plus	225
Nifedipine	60	235		Ora-Sweet	225
Nifuran		Nutrini RTH	233	Ora-Sweet SF	225
Nilotinib	179	Nutrison Concentrated	241	Orabase	42
Nilstat		Nutrison Energy	238	Oral Supplements/Complete I	Diet
Genito-Urinary	81	Nutrison Energy Multi Fibre		(Nasogastric/Gastrostomy	
Infection		Nutrison Multi Fibre		Tube Feed)	231
Nipent		Nutrison Standard RTH		Oratane	
Nitrados	159	Nyefax Retard	60	Orgran	242
Nitrates		Nystatin		Ornidazole	
Nitrazepam		Alimentary	43	Orphenadrine citrate	
Nitroderm TTS		Dermatological		Ortho All-flex	
Nitrofurantoin	120	Genito-Urinary		Ortho-tolidine	
Nitrolingual Pump Spray		Infection		Oruvail SR	
Nivolumab		NZB Low Gluten Bread Mix	242	Osmolite RTH	238
Nizoral		-0-		Ospamox	
Noctamid	159	O/W Fatty Emulsion Cream	72	Other Endocrine Agents	
Nodia	21	Octocog alfa [Recombinant f		Other Oestrogen	
Noflam 250		VIII] (Advate)		Preparations	88
Noflam 500	121	Octocog alfa [Recombinant f		Other Progestogen	
Non-Steroidal Anti-Inflamma	torv	VIII] (Kogenate FS)		Preparations	88
Drugs	•	Octreotide		Other Skin Preparations	
Nonacog alfa [Recombinant		Octreotide LAR (somatostati		Ovestin	
factor IX]	48	analogue)		Genito-Urinary	81
Nonacog gamma, [Recombir		Oestradiol		Hormone	
Factor IX]		Oestradiol valerate		Ox-Pam	
Norethisterone		Oestradiol with		Oxaliccord	
Genito-Urinary	80	norethisterone	88	Oxaliplatin	
Hormone		Oestriol	00	Oxaliplatin Actavis 100	
Norflex		Genito-Urinary	81	Oxaliplatin Actavis 50	
Norfloxacin		Hormone		Oxaliplatin Ebewe	
Noriday 28		Oestrogens		Oxazepam	
Norimin		Oestrogens with	07	Oxis Turbuhaler	
Normacol Plus		· ·	00	Oxpentifylline	
Normison		medroxyprogesterone		Oxybutynin	
Norpress		Oil in water emulsion		Oxycodone ControlledReleas	
Nortriptyline hydrochloride		Olanzapine		Tablets(BNM)	
Norvir		Olopatadine		Oxycodone hydrochloride	
NovaSource Renal				OxyContin	
Novatretin		Olsalazine		OxyNorm	
NovoRapid		Omalizumab		Oxytocin	
NovoRapid FlexPen		Omeprazole		Oxytocin with ergometrine	
140401 Iapia I IGAI GII	20	Omezol Relief	24	CAYLOGIT WITH EIGOINETHIE	

maleate	81	MMT-378	36	Peptisoothe	24
Ozole	103	Paradigm Silhouette		Peptisorb	235
.P.		MMT-381	36	Perhexiline maleate	
Pacifen	129	Paradigm Silhouette		Pericyazine	
Paclitaxel		MMT-382	36	Perindopril	
Paclitaxel Actavis		Paradigm Silhouette		Permethrin	
Paclitaxel Ebewe		MMT-383	36	Peteha	
		Paradigm Silhouette		Pethidine hydrochloride	
Paediatric Seravit		MMT-384	36	Pevaryl	
Paliperidone		Paradigm Sure-T MMT-864 .		Pexsig	
Pamidronate disodium		Paradigm Sure-T MMT-866 .		_	
Pamisol		•		Pharmacare	
Pancreatic enzyme		Paradigm Sure-T MMT-874 .		Pheburane	
Pantoprazole		Paradigm Sure-T MMT-876 .		Phenelzine sulphate	
Pantoprazole Actavis 20	24	Paradigm Sure-T MMT-884 .		Phenobarbitone	142
Pantoprazole Actavis 40	24	Paradigm Sure-T MMT-886 .		Phenobarbitone sodium	
Panzop Relief	24	Paraffin	72	Extemporaneous	
Panzytrat	39	Paraffin liquid with soft white		Nervous	
Papaverine hydrochloride	65	paraffin	216	Phenothrin	75
Para Plus		Paraffin liquid with wool fat	217	Phenoxybenzamine	
Para-amino salicylic acid		Paraldehyde	139	hydrochloride	55
Paracare		Parasidose	75	Phenoxymethylpenicillin	
Paracare Double Strength		Parasiticidal Preparations	73	(Penicillin V)	99
Paracetamol		Paritaprevir, ritonavir and		Phenytoin sodium	
Paracetamol + Codeine		ombitasvir with dasabuvir	113	Phlexy 10	
(Relieve)	126	Paritaprevir, ritonavir and		Phosphate-Sandoz	
. ,		ombitasvir with dasabuvir	and	Phosphorus	
Paracetamol with codeine		ribavirin		Phytomenadione	
Paradigm 522		Parnate		Pilocarpine hydrochloride	
Paradigm 722		Paromomycin		Pimafucort	
Paradigm Mio MMT-921		-			
Paradigm Mio MMT-923		Paroxetine hydrochloride		Pindolol	58
Paradigm Mio MMT-925		Paser		Pine tar with trolamine	
Paradigm Mio MMT-941	37	Patanol		laurilsulfate and	
Paradigm Mio MMT-943	37	Paxam		fluorescein	
Paradigm Mio MMT-945		Pazopanib		Pinetarsol	
Paradigm Mio MMT-965	37	Peak flow meter		Pioglitazone	
Paradigm Mio MMT-975	37	Pedialyte - Bubblegum		Piportil	
Paradigm Quick-Set		Pediasure	233	Pipothiazine palmitate	150
MMT-386	38	Pediasure RTH	233	Pizotifen	144
Paradigm Quick-Set		Pegaspargase	174	PKU Anamix Infant	243
MMT-387	38	Pegasys	118	PKU Anamix Junior	243
Paradigm Quick-Set		Pegasys RBV Combination		PKU Anamix Junior LQ	243
MMT-396	38	Pack	118	PKU Lophlex LQ 10	243
Paradigm Quick-Set		Pegfilgrastim		PKU Lophlex LQ 20	
MMT-397	20	Pegylated interferon alfa-2a .		Plaquenil	
	30	Pembrolizumab		Plendil ER	
Paradigm Quick-Set	00	Penicillamine		Pneumococcal (PCV13)	
MMT-398	38	PenMix 30		vaccine	262
Paradigm Quick-Set					202
MMT-399	38	PenMix 40		Pneumococcal (PPV23)	000
Paradigm Silhouette		PenMix 50		polysaccharide vaccine	
MMT-368	36	Pentasa	22	Pneumovax 23	
Paradigm Silhouette		Pentostatin		Podophyllotoxin	
MMT-377	36	[Deoxycoformycin]		Polaramine	
Paradigm Silhouette		Pentoxifylline [Oxpentifylline]	65	Poliomyelitis vaccine	262

Poloxamer	
Poly-Gel	216
Poly-Tears	216
Poly-Visc	217
Polycal	228
Polyvinyl alcohol	216
Ponstan	121
Posaconazole	104
Postinor-1	81
Potassium chloride	53-54
Potassium citrate	
Potassium iodate	
Povidone iodine	70
Pradaxa	
Pramipexole hydrochloride	104
Pranipexole hydrochlonde	ا ۱
Prasugrel	
Pravastatin	
Praziquantel	
Prazosin	55
Pred Forte	214
Prednisolone	85
Prednisolone acetate	214
Prednisolone sodium	
phosphate	214
Prednisone	86
Pregnancy Tests - hCG Urine	82
Premarin	87
Prevenar 13	
Prezista	116
Priadel	147
Primacin	105
Primaquine phosphate	105
Primidone	142
Primolut N	89
Probenecid	
Probenecid-AFT	120
Procaine penicillin	
Procarbazine hydrochloride	17/
Prochlorperazine	1/5
Proctosedyl	140
Procur	06
Procyclidine hydrochloride	100
Procytox	167
Prodopa	
Progesterone	
Proglicem	25
Proglycem	25
Progynova	87
Prokinex	145
Promethazine hydrochloride .	206
Promethazine theoclate	
Promod	230
Propafenone hydrochloride	57
•	

Propamidine isethionate	.214
Propranolol	
Propylene glycol	.226
Propylthiouracil	89
Protamine sulphate	52
Protaphane	
Protaphane Penfill	25
Protifar	.230
Protionamide	
Provera	87
Provera HD	
PSM Citalopram	.138
Psoriasis and Eczema Preparations	
Preparations	75
PTU	89
Pulmicort Turbuhaler	
Pulmocare	
Pulmozyme	
Puri-nethol	
Pyrazinamide	
Pyridostigmine bromide	
Pyridoxine hydrochloride	.43
Pyrimethamine	.102
Pytazen SR	49
- Q -	
Q 300	105
Questran-Lite	
Quetapel	
Quetiapine	. 140 140
Quick-Set MMT-390	
Quick-Set MMT-391	
Quick-Set MMT-392	
Quick-Set MMT-393	ەد مە
Quick-Set MM I-393	38
Quinapril	55
Quinapril with hydrochlorothiazide	F.C
Quinine sulphate	56
QvarQvar	
	.206
-R-	
RA-Morph	.134
Raloxifene hydrochloride	.124
Raltegravir potassium	.116
Ramipex	.131
Ranbaxy-Cefaclor	
Ranitidine	24
Ranitidine Relief	
Ranmoxy	
Rapamune	.204
Reandron 1000	86
Recombinant Factor IX	48
Recombinant factor IX	
Recombinant factor VIIa	47

Recombinant factor VIII		48
Rectogesic		23
Redipred		85
Refresh Night Time		.216
Renilon 7.5		.234
Resonium-A		54
Resource Beneprotein		.230
Resource Diabetic		.231
Respigen		.208
Respiratory Devices		.212
Respiratory Stimulants		.212
Retinol palmitate		217
ReTrieve		
Retrovir		
Reutenox		
Revlimid		
Revolade		
Rexacrom		
RexAir		
Reyataz		.200
Reyataz		.116
Ridaura s29		.122
Rifabutin		
Rifadin		.107
Rifampicin		
Rifaximin		
Rifinah		
Rilutek		
Riluzole		
Riodine		73
Risedronate Sandoz		.125
Risedronate sodium		.125
Risperdal Consta		.150
Risperdal Quicklet		.148
Risperidone	148,	150
Risperon		.148
Ritalin		.161
Ritalin LA		.162
Ritalin SR		.161
Ritonavir		.116
Rituximab		
Rivaroxaban		
Rivastigmine		163
Rivotril	139.	140
RIXUBIS		
Rizamelt		
Rizatriptan		
Roferon-A		
Ropinirole hydrochloride		
RotaTeq		262
Rotavirus live reassortant oral		.202
vaccine		262
Roxane		202
		04
Alimentary		21

Cardiovascular59
Roxithromycin98
Rubifen161
Rubifen SR161
Rythmodan57
Rytmonorm57
- S -
Sabril143
SalAir
Salamol208
Salazopyrin22
Salazopyrin EN22
Salbutamol208
Salbutamol with ipratropium
bromide208
Salicylic acid76
Salmeterol207
Sandomigran144
Sandostatin LAR182
Scalp Preparations76 Scopoderm TTS145
Sebizole76
Sedatives and Hypnotics159
Seebri Breezhaler209
Selegiline hydrochloride131
Senna41
Senokot41
Sensipar84
SensoCard28
Serenace147
Seretide208
Seretide Accuhaler208
Serevent207
Serevent Accuhaler207
Serophene
Sertraline138 Sertraline Actavis138
Sevredol135
Sex Hormones Non
Contraceptive86
Shield 49
Shield Blue78
Shield XL78
SII-Onco-BCG190
Sildenafil65
Silhouette MMT-37136
Silhouette MMT-37336
Siltuximab200
Silver sulphadiazine68
Simethicone
Simvastatin
Sinemet CR131
OILIGITIES OF131

Singulair	210
Sirolimus	204
Slow-Lopresor	
Sodibic	
Sodium acid phosphate	
Sodium alginate	
Sodium aurothiomalate	122
Sodium benzoate	
Sodium bicarbonate	41
Blood5	0 54
Extemporaneous	
Sodium calcium edetate	219
Sodium chloride	
Blood	
Respiratory	211
Sodium citrate with sodium lauryl	
sulphoacetate	
Sodium citro-tartrate	83
Sodium cromoglycate	
Alimentary	22
Respiratory	211
Sensory	.214
Sodium fluoride	45
Sodium hyaluronate [Hyaluronic	
acid]	. 216
Sodium nitroprusside	
Sodium phenylbutyrate	
Codium nolyotymana	
sulphonate	54
Sodium tetradecyl sulphate	49
Sodium valproate	
Sofradex	212
Soframycin	
Solian	
Solifenacin succinate	. 140
Solu-Cortef	
Solu-Medrol	85
Somatropin (Omnitrope)	
Sotacor	
Sotalol	
Spacer device	212
Span-K	54
Spiolto Respimat	210
Spiractin	
Spiriva	209
Spiriva Respimat	209
Spironolactone	
Sporanox	103
Sprycel	176
Staphlex	
Stavudine [d4T]	116
Stelazine	
C: :"	44-

StesolidStimulants/ADHD	.139
Stimulants/ADHD	
Treatments	160
Stiripentol	
Stocrin	.115
Stomahesive	42
Strattera	.160
Stromectol	73
Suboxone	.164
Sucralfate	24
Sulfadiazine sodium	.102
Sulindac	.121
Sulphasalazine	22
Sulphur	76
Sulprix	.146
Sumatriptan	.144
Sunitinib	.180
Sunscreens	76
Sunscreens, proprietary	76
Sure-T MMT-863	35
Sure-T MMT-865	35
Sure-T MMT-873	
Sure-T MMT-875	
Sure-T MMT-883	
Sure-T MMT-885	
Sustagen Diabetic	
Sustagen Hospital Formula	239
Sustanon Ampoules	86
Sutent	180
Sylvant	
Symbicort Turbuhaler 100/6	207
Symbicort Turbuhaler 200/6	207
Symbicort Turbuhaler	.201
400/12	207
Symmetrel	131
Sympathomimetics	. 101 64
Synacthen	04 88
Synacthen Depot	oc
Synthroid	oo
Syntometrine	03 Ω1
Syrup (pharmacoutical	01
Syrup (pharmaceutical grade)	226
Systane Unit Dose	216
- T -	.210
Tacrolimus	204
Tacrolimus Sandoz	
Tambocor	.204 57
Tambocor CR	57
Tamoxifen citrate	187
Tamsulosin hydrochloride	. וטט ממ
Tamsulosin-Rex	02 ეე
Tap water	200
	.220 177

Tasigna	170
Tasmar	
Taxotere	
Tecfidera	
Tegretol	
Tegretol CR	
Telfast	
Temaccord	
Temazepam	
Temozolomide	.174
Tenofovir disoproxil	
fumarate	
Tenoxicam	
Tepadina	.168
Terazosin	55
Terbinafine	.104
Terbutaline sulphate	.208
Teriflunomide	.156
Teriparatide	
Testosterone	
Testosterone cypionate	
Testosterone esters	
Testosterone undecanoate	
Tetrabenazine	
Tetrabromophenol	83
Tetracosactrin	
Tetracyclin Wolff	
Tetracycline	
Teva	
Thalidomide	
Thalomid	
Theophylline	.211
Thiamine hydrochloride	
THIO-TEPA	
Thioguanine	
Thiotepa	
Thymol glycerin	43
Thyroid and Antithyroid	
Agents	89
Ticagrelor	
Tilade	
Tilcotil	.121
Timolol	
Cardiovascular	59
Sensory	
Timoptol XE	.215
Tiotropium bromide	.209
Tiotropium bromide with	
olodaterol	210
TMP	
TOBI	
Tobramycin	
Infection	.102
	- '

Sensory	214
Tobrex	214
Tofranil	137
Tofranil s29	137
Tolcapone	13
Tolterodine	8:
Topamax	141
Topical Products for Joint and	
Muscular Pain	122
Topiramate	1/1
Topiramate Actavis	1/1
Total parenteral nutrition	140
(TPN)	-
TPN	50
Tramadol hydrochloride	5
Transact OD 400	13
Tramal SR 100	13
Tramal SR 150	13
Tramal SR 200	
Trandate	
Tranexamic acid	49
Tranylcypromine sulphate	138
Trastuzumab	
Travatan	
Travoprost	
Treatments for Dementia	163
Treatments for Substance	
Dependence	164
Trental 400	6
Tretinoin	
Dermatological	67
Oncology	176
Trexate	170
Triamcinolone acetonide	
Alimentary	43
Dermatological	7
Dermatological Hormone	8
Triamcinolone acetonide with	
gramicidin, neomycin and ny	statin
Dermatological	7
Sensory	213
Sensory	160
Trichozole	105
Triclosan	7
Trifluoperazine	
hydrochloride	149
Trimeprazine tartrate	206
Trimethoprim	102
Trisequens	
Trisul	
Trophic Hormones	
Tropicamide	
Trusopt	21
p	

Two Cal HN	241
Two Cal HN RTH	241
Tykerb	178
Tysabri	
- U -	
Ultibro Breezhaler	210
Ultraproct	
Umeclidinium	200
Umeclidinium with vilanterol	210
Univent208	
Ural	
Urea	
Urex Forte	
Urinary Agents	
Urinary Tract Infections	
Uromitexan	173
Ursodeoxycholic acid	170
Ursosan	
Utrogestan	
- V -	00
Vaccinations	057
Vaclovir	
ValaciclovirValcyte	109
Valganciclovir	100
Vallergan Forte	206
Vancomycin	100
Vannair	
Varenicline tartrate	165
Varicella vaccine [Chicken pox	103
vaccine]	263
Varilrix	
Vasodilators	
Vasopressin Agonists	94
Vedafil	
Velcade	
Venlafaxine	
Venomil	
Ventavis	
Ventolin	
Vepesid	
Verapamil hydrochloride	60
Vergo 16	
Vermox	96
Verpamil SR	60
Vesanoid	176
Vesicare	83
Vexazone	26
Vfend	
Viaderm KC	71
Victrelis	
Vidaza	168

Videx EC	
Viekira Pak	113
Viekira Pak-RBV	113
Vigabatrin	
Vimpat	
Vinblastine sulphate	176
Vincristine sulphate	
Vinorelbine	176
Vinorelbine Ebewe	176
Viramune Suspension	115
Viread	110
Virgan	213
ViruPOS	
Vistil	216
Vistil Forte	216
Vit.D3	44
VitA-POS	217
Vitabdeck	44
Vitadol C	43
Vital	235
Vitamin A with vitamins D and	
C	
Vitamin B complex	43
Vitamins	43-44
Vivonex Pediatric	
Vivonex TEN	235
Volibris	65
Voltaren	121
Voltaren D	121
Voltaren Ophtha	214
Volumatic	212
Voriconazole	104
Vacal	010

	4-0	
Votrient		
Vttack	104	
- W -		
Warfarin sodium	52	
Wart Preparations		
Wasp venom allergy		
treatment	205	
Water		
Blood	54	
Extemporaneous		
Wool fat with mineral oil	72	
- X -		
Xanax	151	
Xarelto		
Xifaxan		
XMET Maxamum		
Xolair		
XP Maxamaid	243	
XP Maxamum		
Xylocaine		
Xylocaine Viscous		
Xyntha		
. Z -		
Zantac	24	
Zapril		
Zarator		
Zarontin		
Zaroxolyn		
Zarzio		
Zavedos		
Zeffix		

7-1	005
Zetop	
Ziagen	
Zidovudine [AZT]	116
Zidovudine [AZT] with	
lamivudine	116
Zimybe	63
Zinc and castor oil	72
Zinc sulphate	45
Zincaps	45
Zinnat	97
Ziprasidone	
Zista	205
Zithromax	97
Zoladex	
Zoledronic acid	
Hormone	84
Musculoskeletal	126
Zometa	84
Zopiclone	
Zopiclone Actavis	
Zostrix	122
Zostrix HP	
Zovirax	
Zuclopenthixol decanoate	
Zuclopenthixol	
hydrochloride	149
Zusdone	
Zyban	
Zypine	
Zypine ODT	
Zyprexa Relprevv	
	101