# November 2016 Volume 23 Number 2

Editor: Kaye Wilson email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street

PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

### Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

### **Programmers**

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

# Introducing PHARMAC

	Section A	General Rules	6
	Section B	Alimentary Tract & Metabolism	21
		Blood & Blood Forming Organs	46
		Cardiovascular System	55
		Dermatologicals	67
		Genito Urinary System	78
	ŀ	Hormone Preparations – Systemic	84
	Infe	ctions – Agents For Systemic Use	96
		Musculoskeletal System	121
		Nervous System	131
	Oncolog	gy Agents & Immunosuppressants	167
		Respiratory System & Allergies	205
		Sensory Organs	213
		Various	218
	Section C Exte	emporaneous Compounds (ECPs)	220
	Section D	Special Foods	227
	Section E	Practitioner's Supply Orders	247
Section E Practit		Rural Areas	
,	Section F	Dispensing Period Exemptions	252
	Section G	Safety Cap Medicines	254
	Section I	National Immunisation Schedule	257

# Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

#### PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

# **Purpose of the Pharmaceutical Schedule**

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

# **Explaining pharmaceutical entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

### Example



# Glossary

### Units of Measure

gram g kilogram kg international unit iu	microgrammcg milligrammg millilitreml	millimolemmol unitu
Abbreviations		
Ampoule Amp	GelatinousGel	SolutionSoln
CapsuleCap	GranulesGran	SuppositorySupp
CreamCrm	InfusionInf	TabletTab
Device	InjectionInj	TinctureTinc
DispersibleDisp	LiquidLiq	Trans Dermal Delivery
Effervescent Eff	Long ActingLA	SystemTDDS
Emulsion Emul	OintmentOint	,
Enteric CoatedEC	Sachet Sach	
BSO Bulk Supply Order		

BSO Bulk Supply Order.

CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- ‡ Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981.
- HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.
- HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy Variation (for Clozapine Services).

# Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

### Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

### Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

### Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

# Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Decision Criteria before deciding whether to approve applications for funding. The Decision Criteria will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at

http://www.pharmac.govt.nz/nppa. or call the Panel Coordinators at 0800 660 050 Option 2.

### INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 November 2016 and is to be referred to as the Pharmaceutical Schedule Volume 23 Number 2, 2016. Distribution will be from 20 November 2016. This Schedule comes into force on 1 November 2016.

### **PART I**

### INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
  - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
  - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment:
  - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
    - a) have limited physical mobility:
    - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
    - c) are relocating to another area:
    - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
  - "Act", means the New Zealand Public Health and Disability Act 2000.
  - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
  - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
  - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
  - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
  - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be

required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975. 
"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Diabetes Nurse Prescriber", means a nurse who is a Designated Prescriber—Registered Nurses Practising in Diabetes Health as determined by the Nursing Council of New Zealand to practice in diabetes health and has authority to prescribe specified diabetes medicines in accordance with regulations made under the Medicines Act 1981.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", - unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
  - endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
  - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
  - iiii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email:
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a

national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"**Practitioner**", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, a Diabetes Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document

signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984.

"Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
  - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
  - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol". or
  - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
  - ii) the consultation to relate to the Patient for whom the Prescription is written;
  - iii) consultation to mean communication by referral, telephone, letter, facsimile or email:
  - iv) except in emergencies consultation to precede annotation of the Prescription; and
  - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.

"Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or

- the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
  for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
  area of competency; or
- d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

### **PART II**

### **COMMUNITY PHARMACEUTICALS SUBSIDY**

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
  - 2.1.1 clauses 2.2 of the Schedule; and
  - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

# PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Practitioners', Registered Nurse Prescribers', Diabetes Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber, Diabetes Nurse Prescriber, Optometrist, or Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
  - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
    - i) sufficient to provide treatment for a period not exceeding 10 days; and
    - ii) which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber or Diabetes Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule: or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule. in Monthly Lots. unless:
      - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
      - b) both:
        - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
        - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
    that part of any Prescription that is dispensed within the time frames specified above is eligible for
    Subsidy.
- 3.1.7 If a Community Pharmaceutical:

- a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber, or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

### 3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eliqible for Subsidy, is deemed to be a reference:
  - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
  - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

### 3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eq: if a prescription is for 105 mls then a 100ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the

wastage amount for any subsequent prescription.

#### 3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
  - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

#### 3.5 Diabetes Nurse Prescribers' Prescriptions

The following provisions apply to every Prescription written by a Diabetes Nurse Prescriber:

- 3.5.1 Prescriptions written by a Diabetes Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine or a Restricted Medicine and which a Diabetes Nurse Prescribers is permitted under regulations to prescribe; or
  - any other Community Pharmaceutical listed below:
     aspirin, blood glucose diagnostic test meter, blood glucose diagnostic test strip, blood ketone diagnostic
     test meter, glucagon hydrochloride inj 1 mg syringe kit, insulin pen needles, insulin syringes disposable
     with attached needle, insulin pump accessories, insulin pump infusion set, insulin pump reservoir,
     ketone blood beta-ketone electrodes test strip, nicotine, sodium nitroprusside test strip.
- 3.5.2 Any Diabetes Nurse Prescribers' prescription for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

### 3.6 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

- 3.6.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
  - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.6.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

#### 3.7 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
   and
- b) written on a Quitcard.

#### **PART IV**

### **DISPENSING FREQUENCY RULE**

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical

Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

#### "Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine:
- iv) a Class B Controlled Drug:
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

### 4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

### 4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
  - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
  - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
  - i) 7 days' supply for a Class B Controlled Drug; or
  - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
  - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
  - i) included the name of the patient's residential placement or facility on the Prescription; and
  - ii) included the patient's NHI number on the Prescription; and
  - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

### 4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial";

# **SECTION A: GENERAL RULES**

and

 specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

### 4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
  - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
  - b) The prescribing Practitioner has:
    - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
    - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
  - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
  - Annotated the Prescription with the amended dispensing quantity and frequency.

### 4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
  - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
  - b) the dispensing pharmacist has:
    - i) clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS": and
    - ii) initialled the annotation in their own handwriting; and
    - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

### **PART V**

# **MISCELLANEOUS PROVISIONS**

#### 5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders

with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

### 5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or
    if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally
    existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the
    amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
  - a) the RFPP provider name is written on the Practitioner's Supply Order; and
  - b) the total quantity ordered does not exceed a multiple of:
    - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
    - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
  - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

#### 5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

#### 5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

### 5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2. for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

#### 5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Named Patient Pharmaceutical Assessment (NPPA) approval:
  - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - c) is being used and funded as part of a paediatric oncology service; or
  - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1;
  - b) clauses 2.1 to 2.2;
  - c) clauses 3.1 to 3.4; and
  - d) clause 5.4.
  - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

### 5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under

the Medicines Act 1981 or for an Unapproved Indication; or

 b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication:

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

### 5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

#### 5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

#### 5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

# **SECTION B: ALIMENTARY TRACT AND METABOLISM**

	Subsidy (Manufacturer's Price) \$	Subsid Per	dised	Brand or Generic Manufacturer
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
ALGINIC ACID  Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet	5.31	30	✔ Ga	viscon Infant
SIMETHICONE  * Oral liq aluminium hydroxide 200 mg with magnesium hydroxide 200 mg with hydroxide 200 mg with hydroxide 200 mg	1.50	201		
ide 200 mg and activated simethicone 20 mg per 5 ml (Mylanta P Oral liq aluminium hydroxide 200 mg with magnesium	(4.26)	00 ml nd activated	•	lanta P hicone 20 mg per 5 ml to
be delisted 1 December 2016) SODIUM ALGINATE	ŕ			
* Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60		viscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml	1.50 50 (4.95)	00 ml		dex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE  * Tab 600 mg	12.56	100	✔ Alu	ı-Tab
CALCIUM CARBONATE  Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) —  Subsidy by endorsement  Only when prescribed for children under 12 years of age endorsed accordingly.		00 ml hate bindin	<b>✓ Ro</b> gagen	
Antidiarrhoeals				
Agents Which Reduce Motility				
LOPERAMIDE HYDROCHLORIDE - Up to 30 cap available on a  * Tab 2 mg  * Cap 2 mg	10.75	400 400	✓ <u>No</u> ✓ Dia	<u>dia</u> ımide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE  Cap 3 mg - Special Authority see SA1155 on the next page  - Retail pharmacy	166.50	90	<b>✓</b> Ent	tocort CIR

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### ⇒SA1155 Special Authority for Subsidy

Initial application — (Crohn's disease) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Mild to moderate ileal, ileocaecal or proximal Crohn's disease; and
- 2 Any of the following:

HYDROCORTISONE ACETATE

- 2.1 Diabetes: or
- 2.2 Cushingoid habitus; or
- 2.3 Osteoporosis where there is significant risk of fracture; or
- 2.4 Severe acne following treatment with conventional corticosteroid therapy; or
- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

**Initial application** — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation\*.

Note: Indication marked with \* is an Unapproved Indication.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

Rectal foam 10%, CFC-Free (14 applications)26.55	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✔ Pentasa
Tab 800 mg85.55	90	✓ Asacol
Modified release granules, 1 g141.72	120 OP	✔ Pentasa
Enema 1 g per 100 ml41.30	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg92.91	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg - For sulphasalazine oral liquid formulation refer,		
page 22114.00	100	✓ Salazopyrin
* Tab EC 500 mg13.50	100	✓ Salazopyrin EN

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

# Local preparations for Anal and Rectal Disorders

### **Antihaemorrhoidal Preparations**

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CIN	CHOCAINE
Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cin-	
chocaine hydrochloride 5 mg per g	30 g OP

Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and

HYDROCORTISONE WITH CINCHOCAINE

Oint 5 mg with cinchocaine hydrochloride 5 mg per g ......15.00 Suppos 5 mg with cinchocaine hydrochloride 5 mg per g ......9.90 30 q OP 12

30 g OP

12

✔ Proctosedvl ✔ Proctosedvl

Ultraproct

✓ Ultraproct

# Management of Anal Fissures

GLYCERYL TRINITRATE - Special Authority see SA1329 below - Retail pharmacy

✔ Rectogesic

### ⇒SA1329 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

# Antispasmodics and Other Agents Altering Gut Motility

### GLYCOPYRRONIUM BROMIDE

	a PSOa PSO	17.14	10	✓ Max Health
HY	OSCINE N-BUTYLBROMIDE			
*	Tab 10 mg	2.18	20	✓ Gastrosoothe
*	Inj 20 mg, 1 ml - Up to 5 inj available on a PSO	9.57	5	Buscopan

MEBEVERINE HYDROCHLORIDE

✓ Colofac 90

### **Antiulcerants**

# **Antisecretory and Cytoprotective**

MISOPROSTOL

Tab 200 mcg ......41.50 120 Cytotec

# **Helicobacter Pylori Eradication**

#### CLARITHROMYCIN

Tab 500 mg – Subsidy by endorsement .......10.40 ✓ Apo-Clarithromycin

a) Maximum of 14 tab per prescription

b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole

	Subsidy (Manufacturer's Pr \$	ice) Sub Per	Fully Brand or osidised Generic  Manufacturer
H2 Antagonists			
RANITIDINE — Only on a prescription  * Tab 150 mg  * Tab 300 mg  * Oral liq 150 mg per 10 ml  * Inj 25 mg per ml, 2 ml	14.73 4.92	500 500 300 ml 5	✓ Ranitidine Relief ✓ Ranitidine Relief ✓ Peptisoothe ✓ Zantac
Proton Pump Inhibitors			
LANSOPRAZOLE  * Cap 15 mg  * Cap 30 mg  OMEPRAZOLE  For omeprazole suspension refer Standard Formulae, page	5.93	100 100	<ul> <li>✓ Lanzol Relief</li> <li>✓ Lanzol Relief</li> </ul>
Cap 10 mg	2.23 2.91 4.42 42.50	90 90 90 5 g	✓ Omezol Relief ✓ Omezol Relief ✓ Omezol Relief ✓ Midwest
* Inj 40 mg ampoule with diluent	•	5	✓ <u>Dr Reddy's</u> <u>Omeprazole</u>
PANTOPRAZOLE  * Tab EC 20 mg	2.41 2.68	100	<ul><li>✓ Panzop Relief</li><li>✓ Pantoprazole</li></ul>
* Tab EC 40 mg	3.35 3.54	100	<ul><li>✓ Panzop Relief</li><li>✓ Pantoprazole</li><li>Actavis 40</li></ul>
Site Protective Agents			
BISMUTH TRIOXIDE  Tab 120 mg(De Nol \$23\$ Tab 120 mg to be delisted 1 January 2017)  COLLOIDAL BISMUTH SUBCITRATE	32.50	112	✔ De Nol S29
Tab 120 mg	14.51	50	✓ Gastrodenol S29
SUCRALFATE Tab 1 g	35.50 (48.28)	120	Carafate
Bile and Liver Therapy			
RIFAXIMIN – Special Authority see SA1461 on the next page – Tab 550 mg		56	✓ <u>Xifaxan</u>

Subsidy		Fully	Brand or
(Manufacturer's Price)	;	Subsidised	Generic
\$	Per	~	Manufacturer

### ⇒SA1461 | Special Authority for Subsidy

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

### **Diabetes**

DIAZOXIDE - Special Authority see SA1320 below - Reta	il pharmacy		
Cap 25 mg	110.00	100	✔ Proglicem S29
Cap 100 mg	280.00	100	✔ Proglicem S29
Oral liq 50 mg per ml	620.00	30 ml OP	✔ Proglycem S29

### ⇒SA1320 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

### GLUCAGON HYDROCHLORIDE

Inj 1 mg syringe kit -	<ul> <li>Up to 5 kit available on a PSO</li> </ul>	32.00 1	Glucagen Hypokit
------------------------	--	---------	------------------

# **Insulin - Short-acting Preparations**

INSULIN NEUTRAL			
	INICILI	ININ	IΛC

•	Inj human 100 u per ml	10 ml OP	<ul><li>✓ Actrapid</li><li>✓ Humulin R</li></ul>
<b></b>	Inj human 100 u per ml, 3 ml42.66	5	<ul><li>✓ Actrapid Penfill</li><li>✓ Humulin R</li></ul>

# Insulin - Intermediate-acting Preparations

INSULIN ASPART WITH INSULIN ASPART PROTAMINE  Inj 100 iu per ml, 3 ml prefilled pen52.15	5	✓ NovoMix 30 FlexPen
INSULIN ISOPHANE		
▲ Inj human 100 u per ml17.68	10 ml OP	✓ Humulin NPH
		Protaphane
▲ Inj human 100 u per ml, 3 ml29.86	5	✓ Humulin NPH
		Protaphane Penfill
INSULIN ISOPHANE WITH INSULIN NEUTRAL		
▲ Inj human with neutral insulin 100 u per ml25.26	10 ml OP	✓ Humulin 30/70
		Mixtard 30
▲ Inj human with neutral insulin 100 u per ml, 3 ml42.66	5	✓ Humulin 30/70

25

✔ PenMix 30 ✓ PenMix 40 ✔ PenMix 50

	Subsidy		Fully Brand or
	(Manufacturer's Price		ubsidised Generic
	<u> </u>	Per	✓ Manufacturer
INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			
▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml,			
3 ml		5	✓ Humalog Mix 25
▲ Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,			
3 ml		5	✓ Humalog Mix 50
Insulin - Long-acting Preparations			
INSULIN GLARGINE			
▲ Inj 100 u per ml, 10 ml	63.00	1	✓ Lantus
▲ Inj 100 u per ml, 3 ml		5	✓ Lantus
▲ Inj 100 u per ml, 3 ml disposable pen		5	✓ Lantus SoloStar
	94.50	J	V Lantus Solostai
Insulin - Rapid Acting Preparations			
INSULIN ASPART			
▲ Inj 100 u per ml, 3 ml syringe	51.19	5	✓ NovoRapid FlexPen
▲ Inj 100 u per ml, 3 ml		5	✓ NovoRapid Penfill
▲ Inj 100 u per ml, 10 ml		1	✓ NovoRapid
, , ,		•	· · · · · · · · · · · · · · · · · · ·
INSULIN GLULISINE	07.00	4	. A Midne
▲ Inj 100 u per ml, 10 ml		1	✓ Apidra
▲ Inj 100 u per ml, 3 ml		5	✓ Apidra
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	Apidra SoloStar
INSULIN LISPRO			
▲ Inj 100 u per ml, 10 ml	34.92 1	0 ml OP	Humalog
▲ Inj 100 u per ml, 3 ml	59.52	5	✓ Humalog
Alpha Glucosidase Inhibitors			
ACARBOSE	4.00	00	. d Observations
* Tab 50 mg		90	✓ Glucobay
* Tab 100 mg	7./8	90	✓ <u>Glucobay</u>
Oral Hypoglycaemic Agents			
GLIBENCLAMIDE			
* Tab 5 mg	5.00	100	✓ Daonil
		100	<b>₽</b> Baoiiii
GLICLAZIDE	44.50	500	. 4 011-1-1-
* Tab 80 mg	11.50	500	✓ Glizide
GLIPIZIDE			
* Tab 5 mg	2.85	100	✓ <u>Minidiab</u>
METFORMIN HYDROCHLORIDE			
* Tab immediate-release 500 mg	9.59	1,000	✓ Metchek
* Tab immediate-release 850 mg		500	✓ Metformin Mylan
PIOGLITAZONE			
* Tab 15 mg	2 47	90	✓ Vexazone
•		90 90	✓ <u>vexazone</u> ✓ <u>Vexazone</u>
		90 90	
* Tab 45 mg	/.10	90	✓ <u>Vexazone</u>

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

# **Diabetes Management**

# **Ketone Testing**

BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter available on a PSO

Meter funded for the purposes of blood ketone diagnostics only. Patient has had one or more episodes of ketoacidosis and is at risk of future episodes or patient is on an insulin pump. Only one meter per patient will be subsidised every 5 years.

#### KETONE BLOOD BETA-KETONE ELECTRODES

- a) Maximum of 20 strip per prescription
- b) Up to 10 strip available on a PSO

SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription

Ketur-Test

14.14

✓ Ketostix

# **Blood Glucose Testing**

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
- 1) is receiving insulin or sulphonylurea therapy: or
- 2) is pregnant with diabetes; or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
- 4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome. Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test

✓ CareSens N

✓ CareSens N POP

Note: Only 1 meter available per PSO

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

### BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips - Note differing brand requirements

50 test OP ✓ CareSens ✓ CareSens N ✓ Accu-Chek 28.75 Performa ✔ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

### ■ SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

**PHARMAC** 

PO Box 10 254 Facsimile: (04) 974 4788 Wellington Email: bgstrips@pharmac.govt.nz

### ■ SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

**PHARMAC** 

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

✓ SensoCard 50 test OP

Fully Brand or Subsidy (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

# **Insulin Syringes and Needles**

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INSULIN PEN NEEDLES – Maximum of 100 dev per prescription					
*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine	
*	31 g × 5 mm	11.75	100	✓ B-D Micro-Fine	
*	31 g $\times$ 6 mm	10.50	100	✓ ABM	
*	31 g $\times$ 8 mm	10.50	100	✓ B-D Micro-Fine	
*	32 g $\times$ 4 mm	10.50	100	✓ B-D Micro-Fine	
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum o	f 100 dev per pres	scription	
*	Syringe 0.3 ml with 29 g $\times$ 12.7 mm needle		100	✓ B-D Ultra Fine	
	, ,	1.30	10		
		(1.99)		B-D Ultra Fine	
*	Syringe 0.3 ml with 31 g $\times$ 8 mm needle	13.00	100	✓ B-D Ultra Fine II	
		1.30	10		
		(1.99)		B-D Ultra Fine II	
*	Syringe 0.5 ml with 29 g $\times$ 12.7 mm needle	13.00	100	B-D Ultra Fine	
		1.30	10		
		(1.99)		B-D Ultra Fine	
*	Syringe 0.5 ml with 31 g $\times$ 8 mm needle	13.00	100	B-D Ultra Fine II	
		1.30	10		
		(1.99)		B-D Ultra Fine II	
*	Syringe 1 ml with 29 g $\times$ 12.7 mm needle		100	✓ B-D Ultra Fine	
		1.30	10		
		(1.99)		B-D Ultra Fine	
*	Syringe 1 ml with 31 g $\times$ 8 mm needle		100	✓ B-D Ultra Fine II	
		1.30	10		
		(1.99)		B-D Ultra Fine II	

# **Insulin Pumps**

INSULIN PUMP - Special Authority see SA1603 on the next page - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

b) Only on a prescription			
c) Maximum of 1 insulin pump per patient each for	ur year period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour	· · · · · · · · · · · · · · · · · · ·	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	Paradigm 522
·			✓ Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	✓ Paradigm 522
,	•		✓ Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	✓ Paradigm 522
71	•		✓ Paradigm 722
Min basal rate 0.05 U/h; purple colour	4.400.00	1	✓ Paradigm 522
, , , , , , , , , , , , , , , , , , ,	,		✓ Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4.400.00	1	✓ Paradigm 522
· · · · · · · · · · · · · · · · · · ·	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		✓ Paradigm 722

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

### **⇒**SA1603 Special Authority for Subsidy

**Initial application** — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Fither:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (severe unexplained hypoglycaemia)** only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Fither:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or

continued...

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Por \$ Manufacturer

continued...

3.2 The pump is due for replacement; and

- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1: and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol: and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Fither:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement; and
- 4 Fither:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

8 Fither:

- 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
- 8.2 The pump is due for replacement; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 4.2 The pump is due for replacement; and
- 5 Either:
  - 5.1 Applicant is a relevant specialist; or
  - 5.2 Applicant is a nurse practitioner working within their vocational scope.

# **Insulin Pump Consumables**

### ⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Fither:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Fither:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

continued...

✓ fully subsidised

[HP4] refer page 4



continued...

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Fither:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — **(HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
  - 3.1 Applicant is a relevant specialist; or

continued...

Subsidy Brand or Fully (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Fither:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 32 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

✓ Animas Battery Cap

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 32 - Retail pharmacy

a) Maximum of 3 set	s per prescription
---------------------	--------------------

a) Maximum of 3 sets per prescription     b) Only on a prescription		, ,
c) Maximum of 13 infusion sets will be funded per year.		
10 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing $\times$		IVIIVI 1-004
10 with 10 needles; luer lock130.00	1 OP	✓ Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles	1 OP	✓ Paradigm Sure-T
10 Will 10 Heedles	1 01	MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		4.6
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-885
10 with 10 needles130.00	1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $\times$		
10 with 10 needles	1 OP	✓ Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $\times$		
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles130.00	1 OP	✔ Paradigm Sure-T
10 HM1 10 100400	. 0.	MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	4.00	
10 with 10 needles; luer lock	1 OP	✓ Sure-T MMT-865
10 with 10 needles130.00	1 OP	✓ Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line ×	4.00	40
10 with 10 needles	1 OP	✓ Contact-D
10 with 10 needles	1 OP	✔ Paradigm Sure-T
		MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles; luer lock130.00	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		· • • • • • • • • • • • • • • • • • • •
10 with 10 needles	1 OP	✓ Paradigm Sure-T MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$		4.4

1 OP

✓ Sure-T MMT-875

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

1 OP

✓ Inset 30

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 32 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.

c) Maximum of 13 infusion sets will be funded per year.

13 mm teflon cannula; angle insertion; insertion device; 1 OP ✓ Inset 30 13 mm teflon cannula; angle insertion; insertion device; 1 OP ✓ Inset 30 13 mm teflon cannula: angle insertion: insertion device: 60 cm grey line × 10 with 10 needles .......140.00 1 OP ✓ Inset 30 13 mm teflon cannula; angle insertion; insertion device; 60 cm pink line  $\times$  10 with 10 needles ......140.00

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1604 on page 32 - Retail pharmacv

- a) Maximum of 3 sets per prescription
- b) Only on a prescription

<ul> <li>13 mm teflon cannula; angel insertion; 60 cm grey line ×</li> <li>5 with 10 needles</li></ul>	120.00	1 OP	✓ Comfort Short
10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-382
13 mm teflon cannula; angle insertion; 45 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-368
13 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-381
13 mm teflon cannula; angle insertion; 80 cm line $\times$ 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-383
17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-377
17 mm teflon cannula; angle insertion; 110 cm line × 10 with 10 needles; luer lock	130.00	1 OP	✓ Silhouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm grey line × 5 with 10 needles	120.00	1 OP	✓ Comfort
17 mm teflon cannula; angle insertion; 60 cm line × 10 with 10 needles	130.00	1 OP	✓ Paradigm Silhouette MMT-378
17 mm teflon cannula; angle insertion; 60 cm line $\times$ 10 with			

1 OP

1 OP

✓ Silhouette MMT-373

✔ Paradigm Silhouette MMT-384

17 mm teflon cannula: angle insertion: 80 cm line × 10 with

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 32 - Retail pharmacy

a)	Maximum	of 3	sets i	per	prescri	ption

9 mm teflon cannula: straight insertion: insertion device:

9 mm teflon cannula; straight insertion; insertion device;

9 mm teflon cannula; straight insertionl insertion device;

60 cm pink line × 10 with 10 needles .......140.00

110 cm grey line × 10 with 10 needles ......140.00

h)	Only	on a	prescription

	o) Only on a prescription			
	) Maximum of 13 infusion sets will be funded per year.			
(	6 mm teflon cannula; straight insertion; insertion device;			
	110 cm grey line $\times$ 10 with 10 needles	140.00	1 OP	✓ Inset II
(	6 mm teflon cannula; straight insertion; insertion device;			
	45 cm blue tubing × 10 with 10 needles	130.00	1 OP	Paradigm Mio
				MMT-941
(	6 mm teflon cannula; straight insertion; insertion device;			
	45 cm pink tubing × 10 with 10 needles	. 130.00	1 OP	✓ Paradigm Mio
	5 p 132 g / . 15 15554.55			MMT-921
	6 mm teflon cannula; straight insertion; insertion device;			٧= .
,	60 cm blue tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
	oo citi bide tabilig × 10 with 10 needles	130.00	1 01	MMT-943
	S man tofler compuler attained inscrition, inscrition devices			IVIIVI 1-343
,	6 mm teflon cannula; straight insertion; insertion device;	100.00	4.00	Dama di Mi a
	60 cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
				MMT-923
(	6 mm teflon cannula; straight insertion; insertion device;			
	80 cm blue tubing $\times$ 10 with 10 needles	130.00	1 OP	Paradigm Mio
				MMT-945
(	6 mm teflon cannula; straight insertion; insertion device;			
	80 cm clear tubing × 10 with 10 needles	130.00	1 OP	Paradigm Mio
				MMT-965
(	6 mm teflon cannula; straight insertion; insertion device;			
	80 cm pink tubing × 10 with 10 needles	130.00	1 OP	✓ Paradigm Mio
	, and government of the second		_	MMT-925
-	mm teflon cannula; straight insertionl insertion device;			
	60 cm blue line × 10 with 10 needles	140 00	1 OP	✓ Inset II
	6 mm teflon cannula; straight insertionl insertion device;	140.00	1 01	• mocen
,	60 cm grey line $\times$ 10 with 10 needles	140.00	1 OP	✓ Inset II
	· ,	140.00	TOF	V IIISELII
(	6 mm teflon cannula; straight insertionl insertion device;	440.00	4.00	
	60 cm pink line × 10 with 10 needles	140.00	1 OP	✓ Inset II
(	mm teflon cannula; straight insertion; insertion device;			
	60 cm blue line $\times$ 10 with 10 needles	140.00	1 OP	✓ Inset II
(	mm teflon cannula; straight insertion; insertion device;			
	60 cm grey line × 10 with 10 needles	140.00	1 OP	✓ Inset II

✓ Inset II

✓ Inset II

✔ Paradigm Mio

MMT-975

1 OP

1 OP

1 OP

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per \$

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1604 on page 32 -Retail pharmacy

a)	Maximum	of 3	sets	per	prescription
----	---------	------	------	-----	--------------

,								
h۱	Only		_	~ "		:	~+:	~~
D)	UHIV	OH	а	DIG	250	ж	יווט	ווט
/	,			F			F	

c) Maximum of 13 infusion sets will be funded per year.		
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles130.00	1 OP	✓ Paradigm Quick-Set MMT-398
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 with 10 needles; luer lock130.00	1 OP	✓ Quick-Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing $\times$ 10 with 10 needles130.00	1 OP	✓ Paradigm Quick-Set
6 mm teflon cannula; straight insertion; 60 cm tubing ×		MMT-399
10 with 10 needles; luer lock	1 OP	✓ Quick-Set MMT-393
10 with 10 needles	1 OP	✓ Paradigm Quick-Set MMT-387
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 with 10 needles	1 OP	✓ Paradigm Quick-Set MMT-396
9 mm teflon cannula; straight insertion; 110 cm tubing $\times$ 10 with 10 needles; luer lock130.00	1 OP	✓ Quick-Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing $\times$ 10 with 10 needles	1 OP	✓ Paradigm Quick-Set MMT-397
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 with 10 needles; luer lock	1 OP	✓ Quick-Set MMT-392
9 mm teflon cannula; straight insertion; 80 cm tubing × 10 with 10 needles	1 OP	✓ Paradigm Quick-Set
10000	. •.	MMT-386

INSULIN PUMP RESERVOIR - Special Authority see SA1604 on page 32 - Retail pharmacy

c) Maximum of 13 packs of reservoir sets will be funded per year. 10 × luer lock conversion cartridges 1.8 ml for Paradigm

10 / late look conversion callinages in in lot landagin	
pumps50.00	
Cartridge 200 U, luer lock × 1050.00	
Cartridge for 5 and 7 series pump; 1.8 ml $\times$ 1050.00	

~	ADR	Cartridge	1.8

<sup>✓</sup> Animas Cartridge ✔ Paradigm

1.8 Reservoir

✔ Paradigm 3.0 Reservoir

Syringe and cartridge for 50X pump, 3.0 ml  $\times$  10 ......50.00

1 OP 1 OP

1 OP

1 OP

1 OP

a) Maximum of 3 sets per prescription

b) Only on a prescription

100

100

Fully

Brand or

Creon 25000

' Ursosan

	(Manufacturer's Price) \$	Per	Subsidised Generic  Manufacturer	
Digestives Including Enzymes				
PANCREATIC ENZYME				
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase				
10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✓ Creon 10000	
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase,	ı.			
1,250 U protease))	94.40	100	Panzytrat	
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase	•			

Subsidy

■ SA1383 | Special Authority for Subsidy Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

1 Patient has been diagnosed with Alagille syndrome; or

Cap 250 mg - For ursodeoxycholic acid oral liquid formula-

2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has chronic severe drug induced cholestatic liver injury; and

25,000 Ph Eur U, total protease 1,000 Ph Eur U) ......94.38

URSODEOXYCHOLIC ACID - Special Authority see SA1383 below - Retail pharmacy

- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

**Initial application** — (**Pregnancy**) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

**Initial application — (Haematological Transplant)** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

**Renewal** — (**Pregnancy/Cirrhosis**) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure – doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

### Laxatives

**Bulk-forming Agents** 

2 am 10 mm g / 13 am a			
ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription  * Powder for oral soln	5.51	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS  * Dry	6.02	500 g OP	
	(17.32) 2.41	200 g OP	Normacol Plus
	(8.72)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM - Only on a prescription			
* Tab 50 mg * Tab 120 mg		100 100	✓ <u>Coloxyl</u> ✓ Coloxyl
* Enema conc 18%		100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES			•
* Tab 50 mg with sennosides 8 mg	4.40	200	✓ Laxsol
POLOXAMER – Only on a prescription  Not funded for use in the ear.			
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			
GLYCEROL			
* Suppos 3.6 g - Only on a prescription	6.50	20	✓ <u>PSM</u>
LACTULOSE – Only on a prescription			4
* Oral liq 10 g per 15 ml		500 ml	✓ <u>Laevolac</u>
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM B SA1473 on the next page – Retail pharmacy Powder for oral soln 13.125 g with potassium chloric 46.6 mg, sodium bicarbonate 178.5 mg and sodium chl	de	ID SODIUM CH	HLORIDE – Special Authority see
ride 350.7 mg - Maximum of 90 sach per prescription	7.65	30	✓ <u>Lax-Sachets</u>

	ALIMENTA	RY TRAC	CT AND	METABOLISM
	Subsidy (Manufacturer's Prio \$	ce) Su Per	Fully ubsidised	Brand or Generic Manufacturer
■►SA1473 Special Authority for Subsidy Initial application from any relevant practitioner. Approval Both:	s valid for 6 months for ap	plications	meeting t	he following criteria:
The patient has problematic constipation despite where lactulose is not contraindicated; and The patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would otherwise require a per costal of the patient would only be a per costal of the patient would be problematic constitution.  The patient has problematic constitution of the patient would be problematic constitution.	·	er oral pha	rmacothe	erapies including lactulose
2 The patient would otherwise require a per rectal property of the property of the patient would otherwise require a per rectal property of the patient would be provided the provided t	•	natient is	compliant	and is continuing to gair
benefit from treatment.	or 12 monate whore the	pationt io	Jornphan	and to continuing to gain
SODIUM ACID PHOSPHATE - Only on a prescription				
Enema 16% with sodium phosphate 8%	2.50	1	<b>√</b> F	eet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACE Enema 90 mg with sodium lauryl sulphoacetate 9 mg	• •	iption		
5 ml		50	✓ M	icolette
Stimulant Laxatives				
BISACODYL - Only on a prescription				
* Tab 5 mg	5.99	200	<b>✓</b> <u>L</u>	ax-Tab
* Suppos 10 mg	3.78	10	<b>✓</b> <u>L</u>	ax-Suppositories
SENNA - Only on a prescription				
* Tab, standardised		100	_	
	(6.84)	00	S	enokot
	0.43 (1.72)	20	S	enokot
Metabolic Disorder Agents	(1.72)			crionot
Metabolic Disorder Agents				
GALSULFASE - Special Authority see SA1593 below - Re				
Inj 1 mg per ml, 5 ml vial	2,234.00	1	✓ N	aglazyme
■ SA1593   Special Authority for Subsidy Initial application only from a metabolic physician. Approx Both:	als valid for 12 months fo	r applicatio	ns meeti	ng the following criteria:
The patient has been diagnosed with mucopolysa:     Either:	ccharidosis VI; and			
2.1 Diagnosis confirmed by demonstration of N		sulfatase (	arylsulfat	ase B) deficiency by eithe
enzyme activity assay in leukocytes or skir  2.2 Detection of two disease causing mutation:  VI.	· ·	who is kno	own to ha	ve mucopolysaccharidosi:
Renewal only from a metabolic physician. Approvals valid All of the following:	for 12 months for applicat	ions meetii	ng the fol	owing criteria:
1 The treatment remains appropriate for the patient	and the nationt is henofiti	na from tro	atment: a	nd
Patient has not had severe infusion-related adversand/or adjustment of infusion rates; and				
3 Patient has not developed another life threatening	ng or severe disease who	ere the lor	ig term p	rognosis is unlikely to be

4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

influenced by Enzyme Replacement Therapy (ERT); and

\*Three months or six months, as applicable, dispensed all-at-once

SODIUM BENZOATE - Special Authority see SA1599 on the next page - Retail pharmacy

Soln 100 mg per ml ......CBS

100 ml

✓ Amzoate \$29

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

### ⇒SA1599 | Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE - Special Authority see SA1598 below - Retail pharmacy

174 a OP ✔ Pheburane 

### ⇒SA1598 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase.

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

### Gaucher's Disease

IMIGLUCERASE - Special Authority see SA0473 below - Retail pharmacy

Inj 40 iu per ml, 400 iu vial ......2,144.00

✓ Cerezvme ✓ Cerezyme

### **⇒**SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

# **Mouth and Throat**

# Agents Used in Mouth Ulceration

#### BENZYDAMINE HYDROCHLORIDE

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with

Endorsement 9.00 500 ml Difflam (17.01)3.60 200 ml Difflam (8.50)

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

# CARMELLOSE SODILIM WITH GELATIN AND PECTIN

JARMELLOSE SODIUM WITH GELATIN AND PECTIN			
Paste	17.20	56 g OP	Stomahesive
	4.55	15 g OP	
	(7.90)	•	Orabase
	1.52	5 a OP	
	(3.60)	J	Orabase
Powder		28 g OP	
	(10.95)	Ü	Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ <u>healthE</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	

(6.00)

Bonjela

C

C

	Subsidy (Manufacturer's F \$	Price) Sub	sidised	Brand or Generic Manufacturer
TRIAMCINOLONE ACETONIDE Paste 0.1%	5.33	5 g OP	✓ Ke	nalog in Orabase
Oropharyngeal Anti-infectives				
AMPHOTERICIN B	5.00	00	. <b>/</b> F	
Lozenges 10 mg		20	<b>✓</b> Fui	•
Oral gel 20 mg per g		40 g OP	✓ <u>De</u>	
Oral liq 100,000 u per ml	2.55	24 ml OP	<u>√ m-</u>	<u>Nystatin</u>
Other Oral Agents			_	
For folinic mouthwash, pilocarpine oral liquid or saliva substitute f	ormula refer Star	ndard Formulae	e, page 2	24
IYDROGEN PEROXIDE ★ Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 ml	✓ Ph	armacy Health
FHYMOL GLYCERIN  * Compound, BPC	9.15	500 ml	✓ PS	<u>M</u>
Vitamins				
Vitamin A				
/ITAMIN A WITH VITAMINS D AND C  ★ Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg per 10 drops		10 ml OP	✔ Vita	adol C
Vitamin B				
HYDROXOCOBALAMIN ★ Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a PS	602.31	3	✓ <u>Ne</u>	o-B12
PYRIDOXINE HYDROCHLORIDE  a) No more than 100 mg per dose b) Only on a prescription				
★ Tab 25 mg – No patient co-payment payable		90		amin B6 25
* Tab 50 mg	11.55	500	<b>✓</b> <u>Ap</u>	o-Pyridoxine
'HIAMINE HYDROCHLORIDE − Only on a prescription  * Tab 50 mg	5.62	100	<b>✓</b> Ap	o-Thiamine
ITAMIN B COMPLEX  ← Tab, strong, BPC  Bplex to be Sole Supply on 1 February 2017	7.15	500	<b>✓</b> Вр	ex
Vitamin C				
ASCORBIC ACID  a) No more than 100 mg per dose				
b) Only on a prescription  * Tab 100 mg	8.10	500	<b>✓</b> Cvi	te

Cvite to be Sole Supply on 1 February 2017

	(Manufacturers I	Per Per	Sidised Generic  Manufacturer
Vitamin D			
ALFACALCIDOL  * Cap 0.25 mcg  * Cap 1 mcg  * Oral drops 2 mcg per ml	87.98	100 100 20 ml OP	✓ One-Alpha ✓ One-Alpha ✓ One-Alpha
CALCITRIOL  * Cap 0.25 mcg  * Cap 0.5 mcg		100 100	✓ <u>Calcitriol-AFT</u> ✓ <u>Calcitriol-AFT</u>
COLECALCIFEROL  * Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescription	on3.85	12	✓ Vit.D3
Multivitamin Preparations			
MULTIVITAMIN RENAL – Special Authority see SA1546 below –  * Cap  SA1546 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Either:	8.39	30	✔ Clinicians Renal Vit s notified for applications meeting
<ol> <li>The patient has chronic kidney disease and is receiving e</li> <li>The patient has chronic kidney disease grade 5, defin 15 ml/min/1.73 m<sup>2</sup> body surface area (BSA).</li> </ol>		•	
MULTIVITAMINS – Special Authority see SA1036 below – Retail * Powder		200 g OP	✓ Paediatric Seravit
■►SA1036 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali inborn errors of metabolism.  Renewal from any relevant practitioner. Approvals valid without fapproval for multivitamins.			·
VITAMINS  * Tab (BPC cap strength)	10.50	1,000	✓ Mvite
SA1002 below – Retail pharmacy	23.40	60	✓ Vitabdeck
▶SA1002 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Either:	l without further	renewal unles	s notified for applications meeting
<ol> <li>Patient has cystic fibrosis with pancreatic insufficiency; or</li> <li>Patient is an infant or child with liver disease or short gut</li> </ol>			
Minerals			
Calcium			
CALCIUM CARBONATE  * Tab eff 1.75 g (1 g elemental)		10	✓ Calsource
* Tab 1.25 g (500 mg elemental)	6.21 5.38	30 250	<ul><li>✓ Calsource</li><li>✓ Arrow-Calcium</li></ul>

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

	Subsidy (Manufacturer's Price	)	Fully Subsidised	Brand or Generic
	(Manulacturer's Frice	Per	Subsidised ✓	Manufacturer
CALCIUM GLUCONATE				
* Inj 10%, 10 ml ampoule	34.24	10		Hameln §29 Hospira
Fluoride				
SODIUM FLUORIDE				
* Tab 1.1 mg (0.5 mg elemental)	5.00	100	<b>✓</b> F	PSM
lodine				
POTASSIUM IODATE			4.	
* Tab 253 mcg (150 mcg elemental iodine)	3.65	90	<u>, , , , , , , , , , , , , , , , , , , </u>	NeuroTabs
Iron				
FERROUS FUMARATE				
* Tab 200 mg (65 mg elemental)	2.89	100	<b>✓</b> <u>I</u>	erro-tab
FERROUS FUMARATE WITH FOLIC ACID	4.75	60		Ferro-F-Tabs
* Tab 310 mg (100 mg elemental) with folic acid 350 mcg. FERROUS SULPHATE	4.75	60	•	-elio-r-labs
* Tab long-acting 325 mg (105 mg elemental)	2.06	30	<b>✓</b> I	errograd
*‡ Oral liq 30 mg (6 mg elemental) per 1 ml	10.80	500 ml	<b>/</b> <u>I</u>	<u>Ferodan</u>
FERROUS SULPHATE WITH FOLIC ACID				
* Tab long-acting 325 mg (105 mg elemental) with folic 350 mcg		30		
500 mag	(4.29)	00	F	errograd F
IRON POLYMALTOSE				
* Inj 50 mg per ml, 2 ml ampoule	15.22	5	<u> </u>	Ferrum H
Magnesium				
For magnesium hydroxide mixture refer Standard Formulae, p	page 224			
MAGNESIUM SULPHATE	10.05	40	4.	
* Inj 2 mmol per ml, 5 ml ampoule	12.65	10	<b>/</b> [	<u>)RT</u>
Zinc				
ZINC SULPHATE				
* Cap 137.4 mg (50 mg elemental)	11.00	100	V 2	<u>Zincaps</u>

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

# **Antianaemics**

# Hypoplastic and Haemolytic

⇒SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
  - 3.1 Both:
    - 3.1.1 Patient does not have diabetes mellitus: and
    - 3.1.2 Glomerular filtration rate < 30ml/min: or
  - 3.2 Both:
    - 3.2.1 Patient has diabetes mellitus; and
    - 3.2.2 Glomerular filtration rate < 45ml/min: or
  - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropojetin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)\*; and
- 2 Has had symptomatic anaemia with haemoglobin <100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of <500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with \* is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 ju per week.

Note: Indication marked with \* is an Unapproved Indication

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Authority s	see SA1469 on the pre	evious pa	ige – Re	tail pharmacy
Wastage claimable – see rule 3.3.2 on page 13				
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	<b>✓</b> E	orex
Inj 2,000 iu in 0.5 ml, syringe	120.18	6	✓ E	orex
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	✓ E	
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	✓ E	orex
Inj 5,000 iu in 0.5 ml, syringe	243.26	6	✓ E	orex
Inj 6,000 iu in 0.6 ml, syringe	291.92	6	✓ E	
Inj 8,000 iu in 0.8 ml, syringe	352.69	6	✓ E	orex
Inj 10,000 iu in 1 ml, syringe	395.18	6	✓ E	
Inj 40,000 iu in 1 ml, syringe		1	✓ E	
Megaloblastic				

۲	U	LI	C	A	CI	D

*	lab 0.8 mg20.60	1,000	Apo-Folic Acid
*	Tab 5 mg10.92	500	Apo-Folic Acid
	Oral lig 50 mcg per ml24.00	25 ml OP	✓ Biomed

# **Antifibrinolytics, Haemostatics and Local Sclerosants**

ELTROMBOPAG - Special Authority see SA1418 below	w – Retail pharmacy		
Wastage claimable – see rule 3.3.2 on page 13			
Tab 25 mg	1,771.00	28	Revolade
Tab 50 mg	3.542.00	28	✓ Revolade

### ⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab): and
- 3 Any of the following:
  - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding: or
  - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
  - 3.3 Patient has a platelet count of  $\leq 10,000$  platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

### EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1,178.30	1 🗸	NovoSeven RT
Inj 2 mg syringe	2,356.60	1 🗸	NovoSeven RT
Inj 5 mg syringe	5,891.50	1 🗸	NovoSeven RT
Inj 8 mg syringe	9,426.40	1 🗸	NovoSeven RT

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### FACTOR EIGHT INHIBITOR BYPASSING FRACTION - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

FEIBA NF	1	1,450.00	Inj 500 U
FEIBA NF	1	2,900.00	
✓ FEIBA NF	1	7,250.00	Ini 2.500 U

#### MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

Preferred Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

210.00	1	Xyntha
420.00	1	Xyntha
840.00	1	Xyntha
	1	Xyntha
	1	Xyntha
	210.00 420.00 840.00 1,680.00 2,520.00	

### NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	310.00	1	✓ BeneFIX
Inj 500 iu vial		1	✓ BeneFIX
Inj 1,000 iu vial		1	✓ BeneFIX
Inj 2,000 iu vial	*	1	✓ BeneFIX
Ini 3,000 iu vial	•	1	✓ BeneFIX

### NONACOG GAMMA, [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	.287.50 1	✓ RIXUBIS
lnj 500 iu vial	.575.00 1	✓ RIXUBIS
Inj 1,000 iu vial1		✓ RIXUBIS
Inj 2,000 iu vial2		✓ RIXUBIS
Inj 3,000 iu vial3	•	✓ RIXUBIS

#### OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVATE) - [Xpharm]

Rare Clinical Circumstances Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption 2	
PHARMAC PO Box 10 254	Facsimile: (04) 974 488	ĺ	
Wellington	Email: haemophilia@pl	narmac.go	vt.nz
Inj 250 iu vial	287.50	1	✓ Advate
Inj 500 iu vial	575.00	1	Advate
Inj 1,000 iu vial	1,150.00	1	Advate
Inj 1,500 iu vial	1,725.00	1	Advate
Inj 2,000 iu vial	2,300.00	1	Advate
Ini 3 000 iu vial	3.450.00	1	✓ Advate

Subsidised

Fully

Brand or

Generic Manufacturer

to

Subsidy

(Manufacturer's Price)

	\$	Per	✓ Manufacturer
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGEI Second Brand of recombinant factor VIII for patients of funded treatment by application to the Haemophilia Trwebsite http://www.pharmac.govt.nz or:	with haemophilia from 1		
The Co-ordinator, Haemophilia Treatments Panel PHARMAC PO Box 10 254 Wellington	Phone: 0800 023 588 (Facsimile: (04) 974 48 Email: haemophilia@	81	rt.nz
Inj 250 iu vial		1	✓ Kogenate FS
Inj 500 iu vial		i	✓ Kogenate FS
Inj 1,000 iu vial		1	✓ Kogenate FS
Inj 2,000 iu vial		1	✓ Kogenate FS
Inj 3,000 iu vial	2,850.00	1	✓ Kogenate FS
SODIUM TETRADECYL SULPHATE			-
* Inj 3% 2 ml	28.50 (73.00)	5	Fibro-vein
TRANEXAMIC ACID Tab 500 mg	20.67	100	✓ Cyklokapron
Vitamin K			
PHYTOMENADIONE		_	4 11 11 111
Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PS0		5 5	✓ Konakion MM ✓ Konakion MM
Antithrombotic Agents	J	3	V Konakion www
Antiplatelet Agents			
ASPIRIN			
* Tab 100 mg  Ethics Aspirin EC to be Sole Supply on 1 January 2		990	✓ Ethics Aspirin EC
CLOPIDOGREL			
* Tab 75 mg – For clopidogrel oral liquid formulation refe		84	✓ Arrow - Clopid
DIPYRIDAMOLE			
* Tab long-acting 150 mg	11.52	60	✓ Pytazen SR
PRASUGREL - Special Authority see SA1201 below - Re	etail pharmacy		
Tab 5 mg	108.00	28	✓ Effient

# ■SA1201 | Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

**Initial application** — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

continued...

28

' Effient

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic\*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Note: \* Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

\* Tab 90 mg ......90.00 ✔ Brilinta

# **⇒**SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

### Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

# **Heparin and Antagonist Preparations**

DALTEPARIN SODIUM  – Special Authority see SA1270 belo	w – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	✓ Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	✓ Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	✓ Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	✓ Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe		10	✓ Fragmin

# ⇒SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

### Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery: or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or

continued...

(Man	Subsidy ufacturer's Price)	Full Subsidise		
	\$ 1	Per 🗸	<ul> <li>Manufacturer</li> </ul>	

continued...

5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM  – Special Authority see SA1174	below – Retail pharmacy		
Inj 20 mg in 0.2 ml syringe	30.91	10	Clexane
Inj 40 mg in 0.4 ml syringe	41.24	10	Clexane
Inj 60 mg in 0.6 ml syringe		10	Clexane
Inj 80 mg in 0.8 ml syringe		10	Clexane
Inj 100 mg in 1 ml syringe		10	Clexane
Inj 120 mg in 0.8 ml syringe		10	Clexane
Inj 150 mg in 1 ml syringe	147.41	10	Clexane

### **⇒**SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application — (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

**Renewal — (Pregnancy or Malignancy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml13.36	10	Hospira
61.04	50	✓ Pfizer
66.80		Hospira
Inj 1,000 iu per ml, 35 ml vial17.76	1	✓ Hospira
Inj 5,000 iu per ml, 1 ml14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml236.60	50	✔ Pfizer
Inj 25,000 iu per ml, 0.2 ml9.50	5	Hospira

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml	23.40	30		ecton Dickinson PosiFlush S29
	39.00	50	<b>✓</b> P	fizer
PROTAMINE SULPHATE				
* Inj 10 mg per ml, 5 ml	22.40	10		
	(119.23)		A	rtex
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg - No more than 2 cap per day	76.36	60	✓ Pr	radaxa
Cap 110 mg	76.36	60	✓ Pi	radaxa
Cap 150 mg	76.36	60	<b>✓</b> P	radaxa
RIVAROXABAN - Special Authority see SA1066 below - Retail p	harmacy			
Tab 10 mg	,	15	✓ X	arelto

### ⇒SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Fither:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

#### WARFARIN SODIUM

	note: Marevan and Coumadin are not interchangeable.			
*	Tab 1 mg	3.46	50	Coumadin
	•	6.86	100	Marevan
*	Tab 2 mg	4.31	50	✓ Coumadin
*	Tab 3 mg	9.70	100	✓ Marevan
*	Tab 5 mg	5.93	50	Coumadin
	•	11 75	100	✓ Marevan

# **Blood Colony-stimulating Factors**

Nata. Managan and Carras alla and not internal annual la

FILGRASTIM - Special Authority see SA1259 below - Retail phart	macy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	432.00	5	Zarzio

### ⇒SA1259 Special Authority for Subsidy

✓ fully subsidised

[HP4] refer page 4

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk  $\geq 20\%^*$ ); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC <  $0.5 \times 10^9$ /L); or

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

5 Treatment of drug-induced prolonged neutropenia (ANC <  $0.5 \times 10^9$ /L).

Note: \*Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

✓ Neulastim

### ⇒SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk > 20%\*).

Note: \*Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

07.50

50

AstraZeneca

Biomed

# Fluids and Electrolytes

# Intravenous Administration

GLUCOSE [DEXTROSE]	
V Ini FOO/ 10 ml amnaula	Lin to E ini quallable on a DCO

*	11 30 %, 10 111 anipoule – Op 10 3 11 available on a F30	.50	•	Divilled
*	Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO14.	50 1	~	Biomed

#### POTASSIUM CHLORIDE Inj 75 mg per ml, 10 ml ......55.00

, .			
SODIUM BICARBONATE			
Ini 8 4% 50 ml	19.95	1	✓ Riomed

lnj 8.4%, 50 ml	
-----------------	--

10.00	•	<b>2 2</b> .00u
a) Up to 5 ini available on a PSO		

- b) Not in combination Inj 8.4%, 100 ml ......20.50
  - a) Up to 5 inj available on a PSO
  - b) Not in combination

# SODIUM CHLORIDE

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser use.

✓ Baxter	500 ml	Inj 0.9%, bag - Up to 2000 ml available on a PSO1.2
✓ Rayter	1 000 ml	1.2

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use, (500 ml and 1,000 ml packs)

Inj 23.4% (4 mmol/ml), 20 ml ampoule		5	✓ <u>Biomed</u>
For Sodium chloride oral liquid formulation refer Standard F	Formulae, page 2	24	
Inj 0.9%, 5 ml - Up to 5 inj available on a PSO	10.85	50	Multichem
	15.50		✓ Pfizer
Inj 0.9%, 10 ml - Up to 5 inj available on a PSO	11.50	50	Multichem
	15.50		✔ Pfizer
Inj 0.9%, 20 ml	4.72	6	Pharmacia
	8.41	20	✓ Multichem
	11.79	30	Pharmacia

	11.75	00	• i iiaii
TOTAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Specialis	st		
Infusion	CBS	1 OP	✓ TPN

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
WATER				
<ol> <li>On a prescription or Practitioner's Supply Order only wh Schedule requiring a solvent or diluent; or</li> <li>On a bulk supply order; or</li> </ol>	en on the same form	as an	injection lis	sted in the Pharmaceutical
3) When used in the extemporaneous compounding of eye	drops.			
Purified for inj, 5 ml - Up to 5 inj available on a PSO	10.25	50	✓ N	lultichem
Purified for inj, 10 ml - Up to 5 inj available on a PSO	11.25	50	✓ N	lultichem
Purified for inj, 20 ml - Up to 5 inj available on a PSO	6.50	20	✓ N	lultichem

Oral Administration	n
---------------------	---

CALCIUM POLYSTYRENE SULPHONATE Powder16	9.85	300 g OP	✓ Calcium Resonium
COMPOUND ELECTROLYTES			
Powder for oral soln — Up to 10 sach available on a PSO	2.30	10	✓ Enerlyte
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes	6.55 1	,000 ml OP	✓ Pedialyte -  Bubblegum   \$29
Soln with electrolytes (2 × 500 ml)	6.55 1	,000 ml OP	✔ Pedialyte - Bubblegum
(Pedialyte - Bubblegum S29 Soln with electrolytes to be delisted 1 Decei	mber 2016	5)	•
PHOSPHORUS			
Tab eff 500 mg (16 mmol)8	2.50	100	✓ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60	
(1	1.85)		Chlorvescent
* Tab long-acting 600 mg (8 mmol)	7.42	200	✓ Span-K
SODIUM BICARBONATE			
Cap 840 mg	8.52	100	✓ Sodibic
SODIUM POLYSTYRENE SULPHONATE			
Powder8	4.65	454 g OP	✓ Resonium-A

	Subsidy (Manufacturer's Price)	) Per	Fully Subsidised	
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg		500		Apo-Doxazosin
* Tab 4 mg	9.67	500	<b>'</b>	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	65.00	30		BNM S29
PRAZOSIN	F F0	100	.,	Ana Duamasin
* Tab 1 mg * Tab 2 mg		100		Apo-Prazosin Apo-Prazosin
* Tab 5 mg		100		Apo-Prazosin
TERAZOSIN				
* Tab 1 mg	0.59	28	~	Actavis
* Tab 2 mg		28	1	Arrow
* Tab 5 mg	0.68	28	~	Arrow
Agents Affecting the Renin-Angiotensin System				
ACE Inhibitors				
AGE IIIIIBROIS				
CAPTOPRIL  *‡ Oral liq 5 mg per ml  Oral liquid restricted to children under 12 years of age.	94.99 9	5 ml OF	· /	Capoten
CILAZAPRIL				
* Tab 0.5 mg		90		Zapril Zapril
* Tab 2.5 mg	7.20	90 200		Zapril Apo-Cilazapril
* Tab 5 mg		90		Zapril
- 142 0 mg	12.00	200		Apo-Cilazapril
ENALAPRIL MALEATE				
* Tab 5 mg	0.96	100	1	Ethics Enalapril
* Tab 10 mg	1.24	100	<b>'</b>	Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation re-				
fer, page 221	1.78	100	•	Ethics Enalapril
LISINOPRIL				
* Tab 5 mg		90		Ethics Lisinopril
* Tab 10 mg * Tab 20 mg		90 90		Ethics Lisinopril Ethics Lisinopril
	2.70	30	•	Luncs Lismopin
PERINDOPRIL  * Tab 2 mg	3.75	30		Apo-Perindopril
* Tab 4 mg		30		Apo-Perindopril
QUINAPRIL				
* Tab 5 mg	4.31	90	V	Arrow-Quinapril 5
* Tab 10 mg		90	-	Arrow-Quinapril 10
* Tab 20 mg	5.97	90	<b>~</b>	Arrow-Quinapril 20

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
AC	E Inhibitors with Diuretics				
	ZAPRIL WITH HYDROCHLOROTHIAZIDE Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	~	Apo- Cilazapril/Hydrochlorothi
<del>k</del> -	NAPRIL WITH HYDROCHLOROTHIAZIDE  Tab 10 mg with hydrochlorothiazide 12.5 mg  Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30		Accuretic 10 Accuretic 20
	giotensin II Antagonists		-		7000.010 <u>20</u>
	DESARTAN CILEXETIL - Special Authority see SA1223 be	Now - Retail nharmac	,		
	Tab 4 mg		90	~	Candestar
	Tab 8 mg		90		Candestar
	Tab 16 mg		90		Candestar
	Tab 32 mg		90		Candestar
	A1223 Special Authority for Subsidy		00	•	<u> </u>
	<ol> <li>Patient has persistent ACE inhibitor induced cough that is or</li> </ol>				(,
enev	Patient has a history of angioedema.  I application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled.)				
enev OS/	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit	d on maximum tolerate		e of an A	
enev OS/	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM	d on maximum tolerate	d dos	e of an A	ČE inhibitor.
onev OS/ -	Patient has a history of angioedema.     Application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate1.551.90	ed dos	e of an A	ČE inhibitor. <u>Losartan Actavis</u>
nev	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate1.551.902.25	84 84	e of an A	CE inhibitor.  Losartan Actavis  Losartan Actavis
OS/ e - e -	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg	d on maximum tolerate1.551.902.25	84 84 84 84	e of an A	OE inhibitor.  Losartan Actavis  Losartan Actavis  Losartan Actavis  Losartan Actavis
enev OS/ k k k k	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg Tab 25 mg Tab 50 mg Tab 100 mg	d on maximum tolerate1.551.902.252.60	84 84 84 84	e of an A	CE inhibitor.  Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
OSA An	2 Patient has a history of angioedema.  Al application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate1.551.902.252.60	84 84 84 84 84	e of an A	CE inhibitor.  Losartan Actavis  Losartan Actavis  Losartan Actavis  Losartan Actavis
OSA An	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM  Tab 12.5 mg	d on maximum tolerate1.551.902.252.60	84 84 84 84 84	e of an A	CE inhibitor.  Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
OSA An OSA	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM  Tab 12.5 mg  Tab 25 mg  Tab 50 mg  Tab 100 mg  Igiotensin II Antagonists with Diuretics  ARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE  Tab 50 mg with hydrochlorothiazide 12.5 mg  Itiarrhythmics  Ignocaine hydrochloride refer to NERVOUS SYSTEM, Anaes	d on maximum tolerate1.551.902.252.60	84 84 84 84 84	e of an A	CE inhibitor.  Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
An An MIC	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM  Tab 12.5 mg	d on maximum tolerate	84 84 84 84 84 30	e of an A	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis  Arrow-Losartan & Hydrochlorothiazide
An OSA	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 84 30	e of an A	CE inhibitor.  Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan &
An OSA An OSA	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an Al	CE inhibitor.  Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis  Arrow-Losartan & Hydrochlorothiazide  Aratac Cordarone-X
An OSA An OSA	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 84 30	e of an Al	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis  Arrow-Losartan & Hydrochlorothiazide  Aratac Cordarone-X Cordarone-X
An OSA An OSA	2 Patient has a history of angioedema.  Il application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an Al	CE inhibitor.  Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis  Arrow-Losartan & Hydrochlorothiazide  Aratac Cordarone-X
An OS	2 Patient has a history of angioedema.  In application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM  Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an Al	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis  Arrow-Losartan & Hydrochlorothiazide  Aratac Cordarone-X Cordarone-X
An OS	2 Patient has a history of angioedema.  In application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM  Tab 12.5 mg	d on maximum tolerate	30 30 30	e of an A	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Arrow-Losartan & Hydrochlorothiazide  Aratac Cordarone-X Cordarone-X Aratac
An OSA An OSA	2 Patient has a history of angioedema.  In application — (Unsatisfactory response to ACE inhibit wal unless notified where patient is not adequately controlled ARTAN POTASSIUM  Tab 12.5 mg	d on maximum tolerate	84 84 84 84 30	e of an A	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis  Arrow-Losartan & Hydrochlorothiazide  Aratac Cordarone-X Cordarone-X

	Subsidy	^	Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
ATRODINE OUR BUATE	<del>-</del>			
ATROPINE SULPHATE				
* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO		50	<b>✓</b> A	straZeneca
DIGOXIN				
* Tab 62.5 mcg - Up to 30 tab available on a PSO	6.67	240	✓ L	anoxin PG
* Tab 250 mcg - Up to 30 tab available on a PSO	14.52	240	V L	anoxin
*‡ Oral liq 50 mcg per ml	16.60	60 ml	<b>✓</b> L	anoxin
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	15.00	100		
	(23.87)		R	ythmodan
▲ Cap 150 mg		100	<b>✓</b> R	ythmodan
(Rythmodan Cap 150 mg to be delisted 1 April 2017)				
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	38.95	60	✓ Ta	ambocor
▲ Cap long-acting 100 mg		30	✓ Ta	ambocor CR
▲ Cap long-acting 200 mg		30	✓ Ta	ambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	✓ Ta	ambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	162.00	100	✓ M	lexiletine Hydrochloride USP®29
▲ Cap 250 mg	202.00	100	✓ M	lexiletine Hydrochloride USP §29
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Special	ist			
▲ Tab 150 mg		50	<b>✓</b> R	ytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA1474 below - Retail pha	rmacy			
Tab 2.5 mg		100	<b>√</b> G	utron
Tab 5 mg		100		utron
The CA 1474 Connected Anathority for Conhected.				

### ■ SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# **Beta Adrenoceptor Blockers**

ΑT	ENOLOL			
*	Tab 50 mg	4.61	500	Mylan Atenolol
*	Tab 100 mg	7.67	500	Mylan Atenolol
*	Oral liq 25 mg per 5 ml	21.25	300 ml OP	✓ Atenolol AFT
	Restricted to children under 12 years of age.			

		Subsidy		Fully	Brand or
		(Manufacturer's Price)		Subsidised	
		` \$	Per	~	' Manufacturer
DICODDO	LOL FUMADATE				
	LOL FUMARATE	0.40	20		Decuate
	5 mg		30 30		Bosvate Bosvate
	mg				Bosvate Bosvate
	) mg	0.40	30	•	<u>Bosvate</u>
CARVEDIL	_OL				
* Tab 6.	25 mg	3.90	60		<u>Dicarz</u>
* Tab 12	2.5 mg	5.10	60	<b>/</b>	<u>Dicarz</u>
* Tab 25	5 mg - For carvedilol oral liquid formulation refer, page				
22	21	6.30	60	<b>/</b>	<u>Dicarz</u>
CELIPROL	_OL				
-	00 mg	21.40	180	~	Celol
	·			•	
LABETALC		0.00	100		Llublaa
	) mg		100	•	Hybloc
	00 mg - For labetalol oral liquid formulation refer, page		400		11.41.
	21		100		Hybloc
	00 mg		100	•	Hybloc
<b>*</b> Inj 5 m	ng per ml, 20 ml ampoule		5		To a data
		(88.60)			Trandate
METOPRO	DLOL SUCCINATE				
Tab lo	ng-acting 23.75 mg	0.80	30		Myloc CR
		2.39	90	<b>/</b>	Metoprolol - AFT CR
Tab lo	ng-acting 47.5 mg	3.48	90	<b>/</b>	Metoprolol - AFT CR
		7.50	30	<b>/</b>	Betaloc CR
Tab lo	ng-acting 95 mg	5.73	90	<b>/</b>	Metoprolol - AFT CR
		7.50	30	<b>/</b>	Betaloc CR
Tab lo	ng-acting 190 mg	3.85	30	<b>/</b>	Myloc CR
		11.54	90	<b>/</b>	Metoprolol - AFT CR
(Betaloc C	R Tab long-acting 47.5 mg to be delisted 1 January 20	17)			
,	R Tab long-acting 95 mg to be delisted 1 January 2017	,			
(Myloc CR	Tab long-acting 190 mg to be delisted 1 January 2017,	)			
METOPRO	DLOL TARTRATE				
	) mg	4.64	100	<b>/</b>	Apo-Metoprolol
	Brand switch fee payable (Pharmacode 2511541) - see			•	<u> </u>
b) F	For metoprolol tartrate oral liquid formulation refer, page	221			
	00 mg - Brand switch fee payable (Pharmacode				
	511541) - see page 218 for details		60	<b>/</b>	Apo-Metoprolol
* Tab lo	ng-acting 200 mg	23.40	28	<b>/</b>	Slow-Lopresor
	ng per ml, 5 ml vial		5	<b>/</b>	Lopresor
NADOLOL					
	) mg	16.05	100	V	Apo-Nadolol
	) mg		100		Apo-Nadolol
	·		100	•	i ipo ituadioi
PINDOLOI					
	mg		100		Apo-Pindolol
	) mg		100		Apo-Pindolol
* Tab 15	5 mg	23.46	100	•	Apo-Pindolol

		Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
PR	OPRANOLOL				
*	Tab 10 mg	3.65	100	<b>✓</b> A <sub>l</sub>	po- Propranolol 829
*	Tab 40 mg	4.65	100	✓ A	po- Propranolol S29
*	Cap long-acting 160 mg Oral liq 4 mg per ml – Special Authority see SA1327 below –		100	<b>✓</b> Ca	ardinol LA
	Retail pharmacy		500 ml	<b>✓</b> R	oxane \$29

# **■**SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only): or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

### SOTALOL

	Tab 80 mg - For sotalol oral liquid formulation refer, page 221		500	✓ <u>Mylan</u>
	Tab 160 mg		100	Mylan
*	Inj 10 mg per ml, 4 ml ampoule	65.39	5	✓ Sotacor
TIN	MOLOL			
*	Tab 10 mg	10.55	100	✓ Apo-Timo

# **Calcium Channel Blockers**

# **Dihydropyridine Calcium Channel Blockers**

AMLODIPINE		
* Tab 2.5 mg2.21	100	✓ Apo-Amlodipine
* Tab 5 mg - For amlodipine oral liquid formulation refer, page		
2215.04	250	✓ Apo-Amlodipine
* Tab 10 mg7.21	250	✓ Apo-Amlodipine
FELODIPINE		
* Tab long-acting 2.5 mg	30	✓ Plendil ER
* Tab long-acting 5 mg	30	✓ Plendil ER
* Tab long-acting 10 mg2.30	30	✓ Plendil ER
ISRADIPINE		
* Cap long-acting 2.5 mg	30	✓ Dynacirc-SRO
* Cap long-acting 5 mg	30	✓ Dynacirc-SRO
NIFEDIPINE		
* Tab long-acting 10 mg17.72	60	✓ Adalat 10
* Tab long-acting 20 mg	100	✓ Nyefax Retard
* Tab long-acting 30 mg	30	✓ Adefin XL
* Tab long-acting 60 mg5.75	30	✓ Adefin XL

<sup>▲</sup>Three months supply may be dispensed at one time \*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

* Cap long-acting 180 mg	8.50 1.91 81.83 .7.56 47.67 0.22	100 30 500 30 500	✓ Dilzem ✓ Dilzem ✓ Cardizem CD ✓ Apo-Diltiazem CD
* Tab 30 mg	8.50 1.91 81.83 .7.56 47.67 0.22	100 30 500 30 500	✓ Dilzem ✓ Cardizem CD
* Tab 60 mg — For diltiazem hydrochloride oral liquid formulation refer, page 221	8.50 1.91 81.83 .7.56 47.67 0.22	100 30 500 30 500	✓ Dilzem ✓ Cardizem CD
tion refer, page 221	.1.91 31.83 .7.56 47.67 10.22	30 500 30 500	✓ Cardizem CD
* Cap long-acting 120 mg	.1.91 31.83 .7.56 47.67 10.22	30 500 30 500	✓ Cardizem CD
* Cap long-acting 180 mg	31.83 .7.56 47.67 10.22	500 30 500	
* Cap long-acting 180 mg	.7.56 17.67 10.22	30 500	✓ Apo-Diltiazem CD
* Cap long-acting 240 mg	17.67 10.22	500	4
K Cap long-acting 240 mg	10.22		✓ Cardizem CD
PERHEXILINE MALEATE  * Tab 100 mg6  /ERAPAMIL HYDROCHLORIDE  * Tab 40 mg  * Tab 80 mg – For verapamil hydrochloride oral liquid formula-		30	✓ Apo-Diltiazem CD
PERHEXILINE MALEATE  * Tab 100 mg6  /ERAPAMIL HYDROCHLORIDE  * Tab 40 mg  * Tab 80 mg – For verapamil hydrochloride oral liquid formula-	33.58	-	✓ Cardizem CD
<ul> <li>★ Tab 100 mg</li> <li>✓ FRAPAMIL HYDROCHLORIDE</li> <li>★ Tab 40 mg</li> <li>✓ Tab 80 mg</li> <li>✓ For verapamil hydrochloride oral liquid formula-</li> </ul>		500	✓ Apo-Diltiazem CD
/ERAPAMIL HYDROCHLORIDE  ★ Tab 40 mg  ★ Tab 80 mg – For verapamil hydrochloride oral liquid formula-			
Tab 40 mg      Tab 80 mg – For verapamil hydrochloride oral liquid formula-	62.90	100	✓ Pexsig
<ul> <li>★ Tab 40 mg</li> <li>★ Tab 80 mg – For verapamil hydrochloride oral liquid formula-</li> </ul>			<del></del>
* Tab 80 mg - For verapamil hydrochloride oral liquid formula-	7.01	100	✓ Isoptin
	.7.01	100	risopiiii
	11 74	100	✓ Isoptin
k Tab long-acting 120 mg1 k Tab long-acting 240 mg			Verpamil SR
	25.00	250	✓ Verpamil SR
★ Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a	NE 00		A to a making
PSO2	25.00	5	✓ Isoptin
Centrally-Acting Agents			
CLONIDINE			
Fatch 2.5 mg, 100 mcg per day − Only on a prescription	12.80	4	✓ Catapres-TTS-1
Fatch 5 mg, 200 mcg per day - Only on a prescription1	18.04	4	✓ Catapres-TTS-2
Fatch 7.5 mg, 300 mcg per day - Only on a prescription2	22.68	4	✓ Catapres-TTS-3
CLONIDINE HYDROCHLORIDE			
★ Tab 25 mcg1	10.53	112	✓ Clonidine BNM
★ Tab 150 mcg			✓ Catapres
k Inj 150 mcg per ml, 1 ml ampoule1			✓ Catapres
	10.07	•	- Gatapico
METHYLDOPA			4
₭ Tab 125 mg1			Prodopa
₭ Tab 250 mg1			Prodopa
★ Tab 500 mg2	23.15	100	✓ Prodopa
Diuretics			
Loop Diuretics			
BUMETANIDE			
* Tab 1 mg1			
* Inj 500 mcg per ml, 4 ml vial	16.36	100	✓ Burinex
J			✓ Burinex ✓ Burinex

	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic  Manufacturer
* Tab 40 mg - Up to 30 tab available on a PSO  * Tab 500 mg	25.00 10.66 57.77	1,000 50 30 ml OP 6	✓ Diurin 40 ✓ Urex Forte ✓ Lasix ✓ Lasix
PSO		5	✓ Frusemide-Claris
Potassium Sparing Diuretics			
AMILORIDE HYDROCHLORIDE  * Tab 5 mg  † Oral liq 1 mg per ml  METOLAZONE – Special Authority see SA1349 below – Retail p	30.00	100 25 ml OP	✓ Apo-Amiloride ✓ Biomed
Tab 5 mg	CBS	1	✓ Metolazone S29
■SA1349 Special Authority for Subsidy		50	✓ Zaroxolyn S29
Initial application from any relevant practitioner. Approvals valid ment of patients with refractory heart failure who are intolerant or nation therapy.  SPIRONOLACTONE  * Tab 25 mg  Tab 100 mg  † Oral liq 5 mg per ml	4.38 11.80	100 100 25 ml OP	retics and/or loop-thiazide combi-  Spiractin Spiractin Biomed
Potassium Sparing Combination Diuretics			
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE  * Tab 5 mg with furosemide 40 mg	DE	28 50	✓ Frumil ✓ Moduretic
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]  * Tab 2.5 mg - Up to 150 tab available on a PSO		500	✓ <u>Arrow-</u> <u>Bendrofluazide</u>
May be supplied on a PSO for reasons other than emerger  * Tab 5 mg	•	500	✓ <u>Arrow-</u> <u>Bendrofluazide</u>
CHLOROTHIAZIDE  † Oral liq 50 mg per ml  CHLORTALIDONE [CHLORTHALIDONE]	26.00	25 ml OP	✓ Biomed
* Tab 25 mg	8.00	50	✓ Hygroton
INDAPAMIDE  * Tab 2.5 mg	2.60	90	✓ <u>Dapa-Tabs</u>

	(Manufacturer's Price)		ibsidised Generic
	\$	Per	✓ Manufacturer
Lipid-Modifying Agents			
Fibrates			
BEZAFIBRATE			
* Tab 200 mg	9.05	90	✓ Bezalip
* Tab long-acting 400 mg		30	✓ Bezalip Retard
GEMFIBROZIL			
* Tab 600 mg	19.56	60	✓ Lipazil
Lipazil to be Sole Supply on 1 February 2017			
Other Lipid-Modifying Agents			
ACIPIMOX			
* Cap 250 mg	18.75	30	✓ Olbetam
NICOTINIC ACID			
* Tab 50 mg		100	Apo-Nicotinic Acid
* Tab 500 mg	17.37	100	✓ Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE			
Powder for oral liq 4 g		50	
	(52.68)		Questran-Lite
COLESTIPOL HYDROCHLORIDE			4
Grans for oral liq 5 g	22.00	30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			
Prescribing Guidelines			
Treatment with HMG CoA Reductase Inhibitors (statins) is re	commended for patients	with dys	slipidaemia and an absolute 5 yea
cardiovascular risk of 15% or greater.			
ATORVASTATIN – See prescribing guideline above	0.00	E00	✓ Lorstat
* Tab 10 mg	1.67	500 90	Lorsial
	(2.52)	00	Zarator
Lorstat to be Sole Supply on 1 February 2017	, ,		
* Tab 20 mg		500	✓ Lorstat
	2.40 (4.17)	90	Zarator
Lorstat to be Sole Supply on 1 February 2017	(4.17)		Σαιαιοι
* Tab 40 mg	21.23	500	✓ Lorstat
	3.82	90	
Lorestat to he Sole Supply on 1 Echryony 2017	(7.32)		Zarator
Lorstat to be Sole Supply on 1 February 2017  * Tab 80 mg	36.26	500	✓ Lorstat
	6.53	90	- 20.000
	(16.23)		Zarator
Lorstat to be Sole Supply on 1 February 2017			
(Zarator Tab 10 mg to be delisted 1 February 2017) (Zarator Tab 20 mg to be delisted 1 February 2017)			
(Zarator Tab 40 mg to be delisted 1 February 2017)			
(Zarator Tab 80 mg to be delisted 1 February 2017)			

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
PRAVASTATIN – See prescribing guideline on the previous page				
* Tab 20 mg	3.45	30	<b>✓</b> C	holvastin
* Tab 40 mg	6.36	30	<b>√</b> <u>C</u>	holvastin
SIMVASTATIN - See prescribing guideline on the previous page				
* Tab 10 mg	0.95	90	✓ A	rrow-Simva 10mg
* Tab 20 mg	1.61	90	✓ A	rrow-Simva 20mg
* Tab 40 mg		90	✓ A	rrow-Simva 40mg
* Tab 80 mg		90	✓ A	rrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE – Special Authority see SA1045 below – Retail pharr Tab 10 mg	•	30	<b>√</b> <u>E</u>	zemibe

### ⇒SA1045 | Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
  - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
  - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
  - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

#### 

## ■ SA1046 | Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	~	Manufacturer

#### continued...

Notes: A patient who has failed to reduce their LDL cholesterol to  $\leq 2.0$  mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Nitrates		
GLYCERYL TRINITRATE		
* Tab 600 mcg - Up to 100 tab available on a PSO8.0	0 100 OP	✓ Lycinate
* Oral pump spray, 400 mcg per dose - Up to 250 dose avail-		•
able on a PSO4.4	5 250 dose OP	✓ Nitrolingual Pump
		Spray
* Oral spray, 400 mcg per dose - Up to 250 dose available on		
a PSO4.4		✓ Glytrin
* Patch 25 mg, 5 mg per day15.7		✓ Nitroderm TTS
* Patch 50 mg, 10 mg per day18.6	2 30	✓ Nitroderm TTS
ISOSORBIDE MONONITRATE		
* Tab 20 mg17.1	0 100	✓ Ismo 20
* Tab long-acting 40 mg7.5	0 30	✓ Ismo 40 Retard
* Tab long-acting 60 mg8.4	9 90	✓ Duride
Sympathomimetics		
Sympathominetics		
ADRENALINE		
Inj 1 in 1,000, 1 ml ampoule - Up to 5 inj available on a PSO4.9	8 5	✓ Aspen Adrenaline
5.2	5	✓ Hospira
Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a		
PSO27.0	0 5	✓ Hospira
49.0	0 10	Aspen Adrenaline
ISOPRENALINE		
* Inj 200 mcg per ml, 1 ml ampoule	0 25	
(164.2		Isuprel
Vasodilators		
vasouliators		
AMYL NITRITE		
* Liq 98% in 0.3 ml cap62.9	2 12	
(73.4		Baxter
HYDRALAZINE HYDROCHLORIDE	•	
* Tab 25 mg – Special Authority see SA1321 on the next page		
- Retail pharmacyCBS	5 1	✓ Hydralazine
Total pharmady	, i 56	✓ Onelink \$29
* Inj 20 mg ampoule		✓ Apresoline
7 III 20 III 41	0	▼ Apicoomic

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

### ⇒SA1321 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Fither:

- 1 For the treatment of refractory hypertension; or
- 2 For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers.

MINOXIDIL	<ul><li>Special</li></ul>	Authority	see SA1271	below - Retail	pharmacy
-----------	---------------------------	-----------	------------	----------------	----------

▲ Tab 10 mg .......70.00 100 Loniten

### ■ SA1271 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where patient has severe refractory hypertension which has failed to respond to extensive multiple therapies.

#### NICORANDIL

▲ Tab 10 mg	27.95	60	✓ Ikorel
▲ Tab 20 mg		60	✓ Ikorel
PAPAVERINE HYDROCHLORIDE  * Inj 12 mg per ml, 10 ml ampoule	217.90	5	✓ Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE]			•
Tab 400 mg	36.94	50	
-	(42.26)		Trental 400

# **Endothelin Receptor Antagonists**

### ⇒SA0967 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

#### AMBRISENTAN - Special Authority see SA0967 above - Retail pharmacy

Tab 5 mg	4,585.00	30	✓ Volibris
Tab 10 mg		30	✓ Volibris
BOSENTAN - Special Authority see SA0967 above - Retail p	harmacy		
Tab 62.5 mg	375.00	56	✓ Mylan-Bosentan
Tab 125 mg	375.00	56	✓ Mylan-Bosentan

# Phosphodiesterase Type 5 Inhibitors

#### ⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon\* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon\*: and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

continued...

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with \* are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 on the previous page	- Retail pharm	acy	
Tab 25 mg	0.75	4	✓ <u>Vedafil</u>
Tab 50 mg	0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page			
221	2.75	4	✓ Vedafil

# **Prostacyclin Analogues**

# ⇒SA0969 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC. PO Box 10-254. WELLINGTON

Ventavis

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

# **Antiacne Preparations**

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 96

#### ADAPAI FNF

a) Maximum of 30 g per prescription

b) Only on a prescription

b) Only on a procomption			
Crm 0.1%	22.89	30 g OP	Differin
Gel 0.1%	22.89	30 g OP	✓ Differin
ISOTRETINOIN - Special Authority see SA1475 below - R	etail pharmacy		
Cap 10 mg	12.47	100	Isotane 10
	14.96	120	Oratane
Cap 20 mg	19.27	100	Isotane 20
	23.12	120	Oratane

# ■ SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

#### **TRFTINOIN**

50 q OP ReTrieve

(Manufacturer's Price) Subsidised Generic Per Manufacturer \$ Antibacterials Topical For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 96 FUSIDIC ACID ✓ DP Fusidic Acid 15 q OP Cream a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination ✓ Foban 15 g OP a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination HYDROGEN PEROXIDE 15 q OP Crystaderm **MUPIROCIN** 15 g OP Bactroban (9.26)a) Only on a prescription b) Not in combination SILVER SUI PHADIAZINE 50 q OP ✓ Flamazine a) Up to 250 g available on a PSO b) Not in combination **Antifungals Topical** For systemic antifungals, refer to INFECTIONS, Antifungals, page 102 **AMOROLFINE** a) Only on a prescription b) Not in combination 5 ml OP MycoNail CICLOPIROX OLAMINE a) Only on a prescription b) Not in combination Nail-soln 8% 6.50 7 ml OP ✓ Apo-Ciclopirox CLOTRIMAZOLE 20 g OP ✓ Clomazol a) Only on a prescription b) Not in combination

Subsidy

Brand or

Fully

(7.55)

20 ml OP

Canesten

a) Only on a prescription b) Not in combination

	Subsidy (Manufacturer's \$	Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
ECONAZOLE NITRATE				
Crm 1%	1.00	20 g OP		
	(7.48)		Р	evaryl
a) Only on a prescription				
b) Not in combination	0.00	0		
Foaming soln 1%, 10 ml sachets		3	-	la ra n d
a) Only on a prescription	(17.23)		Г	evaryl
b) Not in combination				
•				
MICONAZOLE NITRATE  * Crm 2%	0.55	15 g OP	. / N	lultichem
a) Only on a prescription	0.55	15 g OF	<u> </u>	iuiticiieiii
b) Not in combination				
* Lotn 2%	4.36	30 ml OP		
	(10.03)	00 1111 01	D	aktarin
a) Only on a prescription	(10100)		_	
b) Not in combination				
* Tinct 2%	4.36	30 ml OP		
	(12.10)		D	aktarin
a) Only on a prescription				
b) Not in combination				
NYSTATIN				
Crm 100,000 u per g	1.00	15 g OP		
	(7.90)		N	lycostatin
a) Only on a prescription				
b) Not in combination				
<b>Antipruritic Preparations</b>				
CALAMINE				
a) Only on a prescription				
b) Not in combination				
Ćrm, aqueous, BP	1.49	100 g	<b>✓</b> P	harmacy Health
Lotn, BP	12.94	2,000 ml	✓ P	SM
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.37	20 g OP	<b>✓</b> It	ch-Soothe
MENTHOL - Only in combination		•	_	
Only in combination with a dermatological base or property in the combination with a dermatological base or property in the combination.	oprietary Topical	Corticosteriod -	– Plain	refer dermatological base
page 220	op.iotaly lopioal	11000101100	,	
With or without other dermatological galenicals.				
Crystals	6.50	25 g	<b>✓</b> P	SM
5.75.30	6.92	o g		lidWest
	29.60	100 g		lidWest
	20.00	.00 9	¥ 11	

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

# **Corticosteroids Topical**

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 85

A			DI-!
Cortic	:OSTA1	2ทด	- Plain

BE	TAMETHASONE DIPROPIONATE			
	Crm 0.05%	2.96	15 g OP	✓ Diprosone
		8.97	50 g OP	✓ Diprosone
	Crm 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
	Oint 0.05%	2.96	15 g OP	✓ Diprosone
		8.97	50 g OP	Diprosone
	Oint 0.05% in propylene glycol base	4.33	30 g OP	Diprosone OV
BE	TAMETHASONE VALERATE			
*	Crm 0.1%	3.15	50 g OP	✓ Beta Cream
*	Oint 0.1%	3.15	50 g OP	✓ Beta Ointment
*	Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CL	OBETASOL PROPIONATE			
*	Crm 0.05%	2.20	30 g OP	✓ Dermol
•		3.20	22 9 21	✓ Clobetasol BNM
*	Oint 0.05%		30 g OP	✓ Dermol
		3.20	3 -	✔ Clobetasol BNM
CL	OBETASONE BUTYRATE			
OL	Crm 0.05%	5 38	30 g OP	
	OIII 0.00 / 0	(7.09)	30 g Oi	Eumovate
D. I	THOODTOLONE VALEDATE	(1.00)		Lumovaic
DIF	FLUCORTOLONE VALERATE	0.07	50 × 0D	
	Crm 0.1%		50 g OP	Nederica
	Fath raint 0.40/	(15.86)	50 × 0D	Nerisone
	Fatty oint 0.1%		50 g OP	Noricono
		(15.86)		Nerisone
	DROCORTISONE			
*	Crm 1% - Only on a prescription		100 g	✓ Pharmacy Health
	D	16.25	500 g	✓ Pharmacy Health
	Pharmacy Health to be Sole Supply on 1 January 2017	50.50	05	. 4 ADM
*	Powder – Only in combination		25 g	✓ <u>ABM</u>
	Up to 5% in a dermatological base (not proprietary Topical galenicals. Refer, page 220	Corticosteri	iod – Piain) witi	n or without other dermatological
HY	DROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
	Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only			
	on a prescription	10.57	250 ml	✓ DP Lotn HC
HY	DROCORTISONE BUTYRATE			
• •	Lipocream 0.1%	2.30	30 g OP	✓ Locoid Lipocream
	•	6.85	100 g OP	✓ Locoid Lipocream
	Oint 0.1%	6.85	100 g OP	✓ Locoid
	Milky emul 0.1%		100 ml OP	✓ Locoid Crelo
ME	THYLPREDNISOLONE ACEPONATE			
IVIL	Crm 0.1%	4 95	15 g OP	✓ Advantan
	Oint 0.1%		15 g OP	✓ Advantan
	<b>4 4</b> , <b>4</b>		10 g O1	- /14/4/14/1

	0.1.1			-
	Subsidy (Manufacturer's	Price)	Ful Subsidise	
	\$	Pe		Manufacturer
MOMETASONE FUROATE				
Crm 0.1%	1.51	15 g C	)P 🗸	Elocon Alcohol Free
G G	2.90	50 g C		Elocon Alcohol Free
Oint 0.1%	1.51	15 g C		Elocon
	2.90	50 g C	)P 🗸	Elocon
Lotn 0.1%	7.35	30 ml (	OP 🗸	Elocon
TRIAMCINOLONE ACETONIDE				
Crm 0.02%	6.30	100 g	OP 🗸	Aristocort
Oint 0.02%	6.35	100 g		Aristocort
Corticosteroids - Combination				
BETAMETHASONE VALERATE WITH CLIOQUINOL — Only on a	properintion			
Crm 0.1% with clioquinol 3%		15 g C	אס	
OTTH 0.176 WILL CHOQUITOL 376	(4.90)	13 9 0	71	Betnovate-C
DETAMETI IA CONIE VAL EDATE MUTU ELICIDIO ACID	(4.50)			Delilovate o
BETAMETHASONE VALERATE WITH FUSIDIC ACID  Crm 0.1% with fusidic acid 2%	2.40	15 0 (	ND.	
CITI 0.1% WILLI TUSIUIC aciu 2%	(10.45)	15 g C	7	Fucicort
a) Maximum of 15 g per prescription	(10.45)			TUCICOTT
b) Only on a prescription				
HYDROCORTISONE WITH MICONAZOLE - Only on a prescript	tion			
* Crm 1% with miconazole nitrate 2%		15 g C	)P 🗸	Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Or		•	. •	<u> </u>
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		tion 15 g C	ND 4/	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g C	•	Pimafucort
		•	)	rillalucort
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII		IN		
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg		15 - 0	<b>ND</b>	
and gramicidin 250 mcg per g - Only on a prescription		15 g C	P	Viaderm KC
	(6.60)			Vidueilli NC
Disinfecting and Cleansing Agents				
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescription		cordingly.		
* Handrub 1% with ethanol 70%	4.29	500 n	nl 🗸	<u>healthE</u>
* Soln 4% wash	3.98	500 n	nl 🗸	<u>healthE</u>
TRICLOSAN – Subsidy by endorsement				
a) Maximum of 500 ml per prescription				
b)				
a) Only if prescribed for a patient identified with Methicillin-r		ococcus a	aureus (MF	RSA) prior to elective surger
in hospital and the prescription is endorsed accordingly;		ation ===!	ho nv	ation is and averal accounting
b) Only if prescribed for a patient with recurrent Staphylococ				•
Soln 1%		500 ml	-	Pharmacy Health
(Pharmany Hoolth Coln 19/ to be delicted 1 December 2016)	5.90		V	healthE
(Pharmacy Health Soln 1% to be delisted 1 December 2016)				

# Crm 5% pump bottle		Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
### Crm 10% pump bottle		\$	Per	✓ Manufacturer
Marticone   Mart	Barrier Creams and Emollients			
Crm 5% pump bottle	Barrier Creams			
	DIMETHICONE			4
# Crm 10% pump bottle	* Crm 5% pump bottle	4.59	500 ml OP	
Emollients  AQUEOUS CREAM  ★ Crm	* Crm 10% pump bottle	4.90	500 ml OP	✓ healthE
Emollients  AQUEOUS CREAM	ZINC AND CASTOR OIL  * Oint BP	3.83	500 a	✓ Multichem
AQUEOUS CREAM			000 g	• managinam
Set   Common   Set		1.99	500 g	✓ AFT SLS-free
SETOMACROGOL WITH GLYCEROL   Crm 90% with glycerol 10%   2.82   500 ml OP   Sorbolene with   Sorbolene with   Glycerin   Pharmacy Health   Sorbolene with   Glycerin	CETOMACROGOL		ŭ	
Crm 90% with glycerol 10%       2.82       500 ml OP       ✓ Pharmacy Health Sorbolene with Glycerin         3.87       1,000 ml OP       ✓ Pharmacy Health Sorbolene with Glycerin         EMULSIFYING OINTMENT       2.73       500 g       ✓ AFT         EMULSION       2.25       500 g       ✓ OMF Fatty Emulsion Cream         UREA       Crm 10%       1.37       100 g OP       ✓ healthE Urea Cream         WOOL FAT WITH MINERAL OIL — Only on a prescription       5.60       1,000 ml       1,000 ml         WOOL FAT WITH MINERAL OIL — Only on a prescription       (11.95)       DP Lotion         1.40       250 ml OP       4,530       DP Lotion         1.40       250 ml OP       Alpha-Keri Lotion BK Lotion         1.40       250 ml OP       BK Lotion         Other Dermatological Bases       Alpha-Keri Lotion BK Lotion         PARAFFIN       Soo g       ✓ IPW         White soft — Only in combination       20.20       2,500 g       ✓ IPW         1.778       IPW         1.869       PSM		2.74	500 g	✓ <u>healthE</u>
Semulsifying Ointment   Sorbolene with Glycerin		2.82	500 ml OP	
EMULSIFYING OINTMENT  ★ Oint BP		3.87	1,000 ml OP	Pharmacy Health Sorbolene with
DIL IN WATER EMULSION   Cream   Cream	EMULSIFYING OINTMENT			Glyceriii
# Crm	* Oint BP	2.73	500 g	✓ <u>AFT</u>
Cream   Cream   Cream	OIL IN WATER EMULSION	2 25	500 a	✓ O/W Fatty Emulsion
K		2.20	300 g	
WOOL FAT WITH MINERAL OIL − Only on a prescription  Lotn hydrous 3% with mineral oil		1.37	100 a OP	✓ healthE Urea Cream
(11.95) DP Lotion  1.40 250 ml OP  (4.53) DP Lotion  5.60 1,000 ml  (20.53) Alpha-Keri Lotion  (23.91) BK Lotion  1.40 250 ml OP  (7.73) BK Lotion  Other Dermatological Bases  PARAFFIN  White soft − Only in combination 20.20 2,500 g  (7.78) IPW  (8.69) PSM	WOOL FAT WITH MINERAL OIL - Only on a prescription		3 -	
1.40 250 ml OP (4.53) DP Lotion 5.60 1,000 ml (20.53) Alpha-Keri Lotion (23.91) BK Lotion 1.40 250 ml OP (7.73) BK Lotion  Other Dermatological Bases  PARAFFIN White soft − Only in combination 20.20 2,500 g (7.78) IPW (8.69) PSM	* Lotn hydrous 3% with mineral oil		1,000 ml	DB Lation
S.60		, ,	250 ml OP	DF LOUIDIT
(20.53) Alpha-Keri Lotion (23.91) BK Lotion  1.40 250 ml OP (7.73) BK Lotion  Other Dermatological Bases  PARAFFIN White soft − Only in combination 20.20 2,500 g (7.78) IPW (8.69) PSM		, ,		DP Lotion
(23.91) BK Lotion 1.40 250 ml OP (7.73) BK Lotion  Other Dermatological Bases  PARAFFIN White soft − Only in combination 20.20 2,500 g (7.78) IPW (8.69) PSM			1,000 ml	Almha Kavi Latian
1.40 250 ml OP (7.73) BK Lotion  Other Dermatological Bases  PARAFFIN  White soft − Only in combination 20.20 2,500 g IPW  3.58 500 g (7.78) IPW (8.69) PSM		, ,		!
Other Dermatological Bases  PARAFFIN  White soft − Only in combination		, ,	250 ml OP	DIV Editori
PARAFFIN  White soft − Only in combination		(7.73)		BK Lotion
White soft − Only in combination	Other Dermatological Bases			
3.58 500 g (7.78) IPW (8.69) PSM	PARAFFIN			
(7.78) IPW (8.69) PSM	White soft - Only in combination			✓ IPW
(8.69) PSM			500 g	ID)M
only in complication with a contratological galoribal or as a ullustration a proprietary repleat Control Collision — I fall.	Only in combination with a dermatological galenical or a		roprietary Topica	

Brand or

Generic Manufacturer

Fully

Subsidised

Per

·		
Minor Skin Infections		
POVIDONE IODINE		
Oint 10%	7 25 g OP	✓ Betadine
a) Maximum of 100 g per prescription		
b) Only on a prescription	0 500 ml	✓ Betadine
Antiseptic soln 10%	J 500 IIII	✓ Riodine
1.28	3 100 ml	Niouille
(4.20		Riodine
(8.25)	,	Betadine
0.19	9 <sup>°</sup> 15 ml	
(4.45)	5)	Betadine
Skin preparation, povidone iodine 10% with 30% alcohol10.00	0 500 ml	Betadine Skin Prep
1.63		
(3.65	,	Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13		
(18.63	,	Orion
1.63		0.1
(6.04	4)	Orion

Subsidy

(Manufacturer's Price)

\$

## **Parasiticidal Preparations**

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg − Up to 100 tab available on a PSO......17.20 4 Stromectol

- PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

### ■ SA1225 Special Authority for Subsidy

**Initial application — (Scabies)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

# Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:



Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
- 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
- 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scables with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:
      - 2.2.3.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
      - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
      - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

### MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE

Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2% .......11.15 90 q OP ✔ Para Plus (Para Plus Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2% to be delisted 1 January 2017)

### **PFRMFTHRIN**

Crm 5%.	4.20	30 g OP	Lyderm
Lotn 5%.	3.19	30 ml OP	✓ A-Scabies

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	/	
PHENOTHRIN				
Shampoo 0.5%	5.68	100 ml Ol	P /	Parasidose
•	11.36	200 ml OI	P /	Parasidose
Psoriasis and Eczema Preparations				
ACITRETIN - Special Authority see SA1476 below - Retail pharm	acv			
Cap 10 mg	•	60	~	Novatretin
Can 25 mg		60	V	Novatretin

### ⇒SA1476 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL  Gel 500 mcg with calcipotriol 50 mcg per g  Oint 500 mcg with calcipotriol 50 mcg per g		30 g OP 30 g OP	✓ <u>Daivobet</u> ✓ <u>Daivobet</u>
CALCIPOTRIOL			
Crm 50 mcg per g	16.00	30 g OP	Daivonex
	45.00	100 g OP	Daivonex
Oint 50 mcg per g	45.00	100 g OP	Daivonex
Soln 50 mcg per ml	16.00	30 ml OP	Daivonex
(Daivonex Crm 50 mcg per g to be delisted 1 April 2017)			
(Daivonex Crm 50 mcg per g to be delisted 1 April 2017)			
(Daivonex Soln 50 mcg per ml to be delisted 1 April 2017)			
COAL TAR			
Soln BP - Only in combination	32.95	200 ml	✓ Midwest

- 1) Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod Plain, refer dermatological base, page 220
- 2) With or without other dermatological galenicals.
  - b) Midwest to be Sole Supply on 1 January 2017

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully Brand or sidised Generic  Manufacturer
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULP	HUR		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%		75 g OP	
	(8.00)	00 = 00	Egopsoryl TA
	3.43 (4.35)	30 g OP	Egopsoryl TA
COAL TAR WITH CALLOVI IC ACID AND CHILDRING	(4.00)		<u> Едороогуг гд</u>
COAL TAR WITH SALICYLIC ACID AND SULPHUR Soln 12% with salicylic acid 2% and sulphur 4% oint	7 05	40 g OP	✓ Coco-Scalp
		-	V Coco-scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORES!  * Soln 2.3% with trolamine laurilsulfate and fluorescein sodium		a prescription 500 ml	✓ Pinetarsol
		300 1111	rilletaisoi
SALICYLIC ACID  Powder Only in combination	10.00	050 ~	✓ PSM
Powder – Only in combination		250 g	· · · · · · · · · · · · · · · · · · ·
dermatological base, page 220	nictary ropicar	Oorticostcroid	rialli or collodion lickbio, relei
With or without other dermatological galenicals.			
SULPHUR			
Precipitated - Only in combination	6.35	100 g	✓ Midwest
<ol> <li>Only in combination with a dermatological base or propr</li> </ol>	rietary Topical C	orticosteroid -	Plain, refer dermatological base,
page 220			
With or without other dermatological galenicals.			
Scalp Preparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.75	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			,
* Scalp app 0.05%	6.96	30 ml OP	✓ Dermol
HYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid
KETOCONAZOLE			
Shampoo 2%	2.99	100 ml OP	✓ Sebizole
a) Maximum of 100 ml per prescription			
b) Only on a prescription			
Sunscreens			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement		defined about all	and defining and the consequence of
Only if prescribed for a patient with severe photosensitivity sendorsed accordingly.	secondary to a	defined clinical	condition and the prescription is
Crm	3.30	100 g OP	
	(5.89)	9 01	Hamilton Sunscreen
Lotn,		100 g OP	✓ Marine Blue Lotion
		•	SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion
			SPF 50+
Lotn		125 ml OP	A 00
(Aguasun 30+ Lotn to be delisted 1 April 2017)	(6.94)		Aquasun 30+
(Aquasun 30+ Loui to be delisted TApril 2017)			

# **DERMATOLOGICALS**

Subsidy Fully (Manufacturer's Price) Subsidised \$

Brand or Generic Per Manufacturer

# **Wart Preparations**

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 75

**IMIQUIMOD** 

12

✔ Apo-Imiguimod Cream 5%

**PODOPHYLLOTOXIN** 

✓ Condyline 3.5 ml OP

a) Maximum of 3.5 ml per prescription

b) Only on a prescription

### Other Skin Preparations

### **Antineoplastics**

FLUOROURACIL SODIUM

20 g OP ✓ Efudix

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

## **Contraceptives - Non-hormonal**

### **Condoms**

CC	NDOMS		
*	49 mm - Up to 144 dev available on a PSO13.36	144	✓ MarquisTantiliza
			✓ Shield 49
*	52 mm - Up to 144 dev available on a PSO13.36	144	Marquis Selecta
*	52 mm extra strength – Up to 144 dev available on a PSO13.36	144	Marquis Protecta
*	53 mm - Up to 144 dev available on a PSO1.11	12	Gold Knight
			Shield Blue
	13.36	144	Marquis Black
			Shield Blue
*	53 mm (chocolate) – Up to 144 dev available on a PSO1.11	12	Gold Knight
	13.36	144	Gold Knight
*	53 mm (strawberry) – Up to 144 dev available on a PSO1.11	12	Gold Knight
	13.36	144	Gold Knight
*	55 mm - Up to 144 dev available on a PSO13.36	144	Marquis Conforma
*	56 mm - Up to 144 dev available on a PSO1.11	12	Gold Knight
	13.36	144	Durex Extra Safe
			Gold Knight
*	56 mm, shaped – Up to 144 dev available on a PSO1.11	12	Durex Confidence
	13.36	144	Durex Confidence
*	60 mm - Up to 144 dev available on a PSO13.36	144	✓ Shield XL
C	ontraceptive Devices		
אום	APHRAGM - Up to 1 dev available on a PSO		
יוט	One of each size is permitted on a PSO.		
*	•	1	✓ Ortho All-flex
-10	00 11111		♥ Ortho All-lick

*	65 mm42.	.90	1
*	70 mm42.	.90	1
*	75 mm42.	.90	1
*	80 mm42.	.90	1
(Or	tho All-flex 65 mm to be delisted 1 April 2017)		

✔ Ortho All-flex

✓ Ortho All-flex ✓ Ortho All-flex

(Ortho All-flex 70 mm to be delisted 1 April 2017)

(Ortho All-flex 75 mm to be delisted 1 April 2017)

(Ortho All-flex 80 mm to be delisted 1 April 2017)

### INTRA-UTERINE DEVICE

a) Up to 40 dev available on a PSO

b) Only on a PSO

✓ Choice TT380 Short

✔ Choice

TT380 Standard

IUD 35.5 mm length  $\times$  19.6 mm width ......31.60

✔ Choice Load 375

1

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

84

### **Contraceptives - Hormonal**

### Combined Oral Contraceptives

#### **⇒**SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and

Tab 20 mcg with desogestrel 150 mcg and 7 inert tab ................................6.62

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Fither:
  - 1 Patient is on a Social Welfare benefit: or
  - 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### ETHINYLOESTRADIOL WITH DESOGESTREL

		(19.80)			Mercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	above		
	b) Up to 84 tab available on a PSO				
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84		
		(19.80)	-		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	bove		
	b) Up to 84 tab available on a PSO				
СТ	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	2.65	84	~	Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	9.45	84	1	Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63		•
		(16.50)			Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Authority	see SA0500 a	above		•
	b) Up to 63 tab available on a PSO				
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	2.30	84	~	Ava 30 ED

### GENITO-URINARY SYSTEM

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
ETHINYLOESTRADIOL WITH NO	RETHISTERONE					
* Tab 35 mcg with norethisteron on a PSO	e 1 mg - Up to 63 tab available	6.62	63	<b>✓</b> B	revinor 1/21	
* Tab 35 mcg with norethisteron 84 tab available on a PSC	e 1 mg and 7 inert tab – Up to	6.62	84	<b>✓</b> B	revinor 1/28	
	e 500 mcg – Up to 63 tab avail-	6.62	63	<b>✓</b> B	revinor 21	
J .	ne 500 mcg and 7 inert tab – a PSO	6.62	84	✓ N	orimin	

### **Progestogen-only Contraceptives**

### **⇒**SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit: or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

#### LEVONORGESTREL

₩ Tab 20 mag

*	1ab 30 mcg	84	
	(16.50)		Microlut
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA050	00 above	
	b) Up to 84 tab available on a PSO		
*	Subdermal implant (2 $\times$ 75 mg rods)133.65	1	✓ <u>Jadelle</u>
ME	DROXYPROGESTERONE ACETATE		
*	Inj 150 mg per ml, 1 ml syringe - Up to 5 inj available on a PSO7.25	1	✓ Depo-Provera
NC	RETHISTERONE		
	Tab 350 mcg – Up to 84 tab available on a PSO	84	✓ Noriday 28

		GENI	TO-URI	NARY SYSTEM
	Subsidy (Manufacturer's Pric	e) S Per	Fully ubsidised	Brand or Generic Manufacturer
<b>Emergency Contraceptives</b>				
# Tab 1.5 mg	3.50	1	<b>√</b> P	ostinor-1
Antiandrogen Oral Contraceptives  Prescribers may code prescriptions "contraceptive" (code "O") wh prescription charge will be as per other contraceptives, as follows  • \$5.00 prescription charge (patient co-payment) will apply  • prescription may be written for up to six months supply.  Prescriptions coded in any other way are subject to the non cont of supply. ie. Prescriptions may be written for up to three months.  CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL	: raceptive prescripti			
* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up to 168 tab available on a PSO		168	<b>√</b> <u>G</u>	iinet
Gynaecological Anti-infectives				
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul- phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator		100 g OP	A	ci-Jel
CLOTRIMAZOLE	(=)			
* Vaginal crm 1% with applicators	1.60	35 g OP	<b>✓</b> 0	lomazol
Clomazol to be Sole Supply on 1 December 2016  * Vaginal crm 2% with applicators	2.10	20 g OP	<b>✓</b> C	lomazol
MICONAZOLE NITRATE  * Vaginal crm 2% with applicator	3.95	40 g OP	<b>✓</b> <u>N</u>	<u>licreme</u>
NYSTATIN Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	✓ N	ilstat
Myometrial and Vaginal Hormone Preparations				
ERGOMETRINE MALEATE				
Inj 500 mcg per ml, 1 ml ampoule - Up to 5 inj available on a		5	<b>✓</b> <u>D</u>	BL Ergometrine
OESTRIOL  * Crm 1 mg per g with applicator	6.20	15 a OD	./ 0	vestin
* Pessaries 500 mcg		15 g OP 15		vestin
OXYTOCIN – Up to 5 inj available on a PSO				
Inj 5 iu per ml, 1 ml ampoule		5 5	_	xytocin BNM xytocin BNM

81

✓ Syntometrine

OXYTOCIN WITH ERGOMETRINE MALEATE - Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml ......11.13

### GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

### Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE

- a) Up to 200 test available on a PSO
- b) Only on a PSO

Cassette ..... 40 test OP ✓ EasyCheck

### **Urinary Agents**

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 117

### 5-Alpha Reductase Inhibitors

FINASTERIDE - Special Authority see SA0928 below - Retail pharmacy 30 **Finpro** 

### ⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- - 1 Patient has symptomatic benign prostatic hyperplasia; and
  - 2 Either:
    - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
    - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

### Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

\* Cap 400 mcg .......13.51

✓ Tamsulosin-Rex

### ■SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
  - 1 Patient has symptomatic benign prostatic hyperplasia; and
  - 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

### **Other Urinary Agents**

**OXYBUTYNIN** 

500 ✓ Apo-Oxybutynin ✓ Apo-Oxybutynin 473 ml

POTASSIUM CITRATE

Oral lig 3 mmol per ml - Special Authority see SA1083 below 200 ml OP ✓ Riomed 

#### ⇒SA1083 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

### **GENITO-URINARY SYSTEM**

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e)	Subsidised	Generic
	\$	Per	~	Manufacturer
SODIUM CITRO-TARTRATE				
* Grans eff 4 g sachets	2.93	28	<b>√</b> <u>L</u>	<u>Jral</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998	below - Retail pharma	асу		
Tab 5 mg	37.50	30	<b>/</b> \	/esicare
Tab 10 mg	37.50	30	V \	/esicare
⇒SA0998 Special Authority for Subsidy				
<b>nitial application</b> from any relevant practitioner. Approvals overactive bladder and a documented intolerance of, or is non			unless noti	fied where the patient ha
TOLTERODINE - Special Authority see SA1272 below - Reta	ail pharmacy			
Tab 1 mg	14.56	56	V	Arrow-Tolterodine
Tab 2 mg	14.56	56	V	Arrow-Tolterodine
⇒SA1272 Special Authority for Subsidy				
<b>nitial application</b> from any relevant practitioner. Approvals valve bladder and a documented intolerance of, or is non-respondent		ewal unl	ess notified	d where patient has overage
Detection of Substances in Urine				
ORTHO-TOLIDINE				
* Compound diagnostic sticks	7.50 5 (8.25)	50 test C		Hemastix
TETRABROMOPHENOL				

Blue diagnostic strips ......7.02

100 test OP

Albustix

83

(13.92)

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

# Calcium Homeostasis

CAL		

✓ Miacalcic

CINACALCET - Special Authority see SA1618 below - Retail pharmacy

Tab 30 mg - Wastage claimable - see rule 3.3.2 on page 13 .......403.70 Sensipar

### **⇒**SA1618 Special Authority for Subsidy

Initial application only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 All of the following:
  - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
  - 1.2 The patient has persistent hypercalcaemia (serum calcium > 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
  - 1.3 The patient is symptomatic; or
- 2 All of the following:
  - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
  - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium ≥ 3 mmol/L); and
  - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

### **ZOLEDRONIC ACID**

Inj 4 mg per 5 ml, vial - Special Authority see SA1512 below ✓ Zoledronic acid - Retail pharmacy ......84.50 Mvlan ✓ Zometa 550.00

### ⇒SA1512 Special Authority for Subsidy

Initial application only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
  - 2.1 Patient has bone metastases or involvement; and
  - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
  - 3.1 Patient has bone metastases or involvement; and
  - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer Corticosteroids and Related Agents for Systemic Use BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE 5 Celestone (36.96)Chronodose DEXAMETHASONE 30 Dexmethsone Up to 60 tab available on a PSO 30 Dexmethsone Up to 30 tab available on a PSO Oral lig 1 mg per ml - Retail pharmacy-Specialist ......45.00 25 ml OP Biomed Oral lig prescriptions: 1) Must be written by a Paediatrician or Paediatric Cardiologist; or 2) On the recommendation of a Paediatrician or Paediatric Cardiologist. DEXAMETHASONE PHOSPHATE Dexamethasone phosphate injection will not be funded for oral use. ✓ Max Health Inj 4 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSO .......14.19 10 Inj 4 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO .......12.59 5 Max Health FLUDROCORTISONE ACETATE Tab 100 mcg ......14.32 ✓ Florinef 100 **HYDROCORTISONE** Tab 5 mg ......8.10 ✓ Douglas 100 Tab 20 mg - For hydrocortisone oral liquid formulation refer. page 221 ......20.32 100 Douglas ✓ Solu-Cortef Inj 100 mg vial .......5.30 a) Up to 5 ini available on a PSO b) Only on a PSO METHYLPREDNISOLONE - Retail pharmacy-Specialist 100 Medrol 20 ✓ Medrol METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retail pharmacy-Specialist ✓ Solu-Medrol 1 1 ✓ Solu-Medrol Inj 500 mg vial ......9.00 ✓ Solu-Medrol 1 ✓ Solu-Medrol Ini 1 q vial .......16.00 1 METHYLPREDNISOLONE ACETATE Inj 40 mg per ml, 1 ml vial ......40.00 5 ✓ Depo-Medrol METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNOCAINE] Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial .....................9.25 ✓ Depo-Medrol with Lidocaine **PREDNISOLONE** 

30 ml OP

Redipred

Oral liq 5 mg per ml - Up to 30 ml available on a PSO ......7.50

Restricted to children under 12 years of age.

		Subsidy (Manufacturer's Pri \$	ice) Per	Fully Subsidised	Brand or Generic Manufacturer
PR	EDNISONE				
*	Tab 1 mg	2.13	100	✓ A	po-Prednisone
					S29 S29
		10.68	500	✓ A	po-Prednisone
*	Tab 2.5 mg	12.09	500	✓ A	po-Prednisone
*	Tab 5 mg - Up to 30 tab available on a PSO	11.09	500	✓ A	po-Prednisone
*	Tab 20 mg	29.03	500	✓ A	po-Prednisone
TE	TRACOSACTRIN				
*	Inj 250 mcg per ml, 1 ml ampoule	75.00	1	✓ S	vnacthen
*	Inj 1 mg per ml, 1 ml ampoule		1	✓ S	ynacthen Depot
TR	AMCINOLONE ACETONIDE			,	
	Inj 10 mg per ml, 1 ml ampoule	20.80	5	✓ K	enacort-A 10
	Inj 40 mg per ml, 1 ml ampoule		5	· . —	enacort-A 40
	,g po,			·	

### **Sex Hormones Non Contraceptive**

### **Androgen Agonists and Antagonists**

CYPROTERONE ACETATE – Retail pharmacy-Specialist Tab 50 mg Tab 100 mg		50 50	✓ Procur ✓ Procur
TESTOSTERONE Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist Inj 100 mg per ml, 10 ml vial	76.50	1	✓ <u>Depo-Testosterone</u>
TESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.98	1	✓ Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialist			
Cap 40 mg	16.80	60	Andriol Testocaps
Inj 250 mg per ml, 4 ml vial	86.00	1	✓ Reandron 1000

### **Hormone Replacement Therapy - Systemic**

### **Prescribing Guideline**

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's Price) \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
Oestrogens				
OESTRADIOL - See prescribing guideline on the previous page				
* Tab 1 mg	4.12	28 OP		
	(11.10)		Es	strofem
* Tab 2 mg		28 OP	_	
# TDD0 7 0	(11.10)		E	strofem
* TDDS 7.8 mg (releases 100 mcg of oestradiol per day)		4	0	
a) No second the set of sectors as second to	(16.14)		Ci	limara 100
a) No more than 1 patch per week				
b) Only on a prescription	6.10	0		ntun dat
* Patch 25 mcg per day	0.12	8	V <u>E</u>	<u>stradot</u>
a) No more than 2 patch per week     b) Only on a prescription				
* TDDS 3.9 mg (releases 50 mcg of oestradiol per day)	A 12	4		
* TBBO 5.5 mg (releases 50 meg of destraction per day)	(13.18)	7	CI	limara 50
a) No more than 1 patch per week	(10.10)		O.	iiiiaa oo
b) Only on a prescription				
* Patch 50 mcg per day	7.04	8	<b>✓</b> E	stradot 50 mcg
a) No more than 2 patch per week		•		<b>3</b>
b) Only on a prescription				
c) Estradot 50 mcg to be Sole Supply on 1 January 2017				
* Patch 100 mcg per day	7.91	8	<b>✓</b> Es	stradot
a) No more than 2 patch per week				
b) Only on a prescription				
c) Estradot to be Sole Supply on 1 January 2017				
(Climara 100 TDDS 7.8 mg (releases 100 mcg of oestradiol per d				
(Climara 50 TDDS 3.9 mg (releases 50 mcg of oestradiol per day,	) to be delisted 1 Jar	nuary 2	017)	
OESTRADIOL VALERATE - See prescribing guideline on the pre	evious page			
* Tab 1 mg	12.36	84	<b>✓</b> <u>P</u> ı	rogynova
* Tab 2 mg	12.36	84	<b>✓</b> Pı	rogynova
OESTROGENS - See prescribing guideline on the previous page	<u>a</u>			
* Conjugated, equine tab 300 mcg		28		
The conjugation, equition and cooking international intern	(11.48)	_0	Pr	remarin
* Conjugated, equine tab 625 mcg		28		
	(11.48)		Pr	remarin
Progestogens	,			
MEDROXYPROGESTERONE ACETATE - See prescribing guide				
* Tab 2.5 mg		30		rovera
* Tab 5 mg		100		rovera
* Tab 10 mg	7.15	30	<b>✓</b> <u>P</u> 1	<u>rovera</u>

		Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
P	rogestogen and Oestrogen Combined Preparat	tions			
0E	STRADIOL WITH NORETHISTERONE - See prescribing guid	deline on page 86			
*	Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP	K	liovance
*	Tab 2 mg with 1 mg norethisterone acetate	` '	28 OP		liogest
*	Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)	( )	28 OP		
	0001144107 tas (12) and 1 mg 0001144107 tas (0) 111111111111	(18.10)	_0 0.	Tr	risequens
	STROGENS WITH MEDROXYPROGESTERONE - See pres	cribing guideline on	page 8	6	
*	Tab 625 mcg conjugated equine with 2.5 mg medroxyproges-	F 40	00 OD		
	terone acetate tab (28)	(22.96)	28 OP	Р	remia 2.5 Continuous
*	Tab 625 mcg conjugated equine with 5 mg medroxyproges-				2.0 00
	terone acetate tab (28)	5.40	28 OP		
		(22.96)		Р	remia 5 Continuous
0	ther Oestrogen Preparations				
ΕΤ	HINYLOESTRADIOL				
*	Tab 10 mcg	17.60	100	<b>✓</b> <u>N</u>	Z Medical and Scientific
0E	STRIOL				
*	Tab 2 mg	7.00	30	<b>~</b> 0	vestin
0	ther Progestogen Preparations				
E'	/ONORGESTREL				
v.	Intro utorino quotom 20 mag nor dou Chasial Authority and				

Intra-uterine system 20 mcg per day - Special Authority see Mirena

### ► SA1608 | Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Either:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
MEDROXYPROGESTERONE ACETATE  * Tab 100 mg - Retail pharmacy-Specialist	101.00	100	<b>√</b> <u>Pr</u>	rovera HD	
NORETHISTERONE  * Tab 5 mg - Up to 30 tab available on a PSO	18.29	100	<b>✓</b> <u>Pr</u>	rimolut N	
PROGESTERONE  Cap 100 mg - Special Authority see SA1609 below - Retail					
pharmacy	16.50	30	<b>✓</b> <u>Ut</u>	trogestan	

► SA1609 | Special Authority for Subsidy

**Initial application** only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour\*; and
- 2 Either:
  - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

**Renewal** only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour\*; and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Either:
  - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

# **Thyroid and Antithyroid Agents**

CARBIMAZOLE			
* Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg		90	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
* Tab 50 mcg	4.05	90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
* Tab 100 mcg	4.21	90	✓ Synthroid
	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
LEVOTHYROXINE (MERCURY PHARMA)			
* Tab 50 mcg	1.71	28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liquid			
* Tab 100 mcg	1.78	28	Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
PROPYLTHIOURACIL - Special Authority see SA1199 on the next	t page – Retail i	pharmacy	
Propylthiouracil is not recommended for patients under the age	of 18 years unl	ess the patie	ent is pregnant and other treatments
are contraindicated.			
Tab 50 mg	35.00	100	✓ PTU S29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

### ⇒SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

### **Trophic Hormones**

### **Growth Hormones**

SO	MATROPIN (OMNITROPE) - Special Authority see SA14	51 below – Retail pharr	nacy	
*	Inj 5 mg cartridge	109.50	1	Omnitrope
*	Inj 10 mg cartridge	219.00	1	✓ Omnitrope
*	Ini 15 ma cartridae	328 50	1	✓ Omnitrone

### ⇒SA1451 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

#### Fither:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient seguelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
  - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
  - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
  - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
  - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon followup laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
  - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is  $\geq 2.0$  cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

continued...

3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity ≥ 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is ≥ 2 cm per year, calculated over six months; and
- 3 A current bone age is  $\leq$  14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

**Initial application** — **(short stature due to chronic renal insufficiency)** only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and</p>
- 3 A current bone age is  $\leq$  to 14 years (female patients) or  $\leq$  to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
  - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m<sup>2</sup> as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m<sup>2</sup> in a child who may or may not be receiving dialysis; or
  - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is > 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred;
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient's height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 Either:
  - 3.1 The patient is under two years of age and height velocity has been assessed over a minimum six month period from the age of 12 months, with at least three supine length measurements over this period demonstrating clear and consistent evidence of linear growth failure (with height velocity < 25th percentile); or
  - 3.2 The patient is aged two years or older; and
- 4 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 5 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 6 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g., surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of  $\leq 3$  mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of  $\leq 0.4$  mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
  - 1.1 The patient has been treated with somatropin for < 12 months; and
  - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
  - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
  - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
  - 2.1 The patient has been treated with somatropin for more than 12 months; and
  - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
  - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
  - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

# **GnRH Analogues**

GOSERELIN			
Implant 3.6 mg, syringe	66.48	1	Zoladex
Zoladex to be Sole Supply on 1 December 2016			
Implant 10.8 mg, syringe	177.50	1	Zoladex
Zoladex to be Sole Supply on 1 December 2016			

93

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
LEUPRORELIN				
Inj 3.75 mg prefilled dual chamber syringe	221.60	1	<b>✓</b> L	ucrin Depot 1-month
Inj 7.5 mg syringe with diluent	166.20	1	<b>√</b> E	ligard 1 Month
Inj 11.25 mg prefilled dual chamber syringe	591.68	1	<b>√</b> L	ucrin Depot 3-month
Inj 22.5 mg syringe with diluent	443.76	1	<b>√</b> E	ligard 3 Month
Inj 30 mg prefilled dual chamber syringe	1,109.40	1	<b>✓</b> L	ucrin Depot 6-month
Inj 45 mg syringe with diluent	832.05	1	<b>✓</b> E	ligard 6 Month
(Eligard 1 Month Inj 7.5 mg syringe with diluent to be delisted 1 Ju (Eligard 3 Month Inj 22.5 mg syringe with diluent to be delisted 1 Ju (Eligard 6 Month Inj 45 mg syringe with diluent to be delisted 1 Ju	June 2017)			

### Vasopressin Agonists

#### DESMOPRESSIN ACETATE

Tab 100 mcg - Special Authority see SA1401 below - Retail pharmacy	25.00	30	✓ Minirin
Tab 200 mcg - Special Authority see SA1401 below - Retail pharmacy	54.45	30	✓ Minirin
Nasal drops 100 mcg per ml — Retail pharmacy-Specialist Nasal spray 10 mcg per dose — Retail pharmacy-Specialist	39.03	2.5 ml OP 6 ml OP	Minirin Desmopressin- PH&T
Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below – Retail pharmacy	67.18	10	<u>Fπατ</u> ✓ Minirin

### ■ SA1401 | Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

### Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# Other Endocrine Agents

#### CABERGOLINE

		Tab 0.5 mg - Maximum of 2 tab per prescription; can be
2  ✓ Dostinex	2	waived by Special Authority see SA1370 on the next page4.75
8  ✓ <u>Dostinex</u>	8	19.00

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

### **⇒**SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly\*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with \* is an Unapproved indication.

CLOMIPHENE CITRATE Tab 50 mg	29.84	10	✓ Mylan
			Clomiphen S29 ✓ Serophene
DANAZOL			
Cap 100 mg	68.33	100	✓ Azol
Cap 200 mg	97.83	100	✓ Azol
METYRAPONE  Cap 250 mg - Retail pharmacy-Specialist	520.00	50	✓ Metopirone

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

### **Anthelmintics**

ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy 60 ✓ Eskazole \$29

### **⇒**SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOLE - Only on a prescription

Tab 100 mg	24.19	24	De-Worm
Oral liq 100 mg per 5 ml	2.18	15 ml	
	(7.17)		Vermox

PRAZIQUANTFI

✓ Biltricide Tab 600 mg .......68.00

### **Antibacterials**

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 68
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 213

## Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE  Cap 250 mg	24.70	100	✓ Ranbaxy-Cefactor
Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 13		100 ml	✓ Ranbaxy-Cefaclor
CEFALEXIN			
Cap 250 mg	3.50	20	Cephalexin ABM
Cephalexin ABM to be Sole Supply on 1 January 2017			
Cap 500 mg	3.95	20	Cephalexin ABM
Grans for oral liq 25 mg per ml - Wastage claimable - see			
rule 3.3.2 on page 13	8.00	100 ml	Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in amour	nts more than 1	4 days treatm	ent per dispensing.
Grans for oral liq 50 mg per ml - Wastage claimable - see			
rule 3.3.2 on page 13		100 ml	Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in amou	nts more than 1	4 days treatm	ent per dispensing.
CEEAZOLINI Subsidia by andersoment			

#### CEFAZOLIN – Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordinaly.

Inj 500 mg vial	3.99	5	✓ AFT
Inj 1 g vial	3.38	5	✓ <u>AFT</u>

14

50 ml

100

✓ Apo-Clarithromycin

✓ Klacid

/ E Musin

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		sidised	Generic
	\$	Per		Manufacturer
CEFTRIAXONE – Subsidy by endorsement				
a) Up to 5 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibro	osis patient, or the tre	eatment of	gonorr	hoea, or the treatment of
pelvic inflammatory disease, or the treatment of suspected in	meningitis in patients	who have	a know	n allergy to penicillin, and
the prescription or PSO is endorsed accordingly.				
Inj 500 mg vial	1.20	1	<b>✓</b> D	EVA
•	(1.50)		C	eftriaxone-AFT
DEVA to be Sole Supply on 1 February 2017				
Inj 1 g vial	0.84	1	<b>✓</b> D	EVA
	5.22	5	V C	eftriaxone-AFT
(Ceftriaxone-AFT Inj 500 mg vial to be delisted 1 February 2017)				
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the pre-	scription is endorsed a	accordingl	V.	
Tab 250 mg	•	50	🗸 Zi	nnat
Maavalidaa				
Macrolides				
AZITHROMYCIN – Maximum of 5 days treatment per prescription	n: can be waived by e	endorseme	ent	
For Endorsement, patient has either:	.,			
Received a lung transplant and requires treatment or pro	phylaxis for bronchiol	itis oblitera	ans svn	drome*: or
2) Cystic fibrosis and has chronic infection with Pseudomo				
isms*.	ŭ			
Indications marked with * are Unapproved Indications				
Tab 250 mg	9.00	30	✓ A	po-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSO	1.05	2	✓ A	po-Azithromycin
Grans for oral lig 200 mg per 5 ml (40 mg per ml) - Wastage	)			
claimable – see rule 3.3.2 on page 13	12.50	15 ml	✓ Zi	thromax
CLARITHROMYCIN – Maximum of 500 mg per prescription; can	be waived by Specia	I Authority	see SA	1131 below
T	. 25aivou by opoolu		200 01	

### ■SA1131 Special Authority for Waiver of Rule

Tab 250 mg .......3.98

rule 3.3.2 on page 13 ......23.12

Grans for oral liq 250 mg per 5 ml - Wastage claimable - see

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

16.05

**Renewal — (Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

# ERYTHROMYCIN ETHYL SUCCINATE

1ab 400 mg	10.93	100	<b>V</b> ⊏-IVIYCIII
a) Up to 20 tab available on a PSO			•
b) Up to 2 x the maximum PSO quantity for RFPP - see re	ule 5.2.6 on page	18	
Grans for oral liq 200 mg per 5 ml	5.00	100 ml	E-Mycin
a) Up to 300 ml available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP - see re	ule 5.2.6 on page	18	
c) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	E-Mycin
a) Up to 200 ml available on a PSO			

b) Wastage claimable - see rule 3.3.2 on page 13

	Subsidy		Fully Brand or	
	(Manufacturer's Pri \$	ce) Sub Per	osidised Generic  Manufacturer	
ERYTHROMYCIN LACTOBIONATE	·			_
Inj 1 g	16.00	1	✓ Erythrocin IV	
	10.00	'	Eryunochriv	
ERYTHROMYCIN STEARATE	44.05	400		
Tab 250 mg - Up to 30 tab available on a PSO		100	EDA.	
Tob 500 mg	(22.29)	100	ERA	
Tab 500 mg	(44.58)	100	ERA	
DOWELL DOLLAR COLL	(44.50)		LIIA	
ROXITHROMYCIN	7.40		4.	
Tab 150 mg	7.48	50	✓ Arrow-	
			Roxithromycin	
Tab 300 mg	14.40	50	✓ Arrow-	
			Roxithromycin	
Penicillins				
AMOXICILLIN				
Cap 250 mg	14.97	500	✓ Apo-Amoxi	
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – see	rule 5.2.6 on page	18		
Cap 500 mg	16.75	500	✓ Apo-Amoxi	
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – see				
Grans for oral liq 125 mg per 5 ml		100 ml	✓ Amoxicillin Actavis	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2.00		✓ Ospamox	
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.07	100 1	. A Amandaillin Aatanda	
Grans for oral liq 250 mg per 5 ml	2.00	100 ml	✓ Amoxicillin Actavis	
a) I In to 200 ml available on a PSO	2.00		✓ Ospamox	
<ul><li>a) Up to 300 ml available on a PSO</li><li>b) Up to 10 x the maximum PSO quantity for RFPP – see</li></ul>	rulo 5 2 6 on nago	10		
c) Wastage claimable – see rule 3.3.2 on page 13	rule 5.2.0 orr page	10		
Inj 250 mg vial	10.67	10	✓ Ibiamox	
Inj 500 mg vial		10	✓ Ibiamox	
Inj 1 g vial – Up to 5 inj available on a PSO		10	<b>✓</b> Ibiamox	
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg - Up to 30 tab avail- able on a PSO		20	✓ Augmentin	
Grans for oral liq amoxicillin 125 mg with clavulanic acid		20	Augmentin	
31.25 mg per 5 ml		100 ml	✓ Augmentin	
a) Up to 200 ml available on a PSO		100 1111	Augmentin	
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq amoxicillin 250 mg with clavulanic acid				
62.5 mg per 5 ml		100 ml	✓ Augmentin	
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj				
available on a PSO		10	✓ Bicillin LA	

	Subsidy (Manufacturer's F	Orion\	Fully Subsidised	
	(Manufacturer's F \$	Per	Subsidised •	
BENZYLPENICILLIN SODIUM (PENICILLIN G)				
Inj 600 mg (1 million units) vial – Up to 5 inj available on a	ı			
PSO		10	~	Sandoz
FLUCLOXACILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	18.70	250	~	Staphlex
Cap 500 mg		500		Staphlex
Grans for oral lig 25 mg per ml		100 ml		AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable - see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 ml	~	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Inj 250 mg vial		10		Flucloxin
Inj 500 mg vial		10		Flucloxin
Inj 1 g vial – Up to 10 inj available on a PSO	11.60	10		<u>Flucloxin</u>
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg - Up to 30 cap available on a PSO	2.88	50		Cilicaine VK
Cap 500 mg	4.73	50	~	Cilicaine VK
a) Up to 20 cap available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP – see r				
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	•	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	1 50	100 ml	.,	AFT
Grans for oral liq 250 mg per 5 ml	1.30	100 1111	•	<u>AFI</u>
b) Up to 2 x the maximum PSO quantity for RFPP – see ri	ule 5 2 6 on nage	18		
c) Wastage claimable – see rule 3.3.2 on page 13	uic 3.2.0 on page	. 10		
of vaciage dalinable decide 0.0.2 on page 10				
, ,				
PROCAINE PENICILLIN	123 50	5	<b>,</b>	Cilicaine
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe - Up to 5 inj available on a PSO	123.50	5	V	<u>Cilicaine</u>
PROCAINE PENICILLIN	123.50	5	V	<u>Cilicaine</u>
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines	123.50	5	•	<u>Cilicaine</u>
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE		5 30	<b>V</b>	Cilicaine
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE			<b>V</b>	Cilicaine  Doxy-50
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO	2.90 (6.00)			
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO  * Tab 100 mg – Up to 30 tab available on a PSO	2.90 (6.00)	30		Doxy-50
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE	2.90 (6.00) 6.75	30		Doxy-50
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE  * Tab 50 mg – Additional subsidy by Special Authority see	2.90 (6.00) 6.75	30 250		Doxy-50
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE	2.90 (6.00) 6.75	30	V	Doxy-50 <b>Doxine</b>
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO  * Tab 100 mg – Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE  * Tab 50 mg – Additional subsidy by Special Authority see SA1355 below – Retail pharmacy	2.90 (6.00) 6.75	30 250	V	Doxy-50
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE  * Tab 50 mg – Additional subsidy by Special Authority see SA1355 below – Retail pharmacy	2.90 (6.00) 6.75	30 250 60	V	Doxy-50 <b>Doxine</b>
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO  * Tab 100 mg – Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE  * Tab 50 mg – Additional subsidy by Special Authority see SA1355 below – Retail pharmacy	2.90 (6.00) 6.75 5.79 (12.05) 19.32	30 250 60	V	Doxy-50 Doxine Mino-tabs
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg – Up to 30 tab available on a PSO  * Tab 100 mg – Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE  * Tab 50 mg – Additional subsidy by Special Authority see SA1355 below – Retail pharmacy	2.90 (6.00) 6.75 5.79 (12.05) 19.32 (52.04)	30 250 60 100	V	Doxy-50 Doxine  Mino-tabs  Minomycin
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe — Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg — Up to 30 tab available on a PSO  * Tab 100 mg — Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE  * Tab 50 mg — Additional subsidy by Special Authority see SA1355 below — Retail pharmacy	2.90 (6.00) 6.75 5.79 (12.05) 19.32 (52.04)	30 250 60 100	V	Doxy-50 Doxine  Mino-tabs  Minomycin
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE * Tab 50 mg – Up to 30 tab available on a PSO  * Tab 100 mg – Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE * Tab 50 mg – Additional subsidy by Special Authority see SA1355 below – Retail pharmacy  * Cap 100 mg  * SA1355 Special Authority for Manufacturers Price Initial application from any relevant practitioner. Approvals varosacea.	2.90 (6.00) 5.75 (12.05) 19.32 (52.04)	30 250 60 100 er renewal u	V	Doxy-50 Doxine  Mino-tabs  Minomycin
PROCAINE PENICILLIN Inj 1.5 g in 3.4 ml syringe − Up to 5 inj available on a PSO  Tetracyclines  DOXYCYCLINE  * Tab 50 mg − Up to 30 tab available on a PSO  * Tab 100 mg − Up to 30 tab available on a PSO  MINOCYCLINE HYDROCHLORIDE  * Tab 50 mg − Additional subsidy by Special Authority see SA1355 below − Retail pharmacy	2.90 (6.00) 5.79 (12.05) 19.32 (52.04) lid without furthe	30 250 60 100 er renewal u	vinless no	Doxy-50 Doxine  Mino-tabs  Minomycin

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

### **⇒**SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

### Other Antibiotics

For topical antibiotics, refer to DERMATOLOGICALS, page 68

#### CIPROFLOXACIN

Recommended for patients with any of the following:

- i) microbiologically confirmed and clinically significant pseudomonas infection; or
- ii) prostatitis; or
- iii) pyelonephritis; or
- iv) gonorrhoea.

Tab 250 mg – Up to 5 tab available on a PSO	28	✓ Cipflox
Tab 500 mg - Up to 5 tab available on a PSO2.00	28	✓ Cipflox
Tab 750 mg3.75	28	✓ Cipflox

#### CLINDAMYCIN

Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip-			
tion; can be waived by endorsement - Retail pharmacy -			
Specialist	4.10	16	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml ampoule - Retail			

### CO-TRIMOXAZOI F

*	Tab trimethoprim 80 mg and sulphamethoxazole 400 mg	_		
	Up to 30 tab available on a PSO	22.90	500	Trisul

*	Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg		
	per 5 ml – Up to 200 ml available on a PSO 2.15	100 ml	✓ Deprim

### COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - Subsidy by endorsement

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly.

Inj 150 mg	 	 	65.00	1	✓ Colistin-Link

### FUSIDIC ACID

#### GENTAMICIN SUI PHATE

Inj 10 mg per ml, 1 ml – Subsidy by endorsement	8.56 5	✓ Hospira
Only if prescribed for a dialysis or cystic fibrosis patient o	r complicated urinary tract infection	on and the prescription is endorsed
accordingly.		

Inj 10 mg per ml, 2 ml – Subsidy by endorsement .......175.10 25

Pharmaceuticals \$29

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordinaly.

Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement...............6.00 10 ✓ Pfizer 30.00 50 ✓ Pfizer

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

10

✔ Dalacin C

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
MOXIFLOXACIN – Special Authority see SA1358 below – Retail No patient co-payment payable Tab 400 mg	,	5	✓ Av	/elox

### ⇒SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 Active tuberculosis\*: and
  - 1.2 Any of the following:
    - 1.2.1 Documented resistance to one or more first-line medications; or
    - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
    - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
    - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
    - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications;
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.\*.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium\*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 below - Retail pharmacv

Cap 250 mg ......126.00 16 ✓ Humatin S29

#### ⇒SA1324 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy

✓ Daraprim S29 30 36.95 50 ✓ Daraprim S29

### ⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

	Subsidy (Manufacturer's Price \$	) Sub Per	Fully Brand or sidised Generic Manufacturer
ULFADIAZINE SODIUM - Special Authority see SA1331 below Tab 500 mg		56	✓ Wockhardt S29
■ SA1331 Special Authority for Subsidy  itial application from any relevant practitioner. Approvals valid ne following criteria:  iny of the following:  1 For the treatment of toxoplasmosis in patients with HIV for			s notified for applications meetir
For pregnant patients for the term of the pregnancy; or     For infants with congenital toxoplasmosis until 12 months	•	110, 01	
OBRAMYCIN			
Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and t Solution for inhalation 60 mg per ml, 5 ml – Subsidy by en-		5 ndorsed acc	✓ DBL Tobramycin cordingly.
dorsement	2,200.00	56 dose	✓ TOBI
a) Wastage claimable – see rule 3.3.2 on page 13			
b) Only if prescribed for a cystic fibrosis patient and the pre	escription is endorse	d according	gly.
RIMETHOPRIM	45.00		4 THD
← Tab 300 mg - Up to 30 tab available on a PSO	15.00	50	✓ <u>TMP</u>
ANCOMYCIN – Subsidy by endorsement			
Only if prescribed for a dialysis or cystic fibrosis patient or for p		carditis or fo	or treatment of Clostridium diffici
following metronidazole failure and the prescription is endorse Inj 500 mg	0,	1	✓ Mylan
. •	2.04	ı	<u> iviylall</u>
Antifungals			
) For topical antifungals refer to DERMATOLOGICALS, page 68			
For topical antifungals refer to GENITO URINARY, page 81			
LUCONAZOLE			
Cap 50 mg - Retail pharmacy-Specialist	3.49	28	✓ Ozole
Cap 150 mg – Subsidy by endorsement		1	✓ Ozole
a) Maximum of 1 cap per prescription; can be waived by en		pharmacy -	
b) Patient has vaginal candida albicans and the practitions	er considers that a t	opical imid	azole (used intra-vaginally) is n
recommended and the prescription is endorsed accordingly	y; can be waived by	endorseme	ent - Retail pharmacy - Specialis
Cap 200 mg - Retail pharmacy-Specialist	9.69	28	✓ Ozole
Powder for oral suspension 10 mg per ml - Special Authority			
see SA1359 below - Retail pharmacy		35 ml	✓ Diflucan S29 S29
	98.50		✓ Diflucan
Wastage claimable – see rule 3.3.2 on page 13			
0.4.4050 O			
MSA1359   Special Alithority for Slinelly			
SA1359 Special Authority for Subsidy iitial application — (Systemic candidiasis) from any relevant	practitioner Approv	als valid for	6 weeks for applications meeti

### Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	5	Subsidised	Generic	
\$	Per	~	Manufacturer	

#### continued...

- 1 Patient is immunocompromised: and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

### All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

#### ITRACONAZOLE

Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology, or for tinea unguium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement - Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 below

Tab 200 mg - PCT - Retail pharmacy-Specialist - Subsidy

### ⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

### KETOCONAZOLE

by endorsement	CBS	30	<ul><li>✓ Link Healthcare \$29</li><li>✓ Nizoral \$29</li></ul>
Prescriptions must be written by, or on the recommend	lation of an oncolog	ist	
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 on the ne	xt page – Retail ph	armacy	
Tab modified-release 100 mg	869.86	24	✓ Noxafil
Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### **⇒**SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy\*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression\* and requires on going posaconazole treatment.

Note: \* Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids ( $\geq 1$  mg per kilogram of body weight per day for patients with acute GVHD or  $\geq 0.8$  mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

#### **TERBINAFINE**

* Tab 250 mg - For terbinafine oral liquid formulation refer, page 221	1.50	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE - Special Authority see SA1273 on the next page -	- Retail pharm	acy	
Tab 50 mg	130.00	56	✓ Vttack
Tab 200 mg	500.00	56	✓ Vttack
Powder for oral suspension 40 mg per ml - Wastage			
claimable – see rule 3.3.2 on page 13	876.00	70 ml	✓ Vfend

Fully Brand or Subsidy (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

### ■ SA1273 | Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient has proven or probable invasive aspergillus infection; or
  - 3.2 Patient has possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis: or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
  - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis: or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

### **Antimalarials**

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

Tab 7.5 mg .......117.00 Primacin S29

### ⇒SA1326 | Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

### **Antiparasitics**

### **Antiprotozoals**

#### QUININE SULPHATE

\* Tab 300 mg ......61.91 ✓ Q 300 500

‡ Safety cap for extemporaneously compounded oral liquid preparations.

# Antitrichomonal Agents

METRONIDAZOLE			
Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg	18.15	100	✓ Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	23.00	10	✓ Arrow-Ornidazole

105

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ Antituberculotics and Antileprotics Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status. CLOFAZIMINE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist. 100 ✓ Lamprene \$29 CYCLOSERINE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician. Cap 250 mg ......1,294.50 100 ✓ King S29 DAPSONE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist Tab 25 mg ......95.00 100 Dapsone 100 ✓ Dapsone ETHAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician Tab 100 mg .......48.01 56 ✓ Myambutol S29 56 ✓ Myambutol \$29 ISONIAZID - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician 100 ✓ PSM Tab 100 mg with rifampicin 150 mg ......85.54 100 Rifinah 100 Rifinah PARA-AMINO SALICYLIC ACID - Retail pharmacy-Specialist a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist. ✓ Paser \$29 PROTIONAMIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist. ✓ Peteha S29 100 PYRAZINAMIDE - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or

Tab 500 mg - For pyrazinamide oral liquid formulation refer,

respiratory physician

✓ AFT-Pyrazinamide

100

Subsidy (Manufacturer's Price)	Fully Subsidised			
(Wandactier 31 hoe)	Per	siuiseu 🗸	Manufacturer	

#### RIFABUTIN - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist
- \* Cap 150 mg − For rifabutin oral liquid formulation refer, page
  221 ......275.00 30 ✓ Mycobutin

### RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement Retail pharmacy Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Cap 150 mg55.75	100	✓ Rifadin
*	Cap 300 mg116.25	100	✓ Rifadin
*	Oral liq 100 mg per 5 ml	60 ml	✓ Rifadin

### **Antivirals**

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 213

### **Hepatitis B Treatment**

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail p	harmacy	
Tab 10 mg67	70.00 30	Hepsera

### ■ SA0829 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic; and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic; and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

**Renewal** only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

✓ Baraclude

### ⇒SA1361 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

#### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
  of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
  commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
  fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

 Tab 100 mg
 6.00
 28
 ✓ Zeffix

 Oral lig 5 mg per ml
 270.00
 240 ml
 ✓ Zeffix

### ⇒SA1360 Special Authority for Subsidy

**Initial application** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

**Renewal** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine: and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100.000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
  - 2.2 Patient is cirrhotic; and
    - Documented resistance to lamivudine, defined as:
  - 2.3 Patient has raised serum ALT (>  $1 \times ULN$ ); and
  - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1  $\times$  ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

# **Herpesvirus Treatments**

ACICI OVID

ACIOLOVIII			
* Tab dispersible 200 mg	1.60	25	✓ Lovir
* Tab dispersible 400 mg	5.38	56	Lovir
* Tab dispersible 800 mg	5.98	35	Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	✓ Vaclovir
Tab 1,000 mg	12.75	30	✓ Vaclovir
VALGANCICLOVIR - Special Authority see SA1404 below	w – Retail pharmacy		
Tab 450 mg	1,050.00	60	✓ Valcyte

# **⇒**SA1404 Special Authority for Subsidy

**Initial application** — **(transplant cytomegalovirus prophylaxis)** only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

**Renewal — (transplant cytomegalovirus prophylaxis)** only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
  - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
  - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised: and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
  - 1 Patient is immunocompromised; and
  - 2 Any of the following:
    - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
    - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
    - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

# Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1362 on the next page

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 113

Tab 300 mg ......531.00

30

Viread

Subsidy Fully (Manufacturer's Price) Subsidised \$

y Brand or d Generic Manufacturer

■ SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Any of the following:
  - 1 All of the following:
    - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
    - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
    - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
    - 1.4 Any of the following:
      - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
      - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
      - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation: or
  - 2 Patient is either listed or has undergone liver transplantation for HBV: or
  - 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:
Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria:

Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 1 Patient is HBsAq positive and pregnant; and
  - 2 HBV DNA > 20 million IU/mL and ALT normal.

#### Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

# **Hepatitis C Treatment**

BOCEPREVIR - Special Authority see SA1402 below - Retail pharmacy

Cap 200 mg - Wastage claimable - see rule 3.3.2 on page

Victrelis

336

(Victrelis Cap 200 mg to be delisted 1 April 2017)

# ■ SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT: and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegulated interferon treatment; and
- 3 Any of the following:
  - 3.1 Patient was a responder relapser; or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

#### Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10<sup>9</sup> /l or Albumin <35 g/l</li>
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 on the next page - [Xpharm]

No patient co-payment payable

✔ Harvoni Tab 90 mg with sofosbuvir 400 mg .......24,363.46 28

Subsidy Fully (Manufacturer's Price) Subsidised \$ Per

Brand or Generic Manufacturer

### ⇒SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP). Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

#### PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

a) No patient co-payment payable

b) Note - Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),

1 OP ✓ Viekira Pak

# PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

a) No patient co-payment payable

b) Note – Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

1 OP

✓ Viekira Pak-RBV

# **Antiretrovirals**

### ■ SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>; or
      - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both:
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts < 500 cells/mm<sup>3</sup>.

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Subsidy	Fully	
(Manufacturer's Price)	Subsidised	
S .	Per 🗸	Manufacturer

continued...

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretro-

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

# Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1364 on page 113	<ul> <li>Retail pharmacy</li> </ul>		
Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg	190.15	90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29
ETRAVIRINE - Special Authority see SA1364 on page 113	- Retail pharmacy		
Tab 200 mg	770.00	60	✓ Intelence
NEVIRAPINE - Special Authority see SA1364 on page 113	B – Retail pharmacy		
Tab 200 mg	65.00	60	✓ Nevirapine
0 1 10 1	222.55	0.40	Alphapharm
Oral suspension 10 mg per ml	203.55	240 ml	✓ Viramune Suspension

# **Nucleosides Reverse Transcriptase Inhibitors**

ABACAVIR SULPHATE - Special Authority see SA1364 on page 113 - Retail pharmacy

Tab 300 mg	229.00	60	✓ Ziagen
Oral liq 20 mg per ml	256.31	240 ml OP	✓ Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authori Note: abacavir with lamivudine (combination tablets) cou			
retroviral Special Authority. Tab 600 mg with lamivudine 300 mg	427.29	30	✓ Kivexa
DIDANOSINE [DDI] – Special Authority see SA1364 on page		acy 30	✓ Videx EC

30 ✓ Videx EC EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL FUMARATE - Special Authority see SA1364 on page 113 - Retail pharmacy

Note: Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority

Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil 

EMTRICITABINE - Special Authority see	SA1364 on page 113 – Retail pharmacy		
Cap 200 mg	307.20	30	✓ Emtriva

30

30

30

✓ Videx EC

✓ Videx EC

✓ Atripla

	Subsidy (Manufacturer's I \$	Price) Sub: Per	Fully Brand or sidised Generic  Manufacturer
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE Note: Emtricitabine with tenofovir disoproxil fumarate countretroviral Special Authority			
Tab 200 mg with tenofovir disoproxil fumarate 300 mg	838.20	30	✓ Truvada
LAMIVUDINE – Special Authority see SA1364 on page 113 – Re Tab 150 mg		60	✓ Lamivudine Alphapharm
Oral liq 10 mg per ml	102.50	240 ml OP	✓ 3TC
STAVUDINE [D4T] - Special Authority see SA1364 on page 113	- Retail pharma	су	
Cap 40 mg	503.80	60	✓ Zerit
Powder for oral soln 1 mg per ml	100.76	200 ml OP	✓ Zerit S29
ZIDOVUDINE [AZT] - Special Authority see SA1364 on page 11			45
Cap 100 mg		100 200 ml OP	✓ <u>Retrovir</u> ✓ Retrovir
Oral liq 10 mg per ml			<del></del>
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets) anti-retroviral Special Authority.	) counts as two a		edications for the purposes of the
Tab 300 mg with lamivudine 150 mg	44.00	60	✓ <u>Alphapharm</u>
Protease Inhibitors			
ATAZANAVIR SULPHATE - Special Authority see SA1364 on pa	ge 113 – Retail i	pharmacy	
Cap 150 mg		60	✓ Reyataz
Cap 200 mg	757.79	60	✓ Reyataz
DARUNAVIR - Special Authority see SA1364 on page 113 - Ret	, ,		
Tab 400 mg		60 60	✓ Prezista
Tab 600 mg	•	60	✓ Prezista
INDINAVIR – Special Authority see SA1364 on page 113 – Retai		360	✓ Crixivan
Cap 400 mg		180	✓ Crixivan
LOPINAVIR WITH RITONAVIR - Special Authority see SA1364		etail pharmacy	
Tab 100 mg with ritonavir 25 mg		60	✓ Kaletra
Tab 200 mg with ritonavir 50 mg		120	✓ Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	✓ Kaletra
RITONAVIR – Special Authority see SA1364 on page 113 – Reta		00	4.11
Tab 100 mg Oral lig 80 mg per ml		30 90 ml OP	✓ Norvir ✓ Norvir
	100.00	30 1111 01	V HOIVII
Strand Transfer Inhibitors			
DOLUTEGRAVIR – Special Authority see SA1364 on page 113 - Tab 50 mg	•	су 30	✓ Tivicay
RALTEGRAVIR POTASSIUM – Special Authority see SA1364 on Tab 400 mg		tail pharmacy 60	✓ Isentress

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

# Antiretrovirals - Additional Therapies

### **HIV Fusion Inhibitors**

ENFUVIRTIDE - Special Authority see SA0845 below - Retail pharmacy

Powder for inj 90 mg per ml  $\times$  60 ......2,380.00

1 **V** Fuzeon

### ■SA0845 Special Authority for Subsidy

**Initial application** only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
  - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
  - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

**Renewal** only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12: and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

# **Immune Modulators**

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### Criteria for Treatment

- a) Diagnosis
  - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

### **Exclusion Criteria**

- a) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia ( $<2.0 \times 10^9$ ) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

#### Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### **Exit Criteria**

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

### INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

### INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

Inj 18 m iu, 1.2 ml multidose pen	206.71	1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen	344.52	1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen	689.04	1	✓ Intron-A

PEGYLATED INTERFERON ALFA-2A - Special Authority see SA1400 below - Retail pharmacy

See prescribing guideline on the previous page
Inj 180 mcg prefilled syringe .......900.00

4 Pegasys
Ini 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×

Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×
112 .......1,159.84 1 OP Pegasys RBV
Combination Pack

### **⇒**SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
  - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
  - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

#### Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

- All of the following:
  - 1 Patient has chronic hepatitis C, genotype 1; and
  - 2 Patient has had previous treatment with pegylated interferon and ribavirin; and

continued...

**Combination Pack** 

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

- 3 Fither:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Fither:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease: and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV. HIV or HDV: and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

#### Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mca once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet quidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

119

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Urinary Tract Infections				
HEXAMINE HIPPURATE				_
* Tab 1 g	18.40	100		
	(38.10)		Н	iprex
NITROFURANTOIN				
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer,				
page 221	22.20	100	✓ N	ifuran
* Tab 100 mg	37.50	100	✓ N	ifuran
NORFLOXACIN				
Tab 400 mg – Subsidy by endorsement Only if prescribed for a patient with an uncomplicated urin proven resistance to first line agents and the prescription i	ary tract infection that		_	rrow-Norfloxacin to a first line agent or with
provide the most into agonto and the processipation is	o ondorona	٠,٠		

✓ fully subsidised

[HP4] refer page 4

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	~	<u>AstraZeneca</u>
PYRIDOSTIGMINE BROMIDE				
A Tab 60 mg  Mestinon to be Sole Supply on 1 December 2016	42.79	100	-	Mestinon
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM				
* Tab EC 25 mg	1.30	50	~	Diclofenac Sandoz
* Tab 50 mg dispersible		20		Voltaren D
* Tab EC 50 mg		50	_	Diclofenac Sandoz
* Tab long-acting 75 mg		500		Apo-Diclo SR
* Tab long-acting 100 mg		500	V	Apo-Diclo SR
* Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a		E		Valtaran
PSO*  * Suppos 12.5 mg		5 10	_	<u>Voltaren</u> Voltaren
* Suppos 25 mg		10		Voltaren
* Suppos 50 mg – Up to 10 supp available on a PSO		10		Voltaren
* Suppos 100 mg		10		Voltaren
IBUPROFEN				
* Tab 200 mg	9.45	1,000	~	Ibugesic
Tab long-acting 800 mg		30		Brufen SR
* Oral lig 20 mg per ml		200 ml		Fenpaed
KETOPROFEN				•
* Cap long-acting 200 mg	12.07	28	~	Oruvail SR
			•	
MEFENAMIC ACID  * Cap 250 mg	1 25	50		
* Cap 250 mg	(9.16)	50		Ponstan
	0.50	20		Tonstan
	(5.60)			Ponstan
NAPROXEN	,			
* Tab 250 mg	18.06	500	~	Noflam 250
* Tab 500 mg		250		Noflam 500
* Tab long-acting 750 mg		90		Naprosyn SR 750
* Tab long-acting 1 g		90		Naprosyn SR 1000
SULINDAC				-
* Tab 100 mg	8.55	50	~	Aclin
* Tab 200 mg		50	1	Aclin
TENOXICAM				
* Tab 20 mg	2.19	20	~	Reutenox
•	10.95	100		Tilcotil
Tilcotil to be Sole Supply on 1 December 2016				
* Inj 20 mg vial	9.95	1	~	AFT
(Reutenox Tab 20 mg to be delisted 1 December 2016)				

Subsidy (Manufacturer's Price)

Fully Subsidised Brand or Generic Manufacturer

**NSAIDs Other** 

MELOXICAM - Special Authority see SA1034 below - Retail pharmacy Tab 7.5 mg ......11.50

30

Per

✓ Arrow-Meloxicam

# ⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

# **Topical Products for Joint and Muscular Pain**

**CAPSAICIN** 

ΔΙΙΒΔΝΟΕΙΝ

Crm 0.025% - Special Authority see SA1289 below - Retail 

9.95

25 q OP

✓ Zostrix

45 q OP

✓ Zostrix

# ⇒SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

# Antirheumatoid Agents

AUTANOFIN		
Tab 3 mg68.99	60	✓ Ridaura s29 S29
114.98	100	✓ Ridaura s29 S29
HYDROXYCHLOROQUINE		
* Tab 200 mg10.50	100	✓ Plaquenil
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ Arava
Tab 20 mg76.00	30	✓ Arava
PENICILLAMINE		
Tab 125 mg67.23	100	✓ D-Penamine
Tab 250 mg110.12	100	D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	10	✓ Myocrisin
Ini 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

# **Drugs Affecting Bone Metabolism**

# Alendronate for Osteoporosis

**⇒**SA1039 Special Authority for Subsidy

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age: or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy ( $\geq 5$  mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.

continued...

123

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA1039 on page 122 - Retail pharmacy ✓ Fosamax 

ALENDRONATE SODIUM WITH COLECALCIFEROL - Special Authority see SA1039 on page 122 - Retail pharmacy ✓ Fosamax Plus

# Alendronate for Paget's Disease

# ⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
  - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above - Retail pharmacy

30 ✓ Fosamax

#### Other Treatments

ETIDRONATE DISODIUM - See prescribing guideline below

100 ✔ Arrow-Etidronate

### **Prescribing Guidelines**

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

#### PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	6.80	1	✓ Pamisol
Inj 6 mg per ml, 10 ml vial	13.20	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial	19.20	1	✓ Pamisol

RALOXIFENE HYDROCHLORIDE - Special Authority see SA1138 on the next page - Retail pharmacy

\* Tab 60 mg ......53.76 28 ✓ Evista

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

### **⇒**SA1138 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

# RISEDRONATE SODIUM Tab 35 mg ......4.00

✓ Risedronate Sandoz

# TERIPARATIDE – Special Authority see SA1139 below – Retail pharmacy Inj 250 mcg per ml, 2.4 ml

490.00 1 Forteo

# **⇒**SA1139 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

#### Notes:

a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

#### ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see 100 ml OP ✓ Aclasta

### **⇒**SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease: and
- 2 Any of the following:
  - 2.1 Bone or articular pain: or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery: and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score < -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:

				_
Subsidy		Fully	Brand or	
(Manufacturer's Price)	;	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
- 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score ≤ -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.

continued...

127

Subsidy		Fully	Brand or
(Manufacturer's Price)	,	Subsidised	Generic
\$	Per	~	Manufacturer

#### continued...

ALL ODUDINO

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

# **Hyperuricaemia and Antigout**

ALLOPURINOL			
* Tab 100 mg	15.11	,000	Apo-Allopurinol
* Tab 300 mg - For allopurinol oral liquid formulation is	efer,		
page 221	15.91	500	Apo-Allopurinol
BENZBROMARONE - Special Authority see SA1537 below	- Retail pharmacy		
Tab 100 mg	45.00	100	Benzbromaron AL
			100 \$29

# **■**SA1537 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.3 Both:
    - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
    - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
  - 2.4 All of the following:
    - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
    - 2.4.2 Allopurinol is contraindicated; and
    - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/downloads/Benzbromarone-prescriber-information-NZRA-V2.pdf

COLCHICINE  * Tab 500 mcg10.08	100	✓ Colgout
FEBUXOSTAT - Special Authority see SA1538 below - Retail pharmacy		
Tab 80 mg39.50	28	✓ Adenuric
Tab 120 mg39.50	28	✓ Adenuric

#### ⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose: or
  - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearanceadjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

#### **PROBENECID**

✓ Probenecid-AFT Tab 500 mg ......55.00 100

# **Muscle Relaxants**

#### **BACLOFEN**

Tab 10 mg - For baclofen oral liquid formulation refer, page

100 Pacifen Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement...........11.55 1 ✓ Lioresal Intrathecal

Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

Ini 2 mg per ml. 5 ml ampoule - Subsidy by endorsement......209.29 Lioresal Intrathecal Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have caused intolerable side effects and the prescription is endorsed accordingly.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DANTROLENE				
Cap 25 mg	65.00	100		Oantrium Oantrium S29 S29
Cap 50 mg	77.00	100	<b>/</b> [	Dantrium
ORPHENADRINE CITRATE Tab 100 mg	18.54	100	<b>✓</b> N	lorflex

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

# **Agents for Parkinsonism and Related Disorders**

<b>Dopamine Agonists and Related Agents</b>			
AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	.38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	Apomine
(Apomine Inj 10 mg per ml, 2 ml ampoule to be delisted 1 December 20	016)		✓ Movapo
	710)		
BROMOCRIPTINE MESYLATE  * Tab 2.5 mg	22.00	100	✓ Apo-Bromocriptine
-	.32.00	100	Apo-bromocriptine
ENTACAPONE  ▲ Tab 200 mg	00.00	100	./ Entanana
•	.20.00	100	✓ Entapone
LEVODOPA WITH BENSERAZIDE	10.00	100	. / Madamar Danid
* Tab dispersible 50 mg with benserazide 12.5 mg		100	Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100	Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100	Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	.25.00	100	✓ Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg - For levodopa with car-			4
bidopa oral liquid formulation refer, page 221	.20.00	100	Kinson
			Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg		100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	.40.00	100	✓ Sinemet
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.20	100	✓ Ramipex
▲ Tab 1 mg	.24.39	100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	2.78	100	✓ Apo-Ropinirole
▲ Tab 1 mg	5.00	100	✓ Apo-Ropinirole
▲ Tab 2 mg	7.72	100	✓ Apo-Ropinirole
▲ Tab 5 mg	.16.51	100	✓ Apo-Ropinirole
SELEGILINE HYDROCHLORIDE			
* Tab 5 mg	.22.00	100	✓ Apo-Selegiline
			S29 S29
TOLCADONE			<b>V_</b>
TOLCAPONE  ▲ Tab 100 mg	122 50	100	✓ Tasmar
Tasmar to be Sole Supply on 1 February 2017	132.30	100	lasillai
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
	190.00	10	✓ Omega S29
a) Up to 10 inj available on a PSO b) Only on a PSO		-	• •
S) Only on a roo			

<sup>▲</sup>Three months supply may be dispensed at one time \*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg  Agents for Essential Tremor, Chorea and Related		100	<b>✓</b> K	emadrin
RILUZOLE – Special Authority see SA1403 below – Retail pharma				
Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	•	56	<b>✓</b> R	ilutek
▶SA1403 Special Authority for Subsidy	et Δnorovale valid	d for 6	months for	r annlications meeting the

**Initial application** only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
  - 5.1 The patient is ambulatory; or
  - 5.2 The patient is able to use upper limbs; or
  - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
  - 3.1 The patient is ambulatory; or
  - 3.2 The patient is able to use upper limbs; or

Gel 2%, 10 ml urethral syringe – Subsidy by endorsement................43.26

3.3 The patient is able to swallow.

a) Up to 5 each available on a PSO

TF	۲RA	١RF	NAZ	INE

112 ✓ Motetis

# Anaesthetics

LIDOCAINE [LIGNOCAINE]

#### Local

b) Subsidised only if prescribed for urethral or cervical adn	ninistration and t	he prescriptio	n is endorsed accordingly.
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE			
Oral (viscous) soln 2%	55.00	200 ml	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓ Lidocaine-Claris
	17.50	50	
	(35.00)		Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	✓ Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris
	12.00	5	
	(20.00)		Xylocaine
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris

✔ Pfizer

10

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE					
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes -					
Subsidy by endorsement	43.26	10	✓ Pf	fizer	
a) Up to 5 each available on a PSO					
b) Subsidised only if prescribed for urethral or cervical adm	ninistration and the pr	escri	tion is endo	rsed accordingly	<b>/</b> .

# **Topical Local Anaesthetics**

# ■ SA0906 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authority s	see SA0906 above – Retail pha	armacy	
Crm 4%	27.00	30 g OP	✓ LMX4
Crm 4% (5 g tubes)	27.00	5	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE	- Special Authority see SA090	06 above – Reta	il pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	EMLA

# **Analgesics**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 121

# **Non-opioid Analgesics**

For aspirin & chloroform application refer Standard Formulae, page 224

Suppos 500 mg ......12.60

# **ASPIRIN**

*	Ethics Aspirin to be Sole Supply on 1 January 2017	3.90	100	V	Etnics Aspirin
CAI	PSAICIN – Subsidy by endorsement				
	Subsidised only if prescribed for post-herpetic neuralgia or	diabetic peripheral	neuropathy	and	the prescription is endorsed
	accordingly. Crm 0.075%	12.50	45 a OP	V	Zostrix HP
NE	FOPAM HYDROCHLORIDE	12.30	40 g Oi		203013 111
INL	Tab 30 mg	23.40	90	~	Acupan
PAF	RACETAMOL				
*	Tab 500 mg - Up to 30 tab available on a PSO	8.47	1.000	V	Pharmacare

*	rad 500 mg - Up to 30 tab available on a PSO	8.47	1,000	Pharmacare
*:	Oral lig 120 mg per 5 ml	4.15	1,000 ml	✓ Paracare
	a) Up to 200 ml available on a PSO			
	b) Not in combination			
*:	Oral liq 250 mg per 5 ml	4.35	1.000 ml	✔ Paracare Double
	7		,	Strength
	a) Up to 100 ml available on a PSO			
	b) Not in combination			
*	Suppos 125 mg	3.69	10	✓ Gacet
*	• • • • • • • • • • • • • • • • • • • •		10	✓ Gacet
			. 0	T

**Paracare** 

50

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Opioid Analgesics				
CODEINE PHOSPHATE - Safety medicine; prescriber may de	etermine dispensing fre	quency	,	
Tab 15 mg	4.75	100	<b>✓</b> P	SM
Tab 30 mg	5.80	100	<b>✓</b> P	SM
Tab 60 mg	12.50	100	<b>✓</b> P	SM
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	9.55	60	<b>✓</b> D	HC Continus
FENTANYL			_	
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing f	reguency			
Inj 50 mcg per ml, 2 ml ampoule		10	✓ B	Soucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10	_	Soucher and Muir
Patch 12.5 mcg per hour		5	_	entanyl Sandoz
Patch 25 mcg per hour		5		entanyl Sandoz
Patch 50 mcg per hour		5		entanyl Sandoz
Patch 75 mcg per hour		5		entanyl Sandoz
Patch 100 mcg per hour		5		entanyl Sandoz
METHADONE HYDROCHLORIDE  a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f d) Extemporaneously compounded methadone will only be powder, not methadone tablets). e) For methadone hydrochloride oral liquid refer Standard Tab 5 mg	e reimbursed at the rat Formulae, page 224	e of the	·	form available (methadon
‡ Oral liq 2 mg per ml		200 ml		Biodone
‡ Oral liq 5 mg per ml		200 ml	_	liodone Forte
‡ Oral lig 10 mg per ml		200 ml	_	Siodone Extra Forte
Inj 10 mg per ml, 1 ml		10	VA	
MORPHINE HYDROCHLORIDE  a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing f				
‡ Oral lig 1 mg per ml		200 ml	<b>✓</b> R	A-Morph
† Oral lig 2 mg per ml		200 ml	_	A-Morph
+ Oral lia 5 ma por ml		200 ml	_	A-Morph

200 ml

200 ml

✓ RA-Morph ✓ RA-Morph

Oral liq 10 mg per ml ......26.00

	Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	Generic
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequ	ency			
Tab immediate-release 10 mg	2.80	10	V :	Sevredol
Tab long-acting 10 mg	1.93	10	V	Arrow-Morphine LA
Tab immediate-release 20 mg	5.52	10	1	Sevredol
Tab long-acting 30 mg	2.85	10	1	Arrow-Morphine LA
Tab long-acting 60 mg	5.60	10	<b>/</b>	Arrow-Morphine LA
Tab long-acting 100 mg	6.10	10	<b>/</b>	Arrow-Morphine LA
Cap long-acting 10 mg	1.70	10	<b>✓</b> i	m-Eslon
Cap long-acting 30 mg	2.50	10	<b>/</b> 1	m-Eslon
Cap long-acting 60 mg	5.40	10	<b>/</b> 1	m-Eslon
Cap long-acting 100 mg	6.38	10	<b>/</b> 1	m-Eslon
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO.  Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a	12.48	5	<b>/</b> ]	DBL Morphine Sulphate
PSO	9.09	5	<b>~</b> <u>!</u>	DBL Morphine Sulphate
Inj 15 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	9.77	5	<b>~</b> <u>!</u>	DBL Morphine Sulphate
Inj 30 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	12.43	5	<b>~</b> <u>!</u>	DBL Morphine Sulphate
MORPHINE TARTRATE  a) Only on a controlled drug form  b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequ Inj 80 mg per ml, 1.5 ml ampoule	,	5	•	DBL Morphine
inj 80 mg per mi, 1.5 mi ampoule	42.12	<b>5</b>	<b>V</b> 1	Tartrate

5

✔ Hospira

Inj 80 mg per ml, 5 ml ......107.67

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
OXYCODONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing fre			
Tab controlled-release 5 mg		20	<b>✓</b> BNM
D. M. J. O. J. O. J. J. D. J. 2010	(7.51)		OxyContin
BNM to be Sole Supply on 1 December 2016	0.70		4 5.44
Tab controlled-release 10 mg		20	<b>✓</b> BNM
	(6.75)		Oxycodone
			ControlledRelease Tablets(BNM)
BNM to be Sole Supply on 1 December 2016			lable(S(DIVIVI)
Tab controlled-release 20 mg	4 72	20	✓ BNM
Tab controlled-release 20 mg	(11.50)	20	Oxycodone
	(11.00)		ControlledRelease
			Tablets(BNM)
BNM to be Sole Supply on 1 December 2016			,
Tab controlled-release 40 mg	7.69	20	✓ BNM
•	(18.50)		Oxycodone
			ControlledRelease
			Tablets(BNM)
BNM to be Sole Supply on 1 December 2016			
Tab controlled-release 80 mg		20	<b>✓</b> BNM
	(34.00)		Oxycodone
			ControlledRelease
DNM to be Cale Cumply on 1 December 2016			Tablets(BNM)
BNM to be Sole Supply on 1 December 2016 Cap immediate-release 5 mg	1 08	20	✓ OxyNorm
Cap immediate-release 10 mg		20	✓ OxyNorm
Cap immediate-release 20 mg		20	✓ OxyNorm
Oral lig 5 mg per 5 ml		250 ml	
Inj 10 mg per ml, 1 ml ampoule		5	✓ OxyNorm
Inj 10 mg per ml, 2 ml ampoule		5	OxyNorm
Inj 50 mg per ml, 1 ml ampoule	51.00	5	✓ OxyNorm
(OxyContin Tab controlled-release 5 mg to be delisted 1 Decemb	ner 2016)		-
(Oxycodone ControlledRelease Tablets(BNM) Tab controlled-rele			
(Oxycodone ControlledRelease Tablets(BNM) Tab controlled-rele			
(Oxycodone ControlledRelease Tablets(BNM) Tab controlled-rele			
(Oxycodone ControlledRelease Tablets(BNM) Tab controlled-rele	ease 80 mg to be delis	ted 1	December 2016)
PARACETAMOL WITH CODEINE - Safety medicine; prescriber		nsing	frequency
* Tab paracetamol 500 mg with codeine phosphate 8 mg	21.06	1,000	✓ Paracetamol +
			Codeine (Relieve)

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing free	' '			
Tab 50 mg		10	_	PSM PSM
Tab 100 mg		10		PSM PRI Postelisione
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	5.51	5	V	DBL Pethidine
Ini 50 mg nor ml. 2 ml Un to 5 ini available on a DSO	E 00	5		<u>Hydrochloride</u> DBL Pethidine
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO		Э	V <u>1</u>	Hydrochloride
TRAMAROL LIVERDOOLII ORIDE				nyurociiionue
TRAMADOL HYDROCHLORIDE	0.00	00		
Tab sustained-release 100 mg		20		Framal SR 100
Tab sustained release 150 mg		20	_	Framal SR 150
Tab sustained-release 200 mg		20	<b>'</b>	Tramal SR 200
Cap 50 mg – For tramadol hydrochloride oral liquid formula-		400		A T
tion refer, page 221	2.50	100	<i>V</i> !	Arrow-Tramadol
Antidepressants				
·				
Cyclic and Related Agents				
AMITRIPTYLINE – Safety medicine; prescriber may determine di	enoneina froguency			
Tab 10 mg		100	./	Arrow-Amitriptyline
Tab 25 mg		100		Arrow-Amitriptyline
Tab 50 mg		100	_	Arrow-Amitriptyline
-			_	
CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescri	•	•	• .	•
Tab 10 mg		100		Apo-Clomipramine Apo-Clomipramine
Tab 25 mg		100		Apo-Cioiniprainine
DOTHIEPIN HYDROCHLORIDE – Safety medicine; prescriber m		-		
Tab 75 mg		100		Dopress
Cap 25 mg	6.45	100	<b>/</b>	Dopress
DOXEPIN HYDROCHLORIDE - Safety medicine; prescriber may	determine dispensir	ng fred	quency	
Cap 10 mg	6.30	100	· //	Anten
Cap 25 mg	6.86	100	V	Anten
Cap 50 mg	8.55	100	V 1	Anten
IMIPRAMINE HYDROCHLORIDE - Safety medicine; prescriber	mav determine dispe	nsina	frequency	
Tab 10 mg		50		Tofranil
ů	6.58	60	V -	Tofranil s29 S29
	10.96	100		Tofranil -
Tab 25 mg		50		Tofranil
MAPROTILINE HYDROCHLORIDE – Safety medicine; prescribe		oncin		
				y Ludiomil
Tab 25 mg	12.53	30 50		Ludiomil
	25.06	100		Ludiomil
Tab 75 mg		20		_udiomil
	21.01	30		Ludiomil
NORTHET VINE LIVEROCHI OPIDE COSTA CONTROL				
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescri				
Tab 10 mg		100		Norpress
Tab 25 mg	/ .08	180	<b>v</b> <u>I</u>	<u>Norpress</u>

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. ‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price)	Sul	Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
Monoamine-Oxidase Inhibitors (MAOIs) - Non Se	elective		
PHENELZINE SULPHATE	05.00	400	4 N . 111
* Tab 15 mg	95.00	100	✓ Nardil
TRANYLCYPROMINE SULPHATE  * Tab 10 mg	22.94	50	✓ Parnate
Monoamine-Oxidase Type A Inhibitors			
MOCLOBEMIDE			
* Tab 150 mg		500	✓ Apo-Moclobemide
* Tab 300 mg	30.70	100	✓ <u>Apo-Moclobemide</u>
Selective Serotonin Reuptake Inhibitors			
CITALOPRAM HYDROBROMIDE			
* Tab 20 mg	1.79	84	✓ PSM Citalopram
ESCITALOPRAM	1.40	00	Air Flanc Duadosta
* Tab 10 mg * Tab 20 mg		28 28	✓ Air Flow Products ✓ Air Flow Products
FLUOXETINE HYDROCHLORIDE	2.70	20	₩ All Flow Floudets
* Tab dispersible 20 mg, scored – Subsidy by endorsement	2.47	30	✓ Arrow-Fluoxetine
Subsidised by endorsement			
1) When prescribed for a patient who cannot swallow whole	tablets or capsules a	and the pre	escription is endorsed accordingly;
or 2) When prescribed in a daily dose that is not a multiple of	20 mg in which case	the prese	printion is deemed to be endorsed
Note: Tablets should be combined with capsules to facility	ate incremental 10 m	ig doses.	inplient is accinica to be chaorsed.
* Cap 20 mg		90	✓ Arrow-Fluoxetine
PAROXETINE HYDROCHLORIDE			
* Tab 20 mg	4.32	90	✓ Loxamine
SERTRALINE			
Tab 50 mg		90	✓ Arrow-Sertraline
	1.02 (1.21)	30	Sertraline
	(1.21)		Actavis S29
Arrow-Sertraline to be Sole Supply on 1 December 2016			Actavis 22
Tab 100 mg	5.25	90	✓ Arrow-Sertraline
Arrow-Sertraline to be Sole Supply on 1 December 2016	14.01		
(Sertraline Actavis §29) Tab 50 mg to be delisted 1 December 20 Other Antidepressants	110)		
Onici Annucpressants			
MIRTAZAPINE			4
Tab 30 mg Tab 45 mg		30 30	<ul> <li>✓ Apo-Mirtazapine</li> <li>✓ Apo-Mirtazapine</li> </ul>
Tab To Ting		50	▼ Apo-iviii tazapiiie

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
VENLAFAXINE				
Tab 37.5 mg	5.06	28	*	rrow-Venlafaxine XR
Tab 75 mg	6.44	28	*	rrow-Venlafaxine XR
Tab 150 mg	8.86	28	*	rrow-Venlafaxine XR
Tab 225 mg	14.34	28	<b>✓</b> A	rrow-Venlafaxine XR
Cap 37.5 mg - Special Authority see SA1061 below - Retail				
pharmacy	5.69	28	<b>✓</b> E	fexor XR
Cap 75 mg - Special Authority see SA1061 below - Retail pharmacy	11.40	28	<b>✓</b> E	fexor XR
pharmacy	13.98	28	<b>√</b> E	fexor XR

# ■ SA1061 | Special Authority for Subsidy

**Initial application** only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

# **Antiepilepsy Drugs**

# Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml19.00	5	✓ Rivotril
DIAZEPAM — Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml ampoule — Subsidy by endorsement	5	✓ Hospira
b) Only on a PSO c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg - Up to 5 tube available on a PSO25.05 Rectal tubes 10 mg - Up to 5 tube available on a PSO30.50	5 5	✓ Stesolid ✓ Stesolid
PARALDEHYDE	5	Jiesoliu
* Inj 5 ml1,500.00	5	✓ AFT

	Subsidy (Manufacture de Price)		Fully	Brand or
	(Manufacturer's Prices)	Per St	bsidised	Generic Manufacturer
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO		5	<b>✓</b> <u>H</u>	<u>ospira</u>
Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a PSO		5	<b>✓</b> <u>H</u>	<u>ospira</u>
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓ To	egretol
* Tab long-acting 200 mg	16.98	100	✓ To	egretol CR
* Tab 400 mg	34.58	100	✓ To	egretol
* Tab long-acting 400 mg	39.17	100	✓ To	egretol CR
*‡ Oral liq 20 mg per ml	26.37	250 ml	✓ To	egretol
CLOBAZAM – Safety medicine; prescriber may determine disper	nsing frequency			
Tab 10 mg‡ Safety cap for extemporaneously compounded oral liquid	9.12	50	<b>✓</b> F	risium
CLONAZEPAM - Safety medicine; prescriber may determine disp	pensing frequency			
Oral drops 2.5 mg per ml	7.38	10 ml OP	<b>✓</b> R	ivotril
ETHOSUXIMIDE				
Cap 250 mg	16.45	100	VZ	arontin
	32.90	200		arontin
Oral lig 250 mg per 5 ml		200 ml		arontin
1 01				
GABAPENTIN – Special Authority see SA1477 below – Retail ph	,	100		wew Cohenentin
▲ Cap 100 mg	/.10	100		rrow-Gabapentin eurontin
			V N	upentin
▲ Cap 300 mg – For gabapentin oral liquid formulation refer,		400		
page 221	11.00	100		rrow-Gabapentin
				eurontin 
	40.75	400		upentin
▲ Cap 400 mg	13.75	100		rrow-Gabapentin
				eurontin 
			✓ N	upentin

# **⇒**SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

### Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 The patient has been diagnosed with neuropathic pain; or

Subsidy (Manufacturer's I	Price)	Fully Subsidised	Brand or Generic	
\$	Per	r 🗸	Manufacturer	

continued...

#### 2 Both:

- 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus\* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
- 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with \* are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LA(	COSAMIDE	<ul> <li>Special A</li> </ul>	outhority s	see SA1125	below -	Retail pl	narmacy
$\blacktriangle$	Tab 50 mg						25

	Tab 50 mg25.04	. 14	✓ Vimpat
	Tab 100 mg50.06		✓ Vimpat
	200.24	56	✓ Vimpat
	Tab 150 mg75.10	14	✓ Vimpat
	300.40	56	✓ Vimpat
$\blacktriangle$	Tab 200 mg400.55	56	✓ Vimpat

### **▶**SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

AMOTRIGINE	\$	Per		
				Manufacturer
Tab diamanaible O ass				
▲ Tab dispersible 2 mg	6.74	30	~	Lamictal
Tab dispersible 5 mg		30	~	Lamictal
	15.00	56	~	Arrow-Lamotrigine
▲ Tab dispersible 25 mg	14.74	56	~	Motrig
	19.38		~	Logem
	20.40			Arrow-Lamotrigine
	29.09		~	Lamictal
Tab dispersible 50 mg	24.73	56	~	Motrig
	32.97		~	Logem
	34.70			Arrow-Lamotrigine
	47.89			Lamictal
Tab dispersible 100 mg	42.34	56	1	Motrig
<b>3</b>	56.91			Logem
	59.90		1	Arrow-Lamotrigine
	79.16			Lamictal
EVETID ACETAM	700		•	
EVETIRACETAM	0.4.00		,	
Tab 250 mg	24.03	60	•	Everet
Tab 500 mg - For levetiracetam oral liquid formulation refer,				
page 221	28.71	60		Everet
Tab 750 mg	45.23	60		Everet
Tab 1,000 mg	59.12	60	~	Everet
HENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, page 2	224			
Tab 15 mg		500	1	PSM
÷ Tab 30 mg		500		PSM
v		000	•	<u> </u>
HENYTOIN SODIUM				
F Tab 50 mg		200		Dilantin Infatab
Cap 30 mg		200		Dilantin
Cap 100 mg		200	-	Dilantin
‡ Oral liq 30 mg per 5 ml	22.03	500 ml	/	Dilantin
RIMIDONE				
F Tab 250 mg	17.25	100	~	Apo-Primidone
ODIUM VALPROATE				•
	10.05	100		Fulling Ownshahla
Tab 100 mg		100		Epilim Crushable
Tab 200 mg EC		100		Epilim
Tab 500 mg EC		100	_	Epilim
‡ Oral liq 200 mg per 5 ml	20.48	300 ml		Epilim S/F Liquid
. 1:400	44.50			Epilim Syrup
Inj 100 mg per ml, 4 ml	41.50	1	•	Epilim IV
TIRIPENTOL - Special Authority see SA1330 on the next page -	Retail pharmacy			
Cap 250 mg		60	~	Diacomit \$29
	509.29			Diacomit \$29

0		E. II.	Dunand an	
Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

### **⇒**SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

**Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

#### **TOPIRAMATE**

	Tab 25 mg11.07	60	Arrow-Topiramate
			✓ Topiramate Actavis
	26.04		✓ Topamax
$\blacktriangle$	Tab 50 mg18.81	60	Arrow-Topiramate
	•		✓ Topiramate Actavis
	44.26		✓ Topamax
$\blacktriangle$	Tab 100 mg31.99	60	✓ Arrow-Topiramate
· ·	•		✓ Topiramate Actavis
	75.25		✓ Topamax
$\blacktriangle$	Tab 200 mg55.19	60	✓ Arrow-Topiramate
			✓ Topiramate Actavis
	129.85		✓ Topamax
$\blacktriangle$	Sprinkle cap 15 mg20.84	60	✓ Topamax
$\blacktriangle$	Sprinkle cap 25 mg	60	✓ Topamax
VIG	ABATRIN - Special Authority see SA1072 below - Retail pharmacy		
$\blacktriangle$	Tab 500 mg119.30	100	✓ Sabril

# **■**SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

#### 1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
  - 1.2.1 Patient has epilepsy; and
  - 1.2.2 Fither:
    - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
    - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

#### 2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy
(Manufacturer's Price)
\$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

# **Antimigraine Preparations**

Acute Migraine Treatment

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 121

Acute migraine Treatment		
ERGOTAMINE TARTRATE WITH CAFFEINE  Tab 1 mg with caffeine 100 mg31.00	100	<ul><li>✓ Cafergot</li><li>✓ Cafergot S29 S29</li></ul>
RIZATRIPTAN		
Tab orodispersible 10 mg3.24	12	✓ Rizamelt
8.10	30	✓ Rizamelt
SUMATRIPTAN		
Tab 50 mg29.80	100	Arrow-Sumatriptan
Tab 100 mg54.80	100	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml cartridge – Maximum of 10 inj per prescription13.80	2 OP	✓ Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per		
prescription13.80	2 OP	✓ Sun Pharma S29
Prophylaxis of Migraine		
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 57		
PIZOTIFEN		
* Tab 500 mcg23.21	100	✓ Sandomigran
Antinausea and Vertigo Agents		
For Antispasmodics refer to ALIMENTARY TRACT, page 23	•	
APREPITANT - Special Authority see SA0987 on the next page - Retail pharmacy		

3 OP

✓ Emend Tri-Pack

Subsidy (Manufacturer's Prict	)	Fully Subsidised	Brand or Generic	
\$	Per	· /	Manufacturer	

### ■SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE  * Tab 16 mg4.95	84	✓ <u>Vergo 16</u>
CYCLIZINE HYDROCHLORIDE Tab 50 mg0.59	20	✓ Nauzene
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml14.95	5	✓ Nausicalm
DOMPERIDONE		
* Tab 10 mg - For domperidone oral liquid formulation refer,		
page 2213.20	100	✓ Prokinex
GRANISETRON		
* Tab 1 mg5.98	50	✓ Granirex
HYOSCINE HYDROBROMIDE		
* Inj 400 mcg per ml, 1 ml ampoule46.50	5	✓ Hospira
93.00	10	✓ Martindale \$29
Patch 1.5 mg - Special Authority see SA1387 below - Retail		
pharmacy11.95	2	✓ Scopoderm TTS

# ■ SA1387 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

# METOCI OPRAMIDE HYDROCHI ORIDE

*	Tab 10 mg - For metoclopramide hydrochloride oral liquid			
	formulation refer, page 221	1.82	100	✓ <u>Metamide</u>
*	Inj 5 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO	4.50	10	✓ Pfizer
ON	DANSETRON			
*	Tab 4 mg	5.51	50	✓ Onrex
*	Tab disp 4 mg	1.00	10	✓ Dr Reddy's
				Ondansetron
*	Tab 8 mg	6.19	50	✓ Onrex
*	Tab disp 8 mg	1.50	10	✓ Ondansetron
				ODT-DRLA
PR	OCHLORPERAZINE			
*	Tab 3 mg buccal	5.97	50	
	(	15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	9.75	500	✓ Antinaus
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO	25.81	10	✓ Stemetil

	Subsidy (Manufacturer's Price)	D	Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
PROMETHAZINE THEOCLATE				
* Tab 25 mg		10		
	(6.24)		A	vomine
Antipsychotics				
General				
AMISULPRIDE - Safety medicine; prescriber may determine disp	pensing frequency			
Tab 100 mg	4.56	30	<b>√</b> S	olian
			<b>√</b> S	ulprix
Sulprix to be Sole Supply on 1 February 2017			4.5	
Tab 200 mg	14.75	60	✓ S	
Culturiu ta ha Cala Curanhi an 4 Fahrunari 0047			<b>V</b> S	ulprix
Sulprix to be Sole Supply on 1 February 2017 Tab 400 mg	27.70	60	<b>√</b> S	olian
1ab 400 filg	27.70	00		ulprix
Sulprix to be Sole Supply on 1 February 2017			• •	шрпх
Oral lig 100 mg per ml	65.53	60 ml	<b>√</b> S	olian
(Solian Tab 100 mg to be delisted 1 February 2017)				
(Solian Tab 200 mg to be delisted 1 February 2017)				
(Solian Tab 400 mg to be delisted 1 February 2017)				
ARIPIPRAZOLE - Special Authority see SA1539 below - Retail p	oharmacy			
Safety medicine; prescriber may determine dispensing freque	ency			
Tab 5 mg - No more than 1 tab per day	123.54	30	<b>✓</b> A	•
Tab 10 mg		30	✓ A	•
Tab 15 mg		30	✓ A	•
Tab 20 mg		30	✓ A	•
Tab 30 mg	200.07	30	<b>✓</b> A	Dilliy

# ■ SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

### Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder\*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder\* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder\*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications			
CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; p	rescriber may dete	ermine dispens	sing frequency
Tab 10 mg - Up to 30 tab available on a PSO	12.36	100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO	13.02	100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO	30.61	100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓ Largactil
CLOZAPINE - Hospital pharmacy [HP4]			
Safety medicine; prescriber may determine dispensing frequency	uencv		
Tab 25 mg		50	✓ Clozaril
· · · · · · · · · · · · · · · · · ·	6.69		✓ Clopine
	11.36	100	✓ Clozaril
	13.37		Clopine
Tab 50 mg	8.67	50	✓ Clopine
•	17.33	100	✓ Clopine
Tab 100 mg	14.73	50	✓ Clozaril
	17.33		Clopine
	29.45	100	✓ Clozaril
	34.65		Clopine
Tab 200 mg	34.65	50	Clopine
	69.30	100	Clopine
Suspension 50 mg per ml	17.33	100 ml	Clopine
HALOPERIDOL - Safety medicine; prescriber may determine of	lispensing freguen	cv	
Tab 500 mcg - Up to 30 tab available on a PSO		100	Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 5 mg - Up to 30 tab available on a PSO	29.72	100	✓ Serenace
Oral liq 2 mg per ml - Up to 200 ml available on a PSO		100 ml	✓ Serenace
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PS	3021.55	10	✓ Serenace
LEVOMEPROMAZINE HYDROCHLORIDE - Safety medicine;	prescriber may de	termine dispe	nsing frequency
Inj 25 mg per ml, 1 ml ampoule		10	✓ Nozinan
., g p,			✓ Wockhardt
Wockhardt to be Sole Supply on 1 December 2016			
(Nozinan Inj 25 mg per ml, 1 ml ampoule to be delisted 1 Decen	nber 2016)		
LEVOMEPROMAZINE MALEATE - Safety medicine; prescribe	r may datarmina d	ieneneina frac	ulenev.
Tab 25 mg	,	100	✓ Nozinan
Tab 100 mg		100	✓ Nozinan
•			• Hozman
LITHIUM CARBONATE – Safety medicine; prescriber may dete			A Lithians TO
Tab 250 mg		500	✓ <u>Lithicarb FC</u> ✓ Lithicarb FC
Tab long acting 400 mg		100 100	✓ <u>Lithicarb FC</u> ✓ Priadel
Tab long-acting 400 mg	19.20	100	Priadei

100

**Douglas** 

Cap 250 mg ......9.42

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
OLANZADINE Cefeb medicine accepible and determine dis-	*	1 01		Mandidetarer
OLANZAPINE – Safety medicine; prescriber may determine disp	. ,	00		• •
Tab 2.5 mg		28	_	<u>Zypine</u>
Tab 5 mg		28	-	Zypine
Tab orodispersible 5 mg		28		Zypine ODT
Tab 10 mg		28	-	Zypine
Tab orodispersible 10 mg	3.05	28	V 2	Zypine ODT
PERICYAZINE - Safety medicine; prescriber may determine disp	ensing frequency			
Tab 2.5 mg	12.49	100	<b>1</b>	Neulactil
Tab 10 mg	44.45	100	V 1	Neulactil
QUETIAPINE - Safety medicine; prescriber may determine dispe	ensina frequency			
Tab 25 mg	. ,	90	V	Quetapel
Tab 100 mg		90	_	Quetapel
Tab 200 mg		90	V	Quetapel
Tab 300 mg		90		Quetapel
RISPERIDONE – Safety medicine; prescriber may determine disp	pensina frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927				
below – Retail pharmacy		28	<b>1</b>	Risperdal Quicklet
Tab 0.5 mg		60		Actavis
Tab 1 mg		60	-	Actavis
Tab orodispersible 1 mg — Special Authority see SA0927		00	· ·	TOTAL TIO
below – Retail pharmacy		28	<b>1</b>	Risperdal Quicklet
Tab 2 mg		60		Actavis
•		00	• •	-totavio
Tab orodispersible 2 mg - Special Authority see SA0927		28		Risperdal Quicklet
below – Retail pharmacy		20 60		•
Tab 3 mg		60		Actavis Natavia
Tab 4 mg		ชบ 30 ml	-	<u>Actavis</u> Pianaran
Oral liq 1 mg per ml(Risperdal Quicklet Tab orodispersible 0.5 mg to be delisted 1 Jun		JU IIII	V I	Risperon

(Risperdal Quicklet Tab orodispersible 0.5 mg to be delisted 1 June 2017) (Risperdal Quicklet Tab orodispersible 1 mg to be delisted 1 June 2017) (Risperdal Quicklet Tab orodispersible 2 mg to be delisted 1 June 2017)

## ■ SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

**Initial application — (Chronic situations)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

### Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	I Generic
	\$	Per	-	Manufacturer
TRIFLUOPERAZINE HYDROCHLORIDE - Safety medicine; pre	escriber may determin	e disna	ensina fre	allency
Tab 1 mg		100		Stelazine
Tub Ting	11.01	112		Mercury
	11.01	112	•	Pharma S29
Tab O	4404	400		
Tab 2 mg		100		Stelazine
Tab 5 mg		100	•	Stelazine
ZIPRASIDONE - Safety medicine; prescriber may determine dis	spensing frequency			
Cap 20 mg	14.56	60	~	Zusdone
Cap 40 mg	24.75	60	~	Zusdone
Cap 60 mg	33.87	60	~	Zusdone
Cap 80 mg	39.74	60	~	Zusdone
ZUCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; pre	secribar may datarming	diene	neina fra	THENCY
Tab 10 mg	•	100		Clopixol
		100		Сіоріхої
Depot Injections				
FLUPENTHIXOL DECANOATE - Safety medicine; prescriber m	av determine dispensi	na fre	quency	
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		Fluanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	-	Fluanxol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		Fluanxol
		-		i iddiixoi
FLUPHENAZINE DECANOATE – Safety medicine; prescriber m	•	•		
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PS		5		Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO		5		Modecate
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	~	Modecate S29
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	154.50	5	~	Modecate
(Modecate S29 Inj 25 mg per ml, 2 ml to be delisted 1 January	2017)			
HALOPERIDOL DECANOATE - Safety medicine; prescriber ma	v datarmina disnansir	na fran	uencv	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 TEQ	,	Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		Haldol Concentrate
ing 100 mg per mi, 1 mi – op to 5 mg available on a F30		5		Haldol
			•	
				Decanoas S29
OLANZAPINE - Special Authority see SA1428 below - Retail pl	harmacy			
Safety medicine; prescriber may determine dispensing frequ	ency			
Inj 210 mg vial	280.00	1	~	Zyprexa Relprevv
Inj 300 mg vial	460.00	1	~	Zyprexa Relprevv
Inj 405 mg vial	560.00	1	~	Zyprexa Relprevv

#### ⇒SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia; and
  - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer	
PALIPERIDONE - Special Authority see SA1429 below - Retail p	oharmacy				
Safety medicine; prescriber may determine dispensing freque	ency				
Inj 25 mg syringe	194.25	1	🗸 In	vega Sustenna	
Inj 50 mg syringe	271.95	1	🗸 In	vega Sustenna	
Inj 75 mg syringe	357.42	1	🗸 In	vega Sustenna	
Inj 100 mg syringe	435.12	1	<b>✓</b> In	vega Sustenna	
Inj 150 mg syringe		1	<b>✓</b> In	vega Sustenna	
				ŭ	

### **⇒**SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

### PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

ing 50 mg per mi, i mi op to 5 mg available on a r 50	170.70	▼ i iportii
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32 10	✓ Piportil
RISPERIDONE - Special Authority see SA1427 on the next page -	- Retail pharmacy	
Safety medicine; prescriber may determine dispensing frequency	су	
Inj 25 mg vial	135.98 1	Risperdal Consta
Inj 37.5 mg vial	178.71 1	Risperdal Consta
Inj 50 mg vial	217.56 1	Risperdal Consta

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	<b>/</b>	Manufacturer	

#### ⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

✔ Clopixol

# **Anxiolytics**

ALPRAZOLAM – Safety medicine; prescriber may determine dispensing frequency Tab 250 mcg2.50	50	✓ Xanax
‡ Safety cap for extemporaneously compounded oral liquid preparations.  Tab 500 mcg3.25	50	✓ Xanax
‡ Safety cap for extemporaneously compounded oral liquid preparations.  Tab 1 mg5.00      ‡ Safety cap for extemporaneously compounded oral liquid preparations.	50	✓ Xanax
BUSPIRONE HYDROCHLORIDE		
* Tab 5 mg23.80	100	✓ Orion
* Tab 10 mg14.96	100	✓ <u>Orion</u>
CLONAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 500 mcg7.53	100	✓ Paxam
Tab 2 mg14.37	100	✓ Paxam
DIAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 2 mg11.44	500	✓ Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		•
Tab 5 mg13.71	500	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
LORAZEPAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 1 mg10.79	250	✓ <u>Ativan</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 2.5 mg13.88	100	✓ <u>Ativan</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
OXAZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 10 mg6.17	100	✓ <u>Ox-Pam</u>
‡ Safety cap for extemporaneously compounded oral liquid preparations.	100	. / Ou Down
Tab 15 mg	100	✓ Ox-Pam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

# **Multiple Sclerosis Treatments**

DIMETHYL FUMARATE - Special Authority see SA1559 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

 Cap 120 mg
 520.00
 14
 ✓ Tecfidera

 Cap 240 mg
 2,000.00
 56
 ✓ Tecfidera

### ⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

#### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

#### Stopping Criteria

# Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0: or
  - c) 1.5 to 3.5: or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to dimethyl fumarate: or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

28

Gilenva

### ■SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC), Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to fingolimod; and
- g) patients must have not previously had intolerance to fingolimod; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

### Stopping Criteria

### Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5: or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to fingolimod; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

Tysabri

# ⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

#### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse:
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier: and
- g) patients must have no previous history of lack of response to natalizumab; and
- h) patients must have not previously had intolerance to natalizumab; and
  - a) Patient is JC virus negative, or
    - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- i) patient must not be co-prescribed beta interferon or glatiramer acetate.

### **Stopping Criteria**

### Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0: or
  - c) 1.5 to 3.5: or

continued...

155

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

d) 2.0 to 4.0; or

- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or
- a) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to natalizumab; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

28 Aubagio 

### ⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: 04 460 4990

Facsimile: 04 916 7571

The coordinator Multiple Sclerosis Treatment Assessment Committee

Email: mstaccoordinator@pharmac.govt.nz

PHARMAC PO Box 10 254

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

#### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

#### continued...

- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse:
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to teriflunomide: and
- g) patients must have not previously had intolerance to teriflunomide; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

### Stopping Criteria

### Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5: or
  - f) 3.0 to 4.5: or
  - a) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to teriflunomide: or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

# Other Multiple Sclerosis Treatments

## ■ SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million ju of interferon beta-1-alpha per week, or 8 million ju of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

#### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse:
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- g) patients must have either:
  - a) intolerance to both natalizumab and fingolimod; or
  - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- h) patient will not be co-prescribed natalizumab or fingolimod.

## **Stopping Criteria**

#### Any of the following:

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0: or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5: or

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- g) 3.5 to 4.5: or
- h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's (interferon beta-1beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alphal to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564 of	on page 157 – [Xpharm]		
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	1564 on page 157 – [Xp	harm]	
Inj 6 million iu prefilled syringe	1,170.00	4	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial		4	✓ Avonex
INTERFERON BETA-1-BETA - Special Authority see SA15	64 on page 157 – [Xpha	arm]	
Inj 8 million iu per 1 ml	1,322.89	15	Betaferon

# Sedatives and Hypnotics

Tab 1 mg	3.11	30	
•	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		
MIDAZOLAM - Safety medicine; prescriber may determine	dispensing frequency		
Inj 1 mg per ml, 5 ml	4.30	10	Hypnovel
	10.00		✓ Pfizer
Inj 5 mg per ml, 3 ml	2.50	5	Hypnovel
	11.90		✓ Pfizer
NITRAZEPAM - Safety medicine; prescriber may determine	e dispensing frequency		
Tab 5 mg	5.22	100	✓ Nitrados
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		
PHENOBARBITONE SODIUM - Special Authority see SA1	386 below - Retail pha	rmacy	
Inj 200 mg per ml, 1 ml ampoule	46.20	10	✓ Martindale S29

### ■SA1386 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

LORMETAZEPAM - Safety medicine; prescriber may determine dispensing frequency

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
TEMAZEPAM – Safety medicine; prescriber may determine dispertable 10 mg	1.27	25	<b>✓</b> <u>N</u>	<u>ormison</u>
TRIAZOLAM – Safety medicine; prescriber may determine dispertable 125 mcg	5.10 (9.85)	100	H	ypam
Tab 250 mcg      Safety cap for extemporaneously compounded oral liquid	4.10 (11.20)	100	H	ypam
ZOPICLONE – Safety medicine; prescriber may determine dispe Tab 7.5 mg		500	✓ Ze	opiclone Actavis

# **Stimulants/ADHD Treatments**

## Stimulants/ADHD treatments

ATOMOXETINE - Special Authority see SA1416 below - R	letail pharmacy		
Cap 10 mg	107.03	28	Strattera
Cap 18 mg	107.03	28	✓ Strattera
Cap 25 mg		28	✓ Strattera
Cap 40 mg		28	✓ Strattera
Cap 60 mg	107.03	28	✓ Strattera
Cap 80 mg		28	✓ Strattera
Cap 100 mg		28	✓ Strattera

# ⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
  - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 on the next page - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg	 17.00	100	✓ PSM

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

### ■ SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application — (Narcolepsy)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

**Renewal** — **(ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

3.20	30	Rubifen
	30	Ritalin
		Rubifen
7.85	30	Rubifen
10.95	30	Rubifen SR
50.00	100	Ritalin SR
	3.20 7.85 10.95 50.00	

## ⇒SA1150 | Special Authority for Subsidy

**Initial application** — **(ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 3.1 Applicant is a paediatrician or psychiatrist; or
- 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg		30	✓ Concerta
Tab extended-release 36 mg		30	✓ Concerta
Tab extended-release 54 mg		30	✓ Concerta
Cap modified-release 10 mg		30	✓ Ritalin LA
Cap modified-release 20 mg		30	Ritalin LA
Cap modified-release 30 mg		30	✓ Ritalin LA
Cap modified-release 40 mg		30	✓ Ritalin LA

### ⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Fither:
  - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hy-

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL - Special Authority see SA1126 below - Retail pharmacy

Tab 100 mg ......72.50 30 ✓ Modaviqil

# ■ SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more: and
- 2 Fither:
  - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
  - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and
- 3 Fither:
  - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects: or
  - 3.2 Methylphenidate and dexamfetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

# Treatments for Dementia

DONEPEZIL HYDROCHLORIDE			
* Tab 5 mg	5.48	90	✓ Donepezil-Rex
* Tab 10 mg	10.51	90	✓ Donepezil-Rex
RIVASTIGMINE - Special Authority see SA1488 below -	Retail pharmacy		
Patch 4.6 mg per 24 hour	90.00	30	Exelon
Patch 9.5 mg per 24 hour	90.00	30	Exelon
The CA 4 400 Connected Analysis of the Control of the			

#### ► SA1488 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

163

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

# **Treatments for Substance Dependence**

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine: prescriber may determine dispensing frequency

Suboxone	28	57.40	Tab sublingual 2 mg with naloxone 0.5 mg
✓ Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

### ■SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

**Initial application — (Maintenance treatment)** from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone);
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

<b>BUPROPION I</b>	HYDROCHL	ORIDE
--------------------	----------	-------

Tab modified-release 150 mg	4.97	30	✓ Zyban	
DISULFIRAM				
Tab 200 mg	24.30	100	Antabuse	

	Subsidy (Manufacturer's Price)		Fully Brand or ubsidised Generic	Generic
	\$	Per	~	Manufacturer
NALTREXONE HYDROCHLORIDE - Special Authority see SA14	408 below – Retail pha	armacy		
Tab 50 mg	76.00	30	✓ Na	altraccord

### **⇒**SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

#### NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	✓ <u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO	11.31	28	✓ <u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	✓ <u>Habitrol</u>
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	✓ Habitrol
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	✓ Habitrol
Gum 2 mg (Classic) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	✓ Habitrol
Gum 4 mg (Classic) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	✓ <u>Habitrol</u>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
phitrol Gum 2 mg (Classic) to be delisted 1 March 2017)			

(Habitrol Gum 2 mg (Classic) to be delisted 1 March 2017)

(Habitrol Gum 4 mg (Classic) to be delisted 1 March 2017)

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

✓ Champix		Tab 1 mg
✓ Champix	56	135.48
✓ Champix	25 OP	Tab 0.5 mg × 11 and 1 mg × 1460.48

### ►SA1575 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 3.1 The patient has tried but failed to guit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
- 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this: and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking:
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this: and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

# **Chemotherapeutic Agents**

# **Alkylating Agents**

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			•
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
, ,	20.00		✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	DBL Carboplatin
	19.50		✓ Carbaccord
	22.50		Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	DBL Carboplatin
	48.50		Carbaccord
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml vial	12.20	1	✓ DBL Cisplatin
iiij i iiig pei iiii, 50 iiii viai	15.00	'	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
ing i mg por mi, roo mi viai	22.46	•	✓ DBL Cisplatin
Inj 1 mg for ECP		1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		3	
	70.00	FO	✓ Endoxan S29
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	
Western deimakle and mile 0.000 an man 10	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13	25.02	1	✓ Endoxan
Inj 1 g vial – PCT – Retail pharmacy-Specialist	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
, , ,		11119	<b>₽</b> Buxter
IFOSFAMIDE – PCT only – Specialist	00.00	_	. 4 11-1
Inj 1 g		1	✓ Holoxan
Inj 2 gInj 1 mg for ECP		1 mg	<ul><li>✓ Holoxan</li><li>✓ Baxter</li></ul>
, ,	0.10	ring	Daxiei
LOMUSTINE - PCT - Retail pharmacy-Specialist			4.4
Cap 10 mg		20	CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	67.80	1	✓ Alkeran
	3,068.83		Mylan
			Melphalan S29

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
OXALIPLATIN – PCT only – Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	<b>V</b> 0	xaliccord
Inj 50 mg vial		1	<b>~</b> 0	)xaliplatin Actavis 50
	55.00		<b>~</b> 0	xaliplatin Ebewe
	200.00		<b>√</b> E	loxatin
Inj 100 mg vial	25.01	1	<b>~</b> 0	)xaliplatin Actavis 100
	110.00		<b>~</b> 0	xaliplatin Ebewe
	400.00		<b>√</b> E	loxatin
Inj 5 mg per ml, 20 ml vial	16.00	1	<b>V</b> 0	xaliccord
Inj 1 mg for ECP(Eloxatin Inj 50 mg vial to be delisted 1 April 2017) (Eloxatin Inj 100 mg vial to be delisted 1 April 2017)		1 mg	<b>✓</b> B	Baxter
THIOTEPA - PCT only - Specialist				
Inj 15 mg vial	CBS	1	<b>✓</b> T	Sedford \$29 CHIO-TEPA \$29 Cepadina \$29
Inj 100 mg vial	CBS	1	<b>✓</b> T	epadina S29

### **Antimetabolites**

AZACITIDINE - PCT only - Specialist - Special Authority see SA1467	below	
Inj 100 mg vial60	05.00 1 🗸 Vidaza	ı
Inj 1 mg for ECP	.6.66 1 mg	ŕ

### **⇒**SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome: or
  - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
  - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy (Manufacturer's Pric	e) Sub Per	Fully Brand or sidised Generic  Manufacturer
CALCIUM FOLINATE			
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	✓ DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	✓ Hospira
Inj 50 mg - PCT - Retail pharmacy-Specialist	18.25	5	✓ Calcium Folinate
Inj 100 mg - PCT only - Specialist	7.33	1	<u>Ebewe</u> ✔ Calcium Folinate
ing rooming in our only opposition	7.00		Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	✓ Calcium Folinate
			Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ Baxter
APECITABINE - Retail pharmacy-Specialist		-	
Tab 150 mg	11.15	60	✓ Brinov
•	30.00		✓ Capecitabine Winthrop
Tab 500 mg	62.28	120	✓ Brinov
· ·	120.00		<ul><li>Capecitabine Winthrop</li></ul>
CLADRIBINE - PCT only - Specialist			
Inj 1 mg per ml, 10 ml	5,249.72	7	✓ Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓ Baxter
YTARABINE			
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis	t55.00	5	✔ Pfizer
	80.00		✓ Hospira
Inj 500 mg - PCT - Retail pharmacy-Specialist		1	✓ Pfizer
lai 100 man man and 10 mal vial DCT Datail mhannanan	95.36	5	✓ Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy- Specialist		1	✓ Pfizer
Specialist	42.65	!	✓ Hospira
Inj 100 mg per ml, 20 ml vial - PCT - Retail pharmacy-			Тиоории
Specialist		1	✔ Pfizer
·	34.47		✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist	0.11	10 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialis LUDARABINE PHOSPHATE	t11.00 1	00 mg OP	✓ Baxter
Tab 10 mg - PCT - Retail pharmacy-Specialist	412.00	20	✓ Fludara Oral
Inj 50 mg vial - PCT only - Specialist		5	✓ Fludarabine Ebewe
	1,430.00		✓ Fludara
Inj 50 mg for ECP – PCT only – Specialist Fludara Inj 50 mg vial to be delisted 1 April 2017)	105.00	50 mg OP	✓ Baxter
FLUOROURACIL			
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist		1	✔ Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml vial - PCT only - Specialist		1	✓ Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial — PCT only – Specialist		1	Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.66	100 mg	✓ Baxter

	Subsidy (Manufacturer's Price)		Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
EMCITABINE HYDROCHLORIDE - PCT only - Specialist			
Inj 1 g	15.89	1	✓ Gemcitabine Ebewe
, 0	62.50		DBL Gemcitabine
	349.20		✓ Gemzar
Inj 200 mg	8.36	1	Gemcitabine Ebewe
, -	78.00		✓ Gemzar
Inj 1 mg for ECP	0.02	1 mg	✓ Baxter
NOTECAN HYDROCHLORIDE - PCT only - Specialist		•	
Inj 20 mg per ml, 2 ml vial	11.50	1	✓ Irinotecan Actavis 40
	41.00		✓ Camptosar ✓ Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	✓ Irinotecan Actavis 100
	100.00		✓ Camptosar ✓ Irinotecan-Rex
Inj 1 mg for ECP ERCAPTOPURINE – PCT – Retail pharmacy-Specialist	0.19	1 mg	✓ Baxter
Tab 50 mg	49.41	25	✔ Puri-nethol
ETHOTREXATE  Tab 2.5 mg - PCT - Retail pharmacy-Specialist	0.40	20	4
Tab 2.5 mg — PCT — Retail pharmacy-Specialist		30	✓ <u>Trexate</u>
Tab 10 mg — PCT — Retail pharmacy-Specialist		50	✓ <u>Trexate</u>
Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist		5	✓ Hospira
Inj 7.5 mg prefilled syringe		1	✓ Methotrexate Sandoz
Inj 10 mg prefilled syringe		1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 15 mg prefilled syringe		1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 20 mg prefilled syringe	14.88	1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 25 mg prefilled syringe	14.99	1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 30 mg prefilled syringe	15.09	1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist	t30.00	5	✓ <u>DBL Methotrexate</u> Onco-Vial
Inj 25 mg per ml, 20 ml vial - PCT - Retail pharmacy-			
Specialist	45.00	1	✓ DBL Methotrexate Onco-Vial
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist	t25.00	1	✓ Methotrexate Ebeween
Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialist	t99.99	1	✓ Methotrexate Ebeween
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist.		5 mg ÖF	<b>✓</b> Baxter
HOGUANINE - PCT - Retail pharmacy-Specialist Tab 40 mg	126.31	25	✓ Lanvis

	Subsidy (Manufacturer's F \$	Price) S Per	Fully Subsidised	Brand or Generic Manufacturer
Other Cytotoxic Agents				
AMSACRINE - PCT only - Specialist				
Inj 50 mg per ml, 1.5 ml ampoule	1,500.00	6	✓ A	msidine \$29
Inj 75 mg	1,250.00	5	✓ A	msaLyo S29
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharma	cy-Specialist			
Cap 0.5 mg	CBS	100	✓ A	grylin S29
•			✓ Te	eva S29
ARSENIC TRIOXIDE - PCT only - Specialist				
Inj 10 mg	4,817.00	10	✓ A	FT (\$29)
BLEOMYCIN SULPHATE - PCT only - Specialist				
Inj 15,000 iu, vial	150.48	1	<b>✓</b> D	BL Bleomycin
•				Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	<b>✓</b> B	axter
BORTEZOMIB - PCT only - Specialist - Special Authority	see SA1576 below			
Inj 1 mg	540.70	1	✓ Ve	elcade
Inj 3.5 mg vial	1,892.50	1	✓ Ve	elcade
Inj 1 mg for ECP	594.77	1 mg	<b>✓</b> B	axter
(Velcade Inj 1 mg to be delisted 1 December 2016)				

# **⇒**SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
  - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
  - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis \*: and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 The patient has relapsed or refractory multiple myeloma; or
  - 1.2 The patient has relapsed or refractory systemic AL amyloidosis \*; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

a) a known therapeutic chemotherapy regimen and supportive treatments; or

b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] - PCT only - Specialist Inj 10,000 iu ......102.32 1 Leunase 10,000 iu OP ✔ Baxter DACARBAZINE - PCT only - Specialist Inj 200 mg vial ......58.06 DBL Dacarbazine 200 mg OP ✓ Baxter Inj 200 mg for ECP ......58.06 DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist Inj 0.5 mg vial ......145.00 Cosmegen 0.5 mg OP Inj 0.5 mg for ECP ......145.00 ✔ Baxter DAUNORUBICIN - PCT only - Specialist Inj 2 mg per ml, 10 ml ......118.72 ✔ Pfizer 20 mg OP ✔ Baxter Inj 20 mg for ECP .......118.72 DOCETAXEL - PCT only - Specialist Inj 20 mg ......13.70 1 DBL Docetaxel ✔ Docetaxel Sandoz ✓ Taxotere 1 ✓ Taxotere 1 ✓ DBL Docetaxel ✓ Docetaxel Sandoz 1 mg ✔ Baxter (Taxotere Inj 20 mg per ml, 1 ml to be delisted 1 April 2017) (Taxotere Inj 20 mg per ml, 4 ml to be delisted 1 April 2017) DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist ✓ Doxorubicin Ebewe 1 Inj 2 mg per ml, 25 ml vial .......11.50 Doxorubicin Ebewe Arrow-Doxorubicin Inj 50 mg vial .......40.00 DBL Doxorubicin ✓ DBL Doxorubicin S29 S29 Inj 2 mg per ml, 50 ml vial ......23.00 1 ✔ Doxorubicin Ebewe Inj 2 mg per ml, 100 ml vial .......46.00 Doxorubicin Ebewe Arrow-Doxorubicin

150.00

1 mg

✓ Adriamvcin

✔ Baxter

	Subsidy (Manufacturer's Price)			Brand or Generic
	\$	Per	Subsidised	Manufacturer
PIRUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	25.00	1	<b>✓</b> E	pirubicin Ebewe
Inj 2 mg per ml, 25 ml vial	30.00	1	<b>✓</b> E	pirubicin Ebewe
	39.38		<b>~</b> [	BL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 50 ml vial	32.50	1	<b>✓</b> E	pirubicin Ebewe
	58.20		<b>/</b> [	BL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 100 ml vial	65.00	1	<b>✓</b> E	pirubicin Ebewe
, -	94.50		<b>/</b> [	BL Epirubicin
				Hydrochloride
Inj 1 mg for ECP	0.36	1 mg	<b>✓</b> E	Baxter
TOPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	<b>~</b> \	/epesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10		/epesid
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis		1		Rex Medical
Inj 1 mg for ECP - PCT only - Specialist	0.09	1 mg	<b>✓</b> E	Baxter
OPOSIDE PHOSPHATE - PCT only - Specialist				
Inj 100 mg (of etoposide base)	40.00	1	<b>√</b> F	topophos
Inj 1 mg (of etoposide base) for ECP		1 mg		Baxter
		9	· -	
YDROXYUREA – PCT – Retail pharmacy-Specialist	01.76	100	./ 1	luduaa
Cap 500 mg	31./0	100	<b>V</b> F	lydrea
ARUBICIN HYDROCHLORIDE				
Inj 5 mg vial – PCT only – Specialist		1		Zavedos
Inj 10 mg vial – PCT only – Specialist		_1		avedos
Inj 1 mg for ECP - PCT only - Specialist	27.75	1 mg	<b>✓</b> E	Baxter
NALIDOMIDE – Retail pharmacy-Specialist – Special Authority Wastage claimable – see rule 3.3.2 on page 13	see SA1468 belov	V		
Cap 10 mg	6,207.00	21	<b>✓</b> F	Revlimid
Cap 25 mg	7,627.00	21	<b>✓</b> F	Revlimid

## ■ SA1468 | Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
  - 2.1 Lenalidomide to be used as third line\* treatment for multiple myeloma; or
  - 2.2 Both:
    - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
    - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

continued...

173

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	<b>/</b>	Manufacturer

continued...

2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with \* is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

#### MESNA

Tab 400 mg - PCT - Retail pharmacy-Specialist273.00	50	Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist407.50	50	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist161.25	15	Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist370.35	15	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist2.69	100 mg	✓ Baxter
MITOMYCIN C - PCT only - Specialist		
Inj 5 mg vial204.08	1	✓ <u>Arrow</u>
Inj 1 mg for ECP42.04	1 mg	✓ Baxter
MITOZANTRONE - PCT only - Specialist		
Inj 2 mg per ml, 10 ml vial97.50	1	Mitozantrone Ebewe
Inj 1 mg for ECP5.51	1 mg	✓ Baxter
PACLITAXEL - PCT only - Specialist		
Inj 30 mg45.00	5	Paclitaxel Ebewe
lnj 100 mg19.02	1	Paclitaxel Ebewe
91.67		Paclitaxel Actavis
Inj 150 mg26.69	1	✔ Paclitaxel Ebewe
137.50		✓ Anzatax
		✔ Paclitaxel Actavis
Inj 300 mg36.53	1	✔ Paclitaxel Ebewe
275.00		✓ Anzatax
		✔ Paclitaxel Actavis
Inj 600 mg73.06	1	✔ Paclitaxel Ebewe
Inj 1 mg for ECP0.17	1 mg	✓ Baxter
PEGASPARGASE - PCT only - Special Authority see SA1325 below		
Inj 3,750 IU per 5 ml	1	✓ Oncaspar S29

# **⇒**SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialist			
Ini 10 ma	CBS	1	✓ Ninent \$29

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy	-Specialist			
Cap 50 mg	498.00	50	<b>✓</b> N	Natulan S29
TEMOZOLOMIDE - Special Authority see SA1616 below - Retai	l pharmacy			
Cap 5 mg	8.00	5	<b>✓</b> 1	Temaccord
Cap 20 mg	36.00	5	<b>✓</b> 1	Temaccord
Cap 100 mg	175.00	5	<b>✓</b> 1	Temaccord
Cap 250 mg	410.00	5	<b>✓</b> 1	Temaccord

⇒SA1616 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
  - 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m<sup>2</sup> per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour\*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m<sup>2</sup> per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Patient has glioblastoma multiforme; and
  - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
  - 2.1 Patient has anaplastic astrocytoma\*; and
  - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
  - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme.

	ext page	CT only – Specialist – Special Authority see SA1124 on the	THALIDOMIDE
Thalomid	28	378.00	Cap 50 mg
✓ Thalomid	28	756.00	Cap 100 mg

175

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

### ⇒SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

### Fither:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis\*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with \* is an Unapproved Indication.

IKE	HINC	VIIV.
	_	

Cap 10 mg - PCT - Retail pharmacy-Specialist479.50	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specialist37.29	1	✓ Hospira
186.46	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml vial - PCT - Retail pharmacy-Specialist74.52	5	DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist85.61	5	DBL Vincristine Sulfate
Inj 1 mg for ECP - PCT only - Specialist11.30	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist		
Inj 10 mg per ml, 1 ml vial8.00	1	✓ Navelbine
42.00		✔ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial40.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP0.90	1 mg	✓ Baxter

# **Protein-tyrosine Kinase Inhibitors**

		ATINIB - Special Authority see SA0976 below - [Xpharm]	DASAT
✓ Sprycel	60	Tab 20 mg3,774.06	Tal
✓ Sprycel	60	Tab 50 mg6,214.20	Tal
✓ Sprycel	60	Tab 70 mg7,692.58	Tal
✓ Sprvcel	30	Tab 100 mg6.214.20	Tal

### **⇒**SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz , and prescriptions should be

The CMI /GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

Subsidy Fully Brand or Generic (Manufacturer's Price) Subsidised \$ Per Manufacturer

#### continued...

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, 109/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease): or
  - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%. PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

RLOTINIB – Retail pharma	acy-Specialist – Special Authority see SA1577 belo	W	
Tab 100 mg		30	✓ Tarceva
Tab 150 mg	1,500.00	30	✓ Tarceva

# ■ SA1577 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

# All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Any of the following:
  - 3.1 Patient is treatment naive: or
  - 3.2 Both:
    - 3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapv: and
    - 3.2.2 Patient has not received prior treatment with gefitinib; or
  - 3.3 Both:
    - 3.3.1 The patient has discontinued gefitinib within 12 weeks of starting treatment due to intolerance; and
    - 3.3.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1578 on the next page

Iressa

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

# **⇒**SA1578 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Either:
  - 2.1 Patient is treatment naive: or
  - 2.2 Both:
    - 2.2.1 The patient has discontinued erlotinib within 12 weeks of starting treatment due to intolerance; and
    - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

#### **IMATINIB MESILATE**

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	✓ Glivec
*	Cap 100 mg	298.90	60	✓ <u>Imatinib-AFT</u>
*	Cap 400 mg	597.80	30	Imatinib-AFT

## ⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Phone: (04) 916 7571

PO Box 10 254 Email: cmlqistcoordinator@pharmac.govt.nz

Wellington

#### Special Authority criteria for GIST – access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

Tab 250 mg .......1,899.00 70 **✓ Tykerb** 

### ⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

1 All of the following:

1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and

Subsidy Fully Brand or
(Manufacturer's Price) Subsidised Generic

\$ Per Manufacturer

#### continued...

- 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
- 1.3 Lapatinib not to be given in combination with trastuzumab; and
- 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on trastuzumab; and
  - 2.4 Lapatinib not to be given in combination with trastuzumab; and
  - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

# NILOTINIB - Special Authority see SA1489 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 150 mg	4,680.00	120	Tasigna
Cap 200 mg	6,532.00	120	Tasigna

### ■ SA1489 Special Authority for Subsidy

**Initial application** only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Either:
  - 2.1 Patient has documented CML treatment failure\* with imatinib; or
  - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day: and
- 4 Subsidised for use as monotherapy only.

Note: \*treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB – Special Authority see SA1190 on the next	page – Retail pharmacy		
Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

### ⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 Both:
    - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
    - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
  - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal: or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of ≤ 70; or
- 5.6 ≥ 2 sites of organ metastasis; and 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg	2,315.38	28	Sutent
Cap 25 mg	· ·	28	✓ Sutent
Cap 50 mg	· ·	28	✓ Sutent

#### ⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
  - 2.4 Both:
    - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
    - 2.4.2 The cancer did not progress whilst on pazopanib; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

#### continued...

- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of < 70: or
  - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
  - 2.1 The patient's disease has progressed following treatment with imatinib; or
  - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
  - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
  - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
  - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of > 15% on CT and no new lesions and no obvious progression of non measurable disease); or
  - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of ≥ 10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

# **Endocrine Therapy**

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 90

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 on the next page

Wastage claimable - see rule 3.3.2 on page 13

' Zytiga

181

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

#### **⇒**SA1515 Special Authority for Subsidy

**Initial application** only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases: and
- 3 Patient's disease is castration resistant: and
- 4 Fither:
  - 4.1 All of the following:
    - 4.1.1 Patient is symptomatic; and
    - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
    - 4.1.3 Patient has ECOG performance score of 0-1; and
    - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
  - 4.2 All of the following:
    - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
    - 4.2.2 Patient has ECOG performance score of 0-2; and
    - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

#### All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

BICALUTAMIDE Tab 50 mg	4.90	28	✓ <u>Bicalaccord</u>
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	55.00	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist Tab 160 mg	54.30	30	✓ Apo-Megestrol
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial	13.50	5	✓ <u>DBL</u>
Inj 100 mcg per ml, 1 ml vial	22.40	5	✓ DBL
Inj 500 mcg per ml, 1 ml vial	89.40	5	✓ <u>DBL</u>
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Spe	cial Authority see SA101	6 below – F	Retail pharmacy
Inj LAR 10 mg prefilled syringe		1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe		1	Sandostatin LAR
Inj LAR 30 mg prefilled syringe		1	Sandostatin LAR

#### ⇒SA1016 Special Authority for Subsidy

**Initial application — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive
- 2 Both:
  - 2.1 Gastrinoma: and
  - 2.2 Either:
    - 2.2.1 Patient has failed surgery; or
    - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
  - 3.1 Insulinomas: and
  - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
  - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### TAMOXIFFN CITRATE

*	Tab 10 mg17.50	100	Genox
*	Tab 20 mg2.63	30	Genox
	8.75	100	Genox

26.55	" ~	Aremed Arimidex DP-Anastrozole
26.55	" ~	Arimidex
		DF-AII8SUUZUIE
14.50	•	Aromasin Pfizer Exemestane
.2.95	30	<u>Letrole</u>
.8.28	60	Azamun
13.22 60.00		Azamun Imuran
25.00 37.25 165	100 🗸	Cellcept Cellcept Cellcept and capsules, and when the
	.2.95 .8.28 13.22 60.00 .25.00 .25.00 .37.25	.8.28 60 .8.28 60 .8.22 100 .60.00 1 .25.00 50 .25.00 100

### **Fusion Proteins**

ETANERCEPT - Special Authority see SA1478 below - Retail pharmacy

Inj 25 mg	799.96	4	Enbrel
Inj 50 mg autoinjector	1,599.96	4	Enbrel
Inj 50 mg prefilled syringe		4	Enbrel

### ⇒SA1478 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

#### Either:

### 1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
  - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
  - 2.5.1 Fither:
    - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
    - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or
- 2 All of the following:
  - 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
  - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
  - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
  - 2.5 Any of the following:
    - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
    - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
    - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
  - 2.6 Either:
    - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
    - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.7 Either:
    - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

continued...

185

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plague psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis: or
    - 2.1.2 Patient has severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot, where the plague or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plague psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plague psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

#### continued...

- 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right): or
- 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Fither:

#### 1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or

#### 2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Fither:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient has pvoderma gangrenosum\*; and

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised Brand or Generic Manufacturer

continued...

- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Fither:
    - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD): or
    - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
    - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992:19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
    - 2.2.2 Fither:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks of etanercept treatment. BASDAI has improved by 4 or more points from pre-treatment baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

#### 2 Either:

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment: and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

#### 1 Either:

1.1 Applicant is a rheumatologist; or

ANTITHYMOCYTE GLOBULIN (FQUINE) - PCT only - Specialist

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment: and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

### **Immune Modulators**

Inj 50 mg per ml, 5 ml	2,351.25	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only	- Specialist		
Subsidised only for bladder cancer.			
Inj 2-8 × 100 million CFU	149.37	1	✓ OncoTICE
Inj 40 mg per ml, vial	149.37	3	✓ SII-Onco-BCG S29
(SII-Onco-BCG \$29 Ini 40 ma per ml. vial to be delisted 1 Febr	ruarv 2017)		

#### Monoclonal Antibodies

ADALIMUMAB - Special Authority see SA14	479 below – Retail pharmacy		
Inj 10 mg per 0.2 ml prefilled syringe	1,599.96	2	Humira
Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	Humira
Inj 40 mg per 0.8 ml prefilled pen	1,599.96	2	✓ HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,599.96	2	Humira

#### ⇒SA1479 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
  - 1.2 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 1.2.1 The patient has experienced intolerable side effects from etanercept; or
- 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

#### 2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

#### 2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

#### 2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease: and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

**Initial application** — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

#### Either:

#### 1 Both:

1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and

continued...

191

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept: or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis: or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
    - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plague psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plague psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept: or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs. CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of an exercise regime supervised by a physiotherapist; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right): or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
  - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
  - 12 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
  - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
  - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
  - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
  - 2.4 Either:
    - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
    - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
  - 2.5 Any of the following:
    - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
    - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
    - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:

continued...

193

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 2.2 Patient diagnosed with JIA; and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
  - 2.5.1 Either:
    - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
    - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Fither:
  - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
  - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum\*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone. ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with \* are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Fither:
    - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD);
    - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules:
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
    - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

- 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
- 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
- 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Fither:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab:

- 2.1.2 CDAI score is 150 or less: or
- 2.2 Both:
  - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
  - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

continued...

195

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

#### 2 Either:

- 2.1 Both:
  - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
  - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
  - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
  - 2.2.2 Fither:
    - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values: or
    - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks of adalimumab treatment, BASDAI has improved by 4 or more points from pre-adalimumab baseline on a 10 point scale, or by 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Fither:
  - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

continued...

- 1.1 Applicant is a named specialist or rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal — (fistulising Crohn's disease)** only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
  - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

**Renewal** — **(pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OMALIZUMAB - Special Authority see SA1490 below - Retail pharmacy

Inj 150 mg vial .......500.00 1 **V Xolair** 

#### ►SA1490 | Special Authority for Subsidy

**Initial application** only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

#### continued...

- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated: and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months. unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 below		
Inj 100 mg per 10 ml vial1,075.50	2	Mabthera
Inj 500 mg per 50 ml vial2,688.30	1	Mabthera
Inj 1 mg for ECP5.64	1 mg	✓ Baxter

### ⇒SA1152 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 6 treatment cycles: or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglob-

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
  - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
  - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A. B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Fither:
  - 3.1 The patient is chemotherapy treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
    - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles;
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Subsidy	Full	ly Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per •	<ul> <li>Manufacturer</li> </ul>	

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

### ⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

**Renewal** only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB - PCT only - Specialist - Special Au	uthority see SA1521 below		
Inj 150 mg vial	1,350.00	1	✓ Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	9.36	1 mg	✓ Baxter

### ■ SA1521 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
  - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
  - 1.3 Trastuzumab not to be given in combination with lapatinib; and
  - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on lapatinib; and
  - 2.4 Trastuzumab not to be given in combination with lapatinib; and
  - 2.5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

#### continued...

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
  - 3.4 12 months' treatment with neoadiuvant and adjuvant chemotherapy is planned; or
  - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
  - 3.1 All of the following:
    - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
    - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
    - 3.1.3 Trastuzumab to be discontinued at disease progression; or
  - 3.2 All of the following:
    - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress whilst on lapatinib; and
    - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
    - 3.2.4 Trastuzumab to be discontinued at disease progression; or
  - 3.3 All of the following:
    - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
    - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
    - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: \* For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

# Programmed Cell Death-1 (PD-1) Inhibitors

NIVOLUMAB - PCT only - Specialist - Special Authority see	e SA1617 below		
Inj 10 mg per ml, 4 ml vial	1,051.98	1	Opdivo
Inj 10 mg per ml, 10 ml vial	2,629.96	1	✓ Opdivo
Inj 1 mg for ECP	27.62	1 mg	✓ Baxter

#### ■ SA1617 Special Authority for Subsidy

**Initial application** — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV: and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
  - 3.1 Patient has not received funded pembrolizumab; or
  - 3.2 Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 3.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
- 3.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 4 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period: and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
  must have reduction in short axis to <10 mm.</li>
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB	<ul> <li>PCT only – Specialist – Special Authority see SA1615 belo</li> </ul>	W	
Inj 50 mg vial	2,340.00	1	Keytruda
Ini 1 ma for ECF	949.14	1 ma	✓ Baxter

#### ⇒SA1615 Special Authority for Subsidy

**Initial application** — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
  - 3.1 Patient has not received funded nivolumab; or

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

3.2 Both:

- 3.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
- 3.2.2 The cancer did not progress while the patient was on nivolumab; and
- 4 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to <10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

# Other Immunosuppressants

CICLOSPORIN			
Cap 25 mg	44.63	50	✓ Neoral
Cap 50 mg	88.91	50	✓ Neoral
Cap 100 mg	177.81	50	✓ Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	✓ Neoral
EVEROLIMUS - Special Authority see SA1491 on the next page - R Wastage claimable - see rule 3.3.2 on page 13	etail pharmacy		
Tab 5 mg	4,555.76	30	✓ Afinitor
Tab 10 mg6	3,512.29	30	✔ Afinitor

C

F

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

### **⇒**SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

**Renewal** only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIBOLIMI IS	- Special Authority	see SA0866 below	- Retail pharmacy
SILIOLINIOS	- Opeciai Autilionii	A SEE OVOCOO DEION	- Hetali pilaililacy

Tab 1 mg	749.99	100	Rapamune
Tab 2 mg	1,499.99	100	✓ Rapamune
Oral liq 1 mg per ml	449.99	60 ml OP	Rapamune

#### ■ SA0866 | Special Authority for Subsidy

**Initial application** from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min; or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP: or
- Leukoencepthalopathy: or
- Significant malignant disease

#### TACROLIMUS - Special Authority see SA1540 below - Retail pharmacy

Cap 0.5 mg	85.60	100	✓ <u>Tacrolimus Sandoz</u>
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer, page	Э		
221	428.00	50	✓ <u>Tacrolimus Sandoz</u>

## ■SA1540 Special Authority for Subsidy

**Initial application** — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome\*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome\* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
  - 2.1 The patient is an adult with SRNS; and
  - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
  - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with \* are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

# **Antiallergy Preparations**

# Allergic Emergencies

ICATIBANT - Special Authority see SA1558 below - Retail pharmacy ✓ Firazyr Inj 10 mg per ml, 3 ml prefilled syringe ......2,668.00

### **⇒**SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

۷

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

# **Allergy Desensitisation**

### ■ SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive: and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

1 OP

Venomil S29

BEE VENOM ALLERGY TREATMENT - Special Authority see SA1367 above - Retail pharmacy Maintenance kit - 6 vials 120 mcg freeze dried venom, with

Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see Sa	A1367 above	– Retail pharn	пасу
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil S29

## **Antihistamines**

CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.01	100	✓ Zista
v	1.59		✓ Zetop
*‡ Oral liq 1 mg per ml	2.99	200 ml	✓ Histaclear
CHLORPHENIRAMINE MALEATE  *‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen

	Subsidy (Manufacturer's		Fully sidised	Brand or Generic
	\$	Per		Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE				
* Tab 2 mg	2.02	40		
	(8.40)		Р	olaramine
	1.01	20		
	(5.99)		Р	olaramine
*‡ Oral liq 2 mg per 5 ml	1.77	100 ml		
	(10.29)		Р	olaramine
FEXOFENADINE HYDROCHLORIDE				
* Tab 60 mg	4.34	20		
	(11.53)		T	elfast
* Tab 120 mg		30		
	(29.81)		T	elfast
	4.74	10		
	(11.53)	. •	T	elfast
ODATADINE	(			
LORATADINE	4.00	100		
* Tab 10 mg		100		<u>orafix</u>
* Oral liq 1 mg per ml	4.25	200 ml	VL	oraPaed
PROMETHAZINE HYDROCHLORIDE				
* Tab 10 mg	1.78	50	✓ <u>A</u>	llersoothe
* Tab 25 mg	1.99	50	✓ <u>A</u>	llersoothe
*‡ Oral liq 1 mg per 1 ml	2.59	100 ml	✓ <u>A</u>	llersoothe
* Inj 25 mg per ml, 2 ml ampoule - Up to 5 inj available on a				
PSO		5	<b>✓</b> H	lospira
FRIMEPRAZINE TARTRATE				
: Oral liq 30 mg per 5 ml	2.70	100 ml OP		
t Orally 50 mg per 5 mil	(8.06)	100 1111 01	\/	allergan Forte
	(0.00)		V	anorgan i orte
Inhaled Corticosteroids				
DECLONETINGONE DIDDODIONATE				
BECLOMETHASONE DIPROPIONATE	0.00	000 de e 00		
Aerosol inhaler, 50 mcg per dose		200 dose OP	<b>V</b> 0	
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP		eclazone 50
Aerosol inhaler, 100 mcg per dose		200 dose OP	<b>V</b> 0	
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP		eclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free	22.67	200 dose OP	V B	Seclazone 250
BUDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	<b>√</b> P	ulmicort
				Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	<b>✓</b> P	ulmicort
, <b></b> ,				Turbuhaler

Powder for inhalation, 400 mcg per dose ......32.00

Turbuhaler

		10111 3131		ND ALLEMONES
	Subsidy (Manufacturer's \$		Fully bsidised	Brand or Generic Manufacturer
FLUTICASONE				
Aerosol inhaler, 50 mcg per dose		120 dose OP	<b>√</b> F	loair
Aerosol inhaler, 50 mcg per dose CFC-free		120 dose OP		lixotide
Powder for inhalation, 50 mcg per dose		60 dose OP		lixotide Accuhaler
Powder for inhalation, 100 mcg per dose		60 dose OP		lixotide Accuhaler
Aerosol inhaler, 125 mcg per dose Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP 120 dose OP		loair Iixotide
Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP		loair
Aerosol inhaler, 250 mcg per dose CFC-free		120 dose OP		lixotide
Powder for inhalation, 250 mcg per dose		60 dose OP		lixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonis				
initialed Long-acting Beta-adrenoceptor Agonis	เร			
EFORMOTEROL FUMARATE				
Powder for inhalation, 6 mcg per dose, breath activated	10.32	60 dose OP		
	(16.90)		C	xis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de				
vice		60 dose	_	
	(35.80)		F	oradil
INDACATEROL				
Powder for inhalation 150 mcg	61.00	30 dose OP		nbrez Breezhaler
Powder for inhalation 300 mcg	61.00	30 dose OP	<b>V</b> 0	nbrez Breezhaler
SALMETEROL				
Aerosol inhaler CFC-free, 25 mcg per dose		120 dose OP		erevent
Aerosol inhaler 25 mcg per dose		120 dose OP		leterol
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 dose OP	<b>√</b> S	erevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	Adrenocept	or Agonists	;	
BUDESONIDE WITH EFORMOTEROL				
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	18 23	120 dose OP	· • v	annair
Powder for inhalation 100 mcg with eformoterol fumarat		120 0030 01	•	annan
6 mcg		120 dose OP	<b>√</b> s	ymbicort
		0 0000 0.		Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21.40	120 dose OP	V	annair
Powder for inhalation 200 mcg with eformoterol fumarat				
6 mcg		120 dose OP	<b>√</b> S	ymbicort
				Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarat	е			
12 mcg - No more than 2 dose per day	44.08	60 dose OP	<b>√</b> S	ymbicort
				Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL				
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	<b>✓</b> B	reo Ellipta

	Subsidy (Manufacturer's		Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
FLUTICASONE WITH SALMETEROL			
Aerosol inhaler 50 mcg with salmeterol 25 mcg	33.74	120 dose OP	✓ Seretide
	37.48		✓ RexAir
Aerosol inhaler 125 mcg with salmeterol 25 mcg	44.08	120 dose OP	✓ Seretide
•	49.69		✓ RexAir
Powder for inhalation 100 mcg with salmeterol 50 mcg - No			
more than 2 dose per day	33.74	60 dose OP	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg - No			
more than 2 dose per day	44.08	60 dose OP	Seretide Accuhaler
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Oral liq 400 mcg per ml	2.06	150 ml	✓ Ventolin
Infusion 1 mg per ml, 5 ml		10	
	(130.21)		Ventolin
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	12.90	5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 mcg per dose CFC free - Up to 1000			
dose available on a PSO	3.80	200 dose OP	✓ Respigen
			✓ SalAir
			✓ Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO		20	✓ Asthalin
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule - Up to 30 neb			
available on a PSO	3.29	20	✓ <u>Asthalin</u>
Salamol Aerosol inhaler, 100 mcg per dose CFC free to be delist	ed 1 April 2017	7)	
FERBUTALINE SULPHATE			
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	Bricanyl Turbuhaler
Anticholinergic Agents			
Anticionnergic Agents			
PRATROPIUM BROMIDE			
Aerosol inhaler, 20 mcg per dose CFC-free - Up to 400 dose			
available on a PSO		200 dose OP	✓ Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule - Up to 40 neb			
available on a DCO	3.35	20	✓ Univent
available on a PSO			
Univent to be Sole Supply on 1 January 2017			
Univent to be Sole Supply on 1 January 2017 Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb			411.1
Univent to be Sole Supply on 1 January 2017  Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb  available on a PSO		20	✓ Univent
Univent to be Sole Supply on 1 January 2017  Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO	3.52		✓ Univent
Univent to be Sole Supply on 1 January 2017  Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb  available on a PSO	3.52		✓ Univent
Univent to be Sole Supply on 1 January 2017  Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO	3.52		✓ Univent
Univent to be Sole Supply on 1 January 2017  Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO  Univent to be Sole Supply on 1 January 2017  Inhaled Beta-Adrenoceptor Agonists with Antich	3.52 <b>nolinergic A</b>		✓ Univent
Univent to be Sole Supply on 1 January 2017  Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO  Univent to be Sole Supply on 1 January 2017  Inhaled Beta-Adrenoceptor Agonists with Antick SALBUTAMOL WITH IPRATROPIUM BROMIDE	3.52		✓ Univent ✓ Duolin HFA
Univent to be Sole Supply on 1 January 2017  Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO  Univent to be Sole Supply on 1 January 2017  Inhaled Beta-Adrenoceptor Agonists with Antich SALBUTAMOL WITH IPRATROPIUM BROMIDE  Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg	3.52  nolinergic A	Agents	

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

# **Long-Acting Muscarinic Antagonists**

#### GLYCOPYRRONIUM - Subsidy by endorsement

a) Inhaled glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium or umeclidinium.

b) Glycopyrronium powder for inhalation 50 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

✓ Seebri Breezhaler 30 dose OP

#### TIOTROPIUM BROMIDE - Special Authority see SA1568 below - Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.

Powder for inhalation, 18 mcg per dose .......50.37 30 dose Spiriva 60 dose OP Spiriva Respimat

#### ⇒SA1568 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

#### All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40  $\mu g$  ipratropium g.i.d for one month; and
- 3 Fither:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV<sub>1</sub> (litres); and
- 4.2 Predicted FEV1 (litres); and
- 4.3 Actual FEV<sub>1</sub> as a % of predicted (must be below 60%); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

#### Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

## UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

30 dose OP ✓ Incruse Ellipta

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

# Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

### ■SA1584 | Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 al	bove – Retail pharmacy
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00	30 dose OP VIItibro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA158	4 above – Retail pharmacy
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00	60 dose OP Spiolto Respimat
UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 above -	Retail pharmacy
Powder for inhalation 62.5 mcg with vilanterol 25 mcg77.00	30 dose OP Anoro Ellipta

# **Leukotriene Receptor Antagonists**

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

in onor incument cources.			
Tab 4 mg	5.25	28	Apo-Montelukast
•	18.48		✓ Singulair
Tab 5 mg	5.50	28	✓ Apo-Montelukast
	18.48		✓ Singulair
Tab 10 mg	5.65	28	✓ Apo-Montelukast
•	18.48		✓ Singulair

## **⇒**SA1421 | Special Authority for Subsidy

**Initial application** — (**Pre-school wheeze**) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

**Renewal** — (**Pre-school wheeze**) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application** — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists: and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Subsidy (Manufacturer's Pric	e)	Fully Subsidised	Brand or Generic	
\$	Per	· •	Manufacturer	

continued...

**Initial application — (aspirin desensitisation)** only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

Mast Cell Stabil	isers
------------------	-------

		~~	•	
NH	-1)(	)( ;+	30	/111

#### SODIUM CROMOGLYCATE

## Methylxanthines

#### **AMINOPHYLLINE**

 ★ Tab long-acting 250 mg
 21.51
 100
 ✓ Nuelin-SR

 ★± Oral lig 80 mg per 15 ml
 15.50
 500 ml
 ✓ Nuelin

# Mucolytics

# **⇒**SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

#### SODIUM CHLORIDE

Not funded for use as a nasal drop.

# **Nasal Preparations**

## Allergy Prophylactics

#### BECLOMETHASONE DIPROPIONATE

Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
	(5.26)		Alanase
Metered aqueous nasal spray, 100 mcg per dose	2.46	200 dose OP	
	(6.00)		Alanase

211

	Subsidy (Manufacturer's	Price) Subs	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
BUDESONIDE			
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
	(5.26)		Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	D. dans at Assessment
	(6.00)		Butacort Aqueous
FLUTICASONE PROPIONATE	0.40	100 1 00	4
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	✓ <u>Flixonase Hayfever</u> & Allergy
IPRATROPIUM BROMIDE			<u>a Allergy</u>
Aqueous nasal spray, 0.03%	3 05	15 ml OP	✓ Univent
	0.00	13 1111 01	<u>Onivent</u>
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under	0.00		4
Small	2.20	1	✓ e-chamber Mask
PEAK FLOW METER			
a) Up to 10 dev available on a PSO			
b) Only on a PSO Low range	0.54	1	✓ Mini-Wright AFS
Low range	9.54	ı	Low Range
Normal range	9.54	1	✓ Mini-Wright
•			Standard
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
220 ml (single patient)		1	e-chamber Turbo
510 ml (single patient)	5.12	1	✓ e-chamber La  Grande
800 ml	6 50	1	✓ Volumatic
	0.50	· ·	+ volumatic
Respiratory Stimulants			
CAFFINE CITRATE			

CAFFEINE CITRALE		
Oral liq 20 mg per ml (10 mg base per ml)	14.85	25 ml OP

nl OP V Biomed

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
:					

Ear	Dro.			nη	
		par	au	vii	ь.

ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHO For Vosol ear drops with hydrocortisone powder refer Standard Forn Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	nulae, page	e 224 35 ml OP	✓ Vosol
FLUMETASONE PIVALATE			
Ear drops 0.02% with clioquinol 1%	.4.46	7.5 ml OP	✓ Locacorten-Viaform ED's
			✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate	NYSTATIN		
2.5 mg and gramicidin 250 mcg per g	.5.16	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN			
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and			
gramicidin 50 mcg per ml	. 4.50	8 ml OP	
	(9.27)		Sofradex
FRAMYCETIN SULPHATE			
Ear/Eye drops 0.5%	.4.13	8 ml OP	
	(8.65)		Soframycin

# **Eye Preparations**

Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.

# **Anti-Infective Preparations**

ACICLOVIR			
* Eye oint 3%	14.92	4.5 g OP	✓ ViruPOS
·	(37.53)	•	Zovirax
ViruPOS to be Sole Supply on 1 January 2017	, ,		
(Zovirax Eye oint 3% to be delisted 1 January 2017)			
CHLORAMPHENICOL			
Eye oint 1%	2.48	4 g OP	Chlorsig
Eye drops 0.5%	0.98	10 ml OP	✓ Chlorafast
Funded for use in the ear*. Indications marked with * a		ations.	
CIPROFLOXACIN			
Eye Drops 0.3%	12.43	5 ml OP	Ciloxan
For treatment of bacterial keratitis or severe bacterial c	onjunctivitis resistar	it to chloramph	enicol.
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	✓ Fucithalmic
GENTAMICIN SULPHATE		Ü	
Eye drops 0.3%	11.40	5 ml OP	✓ Genoptic
	11.40	3 1111 01	• acrioptic
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1%		10 ml OP	
	(7.99)		Brolene



	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully Brand or sidised Generic Manufacturer
TOBRAMYCIN			
Eye oint 0.3%		3.5 g OP	✓ <u>Tobrex</u>
Eye drops 0.3%	11.48	5 ml OP	✓ <u>Tobrex</u>
Corticosteroids and Other Anti-Inflammatory Pro	eparations		
DEXAMETHASONE			
* Eye oint 0.1%	5.86	3.5 g OP	✓ Maxidex
* Eye drops 0.1%	4.50	5 ml OP	✓ <u>Maxidex</u>
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYM	IYXIN B SULPHA	ATE	
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin			
b sulphate 6,000 u per g		3.5 g OP	✓ <u>Maxitrol</u>
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-			
xin b sulphate 6,000 u per ml	4.50	5 ml OP	✓ <u>Maxitrol</u>
DICLOFENAC SODIUM			
* Eye drops 0.1%	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	3.09	5 ml OP	✓ <u>FML</u>
LEVOCABASTINE			
Eye drops 0.5 mg per ml	8.71	4 ml OP	
· · · · · · · · · · · · · · · · · · ·	(10.34)		Livostin
LODOXAMIDE			
Eye drops 0.1%	8.71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE			
* Eye drops 1%	3.93	10 ml OP	✔ Prednisolone-AFT
•	4.50	5 ml OP	✓ Pred Forte
PREDNISOLONE SODIUM PHOSPHATE - Special Authority se	e SA1547 below	– Retail pharm	nacy
Eye drops 0.5%, single dose (preservative free)		20 dose	✓ Minims
			Prednisolone

### **⇒**SA1547 Special Authority for Subsidy

Initial application only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

**Renewal** from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM CROMOGLYCATE Eye drops 2%0.85	5 ml OP	✓ Rexacrom
Glaucoma Preparations - Beta Blockers		
BETAXOLOL   # Eye drops 0.25%	5 ml OP 5 ml OP	✓ Betoptic S ✓ Betoptic
LEVOBUNOLOL  * Eye drops 0.5%	5 ml OP	✓ Betagan

214

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or osidised Generic Manufacturer
TIMOLOL			
* Eye drops 0.25%		5 ml OP	✓ Arrow-Timolol
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ <u>Timoptol XE</u>
* Eye drops 0.5%		5 ml OP	Arrow-Timolol
* Eye drops 0.5%, gel forming		2.5 ml OP	✓ <u>Timoptol XE</u>
Glaucoma Preparations - Carbonic Anhydrase	Inhibitors		
ACETAZOLAMIDE			
* Tab 250 mg – For acetazolamide oral liquid formulation refe	r,		
page 221	17.03	100	✓ <u>Diamox</u>
BRINZOLAMIDE			
* Eye Drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE			
* Eye drops 2%	9.77	5 ml OP	
-,-,,	(17.44)		Trusopt
DORZOLAMIDE WITH TIMOLOL	, ,		'
* Eye drops 2% with timolol 0.5%	3 45	5 ml OP	✓ Arrow-Dortim
· ·		01111 01	7 THI DOLLING
Glaucoma Preparations - Prostaglandin Analog	ues		
BIMATOPROST			
* Eye drops 0.03%	3.65	3 ml OP	Bimatoprost Actavis
LATANOPROST			
* Eye drops 0.005%	1.50	2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST			
* Eye drops 0.004%	19.50	2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE			
* Eye drops 0.2%	4 22	5 ml OP	✓ Arrow-Brimonidine
,	4.32	5 IIII OF	Allow-Dillionidille
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE	10.50	5l OD	. A Osmillion
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
PILOCARPINE HYDROCHLORIDE			
* Eye drops 1%		15 ml OP	✓ <u>Isopto Carpine</u>
* Eye drops 2%		15 ml OP	✓ <u>Isopto Carpine</u>
* Eye drops 4%		15 ml OP	✓ <u>Isopto Carpine</u>
Subsidised for oral use pursuant to the Standard Formula			
Eye drops 2% single dose – Special Authority see SA089 below – Retail pharmacy		20 dose	✓ Minims Pilocarpine
below – Retail pharmacy	31.93	20 005 <del>0</del>	willing Phocarpine

#### ■ SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is

benefiting from treatment.

	` \$	Per	✓ Manufacturer
Mydriatics and Cycloplegics			
ATROPINE SULPHATE  * Eye drops 1%	17.36	15 ml OP	✓ <u>Atropt</u>
CYCLOPENTOLATE HYDROCHLORIDE  * Eye drops 1%	8.76	15 ml OP	✓ <u>Cyclogyl</u>
TROPICAMIDE  * Eye drops 0.5%*  * Eye drops 1%		15 ml OP 15 ml OP	<ul><li>✓ Mydriacyl</li><li>✓ Mydriacyl</li></ul>
Preparations for Tear Deficiency			
For acetylcysteine eye drops refer Standard Formulae, page 2 HYPROMELLOSE	24		
* Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt
HYPROMELLOSE WITH DEXTRAN  * Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✔ Poly-Tears
POLYVINYL ALCOHOL  * Eye drops 1.4%*  * Eye drops 3%		15 ml OP 15 ml OP	✓ <u>Vistil</u> ✓ <u>Vistil</u> Forte
Preservative Free Ocular Lubricants			
■ SA1388 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals value Both:		r applications	meeting the following criteria:
<ul><li>1 Confirmed diagnosis by slit lamp of severe secretory</li><li>2 Either:</li></ul>	dry eye; and		
<ul><li>2.1 Patient is using eye drops more than four time</li><li>2.2 Patient has had a confirmed allergic reaction t</li></ul>			
Renewal from any relevant practitioner. Approvals valid for 24 and has benefited from treatment.  CARBOMER – Special Authority see SA1388 above – Retail Ophthalmic gel 0.3%, 0.5 g	pharmacy	patient continu	es to require lubricating eye drops  Poly-Gel
MACROGOL 400 AND PROPYLENE GLYCOL - Special Auth	nority see SA1388 a	bove – Retail į	pharmacy
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml		24	✓ Systane Unit Dose
SODIUM HYALURONATE [HYALURONIC ACID] – Special Au	itnority see SA1388	above – Hetai	ii pnarmacy

- <b>,</b> -, -, -, -, -, -, -, -, -, -, -, -, -,		
NAPHAZOLINE HYDROCHLORIDE  * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%17.00	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin	3.5 g OP	✓ Refresh Night Time

Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per month

Eye drops 1 mg per ml ......22.00

is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.

10 ml OP

✔ Hylo-Fresh

Fully

Subsidised

Subsidy (Manufacturer's Price)

Brand or

Generic

Other Eve Preparations

## **SENSORY ORGANS**

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
PARAFFIN LIQUID WITH WOOL FAT  * Eye oint 3% with wool fat 3%	3.63	3.5 g OP	<b>✓</b> <u>P</u> c	oly-Visc
RETINOL PALMITATE  Eye oint 138 mcg per g	3.80	5 g OP	<b>✓</b> Vi	itA-POS

217

Subsidy (Manufacturer's Price)

Fully Subsidised

Brand or Generic Manufacturer

#### **Various**

PHARMACY SERVICES

May only be claimed once per patient.

1 fee ✓ BSF Apo-Metoprolol

Per

The Pharmacode for BSF Apo-Metoprolol is 2511541 - see also page 58 (BSF Apo-Metoprolol Brand switch fee to be delisted 1 February 2017)

### Agents Used in the Treatment of Poisonings

#### **Antidotes**

ACETYLCYSTEINE - Retail pharmacy-Specialist

10 ✔ DBL Acetylcysteine

NALOXONE HYDROCHLORIDE

a) Up to 5 ini available on a PSO

b) Only on a PSO

5 ✓ Hospira

#### Removal and Elimination

CHARCOAL

\* Oral lig 50 g per 250 ml .......43.50 250 ml OP ✓ Carbosorb-X

a) Up to 250 ml available on a PSO

b) Only on a PSO

DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13 Tab 125 mg dispersible ......276.00 28 28

Exiade Exjade

28 ✓ Exiade

■ SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
  - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2\*; or
  - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
  - 3.3 Treatment with deferiprone has resulted in arthritis: or
  - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per  $\mu$ L) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per  $\mu$ L).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2\* and liver MRI T2\* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2\* and liver MRI T2\* levels.



	Subsidy (Manufacturer's P	rice) Subs		Brand or Generic
	\$	Per	~	Manufacturer
DEFERIPRONE - Special Authority see SA1480 below - Retail	pharmacy			
Tab 500 mg	533.17	100	✓ Fe	erriprox
Oral liq 100 mg per 1 ml	266.59	250 ml OP	<b>✓</b> Fe	erriprox

## **■**SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERRIOXAMINE MESILATE  * Inj 500 mg vial	51.52	10	✓ Desferal
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
	(156.71)		Calcium Disodium Versenate

## INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

## Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

**Standard formulae:** Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

## **Explanatory notes**

#### **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

#### Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml Flecainide 20 mg/ml Rifabutin 20 mg/ml
Allopurinol 20 mg/ml Gabapentin 100 mg/ml Sildenafil 2 mg/ml
Amlodipine 1 mg/ml Hydrocortisone 1 mg/ml Sotalol 5 mg/ml

Azathioprine 50 mg/ml
Baclofen 10 mg/ml
Carvedilol 1 mg/ml
Clopidogrel 5 mg/ml
Diltiazem hydrochloride 12 mg/ml
Labetolol 10 mg/ml
Levetiracetam 100 mg/ml
Levetiracetam 100 mg/ml
Levedopa with carbidopa (5 mg levodopa 1.25 mg carbidopa)/ml
Tramadol 10 mg/ml
Ursodeoxycholic acid 50 mg/ml

Dipyridamole 10 mg/ml

Metoprolol tartrate 10 mg/ml

Valganciclovir 60 mg/ml\*

Verapamil hydrochloride 50 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative
  and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

<sup>\*</sup>Note this is a DCS formulation

#### EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend. Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

#### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 220) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

## Dermatological ECPs

Is it subsidised?



## EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

Standard Formulae				
ACETYLCYSTEINE EYE DROPS		PHENOBARBITONE ORAL LIQUID		
Acetylcysteine inj 200 mg per ml, 10 ml	qs	Phenobarbitone Sodium	1 g	
Suitable eye drop base	qs	Glycerol BP	70 ml	
, ,	•	Water	to 100 ml	
ASPIRIN AND CHLOROFORM APPLICATI	-			
Aspirin Soluble tabs 300 mg	12 tabs	PHENOBARBITONE SODIUM PAEDIATRI	C ORAL	
Chloroform	to 100 ml	LIQUID (10 mg per ml)		
CODEINE LINCTUS PAEDIATRIC (3 mg pe	er 5 ml)	Phenobarbitone Sodium	400 mg	
Codeine phosphate	60 mg	Glycerol BP	4 ml	
Glycerol	40 ml	Water	to 40 ml	
Preservative	qs			
Water	to 100 ml	PILOCARPINE ORAL LIQUID		
CODEINE LINCTUS DIABETIC (15 mg per	r 5 ml)	Pilocarpine 4% eye drops	qs	
Codeine phosphate	300 mg	Preservative	qs	
Glycerol	40 ml	Water	to 500 ml	
Preservative	qs	(Preservative should be used if quantity su	pplied is for	
Water	to 100 ml	more than 5 days.)		
FOLINIC MOUTHWASH				
Calcium folinate 15 mg tab	1 tab	SALIVA SUBSTITUTE FORMULA		
Preservative	qs	Methylcellulose	5 g	
Water	to 500 ml	Preservative	qs	
(Preservative should be used if quantity sup	oplied is for	Water	to 500 ml	
more than 5 days. Maximum 500 ml per pre		(Preservative should be used if quantity supplied is for		
, , ,	,	more than 5 days. Maximum 500 ml per pro	escription.)	
MAGNESIUM HYDROXIDE 8% MIXTURE	075 ~			
Magnesium hydroxide paste 29%	275 g	SODIUM CHLORIDE ORAL LIQUID		
Methyl hydroxybenzoate Water	1.5 g	Sodium chloride inj 23.4%, 20 ml	qs	
	to 1,000 ml	Water	qs	
METHADONE MIXTURE		(Only funded if prescribed for treatment of I	hyponatraemia)	
Methadone powder	qs			
Glycerol	qs	VANCOMYCIN ORAL SOLUTION (50 mg)	per ml)	
Water	to 100 ml	Vancomycin 500 mg injection	10 vials	
METHYL HYDROXYBENZOATE 10% SOL	UTION	Glycerol BP	40 ml	
Methyl hydroxybenzoate	10 g	Water	to 100 ml	
Propylene glycol	to 100 ml	(Only funded if prescribed for treatment of	Clostridium	
(Use 1 ml of the 10% solution per 100 ml of	f oral liquid	difficile following metronidazole failure)		
mixture)				
OMEDDA ZOLE OLIODENOLONI		VOSOL FAR DROPS		

## OMEPRAZOLE SUSPENSION

Omeprazole capules or powder Sodium bicarbonate powder BP qs 8.4 g Water to 100 ml

#### **VOSOL EAR DROPS**

WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops 1% to 35 ml

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully osidised	Brand or Generic Manufacturer		
temporaneously Compounded Preparations and Galenicals						
IZOIN						

BENZOIN	04.40	500 ···!	
Tincture compound BP		500 ml	Dharman, Haalth
	(39.90) 2.44	50 ml	Pharmacy Health
	(5.10)	JU IIII	Pharmacy Health
CHLOROFORM - Only in combination			•
Only in aspirin and chloroform application.			
Chloroform BP		500 ml	✓ PSM
CODEINE PHOSPHATE - Safety medicine; prescriber may determ	ine dispensino	g frequency	
Powder - Only in combination		25 g	
	(90.09)	_	Douglas
	12.62	5 g	Douglas
a) Only in extemporaneously compounded codeine linctus di	(25.46)	aina linctus no	Douglas adiatric
b) ‡ Safety cap for extemporaneously compounded oral liqui			iculati Ic.
COLLODION FLEXIBLE Collodion flexible	10.20	100 ml	✓ PSM
	13.30	100 1111	₩ FOIVI
COMPOUND HYDROXYBENZOATE – Only in combination			
Only in extemporaneously compounded oral mixtures.  Soln	30.00	100 ml	✓ Midwest
	34.18	100 1111	✓ David Craig
SLYCERIN WITH SODIUM SACCHARIN - Only in combination			
Only in combination with Ora-Plus.			
Suspension	32.50	473 ml	✓ Ora-Sweet SF
SLYCERIN WITH SUCROSE – Only in combination			
Only in combination with Ora-Plus.			
Suspension	32.50	473 ml	✔ Ora-Sweet
GLYCEROL			
* Liquid - Only in combination		500 ml	✓ healthE Glycerol BP
Only in extemporaneously compounded oral liquid preparation	ons.		
MAGNESIUM HYDROXIDE			
Paste 29%	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable	anau.		
<ul> <li>c) Safety medicine; prescriber may determine dispensing frequency</li> <li>d) Extemporaneously compounded methadone will only be rein</li> </ul>		rate of the of	heanest form available (method
powder, not methadone tablets).	ווטטוסכט מו וווכ	iale oi lile oi	neapest ioini avallable (illetilat
Powder		1 g	✓ AFT
‡ Safety cap for extemporaneously compounded oral liquid p		3	
METHYL HYDROXYBENZOATE			
Powder	8.00	25 g	✓ PSM
	8.98		✓ Midwest
METHYLCELLULOSE			
Powder	36.95	100 g	✓ MidWest
Suspension - Only in combination	32.50	473 ml	✔ Ora-Plus

## **EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS**

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	ARIN - Only in co	mbination		
Suspension	32.50	473 ml	<b>V</b> 0	ra-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	y in combination			
Suspension		473 ml	<b>V</b> 0	ra-Blend
PHENOBARBITONE SODIUM				
Powder - Only in combination	52.50	10 g	✓ N	lidWest
	325.00	100 g	✓ N	lidWest
a) Only in children up to 12 years				
b) ‡ Safety cap for extemporaneously compounded oral lie	quid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenz				lidwest
Liq	11.25	500 ml	V IV	liawest
SODIUM BICARBONATE	0.05	500 ··		Vb 4
Powder BP - Only in combination	8.95 9.80	500 g	VIV	lidwest
	(29.50)		П	avid Craig
Only in extemporaneously compounded omeprazole and I	( /	ension.		avia Oralg
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparation	ons.			
Liq		2,000 ml	✓ N	lidwest
WATER				
Tap – Only in combination	0.00	1 ml	<b>✓</b> T	ap water

## **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### **Definitions**

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

### **Nutrient Modules**

#### Carbohydrate

#### **⇒**SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Either:
  - 1 cystic fibrosis; or
  - 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Both:
  - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3]

## **Carbohydrate And Fat**

## **▶**SA1376 Special Authority for Subsidy

**Initial application** — **(Cystic fibrosis)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Infant or child aged four years or under; and
  - 2 cystic fibrosis.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Soluble Powder

continued...

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under: and
- 2 Any of the following:
  - 2.1 cancer in children: or
  - 2.2 faltering growth; or
  - 2.3 bronchopulmonary dysplasia; or
  - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT - S	Special Authority see SA1376 on th	e previous page –	Hospital pharmacy [HP3
Powder (neutral)	60.31	400 g OP ✓	Duocal Super

#### Fat

## ⇒SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia: or
- 3 fat malabsorption; or
- 4 lymphangiectasia: or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliarv atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 ascites: or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	<b>/</b>	Manufacturer

continued...

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

	,	p	
Emulsion (neutral)	12.30	200 ml OP	Calogen
	30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)	12.30	200 ml OP	✓ Calogen
Oil	30.00	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml	114.92	4 OP	✓ Liquigen

## **Protein**

#### ⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA1524 above - Hospital pharmacy [HP3] 225 g OP 8.95

✔ Protifar 227 g OP ✓ Resource

Beneprotein ✓ Promod 275 a OP

Subsidy (Manufacturer's Price)

Fully Subsidised

Brand or Generic Manufacturer

## Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

## **Respiratory Products**

#### ⇒SA1094 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 above - Hospital pharmacy [HP3]

237 ml OP Pulmocare

#### **Diabetic Products**

#### ⇒SA1095 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

1.000 ml OP ✓ Diason RTH Glucerna Select RTH

DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

Liquid (strawberry)	1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP	✓ Diasip
	1.88	250 ml OP	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic

#### **Fat Modified Products**

#### ■ SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

(2.10)

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak: or

continued...

Sustagen Diabetic



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 on the previous page - Hospital pharmacy [HP3]

## Paediatric Products For Children Awaiting Liver Transplant

#### ■ SA1098 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

#### Paediatric Products For Children With Chronic Renal Failure

#### **⇒**SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per Manufacturer

#### **Paediatric Products**

#### ⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
  - 1 Child is aged one to ten years; and
  - 2 Any of the following:
    - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
    - 2.2 any condition causing malabsorption; or
    - 2.3 faltering growth in an infant/child; or
    - 2.4 increased nutritional requirements; or
    - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

and all all all all all all all all all al			
PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority Liquid		ve – Hospital p 500 ml OP	harmacy [HP3]  Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority s Liquid		e – Hospital pha 500 ml OP	armacy [HP3]  ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Liquid	,	SA1379 above 500 ml OP	e – Hospital pharmacy [HP3]  ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED – Special Authority see SA1379 above Powder (vanilla)		rmacy [HP3] 850 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see Liquid (strawberry) Liquid (vanilla)	1.60	Hospital pharn 200 ml OP 200 ml OP	nacy [HP3]  Fortini  Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see S Liquid (chocolate)	1.07 1.07	lospital pharma 200 ml OP 200 ml OP 200 ml OP 250 ml OP	cy [HP3]  Pediasure Pediasure Pediasure Pediasure Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	1.60 1.60	1379 above – F 200 ml OP 200 ml OP 200 ml OP	Hospital pharmacy [HP3]  Fortini Multi Fibre  Fortini Multi Fibre  Fortini Multi Fibre



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

#### **Renal Products**

#### ⇒SA1101 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML – Special Authority see S Liquid			acy [HP3]  Nepro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority see SA11 Liquid			[HP3]  ✓ Nepro HP  (strawberry)  ✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see SA110	1 above – Hospit	tal pharmacy [H	IP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	Renilon 7.5

#### **Specialised And Elemental Products**

#### **⇒**SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Any of the following:

- 1 malabsorption: or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML	<ul> <li>Special Authority see SA1377</li> </ul>	above – Ho	spital pharmacy [HP3]
Powder	7.50	76 g OP	Alitraq

	Subsidy (Manufacturer's Price \$	Fully ) Subsidised Per 🗸	
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML - Spermacy [HP3] Liquid	ŕ	A1377 on the prev	
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 171.00	18 OP / I	ital pharmacy [HP3] Elemental 028 Extra Elemental 028 Extra Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA Powder (unflavoured)			al pharmacy [HP3] Vivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Autho	•		– Hospital pharmacy [HP3] Peptisorb

## Paediatric Products For Children With Low Energy Requirements

#### ■SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

## **Standard Supplements**

#### ►SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
  - 2.1 The patient has a condition causing malabsorption; or
  - 2.2 The patient has failure to thrive: or
  - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

Subsidy Fully Brand or Manufacturer's Price) Subsidised Generic Manufacturer

\$ Per ✔ Manufacturer

continued...

- 1 The patient is under 18 years of age; and
  - 2 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

**Initial application — (Adults)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
` <b>\$</b>	Per	~	Manufacturer

#### continued...

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube: or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions: or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

- 10 Epidermolysis bullosa: or
  - 11 AIDS (CD4 count < 200 cells/mm<sup>3</sup>); or
  - 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

3		
ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 235 - Liguid7.00	Hospital pharmad	y [HP3] ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML – Special Authority see SA1554 on page 235 – Ho Liquid1.24 5.29	,	[HP3]   ✓ Isosource Standard
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML - Special Authority see SA1554 Liquid5.29	on page 235 – H 1,000 ml OP	ospital pharmacy [HP3]
ENTERAL FEED WITH FIBRE 1 KCAL/ML - Special Authority see SA1554 on Liquid1.32 5.29	page 235 – Hosp 237 ml OP 1,000 ml OP	✓ Jevity
(Jevity Liquid to be delisted 1 June 2017)		Tradition main ribit
ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority see SA1554 or Liquid1.75 7.00	250 ml OP	

Multi Fibre

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

ORAL FEED (POWDER) - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$14.90 per 840

Triadi (directiate) ringiler dubblidge of up to \$1 mot per dire			
g with Endorsement	13.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)		Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Powder (vanilla) - Higher subsidy of up to \$14.90 per 840 g			
with Endorsement	3.67	350 g OP	✓ Fortisip
	13.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)	•	Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epider-molysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72	200 ml OP	
	(1.26) (1.26)	200 1111 01	Ensure Plus Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) - Higher subsidy of \$1.26 per 200			
ml with Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 235 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

## **High Calorie Products**

#### ■SA1195 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- Cvstic fibrosis: and
  - 2 other lower calorie products have been tried; and
  - 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 faltering growth in an infant/child; or
  - 1.3 increased nutritional requirements: or
  - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
  - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] 500 ml OP ✓ Nutrison Concentrated 11.00 1.000 ml OP ✓ Two Cal HN RTH ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly. Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with 200 ml OP Two Cal HN (1.90)

#### Food Thickeners

#### **⇒**SA1106 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

#### **Gluten Free Foods**

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

#### ■SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
  - 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3]

Powder .......2.81 1,000 g OP

(5.15) Healtheries Simple
Baking Mix

	Subsidy (Manufacturer's Price	Fully Subsidised	Brand or Generic
	\$	Per 🗸	Manufacturer
GLUTEN FREE BREAD MIX - Special Authority see SA1107 o	n the previous page -	- Hospital pharma	cy [HP3]
Powder	3.93 1,	000 g OP	
	(7.32)	ľ	NZB Low Gluten
			Bread Mix
	4.77		
	(8.71)	E	Bakels Gluten Free
			Health Bread Mix
	3.51		
	(10.87)	ŀ	Horleys Bread Mix
(Bakels Gluten Free Health Bread Mix Powder to be delisted 1 A	April 2017)		
GLUTEN FREE FLOUR - Special Authority see SA1107 on the	previous page – Hos	pital pharmacy [H	IP31
Powder		000 g OP	•]
	(18.10)	•	Horleys Flour
CLUTEN EDGE DACTA Chariel Authority and CA1107 on the	( /		•
GLUTEN FREE PASTA – Special Authority see SA1107 on the			-3]
Buckwheat Spirals	2.00 2 (3.11)	50 g OP	Traran
Carn and Variatable Challe	` '		Orgran
Corn and Vegetable Shells	2.00 2 (2.92)	50 g OP	Traran
Corn and Vegetable Spirals	` '	50 g OP	Orgran
Com and vegetable Spirals	(2.92)	•	Orgran
Rice and Corn Lasagne Sheets	` '	00 g OP	Jigian
The and com Lasagne Sheets	(3.82)	•	Orgran
Rice and Corn Macaroni	` '	50 g OP	Jigian
Thee and don't wacaroni	(2.92)	•	Orgran
Rice and Corn Penne	` '	50 g OP	Jigitan
THOSE WITH COME	(2.92)	•	Orgran
Rice and Maize Pasta Spirals	` '	50 g OP	Jigitan
Thos and Marzo Fasta Spirato	(2.92)	•	Orgran
Rice and Millet Spirals	` '	50 g OP	J. g. s
	(3.11)	•	Orgran
Rice and corn spaghetti noodles	\ /	75 g OP	J. g. s
	(2.92)	•	Orgran
Vegetable and Rice Spirals		50 g OP	9
· • · · · · · · · · · · · · · · · · · ·	(2.92)	•	Orgran
Italian long style spaghetti		20 g OP	
3 , 1 0	(3.11)	•	Orgran

## Foods And Supplements For Inborn Errors Of Metabolism

#### **⇒**SA1108 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

500 g OP

Brand or Generic Manufacturer

AMINOACID FORMULA WITHOUT METHIONINE - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

500 q OP ✓ XMET Maxamum

#### Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE - Special Authority see SA1108 on the previous page

- Hospital pharmacy [HP3]

Powder ......300.54 437.22

✓ MSUD Maxamaid ✓ MSUD Maxamum

(MSUD Maxamaid Powder to be delisted 1 May 2017)

## Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA1108 on the previous page - Hospital pharmacy

[HP3]

Tabs	99.00	75 OP	✓ Phlexy 10
Powder (unflavoured) 36 g sachets	393.00	30	✓ PKU Anamix Junior
Infant formula	174.72	400 g OP	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
	320.00		XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00	•	XP Maxamum
Liquid (berry)	13.10	125 ml OP	PKU Anamix Junior
			LQ
Liquid (orange)	13.10	125 ml OP	✓ PKU Anamix Junior
			LQ
Liquid (unflavoured)	13.10	125 ml OP	✓ PKU Anamix Junior
,			LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	Easiphen Liquid
Liquid (juicy berries) 62.5 ml	939.00	60 OP	✔ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml	939.00	60 OP	✔ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	✔ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml	936.00	30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml	936.00	30 OP	✔ PKU Lophlex LQ 20

#### **Foods**

LOW PROTEIN BAKING MIX - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

500 a OP Powder ......8.22

LOW PROTFIN PASTA - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

OW FROTEIN FASTA - Special Authority see SAT100 0	ii iile pievious page – i	iospilai pilaitii	acy [i ir o]
Animal shapes	11.91	500 g OP	Loprofin
Lasagne	5.95	250 g OP	✓ Loprofin
Low protein rice pasta	11.91	500 g OP	✓ Loprofin
Macaroni		250 g OP	✓ Loprofin
Penne	11.91	500 g OP	✓ Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirals	11 91	500 a OP	✓ Lonrofin

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

✓ Neocate Advance

#### Infant Formulae

#### For Premature Infants

#### ⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
  - 2.1 The infant has faltering growth (downward crossing of percentiles); or
  - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

#### For Williams Syndrome

## ■SA1110 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

## **Gastrointestinal and Other Malabsorptive Problems**

AMINO ACID FORMULA - Special Authority see SA1219 on the next page - Hospital pharmacy [HP3]

✓ Vivonex Pediatric 48.5 q OP 43.60 400 a OP Alfamino Junior ✓ Neocate LCP 53.00 Powder (unflavoured) ......53.00 400 g OP ✓ Elecare ✓ Elecare LCP ✓ Neocate Advance ✓ Neocate Gold Powder (vanilla) ......53.00 ✓ Elecare 400 g OP

(Vivonex Pediatric Powder to be delisted 1 April 2017)

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

#### **⇒**SA1219 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA – Special Authority see SA1557 below – Hospital pharmacy [HP3]

Powder .......15.21 450 g OP 

Aptamil Gold+ Pepti
Junior

## ■SA1557 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  - 1.2 Either:
    - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
    - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure; or
- 11 All of the following:
  - 11.1 For step down from Amino Acid Formula; and
  - 11.2 The infant is currently receiving funded amino acid formula; and
  - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
  - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

#### SPECIAL FOODS

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	~	Manufacturer

continued...

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IqE mediated allergic reaction.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

### **Ketogenic Diet**

#### **⇒**SA1197 Special Authority for Subsidy

**Initial application** only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

**Renewal** only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORM	ULA - Special Authority see SA1197	above – Retail	pharmacy
Powder (unflavoured)	35.50	300 g OP	✓ KetoCal 4:1
			Ketocal 3:1
Dourdor (venilla)	25.50	200 ~ 00	A VotoCal Ad

## Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule5	✓ Inj 500 mg vial – Subsidy by endorsement –
✓ Inj 1 in 10,000, 10 ml ampoule	See note on page 975
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See
✓ Inj 25 mg per ml, 10 ml ampoule5	note on page 975
	CHARCOAL
AMIODARONE HYDROCHLORIDE	CHARCOAL
✓ Inj 50 mg per ml, 3 ml ampoule6	✓ Oral liq 50 g per 250 ml250 ml
AMOXICILLIN	CHLORPROMAZINE HYDROCHLORIDE
✓ Cap 250 mg30	✓ Tab 10 mg30
✓ Cap 500 mg30	✓ Tab 25 mg30
✓ Grans for oral liq 125 mg per 5 ml	✓ Tab 100 mg30
✓ Grans for oral liq 250 mg per 5 ml	✓ Inj 25 mg per ml, 2 ml5
✓ Inj 1 g vial5	CIPPOELOVACINI
	CIPROFLOXACIN
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 250 mg – See note on page 1005
✓ Tab 500 mg with clavulanic acid 125 mg30	✓ Tab 500 mg – See note on page 1005
✓ Grans for oral liq amoxicillin 125 mg with	CO-TRIMOXAZOLE
clavulanic acid 31.25 mg per	✓ Tab trimethoprim 80 mg and
5 ml200 ml	sulphamethoxazole 400 mg30
✓ Grans for oral liq amoxicillin 250 mg with	✓ Oral liq trimethoprim 40 mg and
clavulanic acid 62.5 mg per 5 ml200 ml	sulphamethoxazole 200 mg per
ASPIRIN	5 ml200 ml
✓ Tab dispersible 300 mg30	O 1111
rab dispersible 300 mg	COMPOUND ELECTROLYTES
ATROPINE SULPHATE	✔ Powder for oral soln10
✓ Inj 600 mcg per ml, 1 ml ampoule5	CONDOMS
AZITHROMYCIN	✓ 49 mm144
✓ Tab 500 mg – See note on page 978	✓ 52 mm
P lab 500 mg Gee note on page 37	✓ 52 mm extra strength144
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	✓ 53 mm
✓ Tab 2.5 mg – See note on page 61150	✓ 53 mm (chocolate)
BENZATHINE BENZYLPENICILLIN	✓ 53 mm (strawberry)144
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe	✓ 55 mm
Fing 500 mg (1.2 million units) in 2.5 mil syninge	✓ 56 mm144
BENZTROPINE MESYLATE	✓ 56 mm, shaped144
✓ Inj 1 mg per ml, 2 ml10	✓ 60 mm144
BENZYLPENICILLIN SODIUM (PENICILLIN G)	
✓ Inj 600 mg (1 million units) vial5	CYPROTERONE ACETATE WITH
First cooting (1 million drints) viai	ETHINYLOESTRADIOL
BLOOD GLUCOSE DIAGNOSTIC TEST METER	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
✓ Meter with 50 lancets, a lancing device and	7 inert tabs168
10 diagnostic test strips – Subsidy by	DEXAMETHASONE
endorsement – See note on page 271	✓ Tab 0.5 mg – Retail pharmacy-Specialist60
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	✓ Tab 4 mg – Retail pharmacy-Specialist
	▼ 1ab + mg = metali pharmacy-specialist
✓ Blood glucose test strips – See note on page	DEXAMETHASONE PHOSPHATE
28 50 test	✓ Inj 4 mg per ml, 1 ml ampoule – See note on
BLOOD KETONE DIAGNOSTIC TEST METER	page 855
✓ Meter – See note on page 271	continued

<sup>✓</sup> fully subsidised brand available

## PRACTITIONER'S SUPPLY ORDERS

(continued)		✓ Tab 35 mcg with norethisterone 1 mg and	
✓ Inj 4 mg per ml, 2 ml ampoule – See note on		7 inert tab	
page 85	5	✓ Tab 35 mcg with norethisterone 500 mcg	63
DIADLIDACM		✓ Tab 35 mcg with norethisterone 500 mcg	
DIAPHRAGM	4	and 7 inert tab	84
✓ 65 mm – See note on page 78		FLUOLOVA OULLIN	
✓ 70 mm – See note on page 78		FLUCLOXACILLIN	
<ul><li>✓ 75 mm – See note on page 78</li><li>✓ 80 mm – See note on page 78</li></ul>		✓ Cap 250 mg	
<b>▶</b> 60 mm – See note on page 76	1	✓ Grans for oral liq 25 mg per ml	
DIAZEPAM		Grans for oral liq 50 mg per ml	200 ml
✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by		✓ Inj 1 g vial	10
endorsement – See note on page 139	5	FLUPENTHIXOL DECANOATE	
✓ Rectal tubes 5 mg		✓ Inj 20 mg per ml, 1 ml	5
✓ Rectal tubes 10 mg		✓ Inj 20 mg per ml, 2 ml	
V 1.000a. 0000 10 11.g.	0	✓ Inj 100 mg per ml, 1 ml	
DICLOFENAC SODIUM		• III Too IIIg por IIII, T IIII	
✓ Inj 25 mg per ml, 3 ml ampoule	5	FLUPHENAZINE DECANOATE	
✓ Suppos 50 mg	10	✓ Inj 12.5 mg per 0.5 ml, 0.5 ml	5
D100///11		✓ Inj 25 mg per ml, 1 ml	
DIGOXIN		✓ Inj 25 mg per ml, 2 ml	
✓ Tab 62.5 mcg		✓ Inj 100 mg per ml, 1 ml	
✓ Tab 250 mcg	30		
DOXYCYCLINE		FUROSEMIDE [FRUSEMIDE]	
Tab 50 mg	30	✓ Tab 40 mg	30
✓ Tab 100 mg		✓ Inj 10 mg per ml, 2 ml ampoule	5
lab 100 mg	30	011104004111//DD00111 0D1D5	
ERGOMETRINE MALEATE		GLUCAGON HYDROCHLORIDE	_
✓ Inj 500 mcg per ml, 1 ml ampoule	5	✓ Inj 1 mg syringe kit	5
		GLUCOSE [DEXTROSE]	
ERYTHROMYCIN ETHYL SUCCINATE		✓ Inj 50%, 10 ml ampoule	5
✓ Tab 400 mg		✓ Inj 50%, 90 ml bottle	
✓ Grans for oral liq 200 mg per 5 ml		• 11 00 70, 00 111 bottle	
✓ Grans for oral liq 400 mg per 5 ml20	0 ml	GLYCERYL TRINITRATE	
ERYTHROMYCIN STEARATE		✓ Tab 600 mcg	100
Tab 250 mg	30	✓ Oral pump spray, 400 mcg per dose	250 dose
Tab 200 mg	50	✓ Oral spray, 400 mcg per dose	
ETHINYLOESTRADIOL WITH DESOGESTREL			
Tab 20 mcg with desogestrel 150 mcg and		GLYCOPYRRONIUM BROMIDE	
7 inert tab	84	✓ Inj 200 mcg per ml, 1 ml ampoule	10
Tab 30 mcg with desogestrel 150 mcg and		HALOPERIDOL	
7 inert tab	84		20
7 HOT COD		✓ Tab 500 mcg	
ETHINYLOESTRADIOL WITH LEVONORGESTREL		✓ Tab 1.5 mg	
✓ Tab 20 mcg with levonorgestrel 100 mcg and		✓ Tab 5 mg	
7 inert tab	84	✓ Oral liq 2 mg per ml	
✓ Tab 50 mcg with levonorgestrel 125 mcg and		✓ Inj 5 mg per ml, 1 ml ampoule	5
7 inert tab	84	HALOPERIDOL DECANOATE	
Tab 30 mcg with levonorgestrel 150 mcg		✓ Inj 50 mg per ml, 1 ml	<b>E</b>
✓ Tab 30 mcg with levonorgestrel 150 mcg and	00	✓ Inj 100 mg per ml, 1 ml	
ŭ ŭ	0.4	• iiij 100 iiig periiii, 1 iiii	
7 inert tab	04	HYDROCORTISONE	
ETHINYLOESTRADIOL WITH NORETHISTERONE		✓ Inj 100 mg vial	5
✓ Tab 35 mcg with norethisterone 1 mg	63	•	
		•	continued

continued)	MORPHINE SULPHATE
HYDROXOCOBALAMIN	✓ Inj 5 mg per ml, 1 ml ampoule – Only on a
✓ Inj 1 mg per ml, 1 ml ampoule6	controlled drug form5
HYOSCINE N-BUTYLBROMIDE	✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form
✓ Inj 20 mg, 1 ml5	✓ Inj 15 mg per ml, 1 ml ampoule – Only on a
INTRA-UTERINE DEVICE	controlled drug form5
✓ IUD 29.1 mm length × 23.2 mm width40	✓ Inj 30 mg per ml, 1 ml ampoule – Only on a
✓ IUD 33.6 mm length × 29.9 mm width	controlled drug form5
✓ IUD 35.5 mm length × 19.6 mm width40	NALOYONE HYDDOCHLODIDE
IPRATROPIUM BROMIDE	NALOXONE HYDROCHLORIDE  ✓ Inj 400 mcg per ml, 1 ml ampoule
✓ Aerosol inhaler, 20 mcg per dose	NICOTINE
CFC-free	✓ Patch 7 mg – See note on page 165
Nebuliser soln, 250 mcg per ml, 1 ml ampoule40	✓ Patch 14 mg – See note on page 165
✓ Nebuliser soln, 250 mcg per ml, 2 ml ampoule40	✓ Patch 21 mg – See note on page 16528
IVERMECTIN	✓ Lozenge 1 mg – See note on page 165216
✓ Tab 3 mg – See note on page 73100	✓ Lozenge 2 mg – See note on page 165216
KETONE BLOOD BETA-KETONE ELECTRODES	✓ Gum 2 mg (Classic) – See note on page 165384
✓ Test strip10	✓ Gum 2 mg (Fruit) – See note on page 165
·	✓ Gum 2 mg (Mint) – See note on page 165
LEVONORGESTREL	✓ Gum 4 mg (Glassic) – See note on page 165
Tab 30 mcg	✓ Gum 4 mg (Mint) – See note on page 165
V 1ab 1.5 mg5	
LIDOCAINE [LIGNOCAINE]	NORETHISTERONE
✓ Gel 2%, 10 ml urethral syringe – Subsidy by	✓ Tab 350 mcg
endorsement – See note on page 1325	✓ Tab 5 mg30
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	OXYTOCIN
✓ Inj 1%, 5 ml ampoule25	✓ Inj 5 iu per ml, 1 ml ampoule5
✓ Inj 2%, 5 ml ampoule5	✓ Inj 10 iu per ml, 1 ml ampoule5
✓ Inj 1%, 20 ml ampoule5	OXYTOCIN WITH ERGOMETRINE MALEATE
✓ Inj 2%, 20 ml ampoule 5	✓ Inj 5 iu with ergometrine maleate 500 mcg
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	per ml, 1 ml5
✓ Gel 2% with chlorhexidine 0.05%, 10 ml	PARACETAMOL
urethral syringes – Subsidy by	✓ Tab 500 mg30
endorsement - See note on page 1335	✓ Oral liq 120 mg per 5 ml200 ml
	✓ Oral liq 250 mg per 5 ml 100 ml
LOPERAMIDE HYDROCHLORIDE  ✓ Tab 2 mg30	PEAK FLOW METER
✓ Cap 2 mg30	✓ Low range10
	✓ Normal range
MASK FOR SPACER DEVICE	·
✓ Small – See note on page 21220	PETHIDINE HYDROCHLORIDE
MEDROXYPROGESTERONE ACETATE	✓ Inj 50 mg per ml, 1 ml – Only on a controlled
✓ Inj 150 mg per ml, 1 ml syringe5	drug form5
	✓ Inj 50 mg per ml, 2 ml – Only on a controlled
METOCLOPRAMIDE HYDROCHLORIDE  ✓ Inj 5 mg per ml, 2 ml ampoule	drug form5
Fing 5 mg per mi, 2 mi ampoule	PHENOXYMETHYLPENICILLIN (PENICILLIN V)
METRONIDAZOLE	✓ Cap 250 mg30
✓ Tab 200 mg30	continued

## PRACTITIONER'S SUPPLY ORDERS

continued)
<b>✓</b> Cap 500 mg
✓ Grans for oral liq 125 mg per 5 ml
PHENYTOIN SODIUM  ✓ Inj 50 mg per ml, 2 ml ampoule
PHYTOMENADIONE  ✓ Inj 2 mg per 0.2 ml
PIPOTHIAZINE PALMITATE  ✓ Inj 50 mg per ml, 1 ml – Subsidy by endorsement – See note on page 150
PREDNISOLONE  ✓ Oral liq 5 mg per ml – See note on page 8530 ml
PREDNISONE  ✓ Tab 5 mg30
PREGNANCY TESTS - HCG URINE  ✓ Cassette
PROCAINE PENICILLIN  ✓ Inj 1.5 g in 3.4 ml syringe5
PROCHLORPERAZINE  ✓ Tab 5 mg
PROMETHAZINE HYDROCHLORIDE  ✓ Inj 25 mg per ml, 2 ml ampoule
SALBUTAMOL  ✓ Inj 500 mcg per ml, 1 ml5

✓ Aerosol inhaler, 100 mcg per dose CFC
free
SALBUTAMOL WITH IPRATROPIUM BROMIDE  ✓ Nebuliser soln, 2.5 mg with ipratropium  bromide 0.5 mg per vial, 2.5 ml ampoule20
SILVER SULPHADIAZINE  ✓ Crm 1%250 g
SODIUM BICARBONATE         ✓ Inj 8.4%, 50 ml       5         ✓ Inj 8.4%, 100 ml       5
SODIUM CHLORIDE  ✓ Inj 0.9%, bag – See note on page  53
✓ Inj 0.9%, 5 ml – See note on page 53
SPACER DEVICE       ✓ 220 ml (single patient)       20         ✓ 510 ml (single patient)       20         ✓ 800 ml       20
TRIMETHOPRIM  ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE  ✓ Inj 2.5 mg per ml, 2 ml ampoule
WATER  ✓ Purified for inj, 5 ml – See note on page 54
ZUCLOPENTHIXOL DECANOATE

✓ Inj 200 mg per ml, 1 ml......5

Kaikoura

Leeston

Lincoln

Methven

Oxford

Rakaia

Rolleston

Rotherham

Templeton

**South Canterbury DHB** 

Waikari

## **Rural Areas for Practitioner's Supply Orders**

**NORTH ISLAND** Northland DHB

Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri

Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka Waipu

Whangaroa Waitemata DHB Helensville

Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

**Auckland DHB** Great Barrier Island

Oneroa

Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea

Otorohanga Paeroa Pauanui Reach

Putaruru Raglan

Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi

**Bay of Plenty DHB** 

Whangamata

Whitianga

Edaecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Reach Whakatane

Lakes DHB

Mangakino Turangi

Tairawhiti DHR Ruatoria Te Araroa Te Karaka

Te Puia Springs Tikitiki

Tokomaru Bay Tolaga Bay

Taranaki DHB Fltham Inglewood

Manaia Oakura Okato Opunake Patea Stratford Waverley

**Hawkes Bay DHB** Waipawa

Waipukurau Wairoa

Whanganui DHB

Bulls

Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB Dannevirke Foxton I evin Otaki

Pahiatua Shannon Woodville

Wairarapa DHB Fairlie Carteron Geraldine Featherston Pleasant Point Greytown Temuka Martinborough Twizel

**SOUTH ISLAND** 

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB Dobson

Grevmouth

Hokitika Karamea Reefton South Westland Westport Whataroa

**Canterbury DHB** Akaroa

Amuri Chatham Islands Cheviot Darfield

Amberlev

Diamond Harbour Hanmer Springs

Southern DHB

Alexandra Balclutha Cromwell Gore Kurow Lawrence Lumsden Mataura

Waimate

Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly

Riverton Roxburah Tananui Te Anau Tokonui Tuatapere Wanaka Winton

## **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

## SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the
prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies
"certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility:
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

# SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a \* please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

The following Community Pharmaceuticals are identified with a  $\triangle$  within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

**ALIMENTARY TRACT AND METABOLISM** 

**INSULIN ASPART** 

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

Cordarone-X

Cordarone-X

Tambocor

INSULIN NEUTRAL

**CARDIOVASCULAR SYSTEM** 

AMIODARONE HYDROCHLORIDE Tab 100 mg Corda

Tab 200 mg

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg

Cap long-acting 100 mg
Cap long-acting 200 mg
Tambocor CR
Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

**NICORANDIL** 

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

**NERVOUS SYSTEM** 

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

**ENTACAPONE** 

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

**TOLCAPONE** 

**TOPIRAMATE** 

**VIGABATRIN** 

### SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

### **Exemptions**

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

### Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

**FERROUS SULPHATE** 

Oral lig 30 mg (6 mg el- Ferodan

emental) per 1 ml

CARDIOVASCULAR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

**CAPTOPRIL** 

Oral lig 5 mg per ml Capoten

CHI OROTHIAZIDE

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral lig 10 mg per ml Lasix

**SPIRONOLACTONE** 

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

**LEVOTHYROXINE** 

Tab 25 mcg Synthroid Eltroxin

Tab 50 mcg

Synthroid Tab 100 mcg Eltroxin

Synthroid

(Extemporaneously compounded oral liquid preparations)

LEVOTHYROXINE (MERCURY PHARMA)

Tab 50 mcg Mercury Pharma

Tab 100 mcg Mercury Pharma

(Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

Tab 300 mg 0.300

(Extemporaneously compounded oral liquid preparations)

**NERVOUS SYSTEM** 

**ALPRAZOLAM** 

Tab 250 mcg Xanax Xanax Tab 500 mcg

Tab 1 mg Xanax

(Extemporaneously compounded oral liquid preparations)

**CARBAMAZEPINE** 

Oral lig 20 mg per ml Tegretol CLOBAZAM

Frisium Tab 10 mg

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

DIAZEPAM

Tab 2 mg Arrow-Diazepam Arrow-Diazepam Tab 5 mg

(Extemporaneously compounded oral liquid preparations)

**ETHOSUXIMIDE** 

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan Ativan Tab 2.5 mg

(Extemporaneously compounded oral liquid preparations)

I ORMFTAZFPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone Biodone Forte Oral lig 5 mg per ml

Biodone Extra Forte Oral lig 10 mg per ml

MORPHINE HYDROCHLORIDE

Oral lig 1 mg per ml RA-Morph Oral lig 2 mg per ml RA-Morph Oral lig 5 mg per ml RA-Morph

Oral lig 10 mg per ml RA-Morph

NITRAZFPAM

Nitrados Tab 5 mg

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral lig 30 mg per 5 ml Dilantin

### **SAFETY CAP MEDICINES**

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

**TEMAZEPAM** 

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

**TRIAZOLAM** 

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE

Oral liq 1 mg per 1 ml Allersoothe

SALBUTAMOL

Oral lig 400 mcg per ml Ventolin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

**CODEINE PHOSPHATE** 

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

owder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

### **Vaccinations**

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Ini 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml .............0.00 5 ADT Booster ✔ ADT Booster

Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients: or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds: or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

### BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000 Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.
- Ini Mycobacterium bovis BCG (Bacillus Calmette-Guerin).

Danish strain 1331, live attenuated, vial with diluent .......................0.00

 BCG Vaccine 10 ✓ BCG Vaccine

### DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- 2) A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation: or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg per-

tussis toxoid, 8 mcg pertussis filamentous haemagluttinin 10 Boostrix ' Boostrix '

	Subsidy (Manufacturer's Price)	Si Per	Fully ubsidised	Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE — Funded for any of the following:  1) A single dose for children up to the age of 7 who have co 2) A course of four vaccines is funded for catch up program immunisation; or  3) An additional four doses (as appropriate) are funded for or post splenectomy; pre- or post solid organ transplant, or  4) Five doses will be funded for children requiring solid organ Note: Please refer to the Immunisation Handbook for appropring 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg pertussis stoxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe	mpleted primary immumes for children (to the (re-)immunisation for prenal dialysis and other transplantation.	e age o	of 10 years s post HSC erely immu ogrammes	CT, or chemotherapy; pre inosuppressive regimens
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AN Funded for patients meeting any of the following criteria:  1) Up to four doses for children up to and under the age of 1 2) An additional four doses (as appropriate) are funded for are patients post haematopoietic stem cell transplantatic organ transplant, renal dialysis and other severely immur 3) Up to five doses for children up to and under the age of 1 Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the In programmes.  Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisB-surfaceantigen in 0.5ml syringe	10 for primary immunis (re-)immunisation for con, or chemotherapy; posuppressive regimer 0 receiving solid orgal programmes for child promunisation Handbool	FLUEN sation; ochildren ore or p ns; or n transp Iren (up	ZAE TYPE  or up to and oost splend  olantation. to and up e appropri	I under the age of 10 who ectomy; pre- or post solid
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following:  1) For primary vaccination in children; or 2) An additional dose (as appropriate) is funded for (re-)im tation, or chemotherapy; functional asplenic; pre or pos cochlear implants, renal dialysis and other severely immu. 3) For use in testing for primary immunodeficiency disease paediatrician.  Inj 10 mcg vial with diluent syringe	at splenectomy; pre- of unosuppressive regimes, on the recommend	s post I or post ens; or dation o	naematopi solid orga of an interi	oietic stem cell transplan n transplant, pre- or pos nal medicine physician o
Inj 1440 ELISA units in 1 ml syringeInj 720 ELISA units in 0.5 ml syringe		1	<ul> <li>✓ <u>Ha</u></li> <li>✓ <u>Ha</u></li> </ul>	<u>avrix</u> avrix Junior

	INATIONAL		MISAII	ON SCHEDULE
()	Subsidy Manufacturer's Price) \$	Sı Per	Fully obsidised	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial	0.00	1	<b>✓</b> <u>H</u>	BvaxPRO
Funded for patients meeting any of the following criteria:				
1) for household or sexual contacts of known acute hepatitis B	patients or hepatit	is B carr	iers; or	
<ol><li>for children born to mothers who are hepatitis B surface ant</li></ol>				
<ol><li>for children up to and under the age of 18 years inclusive wh</li></ol>	no are considered n	ot to ha	ve achiev	ed a positive serology and
require additional vaccination; or				
for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse; or				
7) for patients following immunosuppression; or				
8) for transplant patients; or				
<ol><li>following needle stick injury.</li></ol>				
Inj 10 mcg per 1 ml vial	0.00	1	<b>✓</b> <u>H</u>	BvaxPRO
Funded for patients meeting any of the following criteria:				
for household or sexual contacts of known acute hepatitis B			iers; or	
2) for children born to mothers who are hepatitis B surface ant	0 1 0/1			
3) for children up to and under the age of 18 years inclusive wh	no are considered n	ot to ha	ve achiev	ed a positive serology and
require additional vaccination; or				
4) for HIV positive patients; or				
5) for hepatitis C positive patients; or				
<ul><li>6) for patients following non-consensual sexual intercourse; or</li><li>7) for patients following immunosuppression; or</li></ul>				
8) for transplant patients; or				
9) following needle stick injury.				
, , ,	0.00	1		BvaxPRO
Inj 40 mcg per 1 ml vial Funded for any of the following criteria:	0.00	1	V <u>n</u>	DVAXPHU
1) for dialysis patients; or				
<ul><li>2) for liver or kidney transplant patient.</li></ul>				
, , , ,	[V1			
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV] —				
Maximum of three doses for patient meeting any of the following  1) Females aged under 20 years old; or	criteria:			
<ul><li>2) Patients aged under 26 years old with confirmed HIV infection</li></ul>	on: or			
Fatients aged under 20 years old with commined fire fine circles.     For use in transplant (including stem cell) patients; or	011, 01			
<ul><li>4) An additional dose for patients under 26 years of age post of a second control of the control of the</li></ul>	hemotherany			
		10		audaail
Inj 120 mcg in 0.5 ml syringe	0.00	10 1	_	<u>ardasil</u> ardasil
		1	<u> </u>	aiuaəii

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

#### INFLUENZA VACCINE - [Xpharm]

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
  - a) all people 65 years of age and over; or
  - b) people under 65 years of age who:
    - i) have any of the following cardiovascular diseases:
      - a) ischaemic heart disease, or
      - b) congestive heart failure, or
      - c) rheumatic heart disease, or
      - d) congenital heart disease, or
      - e) cerebo-vascular disease; or
    - ii) have either of the following chronic respiratory diseases:
      - a) asthma, if on a regular preventative therapy, or
      - b) other chronic respiratory disease with impaired lung function; or
    - iii) have diabetes; or
    - iv) have chronic renal disease; or
    - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
    - vi) have any of the following other conditions:
      - a) autoimmune disease, or
      - b) immune suppression or immune deficiency, or
      - c) HIV, or
      - d) transplant recipients, or
      - e) neuromuscular and CNS diseases/disorders, or
      - f) haemoglobinopathies, or
      - g) are children on long term aspirin, or
      - h) have a cochlear implant, or
      - i) errors of metabolism at risk of major metabolic decompensation, or
      - j) pre and post splenectomy, or
      - k) down syndrome, or
    - vii) are pregnant; or
  - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor, or
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

nj 45 mcg in 0.5 ml syringe	90.00	10	Fluarix
			✓ Influya

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

#### MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression; or
- 3) For any individual susceptible to measles, mumps or rubella; or
- 4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 1000 TCID50 measles, 12500 TCID50 mumps and

### MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONGUGATE VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases; or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression\*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

\*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 4 mcg of each meningococcal polysaccharide conjugated

to a total of approximately 48 mcg of diphtheria toxoid

carrier per 0.5 ml vial ......0.00

Menactra

#### MENINGOCOCCAL C CONGUGATED VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases; or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression\*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

\*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm] Any of the following: 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV10: or 3) One dose is funded for high risk children (over the age of 17 months and up to the age of 18) who have previously received four doses of PCV10: or 4) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients with HIV, for patients post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or postsolid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician. Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Prevenar 13 1 ✔ Prevenar 13 PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [Xpharm] Either: 1) Up to three doses (as appropriate) for patients with HIV, for patients post haematopoietic stem cell transplant, or chemotherapy; pre- or post-splenectomy or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 2) Up to two doses are funded for high risk children to the age of 18. Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype) ......0.00 1 Pneumovax 23 POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following: 1) For partially vaccinated or previously unvaccinated individuals; or 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes. ✓ IPOL ROTAVIRUS LIVE REASSORTANT ORAL VACCINE - [Xpharm] Maximum of three doses for patients meeting the following: 1) first dose to be administered in infants aged under 15 weeks of age; and 2) no vaccination being administered to children aged 8 months or over. Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units 10 ✓ RotaTea

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

- 1) For non-immune patients:
- 2) a) with chronic liver disease who may in future be candidates for transplantation; or
  - b) with deteriorating renal function before transplantation; or
  - c) prior to solid organ transplant; or
  - d) prior to any elective immunosuppression\*.
- 3) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 4) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 5) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- 6) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
- 7) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
   8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompro-
- 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

* immunosuppression due to steroid or other immunosuppression	ve therapy must be	e for a treat	tment perio	od of greater tha	n 28 days
Inj 2000 PFU vial with diluent	0.00	1	✓ Vai	rilrix	-

- Symbols -	Agents Affecting the Renin-Angiotensin System	E 5
3TC116	Agents for Parkinsonism and	oc
- A -	Related Disorders	101
A-Scabies74	Agents Used in the Treatment of	
Abacavir sulphate115		
Abacavir sulphate with	Poisonings	
lamivudine115	AgryllirAgryllir Agryllir Agryll	
Abilify146	Albendazole	
Abiraterone acetate181	Albey	
Acarbose26	,	
Accu-Chek Ketur-Test27	Albustix Alendronate sodium	
Accu-Chek Performa28		124
Accuretic 1056	Alendronate sodium with	10/
Accuretic 2056	colecalciferol	
Acetazolamide215	Alfacalcidol	
Acetic acid with 1, 2- propanediol	Alfamino Junior	
diacetate and	Alginic acid	
benzethonium213	Alleran	
Acetic acid with hydroxyguinoline	Alkeran	
and ricinoleic acid81	Allersoothe	
Acetylcysteine218	Allopurinol	
Aci-Jel81	Alpha Adrenoceptor Blockers	55
Aciclovir	Alpha-Keri Lotion	
Infection109	Alprazolam	
Sensory213	Alu-Tab	
Acidex21	Aluminium hydroxide	
Acipimox62	Amantadine hydrochloride	
Acitretin75	Ambrisentan	
clasta126	Amiloride hydrochloride	61
Aclin121	Amiloride hydrochloride with	_
Act-HIB258	furosemide	61
Actinomycin D172	Amiloride hydrochloride with	
Actrapid25	hydrochlorothiazide	
Actrapid Penfill25	Aminophylline	
Acupan133	Amiodarone hydrochloride	
Adalat 1059	Amisulpride	
Adalimumab190	Amitriptyline	
Adapalene67	Amlodipine	
Adefin XL59	Amorolfine	
Adefovir dipivoxil107	Amoxicillin	
Adenuric129	Amoxicillin Actavis	98
ADR Cartridge 1.838	Amoxicillin with clavulanic	
Adrenaline64	acid	
Adriamycin172	Amphotericin B	
ADT Booster257	Amsacrine	
Adult diphtheria and tetanus	AmsaLyo	
•	Amsidine	
vaccine257 Advantan70	Amyl nitrite	64
Advate48	Amzoate	
	Anaesthetics	
Afinitar		171
Afinitor203 AFT SLS-free72	Anagrelide hydrochloride	17 1

Anastrozole	184
Andriol Testocaps	86
Androderm	
Animas Battery Cap	34
Animas Cartridge	
Animas Vibe	
Anoro Ellipta	
Antabuse	
Antacids and Antiflatulants	21
Anten	
Anthelmintics	
Antiacne Preparations	67
Antiallergy Preparations	205
Antianaemics	
Antiandrogen Oral	
Contraceptives	81
Antiarrhythmics	56
Antibacterials	96
Antibacterials Topical	68
Anticholinergic Agents	
Anticholinesterases	
Antidepressants	
Antidiarrhoeals	
Antiepilepsy Drugs	120
Antifibrinolytics, Haemostatics	139
and Local Sclerosants	47
AntifungalsAntifungals Topical	
Antihistamines	
Antihypotensives	5/
Antimalarials Antimigraine Preparations	105
Antimigraine Preparations	144
Antinaus	145
Antinausea and Vertigo	
Agents	144
Antiparasitics	
Antipruritic Preparations	
Antipsychotics	
Antiretrovirals	113
Antiretrovirals - Additional	
Therapies	117
Antirheumatoid Agents	122
Antispasmodics and Other	
Agents Altering Gut	
Motility	23
Antithrombotic Agents	49
Antithymocyte globulin	
(equine)	190
Antitrichomonal Agents	105
Antituberculotics and	
Antileprotics	106
Antiulcerants	23

Antivirals	107	Aremed	184	Atorvastatin	62
Anxiolytics	151	Arimidex	184	Atripla	115
Anzatáx		Aripiprazole	146	Atropine sulphate	
Apidra	26	Aristocort	71	Cardiovascular	57
Apidra SoloStar		Aromasin		Sensory	
Apo-Allopurinol		Arrow - Clopid	49	Atropt	
Apo-Amiloride		Arrow-Amitriptyline		Atrovent	
Apo-Amlodipine		Arrow-Bendrofluazide		Aubagio	
Apo-Amoxi		Arrow-Brimonidine		Augmentin	
Apo-Azithromycin		Arrow-Calcium		Auranofin	
Apo-Bromocriptine		Arrow-Diazepam		Avelox	
Apo-Ciclopirox		Arrow-Dortim		Avomine	
Apo-Cilazapril		Arrow-Doxorubicin		Avonex	
Apo-Oliazapili		Arrow-Etidronate		Avonex Pen	
•	ido EG	Arrow-Fluoxetine		Azacitidine	
Cilazapril/Hydrochlorothiaz	iue50			Azamun	
Apo-Clarithromycin	00	Arrow-Gabapentin			
Alimentary		Arrow-Lamotrigine	142	Azathioprine	
Infection		Arrow-Losartan &	50	Azithromycin	
Apo-Clomipramine		Hydrochlorothiazide		Azol	
Apo-Diclo SR		Arrow-Meloxicam		Azopt	
Apo-Diltiazem CD		Arrow-Morphine LA		AZT	116
Apo-Doxazosin		Arrow-Norfloxacin		- B -	
Apo-Folic Acid		Arrow-Ornidazole		B-D Micro-Fine	29
Apo-Imiquimod Cream 5%		Arrow-Quinapril 10		B-D Ultra Fine	29
Apo-Megestrol		Arrow-Quinapril 20		B-D Ultra Fine II	29
Apo-Metoprolol	58	Arrow-Quinapril 5	55	Bacillus Calmette-Guerin (BC	CG)
Apo-Mirtazapine	138	Arrow-Roxithromycin		vaccine	190
Apo-Moclobemide	138	Arrow-Sertraline	138	Bacillus Calmette-Guerin	
Apo-Montelukast	210	Arrow-Simva 10mg	63	vaccine	257
Apo-Nadolol	58	Arrow-Simva 20mg	63	Baclofen	
Apo-Nicotinic Acid	62	Arrow-Simva 40mg	63	Bactroban	68
Apo-Oxybutynin	82	Arrow-Simva 80mg	63	Bakels Gluten Free Health Br	read
Apo-Perindopril	55	Arrow-Sumatriptan	144	Mix	
Apo-Pindolol	58	Arrow-Timolol	215	Baraclude	
Apo-Prazosin		Arrow-Tolterodine		Barrier Creams and	
Apo-Prednisone		Arrow-Topiramate	143	Emollients	72
Apo-Prednisone S29		Arrow-Tramadol		BCG Vaccine	
Apo-Primidone		Arrow-Venlafaxine XR		Beclazone 100	
Apo-Propranolol		Arsenic trioxide	171	Beclazone 250	
Apo-Pyridoxine		Asacol		Beclazone 50	
Apo-Ropinirole		Asamax		Beclomethasone	200
Apo-Selegiline S29		Ascorbic acid		dipropionate	206 211
Apo-Thiamine		Aspen Adrenaline		Becton Dickinson PosiFlush	
Apo-Timol		Aspirin			32
Apomine		Blood	49	Bee venom allergy	005
Apomorphine hydrochloride		Nervous		treatment	
Aprepitant		Asthalin		Bendrofluazide	61
		Atazanavir sulphate		Bendroflumethiazide	0.4
Apresoline		Atenolol		[Bendrofluazide]	
Aptamil Gold+ Pepti Junior				BeneFIX	
Aquasun 30+		Atenolol AFT		Benzathine benzylpenicillin .	
Aqueous cream		ATGAM		Benzbromaron AL 100	
Aratac		Ativan		Benzbromarone	
Arava	122	Atomoxetine	160	Benzoin	225

Benztrop	131	Blood glucose diagnostic te	st	Calcitriol	44
Benztropine mesylate	131	meter	27	Calcitriol-AFT	
Benzydamine hydrochloride	42	Blood glucose diagnostic te	st	Calcium carbonate	21, 44
Benzylpenicillin sodium (penic	illin	strip	28	Calcium Channel Blockers .	59
G)	99	Blood glucose test strips (vi	isually	Calcium Disodium	
Beta Adrenoceptor Blockers	57	impaired)	28	Versenate	219
Beta Cream	70	Blood ketone diagnostic tes		Calcium folinate	169
Beta Ointment	70	meter	27	Calcium Folinate Ebewe	
Beta Scalp	76	Boceprevir	112	Calcium gluconate	45
Beta-Adrenoceptor Agonists	208	Bonjela	42	Calcium Homeostasis	84
Betadine	73	Boostrix		Calcium polystyrene	
Betadine Skin Prep	73	Bortezomib	171	sulphonate	54
Betaferon	159	Bosentan	65	Calcium Resonium	
Betagan	214	Bosvate	58	Calogen	230
Betahistine dihydrochloride	145	Bplex	43	Calsource	
Betaloc CR	58	Breo Ellipta	207	Camptosar	170
Betamethasone dipropionate .	70	Brevinor 1/21	80	Candesartan cilexetil	56
Betamethasone dipropionate		Brevinor 1/28	80	Candestar	
with calcipotriol	75	Brevinor 21	80	Canesten	68
Betamethasone sodium		Bricanyl Turbuhaler	208	Capecitabine	169
phosphate with		Brilinta	50	Capecitabine Winthrop	169
betamethasone acetate	85	Brimonidine tartrate	215	Capoten	
Betamethasone valerate	70, 76	Brimonidine tartrate with tin	nolol	Capsaicin	
Betamethasone valerate with		maleate	215	Musculoskeletal	122
clioquinol	71	Brinov	169	Nervous	
Betamethasone valerate with		Brinzolamide	215	Captopril	55
fusidic acid	71	Brolene	213	Carafate	24
Betaxolol	214	Bromocriptine mesylate	131	Carbaccord	167
Betnovate	70	Brufen SR	121	Carbamazepine	
Betnovate-C	71	BSF Apo-Metoprolol	218	Carbimazole	
Betoptic	214	Buccastem	145	Carbomer	
Betoptic S	214	Budesonide		Carboplatin	167
Bezafibrate	62	Alimentary	21	Carboplatin Ebewe	167
Bezalip	62	Respiratory	206, 212	Carbosorb-X	218
Bezalip Retard	62	Budesonide with		Cardinol LA	
Bicalaccord	182	eformoterol	207	Cardizem CD	
Bicalutamide	182	Bumetanide	60	CareSens	
Bicillin LA	98	Buprenorphine with		CareSens II	27
BiCNU	167	naloxone	164	CareSens N	
Bile and Liver Therapy	24	Bupropion hydrochloride	164	CareSens N POP	27
Biltricide	96	Burinex	60	Carmellose sodium with gela	atin
Bimatoprost	215	Buscopan	23	and pectin	42
Bimatoprost Actavis	215	Buspirone hydrochloride	151	Carmustine	
Biodone	134	Busulfan	167	Carvedilol	58
Biodone Extra Forte	134	Butacort Aqueous	212	Catapres	60
Biodone Forte		- C -		Catapres-TTS-1	
Bisacodyl	41	Cabergoline	94	Catapres-TTS-2	
Bismuth trioxide		Cafergot		Catapres-TTS-3	
Bisoprolol fumarate		Cafergot S29		CeeNU	167
BK Lotion		Caffeine citrate		Cefaclor monohydrate	
Bleomycin sulphate		Calamine		Cefalexin	96
Blood Colony-stimulating		Calcipotriol		Cefalexin Sandoz	
Factors	52	Calcitonin		Cefazolin	
		Calcitoriii	04		

Ceftriaxone97	(	Citalopra
Ceftriaxone-AFT97	(	Cladribin
Cefuroxime axetil97		Clarithro
Celestone Chronodose85		Alimei
Celiprolol58		Infecti
Cellcept184	(	Clexane
Celol58		Climara '
Centrally-Acting Agents60		Climara 5
Cephalexin ABM96		Clindamy
Cerezyme42		Clindamy
Cetirizine hydrochloride205		Clinicians
Cetomacrogol72		Clobazar
Cetomacrogol with glycerol72	(	Clobetas
Champix165	(	Clobetas
Charcoal218	(	Clofazimi
Chemotherapeutic Agents167	(	Clomazo
Chicken pox vaccine262		Derma
Chlorafast213		Genito
Chlorambucil167	(	Clomiphe
Chloramphenicol213		Clomipra
Chlorhexidine gluconate		Clonazer
Alimentary42		Clonidine
Dermatological71		Clonidine
Chloroform225		Clopidog
Chlorothiazide61		Clopine
Chlorpheniramine maleate205	(	Clopixol
Chlorpromazine	(	Clotrima
hydrochloride147		Derma
Chlorsig213		Genito
Chlortalidone	(	Clozapin
[Chlorthalidone]61		Clozaril
Chlorthalidone61	Ċ	Co-trimo
Chlorvescent54		Coal tar
Choice Load 37578	_	Coal tar
Cholestyramine62	•	pheno
	,	
Choline salicylate with	(	Coal tar v
cetalkonium chloride42	,	sulphu
Cholvastin63		Coco-Sc
Ciclopirox olamine68	(	Codeine
Ciclosporin203		Extem
Cilazapril55		Nervo
Cilazapril with	(	Cogentin
hydrochlorothiazide56	(	Colaspas
Cilicaine99	(	Colchicin
Cilicaine VK99	(	Colecalci
Ciloxan213		Colestid
Cinacalcet84		Colestipo
Cipflox100		Colgout
Ciprofloxacin		Colifoam
Infection100	_	Colistin s
		Colistin-L
Sensory213		
Cisplatin		Collodior
Cisplatin Ebewe167	(	Colloidal

Citalopram hydrobromide	138
Cladribine	169
Clarithromycin	
Alimentary	
Infection	
Clexane	51
Climara 100	87
Climara 50	87
Clindamycin	100
Clindamycin ABM	100
Clinicians Renal Vit	
Clobazam	
Clobetasol propionate	70, 76
Clobetasone butyrate	
Clofazimine	106
Clomazol	
Dermatological	
Genito-Urinary	
Clomiphene citrate	95
Clomipramine hydrochloride	137
Clonazepam139–140	), 151
Clonidine	60
Clonidine hydrochloride	60
Clopidogrel	
Clopine	
Clopixol149	9, 151
Clotrimazole	
Dermatological	68
Clozapine	147
Co-trimoxazole	
Coal tar	/5
Coal tar with allantoin, menthol,	70
phenol and sulphur Coal tar with salicylic acid and	/ 0
Coal far with salicylic acid and	70
sulphur	76
Codeine phosphate	/0
Extemporaneous	225
Nervous	124
Cogentin	104
Colaspase [L-asparaginase]	I O I
Colchicine	
Colecalciferol	
Colestid	
Colestipol hydrochloride	02 60
Colgout	
Colifoam	
Colistin sulphomethate	کے ۱۵۸
Colistin-Link	
Collodion flexible	
Colloidal bismuth subcitrate	∠∠ე ე≀
CONCIDER DISTRIBUTE SUDDITIONS	∠4

Colofac	23
Coloxyl	40
Combigan	215
Comfort	
Comfort Short	36
Compound electrolytes	54
Compound	
hydroxybenzoate	225
Concerta	162
Condoms	78
Condyline	
Contact-D	
Contraceptives - Hormonal	79
Contraceptives -	
Non-hormonal	78
Copaxone	150
Cordarone-X	100 56
Cordarone-X Corticosteroids and Related	
Agents for Systemic Use	QF
Corticosteroids Topical	70
Cosmegen	
Coumadin	
Creon 10000	
Creon 25000	30
Crixivan	
Crotamiton	
Crystaderm	68
Cvite	
Cyclizine hydrochloride	145
Cyclizine lactate	145
Cyclogyl	216
Cyclopentolate	
hydrochloride	216
Cyclophosphamide	167
Cycloserine	106
Cyklokapron	49
Cyproterone acetate	86
Cyproterone acetate with	
ethinyloestradiol	81
Cytarabine	160
Cytotec	23
Cytoxan	167
- D - D-Penamine	100
d4T	114
Dabigatran	
Dacarbazine  Dactinomycin [Actinomycin	1/2
D]	179
Daivobet	
Daivonex	75
Daktarin	۲۰
Dalacin C	100

Dalteparin sodium	50	DEVA	97	Diphtheria, tetanus, pertussis,	
Danazol	95	Dexamethasone		polio, hepatitis B and	
Dantrium	130	Hormone	85	haemophilus influenzae type E	3
Dantrium S29	130	Sensory		vaccine	258
Dantrolene	130	Dexamethasone phosphate		Diprosone	70
Daonil		Dexamethasone with framycetin		Diprosone OV	
Dapa-Tabs		and gramicidin	213	Dipyridamole	
Dapsone		Dexamethasone with neomycin	0	Disinfecting and Cleansing	
Daraprim		sulphate and polymyxin B		Agents	7
Darunavir		sulphate	214	Disopyramide phosphate	
Dasatinib		Dexamfetamine sulfate		Disulfiram	
Daunorubicin		Dexmethsone		Diuretics	
DBL Acetylcysteine		Dextrochlorpheniramine	00	Diurin 40	
DBL Aminophylline		maleate	206	Docetaxel	
DBL Bleomycin Sulfate		Dextrose		Docetaxel Sandoz	
•		Dextrose with electrolytes		Docusate sodium	
DBL Carboplatin		•		Docusate sodium with	4(
DBL Cisplatin		DHC Continus			4.0
DBL Dacarbazine		Diabetes		sennosides	4(
DBL Docetaxel		Diabetes Management		Dolutegravir	
DBL Doxorubicin		Diacomit		Domperidone	
DBL Doxorubicin S29	1/2	Diamide Relief		Donepezil hydrochloride	
DBL Epirubicin		Diamox		Donepezil-Rex	
Hydrochloride		Diaphragm		Dopress	
DBL Ergometrine		Diasip		Dornase alfa	21
DBL Gemcitabine		Diason RTH		Dorzolamide hydrochloride	218
DBL Leucovorin Calcium	169	Diazepam139		Dorzolamide with timolol	
DBL Methotrexate		Diazoxide		Dostinex	
Onco-Vial	170	Dicarz	58	Dothiepin hydrochloride	
DBL Morphine Sulphate	135	Diclofenac Sandoz	121	Doxazosin	5
DBL Morphine Tartrate	135	Diclofenac sodium		Doxepin hydrochloride	137
DBL Pethidine		Musculoskeletal	121	Doxine	
Hydrochloride	137	Sensory		Doxorubicin Ebewe	172
DBL Tobramycin	102	Didanosine [DDI]	115	Doxorubicin hydrochloride	172
DBL Vincristine Sulfate	176	Differin		Doxy-50	99
DDI	115	Difflam	42	Doxycycline	99
De Nol	24	Diflucan	102	DP Fusidic Acid Cream	
De-Worm	96	Diflucan S29	102	DP Lotion	
Decozol	43	Diflucortolone valerate	70	DP Lotn HC	70
Deferasirox	218	Digestives Including		DP-Anastrozole	184
Deferiprone	219	Enzymes	39	Dr Reddy's Omeprazole	
Deoxycoformycin		Digoxin		Dr Reddy's Ondansetron	
Depo-Medrol		Dihydrocodeine tartrate		Dr Reddy's Terbinafine	
Depo-Medrol with Lidocaine		Dilantin		Drugs Affecting Bone	
Depo-Provera		Dilantin Infatab		Metabolism	122
Depo-Testosterone		Diltiazem hydrochloride		Duocal Super Soluble	
Deprim		Dilzem		Powder	220
Dermol		Dimethicone		Duolin	
Desferal		Dimethyl fumarate		Duolin HFA	
Desferrioxamine mesilate		Dipentum		Durex Confidence	
Desmopressin acetate		Diphtheria, tetanus and pertussis		Durex Extra Safe	
Desmopressin-PH&T		vaccine		Duride	
Detection of Substances in	94		201	Dynacirc-SRO	
Urine	00	Diphtheria, tetanus, pertussis	250	Dynaulu-300	3t
OIIII <del>C</del>	მა	and polio vaccine	200		

- E -
e-chamber La Grande212
e-chamber Mask212
e-chamber Turbo212
E-Mycin97
Ear Preparations213
Ear/Eye Preparations213
Easiphen Liquid243
EasyCheck82
Econazole nitrate69
Efavirenz115
Efavirenz with emtricitabine and
tenofovir disoproxil
fumarate115
Efexor XR139
Effient49
Eformoterol fumarate207
Efudix77
Egopsoryl TA76
Elecare244
Elecare LCP244
Elocon71
Elocon Alcohol Free71
Eloxatin168
Eltrombopag47
Eltroxin89
Emend Tri-Pack144
EMLA133
Emtricitabine115
Emtricitabine with tenofovir
disoproxil fumarate116
Emtriva115
Emulsifying ointment72
Enalapril maleate55
Enbrel184
Endocrine Therapy181
Endoxan167
Enerlyte54
Enfuvirtide117
Enoxaparin sodium51
Ensure239
Ensure Plus239
Ensure Plus HN238
Ensure Plus RTH238
Entacapone131
Entapone
Entecavir
Entocort CIR21
Epilim
Epilim Crushable
Epilim IV142 Epilim S/F Liquid142
Epiiiiii 3/F Liquiu142

Epilim Syrup	.142
Epirubicin Ebewe	173
Epirubicin hydrochloride	173
Epoetin alfa [Erythropoietin	170
alfa]	47
Eprex	41
Eptacog alfa [Recombinant factor	41
Litacog ana [Necombinant lactor	47
VIIa]	47
ERA	98
Ergometrine maleate	81
Ergotamine tartrate with	
caffeine	. 144
Erlotinib	177
Erythrocin IV	98
Erythromycin ethyl succinate	
Erythromycin lactobionate	98
Erythromycin stearate	
Erythropoietin alfa	46
Escitalopram	138
Eskazole	96
Estradot	87
Estrofem	87
Etanercept	184
Ethambutol hydrochloride	106
Ethics Aspirin	133
Ethics Aspirin EC	49
Ethics Enalapril	55
Ethics Lisinopril	55
Ethics Lisinopril Ethinyloestradiol	88
Ethinyloestradiol with	00
desogestrel	70
Ethinyloestradiol with	/ 0
levonorgestrel	70
Ethinyloestradiol with	/ 9
norethisterone	0.0
Ethosuximide	
Etidronate disodium	124
Etopophos	1/3
Etoposide	1/3
Etoposide phosphate	1/3
Etravirine	115
Eumovate	70
Everet	142
Everolimus	203
Evista	124
Exelon	163
Exemestane	
Exjade	218
Extemporaneously Compounded	
Preparations and	
Galenicals	
Eve Preparations	213

Ezetimibe6	3
Ezetimibe with simvastatin6	
	J
-F-	
Factor eight inhibitor bypassing	
fraction 4	8
Febuxostat12	
Feed Thickener Karicare	•
Aptamil24	
Aptamii24	1
FEIBA NF4	8
Felodipine5	
Fenpaed12	1
Fentanyl13	4
Fentanyl Sandoz13	
Ferodan4	
Ferriprox21	
Ferro-F-Tabs4	
Ferro-tab4	
Ferrograd4	5
Ferrograd F4	5
Ferrous fumarate4	5
Ferrous fumarate with folic	•
acid4	_
Ferrous sulphate4	5
Ferrous sulphate with folic	
acid4	5
Ferrum H4	5
Fexofenadine hydrochloride20	6
Fibro-vein4	
Filgrastim5	
Finasteride8	2
Fingolimod15	
Finpro8	
Firazyr20	5
Flagyl10	
Flagyl-S10	
Flamazine6	
Flecainide acetate5	7
Flecalnide acetate5	/
Fleet Phosphate Enema4	1
Flixonase Hayfever &	
Allergy21	2
Flixotide20	
Flixotide Accuhaler20	7
Floair20	
Florinef8	
Fluanxol14	
Fluarix26	
Flucloxacillin9	9
Flucloxin9	9
Fluconazole10	
Fludara16	
Fludara Oral16	a
Fludarabine Ebewe16	0
Fludarible subsection 16	9
Fludarabine phosphate16	9

Fludrocortisone acetate	85	Fuzeon	117	Gutron	57
Fluids and Electrolytes	53	- G -		Gynaecological	
Flumetasone pivalate	213	Gabapentin	140	Anti-infectives	81
Fluocortolone caproate with		Gacet		- H -	
fluocortolone pivalate and		Galsulfase		Habitrol	165
cinchocaine	23	Gardasil	259	Haemophilus influenzae type B	
Fluorometholone	214	Gastrodenol		vaccine	258
Fluorouracil	169	Gastrosoothe	23	Haldol	
Fluorouracil Ebewe	169	Gaviscon Double Strength		Haldol Concentrate	
Fluorouracil sodium	77	Gaviscon Infant		Haldol Decanoas	
Fluoxetine hydrochloride		Gefitinib		Haloperidol	
Flupenthixol decanoate	149	Gemcitabine Ebewe		Haloperidol decanoate	
Fluphenazine decanoate	149	Gemcitabine hydrochloride		Hameln	
Flutamide		Gemfibrozil		Hamilton Sunscreen	
Flutamin	182	Gemzar		Harvoni	
Fluticasone	207	Genoptic		Havrix	
Fluticasone furoate with		Genox		Havrix Junior	
vilanterol	207	Gentamicin sulphate		HBvaxPRO	
Fluticasone propionate	212	Infection	100	healthE Dimethicone 10%	
Fluticasone with salmeterol	208	Sensory		healthE Dimethicone 5%	
FML	214	Gilenya		healthE Glycerol BP	
Foban	68	Ginet		healthE Urea Cream	
Folic acid	47	Glatiramer acetate		Healtheries Simple Baking	
Food Thickeners	241	Glibenclamide		Mix	241
Foods And Supplements For		Gliclazide		Hemastix	
Inborn Errors Of		Glipizide		Heparin sodium	
Metabolism	242	Glivec		Heparinised saline	
Foradil	207	Glizide		Heparon Junior	
Forteo	125	Glucagen Hypokit		Hepatitis A vaccine	
Fortini	233	Glucagon hydrochloride		Hepatitis B recombinant	
Fortini Multi Fibre	233	Glucerna Select		vaccine	259
Fortisip	239	Glucerna Select RTH		Hepsera	
Fortisip Multi Fibre	240	Glucobay		Herceptin	
Fosamax		Glucose [Dextrose]		Hexamine hippurate	
Fosamax Plus		Gluten Free Foods		Hiprex	
Fragmin	50	Glycerin with sodium		Histaclear	
Framycetin sulphate		saccharin	225	Histafen	
Freestyle Optium		Glycerin with sucrose		Holoxan	
Freestyle Optium Ketone		Glycerol		Horleys Bread Mix	
Freestyle Optium Neo		Alimentary	40	Horleys Flour	
Frisium	140	Extemporaneous		Hormone Replacement Therapy	
Frumil	61	Glyceryl trinitrate		Systemic	
Frusemide	60	Alimentary	23	HPV	
Frusemide-Claris	61	Cardiovascular		Humalog	
Fucicort	71	Glycopyrronium		Humalog Mix 25	
Fucidin	100	Glycopyrronium bromide		Humalog Mix 50	
Fucithalmic	213	Glycopyrronium with		Human papillomavirus (6, 11, 16	
Fungilin	43	indacaterol	210	and 18) vaccine [HPV]	
Furosemide [Frusemide]		Glytrin		Humatin	
Fusidic acid		Gold Knight		Humira	
Dermatological	68	Goserelin		HumiraPen	
Infection		Granirex		Humulin 30/70	
Sensory		Granisetron		Humulin NPH	
•					0

Humulin R	25
Hyaluronic acid	216
Hybloc	
Hydralazina	
Hydralazine Hydralazine hydrochloride	64
Hydrea	172
Hydrocortisone	173
Dermatological	70
Hormone	
Hydrocortisone acetate	
Hydrocortisone and paraffin	22
liquid and lanolin	70
Illudracerticese buturete 70	70
Hydrocortisone butyrate70	, 70
Hydrocortisone with cinchocaine	00
	23
Hydrocortisone with miconazole	74
	/ 1
Hydrocortisone with natamycin	
and neomycin	/1
Hydrogen peroxide	40
Alimentary	
Dermatological	
Hydroxocobalamin	43
Hydroxychloroquine	122
Hydroxyurea	
Hygroton	61
Hylo-Fresh	216
Hyoscine hydrobromide	145
Hyoscine N-butylbromide	23
Hypam	160
Hyperuricaemia and	
Antigout	128
Hypnovel	159
Hypromellose	216
Hypromellose with Dextran	216
Hysite	215
-1-	
Ibiamox	
Ibugesic	
Ibuprofen	121
Icatibant	205
Idarubicin hydrochloride	
Ifosfamide	167
Ikorel	65
lloprost	66
Imatinib mesilate	178
Imatinib-AFT	178
Imiglucerase	
Imipramine hydrochloride	137
Imiquimod	77
Immune Modulators	
Immunosuppressants	
Imuran	184

Incruse Ellipta	.209
Indacaterol	.207
Indapamide	61
Indinavir	.116
Infanrix IPV	.258
Infanrix-hexa	
Infant Formulae	.244
Influenza vaccine	.260
Influvac	
Inhaled Corticosteroids	.206
Inhaled Long-acting	
Beta-adrenoceptor	
Agonists	. 207
Inset 30	
Inset II	37
Insulin aspart	
Insulin aspart with insulin aspart	
protamine	25
Insulin glargine	26
Insulin glulisine	26
Insulin isophane	25
Insulin isophane with insulin	
neutral	25
Insulin lispro	26
Insulin lispro with insulin lispro	
protamine	26
Insulin neutral	25
Insulin pen needles	
Insulin pump	
Insulin pump accessories	34
Insulin pump infusion set (steel	
cannula)	35
Insulin pump infusion set (teflon	
cannula, angle insertion with	
insertion device)	36
Insulin pump infusion set (teflon	
cannula, angle insertion)	36
Insulin pump infusion set (teflon	
cannula, straight insertion with	
insertion device)	37
Insulin pump infusion set (teflon	
cannula, straight insertion)	38
Insulin pump reservoir	38
Insulin syringes, disposable with	
attached needle	29
Intal Forte CFC Free	
Intal Spincaps	
Intelence	.115
Interferon alfa-2a	.118
Interferon alfa-2b	.118
Interferon beta-1-alpha	.159
Interferon beta-1-beta	.159
Intro utarina davias	70

ntron-A	.118
nvega Sustenna	
POĽ	.262
pratropium bromide208,	212
ressa	
rinotecan Actavis 100	.170
rinotecan Actavis 40	.170
rinotecan hydrochloride	.170
rinotecan-Rex	
ron polymaltose	45
sentress	.116
smo 20	
soniazid	.106
soprenaline	
soptin	60
sopto Carpine	.215
sosorbide mononitrate	64
sosource Standard	.238
sosource Standard RTH	.238
sotane 10	
sotane 20	67
sotretinoin	67
spaghula (psyllium) husk	40
sradipine	59
suprel	64
tch-Soothe	
traconazole	.103
trazole	
vermectin	73
- J -	0
Jadelle	80
Jevity	
Jevity HiCal RTH	238 238
Jevity RTH	238
•	.200
- <b>K</b> -	440
Kaletra	.116
Kemadrin	
Kenacomb	.213
Kenacort-A 10	თგ
Kenacort-A 40	86
Kenalog in Orabase	43
Ketocal 3:1	.246
KetoCal 4:1	.246
Ketoconazole Dermatological	70
Infection	.103
Ketogenic Diet	.246
Ketone blood beta-ketone electrodes	<b>~</b>
Ketoprofen	.121
Ketostix	27

Kindergen	232	Levomepromazine		Lormetazepam	159
Kinson	131	hydrochloride	147	Lorstat	62
Kivexa	115	Levomepromazine maleate	147	Losartan Actavis	56
Klacid	97	Levonorgestrel		Losartan potassium	56
Kliogest	88	Genito-Urinary	80–81	Losartan potassium with	
Kliovance		Hormone		hydrochlorothiazide	56
Kogenate FS		Levothyroxine		Lovir	
Konakion MM		Levothyroxine (mercury		Loxamine	
Konsyl-D		pharma)	89	Lucrin Depot 1-month	
, -L-		Lidocaine		Lucrin Depot 3-month	
L-asparaginase	170	[Lignocaine]	132–133	Lucrin Depot 6-month	
Labetalol		Lidocaine [Lignocaine]		Ludiomil	137
		hydrochloride	132	Lycinate	
Lacosamide		Lidocaine [Lignocaine] with		Lyderm	
Lactulose		chlorhexidine			
Laevolac		Lidocaine [Lignocaine] with		- M -	401
Lamictal		prilocaine		m-Eslon	
Lamivudine		Lidocaine-Claris		M-M-R II	
Lamivudine Alphapharm		Lignocaine	102	m-Nystatin	
Lamotrigine		Hormone	85	Mabthera	198
Lamprene		Nervous		Macrogol 3350 with potassium	
Lanoxin			,	chloride, sodium bicarbonate	
Lanoxin PG	57	Link Healthcare		and sodium chloride	40
Lansoprazole	24	Lioresal Intrathecal		Macrogol 400 and propylene	
Lantus	26	Lipazil		glycol	216
Lantus SoloStar	26	Lipid-Modifying Agents		Madopar 125	
Lanvis	170	Liquigen		Madopar 250	13
Lanzol Relief	24	Lisinopril		Madopar 62.5	
Lapatinib ditosylate	178	Lithicarb FC		Madopar HBS	
Largactil		Lithium carbonate		Madopar Rapid	
Lasix		Livostin		Magnesium hydroxide	
Latanoprost		LMX4	133	Magnesium sulphate	45
Lax-Sachets		Locacorten-Viaform ED's	213	Malathion with permethrin and	
Lax-Suppositories		Local preparations for Anal	and	piperonyl butoxide	74
Lax-Tab		Rectal Disorders	23	Maprotiline hydrochloride	
Laxatives		Locasol	244	Marevan	
Laxsol		Locoid	70, 76	Marine Blue Lotion SPF 50+	
Ledipasvir with sofosbuvir		Locoid Crelo	70	Marquis Black	
Leflunomide		Locoid Lipocream	70	Marquis Conforma	
Lenalidomide		Locorten-Vioform	213	Marquis Protecta	
Letrole		Lodoxamide		Marquis Selecta	
Letrozole		Logem		Marquis Tantiliza	
Leukeran FC		Lomide		Marvelon 28	
	107	Lomustine		Mask for spacer device	010
Leukotriene Receptor	010	Loniten	65		
Antagonists		Loperamide hydrochloride		Mast Cell Stabilisers	
Leunase	1/2	Lopinavir with ritonavir		Maxidex	
Leuprorelin		Lopresor		Maxitrol	
Leustatin		Loprofin		MCT oil (Nutricia)	230
Levetiracetam		Loprofin Mix		Measles, mumps and rubella	
Levobunolol		Lorafix		vaccine	
Levocabastine		LoraPaed		Mebendazole	
Levodopa with benserazide		Loratadine		Mebeverine hydrochloride	
Levodopa with carbidopa	131	Loratadine Lorazepam		Medrol	85
		∟orazeµam	101		

Medroxyprogesterone acetate		hydrochloride	145	Motetis	132
Genito-Urinary	80	Metolazone	61	Motrig	142
Hormone	87, 89	Metopirone	95	Mouth and Throat	42
Mefenamic acid	121	Metoprolol - AFT CR	58	Movapo	131
Megestrol acetate	182	Metoprolol succinate	58	Moxifloxacin	101
Meloxicam	122	Metoprolol tartrate	58	MSUD Maxamaid	243
Melphalan	167	Metronidazole	105	MSUD Maxamum	243
Menactra	261	Metyrapone	95	Mucilaginous laxatives with	
Meningococcal (groups A, C, Y	Y	Mexiletine hydrochloride	57	stimulants	40
and W-135) congugate		Mexiletine Hydrochloride		Mucolytics	211
vaccine	261	USP	57	Multiple Sclerosis	
Meningococcal c congugated		Miacalcic	84	Treatments	152
vaccine	261	Micolette	41	Multivitamin renal	44
Menthol	69	Miconazole	43	Multivitamins	44
Mercaptopurine	170	Miconazole nitrate		Mupirocin	68
Mercilon 28	79	Dermatological	69	Muscle Relaxants	129
Mesalazine	22	Genito-Urinary	81	Mvite	44
Mesna	174	Micreme	81	Myambutol	106
Mestinon		Micreme H	71	Mycobutin	
Metabolic Disorder Agents	41	Microgynon 30	79	MycoNail	68
Metamide	145	Microlut	80	Mycophenolate mofetil	184
Metchek	26	Midazolam		Mycostatin	
Meterol	207	Midodrine	57	Mydriacyl	216
Metformin hydrochloride	26	Minerals	44	Mylan Atenolol	
Methadone hydrochloride		Mini-Wright AFS Low Range	212	Mylan Clomiphen	95
Extemporaneous	225	Mini-Wright Standard		Mylan Melphalan	
Nervous		Minidiab	26	Mylan-Bosentan	
Methatabs	134	Minirin		Mylanta P	21
Methopt	216	Mino-tabs	99	Myleran	
Methotrexate	170	Minocycline hydrochloride	99	Myloc CR	58
Methotrexate Ebewe	170	Minomycin	99	Myocrisin	122
Methotrexate Sandoz	170	Minor Skin Infections	73	Myometrial and Vaginal Hormo	one
Methyl hydroxybenzoate	225	Minoxidil	65	Preparations	81
Methylcellulose	225	Mirena	88	- N -	
Methylcellulose with glycerin a	ınd	Mirtazapine	138	Nadolol	58
sodium saccharin	226	Misoprostol	23	Naglazyme	
Methylcellulose with glycerin a	ınd	Mitomycin C	174	Nalcrom	
sucrose	226	Mitozantrone	174	Naloxone hydrochloride	
Methyldopa	60	Mitozantrone Ebewe	174	Naltraccord	
Methylphenidate		Mixtard 30	25	Naltrexone hydrochloride	
hydrochloride	161	Moclobemide	138	Naphazoline hydrochloride	
Methylphenidate hydrochloride	)	Modafinil	163	Naphcon Forte	
extended-release	162	Modavigil	163	Naprosyn SR 1000	
Methylprednisolone	85	Modecate	149	Naprosyn SR 750	121
Methylprednisolone (as sodium	n	Moduretic	61	Naproxen	
succinate)	85	Mometasone furoate	71	Nardil	
Methylprednisolone		Monogen	232	Nasal Preparations	
aceponate	70	Montelukast	210	Natalizumab	
Methylprednisolone acetate	85	Moroctocog alfa [Recombinant		Natulan	
Methylprednisolone acetate wi	ith	factor VIII]	48	Nausicalm	
lidocaine [Lignocaine]	85	Morphine hydrochloride	134	Nauzene	
Methylxanthines	211	Morphine sulphate	135	Navelbine	
Metoclopramide		Morphine tartrate	135	Nedocromil	

Nefopam hydrochloride133	Norimin80
Neisvac-C261	Normacol Plus40
Neo-B1243	Normison160
Neo-Mercazole89	Norpress137
Neocate Advance244	Nortriptyline hydrochloride137
Neocate Gold244	Norvir116
Neocate LCP244	NovaSource Renal
Neoral	Novasource Heriai
Neostigmine metilsulfate121	NovoRapid26
Nepro HP (strawberry)234	NovoRapid FlexPen26
Nepro HP (vanilla)234	NovoRapid Penfill26
Nepro HP RTH234	NovoSeven RT47
Nerisone70	Noxafil103
Neulactil148	Nozinan147
Neulastim53	Nuelin211
Neurontin140	Nuelin-SR211
NeuroTabs45	Nupentin140
Nevirapine115	Nutilis241
Nevirapine Alphapharm115	Nutrient Modules228
Nicorandil65	Nutrini Energy Multi Fibre233
Nicotine165	Nutrini Energy RTH233
Nicotinic acid62	Nutrini Low Energy Multi Fibre
Nifedipine59	235
Nifuran120	Nutrini RTH233
Nilotinib179	Nutrison Concentrated241
Nilstat	Nutrison Energy238
Genito-Urinary81	Nutrison Energy Multi Fibre238
Infection103	Nutrison Multi Fibre238
Nipent174	Nutrison Standard RTH238
Nitrados159	Nyefax Retard59
Nitrates64	Nystatin
Nitrazepam159	Alimentary43
Nitroderm TTS64	Dermatological69
Nitrofurantoin120	Genito-Urinary81
Nitrolingual Pump Spray64	Infection103
Nivolumab201	NZB Low Gluten Bread Mix242
Nizoral103	
Noctamid159	-0-
	O/W Fatty Emulsion Cream72
Nodia21	Octocog alfa [Recombinant factor
Noflam 250121	VIII] (Advate)48
Noflam 500121	Octocog alfa [Recombinant factor
Non-Steroidal Anti-Inflammatory	VIII] (Kogenate FS)49
Drugs121	Octreotide182
Nonacog alfa [Recombinant	Octreotide LAR (somatostatin
factor IX]48	analogue) 182
Nonacog gamma, [Recombinant	Oestradiol87
Factor IX]48	Oestradiol valerate87
Norethisterone	Oestradiol with
Genito-Urinary80	norethisterone88
Hormone89	Oestriol
Norflex130	Genito-Urinary81
Norfloxacin120	Hormone88
Noriday 2880	Oestrogens87
•	

Norimin	80
Normacol Plus	
Normison	160
Norpress	137
Nortriptyline hydrochloride	137
Norvir	
NovaSource Renal	234
Novatretin	
NovoRapid	26
NovoRapid FlexPen	26
NovoRapid Penfill	26
NovoSeven RT	47
Noxafil	
Nozinan	
Nuelin	
Nuelin-SR	211
Nupentin	1//
Nutilis	2/1
Nutrient Modules	
Nutrini Energy Multi Fibre	
Nutrini Energy RTH	
Nutrini Low Energy Multi Fibre	200
235	
Nutrini RTH	000
Nutrison Concentrated	241
Nutrison Energy Nutrison Energy Multi Fibre	238
Nutrison Energy Multi Fibre	230
Nutrison Multi Fibre Nutrison Standard RTH	200
Nyefax Retard	58
Nystatin	4.
Alimentary	43
Dermatological	65
Genito-Urinary	81
Infection	103
NZB Low Gluten Bread Mix	242
- 0 -	
O/W Fatty Emulsion Cream	
Octocog alfa [Recombinant factor	•
VIII] (Advate)	48
Octocog alfa [Recombinant factor	•
VIII] (Kogenate FS)	49
Octreotide	182
Octreotide LAR (somatostatin	
analogue)	182
Oestradiol	87
Oestradiol valerate	87
Oestradiol with	
norethisterone	88
Oestriol	
Genito-Urinary	81
Hormone	

Oestrogens with	
medroxyprogesterone	88
Oil in water emulsion	72
Olanzapine148-	-149
Olbetam	62
Olopatadine	.216
Olsalazine	
Omalizumab	197
Omeprazole	24
Omezol Relief	∠¬
Omnitrope	۳2 ۵۸
Onbrez Breezhaler	ou
Onlinez Breezhaler	.207
Oncaspar	.1/4
OncoTICE	. 190
Ondansetron	.145
Ondansetron ODT-DRLA	.145
One-Alpha	44
Onrex	.145
Opdivo	.201
Ora-Blend	.226
Ora-Blend SF	.226
Ora-Plus	.225
Ora-Sweet	.225
Ora-Sweet SF	.225
Orabase	
Oral Supplements/Complete Diet	
(Nasogastric/Gastrostomy	
(Haddgading dadingdiding	
Tube Feed)	231
Tube Feed)	231
Oratane	67
Oratane	67 .242
Oratane Orgran Ornidazole	67 .242 .105
Oratane Orgran Ornidazole Orphenadrine citrate	67 .242 .105 .130
Oratane Orgran Ornidazole Orphenadrine citrate Ortho All-flex	67 .242 .105 .130 78
Oratane	67 .242 .105 .130 78 83
Oratane	67 .242 .105 .130 78 83
Oratane	67 .242 .105 .130 78 83 .121
Oratane	67 .242 .105 .130 78 83 .121 .238
Oratane	67 .242 .105 .130 78 83 .121 .238
Oratane	67 .242 .105 .130 78 83 .121 .238 98
Oratane	67 .242 .105 .130 78 83 .121 .238 98
Oratane	67 .242 .105 .130 78 83 .121 .238 94
Oratane	67 .242 .105 .130 78 83 .121 .238 94
Oratane	67 .242 .105 .130 78 83 .121 .238 94
Oratane	67 .242 .105 .130 78 83 .121 .238 94 94
Oratane	67 .242 .105 .130 78 83 .121 .238 94 94
Oratane	67 .242 .105 .130 78 83 .121 .238 94 94
Oratane	67 .242 .105 .130 78 83 .121 .238 94 94 88
Oratane	67 .242 .105 .130 78 83 .121 .238 94 94 81 81
Oratane	67 .242 .105 .130 78 83 .121 .238 94 94 88 77
Oratane	67 .242 .105 78 83 .121 .238 94 94 88 77
Oratane	67 .242 .105 78 83 .121 .238 94 94 88 77 81 88 .151 .168 .168
Oratane	67 .242 .105 .130 78 83 .121 .238 94 94 88 77 81 .168 .168 .168
Oratane	67 .242 .105 .130 83 .121 .238 94 94 88 77 81 88 77

Oxis Turbuhaler	207	MMT-397	38	Pegylated interferon alfa-2a	118
Oxpentifylline	65	Paradigm Quick-Set		Pembrolizumab	
Oxybutynin	82	MMT-398	38	Penicillamine	122
Oxycodone ControlledRelea	ise	Paradigm Quick-Set		PenMix 30	25
Tablets(BNM)	136	MMT-399	38	PenMix 40	25
Oxycodone hydrochloride		Paradigm Silhouette		PenMix 50	25
OxyContin		MMT-368	36	Pentasa	
OxyNorm		Paradigm Silhouette		Pentostatin	
Oxytocin		MMT-377	36	[Deoxycoformycin]	174
Oxytocin with ergometrine		Paradigm Silhouette		Pentoxifylline [Oxpentifylline]	65
maleate	81	MMT-378	36	Peptisoothe	
Ozole	102	Paradigm Silhouette		Peptisorb	235
- P -		MMT-381	36	Perhexiline maleate	
Pacifen	129	Paradigm Silhouette		Pericyazine	148
Paclitaxel		MMT-382	36	Perindopril	
Paclitaxel Actavis		Paradigm Silhouette		Permethrin	
Paclitaxel Ebewe		MMT-383	36	Peteha	
Paediatric Seravit		Paradigm Silhouette		Pethidine hydrochloride	
Paliperidone		MMT-384	36	Pevaryl	
Pamidronate disodium		Paradigm Sure-T MMT-864		Pexsig	
Pamisol		Paradigm Sure-T MMT-866		Pharmacare	
Pancreatic enzyme		Paradigm Sure-T MMT-874		Pharmacy Services	
Pantoprazole		Paradigm Sure-T MMT-876		Pheburane	
Pantoprazole Actavis 20		Paradigm Sure-T MMT-884		Phenelzine sulphate	
Pantoprazole Actavis 40		Paradigm Sure-T MMT-886		Phenobarbitone	142
Panzop Relief		Paraffin		Phenobarbitone sodium	
•		Paraffin liquid with soft white		Extemporaneous	226
Panayerina bydrochlorida		paraffin	216	Nervous	
Papaverine hydrochloride Para Plus		Paraffin liquid with wool fat		Phenothrin	
Para-amino salicylic acid		Paraldehyde		Phenoxybenzamine	
		Parasidose		hydrochloride	55
Paracare Double Strongth		Parasiticidal Preparations		Phenoxymethylpenicillin	
Paracare Double Strength .		Paritaprevir, ritonavir and		(Penicillin V)	gc
Paracetamol	133	ombitasvir with dasabuvir .	113	Phenytoin sodium	
Paracetamol + Codeine	100	Paritaprevir, ritonavir and		Phlexy 10	
(Relieve)		ombitasvir with dasabuvir a	and	Phosphate-Sandoz	
Paracetamol with codeine		ribavirin		Phosphorus	
Paradigm 522		Parnate		Phytomenadione	
Paradigm 722		Paromomycin		Pilocarpine hydrochloride	
Paradigm Mio MMT-921		Paroxetine hydrochloride		Pimafucort	
Paradigm Mio MMT-923		Paser		Pindolol	
Paradigm Mio MMT-925		Patanol		Pine tar with trolamine	
Paradigm Mio MMT-941		Paxam		laurilsulfate and	
Paradigm Mio MMT-943		Pazopanib		fluorescein	76
Paradigm Mio MMT-945		Peak flow meter		Pinetarsol	
Paradigm Mio MMT-965		Pedialyte - Bubblegum		Pioglitazone	
Paradigm Mio MMT-975	37	Pediasure		Piportil	
Paradigm Quick-Set	00	Pediasure RTH		•	
MMT-386	38			Pipothiazine palmitate Pizotifen	
Paradigm Quick-Set	20	Pegaspargase Pegasys		PKU Anamix Infant	
MMT-387	38	Pegasys RBV Combination	110	PKU Anamix InfantPKU Anamix Junior	
Paradigm Quick-Set	00	3 ,	110		
MMT-396	38	Pack		PKU Anamix Junior LQ	
Paradigm Quick-Set		Pegfilgrastim		PKU Lophlex LQ 10	243

PKU Lophlex LQ 20	243	Procyclidine hydrochloride	132	Raloxifene hydrochloride	124
Plaquenil	122	Procytox	167	Raltegravir potassium	116
Plendil ER	59	Prodopa	60	Ramipex	131
Pneumococcal (PCV13)		Progesterone	89	Ranbaxy-Cefaclor	96
vaccine	262	Proglicem	25	Ranitidine	24
Pneumococcal (PPV23)		Proglycem	25	Ranitidine Relief	24
polysaccharide vaccine	262	Progynova	87	Rapamune	204
Pneumovax 23	262	Prokinex	145	Reandron 1000	86
Podophyllotoxin	77	Promethazine hydrochloride	206	Recombinant Factor IX	48
Polaramine	206	Promethazine theoclate		Recombinant factor IX	48
Poliomyelitis vaccine	262	Promod	230	Recombinant factor VIIa	47
Poloxamer	40	Propafenone hydrochloride	57	Recombinant factor VIII	48
Poly-Gel	216	Propamidine isethionate	213	Rectogesic	23
Poly-Tears	216	Propranolol	59	Redipred	85
Poly-Visc	217	Propylene glycol	226	Refresh Night Time	216
Polycal		Propylthiouracil	89	Renilon 7.5	234
Polyvinyl alcohol	216	Protamine sulphate		Resonium-A	54
Ponstan	121	Protaphane	25	Resource Beneprotein	230
Posaconazole		Protaphane Penfill	25	Resource Diabetic	231
Postinor-1	81	Protifar	230	Respigen	208
Potassium chloride		Protionamide		Respiratory Devices	
Potassium citrate	82	Provera	87	Respiratory Stimulants	212
Potassium iodate	45	Provera HD	89	Retinol palmitate	
Povidone iodine	73	PSM Citalopram	138	ReTrieve	67
Pradaxa	52	Psoriasis and Eczema		Retrovir	
Pramipexole hydrochloride	131	Preparations	75	Reutenox	121
Prasugrel	49	PTU	89	Revlimid	173
Pravastatin	63	Pulmicort Turbuhaler	206	Revolade	47
Praziquantel		Pulmocare	231	Rexacrom	214
Prazosin		Pulmozyme	211	RexAir	208
Pred Forte	214	Puri-nethol		Revataz	116
Prednisolone	85	Pyrazinamide	106	Ridaura s29	122
Prednisolone acetate		Pyridostigmine bromide		Rifabutin	
Prednisolone sodium		Pyridoxine hydrochloride		Rifadin	107
phosphate	214	Pyrimethamine		Rifampicin	
Prednisolone-AFT		Pytazen SR		Rifaximin	
Prednisone		, -Q-		Rifinah	
Pregnancy Tests - hCG Urine		Q 300	105	Rilutek	
Premarin				Riluzole	132
Prevenar 13		Questran-Lite		Riodine	
Prezista		Quetapel		Risedronate Sandoz	
Priadel		Quetiapine		Risedronate sodium	
Primacin		Quick-Set MMT-390		Risperdal Consta	
Primaquine phosphate		Quick-Set MMT-391		Risperdal Quicklet	
Primidone		Quick-Set MMT-392		Risperidone	
Primolut N		Quick-Set MMT-393		Risperon	
Probenecid		Quinapril	55	Ritalin	
Probenecid-AFT		Quinapril with		Ritalin LA	
Procaine penicillin		hydrochlorothiazide		Ritalin SR	
		Quinine sulphate		Ritonavir	
Procarbazine hydrochloride .		Qvar	206	Rituximab	
Prochlorperazine		- R -			
Proctosedyl		RA-Morph	134	Rivariamina	
Procur	80	•		Rivastigmine	103

Rivotril	.139, 140
RIXUBIS	48
Rizamelt	144
Rizatriptan	144
Roferon-A	118
Ropinirole hydrochloride	131
RotaTeq	262
Rotavirus live reassortant ora	al
vaccine	
Roxane	
Alimentary	21
Cardiovascular	59
Roxithromycin	98
Rubifen	
Rubifen SR	
Rythmodan	57
Rytmonorm	
· S -	
Sabril	143
SalAir	
Salamol	
Salazopyrin	
Salazopyrin EN	22
Salbutamol	
Salbutamol with ipratropium	
bromide	208
Salicylic acid	76
Salmeterol	
Sandomigran	
Sandostatin LAR	
Scalp Preparations	76
Scopoderm TTS	145
Sebizole	76
Sedatives and Hypnotics	159
Seebri Breezhaler	209
Selegiline hydrochloride	131
Senna	
Senokot	
Sensipar	
SensoCard	
Serenace	
Seretide	
Seretide Accuhaler	
Serevent	207
Serevent Accuhaler	
Serophene	
Sertraline	
Sertraline Actavis	
Sevredol	133
Sex Hormones Non Contraceptive	86
Shield 49	
Shield Blue	
Officia Diae	

Shield XL	.78
SII-Onco-BCG	190
Sildenafil	.66
Silhouette MMT-371Silhouette MMT-373	.36
Silhouette MMT-373	.36
Siltuximab	200
Silver sulphadiazine	
Simethicone	.21
Simvastatin	.63
Sinemet	131
Sinemet CR	131
Singulair	210
Sirolimus	204
Slow-Lopresor	.58
Sodibic	.54
Sodium acid phosphate	
Sodium alginate	.21
Sodium aurothiomalate	122
Sodium benzoate	.41
Sodium bicarbonate	
Blood53-	
Extemporaneous	
Sodium calcium edetate	219
Sodium chloride	
Blood	.53
Respiratory	211
Sodium citrate with sodium lauryl	
sulphoacetate	. 41
Sodium citro-tartrate	.83
Sodium cromoglycate	
Alimentary	.22
Respiratory	211
Sensory	214
Sodium fluoride	.45
Sodium hyaluronate [Hyaluronic	
acid]	
Sodium nitroprusside	.27
Sodium phenylbutyrate	.42
Sodium polystyrene	
sulphonate	. 54
Sodium tetradecyl sulphate	.49
Sodium valproate	142
Sofradex	213
Soframycin	
Solian	146
Solifenacin succinate	.83
Solu-Cortef	
Solu-Medrol	.85
Somatropin (Omnitrope)	.90
Sotacor	
Sotalol	
Spacer device	212
• 1/	-

Spiolto Respimat	210
Spiractin	61
Spiriva	
Spiriva Respimat	
Spironolactone	
Sporanox	
Sprycel	176
Staphlex	99
Stavudine [d4T]	116
Stelazine	
Stemetil	
Stesolid	
Stimulants/ADHD	133
Treatments	160
Stiripentol	
Stocrin	
Stomahesive	
Strattera	
Stromectol	
Suboxone	
Sucralfate	
Sulfadiazine sodium	
Sulindac	
Sulphasalazine	
Sulphur	76
Sulprix	146
Sumatriptan	144
Sunitinib	180
Sunscreens	76
Sunscreens, proprietary	76
Sure-T MMT-863	
Sure-T MMT-865	35
Sure-T MMT-873	
Sure-T MMT-875	35
Sure-T MMT-883	
Sure-T MMT-885	
Sustagen Diabetic	231
Sustagen Hospital Formula	239
Sustanon Ampoules	00 86
Sutent	180
Sylvant	
Symbicort Turbuhaler 100/6	200
Symbicort Turbuhaler 200/6	207
Symbicort Turbuhaler	201
400/12	207
400/12	. 207
Symmetrel	131
Sympathomimetics	
Synacthen	
Synacthen Depot	86
Synthroid	89
Syntometrine	81
Syrup (pharmaceutical	
grade)	. 226

Systane Unit Dose216
- T -
Tacrolimus204
Tacrolimus Sandoz204
Tambocor57
Tambocor CR57
Tamoxifen citrate183
Tamsulosin hydrochloride82
Tamsulosin-Rex82
Tap water226
Tarceva177
Tasigna179
Tasmar131
Taxotere172
Tecfidera152
Tegretol140
Tegretol CR140
Telfast206
Temaccord175
Temazepam160
Temozolomide175
Tenofovir disoproxil
fumarate110
Tenoxicam121
Tepadina168
Terazosin55
Terbinafine104
Terbutaline sulphate208
Teriflunomide156
Teriparatide125
Testosterone86
Testosterone cypionate86
Testosterone esters86
Testosterone undecanoate86
Tetrabenazine132
Tetrabromophenol83
Tetracosactrin86
Tetracyclin Wolff99
Tetracycline99
Teva171
Thalidomide175
Thalomid175
Theophylline211
Thiamine hydrochloride43
THIO-TEPA168
Thioguanine170
Thiotepa168
Thymol glycerin43
Thyroid and Antithyroid
Agents89
Ticagrelor50
Tilade211
Tilcotil121

Timolol	
Cardiovascular	59
Sensory	215
Sensory Timoptol XE	215
Tiotropium bromide	209
Tiotropium bromide with	
olodaterol	210
Tivicay	116
TMP	102
TOBI	
Tobramvcin	
Infection	102
Sensory	214
Tobrex	214
Tofranil	
Tofranil s29	
Tolcapone	
Tolterodine	83
Topamax	
Topical Products for Joint and	
Muscular Pain	122
Topiramate	143
Topiramate Actavis	143
Total parenteral nutrition	
(TPN)	53
TPN	53
Tramadol hydrochloride	137
Tramal SR 100	137
Tramal SR 150	137
Tramal SR 200	137
Trandate	
Tranexamic acid	49
Tranylcypromine sulphate	138
Trastuzumab	
Travatan	
Travoprost	215
Treatments for Dementia	163
Treatments for Substance	
Dependence	164
Trental 400	65
Tretinoin	
Dermatological	67
Oncology	176
Trexate	170
Triamcinolone acetonide	
Alimentary	43
Dermatological	71
Hormone	
Triamcinolone acetonide with	
gramicidin, neomycin and nys	tatin
Dermatological	71
Sensory	213
Triazolam	160

Trichozole	.105
Triclosan	71
Trifluoperazine	
hydrochloride	
Trimeprazine tartrate	.206
Trimethoprim	.102
Trisequens	88
Trisul	.100
Trophic Hormones	90
Tropicamide	.216
Trusopt	.215
Truvada Two Cal HN	.116
Two Cal HN RTH	.241
Tykerb	
Tysabri	15/
	.154
- U -	
Ultibro Breezhaler	
Ultraproct	
Umeclidinium Umeclidinium with vilanterol	.209
Univent208,	.210
Ural208,	212
Urea	
Urex Forte	
Urinary Agents	82
Urinary Tract Infections	120
Uromitexan	
Ursodeoxycholic acid	39
Ursosan	39
Utrogestan	89
- V -	
Vaccinations	.257
Vaclovir	
Valaciclovir	
Valcyte	
Valganciclovir	.109
Vallergan Forte	.206
Vancomycin	.102
Vannair	.207
Varenicline tartrate	.165
Varicella vaccine [Chicken pox	
vaccine]	263
Varilrix	.263
Various	.218
Vasodilators	64
Vasopressin Agonists	94
Vedafil	66
Velcade	.1/1
VenlafaxineVenomil	.139 205
venomii Ventavis	205. مو
ventavis	00

Ventolin	208
Vepesid	173
Verapamil hydrochloride	
Vergo 16	
Vermox	
Verpamil SR	60
Vesanoid	176
Vesicare	83
Vexazone	26
Vfend	
Viaderm KC	
Victrelis	
Vidaza	
Videx EC	115
Viekira Pak	113
Viekira Pak-RBV	113
Vigabatrin	143
Vimpat	141
Vinblastine sulphate	176
Vincristine sulphate	
Vinorelbine	
Vinorelbine Ebewe	
Viramune Suspension	
Viread	
ViruPOS	213
Vistil	
Vistil Forte	216
Vit.D3	44
VitA-POS	
Vitabdeck	44
Vitadol C	43
Vital	235
Vitamin A with vitamins D and	
C	
Vitamin B complex	43
Vitamins	
Vivonov Podiatrio	

Vivonex TEN2	235
Volibris	.65
Voltaren1	
Voltaren D1	
Voltaren Ophtha2	214
Volumatic2	212
Voriconazole1	04
Vosol2	213
Votrient1	79
Vttack1	
- W -	
Warfarin sodium	.52
Wart Preparations	
Wasp venom allergy	
treatment2	205
Water	
Blood	.54
Extemporaneous2	226
Wool fat with mineral oil	.72
- X -	
Xanax1	51
Xarelto	
Xifaxan	.24
XMET Maxamum2	
Xolair1	
XP Maxamaid2	243
XP Maxamum2	243
Xylocaine1	32
Xylocaine Viscous1	32
Xyntha	.48
- Z -	
Zantac	24
Zapril	
Zarator	
Zarontin1	

Zaroxolyn ......61

Zarzio	52
Zavedos	
Zeffix	108
Zerit	116
Zetop	205
Ziagen	
Zidovudine [AZT]	
Zidovudine [AZT] with	
lamivudine	116
Zimybe	63
Zinc and castor oil	72
Zinc sulphate	
Zincaps	45
Zinnat	97
Ziprasidone	
Zista	205
Zithromax	97
Zoladex	93
Zoledronic acid	
Hormone	
Musculoskeletal	
Zometa	
Zopiclone	
Zopiclone Actavis	160
Zostrix	
Zostrix HP	
Zovirax	
Zuclopenthixol decanoate	151
Zuclopenthixol	
hydrochloride	149
Zusdone	149
Zyban	164
Zypine	
Zypine ODT	
Zvprexa Relprevv	149