# December 2016

#### Volume 23 Number 3

Editor: Kaye Wilson email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

#### Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

#### Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive

#### **Programmers**

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

# Introducing PHARMAC

	Section A	General Rules	6
	Section B	Alimentary Tract & Metabolism	20
		Blood & Blood Forming Organs	47
		Cardiovascular System	56
		Dermatologicals	68
-		Genito Urinary System	79
b		Hormone Preparations – Systemic	85
at e	Info	ections – Agents For Systemic Use	97
_		Musculoskeletal System	122
o il		Nervous System	131
s 1	Oncolo	gy Agents & Immunosuppressants	167
o r		Respiratory System & Allergies	206
		Sensory Organs	214
		Various	219
n e/			
	Section C Ext	emporaneous Compounds (ECPs)	221
	Section D	Special Foods	228
it e	Section E	Practitioner's Supply Orders	248
e d /, u		Rural Areas	252
y	Section F	Dispensing Period Exemptions	253
n e n	Section G	Safety Cap Medicines	255
r y	Section I	National Immunisation Schedule	258

# Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

#### PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

# **Purpose of the Pharmaceutical Schedule**

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

# **Explaining pharmaceutical entries**

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

#### Example



# Glossary

#### Units of Measure

gram g kilogram kg international unit iu	microgrammcg milligrammg millilitreml	millimolemmol unitu
Abbreviations		
Ampoule Amp	GelatinousGel	SolutionSoln
CapsuleCap	GranulesGran	SuppositorySupp
CreamCrm	InfusionInf	TabletTab
Device	InjectionInj	TinctureTinc
DispersibleDisp	LiquidLiq	Trans Dermal Delivery
Effervescent Eff	Long ActingLA	SystemTDDS
Emulsion Emul	OintmentOint	,
Enteric CoatedEC	Sachet Sach	
BSO Bulk Supply Order		

BSO Bulk Supply Order.

CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- \* Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- ‡ Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981.
- HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.
- HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy Variation (for Clozapine Services).

# Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a  $\checkmark$  in the product's Schedule listing.

## Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

# **Special Authority Applications**

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

#### Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

#### Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

#### Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

# Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at

http://www.pharmac.govt.nz/nppa. or call the Panel Coordinators at 0800 660 050 Option 2.

#### INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 December 2016 and is to be referred to as the Pharmaceutical Schedule Volume 23 Number 3, 2016. Distribution will be from 20 December 2016. This Schedule comes into force on 1 December 2016.

#### **PART I**

## INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
  - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
  - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
  - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
    - a) have limited physical mobility:
    - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
    - c) are relocating to another area;
    - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
  - "Act", means the New Zealand Public Health and Disability Act 2000.
  - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
  - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
  - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
  - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
  - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be

required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975. 
"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
  - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by

the Practitioner, or

- endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
- iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

- "Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:
  - a) to an Outpatient; and
  - b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations

"Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is

not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
  - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
  - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol". or
  - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
  - ii) the consultation to relate to the Patient for whom the Prescription is written;
  - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
  - iv) except in emergencies consultation to precede annotation of the Prescription; and
  - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.

"Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
  for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
  area of competency; or
- d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by

the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
  - a) the singular includes the plural; and
  - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

#### **PART II**

#### COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
  - 2.1.1 clauses 2.2 of the Schedule; and
  - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
  - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
  - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
  - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
  - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
  - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

# PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Practitioners', Registered Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber, Optometrist, or Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
  - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
    - i) sufficient to provide treatment for a period not exceeding 10 days; and
    - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
  - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner or Registered Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
  - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
  - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
    - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
    - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
      - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect: or
      - b) both
        - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner: and
        - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
  - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
  - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
  - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
  - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
    that part of any Prescription that is dispensed within the time frames specified above is eligible for
    Subsidy.
- 3.1.7 If a Community Pharmaceutical:
  - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words

- "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

#### 3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber, or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
  - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
  - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

#### 3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
  - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
  - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

#### 3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

#### 3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
  - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

#### 3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

- 3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
  - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
  - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

#### 3.6 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
   and
- b) written on a Quitcard.

# PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

#### "Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be

clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

## 4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

## 4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
  - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
  - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
  - i) 7 days' supply for a Class B Controlled Drug; or
  - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
  - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
  - i) included the name of the patient's residential placement or facility on the Prescription; and
  - ii) included the patient's NHI number on the Prescription; and
  - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

#### 4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial";
   and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

#### 4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
  - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on the previous page; and
  - b) The prescribing Practitioner has:
    - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
    - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
  - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
  - Annotated the Prescription with the amended dispensing quantity and frequency.

#### 4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
  - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
  - b) the dispensing pharmacist has:
    - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
    - ii) initialled the annotation in their own handwriting; and
    - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

#### **PART V**

## **MISCELLANEOUS PROVISIONS**

## 5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
  - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
  - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders

with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

## 5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
  - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or
    if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
  - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
  - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
    - i) is personally signed and dated by the Practitioner; and
    - ii) sets out the Practitioner's address; and
    - iii) sets out the Community Pharmaceuticals and quantities, and;
  - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
  - a) the RFPP provider name is written on the Practitioner's Supply Order; and
  - b) the total quantity ordered does not exceed a multiple of:
    - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
    - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
  - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

#### 5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

## 5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

#### 5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2. for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

#### 5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
  - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
  - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
  - c) is being used and funded as part of a paediatric oncology service; or
  - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
  - a) Part 1:
  - b) clauses 2.1 to 2.2;
  - c) clauses 3.1 to 3.4: and
  - d) clause 5.4.
  - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
  - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
  - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
  - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

### 5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under

- the Medicines Act 1981 or for an Unapproved Indication; or
- not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication. Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

#### 5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted' Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

#### 5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

#### 5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

#### 5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

# **SECTION B: ALIMENTARY TRACT AND METABOLISM**

	\$	Per	✓ Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID  Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	✓ Gaviscon Infant
SODIUM ALGINATE  * Tab 500 mg with sodium bicarbonate 267 mg and calcium	ı		
carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml	Acidex
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE  * Tab 600 mg	12.56	100	✓ Alu-Tab
CALCIUM CARBONATE  Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) –  Subsidy by endorsement  Only when prescribed for children under 12 years of ag endorsed accordingly.	39.00	500 ml hosphate bin	✔ Roxane ding agent and the prescription is
Antidiarrhoeals			
Agents Which Reduce Motility			
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a  * Tab 2 mg  * Cap 2 mg	10.75	400 400	<ul> <li>✓ Nodia</li> <li>✓ Diamide Relief</li> </ul>
Rectal and Colonic Anti-inflammatories			
BUDESONIDE  Cap 3 mg - Special Authority see SA1155 below - Retail pharmacy		90	✓ Entocort CIR
■►SA1155 Special Authority for Subsidy Initial application — (Crohn's disease) from any relevant practifollowing criteria: Both:	titioner. Approval	s valid for 6 n	nonths for applications meeting the
<ul><li>1 Mild to moderate ileal, ileocaecal or proximal Crohn's dis</li><li>2 Any of the following:</li></ul>	ease; and		

Subsidy

(Manufacturer's Price)

Unapproved medicine supplied under Section 20

continued...

Brand or

Generic

Fully

Subsidised

2.1 Diabetes; or2.2 Cushingoid habitus; or

2.3 Osteoporosis where there is significant risk of fracture; or

2.4 Severe acne following treatment with conventional corticosteroid therapy; or2.5 History of severe psychiatric problems associated with corticosteroid treatment; or

	ubsidy F cturer's Price) Subsidi	ully	Brand or Generic
(ivialiulac	\$ Per	<b>✓</b>	Manufacturer

continued...

- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation\*.

Note: Indication marked with \* is an Unapproved Indication.

LIVEROCOPTICONIC ACCTATE

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE			
Rectal foam 10%, CFC-Free (14 applications)2	26.55 2	1.1 g OP (	✓ Colifoam
MESALAZINE			
Tab 400 mg4	9.50	100	✓ Asacol
Tab EC 500 mg4	9.50	100	✓ Asamax
Tab long-acting 500 mg5	9.05	100	✓ Pentasa
Tab 800 mg	35.55	90	✓ Asacol
Modified release granules, 1 g14	1.72	120 OP	✓ Pentasa
Enema 1 g per 100 ml4	1.30	7	✓ Pentasa
Suppos 500 mg2	22.80	20	✓ Asacol
Suppos 1 g5	4.60	30	✓ Pentasa
OLSALAZINE			
Tab 500 mg	9.86	100	✓ Dipentum
Cap 250 mg3	31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE			
Cap 100 mg	2.91	100	✓ Nalcrom
SULPHASALAZINE			
* Tab 500 mg - For sulphasalazine oral liquid formulation refer,			
page 2221	4.00	100	✓ Salazopyrin
* Tab EC 500 mg1		100	Salazopyrin EN

# **Local preparations for Anal and Rectal Disorders**

# **Antihaemorrhoidal Preparations**

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAIN	١E
Oint 950 mcg, with fluocortologe pivalate 920 mcg, and cin-	

OP V Ultraproct	30 g OP	chocaine hydrochloride 5 mg per g
·	ŭ	Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and
Ultraproct	12	cinchocaine hydrochloride 1 mg2.66
		HYDROCORTISONE WITH CINCHOCAINE
OP Proctosedyl	30 g OP	Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.00
✔ Proctosedyl	12	Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.90

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

90

✓ Colofac

Brand or Generic Manufacturer

# Management of Anal Fissures

GLYCERYL TRINITRATE - Special Authority see SA1329 below - Retail pharmacy 30 g OP ✔ Rectogesic

## **⇒**SA1329 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

# **Antispasmodics and Other Agents Altering Gut Motility**

GLYCOPYRRONIUM BROMIDE
------------------------

Inj 200 mcg per ml, 1 ml ampoule – Up to 10 in a PSO		10	✓ Max Health
HYOSCINE N-BUTYLBROMIDE			
* Tab 10 mg	2.18	20	✓ Gastrosoothe
* Inj 20 mg, 1 ml - Up to 5 inj available on a PSO	9.57	5	Buscopan
MEREVERINE HYDROCHLORIDE			

## 

## **Antiulcerants**

# Antisecretory and Cytoprotective

MICO	NOTO	

	T-1, 000	44.50	400	
*	Tab 200 mcg	41.50	120	Cvtotec

# **Helicobacter Pylori Eradication**

## CLA

ARITHROMYCIN			
Tab 500 mg – Subsidy by endorsement	10.40	14	✓ Apo-Clarithromycin

a) Maximum of 14 tab per prescription

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.

# **H2 Antagonists**

## RANITIDINE - Only on a prescription

*	Tab 150 mg	30 !	500 🗸	Ranitidine Relief
	Tab 300 mg14.7		500 🗸	Ranitidine Relief
	Oral lig 150 mg per 10 ml		00 ml 🗸	Peptisoothe
	Inj 25 mg per ml, 2 ml8.7		5	Zantac

# **Proton Pump Inhibitors**

LA	NSOPRAZOLE		
*	Cap 15 mg5.08	100	✓ Lanzol Relief
*	Cap 30 mg5.93	100	✓ Lanzol Relief

b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

	Subsidy (Manufacturer's Pri \$	ce) Per	Full Subsidise	d Generic
OMEPRAZOLE	*			
For omeprazole suspension refer Standard Formulae	e, page 225			
* Cap 10 mg	. •	90	~	Omezol Relief
* Cap 20 mg	2.91	90	~	Omezol Relief
* Cap 40 mg	4.42	90	~	Omezol Relief
* Powder – Only in combination		5 g	~	Midwest
Only in extemporaneously compounded omepraze				
* Inj 40 mg ampoule with diluent	33.98	5	~	Dr Reddy's
				<u>Omeprazole</u>
PANTOPRAZOLE				
* Tab EC 20 mg	2.41	100	~	Panzop Relief
	(2.68)			Pantoprazole Actavis
	_			20
Panzop Relief to be Sole Supply on 1 March 2017				
* Tab EC 40 mg		100	•	Panzop Relief
	(3.54)			Pantoprazole Actavis
Panzop Relief to be Sole Supply on 1 March 2017	,			40
(Pantoprazole Actavis 20 Tab EC 20 mg to be delisted 1	March 2017)			
(Pantoprazole Actavis 40 Tab EC 40 mg to be delisted 1	March 2017)			
Site Protective Agents				
BISMUTH TRIOXIDE				
Tab 120 mg	32.50	112	~	De Nol S29
•		112	•	De Noi ozz
(De Nol S29 Tab 120 mg to be delisted 1 January 2017)				
COLLOIDAL BISMUTH SUBCITRATE				
Tab 120 mg	14.51	50	~	Gastrodenol S29
SUCRALFATE				
Tab 1 g	35.50	120		
	(48.28)			Carafate
Bile and Liver Therapy				
RIFAXIMIN - Special Authority see SA1461 below - Ret	ail nharmaoy			
Tab 550 mg		56	V	Xifaxan
	020.00	30	•	MidAdii
⇒SA1461 Special Authority for Subsidy	talagist av Drastitianav an t	ha raaan	mandati	an of a gootrooptorologist or
Initial application only from a gastroenterologist, hepat hepatologist. Approvals valid for 6 months where the pa				
riepatologist. Approvals valid for 6 months where the partolerated doses of lactulose.	ment has nepalic encepha	liopatriy u	espile ar	i adequate that of maximum
Renewal only from a gastroenterologist, hepatologist or F	Practitioner on the recomme	andation o	f a nactro	penterologiet or henatologiet
Approvals valid without further renewal unless notified wi				
treatment.	nore the treatment remains	ο αρριοριί	aic and	are patient is benefiting from
Diabetes				
Hyperglycaemic Agents				
DIAZOXIDE - Special Authority see SA1320 on the next	page - Retail pharmacy			
Cap 25 mg		100	~	Proglicem S29
Cap 100 mg		100		Proglicem \$29
				Proglycem \$29
Oral lig 50 mg per ml		30 ml OF	• •	riodivceiii 529

<sup>‡</sup> safety cap \*Three months or six months, as applicable, dispensed all-at-once

Per Manufacturer ⇒SA1320 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism. Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment. GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit - Up to 5 kit available on a PSO......32.00 Glucagen Hypokit **Insulin - Short-acting Preparations** INSULIN NEUTRAL ▲ Inj human 100 u per ml .......25.26 10 ml OP ✔ Actrapid ✔ Humulin R 5 ✓ Actrapid Penfill ✔ Humulin R Insulin - Intermediate-acting Preparations INSULIN ASPART WITH INSULIN ASPART PROTAMINE 5 ✓ NovoMix 30 FlexPen INSULIN ISOPHANE ▲ Inj human 100 u per ml ......17.68 ✔ Humulin NPH 10 ml OP ✔ Protaphane ▲ Inj human 100 u per ml, 3 ml ......29.86 5 ✔ Humulin NPH Protaphane Penfill INSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml ......25.26 10 ml OP ✔ Humulin 30/70 ✓ Mixtard 30 ▲ Inj human with neutral insulin 100 u per ml, 3 ml ......42.66 5 ✔ Humulin 30/70 ✓ PenMix 30 ✔ PenMix 40 ✔ PenMix 50 INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE ▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, ✔ Humalog Mix 25 ▲ Ini lispro 50% with insulin lispro protamine 50% 100 u per ml. 5 Humalog Mix 50 **Insulin - Long-acting Preparations** INSULIN GLARGINE ▲ Inj 100 u per ml, 10 ml ......63.00 ✓ Lantus 1 ▲ Inj 100 u per ml, 3 ml .......94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen ......94.50 ✓ Lantus SoloStar **Insulin - Rapid Acting Preparations** 

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

5

5

✓ NovoRapid FlexPen

✓ NovoRapid Penfill

✓ NovoRapid

INSULIN ASPART

▲ Inj 100 u per ml, 3 ml syringe ......51.19

▲ Inj 100 u per ml, 3 ml .......51.19

	Subsidy (Manufacturar's F	Orino) O	Full	
	(Manufacturer's F	Per Per	ubsidise •	d Generic  Manufacturer
NSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	1	Apidra
▲ Inj 100 u per ml, 3 ml		5		Apidra
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	~	Apidra SoloStar
NSULIN LISPRO				
▲ Inj 100 u per ml, 10 ml	34.92	10 ml OP	/	Humalog
▲ Inj 100 u per ml, 3 ml		5		Humalog
Alpha Glucosidase Inhibitors				
ACARBOSE				
k Tab 50 mg	4.28	90	/	Glucobay
k Tab 100 mg		90		Glucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
₭ Tab 5 mg	5.00	100	1	Daonil
GLICLAZIDE				
₭ Tab 80 mg	11.50	500	V	Glizide
-		000	•	<u>GIIZIGO</u>
GLIPIZIDE k Tab 5 mg	2.05	100	./	Minidiab
•	2.00	100	•	<u>wiiiiuab</u>
METFORMIN HYDROCHLORIDE				
k Tab immediate-release 500 mg		1,000		Metchek Matter
* Tab immediate-release 850 mg	7.82	500	V	Metformin Mylan
PIOGLITAZONE				
k Tab 15 mg		90		Vexazone
k Tab 30 mg		90		Vexazone
≰ Tab 45 mg	7.10	90		<u>Vexazone</u>
Diabetes Management				
Ketone Testing				
BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter at	vailable on a PS	80		
Meter funded for the purposes of blood ketone diagnostics on			ore epi	sodes of ketoacidosis and
at risk of future episodes or patient is on an insulin pump. Only	one meter per	patient will b	e subsi	idised every 5 years.
Meter	40.00	1	~	Freestyle Optium
				Neo
ETONE BLOOD BETA-KETONE ELECTRODES				
a) Maximum of 20 strip per prescription				
b) Up to 10 strip available on a PSO				
Test strip - Not on a BSO	15.50	10 strip OF	· /	Freestyle Optium
				Ketone
SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription				
★ Test strip – Not on a BSO	6.00	50 strip OF	· /	Accu-Chek
				Ketur-Test
				Notal-103t

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

# **Blood Glucose Testing**

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
- 1) is receiving insulin or sulphonylurea therapy; or
- 2) is pregnant with diabetes; or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
- 4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome. Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens

meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test

1 OP CareSens II

✓ CareSens N

✓ CareSens N POP

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription
  as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

28.75

Blood glucose test strips - Note differing brand requirements

✓ CareSens

✓ CareSens N

✓ Accu-Chek Performa

✓ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

#### ►SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788
Wellington Email: bgstrips@pharmac.govt.nz

■ SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

**PHARMAC** 

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

Subsidy (Manufacturer's Price) Subsi		Fully Subsidised	Brand or Generic	
` \$	Per	~	Manufacturer	

#### BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

✓ SensoCard 50 test OP

# **Insulin Syringes and Needles**

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INCLUMENTATION OF A	<ul> <li>Maximum of 100 dev per prescription</li> </ul>
INOULIN FEN NEEDLEO -	- Maximum of 100 dev bei brescribtion

*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine
*	31 g × 5 mm		100	✓ B-D Micro-Fine
*	31 g × 6 mm		100	✓ ABM
*	31 g × 8 mm		100	✓ B-D Micro-Fine
*	32 g × 4 mm		100	✓ B-D Micro-Fine
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 1	00 dev per p	rescription
*	Syringe 0.3 ml with 29 g × 12.7 mm needle		100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00 <sup>′</sup>	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00 <sup>′</sup>	100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle	13.00 <sup>°</sup>	100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

# **Insulin Pumps**

INSULIN PUMP - Special Authority see SA1603 below - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

c) Maximum of 1 Insulin pump per patient each four	year period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour	4,500.00	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1	✓ Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	✓ Paradigm 522
			Paradigm 722

## ■ SA1603 | Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (severe unexplained hypoglycaemia)** only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement; and
- 4 Fither:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — **(HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal** — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy Brand or Fully (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Fither:
  - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 3.2 The pump is due for replacement; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
  - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 8.2 The pump is due for replacement; and
- 9 Either:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
  - 4.2 The pump is due for replacement; and
- 5 Fither:
  - 5.1 Applicant is a relevant specialist; or
  - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Subsidy (Manufacturer's Price) Fully Subsidised Per 🗸 Brand or Generic Manufacturer

## **Insulin Pump Consumables**

#### **⇒**SA1604 Special Authority for Subsidy

**Initial application** — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
  - 6.1 Applicant is a relevant specialist; or
  - 6.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (permanent neonatal diabetes)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

**Renewal — (severe unexplained hypoglycaemia)** only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Fither:
  - 3.1 Applicant is a relevant specialist; or

continued...

31

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Fither:
  - 9.1 Applicant is a relevant specialist; or
  - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
  - 3.1 Applicant is a relevant specialist; or
  - 3.2 Applicant is a nurse practitioner working within their vocational scope.

**Initial application** — (**Previous use before 1 September 2012**) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
  - 8.1 Applicant is a relevant specialist; or
  - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

continued...

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

#### continued...

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
  - 4.1 Applicant is a relevant specialist; or
  - 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 31 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

✓ Animas Battery Cap

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 31 - Retail pharmacy

a'	Maximum	of :	3 sets	ner	prescription
a	i iviaxiiiiuiii	UI V	ノンロい	וסט	DIESCHDUID

a) Maximum of 3 sets per prescription     b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing $\times$			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line $\times$			
10 with 10 needles	130.00	1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing $\times$			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
			MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line $\times$			
10 with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line $\times$			
10 with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	100.00	. 01	- Juic 1 mm 1070
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
TO WALL TO HOOGIOO	100.00	. 01	MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
o min ocoor noodio, zo d, manda moortion, oo om tubing x			4.4

1 OP

✓ Sure-T MMT-875

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per \$

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 31 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula: angle insertion: insertion device: 110 cm grey line × 10 with 10 needles .......140.00
- 13 mm teflon cannula: angle insertion: insertion device:
- 13 mm teflon cannula: angle insertion: insertion device:
- 60 cm grey line × 10 with 10 needles ......140.00 13 mm teflon cannula; angle insertion; insertion device:
- 60 cm pink line × 10 with 10 needles .......140.00 1 OP

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1604 on page 31 - Retail pharmacv

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula: angel insertion: 60 cm grev line ×
- 13 mm teflon cannula; angle insertion; 120 cm line  $\times$  10 with 1 OP
- 13 mm teflon cannula; angle insertion; 45 cm line  $\times$  10 with

- 13 mm teflon cannula; angle insertion; 60 cm line  $\times$  10 with
- 13 mm teflon cannula; angle insertion; 80 cm line  $\times$  10 with
- 17 mm teflon cannula; angle insertion; 110 cm grey line  $\times$
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 110 cm line  $\times$  10 with
- 17 mm teflon cannula; angle insertion; 60 cm grey line  $\times$ 17 mm teflon cannula; angle insertion; 60 cm line  $\times$  10 with
- 17 mm teflon cannula; angle insertion; 60 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 80 cm line  $\times$  10 with

- 1 OP ✓ Inset 30
- 1 OP ✓ Inset 30
- 1 OP ✓ Inset 30
- ✓ Inset 30

1 OP

- - Comfort Short
    - ✔ Paradigm Silhouette MMT-382
    - ✔ Paradigm Silhouette MMT-368
    - ✔ Paradigm Silhouette MMT-381
    - ✔ Paradigm Silhouette MMT-383
    - ✓ Comfort
    - ✔ Paradigm Silhouette MMT-377
    - ✓ Silhouette MMT-371
    - ✓ Comfort
    - ✔ Paradigm Silhouette MMT-378
    - ✓ Silhouette MMT-373
    - ✔ Paradigm Silhouette MMT-384

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 31 - Retail pharmacy

			prescription	

b) Only on a prescription

c) Maximum of 13 infusion sets will be funded per year.

6 mm teflon cannula; straight insertion; insertion device; 110 cm grey line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
The string by mile X to that to he calco millionism the control of the string to the s	
6 mm teflon cannula; straight insertion; insertion device;	
45 cm blue tubing × 10 with 10 needles130.00 1 OP <b>✓ Pa</b>	aradigm Mio MMT-941
, ,	aradigm Mio MMT-921
· ·	aradigm Mio MMT-943
, •	aradigm Mio MMT-923
· ·	aradigm Mio MMT-945
	aradigm Mio MMT-965
, •	aradigm Mio MMT-925
6 mm teflon cannula; straight insertionl insertion device; 60 cm blue line × 10 with 10 needles140.00 1 OP ✓ Insertion device;	set II
60 cm grey line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
6 mm teflon cannula; straight insertionl insertion device; 60 cm pink line × 10 with 10 needles140.00 1 OP ✓ Ins 9 mm teflon cannula; straight insertion; insertion device;	set II
60 cm blue line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
9 mm teflon cannula; straight insertion; insertion device; 60 cm grey line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
9 mm teflon cannula; straight insertion; insertion device; 60 cm pink line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
· · · · · · · · · · · · · · · · · · ·	aradigm Mio MMT-975
9 mm teflon cannula; straight insertionl insertion device;	
110 cm grey line × 10 with 10 needles140.00 1 OP ✓ Ins	set II

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Por \$ Manufacturer INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1604 on page 31 -Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 6 mm teflon cannula: straight insertion: 110 cm tubing × 1 OP ✓ Paradigm Quick-Set MMT-398 6 mm teflon cannula; straight insertion; 110 cm tubing  $\times$ Quick-Set MMT-391 1 OP 6 mm teflon cannula; straight insertion; 60 cm tubina  $\times$ 1 OP ✔ Paradigm Quick-Set MMT-399 6 mm teflon cannula; straight insertion; 60 cm tubing  $\times$ 1 OP Quick-Set MMT-393 6 mm teflon cannula; straight insertion; 80 cm tubing  $\times$ 1 OP ✔ Paradigm Quick-Set MMT-387 9 mm teflon cannula; straight insertion; 106 cm tubing × ✓ Paradigm Quick-Set 1 OP MMT-396 9 mm teflon cannula; straight insertion; 110 cm tubing  $\times$ ✓ Quick-Set MMT-390 1 OP 9 mm teflon cannula; straight insertion: 60 cm tubing  $\times$ 1 OP ✔ Paradigm Quick-Set MMT-397 9 mm teflon cannula; straight insertion; 60 cm tubing  $\times$ 1 OP ✓ Quick-Set MMT-392 9 mm teflon cannula; straight insertion: 80 cm tubing  $\times$ 1 OP ✔ Paradigm Quick-Set MMT-386 INSULIN PUMP RESERVOIR - Special Authority see SA1604 on page 31 - Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 packs of reservoir sets will be funded per year. 10 × luer lock conversion cartridges 1.8 ml for Paradigm 1 OP ✓ ADR Cartridge 1.8 Cartridge 200 U, luer lock × 10 .......50.00 1 OP ✓ Animas Cartridge Cartridge for 5 and 7 series pump: 1.8 ml  $\times$  10 ......50.00 1 OP ✓ Paradigm 1.8

1 OP

1 OP

Reservoir

✓ 50X 3.0 Reservoir

✓ Paradigm 3.0 Reservoir

Cartridge for 7 series pump; 3.0 ml × 10 ......50.00

Syringe and cartridge for 50X pump, 3.0 ml  $\times$  10 ......50.00

Subsidy		Fully	Brand or
(Manufacturer's Price)	,	Subsidised	Generic
\$	Per	~	Manufacturer

## **Digestives Including Enzymes**

## PANCREATIC ENTYME

FAINGREATIC LINE TWIL			
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase			
10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✓ Creon 10000
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase,			
1,250 U protease))	94.40	100	Panzytrat
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase			-
25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	✓ Creon 25000
URSODEOXYCHOLIC ACID – Special Authority see SA1383 below Cap 250 mg – For ursodeoxycholic acid oral liquid formula-	– Retail phar	macy	
tion refer, page 222	53.40	100	✓ <u>Ursosan</u>

### ⇒SA1383 Special Authority for Subsidy

Initial application — (Alaqille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults: and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Laxatives

**Bulk-forming Agents** 

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure - doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy. marked worsening of pruritus or fatique, histological progression by two stages, or to cirrhosis, need for transplantation.

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription  * Powder for oral soln	5.51	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS		Ü	•
* Dry	6.02	500 g OP	
	(17.32)		Normacol Plus
	2.41	200 g OP	
	(8.72)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM - Only on a prescription  * Tab 50 mg		100	Coloxyl
* Tab 120 mg		100	✓ <u>Coloxyl</u>
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES  * Tab 50 mg with sennosides 8 mg	4.40	200	✓ Laxsol
POLOXAMER – Only on a prescription  Not funded for use in the ear.			
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			

	/CEROL Suppos 3.6 g — Only on a prescription	6.50	20	✓ <u>PSM</u>
LAC	CTULOSE - Only on a prescription			
*	Oral lig 10 g per 15 ml	3.18	500 ml	✓ Laevolac

MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BICARBONATE AND SODIUM CHLORIDE - Special Authority see SA1473 on the next page - Retail pharmacy

Powder for oral soln 13.125 g with potassium chloride 46.6 mg, sodium bicarbonate 178.5 mg and sodium chlo-

30 ✓ Lax-Sachets

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

### **⇒**SA1473 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has problematic constipation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated; and
- 2 The patient would otherwise require a per rectal preparation.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE – Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,	Only on a preso	cription	
5 ml	19.95	50	✓ Micolette
Stimulant Laxatives			
BISACODYL – Only on a prescription			
* Tab 5 mg		200	✓ Lax-Tab
* Suppos 10 mg	3.78	10	✓ <u>Lax-Suppositories</u>
SENNA – Only on a prescription			
* Tab, standardised	2.17	100	
	(6.84)		Senokot
	0.43	20	
	(1.72)		Senokot

# **Metabolic Disorder Agents**

ALGLUCOSIDASE ALFA – Special Authority see SA1622 below – Retail pharmacy		
Inj 50 mg vial1,142.60	1	Myozyme

### **⇒**SA1622 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease; and
- 2 Any of the following:
  - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
  - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
  - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a diseasecausing mutation in the acid alpha-glucosidase gene (GAA gene); or
  - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT); and
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT; and
- 5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
\$ Per ✔ Manufacturer

continued...

**Renewal** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT;
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for >14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE – Special Authority see SA1593 below – Retail pharmacy
Inj 1 mg per ml, 5 ml vial ......2,234.00 1 ✓ Naglazyme

### ⇒SA1593 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
  - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
  - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

**Renewal** only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

## **⇒**SA1623 Special Authority for Subsidy

**Initial application** only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Either:
  - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
  - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant; and

Subsidy (Manufacturer's Price) Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

SODIUM BENZOATE - Special Authority see SA1599 below - Retail pharmacy

Soln 100 mg per ml ......CBS 100 ml ✓ Amzoate \$29

### ⇒SA1599 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE - Special Authority see SA1598 below - Retail pharmacy

174 a OP Pheburane 

## ⇒SA1598 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase. Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

### Gaucher's Disease

IMIGLUCERASE - Special Authority see SA0473 below - Retail pharmacy

✓ Cerezvme Inj 40 iu per ml, 400 iu vial ......2,144.00 1 ✓ Cerezyme

### **⇒**SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

## **Mouth and Throat**

# **Agents Used in Mouth Ulceration**

#### BENZYDAMINE HYDROCHLORIDE

✓ fully subsidised

[HP4] refer page 4

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with

500 ml Endorsement 9.00 (17.01)Difflam 3.60 200 ml (8.50)Difflam

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

	Subsidy	Orina) C I	Fully Brand or
	(Manufacturer's F \$	Price) Sub Per	sidised Generic  Manufacturer
CARMELLOSE SODIUM WITH GELATIN AND PECTIN			
Paste	17.20	56 g OP	✓ Stomahesive
	4.55	15 g OP	
	(7.90)	ŭ	Orabase
	1.52	5 g OP	
	(3.60)		Orabase
Powder	8.48	28 g OP	
	(10.95)		Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ healthE
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE	0.06	15 c OD	
* Adhesive gel 8.7% with cetalkonium chloride 0.01%		15 g OP	Paniala
	(6.00)		Bonjela
TRIAMCINOLONE ACETONIDE			
Paste 0.1%	5.33	5 g OP	Kenalog in Orabase
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
ů ů		20	V rungiini
MICONAZOLE			
Oral gel 20 mg per g	4.79	40 g OP	✓ <u>Decozol</u>
NYSTATIN			
Oral liq 100,000 u per ml	2.55	24 ml OP	m-Nystatin
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	formula refer Sta	ndard Formulae	e. page 225
HYDROGEN PEROXIDE			-,   3 -
* Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 ml	✓ Pharmacy Health
, , , , , , , , , , , , , , , , , , , ,	1.40	100 1111	Filalillacy fleatur
THYMOL GLYCERIN			4
* Compound, BPC	9.15	500 ml	✓ <u>PSM</u>
Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C			
* Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 m	na		
per 10 drops	0	10 ml OP	✓ Vitadol C
		10 1111 01	- 11mmor V
Vitamin B			
HYDROXOCOBALAMIN			
* Inj 1 mg per ml, 1 ml ampoule - Up to 6 inj available on a F	PSO2.31	3	✓ Neo-B12
PYRIDOXINE HYDROCHLORIDE			<del></del>
a) No more than 100 mg per dose			
b) Only on a prescription			
Tab 25 mg - No patient co-payment payable	2 15	90	✓ Vitamin B6 25
* Tab 50 mg		500	✓ Apo-Pyridoxine
4 100 00 mg	11.00	500	₩ Apo-r yriuoxille

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	2			D 1
	Subsidy (Manufacturer's Pi \$	rice) S Per	Fully Subsidised	Brand or Generic Manufacturer
THIAMINE HYDROCHLORIDE – Only on a prescription				
* Tab 50 mg	5.62	100	✓ A	po-Thiamine
WITAMIN B COMPLEX  Tab, strong, BPC  Bplex to be Sole Supply on 1 February 2017	7.15	500	<b>✓</b> B	plex
Vitamin C				
ASCORBIC ACID  a) No more than 100 mg per dose b) Only on a prescription  * Tab 100 mg  Cvite to be Sole Supply on 1 February 2017	8.10	500	<b>√</b> C	vite
Vitamin D				
ALFACALCIDOL  * Cap 0.25 mcg  * Cap 1 mcg  * Oral drops 2 mcg per ml	87.98	100 100 20 ml OP	<b>~</b> 0	ne-Alpha ne-Alpha ne-Alpha
CALCITRIOL  * Cap 0.25 mcg  * Cap 0.5 mcg		100 100	_	alcitriol-AFT alcitriol-AFT
COLECALCIFEROL  * Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescr	ription3.85	12	✓ Vi	it.D3
Multivitamin Preparations				
MULTIVITAMIN RENAL - Special Authority see SA1546 below		30	<b>√</b> C	linicians Renal Vit
▶►SA1546 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals the following criteria: Either:	valid without further i	renewal unl	ess notifie	d for applications meeting
<ol> <li>The patient has chronic kidney disease and is receiving.</li> <li>The patient has chronic kidney disease grade 5, department of the patient has chronic kidney disease grade 5, department.</li> </ol>				
MULTIVITAMINS - Special Authority see SA1036 below - Re  * Powder		200 g OP	<b>✓</b> Pa	aediatric Seravit
■ SA1036 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals inborn errors of metabolism.  Renewal from any relevant practitioner. Approvals valid without the substitution of the substi				•
approval for multivitamins.	out further reflewar a	riicoo riotiric	a whole p	dient has had a provious
VITAMINS			4	
<ul> <li>Tab (BPC cap strength)</li></ul>		1,000	✓ M	vite
SA1002 on the next page – Retail pharmacy		60	✓ V	itabdeck

Subsidy (Manufacturer's Price)	Sub	Fully sidised	Brand or Generic
\$	Per	~	Manufacturer

## **⇒**SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Fither:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Mir	TO I	ลเธ
11/1	ш	and the

Minerals			
Calcium			
CALCIUM CARBONATE  * Tab eff 1.75 g (1 g elemental)	10 30 250	✓ Calsource ✓ Calsource ✓ Arrow-Calcium	
* Inj 10%, 10 ml ampoule34.24	10	✓ Hameln S29 ✓ Hospira	
Fluoride			
\$ODIUM FLUORIDE  * Tab 1.1 mg (0.5 mg elemental)	100	✓ PSM	
lodine			
POTASSIUM IODATE  * Tab 253 mcg (150 mcg elemental iodine)	90	✓ NeuroTabs	
Iron			
FERROUS FUMARATE  * Tab 200 mg (65 mg elemental)2.89  FERROUS FUMARATE WITH FOLIC ACID	100	✓ <u>Ferro-tab</u>	
* Tab 310 mg (100 mg elemental) with folic acid 350 mcg	60	✓ Ferro-F-Tabs	
FERROUS SULPHATE           * Tab long-acting 325 mg (105 mg elemental)         2.06           *‡ Oral liq 30 mg (6 mg elemental) per 1 ml         10.80	30 500 ml	<ul><li>✓ Ferrograd</li><li>✓ Ferodan</li></ul>	
FERROUS SULPHATE WITH FOLIC ACID  * Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg	30	Ferrograd F	
IRON POLYMALTOSE  * Inj 50 mg per ml, 2 ml ampoule15.22	5	✓ <u>Ferrum H</u>	

## Magnesium

For magnesium hydroxide mixture refer Standard Formulae, page 225

MAGNESIUM SULPHATE

10 ✓ DBL

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

**Zinc** 

ZINC SULPHATE

Cap 137.4 mg (50 mg elemental) ......11.00 100

✓ Zincaps

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

## **Antianaemics**

## **Hypoplastic and Haemolytic**

**▶**SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
  - 3.1 Both:
    - 3.1.1 Patient does not have diabetes mellitus; and
    - 3.1.2 Glomerular filtration rate < 30ml/min: or
  - 3.2 Both:
    - 3.2.1 Patient has diabetes mellitus: and
    - 3.2.2 Glomerular filtration rate < 45ml/min: or
  - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)\*: and
- 2 Has had symptomatic anaemia with haemoglobin <100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of <500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with \* is an Unapproved Indication

**Renewal — (chronic renal failure)** from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

**Renewal — (myelodysplasia)** from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with \* is an Unapproved Indication

	Subsidy (Manufacturer's Price \$		Fully dised	Brand or Generic Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] – Special Authority Wastage claimable – see rule 3.3.2 on page 13	y see SA1469 on the	previous page	e – Re	etail pharmacy
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	<b>✓</b> <u>E</u>	prex
Inj 2,000 iu in 0.5 ml, syringe	120.18	6	<b>✓</b> <u>E</u>	prex
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	<b>✓</b> <u>E</u>	prex
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	<b>✓</b> <u>E</u>	prex
Inj 5,000 iu in 0.5 ml, syringe	243.26	6	<b>✓</b> <u>E</u>	prex
Inj 6,000 iu in 0.6 ml, syringe	291.92	6	<b>✓</b> <u>E</u>	prex
Inj 8,000 iu in 0.8 ml, syringe	352.69	6	<b>✓</b> <u>E</u>	prex
Inj 10,000 iu in 1 ml, syringe	395.18	6	<b>✓</b> <u>E</u>	prex
Inj 40,000 iu in 1 ml, syringe	263.45	1	<b>✓</b> <u>E</u>	prex
Megaloblastic				
FOLIC ACID  * Tab 0.8 mg  * Tab 5 mg  Oral liq 50 mcg per ml	10.92	1,000 500 25 ml OP	✓ A	po-Folic Acid po-Folic Acid iomed
Antifibrinolytics, Haemostatics and Local Scle	rosants			
ELTROMBOPAG – Special Authority see SA1418 below – Reta Wastage claimable – see rule 3.3.2 on page 13	ail pharmacy			
Tab 25 mg	1,771.00	28	✓ R	evolade
Tab 50 mg		28	✓ R	evolade

## **⇒**SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
  - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
  - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
  - 3.3 Patient has a platelet count of  $\leq 10,000$  platelets per microlitre.

**Initial application** — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

## EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1	✓ NovoSeven RT
Inj 2 mg syringe2,356.60	1	✓ NovoSeven RT
Inj 5 mg syringe5,891.50	1	✓ NovoSeven RT
Inj 8 mg syringe9,426.40	1	✓ NovoSeven RT

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

#### FACTOR EIGHT INHIBITOR BYPASSING FRACTION - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group

	,		
Inj 500 U	1,450.00	1	FEIBA NF
•	2,900.00	1	✓ FEIBA NF
Inj 2,500 U	7,250.00	1	✓ FEIBA NF

### MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

Preferred Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Groun

210.00	1	Xyntha
	1	Xyntha
	1	Xyntha
	1	Xyntha
2,520.00	1	Xyntha
		420.00 1840.00 11,680.00 1

### NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	310.00	1	✓ BeneFIX
Inj 500 iu vial		1	✓ BeneFIX
Inj 1,000 iu vial		1	✓ BeneFIX
Inj 2,000 iu vial		1	✓ BeneFIX
Ini 3.000 iu vial	·	1	✓ BeneFIX

#### NONACOG GAMMA. [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	287.50 1	✓ RIXUBIS
Inj 500 iu vial	575.00 1	✓ RIXUBIS
Inj 1,000 iu vial		✓ RIXUBIS
Inj 2,000 iu vial		✓ RIXUBIS
Inj 3,000 iu vial	· ·	✓ RIXUBIS

#### OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVATE) - [Xpharm]

Rare Clinical Circumstances Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 Option 2			
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@pharmac.govt.nz			
Inj 250 iu vial	287.50	1	✓ Advate	
Inj 500 iu vial		1		
Inj 1,000 iu vial		1	Advate	
Inj 1,500 iu vial	1,725.00	1	Advate	
Inj 2,000 iu vial	2,300.00	1	Advate	
Inj 3,000 iu vial	3,450.00	1	Advate	

(Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer	Subsidy		Fully	Brand or
\$ Per ✔ Manufacturer	(Manufacturer's Price)	Sub	sidised	Generic
	\$	Per	~	Manufacturer

### OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGENATE FS) - [Xpharm]

Second Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

website http://www.pharmac.govt.nz.or.				
The Co-ordinator, Haemophilia Treatment				
PHARMAC PO Box 10 254	Facsimile: (04) 974 488			
Wellington	Email: haemophilia@p	harmac.gov	rt.nz	
Inj 250 iu vial	237.50	1	Kogenate FS	
Inj 500 iu vial	475.00	1	Kogenate FS	
Inj 1,000 iu vial		1	Kogenate FS	
Inj 2,000 iu vial	1,900.00	1	Kogenate FS	
Inj 3,000 iu vial	2,850.00	1	Kogenate FS	
SODIUM TETRADECYL SULPHATE				
* Inj 3% 2 ml	28.50	5		
•	(73.00)		Fibro-vein	
TRANEXAMIC ACID				
Tab 500 mg	20.67	100	✓ Cyklokapron	
			· <u></u>	
Vitamin K				
PHYTOMENADIONE				
Inj 2 mg per 0.2 ml – Up to 5 inj available o	n a PSO	5	✓ Konakion MM	
Inj 10 mg per ml, 1 ml – Up to 5 inj available		5	✓ Konakion MM	
Antithrombotic Agents				
Antiplatelet Agents				
Antiplatelet Agents				
ASPIRIN				
* Tab 100 mg	12.50	990	Ethics Aspirin EC	
Ethics Aspirin EC to be Sole Supply on 1	January 2017			
CLOPIDOGREL				
* Tab 75 mg - For clopidogrel oral liquid formu	llation refer, page			
222		84	✓ Arrow - Clopid	
DIPYRIDAMOLE		•		
* Tab long-acting 150 mg	11 50	60	4 Dutazon CD	
0 0 0		00	✓ Pytazen SR	
PRASUGREL - Special Authority see SA1201				
Tab 5 mg	108.00	28	✓ Effient	

## **⇒**SA1201 Special Authority for Subsidy

**Initial application** — **(coronary angioplasty and bare metal stent)** from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic\*.

**Initial application** — **(drug eluting stent)** from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

continued...

✓ Effient

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic\*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic\*.

Note: \* Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TIC	CAGRELOR - Special Authority see SA1382 below - Retail pharmacy	у		
*	Tab 90 mg	90.00	56	Brilinta

### **⇒**SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

### Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

# **Heparin and Antagonist Preparations**

DALI EPARIN SODIUM  – Special Authority see SA1270 belo	w – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	✓ Fragmin

## ■SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

#### Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	30.91	10	Clexane
Inj 40 mg in 0.4 ml syringe		10	Clexane
Inj 60 mg in 0.6 ml syringe		10	Clexane
Inj 80 mg in 0.8 ml syringe		10	Clexane
Inj 100 mg in 1 ml syringe		10	Clexane
Inj 120 mg in 0.8 ml syringe		10	Clexane
Inj 150 mg in 1 ml syringe		10	Clexane

## **⇒**SA1174 Special Authority for Subsidy

**Initial application — (Pregnancy or Malignancy)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

**Initial application — (Venous thromboembolism other than in pregnancy or malignancy)** from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

#### HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	10	Hospira
61.04	50	✔ Pfizer
66.80		Hospira
Inj 1,000 iu per ml, 35 ml vial17.76	1	✓ Hospira
Inj 5,000 iu per ml, 1 ml14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml236.60	50	✔ Pfizer
Inj 25,000 iu per ml, 0.2 ml9.50	5	Hospira

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPARINISED SALINE				
Inj 10 iu per ml, 5 ml	23.40	30		ecton Dickinson PosiFlush S29
	39.00	50	<b>✓</b> P	fizer
PROTAMINE SULPHATE  * Inj 10 mg per ml, 5 ml	22.40 (119.23)	10	A	rtex
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg - No more than 2 cap per day		60	<b>✓</b> P	radaxa
Cap 110 mg	76.36	60	<b>✓</b> P	radaxa
Cap 150 mg		60	<b>✓</b> P	radaxa
RIVAROXABAN - Special Authority see SA1066 below - Retail p	harmacv			
Tab 10 mg		15	✓ X	arelto

### **⇒**SA1066 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement

**Renewal** from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

#### WARFARIN SODIUM

Note: Mareyan and Coumadin are not interchangeable.

*	Tab 1 mg	50	✓ Coumadin
	6.86	100	✓ Marevan
*	Tab 2 mg4.31	50	Coumadin
	Tab 3 mg	100	✓ Marevan
	Tab 5 mg5.93	50	Coumadin
	11.75	100	✓ Marevan

# **Blood Colony-stimulating Factors**

FILGRASTIM - Special Authority see SA1259 below - Retail ph	armacy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe	432.00	5	Zarzio

### **⇒**SA1259 Special Authority for Subsidy

**Initial application** only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk  $\geq 20\%^*$ ); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC <  $0.5 \times 10^9$ /L); or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

5 Treatment of drug-induced prolonged neutropenia (ANC <  $0.5 \times 10^9$ /L).

Note: \*Febrile neutropenia risk  $\geq 20\%$  after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

### ⇒SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk ≥ 20

Note: \*Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

## Fluids and Electrolytes

## **Intravenous Administration**

GLUCOSE [DEXTROSE]  * Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO  * Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO		5 1	✓ <u>Biomed</u> ✓ Biomed
POTASSIUM CHLORIDE			<u>=</u>
* Inj 75 mg per ml, 10 ml	55.00	50	✓ AstraZeneca
SODIUM BICARBONATE			
Inj 8.4%, 50 ml	19.95	1	✓ Biomed
b) Not in combination			
Inj 8.4%, 100 ml	20.50	1	✓ Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			

#### SODIUM CHLORIDE

Not funded for use as a nasal drop. Only funded for nebuliser use when in conjunction with an antibiotic intended for nebuliser use.

uoc.				
Inj 0.9%, bag - Up to 2000 ml available on a PSO	1.23	500 ml	✓ Baxter	
	1.26	1,000 ml	✓ Baxter	

Only if prescribed on a prescription for renal dialysis, maternity or post-natal care in the home of the patient, or on a PSO for emergency use. (500 ml and 1.000 ml packs)

Inj 23.4% (4 mmol/ml), 20 ml ampoule	.33.00	5	✓ Biomed
For Sodium chloride oral liquid formulation refer Standard Form	ılae, page 225		
Inj 0.9%, 5 ml - Up to 5 inj available on a PSO	.10.85	50	✓ Multichem
	15.50		✔ Pfizer
Inj 0.9%, 10 ml - Up to 5 inj available on a PSO	.11.50	50	✓ Multichem
	15.50		✔ Pfizer
Inj 0.9%, 20 ml	4.72	6	✔ Pharmacia
	8.41	20	✓ Multichem
	11.79	30	✔ Pharmacia

TOTAL PARENTERAL NUTRITION (T	PN) – Retail pharmacy-Specialist
Infusion	C

100

454 g OP

✓ Sodibic ✓ Sodibic

✔ Resonium-A

	BLOOD AND	D BLOOD I	Onwing Ongans
	Subsidy (Manufacturer's Price \$		Fully Brand or lised Generic Manufacturer
WATER			
<ol> <li>On a prescription or Practitioner's Supply Order only wh Schedule requiring a solvent or diluent; or</li> <li>On a bulk supply order; or</li> <li>When used in the extemporaneous compounding of eye</li> </ol>		m as an inject	ion listed in the Pharmaceutical
Purified for inj, 5 ml – Up to 5 inj available on a PSO Purified for inj, 10 ml – Up to 5 inj available on a PSO		50 50	✓ Multichem ✓ Multichem
Purified for inj, 10 ml – Up to 5 inj available on a PSO		20	✓ Multichem
Oral Administration			
CALCIUM POLYSTYRENE SULPHONATE			
Powder	169.85	300 g OP	✓ Calcium Resonium
COMPOUND ELECTROLYTES			
Powder for oral soln — Up to 10 sach available on a PSO Enerlyte to be Sole Supply on 1 January 2017	2.30	10	✓ Enerlyte
DEXTROSE WITH ELECTROLYTES			
Soln with electrolytes (2 $\times$ 500 ml)	6.55 1,	000 ml OP	✔ Pedialyte - Bubblegum
PHOSPHORUS			
Tab eff 500 mg (16 mmol)	82.50	100	✔ Phosphate-Sandoz
POTASSIUM CHLORIDE			
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26 (11.85)	60	Chlorvescent
* Tab long-acting 600 mg (8 mmol)			✓ Duro-K S29
	7.42	200	✔ Span-K

SODIUM BICARBONATE

SODIUM POLYSTYRENE SULPHONATE

Cap 840 mg ......8.52

	Subsidy (Manufacturer's Pri \$	ce) Sub Per	Fully Brand or sidised Generic Manufacturer
Alpha Adrenoceptor Blockers			
DOXAZOSIN  * Tab 2 mg  * Tab 4 mg		500 500	✓ Apo-Doxazosin ✓ Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE  * Cap 10 mg	65.00	30	✓ BNM S29
PRAZOSIN  * Tab 1 mg	5 53	100	✓ Apo-Prazosin
* Tab 2 mg		100	✓ Apo-Prazosin
* Tab 5 mg		100	✓ Apo-Prazosin
TERAZOSIN		100	• Apo i lazooni
* Tab 1 mg	0.59	28	✓ Actavis
* Tab 2 mg		28	Arrow
* Tab 5 mg		28	✓ Arrow
4- 145 0 mg	10.90	500	✓ Apo-Terazosin
Agents Affecting the Renin-Angiotensin System	n		·
Agents Ancotting the Herini-Anglotensin System			
ACE Inhibitors			
CAPTOPRIL			
*‡ Oral liq 5 mg per ml Oral liquid restricted to children under 12 years of age.	94.99	95 ml OP	✓ Capoten
CILAZAPRIL			
* Tab 0.5 mg	2.00	90	✓ Zapril
* Tab 2.5 mg		200	Apo-Cilazapril
	3.24	90	
A 0" "I I O I O I A A A A A A A	(4.31)		Zapril
Apo-Cilazapril to be Sole Supply on 1 March 2017	40.00	000	
* Tab 5 mg		200	Apo-Cilazapril
	5.40	90	Zanril
Apo-Cilazapril to be Sole Supply on 1 March 2017 (Zapril Tab 2.5 mg to be delisted 1 March 2017) (Zapril Tab 5 mg to be delisted 1 March 2017)	(6.98)		Zapril
ENALAPRIL MALEATE			
* Tab 5 mg	0.96	100	Ethics Enalapril
* Tab 10 mg		100	Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation re		100	✓ Ethics Enalapril
fer, page 222	1.70	100	₩ LUNCS Enalapin
LISINOPRIL  * Tab 5 mg	1 90	90	✓ Ethics Lisinonril
* Tab 10 mg		90 90	<ul> <li>✓ Ethics Lisinopril</li> <li>✓ Ethics Lisinopril</li> </ul>
* Tab 10 mg		90	✓ Ethics Lisinopril
· ·		00	- Lines Lionispin
PERINDOPRIL  * Tab 2 mg	2 75	30	✓ Apo-Perindopril
* Tab 4 mg		30	✓ Apo-Perindoprii ✓ Apo-Perindoprii
- ras ring		00	+ Apo i cillidopili

# CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
QUINAPRIL				
* Tab 5 mg	4.31	90	~	Arrow-Quinapril 5
₭ Tab 10 mg	3.15	90		Arrow-Quinapril 10
<b>★</b> Tab 20 mg	5.97	90	~	Arrow-Quinapril 20
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
★ Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	~	Apo-
,				Cilazapril/Hydrochlorothi
QUINAPRIL WITH HYDROCHLOROTHIAZIDE				
* Tab 10 mg with hydrochlorothiazide 12.5 mg	3.65	30	~	Accuretic 10
* Tab 20 mg with hydrochlorothiazide 12.5 mg		30	~	Accuretic 20
Angiotensin II Antagonists				
ANDESARTAN CILEXETIL - Special Authority see SA1223	B below – Retail pharmac	V		
Tab 4 mg	2.50	90	~	Candestar
← Tab 8 mg		90		<u>Candestar</u>
₹ Tab 16 mg		90		<u>Candestar</u>
₹ Tab 32 mg	10.66	90	~	<u>Candestar</u>
■ SA1223 Special Authority for Subsidy nitial application — (ACE inhibitor intolerance) from any otified for applications meeting the following criteria: ither:	relevant practitioner. Ap	prova	ls valid wi	thout further renewal unless
<ol> <li>Patient has persistent ACE inhibitor induced cough the or</li> <li>Patient has a history of angioedema.</li> </ol>	at is not resolved by ACE	inhibi	tor retrial	(same or new ACE inhibitor);
nitial application — (Unsatisfactory response to ACE inhi enewal unless notified where patient is not adequately contro				
OSARTAN POTASSIUM				
* Tab 12.5 mg	1.55	84	~	Losartan Actavis
★ Tab 25 mg		84	~	Losartan Actavis
₭ Tab 50 mg	2.25	84	~	Losartan Actavis
k Tab 100 mg	2.60	84	~	Losartan Actavis
Angiotensin II Antagonists with Diuretics				
OSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE				

30

✓ Arrow-Losartan &

Hydrochlorothiazide

Tab 50 mg with hydrochlorothiazide 12.5 mg ......2.18

# **CARDIOVASCULAR SYSTEM**

	Subsidy		Fully Brand or
	(Manufacturer's Price	۵)	Subsidised Generic
	\$	Per	
	Ψ	1 01	- Warialacturer
Antiarrhythmics			
For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaest	thetics, Local, page	131	
AMIODARONE HYDROCHLORIDE			
▲ Tab 100 mg - Retail pharmacy-Specialist	4 66	30	✓ Aratac
= lab footing floral pharmacy openation		00	✓ Cordarone-X
Cardarana V ta ha Cala Cumhu an 1 January 2017			♥ Coluatorie-X
Cordarone-X to be Sole Supply on 1 January 2017	7.00	00	. 4 OI V
▲ Tab 200 mg − Retail pharmacy-Specialist		30	✓ Cordarone-X
	(30.52)		Aratac
Cordarone-X to be Sole Supply on 1 January 2017			
Inj 50 mg per ml, 3 ml ampoule - Up to 6 inj available on a			
PSO	22.80	6	✓ Cordarone-X
(Aratac Tab 100 mg to be delisted 1 January 2017)		·	0 00.000
(Aratac Tab 200 mg to be delisted 1 January 2017)			
(Alatac lab 200 mg to be delisted 1 dalidary 2017)			
ATROPINE SULPHATE			
* Inj 600 mcg per ml, 1 ml ampoule - Up to 5 inj available on a			
PSO		50	✓ AstraZeneca
		00	Adiazonou
DIGOXIN			
* Tab 62.5 mcg - Up to 30 tab available on a PSO	6.67	240	Lanoxin PG
* Tab 250 mcg - Up to 30 tab available on a PSO	14.52	240	Lanoxin
*‡ Oral liq 50 mcg per ml	16.60	60 ml	✓ Lanoxin
		••	
DISOPYRAMIDE PHOSPHATE			
▲ Cap 100 mg	15.00	100	
	(23.87)		Rythmodan
▲ Cap 150 mg	26.21	100	Rythmodan
(Rythmodan Cap 150 mg to be delisted 1 April 2017)			•
FLECAINIDE ACETATE – Retail pharmacy-Specialist			4
▲ Tab 50 mg		60	✓ Tambocor
▲ Cap long-acting 100 mg	38.95	30	Tambocor CR
▲ Cap long-acting 200 mg	68.78	30	Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	✓ Tambocor
MEXILETINE HYDROCHLORIDE			
	400.00	400	. A Marrillation
▲ Cap 150 mg	162.00	100	✓ Mexiletine
			Hydrochloride
			USP S29
▲ Cap 250 mg	202.00	100	✓ Mexiletine
'			Hydrochloride
			USP S29
			UJF VE
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Speciali	ist		
▲ Tab 150 mg	40.90	50	✓ Rytmonorm
			<u> </u>
Antihypotensives			
AUDODDINE O LIAM IN THE STATE OF	5		
MIDODRINE - Special Authority see SA1474 on the next page -			
Tab 2.5 mg	53.00	100	✓ Gutron
Tab 5 mg	79.00	100	✓ Gutron
-			

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sul	bsidised	Generic	
\$	Per	~	Manufacturer	

## **⇒**SA1474 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

## **Beta Adrenoceptor Blockers**

ATENOLOL				
* Tab 50 mg		4.61	500	✓ Mylan Atenolol
* Tab 100 mg		7.67	500	✓ Mylan Atenolol
* Oral liq 25 mg per 5	5 ml	21.25	300 ml OP	✓ Atenolol AFT
Restricted to chil	ldren under 12 years of age.			
BISOPROLOL FUMARA	ATE			
Tab 2.5 mg		2.40	30	✓ Bosvate
Tab 5 mg		3.50	30	✓ Bosvate
•			30	✓ Bosvate
CARVEDILOL				
		3.90	60	✓ Dicarz
•			60	✓ Dicarz
	arvedilol oral liquid formulation refer,		00	₩ <u>Dicaiz</u>
-	arvedilor orar liquid lorridiation relet,		60	✓ Dicarz
		0.00	00	₩ <u>Dicaiz</u>
CELIPROLOL		24.42	400	40.11
* Tab 200 mg		21.40	180	✓ Celol
LABETALOL				
* Tab 50 mg		8.99	100	✓ Hybloc
* Tab 100 mg - For I	labetalol oral liquid formulation refer,	page		
222		11.36	100	✓ Hybloc
* Tab 200 mg		29.74	100	✓ Hybloc
* Inj 5 mg per ml, 20	ml ampoule	59.06	5	
		(88.60)		Trandate
METOPROLOL SUCCI	NATE			
	75 mg	0.80	30	✓ Myloc CR
0 0	3	2.39	90	✓ Metoprolol - AFT CR
Tab long-acting 47.	5 mg	3.48	90	✓ Metoprolol - AFT CR
0 0	S .	7.50	30	✓ Betaloc CR
Tab long-acting 95	mg	5.73	90	✓ Metoprolol - AFT CR
	•	7.50	30	✓ Betaloc CR
Tab long-acting 190	0 mg	3.85	30	✓ Myloc CR
	-	11.54	90	✓ Metoprolol - AFT CR
METOPROLOL TARTRA	ATF			
		4.64	100	✓ Apo-Metoprolol
•	fee payable (Pharmacode 2511541)			
,	ol tartrate oral liquid formulation refer		··· <del>·</del>	
, ,	Brand switch fee payable (Pharma			
•	e page 219 for details		60	✓ Apo-Metoprolol
,	0 mg		28	✓ Slow-Lopresor
	nl vial		5	✓ Lopresor

### CARDIOVASCULAR SYSTEM

		Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
		\$	Per	~	Manufacturer
NA	DOLOL				
*	Tab 40 mg		100	✓ <u>A</u>	po-Nadolol
*	Tab 80 mg	24.70	100	✓ <u>A</u>	po-Nadolol
PIN	IDOLOL				
*	Tab 5 mg	9.72	100	✓ A	po-Pindolol
*	Tab 10 mg		100	✓ A	po-Pindolol
*	Tab 15 mg	23.46	100	✓ A	po-Pindolol
PR	OPRANOLOL				
*	Tab 10 mg	3.65	100	✓ A	po-
					Propranolol S29
*	Tab 40 mg	4.65	100	<b>✓</b> A	po-
	·				Propranolol S29
	Cap long-acting 160 mg	18.17	100	<b>✓</b> C	ardinol LA
*	Oral lig 4 mg per ml - Special Authority see SA1327 below -				
	Retail pharmacy		500 m	l ✓ R	oxane S29

## **⇒**SA1327 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

## SOTALOL

**AMLODIPINE** 

*	Tab 80 mg – For sotalol oral liquid formulation refer, page 22239.53	500	✓ Mylan	
*	Tab 160 mg12.48	100	✓ Mylan	
*	Inj 10 mg per ml, 4 ml ampoule65.39	5	✓ Sotacor	
TIN	MOLOL			
*	Tab 10 mg10.55	100	✓ Apo-Timol	

# **Calcium Channel Blockers**

# **Dihydropyridine Calcium Channel Blockers**

*	Tab 2.5 mg	2.21	100	✓ Apo-Amlodipine
*	Tab 5 mg - For amlodipine oral liquid formulation refer, page			
	222	5.04	250	✓ Apo-Amlodipine
*	Tab 10 mg	7.21	250	✓ Apo-Amlodipine
FEL	LODIPINE			
*	Tab long-acting 2.5 mg	1.45	30	✓ Plendil ER
	Tab long-acting 5 mg		30	✓ Plendil ER
*	Tab long-acting 10 mg	2.30	30	✓ Plendil ER

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
RADIPINE				
Cap long-acting 2.5 mg	7.50	30	<b>/</b> [	Oynacirc-SRO
Cap long-acting 5 mg		30	<b>/</b> [	ynacirc-SRO
FEDIPINE				
Tab long-acting 10 mg	17.72	60	V 1	Adalat 10
Tab long-acting 20 mg		100		lyefax Retard
Tab long-acting 30 mg		30		Adefin XL
Tab long-acting 60 mg		30	_	Adefin XL
Other Calcium Channel Blockers				
LTIAZEM HYDROCHLORIDE				
Tab 30 mg	4.60	100	<b>√</b> Γ	Dilzem
3		100	<b>₩</b> L	/11&GIII
Tab 60 mg – For diltiazem hydrochloride oral liquid formula		100		Dilzem
tion refer, page 222		30		Dizem Cardizem CD
Cap long-acting 120 mg	31.83	30 500		Jardizem CD Apo-Diltiazem CD
Cap long-acting 180 mg		30		Cardizem CD
Cap long-acting 180 mg	7.56 47.67	500		Apo-Diltiazem CD
Cap long-acting 240 mg		30		Cardizem CD
Cap long-acting 240 mg	63.58	500		Apo-Diltiazem CD
DUEWINE MALEATE	00.00	300	• •	tpo-biitiazeiii Ob
ERHEXILINE MALEATE  Tab 100 mg	00.00	400		N1
Tab 100 mg	62.90	100	V <u>F</u>	Pexsig
ERAPAMIL HYDROCHLORIDE				
Tab 40 mg	7.01	100	<b>/</b> Is	soptin
Tab 80 mg - For verapamil hydrochloride oral liquid formula	a-			
tion refer, page 222	11.74	100	<b>✓</b> <u>l</u> s	soptin_
Tab long-acting 120 mg	15.20	250	V	erpamil SR
Tab long-acting 240 mg	25.00	250	V	/erpamil SR
Inj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available on	a			
PSO	25.00	5	<b>✓</b> !	soptin
Centrally-Acting Agents				
ONIDINE				
Patch 2.5 mg, 100 mcg per day - Only on a prescription	12.80	4	<b>/</b> <u>C</u>	Catapres-TTS-1
Patch 5 mg, 200 mcg per day - Only on a prescription	18.04	4	<b>/</b> <u>C</u>	Catapres-TTS-2
Patch 7.5 mg, 300 mcg per day - Only on a prescription	22.68	4	<b>~</b> <u>C</u>	Catapres-TTS-3
ONIDINE HYDROCHLORIDE				
Tab 25 mcg	10.53	112	<b>v</b> 0	Clonidine BNM
Tab 150 mcg		100	_	Catapres
Inj 150 mcg per ml, 1 ml ampoule		5		Catapres
ETHYLDOPA				-
Tab 125 mg	14 25	100	<b>√</b> □	Prodopa
Tab 250 mg		100		Methyldopa Mylan
140 200 mg		100		Prodopa
Tab 500 mg	23.15	100		Prodopa
rodopa Tab 500 mg to be delisted 1 June 2017)		100	₩ 1	. очори

<sup>‡</sup> safety cap \*Three months or six months, as applicable, dispensed all-at-once ▲Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	(Manufacturer's F	Price) Sub	sidised Generic
	` \$	Per	✓ Manufacturer
Diuretics			
Didietics			
Loop Diuretics			
BUMETANIDE			
* Tab 1 mg		100	Burinex
* Inj 500 mcg per ml, 4 ml vial	7.95	5	✓ Burinex
FUROSEMIDE [FRUSEMIDE]  * Tab 40 mg - Up to 30 tab available on a PSO	8.00	1.000	✓ Diurin 40
* Tab 500 mg		50	✓ Urex Forte
*‡ Oral liq 10 mg per ml		30 ml OP	✓ Lasix
* Inj 10 mg per ml, 25 ml ampoule	57.77	6	✓ Lasix
* Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on		_	4
PSO	1.20	5	✓ Frusemide-Claris
Potassium Sparing Diuretics			
AMILORIDE HYDROCHLORIDE			
* Tab 5 mg		100	✓ Apo-Amiloride
‡ Oral liq 1 mg per ml		25 ml OP	✓ Biomed
METOLAZONE - Special Authority see SA1349 below - Retail			
Tab 5 mg	CBS	1	✓ Metolazone S29
▶SA1349 Special Authority for Subsidy		50	✓ Zaroxolyn S29
Initial application from any relevant practitioner. Approvals va ment of patients with refractory heart failure who are intolerant nation therapy. SPIRONOLACTONE			
* Tab 25 mg	4.38	100	✓ Spiractin
* Tab 100 mg		100	Spiractin
‡ Oral liq 5 mg per ml	30.00	25 ml OP	✓ Biomed
Potassium Sparing Combination Diuretics			
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE			
* Tab 5 mg with furosemide 40 mg		28	✓ Frumil
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIA			4
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	✓ Moduretic
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]			
* Tab 2.5 mg – Up to 150 tab available on a PSO	5.48	500	✓ Arrow-
May be supplied on a PSO for reasons other than emerg	iency.		<u>Bendrofluazide</u>
* Tab 5 mg		500	✓ Arrow-
-			Bendrofluazide
CHLOROTHIAZIDE			4
‡ Oral liq 50 mg per ml	26.00	25 ml OP	✓ Biomed
CHLORTALIDONE [CHLORTHALIDONE]	2.22	<b>5</b> 0	. / Iliameter
* Tab 25 mg	8.00	50	✓ Hygroton

Subsidy

Fully

Brand or

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
NDAPAMIDE ★ Tab 2.5 mg	2 60	90	,	Dapa-Tabs
Lipid-Modifying Agents	2.00	00		<u> </u>
Fibrates				
EZAFIBRATE				
Tab 200 mg		90		Bezalip Bezalip Betard
* Tab long-acting 400 mg		30	•	Bezalip Retard
GEMFIBROZIL ★ Tab 600 mg	10.56	60	~	Lipazil
Lipazil to be Sole Supply on 1 February 2017	19.50	00	•	Lipazii
Other Lipid-Modifying Agents				
СІРІМОХ				
Cap 250 mg	18.75	30	-	Olbetam
IICOTINIC ACID				
← Tab 50 mg		100		Apo-Nicotinic Acid
* Tab 500 mg	17.37	100	•	Apo-Nicotinic Acid
Resins				
HOLESTYRAMINE				
Powder for oral liq 4 g	( ·	50		Our about 12th
	(52.68)			Questran-Lite
OLESTIPOL HYDROCHLORIDE	00.00			
Grans for oral liq 5 g	22.00	30		Colestid
HMG CoA Reductase Inhibitors (Statins)				
rescribing Guidelines reatment with HMG CoA Reductase Inhibitors (statins) is a	recommended for patients	with	dyslipidae	mia and an absolute 5
ardiovascular risk of 15% or greater.				
TORVASTATIN – See prescribing guideline above				
← Tab 10 mg		500	•	Lorstat
	1.67	90		Zarator
Lorstat to be Sole Supply on 1 February 2017	(2.52)			Zaraioi
€ Tab 20 mg	13.32	500	~	Lorstat
	2.40	90		
	(4.17)			Zarator
Lorstat to be Sole Supply on 1 February 2017	•			
Fab 40 mg		500	~	Lorstat
	3.82	90		<b>-</b> .
Lorestet to be Cale Cupply and Fahrman 0017	(7.32)			Zarator
Lorstat to be Sole Supply on 1 February 2017  Tab 80 mg	36.0E	500	./	Lorstat
€ Tab 80 mg	6.53	500 90	•	LUISIAI
	(16.23)	00		Zarator
Lorstat to be Sole Supply on 1 February 2017	(10.20)			
Zarator Tah 10 mg to he delisted 1 February 2017)				

<sup>‡</sup> safety cap

(Zarator Tab 10 mg to be delisted 1 February 2017)

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. \*Three months or six months, as applicable, dispensed all-at-once

### CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	S Per	Fully subsidised	Brand or Generic Manufacturer
(Zarator Tab 20 mg to be delisted 1 February 2017) (Zarator Tab 40 mg to be delisted 1 February 2017) (Zarator Tab 80 mg to be delisted 1 February 2017)				
PRAVASTATIN – See prescribing guideline on the previous page  * Tab 20 mg  * Tab 40 mg	3.45	30 30		holvastin holvastin
SIMVASTATIN - See prescribing guideline on the previous page				
* Tab 10 mg	0.95	90	✓ A	rrow-Simva 10mg
* Tab 20 mg	1.61	90	✓ A	rrow-Simva 20mg
* Tab 40 mg		90	✓ A	rrow-Simva 40mg
* Tab 80 mg		90	✓ A	rrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				

EZETIMIBE – Special Authority see SA1045 below – Retail pharmacy			
Tab 10 mg	3.35	30	✓ Ezemibe

### ■SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
  - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than  $10 \times \text{normal}$ ) when treated with one statin; or
  - 3.2 The patient is intolerant to both simvastatin and atorvastatin: or
  - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Tab 10 mg with simvastatin 10 mg	5.15	30	✓ Zimybe
Tab 10 mg with simvastatin 20 mg	6.15	30	✓ Zimybe
Tab 10 mg with simvastatin 40 mg	7.15	30	✓ Zimybe
Tab 10 mg with simvastatin 80 mg	8.15	30	✓ Zimybe

## ⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer	(
--	---

#### continued...

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	M	tra	tes
--	---	-----	-----

GI	YCERYL TRINITRATE		
*	Tab 600 mcg - Up to 100 tab available on a PSO8.00	100 OP	✓ Lycinate
*	Oral pump spray, 400 mcg per dose – Up to 250 dose available on a PSO4.45	250 dose OP	✓ Nitrolingual Pump Spray
*	Oral spray, 400 mcg per dose - Up to 250 dose available on		
	a PSO4.45	250 dose OP	✓ Glytrin
*	Patch 25 mg, 5 mg per day15.73	30	✓ Nitroderm TTS
*	Patch 50 mg, 10 mg per day18.62	30	✓ <u>Nitroderm TTS</u>
IS	OSORBIDE MONONITRATE		
*	Tab 20 mg17.10	100	✓ Ismo 20
*	Tab long-acting 40 mg7.50	30	✓ Ismo 40 Retard
*	Tab long-acting 60 mg8.49	90	✓ Duride
S	Sympathomimetics		
ΑE	DRENALINE		
	Inj 1 in 1,000, 1 ml ampoule - Up to 5 inj available on a PSO4.98 5.25	5	<ul><li>✓ Aspen Adrenaline</li><li>✓ Hospira</li></ul>
	Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a		
	PSO27.00	5	✓ Hospira
	49.00	10	Aspen Adrenaline
IS	OPRENALINE		
*	Inj 200 mcg per ml, 1 ml ampoule	25	Isuprel
٧	asodilators		
Λ.Ν	MYL NITRITE		
*		12	
*	(73.40)	12	Baxter
H١	/DRALAZINE HYDROCHLORIDE		
*	Tab 25 mg - Special Authority see SA1321 on the next page		
	- Retail pharmacyCBS	1	✓ Hydralazine
		56	Onelink S29

5

✓ Apresoline

Inj 20 mg ampoule ......25.90

## CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per Brand or Generic Manufacturer

### ⇒SA1321 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 For the treatment of refractory hypertension; or
- 2 For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers.

MINOXIDIL - Special Authority see SA1271 below - Retail pharmacy

▲ Tab 10 mg .......70.00 100 ✔ Loniten

### **▶**SA1271 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where patient has severe refractory hypertension which has failed to respond to extensive multiple therapies.

#### **NICORANDIL**

▲ Tab 10 mg		60 60	<ul><li>✓ Ikorel</li><li>✓ Ikorel</li></ul>
PAPAVERINE HYDROCHLORIDE  * Inj 12 mg per ml, 10 ml ampoule	217.90	5	✔ Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE] Tab 400 mg	36.94	50	
J	(42.26)		Trental 400

## **Endothelin Receptor Antagonists**

### ⇒SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN -	- Snacial	Authority sac	\$Δ0067 ahova	- Retail pharmacy

lab 5 mg	4,585.00	30	✓ Volibris
Tab 10 mg	4,585.00	30	✓ Volibris
BOSENTAN - Special Authority see SA0967 above -	- Retail pharmacy		

 Tab 62.5 mg
 375.00
 56
 ✓ Mylan-Bosentan

 Tab 125 mg
 375.00
 56
 ✓ Mylan-Bosentan

# Phosphodiesterase Type 5 Inhibitors

## ⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon\* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Ravnaud's Phenomenon\*: and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

## CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with \* are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 on the previous page	- Retail pharm	nacy	
Tab 25 mg	0.75	4	✓ Vedafil
Tab 50 mg	0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page			
222	2.75	4	✓ Vedafil

## **Prostacyclin Analogues**

## ⇒SA0969 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

✓ Ventavis 30

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per

## **Antiacne Preparations**

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 97

#### ADAPAI FNF

a) Maximum of 30 g per prescription

b) Only on a prescription

Crm 0.1%	30 g OP	Differin
Gel 0.1%	30 g OP	Differin

ISC

SOTRETINOIN - Special Authority see SA1475 be	elow – Retail pharmacy		
Cap 10 mg	12.47	100	✓ Isotane 10
, ,	14.96	120	Oratane
Cap 20 mg	19.27	100	✓ Isotane 20
	23.12	120	Oratane

## ⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
  - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

#### **TRFTINOIN**

50 q OP ✔ ReTrieve

	Subsidy (Manufacturer's P \$	rice) Sub Per	Fully Brand or osidised Generic Manufacturer	
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials	s, page 97			
FUSIDIC ACID				
Crm 2%	2.52	15 g OP	✓ DP Fusidic Acid Cream	
a) Maximum of 15 g per prescription			Cream	
b) Only on a prescription				
c) Not in combination			4	
Oint 2%	3.45	15 g OP	✓ Foban	
a) Maximum of 15 g per prescription     b) Only on a prescription				
c) Not in combination				
HYDROGEN PEROXIDE				
* Crm 1%	8.56	15 g OP	✓ Crystaderm	
MUPIROCIN				
Oint 2%		15 g OP		
a) Only an a supersolistics	(9.26)		Bactroban	
a) Only on a prescription     b) Not in combination				
SILVER SULPHADIAZINE				
Crm 1%	12.30	50 g OP	✓ Flamazine	
a) Up to 250 g available on a PSO		Ü		
b) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, page	ge 104			
AMOROLFINE				
a) Only on a prescription				
b) Not in combination Nail soln 5%	10.05	5 ml OP	✓ MycoNail	
CICLOPIROX OLAMINE	19.93	3 1111 01	wiyconan	
a) Only on a prescription				
b) Not in combination				
Nail-soln 8%	6.50	7 ml OP	✓ Apo-Ciclopirox	
CLOTRIMAZOLE				
* Crm 1%	0.52	20 g OP	✓ Clomazol	
a) Only on a prescription     b) Not in combination				
* Soln 1%	4.36	20 ml OP		
	(7.55)		Canesten	
a) Only on a proportion				

a) Only on a prescription b) Not in combination

# **DERMATOLOGICALS**

	Subsidy (Manufacturer's \$	Price) Su Per	Fully Brand or ubsidised Generic Manufacturer
ECONAZOLE NITRATE			
Crm 1%	1.00 (7.48)	20 g OP	Pevaryl
a) Only on a prescription     b) Not in combination	, ,		•
Foaming soln 1%, 10 ml sachets	9.89 (17.23)	3	Pevaryl
a) Only on a prescription     b) Not in combination			
MICONAZOLE NITRATE  * Crm 2%	0.55	15 g OP	✓ Multichem
a) Only on a prescription     b) Not in combination		J	
* Lotn 2%	4.36 (10.03)	30 ml OP	Daktarin
a) Only on a prescription     b) Not in combination	,		
* Tinct 2%	4.36 (12.10)	30 ml OP	Daktarin
a) Only on a prescription     b) Not in combination			
NYSTATIN			
Crm 100,000 u per g	1.00 (7.90)	15 g OP	Mycostatin
a) Only on a prescription     b) Not in combination			
Antipruritic Preparations			
CALAMINE a) Only on a prescription			
b) Not in combination Crm, aqueous, BP	1.40	100 a	✓ Pharmacy Health
Lotn, BP		100 g 2,000 ml	✓ PSM
CROTAMITON			
a) Only on a prescription     b) Not in combination			
Crm 10%	3.37	20 g OP	✓ Itch-Soothe
MENTHOL – Only in combination  1) Only in combination with a dermatological base or propage 221	oprietary Topical (	Corticosteriod	- Plain, refer dermatological base
<ul><li>2) With or without other dermatological galenicals.</li></ul>			
Crystals	6.50 6.92	25 g	✓ PSM ✓ MidWest
	29.60	100 g	✓ MidWest

Brand or

Generic

Manufacturer

Subsidy Fully (Manufacturer's Price) Subsidised Per \$

# **Corticosteroids Topical**

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 86

## Corticosteroids - Plain

DETAMETI IACONE DIDDODIONATE			
BETAMETHASONE DIPROPIONATE	0.06	15 ~ OD	. / Dinyagana
Crm 0.05%		15 g OP	✓ Diprosone
0 0050/:	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
Oint 0.05%		15 g OP	Diprosone
	8.97	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.15	50 g OP	✓ Beta Cream
* Oint 0.1%	3.15	50 g OP	✓ Beta Ointment
* Lotn 0.1%		50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	0.00	20 ~ OD	✓ Dermol
* Crm 0.05%		30 g OP	
Demodle he Oale Ownshood A March 2047	(3.20)		Clobetasol BNM
Dermol to be Sole Supply on 1 March 2017	0.00	00 00	45
* Oint 0.05%		30 g OP	✓ Dermol
	(3.20)		Clobetasol BNM
Dermol to be Sole Supply on 1 March 2017			
(Clobetasol BNM Crm 0.05% to be delisted 1 March 2017)			
(Clobetasol BNM Oint 0.05% to be delisted 1 March 2017)			
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)	3 -	Eumovate
DIFLUCORTOLONE VALERATE	( /		
Crm 0.1%	0.07	50 ~ OD	
Grm 0.1%		50 g OP	Madaga
Falls at a 0.40/	(15.86)	50 × 0D	Nerisone
Fatty oint 0.1%		50 g OP	
	(15.86)		Nerisone
HYDROCORTISONE			
* Crm 1% - Only on a prescription	1.11	30 g OP	✓ DermAssist
• •	3.75	100 g	✓ Pharmacy Health
	16.25	500 g	✔ Pharmacy Health
Pharmacy Health to be Sole Supply on 1 January 2017		J	•
* Powder – Only in combination	59.50	25 g	✓ ABM
Up to 5% in a dermatological base (not proprietary Topic			
galenicals. Refer, page 221			a a a a a a a a a a a a a a a a a a a
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only	40.55	050	. 4 DD L - t UO
on a prescription	10.5/	250 ml	✓ <u>DP Lotn HC</u>

# **DERMATOLOGICALS**

	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or bsidised Generic
	(Manulacturer's i	Price) Sub Per	✓ Manufacturer
YDROCORTISONE BUTYRATE			
Lipocream 0.1%	2.30	30 g OP	✓ Locoid Lipocream
·	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%	6.85	100 g OP	✓ Locoid
Milky emul 0.1%	6.85	100 ml OP	✓ Locoid Crelo
IETHYLPREDNISOLONE ACEPONATE			
Crm 0.1%	4.95	15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan
IOMETASONE FUROATE		-	
Crm 0.1%	1.51	15 g OP	✓ Elocon Alcohol Free
	2.90	50 g OP	✓ Elocon Alcohol Free
Oint 0.1%		15 g OP	✓ Elocon
	2.90	50 g OP	✓ Elocon
Lotn 0.1%	7.35	30 ml OP	✓ Elocon
RIAMCINOLONE ACETONIDE			
Crm 0.02%	6.30	100 g OP	✓ Aristocort
Oint 0.02%		100 g OP	✓ Aristocort
		100 g O1	Anstocort
Corticosteroids - Combination			
ETAMETHASONE VALERATE WITH CLIQUUINOL - Only on	a prescription		
Crm 0.1% with clioquinol 3%	3.49	15 g OP	
	(4.90)	-	Betnovate-C
ETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3.49	15 g OP	
2	(10.45)	. o g o.	Fucicort
a) Maximum of 15 g per prescription	(10.10)		
b) Only on a prescription			
YDROCORTISONE WITH MICONAZOLE - Only on a prescrip	tion		
Crm 1% with miconazole nitrate 2%		15 g OP	✓ Micreme H
		•	wicreme n
YDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - O			
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	✔ Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	N AND NYSTAT	IN	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg	1		
and gramicidin 250 mcg per g - Only on a prescription.		15 g OP	
5	(6.60)	٠ - ١٠	Viaderm KC
Disinfecting and Cleansing Assets			
Disinfecting and Cleansing Agents			
HLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			

✓ fully subsidised

[HP4] refer page 4

- b) Only if prescribed for a dialysis patient and the prescription is endorsed accordingly.
- 500 ml 500 ml

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
<u> </u>				

### TRICLOSAN - Subsidy by endorsement

- a) Maximum of 500 ml per prescription
- b)
- a) Only if prescribed for a patient identified with Methicillin-resistant Staphylococcus aureus (MRSA) prior to elective surgery in hospital and the prescription is endorsed accordingly; or
- b) Only if prescribed for a patient with recurrent Staphylococcus aureus infection and the prescription is endorsed accordingly 500 ml OP ✓ healthE

Barrier Creams and Emollients		
Barrier Creams		
DIMETHICONE  * Crm 5% pump bottle	500 ml OP	✓ <u>healthE</u> Dimethicone 5%
* Crm 10% pump bottle	500 ml OP	healthE Dimethicone 10%
ZINC AND CASTOR OIL  * Oint BP3.83	500 g	✓ Multichem
Emollients		

* UINT BP3.83	500 g	Multicnem
Emollients		
AQUEOUS CREAM  * Crm	500 g	✓ AFT SLS-free
* Crm BP2.74	500 g	✓ <u>healthE</u>
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	500 ml OP	Pharmacy Health Sorbolene with
3.87	1,000 ml OP	Glycerin  Pharmacy Health Sorbolene with Glycerin
EMULSIFYING OINTMENT		
* Oint BP2.73	500 g	✓ <u>AFT</u>
OIL IN WATER EMULSION  * Crm	500 g	✓ <u>O/W Fatty Emulsion</u> <u>Cream</u>
UREA		
* Crm 10%	100 g OP	✓ <u>healthE Urea Cream</u>

* Crm	2.25	500 g	✓ O/W Fatty Emulsi Cream
UREA			
* Crm 10%	1.37	100 g OP	✓ healthE Urea Crea
WOOL FAT WITH MINERAL OIL - Only on a prescription			
* Lotn hydrous 3% with mineral oil	5.60	1,000 ml	
	(11.95)		DP Lotion
	1.40	250 ml OP	
	(4.53)		DP Lotion
	5.60	1,000 ml	
	(20.53)		Alpha-Keri Lotion
	(23.91)		BK Lotion
	1.40	250 ml OP	
	(7.73)		BK Lotion

<sup>▲</sup>Three months supply may be dispensed at one time \*Three months or six months, as applicable, dispensed all-at-once

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

### Other Dermatological Bases

PARAFFIN

✓ IPW White soft - Only in combination ..... 20.20 2.500 a 3.58 500 q (7.78)**IPW** (8.69)**PSM** 

Only in combination with a dermatological galenical or as a diluent for a proprietary Topical Corticosteroid - Plain.

### **Minor Skin Infections**

POVIDONE IODINE		
Oint 10%	25 g OP	✓ Betadine
a) Maximum of 100 g per prescription     b) Only on a prescription		
Antiseptic soln 10%	500 ml	✓ Betadine
		✓ Riodine
1.28	100 ml	
(4.20)		Riodine
(8.25)		Betadine
0.19	15 ml	
(4.45)		Betadine
Skin preparation, povidone iodine 10% with 30% alcohol10.00	500 ml	Betadine Skin Prep
1.63	100 ml	
(3.65)		Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13	500 ml	
(18.63)		Orion
1.63	100 ml	
(6.04)		Orion

# Parasiticidal Preparations

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg - Up to 100 tab available on a PSO......17.20 Stromectol

- 1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- 3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

#### ⇒SA1225 Special Authority for Subsidy

Initial application — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist: and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or
- 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
- 2.2 All of the following:
  - 2.2.1 The Patient is a resident in an institution; and
  - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently;
  - 2.2.3 Any of the following:
    - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
    - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
    - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scables with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
  - 2.1 Both:
    - 2.1.1 The patient is in the community; and
    - 2.1.2 Any of the following:
      - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
      - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
  - 2.2 All of the following:
    - 2.2.1 The Patient is a resident in an institution; and
    - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
    - 2.2.3 Any of the following:
      - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
      - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
      - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

	Subsidy (Manufacturer's Pri \$	ice) Subs Per	Fully idised	Brand or Generic Manufacturer
MALATHION WITH PERMETHRIN AND PIPERONYL BUTOXIDE Spray 0.25% with permethrin 0.5% and piperonyl butoxide 2% (Para Plus Spray 0.25% with permethrin 0.5% and piperonyl butox		90 g OP sted 1 January		ara Plus
PERMETHRIN Crm 5% Lotn 5%		30 g OP 30 ml OP		<u>/derm</u> -Scabies
PHENOTHRIN Shampoo 0.5%		100 ml OP 200 ml OP		arasidose arasidose

## **Psoriasis and Eczema Preparations**

		ACITRETIN – Special Authority see SA1476 below – Retail pharmacy
✓ Novatretin	60	Cap 10 mg17.86
✓ Novatretin	60	Cap 25 mg41.36

### ■ SA1476 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
  - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
  - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL			
Gel 500 mcg with calcipotriol 50 mcg per g	26.12	30 g OP	✓ Daivobet
Oint 500 mcg with calcipotriol 50 mcg per g	26.12	30 g OP	Daivobet
CALCIPOTRIOL			
Crm 50 mcg per g	16.00	30 g OP	Daivonex
•, •	45.00	100 g OP	Daivonex
Oint 50 mcg per g	45.00	100 g OP	Daivonex
Soln 50 mcg per ml	16.00	30 ml OP	Daivonex
(Daivonex Crm 50 mcg per g to be delisted 1 April 2017)			
(Daivonex Crm 50 mcg per g to be delisted 1 April 2017)			

(Daivonex Soln 50 mcg per ml to be delisted 1 April 2017)

			חבת	IMATULUGICALS
	Subsidy (Manufacturer's F \$	Price) Pe	Ful Subsidise r •	
COAL TAR				
Soln BP — Only in combination	32.95	200 m	nl 🗸	Midwest
<ol> <li>Up to 10% only in combination with a dermatological base base, page 221</li> </ol>	or proprietary To	opical Cor	ticosterioc	d – Plain, refer dermatologi
<ol> <li>With or without other dermatological galenicals.</li> <li>Midwest to be Sole Supply on 1 January 2017</li> </ol>				
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULP	HUR			
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and				
allantoin crm 2.5%		75 g C	)P	
	(8.00) 3.43	30 g C	ND.	Egopsoryl TA
	(4.35)	30 g C	/1	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR				
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g C	)P 🗸	Coco-Scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORES		a prescri	ption	
* Soln 2.3% with trolamine laurilsulfate and fluorescein sodium	3.36	500 m	nl 🗸	Pinetarsol
SALICYLIC ACID			_	
Powder – Only in combination		250 (	, -	PSM
<ol> <li>Only in combination with a dermatological base or prop dermatological base, page 221</li> </ol>	rietary lopical (	Corticoste	erola – Pla	lin or collodion flexible, re
With or without other dermatological galenicals.				
SULPHUR  Provident of Colorin contribution	0.05	400		Maria de la compansión de
Precipitated – Only in combination		100 g	, -	Midwest
page 221	icialy lopical o	or ticoster	old I lall	ii, icici deimatologicai ba
2) With or without other dermatological galenicals.				
Scalp Preparations				
BETAMETHASONE VALERATE				
* Scalp app 0.1%	7.75	100 ml	OP 🗸	Beta Scalp
				-

BETAMETHASONE VALERATE  * Scalp app 0.1%	7.75	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE  * Scalp app 0.05%			✓ Dermol
HYDROCORTISONE BUTYRATE Scalp lotn 0.1%		100 ml OP	✓ Locoid
KETOCONAZOLE Shampoo 2%	2.99	100 ml OP	✓ <u>Sebizole</u>

a) Maximum of 100 ml per prescription

b) Only on a prescription

Subsid (Manufacture		. ,	Brand or Generic
(Wandacture	Per		Manufacturer

is

# Sunscreens

SUNSCREENS, PROPRIETARY – Subsidy by endor Only if prescribed for a patient with severe pho endorsed accordingly.		defined clinical	I condition and the prescription
Crm	3.30	100 g OP	
	(5.89)	Ü	Hamilton Sunscreen
Lotn,	3.30	100 g OP	✓ Marine Blue Lotion SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion SPF 50+
Lotn	4.13	125 ml OP	
	(6.94)		Aquasun 30+

(Aquasun 30+ Lotn to be delisted 1 April 2017)

# **Wart Preparations**

For salicylic acid preparations refer to PSORIASIS AND ECZEMA PREPARATIONS, page 76						
IMIQUIMOD						
Crm 5%, 250 mg sachet17.98	12	✓ Apo-Imiquimod				
		Cream 5%				
PODOPHYLLOTOXIN						
Soln 0.5%	3.5 ml OP	✓ Condvline				

a) Maximum of 3.5 ml per prescription b) Only on a prescription

# **Other Skin Preparations**

FLUOROURACIL SODIUM 20 g OP ✓ Efudix

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

# **Contraceptives - Non-hormonal**

#### Condoms

	NDOMS			4.4
*	49 mm – Up to 144 dev available on a PSO1	3.36	144	✓ MarquisTantiliza
	50 11 1 11 11 11 11 11			Shield 49
*	52 mm - Up to 144 dev available on a PSO1		144	✓ Marquis Selecta
*	52 mm extra strength — Up to 144 dev available on a PSO1		144	Marquis Protecta
*	53 mm - Up to 144 dev available on a PSO	1.11	12	Gold Knight
				Shield Blue
	1	3.36	144	Marquis Black
				Shield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO	1.11	12	✓ Gold Knight
	, ,	3.36	144	✓ Gold Knight
*	53 mm (strawberry) - Up to 144 dev available on a PSO	1.11	12	✓ Gold Knight
	` ,, ,	3.36	144	✓ Gold Knight
*	55 mm - Up to 144 dev available on a PSO1	3.36	144	✓ Marguis Conforma
*	56 mm - Up to 144 dev available on a PSO		12	✓ Gold Knight
•••	•	3.36	144	✓ Durex Extra Safe
	'	0.00	177	✓ Gold Knight
*	56 mm shaped. Up to 1// day available on a DSO	1 11	12	✓ Durex Confidence
不	56 mm, shaped – Up to 144 dev available on a PSO			
		3.36	144	✓ Durex Confidence
	60 mm – Up to 144 dev available on a PSO1	3.36	144	✓ Shield XL
,	arquisTantiliza 49 mm to be delisted 1 June 2017)			
(Ma	arquis Selecta 52 mm to be delisted 1 June 2017)			
(Ma	arquis Protecta 52 mm extra strength to be delisted 1 June 2017)			

# **Contraceptive Devices**

DIAPHRAGM – Up to 1 dev available on a PSO	
One of each size is permitted on a PSO.	

(Marquis Black 53 mm to be delisted 1 June 2017) (Marguis Conforma 55 mm to be delisted 1 June 2017)

80 mm ......42.90 (Ortho All-flex 65 mm to be delisted 1 April 2017) (Ortho All-flex 70 mm to be delisted 1 April 2017) (Ortho All-flex 75 mm to be delisted 1 April 2017) (Ortho All-flex 80 mm to be delisted 1 April 2017) INTRA-UTERINE DEVICE

- a) Up to 40 dev available on a PSO
- b) Only on a PSO

*	10D 29.1 mm length $\times$ 23.2 mm width	31.60
*	IUD 33.6 mm length $ imes$ 29.9 mm width	31.60

65 mm .......42.90

IUD 35.5 mm length × 19.6 mm width .......31.60

# Ortho All-flex

1

1

Ortho All-flex Ortho All-flex

Ortho All-flex

✓ Choice TT380 Short

✓ Choice TT380 Standard

Choice Load 375

04.00

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Mercilon 28

## **Contraceptives - Hormonal**

### **Combined Oral Contraceptives**

### **⇒**SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

#### Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

(19.80)

#### ETHINYLOESTRADIOL WITH DESOGESTREL

	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	lbove	
	b) Up to 84 tab available on a PSO			
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
		(19.80)		Marvelon 28
	<ul><li>a) Higher subsidy of \$13.80 per 84 tab with Special Authority</li><li>b) Up to 84 tab available on a PSO</li></ul>	see SA0500 a	bove	
ETI	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.65	84	✓ Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	9.45	84	Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
		(16.50)		Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Authority b) Up to 63 tab available on a PSO	see SA0500 a	bove	-
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.30	84	✓ Ava 30 ED

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
ETHINYLOESTRADIOL WITH NORETHISTERONE					
* Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available on a PSO		63	<b>✓</b> B	revinor 1/21	
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO		84	<b>✓</b> B	revinor 1/28	
* Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab available on a PSO		63	<b>✓</b> B	revinor 21	
* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab — Up to 84 tab available on a PSO		84	✓ N	lorimin	

# **Progestogen-only Contraceptives**

### **⇒**SA0500 Special Authority for Alternate Subsidy

**Initial application** from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Patient is on a Social Welfare benefit; or
  - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

# LEVONORGESTREL

6.62	84	
(16.50)		Microlut
see SA0500 abov	ve	
133.65	1	✓ <u>Jadelle</u>
7.25	1	✓ Depo-Provera
6.25	84	✓ Noriday 28
	(16.50)	(16.50) see SA0500 above133.65 17.25 1

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

### **Emergency Contraceptives**

LEVONORGESTREL

- ✔ Postinor-1
  - a) Maximum of 2 tab per prescription
  - b) Up to 5 tab available on a PSO

### Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

### CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

\* Tab 2 mg with ethinvloestradiol 35 mcg and 7 inert tabs - Up

168 ✓ Ginet

### Gynaecological Anti-infectives

ACETIC ACID WI	ITH HYDROXYQUINOLINE	AND RICINOLEIC ACID

Jelly with glacial acetic acid 0.94%, hydroxyguinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator .......8.43

100 g OP (24.00)

### CLOTRIMAZOLE

	OTT IIIVI LEGEL			
*	Vaginal crm 1% with applicators	1.60	35 g OP	✓ Clomazol
*	Vaginal crm 2% with applicators	2.10	20 g OP	✓ Clomazol
MI	CONAZOLE NITRATE			

Vaginal crm 100.000 u per 5 g with applicator(s) ......4.71 ✓ Nilstat 75 g OP

# **Myometrial and Vaginal Hormone Preparations**

Inj 500 mcg per ml, 1 ml ampoule - Up to 5 inj available on a

#### **ERGOMETRINE MALEATE**

PSO	94.70 5	✓ <u>DBL Ergometrine</u>
OESTRIOL		
* Crm 1 mg per g with applicator	6.30 15 g OP	✓ Ovestin
* Pessaries 500 mcg	6.53 15	✓ Ovestin
OVV/TOOIN		

OXYTOCIN – Up to 5 inj available on a PSO

[HP4] refer page 4

Inj 5 iu per ml, 1 ml ampoule4.03	5	Oxytocin BNM
Inj 10 iu per ml, 1 ml ampoule5.03	5	Oxytocin BNM

OXYTOCIN WITH ERGOMETRINE MALEATE - Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml ......11.13

Syntometrine

Aci-Jel

✓ Micreme

40 g OP

### **GENITO-URINARY SYSTEM**

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

y Brand or d Generic Manufacturer

# Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE

- a) Up to 200 test available on a PSO
- b) Only on a PSO

### **Urinary Agents**

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 118

## 5-Alpha Reductase Inhibitors

FINASTERIDE - Special Authority see SA0928 below - Retail pharmacy

### ⇒SA0928 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
  - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
  - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

### Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

### **⇒**SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

# **Other Urinary Agents**

#### **OXYBUTYNIN**

 ★ Tab 5 mg
 8.85
 500
 ✓ Apo-Oxybutynin

 ★ Oral liq 5 mg per 5 ml
 60.40
 473 ml
 ✓ Apo-Oxybutynin

### POTASSIUM CITRATE

Oral liq 3 mmol per ml – Special Authority see SA1083 below

### **⇒**SA1083 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

**Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

# **GENITO-URINARY SYSTEM**

	Subsidy (Manufacturer's Pric	e)	Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
SODIUM CITRO-TARTRATE				
* Grans eff 4 g sachets	2.93	28	<b>√</b> <u>U</u>	<u>Iral</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998 belo	ow – Retail pharma	асу		
Tab 5 mg	37.50	30	<b>✓</b> V	esicare/
Tab 10 mg	37.50	30	VV	'esicare
<b>⇒</b> SA0998 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals vali	d without further r	enewal	unless notif	fied where the patient ha
overactive bladder and a documented intolerance of, or is non-res	ponsive to oxybuty	nin.		
TOLTERODINE - Special Authority see SA1272 below - Retail p	harmacy			
Tab 1 mg	14.56	56	✓ A	rrow-Tolterodine
Tab 2 mg	14.56	56	✓ A	rrow-Tolterodine
<b>■</b> SA1272 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	without further rene	ewal unl	ess notified	where patient has overac
tive bladder and a documented intolerance of, or is non-responsive	e to oxybutynin.			
Detection of Substances in Urine				
ORTHO-TOLIDINE			_	
* Compound diagnostic sticks	7.50 5 (8.25)	50 test C		lemastix
TETRABROMOPHENOL				
* Blue diagnostic strips	7.02 1	00 test (	OP	

(13.92)

Albustix

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

	\$	Per	✓ Manufacturer	
Calcium Homeostasis				
CALCITONIN  * Inj 100 iu per ml, 1 ml ampoule	121.00	5	✓ Miacalcic	
CINACALCET – Special Authority see SA1618 below – Retail pha Tab 30 mg – Wastage claimable – see rule 3.3.2 on page 13.	,	28	✓ Sensipar	

#### ⇒SA1618 Special Authority for Subsidy

Initial application only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 All of the following:
  - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
  - 1.2 The patient has persistent hypercalcaemia (serum calcium > 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
  - 1.3 The patient is symptomatic; or
- 2 All of the following:
  - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
  - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium ≥ 3 mmol/L); and
  - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

### ZOLEDRONIC ACID

Ini 4 mg per 5 ml. vial - Special Authority see SA1512 below ✓ Zoledronic acid - Retail pharmacy .......84.50 Mylan ✓ Zometa 550.00

#### ■ SA1512 Special Authority for Subsidy

Initial application only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
  - 2.1 Patient has bone metastases or involvement; and
  - 2.2 Patient has severe bone pain resistant to standard first-line treatments: or
- 3 Both:
  - 3.1 Patient has bone metastases or involvement; and
  - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

85

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

	<u> </u>		· manadataror
Corticosteroids and Related Agents for Systemi	ic Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHAS	SONE ACETATE		
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		- 5	
inj 0.5 mg with betainethasone acctate 5 mg per mi, 1 mi	(36.96)	3	Celestone
	(00.00)		Chronodose
			Officiouose
DEXAMETHASONE			4
* Tab 0.5 mg - Retail pharmacy-Specialist	0.88	30	✓ Dexmethsone
Up to 60 tab available on a PSO			
* Tab 4 mg - Retail pharmacy-Specialist	1.84	30	✓ <u>Dexmethsone</u>
Up to 30 tab available on a PSO			4
Oral liq 1 mg per ml - Retail pharmacy-Specialist	45.00	25 ml OP	✓ Biomed
Oral liq prescriptions:			
Must be written by a Paediatrician or Paediatric Cardiolo			
2) On the recommendation of a Paediatrician or Paediatric	Cardiologist.		
DEXAMETHASONE PHOSPHATE			
Dexamethasone phosphate injection will not be funded for or			
* Inj 4 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSG	O14.19	10	✓ Max Health
* Inj 4 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSG		5	✓ Max Health
FLUDROCORTISONE ACETATE			
* Tab 100 mcg	14 32	100	✓ Florinef
_	14.02	100	• Hornici
HYDROCORTISONE			4
* Tab 5 mg		100	✓ Douglas
* Tab 20 mg - For hydrocortisone oral liquid formulation refer			
page 222		100	✓ <u>Douglas</u>
* Inj 100 mg vial	5.30	1	✓ Solu-Cortef
a) Up to 5 inj available on a PSO			
b) Only on a PSO			
METHYLPREDNISOLONE - Retail pharmacy-Specialist			
* Tab 4 mg	80.00	100	✓ <u>Medrol</u>
* Tab 100 mg	180.00	20	✓ <u>Medrol</u>
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retail	nharmacy-Snec	ialist	
Inj 40 mg vial		1	✓ Solu-Medrol
Inj 125 mg vial		1	✓ Solu-Medrol
Inj 500 mg vial		1	✓ Solu-Medrol
Inj 1 g vial		i	✓ Solu-Medrol
, •		·	<u> </u>
METHYLPREDNISOLONE ACETATE	40.00	_	45
Inj 40 mg per ml, 1 ml vial	40.00	5	✓ Depo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNO			
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial	9.25	1	✓ Depo-Medrol with
			<u>Lidocaine</u>
PREDNISOLONE			
* Oral liq 5 mg per ml - Up to 30 ml available on a PSO	7.50	30 ml OP	✓ Redipred
Destricted to children under 10 years of ago			•

Restricted to children under 12 years of age.

	Subsidy (Manufacturer's Price) \$	e) Per	Fully Subsidised r	d Generic
PREDNISONE				
* Tab 1 mg	10.68	500	<b>/</b>	Apo-Prednisone
* Tab 2.5 mg	12.09	500	<b>/</b>	Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO	11.09	500	<b>/</b>	Apo-Prednisone
* Tab 20 mg	29.03	500	~	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	75.00	1	<b>~</b>	Synacthen
* Inj 1 mg per ml, 1 ml ampoule		1	V'	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule	20.80	5	<b>'</b>	Kenacort-A 10
Inj 40 mg per ml, 1 ml ampoule	51.10	5	<b>'</b>	Kenacort-A 40
Sex Hormones Non Contraceptive				

# **Androgen Agonists and Antagonists**

CYPROTERONE ACETATE - Retail pharmacy-Specialist

Tab 50 mg	15.87	50	✓ Procur
Tab 100 mg	30.40	50	✓ Procur
TESTOSTERONE Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
TESTOSTERONE CYPIONATE - Retail pharmacy-Specialist Inj 100 mg per ml, 10 ml vial	76.50	1	✓ <u>Depo-Testosterone</u>
TESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.98	1	✓ Sustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialis Cap 40 mg Inj 250 mg per ml, 4 ml vial	16.80	60 1	✓ Andriol Testocaps ✓ Reandron 1000

# **Hormone Replacement Therapy - Systemic**

### **Prescribing Guideline**

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Oestrogens				
OESTRADIOL – See prescribing guideline on the previous page * Tab 1 mg	4.12 2 (11.10)	28 OP	F	Estrofem
* Tab 2 mg		28 OP		Estrofem
* TDDS 7.8 mg (releases 100 mcg of oestradiol per day)		4		Olimara 100
a) No more than 1 patch per week     b) Only on a prescription	0.40	•	. 4 -	
Patch 25 mcg per day  a) No more than 2 patch per week b) Only on a prescription	0.12	8	<b>V</b> <u>E</u>	<u>Estradot</u>
<ul> <li>TDDS 3.9 mg (releases 50 mcg of oestradiol per day)</li> <li>a) No more than 1 patch per week</li> </ul>	4.12 (13.18)	4	(	Climara 50
b) Only on a prescription  * Patch 50 mcg per day  a) No more than 2 patch per week  b) Only on a prescription	7.04	8	<b>✓</b> E	Estradot 50 mcg
c) Estradot 50 mcg to be Sole Supply on 1 January 2017  Patch 100 mcg per day  a) No more than 2 patch per week  b) Only on a prescription  Description	7.91	8	<b>✓</b> E	Estradot
c) Estradot to be Sole Supply on 1 January 2017 (Climara 100 TDDS 7.8 mg (releases 100 mcg of oestradiol per d (Climara 50 TDDS 3.9 mg (releases 50 mcg of oestradiol per day,	,,		,	
OESTRADIOL VALERATE – See prescribing guideline on the pre     * Tab 1 mg      * Tab 2 mg  OESTROCENS	12.36 12.36	84 84		Progynova Progynova
OESTROGENS – See prescribing guideline on the previous page  * Conjugated, equine tab 300 mcg		28	F	Premarin
* Conjugated, equine tab 625 mcg		28	F	Premarin
Progestogens				
* Tab 2.5 mg  * Tab 5 mg  * Tab 10 mg	3.75 14.00	9age 30 100 30	<b>✓</b> <u>F</u>	Provera Provera Provera

		Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
P	rogestogen and Oestrogen Combined Preparat	tions			
OE	STRADIOL WITH NORETHISTERONE - See prescribing gui	deline on page 87			
*	Tab 1 mg with 0.5 mg norethisterone acetate	5.40 (18.10)	28 OP	KI	iovance
*	Tab 2 mg with 1 mg norethisterone acetate	5.40 (18.10)	28 OP	KI	iogest
*	Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	Tr	isequens
OE	STROGENS WITH MEDROXYPROGESTERONE - See pres	cribing guideline or	n page 8	7	
*	Tab 625 mcg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28)		28 OP		remia 2.5 Continuous
*	Tab 625 mcg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)		28 OP	Pi	remia 5 Continuous
0	ther Oestrogen Preparations				
ET	HINYLOESTRADIOL				
*	Tab 10 mcg	17.60	100	_	Z <u>Medical and</u> Scientific
OE	STRIOL				
*	Tab 2 mg	7.00	30	<b>✓</b> 0	vestin
0	ther Progestogen Preparations				
LE	VONORGESTREL				
*	Intra-uterine system 20 mcg per day - Special Authority see				

★ Intra-uterine system 20 mcg per day – Special Authority see SA1608 below – Retail pharmacy .......269.50 1 ✓ Mirena

#### ■ SA1608 | Special Authority for Subsidy

**Initial application** — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines; and
- 3 Either:
  - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
  - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 Either:
  - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
  - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	Brand or Generic Manufacturer	
MEDROXYPROGESTERONE ACETATE  * Tab 100 mg - Retail pharmacy-Specialist	101.00	100	<b>✓</b> <u>P</u>	rovera HD	
NORETHISTERONE  * Tab 5 mg - Up to 30 tab available on a PSO	18.29	100	<b>✓</b> <u>P</u>	rimolut N	
PROGESTERONE  Cap 100 mg - Special Authority see SA1609 below - Retail pharmacy		30	<u>~ U</u>	trogestan_	

#### ■SA1609 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour\*; and
- 2 Either:
  - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour\*: and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Either:
  - 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
  - 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

# Thyroid and Antithyroid Agents

CARBIMAZOLE  * Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg		90	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
* Tab 50 mcg	4.05	90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
* Tab 100 mcg	4.21	90	✓ Synthroid
	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		
LEVOTHYROXINE (MERCURY PHARMA)			
* Tab 50 mcg	1.71	28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liquid			•
* Tab 100 mcg		28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liquid			•
PROPYLTHIOURACIL - Special Authority see SA1199 on the nex	t page – Retail r	harmacv	
Propylthiouracil is not recommended for patients under the age are contraindicated.		•	nt is pregnant and other treatments
Tab 50 mg	35.00	100	✓ PTU S29
-			

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

### **⇒**SA1199 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

### **Trophic Hormones**

### **Growth Hormones**

SO	MATROPIN (OMNITROPE) – Special Authority see SA	1451 below – Retail phar	macy	
*	Inj 5 mg cartridge	109.50	1	Omnitrope
*	Inj 10 mg cartridge	219.00	1	✓ Omnitrope
*	Inj 15 mg cartridge	328.50	1	✓ Omnitrope

#### ■ SA1451 Special Authority for Subsidy

**Initial application** — **(growth hormone deficiency in children)** only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

#### Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or</p>
- 2 All of the following:
  - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and</p>
  - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
  - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and
  - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
  - 2.5 Appropriate imaging of the pituitary gland has been obtained.

**Renewal — (growth hormone deficiency in children)** only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is ≥ 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

**Initial application** — (**Turner syndrome**) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity > 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is  $\geq 2$  cm per year, calculated over six months; and
- 3 A current bone age is ≤ 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is  $\leq$  14 years (female patients) or  $\leq$  16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is  $\leq$  to 14 years (female patients) or  $\leq$  to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease: and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Fither:
  - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m<sup>2</sup> as measured by the Schwartz method (Height(cm)/plasma creatinine  $(umol/l) \times 40 = corrected GFR (ml/min/1.73m<sup>2</sup>) in a child who may or may not be receiving dialysis; or$
  - 6.2 The patient has received a renal transplant and has received < 5mg/m<sup>2</sup>/day of prednisone or equivalent for at least 6 months...

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

continued...

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is > 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred;
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient's height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 Fither:
  - 3.1 The patient is under two years of age and height velocity has been assessed over a minimum six month period from the age of 12 months, with at least three supine length measurements over this period demonstrating clear and consistent evidence of linear growth failure (with height velocity < 25th percentile); or
  - 3.2 The patient is aged two years or older; and
- 4 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 5 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon: and
- 6 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is  $\leq 14$  years (female patients) or  $\leq 16$  years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by  $\geq 0.5$  standard deviations in the preceding 12 months.

continued...

93

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of  $\leq 3$  mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of  $\leq 0.4$  mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
  - 1.1 The patient has been treated with somatropin for < 12 months: and
  - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
  - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
  - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
  - 2.1 The patient has been treated with somatropin for more than 12 months; and
  - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
  - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors): and
  - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

# **GnRH Analoques**

	LIN

Implant 3.6 mg, syringe66.48	1	✓ Zoladex
Implant 10.8 mg, syringe177.50	1	✓ Zoladex

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
` \$	Per 🗸	Manufacturer

#### I FUPRORFI IN

Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly; or the patient has outstanding repeat dispensings at 1 December 2016 and the prescription is endorsed accordingly. From 1 December 2016 until 28 February 2017 pharmacists may annotate a prescription as endorsed where the patient has outstanding repeat dispensings at 1 December 2016.

as endorsed where the patient has outstanding repeat dispensions and prefilled dual chamber syringe — Higher subsidy	sings at 1 Decemi	ber 2016.	
of \$221.60 per 1 inj with Endorsement	66.48	1	
	(221.60)		Lucrin Depot 1-month
Inj 7.5 mg syringe with diluent - Higher subsidy of \$166.20			
per 1 inj with Endorsement	66.48	1	
	(166.20)		Eligard 1 Month
Inj 11.25 mg prefilled dual chamber syringe - Higher subsidy			
of \$591.68 per 1 inj with Endorsement	177.50	1	
	(591.68)		Lucrin Depot 3-month
Inj 22.5 mg syringe with diluent - Higher subsidy of \$443.76			
per 1 inj with Endorsement	177.50	1	
	(443.76)		Eligard 3 Month
Inj 30 mg prefilled dual chamber syringe - Higher subsidy of			
\$1109.40 per 1 inj with Endorsement	332.82	1	
	(1,109.40)		Lucrin Depot 6-month
Inj 45 mg syringe with diluent - Higher subsidy of \$832.05			
per 1 inj with Endorsement	332.82	1	
	(832.05)		Eligard 6 Month

(Eligard 1 Month Inj 7.5 mg syringe with diluent to be delisted 1 June 2017)

(Eligard 3 Month Inj 22.5 mg syringe with diluent to be delisted 1 June 2017)

(Lucrin Depot 6-month Inj 30 mg prefilled dual chamber syringe to be delisted 1 August 2017)

(Eligard 6 Month Inj 45 mg syringe with diluent to be delisted 1 June 2017)

# Vasopressin Agonists

DECK		LOCINI	AOF	
DESI	/IUPH	ESSIN	AUE	IAIE

	Tab 100 mcg - Special Authority see SA1401 below - Retail pharmacy	25.00	30	<b>✓</b> Minirin
	Tab 200 mcg - Special Authority see SA1401 below - Retail pharmacy	54 45	30	✓ Minirin
	Nasal drops 100 mcg per ml - Retail pharmacy-Specialist	39.03	2.5 ml OP	<b>✓</b> Minirin
•	Nasal spray 10 mcg per dose - Retail pharmacy-Specialist	22.95	6 ml OP	✓ <u>Desmopressin-</u> <u>PH&amp;T</u>
	Inj 4 mcg per ml, 1 ml - Special Authority see SA1401 below			
	- Retail pharmacy	67.18	10	✓ Minirin

### ►SA1401 | Special Authority for Subsidy

**Initial application — (Desmopressin tablets for Nocturnal enuresis)** from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	5	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### Other Endocrine Agents

#### CABERGOLINE

		tion; can be	Tab 0.5 mg - Maximum of 2 tab per prescription;
✓ Dostinex	2	ow4.75	waived by Special Authority see SA1370 below
Dostinex	8	19.00	

### **⇒**SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly\*.

CLOMIPHENE CITRATE

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with \* is an Unapproved indication.

Tab 50 mg	29.84		Mylan Clomiphen S29 Serophene
DANAZOL			
Cap 100 mg	68.33 1	00	✓ Azol
Cap 200 mg	97.83 1	00	✓ Azol
METYRAPONE			_
Cap 250 mg - Retail pharmacy-Specialist	520.00	50 <b>v</b>	Metopirone

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

### **Anthelmintics**

ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy 

60 ✓ Eskazole \$29

### **■**SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOI E	Only on a	procoription
MERENDA/OLE	<ul> <li>Univ on a</li> </ul>	prescription

Tab 100 mg	24.19	24	De-Worm
Oral liq 100 mg per 5 ml		15 ml	
1 01	(7.17)		Vermox
PRAZIQUANTEL			
Tab 600 mg	68.00	8	Biltricide

### **Antibacterials**

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 69
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 214

### Cephalosporins and Cephamycins

Cap 250 mg	24.70	100	✓ Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml – Wastage claimable – see rule 3.3.2 on page 13	3.53	100 ml	✓ Ranbaxy-Cefactor
CEFALEXIN			
Cap 250 mg	3.50	20	Cephalexin ABM
Cephalexin ABM to be Sole Supply on 1 January 2017			
Cap 500 mg	3.95	20	Cephalexin ABM
Grans for oral liq 25 mg per ml - Wastage claimable - see			
rule 3.3.2 on page 13		100 ml	Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in amou	ints more than 1	4 days treatm	ent per dispensing.
Grans for oral liq 50 mg per ml - Wastage claimable - see			
rule 3.3.2 on page 13		100 ml	Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in amou	ints more than 1	4 days treatm	ent per dispensing.

#### CEFAZOLIN - Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly.

Inj 500 mg vial	) 5	✓ <u>AFT</u>
Inj 1 g vial	5	✓ AFT

	(Manufacturer's Price) \$	Su Per	bsidised	Generic Manufacturer
CEFTRIAXONE – Subsidy by endorsement				
a) Up to 5 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibro	sis patient, or the tre	eatment	of gonori	rhoea, or the treatment of
pelvic inflammatory disease, or the treatment of suspected n	neningitis in patients	who hav	e a know	n allergy to penicillin, and
the prescription or PSO is endorsed accordingly.				
Inj 500 mg vial	1.20	1	<b>✓</b> D	EVA
	(1.50)		С	eftriaxone-AFT
DEVA to be Sole Supply on 1 February 2017				
Inj 1 g vial	0.84	1	<b>✓</b> D	EVA
	4.20	5		
	(5.22)		С	eftriaxone-AFT
DEVA to be Sole Supply on 1 March 2017				
(Ceftriaxone-AFT Inj 500 mg vial to be delisted 1 February 2017)				
(Ceftriaxone-AFT Inj 1 g vial to be delisted 1 March 2017)				
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the pres	cription is endorsed a	according	gly.	
Tab 250 mg	29.40	50	✓ Z	innat

Subsidy

Fully

Brand or

#### **Macrolides**

AZITHROMYCIN - Maximum of 5 days treatment per prescription; can be waived by endorsement

For Endorsement, patient has either:

- 1) Received a lung transplant and requires treatment or prophylaxis for bronchiolitis obliterans syndrome\*; or
- Cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms\*.

Indications marked with \* are Unapproved Indications ✓ Apo-Azithromycin Tab 250 mg ......9.00 Tab 500 mg - Up to 8 tab available on a PSO......1.05 ✓ Apo-Azithromycin Grans for oral lig 200 mg per 5 ml (40 mg per ml) - Wastage claimable – see rule 3.3.2 on page 13......12.50 15 ml ✓ Zithromax CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 below 14 ✓ Apo-Clarithromycin Grans for oral liq 250 mg per 5 ml - Wastage claimable - see ✓ Klacid 50 ml

### **⇒**SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

**Renewal — (Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully	Brand or
	(Manufacturer's P	Price) Su Per	bsidised	Generic
	<b>3</b>	Per		Manufacturer
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg	16.95	100	<b>√</b> E	-Mycin
a) Up to 20 tab available on a PSO				•
b) Up to 2 x the maximum PSO quantity for RFPP – se	e rule 5.2.6 on page	17		
Grans for oral liq 200 mg per 5 ml		100 ml	<b>√</b> E	-Mycin
a) Up to 300 ml available on a PSO				•
b) Up to 2 x the maximum PSO quantity for RFPP - se	e rule 5.2.6 on page	17		
c) Wastage claimable – see rule 3.3.2 on page 13	1 0			
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	<b>√</b> E	-Mycin
a) Up to 200 ml available on a PSO				•
b) Wastage claimable – see rule 3.3.2 on page 13				
ERYTHROMYCIN LACTOBIONATE				
	16.00	1	4/ E	rythrocin IV
, •	10.00	1		i yu ii Ociii i v
ERYTHROMYCIN STEARATE				
Tab 250 mg – Up to 30 tab available on a PSO		100		
	(22.29)		Е	RA
Tab 500 mg	29.90	100		
	(44.58)		Е	RA
ROXITHROMYCIN				
Tab 150 mg	7.48	50	✓ A	rrow-
ů				Roxithromycin
Tab 300 mg	14.40	50	✓ A	rrow-
				Roxithromycin
Penicillins				•
T CHICKINIC				
AMOXICILLIN				
Cap 250 mg	14.97	500	✓ <u>A</u>	po-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP - s		e 17		
Cap 500 mg	16.75	500	✓ <u>A</u>	po-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP - s	ee rule 5.2.6 on pag	e 17		
Grans for oral liq 125 mg per 5 ml	0.88	100 ml	✓ A	moxicillin Actavis
	2.00		<b>V</b> 0	spamox
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	0.97	100 ml	✓ A	moxicillin Actavis
	2.00		<b>V</b> 0	spamox
a) Up to 300 ml available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP - s	ee rule 5.2.6 on pag	e 17		
b) op to 10 x the maximum 1 30 quantity for thir 1 - 3				
c) Wastage claimable – see rule 3.3.2 on page 13	ar rais cillo cil pag			
		10	✓ <u>lb</u>	<u>iamox</u>
c) Wastage claimable - see rule 3.3.2 on page 13	10.67	10 10		iamox iamox

	Subsidy (Manufacturer's F	Prico\ C	Fully	Brand or
	(Manufacturer's F	Per	Subsidised 🗸	Generic Manufacturer
MOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab avail-				
able on a PSO	1.95	20	✓ A	ugmentin
Grans for oral liq amoxicillin 125 mg with clavulanic acid			_	
31.25 mg per 5 ml	3.83	100 ml	✓ A	ugmentin
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq amoxicillin 250 mg with clavulanic acid	4.07	100 ml		antin
62.5 mg per 5 mla) Up to 200 ml available on a PSO	4.97	100 1111	VA	ugmentin
b) Wastage claimable – see rule 3.3.2 on page 13				
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj				
available on a PSO	315.00	10	<b>✓</b> B	icillin LA
	010.00	10	• •	IOIIIII LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)				
Inj 600 mg (1 million units) vial – Up to 5 inj available on a PSO	10.35	10	<b>v</b> 9	andoz
	10.00	10	<u> </u>	andoz
EUCLOXACILLIN	10.70	250	./ 6	taphlex
Cap 250 mg - Up to 30 cap available on a PSO Cap 500 mg	62 90	500		taphiex
Grans for oral liq 25 mg per ml		100 ml	V A	
a) Up to 200 ml available on a PSO			_	<del>_</del>
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 ml	✓ <u>A</u>	<u>FT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.00	10	. / 5	alavin
Inj 250 mg vial Inj 500 mg vial		10 10	_	<u>ucloxin</u> ucloxin
Inj 1 g vial – Up to 10 inj available on a PSO		10		ucloxin
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				<del></del>
Cap 250 mg – Up to 30 cap available on a PSO	2 88	50	<b>√</b> C	ilicaine VK
Cap 500 mg		50	_	ilicaine VK
a) Up to 20 cap available on a PSO			_	
b) Up to 2 x the maximum PSO quantity for RFPP - see ru		e 17		
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	✓ <u>A</u>	<u>FT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13 Grans for oral lig 250 mg per 5 ml	1 50	100 ml	<b>✓</b> A	ET
a) Up to 300 ml available on a PSO	1.30	100 1111	<u> </u>	<u> </u>
b) Up to 2 x the maximum PSO quantity for RFPP – see ru	le 5.2.6 on page	e 17		
c) Wastage claimable – see rule 3.3.2 on page 13	. 0			
PROCAINE PENICILLIN				
Inj 1.5 g in 3.4 ml syringe - Up to 5 inj available on a PSO	123.50	5	<b>✓</b> <u>C</u>	ilicaine
Tetracyclines				
OOXYCYCLINE				
	2 90	30		
★ Tab 50 mg - Up to 30 tab available on a PSO				
* Tab 50 mg - Up to 30 tab available on a PSO	(6.00)		D	оху-50

	Subsidy (Manufacturer's Price \$	e) Per	Fully Brand or Subsidised Generic  Manufacturer
MINOCYCLINE HYDROCHLORIDE	<u> </u>		
★ Tab 50 mg - Additional subsidy by Special Authority see			
SA1355 below – Retail pharmacy	5.79	60	
	(12.05)		Mino-tabs
<b>≮</b> Cap 100 mg	19.32	100	
	(52.04)		Minomycin
▶SA1355 Special Authority for Manufacturers Price nitial application from any relevant practitioner. Approvals validosacea.	d without further re	enewal (	unless notified where the patient
ETRACYCLINE – Special Authority see SA1332 below – Retail ¡			
Cap 500 mg	46.00	30	✓ Tetracyclin
■SA1332 Special Authority for Subsidy			Wolff S29
nitial application from any relevant practitioner. Approvals valid f Both:  1 For the eradication of helicobacter pylori following unsucc 2 For use only in combination with bismuth as part of a qua-	essful treatment wi	th appro	· ·
Other Antibiotics			
For topical antibiotics, refer to DERMATOLOGICALS, page 69			
CIPROFLOXACIN  Recommended for patients with any of the following:  i) microbiologically confirmed and clinically significant pseudii) prostatitis; or  iii) pyelonephritis; or  iv) gonorrhoea.	domonas infection;	or	
Tab 250 mg - Up to 5 tab available on a PSO		28	✓ Cipflox
Tab 500 mg – Up to 5 tab available on a PSO		28	✓ <u>Cipflox</u>
Tab 750 mg	3.75	28	✓ <u>Cipflox</u>
CLINDAMYCIN			
Cap hydrochloride 150 mg - Maximum of 4 cap per prescrip-			
tion; can be waived by endorsement - Retail pharmacy -			
Specialist	4.10	16	Clindamycin ABM
Inj phosphate 150 mg per ml, 4 ml ampoule – Retail pharmacy-Specialist	65.00	10	✓ Dalacin C
, , ,	03.00	10	Dalacili C
CO-TRIMOXAZOLE			
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – Up to 30 tab available on a PSO	22.90	500	✓ Trisul
★ Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg			
per 5 ml – Up to 200 ml available on a PSO	2.15	100 ml	✓ Deprim
COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - Su		ent	•
Only if prescribed for dialysis or cystic fibrosis patient and the			ccordingly.
Inj 150 mg		1	Colistin-Link
USIDIC ACID			
סומוס אסומ			_

Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist

✔ Fucidin

Tab 250 mg - Retail pharmacy-Specialist......34.50

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer GENTAMICIN SUI PHATE Inj 10 mg per ml, 1 ml – Subsidy by endorsement .......8.56 5 ✔ Hospira Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly. ✓ APP Pharmaceuticals \$29 Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement.................6.00 10 ✔ Pfizer 30.00 50 ✔ Pfizer

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

MOXIFLOXACIN - Special Authority see SA1358 below - Retail pharmacy

No patient co-payment payable

5 ✓ Avelox

#### **⇒**SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 Active tuberculosis\*: and
  - 1.2 Any of the following:
    - 1.2.1 Documented resistance to one or more first-line medications; or
    - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
    - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
    - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
    - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications: or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.\*.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium\*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eve injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 on the next page - Retail pharmacy

16 ✓ Humatin \$29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per \$ ⇒SA1324 Special Authority for Subsidy Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection. Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection. PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy Tab 25 mg .......26.14 30 ✓ Daraprim \$29 50 ✓ Daraprim \$29 36.95 ⇒SA1328 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following: 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or 2 For pregnant patients for the term of the pregnancy: or 3 For infants with congenital toxoplasmosis until 12 months of age. SULFADIAZINE SODIUM - Special Authority see SA1331 below - Retail pharmacy 56 ✓ Wockhardt S29 ⇒SA1331 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy: or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

#### **TOBRAMYCIN**

5 ✓ Tobramycin Mylan ✓ DBL Tobramycin Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Solution for inhalation 60 mg per ml, 5 ml - Subsidy by en-

56 dose ✓ TORI

a) Wastage claimable - see rule 3.3.2 on page 13

b) Only if prescribed for a cystic fibrosis patient and the prescription is endorsed accordingly.

#### TRIMETHOPRIM

✓ TMP 50

#### VANCOMYCIN - Subsidy by endorsement

Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis or for treatment of Clostridium difficile following metronidazole failure and the prescription is endorsed accordingly.

' Mylan

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

# **Antifungals**

a) For topical antifungals refer to DERMATOLOGICALS, page 69

b) For topical antifungals refer to GENITO URINARY, page 82

**FLUCONAZOLE** 

28 Ozole Cap 150 mg - Subsidy by endorsement ......0.71 ✓ Ozole a) Maximum of 1 cap per prescription; can be waived by endorsement - Retail pharmacy - Specialist b) Patient has vaginal candida albicans and the practitioner considers that a topical imidazole (used intra-vaginally) is not recommended and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Cap 200 mg - Retail pharmacy-Specialist ......9.69 ✓ Ozole Powder for oral suspension 10 mg per ml - Special Authority

see SA1359 below - Retail pharmacy ......34.56 35 ml ✓ Diflucan S29 S29 ✓ Diflucan

Wastage claimable - see rule 3.3.2 on page 13

### ⇒SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

#### ITRACONAZOI F

15 ✓ Itrazole Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology. or for tinea unquium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement -Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 on the

next page – Retail pharmacy ......141.80 150 ml OP ✓ Sporanox

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### ⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

#### KFTOCONAZOI F

Tab 200 mg — PCT — Retail pharmacy-Specialist — Subsidy by endorsement	CBS	30	✓ Link Healthcare \$29
Prescriptions must be written by, or on the recommendation of	of an oncologi	et	✓ Nizoral S29
NYSTATIN	or arr orrootogi		
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u		50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 below - Retail p	,		
Tab modified-release 100 mg		24	✓ Noxafil
Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil

#### ►SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy: or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy\*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

#### Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy: or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression\* and requires on going posaconazole treatment.

Note: \* Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

#### **TERBINAFINE**

* Tab 250 mg - For terbinafine oral liquid formulation page 222	,	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE - Special Authority see SA1273 on the r	next page – Retail pharm	acy	
Tab 50 mg	130.00	56	✓ Vttack
Tab 200 mg	500.00	56	✓ Vttack
Powder for oral suspension 40 mg per ml - Wa	astage		
claimable – see rule 3.3.2 on page 13		70 ml	✓ Vfend

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 

\$ Per ✔ Manufacturer

### ■ SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient has proven or probable invasive aspergillus infection; or
  - 3.2 Patient has possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis; or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

**Renewal — (invasive fungal infection)** only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
  - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
  - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
  - 3.3 Patient has fluconazole resistant candidiasis: or
  - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

#### **Antimalarials**

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

### ⇒SA1326 Special Authority for Subsidy

**Initial application** only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

### **Antiparasitics**

#### **Antiprotozoals**

QUININE SULPHATE

‡ Safety cap for extemporaneously compounded oral liquid preparations.

#### **Antitrichomonal Agents**

METRONIDAZOLE	

WETHONIDAZOLE			
Tab 200 mg - Up to 30 tab available on a PSO	10.45	100	Trichozole
Tab 400 mg	18.15	100	✓ Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml	✓ Flagyl-S
Suppos 500 mg	24.48	10	✓ Flagyl
ORNIDAZOLE			
Tab 500 mg	23.00	10	✓ Arrow-Ornidazol

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

# **Antituberculotics and Antileprotics**

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

#### CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.
- 100 ✓ Lamprene \$29

#### CYCLOSERINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.
- 100 King S29

#### DAPSONE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist

Tab 25 mg	95.00	100	✓ Dapsone
Tab 100 mg	110.00	100	✓ Dapsone

### ETHAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician

Tab 100 mg	48.01	56	Myambutol S29
Tab 400 mg	49.34	56	✓ Myambutol S29

### ISONIAZID - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician

*	Tab 100 mg	20.00	100	✓ PSM
	Tab 100 mg with rifampicin 150 mg		100	Rifinah
	Tab 150 mg with rifampicin 300 mg		100	Rifinah

#### PARA-AMINO SALICYLIC ACID - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist.
- ✓ Paser S29

#### PROTIONAMIDE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist.
- ✓ Peteha S29 100

#### PYRAZINAMIDE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician
- Tab 500 mg For pyrazinamide oral liquid formulation refer,

page 22259.00	00 100 <b>V</b> AFT-Pyrazinamide	è
---------------	----------------------------------	---

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

#### RIFABUTIN - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist
- Cap 150 mg For rifabutin oral liquid formulation refer, page

222 ......275.00 30 Mycobutin

### RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy -Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Cap 150 mg55.75	100	✓ Rifadin
*	Cap 300 mg116.25	100	✓ Rifadin
*	Oral liq 100 mg per 5 ml	60 ml	✓ <u>Rifadin</u>

### **Antivirals**

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 214

### **Hepatitis B Treatment**

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy 30 ✔ Hepsera Tab 10 mg ......670.00

### ⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

#### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
  - 5.1 Both:
    - 5.1.1 Patient is cirrhotic; and
    - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
  - 5.2 Both:
    - 5.2.1 Patient is not cirrhotic; and
    - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamiyudine should be added to adefovir dipiyoxil if a patient develops documented resistance to adefovir dipiyoxil, defined as:

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR — Special Authority see SA1361 below — Retail pharmacy
Tab 0.5 mg .......400.00 30 ✔ Baraclude

### **⇒**SA1361 Special Authority for Subsidy

**Initial application** only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
  - 4.1 ALT greater than upper limit of normal; or
  - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
  - 5.1 HBeAg positive; or
  - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

#### Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
  of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
  commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
  fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

 Tab 100 mg
 6.00
 28
 ✓ Zeffix

 Oral liq 5 mg per ml
 270.00
 240 ml
 ✓ Zeffix

### **⇒**SA1360 | Special Authority for Subsidy

**Initial application** only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

#### Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti-tumour necrosis factor treatment; or

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 vears for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
  - 1.1 Have maintained continuous treatment with lamivudine; and
  - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
  - 1.3 HBV DNA <100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
  - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
  - 2.2 Patient is cirrhotic: and
    - Documented resistance to lamivudine, defined as:
  - 2.3 Patient has raised serum ALT (> 1 × ULN); and
  - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
  - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
  - 3.2 Patient has raised serum ALT (> 1 × ULN); and
  - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
  - 3.4 Detection of N236T or A181T/V mutation.

### **Herpesvirus Treatments**

ACICI OVID

ACICLOVIR			
* Tab dispersible 200 mg	1.60	25	✓ Lovir
	5.38	56	✓ Lovir
	5.98	35	✓ Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	✓ Vaclovir
· ·	12.75	30	✓ Vaclovir
VALGANCICLOVIR - Special	Authority see SA1404 below – Retail pharmacy		
Tab 450 mg	1,050.00	60	✓ <u>Valcyte</u>

### **⇒**SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months): and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
  - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
  - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
  - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
  - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
  - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

# **Hepatitis B/ HIV/AIDS Treatment**

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1362 on the next

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 114

Tab 300 mg .......531.00 30 Viread

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

### **⇒**SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamiyudine resistance detection of M204I/V mutation: or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation: or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 All of the following:
  - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
  - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
  - 1.3 HBV DNA greater than 20,000 IU/mL or increased > 10 fold over nadir; and
  - 1.4 Any of the following:
    - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
    - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
    - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I. M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 1 Patient is HBsAq positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

#### Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil furnarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

### **Hepatitis C Treatment**

BOCEPREVIR - Special Authority see SA1402 below - Retail pharmacy Cap 200 mg - Wastage claimable - see rule 3.3.2 on page

Victrelis 336

(Victrelis Cap 200 mg to be delisted 1 April 2017)

### ■ SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT: and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegulated interferon treatment; and
- 3 Any of the following:
  - 3.1 Patient was a responder relapser; or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

#### Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10<sup>9</sup> /l or Albumin <35 q/l</li>
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 on the next page - [Xpharm]

No patient co-payment payable

Harvoni Tab 90 mg with sofosbuvir 400 mg ......24,363.46 28

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

### ⇒SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP).

Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),

1 OP ✓ Viekira Pak

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

1 OP

✓ Viekira Pak-RBV

### Antiretrovirals

### **⇒**SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
  - 2.1 Symptomatic patient; or
  - 2.2 Patient aged 12 months and under; or
  - 2.3 Both:
    - 2.3.1 Patient aged 1 to 5 years; and
    - 2.3.2 Any of the following:
      - 2.3.2.1 CD4 counts < 1000 cells/mm<sup>3</sup>; or
      - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
      - 2.3.2.3 Viral load counts > 100000 copies per ml; or
  - 2.4 Both:
    - 2.4.1 Patient aged 6 years and over; and
    - 2.4.2 CD4 counts < 500 cells/mm<sup>3</sup>.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

Per 

Manufacturer

Manufacturer

continued...

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

**Initial application — (Prevention of maternal transmission)** only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

**Renewal — (second or subsequent post-exposure prophylaxis)** only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
  - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
  - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
  - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

	Subsidy (Manufacturer's Pr \$	ice) Su Per	Fully bsidised	Brand or Generic Manufacturer
continued  Initial application — (Percutaneous exposure) only from a na percutaneous exposure to blood known to be HIV positive.		•		·
Notes: Tenofovir disoproxil fumarate prescribed under endorsem virals.  Subsidies for a combination of up to four antiretroviral medicatio given as a booster (either as part of a combination product or se	ns. The combination	on of a prote	ase inhib	nitor and low-dose ritonav
of accessing funding to antiretrovirals.  Renewal — (Second or subsequent percutaneous exposure the patient has percutaneous exposure to blood known to be HIV		ed specialist.	Approva	als valid for 6 weeks where
Non-nucleosides Reverse Transcriptase Inhibit	ors			
EFAVIRENZ – Special Authority see SA1364 on page 114 – Re Tab 50 mg Tab 200 mg Tab 600 mg	63.38 190.15	30 90 30	✓ S	tocrin 829 tocrin tocrin
Oral liq 30 mg per ml		180 ml OP	<b>✓</b> S	tocrin S29
ETRAVIRINE – Special Authority see SA1364 on page 114 – Ri Tab 200 mg		60	<b>✓</b> In	ntelence
NEVIRAPINE – Special Authority see SA1364 on page 114 – R Tab 200 mg	' '	60	<b>✓</b> <u>N</u>	levirapine Alphapharm
Oral suspension 10 mg per ml	203.55	240 ml		iramune Suspension
<b>Nucleosides Reverse Transcriptase Inhibitors</b>				
ABACAVIR SULPHATE – Special Authority see SA1364 on pag Tab 300 mg Oral liq 20 mg per ml	229.00	rmacy 60 240 ml OP	_	iagen iagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority Note: abacavir with lamivudine (combination tablets) coun retroviral Special Authority.	ts as two anti-retro	oviral medica	itions for	the purposes of the anti
Tab 600 mg with lamivudine 300 mg  DIDANOSINE [DDI] – Special Authority see SA1364 on page 1		30 cy	VX	ivexa

EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL FUMARATE - Special Authority see SA1364 on page 114 - Retail pharmacy

Note: Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority

Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil
fumarate 300 mg

Cap 400 mg .......368.16

30

30

30

✓ Videx EC

✓ Videx EC

✓ Videx EC

			<del></del>
	Subsidy (Manufacturer's F	Price) Subs	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE Note: Emtricitabine with tenofovir disoproxil fumarate counts retroviral Special Authority	s as two anti-ret	roviral medicati	ions for the purposes of the anti-
Tab 200 mg with tenofovir disoproxil fumarate 300 mg	838.20	30	✓ Truvada
LAMIVUDINE - Special Authority see SA1364 on page 114 - Re			4
Tab 150 mg	52.50	60	✓ Lamivudine Alphapharm
Oral lig 10 mg per ml	102 50	240 ml OP	✓ 3TC
STAVUDINE [D4T] – Special Authority see SA1364 on page 114			• 010
Cap 40 mg		60	✓ Zerit
Powder for oral soln 1 mg per ml		200 ml OP	✓ Zerit S29
ZIDOVUDINE [AZT] - Special Authority see SA1364 on page 11		acv	
Cap 100 mg		100	✓ Retrovir
Oral liq 10 mg per ml	30.45	200 ml OP	✓ Retrovir
ZIDOVUDINE [AZT] WITH LAMIVUDINE - Special Authority see	SA1364 on pag	e 114 – Retail p	oharmacy
Note: zidovudine [AZT] with lamivudine (combination tablets)	counts as two a	ınti-retroviral m	edications for the purposes of the
anti-retroviral Special Authority.	44.00	22	4.41.1
Tab 300 mg with lamivudine 150 mg	44.00	60	✓ <u>Alphapharm</u>
Protease Inhibitors			
ATAZANAVIR SULPHATE - Special Authority see SA1364 on pa	ge 114 – Retail r	oharmacv	
Cap 150 mg		60	✓ Reyataz
Cap 200 mg	757.79	60	✓ Reyataz
DARUNAVIR - Special Authority see SA1364 on page 114 - Ret	ail pharmacy		
Tab 400 mg		60	✓ Prezista
Tab 600 mg	•	60	✓ Prezista
INDINAVIR – Special Authority see SA1364 on page 114 – Retai	, ,	000	. A Outleton
Cap 200 mg Cap 400 mg		360 180	<ul><li>✓ Crixivan</li><li>✓ Crixivan</li></ul>
			V CHAIVAII
LOPINAVIR WITH RITONAVIR – Special Authority see SA1364 of Tab 100 mg with ritonavir 25 mg		etali pharmacy 60	✓ Kaletra
Tab 200 mg with ritonavir 50 mg		120	✓ Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml		300 ml OP	✓ Kaletra
RITONAVIR - Special Authority see SA1364 on page 114 - Reta	il pharmacy		
Tab 100 mg	43.31	30	✓ Norvir
Oral liq 80 mg per ml	103.98	90 ml OP	✓ Norvir
Strand Transfer Inhibitors			
DOLUTEGRAVIR - Special Authority see SA1364 on page 114 - Tab 50 mg		y 30	✓ Tivicay
RALTEGRAVIR POTASSIUM – Special Authority see SA1364 on	•		•
Tab 400 mg	. •	60	✓ Isentress

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

# **Antiretrovirals - Additional Therapies**

### **HIV Fusion Inhibitors**

ENFUVIRTIDE - Special Authority see SA0845 below - Retail pharmacy

Powder for inj 90 mg per ml × 60 ......2,380.00 1 ✓ Fuzeon

(Fuzeon Powder for inj 90 mg per ml  $\times$  60 to be delisted 1 June 2017)

### **⇒**SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
  - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
  - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
  - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
  - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
  - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12: and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

#### Immune Modulators

#### Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects. Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

#### **Criteria for Treatment**

- a) Diagnosis
  - . Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
  - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
  - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

#### **Exclusion Criteria**

- a) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia ( $<2.0 \times 10^9$ ) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

Subsidy (Manufacturer's Price)	Sul	Fully bsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

#### Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

#### **Exit Criteria**

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

#### INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist
- ✔ Roferon-A 1

#### INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

-, · · · · · · · · · · · · · · · · · · ·			,
Inj 18 m iu, 1.2 ml multidose pen	206.71	1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen	344.52	1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen		1	✓ Intron-A

#### PEGYLATED INTERFERON ALFA-2A - Special Authority see SA1400 below - Retail pharmacy

See prescribing guideline on the previous page			
Inj 180 mcg prefilled syringe	900.00	4	✓ Pegasys
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×			<del></del>
168	1 075 00	1 OP	✓ Pagaeve BRV

100	1,975.00	I UP	Pegasys RDV
			Combination Pack
Inj 180 mcg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$			
110	1 150 84	1 OP	✓ Penacyc DRV

Inj 180 mcg prefilled syringe $\times$ 4 with ribavirin tab 200 mg $\times$			
168	1,290.00	1 OP	✓ Pegasys RBV
			Combination Pack

#### ⇒SA1400 | Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
  - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
  - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
  - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

#### Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400.000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and

continued...

**Combination Pack** 

119

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

#### continued...

- 3 Fither:
  - 3.1 Patient has responder relapsed; or
  - 3.2 Patient was a partial responder; and
  - 4 Patient is to be treated in combination with boceprevir; and
  - 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
  - 3.1 Patient has responder relapsed: or
  - 3.2 Patient was a partial responder; or
  - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

#### All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive: and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Fither:
  - 5.1 HBeAg positive; or
  - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease: and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV. HIV or HDV: and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

#### Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mca once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet quidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Urinary Tract Infections				
HEXAMINE HIPPURATE				
* Tab 1 g	18.40	100		
	(38.10)		Hi	iprex
NITROFURANTOIN				
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer,				
page 222	22.20	100	✓ N	ifuran
* Tab 100 mg	37.50	100	✓ N	ifuran
NORFLOXACIN				
Tab 400 mg – Subsidy by endorsement	13.50	100	✓ A	rrow-Norfloxacin
Only if prescribed for a patient with an uncomplicated uring proven resistance to first line agents and the prescription is	•		responsive	to a first line agent or with

121

	Subsidy (Manufacturer's Pri		Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	✓ <u>A</u>	straZeneca
PYRIDOSTIGMINE BROMIDE	10.70	400	4	
▲ Tab 60 mg	42.79	100	<b>✓</b> <u>M</u>	<u>estinon</u>
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM				
* Tab EC 25 mg	1.30	50	<b>✓</b> <u>D</u>	iclofenac Sandoz
* Tab 50 mg dispersible	1.50	20	✓ Vo	oltaren D
* Tab EC 50 mg		50	_	iclofenac Sandoz
* Tab long-acting 75 mg		500		po-Diclo SR
* Tab long-acting 100 mg		500	V A	po-Diclo SR
* Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on		5		altanan
PSO		5 10	_	oltaren oltaren
* Suppos 12.5 mg  * Suppos 25 mg		10	_	oltaren oltaren
* Suppos 50 mg - Up to 10 supp available on a PSO		10		oltaren
* Suppos 100 mg		10		oltaren
IBUPROFEN		10	<u></u>	<u> </u>
* Tab 200 mg	0.45	1.000	₄∕ lh	ugesic
* Tab long-acting 800 mg		30	_	rufen SR
* Oral liq 20 mg per ml		200 ml	. —	enpaed
KETOPROFEN		200 1111	• .	on paou
* Cap long-acting 200 mg	12.07	28	4/0	ruvail SR
, , ,	12.07	20	• •	iuvali Sh
MEFENAMIC ACID	4.05			
* Cap 250 mg		50	D.	
	(9.16)	20	P	onstan
	0.50 (5.60)	20	D	onstan
NADDOVEN	(5.00)		г	Jiistaii
NAPROXEN	10.00	F00	N	oflow OFO
* Tab 250 mg		500 250	_	oflam 250
* Tab 500 mg * Tab long-acting 750 mg		230 90		oflam 500 aprosyn SR 750
* Tab long-acting 1 g		90	_	aprosyn SR 1000
		00	<u> </u>	иргозун он тооо
SULINDAC  * Tab 100 mg	0 55	50	✓ A	alin
* Tab 100 mg * Tab 200 mg		50 50	V A	
· · · · · · · · · · · · · · · · · · ·	15.10	50	VA	CIIII
TENOXICAM	40.05	400		1 411
* Tab 20 mg		100 1	V A	lcotil
* Inj 20 mg vial	9.95	- 1	VA	ГІ
NSAIDs Other				
MELOXICAM - Special Authority see SA1034 on the next page	- Retail pharmacy			
* Tab 7.5 mg		30	✓ A	rrow-Meloxicam
-				

Subsidy acturer's Price)	Fi Subsidis	ully	Brand or Generic
\$	Per	1	Manufacturer

#### **⇒**SA1034 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

### **Topical Products for Joint and Muscular Pain**

#### **CAPSAICIN**

Crm 0.025% - Special Authority see SA1289 below - Retail			
pharmacy	6.95	25 g OP	✓ Zostrix
	9.95	45 a OP	✓ Zostrix

### ■ SA1289 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

## **Antirheumatoid Agents**

AURANOFIN		
Tab 3 mg68.99	60	✓ Ridaura s29 S29
114.98	100	✓ Ridaura s29 S29
HYDROXYCHLOROQUINE		
* Tab 200 mg10.50	100	✓ Plaquenil
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ Arava
Tab 20 mg76.00	30	✓ Arava
PENICILLAMINE		
Tab 125 mg67.23	100	D-Penamine
Tab 250 mg110.12	100	✓ D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	10	✓ Myocrisin
Inj 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

## **Drugs Affecting Bone Metabolism**

### Alendronate for Osteoporosis

#### ⇒SA1039 Special Authority for Subsidy

**Initial application** — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Note); or

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

#### continued...

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA1039 on page 123 – Retail pharmacy  * Tab 70 mg		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
	' '	1 0		<b>√</b> F	osamax

#### ⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity: or
  - 2.3 Bone, articular or neurological complications; or

- 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
- 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above -	- Retail pharmacy		
* Tab 40 mg	133.00	30	✓ Fosamax
Other Treatments			
ETIDRONATE DISODIUM - See prescribing quideline below			

#### **Prescribing Guidelines**

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

#### PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	6.80	1	✓ Pamisol
Inj 6 mg per ml, 10 ml vial	13.20	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial		1	✓ Pamisol
RALOXIFENE HYDROCHLORIDE - Special Authority see SA	1138 below – Retail p	harmacy	
* Tab 60 mg	53.76	28	Evista

### ⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)  $\geq$  2.5 standard deviations below the mean normal value in young adults (i.e. T-Score  $\leq$  -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or

continued...

100

Arrow-Etidronate

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

#### continued...

6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

#### RISEDRONATE SODIUM

Tab 35 mg ......4.00 ✓ Risedronate Sandoz TERIPARATIDE - Special Authority see SA1139 below - Retail pharmacy ✔ Forteo 

### ⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

#### Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

#### ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see 100 ml OP SA1187 on the next page – Retail pharmacy ......600.00 ✓ Aclasta

Subsidy (Manufacturer's Price) Sub \$ Per

Fully Subsidised Brand or Generic Manufacturer

### ■SA1187 Special Authority for Subsidy

**Initial application — (Paget's disease)** from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
  - 2.1 Bone or articular pain; or
  - 2.2 Bone deformity; or
  - 2.3 Bone, articular or neurological complications; or
  - 2.4 Asymptomatic disease, but risk of complications; or
  - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note);
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score ≤ -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
  - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
  - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
  - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
  - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
  - 1.3 Symptomatic disease (prescriber determined); and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
  - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note);
  - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
  - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
  - 1.4 Documented T-Score ≤ -3.0 (see Note); or
  - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
  - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

#### Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

# Hyperuricaemia and Antigout

	OPURINOL		
*	Tab 100 mg15.11	1,000	<ul><li>✓ Allopurinol-Apotex</li><li>✓ Apo-Allopurinol</li></ul>
*	Tab 300 mg - For allopurinol oral liquid formulation refer,		· <u> </u>
	page 22215.91	500	✔ Allopurinol-Apotex
			✓ Apo-Allopurinol
(Ap	o-Allopurinol Tab 100 mg to be delisted 1 June 2017)		

100 529

### **⇒**SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.3 Both:
    - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
    - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
  - 2.4 All of the following:
    - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
    - 2.4.2 Allopurinol is contraindicated; and
    - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

**Renewal** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/downloads/Benzbromarone-prescriber-information-NZRA-V2.pdf

COLCHICINE		
* Tab 500 mcg10.08	100	Colgout
FEBUXOSTAT - Special Authority see SA1538 on the next page - Retail pharmacy		
Tab 80 mg39.50	28	Adenuric
Tab 120 mg39.50	28	✓ Adenuric

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

#### ⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
  - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
  - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

#### **PROBENECID**

### **Muscle Relaxants**

#### **BACLOFEN**

DANTROLENE

*	Tab 10 mg - For baclofen oral liquid formulation refer, page			
	222	3.85	100	✓ Pacifen
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement	11.55	1	✓ Lioresal Intrathecal
	Subsidised only for use in a programmable pump in patient caused intolerable side effects and the prescription is endors			ents have been ineffective or have
	Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement	209.29	1	<ul><li>Lioresal Intrathecal</li></ul>
	Subsidised only for use in a programmable pump in patient caused intolerable side effects and the prescription is endors			ents have been ineffective or have

Cap 25 mg	65.00	100	Dantrium
Cap 50 mg	77.00	100	✓ Dantrium : ✓ Dantrium

#### ORPHENADRINE CITRATE

_				
	Tab 100 mg	 18.54	100	✓ Norflex

S29 S29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

# **Agents for Parkinsonism and Related Disorders**

Dopamine Agonists and Related Agents			
AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Movapo
BROMOCRIPTINE MESYLATE			
* Tab 2.5 mg	32.08	100	Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	28.00	100	✓ Entapone
EVODOPA WITH BENSERAZIDE			
₭ Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100	Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	Madopar 250
LEVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg - For levodopa with c	ar-		
bidopa oral liquid formulation refer, page 222	20.00	100	✓ Kinson
			✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg		100	✓ Sinemet CR
* Tab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg		100	✓ Ramipex
▲ Tab 1 mg	24.39	100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg		100	✓ Apo-Ropinirole
▲ Tab 1 mg		100	✓ Apo-Ropinirole
▲ Tab 2 mg		100	Apo-Ropinirole
▲ Tab 5 mg	16.51	100	✓ Apo-Ropinirole
SELEGILINE HYDROCHLORIDE			
★ Tab 5 mg	22.00	100	✓ Apo-Selegiline
			<b>S29</b> S29
TOLCAPONE			
▲ Tab 100 mg	132.50	100	✓ Tasmar
Tasmar to be Sole Supply on 1 February 2017			
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7.99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
	190.00	10	✓ Omega S29
a) Up to 10 inj available on a PSO b) Only on a PSO		-	<b></b>

	Subsidy (Manufacturer's Price) \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg	7.40	100	<b>✓</b> K	émadrin
Agents for Essential Tremor, Chorea and Related	Disorders			
RILUZOLE – Special Authority see SA1403 below – Retail pharma Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	•	56	<b>√</b> R	tilutek
■►SA1403 Special Authority for Subsidy Initial application only from a neurologist or respiratory speciali	st. Approvals valid	d for 6	6 months fo	r applications meeting the

rrom a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
  - 5.1 The patient is ambulatory; or
  - 5.2 The patient is able to use upper limbs; or
  - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
  - 3.1 The patient is ambulatory; or
  - 3.2 The patient is able to use upper limbs; or

Gel 2%, 10 ml urethral syringe – Subsidy by endorsement................43.26

3.3 The patient is able to swallow.

a) Up to 5 each available on a PSO

TF	۲RA	١RF	NAZ	INF

112 ✓ Motetis

### Anaesthetics

LIDOCAINE [LIGNOCAINE]

#### Local

b) Subsidised only if prescribed for urethral or cervical ad	ministration and t	he prescriptio	n is endorsed accordingly.
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE			
Oral (viscous) soln 2%	55.00	200 ml	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓ Lidocaine-Claris
	17.50	50	
	(35.00)		Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	✓ Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	Lidocaine-Claris
	12.00	5	
	(20.00)		Xylocaine
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris

✔ Pfizer

10

✓ Ethics Aspirin

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE					
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes -					
Subsidy by endorsement	43.26	10	✓ Pf	fizer	
a) Up to 5 each available on a PSO					
b) Subsidised only if prescribed for urethral or cervical adm	ninistration and the pr	escri	tion is endo	rsed accordingly	<b>/</b> .

## **Topical Local Anaesthetics**

### ■ SA0906 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authority see SAI	0906 above - Retail pharm	acy	
Crm 4%	27.00	30 g OP	✓ LMX4
Crm 4% (5 g tubes)	27.00	5	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Spec		above – Retai	l pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	✓ EMLA

# **Analgesics**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 122

# **Non-opioid Analgesics**

For aspirin & chloroform application refer Standard Formulae, page 225

### **ASPIRIN**

Ethics Aspirin to be Sole Supply on 1 January 2017			•
CAPSAICIN – Subsidy by endorsement			
Subsidised only if prescribed for post-herpetic neuralgia or accordingly.	diabetic peripher	ral neuropathy	and the prescription is endorsed
Crm 0.075%	12.50	45 g OP	✓ Zostrix HP
NEFOPAM HYDROCHLORIDE			
Tab 30 mg	23.40	90	✓ Acupan
PARACETAMOI			

PARACETAMOL  * Tab 500 mg - Up to 30 tab available on a PSO	8.47	1,000	✓ Pharmacare
*‡ Oral liq 120 mg per 5 ml	4.15	1,000 ml	✓ Paracare
a) Up to 200 ml available on a PSO			
b) Not in combination			
*‡ Oral liq 250 mg per 5 ml	4.35	1,000 ml	✓ Paracare Double
a) Un to 100 ml available on a PSO			<u>Strength</u>

a) Up to 100 ml available on a PSO
b) Not in combination

*	Suppos 125 mg	3.69	10	✓ Gacet
		3.79	10	✓ Gacet
		12.60	50	✓ Paracare

100

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Subsidised	Brand or Generic Manufacturer
Opioid Analgesics				
CODEINE PHOSPHATE – Safety medicine; prescriber may de Tab 15 mg	4.75 5.80	100 100 100 100	<b>∨</b> P <b>∨</b> P	SM
DIHYDROCODEINE TARTRATE Tab long-acting 60 mg	9.55	60	<b>✓</b> <u>D</u>	HC Continus
FENTANYL  a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Inj 50 mcg per ml, 2 ml ampoule	3.95 10.45 2.92	10 10 5 5	✓ B ✓ F	oucher and Muir oucher and Muir entanyl Sandoz entanyl Sandoz
Patch 50 mcg per hourPatch 75 mcg per hour	6.64 9.18	5 5	<b>√</b> F	entanyl Sandoz entanyl Sandoz
Patch 100 mcg per hour	frequency e reimbursed at the rat Formulae, page 225		cheapest t	·
Tab 5 mg		10 200 ml 200 ml 200 ml 10	✓ B ✓ B	lethatabs iodone iodone Forte iodone Extra Forte FT
MORPHINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable				

Subsidy

Fully

Brand or

200 ml

200 ml

200 ml 200 ml ✔ RA-Morph

✔ RA-Morph ✓ RA-Morph

✔ RA-Morph

c) Safety medicine; prescriber may determine dispensing frequency 

Oral liq 2 mg per ml ......14.00

Oral liq 10 mg per ml .......26.00

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	<u> </u>	Per		Manufacturer
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing freq	juency			
Tab immediate-release 10 mg	2.80	10	<b>√</b> <u>9</u>	Sevredol
Tab long-acting 10 mg	1.93	10	<b>V</b> <u>I</u>	Arrow-Morphine LA
Tab immediate-release 20 mg	5.52	10	<b>✓</b> <u>S</u>	Sevredol
Tab long-acting 30 mg	2.85	10	<b>V</b> <u>B</u>	Arrow-Morphine LA
Tab long-acting 60 mg	5.60	10	<b>V</b> <u>B</u>	Arrow-Morphine LA
Tab long-acting 100 mg	6.10	10	<b>V</b> <u>I</u>	Arrow-Morphine LA
Cap long-acting 10 mg	1.70	10	<b>✓</b> n	n-Eslon
Cap long-acting 30 mg	2.50	10	<b>✓</b> n	n-Eslon
Cap long-acting 60 mg	5.40	10	<b>✓</b> n	n-Eslon
Cap long-acting 100 mg	6.38	10	<b>✓</b> n	n-Eslon
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSC	D12.48	5	<b>✓</b> <u>[</u>	OBL Morphine
				Sulphate
Inj 10 mg per ml, 1 ml ampoule - Up to 5 inj available on a				
PSO	9.09	5	<b>/</b> [	OBL Morphine
				Sulphate
Inj 15 mg per ml, 1 ml ampoule - Up to 5 inj available on a				
PSO	9.77	5	<b>/</b> [	OBL Morphine
			_	Sulphate
Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj available on a				
PSO		5	<b>/</b> [	OBL Morphine
				<u>Sulphate</u>
MORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing freq	juency			
Inj 80 mg per ml, 1.5 ml ampoule	42.72	5	<b>/</b> [	OBL Morphine
, , , , ,			_	Tartrate
Inj 80 mg per ml, 5 ml	107.67	5	<b>√</b> H	lospira
OXYCODONE HYDROCHLORIDE				·
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing freq	ulenov			
Tab controlled-release 5 mg		20	<b>✓</b> E	RNM
Tab controlled-release 10 mg		20	_	BNM
Tab controlled-release 20 mg		20	✓ E	
Tab controlled-release 40 mg		20	\(\bullet\)	
Tab controlled-release 80 mg		20	\(\bullet\)	
Cap immediate-release 5 mg		20	_	DxyNorm
Cap immediate-release 5 mg		20	_	DxyNorm DxyNorm
Cap immediate-release 10 mg		20		DxyNorm DxyNorm
•		20 :50 m	_	DxyNorm DxyNorm
‡ Oral liq 5 mg per 5 ml		5		DxyNorm
, , , ,		5 5	_	DxyNorm DxyNorm
Inj 10 mg per ml, 2 ml ampoule		5 5		DxyNorm DxyNorm
Inj 50 mg per ml, 1 ml ampoule			_	JAYINUIIII
PARACETAMOL WITH CODEINE - Safety medicine; prescriber r	,	•		
* Tab paracetamol 500 mg with codeine phosphate 8 mg	21.06	1,000	<b>✓</b> <u>F</u>	Paracetamol +

Codeine (Relieve)

<sup>▲</sup>Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. ‡ safety cap \*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
	Ψ	rei		Manuaciurei
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable	2110001			
c) Safety medicine; prescriber may determine dispensing free Tab 50 mg		10	<b>✓</b> F	OCM.
Tab 100 mg		10	_	PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	·	OBL Pethidine
ing 30 mg per mi, 1 mi Op to 3 mg available on a 1 00		J	<u> </u>	Hydrochloride
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.83	5	<b>v</b> [	OBL Pethidine
,g p, =		-		Hydrochloride
TRAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg	2.00	20	<b>1</b>	Tramal SR 100
Tab sustained-release 150 mg		20	_	Framal SR 150
Tab sustained-release 200 mg		20	_	Framal SR 200
Cap 50 mg - For tramadol hydrochloride oral liquid formula-			_	
tion refer, page 222		100	V	Arrow-Tramadol
			_	
Antidepressants				
Cyclic and Related Agents				
Oyono ana Holatou Agonto				
AMITRIPTYLINE - Safety medicine; prescriber may determine d	ispensing frequency			
Tab 10 mg		100		Arrow-Amitriptyline
Tab 25 mg		100	_	Arrow-Amitriptyline
Tab 50 mg	2.82	100	<b>/</b> <u>/</u>	Arrow-Amitriptyline
CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; prescr	ber may determine di	spens	ing freque	ncy
Tab 10 mg	12.60	100	V	Apo-Clomipramine
Tab 25 mg	8.68	100	V <u>I</u>	Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE - Safety medicine; prescriber n	nav determine dispen	sina fr	eauencv	
Tab 75 mg		100		Dopress
Cap 25 mg		100		Dopress
DOXEPIN HYDROCHLORIDE - Safety medicine; prescriber ma		na frea	llency	•
Cap 10 mg	, ,	100		Anten
Cap 25 mg		100		Anten
Cap 50 mg		100		Anten
IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber		neina :	fraguancy	
Tab 10 mg		50		Tofranil
ido 10 mg	6.58	60		Tofranil s29 S29
	10.96	100		Tofranil
Tab 25 mg		50		Tofranil
· ·				
MAPROTILINE HYDROCHLORIDE – Safety medicine; prescribe				
Tab 25 mg	7.52 12.53	30 50		_udiomil _udiomil
	25.06	100		_udiomil
Tab 75 mg		20		_udiomil
iab / o mg	21.01	30		_udiomil
NORTHER WINDS AND COURT OF THE				
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; presci	•			•
Tab 10 mg	3.22	100	V <u>I</u>	Norpress .

180

**✓** Norpress

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
Monoamine-Oxidase Inhibitors (MAOIs) - Non S	Selective			
PHENELZINE SULPHATE				
* Tab 15 mg	95.00	100	~	Nardil
TRANYLCYPROMINE SULPHATE  * Tab 10 mg	22.94	50	~	Parnate
Monoamine-Oxidase Type A Inhibitors				
MOCLOBEMIDE				
* Tab 150 mg	85.10	500	~	Apo-Moclobemide
* Tab 300 mg	30.70	100	~	Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE				
* Tab 20 mg	1.79	84	~	PSM Citalopram
ESCITALOPRAM				
* Tab 10 mg		28	~	Air Flow Products
* Tab 20 mg	2.40	28	~	Air Flow Products
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement		30		Arrow-Fluoxetine
<ol> <li>When prescribed for a patient who cannot swallow who or</li> </ol>	le tablets or capsules a	nd the	prescript	ion is endorsed according
When prescribed in a daily dose that is not a multiple of Note: Tablets should be combined with capsules to facilities.				is deemed to be endorse
* Cap 20 mg	1.99	90	~	Arrow-Fluoxetine
PAROXETINE HYDROCHLORIDE				
* Tab 20 mg	4.32	90	~	Loxamine
SERTRALINE				
Tab 50 mg	3.05	90	~	Arrow-Sertraline
Tab 100 mg	5.25	90	<b>/</b>	Arrow-Sertraline
Other Antidepressants				
MIRTAZAPINE				
Tab 30 mg	2.55	30	~	Apo-Mirtazapine
Tab 45 mg	3.25	30	~	Apo-Mirtazapine

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Generic
VENLAFAXINE				
Tab 37.5 mg	5.06	28	•	Arrow-Venlafaxine XR
Tab 75 mg	6.44	28	•	Arrow-Venlafaxine XR
Tab 150 mg	8.86	28	•	Arrow-Venlafaxine XR
Tab 225 mg	14.34	28	•	Arrow-Venlafaxine XR
Cap 37.5 mg - Special Authority see SA1061 below - Retail				
pharmacy	5.69	28	<b>/</b>	Efexor XR
Cap 75 mg - Special Authority see SA1061 below - Retail pharmacy	11.40	28	<b>~</b>	Efexor XR
Cap 150 mg - Special Authority see SA1061 below - Retail				
pharmacy	13.98	28	<b>/</b>	Efexor XR

### **⇒**SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
  - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
  - 2.2 Both:
    - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
    - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

# **Antiepilepsy Drugs**

# Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml19.00	5	✔ Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement11.83 a) Up to 5 inj available on a PSO b) Only on a PSO	5	✓ Hospira
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg - Up to 5 tube available on a PSO25.05	5	Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO30.50	5	Stesolid
PARALDEHYDE		
* Inj 5 ml1,500.00	5	✓ AFT

	Subsidy		Fully	Brand or
	(Manufacturer's Price	,	Subsidised	Generic
	\$	Per		Manufacturer
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available on a	a			
PSO		5	✓ <u>H</u>	<u>ospira</u>
* Inj 50 mg per ml, 5 ml ampoule - Up to 5 inj available on a	a			
PSO	133.92	5	<b>✓</b> <u>H</u>	<u>ospira</u>
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓ Te	egretol
* Tab long-acting 200 mg		100		egretol CR
* Tab 400 mg		100		egretol
* Tab long-acting 400 mg		100		egretol CR
*‡ Oral liq 20 mg per ml		250 ml		egretol
CLOBAZAM - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 10 mg	. ,	50	<b>✓</b> Fi	risium
‡ Safety cap for extemporaneously compounded oral liqui			•	
CLONAZEPAM – Safety medicine; prescriber may determine dis				
† Oral drops 2.5 mg per ml		10 ml OP	<b>√</b> R	ivotril
1 01		10 1111 01	•	
ETHOSUXIMIDE	16.45	100	7	arontin
Cap 250 mg		200		arontin arontin
+ Oval lia 050 ma nov 5 ml	32.90	200 ml		arontin arontin
‡ Oral liq 250 mg per 5 ml		200 1111	V 2	aronun
GABAPENTIN - Special Authority see SA1477 below - Retail p				
▲ Cap 100 mg	7.16	100		rrow-Gabapentin
				eurontin
			✓ N	upentin
▲ Cap 300 mg – For gabapentin oral liquid formulation refer			4 -	
page 222	11.00	100		rrow-Gabapentin
				eurontin
				upentin
▲ Cap 400 mg	13.75	100		rrow-Gabapentin
				eurontin
			<b>∨</b> N	upentin

### **⇒**SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

#### Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

### Either:

1 The patient has been diagnosed with neuropathic pain; or

#### **NERVOUS SYSTEM**

Subsidy		Fully	Brand or
(Manufacturer's Price)	5	Subsidised	Generic
\$	Per	<b>/</b>	Manufacturer

continued...

- 2 Both:
  - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus\* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
  - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with \* are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LA(	COSAMIDE  – Special Authority see SA1125 below – I	Retail pharmacy		
$\blacktriangle$	Tab 50 mg	25.04	14	Vimpat
$\blacktriangle$	Tab 100 mg	50.06	14	✓ Vimpat
	•	200.24	56	✓ Vimpat
$\blacktriangle$	Tab 150 mg	75.10	14	Vimpat
	· ·	300.40	56	✓ Vimpat
$\blacktriangle$	Tab 200 mg	400.55	56	✓ Vimpat

### ⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturer's Price)		Fully Subsidised	d Generic
	\$	Per		Manufacturer
LAMOTRIGINE				
▲ Tab dispersible 2 mg		30		Lamictal
▲ Tab dispersible 5 mg	9.64	30		Lamictal
	15.00	56		Arrow-Lamotrigine
▲ Tab dispersible 25 mg		56		Motrig
	19.38			Logem
	20.40			Arrow-Lamotrigine
	29.09			Lamictal
▲ Tab dispersible 50 mg	24.73	56		Motrig
	32.97			Logem
	34.70			Arrow-Lamotrigine
	47.89			Lamictal
▲ Tab dispersible 100 mg	42.34	56	~	Motrig
	56.91		~	Logem
	59.90		~	Arrow-Lamotrigine
	79.16		~	Lamictal
LEVETIRACETAM				
Tab 250 mg	24 03	60	<b>✓</b>	Everet
Tab 500 mg – For levetiracetam oral liquid formulation refer,		00	•	210.01
page 222		60	<b>4</b>	Everet
Tab 750 mg		60	-	Everet
Tab 1,000 mg		60	-	Everet
•		00		LVCICE
PHENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, page				
* Tab 15 mg		500		PSM
* Tab 30 mg	31.00	500	~	<u>PSM</u>
PHENYTOIN SODIUM				
* Tab 50 mg	50.51	200	~	Dilantin Infatab
Cap 30 mg		200	1	Dilantin
Cap 100 mg		200	1	Dilantin
*‡ Oral lig 30 mg per 5 ml		500 m	1	Dilantin
PRIMIDONE	17.05	100		Ana Deimidana
* Tab 250 mg	17.25	100	•	Apo-Primidone
SODIUM VALPROATE				
Tab 100 mg	13.65	100	~	Epilim Crushable
Tab 200 mg EC	27.44	100	~	Epilim
Tab 500 mg EC	52.24	100	~	Epilim
*‡ Oral liq 200 mg per 5 ml	20.48	300 m	<b>'</b>	Epilim S/F Liquid
			~	Epilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	<b>/</b>	Epilim IV
STIRIPENTOL - Special Authority see SA1330 on the next page	- Retail pharmacy			•
, , ,		60		Discomit coo
Cap 250 mg		60		Diacomit S29
Powder for oral liq 250 mg sachet	509.29	60	•	Diacomit \$29

#### NERVOUS SYSTEM

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

### ⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

#### **TOPIRAMATE**

$\blacktriangle$	Tab 25 mg	11.07	60	Arrow-Topiramate
	-			✓ Topiramate Actavis
		26.04		✓ Topamax
$\blacktriangle$	Tab 50 mg	18.81	60	✓ Arrow-Topiramate
				✓ Topiramate Actavis
		44.26		✓ Topamax
$\blacktriangle$	Tab 100 mg	31.99	60	✓ Arrow-Topiramate
	-			✓ Topiramate Actavis
		75.25		✓ Topamax
$\blacktriangle$	Tab 200 mg	55.19	60	✓ Arrow-Topiramate
	-			✓ Topiramate Actavis
		129.85		✓ Topamax
$\blacktriangle$	Sprinkle cap 15 mg	20.84	60	✓ Topamax
	Sprinkle cap 25 mg		60	✓ Topamax
VIG	GABATRIN - Special Authority see SA1072 below - Re	etail pharmacy		
	Tab 500 mg		100	✓ Sabril

### ⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Fither:
  - 1.1 Patient has infantile spasms; or
  - 1.2 Both:
    - 1.2.1 Patient has epilepsy; and
    - 1.2.2 Fither:
      - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
      - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
  - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6monthly basis thereafter); or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

(Mar	Subsidy nufacturer's Price)	Fu Subsidis	ully	Brand or Generic
	\$	Per	~	Manufacturer

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
  - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
  - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

### **Antimigraine Preparations**

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 122

Acute Migraine Treatment		
ERGOTAMINE TARTRATE WITH CAFFEINE		
Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
		✓ Cafergot S29 S29
RIZATRIPTAN		
Tab orodispersible 10 mg3.24	12	✓ Rizamelt
8.10	30	✓ Rizamelt
SUMATRIPTAN		
Tab 50 mg29.80	100	Arrow-Sumatriptan
Tab 100 mg54.80	100	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml cartridge – Maximum of 10 inj per		4.
prescription	2 OP	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per	0.00	A Own Pharma
prescription13.80	2 OP	✓ Sun Pharma S29
Prophylaxis of Migraine		
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 59		
PIZOTIFEN		
* Tab 500 mcg23.21	100	✓ <u>Sandomigran</u>
Antinausea and Vertigo Agents		
For Antispasmodics refer to ALIMENTARY TRACT, page 22		
APREPITANT - Special Authority see SA0987 on the next page - Retail pharmacy		
Cap 2 $\times$ 80 mg and 1 $\times$ 125 mg100.00	3 OP	✓ Emend Tri-Pack

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

#### **⇒**SA0987 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE  * Tab 16 mg4.95	84	✓ <u>Vergo 16</u>
CYCLIZINE HYDROCHLORIDE Tab 50 mg	20	✓ Nauzene
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml14.95	5	✓ Nausicalm
DOMPERIDONE		
* Tab 10 mg - For domperidone oral liquid formulation refer, page 222	100	✓ <u>Prokinex</u>
GRANISETRON		
* Tab 1 mg	50	✓ Granirex
HYOSCINE HYDROBROMIDE		
* Inj 400 mcg per ml, 1 ml ampoule46.50	5	Hospira
93.00	10	✓ Martindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retail		
pharmacy11.95	2	✓ Scopoderm TTS

### **⇒**SA1387 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

#### METOCLOPRAMIDE HYDROCHLORIDE

The second of the second of the second of the second second of the secon

*	lab 10 mg - For metoclopramide hydrochloride oral liquid			
	formulation refer, page 222	1.82	100	✓ Metamide
*	Inj 5 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO		10	✓ <u>Pfizer</u>
ON	DANSETRON			
*	Tab 4 mg	.5.51	50	✓ Onrex
*	Tab disp 4 mg	.1.00	10	✓ Dr Reddy's
				Ondansetron
*	Tab 8 mg		50	✓ Onrex
*	Tab disp 8 mg	.1.50	10	✓ Ondansetron
				ODT-DRLA
PR	OCHLORPERAZINE			
*	Tab 3 mg buccal	.5.97	50	
	(1	15.00)		Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	.9.75	500	✓ Antinaus
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO	25.81	10	✓ Stemetil

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20 (6.24)	10	А	vomine
Antipsychotics				
General				
AMISULPRIDE - Safety medicine; prescriber may determine dis	pensing frequency			
Tab 100 mg	4.56	30		olian ulprix
Sulprix to be Sole Supply on 1 February 2017				•
Tab 200 mg	14.75	60		olian ulprix
Sulprix to be Sole Supply on 1 February 2017				
Tab 400 mg	27.70	60		olian ulprix
Sulprix to be Sole Supply on 1 February 2017				•
Oral liq 100 mg per ml(Solian Tab 100 mg to be delisted 1 February 2017) (Solian Tab 200 mg to be delisted 1 February 2017) (Solian Tab 400 mg to be delisted 1 February 2017)	65.53	60 ml	<b>√</b> <u>\$</u>	<u>olian</u>
ARIPIPRAZOLE – Special Authority see SA1539 below – Retail Safety medicine; prescriber may determine dispensing frequing	,			
Tab 5 mg - No more than 1 tab per day	123.54	30		bilify
Tab 10 mg		30		bilify
Tab 15 mg		30		bilify
Tab 20 mg	213.42	30	<b>✓</b> A	bilify

## ■ SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Patient is suffering from schizophrenia or related psychoses; and

- 2 Either:
  - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
  - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder\*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder\* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

continued...

30

' Abilify

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder\*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with \* are Unapproved Indications

Note: Indications marked with * are Unapproved Indications			
CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescr	riber may dete	ermine dispens	sing frequency
Tab 10 mg - Up to 30 tab available on a PSO	12.36	100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓ Largactil
CLOZAPINE – Hospital pharmacy [HP4]			-
Safety medicine; prescriber may determine dispensing frequence	v		
Tab 25 mg	•	50	✓ Clozaril
1ab 25 mg	6.69	30	✓ Clopine
	11.36	100	✓ Clozaril
	13.37	100	✓ Clopine
Tab 50 mg		50	✓ Clopine
1ab 50 Hig	17.33	100	✓ Clopine
Tab 100 mg		50	✓ Clopine ✓ Clozaril
1ab 100 mg	17.33	50	✓ Clopine
	29.45	100	✓ Clopine ✓ Clozaril
	29.45 34.65	100	✓ Clopine
Tab 200 mg		50	✓ Clopine
1ab 200 mg		50	
Cuananaian E0 mg nay ml	69.30	100	✓ Clopine
Suspension 50 mg per ml		100 ml	✓ Clopine
HALOPERIDOL - Safety medicine; prescriber may determine dispe			
Tab 500 mcg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO	9.43	100	Serenace
Tab 5 mg - Up to 30 tab available on a PSO	29.72	100	Serenace
Oral liq 2 mg per ml - Up to 200 ml available on a PSO		100 ml	Serenace
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	21.55	10	Serenace
LEVOMEPROMAZINE HYDROCHLORIDE - Safety medicine; pres	criber may de	termine disne	nsing frequency
Inj 25 mg per ml, 1 ml ampoule	•	10	✓ Wockhardt
LEVOMEPROMAZINE MALEATE – Safety medicine; prescriber ma			
Tab 25 mg		100	Nozinan
Tab 100 mg		100	✓ Nozinan
LITHIUM CARBONATE - Safety medicine; prescriber may determin	e dispensing	frequency	
Tab 250 mg	34.30	500	✓ Lithicarb FC
Tab 400 mg	12.83	100	✓ Lithicarb FC
Tab long-acting 400 mg	19.20	100	Priadel
Cap 250 mg	9.42	100	✓ Douglas
OLANZAPINE – Safety medicine; prescriber may determine dispens	sina fraguency	,	
Tab 2.5 mg		28	✓ Zypine
Tab 5 mg		28	✓ Zypine ✓ Zypine
Tab orodispersible 5 mg		28	✓ Zypine ODT
Tab 10 mg		28	✓ Zypine ODT
Tab orodispersible 10 mg		28	✓ Zypine ODT
ian orogishersine to tild	3.00	20	₩ <u>∠ypine obi</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
PERICYAZINE – Safety medicine; prescriber may determine disp	ensing frequency			
Tab 2.5 mg		100	<b>✓</b> N	Neulactil
Tab 10 mg	44.45	100	<b>✓</b> 1	<b>Neulactil</b>
QUETIAPINE - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 25 mg	2.10	90	V (	Quetapel
Tab 100 mg	4.20	90	V (	Quetapel
Tab 200 mg	7.20	90	V (	Quetapel
Tab 300 mg	12.00	90	<b>V</b>	Quetapel
RISPERIDONE - Safety medicine; prescriber may determine disp	ensing frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927	0 , ,			
below - Retail pharmacy	21.42	28	<b>✓</b> F	Risperdal Quicklet
Tab 0.5 mg		60		Actavis
Tab 1 mg		60	V 1	Actavis
Tab orodispersible 1 mg - Special Authority see SA0927				
below - Retail pharmacy	42.84	28	<b>✓</b> F	Risperdal Quicklet
Tab 2 mg	2.34	60	V <u>I</u>	Actavis
Tab orodispersible 2 mg - Special Authority see SA0927				
below - Retail pharmacy	85.71	28	<b>✓</b> F	Risperdal Quicklet
Tab 3 mg	2.55	60	V <u>I</u>	<u>Actavis</u>
Tab 4 mg	3.50	60	V <u>I</u>	<u>Actavis</u>
Oral liq 1 mg per ml	9.75	30 ml	<b>✓</b> <u>F</u>	Risperon_
(Risperdal Quicklet Tab orodispersible 0.5 mg to be delisted 1 June	e 2017)			

## ⇒SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

(Risperdal Quicklet Tab orodispersible 1 mg to be delisted 1 June 2017) (Risperdal Quicklet Tab orodispersible 2 mg to be delisted 1 June 2017)

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

TRIFLUOPERAZINE HYDROCHLORIDE - Safety medicine: prescriber may determine dispensing frequency

Tab 1 mg9.83	100	Stelazine
11.01	112	✓ Mercury
		Pharma S29
Tab 2 mg14.64	100	Stelazine
Tab 5 mg16.66	100	Stelazine

147

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
IPRASIDONE - Safety medicine; prescriber may determine d	lispensing frequency			
Cap 20 mg	14.56	60	<b>√</b> <u>Z</u>	<u>'usdone</u>
Cap 40 mg		60	<b>✓</b> <u>Z</u>	<u>!usdone</u>
Cap 60 mg	33.87	60	<b>✓</b> <u>Z</u>	<u>'usdone</u>
Cap 80 mg	39.74	60	<b>✓</b> <u>Z</u>	<u>!usdone</u>
UCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; pr	rescriber may determin	e disp		
Tab 10 mg	31.45	100	<b>~</b> (	Clopixol
Depot Injections				
LUPENTHIXOL DECANOATE - Safety medicine; prescriber	may determine dispens	ing fre	quency	
Inj 20 mg per ml, 1 ml - Up to 5 inj available on a PSO	13.14	5	` <b>✓</b> F	luanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO		5	<b>✓</b> F	luanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	40 87	5	✓ F	luanxol
, ,		-	• .	
LUPHENAZINE DECANOATE – Subsidy by endorsement  a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine de endorsed accordingly. Pharmacists may annotate the prese of fluphenazine decanoate.	requency ecanoate prior to 1 De		r 2016 and	
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate. Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P	requency ecanoate prior to 1 De cription as endorsed wi SO17.60	nere th 5	er 2016 and here exists a	a record of prior dispension
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate. Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO	requency ecanoate prior to 1 Decription as endorsed will SO17.60 27.90	nere th	er 2016 and here exists a	a record of prior dispension Modecate Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the pres	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.90	nere th 5 5 5	er 2016 and here exists a	a record of prior dispension  Modecate  Modecate  Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine de endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO  Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.9077.25	nere th 5 5	er 2016 and here exists a	a record of prior dispension Modecate Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the pres	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.9077.25	nere th 5 5 5	er 2016 and here exists a	a record of prior dispension  Modecate  Modecate  Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine de endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO  Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.9077.25154.50 / 2017)	5 5 5 5 5	er 2016 and here exists a	a record of prior dispension  Modecate  Modecate  Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO  Modecate (\$29 Inj 25 mg per ml, 2 ml to be delisted 1 January IALOPERIDOL DECANOATE – Safety medicine; prescriber m Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.9077.25154.50 / 2017) hay determine dispensi28.39	5 5 5 5 5	er 2016 and here exists a	a record of prior dispension  Modecate  Modecate  Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine de endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Modecate (229 Inj 25 mg per ml, 2 ml to be delisted 1 January IALOPERIDOL DECANOATE – Safety medicine; prescriber m	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.9077.25154.50 / 2017) hay determine dispensi28.39	nere th 5 5 5 5 5	er 2016 and lere exists a	a record of prior dispension Modecate Modecate Modecate \$29 Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a Pso Inj 25 mg per ml, 1 ml – Up to 5 inj available on a Pso Inj 25 mg per ml, 2 ml – Up to 5 inj available on a Pso Inj 100 mg per ml, 1 ml – Up to 5 inj available on a Pso  Modecate (S29) Inj 25 mg per ml, 2 ml to be delisted 1 January IALOPERIDOL DECANOATE – Safety medicine; prescriber m Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PsO	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.9077.25154.50 / 2017) hay determine dispensi28.39	sere the series of the series	er 2016 and lere exists a lere	a record of prior dispension  Modecate  Modecate  Modecate  Modecate  Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a Pso Inj 25 mg per ml, 1 ml – Up to 5 inj available on a Pso Inj 25 mg per ml, 2 ml – Up to 5 inj available on a Pso Inj 100 mg per ml, 1 ml – Up to 5 inj available on a Pso  Modecate (S29) Inj 25 mg per ml, 2 ml to be delisted 1 January IALOPERIDOL DECANOATE – Safety medicine; prescriber m Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PsO	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.90	sere the series of the series	er 2016 and lere exists a lere	a record of prior dispension  Modecate  Modecate  Modecate  Modecate  Modecate  Modecate  Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a Pso Inj 25 mg per ml, 1 ml – Up to 5 inj available on a Pso Inj 25 mg per ml, 2 ml – Up to 5 inj available on a Pso Inj 100 mg per ml, 1 ml – Up to 5 inj available on a Pso  Modecate (S29) Inj 25 mg per ml, 2 ml to be delisted 1 January IALOPERIDOL DECANOATE – Safety medicine; prescriber m Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PsO	requency ecanoate prior to 1 Decription as endorsed will SO	sere the series of the series	er 2016 and lere exists a lere	a record of prior dispension  Modecate  Modecate  Modecate  Modecate  Modecate  Modecate  Modecate  Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine di endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO  Modecate (\$29 Inj 25 mg per ml, 2 ml to be delisted 1 January IALOPERIDOL DECANOATE – Safety medicine; prescriber m Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO SLANZAPINE – Special Authority see SA1428 below – Retail Safety medicine; prescriber may determine dispensing freq	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.9077.25154.50 / 2017) hay determine dispensi28.39	sere the series of the series	er 2016 and lere exists a lere	a record of prior dispension  Modecate  Modecate
LUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing fi b) Subsidised for patients who were taking fluphenazine de endorsed accordingly. Pharmacists may annotate the presc of fluphenazine decanoate.  Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO  Modecate (29) Inj 25 mg per ml, 2 ml to be delisted 1 January IALOPERIDOL DECANOATE – Safety medicine; prescriber m Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	requency ecanoate prior to 1 Decription as endorsed will SO17.6027.9077.25154.50 / 2017) hay determine dispensi28.39	sere the series of the series	er 2016 and lere exists a North Nort	a record of prior dispension  Modecate  Modecate  Modecate  Modecate  Modecate  Modecate  Modecate  Modecate

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia; and
  - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

**Renewal** from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

✓ Zyprexa Relprevv

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PALIPERIDONE - Special Authority see SA1429 be	elow – Retail pharmacy			
Safety medicine; prescriber may determine disp	ensing frequency			
Inj 25 mg syringe	194.25	1	<b>✓</b> In	vega Sustenna
Inj 50 mg syringe	271.95	1	✓ In	vega Sustenna
Inj 75 mg syringe	357.42	1	<b>✓</b> In	vega Sustenna
Inj 100 mg syringe	435.12	1	<b>✓</b> In	vega Sustenna
Inj 150 mg syringe	435.12	1	🗸 In	vega Sustenna

## ⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder; and
  - 2.2 Has tried but failed to comply with treatment using oral atvoical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

## PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate. ✔ Pinortil

Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	353.32 10	✔ Piportil
RISPERIDONE - Special Authority see SA1427 on the next p	age - Retail pharmacy	
Safety medicine; prescriber may determine dispensing fre	quency	
Inj 25 mg vial	135.98 1	Risperdal Consta
Inj 37.5 mg vial	178.71 1	Risperdal Consta
lni 50 mg vial	217.56 1	✓ Risperdal Consta

10

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

### ⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
  - 2.1 The patient has schizophrenia or other psychotic disorder: and
  - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
  - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml − Up to 5 inj available on a PSO.......19.80 5 **Clopixol** 

## **Anxiolytics**

ALDD AZOL	1 1 1 1	Cuboidy	hu	endorsement
ALFRAZU		Subsidy	IJ٧	endorsement

a) Safety medicine; prescriber may determine dispensing frequency

± Safety cap for extemporaneously compounded oral liquid preparations.

b) Subsidised for patients who were taking alprazolam prior to 1 December 2016 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of alprazolam.

, , , p p		
Tab 250 mcg		Xanax
‡ Safety cap for extemporaneously compounded oral liq	uid preparations.	
Tab 500 mcg		✓ Xanax
‡ Safety cap for extemporaneously compounded oral liq		
Tab 1 mg	5.00 50	✓ Xanax
‡ Safety cap for extemporaneously compounded oral liq		
BUSPIRONE HYDROCHLORIDE		
* Tab 5 mg	23.80 100	✓ Orion
* Tab 10 mg	14.96 100	✓ Orion
CLONAZEPAM - Safety medicine; prescriber may determine of	lispensing frequency	
Tab 500 mcg	7.53 100	✓ Paxam
Tab 2 mg		✓ Paxam
DIAZEPAM - Safety medicine; prescriber may determine dispe	ensing frequency	
Tab 2 mg	. ,	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liq		•
Tab 5 mg		Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liq		
LORAZEPAM - Safety medicine; prescriber may determine dis	spensing frequency	
Tab 1 mg		✓ Ativan
Safety cap for extemporaneously compounded oral liquid compound		
Tab 2.5 mg		✓ Ativan
100 E.0 119		- Autum

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
OXAZEPAM – Safety medicine; prescriber may determine dispens	sing frequency			
Tab 10 mg	6.17	100	<b>✓</b> <u>0</u> :	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			
Tab 15 mg	8.53	100	<b>✓</b> 0:	x-Pam
† Safety cap for extemporaneously compounded oral liquid	preparations.			

## **Multiple Sclerosis Treatments**

## ⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

#### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

## **Stopping Criteria**

## Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any
  of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or f) 3.0 to 4.5; or
  - a) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to dimethyl fumarate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

#### ⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a> or:

The coordinator

Phone: 04 460 4990 Facsimile: 04 916 7571

Multiple Sclerosis Treatment Assessment Committee PHARMAC PO Box 10 254

Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

**Entry Criteria** 

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- ii) a Diffusion Weighted Imaging positive lesion; or
- iii) a T2 lesion with associated local swelling; or
- iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
- v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse:
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to fingolimod; and
- g) patients must have not previously had intolerance to fingolimod; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

## Stopping Criteria

## Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5: or
  - f) 3.0 to 4.5: or
  - a) 3.5 to 4.5; or
  - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to fingolimod; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 on the next page - Retail pharmacy 1 Tysabri

153

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

## ⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- g) patients must have no previous history of lack of response to natalizumab; and
- h) patients must have not previously had intolerance to natalizumab; and
  - a) Patient is JC virus negative, or
    - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- i) patient must not be co-prescribed beta interferon or glatiramer acetate.

## Stopping Criteria

## Any of the following:

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

#### continued...

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5: or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5: or h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to natalizumab; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

28

' Aubagio

## ■SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC), Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

### **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
  - c) last at least one week:
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to teriflunomide; and
- g) patients must have not previously had intolerance to teriflunomide; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

## Stopping Criteria

## Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5; or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5: or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to teriflunomide: or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

## Other Multiple Sclerosis Treatments

## ⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:



Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

The coordinator

Multiple Sclerosis Treatment Assessment Committee

Phone: 04 460 4990 Facsimile: 04 916 7571

PHARMAC PO Box 10 254

Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

## **Entry Criteria**

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
  - a) EDSS score 0 4.0 and:
    - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
    - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
      - i) a gadolinium enhancing lesion; or
      - ii) a Diffusion Weighted Imaging positive lesion; or
      - iii) a T2 lesion with associated local swelling; or
      - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
      - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
  - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
  - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
  - c) last at least one week;
  - d) start at least one month after the onset of a previous relapse;
  - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
  - f) be distinguishable from the effects of general fatigue; and
  - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- g) patients must have either:
  - a) intolerance to both natalizumab and fingolimod; or
  - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- h) patient will not be co-prescribed natalizumab or fingolimod.

## **Stopping Criteria**

## Any of the following:

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression
  of disability is defined as progress by any of the following EDDSS Points:
  - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
  - b) 1.0 to 3.0; or
  - c) 1.5 to 3.5: or
  - d) 2.0 to 4.0; or
  - e) 2.5 to 4.5; or
  - f) 3.0 to 4.5; or
  - g) 3.5 to 4.5; or h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE - Special Authority see SA1564	on page 156 - [Xpharm]		
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	A1564 on page 156 – [Xp	harm]	
Inj 6 million iu prefilled syringe	1,170.00	4	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial		4	✓ Avonex
INTERFERON BETA-1-BETA - Special Authority see SA1	564 on page 156 - [Xph	arm]	
Inj 8 million iu per 1 ml	1,322.89	15	Betaferon

LORMETAZEPAM - Safety medicine: prescriber may determine dispensing frequency

# **Sedatives and Hypnotics**

LOT INIL INZET ANT Outcly inculation, prescriber may a	otorrinio disperioning frequent	o y	
Tab 1 mg	3.11	30	
-	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded	oral liquid preparations.		
MIDAZOLAM - Safety medicine; prescriber may deterr	nine dispensing frequency		
Inj 1 mg per ml, 5 ml ampoule	4.30	10	✓ Hypnovel
			✓ Midazolam-Claris
	10.00		✓ Pfizer
Inj 5 mg per ml, 3 ml ampoule	2.50	5	✓ Hypnovel
			✓ Midazolam-Claris
	11.90		✔ Pfizer
NITRAZEPAM - Safety medicine; prescriber may deter	mine dispensing frequency		
Tab 5 mg‡ Safety cap for extemporaneously compounded		100	✓ <u>Nitrados</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PHENOBARBITONE SODIUM - Special Authority see SA1386	below – Retail pharma	су			
Inj 200 mg per ml, 1 ml ampoule	46.20	10	✓ M	artindale \$29	

## **⇒**SA1386 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Both:

- 1 For the treatment of terminal agitation that is unresponsive to other agents; and
- 2 The applicant is part of a multidisciplinary team working in palliative care.

11 1 1 3 1		
TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequency		4
Tab 10 mg1.27	25	✓ Normison
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
TRIAZOLAM - Safety medicine; prescriber may determine dispensing frequency		
Tab 125 mcg5.10	100	
(9.85)		Hypam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 250 mcg4.10	100	
(11.20)		Hypam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
ZOPICLONE - Safety medicine; prescriber may determine dispensing frequency		
Tab 7.5 mg8.99	500	✓ Zopiclone Actavis

## Stimulants/ADHD Treatments

## Stimulants/ADHD treatments

ATOMOXETINE - Special Authority see SA1416 b	pelow – Retail pharmacy		
Cap 10 mg	107.03	28	Strattera
Cap 18 mg	107.03	28	✓ Strattera
Cap 25 mg		28	✓ Strattera
Cap 40 mg		28	✓ Strattera
Cap 60 mg		28	✓ Strattera
Cap 80 mg		28	✓ Strattera
Cap 100 mg		28	✓ Strattera

## **■**SA1416 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
  - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
  - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
  - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

## **⇒**SA1149 Special Authority for Subsidy

**Initial application** — **(ADHD in patients 5 or over)** only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

**Initial application — (Narcolepsy)** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

**Renewal — (ADHD in patients under 5)** only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

**Renewal** — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Brand or

✔ Ritalin SR

Fully

	(Manufacturer's Price) \$	Sul Per	bsidised Generic  Manufacturer
METHYLPHENIDATE HYDROCHLORIDE – Special Authority see a) Only on a controlled drug form b) Safety medicine; prescriber may determine dispensing frequ		tail phar	macy
Tab immediate-release 5 mg	3.20	30	Rubifen
Tab immediate-release 10 mg		30	Ritalin
·			Rubifen
Tab immediate-release 20 mg	7.85	30	Rubifen
Tab sustained-release 20 mg	10.95	30	Rubifen SR

Subsidy

50.00

100

### ⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Fither:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

161

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

b) dalety inculcine, prescriber may determine dispensing	irequeries		
Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg	65.44	30	Concerta
Tab extended-release 36 mg	71.93	30	Concerta
Tab extended-release 54 mg	86.24	30	Concerta
Cap modified-release 10 mg		30	Ritalin LA
Cap modified-release 20 mg		30	Ritalin LA
Cap modified-release 30 mg		30	Ritalin LA
Cap modified-release 40 mg		30	Ritalin LA

## ⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
  - 3.1 Applicant is a paediatrician or psychiatrist; or
  - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and

#### 4 Fither:

- 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or
- 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
  - 2.1 Applicant is a paediatrician or psychiatrist; or
  - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL – Special Authority see SA1126 below – Retail pharmacy			
Tab 100 mg72	.50	30	✓ Modavigil

## ⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more: and
- 2 Either:
  - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
  - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

Subsidy		Fully	Brand or	
(Manufacturer's Price	)	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 3 Fither:
  - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
  - 3.2 Methylphenidate and dexamfetamine are contraindicated.

**Renewal** only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

## Treatments for Dementia

DONEPEZIL HYDROCHLORIDE			
* Tab 5 mg	5.48	90	Donepezil-Rex
* Tab 10 mg	10.51	90	✓ Donepezil-Rex
RIVASTIGMINE - Special Authority see SA1488 below -	Retail pharmacy		
Patch 4.6 mg per 24 hour	90.00	30	Exelon
Patch 9.5 mg per 24 hour	90.00	30	✓ Exelon

## **⇒**SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

## **Treatments for Substance Dependence**

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

		ic disperioring frequency	b) Galety medianic, presenter may determine a
Suboxone	28	57.40	Tab sublingual 2 mg with naloxone 0.5 mg
Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

## ⇒SA1203 Special Authority for Subsidy

**Initial application — (Detoxification)** from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

**Initial application — (Maintenance treatment)** from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone: and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone):
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

## BUPROPION HYDROCHLORIDE

Tab modified-release 150 mg	4.97	30	Zyban
DISULFIRAM Tab 200 mg	24.30	100	✓ Antabuse
NALTREXONE HYDROCHLORIDE - Special Authority see Sa	A1408 below – Retai	l pharmacy	
Tab 50 mg	76.00	30	✓ Naltraccord

#### ⇒SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
  - 2.1 Patient is still unstable and requires further treatment; or
  - 2.2 Patient achieved significant improvement but requires further treatment; or
  - 2.3 Patient is well controlled but requires maintenance therapy.

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	<b>✓</b>	Manufacturer	

#### NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Thought will not be furface under the Dispersing Frequency Fr	aic iii airioanto i	ood than + W	cono oi irodiinoni
Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	✓ <u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO	11.31	28	✓ <u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	✓ Habitrol
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	✓ <u>Habitrol</u>
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	✓ <u>Habitrol</u>
Gum 2 mg (Classic) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 4 mg (Classic) - Up to 384 piece available on a PSO	25.67	384	✓ <u>Habitrol</u>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	✓ <u>Habitrol</u>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
hitsel Own Own (Observa) to be delicted AMench 0047)			·

(Habitrol Gum 2 mg (Classic) to be delisted 1 March 2017)

(Habitrol Gum 4 mg (Classic) to be delisted 1 March 2017)

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

✓ Champix	28	Tab 1 mg	Tab '
Champix	56	135.48	
Champix	25 OP	Tab 0.5 mg $\times$ 11 and 1 mg $\times$ 1460.48	Tab (

## ■ SA1575 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
  - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
  - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

**Renewal** from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and

continued...

165

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

## **Chemotherapeutic Agents**

## **Alkylating Agents**

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			•
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
, ,	20.00		✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	DBL Carboplatin
	19.50		✓ Carbaccord
	22.50		Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	DBL Carboplatin
	48.50		Carbaccord
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml vial	12.20	1	✓ DBL Cisplatin
iiij i iiig pei iiii, 50 iiii viai	15.00	'	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
ing i mg por mi, roo mi viai	22.46	•	✓ DBL Cisplatin
Inj 1 mg for ECP		1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		3	
	70.00	FO	✓ Endoxan S29
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	
Western deimakle and mile 0.000 an man 10	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13	25.02	1	✓ Endoxan
Inj 1 g vial – PCT – Retail pharmacy-Specialist	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
, , ,		11119	<b>♥</b> Buxter
IFOSFAMIDE – PCT only – Specialist	00.00	4	. 4 11-1
Inj 1 g		1	✓ Holoxan
Inj 2 gInj 1 mg for ECP		1 mg	<ul><li>✓ Holoxan</li><li>✓ Baxter</li></ul>
, ,	0.10	ring	Daxiei
LOMUSTINE - PCT - Retail pharmacy-Specialist			4.4
Cap 10 mg		20	CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	67.80	1	✓ Alkeran
	3,068.83		Mylan
			Melphalan S29

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
OXALIPLATIN – PCT only – Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	<b>V</b> 0	xaliccord
Inj 50 mg vial		1	<b>~</b> 0	)xaliplatin Actavis 50
	55.00		<b>~</b> 0	xaliplatin Ebewe
	200.00		<b>√</b> E	loxatin
Inj 100 mg vial	25.01	1	<b>~</b> 0	)xaliplatin Actavis 100
	110.00		<b>~</b> 0	xaliplatin Ebewe
	400.00		<b>√</b> E	loxatin
Inj 5 mg per ml, 20 ml vial	16.00	1	<b>V</b> 0	xaliccord
Inj 1 mg for ECP(Eloxatin Inj 50 mg vial to be delisted 1 April 2017) (Eloxatin Inj 100 mg vial to be delisted 1 April 2017)		1 mg	<b>✓</b> B	Baxter
THIOTEPA - PCT only - Specialist				
Inj 15 mg vial	CBS	1	<b>✓</b> T	Sedford \$29 CHIO-TEPA \$29 Cepadina \$29
Inj 100 mg vial	CBS	1	<b>✓</b> T	epadina S29

## **Antimetabolites**

AZACITIDINE - PCT only - Specialist - Special Authority see SA1467	below	
Inj 100 mg vial60	05.00 1 🗸 Vidaza	ı
Inj 1 mg for ECP	.6.66 1 mg	ŕ

## **⇒**SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome: or
  - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
  - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

#### Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy (Manufacturer's Pric	e) Sub Per	Fully Brand or sidised Generic  Manufacturer
CALCIUM FOLINATE			
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	✓ DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	✓ Hospira
Inj 50 mg - PCT - Retail pharmacy-Specialist	18.25	5	✓ Calcium Folinate
Inj 100 mg - PCT only - Specialist	7.33	1	<u>Ebewe</u> ✔ Calcium Folinate
ing rooming in our only opposition	7.00		Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	✓ Calcium Folinate
			Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ Baxter
APECITABINE - Retail pharmacy-Specialist		-	
Tab 150 mg	11.15	60	✓ Brinov
•	30.00		✓ Capecitabine Winthrop
Tab 500 mg	62.28	120	✓ Brinov
· ·	120.00		<ul><li>Capecitabine Winthrop</li></ul>
CLADRIBINE - PCT only - Specialist			
Inj 1 mg per ml, 10 ml	5,249.72	7	✓ Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓ Baxter
YTARABINE			
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis	t55.00	5	✔ Pfizer
	80.00		✓ Hospira
Inj 500 mg - PCT - Retail pharmacy-Specialist		1	✓ Pfizer
lai 100 man man and 10 mal vial DCT Datail mhannanan	95.36	5	✓ Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy- Specialist		1	✓ Pfizer
Specialist	42.65	ı	✓ Hospira
Inj 100 mg per ml, 20 ml vial - PCT - Retail pharmacy-			Тиоории
Specialist		1	✔ Pfizer
·	34.47		✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist	0.11	10 mg	✓ Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialis LUDARABINE PHOSPHATE	t11.00 1	00 mg OP	✓ Baxter
Tab 10 mg - PCT - Retail pharmacy-Specialist	412.00	20	✓ Fludara Oral
Inj 50 mg vial - PCT only - Specialist		5	✓ Fludarabine Ebewe
	1,430.00		✓ Fludara
Inj 50 mg for ECP – PCT only – Specialist Fludara Inj 50 mg vial to be delisted 1 April 2017)	105.00	50 mg OP	✓ Baxter
FLUOROURACIL			
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist		1	✔ Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml vial - PCT only - Specialist		1	✓ Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial — PCT only – Specialist		1	Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.66	100 mg	✓ Baxter

	Subsidy (Manufacturer's Price	a)	Fully Brand or Subsidised Generic
	\$	Per	✓ Manufacturer
EMCITABINE HYDROCHLORIDE - PCT only - Specialist			
Inj 1 g	15.89	1	✓ Gemcitabine Ebewe
, 0	62.50		DBL Gemcitabine
	349.20		✓ Gemzar
Inj 200 mg	8.36	1	Gemcitabine Ebewe
, -	78.00		✓ Gemzar
Inj 1 mg for ECP	0.02	1 mg	✓ Baxter
NOTECAN HYDROCHLORIDE - PCT only - Specialist		•	
Inj 20 mg per ml, 2 ml vial	11.50	1	✓ Irinotecan Actavis 40
	41.00		✓ Camptosar ✓ Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	✓ Irinotecan Actavis 100
	100.00		✓ Camptosar ✓ Irinotecan-Rex
Inj 1 mg for ECP ERCAPTOPURINE – PCT – Retail pharmacy-Specialist	0.19	1 mg	✓ Baxter
Tab 50 mg	49.41	25	✔ Puri-nethol
ETHOTREXATE  Tab 2.5 mg - PCT - Retail pharmacy-Specialist	0.40	20	4
Tab 2.5 mg — PCT — Retail pharmacy-Specialist		30	✓ <u>Trexate</u>
Tab 10 mg — PCT — Retail pharmacy-Specialist		50	✓ <u>Trexate</u>
Inj 2.5 mg per ml, 2 ml – PCT – Retail pharmacy-Specialist		5	✓ Hospira
Inj 7.5 mg prefilled syringe		1	✓ Methotrexate Sandoz
Inj 10 mg prefilled syringe		1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 15 mg prefilled syringe		1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 20 mg prefilled syringe	14.88	1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 25 mg prefilled syringe	14.99	1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 30 mg prefilled syringe	15.09	1	<ul><li>Methotrexate Sandoz</li></ul>
Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist	t30.00	5	✓ <u>DBL Methotrexate</u> Onco-Vial
Inj 25 mg per ml, 20 ml vial - PCT - Retail pharmacy-			
Specialist	45.00	1	✓ DBL Methotrexate Onco-Vial
Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialist	t25.00	1	✓ Methotrexate Ebeween
Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialist	t99.99	1	✓ Methotrexate Ebeween
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
Inj 5 mg intrathecal syringe for ECP - PCT only - Specialist.		5 mg ÖF	<b>✓</b> Baxter
HOGUANINE - PCT - Retail pharmacy-Specialist Tab 40 mg	126.31	25	✓ Lanvis

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	Brand or Generic Manufacturer
Other Cytotoxic Agents				
AMSACRINE - PCT only - Specialist				
Inj 50 mg per ml, 1.5 ml ampoule	1,500.00	6	✓ A	msidine S29
Inj 75 mg		5	✓ A	msaLyo S29
ANAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Sp	pecialist			
Cap 0.5 mg	CBS	100	<b>✓</b> A	grylin (\$29)
•			✓ To	eva S29
ARSENIC TRIOXIDE - PCT only - Specialist				
Inj 10 mg	4,817.00	10	<b>✓</b> A	FT \$29
BLEOMYCIN SULPHATE - PCT only - Specialist				
Inj 15,000 iu, vial	150.48	1	<b>✓</b> D	BL Bleomycin
				Sulfate
Inj 1,000 iu for ECP	11.64 1	,000 iu	. 🗸 B	axter
BORTEZOMIB - PCT only - Specialist - Special Authority see	SA1576 below			
Inj 3.5 mg vial		1		elcade
Inj 1 mg for ECP	594.77	1 mg	<b>✓</b> B	axter

## ■SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
  - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
  - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis \*; and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 The patient has relapsed or refractory multiple myeloma; or
  - 1.2 The patient has relapsed or refractory systemic AL amyloidosis \*; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
- 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments; or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

171

	Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
OLASPASE [L-ASPARAGINASE] - PCT only - Specialist			
Inj 10,000 iu	102.32	1	✓ Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓ Baxter
ACARBAZINE - PCT only - Specialist			
Inj 200 mg vial	58.06	1	✓ DBL Dacarbazine
Inj 200 mg for ECP		200 mg OP	✓ Baxter
		200 mg 01	• Dunioi
ACTINOMYCIN [ACTINOMYCIN D] – PCT only – Specialist	145.00	4	./ Coomonon
Inj 0.5 mg vial		1 0.5 ma OD	✓ Cosmegen
Inj 0.5 mg for ECP	145.00	0.5 mg OP	✓ Baxter
AUNORUBICIN - PCT only - Specialist			
Inj 2 mg per ml, 10 ml		1	✓ Pfizer
Inj 20 mg for ECP	118.72	20 mg OP	✓ Baxter
OCETAXEL - PCT only - Specialist			
Inj 20 mg	13.70	1	✓ DBL Docetaxel
, ,	48.75		✓ Docetaxel Sandoz
Inj 20 mg per ml, 1 ml	48.75	1	✓ Taxotere
Inj 20 mg per ml, 4 ml		1	✓ Taxotere
Inj 80 mg		1	✓ DBL Docetaxel
-,	195.00	-	✓ Docetaxel Sandoz
Inj 1 mg for ECP	0.61	1 mg	✓ Baxter
Taxotere Inj 20 mg per ml, 1 ml to be delisted 1 April 2017) Taxotere Inj 20 mg per ml, 4 ml to be delisted 1 April 2017)  OXORUBICIN HYDROCHLORIDE – PCT only – Specialist			
ONOTIONOTIVITION TO THE PROTECTION - SPECIALIST			
Inj 2 mg per ml, 5 ml vial	10.00	1	✓ Doxorubicin Ebewe
, ,		1	
Inj 2 mg per ml, 5 ml vial			
Inj 2 mg per ml, 5 ml vial	11.50 17.00		✓ Doxorubicin Ebewe
Inj 2 mg per ml, 5 ml vial Inj 2 mg per ml, 25 ml vial	11.50 17.00	1	<ul><li>✓ Doxorubicin Ebewe</li><li>✓ Arrow-Doxorubicin</li></ul>
Inj 2 mg per ml, 5 ml vial	11.50 17.00 40.00	1	✓ Doxorubicin Ebewe ✓ Arrow-Doxorubicin ✓ DBL Doxorubicin ✓ DBL Doxorubicin S29 \$29
Inj 2 mg per ml, 5 ml vial	11.50 17.00 40.00	1	✓ Doxorubicin Ebewe ✓ Arrow-Doxorubicin ✓ DBL Doxorubicin ✓ DBL Doxorubicin S29 \$29 ✓ Doxorubicin Ebewe
Inj 2 mg per ml, 5 ml vial	11.50 17.00 40.00 23.00 46.00	1 1	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe
Inj 2 mg per ml, 5 ml vial	11.50 17.00 40.00 23.00 46.00 65.00	1 1	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin
Inj 2 mg per ml, 5 ml vial	11.50 17.00 40.00 23.00 46.00 65.00 150.00	1 1 1 1	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe
Inj 2 mg per ml, 5 ml vial	11.50 17.00 40.00 23.00 46.00 65.00 150.00	1 1	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin
Inj 2 mg per ml, 5 ml vial		1 1 1 1 1 mg	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin Baxter
Inj 2 mg per ml, 5 ml vial		1 1 1 1 1 mg	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin DBL Doxorubicin S29 S29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin Baxter
Inj 2 mg per ml, 5 ml vial		1 1 1 1 1 mg	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin Baxter  Epirubicin Ebewe Epirubicin Ebewe
Inj 2 mg per ml, 5 ml vial		1 1 1 1 1 mg	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin DBL Doxorubicin S29 S29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin Baxter
Inj 2 mg per ml, 5 ml vial		1 1 1 1 1 mg	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin Baxter  Epirubicin Ebewe DBL Epirubicin Hydrochloride Epirubicin Ebewe
Inj 2 mg per ml, 5 ml vial		1 1 1 1 mg 1	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin Baxter  Epirubicin Ebewe DBL Epirubicin Hydrochloride
Inj 2 mg per ml, 5 ml vial		1 1 1 1 mg 1	DBL Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin Baxter Epirubicin Ebewe Epirubicin Ebewe DBL Epirubicin Hydrochloride Epirubicin Ebewe DBL Epirubicin
Inj 2 mg per ml, 5 ml vial		1 1 1 1 mg 1 1	Doxorubicin Ebewe Arrow-Doxorubicin DBL Doxorubicin S29 \$29 Doxorubicin Ebewe Doxorubicin Ebewe Arrow-Doxorubicin Adriamycin Baxter  Epirubicin Ebewe DBL Epirubicin Hydrochloride DBL Epirubicin Ebewe DBL Epirubicin Hydrochloride DBL Epirubicin Hydrochloride

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
ETOPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	~	Vepesid
Cap 100 mg - PCT - Retail pharmacy-Specialist	340.73	10	~	Vepesid
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Speciali	st7.90	1	~	Rex Medical
Inj 1 mg for ECP - PCT only - Specialist	0.09	1 mg	~	Baxter
ETOPOSIDE PHOSPHATE - PCT only - Specialist				
Inj 100 mg (of etoposide base)	40.00	1	~	Etopophos
Inj 1 mg (of etoposide base) for ECP		1 mg		Baxter
HYDROXYUREA - PCT - Retail pharmacy-Specialist				
Cap 500 mg	31.76	100	V	Hydrea
, ,			•	, u.ou
IDARUBICIN HYDROCHLORIDE	105.00	4		Zavedos
Inj 5 mg vial – PCT only – Specialist		1	-	Zavedos Zavedos
Inj 10 mg vial — PCT only — Specialist		1	-	
Inj 1 mg for ECP - PCT only - Specialist		1 mg	•	Baxter
LENALIDOMIDE - Retail pharmacy-Specialist - Special Authorit	y see SA1468 below	I		
Wastage claimable – see rule 3.3.2 on page 13				
Cap 10 mg		21	-	Revlimid
Cap 25 mg	7,627.00	21	~	Revlimid

## ⇒SA1468 | Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
  - 2.1 Lenalidomide to be used as third line\* treatment for multiple myeloma; or
  - 2.2 Both:
    - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
    - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

**Renewal** only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with \* is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

## **MESNA**

Tab 400 mg - PCT - Retail pharmacy-Specialist27	3.00 50	✓ Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist40	7.50 50	✓ Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist16	1.25 1	
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist37	0.35	
Inj 1 mg for ECP - PCT only - Specialist	2.69 100	mg V Baxter
MITOMYCIN C - PCT only - Specialist		
Inj 5 mg vial20	4.08 1	✓ Arrow
Inj 1 mg for ECP4	2.04 1 n	ng 🗸 Baxter

	Subsidy (Manufacturer's Price \$	) Per	Fully Subsidised	I Generic
MITOZANTRONE – PCT only – Specialist	07.50	1		Mitozantrone Ebewe
Inj 2 mg per ml, 10 ml vial Inj 1 mg for ECP	5.51	1 mg	· .	Baxter
PACLITAXEL - PCT only - Specialist				
Inj 30 mg	45.00	5	<b>/</b>	Paclitaxel Ebewe
Inj 100 mg	19.02	1	<b>/</b>	Paclitaxel Ebewe
, •	91.67		~	Paclitaxel Actavis
Inj 150 mg	26.69	1	~	Paclitaxel Ebewe
, •	137.50		1	Anzatax
			<b>/</b>	Paclitaxel Actavis
Inj 300 mg	36.53	1	<b>/</b>	Paclitaxel Ebewe
, •	275.00		V	Anzatax
			~	Paclitaxel Actavis
Inj 600 mg	73.06	1	~	Paclitaxel Ebewe
Inj 1 mg for ECP	0.17	1 mg	~	Baxter
PEGASPARGASE - PCT only - Special Authority see SA1325 be		•		
Inj 3,750 IU per 5 ml		1	~	Oncaspar S29

## **⇒**SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
  - 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
  - 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
  - 3 Treatment is with curative intent.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist Inj 10 mg	CBS	1	✓ Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy-Sp	ecialist		
Cap 50 mg		50	✓ Natulan S29
TEMOZOLOMIDE - Special Authority see SA1616 on the next page	- Retail phar	macy	
Cap 5 mg	8.00	5	✓ Temaccord
	10.20		✔ Orion
			Temozolomide
Cap 20 mg	18.30	5	✔ Orion
			Temozolomide
	36.00		✓ Temaccord
Cap 100 mg	40.20	5	✔ Orion
			Temozolomide
	175.00		✓ Temaccord
Cap 250 mg	96.80	5	✔ Orion
			Temozolomide
	410.00		✓ Temaccord

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per Manufacturer

### ■ SA1616 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
  - 1.2 Patient has newly diagnosed anaplastic astrocytoma\*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour\*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m<sup>2</sup> per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Patient has glioblastoma multiforme; and
  - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
  - 2.1 Patient has anaplastic astrocytoma\*; and
  - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
  - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

**Renewal — (neuroendocrine tumours)** only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a \* is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme.

THALIDOMIDE	<ul> <li>PCT only – Specialist – Special Authority see SA1124 belo</li> </ul>	W	
Cap 50 mg.	378.00	28	✓ Thalomid
Cap 100 mg	756.00	28	Thalomid

#### ►SA1124 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis\*.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	idised	Generic	
\$	Per	~	Manufacturer	

continued...

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with \* is an Unapproved Indication.

е
е
ewe
ewe
b

## **Protein-tyrosine Kinase Inhibitors**

DASATINIB - Special Authority see SA0976 below - [Xpha	rm]		
Tab 20 mg	3,774.06	60	✓ Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tah 100 mg	6 214 20	30	✓ Sprvcel

## ⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

## Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis. accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

#### continued...

e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

#### Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
  - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10<sup>9</sup>/L, platelets > 100 × 10<sup>9</sup>/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or</li>
  - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) >  $1.0 \times 10^9$ /L, platelets >  $20 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
  - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB - Retail pharmacy-Specialist - Special Author	rity see SA1577 below		
Tab 100 mg	1,000.00	30	✓ Tarceva
Tab 150 mg	1,500.00	30	✓ Tarceva

## ■SA1577 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

## All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Any of the following:
  - 3.1 Patient is treatment naive; or
  - 3.2 Both:
    - 3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotheraby: and
    - 3.2.2 Patient has not received prior treatment with gefitinib; or
  - 3.3 Both:
    - 3.3.1 The patient has discontinued gefitinib within 12 weeks of starting treatment due to intolerance; and
    - 3.3.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB − Retail pharmacy-Specialist − Special Authority see SA1578 on the next page
Tab 250 mg ......1,700.00 30 ✓ Iressa

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

## **⇒**SA1578 Special Authority for Subsidy

**Initial application** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Either:
  - 2.1 Patient is treatment naive: or
  - 2.2 Both:
    - 2.2.1 The patient has discontinued erlotinib within 12 weeks of starting treatment due to intolerance; and
    - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

#### **IMATINIB MESILATE**

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	✓ Glivec
ĸ	Cap 100 mg		60	✓ Imatinib-AFT
ĸ	Cap 400 mg	597.80	30	✓ Imatinib-AFT

## ⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <a href="http://www.pharmac.govt.nz">http://www.pharmac.govt.nz</a>, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

#### Special Authority criteria for GIST – access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

Tab 250 mg .......1,899.00 70 **✓ Tykerb** 

#### ⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

1 All of the following:

1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

#### continued...

- 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
- 1.3 Lapatinib not to be given in combination with trastuzumab; and
- 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology): and
  - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on trastuzumab; and
  - 2.4 Lapatinib not to be given in combination with trastuzumab; and
  - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

## NILOTINIB - Special Authority see SA1489 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 150 mg	4,680.00	120	Tasigna
Cap 200 mg	6,532.00	120	Tasigna

## **⇒**SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Either:
  - 2.1 Patient has documented CML treatment failure\* with imatinib; or
  - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day: and
- 4 Subsidised for use as monotherapy only.

Note: \*treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB – Special Authority see SA1190 on the next	page – Retail pharmacy		
Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

179

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

## ⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment: or
  - 2.3 Both:
    - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
    - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
  - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of ≤ 70; or
- 5.6 ≥ 2 sites of organ metastasis; and6 Pazopanib to be used for a maximum of 3 months.

**Renewal** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

#### Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

· · · · · · · · · · · · · · · · · · ·			
Cap 12.5 mg	2,315.38	28	Sutent
Cap 25 mg	·	28	✓ Sutent
Cap 50 mg	·	28	✓ Sutent

#### ■ SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
  - 2.1 The patient is treatment naive; or
  - 2.2 The patient has only received prior cytokine treatment; or
  - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
  - 2.4 Both:
    - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
    - 2.4.2 The cancer did not progress whilst on pazopanib; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

#### continued...

- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
  - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
  - 5.2 Haemoglobin level < lower limit of normal; or
  - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
  - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
  - 5.5 Karnofsky performance score of < 70: or
  - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
  - 2.1 The patient's disease has progressed following treatment with imatinib; or
  - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

criteria as follows:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation

- 1 Any of the following:
  - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
  - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of > 15% on CT and no new lesions and no obvious progression of non measurable disease); or
  - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of ≥ 10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

# **Endocrine Therapy**

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 91

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 on the next page

Wastage claimable - see rule 3.3.2 on page 13

' Zytiga

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

#### **⇒**SA1515 Special Authority for Subsidy

**Initial application** only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases: and
- 3 Patient's disease is castration resistant: and
- 4 Fither:
  - 4.1 All of the following:
    - 4.1.1 Patient is symptomatic; and
    - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
    - 4.1.3 Patient has ECOG performance score of 0-1; and
    - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
  - 4.2 All of the following:
    - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
    - 4.2.2 Patient has ECOG performance score of 0-2; and
    - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

### All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

BICALUTAMIDE Tab 50 mg	4.90	28	✓ <u>Bicalaccord</u>
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	55.00	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist Tab 160 mg	54.30	30	✓ Apo-Megestrol
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial	13.50	5	✓ <u>DBL</u>
Inj 100 mcg per ml, 1 ml vial	22.40	5	✓ DBL
Inj 500 mcg per ml, 1 ml vial	89.40	5	✓ <u>DBL</u>
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Spe	cial Authority see SA101	6 below – F	Retail pharmacy
Inj LAR 10 mg prefilled syringe		1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe		1	Sandostatin LAR
Inj LAR 30 mg prefilled syringe		1	Sandostatin LAR

### ⇒SA1016 Special Authority for Subsidy

**Initial application — (Malignant Bowel Obstruction)** from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea\* and vomiting\* due to malignant bowel obstruction\*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
  - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
  - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
  - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive
- 2 Both:
  - 2.1 Gastrinoma: and
  - 2.2 Either:
    - 2.2.1 Patient has failed surgery; or
    - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
  - 3.1 Insulinomas: and
  - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
  - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
  - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

### TAMOXIFFN CITRATE

*	Tab 10 mg17.50	100	Genox
*	Tab 20 mg2.63	30	Genox
	8.75	100	Genox

	Subsidy (Manufacturer's Price) \$	) Per	Fully Subsidised	
Aromatase Inhibitors				
ANASTROZOLE  * Tab 1 mg	26.55	30	~	Aremed Arimidex DP-Anastrozole
* Tab 25 mg	14.50	30	•	Aromasin Pfizer Exemestane
(Aromasin Tab 25 mg to be delisted 1 January 2017)  LETROZOLE  * Tab 2.5 mg  Immunosuppressants	2.95	30	V	<u>Letrole</u>
Cytotoxic Immunosuppressants				
AZATHIOPRINE – Retail pharmacy-Specialist  * Tab 25 mg  * Tab 50 mg – For azathioprine oral liquid formulation refer,		60	V	Azamun
page 222* Inj 50 mg vial	13.22	100 1	· .	Azamun Imuran
MYCOPHENOLATE MOFETIL  Tab 500 mg  Cap 250 mg  Powder for oral liq 1 g per 5 ml – Subsidy by endorsement  Mycophenolate powder for oral liquid is subsidised only fo prescription is endorsed accordingly.	25.00 187.25 16	50 100 65 ml O swallov	P /	Cellcept Cellcept Cellcept and capsules, and when th

### **Fusion Proteins**

ETANERCEPT - Special Authority see SA1620 below - Retail pharmacy

Inj 25 mg	799.96	4	Enbrel
Inj 50 mg autoinjector	1,599.96	4	Enbrel
Inj 50 mg prefilled syringe		4	Enbrel

### ⇒SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

### 1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
  - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

#### continued...

- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
  - 2.5.1 Either:
    - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
    - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
  - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or

#### 2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

#### 2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

#### 2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

#### Fither:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
  - 2.1 Either:
    - 2.1.1 Patient has "whole body" severe chronic plague psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis: or
    - 2.1.2 Patient has severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot, where the plague or plaques have been present for at least 6 months from the time of initial diagnosis; and
  - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
  - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
  - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plague psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plague psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
  - 1.2 Fither:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
    - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
  - 2.5 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
Per ✔ Manufacturer

#### continued...

- 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right): or
- 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Fither:

#### 1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
  - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or

#### 2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Fither:
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient has pvoderma gangrenosum\*; and

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with \* are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
  - 1.1 Fither:
    - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD): or
    - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
    - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992:19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg. non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Either:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plague psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist gist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
  - 1.1 Applicant is a dermatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Fither:
  - 2.1 Both:
    - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
    - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
  - 2.2 Both:
    - 2.2.1 Patient had severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
    - 2.2.2 Either:
      - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
      - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less: and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or

Subsidy Fully (Manufacturer's Price) Subsidised

Brand or Generic Manufacturer

continued...

1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

#### 2 Either:

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

**Renewal — (pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

#### 1 Either:

1.1 Applicant is a rheumatologist; or

ANTITHYMOCYTE GLOBILLIN (FOLLINE) - PCT only - Specialist

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment: and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

### **Immune Modulators**

THE THE GEODGE TE GEODGE TO THE TENT OF TH	olaliot		
Inj 50 mg per ml, 5 ml	2,351.25	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT or	nly – Specialist		
Subsidised only for bladder cancer.			
Inj 2-8 × 100 million CFU	149.37	1	✓ OncoTICE
Inj 40 mg per ml, vial	149.37	3	✓ SII-Onco-BCG S29
(SII-Onco-BCG S29 Inj 40 mg per ml, vial to be delisted 1 Fe	bruary 2017)		

#### Monoclonal Antibodies

ADALIMUMAB - Special Authority see SA162	1 below – Retail pharmacy		
Inj 10 mg per 0.2 ml prefilled syringe	1,599.96	2	Humira
Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	Humira
Inj 40 mg per 0.8 ml prefilled pen	1,599.96	2	HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,599.96	2	Humira

#### ⇒SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
  - 1.2 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

S Per ✔ Manufacturer

continued...

- 1.2.1 The patient has experienced intolerable side effects from etanercept; or
- 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

#### 2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
  - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
  - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
  - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Fither:
  - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
  - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
  - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease; and
- 2 Any of the following:
  - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
  - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
  - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
  - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

**Initial application — (severe chronic plaque psoriasis)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

continued...

191

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plague psoriasis; and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or

#### 2 All of the following:

- 2.1 Either:
  - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis: or
  - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plagues have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin: and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plague psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist, Approvals valid for 6 months for applications meeting the following criteria:

#### Either:

- 1 Both:
  - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
  - 1.2 Either:
    - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
    - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
  - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
  - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
  - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
  - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal antiinflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
  - 2.5 Either:
    - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right): or
    - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm

25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

#### 1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Fither:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or

#### 2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 24 Fither
  - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
  - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
  - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
  - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
  - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

#### 1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
- 1.2 Either:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept: or
  - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for iuvenile idiopathic arthritis: or

continued...

193

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

#### 2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 2.2 Patient diagnosed with JIA; and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m<sup>2</sup> weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:

#### 2.5.1 Fither:

- 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender ioints: or
- 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
- 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease: and
- 2 Either:
  - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
  - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. Initial application — (pvoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum\*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with \* are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

#### 1.1 Either:

- 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD);
- 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Fither:
  - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
  - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 2 All of the following:
  - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
  - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
  - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
  - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
  - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Fither:
    - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab:
    - 2.1.2 CDAI score is 150 or less: or
  - 2.2 Both:
    - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
    - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plague psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist gist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
  - 1.1 Applicant is a dermatologist; or

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

#### 2 Either:

- 2.1 Both:
  - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
  - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
  - 2.2.1 Patient had severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
  - 2.2.2 Fither:
    - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values: or
    - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less: and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
  - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
  - 1.1 Applicant is a named specialist or rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
  - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
  - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

**Renewal — (fistulising Crohn's disease)** only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
  - 1.1 Applicant is a gastroenterologist; or
  - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
  - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
  - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

**Renewal — (pyoderma gangrenosum)** only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
  - 2 Patient continues to require treatment; and
  - 3 A maximum of 4 doses.

**Renewal — (adult-onset Still's disease)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Roth:

- 1 Fither:
  - 1.1 Applicant is a rheumatologist; or
  - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OMALIZUMAB – Special Authority see SA1490 on the next page – Retail pharmacy
Inj 150 mg vial .......500.00 1 

Xolair

197

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

### ⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated: and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month .

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1152 below

Inj 100 mg per 10 ml vial	1,075.50	2	Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	Mabthera
Inj 1 mg for ECP	5.64	1 mg	Baxter

#### ⇒SA1152 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Either:

- 1 Both:
  - 1.1 The patient has indolent low grade NHL with relapsed disease following prior chemotherapy; and
  - 1.2 To be used for a maximum of 6 treatment cycles: or
- 2 Both:
  - 2.1 The patient has indolent, low grade lymphoma requiring first-line systemic chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

1 All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

continued...

- 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
- 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
  - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
  - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Fither:
  - 3.1 The patient is chemotherapy treatment naive; or
  - 3.2 Both:
    - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
    - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

**Renewal — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder\*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with \* are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Inj 100 mg vial	770.57	1	✓ Sylvant
Inj 400 mg vial	3,082.33	1	✓ Sylvant

### **⇒**SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1521 below

Inj 150 mg vial		1	Herceptin
Inj 440 mg vial	3,875.00	1	✓ Herceptin
Inj 1 mg for EC	P	1 mg	✓ Baxter

### ⇒SA1521 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

#### Fither:

- 1 All of the following:
  - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
  - 1.2 The patient has not previously received lapatinib treatment for HER 2 positive metastatic breast cancer; and
  - 1.3 Trastuzumab not to be given in combination with lapatinib; and
  - 1.4 Trastuzumab to be discontinued at disease progression; or
- 2 All of the following:
  - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current
  - 2.2 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
  - 2.3 The cancer did not progress whilst on lapatinib; and
  - 2.4 Trastuzumab not to be given in combination with lapatinib; and
  - 2.5 Trastuzumab to be discontinued at disease progression.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

continued...

**Renewal — (metastatic breast cancer)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib: and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:
All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
  - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
  - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned: or
  - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
  - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer\*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
  - 3.1 All of the following:
    - 3.1.1 The patient has not previously received lapatinib treatment for metastatic breast cancer; and
    - 3.1.2 Trastuzumab not to be given in combination with lapatinib; and
    - 3.1.3 Trastuzumab to be discontinued at disease progression; or
  - 3.2 All of the following:
    - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress whilst on lapatinib; and
    - 3.2.3 Trastuzumab not to be given in combination with lapatinib; and
    - 3.2.4 Trastuzumab to be discontinued at disease progression; or
  - 3.3 All of the following:
    - 3.3.1 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
    - 3.3.2 Trastuzumab not to be given in combination with lapatinib; and
    - 3.3.3 Trastuzumab to be discontinued at disease progression.

Note: \* For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

# Programmed Cell Death-1 (PD-1) Inhibitors

IIVOLUMAB - PC	- i oniy – Specialist – Special Authority se	e SA 1617 on the next	page	
Inj 10 mg per ml	, 4 ml vial	1,051.98	1	Opdivo
Inj 10 mg per ml	, 10 ml vial	2,629.96	1	Opdivo
Inj 1 mg for ECP	·	27.62	1 mg	✓ Baxter

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

### **⇒**SA1617 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
  - 3.1 Patient has not received funded pembrolizumab; or
  - 3.2 Both:
    - 3.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 4 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
  must have reduction in short axis to <10 mm.</li>
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

EMBROLIZUMAB	- PCT only - Specialist - Special Authority see SA1615 (	on the next page	
Inj 50 mg vial	2,340.00	1	Keytruda
Inj 1 mg for ECF	49.14	1 mg	✓ Baxter

Subsidy (Manufacturer's Price) \$ P

Fully Subsidised Per

Brand or Generic Manufacturer

#### ■SA1615 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV: and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
  - 3.1 Patient has not received funded nivolumab; or
  - 3.2 Both:
    - 3.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
    - 3.2.2 The cancer did not progress while the patient was on nivolumab; and
- 4 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
  - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
  - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period: and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
  must have reduction in short axis to <10 mm.</li>
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

203

	(Manufacturer's Price)		sidised	Generic
	\$	Per		Manufacturer
Other Immunosuppressants				
CICLOSPORIN				
Cap 25 mg	44.63	50	✓ N	eoral
Cap 50 mg	88.91	50	✓ N	eoral
Cap 100 mg	177.81	50	✓ N	eoral
Oral liq 100 mg per ml	198.13	50 ml OP	✓ N	eoral
EVEROLIMUS - Special Authority see SA1491 below - Retail ph	narmacy			
Wastage claimable – see rule 3.3.2 on page 13				
Tab 5 mg	4,555.76	30	✓ A	finitor
Tab 10 mg	6.512.29	30	✓ A	finitor

Subsidy

Fully

Brand or

#### ⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIROLIMUS - Special Authority see SA0866 below - Retail pharmacy

lab 1 mg	749.99	100	Rapamune
Tab 2 mg	1,499.99	100	Rapamune
Oral liq 1 mg per ml	449.99	60 ml OP	Rapamune

### ⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min: or
- Rapidly progressive transplant vasculopathy: or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP: or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA1540 on the next page - R	letail pharmacy		
Cap 0.5 mg	85.60	100	✓ <u>Tacrolimus Sandoz</u>
Cap 1 mg	171.20	100	✓ <u>Tacrolimus Sandoz</u>
Cap 5 mg - For tacrolimus oral liquid formulation refer, page			
222	428.00	50	✓ <u>Tacrolimus Sandoz</u>

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

#### ⇒SA1540 Special Authority for Subsidy

**Initial application** — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome\*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 The patient is a child with steroid-resistant nephrotic syndrome\* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
  - 2.1 The patient is an adult with SRNS; and
  - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
  - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with \* are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

# **Antiallergy Preparations**

# Allergic Emergencies

ICATIBANT - Special Authority see SA1558 below - Retail pharmacy

Inj 10 mg per ml, 3 ml prefilled syringe ......2,668.00

1 ✓ Firazyr

#### **⇒**SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

### **Allergy Desensitisation**

### ⇒SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

REE VENOM ALLERGY TREATMENT Special Authority con SA1267 above. Betail pharmacy

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT – Special Authority see SA	1367 above – Re	etail pharmad	СУ
Maintenance kit - 6 vials 120 mcg freeze dried venom, with diluent	285.00	1 OP	✓ Venomil S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see S	SA1367 above -	Retail pharm	nacy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil \$29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil §29
Antihistamines			
CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.01	100	<ul><li>✓ Zetop</li><li>✓ Zista</li></ul>
Zista to be Sole Supply on 1 March 2017			
*‡ Oral liq 1 mg per ml(Zetop Tab 10 mg to be delisted 1 March 2017)	2.99	200 ml	✓ <u>Histaclear</u>
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen

	HEST MATORT STOTEM AND ALLEMON				
	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully Brand or sidised Generic  Manufacturer		
DEXTROCHLORPHENIRAMINE MALEATE					
* Tab 2 mg	2.02	40			
	(8.40)		Polaramine		
	1.01	20			
	(5.99)		Polaramine		
*‡ Oral liq 2 mg per 5 ml		100 ml	<b>-</b>		
	(10.29)		Polaramine		
FEXOFENADINE HYDROCHLORIDE					
* Tab 60 mg	4.34	20			
	(11.53)		Telfast		
* Tab 120 mg		30			
	(29.81)		Telfast		
	4.74	10			
	(11.53)		Telfast		
LORATADINE					
* Tab 10 mg	1.28	100	✓ Lorafix		
* Oral liq 1 mg per ml	2.15	120 ml	✓ Lorfast		
	4.25	200 ml	✓ LoraPaed		
PROMETHAZINE HYDROCHLORIDE					
* Tab 10 mg	1.78	50	✓ Allersoothe		
* Tab 25 mg		50	✓ Allersoothe		
*‡ Oral liq 1 mg per 1 ml		100 ml	✓ Allersoothe		
* Inj 25 mg per ml, 2 ml ampoule - Up to 5 inj available on a					
PSO		5	✓ Hospira		
TRIMEPRAZINE TARTRATE					
‡ Oral liq 30 mg per 5 ml	2 70	100 ml OP			
+ Oral liq 60 mg por 6 mil	(8.06)	100 1111 01	Vallergan Forte		
	(0.00)		valiorgan i orto		
Inhaled Corticosteroids					
BECLOMETHASONE DIPROPIONATE					
Aerosol inhaler, 50 mcg per dose	0.30	200 dose OP	✓ Qvar		
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP	✓ Beclazone 50		
Aerosol inhaler, 30 mcg per dose		200 dose OP	✓ Qvar		
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP	✓ Beclazone 100		
Aerosol inhaler, 250 mcg per dose CFC-free		200 dose OP	✓ Beclazone 250		
BUDESONIDE  Powder for inhelation, 100 mag per dece	17.00	000 doss OP	A Dulminart		
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✓ Pulmicort Turbuhaler		
Douglay for inhalation, 200 may not door	10.00	000 doos OD			
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✓ Pulmicort		

200 dose OP

207

Turbuhaler

✔ Pulmicort Turbuhaler

Powder for inhalation, 400 mcg per dose ......32.00

	Subsidy			Fully	
	(Manufacturer's	Price)		Subsidised	
	\$		Per		Manufacturer
FLUTICASONE					
Aerosol inhaler, 50 mcg per dose	7.50	120 d	ose C	)P 🗸	Floair
Aerosol inhaler, 50 mcg per dose CFC-free		120 d	ose C	)P 🗸	Flixotide
Powder for inhalation, 50 mcg per dose	7.50	60 dc	se O	P 🗸	Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose	7.50	60 dc	se O	P 🗸	Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose	13.60	120 d	ose C	P V	Floair
Aerosol inhaler, 125 mcg per dose CFC-free		120 d	ose C	P V	Flixotide
Aerosol inhaler, 250 mcg per dose		120 d	ose C	P V	Floair
Aerosol inhaler, 250 mcg per dose CFC-free		120 d	ose C	P V	Flixotide
Powder for inhalation, 250 mcg per dose		60 do	se O	P 🗸	Flixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonis	ts				
FEORMOTEROL FUMARATE					
EFORMOTEROL FUMARATE	10.00	60 do		D	
Powder for inhalation, 6 mcg per dose, breath activated		60 00	se O	P	Ovic Turbubalar
D   ( '	(16.90)				Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de					
vice		60	dose		<b>-</b> "
	(35.80)				Foradil
NDACATEROL					
Powder for inhalation 150 mcg	61.00	30 dc	se O	P 🗸	Onbrez Breezhaler
Powder for inhalation 300 mcg		30 dc	se O	P 🗸	Onbrez Breezhaler
SALMETEROL					
Aerosol inhaler CFC-free, 25 mcg per dose	25.00	120 d	nse (	)P 🗸	Serevent
Aerosol inhaler 25 mcg per dose		120 d			Meterol
Powder for inhalation, 50 mcg per dose, breath activated		60 dc			Serevent Accuhaler
•					ocieveni Aodunaiei
Inhaled Corticosteroids with Long-Acting Beta-	Aurenocepi	or Ago	JIIIS	เร	
BUDESONIDE WITH EFORMOTEROL					
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	18.23	120 d	ose C	P V	Vannair
Powder for inhalation 100 mcg with eformoterol fumarate					
6 mcg		120 d	ose C	)P 🗸	Symbicort
V 110g		120 0	000 €	,   •	Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21.40	120 d	000 C	ND 4/	Vannair
· · · · · · · · · · · · · · · · · · ·		120 u	056 (		vaiiiaii
Powder for inhalation 200 mcg with eformoterol fumarate		100 4	6	ND .	Comphis and
6 mcg	44.08	120 d	ose C	)P V	Symbicort Control of the Control of
					Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate			_	_ 4	
12 mcg - No more than 2 dose per day	44.08	60 dc	se O	P 🗸	Symbicort
					Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL					
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dc	se O	P 🗸	Breo Ellipta
Ů					•

	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic  Manufacturer
FLUTICASONE WITH SALMETEROL			
Aerosol inhaler 50 mcg with salmeterol 25 mcg	33.74	120 dose OP	✓ Seretide
	37.48		RexAir
Aerosol inhaler 125 mcg with salmeterol 25 mcg	44.08 49.69	120 dose OP	<ul><li>✓ Seretide</li><li>✓ RexAir</li></ul>
Powder for inhalation 100 mcg with salmeterol 50 mcg - No			▼ HCAAII
more than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg - No			
more than 2 dose per day	44.08	60 dose OP	Seretide Accuhaler
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
‡ Oral liq 400 mcg per ml		150 ml	✓ Ventolin
Infusion 1 mg per ml, 5 ml		10	Mandalla
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	(130.21) 12.90	5	Ventolin  ✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists		0	Violitim
SALBUTAMOL			
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO		200 dose OP	✓ Respigen
dose available on a 1 30		200 0036 01	✓ Nespigen ✓ SalAir
			✓ Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb		00	. / Antholin
available on a PSO  Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb		20	✓ <u>Asthalin</u>
available on a PSO		20	✓ Asthalin
(Salamol Aerosol inhaler, 100 mcg per dose CFC free to be delist	ed 1 April 2017)	)	
TERBUTALINE SULPHATE			
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	Bricanyl Turbuhaler
Anticholinergic Agents			
IPRATROPIUM BROMIDE			
Aerosol inhaler, 20 mcg per dose CFC-free - Up to 400 dose			
available on a PSO		200 dose OP	✓ Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 neb available on a PSO		20	✓ Univent
Univent to be Sole Supply on 1 January 2017		20	<b>₽</b> Onivent
Nebuliser soln, 250 mcg per ml, 2 ml ampoule - Up to 40 neb			
available on a PSO	3.52	20	✓ Univent
University to be Sole Supply on 1 January 2017	alimavaia A		
Inhaled Beta-Adrenoceptor Agonists with Antich	iolinergic A	gents	
SALBUTAMOL WITH IPRATROPIUM BROMIDE			
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg		000 4 02	A Duelle UEA
per dose CFC-free		200 dose OP	✓ Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule – Up to 20 neb available on a PSO		20	✓ Duolin
,o apos.o op to Lo nob available on a 1 oo			- <u></u>

<sup>†</sup> safety cap

<sup>▲</sup>Three months supply may be dispensed at one time ce if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

# **Long-Acting Muscarinic Antagonists**

GLYCOPYRRONIUM - Subsidy by endorsement

a) Inhaled glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium or umeclidinium.

b) Glycopyrronium powder for inhalation 50 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

✓ Seebri Breezhaler 30 dose OP

TIOTROPIUM BROMIDE - Special Authority see SA1568 below - Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.

30 dose ✓ Spiriva

60 dose OP ✓ Spiriva Respimat

### ⇒SA1568 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD: and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40  $\mu g$  ipratropium g.i.d for one month; and
- 3 Fither:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV<sub>1</sub> (litres); and
- 4.2 Predicted FEV1 (litres); and
- 4.3 Actual FEV<sub>1</sub> as a % of predicted (must be below 60%); and
- 5 Either:
  - 5.1 Patient is not a smoker (for reporting purposes only); or
  - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

#### Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

### UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

30 dose OP ✓ Incruse Ellipta

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

# Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

#### ►SA1584 Special Authority for Subsidy

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 about	ove – Retail phai	rmacy
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00	30 dose OP	✔ Ultibro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584	above - Retail p	harmacy
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00	60 dose OP	Spiolto Respimat
UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 above - F	Retail pharmacy	
Powder for inhalation 62.5 mcg with vilanterol 25 mcg77.00	30 dose OP	✓ Anoro Ellipta

# Leukotriene Receptor Antagonists

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg	5.25	28	Apo-Montelukast
ů	18.48		✓ Singulair
Tab 5 mg	5.50	28	✓ Apo-Montelukast
•	18.48		✓ Singulair
Tab 10 mg	5.65	28	✓ Apo-Montelukast
-	18.48		✓ Singulair

### ■SA1421 Special Authority for Subsidy

**Initial application** — (**Pre-school wheeze**) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

**Renewal — (Pre-school wheeze)** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists: and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

**Initial application — (aspirin desensitisation)** only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

## Mast Cell Stabilisers

N	П	$\sim$	$\sim$	D	$\sim$	N/	IIL
I١٧	v	v	U	ח	U	IV	ш

Aerosol inhaler, 2 mg per dose CFC-free .......28.07 112 dose OP ✓ Tilade

### SODIUM CROMOGLYCATE

### Methylxanthines

#### **AMINOPHYLLINE**

#### THEOPHYLLINE

 \* Tab long-acting 250 mg
 21.51
 100
 ✓ Nuelin-SR

 \*± Oral lig 80 mg per 15 ml
 15.50
 500 ml
 ✓ Nuelin

### Mucolytics

### **⇒**SA0611 Special Authority for Subsidy

Special Authority approved by the Cystic Fibrosis Advisory Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Cystic Fibrosis Advisory Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: CFPanel@pharmac.govt.nz

Prescriptions for patients approved for treatment must be written by respiratory physicians or paediatricians who have experience and expertise in treating cystic fibrosis.

### SODIUM CHLORIDE

Not funded for use as a nasal drop.

### **Nasal Preparations**

### **Allergy Prophylactics**

#### BECLOMETHASONE DIPROPIONATE

Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
• • • • • • • • • • • • • • • • • • • •	(5.26)		Alanase
Metered aqueous nasal spray, 100 mcg per dose	2.46	200 dose OP	
	(6.00)		Alanase

	Subsidy (Manufacturer's \$		Fully sidised	Brand or Generic Manufacturer	
BUDESONIDE					
Metered aqueous nasal spray, 50 mcg per dose		200 dose OP	_		
Metered aqueous nasal spray, 100 mcg per dose	(5.26)	200 dose OP	В	utacort Aqueous	
Wetered aqueous hasar spray, 100 mg per dose	(6.00)	200 003 <del>0</del> 01	В	utacort Aqueous	
FLUTICASONE PROPIONATE	, ,			'	
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	<b>✓</b> <u>F</u> I	lixonase Hayfever	
				& Allergy	
IPRATROPIUM BROMIDE	0.0-	45 105	<b>.</b>		
Aqueous nasal spray, 0.03%	3.95	15 ml OP	<b>✓</b> <u>U</u>	<u>nivent</u>	
Respiratory Devices					
MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under Small	2.20	1	<b>√</b> <u>e</u> -	-chamber Mask	
PEAK FLOW METER					
a) Up to 10 dev available on a PSO					
b) Only on a PSO					
Low range	9.54	1		<u>lini-Wright AFS</u> Low Range	
Normal range	9.54	1	✓ M	lini-Wright Standard	
SPACER DEVICE					
a) Up to 20 dev available on a PSO					
b) Only on a PSO	0.05	4		ahambar Turka	
220 ml (single patient)		1		<u>-chamber Turbo</u> -chamber La	
510 III (siligle patiett)		I	₩ 6.	Grande	
800 ml	6.50	1	<b>✓</b> V	olumatic	
Respiratory Stimulants					
nespiratory Stillidiants					

CAF	FF	INF	CIT	RΔ٦	ΓF
$\nabla \Delta I$		пи∟	$\circ$	$I \cup A$	_

Oral liq 20 mg per ml (10 mg base per ml) ......14.85 25 ml OP ✔ Biomed Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

# **Ear Preparations**

ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BENZETHONIUM For Vosol ear drops with hydrocortisone powder refer Standard Formulae, pag Ear drops 2% with 1, 2-Propanediol diacetate 3% and		
benzethonium chloride 0.02%6.97	35 ml OP	✓ Vosol
FLUMETASONE PIVALATE		
Ear drops 0.02% with clioquinol 1%4.46	7.5 ml OP	✓ Locacorten-Viaform ED's
		✓ Locorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN AND NYSTATII Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate	V	
2.5 mg and gramicidin 250 mcg per g5.16	7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations		
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN		
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and		
gramicidin 50 mcg per ml4.50	8 ml OP	
(9.27)		Sofradex
FRAMYCETIN SULPHATE		
Ear/Eye drops 0.5%4.13	8 ml OP	
(8.65)		Soframycin

# **Eye Preparations**

Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.

# **Anti-Infective Preparations**

ACICLOVIR			
* Eye oint 3%		4.5 g OP	✔ ViruPOS
	(37.53)		Zovirax
ViruPOS to be Sole Supply on 1 January 2017			
(Zovirax Eye oint 3% to be delisted 1 January 2017)			
CHLORAMPHENICOL			
Eye oint 1%	2.48	4 g OP	✓ Chlorsig
Eye drops 0.5%	0.98	10 ml OP	✓ Chlorafast
Funded for use in the ear*. Indications marked with * are		cations.	
CIPROFLOXACIN	• • • • • • • • • • • • • • • • • • • •		
Eye Drops 0.3%	12.43	5 ml OP	✓ Ciloxan
For treatment of bacterial keratitis or severe bacterial co			enicol.
FUSIDIC ACID	,		
Eye drops 1%	4 50	5 g OP	✓ Fucithalmic
, ,	4.50	3 9 01	V i ucitilalillic
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	Genoptic
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1%	2.97	10 ml OP	
•	(7.99)		Brolene

	Subsidy		Fully	Brand or
	(Manufacturer's P	rice) Sub	sidised	Generic
	\$	Per	~	Manufacturer
TOBRAMYCIN				
Eye oint 0.3%	10.45	3.5 g OP	✓ To	brex
Eye drops 0.3%	11.48	5 ml OP	_	obrex
Corticosteroids and Other Anti-Inflammatory Pr	eparations			
DEXAMETHASONE				
* Eye oint 0.1%	5.86	3.5 g OP	✓ M	axidex
* Eye drops 0.1%		5 ml OP	_	axidex
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYN	AVXIN R SHI PHA	\TF		
* Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin		NI L		
b sulphate 6,000 u per g		3.5 g OP	✓ M	axitrol
* Eye drops 0.1% with neomycin sulphate 0.35% and polymy-		0.5 g Oi	<u> </u>	<u>axidoi</u>
xin b sulphate 6,000 u per ml		5 ml OP	✓ M	axitrol
• • •	4.50	3 1111 01	V IVI	<u>axilioi</u>
DICLOFENAC SODIUM	10.00	5 L OD		altanan Ombiba
* Eye drops 0.1%	13.80	5 ml OP	V V	oltaren Ophtha
FLUOROMETHOLONE				
* Eye drops 0.1%	3.09	5 ml OP	<b>✓</b> <u>FI</u>	<u>ML</u>
LEVOCABASTINE				
Eye drops 0.5 mg per ml	8.71	4 ml OP		
• •	(10.34)		Li	vostin
LODOXAMIDE				
Eve drops 0.1%	8.71	10 ml OP	<b>√</b> Lo	omide
PREDNISOLONE ACETATE			· <u>-</u>	
* Eye drops 1%	2.02	10 ml OP	√ D	rednisolone-AFT
* Lye drops 1/0	4.50	5 ml OP		red Forte
		• • .		eu i di le
PREDNISOLONE SODIUM PHOSPHATE – Special Authority se				· · · · · · ·
Eye drops 0.5%, single dose (preservative free)	38.50	20 dose		inims Burdala de la cons
				Prednisolone

#### ►SA1547 Special Authority for Subsidy

Initial application only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM CROMOGLYCALE

Eye drops 2%	0.85	5 ml OP	✓ Rexacrom
Glaucoma Preparations - Beta Blockers			
BETAXOLOL  * Eye drops 0.25%  * Eye drops 0.5%		5 ml OP 5 ml OP	✓ <u>Betoptic S</u> ✓ <u>Betoptic</u>
LEVOBUNOLOL	7.00	5 ml OP	✓ Betagan



	Subsidy (Manufacturer's F	Price) Sub	Fully sidised	Brand or Generic Manufacturer
TIMOLOL	Ψ	rei		Manuacturer
* Eye drops 0.25%	1.45	5 ml OP	<b>✓</b> A	rrow-Timolol
* Eye drops 0.25%, gel forming	3.30	2.5 ml OP	V I	imoptol XE
* Eye drops 0.5%		5 ml OP		rrow-Timolol
* Eye drops 0.5%, gel forming	3.78	2.5 ml OP	✓ <u>T</u>	imoptol XE
Glaucoma Preparations - Carbonic Anhydrase II	nhibitors			
ACETAZOLAMIDE				
* Tab 250 mg – For acetazolamide oral liquid formulation refer,		100	4 <b>/</b> D	iomov
page 222	17.03	100	<u> </u>	<u>iamox</u>
BRINZOLAMIDE  * Eye Drops 1%	9.77	5 ml OP	<b>✓</b> A	zont
DORZOLAMIDE HYDROCHLORIDE		31111 01	• ^	Zopi
* Eve drops 2%	9.77	5 ml OP		
	(17.44)	0 1111 01	Tr	rusopt
DORZOLAMIDE WITH TIMOLOL				
* Eye drops 2% with timolol 0.5%	3.45	5 ml OP	✓ <u>A</u>	rrow-Dortim
Glaucoma Preparations - Prostaglandin Analogo	ıes			
BIMATOPROST				
* Eye drops 0.03%	3.65	3 ml OP	<b>✓</b> <u>B</u>	imatoprost Actavis
LATANOPROST				
* Eye drops 0.005%	1.50	2.5 ml OP	<b>✓</b> <u>H</u>	<u>ysite</u>
TRAVOPROST				
* Eye drops 0.004%	19.50	2.5 ml OP	✓ Ti	ravatan
Glaucoma Preparations - Other				
BRIMONIDINE TARTRATE				
* Eye drops 0.2%	4.32	5 ml OP	✓ <u>A</u>	rrow-Brimonidine
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE				
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	<b>√</b> C	ombigan
PILOCARPINE HYDROCHLORIDE			٠.	
* Eye drops 1%		15 ml OP	_	opto Carpine opto Carpine
* Eye drops 2%  * Eye drops 4%		15 ml OP 15 ml OP		opto Carpine opto Carpine
Subsidised for oral use pursuant to the Standard Formulae	э.		- <u>10</u>	-6-2 -2-6-10
* Eye drops 2% single dose - Special Authority see SA0895		00.1		
below – Retail pharmacy	31.95	20 dose	<b>✓</b> M	inims Pilocarpine
■ SA0895 Special Authority for Subsidy				

**Initial application** from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Brand or

Fully

	(Manufacturer's I	Price) Sub	osidised Generic		
	\$	Per	✓ Manufacturer		
Mydriatics and Cycloplegics					
ATROPINE SULPHATE					
* Eye drops 1%	17.36	15 ml OP	✓ <u>Atropt</u>		
CYCLOPENTOLATE HYDROCHLORIDE	0.76	15 ml OD	A Cyclemyl		
* Eye drops 1% TROPICAMIDE		15 ml OP	✓ <u>Cyclogyl</u>		
* Eye drops 0.5%	7.15	15 ml OP	✓ Mydriacyl		
* Eye drops 1%		15 ml OP	✓ <u>Mydriacyl</u>		
Preparations for Tear Deficiency					
For acetylcysteine eye drops refer Standard Formulae, page 22	5				
HYPROMELLOSE					
* Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt		
HYPROMELLOSE WITH DEXTRAN					
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✓ Poly-Tears		
POLYVINYL ALCOHOL	0.60	15 ml OD	. ✓ Viatil		
* Eye drops 1.4%		15 ml OP 15 ml OP	✓ <u>Vistil</u> ✓ Vistil Forte		
Preservative Free Ocular Lubricants					
► SA1388 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val	id for 12 months fo	or applications	meeting the following criteria:		
Both:					
<ul><li>1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and</li><li>2 Either:</li></ul>					
<ul><li>2.1 Patient is using eye drops more than four times</li><li>2.2 Patient has had a confirmed allergic reaction to</li></ul>	, ,				
<b>Renewal</b> from any relevant practitioner. Approvals valid for 24 r and has benefited from treatment.	months where the	patient continu	es to require lubricating eye drops		
CARBOMER - Special Authority see SA1388 above - Retail p	harmacy				

Subsidy

	Hylo-Fresh has a 6 month expiry after opening. The Pharmacy Procedures Manual restriction allowing one bottle per month
	is not relevant and therefore only the prescribed dosage to the nearest OP may be claimed.
(	Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE  * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%17.00	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN  * Eye oint with soft white paraffin	3.5 g OP	✔ Refresh Night Time

30

10 ml OP

✔ Poly-Gel

✔ Hylo-Fresh

✓ Systane Unit Dose

Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml ......4.30

Eye drops 1 mg per ml ......22.00

MACROGOL 400 AND PROPYLENE GLYCOL - Special Authority see SA1388 above - Retail pharmacy

SODIUM HYALURONATE [HYALURONIC ACID] - Special Authority see SA1388 above - Retail pharmacy

# **SENSORY ORGANS**

	Subsidy (Manufacturer's Price	) Subs	Fully sidised	Brand or Generic	
	\$	Per	~	Manufacturer	
PARAFFIN LIQUID WITH WOOL FAT  * Eye oint 3% with wool fat 3%	3.63 3	.5 g OP	<b>✓</b> <u>P</u> c	oly-Visc	
RETINOL PALMITATE  Eve oint 138 mca per a	3.80	5 a OP	<b>✓</b> Vi	itA-POS	

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

#### Various

PHARMACY SERVICES

May only be claimed once per patient.

Brand switch fee ......4.50

The Pharmacode for BSF Apo-Metoprolol is 2511541 - see also page 59

1 fee

✓ BSF Apo-Metoprolol

(BSF Apo-Metoprolol Brand switch fee to be delisted 1 February 2017)

# Agents Used in the Treatment of Poisonings

#### **Antidotes**

ACETYLCYSTEINE - Retail pharmacy-Specialist			
Inj 200 mg per ml, 10 ml ampoule	78.34	10	✓ DBL Acetylcysteine

#### NALOXONE HYDROCHLORIDE

- a) Up to 5 ini available on a PSO
- b) Only on a PSO
- 5 ✓ Hospira

### Removal and Elimination

#### CHARCOAL

*	Oral liq 50 g per 250 ml	43.50	250 ml OP	✓ Carbosorb-X
---	--------------------------	-------	-----------	---------------

- a) Up to 250 ml available on a PSO
- b) Only on a PSO

# DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13
---

Tab 125 mg dispersible	276.00	28	Exjade
Tab 250 mg dispersible	552.00	28	Exjade
Tab 500 mg dispersible	1,105.00	28	Exjade

#### ⇒SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
  - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2\*; or
  - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
  - 3.3 Treatment with deferiprone has resulted in arthritis: or
  - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per  $\mu$ L) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per  $\mu$ L).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2\* and liver MRI T2\* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2\* and liver MRI T2\* levels.



	Subsidy (Manufacturer's Price \$	e) Sı Per	ıbsidised	Brand or Generic Manufacturer	
DEFERIPRONE – Special Authority see SA1480 below – Retail p	,	400	4-		
Tab 500 mg Oral liq 100 mg per 1 ml		100 250 ml OP		erriprox erriprox	

# **⇒**SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERRIOXAMINE MESILATE  * Inj 500 mg vial	51.52	10	✓ Desferal
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
	(156.71)		Calcium Disodium Versenate

# INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
  - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
  - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

# Glossary

**Dermatological base:** The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

**Dermatological galenical:** Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- · Salicylic acid powder
- · Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

# **Explanatory notes**

### **Oral liquid mixtures**

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

#### Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/ml

Allopurinol 20 mg/ml

Allopurinol 20 mg/ml

Amlodipine 1 mg/ml

Azathioprine 50 mg/ml

Baclofen 10 mg/ml

Carvedilol 1 mg/ml

Clopidogrel 5 mg/ml

Levetiracetam 100 mg/ml

Levedopa with carbidopa (5 mg levodopa + 1.25 mg carbidopa)/ml

Tacrolimus 1 mg/ml
Terbinafine 25 mg/ml
Tramadol 10 mg/ml

Diltiazem hydrochloride 12 mg/ml

Dipyridamole 10 mg/ml

Domperidone 1 mg/ml

Metoclopramide 1 mg/ml

Metoprolol tartrate 10 mg/ml

Valganciclovir 60 mg/ml\*

Verapamil hydrochloride 50 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

#### \*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

## EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

#### Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

#### **Dermatological Preparations**

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 221) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

# Dermatological ECPs

Is it subsidised?



difficile following metronidazole failure)

WITH HYDROCORTISONE POWDER 1%

1%

to 35 ml

VOSOL FAR DROPS

Vosol Ear Drops

Hydrocortisone powder

#### Standard Formulae PHENOBARBITONE ORAL LIQUID ACETYLCYSTEINE EYE DROPS Phenobarbitone Sodium 1 g Acetylcysteine inj 200 mg per ml, 10 ml gs Glycerol BP 70 ml Suitable eye drop base as Water to 100 ml ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg 12 tabs PHENOBARBITONE SODIUM PAEDIATRIC ORAL Chloroform to 100 ml LIQUID (10 mg per ml) Phenobarbitone Sodium CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) 400 ma Glycerol BP 4 ml Codeine phosphate 60 ma Water to 40 ml Glycerol 40 ml Preservative as Water to 100 ml PILOCARPINE ORAL LIQUID Pilocarpine 4% eye drops qs CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Preservative as Codeine phosphate 300 ma Water to 500 ml Glycerol 40 ml (Preservative should be used if quantity supplied is for Preservative as more than 5 days.) Water to 100 ml FOLINIC MOUTHWASH SALIVA SUBSTITUTE FORMULA Calcium folinate 15 mg tab 1 tab Methylcellulose 5 q Preservative as Preservative as to 500 ml Water Water to 500 ml (Preservative should be used if quantity supplied is for (Preservative should be used if quantity supplied is for more than 5 days. Maximum 500 ml per prescription.) more than 5 days. Maximum 500 ml per prescription.) MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% 275 a SODIUM CHLORIDE ORAL LIQUID Methyl hydroxybenzoate 1.5 g Sodium chloride ini 23.4%, 20 ml as Water to 1,000 ml Water as METHADONE MIXTURE (Only funded if prescribed for treatment of hyponatraemia) Methadone powder qs Glycerol qs VANCOMYCIN ORAL SOLUTION (50 mg per ml) Water to 100 ml Vancomycin 500 mg injection 10 vials METHYL HYDROXYBENZOATE 10% SOLUTION Glycerol BP 40 ml Methyl hydroxybenzoate Water to 100 ml 10 q Propylene glycol to 100 ml (Only funded if prescribed for treatment of Clostridium (Use 1 ml of the 10% solution per 100 ml of oral liquid

8.4 q

to 100 ml

mixture)

Water

OMEPRAZOLE SUSPENSION

Omeprazole capules or powder Sodium bicarbonate powder BP

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Extemporaneously Compounded Preparations and Galenicals BENZOIN Tincture compound BP ......24.42 500 ml (39.90)Pharmacy Health 2.44 50 ml Pharmacy Health (5.10)CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP ......25.50 500 ml ✓ PSM CODEINE PHOSPHATE - Safety medicine; prescriber may determine dispensing frequency Powder - Only in combination ......63.09 25 g (90.09)Douglas 12.62 5 g (25.46)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) ± Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE 100 ml ✓ PSM COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. 100 ml ✓ Midwest 34.18 David Craig GLYCERIN WITH SODIUM SACCHARIN - Only in combination Only in combination with Ora-Plus. ✓ Ora-Sweet SF 473 ml GLYCERIN WITH SUCROSE - Only in combination Only in combination with Ora-Plus. ✓ Ora-Sweet 473 ml **GLYCEROL** 500 ml ✓ healthE Glycerol BP Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE ✓ PSM 500 a METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). 1 q ✓ AFT ‡ Safety cap for extemporaneously compounded oral liquid preparations. METHYL HYDROXYBENZOATE 25 g ✓ PSM Powder 8.00 ✓ Midwest METHYLCELLULOSE 100 g ✓ MidWest 473 ml Ora-Plus

# EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Pri \$	ce) S Per	Fully Brand or Subsidised Generic Manufacturer	
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCH Suspension	•	mbination 473 ml	✓ Ora-Blend SF	
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl Suspension	ly in combination	473 ml	✓ Ora-Blend	
PHENOBARBITONE SODIUM Powder – Only in combination	52.50 325.00	10 g 100 g	✓ MidWest ✓ MidWest	
a) Only in children up to 12 years     b) ‡ Safety cap for extemporaneously compounded oral li PROPYLENE GLYCOL Only in extemporaneously compounded methyl hydroxybenz	oate 10% solution.			
Liq SODIUM BICARBONATE	11.25	500 ml	✓ Midwest	
Powder BP – Only in combination	9.80	500 g	✓ Midwest	
Only in extemporaneously compounded omeprazole and	(29.50)	aneion	David Craig	
SYRUP (PHARMACEUTICAL GRADE) – Only in combination Only in extemporaneously compounded oral liquid preparation		51131011.		
Liq	21.75	2,000 ml	✓ Midwest	
WATER Tap - Only in combination	0.00	1 ml	✓ Tap water	

# **EXPLANATORY NOTES**

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

#### **Eligibility for Special Authority**

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

#### Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

#### Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

#### Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

#### **Definitions**

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

## **Nutrient Modules**

### Carbohydrate

#### ■SA1522 Special Authority for Subsidy

**Initial application — (Cystic fibrosis or kidney disease)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3]

# Carbohydrate And Fat

# **⇒**SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Infant or child aged four years or under; and
- 2 cvstic fibrosis.



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
  - 2.1 cancer in children: or
  - 2.2 faltering growth; or
  - 2.3 bronchopulmonary dysplasia; or
  - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT – Special Auth	ority see SA1376 on th	e previous pa	ge – Hospital pharmacy [HP3]
Powder (neutral)	60.31	400 g OP	Duocal Super
			Soluble Powder

### Fat

# ■ SA1523 Special Authority for Subsidy

**Initial application** — (**Inborn errors of metabolism**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia: or
- 3 fat malabsorption; or
- 4 lymphangiectasia: or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 ascites; or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk

Subsidy	S	Fully	Brand or
(Manufacturer's Price)		ubsidised	Generic
` <b>\$</b>	Per	~	Manufacturer

#### continued...

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula.

Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Roth:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)12.30	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)12.30	200 ml OP	✓ Calogen
Oil30.00	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml114.92	4 OP	✓ Liquigen

# **Protein**

### **⇒**SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEM	IENT - Special Authority see SA1524 above - Hospital ph	armacy [HP3]	
Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource
			Beneprotein
Powder (vanilla)	12.90	275 g OP	✓ Promod

Subsidy (Manufacturer's Price) Fully Subsidised Per Brand or Generic Manufacturer

# Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

# **Respiratory Products**

#### ⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 above - Hospital pharmacy [HP3]

### **Diabetic Products**

#### ■SA1095 | Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

ADLIIO	OHALILLD	I NOAL/IVIL	openial Authority see on 1000 above	riospitai pilarillacy	[111 0]
Liquid	(strawberry) .		1.50	200 ml OP	✓ Diasip
Liquid	(vanilla)		1.50	200 ml OP	✓ Diasip
			1.88	3 250 ml OP	✓ Glucerna Select
			1.78	3 237 ml OP	
			(2.10	0)	Resource Diabetic
			(2.10	0)	Sustagen Diabetic

#### **Fat Modified Products**

#### ⇒SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak: or

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 on the previous page - Hospital pharmacy [HP3] 400 a OP ✓ Monogen

# Paediatric Products For Children Awaiting Liver Transplant

### ⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

400 a OP ✔ Heparon Junior 

# Paediatric Products For Children With Chronic Renal Failure

## ■SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy (HP3) Liquid ......54.00

400 a OP

✓ Kindergen

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

#### **Paediatric Products**

#### **⇒**SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
  - 1 Child is aged one to ten years; and
  - 2 Any of the following:
    - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
    - 2.2 any condition causing malabsorption; or
    - 2.3 faltering growth in an infant/child; or
    - 2.4 increased nutritional requirements; or
    - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority	see SA1379 abo	ove – Hospital pl	harmacy [HP3]
Liquid	6.00	500 ml OP	Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority s Liquid		e – Hospital pha 500 ml OP	rmacy [HP3]  ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Sp. Liquid	•	e SA1379 above 500 ml OP	e – Hospital pharmacy [HP3]  Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED - Special Authority see SA1379 abo	ve – Hospital pha	rmacy [HP3]	
Powder (vanilla)	20.00	850 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority see Liquid (strawberry)Liquid (vanilla)	1.60	- Hospital pharn 200 ml OP 200 ml OP	nacy [HP3]  Fortini  Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see S	SA1379 above – F	Hospital pharma	cy [HP3]
Liquid (chocolate)	1.07	200 ml OP	✓ Pediasure
Liquid (strawberry)	1.07	200 ml OP	✓ Pediasure
Liquid (vanilla)	1.07	200 ml OP	✓ Pediasure
	1.34	250 ml OP	✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML - Special	Authority see SA	1379 above – H	Hospital pharmacy [HP3]
Liquid (chocolate)	1.60	200 ml OP	✓ Fortini Multi Fibre
Liquid (strawberry)		200 ml OP	✓ Fortini Multi Fibre
Liquid (vanilla)		200 ml OP	✓ Fortini Multi Fibre

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

### **Renal Products**

### ■SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML - Special Authority ser Liquid			acy [HP3]  ✓ Nepro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority see SA	1101 above – Hos	pital pharmacy	[HP3]
Liquid	2.67	220 ml OP	✓ Nepro HP (strawberry)
			✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see SA1	101 above – Hospit	al pharmacy [H	IP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	Renilon 7.5

# **Specialised And Elemental Products**

### **⇒**SA1377 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Any of the following:

- 1 malabsorption: or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML − Special Authority see SA1377 above − Hospital pharmacy [HP3]

Powder .......7.50 76 g OP ✓ Alitraq

Subsidy Fully Brand or Subsidised Generic Subsidised Authority see SA1377 on the previous page – Hosp

1.000 ml OP

✔ Peptisorb

ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] 1.000 ml OP ✓ Vital ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] 18 OP ✓ Elemental 028 Extra Liquid (grapefruit), 250 ml carton .......171.00 Liquid (pineapple & orange), 250 ml carton .......171.00 18 OP ✓ Elemental 028 Extra ✓ Elemental 028 Extra 18 OP ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] ✔ Vivonex TEN Powder (unflavoured) .......4.50 80 a OP SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3]

# Paediatric Products For Children With Low Energy Requirements

#### **▶**SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

# **Standard Supplements**

### ■SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
  - 2.1 The patient has a condition causing malabsorption; or
  - 2.2 The patient has failure to thrive: or
  - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m2; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m2 and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

**Renewal — (Short-term medical condition)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
  - 5.1 Pregnant; and
  - 5.2 Any of the following:
    - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
    - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
    - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions: or

Multi Fibre

	Subsidy acturer's Price) Subs	Fully	Brand or Generic
(	\$ Per	~	Manufacturer

continued...

- 10 Epidermolysis bullosa: or
  - 11 AIDS (CD4 count < 200 cells/mm<sup>3</sup>); or
  - 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

c corono amonio nodi ological contantono.		
ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page	ospital pharmac 1,000 ml OP	
ENTERAL FEED 1KCAL/ML – Special Authority see SA1554 on page Liquid	pital pharmacy 250 ml OP 1,000 ml OP	✓ Isosource Standard
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML - Special Authority see Liquid	n page 236 – Ho 1,000 ml OP	
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA Liquid	age 236 – Hosp 237 ml OP 1,000 ml OP	✓ Jevity
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see S Liquid	page 236 – Hos 250 ml OP 1,000 ml OP	✓ Ensure Plus HN

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

Formula

ORAL FEED (POWDER) - Special Authority see SA1554 on page 236 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$14.90 per 840

g with Endorsement	13.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)		Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 236 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) - Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72	200 ml OP	
	(1.26) (1.26)	200 1111 01	Ensure Plus Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement		200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200			
ml with Endorsement		200 ml OP	
	(1.26)		Ensure Plus
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 236 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (chocolate) — Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

# **High Calorie Products**

### ■SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis: and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
  - 1.1 any condition causing malabsorption; or
  - 1.2 faltering growth in an infant/child; or
  - 1.3 increased nutritional requirements: or
  - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

#### SPECIAL FOODS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

500 ml OP ✓ Nutrison

Concentrated 11 00 1.000 ml OP ✓ Two Cal HN RTH

ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with

200 ml OP

> Two Cal HN (1.90)

# **Food Thickeners**

### ⇒SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

300 a OP

FOOD THICKENER - Special Authority see SA1106 above - Hospital pharmacy [HP3] ✓ Nutilis

> 380 a OP ✓ Feed Thickener 7.25 Karicare Aptamil

### **Gluten Free Foods**

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

#### ⇒SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

#### Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3]

1.000 a OP

(5.15)

Healtheries Simple Baking Mix

	Subsidy (Manufacturer's I \$	Price) Subsi Per	Fully Brand or dised Generic  Manufacturer
GLUTEN FREE BREAD MIX - Special Authority see SA1107	on the previous pa	ge – Hospital ph	armacy [HP3]
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten
			Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free
			Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
(Bakels Gluten Free Health Bread Mix Powder to be delisted 1	April 2017)		
GLUTEN FREE FLOUR - Special Authority see SA1107 on th	e previous page -	Hospital pharma	cy [HP3]
Powder	5.62	2,000 g OP	
	(18.10)		Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA1107 on the	e previous page – F	Hospital pharma	ev [HP3]
Buckwheat Spirals		250 g OP	,, [ o]
240Q. Op. 400	(3.11)	_00 g 0.	Orgran
Corn and Vegetable Shells	` '	250 g OP	o.g.a
	(2.92)		Orgran
Corn and Vegetable Spirals	` ,	250 g OP	3
	(2.92)	Ü	Orgran
Rice and Corn Lasagne Sheets	1.60 <sup>°</sup>	200 g OP	· ·
· ·	(3.82)	ŭ	Orgran
Rice and Corn Macaroni	2.00	250 g OP	•
	(2.92)	-	Orgran
Rice and Corn Penne	2.00	250 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals	2.00	250 g OP	
	(3.11)		Orgran
Rice and corn spaghetti noodles		375 g OP	_
	(2.92)		Orgran
Vegetable and Rice Spirals		250 g OP	_
	(2.92)		Orgran
Italian long style spaghetti		220 g OP	
	(3.11)		Orgran

# Foods And Supplements For Inborn Errors Of Metabolism

#### **⇒**SA1108 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

# **Supplements For Homocystinuria**

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

# Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

(MSUD Maxamaid Powder to be delisted 1 May 2017)

# **Supplements For PKU**

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy

0]			
Tabs	99.00	75 OP	✓ Phlexy 10
Powder (unflavoured) 36 g sachets	393.00	30	PKU Anamix Junior
Infant formula	174.72	400 g OP	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
	320.00	•	XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00	-	XP Maxamum
Liquid (berry)	13.10	125 ml OP	PKU Anamix Junior
			LQ
Liquid (orange)	13.10	125 ml OP	PKU Anamix Junior
1 ( 3 /			LQ
Liquid (unflavoured)	13.10	125 ml OP	✔ PKU Anamix Junior
1 ( )			LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	Easiphen Liquid
Liquid (juicy berries) 62.5 ml	939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml	939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml	936.00	30 OP	✔ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml		30 OP	✓ PKU Lophlex LQ 20

#### **Foods**

LOW PROTEIN BAKING MIX – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Powder .......8.22 500 g OP 

✓ Loprofin Mix

LOW PROTEIN PASTA – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Animal shapes 11.91 500 g OP / Lorrofin

Allina shapes	11.01	300 g Oi	Lopioiiii
Lasagne	5.95	250 g OP	Loprofin
Low protein rice pasta	11.91	500 g OP	Loprofin
Macaroni		250 g OP	✓ Loprofin
Penne	11.91	500 g OP	Loprofin
Spaghetti	11.91	500 g OP	✓ Loprofin
Spirals	11.91	500 g OP	Loprofin

# Infant Formulae

#### For Premature Infants

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

#### ■SA1198 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

#### Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
  - 2.1 The infant has faltering growth (downward crossing of percentiles); or
  - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

### For Williams Syndrome

#### ⇒SA1110 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

#### Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

# **Gastrointestinal and Other Malabsorptive Problems**

AMINO ACID FORMULA -	Special Authority see SA1219 below – Hospital phar	macy [HP3]	
Powder	6.00	48.5 g OP	Vivonex Pediatric
	43.60	400 g OP	Alfamino Junior
	53.00	•	✓ Neocate LCP
Powder (unflavoured) .	53.00	400 g OP	✓ Elecare
		•	✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	53.00	400 g OP	✓ Elecare
. ,		ŭ	✓ Neocate Advance

(Vivonex Pediatric Powder to be delisted 1 April 2017)

#### ⇒SA1219 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Note: A reasonable trial is defined as a 2-4 week trial.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1557 below - Hospital pharmacy [HP3]

### ⇒SA1557 Special Authority for Subsidy

**Initial application** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
  - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
  - 1.2 Fither:
    - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
    - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis: or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure: or
- 11 All of the following:
  - 11.1 For step down from Amino Acid Formula: and
  - 11.2 The infant is currently receiving funded amino acid formula; and
  - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
  - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

**Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

# **Ketogenic Diet**

### ⇒SA1197 | Special Authority for Subsidy

**Initial application** only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

**Renewal** only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Speci	al Authority see SA1197 above - Retai	pharmacy
Powder (unflavoured)	35.50 300 g OP	✓ KetoCal 4:1
	-	Ketocal 3:1
Powder (vanilla)	35.50 300 g OP	KetoCal 4:1

# Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

48851111 INTE	0555011/01/5
ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule	✓ Inj 500 mg vial – Subsidy by endorsement –
✓ Inj 1 in 10,000, 10 ml ampoule5	See note on page 985
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See
✓ Inj 25 mg per ml, 10 ml ampoule5	note on page 985
AMIODARONE HYDROCHLORIDE	CHARCOAL
✓ Inj 50 mg per ml, 3 ml ampoule6	✓ Oral liq 50 g per 250 ml
Fing 50 mg per mi, 5 mi ampoule	
AMOXICILLIN	CHLORPROMAZINE HYDROCHLORIDE
✓ Cap 250 mg30	✓ Tab 10 mg
✓ Cap 500 mg30	✓ Tab 25 mg
✓ Grans for oral liq 125 mg per 5 ml	✓ Inj 25 mg per ml, 2 ml
✓ Grans for oral liq 250 mg per 5 ml	▶ IIIJ 25 IIIg pei IIII, 2 IIII
✓ Inj 1 g vial5	CIPROFLOXACIN
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 250 mg – See note on page 1015
✓ Tab 500 mg with clavulanic acid 125 mg30	✓ Tab 500 mg – See note on page 1015
✓ Grans for oral liq amoxicillin 125 mg with	CO-TRIMOXAZOLE
clavulanic acid 31.25 mg per	✓ Tab trimethoprim 80 mg and
5 ml200 ml	sulphamethoxazole 400 mg30
✓ Grans for oral liq amoxicillin 250 mg with	✓ Oral lig trimethoprim 40 mg and
clavulanic acid 62.5 mg per 5 ml200 ml	sulphamethoxazole 200 mg per
ASPIRIN	5 ml200 ml
✓ Tab dispersible 300 mg30	
	COMPOUND ELECTROLYTES
ATROPINE SULPHATE	✓ Powder for oral soln10
✓ Inj 600 mcg per ml, 1 ml ampoule5	CONDOMS
AZITHROMYCIN	✓ 49 mm144
✓ Tab 500 mg – See note on page 988	✓ 52 mm144
DENIDDOELLIMETHIAZIDE (DENIDDOELLIAZIDE)	✓ 52 mm extra strength144
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]  ✓ Tab 2.5 mg – See note on page 62150	✓ 53 mm144
✓ Tab 2.5 flig – See flote off page oz	✓ 53 mm (chocolate)144
BENZATHINE BENZYLPENICILLIN	✓ 53 mm (strawberry)144
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe5	✓ 55 mm
BENZTROPINE MESYLATE	✓ 56 mm
✓ Inj 1 mg per ml, 2 ml10	✓ 56 mm, shaped
	✓ 60 mm144
BENZYLPENICILLIN SODIUM (PENICILLIN G)	CYPROTERONE ACETATE WITH
✓ Inj 600 mg (1 million units) vial5	ETHINYLOESTRADIOL
BLOOD GLUCOSE DIAGNOSTIC TEST METER	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
✓ Meter with 50 lancets, a lancing device and	7 inert tabs168
10 diagnostic test strips – Subsidy by	DEXAMETHASONE
endorsement – See note on page 261	✓ Tab 0.5 mg – Retail pharmacy-Specialist60
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	✓ Tab 4 mg – Retail pharmacy-Specialist
✓ Blood glucose test strips – See note on page	
26	DEXAMETHASONE PHOSPHATE
	✓ Inj 4 mg per ml, 1 ml ampoule – See note on
BLOOD KETONE DIAGNOSTIC TEST METER	page 865
✓ Meter – See note on page 251	continued

(continued)  ✓ Inj 4 mg per ml, 2 ml ampoule – See note on	✓ Tab 35 mcg with norethisterone 1 mg and 7 inert tab84
page 86	✓ Tab 35 mcg with norethisterone 500 mcg
✓ 70 mm – See note on page 79	FLUCLOXACILLIN  ✓ Cap 250 mg30  ✓ Grans for oral lig 25 mg per ml200 ml
DIAZEPAM  ✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by	✓ Grans for oral liq 50 mg per ml
endorsement – See note on page 138	FLUPENTHIXOL DECANOATE  ✓ Inj 20 mg per ml, 1 ml
DICLOFENAC SODIUM  ✓ Inj 25 mg per ml, 3 ml ampoule	✓ Inj 100 mg per ml, 1 ml
DIGOXIN  ✓ Tab 62.5 mcg	endorsement – See note on page 148
DOXYCYCLINE       30         ✓ Tab 100 mg	endorsement – See note on page 1485  ✓ Inj 100 mg per ml, 1 ml – Subsidy by endorsement – See note on page 1485
ERGOMETRINE MALEATE  ✓ Inj 500 mcg per ml, 1 ml ampoule	FUROSEMIDE [FRUSEMIDE]  ✓ Tab 40 mg30  ✓ Inj 10 mg per ml, 2 ml ampoule5
ERYTHROMYCIN ETHYL SUCCINATE  ✓ Tab 400 mg	GLUCAGON HYDROCHLORIDE  ✓ Inj 1 mg syringe kit5
✓ Grans for oral liq 400 mg per 5 ml	GLUCOSE [DEXTROSE]  ✓ Inj 50%, 10 ml ampoule
ETHINYLOESTRADIOL WITH DESOGESTREL  Tab 20 mcg with desogestrel 150 mcg and 7 inert tab84	GLYCERYL TRINITRATE  ✓ Tab 600 mcg100  ✓ Oral pump spray, 400 mcg per dose250 dose  ✓ Oral spray, 400 mcg per dose250 dose
Tab 30 mcg with desogestrel 150 mcg and 7 inert tab84	GLYCOPYRRONIUM BROMIDE  ✓ Inj 200 mcg per ml, 1 ml ampoule10
► THINYLOESTRADIOL WITH LEVONORGESTREL  Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab84	HALOPERIDOL  ✓ Tab 500 mcg30
✓ Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab84	✓ Tab 1.5 mg
Tab 30 mcg with levonorgestrel 150 mcg	✓ Inj 5 mg per ml, 1 ml ampoule
ETHINYLOESTRADIOL WITH NORETHISTERONE  ✓ Tab 35 mcg with norethisterone 1 mg63	✓ Inj 50 mg per ml, 1 ml

# PRACTITIONER'S SUPPLY ORDERS

METRONIDAZOLE
✓ Tab 200 mg30
MORPHINE SULPHATE
✓ Inj 5 mg per ml, 1 ml ampoule – Only on a
controlled drug form5
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a
controlled drug form5
✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form5
✓ Inj 30 mg per ml, 1 ml ampoule – Only on a
controlled drug form5
NALOXONE HYDROCHLORIDE
✓ Inj 400 mcg per ml, 1 ml ampoule5
NICOTINE
✔ Patch 7 mg – See note on page 16528
✓ Patch 14 mg – See note on page 16528
✓ Patch 21 mg – See note on page 16528
Lozenge 1 mg – See note on page 165216
✓ Lozenge 2 mg – See note on page 165216 ✓ Gum 2 mg (Classic) – See note on page 165384
✓ Gum 2 mg (Fruit) – See note on page 165384
✓ Gum 2 mg (Mint) – See note on page 165384
✓ Gum 4 mg (Classic) – See note on page 165384
✓ Gum 4 mg (Fruit) – See note on page 165 384
✓ Gum 4 mg (Mint) – See note on page 165384
NORETHISTERONE
✓ Tab 350 mcg84
✓ Tab 5 mg30
OXYTOCIN
✓ Ini 5 iu nor ml. 1 ml ampoulo
✓ Ini 10 iu nor ml. 1 ml amnoulo 5
OXYTOCIN WITH ERGOMETRINE MALEATE
✓ Inj 5 iu with ergometrine maleate 500 mcg
per ml, 1 ml5
PARACETAMOL
✓ Tab 500 mg30
✓ Oral liq 120 mg per 5 ml
✓ Oral liq 250 mg per 5 ml100 ml
PEAK FLOW METER
✓ Low range10
✓ Normal range10
PETHIDINE HYDROCHLORIDE
✓ Inj 50 mg per ml, 1 ml – Only on a controlled
drug form 5
✓ Inj 50 mg per ml, 2 ml – Only on a controlled
drug form5
continued

# PRACTITIONER'S SUPPLY ORDERS

continued)
PHENOXYMETHYLPENICILLIN (PENICILLIN V)  ✓ Cap 250 mg30
✓ Cap 500 mg
✓ Grans for oral liq 125 mg per 5 ml200 ml
✓ Grans for oral liq 250 mg per 5 ml 300 ml
PHENYTOIN SODIUM
✓ Inj 50 mg per ml, 2 ml ampoule
PHYTOMENADIONE
✓ Inj 2 mg per 0.2 ml5
✓ Inj 10 mg per ml, 1 ml5
PIPOTHIAZINE PALMITATE
✓ Inj 50 mg per ml, 1 ml – Subsidy by
endorsement – See note on page 1495  ✓ Inj 50 mg per ml, 2 ml – Subsidy by
endorsement – See note on page 1495
PREDNISOLONE
✓ Oral liq 5 mg per ml – See note on page
8630 ml
PREDNISONE
✓ Tab 5 mg30
PREGNANCY TESTS - HCG URINE
✓ Cassette
PROCAINE PENICILLIN  ✓ Inj 1.5 g in 3.4 ml syringe5
PROCHLORPERAZINE  ✓ Tab 5 mg30
✓ Inj 12.5 mg per ml, 1 ml5
PROMETHAZINE HYDROCHLORIDE
✓ Inj 25 mg per ml, 2 ml ampoule5
SALBUTAMOL
✓ Inj 500 mcg per ml, 1 ml5

✓ Aerosol inhaler, 100 mcg per dose CFC
free
SALBUTAMOL WITH IPRATROPIUM BROMIDE  ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule20
SILVER SULPHADIAZINE  ✓ Crm 1%250 g
SODIUM BICARBONATE       ✓ Inj 8.4%, 50 ml       5         ✓ Inj 8.4%, 100 ml       5
SODIUM CHLORIDE  ✓ Inj 0.9%, bag – See note on page  54
SPACER DEVICE          ✓ 220 ml (single patient)
TRIMETHOPRIM ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE  ✓ Inj 2.5 mg per ml, 2 ml ampoule5
WATER  ✓ Purified for inj, 5 ml – See note on page 55
ZUCLOPENTHIXOL DECANOATE  ✓ Inj 200 mg per ml, 1 ml5

# **Rural Areas for Practitioner's Supply Orders**

NORTH ISLAND
Northland DHB

Dargaville
Hikurangi
Kaeo
Kaikohe
Kaitaia
Kawakawa

Kerikeri Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka

Waipu Whangaroa

Russell

Tutukaka

Helensville Huapai Kumeu Snells Beach

Waitemata DHB

Waimauku Warkworth Wellsford

Auckland DHB
Great Barrier Island

Oneroa

Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville

Ngatea Otorohanga Paeroa Pauanui Beach Putaruru

Putaruru Raglan Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi

**Bay of Plenty DHB** 

Whangamata

Whitianga

Edaecumbe

Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach

Whakatane Lakes DHB

Mangakino Turangi

Tairawhiti DHB Ruatoria Te Araroa Te Karaka Te Puia Springs

Tikitiki Tokomaru Bay

Tolaga Bay

Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford

Hawkes Bay DHB

Waipawa Waipukurau Wairoa

Waverley

Whanganui DHB

Bulls

Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB
Dannevirke
Foxton
Levin
Otaki

Pahiatua Shannon Woodville

Carteron Featherston Greytown

Wairarapa DHB

Greytown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB
Dobson
Greymouth
Hokitika
Karamea
Reefton

Reefton South Westland Westport Whataroa Canterbury DHB

Akaroa Amberley Amuri Chatham Islands

Darfield Diamond Harbour Hanmer Springs South Canterbury DHB

Fairlie Geraldine Pleasant Point Temuka Twizel Waimate

Kaikoura

Leeston

Lincoln

Oxford

Rakaia

Rolleston

Rotherham

Templeton

Waikari

Methven

Southern DHB

Southern Alexandra Balclutha Cromwell Gore Kurow Lawrence Lumsden Mataura

Mataura
Milton
Oamaru
Oban
Otautau
Outram
Owaka
Palmerston
Queenstown

Queenstown Ranfurly Riverton Roxburgh Tapanui Te Anau Tokonui Tuatapere Wanaka Winton

#### **SECTION F: PART I**

A Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a \* within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots:
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

### SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the
prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies
"certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
  - i) have limited physical mobility:
  - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
  - iii) are relocating to another area;
  - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

### SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a \* within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a \* please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

### SECTION F

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

#### **ALIMENTARY TRACT AND METABOLISM**

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

**INSULIN GLARGINE** 

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

**INSULIN LISPRO** 

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

#### **CARDIOVASCULAR SYSTEM**

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Cap long-acting 100 mg Tambocor CR
Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

**NICORANDIL** 

PROPAFENONE HYDROCHLORIDE

### HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per m

Nasal spray 10 mcg per Desmopressin-PH&T

dose

#### MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

#### **NERVOUS SYSTEM**

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHI ORIDE

**ENTACAPONE** 

**GABAPENTIN** 

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

**TOLCAPONE** 

**TOPIRAMATE** 

VIGABATRIN

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '±'.

#### **Exemptions**

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

#### Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

#### Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

**FERROUS SULPHATE** 

Oral liq 30 mg (6 mg el- Ferodan emental) per 1 ml

CARDIOVASCULAR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

**CAPTOPRIL** 

Oral lig 5 mg per ml Capoten

**CHLOROTHIAZIDE** 

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral lig 10 mg per ml Lasix

**SPIRONOLACTONE** 

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

**LEVOTHYROXINE** 

Tab 25 mcg Synthroid Tab 50 mcg Eltroxin

Synthroid

Tab 100 mcg Eltroxin

Synthroid

(Extemporaneously compounded oral liquid preparations)

LEVOTHYROXINE (MERCURY PHARMA)

Tab 50 mcg Mercury Pharma
Tab 100 mcg Mercury Pharma

(Extemporaneously compounded oral liquid preparations)

**INFECTIONS - AGENTS FOR SYSTEMIC USE** 

QUININE SULPHATE

Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

**NERVOUS SYSTEM** 

ALPRAZOLAM

Tab 250 mcg Xanax
Tab 500 mcg Xanax
Tab 1 mg Xanax

(Extemporaneously compounded oral liquid preparations)

**CARBAMAZEPINE** 

Oral lig 20 mg per ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam
Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

**ETHOSUXIMIDE** 

Oral liq 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Biodone Forte
Biodone Extra Forte

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml
Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Oral liq 10 mg per ml

**NITRAZEPAM** 

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

**TEMAZEPAM** 

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

**TRIAZOLAM** 

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE
Oral lig 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE
Oral lig 1 mg per 1 ml Allersoothe

**SALBUTAMOL** 

Oral lig 400 mcg per ml Ventolin

**THEOPHYLLINE** 

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

**CODEINE PHOSPHATE** 

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

\$

#### **Vaccinations**

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Ini 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml .............0.00 ADT Booster ✔ ADT Booster

Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients; or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds: or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

#### BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000 Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or
- Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin), Danish strain 1331, live attenuated, vial with diluent .................0.00 10 ✓ BCG Vaccine

#### DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

www.bcgatlas.org/index.php.

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- 2) A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Ini 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg pertussis toxoid, 8 mcg pertussis filamentous haemagluttinin 

✓ Boostrix

10 **Boostrix** 

	Subsidy (Manufacturer's Price)	Subsi Per	dised	Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE – Funded for any of the following:  1) A single dose for children up to the age of 7 who have compared to 7 and 1 and	ompleted primary immunes for children (to the (re-)immunisation for prenal dialysis and other	e age of 10 patients po	0 years	T, or chemotherapy; pre
Note: Please refer to the Immunisation Handbook for approp Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe	riate schedule for catcl , ; ;	n up progra 1 10	✓ <u>Infa</u>	anrix IPV anrix IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AN Funded for patients meeting any of the following criteria:  1) Up to four doses for children up to and under the age of 2) An additional four doses (as appropriate) are funded for are patients post haematopoietic stem cell transplantation organ transplant, renal dialysis and other severely immuria.  3) Up to five doses for children up to and under the age of Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the Ir programmes.  Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisB-surfaceantigen in 0.5ml syringe	10 for primary immunis (re-)immunisation for con, or chemotherapy; posuppressive regimer 10 receiving solid orgal o programmes for child nmunisation Handbool	sation; or children up ore or post ns; or n transplan Iren (up to	to and splene station. and un opropria	under the age of 10 who ectomy; pre- or post solid
	0.00	1		anrix-nexa anrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following:  1) For primary vaccination in children; or 2) An additional dose (as appropriate) is funded for (re-)im tation, or chemotherapy; functional asplenic; pre or pos cochlear implants, renal dialysis and other severely immi	st splenectomy; pre- o unosuppressive regime es, on the recommend	r post soli ens; or lation of a	d orgar n intern	n transplant, pre- or pos
Inj 10 mcg vial with diluent syringe	0.00	1	✓ <u>Ac</u>	<u>t-HIB</u>
HEPATITIS A VACCINE – [Xpharm]  Funded for patients meeting any of the following criteria:  1) Two vaccinations for use in transplant patients; or  2) Two vaccinations for use in children with chronic liver dis  3) One dose of vaccine for close contacts of known hepatiti	s A cases.	1	<b>√</b> Ua	neiv.
Inj 1440 ELISA units in 1 ml syringe		1	✓ <u>Ha</u>	<u>vrix</u> vrix Junior
ing 120 ELIOA diliko ili 0.0 tili oylilige		•	<b>≠</b> 110	TILA GUIIIOI

NATIONAL IMMONIOATION CONEDUCE				
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial	0.00	1	<b>✓</b> <u>H</u>	BvaxPRO
Funded for patients meeting any of the following criteria:				
<ol> <li>for household or sexual contacts of known acute hepatitis</li> </ol>				
2) for children born to mothers who are hepatitis B surface a				
3) for children up to and under the age of 18 years inclusive	vho are considered n	ot to	have achiev	ed a positive serology and
require additional vaccination; or				
<ul><li>4) for HIV positive patients; or</li><li>5) for hepatitis C positive patients; or</li></ul>				
6) for patients following non-consensual sexual intercourse;	or			
7) for patients following immunosuppression; or	Ji			
8) for transplant patients; or				
9) following needle stick injury.				
Inj 10 mcg per 1 ml vial	0.00	1	<b>✓</b> H	BvaxPRO
Funded for patients meeting any of the following criteria:			_	
1) for household or sexual contacts of known acute hepatitis	B patients or hepatiti	s B c	arriers; or	
2) for children born to mothers who are hepatitis B surface a				
3) for children up to and under the age of 18 years inclusive v	vho are considered n	ot to	have achiev	ed a positive serology and
require additional vaccination; or				
4) for HIV positive patients; or				
5) for hepatitis C positive patients; or				
<ul><li>6) for patients following non-consensual sexual intercourse;</li><li>7) for patients following immunosuppression; or</li></ul>	or			
8) for transplant patients; or				
following needle stick injury.				
Inj 40 mcg per 1 ml vial	0.00	1	<b>√</b> H	BvaxPRO
Funded for any of the following criteria:		•	· <u></u>	D TURN TIO
1) for dialysis patients; or				
2) for liver or kidney transplant patient.				
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV] -	- [Xpharm]			
Maximum of three doses for patient meeting any of the following				
1) Females aged under 20 years old; or				
2) Patients aged under 26 years old with confirmed HIV infection	ction; or			
<ol><li>For use in transplant (including stem cell) patients; or</li></ol>				
4) An additional dose for patients under 26 years of age post				
Inj 120 mcg in 0.5 ml syringe	0.00	10	_	<u>ardasil</u>
		1	<b>✓</b> <u>G</u>	<u>ardasil</u>

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

#### INFLUENZA VACCINE - [Xpharm]

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
  - a) all people 65 years of age and over; or
  - b) people under 65 years of age who:
    - i) have any of the following cardiovascular diseases:
      - a) ischaemic heart disease, or
      - b) congestive heart failure, or
      - c) rheumatic heart disease, or
      - d) congenital heart disease, or
      - e) cerebo-vascular disease; or
    - ii) have either of the following chronic respiratory diseases:
      - a) asthma, if on a regular preventative therapy, or
      - b) other chronic respiratory disease with impaired lung function; or
    - iii) have diabetes; or
    - iv) have chronic renal disease; or
    - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
    - vi) have any of the following other conditions:
      - a) autoimmune disease, or
      - b) immune suppression or immune deficiency, or
      - c) HIV, or
      - d) transplant recipients, or
      - e) neuromuscular and CNS diseases/disorders, or
      - f) haemoglobinopathies, or
      - g) are children on long term aspirin, or
      - h) have a cochlear implant, or
      - i) errors of metabolism at risk of major metabolic decompensation, or
      - i) pre and post splenectomy, or
      - k) down syndrome, or
    - vii) are pregnant; or
  - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Individual DHBs may fund patients over and above the above criteria. The claiming process for these additional patients should be determined between the DHB and Contractor, or
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

Inj 45 mcg in 0.5 ml syringe	90.00	10	Fluarix
			✓ Influvac

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

#### MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression; or
- 3) For any individual susceptible to measles, mumps or rubella; or
- 4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 1000 TCID50 measles, 12500 TCID50 mumps and

#### MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONGUGATE VACCINE - [Xpharm]

Any of the following:

- Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases; or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression\*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

\*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

Inj 4 mcg of each meningococcal polysaccharide conjugated

to a total of approximately 48 mcg of diphtheria toxoid

#### MENINGOCOCCAL C CONGUGATED VACCINE - [Xpharm]

Any of the following:

- 1) Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
- 2) One dose for close contacts of meningococcal cases; or
- 3) A maximum of two doses for bone marrow transplant patients; or
- 4) A maximum of two doses for patients following immunosuppression\*.

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

\*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.

10

RotaTeg

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm] Any of the following: 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or 2) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV10: or 3) One dose is funded for high risk children (over the age of 17 months and up to the age of 18) who have previously received four doses of PCV10: or 4) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients with HIV, for patients post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or postsolid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician. Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Prevenar 13 1 ✓ Prevenar 13 PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [Xpharm] Either: 1) Up to three doses (as appropriate) for patients with HIV, for patients post haematopoietic stem cell transplant, or chemotherapy: pre- or post-splenectomy or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or 2) Up to two doses are funded for high risk children to the age of 18. Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each Pneumovax 23 POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following: 1) For partially vaccinated or previously unvaccinated individuals; or 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes. ✓ IPOL ROTAVIRUS LIVE REASSORTANT ORAL VACCINE - [Xpharm] Maximum of three doses for patients meeting the following: 1) first dose to be administered in infants aged under 15 weeks of age; and 2) no vaccination being administered to children aged 8 months or over.

Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic 
\$ Per ✔ Manufacturer

#### VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

- 1) For non-immune patients:
- a) with chronic liver disease who may in future be candidates for transplantation; or
  - b) with deteriorating renal function before transplantation; or
  - c) prior to solid organ transplant; or
  - d) prior to any elective immunosuppression\*.
- 3) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 4) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 5) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
   For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune
- For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
- 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

* immunosuppression due to steroid or other immunosuppress	sive therapy must be	e for a trea	atment period of greater than	28 days
Inj 2000 PFU vial with diluent	0.00	1	✓ Varilrix	

3TC	- Symbols -
- A - A-Scabies	3TC117
A-Scabies	50X 3.0 Reservoir37
Abacavir sulphate	
Abacavir sulphate with lamivudine	A-Scabies76
Abacavir sulphate with lamivudine	Abacavir sulphate116
lamivudine         116           Abilify         145           Abiraterone acetate         181           Acarbose         25           Accu-Chek Ketur-Test         25           Accu-Chek Performa         26           Accuretic 10         57           Acetazolamide         216           Acetic acid with 1, 2- propanediol diacetate and benzethonium         214           Acetic acid with hydroxyquinoline and ricinoleic acid         82           Acetylcysteine         219           Aci-Jel         82           Aci-Jel         82           Aciolovir         110           Infection         110           Sensory         214           Acidex         20           Acipimox         63           Acitretin         76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid         24           Actrapid Penfill         24           Acturapid Penfill         24           Actorapid Penfill         24           Actrapid Penfill         108           Adefin XL<	
Abiraterone acetate 181 Acarbose 25 Accu-Chek Ketur-Test 25 Accu-Chek Performa 26 Accuretic 10 57 Accuretic 20 57 Accuretic 20 57 Accuretic 20 57 Accuretic acid with 1, 2- propanediol diacetate and benzethonium 214 Acetic acid with hydroxyquinoline and ricinoleic acid 82 Acetylcysteine 219 Aci-Jel 82 Aciclovir 10 Infection 110 Sensory 214 Acidex 20 Acipimox 63 Acitretin 76 Aclasta 126 Aclin 122 Act-HIB 259 Actinomycin D 177 Actrapid 24 Actrapid 24 Actrapid 24 Actrapid 24 Actrapid 9enfill 24 Acupan 133 Adalat 10 61 Adalimumab 190 Adapalene 68 Adefin XL 61 Adefovir dipivoxil 108 Adenuric 129 ADR Cartridge 1.8 37 Adrenaline 65 Adriamycin 172 ADT Booster 258 Advantan 72 Advate 49 Afinitor 204	
Acarbose	
Accu-Chek Ketur-Test	Abiraterone acetate181
Accu-Chek Performa         .26           Accuretic 10         .57           Accuretic 20         .57           Acetic acid with 1, 2- propanediol diacetate and benzethonium         214           Acetic acid with hydroxyquinoline and ricinoleic acid         .82           Acetylcysteine         .219           Aci-Jel         .82           Aciclovir         .82           Infection         .110           Sensory         .214           Acidex         .20           Acipimox         .63           Acitretin         .76           Aclasta         .126           Aclin         .122           Act-HIB         .259           Actinomycin D         .172           Actrapid         .24           Acupan         .133           Adalat 10         .61           Adalimumab         .190           Adapalene         .68           Adefin XL         .61           Adefovir dipivoxil         .108           Adenuric         .129           ADR Cartridge 1.8         .37           Adrenaline         .65           Adriamycin         .172           ADT Booster	
Accuretic 10	Accu-Chek Ketur-Test25
Accuretic 20	Accu-Chek Performa26
Acetazolamide         216           Acetic acid with 1, 2- propanediol diacetate and benzethonium         214           Acetic acid with hydroxyquinoline and ricinoleic acid         82           Acetylcysteine         219           Aci-Jel         82           Aciclovir         110           Infection         110           Sensory         214           Acidex         20           Acipimox         63           Acitretin         .76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid         .24           Actrapid Penfill         .24           Actrapid Penfill         .24           Actuapan         .133           Adalat 10         .61           Adalimumab         190           Adapalene         .68           Adefin XL         .61           Adefovir dipivoxil         .108           Adenuric         .129           ADR Cartridge 1.8         .37           Adrenaline         .65           Adriamycin         .72           ADT Booster	Accuretic 1057
Acetic acid with 1, 2- propanediol diacetate and benzethonium	Accuretic 2057
diacetate and benzethonium         214           Acetic acid with hydroxyquinoline and ricinoleic acid         82           Acetylcysteine         219           Aci-Jel         82           Aciclovir         110           Infection         110           Sensory         214           Acidex         20           Acipimox         63           Acitretin         .76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid Penfill         .24           Actpapen         133           Adalat 10         .61           Adalimumab         190           Adapalene         .68           Adefin XL         .61           Adefovir dipivoxil         108           Adenuric         129           ADR Cartridge 1.8         .37           Adrenaline         .65           Adriamycin         172           ADT Booster         .258           Advantan         .72           Advate         .49           Afinitor         .204	
benzethonium         214           Acetic acid with hydroxyquinoline and ricinoleic acid         82           Acetylcysteine         219           Aci-Jel         82           Aciclovir         110           Infection         110           Sensory         214           Acidex         20           Acipimox         63           Acitretin         76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid Penfill         24           Actapid Penfill         24           Acupan         133           Adalat 10         61           Adalaimumab         190           Adapalene         68           Adefin XL         61           Aderovir dipivoxil         108           Adenuric         129           ADR Cartridge 1.8         .37           Adrenaline         .65           Adriamycin         172           ADT Booster         .258           Advantan         .72           Advate         .49           Afinitor	Acetic acid with 1, 2- propanediol
Acetic acid with hydroxyquinoline and ricinoleic acid	
and ricinoleic acid 82 Acetylcysteine 219 Aci-Jel 82 Aciclovir 110 Sensory 214 Acidex 20 Acipimox 63 Acitretin 76 Aclasta 126 Aclin 122 Act-HIB 259 Actinomycin D 172 Actrapid 24 Actrapid 24 Actrapid Penfill 24 Acupan 133 Adalat 10 61 Adalimumab 190 Adapalene 68 Adefin XL 61 Adefovir dipivoxil 108 Adenuric 129 ADR Cartridge 1.8 37 Adrenaline 65 Adriamycin 172 ADT Booster 258 Adult diphtheria and tetanus vaccine 258 Advantan 72 Advate 49 Afinitor 204	benzethonium214
Acetylcysteine         219           Aci-Jel         82           Aciclovir         110           Infection         110           Sensory         214           Acidex         20           Acipimox         63           Acitretin         76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid         24           Actrapid Penfill         24           Acupan         133           Adalat 10         61           Adalimumab         190           Adapalene         68           Adefin XL         61           Adefovir dipivoxil         108           Adenuric         129           ADR Cartridge 1.8         37           Adrenaline         65           Adriamycin         172           ADT Booster         258           Adult diphtheria and tetanus         vaccine           258         Advate         49           Afinitor         204	
Aci-Jel         82           Aciclovir         110           Infection         110           Sensory         214           Acidex         20           Acipimox         63           Acitretin         .76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid         24           Actrapid Penfill         24           Acupan         133           Adalat 10         61           Adalimumab         190           Adapalene         68           Adefin XL         61           Adefovir dipivoxil         108           Adenuric         129           ADR Cartridge 1.8         37           Adrenaline         65           Adriamycin         172           ADT Booster         258           Adult diphtheria and tetanus         vaccine           vaccine         258           Advate         49           Afinitor         204	
Aciclovir  Infection	
Infection         110           Sensory         214           Acidex         20           Acipimox         63           Acitretin         .76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid         .24           Actrapid Penfill         .24           Acupan         133           Adalat 10         .61           Adalimumab         190           Adapalene         .68           Adefin XL         .61           Adefovir dipivoxil         108           Adenuric         129           ADR Cartridge 1.8         .37           Adrenaline         .65           Adriamycin         .172           ADT Booster         .258           Adult diphtheria and tetanus         vaccine         .258           Advate         .49           Afinitor         .204	
Sensory         214           Acidex         20           Acipimox         63           Acitretin         .76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid         .24           Actrapid Penfill         .24           Acupan         .133           Adalat 10         .61           Adalimumab         .190           Adapalene         .68           Adefin XL         .61           Adefovir dipivoxil         .108           Adenuric         .129           ADR Cartridge 1.8         .37           Adrenaline         .65           Adriamycin         .172           ADT Booster         .258           Adult diphtheria and tetanus         vaccine         .258           Advate         .49           Afinitor         .204	
Acidex         20           Acipimox         63           Acitretin         .76           Aclasta         126           Aclin         122           Act-HIB         259           Actinomycin D         172           Actrapid         .24           Actrapid Penfill         .24           Acupan         .133           Adalat 10         .61           Adalimumab         .190           Adapalene         .68           Adefin XL         .61           Adefovir dipivoxil         .108           Adenuric         .129           ADR Cartridge 1.8         .37           Adrenaline         .65           Adriamycin         .172           ADT Booster         .258           Adult diphtheria and tetanus         vaccine         .258           Advate         .49           Afinitor         .204	
Acipimox       .63         Acitretin       .76         Aclasta       .126         Aclin       .122         Act-HIB       .259         Actinomycin D       .172         Actrapid       .24         Actrapid Penfill       .24         Acupan       .133         Adalat 10       .61         Adalimumab       .190         Adapalene       .68         Adefin XL       .61         Adefovir dipivoxil       .108         Adenuric       .129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Acitretin       .76         Aclasta       .126         Aclin       .122         Act-HIB       .259         Actinomycin D       .172         Actrapid       .24         Actrapid Penfill       .24         Acupan       .133         Adalat 10       .61         Adalimumab       .190         Adapalene       .68         Adefin XL       .61         Adefovir dipivoxil       .108         Adenuric       .129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Aclasta	•
Aclin     122       Act-HIB     259       Actinomycin D     172       Actrapid     24       Actrapid Penfill     24       Acupan     133       Adalat 10     61       Adalimumab     190       Adapalene     68       Adefin XL     61       Adefovir dipivoxil     108       Adenuric     129       ADR Cartridge 1.8     37       Adrenaline     65       Adriamycin     172       ADT Booster     258       Adult diphtheria and tetanus     vaccine       258     Advantan     72       Advate     49       Afinitor     204	
Act-HIB       259         Actinomycin D       172         Actrapid       .24         Actrapid Penfill       .24         Acupan       .133         Adali 10       .61         Adalimumab       .190         Adapalene       .68         Adefin XL       .61         Adefovir dipivoxil       .108         Adenuric       .129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine         vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Actinomycin D	
Actrapid	
Actrapid Penfill	
Acupan       133         Adalat 10       .61         Adalimumab       190         Adapalene       .68         Adefin XL       .61         Adefovir dipivoxil       108         Adenuric       129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine         vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	Actrapid24
Adalat 10       .61         Adalimumab       .190         Adapalene       .68         Adefin XL       .61         Aderovir dipivoxil       .108         Adenuric       .129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Adalimumab       190         Adapalene       .68         Adefin XL       .61         Adefovir dipivoxil       108         Adenuric       129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Adapalene       .68         Adefin XL       .61         Adefovir dipivoxil       .108         Adenuric       .129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Adefin XL       .61         Adefovir dipivoxil       .108         Adenuric       .129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Adefovir dipivoxil       108         Adenuric       129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Adenuric       129         ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	Adefovir dipivovil 108
ADR Cartridge 1.8       .37         Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus       vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	
Adrenaline       .65         Adriamycin       .172         ADT Booster       .258         Adult diphtheria and tetanus vaccine       .258         Advantan       .72         Advate       .49         Afinitor       .204	ADD Cartridge 1.9 27
Adriamycin       172         ADT Booster       258         Adult diphtheria and tetanus       258         vaccine       258         Advantan       .72         Advate       .49         Afinitor       204	Adrenaline 65
ADT Booster       258         Adult diphtheria and tetanus       258         vaccine       258         Advantan       .72         Advate       .49         Afinitor       204	
Adult diphtheria and tetanus         vaccine       258         Advantan       .72         Advate       .49         Afinitor       204	•
vaccine       258         Advantan       .72         Advate       .49         Afinitor       .204	
Advantan       .72         Advate       .49         Afinitor       .204	
Advate	
Afinitor204	

AFT-Pyrazinamide107
Agents Affecting the
Renin-Angiotensin System56
Agents for Parkinsonism and
Related Disorders131
Agents Used in the Treatment of
Poisonings219
Agrylin171
Alanase212
Albendazole97
Albey206
Albustix84
Alendronate sodium125
Alendronate sodium with
colecalciferol125
Alfacalcidol44
Alfamino Junior245
Alginic acid20
Alglucosidase alfa40
Alitraq235
Alkeran167
Allersoothe207
Allopurinol128–129
Allopurinol128–129 Alpha Adrenoceptor Blockers56
Alpha-Keri Lotion73
Alprazolam150
Alu-Tab20
Aluminium hydroxide20
Amantadine hydrochloride131
Ambrisentan66
Amiloride hydrochloride62
Amiloride hydrochloride with
furosemide 62
Amiloride hydrochloride with
hydrochlorothiazide62
Aminophylline212
Amiodarone hydrochloride58
Amisulpride145
Amitriptyline136
Amlodipine60
Amorolfine69
Amoxicillin99
Amoxicillin Actavis99
Amoxicillin with clavulanic
acid100
Amphotericin B43
Amsacrine171
AmsaLyo171
Amsidine171
Amyl nitrite65
Amzoate42
Anaesthetics132

Anagrelide hydrochloride	171
Analgesics	133
Anastrozole	
Andriol Testocaps	
Androderm	87
Animas Battery Cap	
Animas Cartridge	
Animas Vibe	28
Anoro Ellipta	211
Antabuse	
Antacids and Antiflatulants	
Anten	136
Anthelmintics	
Antiacne Preparations	
Antiallergy Preparations	206
Antianaemics	
Antiandrogen Oral	
Contraceptives	82
Antiarrhythmics	58
Antibacterials	97
Antibacterials Topical	69
Anticholinergic Agents	209
Anticholinesterases	
Antidepressants	136
Antidiarrhoeals	20
Antiepilepsy Drugs	
Antifibrinolytics, Haemostatics	100
Antifibrinolytics, Haemostatics	
Antifibrinolytics, Haemostatics and Local Sclerosants	48
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104
Antifibrinolytics, Haemostatics and Local Sclerosants Antifungals	48 104 69
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 58
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 58
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 58 106
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 58 106
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 58 106 143 144
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 58 106 143 144
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 58 106 143 144
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 58 106 143 144 146 70
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 106 143 144 106 70
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 143 144 144 143 106 70
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 143 144 144 143 106 70
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 58 106 143 144 143 106 70 145 114
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 58 106 143 144 143 106 70 145 114
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 58 106 143 144 143 106 70 145 114
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 143 144 145 145 114 118
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 143 144 145 145 114 123
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 143 144 145 145 114 123
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 58 106 143 144 143 145 114 123
Antifibrinolytics, Haemostatics and Local Sclerosants	48 104 69 206 143 144 13 144 114 123 123

Antileprotics	107	Arava	123	Atomoxetine	159
Antiulcerants		Aremed	184	Atorvastatin	63-64
Antivirals	108	Arimidex	184	Atripla	116
Anxiolytics	150	Aripiprazole	145	Atropine sulphate	
Anzatax	174	Aristocort	72	Cardiovascular	58
Apidra	25	Aromasin	184	Sensory	
Apidra SoloStar	25	Arrow - Clopid	50	Atropt	217
Apo-Allopurinol	128	Arrow-Amitriptyline	136	Atrovent	
Apo-Amiloride	62	Arrow-Bendrofluazide	62	Aubagio	15
Apo-Amlodipine	60	Arrow-Brimonidine	216	Augmentin	100
Apo-Amoxi		Arrow-Calcium	45	Auranofin	
Apo-Azithromycin	98	Arrow-Diazepam	150	Ava 20 ED	80
Apo-Bromocriptine	131	Arrow-Dortim	216	Ava 30 ED	80
Apo-Ciclopirox	69	Arrow-Doxorubicin	172	Avelox	102
Apo-Cilazapril	56	Arrow-Etidronate	125	Avomine	145
Apo-		Arrow-Fluoxetine	137	Avonex	158
Cilazapril/Hydrochlorothiaz	ide57	Arrow-Gabapentin	139	Avonex Pen	158
Apo-Clarithromycin		Arrow-Lamotrigine	141	Azacitidine	168
Alimentary	22	Arrow-Losartan &		Azamun	184
Infection	98	Hydrochlorothiazide	57	Azathioprine	184
Apo-Clomipramine	136	Arrow-Meloxicam	122	Azithromycin	98
Apo-Diclo SR	122	Arrow-Morphine LA	135	Azol	
Apo-Diltiazem CD	61	Arrow-Norfloxacin	121	Azopt	216
Apo-Doxazosin	56	Arrow-Ornidazole	106	AZT	117
Apo-Folic Acid		Arrow-Quinapril 10	57	- B -	
Apo-Imiquimod Cream 5%		Arrow-Quinapril 20	57	B-D Micro-Fine	27
Apo-Megestrol	182	Arrow-Quinapril 5	57	B-D Ultra Fine	27
Apo-Metoprolol	59	Arrow-Roxithromycin	99	B-D Ultra Fine II	
Apo-Mirtazapine	137	Arrow-Sertraline	137	Bacillus Calmette-Guerin (B	
Apo-Moclobemide	137	Arrow-Simva 10mg	64	vaccine	,
Apo-Montelukast	211	Arrow-Simva 20mg	64	Bacillus Calmette-Guerin	
Apo-Nadolol	60	Arrow-Simva 40mg	64	vaccine	258
Apo-Nicotinic Acid	63	Arrow-Simva 80mg	64	Baclofen	
Apo-Oxybutynin	83	Arrow-Sumatriptan	143	Bactroban	
Apo-Perindopril	56	Arrow-Timolol	216	Bakels Gluten Free Health E	Bread
Apo-Pindolol	60	Arrow-Tolterodine	84	Mix	243
Apo-Prazosin	56	Arrow-Topiramate	142	Baraclude	109
Apo-Prednisone	87	Arrow-Tramadol	136	Barrier Creams and	
Apo-Primidone	141	Arrow-Venlafaxine XR	138	Emollients	73
Apo-Propranolol	60	Arsenic trioxide	171	BCG Vaccine	
Apo-Pyridoxine	43	Asacol	21	Beclazone 100	
Apo-Ropinirole	131	Asamax	21	Beclazone 250	207
Apo-Selegiline S29	131	Ascorbic acid	44	Beclazone 50	
Apo-Terazosin		Aspen Adrenaline	65	Beclomethasone	
Apo-Thiamine	44	Aspirin		dipropionate	207, 212
Apo-Timol		Blood	50	Becton Dickinson PosiFlush	
Apomorphine hydrochloride	131	Nervous	133	Bee venom allergy	
Aprepitant	143	Asthalin	209	treatment	206
Apresoline		Atazanavir sulphate	117	Bendrofluazide	
Aptamil Gold+ Pepti Junior	246	Atenolol	59	Bendroflumethiazide	
		A A.T.			
Aquasun 30+	78	Atenolol AFT	59	[Bendrofluazide]	62
Aquasun 30+ Aqueous cream		ATGAM		[Bendrofluazide] BeneFIX	

Benzbromaron AL 100	129
Benzbromarone	
Benzoin	
Benztrop	
Benztropine mesylate	131
Benzydamine hydrochloride	12
Denzydanine nydrochlonde	
Benzylpenicillin sodium (penicilli	n
G)	100
Beta Adrenoceptor Blockers	59
Beta Cream	71
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists	
Betadine	74
Betadine Skin Prep	74
Betaferon	
Betagan	
Delayan	213
Betahistine dihydrochloride	144
Betaloc CR	59
Betamethasone dipropionate	71
Betamethasone dipropionate	
with calcipotriol	76
Betamethasone sodium	, 0
phosphate with	
betamethasone acetate	
Betamethasone valerate	71, 77
<b>-</b>	
Betamethasone valerate with	
	72
clioquinol	72
clioquinol Betamethasone valerate with	
clioquinol Betamethasone valerate with fusidic acid	72
clioquinol  Betamethasone valerate with fusidic acid  Betaxolol	72 215
clioquinol  Betamethasone valerate with fusidic acid  Betaxolol  Betnovate	72 215 71
clioquinol	72 215 71
clioquinol	72 215 71
clioquinol	72 215 71 72
clioquinol	72 215 71 72 215
clioquinol	72 215 71 72 215 215
clioquinol	72 215 71 72 215 215 63
clioquinol	72 71 72 215 215 63 63
clioquinol	72 215 71 72 215 63 63 63 63
clioquinol	72 215 71 72 215 63 63 63 63
clioquinol	72 71 72 215 63 63 63 63 182
clioquinol	72 71 72 215 63 63 63 182 100
clioquinol	72 71 72 215 63 63 63 182 182 100
clioquinol	72 215 215 215 63 63 63 182 100 182 100
clioquinol	72 215 71 215 63 63 63 182 100 167 23
clioquinol	72 71 72 215 63 63 63 182 100 167 167 23
clioquinol	72 71 72 215 63 63 63 182 100 167 23 97 216
clioquinol	72 71 72 215 63 63 63 182 100 162 132 100
clioquinol	72 71 72 215 63 63 63 182 100 162 132 100
clioquinol	7221571722156363631821001672397216216216
clioquinol	7221571722156363631821001672397216216213
clioquinol	72 215 215 215 215 215 63 63 182 100 167 216
clioquinol	72 215 215 215 215 63 63 182 100 167 216 216 216 216 134 134 134 134
clioquinol	72 215 215 215 215 63 63 182 100 167 213 100 167 216 134 134 134 134 134 134 134 134 134 134 134 135 135 135
clioquinol	72 215 215 215 215 63 63 182 100 167 213 100 167 216 134 134 134 134 134 134 134 134 134 134 134 135 135 135

Bleomycin sulphate171
Blood Colony-stimulating
Factors 53
Blood glucose diagnostic test
meter
Blood glucose diagnostic test strip26
Blood glucose test strips (visually
impaired)27
Blood ketone diagnostic test
meter25
Boceprevir113
Bonjela43
Boostrix258
Bortezomib171
Bosentan
Bplex44
Breo Ellipta
Brevinor 1/2181
Brevinor 1/2881
Brevinor 2181
Bricanyl Turbuhaler209
Brilinta51
Brimonidine tartrate216
Brimonidine tartrate with timolol
maleate
Brinzolamide216
Brolene214
Bromocriptine mesylate131
Brufen SR122
BSF Apo-Metoprolol219
Buccastem144
Budesonide
Alimentary20
Respiratory207, 213
Budesonide with eformoterol
Bumetanide
Buprenorphine with
naloxone163
Bupropion hydrochloride164
Burinex62
Buscopan22
Buspirone hydrochloride150
Busulfan167
Butacort Aqueous213
- C - Cabergoline96
Cafergot143
Cafergot S29143
Caffeine citrate213

Calamine	70
Calcipotriol	76
Calcitonin	85
Calcitriol	44
Calcitriol-AFT	44
Calcium carbonate	20, 45
Calcium Channel Blockers	60
Calcium Disodium	000
Versenate	220
Calcium folinate Calcium Folinate Ebewe	160
Calcium gluconate	
Calcium Homeostasis	45
Calcium polystyrene	00
sulphonate	55
Calcium Resonium	55
Calogen	231
Calsource	45
Camptosar	170
Candesartan cilexetil	57
Candestar	57
Canesten	69
Capecitabine	169
Capecitabine Winthrop	169
Capoten	
Capsaicin	
Musculoskeletal	123
Nervous	133
Captopril	56
Carafate	23
Carbaccord	167
Carbamazepine	139
Carbimazole	90
Carbomer	217
Carboplatin	167
Carboplatin Ebewe	16/
Carbosorb-X	219
Cardizem CD	00
CareSens	
CareSens II	
CareSens N	
CareSens N POP	26
Carmellose sodium with gelatin	20
and pectin	43
Carmustine	167
Carvedilol	59
Catapres	61
Catapres-TTS-1	61
Catapres-TTS-2	61
Catapres-TTS-3	61
CeeNU	167
Cefaclor monohydrate	97

Cefalexin	97	Ciprofloxacin		Colifoam	21
Cefalexin Sandoz	97	Infection	101	Colistin sulphomethate	101
Cefazolin	97	Sensory	214	Colistin-Link	101
Ceftriaxone	98	Cisplatin	167	Collodion flexible	226
Ceftriaxone-AFT	98	Cisplatin Ebewe	167	Colloidal bismuth subcitrate	23
Cefuroxime axetil	98	Citalopram hydrobromide	137	Colofac	
Celestone Chronodose	86	Cladribine		Coloxyl	39
Celiprolol		Clarithromycin		Combigan	
Cellcept		Alimentary	22	Comfort	
Celol		Infection		Comfort Short	
Centrally-Acting Agents		Clexane		Compound electrolytes	
Cephalexin ABM		Climara 100	88	Compound	
Cerezyme		Climara 50		hydroxybenzoate	226
Cetirizine hydrochloride		Clindamycin		Concerta	
Cetomacrogol		Clindamycin ABM		Condoms	
Cetomacrogol with glycerol .		Clinicians Renal Vit		Condyline	
Champix		Clobazam		Contact-D	
Charcoal		Clobetasol propionate		Contraceptives - Hormonal	
Chemotherapeutic Agents		Clobetasone butyrate		Contraceptives -	00
Chicken pox vaccine		Clofazimine		Non-hormonal	70
Chlorafast		Clomazol	107	Copaxone	
Chlorambucil		Dermatological	60	Cordarone-X	
Chloramphenicol		•		Corticosteroids and Related	50
•	214	Genito-Urinary			0.0
Chlorhexidine gluconate	49	Clomiphene citrate		Agents for Systemic Use	
Alimentary		Clanaranam 139		Corticosteroids Topical	
Dermatological		Clonazepam138-		Cosmegen	
Chloroform		Clonidine		Coumadin	
Chlorothiazide		Clonidine hydrochloride		Creon 10000	
Chlorpheniramine maleate	206	Clopidogrel		Creon 25000	
Chlorpromazine	440	Clopine		Crixivan	
hydrochloride		Clopixol	.148, 150	Crotamiton	
Chlorsig	214	Clotrimazole		Crystaderm	
Chlortalidone	00	Dermatological		Cvite	
[Chlorthalidone]		Genito-Urinary		Cyclizine hydrochloride	
Chlorthalidone		Clozapine		Cyclizine lactate	
Chlorvescent		Clozaril		Cyclogyl	217
Choice Load 375		Co-trimoxazole		Cyclopentolate	
Choice TT380 Short		Coal tar		hydrochloride	
Choice TT380 Standard		Coal tar with allantoin, menth	-	Cyclophosphamide	
Cholestyramine	63	phenol and sulphur		Cycloserine	
Choline salicylate with		Coal tar with salicylic acid an		Cyklokapron	
cetalkonium chloride		sulphur	77	Cyproterone acetate	87
Cholvastin		Coco-Scalp	77	Cyproterone acetate with	
Ciclopirox olamine		Codeine phosphate		ethinyloestradiol	
Ciclosporin		Extemporaneous		Cytarabine	
Cilazapril	56	Nervous	134	Cytotec	
Cilazapril with		Cogentin		Cytoxan	167
hydrochlorothiazide		Colaspase [L-asparaginase]		- D -	
Cilicaine		Colchicine	129	D-Penamine	123
Cilicaine VK	100	Colecalciferol	44	d4T	
Ciloxan	214	Colestid	63	Dabigatran	
Cinacalcet	85	Colestipol hydrochloride	63	Dacarbazine	
Cipflox	101	Colgout	129	Data bazillo	172

Dactinomycin [Actinomycin	Dermol		Dimethicone	
D]172	Desferal	220	Dimethyl fumarate	151
Daivobet76	Desferrioxamine mesilate	220	Dipentum	21
Daivonex76	Desmopressin acetate		Diphtheria, tetanus and pertuss	
Daktarin70	Desmopressin-PH&T	95	vaccine	258
Dalacin C101	Detection of Substances in		Diphtheria, tetanus, pertussis	
Dalteparin sodium51	Urine	84	and polio vaccine	259
Danazol96	DEVA	98	Diphtheria, tetanus, pertussis,	
Dantrium130	Dexamethasone		polio, hepatitis B and	
Dantrium S29130	Hormone	86	haemophilus influenzae type	B
Dantrolene130	Sensory	215	vaccine	259
Daonil25	Dexamethasone phosphate	86	Diprosone	71
Dapa-Tabs63	Dexamethasone with framyce		Diprosone OV	71
Dapsone107	and gramicidin		Dipyridamole	
Daraprim103	Dexamethasone with neomyc		Disinfecting and Cleansing	
Darunavir117	sulphate and polymyxin B		Agents	72
Dasatinib176	sulphate	215	Disopyramide phosphate	
Daunorubicin172	Dexamfetamine sulfate		Disulfiram	
DBL Acetylcysteine219	Dexmethsone		Diuretics	
DBL Aminophylline212	Dextrochlorpheniramine		Diurin 40	
DBL Bleomycin Sulfate171	maleate	207	Docetaxel	
DBL Carboplatin167	Dextrose		Docetaxel Sandoz	
DBL Cisplatin167	Dextrose with electrolytes		Docusate sodium	
DBL Dacarbazine172	DHC Continus		Docusate sodium with	00
DBL Docetaxel172	Diabetes		sennosides	30
DBL Doceraxer				
DBL Doxorubicin S29172	Diabetes Management Diacomit		Dolutegravir  Domperidone	
DBL Epirubicin	Diamide Relief		Donepezil hydrochloride	
•	Diamox		Donepezil-Rex	
Hydrochloride			·	
DBL Ergometrine82	Diaphragm		Dopress	
DBL Gemcitabine	Diasip		Dornase alfa	
DBL Leucovorin Calcium169	Diason RTH		Dorzolamide hydrochloride	
DBL Methotrexate	Diazepam		Dorzolamide with timolol	
Onco-Vial	Diazoxide		Dostinex	
DBL Morphine Sulphate135	Dicarz		Dothiepin hydrochloride	
DBL Morphine Tartrate135	Diclofenac Sandoz	122	Doxazosin	
DBL Pethidine	Diclofenac sodium		Doxepin hydrochloride	
Hydrochloride136	Musculoskeletal		Doxine	
DBL Tobramycin103	Sensory		Doxorubicin Ebewe	
DBL Vincristine Sulfate176	Didanosine [DDI]		Doxorubicin hydrochloride	
DDI116	Differin		Doxy-50	
De Nol23	Difflam		Doxycycline	
De-Worm97	Diflucan		DP Fusidic Acid Cream	
Decozol43	Diflucan S29		DP Lotion	
Deferasirox219	Diflucortolone valerate	71	DP Lotn HC	
Deferiprone220	Digestives Including		DP-Anastrozole	
Deoxycoformycin174	Enzymes		Dr Reddy's Omeprazole	
Depo-Medrol86	Digoxin		Dr Reddy's Ondansetron	
Depo-Medrol with Lidocaine86	Dihydrocodeine tartrate		Dr Reddy's Terbinafine	105
Depo-Provera81	Dilantin	141	Drugs Affecting Bone	
Depo-Testosterone87	Dilantin Infatab	141	Metabolism	123
Deprim101	Diltiazem hydrochloride	61	Duocal Super Soluble	
DermAssist71	Dilzem	61	Powder	230

Duolin	209	Ensure Plus	240	Eumovate	71
Duolin HFA	209	Ensure Plus HN	239	Everet	141
Durex Confidence	79	Ensure Plus RTH	239	Everolimus	204
Durex Extra Safe		Entacapone	131	Evista	125
Duride	65	Entapone		Exelon	163
Duro-K	55	Entecavir		Exemestane	184
Dynacirc-SRO		Entocort CIR		Exiade	
•		Epilim		Extemporaneously Compounded	
- E -	040	Epilim Crushable		Preparations and	
e-chamber La Grande		Epilim IV		Galenicals	226
e-chamber Mask		Epilim S/F Liquid		Eye Preparations	
e-chamber Turbo		Epilim Syrup		Ezemibe	
E-Mycin		Epirubicin Ebewe		Ezetimibe	
Ear Preparations		Epirubicin hydrochloride		Ezetimibe with simvastatin	
Ear/Eye Preparations			172		04
Easiphen Liquid		Epoetin alfa [Erythropoietin	40	-F-	
EasyCheck	83	alfa]		Factor eight inhibitor bypassing	
Econazole nitrate	70	Eprex		fraction	
Efavirenz	116	Eptacog alfa [Recombinant fact		Febuxostat	129
Efavirenz with emtricitabine and		VIIa]		Feed Thickener Karicare	
tenofovir disoproxil		ERA		Aptamil	
fumarate	116	Ergometrine maleate	82	FEIBA NF	49
Efexor XR	138	Ergotamine tartrate with		Felodipine	
Effient	50	caffeine		Fenpaed	122
Eformoterol fumarate	208	Erlotinib		Fentanyl	134
Efudix		Erythrocin IV		Fentanyl Sandoz	134
Egopsoryl TA		Erythromycin ethyl succinate	99	Ferodan	45
Elaprase		Erythromycin lactobionate	99	Ferriprox	220
Elecare		Erythromycin stearate	99	Ferro-F-Tabs	45
Elecare LCP		Erythropoietin alfa	47	Ferro-tab	45
Elemental 028 Extra		Escitalopram	137	Ferrograd	45
Eligard 1 Month		Eskazole		Ferrograd F	
Eligard 3 Month		Estradot	88	Ferrous fumarate	
Eligard 6 Month		Estradot 50 mcg	88	Ferrous fumarate with folic	
Elocon		Estrofem	88	acid	45
Elocon Alcohol Free		Etanercept	184	Ferrous sulphate	
		Ethambutol hydrochloride	107	Ferrous sulphate with folic	
Eloxatin		Ethics Aspirin		acid	45
Eltrombopag		Ethics Aspirin EC		Ferrum H	
Eltroxin Emend Tri-Pack		Ethics Enalapril		Fexofenadine hydrochloride	
		Ethics Lisinopril		Fibro-vein	
EMLA		Ethinyloestradiol		Filgrastim	
Emtricitabine	116	Ethinyloestradiol with		Finasteride	
Emtricitabine with tenofovir	447	desogestrel	80		
disoproxil fumarate		Ethinyloestradiol with		Fingolimod	
Emtriva		levonorgestrel	80	Finpro	
Emulsifying ointment		Ethinyloestradiol with	00	Firazyr	
Enalapril maleate		norethisterone	Ω1	Flagyl	
Enbrel		Ethosuximide		Flagyl-S	
Endocrine Therapy		Etidronate disodium		Flamazine	
Endoxan				Flecainide acetate	
Enerlyte		Etopophos		Fleet Phosphate Enema	40
Enfuvirtide	118	Etoposide		Flixonase Hayfever &	
Enoxaparin sodium		Etoposide phosphate		Allergy	
Ensure	240	Etravirine	110	Flixotide	208

	208
Flixotide Accuhaler	
Floair	
Florinef	
Fluanxol	
Fluarix	
Flucloxacillin	
Flucloxin	100
Fluconazole	104
Fludara	169
Fludara Oral	
Fludarabine Ebewe	
Fludarabine phosphate	160
Fludrocortisone acetate	
Fluids and Electrolytes	54
Flumetasone pivalate	214
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	21
Fluorometholone	
Fluorouracil	
Fluorouracil Ebewe	160
Fluorouracil sodium	
Fluoxetine hydrochloride	137
Flupenthixol decanoate	148
Fluphenazine decanoate	
Flutamide	182
Flutamin	182
Fluticasone	208
Fluticasone furoate with	200
Fluticasone furoate with	
Fluticasone furoate with vilanterol	208
Fluticasone furoate with vilanterol	208
Fluticasone furoate with vilanterol	208 213 209
Fluticasone furoate with vilanterol	208 213 209 215
Fluticasone furoate with vilanterol	208 213 209 215
Fluticasone furoate with vilanterol	208 213 209 215 69
Fluticasone furoate with vilanterol Fluticasone propionate Fluticasone with salmeterol FML Foban Folic acid Food Thickeners	208 213 209 215 69
Fluticasone furoate with vilanterol	208 213 209 215 69
Fluticasone furoate with vilanterol	208 213 209 215 69 48
Fluticasone furoate with vilanterol	208 213 209 215 69 48
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242
Fluticasone furoate with vilanterol	2082132092156948242
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 243 208 126
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 234
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 234 234 240 241
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 234 241 241
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 234 240 241 125
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 234 241 125 125
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 234 241 125 125 125
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 240 241 125 51 214
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 240 241 125 51 214
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 240 241 125 51 51 214 25
Fluticasone furoate with vilanterol	208 213 209 215 69 48 242 243 208 126 234 240 241 125 51 214 26 25

Frumil	62
Frusemide	
Frusemide-Claris	62
Fucicort	
Fucidin	101
Fucithalmic	214
Fungilin	43
Furosemide [Frusemide]	62
Fusidic acid	
Dermatological	69
Infection	101
Sensory	214
Fuzeon	118
- G -	
Gabapentin	139
Gacet	
Galsulfase	
Gardasil	
Gastrodenol	23
Gastrosoothe	22
Gaviscon Double Strength	20
Gaviscon Infant	
Gefitinib	
Gemcitabine Ebewe	170
Gemcitabine hydrochloride	
Gemfibrozil	
Gemzar	
Genoptic	
Genox	183
Gentamicin sulphate	
Infection	
Sensory	
Gilenya	
Ginet	
Glatiramer acetate	158
Gliclazide	
Glipizide	
Glivec	
Glizide	
Glucagen Hypokit	
Glucagon hydrochloride	24 24
Glucerna Select	<u>.</u> 232
Glucerna Select RTH	232
Glucobay	
Glucose [Dextrose]	
Gluten Free Foods	
Glycerin with sodium	
saccharin	226
Glycerin with sucrose	
Glycerol	
Alimentary	39
Extemporaneous	226

Alimentary	Glyceryl trinitrate	
Cardiovascular         .65           Glycopyrronium         .210           Glycopyrronium bromide         .22           Glycopyrronium with         indacaterol         .211           Glytrin         .65           Gold Knight         .79           Goserelin         .94           Granirex         .144           Granirex         .144           Granisetron         .144           Gutron         .58           Gynaecological         Anti-infectives           Anti-infectives         .82           - H -         Habitrol           Haamerophilus influenzae type B         vaccine           vaccine         .259           Haldol         .148           Haldol Concentrate         .148           Haldol Decanoas         .148           Haloperidol         .146           Haloperidol         .146           Haloperidol decanoate         .148           Hamelin         .45           Hamilton Sunscreen         .78           Harroni         .113           Havrix         .259           Havrix Junior         .259           HebxaPRO         .260	Alimentary	22
Glycopyrronium         210           Glycopyrronium bromide         22           Glycopyrronium with         indacaterol         211           Glytrin         .65           Gold Knight         .79           Goserelin         .94           Granisetron         .144           Granisetron         .144           Gutron         .58           Gynaecological         Anti-infectives           Anti-infectives         .82           - H -         Habitrol         .165           Haemophilus influenzae type B         vaccine         .259           Haldol         .148         Haldol Decanoas         .148           Haldol Decanoas         .148         Haloperidol         .146           Haloperidol decanoate         .148         Haloperidol         .146           Haloperidol decanoate         .148         Hamilton Sunscreen         .78           Harroni         .13         Havrix         .259           Hawrix Junior         .259         Havrix Junior         .259           HebxaPRO         .260         healthE Dimethicone 10%         .73           healthE Dimethicone 5%         .73         healthE Glycerol BP         .226      <	Cardiovascular	65
Glycopyrronium bromide         .22           Glycopyrronium with         indacaterol           .211         .211           Glytrin         .65           Gold Knight         .79           Goserelin         .94           Granirex         .144           Granisetron         .144           Gutron         .58           Gynaecological         Anti-infectives           Anti-infectives         .82           - H -         .45           Habitrol         .165           Haemophilus influenzae type B         vaccine           vaccine         .259           Haldol         .148           Haldol Concentrate         .148           Haldol Decanoas         .148           Halloperidol         .146           Halloperidol decanoate         .148           Hamilton Sunscreen         .78           Harvini         .113           Havrix Junior         .259           Havrix Junior         .259           HebxaPRO         .260           healthe Dimethicone 10%         .73           healthe Glycerol BP         .226           healthe Urea Cream         .73		
Glycopyrronium with indacaterol         211           Glytrin         .65           Gold Knight         .79           Goserelin         .94           Granirex         .144           Granisetron         .144           Gutron         .58           Gynaecological         Anti-infectives           Anti-infectives         .82           - H -         Habitrol           Habitrol         .165           Haemophilus influenzae type B         vaccine           vaccine         .259           Haldol         .148           Haldol Decanoas         .148           Haloperidol         .146           Haloperidol decanoate         .148           Hameln         .45           Hamilton Sunscreen         .78           Harroni         .113           Havrix         .259           Havrix Junior         .259           HebavaPRO         .260           healthe Dimethicone 10%         .73           healthe Glycerol BP         .226           healthe Urea Cream         .73           Healtheries Simple Baking         Mix           Mix         .242           Hem	Glycopyrronium bromide	22
indacaterol	Glycopyrronium with	
Glytrin         .65           Gold Knight         .79           Goserelin         .94           Granirex         .144           Granisetron         .144           Gutron         .58           Gynaecological         Anti-infectives           Anti-infectives         .82           - H -         Habitrol         .165           Haemophilus influenzae type B vaccine         .259           Haldol         .148           Haldol Decanoas         .148           Haldol Decanoas         .148           Haloperidol decanoate         .148           Hameln         .45           Hamilton Sunscreen         .78           Harvoni         .113           Havrix Junior         .259           Havrix Junior         .259           HBvaxPRO         .260           healthe Dimethicone 10%         .73           healthe Glycerol BP         .226           healthe Urea Cream         .73           Healtheries Simple Baking	indecatorol	211
Gold Knight         79           Goserelin         .94           Granirex         .144           Granisetron         .144           Gutron         .58           Gynaecological         Anti-infectives           Anti-infectives         .82           - H -         Habitrol           Haabitrol         .165           Haemophilus influenzae type B         vaccine           Vaccine         .259           Haldol         .148           Haldol Concentrate         .148           Haldol Decanoas         .148           Haloperidol decanoate         .148           Hameln         .45           Hamilton Sunscreen         .78           Harvoni         .113           Harvix Junior         .259           Havrix Junior         .259           Havix Junior         .259           HebyaxPRO         .260           healthe Dimethicone 10%         .73           healthe Dimethicone 5%         .73           healthe Urea Cream         .73           Helparin sodium         .52           Heparinised saline         .52           Heparinised saline         .53		
Goserelin         .94           Granirex         .144           Granisetron         .144           Gutron         .58           Gynaecological         Anti-infectives           Anti-infectives         .82           - H -           Habitrol         .165           Haemophilus influenzae type B         vaccine           Vaccine         .259           Haldol         .148           Haldol Decanoas         .148           Haldol Decanoas         .148           Haloperidol decanoate         .148           Hameln         .45           Hamilton Sunscreen         .78           Harvixi         .259           Havrix Junior         .259           Havrix Junior         .259           Havrix Junior         .259           HebyaxPRO         .260           healthe Dimethicone 10%         .73           healthe Glycerol BP         .226           healthe Urea Cream         .73           Healtheries Simple Baking         Mix           Mix         .242           Hemastix         .84           Heparins sodium         .52           Heparinised saline		
Granirex         144           Granisetron         144           Gutron         58           Gynaecological         Anti-infectives           Anti-infectives         82           - H -         Habitrol           Haemophilus influenzae type B vaccine         259           Haldol         148           Haldol Concentrate         148           Haldol Decanoas         148           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix Junior         259           Hevary Junior         259           HebvaxPRO         260           healthe Dimethicone 10%         73           healthe Dimethicone 5%         73           healthe Urea Cream         73           Healtheries Simple Baking         Mix           Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparinised saline         53           Heparitis A vaccine         259		
Granisetron         144           Gutron         58           Gynaecological         82           Anti-infectives         82           - H -         165           Habitrol         165           Haemophilus influenzae type B vaccine         259           Haldol         148           Haldol Concentrate         148           Haldol Decanoas         148           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havix Junior         259           HBvaxPRO         260           healthE Dimethicone 10%         73           healthE Glycerol BP         226           healthE Urea Cream         73           Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparin sodium         52           Heparinised saline         53           Heparinised saline         53		
Gutron         58           Gynaecological         Anti-infectives         82           - H -         Habitrol         165           Haemophilus influenzae type B vaccine         259           Haldol         148           Haldol Concentrate         148           Haldol Decanoas         144           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           HBvaxPRO         260           healthE Dimethicone 10%         73           healthE Glycerol BP         226           healthE Urea Cream         73           Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparinised saline         53           Heparin sodium         52           Heparinised saline         53           Heparinised saline         53           Heparitis A vaccine         259		
Gynaecological Anti-infectives         82           - H -         Habitrol         165           Haemophilus influenzae type B vaccine         259           Haldol         148           Haldol Concentrate         148           Haldol Decanoas         148           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           HebxayPRO         260           healthe Dimethicone 10%         73           healthe Glycerol BP         226           healthe Urea Cream         73           Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparin sodium         52           Heparinised saline         53           Heparin sodium         52           Heparinised saline         53           Heparinised saline         53           Heparinised saline         53           Heparinised saline         53           <	Granisetron	.144
Anti-infectives 82  - H -  Habitrol 165  Haemophilus influenzae type B vaccine 259  Haldol 148  Haldol Concentrate 148  Haldol Decanoas 148  Haloperidol 146  Haloperidol decanoate 148  Hameln 45  Hamilton Sunscreen 78  Harvoni 113  Havrix 259  Havrix Junior 259  Havrix Junior 259  HBvaxPRO 260  healthE Dimethicone 10% 73  healthE Dimethicone 5% 73  healthE Glycerol BP 226  healthE Urea Cream 73  Healtheries Simple Baking Mix 242  Hemastix 84  Heparin sodium 52  Heparinised saline 53  Heparon Junior 233  Hepatitis A vaccine 259  Hepatitis B recombinant vaccine 260  Hexamine hippurate 121  Hiprex 121  Histaclear 206  Holoxan 167  Horleys Bread Mix 243  Horleys Flour 243  Horleys Flour 243		58
- H - Habitrol	Gynaecological	
Habitrol		82
Haemophilus influenzae type B vaccine         259           Haldol         148           Haldol Concentrate         148           Haldol Decanoas         148           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           Havrix Junior         259           HevarPRO         260           healthe Dimethicone 10%         73           healthe Dimethicone 5%         73           healthe Wire Cream         73           Healthe Glycerol BP         226           healthe Urea Cream         73           Healtheries Simple Baking         Mix           Mix         242           Hemastix         84           Heparinised saline         53           Heparinised saline         53           Heparinised saline         53           Heparinised rosidim         226           Heparinised saline         53           Heparinised saline         53           Heparinised saline         53	••	
vaccine         259           Haldol         148           Haldol Concentrate         148           Haldol Decanoas         148           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           Havix Junior         260           healthe Dimethicone         5%           healthe Dimethicone         5%           healthe Glycerol BP         226           healthe Urea Cream         73           healthe Urea Cream         73           Healtheries Simple Baking         54           Heparinised saline         53           Heparinised saline         53           Heparinised saline         53           Heparinised vaccine         259           Hepatitis A vaccine         259           Hepatitis B recombinant         vaccine      <	Habitrol	.165
Haldol         148           Haldol Concentrate         148           Haldol Decanoas         148           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           HBvaxPRO         260           healthE Dimethicone 10%         73           healthE Dimethicone 5%         73           healthE Glycerol BP         226           healthE Urea Cream         73           Healtheries Simple Baking         Mix           Mix         242           Hemastix         84           Heparin sodium         52           Heparin sodium         52           Heparinised saline         53           Heparinised saline         53           Heparitis A vaccine         259           Hepatitis B recombinant         vaccine           vaccine         260           Hexamine hippurate         121           Hiprex         121           Hijrex         121           Histafen	Haemophilus influenzae type B	
Haldol Concentrate         148           Haldol Decanoas         148           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           HevaxPRO         260           healthE Dimethicone 10%         73           healthE Dimethicone 5%         73           healthE Glycerol BP         226           healthE Urea Cream         73           Healtheries Simple Baking         Mix           Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparinised saline         53           Heparinised saline         259           Hepatitis A vaccine         259           Hepatitis B recombinant         vaccine         260           Hepsera         108           Herceptin         200           Hexamine hippurate         121           Hiprex         121           Histafen         206      <	vaccine	. 259
Haldol Decanoas         148           Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           HBvaxPRO         260           healthe Dimethicone 10%         73           healthe Dimethicone 5%         73           healthe Glycerol BP         226           healthe Urea Cream         73           Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparinised saline         53           Heparitis A vaccine         259           Hepatitis Precombinant         vaccine         260           Hepsera         108           Herceptin         200           Hexamine hippurate         121           Hiprex         121           Histaclear         206           Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243<	Haldol	.148
Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           Hevary RO         260           healthe Dimethicone 10%         73           healthe Dimethicone 5%         73           healthe Glycerol BP         226           healthe Urea Cream         73           Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparon Junior         233           Hepatitis A vaccine         259           Hepatitis B recombinant         vaccine         260           Hepsera         108           Herceptin         200           Hexamine hippurate         121           Hiprex         121           Histaclear         206           Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243	Haldol Concentrate	.148
Haloperidol         146           Haloperidol decanoate         148           Hameln         45           Hamilton Sunscreen         78           Harvoni         113           Havrix         259           Havrix Junior         259           Hevary RO         260           healthe Dimethicone 10%         73           healthe Dimethicone 5%         73           healthe Glycerol BP         226           healthe Urea Cream         73           Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparon Junior         233           Hepatitis A vaccine         259           Hepatitis B recombinant         vaccine         260           Hepsera         108           Herceptin         200           Hexamine hippurate         121           Hiprex         121           Histaclear         206           Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243		
Haloperidol decanoate       148         Hameln       .45         Hamilton Sunscreen       .78         Harvoni       .113         Havrix       .259         Havrix Junior       .259         HBvaxPRO       .260         healthE Dimethicone 10%       .73         healthE Dimethicone 5%       .73         healthE Glycerol BP       .226         healthE Urea Cream       .73         Healtheries Simple Baking       Mix       .242         Hemastix       .84         Heparin sodium       .52         Heparinised saline       .53         Heparinised saline       .53         Heparitis A vaccine       .259         Hepatitis B recombinant       vaccine       .260         Hepsera       .108         Herceptin       .200         Hexamine hippurate       .121         Hiprex       .121         Hiprex       .121         Histafen       .206         Holoxan       .167         Horleys Bread Mix       .243         Horleys Flour       .243		
Hameln         .45           Hamilton Sunscreen         .78           Harvoni         .113           Havrix         .259           Havix Junior         .259           HBvaxPRO         .260           healthe Dimethicone 10%         .73           healthe Dimethicone 5%         .73           healthe Glycerol BP         .226           healthe Urea Cream         .73           Healtheries Simple Baking         Mix         .242           Hemastix         .84           Heparin sodium         .52           Heparinised saline         .53           Heparinised saline         .53           Heparitis A vaccine         .259           Hepatitis B recombinant         vaccine         .260           Hepsera         .108           Herceptin         .200           Hexamine hippurate         .121           Hiprex         .121           Hiprex         .121           Histafen         .206           Holoxan         .167           Horleys Bread Mix         .243           Horleys Flour         .243	Haloperidol decanoate	148
Hamilton Sunscreen         .78           Harvoni         .113           Havrix         .259           Havix Junior         .259           HBvaxPRO         .260           healthE Dimethicone 10%         .73           healthE Dimethicone 5%         .73           healthE Glycerol BP         .226           healthE Urea Cream         .73           Healtheries Simple Baking         Mix         .242           Hemastix         .84           Heparin sodium         .52           Heparinised saline         .53           Heparinised saline         .53           Heparitis A vaccine         .259           Hepatitis B recombinant         vaccine         .260           Hepsera         .108           Herceptin         .200           Hexamine hippurate         .121           Hiprex         .121           Histaclear         .206           Holoxan         .167           Horleys Bread Mix         .243           Horleys Flour         .243		
Harvoni         113           Havrix         259           Havrix Junior         259           HBvaxPRO         260           healthE Dimethicone 10%         73           healthE Dimethicone 5%         73           healthE Glycerol BP         226           healthE Urea Cream         73           Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparon Junior         233           Hepatitis A vaccine         259           Hepatitis B recombinant         vaccine         260           Hepsera         108           Herceptin         200           Hexamine hippurate         121           Hiprex         121           Histaclear         206           Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243	Hamilton Sunscreen	78
Havrix         259           Havrix Junior         259           HBvaxPRO         260           healthE Dimethicone 10%         73           healthE Dimethicone 5%         73           healthE Glycerol BP         226           healthE Urea Cream         73           Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparon Junior         233           Hepatitis A vaccine         259           Hepatitis B recombinant         vaccine         260           Hepsera         108           Herceptin         200           Hexamine hippurate         121           Hiprex         121           Histaclear         206           Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243		
Havrix Junior         259           HBvaxPRO         260           healthE Dimethicone 10%         .73           healthE Dimethicone 5%         .73           healthE Glycerol BP         .226           healthE Urea Cream         .73           Healtheries Simple Baking Mix         .242           Hemastix         .84           Heparin sodium         .52           Heparinised saline         .53           Heparon Junior         .233           Hepatitis A vaccine         .259           Hepatitis B recombinant vaccine         .260           Hepsera         .108           Herceptin         .200           Hexamine hippurate         .121           Hiprex         .121           Histaclear         .206           Holoxan         .167           Horleys Bread Mix         .243           Horleys Flour         .243		
HBvaxPRO         260           healthE Dimethicone 10%         .73           healthE Dimethicone 5%         .73           healthE Glycerol BP         .226           healthE Urea Cream         .73           Healtheries Simple Baking         .84           Mix         .242           Hemastix         .84           Heparin sodium         .52           Heparinised saline         .53           Heparon Junior         .233           Hepatitis A vaccine         .259           Hepatitis B recombinant         vaccine         .260           Hepsera         .108           Herceptin         .200           Hexamine hippurate         .121           Hiprex         .121           Histaclear         .206           Holoxan         .167           Horleys Bread Mix         .243           Horleys Flour         .243		
healthE Dimethicone 10%		
healthE Dimethicone 5%		
healthE Glycerol BP         226           healthE Urea Cream         .73           Healtheries Simple Baking         Mix         .242           Hemastix         .84           Heparin sodium         .52           Heparinised saline         .53           Heparon Junior         .233           Hepatitis A vaccine         .259           Hepatitis B recombinant         vaccine         .260           Hepsera         .108           Herceptin         .200           Hexamine hippurate         .121           Hiprex         .121           Histaclear         .206           Histafen         .206           Holoxan         .167           Horleys Bread Mix         .243           Horleys Flour         .243		
healthE Urea Cream       .73         Healtheries Simple Baking       Mix       .242         Hemastix       .84         Heparin sodium       .52         Heparinised saline       .53         Heparon Junior       .233         Hepatitis A vaccine       .259         Hepatitis B recombinant       vaccine       .260         Hepsera       .108         Herceptin       .200         Hexamine hippurate       .121         Hiprex       .121         Histaclear       .206         Holoxan       .167         Horleys Bread Mix       .243         Horleys Flour       .243	nealthe Dimethicone 5%	/3
Healtheries Simple Baking         Mix         242           Hemastix         84           Heparin sodium         52           Heparinised saline         53           Heparon Junior         233           Hepatitis A vaccine         259           Hepatitis B recombinant         vaccine         260           Hepsera         108           Herceptin         200           Hexamine hippurate         121           Hiprex         121           Histaclear         206           Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243	nealthe Glycerol BP	.226
Mix         242           Hemastix         .84           Heparin sodium         .52           Heparinised saline         .53           Heparon Junior         .233           Hepatitis A vaccine         .259           Hepatitis B recombinant         vaccine         .260           Hepsera         .108           Herceptin         .200           Hexamine hippurate         .121           Hiprex         .121           Histaclear         .206           Histafen         .206           Holoxan         .167           Horleys Bread Mix         .243           Horleys Flour         .243		/3
Hemastix       .84         Heparin sodium       .52         Heparinised saline       .53         Heparon Junior       .233         Hepatitis A vaccine       .259         Hepatitis B recombinant       vaccine         Vaccine       .260         Hepsera       .108         Herceptin       .200         Hexamine hippurate       .121         Hiprex       .121         Histaclear       .206         Histafen       .206         Holoxan       .167         Horleys Bread Mix       .243         Horleys Flour       .243	Healtheries Simple Baking	
Heparin sodium       .52         Heparinised saline       .53         Heparon Junior       .233         Hepatitis A vaccine       .259         Hepatitis B recombinant       vaccine       .260         Hepsera       .108         Herceptin       .200         Hexamine hippurate       .121         Hiprex       .121         Histaclear       .206         Holoxan       .167         Horleys Bread Mix       .243         Horleys Flour       .243	Mix	. 242
Heparinised saline       .53         Heparon Junior       .233         Hepatitis A vaccine       .259         Hepatitis B recombinant       vaccine       .260         Hepsera       .108         Herceptin       .200         Hexamine hippurate       .121         Hiprex       .121         Histaclear       .206         Holoxan       .167         Horleys Bread Mix       .243         Horleys Flour       .243	Hemastix	84
Heparon Junior       233         Hepatitis A vaccine       259         Hepatitis B recombinant vaccine       260         Hepsera       108         Herceptin       200         Hexamine hippurate       121         Hiprex       121         Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243	Heparin sodium	52
Hepatitis A vaccine       259         Hepatitis B recombinant vaccine       260         Hepsera       108         Herceptin       200         Hexamine hippurate       121         Hiprex       121         Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243	Heparinised saline	53
Hepatitis B recombinant       260         Vaccine       260         Hepsera       108         Herceptin       200         Hexamine hippurate       121         Hiprex       121         Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243		
vaccine         260           Hepsera         108           Herceptin         200           Hexamine hippurate         121           Hiprex         121           Histaclear         206           Histafen         206           Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243		.259
Hepsera       108         Herceptin       200         Hexamine hippurate       121         Hiprex       121         Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243	Hepatitis B recombinant	
Herceptin       200         Hexamine hippurate       121         Hiprex       121         Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243		
Hexamine hippurate       121         Hiprex       121         Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243	Hepsera	.108
Hiprex       121         Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243	Herceptin	.200
Hiprex       121         Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243	Hexamine hippurate	.121
Histaclear       206         Histafen       206         Holoxan       167         Horleys Bread Mix       243         Horleys Flour       243	Hiprex	.121
Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243		
Holoxan         167           Horleys Bread Mix         243           Horleys Flour         243	Histafen	.206
Horleys Bread Mix243 Horleys Flour243		
Horleys Flour243	Horleys Bread Mix	.243
Hormone Replacement Therapy -	Horleys Flour	.243
	Hormone Replacement Therapy -	

Systemic87
HPV260
Humalog25
Humalog Mix 2524
Humalog Mix 5024
Human papillomavirus (6, 11, 16
and 18) vaccine [HPV]260
Humatin102
Humira190
HumiraPen190
Humulin 30/7024
Humulin NPH24
Humulin R24
Hyaluronic acid217
Hybloc59
Hydralazine65
Hydralazine hydrochloride65
Hydrea173
Hydrocortisone
Dermatological71
Hormone86
Hydrocortisone acetate21
Hydrocortisone and paraffin
liquid and lanolin71
Hydrocortisone butyrate72, 77
Hydrocortisone with
cinchocaine21
Hydrocortisone with
miconazole72
Hydrocortisone with natamycin
and neomycin72
Hydrogen peroxide
Alimentary43
Dermatological69
Hydroxocobalamin43
Hydroxychloroquine123
Hydroxyurea173
Hygroton62
Hylo-Fresh217
Hyoscine hydrobromide144
Hyoscine N-butylbromide22
Liverage 150
Hypam159
Hyperuricaemia and
Antigout
Hypnovel158
Hypromellose217
Hypromellose with Dextran217
Hysite216
-1-
Ibiamox99
lbugesic122
lbuprofen122
Icatibant206

Idarubicin hydrochloride	.173
Idursulfase	41
Ifosfamide	.167
Ikorel	66
Iloprost	
Imatinib mesilate	
Imatinib-AFT	.178
Imiglucerase	42
Imipramine hydrochloride	.136
Imiquimod	78
Immune Modulators	.118
Immunosuppressants	.184
Imuran	
Incruse Ellipta	
Indacaterol	
Indapamide	63
Indinavir	.117
Infanrix IPV	.259
Infanrix-hexa	
Infant Formulae	
Influenza vaccine	.261
Influvac	
Inhaled Corticosteroids	.207
Inhaled Long-acting	
Beta-adrenoceptor	
Agonists	208
Inset 30	
Inset II	36
Insulin aspart	24
Insulin aspart with insulin aspart	
protamine	24
Insulin glargine	
Insulin glulisine	
Insulin isophane	24
Insulin isophane with insulin	
neutral	24
Insulin lispro	25
Insulin lispro with insulin lispro	
protamine	
Insulin neutral	
Insulin pen needles	
Insulin pump	
Insulin pump accessories	33
Insulin pump infusion set (steel	
cannula)	34
Insulin pump infusion set (teflon	
cannula, angle insertion with	
insertion device)	35
Insulin pump infusion set (teflon	
cannula, angle insertion)	35
Insulin pump infusion set (teflon	
cannula, straight insertion with	
insertion device)	36

Insulin pump infusion set (teflon	
cannula, straight insertion)3	7
Insulin pump reservoir3	7
Insulin syringes, disposable with	
attached needle2	7
Intal Forte CFC Free21	2
Intal Spincaps21	
Intelence11	
Interferon alfa-2a11	
Interferon alfa-2b11	
Interferon beta-1-alpha15	Ω
Interferon beta-1-beta15	0
Intra-uterine device7	n
Intron-A11	
Invega Sustenna149	
IPOL26	3
Ipratropium bromide209, 213	3
lressa17	7
Irinotecan Actavis 10017	
Irinotecan Actavis 4017	0
Irinotecan hydrochloride17	
Irinotecan-Rex17	0
Iron polymaltose4	5
Isentress11	7
Ismo 206	5
Ismo 40 Retard6	5
Isoniazid10	
Isoprenaline6	
Isoptin6	
Isopto Carpine21	
Isosorbide mononitrate6	
Isosource Standard23	
Isosource Standard RTH23	a
Isotane 106	
Isotane 206	
Isotretinoin6	
Ispaghula (psyllium) husk39	0
Isradipine6	9
Isuprel6	
Itch-Soothe70	
Itraconazole10-	4
Itrazole10	
Ivermectin7	4
- J -	
Jadelle8	1
Jevity23	9
Jevity HiCal RTH23	9
Jevity HiCal RTH23 Jevity RTH23	9
- K -	
- K - Kaletra11	7
Naieud11	1
Kemadrin133 Kenacomb21	
Nenacomb21	4

Kenacort-A 1087
Kenacort-A 4087
Kenalog in Orabase43
Ketocal 3:1247
KetoCal 4:1247
Ketoconazole
Dermatological77
Dermatological//
Infection105
Ketogenic Diet247
Ketone blood beta-ketone
electrodes25
Ketoprofen122
Ketostix25
Keytruda202
Kindergen233
Kinson131
Kivexa116
Klacid98
Kliogest89
Kliovance89
Kogenate FS50
Konakion MM50
Konsyl-D39
-L-
<del>-</del>
L-asparaginase171
Labetalol59
Lacosamide140
Lactulose39
Laevolac39
Laevolac39
Lamictal141
Lamictal141 Lamivudine109, 117
Lamictal141 Lamivudine109, 117 Lamivudine Alphapharm117
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       .58         Lanoxin PG       .58
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       .58         Lanoxin PG       .58
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216         Lax-Sachets       39
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216         Lax-Sachets       39         Lax-Suppositories       40
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216         Lax-Sachets       39         Lax-Suppositories       40         Lax-Tab       40
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216         Lax-Sachets       39         Lax-Suppositories       40         Lax-Tab       40         Laxatives       39
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216         Lax-Sachets       39         Lax-Tab       40         Laxatives       39         Laxsol       39
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216         Lax-Sachets       39         Lax-Suppositories       40         Lax-Tab       40         Laxatives       39
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216         Lax-Sachets       39         Lax-Tab       40         Laxatives       39         Laxsol       39
Lamictal       141         Lamivudine       109, 117         Lamivudine Alphapharm       117         Lamotrigine       141         Lamprene       107         Lanoxin       58         Lanoxin PG       58         Lansoprazole       22         Lantus       24         Lantus SoloStar       24         Lanvis       170         Lanzol Relief       22         Lapatinib ditosylate       178         Largactil       146         Lasix       62         Latanoprost       216         Lax-Sachets       39         Lax-Suppositories       40         Lax-Tab       40         Laxatives       39         Ledipasvir with sofosbuvir       113

Letrole	184
Letrozole	184
Leukeran FC	167
Leukotriene Receptor	
Antagonists	. 211
Leunase	172
Leuprorelin	
Leustatin	169
Levetiracetam	
Levobunolol	
Levocabastine	215
Levodopa with benserazide	
Levodopa with carbidopa	131
Levomepromazine	
hydrochloride	. 146
Levomepromazine maleate	146
Levonorgestrel	
Genito-Urinary8	1-82
Hormone	89
Levothyroxine	90
Levothyroxine (mercury	
pharma)	90
Lidocaine	
[Lignocaine]132	-133
Lidocaine [Lignocaine]	
hydrochloride	132
Lidocaine [Lignocaine] with	
chlorhexidine	133
Lidocaine [Lignocaine] with	
prilocaine	133
Lidocaine-Claris	132
Lignocaine	
Hormone	86
Nervous132	
Link Healthcare	105
Lioresal Intrathecal	130
Lipazil	
Lipid-Modifying Agents	63
Liquigen	231
Lisinopril	56
Lithicarb FC	
Lithium carbonate	146
Livostin	215
LMX4	
Locacorten-Viaform ED's	214
Local preparations for Anal and	
Rectal Disorders	21
Locasol	245
Locoid7	2, 77
Locoid Crelo	
Locoid Lipocream	72
Locorten-Vioform	214
Lodoxamide	045

Logem	141
Lomide	
Lomustine	167
Loniten	66
Loperamide hydrochloride	20
Lopinavir with ritonavir	
Lopresor	59
Loprofin	244
Loprofin Mix	244
Lorafix	207
LoraPaed	207
Loratadine	207
Lorazepam	150
Lorfast	207
Lormetazepam	158
Lorstat	130
Losartan Actavis	57
Losartan potassium	57
Losartan potassium with	51
hydrochlorothiazide	57
Lovir	110
Loxamine	
Lucrin Depot 1-month	137
Lucin Depot 1-month	95
Lucrin Depot 3-month	95
Lucrin Depot 6-month	95
Ludiomil	136
Lycinate	65
Lyderm	/6
- M -	
m-Eslon	135
M-M-R II	
m-Nystatin	43
Mabthera	198
Macrogol 3350 with potassium	
chloride, sodium bicarbonate	
and sodium chloride	39
Macrogol 400 and propylene	
glycol	
Madopar 125	
Madopar 250	131
Madopar 62.5	131
Madopar HBS	131
Madopar Rapid	131
Magnesium hydroxide	226
Magnesium sulphate	45
Malathion with permethrin and	
piperonyl butoxide	76
Maprotiline hydrochloride	136
Marevan	53
Marevan Marine Blue Lotion SPF 50+	78
Marquis Black	79
Marquis Conforma	

Marquis Protecta	79	Methylphenidate		Mitozantrone	17
Marquis Selecta	79	hydrochloride	161	Mitozantrone Ebewe	17
MarquisTantiliza		Methylphenidate hydrochloride		Mixtard 30	2
Marvelon 28	80	extended-release	162	Moclobemide	13
Mask for spacer device	213	Methylprednisolone		Modafinil	16
Mast Cell Stabilisers		Methylprednisolone (as sodium		Modavigil	16
Maxidex		succinate)	86	Modecate	
Maxitrol		Methylprednisolone		Moduretic	
MCT oil (Nutricia)		aceponate	72	Mometasone furoate	
Measles, mumps and rubella		Methylprednisolone acetate		Monogen	
vaccine		Methylprednisolone acetate with		Montelukast	
Mebendazole		lidocaine [Lignocaine]		Moroctocog alfa [Recombinant	
Mebeverine hydrochloride		Methylxanthines		factor VIII]	4
Medrol		Metoclopramide		Morphine hydrochloride	
Medroxyprogesterone acetate		hydrochloride	144	Morphine sulphate	13
Genito-Urinary		Metolazone		Morphine tartrate	
Hormone		Metopirone		Motetis	
Mefenamic acid		Metoprolol - AFT CR		Motria	
		Metoprolol succinate		Mouth and Throat	
Megestrol acetate Meloxicam	100	Metoprolol tartrate		Movapo	
		•		Moxifloxacin	
Melphalan		Metronidazole			
Menactra		Metyrapone		MSUD Maxamaid	
Meningococcal (groups A, C,	Y	Mexiletine hydrochloride	58	MSUD Maxamum	24
and W-135) congugate	000	Mexiletine Hydrochloride	<b>50</b>	Mucilaginous laxatives with	0
vaccine		USP		stimulants	
Meningococcal c congugated		Miacalcic		Mucolytics	21
vaccine		Micolette		Multiple Sclerosis	
Menthol		Miconazole	43	Treatments	
Mercaptopurine		Miconazole nitrate		Multivitamin renal	
Mercilon 28		Dermatological		Multivitamins	
Mesalazine		Genito-Urinary		Mupirocin	
Mesna		Micreme		Muscle Relaxants	
Mestinon	122	Micreme H	72	Mvite	
Metabolic Disorder Agents	40	Microgynon 30	80	Myambutol	10
Metamide	144	Microgynon 50 ED		Mycobutin	10
Metchek	25	Microlut	81	MycoNail	6
Meterol	208	Midazolam	158	Mycophenolate mofetil	18
Metformin hydrochloride	25	Midazolam-Claris	158	Mycostatin	7
Methadone hydrochloride		Midodrine	58	Mydriacyl	
Extemporaneous	226	Minerals	45	Mylan Atenolol	5
Nervous	134	Mini-Wright AFS Low Range	213	Mylan Clomiphen	9
Methatabs	134	Mini-Wright Standard	213	Mylan Melphalan	16
Methopt	217	Minidiab	25	Mylan-Bosentan	
Methotrexate	170	Minirin	95	Myleran	
Methotrexate Ebewe	170	Mino-tabs	101	Myloc CR	5
Methotrexate Sandoz	170	Minocycline hydrochloride	101	Myocrisin	
Methyl hydroxybenzoate		Minomycin		Myometrial and Vaginal Hormone	
Methylcellulose		Minor Skin Infections		Preparations	
Methylcellulose with glycerin a		Minoxidil		Myozyme	
sodium saccharin		Mirena		- N -	
Methylcellulose with glycerin a		Mirtazapine			c
sucrose		Misoprostol		Nadolol	
Methyldopa		Mitomycin C		Naglazyme	
		·-···y-··· - ················		Nalcrom	2

Naloxone hydrochloride	219	Noctamid	158	Infection	105
Naltraccord	164	Nodia	20	NZB Low Gluten Bread Mix	243
Naltrexone hydrochloride	164	Noflam 250	122	- 0 -	
Naphazoline hydrochloride .	217	Noflam 500	122	O/W Fatty Emulsion Cream	73
Naphcon Forte	217	Non-Steroidal Anti-Inflammator	'n	Octocog alfa [Recombinant fac	
Naprosyn SR 1000	122	Drugs	122	VIII] (Advate)	
Naprosyn SR 750	122	Nonacog alfa [Recombinant		Octocog alfa [Recombinant fac	
Naproxen	122	factor IX]	49	VIII] (Kogenate FS)	
Nardil	137	Nonacog gamma, [Recombination of the combination of	nt	Octreotide	
Nasal Preparations	212	Factor IX]	49	Octreotide LAR (somatostatin	
Natalizumab	153	Norethisterone		analogue)	182
Natulan	174	Genito-Urinary	81	Oestradiol	
Nausicalm	144	Hormone	90	Oestradiol valerate	88
Nauzene	144	Norflex	130	Oestradiol with	
Navelbine	176	Norfloxacin	121	norethisterone	89
Nedocromil	212	Noriday 28	81	Oestriol	
Nefopam hydrochloride	133	Norimin	81	Genito-Urinary	82
Neisvac-C	262	Normacol Plus	39	Hormone	
Neo-B12	43	Normison	159	Oestrogens	
Neo-Mercazole	90	Norpress	136	Oestrogens with	
Neocate Advance	245	Nortriptyline hydrochloride		medroxyprogesterone	89
Neocate Gold	245	Norvir	117	Oil in water emulsion	
Neocate LCP	245	NovaSource Renal	235	Olanzapine1	
Neoral	204	Novatretin	76	Olbetam	63
Neostigmine metilsulfate	122	NovoMix 30 FlexPen	24	Olopatadine	
Nepro HP (strawberry)	235	NovoRapid	24	Olsalazine	
Nepro HP (vanilla)		NovoRapid FlexPen	24	Omalizumab	
Nepro HP RTH	235	NovoRapid Penfill	24	Omeprazole	
Nerisone		NovoSeven RT	48	Omezol Relief	
Neulactil	147	Noxafil	105	Omnitrope	91
Neulastim	54	Nozinan	146	Onbrez Breezhaler	208
Neurontin	139	Nuelin	212	Oncaspar	
NeuroTabs	45	Nuelin-SR	212	OncoTICE	
Nevirapine		Nupentin	139	Ondansetron	
Nevirapine Alphapharm	116	Nutilis	242	Ondansetron ODT-DRLA	144
Nicorandil	66	Nutrient Modules	229	One-Alpha	44
Nicotine	165	Nutrini Energy Multi Fibre		Onrex	
Nicotinic acid	63	Nutrini Energy RTH	234	Opdivo	
Nifedipine	61	Nutrini Low Energy Multi Fibre		Ora-Blend	227
Nifuran		236		Ora-Blend SF	227
Nilotinib	179	Nutrini RTH	234	Ora-Plus	226
Nilstat		Nutrison 800 Complete Multi		Ora-Sweet	
Genito-Urinary		Fibre	239	Ora-Sweet SF	226
Infection	105	Nutrison Concentrated		Orabase	43
Nipent		Nutrison Energy	239	Oral Supplements/Complete D	iet
Nitrados	158	Nutrison Energy Multi Fibre	239	(Nasogastric/Gastrostomy	
Nitrates	65	Nutrison Multi Fibre		Tube Feed)	232
Nitrazepam		Nutrison Standard RTH		Oratane	
Nitroderm TTS		Nyefax Retard	61	Orgran	
Nitrofurantoin		Nystatin		Ornidazole	
Nitrolingual Pump Spray	65	Alimentary	43	Orphenadrine citrate	
		Allinoritary		Orphenaumie chrate	
Nivolumab	201	Dermatological		Ortho All-flex	

Oruvail SR	122	Paradigm 3.0 Reservoir	37	ombitasvir with dasabuvir an	nd
Osmolite RTH	239	Paradigm 522	28	ribavirin	114
Ospamox	99	Paradigm 722	28	Parnate	137
Other Endocrine Agents .	96	Paradigm Mio MMT-921	36	Paromomycin	
Other Oestrogen		Paradigm Mio MMT-923	36	Paroxetine hydrochloride	137
Preparations	89	Paradigm Mio MMT-925		Paser	107
Other Progestogen		Paradigm Mio MMT-941	36	Patanol	217
Preparations	89	Paradigm Mio MMT-943	36	Paxam	150
Other Skin Preparations .		Paradigm Mio MMT-945	36	Pazopanib	179
Ovestin		Paradigm Mio MMT-965	36	Peak flow meter	213
Genito-Urinary	82	Paradigm Mio MMT-975	36	Pedialyte - Bubblegum	55
Hormone	89	Paradigm Quick-Set		Pediasure	234
Ox-Pam	151	MMT-386	37	Pediasure RTH	234
Oxaliccord	168	Paradigm Quick-Set		Pegaspargase	174
Oxaliplatin	168	MMT-387	37	Pegasys	119
Oxaliplatin Actavis 100	168	Paradigm Quick-Set		Pegasys RBV Combination	
Oxaliplatin Actavis 50		MMT-396	37	Pack	119
Oxaliplatin Ebewe	168	Paradigm Quick-Set		Pegfilgrastim	54
Oxazepam		MMT-397	37	Pegylated interferon alfa-2a	
Oxis Turbuhaler		Paradigm Quick-Set		Pembrolizumab	
Oxpentifylline		MMT-398	37	Penicillamine	123
Oxybutynin	83	Paradigm Quick-Set		PenMix 30	24
Oxycodone hydrochloride		MMT-399	37	PenMix 40	24
OxyNorm	135	Paradigm Silhouette		PenMix 50	24
Oxytocin		MMT-368	35	Pentasa	21
Oxytocin with ergometrine		Paradigm Silhouette		Pentostatin	
maleate		MMT-377	35	[Deoxycoformycin]	174
Ozole	104	Paradigm Silhouette		Pentoxifylline [Oxpentifylline]	
-P-		MMT-378	35	Peptisoothe	22
Pacifen	130	Paradigm Silhouette		Peptisorb	236
Paclitaxel		MMT-381	35	Perhexiline maleate	
Paclitaxel Actavis		Paradigm Silhouette		Pericyazine	
Paclitaxel Ebewe		MMT-382	35	Perindopril	
Paediatric Seravit		Paradigm Silhouette		Permethrin	76
Paliperidone		MMT-383	35	Peteha	107
Pamidronate disodium		Paradigm Silhouette		Pethidine hydrochloride	136
Pamisol		MMT-384	35	Pevaryl	
Pancreatic enzyme		Paradigm Sure-T MMT-864		Pexsig	
Pantoprazole		Paradigm Sure-T MMT-866	34	Pharmacare	133
Pantoprazole Actavis 20 .		Paradigm Sure-T MMT-874	34	Pharmacy Services	219
Pantoprazole Actavis 40 .		Paradigm Sure-T MMT-876	34	Pheburane	
Panzop Relief		Paradigm Sure-T MMT-884	34	Phenelzine sulphate	137
Panzytrat		Paradigm Sure-T MMT-886	34	Phenobarbitone	141
Papaverine hydrochloride		Paraffin		Phenobarbitone sodium	
Para Plus		Paraffin liquid with soft white		Extemporaneous	227
Para-amino salicylic acid		paraffin	217	Nervous	
Paracare		Paraffin liquid with wool fat		Phenothrin	
Paracare Double Strength		Paraldehyde		Phenoxybenzamine	
Paracetamol		Parasidose		hydrochloride	56
Paracetamol + Codeine		Parasiticidal Preparations		Phenoxymethylpenicillin	
(Relieve)	135	Paritaprevir, ritonavir and		(Penicillin V)	100
Paracetamol with codeine		ombitasvir with dasabuvir	114	Phenytoin sodium1	
Paradigm 1.8 Reservoir		Paritaprevir, ritonavir and		Phlexy 10	

Phosphate-Sandoz	55
Phosphorus	
Phytomenadione	50
Pilocarpine hydrochloride	216
Pimafucort	
Pindolol	
	60
Pine tar with trolamine	
laurilsulfate and	
fluorescein	
Pinetarsol	
Pioglitazone	
Piportil	149
Pipothiazine palmitate	149
Pizotifen	
PKU Anamix Infant	
PKU Anamix Junior	244
PKU Anamix Junior LQ	
PKU Lophlex LQ 10	244
PKU Lophlex LQ 20	244
Plaquenil	123
Plendil ER	60
Pneumococcal (PCV13)	
vaccine	. 263
Pneumococcal (PPV23)	
polysaccharide vaccine	. 263
Pneumovax 23	263
Podophyllotoxin	78
Polaramine	207
Poliomyelitis vaccine	
Poloxamer	
Poly-Gel	
Poly-Tears	
Poly-Visc	
Polycal	
Polyvinyl alcohol	
Ponstan	
Posaconazole	
Postinor-1	
Potassium chloride5	
Potassium citrate	
Potassium iodate	45
Povidone iodine	
Pradaxa	53
Pramipexole hydrochloride	53 131
Pradaxa Pramipexole hydrochloride Prasugrel	53 131
Pramipexole hydrochloride	53 131 50
Pramipexole hydrochloride Prasugrel Pravastatin	53 131 50 64
Pramipexole hydrochloride Prasugrel Pravastatin Praziquantel	53 131 50 64 97
Pramipexole hydrochloride Prasugrel Pravastatin Praziquantel Prazosin	53 131 50 64 97
Pramipexole hydrochloride Prasugrel Pravastatin Praziquantel Prazosin Pred Forte	53 131 50 64 97 56
Pramipexole hydrochloride Prasugrel Praziquantel Prazosin Pred Forte Prednisolone	53 131 50 64 97 56 215
Pramipexole hydrochloride Prasugrel Praziquantel Prazosin Pred Forte Prednisolone Prednisolone acetate	53 131 50 64 97 56 215
Pramipexole hydrochloride Prasugrel Praziquantel Prazosin Pred Forte Prednisolone	53 131 50 64 97 56 215

Prednisolone-AFT	215
Prednisone	87
Pregnancy Tests - hCG Urine	83
Premarin	
Premia 2.5 Continuous	89
Premia 5 Continuous	
Prevenar 13	
Prezista	
Priadel	
Primacin	
Primaguine phosphate	
Primidone	
Primolut N	90
Probenecid	
Probenecid-AFT	120
Procaine penicillin	
Procarbazine hydrochloride	
Prochlorperazine	
Proctosedyl	
Procur	
Procyclidine hydrochloride	
Procytox	
Prodopa	
Progesterone	90
Proglicem	23
Proglycem	
Progynova	
Prokinex	
Promethazine hydrochloride	
Promethazine theoclate	
Promod	
Propafenone hydrochloride	58
Propamidine isethionate	214
Propranolol	
Propylene glycol	227
Propylthiouracil	
Protamine sulphate	
Protaphane	24
Protaphane Penfill	24
Protifar	
Protionamide	107
Provera	88
Provera HD	
PSM Citalopram	
Psoriasis and Eczema	
Preparations	76
PTU	
Pulmicort Turbuhaler	
Pulmocare	232
Pulmozyme	
Puri-nethol	
Pyrazinamide	
Pyridostigmine bromide	122
. Jugodigitinio biolinao	122

Pyridoxine hydrochloride	43
Pyrimethamine	103
Pytazen SR	50
- Q -	
Q 300	100
Questran-Lite	
Quetapel	147
Quetiapine	147
Quick-Set MINT 201	3/
Quick-Set MMT-391	
Quick-Set MMT-392	
Quick-Set MMT-393	
Quinapril	5/
Quinapril with	
hydrochlorothiazide	.5/
Quinine sulphate	
Qvar	207
- R -	
RA-Morph	134
Raloxifene hydrochloride	
Raltegravir potassium	117
Ramipex	131
Ranbaxy-Cefaclor	
Ranitidine	
Ranitidine Relief	
Rapamune	
Reandron 1000	
Recombinant Factor IX	
Recombinant factor IX	
Recombinant factor VIIa	48
Recombinant factor VIII	49
Rectogesic	22
Redipred	86
Refresh Night Time	217
Renilon 7.5	235
Resonium-A	55
Resource Beneprotein	231
Resource Diabetic	232
Respigen	209
Respiratory Devices	
Respiratory Stimulants	213
Retinol palmitate	
ReTrieve	
Retrovir	
Revlimid	
Revolade	
Rexacrom	
RexAir	209
Reyataz	
Ridaura s29	
Rifabutin	
Rifadin	108

Rifampicin	108	Sedatives and Hypnotics	158	acid]	217
Rifaximin		Seebri Breezhaler	210	Sodium nitroprusside	25
Rifinah	107	Selegiline hydrochloride	131	Sodium phenylbutyrate	
Rilutek	132	Senna	40	Sodium polystyrene	
Riluzole	132	Senokot	40	sulphonate	55
Riodine	74	Sensipar	85	Sodium tetradecyl sulphate	
Risedronate Sandoz	126	SensoCard		Sodium valproate	
Risedronate sodium		Serenace		Sofradex	
Risperdal Consta		Seretide		Soframycin	
Risperdal Quicklet		Seretide Accuhaler		Solian	
Risperidone		Serevent		Solifenacin succinate	
Risperon		Serevent Accuhaler		Solu-Cortef	
Ritalin		Serophene		Solu-Medrol	
Ritalin LA		Sertraline		Somatropin (Omnitrope)	91
Ritalin SR		Sevredol		Sotacor	60
Ritonavir		Sex Hormones Non		Sotalol	
Rituximab		Contraceptive	87	Spacer device	
Rivaroxaban		Shield 49		Span-K	
Rivastigmine		Shield Blue		Spiolto Respimat	
Rivotril		Shield XL		Spiractin	ا ا ک
	,				
RIXUBIS		SII-Onco-BCG		Spiriva	010
Rizamelt		Sildenafil		Spiriva Respimat	
Rizatriptan		Silhouette MMT-371		Spironolactone	
Roferon-A		Silhouette MMT-373		Sporanox	104
Ropinirole hydrochloride		Siltuximab		Sprycel	1/6
RotaTeq		Silver sulphadiazine		Staphlex	
Rotavirus live reassortant o		Simvastatin		Stavudine [d4T]	
vaccine	263	Sinemet		Stelazine	
Roxane		Sinemet CR		Stemetil	
Alimentary		Singulair		Stesolid	138
Cardiovascular	60	Sirolimus	204	Stimulants/ADHD	
Roxithromycin	99	Slow-Lopresor	59	Treatments	
Rubifen	161	Sodibic	55	Stiripentol	
Rubifen SR	161	Sodium acid phosphate		Stocrin	
Rythmodan	58	Sodium alginate	20	Stomahesive	43
Rytmonorm	58	Sodium aurothiomalate	123	Strattera	159
-8-		Sodium benzoate	42	Stromectol	74
S-26 Gold Premgro	244	Sodium bicarbonate		Suboxone	163
Sabril		Blood	54-55	Sucralfate	23
SalAir		Extemporaneous	227	Sulfadiazine sodium	103
Salamol		Sodium calcium edetate	220	Sulindac	122
Salazopyrin		Sodium chloride		Sulphasalazine	
		Blood	54	Sulphur	
Salazopyrin EN		Respiratory	212	Sulprix	145
Salbutamol		Sodium citrate with sodium la		Sumatriptan	143
Salbutamol with ipratropium		sulphoacetate		Sunitinib	180
bromide		Sodium citro-tartrate		Sunscreens	
Salicylic acid		Sodium cromoglycate		Sunscreens, proprietary	
Salmeterol		Alimentary	21	Sure-T MMT-863	34
Sandomigran		Respiratory		Sure-T MMT-865	
Sandostatin LAR		Sensory		Sure-T MMT-873	
Scalp Preparations		Sodium fluoride		Sure-T MMT-875	
Scopoderm TTS				Sure-T MMT-883	
Sebizole	77	Sodium hyaluronate [Hyaluro	TIIC	Oute-1 WINTI-000	34

Sure-T MMT-885	34
Sustagen Diabetic	
Sustagen Hospital Formula	
Sustanon Ampoules	
Sutent	.180
Sylvant	.200
SylvantSymbicort Turbuhaler 100/6	.208
Symbicort Turbuhaler 200/6	.208
Symbicort Turbuhaler	
400/12	208
Symmetrel	
Sympathomimetics	65
Synacthen	
Synacthen Depot	
Synthroid	90
Syntometrine	82
Syrup (pharmaceutical	
grade)	227
Systane Unit Dose	.217
-T-	
Tacrolimus	204
Tacrolimus Sandoz	
Tambocor	
Tambocor CR	58
Tamoxifen citrate	
Tamsulosin hydrochloride	20
Tamsulosin-Rex	ده
Tap water	
Tarceva	
Tasigna	
Tasmar	
Taxotere	
Tecfidera	
Tegretol	
Tegretol CR	
Telfast	
Temaccord	
Temazepam	
Temozolomide	
Tenofovir disoproxil	. 1 / 4
fumarate	111
Tenoxicam	
Tepadina	
Terazosin	
Terbinafine	
Terbutaline sulphate	
Teriflunomide	155
Teriparatide	
Testosterone	
Testosterone cypionate	87
Testosterone esters	87
Testosterone undecanoate	
Tetrabenazine	
1011 abo 1 la ZII lo	02

Tetrabromophenol	84
Tetracosactrin	87
Tetracyclin Wolff	101
Tetracycline	101
Teva	171
Thalidomide	17
Thalomid	176
Theophylline	175
Thiamine hydrochloride	۱۵ ک
THIS TERM	400
THIO-TEPA	100
Thioguanine	1/(
Thiotepa	168
Thymol glycerin	43
Thyroid and Antithyroid	
Agents	90
Ticagrelor	
Tilade	
Tilcotil	122
Timolol	
Cardiovascular	60
Sensory Timoptol XE	216
Timoptol XE	216
Tiotropium bromide	210
Tiotropium bromide with	
olodaterol	211
Tivicay	117
TMP	109
TOBI	100
Tobramycin	100
Infection	100
Sensory	100
Sensory	215
Tobrex	215
Tofranil	136
Tofranil s29	136
Tolcapone	131
Tolterodine	84
Topamax	142
Topical Products for Joint and	
Muscular Pain	
Topiramate	142
Topiramate Actavis	142
Total parenteral nutrition	
(TPN)	54
TPN	54
Tramadol hydrochloride	136
Tramal SR 100	
Tramal SR 150	
Tramal SR 200	136
Trandate	50
Tranexamic acid	50
Tranylcypromine sulphate	137
Trastuzumab	10 <i>1</i>
1140tuzu11140	200

Travoprost	216
Treatments for Dementia	163
Treatments for Substance	
Dependence	163
Trental 400	66
Tretinoin	
Dermatological	68
Oncology	176
Trexate	170
Triamcinolone acetonide	
Alimentary	43
Dermatological	72
Hormone	
Triamcinolone acetonide with	
gramicidin, neomycin and ny	statin
Dermatological	72
Dermatological Sensory	214
Triazolam	159
Trichozole	
Triclosan	
Trifluoperazine	
hydrochloride	147
Trimeprazine tartrate	207
Trimethoprim	103
Trisequens	89
Trisul	101
Trophic Hormones	
Tropicamide	217
Trusopt	216
Truvada	117
Two Cal HN	242
Two Cal HN RTH	242
Tykerb	178
Tysabri	153
- U -	
Ultibro Breezhaler	044
Ultraproct	211
Ultraproci	21
UmeclidiniumUmeclidinium with vilanterol	211
Univent20	ZII
Ural Urea	04
Urex Forte	د،
Ulex Forte	02
Urinary Agents Urinary Tract Infections	101
Uromitexan	170
Ursodeoxycholic acid	د ۱۱
Ursosan	
Utrogestan	პგ
-	90
- V -	
Vaccinations	
Vaclovir	110

Valaciclovir	110
Valcyte	110
Valganciclovir	
Vallergan Forte	207
Vancomycin	103
Vannair	
Varenicline tartrate	165
Varicella vaccine [Chicken pox	
vaccine]	264
Varilrix	264
Various	219
Vasodilators	65
Vasopressin Agonists	
Vedafil	67
Velcade	171
Venlafaxine	138
Venomil	206
Ventavis	67
Ventolin	209
Vepesid	173
Verapamil hydrochloride	61
Vergo 16	144
Vermox	97
Verpamil SR	
Vesanoid	
Vesicare	84
Vexazone	25
Vfend	105
Viaderm KC	
Victrelis	113
Vidaza	168
Videx EC	116
Viekira Pak	114
Viekira Pak-RBV	114
Vigabatrin	142
Vimpat	140
Vinblastine sulphate	176
Vincristine sulphate	176
Vinorelbine	
Vinorelbine Ebewe	
Viramune Suspension	
Viread	111
ViruPOS	214

Vistil	217
Vistil Forte	217
Vit.D3	44
VitA-POS	218
Vitabdeck	44
Vitadol C	43
Vital	236
Vitamin A with vitamins D and	
C	43
Vitamin B complex	44
Vitamin B6 25	
Vitamins	
Vivonex Pediatric	
Vivonex TEN	236
Volibris	66
Voltaren	
Voltaren D	122
Voltaren Ophtha	
Volumatic	
Voriconazole	
Vosol	
Votrient	
Vttack	105
- W -	
Warfarin sodium	
Wart Preparations	78
Wasp venom allergy	
treatment	206
Water	
Blood	
Extemporaneous	
Wool fat with mineral oil	73
- X -	
Xanax	150
Xarelto	
Xifaxan	23
XMET Maxamum	
Xolair	
XP Maxamaid	
XP Maxamum	
Xylocaine	
Vylooging Viccous	

-2-
Zantac22
Zapril56
Zarator63
Zarontin139
Zaroxolyn62
Zarzio53
Zavedos173
Zeffix109
Zerit117
Zetop206
Ziagen116
Zidovudine [AZT]117
Zidovudine [AZT] with
lamivudine117
Zimybe64
Zinc and castor oil73
Zinc sulphate46
Zincaps46
Zinnat98
Ziprasidone148
Zista206
Zithromax98
Zoladex94
Zoledronic acid
Hormone85
Musculoskeletal126
Zometa85
Zopiclone159
Zopiclone Actavis159
Zostrix123
Zostrix HP133
Zovirax214
Zuclopenthixol decanoate150
Zuclopenthixol
hydrochloride148
Zusdone148
Zyban164
Zypine146
Zypine ODT146
Zyprexa Relprevv148
7utico 101