January 2017 Volume 24 Number 0

Editor: Kaye Wilson email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cos from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit ou subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 prin

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors of omissions, and shall not be liable for any consequences arising there from.

Introducing PHARMAC

Section A	General Rules	6
Section B	Alimentary Tract & Metabolism	20
	Blood & Blood Forming Organs	47
	Cardiovascular System	56
	Dermatologicals	68
	Genito Urinary System	79
	Hormone Preparations – Systemic	85
Inf	ections – Agents For Systemic Use	97
	Musculoskeletal System	122
	Nervous System	131
Oncolo	ogy Agents & Immunosuppressants	167
	Respiratory System & Allergies	207
	Sensory Organs	216
	Various	221
Section CEX	temporaneous Compounds (ECPs)	223
Section D	Special Foods	230
Section E	Practitioner's Supply Orders	250
	Rural Areas	254
Section F	Dispensing Period Exemptions	255
Section G	Safety Cap Medicines	257
Section I	National Immunisation Schedule	260
	Section B Section CEX Section D Section E Section G	Section B Alimentary Tract & Metabolism Blood & Blood Forming Organs Cardiovascular System Dermatologicals Genito Urinary System Hormone Preparations – Systemic Infections – Agents For Systemic Use Musculoskeletal System Nervous System Oncology Agents & Immunosuppressants Respiratory System & Allergies Sensory Organs Various Section C Extemporaneous Compounds (ECPs) Section B Practitioner's Supply Orders Rural Areas Section F Dispensing Period Exemptions Section G Safety Cap Medicines

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram g kilogram kg international unit iu	microgrammcg milligrammg millilitreml	millimolemmol unitu
Abbreviations		
Ampoule Amp	GelatinousGel	SolutionSoln
CapsuleCap	GranulesGran	SuppositorySupp
CreamCrm	InfusionInf	TabletTab
Device	InjectionInj	TinctureTinc
DispersibleDisp	LiquidLiq	Trans Dermal Delivery
Effervescent Eff	Long ActingLA	SystemTDDS
Emulsion Emul	OintmentOint	,
Enteric CoatedEC	Sachet Sach	
BSO Bulk Supply Order		

BSO Bulk Supply Order.

CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- ‡ Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981.
- HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.
- HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy Variation (for Clozapine Services).

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at

http://www.pharmac.govt.nz/nppa. or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 January 2017 and is to be referred to as the Pharmaceutical Schedule Volume 24 Number 0, 2017. Distribution will be from 20 January 2017. This Schedule comes into force on 1 January 2017.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
 - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
 - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
 - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility:
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area:
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
 - "Act", means the New Zealand Public Health and Disability Act 2000.
 - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
 - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
 - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
 - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
 - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be

required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by

the Practitioner, or

- endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
- iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

- "Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:
 - a) to an Outpatient; and
 - b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations

"Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is

not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol". or
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.

"Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of competency; or
- d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by

the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Practitioners', Registered Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber, Optometrist, or Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner or Registered Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect: or
 - b) both
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner: and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
 that part of any Prescription that is dispensed within the time frames specified above is eligible for
 Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words

- "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber, or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

- 3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

3.6 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
 and
- b) written on a Quitcard.

PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be

clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial";
 and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on the previous page; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V

MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders

with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or
 if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2. for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1:
 - b) clauses 2.1 to 2.2;
 - c) clauses 3.1 to 3.4: and
 - d) clause 5.4.
 - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under

- the Medicines Act 1981 or for an Unapproved Indication; or
- not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication. Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted' Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	\$	Per	✓ Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	✓ Gaviscon Infant
SODIUM ALGINATE * Tab 500 mg with sodium bicarbonate 267 mg and calcium	ı		
carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml	Acidex
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE * Tab 600 mg	12.56	100	✓ Alu-Tab
CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement Only when prescribed for children under 12 years of ag endorsed accordingly.	39.00	500 ml hosphate bin	✔ Roxane ding agent and the prescription is
Antidiarrhoeals			
Agents Which Reduce Motility			
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a * Tab 2 mg * Cap 2 mg	10.75	400 400	 ✓ Nodia ✓ Diamide Relief
Rectal and Colonic Anti-inflammatories			
BUDESONIDE Cap 3 mg - Special Authority see SA1155 below - Retail pharmacy		90	✓ Entocort CIR
■►SA1155 Special Authority for Subsidy Initial application — (Crohn's disease) from any relevant practifollowing criteria: Both:	titioner. Approval	s valid for 6 n	nonths for applications meeting the
1 Mild to moderate ileal, ileocaecal or proximal Crohn's dis2 Any of the following:	ease; and		

Subsidy

(Manufacturer's Price)

Unapproved medicine supplied under Section 20

continued...

Brand or

Generic

Fully

Subsidised

2.1 Diabetes; or2.2 Cushingoid habitus; or

2.3 Osteoporosis where there is significant risk of fracture; or

2.4 Severe acne following treatment with conventional corticosteroid therapy; or2.5 History of severe psychiatric problems associated with corticosteroid treatment; or

	ubsidy F cturer's Price) Subsidi	ully	Brand or Generic
(ivialiulac	\$ Per	✓	Manufacturer

continued...

- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

HYDROCORTISONE ACETATE

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

Rectal foam 10%, CFC-Free (14 applications)26.55	21.1 g OP	✓ Colifoam
MESALAZINE	-	
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✓ Pentasa
Tab 800 mg85.55	90	✓ Asacol
Modified release granules, 1 g141.72	120 OP	✓ Pentasa
Enema 1 g per 100 ml41.30	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE	100	✓ Nalcrom
Cap 100 mg92.91	100	Naicrom
SULPHASALAZINE		
* Tab 500 mg - For sulphasalazine oral liquid formulation refer,		
page 22414.00	100	Salazopyrin
* Tab EC 500 mg13.50	100	Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

	CHOCAINE	OLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CIN	FLU
✓ Ultraproct	30 g OP	0 mcg, with fluocortolone pivalate 920 mcg, and cin- caine hydrochloride 5 mg per g	
✓ Ultraproct	12	630 mcg, with fluocortolone pivalate 610 mcg, and chocaine hydrochloride 1 mg2.66	
✓ Proctosedyl	30 g OP	RTISONE WITH CINCHOCAINE ng with cinchocaine hydrochloride 5 mg per g15.00	HY
✓ Proctosedyl	12	5 mg with cinchocaine hydrochloride 5 mg per g9.90	

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

90

✓ Colofac

Brand or Generic Manufacturer

Management of Anal Fissures

GLYCERYL TRINITRATE - Special Authority see SA1329 below - Retail pharmacy 30 g OP ✔ Rectogesic

⇒SA1329 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

Antispasmodics and Other Agents Altering Gut Motility

GLYCOPYRRONIUM BROMIDE

Inj 200 mcg per ml, 1 ml ampoule – Up to 10 in a PSO		10	✓ Max Health
HYOSCINE N-BUTYLBROMIDE			
* Tab 10 mg	2.18	20	✓ Gastrosoothe
* Inj 20 mg, 1 ml - Up to 5 inj available on a PSO	9.57	5	Buscopan
MEREVERINE HYDROCHLORIDE			

Antiulcerants

Antisecretory and Cytoprotective

MICO	NOTO	

	T-1, 000	44.50	400	
*	Tab 200 mcg	41.50	120	Cvtotec

Helicobacter Pylori Eradication

CLA

ARITHROMYCIN			
Tab 500 mg – Subsidy by endorsement	10.40	14	Apo-Clarithromycin

a) Maximum of 14 tab per prescription

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.

H2 Antagonists

RANITIDINE - Only on a prescription

*	Tab 150 mg	30 !	500 🗸	Ranitidine Relief
	Tab 300 mg14.7		500 🗸	Ranitidine Relief
	Oral lig 150 mg per 10 ml		00 ml 🗸	Peptisoothe
	Inj 25 mg per ml, 2 ml8.7		5	Zantac

Proton Pump Inhibitors

LA	NSOPRAZOLE		
*	Cap 15 mg5.08	100	✓ Lanzol Relief
*	Cap 30 mg5.93	100	✓ Lanzol Relief

b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
OMI	EPRAZOLE				
	For omeprazole suspension refer Standard Formulae, page 2	27			
*	Cap 10 mg	2.23	90	~	Omezol Relief
	Cap 20 mg		90		Omezol Relief
	Cap 40 mg		90		Omezol Relief
*	Powder – Only in combination Only in extemporaneously compounded omeprazole suspe		5 g	/	Midwest
*	Inj 40 mg ampoule with diluent		5	•	<u>Dr Reddy's</u> Omeprazole
PAN	TOPRAZOLE				
	Tab EC 20 mg	2.41	100	~	Pantoprazole
					Actavis 20
	Panzop Relief to be Sole Supply on 1 March 2017			•	Panzop Relief
*	Tab EC 40 mg	3.35	100	V	Pantoprazole
•••	145 25 16 mg			•	Actavis 40
				~	Panzop Relief
	Panzop Relief to be Sole Supply on 1 March 2017 ntoprazole Actavis 20 Tab EC 20 mg to be delisted 1 March 20 ntoprazole Actavis 40 Tab EC 40 mg to be delisted 1 March 20				
Sit	te Protective Agents				
COL	LOIDAL BISMUTH SUBCITRATE				
	Tab 120 mg	14.51	50	~	Gastrodenol S29
SUC	CRALFATE				
	Tab 1 g	35.50	120		
	· ·	(48.28)			Carafate
Bi	le and Liver Therapy				
DIE	AXIMIN - Special Authority see SA1461 below - Retail pharm	2204			
	Tab 550 mg	•	56	/	Xifaxan
_		023.00	30	•	Allaxall
Initi hepa toler Ren App treat	SA1461 Special Authority for Subsidy al application only from a gastroenterologist, hepatologist o atologist. Approvals valid for 6 months where the patient has rated doses of lactulose. ewal only from a gastroenterologist, hepatologist or Practitionarovals valid without further renewal unless notified where the timent.	hepatic encephaloper on the recommend	athy o	lespite an of a gastro	adequate trial of maximur enterologist or hepatologis
	abetes				
Ну	perglycaemic Agents				
	ZOXIDE - Special Authority see SA1320 on the next page - F				

100

100

30 ml OP

✔ Proglicem S29

✔ Proglicem S29

✔ Proglycem \$29

Cap 25 mg110.00

Cap 100 mg280.00

Oral liq 50 mg per ml620.00

Per Manufacturer ⇒SA1320 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism. Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment. GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit - Up to 5 kit available on a PSO......32.00 Glucagen Hypokit **Insulin - Short-acting Preparations** INSULIN NEUTRAL ▲ Inj human 100 u per ml25.26 10 ml OP ✔ Actrapid ✔ Humulin R 5 ✓ Actrapid Penfill ✔ Humulin R Insulin - Intermediate-acting Preparations INSULIN ASPART WITH INSULIN ASPART PROTAMINE 5 ✓ NovoMix 30 FlexPen INSULIN ISOPHANE ▲ Inj human 100 u per ml17.68 ✔ Humulin NPH 10 ml OP ✔ Protaphane ▲ Inj human 100 u per ml, 3 ml29.86 5 ✔ Humulin NPH Protaphane Penfill INSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml25.26 10 ml OP ✔ Humulin 30/70 ✓ Mixtard 30 ▲ Inj human with neutral insulin 100 u per ml, 3 ml42.66 5 ✔ Humulin 30/70 ✓ PenMix 30 ✔ PenMix 40 ✔ PenMix 50 INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE ▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, ✔ Humalog Mix 25 ▲ Ini lispro 50% with insulin lispro protamine 50% 100 u per ml. 5 Humalog Mix 50 **Insulin - Long-acting Preparations** INSULIN GLARGINE ▲ Inj 100 u per ml, 10 ml63.00 ✓ Lantus 1 ▲ Inj 100 u per ml, 3 ml94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen94.50 ✓ Lantus SoloStar **Insulin - Rapid Acting Preparations**

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

5

5

✓ NovoRapid FlexPen

✓ NovoRapid Penfill

✓ NovoRapid

INSULIN ASPART

▲ Inj 100 u per ml, 3 ml syringe51.19

▲ Inj 100 u per ml, 3 ml51.19

	Subsidy (Manufacturar's F	Dring) C	Full	
	(Manufacturer's F	Per Per	ubsidise •	d Generic Manufacturer
NSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	1	Apidra
▲ Inj 100 u per ml, 3 ml		5		Apidra
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	~	Apidra SoloStar
NSULIN LISPRO				
▲ Inj 100 u per ml, 10 ml	34.92	10 ml OP	/	Humalog
▲ Inj 100 u per ml, 3 ml		5		Humalog
Alpha Glucosidase Inhibitors				
ACARBOSE				
k Tab 50 mg	4.28	90	/	Glucobay
k Tab 100 mg		90		Glucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
₭ Tab 5 mg	5.00	100	1	Daonil
GLICLAZIDE				
₭ Tab 80 mg	11.50	500	V	Glizide
-		000	•	<u>GIIZIGO</u>
GLIPIZIDE k Tab 5 mg	2.05	100	./	Minidiab
•	2.00	100	•	<u>wiiiiuab</u>
METFORMIN HYDROCHLORIDE				
k Tab immediate-release 500 mg		1,000		Metchek Matter
* Tab immediate-release 850 mg	7.82	500	V	Metformin Mylan
PIOGLITAZONE				
k Tab 15 mg		90		Vexazone
k Tab 30 mg		90		Vexazone
≰ Tab 45 mg	7.10	90		<u>Vexazone</u>
Diabetes Management				
Ketone Testing				
BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter at	vailable on a PS	80		
Meter funded for the purposes of blood ketone diagnostics on			ore epi	sodes of ketoacidosis and
at risk of future episodes or patient is on an insulin pump. Only	one meter per	patient will b	e subsi	idised every 5 years.
Meter	40.00	1	~	Freestyle Optium
				Neo
ETONE BLOOD BETA-KETONE ELECTRODES				
a) Maximum of 20 strip per prescription				
b) Up to 10 strip available on a PSO				
Test strip - Not on a BSO	15.50	10 strip OF	· /	Freestyle Optium
				Ketone
SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescription				
★ Test strip – Not on a BSO	6.00	50 strip OF	· /	Accu-Chek
				Ketur-Test
				Notal-103t

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
- 1) is receiving insulin or sulphonylurea therapy; or
- 2) is pregnant with diabetes; or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
- 4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome. Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens

meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test

1 OP CareSens II

✓ CareSens N

✓ CareSens N POP

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription
 as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

28.75

Blood glucose test strips - Note differing brand requirements

✓ CareSens

✓ CareSens N

✓ Accu-Chek Performa

✓ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

►SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788
Wellington Email: bgstrips@pharmac.govt.nz

■ SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

Subsidy (Manufacturer's Price)	Fully Subsidised		Brand or Generic	
` \$	Per	~	Manufacturer	

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

✓ SensoCard 50 test OP

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INCLUMENTATION OF A	 Maximum of 100 dev per prescription
INOULIN FEN NEEDLEO -	- Maximum of 100 devider diescribtion

*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine
*	31 g × 5 mm		100	✓ B-D Micro-Fine
*	31 g × 6 mm		100	✓ ABM
*	31 g × 8 mm		100	✓ B-D Micro-Fine
*	32 g × 4 mm		100	✓ B-D Micro-Fine
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 1	00 dev per p	rescription
*	Syringe 0.3 ml with 29 g × 12.7 mm needle		100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00 [′]	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00 [′]	100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle	13.00 [°]	100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

Insulin Pumps

INSULIN PUMP - Special Authority see SA1603 below - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

c) Maximum of 1 insulin pump per patient each four	year period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour	4,500.00	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1	✓ Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	✓ Paradigm 522
			Paradigm 722

■ SA1603 | Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — **(HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy Brand or Fully (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Fither:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 8.2 The pump is due for replacement; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 4.2 The pump is due for replacement; and
- 5 Fither:
 - 5.1 Applicant is a relevant specialist; or
 - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

Insulin Pump Consumables

⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Fither:
 - 3.1 Applicant is a relevant specialist; or

continued...

31

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Fither:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (**Previous use before 1 September 2012**) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

continued...

Subsidy	Fully		Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	~	Manufacturer	

continued...

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 31 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

✓ Animas Battery Cap

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 31 - Retail pharmacy

a'	Maximum	of :	3 sets	ner	prescription
a	i iviaxiiiiuiii	UI V	ノンロい	וסט	DIESCHDUID

a) Maximum of 3 sets per prescription b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing \times			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line \times			
10 with 10 needles	130.00	1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing \times			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
			MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line \times			
10 with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line \times			
10 with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	100.00	. 01	- Juic 1 mm 1070
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
TO WALL TO HOOGIOO	100.00	. 01	MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
o min ocoor noodio, zo d, manda moortion, oo om tubing x			4.4

1 OP

✓ Sure-T MMT-875

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per \$

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 31 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula: angle insertion: insertion device: 110 cm grey line × 10 with 10 needles140.00
- 13 mm teflon cannula: angle insertion: insertion device:
- 13 mm teflon cannula: angle insertion: insertion device:
- 60 cm grey line × 10 with 10 needles140.00 13 mm teflon cannula; angle insertion; insertion device:
- 60 cm pink line × 10 with 10 needles140.00 1 OP

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1604 on page 31 - Retail pharmacv

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula: angel insertion: 60 cm grev line ×
- 13 mm teflon cannula; angle insertion; 120 cm line \times 10 with 1 OP
- 13 mm teflon cannula; angle insertion; 45 cm line \times 10 with

- 13 mm teflon cannula; angle insertion; 60 cm line \times 10 with
- 13 mm teflon cannula; angle insertion; 80 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 110 cm grey line \times
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 60 cm grey line \times 17 mm teflon cannula; angle insertion; 60 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 60 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 80 cm line \times 10 with

- 1 OP ✓ Inset 30
- 1 OP ✓ Inset 30
- 1 OP ✓ Inset 30
- ✓ Inset 30

1 OP

- - Comfort Short
 - ✔ Paradigm Silhouette MMT-382
 - ✔ Paradigm Silhouette MMT-368
 - ✔ Paradigm Silhouette MMT-381
 - ✔ Paradigm Silhouette MMT-383
 - ✓ Comfort
 - ✔ Paradigm Silhouette MMT-377
 - ✓ Silhouette MMT-371
 - ✓ Comfort
 - ✓ Paradigm Silhouette MMT-378
 - ✓ Silhouette MMT-373
 - ✔ Paradigm Silhouette MMT-384

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 31 - Retail pharmacy

			prescription	

b) Only on a prescription

c) Maximum of 13 infusion sets will be funded per year.

c) Maximum of 13 infusion sets will be funded per year.		
6 mm teflon cannula; straight insertion; insertion device; 110 cm grey line × 10 with 10 needles140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertion; insertion device;		
45 cm blue tubing × 10 with 10 needles	1 OP	✔ Paradigm Mio MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 cm pink tubing \times 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 cm blue tubing \times 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-943
6 mm teflon cannula; straight insertion; insertion device; 60 cm pink tubing \times 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-923
6 mm teflon cannula; straight insertion; insertion device; 80 cm blue tubing \times 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-945
6 mm teflon cannula; straight insertion; insertion device; 80 cm clear tubing \times 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-965
6 mm teflon cannula; straight insertion; insertion device; 80 cm pink tubing \times 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-925
6 mm teflon cannula; straight insertionl insertion device; 60 cm blue line × 10 with 10 needles140.00 6 mm teflon cannula; straight insertionl insertion device;	1 OP	✓ Inset II
60 cm grey line × 10 with 10 needles140.00	1 OP	✓ Inset II
6 mm teflon cannula; straight insertionl insertion device; 60 cm pink line × 10 with 10 needles140.00 9 mm teflon cannula; straight insertion; insertion device;	1 OP	✓ Inset II
60 cm blue line × 10 with 10 needles140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 cm grey line \times 10 with 10 needles140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 cm pink line \times 10 with 10 needles140.00	1 OP	✓ Inset II
9 mm teflon cannula; straight insertion; insertion device; 80 cm clear tubing \times 10 with 10 needles130.00	1 OP	✓ Paradigm Mio MMT-975
9 mm teflon cannula; straight insertionl insertion device;		
110 cm grey line × 10 with 10 needles140.00	1 OP	✓ Inset II

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Por \$ Manufacturer INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1604 on page 31 -Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 6 mm teflon cannula: straight insertion: 110 cm tubing × 1 OP ✓ Paradigm Quick-Set MMT-398 6 mm teflon cannula; straight insertion; 110 cm tubing \times Quick-Set MMT-391 1 OP 6 mm teflon cannula; straight insertion; 60 cm tubina \times 1 OP ✓ Paradigm Quick-Set MMT-399 6 mm teflon cannula; straight insertion; 60 cm tubing \times 1 OP Quick-Set MMT-393 6 mm teflon cannula; straight insertion; 80 cm tubing \times 1 OP ✓ Paradigm Quick-Set MMT-387 9 mm teflon cannula; straight insertion; 106 cm tubing × ✓ Paradigm Quick-Set 1 OP MMT-396 9 mm teflon cannula; straight insertion; 110 cm tubing \times ✓ Quick-Set MMT-390 1 OP 9 mm teflon cannula; straight insertion: 60 cm tubing \times 1 OP ✓ Paradigm Quick-Set MMT-397 9 mm teflon cannula; straight insertion; 60 cm tubing \times 1 OP ✓ Quick-Set MMT-392 9 mm teflon cannula; straight insertion: 80 cm tubing \times 1 OP ✓ Paradigm Quick-Set MMT-386 INSULIN PUMP RESERVOIR - Special Authority see SA1604 on page 31 - Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 packs of reservoir sets will be funded per year. 10 × luer lock conversion cartridges 1.8 ml for Paradigm 1 OP ✓ ADR Cartridge 1.8 Cartridge 200 U, luer lock × 1050.00 1 OP ✓ Animas Cartridge Cartridge for 5 and 7 series pump: 1.8 ml \times 1050.00 1 OP Paradigm 1.8

1 OP

1 OP

Reservoir

✓ 50X 3.0 Reservoir

✓ Paradigm 3.0 Reservoir

Cartridge for 7 series pump; 3.0 ml × 1050.00

Syringe and cartridge for 50X pump, 3.0 ml \times 1050.00

Subsidy		Fully	Brand or
(Manufacturer's Price)	,	Subsidised	Generic
\$	Per	~	Manufacturer

Digestives Including Enzymes

PANCREATIC ENTYME

FAINGREATIC LINETIME			
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase			
10,000 Ph Eur U, total protease 600 Ph Eur U)	34.93	100	✓ Creon 10000
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase,			
1,250 U protease))	94.40	100	Panzytrat
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase			-
25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	✓ Creon 25000
URSODEOXYCHOLIC ACID – Special Authority see SA1383 below Cap 250 mg – For ursodeoxycholic acid oral liquid formula-	- Retail phar	macy	
tion refer, page 224	53.40	100	✓ Ursosan

⇒SA1383 Special Authority for Subsidy

Initial application — (Alaqille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults: and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Laxatives

Bulk-forming Agents

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure - doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy. marked worsening of pruritus or fatique, histological progression by two stages, or to cirrhosis, need for transplantation.

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	5.51	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS		Ü	•
* Dry	6.02	500 g OP	
	(17.32)		Normacol Plus
	2.41	200 g OP	
	(8.72)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM - Only on a prescription * Tab 50 mg		100	Coloxyl
* Tab 120 mg		100	✓ <u>Coloxyl</u>
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with sennosides 8 mg	4.40	200	✓ Laxsol
POLOXAMER – Only on a prescription Not funded for use in the ear.			
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			

	/CEROL Suppos 3.6 g — Only on a prescription	6.50	20	✓ <u>PSM</u>
LAC	CTULOSE - Only on a prescription			
*	Oral lig 10 g per 15 ml	3.18	500 ml	✓ Laevolac

MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BICARBONATE AND SODIUM CHLORIDE - Special Authority see SA1473 on the next page - Retail pharmacy

Powder for oral soln 13.125 g with potassium chloride 46.6 mg, sodium bicarbonate 178.5 mg and sodium chlo-

30 ✓ Lax-Sachets

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1473 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has problematic constipation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated; and
- 2 The patient would otherwise require a per rectal preparation.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE – Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,	Only on a preso	cription	
5 ml	19.95	50	✓ Micolette
Stimulant Laxatives			
BISACODYL – Only on a prescription			
* Tab 5 mg		200	✓ Lax-Tab
* Suppos 10 mg	3.78	10	✓ <u>Lax-Suppositories</u>
SENNA – Only on a prescription			
* Tab, standardised	2.17	100	
	(6.84)		Senokot
	0.43	20	
	(1.72)		Senokot

Metabolic Disorder Agents

ALGLUCOSIDASE ALFA – Special Authority see SA1622 below – Retail pharmacy		
Inj 50 mg vial1,142.60	1	Myozyme

⇒SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease; and
- 2 Any of the following:
 - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
 - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
 - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a diseasecausing mutation in the acid alpha-glucosidase gene (GAA gene); or
 - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT); and
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT; and
- 5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
\$ Per ✔ Manufacturer

continued...

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT;
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for >14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE – Special Authority see SA1593 below – Retail pharmacy
Inj 1 mg per ml, 5 ml vial2,234.00 1 ✓ Naglazyme

⇒SA1593 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

⇒SA1623 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
 - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant; and

Subsidy (Manufacturer's Price) Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

SODIUM BENZOATE - Special Authority see SA1599 below - Retail pharmacy

Soln 100 mg per mlCBS 100 ml ✓ Amzoate \$29

⇒SA1599 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE - Special Authority see SA1598 below - Retail pharmacy

174 a OP Pheburane

⇒SA1598 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase. Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Gaucher's Disease

IMIGLUCERASE - Special Authority see SA0473 below - Retail pharmacy

✓ Cerezvme Inj 40 iu per ml, 400 iu vial2,144.00 1 ✓ Cerezyme

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE

✓ fully subsidised

[HP4] refer page 4

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with

500 ml Endorsement 9.00 (17.01)Difflam 3.60 200 ml (8.50)Difflam

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

	2		
	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
CARMELLOSE SODIUM WITH GELATIN AND PECTIN			
Paste	17.20	56 g OP	✓ Stomahesive
	4.55	15 g OP	
	(7.90)	-	Orabase
	1.52	5 g OP	
	(3.60)		Orabase
Powder	8.48	28 g OP	
	(10.95)		Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ healthE
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE		-	
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
Tallesive get 0.7 /0 with cetainormain chiloride 0.01 /0	(6.00)	13 g O1	Bonjela
	(0.00)		Donjela
TRIAMCINOLONE ACETONIDE			414 1 1 4 4 1
Paste 0.1%	5.33	5 g OP	Kenalog in Orabase
Oropharyngeal Anti-infectives			
· · · · ·			
AMPHOTERICIN B			4
Lozenges 10 mg	5.86	20	Fungilin
MICONAZOLE			
Oral gel 20 mg per g	4.79	40 g OP	✓ <u>Decozol</u>
NYSTATIN			
Oral lig 100,000 u per ml	2.55	24 ml OP	✓ m-Nystatin
			- <u></u>
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	e formula refer Sta	ndard Formula	e, page 227
HYDROGEN PEROXIDE			
* Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 ml	✓ Pharmacy Health
THYMOL GLYCERIN			
* Compound, BPC	0.15	500 ml	✓ PSM
	9.15	500 1111	V PSIVI
Vitamins			
Vitamin A			
(ITAMINI A MITH I VITAMINIO DI ANID O			
VITAMIN A WITH VITAMINS D AND C			
* Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 r	•	40	410. 116
per 10 drops	4.50	10 ml OP	✓ Vitadol C
Vitamin B			
HYDROXOCOBALAMIN			
Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a	PSO2.31	3	✓ Neo-B12
PYRIDOXINE HYDROCHLORIDE			
a) No more than 100 mg per dose			
b) Only on a prescription			
* Tab 25 mg - No patient co-payment payable	2.15	90	✓ Vitamin B6 25
* Tab 50 mg		500	✓ Apo-Pyridoxine
•			

[†] safety car

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	2			D 1
	Subsidy (Manufacturer's Pi \$	rice) S Per	Fully Subsidised	Brand or Generic Manufacturer
THIAMINE HYDROCHLORIDE – Only on a prescription				
* Tab 50 mg	5.62	100	✓ A	po-Thiamine
WITAMIN B COMPLEX Tab, strong, BPC Bplex to be Sole Supply on 1 February 2017	7.15	500	✓ B	plex
Vitamin C				
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription * Tab 100 mg Cvite to be Sole Supply on 1 February 2017	8.10	500	√ C	vite
Vitamin D				
ALFACALCIDOL * Cap 0.25 mcg * Cap 1 mcg * Oral drops 2 mcg per ml	87.98	100 100 20 ml OP	~ 0	ne-Alpha ne-Alpha ne-Alpha
CALCITRIOL * Cap 0.25 mcg * Cap 0.5 mcg		100 100	_	alcitriol-AFT alcitriol-AFT
COLECALCIFEROL * Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescr	ription3.85	12	✓ Vi	it.D3
Multivitamin Preparations				
MULTIVITAMIN RENAL - Special Authority see SA1546 below		30	√ C	linicians Renal Vit
▶►SA1546 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals the following criteria: Either:	valid without further i	renewal unl	ess notifie	d for applications meeting
 The patient has chronic kidney disease and is receiving. The patient has chronic kidney disease grade 5, department of the patient has chronic kidney disease grade 5, department. 				
MULTIVITAMINS - Special Authority see SA1036 below - Re * Powder		200 g OP	✓ Pa	aediatric Seravit
■ SA1036 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals inborn errors of metabolism. Renewal from any relevant practitioner. Approvals valid without the substitution of the substi				•
approval for multivitamins.	out further reflewar a	riicoo riotiric	a whole p	dient has had a provious
VITAMINS			4	
 Tab (BPC cap strength)		1,000	✓ M	vite
SA1002 on the next page – Retail pharmacy		60	✓ V	itabdeck

Subsidy	Fully	Brand or	-
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

⇒SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

M	inera	ıls
---	-------	-----

Calcium		
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental)	10 250 10	✓ Calsource ✓ <u>Arrow-Calcium</u> ✓ Hameln 529
Fluoride		✓ Hospira
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)	100	✓ PSM
lodine		
POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	90	✓ <u>NeuroTabs</u>
Iron		
FERROUS FUMARATE * Tab 200 mg (65 mg elemental)2.89 FERROUS FUMARATE WITH FOLIC ACID	100	✓ <u>Ferro-tab</u>
* Tab 310 mg (100 mg elemental) with folic acid 350 mcg	60	Ferro-F-Tabs
* Tab long-acting 325 mg (105 mg elemental) 2.06 *‡ Oral liq 30 mg (6 mg elemental) per 1 ml 10.80 FERROUS SULPHATE WITH FOLIC ACID	30 500 ml	✓ Ferrograd✓ Ferodan
* Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg	30	Ferrograd F
IRON POLYMALTOSE * Inj 50 mg per ml, 2 ml ampoule15.22	5	✓ <u>Ferrum H</u>
Magnesium		
For magnesium hydroxide mixture refer Standard Formulae, page 227 MAGNESIUM SULPHATE		4

10

✓ DBL

* Inj 2 mmol per ml, 5 ml ampoule12.65

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

Zinc

ZINC SULPHATE

Cap 137.4 mg (50 mg elemental)11.00 100

✓ Zincaps

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Antianaemics

Hypoplastic and Haemolytic

▶SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus; and
 - 3.1.2 Glomerular filtration rate < 30ml/min: or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus: and
 - 3.2.2 Glomerular filtration rate < 45ml/min: or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*: and
- 2 Has had symptomatic anaemia with haemoglobin <100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of <500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy (Manufacturer's Price \$		Fully dised	Brand or Generic Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] – Special Authority Wastage claimable – see rule 3.3.2 on page 13	y see SA1469 on the	previous page	e – Re	etail pharmacy
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	✓ <u>E</u>	prex
Inj 2,000 iu in 0.5 ml, syringe	120.18	6	✓ <u>E</u>	prex
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	✓ <u>E</u>	prex
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	✓ <u>E</u>	prex
Inj 5,000 iu in 0.5 ml, syringe	243.26	6	✓ <u>E</u>	prex
Inj 6,000 iu in 0.6 ml, syringe	291.92	6	✓ <u>E</u>	prex
Inj 8,000 iu in 0.8 ml, syringe	352.69	6	✓ <u>E</u>	prex
Inj 10,000 iu in 1 ml, syringe	395.18	6	✓ <u>E</u>	prex
Inj 40,000 iu in 1 ml, syringe	263.45	1	✓ <u>E</u>	prex
Megaloblastic				
FOLIC ACID * Tab 0.8 mg * Tab 5 mg Oral liq 50 mcg per ml	10.92	1,000 500 25 ml OP	✓ A	po-Folic Acid po-Folic Acid iomed
Antifibrinolytics, Haemostatics and Local Scle	rosants			
ELTROMBOPAG – Special Authority see SA1418 below – Reta Wastage claimable – see rule 3.3.2 on page 13	ail pharmacy			
Tab 25 mg	1,771.00	28	✓ R	evolade
Tab 50 mg		28	✓ R	evolade

⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of $\leq 10,000$ platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1	✓ NovoSeven RT
Inj 2 mg syringe2,356.60	1	✓ NovoSeven RT
Inj 5 mg syringe5,891.50	1	✓ NovoSeven RT
Inj 8 mg syringe9,426.40	1	✓ NovoSeven RT

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

FACTOR EIGHT INHIBITOR BYPASSING FRACTION - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group

	,		
Inj 500 U	1,450.00	1	FEIBA NF
•	2,900.00	1	✓ FEIBA NF
Inj 2,500 U	7,250.00	1	✓ FEIBA NF

MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

Preferred Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Groun

210.00	1	Xyntha
	1	Xyntha
	1	Xyntha
	1	Xyntha
2,520.00	1	Xyntha
		420.00 1840.00 11,680.00 1

NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	310.00	1	✓ BeneFIX
Inj 500 iu vial		1	✓ BeneFIX
Inj 1,000 iu vial		1	✓ BeneFIX
Inj 2,000 iu vial		1	✓ BeneFIX
Ini 3.000 iu vial	·	1	✓ BeneFIX

NONACOG GAMMA. [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	287.50 1	✓ RIXUBIS
Inj 500 iu vial	575.00 1	✓ RIXUBIS
Inj 1,000 iu vial		✓ RIXUBIS
Inj 2,000 iu vial		✓ RIXUBIS
Inj 3,000 iu vial		✓ RIXUBIS

OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVATE) - [Xpharm]

Rare Clinical Circumstances Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Haemophilia Treatments Panel			
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881		
Wellington	Email: haemophilia@ph	narmac.go	vt.nz
Inj 250 iu vial	287.50	1	✓ Advate
Inj 500 iu vial		1	
Inj 1,000 iu vial		1	Advate
Inj 1,500 iu vial	1,725.00	1	Advate
Inj 2,000 iu vial	2,300.00	1	Advate
Inj 3,000 iu vial	3,450.00	1	Advate

OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGENATE FS) - [Xpharm]

* Tab long-acting 150 mg11.52

PRASUGREL – Special Authority see SA1201 below – Retail pharmacy

* Tab 75 mg - For clopidogrel oral liquid formulation refer, page

Arrow - Clopid to be Sole Supply on 1 April 2017

Second Brand of recombinant factor VIII for patients of funded treatment by application to the Haemophilia Trwebsite http://www.pharmac.govt.nz or:	with hae	mophilia from 1			•
The Co-ordinator, Haemophilia Treatments Panel	Phone	0800 023 588	Option 2		
PHARMAC PO Box 10 254	Facsim	ile: (04) 974 48	88 1		
Wellington	Email:	haemophilia@	pharmac.govt.nz	<u>'</u>	
Inj 250 iu vial		237.50	1	~	Kogenate FS
Inj 500 iu vial			1		Kogenate FS
Inj 1,000 iu vial			1	1	Kogenate FS
Inj 2,000 iu vial			1	1	Kogenate FS
Inj 3,000 iu vial		2,850.00	1	1	Kogenate FS
SODIUM TETRADECYL SULPHATE					
* Inj 3% 2 ml		28.50	5		
,		(73.00)			Fibro-vein
TRANEXAMIC ACID		, ,			
Tab 500 mg		20.67	100	J	Cyklokapron
·			100	Ť	умониргон
Vitamin K					
PHYTOMENADIONE					
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO		8 00	5	J	Konakion MM
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PS0			5	-	Konakion MM
, 01 , 1			-	•	
Antithrombotic Agents					
Antiplatelet Agents					

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

▶SA1201 Special Authority for Subsidy

Initial application — **(coronary angioplasty and bare metal stent)** from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — **(drug eluting stent)** from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

continued...

990

60

28

28

✓ Ethics Aspirin EC

Arrow - Clopid

Pytazen SR

✓ Effient

✓ Effient

ASPIRIN

CLOPIDOGREL

DIPYRIDAMOI F

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TIC	CAGRELOR - Special Authority see SA1382 below - Retail pharmacy	у		
*	Tab 90 mg	90.00	56	Brilinta

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALI EPARIN SODIUM – Special Authority see SA1270 belo	w – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	✓ Fragmin

■SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	30.91	10	Clexane
Inj 40 mg in 0.4 ml syringe		10	Clexane
Inj 60 mg in 0.6 ml syringe		10	Clexane
Inj 80 mg in 0.8 ml syringe		10	Clexane
Inj 100 mg in 1 ml syringe		10	Clexane
Inj 120 mg in 0.8 ml syringe		10	Clexane
Inj 150 mg in 1 ml syringe		10	Clexane

⇒SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	10	Hospira
61.04	50	✔ Pfizer
66.80		Hospira
Inj 1,000 iu per ml, 35 ml vial17.76	1	✓ Hospira
Inj 5,000 iu per ml, 1 ml14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml236.60	50	✔ Pfizer
Inj 25,000 iu per ml, 0.2 ml9.50	5	Hospira

				_	
	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
HEPARINISED SALINE Inj 10 iu per ml, 5 ml	23.40	30		ecton Dickinson PosiFlush 829	
	39.00	50	✓ Pfi		
PROTAMINE SULPHATE * Inj 10 mg per ml, 5 ml	22.40 (119.23)	10	Art	tex	
Oral Anticoagulants					
DABIGATRAN Cap 75 mg - No more than 2 cap per day Cap 110 mg Cap 150 mg	76.36	60 60 60	✓ Pra	adaxa adaxa adaxa	
RIVAROXABAN – Special Authority see SA1066 below – Retail p Tab 10 mg		15	✓ Xa	ırelto	

■SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	50	Coumadin
	6.86	100	✓ Marevan
*	Tab 2 mg4.31	50	Coumadin
*	Tab 3 mg9.70	100	Marevan
*	Tab 5 mg	50	Coumadin
	11.75	100	✓ Marevan

Blood Colony-stimulating Factors

FILGRASTIM - Special Authority see SA1259 below - Retail pha	armacy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	Zarzio
Ini 480 mcg per 0.5 ml prefilled syringe	432.00	5	✓ Zarzio

⇒SA1259 | Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5×10 /L); or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per \$

continued...

5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10 /L).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

Inj 6 mg per 0.6 ml syringe1,080.00

Ini 50%. 10 ml ampoule – Up to 5 ini available on a PSO27.50

✓ Neulastim

✓ Biomed

5

■SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk ≥ 20

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

GLUCOSE [DEXTROSE]

Intravenous Administration

不 米	Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO		1	✓ Biomed
P∩	TASSIUM CHLORIDE		•	<u> </u>
*	Inj 75 mg per ml, 10 ml	55.00	50	✓ AstraZeneca
SO	DIUM BICARBONATE			
00	Inj 8.4%, 50 ml	19 95	1	✓ Biomed
	a) Up to 5 inj available on a PSO		•	o Bioliloa
	b) Not in combination			
	Inj 8.4%, 100 ml	20.50	1	✓ Biomed
	a) Up to 5 inj available on a PSO			
	b) Not in combination			
SO	DIUM CHLORIDE			
	Not funded for use as a nasal drop. Only funded for nebuliser	use when in cor	njunction with a	an antibiotic intended for nebuliser
	use.		•	
	Inj 0.9%, bag - Up to 2000 ml available on a PSO	1.23	500 ml	✓ Baxter
		1.26	1,000 ml	✓ Baxter
	Only if prescribed on a prescription for renal dialysis, mate	ernity or post-nat	tal care in the	home of the patient, or on a PSO
	for emergency use. (500 ml and 1,000 ml packs)			
	Inj 23.4% (4 mmol/ml), 20 ml ampoule		5	✓ <u>Biomed</u>
	For Sodium chloride oral liquid formulation refer Standard F			4
	Inj 0.9%, 5 ml ampoule – Up to 5 inj available on a PSO		50	✓ InterPharma
		10.85		Multichem
	let 0.00% 40 ml annuals. The ta 5 let annibite and 5000	15.50	50	✓ Pfizer
	Inj 0.9%, 10 ml ampoule – Up to 5 inj available on a PSO		50	✓ Pfizer
	In: 0.00/, 00 ml amazaula	11.50	0	✓ Multichem
	Inj 0.9%, 20 ml ampoule	7.50	6 30	✓ Pharmacia✓ InterPharma
		7.50 8.41	30 20	✓ InterPharma ✓ Multichem
		11.79	30	✓ Pharmacia
			30	♥ FilalillaCia
TO	TAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Spe		4.00	4 TD11
	Infusion	CBS	1 OP	✓ TPN

454 g OP

✔ Resonium-A

	Subsidy (Manufacturer's I \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
WATER				
 On a prescription or Practitioner's Supply Order only w Schedule requiring a solvent or diluent; or 	hen on the same	form as an inje	ction lis	sted in the Pharmaceur
On a bulk supply order; or				
When used in the extemporaneous compounding of eye	e drops.			
Inj 5 ml ampoule - Up to 5 inj available on a PSO	7.00	50	🗸 In	terPharma
	10.25		✓ M	ultichem
Inj 10 ml ampoule - Up to 5 inj available on a PSO	6.63	50	✓ P	fizer
, , ,	11.25		✓ M	ultichem
Inj 20 ml ampoule - Up to 5 inj available on a PSO	6.50	20	✓ M	ultichem
, , ,	7.50	30	🗸 In	terPharma
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	√ C	alcium Resonium
COMPOUND ELECTROLYTES		9		
	0.00	10		
Powder for oral soln — Up to 10 sach available on a PSO	2.30	10	V E	<u>nerlyte</u>
DEXTROSE WITH ELECTROLYTES				
Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP		edialyte - Bubblegum
PHOSPHORUS				
Tab eff 500 mg (16 mmol)	82.50	100	✓ P	hosphate-Sandoz
POTASSIUM CHLORIDE				-
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5 26	60		
is table in 0-10 mg (17 m oq) with difference 200 mg (0 m eq)	(11.85)	00	С	hlorvescent
★ Tab long-acting 600 mg (8 mmol)	, ,	100	-	uro-K \$29
iab long-acting ood mig to million)	7.42	200		pan-K
	7.42	200	V 3	pan-ix
SODIUM BICARBONATE			4 -	
Cap 840 mg	8.52	100		odibic
			✓ S	odibic

SODIUM POLYSTYRENE SULPHONATE

Powder84.65

	Subsidy		Fully Brand or
	(Manufacturer's Pri	ice) Sub Per	sidised Generic Manufacturer
Aluba Advanasantan Disabana			
Alpha Adrenoceptor Blockers			
DOXAZOSIN			
* Tab 2 mg		500	✓ Apo-Doxazosin
* Tab 4 mg	9.67	500	✓ Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE			
* Cap 10 mg	65.00	30	✓ BNM S29
PRAZOSIN			
* Tab 1 mg		100	✓ Apo-Prazosin
* Tab 2 mg		100	✓ Apo-Prazosin
* Tab 5 mg	11./0	100	✓ Apo-Prazosin
TERAZOSIN	0.50	00	. A A atausta
* Tab 1 mg * Tab 2 mg		28 28	✓ <u>Actavis</u> ✓ Arrow
* Tab 5 mg		28	✓ Arrow
* Tab 5 mg	10.90	500	✓ Apo-Terazosin
Agents Affecting the Renin-Angiotensin System			
Agents Affecting the herim-Angiotensin System	I		
ACE Inhibitors			
CAPTOPRIL			
*‡ Oral liq 5 mg per ml Oral liquid restricted to children under 12 years of age.	94.99	95 ml OP	✓ Capoten
CILAZAPRIL			4- "
* Tab 0.5 mg		90	✓ Zapril
* Tab 2.5 mg	7.20 3.24	200 90	✓ Apo-Cilazapril
	(4.31)	50	Zapril
Apo-Cilazapril to be Sole Supply on 1 March 2017	()		<u> </u>
* Tab 5 mg	12.00	200	✓ Apo-Cilazapril
	5.40	90	
A 0" " 1	(6.98)		Zapril
Apo-Cilazapril to be Sole Supply on 1 March 2017			
(Zapril Tab 2.5 mg to be delisted 1 March 2017) (Zapril Tab 5 mg to be delisted 1 March 2017)			
, ,			
ENALAPRIL MALEATE * Tab 5 mg	0.96	100	✓ Ethics Enalapril
* Tab 10 mg		100	✓ Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation re			
fer, page 224		100	Ethics Enalapril
LISINOPRIL			
* Tab 5 mg	1.80	90	✓ Ethics Lisinopril
* Tab 10 mg	2.05	90	Ethics Lisinopril
* Tab 20 mg	2.76	90	Ethics Lisinopril
PERINDOPRIL			
* Tab 2 mg		30	Apo-Perindopril
* Tab 4 mg	4.80	30	Apo-Perindopril

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
QUINAPRIL					
* Tab 5 mg		4.31	90	V 1	Arrow-Quinapril 5
•			90	_	Arrow-Quinapril 10
		5.97	90	<u>, , , , , , , , , , , , , , , , , , , </u>	Arrow-Quinapril 20
ACE Inhibitors with Di	uretics				
CILAZAPRIL WITH HYDROCH					
* Tab 5 mg with hydrochloro	othiazide 12.5 mg	10.18	100	/ <u>!</u>	Apo-Cilazapril/ Hydrochlorothiazide
QUINAPRIL WITH HYDROCH	ILOROTHIAZIDE				
,	rothiazide 12.5 mg		30	_	Accuretic 10
<u> </u>	rothiazide 12.5 mg	4.78	30		Accuretic 20
Angiotensin II Antago	nists				
CANDESARTAN CILEXETIL -	- Special Authority see SA1223	B below – Retail pharmacy	/		
			90	_	<u>Candestar</u>
ū			90	-	<u>Candestar</u>
•			90		Candestar
* Tab 32 mg		10.66	90		<u>Candestar</u>
notified for applications meetin Either:	shibitor intolerance) from any any the following criteria: ACE inhibitor induced cough the				
or 2 Patient has a history of	v	,,			
Initial application — (Unsatis	sfactory response to ACE inh patient is not adequately contro	, ,	•		
LOSARTAN POTASSIUM					
· ·			84	_	osartan Actavis
•			84		osartan Actavis
•			84	_	osartan Actavis
		2.60	84	V 1	_osartan Actavis
Angiotensin II Antago	nists with Diuretics				
LOSARTAN POTASSIUM WIT Tab 50 mg with hydrochlor	H HYDROCHLOROTHIAZIDE rothiazide 12.5 mg	2.18	30	v <u>1</u>	Arrow-Losartan & Hydrochlorothiazide
Antiarrhythmics					,
· ·	ofor to NICDVOLIC CVCTCM A	acethetica Lead reserve	01		
,	efer to NERVOUS SYSTEM, Ar	iaesinetics, Local, page 1	31		
AMIODARONE HYDROCHLO		4.00	00		Davidavana V
ab 100 mg – Hetali phar	rmacy-Specialist	4.00	30		Cordarone-X

30

6

Cordarone-X

✓ Cordarone-X

PSO.......22.80

Inj 50 mg per ml, 3 ml ampoule - Up to 6 inj available on a

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	✓	
ATROPINE SULPHATE				
* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	71.00	50	v	AstraZeneca
DIGOXIN				
* Tab 62.5 mcg - Up to 30 tab available on a PSO		240	/	Lanoxin PG
* Tab 250 mcg - Up to 30 tab available on a PSO		240		<u>Lanoxin</u>
*‡ Oral liq 50 mcg per ml	16.60	60 ml	~	Lanoxin
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	15.00	100		
	(23.87)			Rythmodan
▲ Cap 150 mg	26.21	100	~	Rythmodan
(Rythmodan Cap 150 mg to be delisted 1 April 2017)				
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	38.95	60	~	Tambocor
▲ Cap long-acting 100 mg	38.95	30	-	Tambocor CR
▲ Cap long-acting 200 mg		30	-	Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	•	Tambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	162.00	100	•	Mexiletine Hydrochloride USP 829
▲ Cap 250 mg	202.00	100	~	Mexiletine Hydrochloride USP \$29
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialis	t			
▲ Tab 150 mg	40.90	50	~	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA1474 below - Retail pharm	nacv			
Tab 2.5 mg		100	~	Gutron
Tab 5 mg		100	-	Gutron
■SA1474 Special Authority for Subsidy				

■SA1474 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATE	ENOLOL			
*	Tab 50 mg	4.61	500	Mylan Atenolol
*	Tab 100 mg	7.67	500	✓ Mylan Atenolol
*	Oral liq 25 mg per 5 ml	21.25	300 ml OP	✓ Atenolol AFT
	Restricted to children under 12 years of age.			

		Subsidy		Fully	
		(Manufacturer's Price) \$	Per	Subsidised	
	ODDOLOL FUMADATE	•			
	OPROLOL FUMARATE	0.40	30	.,	Bosvate
	Tab 2.5 mg		30		Bosvate
	Tab 10 mg		30		Bosvate
	•	0.40	30		Dosvate
	RVEDILOL Table 0.05 mm	0.00	00		Disam
	Tab 6.25 mg		60		<u>Dicarz</u>
	Tab 12.5 mg		60	~	<u>Dicarz</u>
*	Tab 25 mg - For carvedilol oral liquid formulation refer, page		60		Discus
	224	0.30	60	•	<u>Dicarz</u>
	IPROLOL				
*	Tab 200 mg	21.40	180	•	Celol
_AB	ETALOL				
*	Tab 50 mg	8.99	100	~	Hybloc
*	Tab 100 mg - For labetalol oral liquid formulation refer, page				
	224	11.36	100	~	Hybloc
*	Tab 200 mg	29.74	100	~	Hybloc
*	Inj 5 mg per ml, 20 ml ampoule	59.06	5		
		(88.60)			Trandate
ИΕΊ	TOPROLOL SUCCINATE				
	Tab long-acting 23.75 mg	0.80	30	~	Myloc CR
	and game g and g	2.39	90		Metoprolol - AFT CR
	Tab long-acting 47.5 mg	3.48	90		Metoprolol - AFT CR
		7.50	30		Betaloc CR
	Tab long-acting 95 mg	1.91	30	~	Myloc CR
		5.73	90		Metoprolol - AFT CR
		7.50	30		Betaloc CR
	Tab long-acting 190 mg	3.85	30	~	Myloc CR
		11.54	90	/	Metoprolol - AFT CR
/FT	TOPROLOL TARTRATE				
	Tab 50 mg	4.64	100	~	Apo-Metoprolol
	a) Brand switch fee payable (Pharmacode 2511541) - see				
	b) For metoprolol tartrate oral liquid formulation refer, page				
*	Tab 100 mg - Brand switch fee payable (Pharmacode				
	2511541) - see page 221 for details		60	/	Apo-Metoprolol
*	Tab long-acting 200 mg		28	V	Slow-Lopresor
	Inj 1 mg per ml, 5 ml vial		5	/	Lopresor
ЛΔГ	OOLOL				
	Tab 40 mg	16.05	100	V	Apo-Nadolol
	Tab 80 mg		100		Apo-Nadolol
	•		.00		
	DOLOL Tab 5 mg	0.70	100	.,	Ano Dindolal
	Tab 10 mg		100		Apo-Pindolol
	Tab 10 mg		100		Apo-Pindolol
*	Tab 15 mg	∠3.40	100	•	Apo-Pindolol

CARDIOVASCULAR SYSTEM

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PR *	OPRANOLOL Tab 10 mg	3.65	100	✓ A	po-
	3				Propranolol S29
*	Tab 40 mg	4.65	100	✓ A	po- Propranolol (\$29)
*	Cap long-acting 160 mg Oral liq 4 mg per ml – Special Authority see SA1327 below –		100	✓ C	ardinol LA
	Retail pharmacy		500 ml	✓ R	oxane S29

⇒SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

AMI ODIPINE

	Tab 80 mg — For sotalol oral liquid formulation refer, page 22439.53 Tab 160 mg12.48	500 100	✓ Mylan ✓ Mylan
	Inj 10 mg per ml, 4 ml ampoule	5	✓ Sotacor
TIN	10L0L		
*	Tab 10 mg10.55	100	✓ Apo-Timol

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

/\IV	LODII INL		
*	Tab 2.5 mg2.21	100	✓ Apo-Amlodipine
*	Tab 5 mg - For amlodipine oral liquid formulation refer, page		
	2245.04	250	✓ Apo-Amlodipine
*	Tab 10 mg7.21	250	✓ Apo-Amlodipine
FEI	LODIPINE		
*	Tab long-acting 2.5 mg1.45	30	✓ Plendil ER
*	Tab long-acting 5 mg	30	✓ Plendil ER
*	Tab long-acting 10 mg2.30	30	✓ Plendil ER
ISF	RADIPINE		
*	Cap long-acting 2.5 mg	30	✓ Dynacirc-SRO
*	Cap long-acting 5 mg7.85	30	✓ Dynacirc-SRO
NIF	EDIPINE		
*	Tab long-acting 10 mg17.72	60	Adalat 10
*	Tab long-acting 20 mg9.59	100	✓ Nyefax Retard
*	Tab long-acting 30 mg3.75	30	✓ Adefin XL
*	Tab long-acting 60 mg5.75	30	✓ Adefin XL

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Other Calcium Channel Blockers				
DILTIAZEM HYDROCHLORIDE				
★ Tab 30 mg	4.60	100	🗸 Di	lzem
 Tab 60 mg – For diltiazem hydrochloride oral liquid formula 				
tion refer, page 224		100	✓ Di	
Cap long-acting 120 mg		30		ardizem CD
Con long action 100 mm	31.83	500		po-Diltiazem CD
Cap long-acting 180 mg		30		ardizem CD
Cap long-acting 240 mg	47.67	500 30		po-Diltiazem CD ardizem CD
Cap long-acting 240 mg	63.58	500		po-Diltiazem CD
EDUENU INF MALEATE	00.00	500	₩ A	PO-DIILIAZEIII CD
ERHEXILINE MALEATE	00.00	100		
Tab 100 mg	62.90	100	✓ Pe	exsig
ERAPAMIL HYDROCHLORIDE				
F Tab 40 mg	7.01	100	🗸 Is	optin
 Tab 80 mg – For verapamil hydrochloride oral liquid formula 	1 -			
tion refer, page 224	11.74	100	✓ Is	<u>optin</u>
Tab long-acting 120 mg	15.20	250	✓ Ve	erpamil SR
Tab long-acting 240 mg		250	✓ Ve	erpamil SR
Inj 2.5 mg per ml, 2 ml ampoule - Up to 5 inj available on				
PSO	25.00	5	✓ Is	optin
Centrally-Acting Agents				
CLONIDINE	10.00			-t TTO 4
Patch 2.5 mg, 100 mcg per day — Only on a prescription		4		atapres-TTS-1
Patch 5 mg, 200 mcg per day — Only on a prescription		4		atapres-TTS-2
Patch 7.5 mg, 300 mcg per day — Only on a prescription	22.00	4	V (C	atapres-TTS-3
CLONIDINE HYDROCHLORIDE			_	
€ Tab 25 mcg		112		onidine BNM
€ Tab 150 mcg		100		atapres
Inj 150 mcg per ml, 1 ml ampoule	16.07	5	✓ Ca	atapres
METHYLDOPA				
k Tab 125 mg	14.25	100		rodopa
★ Tab 250 mg	15.10	100		ethyldopa Mylan
. T. 500	20.45	400	_	rodopa
* Tab 500 mg	23.15	100	✓ Pi	rodopa
Prodopa Tab 500 mg to be delisted 1 June 2017)				
Diuretics				
Loop Diuretics				
UMETANIDE				
k Tab 1 mg	16.36	100	✓ Bi	urinex
			· ·	

5

✔ Burinex

Inj 500 mcg per ml, 4 ml vial7.95

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Pr \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
FUROSEMIDE [FRUSEMIDE]				
* Tab 40 mg - Up to 30 tab available on a PSO	8.00	1,000	✓ Di	<u>urin 40</u>
* Tab 500 mg		50	_	ex Forte
*‡ Oral liq 10 mg per ml		30 ml OP	✓ La	
* Inj 10 mg per ml, 25 ml ampoule		6	✓ La	ISIX
# Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO		5	✓ Fr	usemide-Claris
Potassium Sparing Diuretics				
AMILORIDE HYDROCHLORIDE				
* Tab 5 mg	15.00	100	✓ Ap	oo-Amiloride
‡ Oral liq 1 mg per ml	30.00	25 ml OP		omed
METOLAZONE - Special Authority see SA1349 below - Retail p	harmacy			
Tab 5 mg	•	1	✓ Me	etolazone \$29
3		50	✓ Za	roxolyn \$29
SPIRONOLACTONE * Tab 25 mg * Tab 100 mg ‡ Oral liq 5 mg per ml	11.80	100 100 25 ml OP	✓ Sp	piractin piractin omed
Potassium Sparing Combination Diuretics				
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE				
* Tab 5 mg with furosemide 40 mg	8.63	28	🗸 Fr	umil
AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZI	DE			
* Tab 5 mg with hydrochlorothiazide 50 mg		50	✓ Mo	oduretic
Thiazide and Related Diuretics				
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]				
* Tab 2.5 mg - Up to 150 tab available on a PSO	5.48	500	✓ Ar	row-
Marcha annalisad an a DCO far reasona athair than arrange			<u> </u>	Bendrofluazide
May be supplied on a PSO for reasons other than emerge * Tab 5 mg		500	✓ Ar	row-
The radio of this includes a second of the radio of the r		500	_	Bendrofluazide
CHLOROTHIAZIDE			-	
‡ Oral liq 50 mg per ml	26.00	25 ml OP	✓ Bi	omed
CHLORTALIDONE [CHLORTHALIDONE]		-		
* Tab 25 mg	8.00	50	✓ H	groton
INDAPAMIDE				
* Tab 2.5 mg	2.60	90	✓ Da	pa-Tabs
· · · · · · · · · · · · · · · · · · ·		00	+ <u>D</u>	

Brand or

Fully

Subsidy

	Subsidy (Manufacturer's Price)	Subsidi Per	ully Brand or sed Generic Manufacturer
Lipid-Modifying Agents	<u> </u>	. 0.	· manadadas
Fibrates			
BEZAFIBRATE			
* Tab 200 mg * Tab long-acting 400 mg			✓ <u>Bezalip</u> ✓ Bezalip Retard
GEMFIBROZIL			<u> </u>
* Tab 600 mg	19.56	60	/ Lipazil
Lipazil to be Sole Supply on 1 February 2017 Other Lipid-Modifying Agents			
ACIPIMOX	18.75	30	✓ Olbetam
NICOTINIC ACID		•	- Oldottaini
* Tab 50 mg			Apo-Nicotinic Acid
* Tab 500 mg	17.37	100	Apo-Nicotinic Acid
Resins			
CHOLESTYRAMINE	40.05		
Powder for oral liq 4 g	19.25	50	Questran-Lite
COLESTIPOL HYDROCHLORIDE	(02:00)		Q400#4# 2#0
Grans for oral liq 5 g	22.00	30	✓ Colestid
HMG CoA Reductase Inhibitors (Statins)			
Prescribing Guidelines Treatment with HMG CoA Reductase Inhibitors (statins) is recor cardiovascular risk of 15% or greater.	nmended for patients	with dyslipid	aemia and an absolute 5 yea
ATORVASTATIN – See prescribing guideline above			
* Tab 10 mg	9.29 1.67	500 •	✓ Lorstat
	(2.52)	30	Zarator
Lorstat to be Sole Supply on 1 February 2017	10.00	500	✓ Lorstat
* Tab 20 mg	2.40	500 • 90	Lorsiai
	(4.17)		Zarator
Lorstat to be Sole Supply on 1 February 2017 * Tab 40 mg	21.23	500	✓ Lorstat
	3.82	90	
Lorstat to be Sole Supply on 1 February 2017	(7.32)		Zarator
* Tab 80 mg	36.26	500	✓ Lorstat
	6.53	90	Zarator
Lorstat to be Sole Supply on 1 February 2017	(16.23)		Zarator
(Zarator Tab 10 mg to be delisted 1 February 2017)			
(Zarator Tab 20 mg to be delisted 1 February 2017) (Zarator Tab 40 mg to be delisted 1 February 2017)			
(Zarator Tab 80 mg to be delisted 1 February 2017)			

[‡] safety cap

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

CARDIOVASCULAR SYSTEM

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully bsidised	Brand or Generic Manufacturer
PRAVASTATIN – See prescribing guideline on the previous page * Tab 20 mg * Tab 40 mg		30 30	·	<u>holvastin</u> holvastin
SIMVASTATIN – See prescribing guideline on the previous page * Tab 10 mg * Tab 20 mg * Tab 40 mg * Tab 80 mg	1.61 2.83	90 90 90 90	V A	rrow-Simva 10mg rrow-Simva 20mg rrow-Simva 40mg rrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
EZETIMIBE – Special Authority see SA1045 below – Retail phart	•	30	✓ <u>E</u> :	zemibe

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than $10 \times \text{normal}$) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

DOION HOLAIN P	nannaoy	
5.15	30	✓ Zimybe
6.15	30	✓ Zimybe
7.15	30	✓ Zimybe
8.15	30	Zimybe
	5.15 6.15 7.15	6.15 30 7.15 30

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer	(
--	---

continued...

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	M	tra	tes
--	---	-----	-----

GI	YCERYL TRINITRATE		
*	Tab 600 mcg - Up to 100 tab available on a PSO8.00	100 OP	✓ Lycinate
*	Oral pump spray, 400 mcg per dose – Up to 250 dose available on a PSO4.45	250 dose OP	✓ Nitrolingual Pump Spray
*	Oral spray, 400 mcg per dose - Up to 250 dose available on		
	a PSO4.45	250 dose OP	✓ Glytrin
*	Patch 25 mg, 5 mg per day15.73	30	✓ Nitroderm TTS
*	Patch 50 mg, 10 mg per day18.62	30	✓ <u>Nitroderm TTS</u>
IS	OSORBIDE MONONITRATE		
*	Tab 20 mg17.10	100	✓ Ismo 20
*	Tab long-acting 40 mg7.50	30	✓ Ismo 40 Retard
*	Tab long-acting 60 mg8.49	90	✓ Duride
S	Sympathomimetics		
ΑE	DRENALINE		
	Inj 1 in 1,000, 1 ml ampoule - Up to 5 inj available on a PSO4.98 5.25	5	✓ Aspen Adrenaline✓ Hospira
	Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a		
	PSO27.00	5	✓ Hospira
	49.00	10	Aspen Adrenaline
IS	OPRENALINE		
*	Inj 200 mcg per ml, 1 ml ampoule	25	Isuprel
٧	asodilators		
Λ.Ν	MYL NITRITE		
*		12	
*	(73.40)	12	Baxter
H١	/DRALAZINE HYDROCHLORIDE		
*	Tab 25 mg - Special Authority see SA1321 on the next page		
	- Retail pharmacyCBS	1	✓ Hydralazine
		56	✓ Onelink S29

5

✓ Apresoline

Inj 20 mg ampoule25.90

CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per Brand or Generic Manufacturer

⇒SA1321 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 For the treatment of refractory hypertension; or
- 2 For the treatment of heart failure in combination with a nitrate, in patients who are intolerant or have not responded to ACE inhibitors and/or angiotensin receptor blockers.

MINOXIDIL - Special Authority see SA1271 below - Retail pharmacy

▲ Tab 10 mg70.00 100 ✔ Loniten

▶SA1271 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid without further renewal unless notified where patient has severe refractory hypertension which has failed to respond to extensive multiple therapies.

NICORANDIL

▲ Tab 10 mg		60 60	✓ Ikorel✓ Ikorel
PAPAVERINE HYDROCHLORIDE * Inj 12 mg per ml, 10 ml ampoule	217.90	5	✓ Hospira
PENTOXIFYLLINE [OXPENTIFYLLINE] Tab 400 mg	36.94	50	
J	(42.26)		Trental 400

Endothelin Receptor Antagonists

⇒SA0967 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN -	- Snacial	Authority sac	\$Δ0067 ahova	- Retail pharmacy

1ab 5 mg	4,585.00	30	Volibris	
Tab 10 mg	4,585.00	30	✓ Volibris	
BOSENTAN - Special Authority see SA0967 above -	Retail pharmacy			

 Tab 62.5 mg
 375.00
 56
 ✓ Mylan-Bosentan

 Tab 125 mg
 375.00
 56
 ✓ Mylan-Bosentan

Phosphodiesterase Type 5 Inhibitors

⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Ravnaud's Phenomenon*: and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

CARDIOVASCULAR SYSTEM

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 on the previous page	e – Retail pharm	acy	
Tab 25 mg	0.75	4	✓ <u>Vedafil</u>
Tab 50 mg	0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page			
224	2.75	4	✓ Vedafil

Prostacyclin Analogues

⇒SA0969 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

ILOPROST - Special Authority see SA0969 above - Retail pharmacy

✓ Ventavis 30

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 97

ADAPAI FNF

a) Maximum of 30 g per prescription

b) Only on a prescription

Crm 0.1%	30 g OP	Differin
Gel 0.1%	30 g OP	Differin

ISC

SOTRETINOIN - Special Authority see SA1475 bel	low – Retail pharmacy		
Cap 10 mg	12.47	100	Isotane 10
	14.96	120	Oratane
Cap 20 mg	19.27	100	✓ Isotane 20
	23.12	120	Oratane

⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRFTINOIN

50 q OP ✔ ReTrieve

	Subsidy (Manufacturer's Pr	ico) Sub	Fully Brand or sidised Generic
	(Manulacturer's Fr	Per	✓ Manufacturer
Antibacterials Topical			
For systemic antibacterials, refer to INFECTIONS, Antibacterials	, page 97		
FUSIDIC ACID			
Crm 2%	2.52	15 g OP	✓ DP Fusidic Acid
a) Maximum of 15 g per prescription			Cream
b) Only on a prescription			
c) Not in combination			
Oint 2%	3.45	15 g OP	✓ Foban
a) Maximum of 15 g per prescription			
b) Only on a prescription			
c) Not in combination			
HYDROGEN PEROXIDE * Crm 1%	9.56	15 g OP	✓ Crystaderm
	0.50	13 y OF	Crystaueriii
MUPIROCIN Oint 2%	6.60	15 g OP	
OIIIL 2 /0	(9.26)	13 y OF	Bactroban
a) Only on a prescription	(0.20)		Baotiobari
b) Not in combination			
SILVER SULPHADIAZINE			
Crm 1%	12.30	50 g OP	✓ Flamazine
a) Up to 250 g available on a PSO			
b) Not in combination			
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals, pag	je 104		
AMOROLFINE			
a) Only on a prescription			
b) Not in combination Nail soln 5%	10.05	5 ml OP	✓ MycoNail
	19.95	3 1111 01	wiyconan
CICLOPIROX OLAMINE a) Only on a prescription			
b) Not in combination			
Nail-soln 8%	6.50	7 ml OP	✓ Apo-Ciclopirox
CLOTRIMAZOLE			
* Crm 1%	0.52	20 g OP	✓ Clomazol
a) Only on a prescription			
b) Not in combination	4.00	20 III 00	
* Soln 1%		20 ml OP	Conceton
	(7.55)		Canesten

a) Only on a prescription b) Not in combination

DERMATOLOGICALS

	Subsidy	Dring) C	Fully Brand or
	(Manufacturer's \$	Price) S Per	Subsidised Generic Manufacturer
ECONAZOLE NITRATE			
Crm 1%	1.00	20 g OP	
	(7.48)		Pevaryl
a) Only on a prescription			
b) Not in combination	0.00	•	
Foaming soln 1%, 10 ml sachets		3	Dovorul
a) Only on a prescription	(17.23)		Pevaryl
b) Not in combination			
,			
MICONAZOLE NITRATE * Crm 2%	0.55	15 a OD	✓ Multichem
a) Only on a prescription	0.55	15 g OP	<u>Mutuchem</u>
b) Not in combination			
* Lotn 2%	4.36	30 ml OP	1
	(10.03)		Daktarin
a) Only on a prescription	(******)		
b) Not in combination			
* Tinct 2%	4.36	30 ml OP	1
	(12.10)		Daktarin
a) Only on a prescription			
b) Not in combination			
NYSTATIN			
Crm 100,000 u per g	1.00	15 g OP	
	(7.90)		Mycostatin
a) Only on a prescription			
b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			
Ćrm, aqueous, BP	1.49	100 g	✓ Pharmacy Health
Lotn, BP		2,000 ml	✓ PSM
CROTAMITON			
a) Only on a prescription			
b) Not in combination			
Ćrm 10%	3.37	20 g OP	✓ Itch-Soothe
MENTHOL – Only in combination		-	
Only in combination with a dermatological base or process of the combination with a dermatological base or process.	roprietary Topical (Corticosterio	d – Plain, refer dermatological b
page 223	. p cp. con C		,
With or without other dermatological galenicals.			
Crystals	6.50	25 g	✓ PSM
,	6.92	- 3	✓ MidWest
	29.60	100 g	✓ MidWest

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 86

Corticosteroids - Plain

BETAMETHASONE DIPROPIONATE	2.25	45 05	4 P.
Crm 0.05%		15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base		30 g OP	✓ Diprosone OV
Oint 0.05%		15 g OP	Diprosone
	8.97	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.15	50 g OP	✓ Beta Cream
* Oint 0.1%	3.15	50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
★ Crm 0.05%	2.20	30 g OP	✓ Dermol
	(3.20)	g	Clobetasol BNM
Dermol to be Sole Supply on 1 March 2017	()		
♦ Oint 0.05%	2.20	30 g OP	✓ Dermol
	(3.20)	J	Clobetasol BNM
Dermol to be Sole Supply on 1 March 2017	,		
Clobetasol BNM Crm 0.05% to be delisted 1 March 2017)			
Clobetasol BNM Oint 0.05% to be delisted 1 March 2017)			
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
01111 0.0070	(7.09)	00 g O1	Eumovate
NELLICOPTOLONE VALEBATE	(7.00)		Lamovato
DIFLUCORTOLONE VALERATE	0.07	50 = OD	
Crm 0.1%		50 g OP	Markaga
Father sint 0.40/	(15.86)	50 = OD	Nerisone
Fatty oint 0.1%		50 g OP	Nariaana
	(15.86)		Nerisone
HYDROCORTISONE			
★ Crm 1% – Only on a prescription		30 g OP	✓ DermAssist
	3.75	100 g	Pharmacy Health
	16.25	500 g	✓ Pharmacy Health
Powder - Only in combination		25 g	✓ <u>ABM</u>
Up to 5% in a dermatological base (not proprietary Top galenicals. Refer, page 223	ical Corticosteri	od – Plain) witl	h or without other dermatologica
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only	/		
on a prescription		250 ml	✓ DP Lotn HC
HYDROCORTISONE BUTYRATE	'		
Lipocream 0.1%	0.00	30 a OB	✓ Locoid Lipocream
LIPUCI eatii 0.1%	6.85	30 g OP	
Oint 0.1%		100 g OP 100 g OP	 ✓ Locoid Lipocream ✓ Locoid
		100 g OP 100 ml OP	✓ Locold Crelo
Milky emul 0.1%	ი.ზე	100 mi OP	Locold Crelo

[‡] safety cap

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

DERMATOLOGICALS

	Subsidy (Manufacturer's F		Full Subsidise	d Generic
	\$	Per		Manufacturer
METHYLPREDNISOLONE ACEPONATE				
Crm 0.1%	4.95	15 g OP	~	Advantan
Oint 0.1%	4.95	15 g OP	~	Advantan
MOMETASONE FUROATE				
Crm 0.1%	1.51	15 g OP	· ·	Elocon Alcohol Free
	2.90	50 g OP		Elocon Alcohol Free
Oint 0.1%	1.51	15 g OP		Elocon
	2.90	50 g OP	~	Elocon
Lotn 0.1%	7.35	30 ml OF	· /	Elocon
FRIAMCINOLONE ACETONIDE				
Crm 0.02%	6.30	100 g OF	· •	Aristocort
Oint 0.02%		100 g OF		Aristocort
Continuation		3.3.		
Corticosteroids - Combination				
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on a	prescription			
Crm 0.1% with clioquinol 3%		15 g OP		
·	(4.90)	ŭ		Betnovate-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID				
Crm 0.1% with fusidic acid 2%	3.49	15 g OP		
0111 0.175 Will radial and 270	(10.45)	10 9 01		Fucicort
a) Maximum of 15 g per prescription	(/			
b) Only on a prescription				
HYDROCORTISONE WITH MICONAZOLE - Only on a prescription	on			
* Crm 1% with miconazole nitrate 2%		15 g OP	· ·	Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - Only		•	•	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP		Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP		Pimafucort
		·	•	rillalucort
FRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCIN	AND NYSTATI	N		
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg	0.40	45 00		
and gramicidin 250 mcg per g - Only on a prescription		15 g OP		\(\(\text{\text{\$\alpha}} \)
	(6.60)			Viaderm KC
Disinfecting and Cleansing Agents				
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement				
a) No more than 500 ml per month				
b) Only if prescribed for a dialysis patient and the prescription is	s andorsad acc	ordingly		
* Handrub 1% with ethanol 70%		500 ml	~	healthE
* Soln 4% wash		500 ml		healthE
FRICLOSAN – Subsidy by endorsement			-	
a) Maximum of 500 ml per prescription b)				
 a) Only if prescribed for a patient identified with Methicillin-re 	sistant Stanbuld	טרטררוופ פוו	reus (MD	ISA) prior to elective surge
in hospital and the prescription is endorsed accordingly; or		Jooolous du	ious (IVII	ion y prior to diective surge
b) Only if prescribed for a patient with recurrent Staphylococc		tion and the	prescrir	ntion is endorsed according
Soln 1%		500 ml O		healthE
JUII 1 / 0	3.90	O IIII OUC	г У	IICAILIIC

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Barrier Creams and Emollients			
Barrier Creams			
DIMETHICONE * Crm 5% pump bottle	4.59	500 ml OP	✓ <u>healthE</u>
* Crm 10% pump bottle	4.90	500 ml OP	Dimethicone 5% ✓ healthE Dimethicone 10%
ZINC AND CASTOR OIL * Oint BP	3.83	500 g	✓ Multichem
Emollients			
AQUEOUS CREAM * Crm	1.99	500 g	✓ <u>AFT SLS-free</u>
CETOMACROGOL * Crm BP	2.74	500 g	✓ <u>healthE</u>
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	2.82	500 ml OP	Pharmacy Health Sorbolene with
	3.87	1,000 ml OP	Glycerin Pharmacy Health Sorbolene with Glycerin
EMULSIFYING OINTMENT * Oint BP	2.73	500 g	✓ <u>AFT</u>
OIL IN WATER EMULSION * Crm	2.25	500 g	✓ <u>O/W Fatty Emulsion</u> Cream
UREA ☀ Crm 10%	1.37	100 g OP	✓ <u>healthE Urea Cream</u>
WOOL FAT WITH MINERAL OIL - Only on a prescription * Lotn hydrous 3% with mineral oil	5.60 (11.95) 1.40	1,000 ml	DP Lotion
	(4.53) 5.60 (20.53)	1,000 ml	DP Lotion Alpha-Keri Lotion
	(23.91) 1.40 (7.73)	250 ml OP	BK Lotion BK Lotion
Other Dermatological Bases			
PARAFFIN White soft – Only in combination	20.20 3.58 (7.78)	2,500 g 500 g	✓ IPW
Only in combination with a dermatological galenical or as	(8.69)	roprietary Topica	PSM

[‡] safety cap

[▲]Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

Minor Skin Infections

POVIDONE IODINE		4
Oint 10%3.27	25 g OP	Betadine
a) Maximum of 100 g per prescription		
b) Only on a prescription		
Antiseptic soln 10%6.20	500 ml	Betadine
		✓ Riodine
1.28	100 ml	
(4.20)		Riodine
(8.25)		Betadine
0.19	15 ml	
(4.45)		Betadine
Skin preparation, povidone iodine 10% with 30% alcohol	500 ml	✓ Betadine Skin Prep
1.63	100 ml	
(3.65)		Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13	500 ml	
(18.63)	000	Orion
1.63	100 ml	•
(6.04)	.50 1111	Orion

Parasiticidal Preparations

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

✓ Stromectol Tab 3 mg - Up to 100 tab available on a PSO......17.20

- 1) PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- 3) For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

⇒SA1225 Special Authority for Subsidy

Initial application — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist: and
- 2 Fither:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy: or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:

DERMATOLOGICALS

Subsidy (Manufacturer's Price)	5	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
- 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scables with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

PERMETHRIN

Crm 5% 4.20 Lotn 5% 3.19	0 -	✓ <u>Lyderm</u>✓ <u>A-Scabies</u>
PHENOTHRIN		
Shampoo 0.5%	100 ml OP	✓ Parasidose
11.36	200 ml OP	Parasidose

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Psoriasis and Eczema Preparations

ACITRETIN - Special Authority see SA1476 below - Retail pharmacy		
Cap 10 mg17.86	60	✓ Novatretin
Cap 25 mg41.36	60	✓ Novatretin

⇒SA1476 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Fither:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

RETAMETHASONE DIPROPIONATE WITH CAI CIPOTRIOI

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL			
Gel 500 mcg with calcipotriol 50 mcg per g	26.12	30 g OP	✓ <u>Daivobet</u>
Oint 500 mcg with calcipotriol 50 mcg per g	26.12	30 g OP	✓ <u>Daivobet</u>
CALCIPOTRIOL			
Crm 50 mcg per g	16.00	30 g OP	✓ Daivonex
	45.00	100 g OP	✓ Daivonex
Oint 50 mcg per g	45.00	100 g OP	✓ Daivonex
Soln 50 mcg per ml		30 ml OP	✓ Daivonex
(Daivonex Crm 50 mcg per g to be delisted 1 April 2017)			
(Daivonex Crm 50 mcg per g to be delisted 1 April 2017)			
(Daivonex Soln 50 mcg per ml to be delisted 1 April 2017)			
COAL TAR			
Soln BP - Only in combination	32.95	200 ml	✓ Midwest
 Up to 10% only in combination with a dermatological base or base, page 223 		opical Corticos	teriod – Plain, refer dermatological
2) With or without other dermatological galenicals.			
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHU	R		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	6.59	75 g OP	
	(8.00)	- 3 -	Egopsoryl TA
	3.43	30 g OP	3-1 1
	(4.35)	3 -	Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR	` /		
Soln 12% with salicylic acid 2% and sulphur 4% oint	7 95	40 g OP	✓ Coco-Scalp
Ooiii 1270 With Salicylic acid 270 and Sulphur 470 Oilt		70 g Oi	♥ Ooco-ocaip

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORES * Soln 2.3% with trolamine laurilsulfate and fluorescein sodium	•	n a prescription 500 ml	✓ Pinetarsol
SALICYLIC ACID			
Powder - Only in combination		250 g	✓ PSM
1) Only in combination with a dermatological base or prop	orietary Topical	Corticosteroid -	 Plain or collodion flexible, refer
dermatological base, page 223			
With or without other dermatological galenicals.			
SULPHUR			4
Precipitated – Only in combination		100 g	Midwest
 Only in combination with a dermatological base or prop page 223 	rietary lopical (Jorticosterola –	Plain, refer dermatological base,
2) With or without other dermatological galenicals.			
Scalp Preparations			
Scalp Freparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.75	100 ml OP	✔ Beta Scalp
CLOBETASOL PROPIONATE			
* Scalp app 0.05%	6.96	30 ml OP	✓ Dermol
HYDROCORTISONE BUTYRATE			
Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid
KETOCONAZOLE			
Shampoo 2%	2.99	100 ml OP	✓ <u>Sebizole</u>
a) Maximum of 100 ml per prescription			
b) Only on a prescription			
Sunscreens			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensitivity	secondary to a	defined clinical	condition and the prescription is
endorsed accordingly.	occoridary to a	delined eliniodi	condition and the prescription is
Crm	3.30	100 g OP	
	(5.89)	-	Hamilton Sunscreen
Lotn,	3.30	100 g OP	✓ Marine Blue Lotion
		05	SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion SPF 50+
Lotn	/ 12	125 ml OP	3FF 30 +
Loui	(6.94)	123 1111 01	Aquasun 30+
(Aquasun 30+ Lotn to be delisted 1 April 2017)	(0.01)		/ iquaban 00 i
Wart Preparations			
For salicylic acid preparations refer to PSORIASIS AND ECZEMA	A PREPARATIO	NS, page 76	
IMIQUIMOD	,=		4
Crm 5%, 250 mg sachet	17.98	12	Apo-Imiquimod
DODODUNAL OTOVIN			Cream 5%
PODOPHYLLOTOXIN	00.00	0.5 = 0.0	4 Candulina
Soln 0.5%a) Maximum of 3.5 ml per prescription	33.60	3.5 ml OP	✓ Condyline
b) Only on a prescription			
2, only on a procompact			

DERMATOLOGICALS

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

20 g OP ✓ Efudix

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Contraceptives - Non-hormonal

Condoms

	NDOMS			4.4
*	49 mm – Up to 144 dev available on a PSO1	3.36	144	✓ MarquisTantiliza
	50 11 1 11 11 11 11 11 11			Shield 49
*	52 mm - Up to 144 dev available on a PSO1		144	✓ Marquis Selecta
*	52 mm extra strength — Up to 144 dev available on a PSO1		144	Marquis Protecta
*	53 mm - Up to 144 dev available on a PSO	1.11	12	Gold Knight
				Shield Blue
	1	3.36	144	Marquis Black
				Shield Blue
*	53 mm (chocolate) - Up to 144 dev available on a PSO	1.11	12	✓ Gold Knight
	, ,	3.36	144	✓ Gold Knight
*	53 mm (strawberry) - Up to 144 dev available on a PSO	1.11	12	✓ Gold Knight
	` ,, ,	3.36	144	✓ Gold Knight
*	55 mm - Up to 144 dev available on a PSO1	3.36	144	✓ Marguis Conforma
*	56 mm - Up to 144 dev available on a PSO		12	✓ Gold Knight
•••	•	3.36	144	✓ Durex Extra Safe
	'	0.00	177	✓ Gold Knight
*	56 mm shaped. Up to 1// day available on a DSO	1 11	12	✓ Durex Confidence
不	56 mm, shaped – Up to 144 dev available on a PSO			
		3.36	144	✓ Durex Confidence
	60 mm – Up to 144 dev available on a PSO1	3.36	144	✓ Shield XL
,	arquisTantiliza 49 mm to be delisted 1 June 2017)			
(Ma	arquis Selecta 52 mm to be delisted 1 June 2017)			
(Ma	arquis Protecta 52 mm extra strength to be delisted 1 June 2017)			

Contraceptive Devices

DIAPHRAGM – Up to 1 dev available on a PSO	
One of each size is permitted on a PSO.	

(Marquis Black 53 mm to be delisted 1 June 2017) (Marguis Conforma 55 mm to be delisted 1 June 2017)

80 mm42.90 (Ortho All-flex 65 mm to be delisted 1 April 2017) (Ortho All-flex 70 mm to be delisted 1 April 2017) (Ortho All-flex 75 mm to be delisted 1 April 2017) (Ortho All-flex 80 mm to be delisted 1 April 2017) INTRA-UTERINE DEVICE

- a) Up to 40 dev available on a PSO
- b) Only on a PSO

*	10D 29.1 mm length \times 23.2 mm width	31.60
*	IUD 33.6 mm length $ imes$ 29.9 mm width	31.60

65 mm42.90

IUD 35.5 mm length × 19.6 mm width31.60

Ortho All-flex

1

1

Ortho All-flex Ortho All-flex

Ortho All-flex

✓ Choice TT380 Short

✓ Choice TT380 Standard

Choice Load 375

04.00

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Mercilon 28

Contraceptives - Hormonal

Combined Oral Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

(19.80)

ETHINYLOESTRADIOL WITH DESOGESTREL

	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	lbove	
	b) Up to 84 tab available on a PSO			
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
		(19.80)		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authorityb) Up to 84 tab available on a PSO	see SA0500 a	bove	
ETI	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.65	84	✓ Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	9.45	84	Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
		(16.50)		Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Authority b) Up to 63 tab available on a PSO	see SA0500 a	bove	-
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.30	84	✓ Ava 30 ED

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
ETHINYLOESTRADIOL WITH NORETHISTERONE					
* Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available on a PSO		63	✓ B	revinor 1/21	
* Tab 35 mcg with norethisterone 1 mg and 7 inert tab – Up to 84 tab available on a PSO		84	✓ B	revinor 1/28	
* Tab 35 mcg with norethisterone 500 mcg - Up to 63 tab available on a PSO		63	✓ B	revinor 21	
* Tab 35 mcg with norethisterone 500 mcg and 7 inert tab — Up to 84 tab available on a PSO		84	✓ N	lorimin	

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL

6.62	84	
(16.50)		Microlut
see SA0500 abov	ve	
133.65	1	✓ <u>Jadelle</u>
7.25	1	✓ Depo-Provera
6.25	84	✓ Noriday 28
	(16.50)	(16.50) see SA0500 above133.65 17.25 1

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Emergency Contraceptives

LEVONORGESTREL

- ✔ Postinor-1
 - a) Maximum of 2 tab per prescription
 - b) Up to 5 tab available on a PSO

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

* Tab 2 mg with ethinvloestradiol 35 mcg and 7 inert tabs - Up

168 ✓ Ginet

Gynaecological Anti-infectives

ACETIC ACID WI	ITH HYDROXYQUINOLINE	AND RICINOLEIC ACID

Jelly with glacial acetic acid 0.94%, hydroxyguinoline sulphate 0.025%, glycerol 5% and ricinoleic acid 0.75% with applicator8.43

100 g OP (24.00)

CLOTRIMAZOLE

	OTT IIIVI LEGEL			
*	Vaginal crm 1% with applicators	1.60	35 g OP	✓ Clomazol
*	Vaginal crm 2% with applicators	2.10	20 g OP	✓ Clomazol
MI	CONAZOLE NITRATE			

Vaginal crm 100.000 u per 5 g with applicator(s)4.71 ✓ Nilstat 75 g OP

Myometrial and Vaginal Hormone Preparations

Inj 500 mcg per ml, 1 ml ampoule - Up to 5 inj available on a

ERGOMETRINE MALEATE

PSO	94.70 5	✓ <u>DBL Ergometrine</u>
OESTRIOL		
* Crm 1 mg per g with applicator	6.30 15 g OP	✓ Ovestin
* Pessaries 500 mcg	6.53 15	✓ Ovestin
OVV/TOOIN		

OXYTOCIN – Up to 5 inj available on a PSO

[HP4] refer page 4

Inj 5 iu per ml, 1 ml ampoule4.03	5	Oxytocin BNM
Inj 10 iu per ml, 1 ml ampoule5.03	5	Oxytocin BNM

OXYTOCIN WITH ERGOMETRINE MALEATE - Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml11.13

Syntometrine

Aci-Jel

✓ Micreme

40 g OP

GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

y Brand or d Generic Manufacturer

Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE

- a) Up to 200 test available on a PSO
- b) Only on a PSO

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 118

5-Alpha Reductase Inhibitors

FINASTERIDE - Special Authority see SA0928 below - Retail pharmacy

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Patient has symptomatic benign prostatic hyperplasia; and
- 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN

 ★ Tab 5 mg
 8.85
 500
 ✓ Apo-Oxybutynin

 ★ Oral liq 5 mg per 5 ml
 60.40
 473 ml
 ✓ Apo-Oxybutynin

POTASSIUM CITRATE

Oral liq 3 mmol per ml – Special Authority see SA1083 below

⇒SA1083 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Pric	e)	Fully Subsidised	Brand or Generic
	\$	Per	~	Manufacturer
SODIUM CITRO-TARTRATE				
* Grans eff 4 g sachets	2.93	28	√ <u>U</u>	<u>Iral</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998 belo	ow – Retail pharma	асу		
Tab 5 mg	37.50	30	✓ V	esicare/
Tab 10 mg	37.50	30	VV	'esicare
⇒ SA0998 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals vali	d without further r	enewal	unless notif	fied where the patient ha
overactive bladder and a documented intolerance of, or is non-res	ponsive to oxybuty	nin.		
TOLTERODINE - Special Authority see SA1272 below - Retail p	harmacy			
Tab 1 mg	14.56	56	✓ A	rrow-Tolterodine
Tab 2 mg	14.56	56	✓ A	rrow-Tolterodine
■ SA1272 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	without further rene	ewal unl	ess notified	where patient has overac
tive bladder and a documented intolerance of, or is non-responsive	e to oxybutynin.			
Detection of Substances in Urine				
ORTHO-TOLIDINE			_	
* Compound diagnostic sticks	7.50 5 (8.25)	50 test C		lemastix
TETRABROMOPHENOL				
* Blue diagnostic strips	7.02 1	00 test (OP	

(13.92)

Albustix

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

	\$	Per	✓ Manufacturer	
Calcium Homeostasis				
CALCITONIN * Inj 100 iu per ml, 1 ml ampoule	121.00	5	✓ Miacalcic	
CINACALCET – Special Authority see SA1618 below – Retail pha Tab 30 mg – Wastage claimable – see rule 3.3.2 on page 13.	,	28	✓ Sensipar	

⇒SA1618 Special Authority for Subsidy

Initial application only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
 - 1.2 The patient has persistent hypercalcaemia (serum calcium > 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
 - 1.3 The patient is symptomatic; or
- 2 All of the following:
 - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
 - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium ≥ 3 mmol/L); and
 - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

ZOLEDRONIC ACID

Ini 4 mg per 5 ml. vial - Special Authority see SA1512 below ✓ Zoledronic acid - Retail pharmacy84.50 Mylan ✓ Zometa 550.00

■ SA1512 Special Authority for Subsidy

Initial application only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
 - 2.1 Patient has bone metastases or involvement; and
 - 2.2 Patient has severe bone pain resistant to standard first-line treatments: or
- 3 Both:
 - 3.1 Patient has bone metastases or involvement; and
 - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

85

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✓ Manufacturer

Corticosteroids and Related Agents for Systemic Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE * Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml19.20	5	
(36.96)		Celestone Chronodose
DEXAMETHASONE		
* Tab 0.5 mg - Retail pharmacy-Specialist	30	✓ <u>Dexmethsone</u>
* Tab 4 mg - Retail pharmacy-Specialist	30	✓ <u>Dexmethsone</u>
Oral liq 1 mg per ml — Retail pharmacy-Specialist	25 ml OP	✓ Biomed
DEXAMETHASONE PHOSPHATE		
Dexamethasone phosphate injection will not be funded for oral use.	10	✓ Max Health
 Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO14.19 Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO12.59 	5	✓ Max Health
	3	Wida Health
# Tab 100 mcg14.32	100	✓ Florinef
-	100	Fiorinei
HYDROCORTISONE		4
* Tab 5 mg	100	✓ <u>Douglas</u>
* Tab 20 mg – For hydrocortisone oral liquid formulation refer,	400	. / Daniela
page 224	100 1	✓ <u>Douglas</u> ✓ Solu-Cortef
* Inj 100 mg vial	ı	Solu-Cortei
METHYLPREDNISOLONE - Retail pharmacy-Specialist		
* Tab 4 mg80.00	100	✓ <u>Medrol</u>
* Tab 100 mg180.00	20	✓ <u>Medrol</u>
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retail pharmacy-Specia	list	
Inj 40 mg vial10.50	1	✓ Solu-Medrol
Inj 125 mg vial22.25	1	✓ Solu-Medrol
Inj 500 mg vial9.00	1	✓ Solu-Medrol
Inj 1 g vial16.00	1	✓ Solu-Medrol
METHYLPREDNISOLONE ACETATE		
Inj 40 mg per ml, 1 ml vial40.00	5	✓ Depo-Medrol
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNOCAINE]		
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial9.25	1	✓ <u>Depo-Medrol with</u> <u>Lidocaine</u>
PREDNISOLONE		
* Oral liq 5 mg per ml - Up to 30 ml available on a PSO7.50 Restricted to children under 12 years of age.	30 ml OP	✓ Redipred

	Subsidy (Manufacturer's Price) \$	e) Per	Fully Subsidised r	d Generic
PREDNISONE				
* Tab 1 mg	10.68	500	/	Apo-Prednisone
* Tab 2.5 mg	12.09	500	/	Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO	11.09	500	/	Apo-Prednisone
* Tab 20 mg	29.03	500	~	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	75.00	1	~	Synacthen
* Inj 1 mg per ml, 1 ml ampoule		1	V'	Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule	20.80	5	'	Kenacort-A 10
Inj 40 mg per ml, 1 ml ampoule	51.10	5	'	Kenacort-A 40
Sex Hormones Non Contraceptive				

Androgen Agonists and Antagonists

CYPROTERONE ACETATE - Retail pharmacy-Specialist

Tab 50 mg	15.87	50	✓ Procur
Tab 100 mg	30.40	50	✓ Procur
TESTOSTERONE Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
TESTOSTERONE CYPIONATE - Retail pharmacy-Specialist Inj 100 mg per ml, 10 ml vial	76.50	1	✓ <u>Depo-Testosterone</u>
TESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.98	1	✓ Sustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialis Cap 40 mg Inj 250 mg per ml, 4 ml vial	16.80	60 1	✓ Andriol Testocaps ✓ Reandron 1000

Hormone Replacement Therapy - Systemic

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

Subsidy

Fully

Brand or

		(Manufacturer's F	Price) Sul	bsidised Generic	
		\$	Per	✓ Manufacturer	
0	estrogens				
OE	STRADIOL - See prescribing guideline on the previous page				
*	Tab 1 mg	4.12	28 OP		
		(11.10)		Estrofem	
*	Tab 2 mg		28 OP	-	
*	Patch 25 mcg per day	(11.10)	8	Estrofem ✓ Estradot	
木	a) No more than 2 patch per week	0.12	0	Estradol	
	b) Only on a prescription				
*	Patch 50 mcg per day	7.04	8	✓ Estradot 50 mcg	
	a) No more than 2 patch per week			<u> </u>	
	b) Only on a prescription				
*	Patch 75 mcg per day	7.91	8	✓ Estradot	
	a) No more than 2 patch per week				
	b) Only on a prescription				
	c) Estradot to be Sole Supply on 1 April 2017	7.04	0	. / Fatural at	
*	Patch 100 mcg per day	7.91	8	✓ Estradot	
	a) No more than 2 patch per week b) Only on a prescription				
<u>-</u>	, , , ,				
∪⊏ *	STRADIOL VALERATE – See prescribing guideline on the pre Tab 1 mg		84	✓ Progynova	
ж Ж	Tab 2 mg		84	✓ Progynova	
•	•		•	· <u>gj</u>	
J⊏ *	STROGENS – See prescribing guideline on the previous page Conjugated, equine tab 300 mcg		28		
~	Conjugated, equine tab 500 mag	(11.48)	20	Premarin	
*	Conjugated, equine tab 625 mcg		28	romann	
		(11.48)		Premarin	
Pı	rogestogens				
ME	DROXYPROGESTERONE ACETATE - See prescribing guide	oline on the previ	inue nago		
*	Tab 2.5 mg		30	✓ Provera	
*	Tab 5 mg		100	✓ Provera	
*	Tab 10 mg		30	✓ Provera	
Pı	ogestogen and Oestrogen Combined Preparat	tions			
О Г	CTDADIOL WITH NODETHICTEDONE - Con proposition quit	dalina an tha nu	vieve pege		
∪⊏ *	STRADIOL WITH NORETHISTERONE - See prescribing guid Tab 1 mg with 0.5 mg norethisterone acetate		28 OP		
Т	rab i mg with 0.5 mg notethisterone acetate	(18.10)	20 01	Kliovance	
*	Tab 2 mg with 1 mg norethisterone acetate	, ,	28 OP	Movanoo	
		(18.10)		Kliogest	
*	Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg	, ,		-	
	oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP		
		(18.10)		Trisequens	

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
OESTROGENS WITH MEDROXYPROGESTERONE - See pres	scribing guideline on p	age 87		
* Tab 625 mcg conjugated equine with 2.5 mg medroxyproges	-			
terone acetate tab (28)	5.40	28 OP		
	(22.96)		Р	remia 2.5 Continuous
* Tab 625 mcg conjugated equine with 5 mg medroxyproges	-			
terone acetate tab (28)		28 OP		
. ,	(22.96)		Р	remia 5 Continuous
Other Oestrogen Preparations				
ETHINYLOESTRADIOL				
* Tab 10 mcg	17.60	100	✓ N	Z Medical and
				Scientific
OESTRIOL				
* Tab 2 mg	7.00	30	V 0	vestin

Other Progestogen Preparations

LEVONORGESTREL

* Intra-uterine system 20 mcg per day - Special Authority see Mirena

■SA1608 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a clinical diagnosis of heavy menstrual bleeding; and
- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines: and
- 3 Fither:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE 100 NORETHISTERONE * Tab 5 mg - Up to 30 tab available on a PSO.......18.29 100

PROGESTERONE Cap 100 mg - Special Authority see SA1609 on the next

oup .cog opoola	anionity does extraod on the next		
page – Retail pharmacy	/16.50	30	✓ <u>Utrogestan</u>

Provera HD

Primolut N

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

⇒SA1609 Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*; and
- 2 Fither:
 - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour*: and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Fither:

04000447015

- 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
- 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents

CARBIMAZOLE			
* Tab 5 mg	10.80	100	✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg	3.89	90	✓ Synthroid
‡ Safety cap for extemporaneously compounded oral liqu			·
* Tab 50 mcg		90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu		.,000	·
* Tab 100 mcg		90	✓ Synthroid
	66.78	1,000	✓ Eltroxin
± Safety cap for extemporaneously compounded oral liqu	id preparations.	,	
LEVOTHYROXINE (MERCURY PHARMA)			
* Tab 50 mcg	1 71	28	✓ Mercury Pharma
Safety cap for extemporaneously compounded oral liqu		20	• merodry i narma
* Tab 100 mcg		28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded oral liqu		20	• moroary r narma
PROPYLTHIOURACIL – Special Authority see SA1199 below –	, ,	aaa tha natia	ent is areamont and other treatments
Propylthiouracil is not recommended for patients under the a	ige or 18 years unit	ess me pane	ent is pregnant and other treatments
are contraindicated.	05.00	100	✓ PTU S29
Tab 50 mg	35.00	100	V PIU 029
SASA1100 Special Authority for Subsidy			

►SA1199 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

\$ Per ✔ Manufacturer

Trophic Hormones

Growth Hormones

SC)MATROPIN (OMNITROPE) – Special Authority see SA1629 below – Retai	l pharmacy	
*	Inj 5 mg cartridge109.50	1	Omnitrope
*	Inj 10 mg cartridge	1	Omnitrope
*	Inj 15 mg cartridge	1	✓ Omnitrope

⇒SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or</p>
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and</p>
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older. GH testing with sex steroid priming is required; and</p>
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is ≥ 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (**Turner syndrome**) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Height velocity ≥ 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 2 Height velocity is ≥ 2 cm per year, calculated over six months; and
- 3 A current bone age is < 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred;
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is \leq to 14 years (female patients) or \leq to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease: and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine $(umol/l) \times 40 = corrected GFR (ml/min/1.73m²) in a child who may or may not be receiving dialysis; or$
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is > 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is > 2 cm per year as calculated over six months; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 The patient is aged two years or older; and
 - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months; or
 - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is > 2 cm per year as calculated over six months; and
- 3 A current bone age is ≤ 14 years (female patients) or ≤ 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA[®]).

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of ≤ 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of ≤ 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
- 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

GOSERELIN

Implant 3.6 mg, syringe	66.48	1	✓ Zoladex
Implant 10.8 mg, syringe	177.50	1	✓ Zoladex

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
` \$	Per 🗸	Manufacturer

I FUPRORFI IN

Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly; or the patient has outstanding repeat dispensings at 1 December 2016 and the prescription is endorsed accordingly. From 1 December 2016 until 28 February 2017 pharmacists may annotate a prescription as endorsed where the patient has outstanding repeat dispensings at 1 December 2016.

as endorsed where the patient has outstanding repeat dispensions and prefilled dual chamber syringe — Higher subsidy	sings at 1 Decemi	ber 2016.	
of \$221.60 per 1 inj with Endorsement	66.48	1	
	(221.60)		Lucrin Depot 1-month
Inj 7.5 mg syringe with diluent - Higher subsidy of \$166.20			
per 1 inj with Endorsement	66.48	1	
	(166.20)		Eligard 1 Month
Inj 11.25 mg prefilled dual chamber syringe - Higher subsidy			
of \$591.68 per 1 inj with Endorsement	177.50	1	
	(591.68)		Lucrin Depot 3-month
Inj 22.5 mg syringe with diluent - Higher subsidy of \$443.76			
per 1 inj with Endorsement	177.50	1	
	(443.76)		Eligard 3 Month
Inj 30 mg prefilled dual chamber syringe - Higher subsidy of			
\$1109.40 per 1 inj with Endorsement	332.82	1	
	(1,109.40)		Lucrin Depot 6-month
Inj 45 mg syringe with diluent - Higher subsidy of \$832.05			
per 1 inj with Endorsement	332.82	1	
	(832.05)		Eligard 6 Month

(Eligard 1 Month Inj 7.5 mg syringe with diluent to be delisted 1 June 2017)

(Eligard 3 Month Inj 22.5 mg syringe with diluent to be delisted 1 June 2017)

(Lucrin Depot 6-month Inj 30 mg prefilled dual chamber syringe to be delisted 1 August 2017)

(Eligard 6 Month Inj 45 mg syringe with diluent to be delisted 1 June 2017)

Vasopressin Agonists

DECK		LOCINI	AOF	
DESI	/IUPH	ESSIN	AUE	IAIE

	Tab 100 mcg - Special Authority see SA1401 below - Retail pharmacy	25.00	30	✓ Minirin
	Tab 200 mcg - Special Authority see SA1401 below - Retail pharmacy	54 45	30	✓ Minirin
	Nasal drops 100 mcg per ml - Retail pharmacy-Specialist	39.03	2.5 ml OP	✓ Minirin
•	Nasal spray 10 mcg per dose - Retail pharmacy-Specialist	22.95	6 ml OP	✓ <u>Desmopressin-</u> <u>PH&T</u>
	Inj 4 mcg per ml, 1 ml - Special Authority see SA1401 below			
	- Retail pharmacy	67.18	10	✓ Minirin

►SA1401 | Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Subsidy		Fully	Brand or
(Manufacturer's Price)	5	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

		tion; can be	Tab 0.5 mg - Maximum of 2 tab per prescription;
✓ Dostinex	2	ow4.75	waived by Special Authority see SA1370 below
Dostinex	8	19.00	

⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

CLOMIPHENE CITRATE

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

Tab 50 mg	29.84		Mylan Clomiphen S29 Serophene
DANAZOL			
Cap 100 mg	68.33 1	00	✓ Azol
Cap 200 mg	97.83 1	00	✓ Azol
METYRAPONE			_
Cap 250 mg - Retail pharmacy-Specialist	520.00	50 v	Metopirone

Fully Subsidy Brand or (Manufacturer's Price) Generic Subsidised Manufacturer \$ Per

Anthelmintics

ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy

60 ✓ Eskazole \$29

⇒SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOLE -	- Only on a	prescription
---------------	-------------	--------------

Tab 100 mg	24.19	24	De-Worm
Oral lig 100 mg per 5 ml		15 ml	
	(7.17)		Vermox
PRAZIQUANTEL			
Tab 600 mg	68.00	8	✓ Biltricide

Antibacterials

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 69
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 216

Cephalosporins and Cephamycins

CEFACLO	OR MONC	HYDRATE

Cap 250 mg	24.70	100	Ranbaxy-Cefactor
Grans for oral liq 125 mg per 5 ml — Wastage claimable — se rule 3.3.2 on page 13		100 ml	✓ Ranbaxy-Cefactor
CEFALEXIN			
Cap 250 mg	3.50	20	Cephalexin ABM
Cap 500 mg	3.95	20	✓ Cephalexin ABM
Grans for oral lig 25 mg per ml - Wastage claimable - se	е		-
rule 3.3.2 on page 13	800	100 ml	Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in am	ounts more than 1	4 days treatm	ent per dispensing.
Grans for oral liq 50 mg per ml - Wastage claimable - se	е	•	
rule 3.3.2 on page 13	11.00	100 ml	✓ Cefalexin Sandoz
Note: Cefalexin grans for oral lig will not be funded in am	ounts more than 1	4 days treatm	ent per dispensing.

exin grans for oral lig will not be funded in amounts more than 14 days treatment per dispensing.

CEFAZOLIN - Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordingly.

Inj 500 mg vial	.3.99	5	✓ <u>AFT</u>
Inj 1 g vial	.3.38	5	✓ <u>AFT</u>

	(Manufacturer's Price) \$	Su Per	bsidised	Generic Manufacturer
CEFTRIAXONE – Subsidy by endorsement				
a) Up to 5 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibro	sis patient, or the tre	eatment	of gonori	rhoea, or the treatment of
pelvic inflammatory disease, or the treatment of suspected n	neningitis in patients	who hav	e a know	n allergy to penicillin, and
the prescription or PSO is endorsed accordingly.				
Inj 500 mg vial	1.20	1	✓ D	EVA
	(1.50)		С	eftriaxone-AFT
DEVA to be Sole Supply on 1 February 2017				
Inj 1 g vial	0.84	1	✓ D	EVA
	4.20	5		
	(5.22)		С	eftriaxone-AFT
DEVA to be Sole Supply on 1 March 2017				
(Ceftriaxone-AFT Inj 500 mg vial to be delisted 1 February 2017)				
(Ceftriaxone-AFT Inj 1 g vial to be delisted 1 March 2017)				
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the pres	cription is endorsed a	according	gly.	
Tab 250 mg	29.40	50	✓ Z	innat

Subsidy

Fully

Brand or

Macrolides

AZITHROMYCIN - Maximum of 5 days treatment per prescription; can be waived by endorsement

For Endorsement, patient has either:

- 1) Received a lung transplant and requires treatment or prophylaxis for bronchiolitis obliterans syndrome*; or
- Cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas related gram negative organisms*.

Indications marked with * are Unapproved Indications ✓ Apo-Azithromycin Tab 250 mg9.00 Tab 500 mg - Up to 8 tab available on a PSO......1.05 ✓ Apo-Azithromycin Grans for oral lig 200 mg per 5 ml (40 mg per ml) - Wastage claimable – see rule 3.3.2 on page 13......12.50 15 ml ✓ Zithromax CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 below 14 ✓ Apo-Clarithromycin Grans for oral liq 250 mg per 5 ml - Wastage claimable - see ✓ Klacid 50 ml

⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria:

Either:

- 1 Atypical mycobacterial infection; or
- 2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents.

Renewal — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully	Brand or
	(Manufacturer's P	Price) Su Per	bsidised	Generic
	3	Per		Manufacturer
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg	16.95	100	√ E	-Mycin
a) Up to 20 tab available on a PSO				•
b) Up to 2 x the maximum PSO quantity for RFPP – se	e rule 5.2.6 on page	17		
Grans for oral liq 200 mg per 5 ml		100 ml	√ E	-Mycin
a) Up to 300 ml available on a PSO				•
b) Up to 2 x the maximum PSO quantity for RFPP - se	e rule 5.2.6 on page	17		
c) Wastage claimable – see rule 3.3.2 on page 13	1 0			
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	√ E	-Mycin
a) Up to 200 ml available on a PSO				•
b) Wastage claimable – see rule 3.3.2 on page 13				
ERYTHROMYCIN LACTOBIONATE				
	16.00	1	4/ E	rythrocin IV
, •	10.00	1		i yu ii Ociii i v
ERYTHROMYCIN STEARATE				
Tab 250 mg – Up to 30 tab available on a PSO		100		
	(22.29)		Е	RA
Tab 500 mg	29.90	100		
	(44.58)		Е	RA
ROXITHROMYCIN				
Tab 150 mg	7.48	50	✓ A	rrow-
ů				Roxithromycin
Tab 300 mg	14.40	50	✓ A	rrow-
				Roxithromycin
Penicillins				•
T CHICKINIC				
AMOXICILLIN				
Cap 250 mg	14.97	500	✓ <u>A</u>	po-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP - s		e 17		
Cap 500 mg	16.75	500	✓ <u>A</u>	po-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP - s	ee rule 5.2.6 on pag	e 17		
Grans for oral liq 125 mg per 5 ml	0.88	100 ml	✓ A	moxicillin Actavis
	2.00		V 0	spamox
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	0.97	100 ml	✓ A	moxicillin Actavis
	2.00		V 0	spamox
a) Up to 300 ml available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP - s	ee rule 5.2.6 on pag	e 17		
b) op to 10 x the maximum 1 30 quantity for thir 1 - 3				
c) Wastage claimable – see rule 3.3.2 on page 13	ar rais cillo cil pag			
		10	✓ <u>lb</u>	<u>iamox</u>
c) Wastage claimable - see rule 3.3.2 on page 13	10.67	10 10		iamox iamox

	Subsidy (Manufacturer's I	Price) Su	Fully Brand or bsidised Generic
	\$	Per	✓ Manufacturer
MOXICILLIN WITH CLAVULANIC ACID			
Tab 500 mg with clavulanic acid 125 mg - Up to 30 tab avail-			
able on a PSO		20	✓ Augmentin
Grans for oral liq amoxicillin 125 mg with clavulanic acid			
31.25 mg per 5 ml		100 ml	✓ Augmentin
a) Up to 200 ml available on a PSO			•
b) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq amoxicillin 250 mg with clavulanic acid			
62.5 mg per 5 ml	4.97	100 ml	Augmentin
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 13			
BENZATHINE BENZYLPENICILLIN			
Inj 900 mg (1.2 million units) in 2.3 ml syringe - Up to 5 inj			
available on a PSO	315.00	10	✓ Bicillin LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)			
Inj 600 mg (1 million units) vial - Up to 5 inj available on a			
PSO	10.35	10	✓ Sandoz
LUCLOXACILLIN			
Cap 250 mg - Up to 30 cap available on a PSO	18.70	250	✓ Staphlex
Cap 500 mg		500	✓ Staphlex
Grans for oral liq 25 mg per ml	2.29	100 ml	✓ AFT
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq 50 mg per ml	3.08	100 ml	✓ <u>AFT</u>
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 13	0.00	40	4 = 1
Inj 250 mg vial		10	Flucioxin
Inj 500 mg vial Inj 1 g vial – Up to 10 inj available on a PSO		10 10	✓ <u>Flucloxin</u>✓ Flucloxin
, , ,	11.00	10	FIUCIOXIII
PHENOXYMETHYLPENICILLIN (PENICILLIN V)	0.00		4.000 1 100
Cap 250 mg - Up to 30 cap available on a PSO		50	Cilicaine VK
Cap 500 mg	4.73	50	✓ Cilicaine VK
a) Up to 20 cap available on a PSOb) Up to 2 x the maximum PSO quantity for RFPP – see ru	ıle 5 2 6 on nagı	Δ 17	
Grans for oral liq 125 mg per 5 ml		100 ml	✓ AFT
a) Up to 200 ml available on a PSO		100 1111	¥ <u>711 1</u>
b) Wastage claimable – see rule 3.3.2 on page 13			
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	✓ AFT
a) Up to 300 ml available on a PSO			
b) Up to 2 x the maximum PSO quantity for RFPP - see ru	ile 5.2.6 on page	e 17	
c) Wastage claimable – see rule 3.3.2 on page 13			
PROCAINE PENICILLIN			
Inj 1.5 g in 3.4 ml syringe - Up to 5 inj available on a PSO	123.50	5	✓ <u>Cilicaine</u>
Tetracyclines			
OXYCYCLINE			
★ Tab 50 mg - Up to 30 tab available on a PSO	2 90	30	
r lab oo mg op to oo tab avallable on a 1 oo	(6.00)	30	Doxy-50
₭ Tab 100 mg – Up to 30 tab available on a PSO		250	✓ Doxine
as .cog - op to oo tas availasio on a r oominimimimi			- BOAIIIO

II.	NFECTIONS - A	GEN	15 FUR 5151EIMIC USE
	Subsidy (Manufacturer's Price)	Per	Fully Brand or Subsidised Generic Manufacturer
MINOCYCLINE HYDROCHLORIDE			
* Tab 50 mg - Additional subsidy by Special Authority see			
SA1355 below – Retail pharmacy	5.79	60	
	(12.05)		Mino-tabs
★ Cap 100 mg	19.32	100	
	(52.04)		Minomycin
■ SA1355 Special Authority for Manufacturers Price nitial application from any relevant practitioner. Approvals valiosacea. TETRACYCLINE – Special Authority see SA1332 below – Retail		newal	unless notified where the patient
Cap 500 mg	•	30	✓ Tetracyclin
Oup 500 mg		00	Wolff S29
8oth: 1 For the eradication of helicobacter pylori following unsucc 2 For use only in combination with bismuth as part of a qua			opriate first-line therapy; and
, , ,	druple trierapy regin	ien.	
Other Antibiotics			
For topical antibiotics, refer to DERMATOLOGICALS, page 69			
CIPROFLOXACIN Recommended for patients with any of the following: i) microbiologically confirmed and clinically significant pseudii) prostatitis; or iii) pyelonephritis; or iv) gonorrhoea.	domonas infection; o	or	
Tab 250 mg - Up to 5 tab available on a PSO	1.75	28	✓ Cipflox
Tab 500 mg - Up to 5 tab available on a PSO		28	✓ Cipflox
Tab 750 mg	3.75	28	✓ Cipflox
LINDAMYCIN			
Cap hydrochloride 150 mg — Maximum of 4 cap per prescription; can be waived by endorsement - Retail pharmacy -			
Specialist	4.10	16	✓ Clindamycin ABM
pharmacy-Specialist	65.00	10	✓ Dalacin C
O-TRIMOXAZOLE			
Tab trimethoprim 80 mg and sulphamethoxazole 400 mg — Up to 30 tab available on a PSO	22.90	500	✓ Trisul
Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml – Up to 200 ml available on a PSO	2.15	100 ml	✓ Deprim
COLISTIN SULPHOMETHATE - Retail pharmacy-Specialist - Su	bsidy by endorseme	ent	
Only if prescribed for dialysis or cystic fibrosis patient and the	prescription is endo	rsed a	ccordingly.
Inj 150 mg	65.00	1	✓ Colistin-Link
FUSIDIC ACID			

Prescriptions must be written by, or on the recommendation of, an infectious disease physician or a clinical microbiologist

✔ Fucidin

Tab 250 mg - Retail pharmacy-Specialist34.50

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer GENTAMICIN SUI PHATE Inj 10 mg per ml, 1 ml – Subsidy by endorsement8.56 5 ✔ Hospira Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly. ✓ APP Pharmaceuticals \$29 Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement.................6.00 10 ✔ Pfizer 30.00 50 ✔ Pfizer

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed accordingly.

MOXIFLOXACIN - Special Authority see SA1358 below - Retail pharmacy

No patient co-payment payable

5 ✓ Avelox

⇒SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Active tuberculosis*: and
 - 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications: or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

✓ fully subsidised

[HP4] refer page 4

Initial application — (Penetrating eve injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 on the next page - Retail pharmacy

16 ✓ Humatin \$29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

■SA1324 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy

■ SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

SULFADIAZINE SODIUM - Special Authority see SA1331 below - Retail pharmacy

■SA1331 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

TOBRAMYCIN

Only if prescribed for dialysis or cystic fibrosis patient and the prescription is endorsed accordingly. Solution for inhalation 60 mg per ml, 5 ml – Subsidy by en-

olution for initialation of mg per mi, 5 mi - Subsidy by en-

a) Wastage claimable - see rule 3.3.2 on page 13

b) Only if prescribed for a cystic fibrosis patient and the prescription is endorsed accordingly.

TRIMETHOPRIM

★ Tab 300 mg - Up to 30 tab available on a PSO......15.00
50
✓ TMP

VANCOMYCIN - Subsidy by endorsement

Only if prescribed for a dialysis or cystic fibrosis patient or for prophylaxis of endocarditis or for treatment of Clostridium difficile following metronidazole failure and the prescription is endorsed accordingly.

103

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

35 ml

✓ Diflucan S29 S29 ✓ Diflucan

Antifungals

a) For topical antifungals refer to DERMATOLOGICALS, page 69

b) For topical antifungals refer to GENITO URINARY, page 82

FLUCONAZOLE

28 Ozole Cap 150 mg - Subsidy by endorsement0.71 ✓ Ozole a) Maximum of 1 cap per prescription; can be waived by endorsement - Retail pharmacy - Specialist b) Patient has vaginal candida albicans and the practitioner considers that a topical imidazole (used intra-vaginally) is not recommended and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Cap 200 mg - Retail pharmacy-Specialist9.69 ✓ Ozole Powder for oral suspension 10 mg per ml - Special Authority

see SA1359 below - Retail pharmacy34.56

Wastage claimable - see rule 3.3.2 on page 13

⇒SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised; and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOI F

15 ✓ Itrazole Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology. or for tinea unquium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement -Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 on the

next page – Retail pharmacy141.80 150 ml OP ✓ Sporanox

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KFTOCONAZOI F

Tab 200 mg - PCT - Retail pharmacy-Specialist - Subsidy by endorsement	CBS	30	✓ Link Healthcare \$29 ✓ Nizoral \$29
Prescriptions must be written by, or on the recommendation	of an oncolog	ist	V MEGICI
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat
POSACONAZOLE - Special Authority see SA1285 below - Retail	oharmacy		
Tab modified-release 100 mg	869.86	24	✓ Noxafil
Oral liq 40 mg per ml	761.13	105 ml OP	✓ Noxafil

►SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy: or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy: or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg - For terbinafine oral liquid formulation page 224	•	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>		
VORICONAZOLE - Special Authority see SA1273 on the next page - Retail pharmacy					
Tab 50 mg	130.00	56	✓ Vttack		
Tab 200 mg	500.00	56	✓ Vttack		
Powder for oral suspension 40 mg per ml - Wa	stage				
claimable – see rule 3.3.2 on page 13		70 ml	✓ Vfend		

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

■ SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis: or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Antimalarials

PRIMAQUINE PHOSPHATE – Special Authority see SA1326 below – Retail pharmacy

⇒SA1326 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QUININE SULPHATE

‡ Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

	•
METRONIDAZOI E	

10.45	100	Trichozole
18.15	100	✓ Trichozole
25.00	100 ml	✓ Flagyl-S
	10	✓ Flagyl
23.00	10	✓ Arrow-Ornidazole

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per \$ Manufacturer

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.
- 100 Lamprene \$29

CYCLOSERINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.
- 100 King S29

DAPSONE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist

Tab 25 mg95.0	00 100	✓ Dapsone
Tab 100 mg110.0	00 100	✓ <u>Dapsone</u>

ETHAMBUTOL HYDROCHLORIDE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician

Tab 100 mg	48.01	56	✓ Myambutol S29
Tab 400 mg	49.34	56	✓ Myambutol S29

ISONIAZID - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician, paediatrician, clinical microbiologist, dermatologist or public health physician

*	Tab 100 mg	0 100	✓ PSM
	Tab 100 mg with rifampicin 150 mg		✓ Rifinah
	Tab 150 mg with rifampicin 300 mg		✓ Rifinah

PARA-AMINO SALICYLIC ACID - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist.

✓ Paser S29

PROTIONAMIDE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Specialist must be an infectious disease specialist, clinical microbiologist or respiratory specialist.

✓ Peteha S29 100

PYRAZINAMIDE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician
- Tab 500 mg For pyrazinamide oral liquid formulation refer,

✓ AFT-Pyrazinamide 100 ✓ AFT-Pyrazinamide S29 S29

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

RIFABUTIN - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist
- Cap 150 mg For rifabutin oral liquid formulation refer, page

30 Mycobutin

RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy -Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Cap 150 mg55.75	100	✓ Rifadin
*	Cap 300 mg116.25	100	✓ Rifadin
*	Oral liq 100 mg per 5 ml	60 ml	✓ <u>Rifadin</u>

Antivirals

For eve preparations refer to Eve Preparations, Anti-Infective Preparations, page 216

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy 30 ✔ Hepsera Tab 10 mg670.00

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Fither:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamiyudine should be added to adefovir dipiyoxil if a patient develops documented resistance to adefovir dipiyoxil, defined as:

- i) raised serum ALT (> 1 \times ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR — Special Authority see SA1361 below — Retail pharmacy
Tab 0.5 mg400.00 30 ✔ Baraclude

⇒SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
 of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
 commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
 fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

 Tab 100 mg
 6.00
 28
 ✓ Zeffix

 Oral liq 5 mg per ml
 270.00
 240 ml
 ✓ Zeffix

⇒SA1360 | Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 vears for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA <100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic: and
 - Documented resistance to lamivudine, defined as:
 - 2.3 Patient has raised serum ALT (> 1 × ULN); and
 - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICI OVID

ACICLOVIR			
* Tab dispersible 200 mg	1.60	25	✓ Lovir
	5.38	56	✓ Lovir
	5.98	35	✓ Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	✓ Vaclovir
· ·	12.75	30	✓ Vaclovir
VALGANCICLOVIR - Special	Authority see SA1404 below – Retail pharmacy		
Tab 450 mg	1,050.00	60	✓ <u>Valcyte</u>

⇒SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months): and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1362 on the next

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 114

Tab 300 mg531.00 30 Viread

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamiyudine resistance detection of M204I/V mutation: or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation: or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased > 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I. M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 1 Patient is HBsAq positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil furnarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

BOCEPREVIR - Special Authority see SA1402 below - Retail pharmacy Cap 200 mg - Wastage claimable - see rule 3.3.2 on page

Victrelis 336

(Victrelis Cap 200 mg to be delisted 1 April 2017)

■ SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT: and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegulated interferon treatment; and
- 3 Any of the following:
 - 3.1 Patient was a responder relapser; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

Notes:

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10⁹ /l or Albumin <35 q/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 on the next page - [Xpharm]

No patient co-payment payable

Harvoni Tab 90 mg with sofosbuvir 400 mg24,363.46 28

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP).

Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),

1 OP ✓ Viekira Pak

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

1 OP

✓ Viekira Pak-RBV

Antiretrovirals

⇒SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Confirmed HIV infection: and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 × total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 500 cells/mm³.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$

Per

Manufacturer

Manufacturer

continued...

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretro-

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1364 on page 114 -	- Retail pharmacy		
Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg	190.15	90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29
ETRAVIRINE - Special Authority see SA1364 on page 114	- Retail pharmacy		
Tab 200 mg	770.00	60	✓ Intelence
NEVIRAPINE - Special Authority see SA1364 on page 114	- Retail pharmacy		
Tab 200 mg	65.00	60	✓ Nevirapine
			<u>Alphapharm</u>
Oral suspension 10 mg per ml	203.55	240 ml	Viramune
			Suspension

Nucleosides Reverse Transcriptase Inhibitors

ABACAVIR SULPHATE - Special Authority se	ee SA1364 on page 114 – Retail p	harmacy	
Tab 300 mg	229.00	60	Ziagen
Oral liq 20 mg per ml	256.31	240 ml OP	✓ Ziagen
ADAGAN (ID OLI) BULATE MITUL ANAIM (IDINIE	0 114 11 11 044004	444 5	

ABACAVIR SULPHATE WITH LAMIVUDINE - Special Authority see SA1364 on page 114 - Retail pharmacy

Note: abacavir with lamivudine (combination tablets) counts as two anti-retroviral medications for the purposes of the antiretroviral Special Authority. Tab 600 mg with lamivuding 200 m

iab 600 mg with lamivudine 300 mg	427.29	30	✔ Kivexa
DIDANOSINE [DDI] - Special Authority see SA1	364 on page 114 – Retail pharmacy		
Cap 125 mg	115.05	30	✓ Videx EC
Cap 200 mg	184.08	30	✓ Videx EC
Cap 250 mg	230.10	30	✓ Videx EC
Cap 400 mg	368.16	30	✓ Videx EC

(Videx EC Cap 125 mg to be delisted 1 July 2017)

(Videx EC Cap 200 mg to be delisted 1 July 2017)

(Videx EC Cap 250 mg to be delisted 1 July 2017)

(Videx EC Cap 400 mg to be delisted 1 July 2017)

EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPROXIL FUMARATE - Special Authority see SA1364 on page 114 Retail pharmacy

Note: Efavirenz with emtricitabine and tenofovir disoproxil fumarate counts as three anti-retroviral medications for the purposes of the anti-retroviral Special Authority

Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil

30 ✓ Atripla

	Subsidy (Manufacturer's P \$	rice) Subs Per	Fully Brand or idised Generic Manufacturer
EMTRICITABINE – Special Authority see SA1364 on page 114 – Cap 200 mg		30	✓ Emtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE Note: Emtricitabine with tenofovir disoproxil fumarate counts retroviral Special Authority The 200 promits to provide the provide formula for the country of the countr	as two anti-retr	oviral medication	ons for the purposes of the anti-
Tab 200 mg with tenofovir disoproxil fumarate 300 mg LAMIVUDINE – Special Authority see SA1364 on page 114 – Re Tab 150 mg	tail pharmacy	30 60	✓ Truvada ✓ Lamivudine
Oral liq 10 mg per ml		240 ml OP	Alphapharm ✓ 3TC
STAVUDINE [D4T] — Special Authority see SA1364 on page 114 Cap 40 mg Powder for oral soln 1 mg per ml (Zerit Cap 40 mg to be delisted 1 July 2017) (Zerit S29 Powder for oral soln 1 mg per ml to be delisted 1 July	– Retail pharmad 503.80 100.76		✓ Zerit ✓ Zerit \$29
ZIDOVUDINE [AZT] – Special Authority see SA1364 on page 114 Cap 100 mg Oral liq 10 mg per ml	4 – Retail pharma 152.25	acy 100 200 ml OP	✓ <u>Retrovir</u> ✓ <u>Retrovir</u>
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority see Note: zidovudine [AZT] with lamivudine (combination tablets) anti-retroviral Special Authority. Tab 300 mg with lamivudine 150 mg	counts as two a		
Protease Inhibitors			
ATAZANAVIR SULPHATE – Special Authority see SA1364 on page Cap 150 mg	568.34 757.79 ail pharmacy 837.50	oharmacy 60 60	✓ Reyataz✓ Reyataz✓ Prezista
Tab 600 mg INDINAVIR – Special Authority see SA1364 on page 114 – Retai Cap 200 mg Cap 400 mg	l pharmacy 519.75	60 360 180	✓ Prezista ✓ Crixivan ✓ Crixivan
LOPINAVIR WITH RITONAVIR — Special Authority see SA1364 of Tab 100 mg with ritonavir 25 mg	on page 114 – Re 183.75 735.00		✓ Kaletra✓ Kaletra✓ Kaletra
RITONAVIR – Special Authority see SA1364 on page 114 – Reta Tab 100 mgOral liq 80 mg per ml	il pharmacy 43.31	30 90 ml OP	✓ Norvir ✓ Norvir
Strand Transfer Inhibitors			
DOLUTEGRAVIR - Special Authority see SA1364 on page 114 - Tab 50 mg	1,090.00	30	✓ Tivicay
RALTEGRAVIR POTASSIUM – Special Authority see SA1364 on Tab 400 mg	·	ail pharmacy 60	✓ Isentress

[‡] safety cap

[▲]Three months supply may be dispensed at one time -once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Antiretrovirals - Additional Therapies

HIV Fusion Inhibitors

ENFUVIRTIDE - Special Authority see SA0845 below - Retail pharmacy

Powder for inj 90 mg per ml × 602,380.00 1 ✓ Fuzeon

(Fuzeon Powder for inj 90 mg per ml \times 60 to be delisted 1 June 2017)

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection; and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or
 - 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12: and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects. Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- a) Diagnosis
 - . Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- a) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

Subsidy (Manufacturer's Price)	Sul	Fully bsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist
- ✔ Roferon-A 1

INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline on the previous page
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

-, · · · · · · · · · · · · · · · · · · ·			,
Inj 18 m iu, 1.2 ml multidose pen	206.71	1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen	344.52	1	✓ Intron-A
Inj 60 m iu, 1.2 ml multidose pen		1	✓ Intron-A

PEGYLATED INTERFERON ALFA-2A - Special Authority see SA1400 below - Retail pharmacy

See prescribing guideline on the previous page			
Inj 180 mcg prefilled syringe	900.00	4	✓ Pegasys
Inj 135 mcg prefilled syringe × 4 with ribavirin tab 200 mg ×			
168	1 075 00	1 OP	✓ Pegaeve BRV

100	1,975.00	I UP	Pegasys RDV
			Combination Pack
Inj 180 mcg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$			
110	1 150 84	1 OP	✓ Penacyc DRV

Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times			
168	1,290.00	1 OP	✓ Pegasys RBV
			Combination Pack

⇒SA1400 | Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400.000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and

continued...

Combination Pack

119

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 3 Fither:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
 - 4 Patient is to be treated in combination with boceprevir; and
 - 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed: or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive: and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Fither:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease: and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV. HIV or HDV: and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mca once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet quidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Urinary Tract Infections				
HEXAMINE HIPPURATE				
* Tab 1 g	18.40	100		
-	(38.10)		Hi	iprex
NITROFURANTOIN				
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer,				
page 224	22.20	100	✓ N	ifuran
* Tab 100 mg	37.50	100	✓ N	ifuran
NORFLOXACIN				
Tab 400 mg – Subsidy by endorsement	13.50	100	✓ <u>A</u>	rrow-Norfloxacin
Only if prescribed for a patient with an uncomplicated urin- proven resistance to first line agents and the prescription is	•		responsive	to a first line agent or with

	Subsidy (Manufacturer's Pri		Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	✓ <u>A</u>	straZeneca
PYRIDOSTIGMINE BROMIDE	10.70	400	4	
▲ Tab 60 mg	42.79	100	✓ <u>M</u>	<u>estinon</u>
Non-Steroidal Anti-Inflammatory Drugs				
DICLOFENAC SODIUM				
* Tab EC 25 mg	1.30	50	✓ <u>D</u>	iclofenac Sandoz
* Tab 50 mg dispersible	1.50	20	✓ Vo	oltaren D
* Tab EC 50 mg		50	_	iclofenac Sandoz
* Tab long-acting 75 mg		500		po-Diclo SR
* Tab long-acting 100 mg		500	V A	po-Diclo SR
* Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on		5		altanan
PSO		5 10	_	oltaren oltaren
* Suppos 12.5 mg * Suppos 25 mg		10	_	oltaren oltaren
* Suppos 50 mg – Up to 10 supp available on a PSO		10		oltaren
* Suppos 100 mg		10		oltaren
IBUPROFEN		10	<u></u>	<u> </u>
* Tab 200 mg	0.45	1.000	₄∕ lh	ugesic
* Tab long-acting 800 mg		30	_	rufen SR
* Oral liq 20 mg per ml		200 ml	. —	enpaed
KETOPROFEN		200 1111	• .	on paou
* Cap long-acting 200 mg	12.07	28	4/0	ruvail SR
, , ,	12.07	20	• •	iuvali Sh
MEFENAMIC ACID	4.05			
* Cap 250 mg		50	D.	
	(9.16)	20	P	onstan
	0.50 (5.60)	20	D	onstan
NADDOVEN	(5.00)		г	Jiistaii
NAPROXEN	10.00	F00	N	oflow OFO
* Tab 250 mg		500 250	_	oflam 250
* Tab 500 mg * Tab long-acting 750 mg		230 90		oflam 500 aprosyn SR 750
* Tab long-acting 1 g		90	_	aprosyn SR 1000
		00	<u> </u>	иргозун он тооо
SULINDAC * Tab 100 mg	0 55	50	✓ A	alin
* Tab 100 mg * Tab 200 mg		50 50	V A	
· · · · · · · · · · · · · · · · · · ·	15.10	50	VA	CIIII
TENOXICAM	40.05	400		1 411
* Tab 20 mg		100 1	V A	lcotil
* Inj 20 mg vial	9.95	- 1	VA	ГІ
NSAIDs Other				
MELOXICAM - Special Authority see SA1034 on the next page	- Retail pharmacy			
* Tab 7.5 mg		30	✓ A	rrow-Meloxicam
-				

Subsidy acturer's Price)	Fi Subsidis	ully	Brand or Generic
\$	Per	1	Manufacturer

⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% - Special Authority see SA1289 below - Retail			
pharmacy	6.95	25 g OP	✓ Zostrix
	9.95	45 a OP	✓ Zostrix

■ SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

AURANOFIN		
Tab 3 mg68.99	60	✓ Ridaura s29 S29
114.98	100	✓ Ridaura s29 S29
HYDROXYCHLOROQUINE		
* Tab 200 mg10.50	100	✓ Plaquenil
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ Arava
Tab 20 mg76.00	30	✓ Arava
PENICILLAMINE		
Tab 125 mg67.23	100	D-Penamine
Tab 250 mg110.12	100	✓ D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	10	✓ Myocrisin
Inj 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause – Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Note); or

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause – glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
 - 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
 - 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM – Special Authority see SA1039 on page * Tab 70 mg	123 – Retail pharr	nacy		
ALENDRONATE SODIUM WITH COLECALCIFEROL - Special Au	12.90	4	✓ Fo	osamax
* Tab 70 mg with colecalciferol 5,600 iu				etail pharmacy osamax Plus

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity: or
 - 2.3 Bone, articular or neurological complications; or

- 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
- 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM - Special Authority see SA0949 above -	- Retail pharmacy		
* Tab 40 mg	133.00	30	✓ Fosamax
Other Treatments			
ETIDRONATE DISODIUM - See prescribing guideline below			

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	6.80	1	✓ Pamisol
Inj 6 mg per ml, 10 ml vial		1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial		1	✓ Pamisol
RALOXIFENE HYDROCHLORIDE - Special Authority see SA	1138 below – Retail	pharmacy	
* Tah 60 mg	53.76	28	✓ Fvista

⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or

continued...

100

Arrow-Etidronate

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM

✓ Risedronate Sandoz Risedronate Sandoz to be Sole Supply on 1 April 2017

TERIPARATIDE - Special Authority see SA1139 below - Retail pharmacy

✔ Forteo

⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial - Special Authority see 100 ml OP ✓ Aclasta SA1187 on the next page – Retail pharmacy600.00

Subsidy (Manufacturer's Price) S

Fully Subsidised Per Brand or Generic Manufacturer

■SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- our.
 - 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
 - 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note);
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

	OPURINOL Tab 100 mg15.11	1,000	✓ <u>Allopurinol-Apotex</u> ✓ Apo-Allopurinol
*	Tab 300 mg - For allopurinol oral liquid formulation refer,		
	page 22415.91	500	✓ <u>Allopurinol-Apotex</u> ✓ Apo-Allopurinol
/An	a Allanurinal Tah 100 mg ta ha dalistad 1 Juna 2017)		

100 529

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ (Apo-Allopurinol Tab 300 mg to be delisted 1 June 2017) BENZBROMARONE - Special Authority see SA1537 below - Retail pharmacy ✓ Benzbromaron AL 100 Tab 100 mg45.00

⇒SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout: and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose: or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function;
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatologv.org.nz/home/resources-2/

COLCHICINE		
* Tab 500 mcg10.08	100	Colgout
FEBUXOSTAT - Special Authority see SA1538 on the next page - Retail pharmacy		
Tab 80 mg39.50	28	Adenuric
Tab 120 mg39.50	28	✓ Adenuric

129

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

Muscle Relaxants

BACLOFEN

*	Tab 10 mg - For baclofen oral liquid formulation refer, page			
	224	3.85	100	✓ Pacifen
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement	11.55	1	✓ Lioresal Intrathecal
	Subsidised only for use in a programmable pump in patients caused intolerable side effects and the prescription is endorse		, ,	nts have been ineffective or have
	Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement	209.29	1	Lioresal Intrathecal
	Subsidised only for use in a programmable pump in patients caused intolerable side effects and the prescription is endorse			nts have been ineffective or have
DA	NTROLENE			
	Can 25 mg	65.00	100	A Dontrium

Cap 25 mg	65.00	100	Dantrium
Cap 50 mg	77.00	100	✓ Dantrium S29 S29 ✓ Dantrium
ORPHENADRINE CITRATE			
Tab 100 mg	18.54	100	✓ Norflex

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and Related Agents			
AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Movapo
BROMOCRIPTINE MESYLATE			
* Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	28.00	100	✓ Entapone
EVODOPA WITH BENSERAZIDE			
* Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar Rapid
Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
★ Cap 100 mg with benserazide 25 mg	12.50	100	✓ Madopar 125
Cap long-acting 100 mg with benserazide 25 mg	17.00	100	✓ Madopar HBS
Cap 200 mg with benserazide 50 mg	25.00	100	Madopar 250
EVODOPA WITH CARBIDOPA			
★ Tab 100 mg with carbidopa 25 mg - For levodopa with ca	ır-		
bidopa oral liquid formulation refer, page 224		100	✓ Kinson
			✓ Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg		100	✓ Sinemet CR
Fab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg		100	✓ Ramipex
▲ Tab 1 mg	24.39	100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	2.78	100	✓ Apo-Ropinirole
▲ Tab 1 mg	5.00	100	✓ Apo-Ropinirole
▲ Tab 2 mg		100	✓ Apo-Ropinirole
Tab 5 mg	16.51	100	Apo-Ropinirole
SELEGILINE HYDROCHLORIDE			
₭ Tab 5 mg	22.00	100	✓ Apo-Selegiline
			S29 S29
OLCAPONE			
▲ Tab 100 mg	132.50	100	✓ Tasmar
Tasmar to be Sole Supply on 1 February 2017			
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7 99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
··) · ··· • - · · · · - · · · · · · · · · · · ·	190.00	10	✓ Omega S29
a) Up to 10 inj available on a PSO b) Only on a PSO	100.00	10	· Omogu

	Subsidy (Manufacturer's Price) \$) Per	Fully Subsidised	Brand or Generic Manufacturer
PROCYCLIDINE HYDROCHLORIDE Tab 5 mg Agents for Essential Tremor, Chorea and Related		100	✓ K	emadrin
RILUZOLE – Special Authority see SA1403 below – Retail pharma				
Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	•	56	✓ R	ilutek
▶SA1403 Special Authority for Subsidy	et Δnorovale valid	d for 6	months for	r annlications meeting the

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
 - 5.1 The patient is ambulatory; or
 - 5.2 The patient is able to use upper limbs; or
 - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
 - 3.1 The patient is ambulatory; or
 - 3.2 The patient is able to use upper limbs; or

Gel 2%, 10 ml urethral syringe – Subsidy by endorsement................43.26

3.3 The patient is able to swallow.

a) Up to 5 each available on a PSO

TF	۲RA	١RF	NAZ	INE

112 ✓ Motetis

Anaesthetics

LIDOCAINE [LIGNOCAINE]

Local

b) Subsidised only if prescribed for urethral or cervical adn	ninistration and t	he prescriptio	n is endorsed accordingly.
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE			
Oral (viscous) soln 2%	55.00	200 ml	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓ Lidocaine-Claris
	17.50	50	
	(35.00)		Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	✓ Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris
	12.00	5	
	(20.00)		Xylocaine
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris

✔ Pfizer

10

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes -				
Subsidy by endorsement	43.26	10	✓ Pf	fizer
a) Up to 5 each available on a PSO				
b) Subsidised only if prescribed for urethral or cervical adm	ninistration and the pr	escrip	otion is endo	rsed accordingly.

Topical Local Anaesthetics

■ SA0906 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authority see SA0906 a	bove - Retail pharn	nacy	
Crm 4%	27.00	30 g OP	✓ LMX4
Crm 4% (5 g tubes)	27.00	5	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Aut	thority see SA0906	above - Reta	il pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	EMLA

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 122

Non-opioid Analgesics

For aspirin & chloroform application refer Standard Formulae, pa	ge 227		
ASPIRIN			
* Tab dispersible 300 mg - Up to 30 tab available on a PSO.	3.90	100	Ethics Aspirin
CAPSAICIN - Subsidy by endorsement			
Subsidised only if prescribed for post-herpetic neuralgia or accordingly.	diabetic periphe	ral neuropathy	and the prescription is endorsed
Crm 0.075%	12.50	45 g OP	✓ Zostrix HP
NEFOPAM HYDROCHLORIDE		· ·	
Tab 30 mg	23.40	90	✓ Acupan
· ·	20.40	30	Acupan
PARACETAMOL			
* Tab 500 mg - Up to 30 tab available on a PSO	8.47	1,000	Pharmacare
*‡ Oral liq 120 mg per 5 ml	4.15	1,000 ml	✓ Paracare
a) Up to 200 ml available on a PSO			
b) Not in combination			
*‡ Oral liq 250 mg per 5 ml	4.35	1.000 ml	✓ Paracare Double
· + · · · · · · · · · · · · · · · · · ·		.,	Strength
a) Up to 100 ml available on a PSO			<u> </u>
b) Not in combination			
* Suppos 125 mg	3 60	10	✓ Gacet
		10	·
* Suppos 250 mg	3./9	10	✓ <u>Gacet</u>

50

✔ Paracare

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Opioid Analgesics				
CODEINE PHOSPHATE - Safety medicine; prescriber may deteri	mine dispensing free	quency	/	
Tab 15 mg	4.75	100	✓ P	SM
Tab 30 mg	5.80	100	✓ P	SM
Tab 60 mg	12.50	100	✓ P	SM
IHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	9.55	60	✓ D	HC Continus
		00	* =	110 00111111100
ENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequency	•	40		accelera and Mode
Inj 50 mcg per ml, 2 ml ampoule		10	_	oucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10	_	oucher and Muir
Patch 12.5 mcg per hour		5		entanyl Sandoz
Patch 25 mcg per hour		5		entanyl Sandoz
Patch 50 mcg per hour		5		entanyl Sandoz
Patch 100 mag per hour		5 5		entanyl Sandoz
Patch 100 mcg per hour	11.29	Э	V F	entanyl Sandoz
IETHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be re		of the	o chaanast	form available (mothad
powder, not methadone tablets).	imbursed at the rate	or trie	cileapesi	ioitti avallable (Illetilau
e) For methadone hydrochloride oral liquid refer Standard Forn	mulae nage 227			
Tab 5 mg		10	✓ N	lethatabs
Oral lig 2 mg per ml		200 ml		iodone
Oral lig 5 mg per ml		200 ml		iodone Forte
Oral lig 10 mg per ml		200 ml	_	iodone Extra Forte
Inj 10 mg per ml, 1 ml		10	V A	
DRPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing frequ	IANCV			
Oral lig 1 mg per ml	•	200 ml	√ ₽	A-Morph
Oral lig 2 mg per ml		200 ml	. —	A-Morph
One life for a second		200 1111		A Manuala

200 ml

200 ml

✓ RA-Morph

✓ RA-Morph

‡ ‡ ‡

Oral liq 10 mg per ml26.00

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	<u> </u>	Per		Manufacturer
MORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing freq	juency			
Tab immediate-release 10 mg	2.80	10	√ <u>9</u>	Sevredol
Tab long-acting 10 mg	1.93	10	V <u>I</u>	Arrow-Morphine LA
Tab immediate-release 20 mg	5.52	10	✓ <u>S</u>	Sevredol
Tab long-acting 30 mg	2.85	10	V <u>B</u>	Arrow-Morphine LA
Tab long-acting 60 mg	5.60	10	V <u>B</u>	Arrow-Morphine LA
Tab long-acting 100 mg	6.10	10	V <u>I</u>	Arrow-Morphine LA
Cap long-acting 10 mg	1.70	10	✓ n	n-Eslon
Cap long-acting 30 mg	2.50	10	✓ n	n-Eslon
Cap long-acting 60 mg	5.40	10	✓ n	n-Eslon
Cap long-acting 100 mg	6.38	10	✓ n	n-Eslon
Inj 5 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSC	D12.48	5	✓ <u>[</u>	OBL Morphine
				Sulphate
Inj 10 mg per ml, 1 ml ampoule - Up to 5 inj available on a				
PSO	9.09	5	/ [OBL Morphine
				Sulphate
Inj 15 mg per ml, 1 ml ampoule - Up to 5 inj available on a				
PSO	9.77	5	/ [OBL Morphine
			_	Sulphate
Inj 30 mg per ml, 1 ml ampoule - Up to 5 inj available on a				
PSO		5	/ [OBL Morphine
				<u>Sulphate</u>
MORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing freq	juency			
Inj 80 mg per ml, 1.5 ml ampoule	42.72	5	/ [OBL Morphine
, , , , ,			_	Tartrate
Inj 80 mg per ml, 5 ml	107.67	5	√ ⊦	lospira
OXYCODONE HYDROCHLORIDE				·
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing freq	ulenov			
Tab controlled-release 5 mg		20	✓ E	RNM
Tab controlled-release 10 mg		20	_	BNM
Tab controlled-release 20 mg		20	✓ E	
Tab controlled-release 40 mg		20	\(\bullet\)	
Tab controlled-release 80 mg		20	\(\bullet\)	
Cap immediate-release 5 mg		20	_	DxyNorm
Cap immediate-release 5 mg		20	_	DxyNorm DxyNorm
Cap immediate-release 10 mg		20		DxyNorm DxyNorm
•		20 !50 m	_	DxyNorm DxyNorm
‡ Oral liq 5 mg per 5 ml		5		DxyNorm
, , , ,		5 5	_	DxyNorm DxyNorm
Inj 10 mg per ml, 2 ml ampoule		5 5		DxyNorm DxyNorm
Inj 50 mg per ml, 1 ml ampoule			_	JAYINUIIII
PARACETAMOL WITH CODEINE - Safety medicine; prescriber r	,	•		
* Tab paracetamol 500 mg with codeine phosphate 8 mg	21.06	1,000	✓ <u>F</u>	Paracetamol +

Codeine (Relieve)

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. ‡ safety cap *Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
-	ą	rei		Manuacturer
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable	auonov.			
c) Safety medicine; prescriber may determine dispensing free Tab 50 mg		10	✓ F	MOC
Tab 100 mg		10	_	PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	·	OBL Pethidine
ing do mg por mi, 1 mi — op to o ing available on a 1 oo		Ŭ	· <u>-</u>	Hydrochloride
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.83	5	/ [OBL Pethidine
, , ,			_	Hydrochloride
TRAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg	2.00	20	v 1	Tramal SR 100
Tab sustained-release 150 mg		20	_	Framal SR 150
Tab sustained-release 200 mg		20	√ 1	Tramal SR 200
Cap 50 mg - For tramadol hydrochloride oral liquid formula-			_	
tion refer, page 224		100	V 1	Arrow-Tramadol
Antidepressants				
Cyclic and Related Agents				
AMITRIPTYLINE - Safety medicine; prescriber may determine d				
Tab 10 mg		100		Arrow-Amitriptyline
Tab 25 mg		100	_	Arrow-Amitriptyline
Tab 50 mg	2.82	100	V <u>I</u>	Arrow-Amitriptyline
CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; prescr	iber may determine di	spens	ing freque	ncy
Tab 10 mg	12.60	100		Apo-Clomipramine
Tab 25 mg	8.68	100	V <u>I</u>	Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE - Safety medicine; prescriber n	nay determine dispen	sing fr	equency	
Tab 75 mg		100		Dopress
Cap 25 mg	6.45	100	~ [Dopress
DOXEPIN HYDROCHLORIDE - Safety medicine; prescriber ma	v determine dispensir	na frec	uencv	
Cap 10 mg	,	100		Anten
Cap 25 mg	6.86	100	V 1	Anten
Cap 50 mg	8.55	100	V	Anten
IMIPRAMINE HYDROCHLORIDE - Safety medicine; prescriber	may determine dispe	nsina	frequency	
Tab 10 mg		50		Tofranil
3	6.58	60		Tofranil s29 S29
	10.96	100		Tofranil
Tab 25 mg		50		Tofranil
MAPROTILINE HYDROCHLORIDE – Safety medicine; prescribe		oncin	a fraguanc	v.
Tab 25 mg		30		^y _udiomil
140 20 Hig	12.53	50		_udiomil
	25.06	100		_udiomil
Tab 75 mg		20		_udiomil
	21.01	30		_udiomil
NODTDIDTYLINE HYDDOCHLODIDE Cofoty modicines proces				
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescr Tab 10 mg	•	100		ency Norpress
ιαν ιν IIIy		100	<u> </u>	101 P1 C22

180

✓ Norpress

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
Monoamine-Oxidase Inhibitors (MAOIs) - Non S	Selective			
PHENELZINE SULPHATE				
* Tab 15 mg	95.00	100	~	Nardil
TRANYLCYPROMINE SULPHATE * Tab 10 mg	22.94	50	~	Parnate
Monoamine-Oxidase Type A Inhibitors				
MOCLOBEMIDE				
* Tab 150 mg	85.10	500	~	Apo-Moclobemide
* Tab 300 mg	30.70	100	~	Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE				
* Tab 20 mg	1.79	84	~	PSM Citalopram
ESCITALOPRAM				
* Tab 10 mg		28	~	Air Flow Products
* Tab 20 mg	2.40	28	~	Air Flow Products
FLUOXETINE HYDROCHLORIDE				
* Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement		30		Arrow-Fluoxetine
 When prescribed for a patient who cannot swallow who or 	le tablets or capsules a	nd the	prescript	ion is endorsed according
When prescribed in a daily dose that is not a multiple of Note: Tablets should be combined with capsules to facilities.				is deemed to be endorse
* Cap 20 mg	1.99	90	~	Arrow-Fluoxetine
PAROXETINE HYDROCHLORIDE				
* Tab 20 mg	4.32	90	~	Loxamine
SERTRALINE				
Tab 50 mg	3.05	90	~	Arrow-Sertraline
Tab 100 mg	5.25	90	/	Arrow-Sertraline
Other Antidepressants				
MIRTAZAPINE				
Tab 30 mg	2.55	30	~	Apo-Mirtazapine
Tab 45 mg	3.25	30	~	Apo-Mirtazapine

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
VENLAFAXINE				
Tab 37.5 mg	5.06	28		rrow-Venlafaxine XR
Tab 75 mg	6.44	28		rrow-Venlafaxine XR
Tab 150 mg	8.86	28		rrow-Venlafaxine XR
Tab 225 mg	14.34	28		rrow-Venlafaxine XR
Cap 37.5 mg - Special Authority see SA1061 below - Retail				
pharmacy	5.69	28	✓ Ef	fexor XR
Cap 75 mg - Special Authority see SA1061 below - Retail pharmacy	11.40	28	✓ Ef	fexor XR
Cap 150 mg - Special Authority see SA1061 below - Retail				
pharmacy	13.98	28	✓ Ef	fexor XR

⇒SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml19.00	5	✓ Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement	5	✔ Hospira
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg - Up to 5 tube available on a PSO33.07	5	✓ Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO40.87	5	Stesolid
PARALDEHYDE * Inj 5 ml1,500.00	5	✓ AFT

	Subsidy (Manufacturer's P	,	Fully Brand or soldised Generic Manufacturer
	\$	Per	✓ Manufacturer
PHENYTOIN SODIUM * Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on PSO		5	✓ Hospira
* Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on PSO	а	5	✓ <u>Hospira</u>
Control of Epilepsy			
CARBAMAZEPINE			
* Tab 200 mg	14.53	100	✓ Tegretol
* Tab long-acting 200 mg	16.98	100	✓ Tegretol CR
* Tab 400 mg		100	✓ Tegretol
* Tab long-acting 400 mg		100	✓ Tegretol CR
*‡ Oral liq 20 mg per ml	26.37	250 ml	✓ Tegretol
CLOBAZAM – Safety medicine; prescriber may determine disp Tab 10 mg	9.12	50	✓ Frisium
CLONAZEPAM – Safety medicine; prescriber may determine d		M./	
† Oral drops 2.5 mg per ml		10 ml OP	✔ Rivotril
ETHOSUXIMIDE			
Cap 250 mg		100	✓ Zarontin
	32.90	200	Zarontin
‡ Oral liq 250 mg per 5 ml	13.60	200 ml	✓ Zarontin
GABAPENTIN - Special Authority see SA1477 below - Retail	pharmacy		
▲ Cap 100 mg	7.16	100	Arrow-Gabapentin
			✓ Neurontin
			✓ Nupentin
▲ Cap 300 mg - For gabapentin oral liquid formulation refe	•		
page 224	11.00	100	✓ Arrow-Gabapentin
			✓ Neurontin
			Nupentin
▲ Cap 400 mg	13.75	100	✓ Arrow-Gabapentin
			Neurontin
			✓ Nupentin

⇒SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 The patient has been diagnosed with neuropathic pain; or

NERVOUS SYSTEM

Subsidy		Fully	Brand or
(Manufacturer's Price)	5	Subsidised	Generic
\$	Per	/	Manufacturer

continued...

- 2 Both:
 - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
 - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LA(COSAMIDE – Special Authority see SA1125 below – I	Retail pharmacy		
\blacktriangle	Tab 50 mg	25.04	14	Vimpat
\blacktriangle	Tab 100 mg	50.06	14	✓ Vimpat
	-	200.24	56	✓ Vimpat
\blacktriangle	Tab 150 mg	75.10	14	Vimpat
	Ç	300.40	56	✓ Vimpat
\blacktriangle	Tab 200 mg	400.55	56	✓ Vimpat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
LAMOTRIANIE	Ψ	101		Wandadarer
LAMOTRIGINE	0.74	00		Lamiatal
Tab dispersible 2 mg		30		Lamictal
▲ Tab dispersible 5 mg		30		Lamictal
A Tab diamentible OF man	15.00	56		Arrow-Lamotrigine
▲ Tab dispersible 25 mg		56		Motrig
	19.38			Logem
	20.40			Arrow-Lamotrigine Lamictal
A Tab dianaraible 50 mg	29.09	EG		Motrig
▲ Tab dispersible 50 mg		56		•
	32.97			Logem
	34.70			Arrow-Lamotrigine
A Tab diamentilla 100 mm	47.89	F.C		Lamictal
▲ Tab dispersible 100 mg		56		Motrig
	56.91			Logem
	59.90			Arrow-Lamotrigine
	79.16		•	Lamictal
LEVETIRACETAM				
Tab 250 mg	24.03	60	~	Everet
Tab 500 mg - For levetiracetam oral liquid formulation refer,				
page 224	28.71	60	~	Everet
Tab 750 mg		60	~	Everet
Tab 1,000 mg		60	~	Everet
PHENOBARBITONE	. 007			
For phenobarbitone oral liquid refer Standard Formulae, page		E00		DCM
* Tab 15 mg		500		PSM PSM
* Tab 30 mg	31.00	500	•	<u>PSM</u>
PHENYTOIN SODIUM				
* Tab 50 mg	50.51	200	~	Dilantin Infatab
Cap 30 mg	22.00	200	~	Dilantin
Cap 100 mg	19.79	200	~	Dilantin
*‡ Oral liq 30 mg per 5 ml	22.03	00 m	/	Dilantin
PRIMIDONE				
* Tab 250 mg	17 25	100	~	Apo-Primidone
-	17.23	100	•	Apo-i illillaone
SODIUM VALPROATE				
Tab 100 mg		100		Epilim Crushable
Tab 200 mg EC		100		Epilim
Tab 500 mg EC		100		Epilim
*‡ Oral liq 200 mg per 5 ml	20.48	300 m		Epilim S/F Liquid
				Epilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	~	Epilim IV
STIRIPENTOL - Special Authority see SA1330 on the next page	- Retail pharmacy			
Cap 250 mg		60	V	Diacomit S29
Powder for oral liq 250 mg sachet	509.29	60	•	Diacomit \$29

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
 - 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

\blacksquare	Tab 25 mg11.07	60	Arrow-Topiramate
			✓ Topiramate Actavis
	26.04		✓ Topamax
\blacktriangle	Tab 50 mg18.81	60	Arrow-Topiramate
	•		✓ Topiramate Actavis
	44.26		✓ Topamax
\blacktriangle	Tab 100 mg31.99	60	✓ Arrow-Topiramate
	•		✓ Topiramate Actavis
	75.25		✓ Topamax
\blacktriangle	Tab 200 mg55.19	60	Arrow-Topiramate
	-		✓ Topiramate Actavis
	129.85		✓ Topamax
\blacktriangle	Sprinkle cap 15 mg20.84	60	✓ Topamax
\blacktriangle	Sprinkle cap 25 mg26.04	60	✓ Topamax
VIG	ABATRIN - Special Authority see SA1072 below - Retail pharmacy		
\blacktriangle	Tab 500 mg	100	✓ Sabril

⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Fither:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy		Illy Brand o	
(Manufacturer's F	Price) Subsidis	ed Generic	;
\$	Per	Manufac	cturer

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Fither:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 122

Acute Migraine Treatment		
ERGOTAMINE TARTRATE WITH CAFFEINE		
Tab 1 mg with caffeine 100 mg31.00	100	✓ Cafergot
		✓ Cafergot S29 S29
RIZATRIPTAN		
Tab orodispersible 10 mg3.24	12	✓ <u>Rizamelt</u>
8.10	30	✓ Rizamelt
SUMATRIPTAN		
Tab 50 mg29.80	100	Arrow-Sumatriptan
Tab 100 mg54.80	100	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml cartridge – Maximum of 10 inj per		
prescription13.80	2 OP	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per		
prescription	2 OP	✓ Sun Pharma S29
(Arrow-Sumatriptan Inj 12 mg per ml, 0.5 ml cartridge to be delisted 1 July 2017)		
Prophylaxis of Migraine		
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 58		
PIZOTIFEN		
* Tab 500 mcg23.21	100	✓ <u>Sandomigran</u>
Antinausea and Vertigo Agents		
For Antispasmodics refer to ALIMENTARY TRACT, page 22		
APREPITANT - Special Authority see SA0987 on the next page - Retail pharmacy		
Cap 2 \times 80 mg and 1 \times 125 mg100.00	3 OP	✓ Emend Tri-Pack

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	~	Manufacturer	

⇒SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE * Tab 16 mg	84	✓ <u>Vergo 16</u>
CYCLIZINE HYDROCHLORIDE Tab 50 mg	20	✓ Nauzene
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml14.95	5	✓ Nausicalm
DOMPERIDONE		
* Tab 10 mg - For domperidone oral liquid formulation refer, page 224	100	✓ <u>Prokinex</u>
GRANISETRON * Tab 1 mg	50	✓ Granirex
* Tab 1 mg5.98 HYOSCINE HYDROBROMIDE	50	Grannex
* Inj 400 mcg per ml, 1 ml ampoule	5	✓ Hospira
93.00	10	✓ Martindale S29
Patch 1.5 mg – Special Authority see SA1387 below – Retail pharmacy	2	✓ Scopoderm TTS

■ SA1387 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE

*	Tab 10 mg - For metoclopramide hydrochloride oral liquid formulation refer, page 2241.82	100	✓ Metamide
	71 0		
*	Inj 5 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO4.50	10	✓ Pfizer
ON	DANSETRON		
*	Tab 4 mg5.51		✓ Onrex
*	Tab disp 4 mg1.00	10	✓ Dr Reddy's
			Ondansetron
*	Tab 8 mg6.19	50	✓ Onrex
*	Tab disp 8 mg1.50	10	Ondansetron
			ODT-DRLA
PR	OCHLORPERAZINE		
*	Tab 3 mg buccal5.97	50	
	(15.00)	Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO	500	✓ Antinaus
*	Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO25.81	10	✓ Stemetil
	, 31 , ,		

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PROMETHAZINE THEOCLATE				
* Tab 25 mg	1.20 (6.24)	10	А	vomine
Antipsychotics				
General				
AMISULPRIDE - Safety medicine; prescriber may determine dis	pensing frequency			
Tab 100 mg	4.56	30		olian ulprix
Sulprix to be Sole Supply on 1 February 2017				•
Tab 200 mg	14.75	60		olian ulprix
Sulprix to be Sole Supply on 1 February 2017				
Tab 400 mg	27.70	60		olian ulprix
Sulprix to be Sole Supply on 1 February 2017				•
Oral liq 100 mg per ml(Solian Tab 100 mg to be delisted 1 February 2017) (Solian Tab 200 mg to be delisted 1 February 2017) (Solian Tab 400 mg to be delisted 1 February 2017)	65.53	60 ml	√ <u>S</u>	<u>olian</u>
ARIPIPRAZOLE – Special Authority see SA1539 below – Retail Safety medicine; prescriber may determine dispensing frequing	,			
Tab 5 mg - No more than 1 tab per day	123.54	30		bilify
Tab 10 mg		30		bilify
Tab 15 mg		30		bilify
Tab 20 mg	213.42	30	✓ A	bilify

■ SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Patient is suffering from schizophrenia or related psychoses; and

- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

continued...

30

' Abilify

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

Note: Indications marked with * are Unapproved Indications			
CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescri	riber may dete	ermine dispens	sing frequency
Tab 10 mg - Up to 30 tab available on a PSO	12.36	100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	✓ Largactil
CLOZAPINE – Hospital pharmacy [HP4]			-
Safety medicine; prescriber may determine dispensing frequence	v		
Tab 25 mg	•	50	✓ Clozaril
1ab 25 mg	6.69	30	✓ Clopine
	11.36	100	✓ Clozaril
	13.37	100	✓ Clopine
Tab 50 mg		50	✓ Clopine
1ab 50 Hig	17.33	100	✓ Clopine
Tab 100 mg		50	✓ Clopine ✓ Clozaril
1ab 100 mg	17.33	50	✓ Clopine
	29.45	100	✓ Clopine ✓ Clozaril
	29.45 34.65	100	✓ Clopine
Tab 200 mg		50	✓ Clopine
1ab 200 mg		50	
Cuananaian E0 mg nay ml	69.30	100	✓ Clopine
Suspension 50 mg per ml		100 ml	✓ Clopine
HALOPERIDOL - Safety medicine; prescriber may determine dispe			
Tab 500 mcg - Up to 30 tab available on a PSO		100	✓ Serenace
Tab 1.5 mg - Up to 30 tab available on a PSO	9.43	100	Serenace
Tab 5 mg - Up to 30 tab available on a PSO	29.72	100	Serenace
Oral liq 2 mg per ml - Up to 200 ml available on a PSO		100 ml	Serenace
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	21.55	10	Serenace
LEVOMEPROMAZINE HYDROCHLORIDE - Safety medicine; pres	criber may de	termine disne	nsing frequency
Inj 25 mg per ml, 1 ml ampoule	•	10	✓ Wockhardt
LEVOMEPROMAZINE MALEATE – Safety medicine; prescriber ma			
Tab 25 mg		100	Nozinan
Tab 100 mg		100	✓ Nozinan
LITHIUM CARBONATE - Safety medicine; prescriber may determin	e dispensing	frequency	
Tab 250 mg	34.30	500	✓ Lithicarb FC
Tab 400 mg	12.83	100	✓ Lithicarb FC
Tab long-acting 400 mg	19.20	100	✓ Priadel
Cap 250 mg	9.42	100	✓ Douglas
OLANZAPINE – Safety medicine; prescriber may determine dispens	sina fraguency	,	
Tab 2.5 mg		28	✓ Zypine
Tab 5 mg		28	✓ Zypine ✓ Zypine
Tab orodispersible 5 mg		28	✓ Zypine ODT
Tab 10 mg		28	✓ Zypine ODT
Tab orodispersible 10 mg		28	✓ Zypine ODT
ian orogishersine to tild	3.00	20	₩ <u>∠ypine obi</u>

	Subsidy (Manufacturer's Price)	Per	Full Subsidised	
PERICYAZINE - Safety medicine; prescriber may determine disp	ensing frequency			
Tab 2.5 mg	12.49	100	~	Neulactil
Tab 10 mg	44.45	100	~	Neulactil
QUETIAPINE - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 25 mg	2.10	90	~	Quetapel
Tab 100 mg	4.20	90	~	Quetapel
Tab 200 mg	7.20	90	~	Quetapel
Tab 300 mg	12.00	90	~	Quetapel
RISPERIDONE – Safety medicine; prescriber may determine disp Tab orodispersible 0.5 mg – Special Authority see SA0927	0 , ,			
below – Retail pharmacy		28		Risperdal Quicklet
Tab 0.5 mg		60		<u>Actavis</u>
Tab 1 mg		60		<u>Actavis</u>
below – Retail pharmacy	42.84	28		Risperdal Quicklet
Tab 2 mg	2.34	60	~	<u>Actavis</u>
Tab orodispersible 2 mg - Special Authority see SA0927				
below – Retail pharmacy		28		Risperdal Quicklet
Tab 3 mg		60		<u>Actavis</u>
Tab 4 mg		60		Actavis
Oral liq 1 mg per ml		30 ml	~	Risperon
(Risperdal Quicklet Tab orodispersible 0.5 mg to be delisted 1 Jun (Risperdal Quicklet Tab orodispersible 1 mg to be delisted 1 June	,			

⇒SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

(Risperdal Quicklet Tab orodispersible 2 mg to be delisted 1 June 2017)

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid: and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
TRIFLUOPERAZINE HYDROCHLORIDE – Subsidy by endorseme a) Safety medicine; prescriber may determine dispensing frequency b) Subsidised for patients who were taking trifluoperazine hydrosed accordingly. Pharmacists may annotate the prescription trifluoperazine hydrochloride.	uency drochloride prior to			
Tab 1 mg	0.83	100	V	Stelazine
iab i nig	11.01	112	٠.	Mercury
	11.01	112	•	Pharma \$29
	19.75	100	./	Apo-
	19.75	100	•	•
				Trifluoperazine S29
Tab 2 mg	14.64	100	~	Stelazine
Tab 5 mg		100	~	Stelazine
•	26.23		~	Аро-
				Trifluoperazine S29
Stelazine Tab 5 mg to be delisted 1 July 2017) Apo-Trifluoperazine \$29 Tab 5 mg to be delisted 1 December 20 IPRASIDONE — Safety medicine; prescriber may determine disp Cap 20 mg	ensing frequency 14.56 24.75 33.87 39.74 criber may determine		ensing fre	
Tab 10 mg	31.45	100	•	Clopixol
Depot Injections				
FLUPENTHIXOL DECANOATE — Safety medicine; prescriber may Inj 20 mg per ml, 1 ml — Up to 5 inj available on a PSO	13.14 20.90	ng fre 5 5 5	~	Fluanxol Fluanxol Fluanxol
FLUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing freqi b) Subsidised for patients who were taking fluphenazine deca endorsed accordingly. Pharmacists may annotate the prescrip of fluphenazine decanoate. Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO	uency noate prior to 1 Dec tion as endorsed wh		r 2016 an ere exists	d the prescription or PSO i

5

5

✓ Modecate ✓ Modecate S29 S29

✓ Modecate

✓ Modecate S29 S29

Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO27.90

Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO77.25

	Subsidy (Manufacturer's Price)	Subs Per	Fully idised	Brand or Generic Manufacturer
HALOPERIDOL DECANOATE - Safety medicine; prescriber ma	y determine dispensin	g frequenc	;y	
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	28.39	5	∨ H	aldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓ H	aldol Concentrate aldol Decanoas (\$29)
OLANZAPINE - Special Authority see SA1428 below - Retail ph	narmacy			
Safety medicine; prescriber may determine dispensing frequency	ency			
Inj 210 mg vial	280.00	1	✓ Z	yprexa Relprevv
Inj 300 mg vial	460.00	1	✓ Z	yprexa Relprevv
Inj 405 mg vial	560.00	1	✓ Z	yprexa Relprevv

■SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 below - Retail pharmacy

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

al Consta	ta
al Consta	ta
al Consta	ta

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:

RIS

- 2.1 The patient has schizophrenia or other psychotic disorder; and
- 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml − Up to 5 inj available on a PSO19.80 5 **Clopixol**

Anxiolytics

Tal- 000 ----

ALPRAZOLAM - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking alprazolam prior to 1 December 2016 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of alprazolam.

1ab 250 mcg	∠.50	50	✓ Xanax
‡ Safety cap for extemporaneously compounded oral li	quid preparations.		
Tab 500 mcg	3.25	50	Xanax
‡ Safety cap for extemporaneously compounded oral li	quid preparations.		
Tab 1 mg	5.00	50	Xanax
‡ Safety cap for extemporaneously compounded oral li	quid preparations.		
BUSPIRONE HYDROCHLORIDE			
* Tab 5 mg	23.80	100	✓ Orion
* Tab 10 mg	14.96	100	✔ Orion
CLONAZEPAM - Safety medicine; prescriber may determine	dispensing frequency	/	
Tab 500 mcg	7.53	100	Paxam
Tab 2 mg	14.37	100	Paxam

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DIAZEPAM — Safety medicine; prescriber may determine dispensi Tab 2 mg ± Safety cap for extemporaneously compounded oral liquid	11.44	500	✓ A	rrow-Diazepam
Tab 5 mg	13.71	500	✓ A	rrow-Diazepam
LORAZEPAM – Safety medicine; prescriber may determine disper Tab 1 mg	. ,	250	✓ A	tivan
‡ Safety cap for extemporaneously compounded oral liquid	preparations.		_	
Tab 2.5 mg‡ Safety cap for extemporaneously compounded oral liquid		100	✓ <u>A</u>	<u>tivan</u>
OXAZEPAM – Safety medicine; prescriber may determine dispens Tab 10 mg	6.17	100	√ <u>0</u>	x-Pam
Tab 15 mg‡ Safety cap for extemporaneously compounded oral liquid	8.53	100	✓ <u>0</u>	x-Pam

Multiple Sclerosis Treatments

DIMETHYL FUMARATE - Special Authority see SA155	9 below – Retail pharmacy		
Wastage claimable - see rule 3.3.2 on page 13			
Cap 120 mg	520.00	14	Tecfidera
Cap 240 mg	2.000.00	56	Tecfidera

■ SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:

continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse;
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to dimethyl fumarate: or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 0.5 mg2,650.00 28 ✓ Gilenya

⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916

PHARMAC PO Box 10 254

Wellington

Phone: 04 460 4990 Facsimile: 04 916 7571

Email: mstaccoordinator@pharmac.govt.nz

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to fingolimod; and
- g) patients must have not previously had intolerance to fingolimod; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - a) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to fingolimod; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

continued...



Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

i)

- g) patients must have no previous history of lack of response to natalizumab; and
- h) patients must have not previously had intolerance to natalizumab; and
 - a) Patient is JC virus negative, or
 - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- i) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to natalizumab; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

28 ' Aubagio

⇒SA1560 | Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to teriflunomide: and
- g) patients must have not previously had intolerance to teriflunomide; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - a) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to teriflunomide: or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.



Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Other Multiple Sclerosis Treatments

⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or

20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist; and
- f) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- g) patients must have either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- h) patient will not be co-prescribed natalizumab or fingolimod.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression
 of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or f) 3.0 to 4.5; or
 - a) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating bin creasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564	on the previous page – [Xpharm]	
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	11564 on the previous pa	ge – [Xphar	m]
Inj 6 million iu prefilled syringe		4	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial		4	✓ Avonex
INTERFERON BETA-1-BETA - Special Authority see SA1	564 on the previous pag	e – [Xpharm]
Inj 8 million iu per 1 ml	1,322.89	15	Betaferon

Sedatives and Hypnotics

LORMETAZEPAM - Safety medicine; prescriber may deter	rmine dispensing frequenc	y	
Tab 1 mg	3.11	30	
•	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded ora	al liquid preparations.		

MIDAZOLAM — Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 5 ml ampoule				112111000001012111
Inj 1 mg per ml, 5 ml ampoule		(Manufacturer's Price)		ubsidised Generic
Inj 5 mg per ml, 3 ml ampoule	MIDAZOLAM – Safety medicine; prescriber may determine disp	pensing frequency		
Inj 5 mg per ml, 3 ml ampoule	Inj 1 mg per ml, 5 ml ampoule	4.30	10	
Inj 5 mg per ml, 3 ml ampoule		10.00		
(Hypnovel Inj 5 mg per ml, 3 ml ampoule to be delisted 1 July 2017) NITRAZEPAM — Safety medicine; prescriber may determine dispensing frequency Tab 5 mg	Ini 5 mg per ml. 3 ml ampoule		5	
(Hypnovel Inj 5 mg per ml, 3 ml ampoule to be delisted 1 July 2017) NITRAZEPAM — Safety medicine; prescriber may determine dispensing frequency Tab 5 mg	, - · · g p - · · · , - · · · · p - · · ·			
NITRAZEPAM — Safety medicine; prescriber may determine dispensing frequency Tab 5 mg				✓ Pfizer
Tab 5 mg	(Hypnovel Inj 5 mg per ml, 3 ml ampoule to be delisted 1 July 2	2017)		
‡ Safety cap for extemporaneously compounded oral liquid preparations. PHENOBARBITONE SODIUM — Special Authority see SA1386 below — Retail pharmacy Inj 200 mg per ml, 1 ml ampoule				4
PHENOBARBITONE SODIUM — Special Authority see SA1386 below — Retail pharmacy Inj 200 mg per ml, 1 ml ampoule			100	✓ <u>Nitrados</u>
Inj 200 mg per ml, 1 ml ampoule				
■ SA1386 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both: 1 For the treatment of terminal agitation that is unresponsive to other agents; and 2 The applicant is part of a multidisciplinary team working in palliative care. TEMAZEPAM - Safety medicine; prescriber may determine dispensing frequency Tab 10 mg				Moutindala 200
Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both: 1 For the treatment of terminal agitation that is unresponsive to other agents; and 2 The applicant is part of a multidisciplinary team working in palliative care. TEMAZEPAM — Safety medicine; prescriber may determine dispensing frequency Tab 10 mg		40.20	10	wartindale 529
Tab 10 mg	Both: 1 For the treatment of terminal agitation that is unresponse	•	d	
Tab 125 mcg	Tab 10 mg	1.27	25	✓ <u>Normison</u>
Tab 250 mcg	, ,,	5.10	100	Нурат
‡ Safety cap for extemporaneously compounded oral liquid preparations. ZOPICLONE — Safety medicine; prescriber may determine dispensing frequency Tab 7.5 mg		4.10	100	Uman
ZOPICLONE — Safety medicine; prescriber may determine dispensing frequency Tab 7.5 mg 8.99 500 ✓ Zopiclone Actavis Stimulants/ADHD Treatments ATOMOXETINE — Special Authority see SA1416 on the next page — Retail pharmacy Cap 10 mg 107.03 28 ✓ Strattera Cap 18 mg 107.03 28 ✓ Strattera Cap 25 mg 107.03 28 ✓ Strattera Cap 40 mg 107.03 28 ✓ Strattera Cap 40 mg 107.03 28 ✓ Strattera Cap 60 mg 107.03 28 ✓ Strattera Cap 80 mg 107.03 28 ✓ Strattera	† Safety can for extemporaneously compounded oral lig	, ,		пураті
Tab 7.5 mg 8.99 500 Zopiclone Actavis Stimulants/ADHD Treatments ATOMOXETINE − Special Authority see SA1416 on the next page − Retail pharmacy Cap 10 mg 107.03 28 ✓ Strattera Cap 18 mg 107.03 28 ✓ Strattera Cap 25 mg 107.03 28 ✓ Strattera Cap 40 mg 107.03 28 ✓ Strattera Cap 60 mg 107.03 28 ✓ Strattera Cap 80 mg 139.11 28 ✓ Strattera	. ,			
Stimulants/ADHD Treatments ATOMOXETINE − Special Authority see SA1416 on the next page − Retail pharmacy Cap 10 mg 107.03 28 ✓ Strattera Cap 18 mg 107.03 28 ✓ Strattera Cap 25 mg 107.03 28 ✓ Strattera Cap 40 mg 107.03 28 ✓ Strattera Cap 60 mg 107.03 28 ✓ Strattera Cap 80 mg 139.11 28 ✓ Strattera			500	✓ Zopiclone Actavis
Cap 10 mg 107.03 28 Strattera Cap 18 mg 107.03 28 Strattera Cap 25 mg 107.03 28 Strattera Cap 40 mg 107.03 28 Strattera Cap 60 mg 107.03 28 Strattera Cap 80 mg 139.11 28 Strattera Strattera Strattera	•			
Cap 10 mg 107.03 28 Strattera Cap 18 mg 107.03 28 Strattera Cap 25 mg 107.03 28 Strattera Cap 40 mg 107.03 28 Strattera Cap 60 mg 107.03 28 Strattera Cap 80 mg 139.11 28 Strattera Strattera Strattera	ATOMOXETINE - Special Authority see SA1416 on the next pa	age – Retail pharmacy		
Cap 25 mg			28	✓ Strattera
Cap 40 mg	1 0			
Cap 60 mg				
Cap 80 mg139.11 28 ✓ Strattera	_ '			
	. 5			

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing: and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

100 ✓ PSM

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 2 Fither:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

ing in oquonity		
3.20	30	Rubifen
	30	Ritalin
		Rubifen
7.85	30	Rubifen
10.95	30	Rubifen SR
50.00	100	Ritalin SR
	3.20 3.00 7.85 10.95	

⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	~	Manufacturer	

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

b) dalety inculcine, prescriber may determine dispensing	irequeries		
Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg	65.44	30	Concerta
Tab extended-release 36 mg	71.93	30	Concerta
Tab extended-release 54 mg	86.24	30	Concerta
Cap modified-release 10 mg		30	Ritalin LA
Cap modified-release 20 mg		30	Ritalin LA
Cap modified-release 30 mg		30	Ritalin LA
Cap modified-release 40 mg		30	Ritalin LA

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and

4 Fither:

- 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustainedrelease) which has not been effective due to significant administration and/or compliance difficulties; or
- 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL – Special Authority see SA1126 below – Retail pharmacy			
Tab 100 mg72	.50	30	✓ Modavigil

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more: and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 3 Fither:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamfetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE			
* Tab 5 mg	5.48	90	Donepezil-Rex
* Tab 10 mg	10.51	90	✓ Donepezil-Rex
RIVASTIGMINE - Special Authority see SA1488 below -	Retail pharmacy		
Patch 4.6 mg per 24 hour	90.00	30	Exelon
Patch 9.5 mg per 24 hour	90.00	30	✓ Exelon

⇒SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

		ic disperioring frequency	b) Galety medianic, presenter may determine a
Suboxone	28	57.40	Tab sublingual 2 mg with naloxone 0.5 mg
Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone: and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone):
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION	HYDROCHLORIDE

Tab modified-release 150 mg	11.00	30	Zyban
DISULFIRAM			
Tab 200 mg	44.30	100	Antabuse
NALTREXONE HYDROCHLORIDE - Special Authority see SA1408	below - Retail p	harmacy	
Tab 50 mg	131.00	30	✓ Naltraccord

⇒SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

ubsidy Ful sturer's Price) Subsidise		
\$ Per	✓ Manufacturer	

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Thought will not be furface under the Dispersing Frequency Fr	aic iii airioanto i	ood than + W	cono oi irodiinoni
Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	✓ <u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO	11.31	28	✓ <u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	✓ Habitrol
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	✓ <u>Habitrol</u>
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	✓ <u>Habitrol</u>
Gum 2 mg (Classic) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	✓ <u>Habitrol</u>
Gum 4 mg (Classic) - Up to 384 piece available on a PSO	25.67	384	✓ <u>Habitrol</u>
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	✓ <u>Habitrol</u>
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
hitsel Own Own (Observa) to be delicted AMench 0047)			·

(Habitrol Gum 2 mg (Classic) to be delisted 1 March 2017)

(Habitrol Gum 4 mg (Classic) to be delisted 1 March 2017)

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

✓ Champix	28		Tab 1 mg
Champix	56	135.48	
Champix	25 OP	< 11 and 1 mg × 1460.48	Tab 0.5 mg \times 11 and 1 mg \times 14

⇒SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Chemotherapeutic Agents

Alkylating Agents

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			•
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
, ,	20.00		✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	DBL Carboplatin
	19.50		✓ Carbaccord
	22.50		Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	DBL Carboplatin
	48.50		Carbaccord
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml vial	12.20	1	✓ DBL Cisplatin
iiij i iiig pei iiii, 50 iiii viai	15.00	'	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
ing i mg por mi, roo mi viai	22.46	•	✓ DBL Cisplatin
Inj 1 mg for ECP		1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		3	
	70.00	FO	✓ Endoxan S29
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	
Western deimakle and mile 0.000 an man 10	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13	25.02	1	✓ Endoxan
Inj 1 g vial – PCT – Retail pharmacy-Specialist	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
, , ,		11119	♥ Buxter
IFOSFAMIDE – PCT only – Specialist	00.00	_	. 🗸 11-1
Inj 1 g		1	✓ Holoxan
Inj 2 gInj 1 mg for ECP		1 mg	✓ Holoxan✓ Baxter
, ,	0.10	ring	Daxiei
LOMUSTINE - PCT - Retail pharmacy-Specialist			4.4
Cap 10 mg		20	CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	67.80	1	✓ Alkeran
	3,068.83		Mylan
			Melphalan S29

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	d Generic
OXALIPLATIN - PCT only - Specialist				
Inj 5 mg per ml, 10 ml vial	13.32	1	~	Oxaliccord
Inj 50 mg vial	15.32	1	~	Oxaliplatin Actavis 50
	55.00		~	Oxaliplatin Ebewe
	200.00		~	Eloxatin
Inj 100 mg vial	25.01	1	~	Oxaliplatin Actavis 100
	110.00		~	Oxaliplatin Ebewe
	400.00		~	Eloxatin
Inj 5 mg per ml, 20 ml vial	16.00	1	~	Oxaliccord
Inj 1 mg for ECP(Eloxatin Inj 50 mg vial to be delisted 1 April 2017) (Eloxatin Inj 100 mg vial to be delisted 1 April 2017)		1 mg	•	Baxter
THIOTEPA - PCT only - Specialist				
Inj 15 mg vial	CBS	1	1	Bedford \$29 THIO-TEPA \$29 Tepadina \$29
Inj 100 mg vial	CBS	1	~	Tepadina S29

Antimetabolites

AZACITIDINE - PCT only - Specialist - Special Authority see SA1467	below	
Inj 100 mg vial60	05.00 1 🗸 Vidaza	ı
Inj 1 mg for ECP	.6.66 1 mg	ŕ

⇒SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome: or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy (Manufacturer's Pri \$	ce) Sub Per	Fully Brand or sidised Generic Manufacturer
ALCIUM FOLINATE			
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	✓ Hospira
Inj 50 mg - PCT - Retail pharmacy-Specialist	18.25	5	Calcium Folinate Ebewe
Inj 100 mg - PCT only - Specialist	7.33	1	✓ Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	✓ Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ Baxter
APECITABINE - Retail pharmacy-Specialist		•	
Tab 150 mg	11.15	60	✓ Brinov
			✓ Capecitabine Winthrop
Brinov to be Sole Supply on 1 April 2017			
Tab 500 mg	62.28	120	✓ Brinov✓ CapecitabineWinthrop
Brinov to be Sole Supply on 1 April 2017 Capecitabine Winthrop Tab 150 mg to be delisted 1 April 2017) Capecitabine Winthrop Tab 500 mg to be delisted 1 April 2017)			
LADRIBINE - PCT only - Specialist			
Inj 1 mg per ml, 10 ml	5,249.72	7	✓ Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓ Baxter
YTARABINE			
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis	st55.00	5	✔ Pfizer
	80.00		Hospira
Inj 500 mg - PCT - Retail pharmacy-Specialist		1	✔ Pfizer
	95.36	5	✓ Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-			•
Specialist		1	✓ Pfizer
	42.65		✓ Hospira
Inj 100 mg per ml, 20 ml vial - PCT - Retail pharmacy-			4
Specialist		1	✓ Pfizer
Ini 1 ma for ECD DCT only Consistint	34.47	10	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist		10 mg 100 mg OP	✓ Baxter ✓ Baxter
, , , , , , , , , , , , , , , , , , , ,		100 mg Oi	Dantei
LUDARABINE PHOSPHATE	440.00	00	. / Florier - O - I
Tab 10 mg — PCT — Retail pharmacy-Specialist		20	Fludara Oral
Inj 50 mg vial – PCT only – Specialist		5	Fludarabine Ebew
Ini FO ma for ECD DCT only Chapitalist	1,430.00	50 ma OP	✓ Fludara ✓ Baxter
Inj 50 mg for ECP - PCT only - Specialist Fludara Inj 50 mg vial to be delisted 1 April 2017)	105.00	50 mg OP	₩ Daxler

	Subsidy		Fully	
1	(Manufacturer's P \$	rice) Per	Subsidised	I Generic ' Manufacturer
LUOROURACIL				
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist	10.00	1	~	Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml vial – PCT only – Specialist		1	-	Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial — PCT only — Specialist		i		Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist		100 mg		Baxter
		100 mg	•	Daxiei
EMCITABINE HYDROCHLORIDE – PCT only – Specialist	15.00	1		Gemcitabine Ebewe
lnj 1 g			-	
	62.50			DBL Gemcitabine
	349.20			Gemzar
Inj 200 mg		1	-	Gemcitabine Ebewe
	78.00			Gemzar
Inj 1 mg for ECP	0.02	1 mg	~	Baxter
INOTECAN HYDROCHLORIDE - PCT only - Specialist				
Inj 20 mg per ml, 2 ml vial	11 50	1	~	Irinotecan Actavis
ing 20 mg per mi, 2 mi viai		'	•	40
	44.00			
	41.00			Camptosar
				Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1		Irinotecan Actavis
				100
	100.00		~	Camptosar
			~	Irinotecan-Rex
Inj 1 mg for ECP	0.19	1 mg	~	Baxter
		3		
ERCAPTOPURINE – PCT – Retail pharmacy-Specialist	40.44	0.5		Devel makk at
Tab 50 mg	49.41	25	•	Puri-nethol
ETHOTREXATE				
Tab 2.5 mg - PCT - Retail pharmacy-Specialist	3.18	30	~	Trexate
Tab 10 mg - PCT - Retail pharmacy-Specialist		50	V	Trexate
Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5		Hospira
Inj 7.5 mg prefilled syringe		1		Methotrexate
ing 7.0 mg promiod dyningd		•	•	Sandoz
Ini 10 ma profilled avringe	1466	1		Methotrexate
Inj 10 mg prefilled syringe	14.00	Ī	•	Sandoz
Inj 15 mg prefilled syringe	14.77	1	•	Methotrexate
				Sandoz
Inj 20 mg prefilled syringe	14.88	1	~	Methotrexate
				Sandoz
Inj 25 mg prefilled syringe	14.99	1	~	Methotrexate
, <u>-</u> 5g p. 5g5		•	•	Sandoz
Inj 30 mg prefilled syringe	15.00	1	./	Methotrexate
iiij 50 iiig preiilled Syriiige	13.09	'	•	
	00.00	_	_	Sandoz
	30.00	5	•	DBL Methotrexate
Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist				Onco-Vial
Inj 25 mg per ml, 20 ml vial - PCT - Retail pharmacy-				
	45.00	1	~	DBL Methotrexate
Inj 25 mg per ml, 20 ml vial - PCT - Retail pharmacy-	45.00	1	•	DBL Methotrexate Onco-Vial
Inj 25 mg per ml, 20 ml vial — PCT — Retail pharmacy- Specialist		1	•	Onco-Vial
Inj 25 mg per ml, 20 ml vial — PCT — Retail pharmacy-Specialist	25.00		~	Onco-Vial Methotrexate Ebewe
Inj 25 mg per ml, 20 ml vial — PCT — Retail pharmacy-Specialist Inj 100 mg per ml, 10 ml — PCT — Retail pharmacy-Specialist	25.00 99.99	1	V	

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
THIOGUANINE – PCT – Retail pharmacy-Specialist Tab 40 mg	126.31	25	~	Lanvis
Other Cytotoxic Agents				
AMSACRINE - PCT only - Specialist				
Inj 50 mg per ml, 1.5 ml ampoule	1,500.00	6	~	Amsidine S29
Inj 75 mg	1,250.00	5	~	AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharmacy-Spe	cialist			
Cap 0.5 mg	CBS	100	~	Agrylin S29
			~	Teva S29
ARSENIC TRIOXIDE - PCT only - Specialist				
Inj 10 mg	4,817.00	10	~	AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist				
Inj 15,000 iu, vial	150.48	1	•	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64 1	,000 ii	. 🗸	Baxter
BORTEZOMIB - PCT only - Specialist - Special Authority see S.	A1576 below			
Inj 3.5 mg vial		1	~	Velcade
Inj 1 mg for ECP	594.77	1 mg	~	Baxter

⇒SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *: and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
 - 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

a) a known therapeutic chemotherapy regimen and supportive treatments; or

b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] – PCT only – Specialist			
Inj 10,000 iu	102.32	1	✓ Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	✓ Baxter
DACARBAZINE - PCT only - Specialist			
Inj 200 mg vial	58.06	1	✓ DBL Dacarbazine
Inj 200 mg for ECP	58.06	200 mg OP	✓ Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
Inj 0.5 mg vial	145.00	1	✓ Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	✓ Baxter
DAUNORUBICIN - PCT only - Specialist			
Inj 2 mg per ml, 10 ml	118.72	1	✓ Pfizer
Inj 20 mg for ECP		20 mg OP	✓ Baxter
DOCETAXEL - PCT only - Specialist			
Inj 20 mg	13.70	1	✓ DBL Docetaxel
,	48.75		✓ Docetaxel Sandoz
Inj 20 mg per ml, 1 ml	48.75	1	✓ Taxotere
Inj 20 mg per ml, 4 ml		1	✓ Taxotere
Inj 80 mg		1	✓ DBL Docetaxel
. •	195.00		Docetaxel Sandoz
Inj 1 mg for ECP	0.61	1 mg	✓ Baxter
(Taxotere Inj 20 mg per ml, 1 ml to be delisted 1 April 2017)		•	
(Taxotere Inj 20 mg per ml, 4 ml to be delisted 1 April 2017)			
DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist			
Inj 2 mg per ml, 5 ml vial	10.00	1	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial	11.50	1	Doxorubicin Ebewe
	17.00		Arrow-Doxorubicin
Inj 50 mg vial	40.00	1	DBL Doxorubicin
			DBL Doxorubicin
			S29 S29
Inj 2 mg per ml, 50 ml vial	23.00	1	Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial	46.00	1	Doxorubicin Ebewe
	65.00		Arrow-Doxorubicin
	150.00		✓ Adriamycin
Inj 1 mg for ECP	0.25	1 mg	✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's Price)) Per	Subsidised	Generic Manufacturer
PIRUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	25.00	1	√ E	pirubicin Ebewe
Inj 2 mg per ml, 25 ml vial	30.00	1	✓ E	pirubicin Ebewe
	39.38		✓ D	BL Epirubicin Hydrochloride
Inj 2 mg per ml, 50 ml vial	32.50	1	√ E	pirubicin Ebewe
	58.20		✓ D	BL Epirubicin Hydrochloride
Inj 2 mg per ml, 100 ml vial	65.00	1	√ E	pirubicin Ebewe
	94.50			BL Epirubicin Hydrochloride
Inj 1 mg for ECP	0.36	1 mg	✓ B	axter
TOPOSIDE		J		
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	✓ V	epesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10		epesid
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specia		1		ex Medical
Inj 1 mg for ECP - PCT only - Specialist		1 mg	_	axter
TOPOSIDE PHOSPHATE - PCT only - Specialist		Ū		
Inj 100 mg (of etoposide base)	40.00	1	√ F	topophos
Inj 1 mg (of etoposide base) for ECP		1 mg		axter
YDROXYUREA - PCT - Retail pharmacy-Specialist		3		
Cap 500 mg	31.76	100	√ H	ydrea
		100	V 11	yurca
DARUBICIN HYDROCHLORIDE	105.00	4		
Inj 5 mg vial — PCT only — Specialist		1		avedos avedos
Inj 10 mg vial - PCT only - Specialist Inj 1 mg for ECP - PCT only - Specialist		•		avedos axter
, ,		1 mg	V D	avici
ENALIDOMIDE – Retail pharmacy-Specialist – Special Author Wastage claimable – see rule 3.3.2 on page 13	ity see SA1468 belov	V		
Cap 10 mg	6,207.00	21	✓ R	evlimid
Cap 25 mg	7,627.00	21	✓ R	evlimid

⇒SA1468 | Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
 - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	/	Manufacturer

continued...

2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA

Tab 400 mg - PCT - Retail pharmacy-Specialist273.00	50	Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist407.50	50	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialist161.25	15	Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Specialist370.35	15	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist2.69	100 mg	✓ Baxter
MITOMYCIN C - PCT only - Specialist		
Inj 5 mg vial204.08	1	✓ <u>Arrow</u>
Inj 1 mg for ECP42.04	1 mg	✓ Baxter
MITOZANTRONE - PCT only - Specialist		
Inj 2 mg per ml, 10 ml vial97.50	1	Mitozantrone Ebewe
Inj 1 mg for ECP5.51	1 mg	✓ Baxter
PACLITAXEL - PCT only - Specialist		
Inj 30 mg45.00	5	Paclitaxel Ebewe
lnj 100 mg19.02	1	Paclitaxel Ebewe
91.67		Paclitaxel Actavis
Inj 150 mg26.69	1	✔ Paclitaxel Ebewe
137.50		✓ Anzatax
		✔ Paclitaxel Actavis
Inj 300 mg36.53	1	✔ Paclitaxel Ebewe
275.00		✓ Anzatax
		✔ Paclitaxel Actavis
Inj 600 mg73.06	1	✔ Paclitaxel Ebewe
Inj 1 mg for ECP0.17	1 mg	✓ Baxter
PEGASPARGASE - PCT only - Special Authority see SA1325 below		
Inj 3,750 IU per 5 ml	1	✓ Oncaspar S29

⇒SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialist			
Ini 10 ma	CBS	1	✓ Ninent \$29

	Subsidy (Manufacturer's Price)	S Per	Fully ubsidised	Brand or Generic Manufacturer
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy	-Specialist			
Cap 50 mg	498.00	50	✓ N	atulan 829
TEMOZOLOMIDE - Special Authority see SA1616 below - Reta	il pharmacy			
Cap 5 mg	8.00	5	✓ Te	emaccord
•	10.20		V 0	rion
				Temozolomide
Cap 20 mg	18.30	5	V 0	rion
, ,				Temozolomide
	36.00		✓ Te	emaccord
Cap 100 mg	40.20	5	V 0	rion
				Temozolomide
	175.00		✓ Te	emaccord
Cap 250 mg	96.80	5	V 0	rion
. •				Temozolomide
	410.00		✓ Te	emaccord

■ SA1616 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Patient has glioblastoma multiforme; and
 - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
 - 2.1 Patient has anaplastic astrocytoma*; and
 - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
 - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme.

THALIDOMIDE	- PCT only - Specialist - Special Authority see SA1124 belo	w	
Cap 50 mg	378.00	28	Thalomid
Cap 100 mg		28	✓ Thalomid

⇒SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 The patient has multiple myeloma: or
- 2 The patient has systemic AL amyloidosis*.

Can 10 mg - PCT - Retail pharmacy-Specialist

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

470 50

100

✓ Vesanoid

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen. Indication marked with * is an Unapproved Indication.

TRETINOIN

Cap to fig = FCT = netail pharmacy-Specialist479.50	100	Vesaliolu
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specialist37.29	1	✓ Hospira
186.46	5	Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml vial - PCT - Retail pharmacy-Specialist74.52	5	DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specialist85.61	5	DBL Vincristine Sulfate
Inj 1 mg for ECP - PCT only - Specialist11.30	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist		
Inj 10 mg per ml, 1 ml vial8.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial40.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP	1 mg	✓ Baxter

Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 on the next	t page – [Xpharm]		
Tab 20 mg	3,774.06	60	Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tab 100 mg	6,214.20	30	✓ Sprycel

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per Brand or Generic Manufacturer

⇒SA0976 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be

sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5×10^9 /L, platelets > 100×10^9 /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - c) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).</p>
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB - Retail pharmacy-Specialist - Special Authority see SA1577 below

Tab 100 mg.	764.00	30	Tarceva
		30	✓ Tarceva

⇒SA1577 | Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Any of the following:
 - 3.1 Patient is treatment naive; or
 - 3.2 Both:
 - 3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
 - 3.2.2 Patient has not received prior treatment with gefitinib; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

3.3 Both:

- 3.3.1 The patient has discontinued gefitinib within 12 weeks of starting treatment due to intolerance; and
- 3.3.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1578 below

⇒SA1578 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Either:
 - 2.1 Patient is treatment naive; or
 - 2.2 Both:
 - 2.2.1 The patient has discontinued erlotinib within 12 weeks of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	✓ Glivec
*	Cap 100 mg		60	✓ Imatinib-AFT
*	Cap 400 mg	597.80	30	✓ Imatinib-AFT

■ SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator Phone: (04) 460 4990 PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for GIST - access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 on the next page - Retail pharmacy

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

▶SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
 - 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
 - 3 Lapatinib not to be given in combination with trastuzumab; and
 - 4 Lapatinib to be discontinued at disease progression.

Wastage claimable - see rule 3.3.2 on page 13

NILOTINIB - Special Authority see SA1489 below - Retail pharmacy

•	1 0		
Cap 150 mg	4,680.00	120	Tasigna
Cap 200 mg	6,532.00	120	Tasigna

►SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Fither:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

	Subsidy (Manufacturer's Price) \$		Subsidised	Brand or Generic Manufacturer
PAZOPANIB - Special Authority see SA1190 below - Retail phar	macy			
Tab 200 mg	1,334.70	30	✓ Vo	otrient
Tab 400 mg	2,669.40	30	✓ Vo	otrient

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of < 70: or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg	2,315.38	28	✓ Sutent
Cap 25 mg	·	28	✓ Sutent
Cap 50 mg	9,261.54	28	✓ Sutent

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment: or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
- 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal: or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of \leq 70; or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
 - 1 No evidence of disease progression; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of ≥ 10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 91

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable - see rule 3.3.2 on page 13

Tab 250 mg4,276.19 120 ✓ Zytiga

■SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases: and
- 3 Patient's disease is castration resistant; and
- 4 Fither:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane: and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

BICALUTAMIDE Tab 50 mg	4.90	28	✓ <u>Bicalaccord</u>
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	55.00	100	✓ Flutamin
MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg	54.30	30	✓ <u>Apo-Megestrol</u>
OCTREOTIDE Inj 50 mcg per ml, 1 ml vial Inj 100 mcg per ml, 1 ml vial Inj 500 mcg per ml, 1 ml vial	22.40	5 5 5	✓ <u>DBL</u> ✓ <u>DBL</u> ✓ DBL
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) – Specia Inj LAR 10 mg prefilled syringe	I Authority see SA101 1,772.50 2,358.75	16 on the ne 1 1 1	ext page – Retail pharmacy Sandostatin LAR Sandostatin LAR Sandostatin LAR Sandostatin LAR

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised er Brand or Generic Manufacturer

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:
Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma: and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
- 3 Both:
 - 3.1 Insulinomas; and
 - 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

ETANERCEPT - Special Authority see SA1620 on the next page - Retail pharmacy Inj 25 mg799.96

	(Wandacturer 3 T	Per	✓ Manufacturer	
continued Note: The use of octreotide in patients with fistulae, oesoph funded as a Special Authority item Renewal — (Other Indications) only from a relevant spe specialist. Approvals valid for 2 years where the treatment rer	cialist or medical pr	actitioner on th	ne recommendation of a rele	
TAMOXIFEN CITRATE		рангания	3 · · · · · · · · · · · · · · · · · · ·	
* Tab 10 mg	17.50	100	✓ Genox	
* Tab 20 mg		30	✓ Genox	
	8.75	100	✓ Genox	
Aromatase Inhibitors				
ANASTROZOLE * Tab 1 mg	26.55	30	✓ Aremed ✓ Arimidex ✓ DP-Anastrozole	
EXEMESTANE				
* Tab 25 mg	14.50	30	✓ <u>Pfizer Exemestane</u>	
LETROZOLE				
* Tab 2.5 mg	2.95	30	✓ <u>Letrole</u>	
Immunosuppressants				
Cytotoxic Immunosuppressants				
AZATHIOPRINE - Retail pharmacy-Specialist				
* Tab 25 mg * Tab 50 mg - For azathioprine oral liquid formulation r		60	✓ Azamun	
page 224		100	✓ Azamun	
* Inj 50 mg vial		1	✓ Imuran	
MYCOPHENOLATE MOFETIL				
Tab 500 mg	25.00	50	✓ Cellcept	
Cap 250 mg	25.00	100	✓ Cellcept	
Powder for oral liq 1 g per 5 ml – Subsidy by endorsemer	nt187.25	165 ml OP	✓ Cellcept	
Mycophenolate powder for oral liquid is subsidised on prescription is endorsed accordingly.	ly for patients unable	e to swallow ta	blets and capsules, and wher	1 the

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

4

4

✓ Enbrel

✓ Enbrel

✓ Enbrel

Fusion Proteins

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

1 Both

- 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
- 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA: or

2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroguine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold: or
- 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Fither:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints:
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Fither:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and
 - - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plague psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plague psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plagues have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plague psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting

the following criteria:

Either:

1 Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
- 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pvoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions). Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications

meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Fither:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules:
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Fither:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Fither:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

- 1.1 Applicant is a rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less: and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Fither:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only - Specialis	st		
Inj 50 mg per ml, 5 ml	2,351.25	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only -	Specialist		
Subsidised only for bladder cancer.			
Inj 2-8 × 100 million CFU	149.37	1	✓ OncoTICE
Inj 40 mg per ml, vial	149.37	3	✓ SII-Onco-BCG S29
(SII-Onco-BCG S29 Inj 40 mg per ml, vial to be delisted 1 Februa	ary 2017)		

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsi	idised	Generic	
\$	Per	~	Manufacturer	

Monoclonal Antibodies

ADALIMUMAB - Special Authority see SA1621 below -	- Retail pharmacy		
Inj 10 mg per 0.2 ml prefilled syringe	1,599.96	2	Humira
Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	Humira
Inj 40 mg per 0.8 ml prefilled pen		2	HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,599.96	2	Humira

⇒SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis: or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has severe active Crohn's disease: and

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection;
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either: 1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plague psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or

2 All of the following:

- 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plague psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis: or
 - 2.1.2 Patient has severe chronic plague psoriasis of the face, or palm of a hand or sole of a foot, where the plague or plagues have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment: for severe chronic plague psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot. as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis: or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

continued...

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or

2 All of the following:

- 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
- 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per Manufacturer

continued...

- 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
- 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with JIA: and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Fither:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — **(fistulising Crohn's disease)** only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Fither:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. **Initial application — (pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:

continued...

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2.1 Either:

- 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab;
- 2.1.2 CDAI score is 150 or less; or
- 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plague psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist gist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

continued...

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist: or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist or Practitioner on the practical practi terologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

continued...

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OBINUTUZUMAB - PCT only - Specialist - Special Authority see SA1627 below

Inj 25 mg per ml	, 40 ml vial	5,910.00	1	Gazyva
Inj 1 mg for ECP		6.21	1 mg	Baxter

⇒SA1627 Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment); and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance <70mL/min); and
- 4 Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL: and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to <2.

* Neutrophil $\geq 1.5 \times 10^9/L$ and platelets $\geq 75 \times 10^9/L$.

OMALIZUMAB – Special Authority see SA1490 below – Retail pharmacy
Inj 150 mg vial500.00 1 ✓ Xolair

■SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3. A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

PERTUZUMAB	- PCT only - Specialist - Special	Authority see SA1606 below		
Inj 30 mg pe	r ml, 14 ml vial	3,927.00	1	Perjeta
Inj 1 mg for	ECP	9.82	1 mg	Baxter

⇒SA1606 | Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 Patient is chemotherapy treatment naÃrve: or
 - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology): and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

		RITUXIMAB — PCT only — Specialist — Special Authority see SA1631 below
Mabthera	2	Inj 100 mg per 10 ml vial1,075.50
Mabthera	1	Inj 500 mg per 50 ml vial2,688.30
Baxter	1 mg	Inj 1 mg for ECP5.64

⇒SA1631 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

1 Both:

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 1.1 The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy;
- 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles: or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Fither:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy: and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles;
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

1 The patient has had a rituximab treatment-free interval of 12 months or more; and

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had a rituximab treatment-free interval of 36 months or more; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration): and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks. ' Svlvant Inj 400 mg vial3,082.33 1 ' Svlvant

⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB	- PCT only - Specialist - Special Authority see SA1632 on	the next page	
Inj 150 mg via	I	1	✓ Herceptin
Inj 440 mg via	I	1	✓ Herceptin
Ini 1 ma for F	D 0 36	1 ma	■ Raytor

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1632 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology): and
- 2 Either:
 - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 2.2 Both:
 - 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
 - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 3.2 All of the following:
 - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned: or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology);
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 3 Any of the following:
 - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 3.2 Both:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; or
 - 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 4 Either:
 - 4.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 4.2 All of the following:
 - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Programmed Cell Death-1 (PD-1) Inhibitors

NVOLUMAB - PCT only - Specialist - Special Author	ity see SA1617 below		
Inj 10 mg per ml, 4 ml vial	1,051.98	1	Opdivo
Inj 10 mg per ml, 10 ml vial	2,629.96	1	Opdivo
Inj 1 mg for ECP	27.62	1 mg	✓ Baxter

►SA1617 | Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

N

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
 - 3.1 Patient has not received funded pembrolizumab; or
 - 3.2 Both:
 - 3.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 4 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer

continued...

- 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
- 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period: and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
 must have reduction in short axis to <10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB − PCT only − Specialist − Special Authority see SA1615 below
Inj 50 mg vial2,340.00 1
Inj 1 mg for ECP49.14 1 mg

Keytruda

✓ Keytruda

✓ Baxter

⇒SA1615 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV: and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Fither:
 - 3.1 Patient has not received funded nivolumab; or
 - 3.2 Both:
 - 3.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress while the patient was on nivolumab; and
- 4 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsidis	sed	Generic	
\$	Per	~	Manufacturer	

continued...

- 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
- 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
- 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to <10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

Other Immunosuppressants

CICLOSPORIN			
Cap 25 mg	44.63	50	Neoral
Cap 50 mg	88.91	50	Neoral
Cap 100 mg	177.81	50	Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	✓ Neoral
EVEROLIMUS - Special Authority see SA1491 below - Retail pha	armacy		
Wastage claimable – see rule 3.3.2 on page 13			
Tab 5 mg	4,555.76	30	✓ Afinitor
Tab 10 mg	6,512.29	30	Afinitor

⇒SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has tuberous sclerosis; and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	Brand or Generic Manufacturer	
SIROLIMUS - Special Authority see SA0866 below - Retail pha	rmacy				
Tab 1 mg	749.99	100	✓ R	apamune	
Tab 2 mg	1,499.99	100	✓ R	apamune	
Oral lig 1 mg per ml	449.99 60) ml Of	• √ R	apamune	

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min: or
- Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- HUS or TTP: or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA1540 below - Retail phare	macy		
Cap 0.5 mg	85.60	100	✓ Tacrolimus Sandoz
Cap 1 mg	171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer, page			
224	428.00	50	✓ Tacrolimus Sandoz

⇒SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS; and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with * are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

S Per ✔ Manufacturer

Antiallergy Preparations

Allergic Emergencies

ICATIBANT − Special Authority see SA1558 below − Retail pharmacy
Inj 10 mg per ml, 3 ml prefilled syringe2,668.00 1 ✓ Firazyr

⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

⇒SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

G		
BEE VENOM ALLERGY TREATMENT – Special Authority see SA1367 above – R Maintenance kit - 6 vials 120 mcg freeze dried venom, with	Retail pharma	су
diluent285.00	1 OP	✓ Venomil S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent		4
9 ml, 3 diluent 1.8 ml305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see SA1367 above -	Retail pharm	nacy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze		
dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze		
dried venom, with diluent305.00	1 OP	✓ Venomil S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze		
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze		
dried venom, with diluent305.00	1 OP	✓ Venomil \$29
Antihistamines		
CETIRIZINE HYDROCHLORIDE		4
* Tab 10 mg1.01	100	Zetop
Tists to be Cale Cumply on 1 March 2017		✓ Zista
Zista to be Sole Supply on 1 March 2017	200 ml	✓ Histaclear
*‡ Oral liq 1 mg per ml2.99 (Zetop Tab 10 mg to be delisted 1 March 2017)	200 1111	<u> Histaclear</u>
, ,		
CHLORPHENIRAMINE MALEATE	500 1	410.4
*‡ Oral liq 2 mg per 5 ml8.06	500 ml	✓ Histafen

[†] safety car

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy	Daires) O. I	Fully Brand or
	(Manufacturer's \$	Price) Subs	sidised Generic Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	2.02	40	
· · · · · · · · · · · · · · · · · · ·	(8.40)		Polaramine
	1.01	20	
	(5.99)		Polaramine
*‡ Oral liq 2 mg per 5 ml		100 ml	
4 31	(10.29)		Polaramine
FEXOFENADINE HYDROCHLORIDE	, ,		
* Tab 60 mg	121	20	
本 1ab 00 mg	(11.53)	20	Telfast
* Tab 120 mg	٠,	30	Tellast
本 1ab 120 Hig	(29.81)	30	Telfast
	(29.61) 4.74	10	ισιιασι
	(11.53)	10	Telfast
	(11.55)		Tellast
LORATADINE			4
* Tab 10 mg		100	✓ <u>Lorafix</u>
* Oral liq 1 mg per ml		120 ml	✓ Lorfast
	4.25	200 ml	✓ LoraPaed
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg	1.78	50	✓ Allersoothe
* Tab 25 mg	1.99	50	✓ Allersoothe
*‡ Oral liq 1 mg per 1 ml	2.59	100 ml	✓ Allersoothe
* Inj 25 mg per ml, 2 ml ampoule - Up to 5 inj available on a			
PSO		5	✓ Hospira
TRIMEPRAZINE TARTRATE			
‡ Oral liq 30 mg per 5 ml	2 70	100 ml OP	
+ Oral liq 50 mg per 5 mi	(8.06)	100 1111 01	Vallergan Forte
	(6.00)		vallergan Forte
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 50 mcg per dose	9.30	200 dose OP	✓ Qvar
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP	✔ Beclazone 50
Aerosol inhaler, 100 mcg per dose		200 dose OP	✓ Qvar
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP	✓ Beclazone 100
Aerosol inhaler, 250 mcg per dose CFC-free	22.67	200 dose OP	✓ Beclazone 250
BUDESONIDE			
Powder for inhalation, 100 mcg per dose	17 00	200 dose OP	✓ Pulmicort
1 044001 for initial actions, 100 those per dose		200 0030 01	Turbuhaler
Powder for inhalation, 200 mcg per dose	10 00	200 dose OP	✓ Pulmicort
i owaei ioi iiiialalioii, 200 iiicy pei uose	19.00	200 0088 OP	Turbuhaler
Poudar for inhalation, 400 mag nor dage	20.00	200 doss OD	
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	✓ Pulmicort
			Turbuhaler

		10111 3131		ND ALLEMONES
	Subsidy (Manufacturer's \$		Fully bsidised	Brand or Generic Manufacturer
FLUTICASONE				
Aerosol inhaler, 50 mcg per dose		120 dose OP	√ F	loair
Aerosol inhaler, 50 mcg per dose CFC-free		120 dose OP		lixotide
Powder for inhalation, 50 mcg per dose		60 dose OP		lixotide Accuhaler
Powder for inhalation, 100 mcg per dose		60 dose OP		lixotide Accuhaler
Aerosol inhaler, 125 mcg per dose Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP 120 dose OP		loair Iixotide
Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP		loair
Aerosol inhaler, 250 mcg per dose CFC-free		120 dose OP		lixotide
Powder for inhalation, 250 mcg per dose		60 dose OP		lixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonis				
initialed Long-acting Beta-adrenoceptor Agonis	เร			
EFORMOTEROL FUMARATE				
Powder for inhalation, 6 mcg per dose, breath activated	10.32	60 dose OP		
	(16.90)		C	xis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de				
vice		60 dose	_	
	(35.80)		F	oradil
INDACATEROL				
Powder for inhalation 150 mcg	61.00	30 dose OP		nbrez Breezhaler
Powder for inhalation 300 mcg	61.00	30 dose OP	V 0	nbrez Breezhaler
SALMETEROL				
Aerosol inhaler CFC-free, 25 mcg per dose		120 dose OP		erevent
Aerosol inhaler 25 mcg per dose		120 dose OP		leterol
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 dose OP	√ S	erevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	Adrenocept	or Agonists	;	
BUDESONIDE WITH EFORMOTEROL				
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	18 23	120 dose OP	· • v	annair
Powder for inhalation 100 mcg with eformoterol fumarat		120 0030 01	•	annan
6 mcg		120 dose OP	√ s	ymbicort
		0 0000 0.		Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21.40	120 dose OP	V	annair
Powder for inhalation 200 mcg with eformoterol fumarat				
6 mcg		120 dose OP	√ S	ymbicort
				Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarat	е			
12 mcg - No more than 2 dose per day	44.08	60 dose OP	√ S	ymbicort
				Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL				
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 dose OP	✓ B	reo Ellipta

	Subsidy	Drine)	Ful	
	(Manufacturer's	Price) Per	Subsidise	d Generic Manufacturer
LUTICASONE WITH SALMETEROL				
Aerosol inhaler 50 mcg with salmeterol 25 mcg	33.74	120 dose	OP 🗸	Seretide
	37.48		٠.	RexAir
Aerosol inhaler 125 mcg with salmeterol 25 mcg		120 dose		Seretide
Douglas for inholation 100 mag with colmotoral 50 mag. No.	49.69		V	RexAir
Powder for inhalation 100 mcg with salmeterol 50 mcg – No more than 2 dose per day	33.74	60 dose C	np 🗸	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg – No		00 0030 0	, •	Ocietide Accumate
more than 2 dose per day	44.08	60 dose C	DP 🗸	Seretide Accuhaler
Beta-Adrenoceptor Agonists				
•				
ALBUTAMOL	0.00	450		V4-11
Oral liq 400 mcg per ml		150 ml 10	•	Ventolin
illusion i my per m, o mi	(130.21)	10		Ventolin
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO		5	~	Ventolin
nhaled Beta-Adrenoceptor Agonists				
ALBUTAMOL				
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO	3.80	200 dose	OP 🗸	Respigen
dose available on a 1 00		200 0030		SalAir
			1	Salamol
	(6.00)			Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb			_	
available on a PSO	3.19	20	•	<u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule — Up to 30 neb available on a PSO	2 20	20	./	Asthalin
Salamol Aerosol inhaler, 100 mcg per dose CFC free to be deliste			•	ASUIGIIII
ERBUTALINE SULPHATE	,a 171piii 2017	/		
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose	OP 🗸	Bricanyl Turbuhaler
		200 0000	J. •	Dilounyi Turbunulor
Anticholinergic Agents				
RATROPIUM BROMIDE				
Aerosol inhaler, 20 mcg per dose CFC-free - Up to 400 dose				
available on a PSO	16.20	200 dose	OP 🗸	Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 neb				
available on a PSO	3.35	20	•	<u>Univent</u>
Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb available on a PSO	2.52	20	./	Univent
nhaled Beta-Adrenoceptor Agonists with Antich				Onivent
	onnergic P	ig e nia		
ALBUTAMOL WITH IPRATROPIUM BROMIDE				
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg	10.10	000 1	on 4	D !! !!E4
nov dood (') (') troo	12.19	200 dose	UP 🖊	Duolin HFA
per dose CFC-free				
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule – Up to 20 neb available on a PSO	3 50	20	.,	Duolin

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists

GLYCOPYRRONIUM - Subsidy by endorsement

a) Inhaled glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium or umeclidinium.

b) Glycopyrronium powder for inhalation 50 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

✓ Seebri Breezhaler 30 dose OP

TIOTROPIUM BROMIDE - Special Authority see SA1568 below - Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.

Powder for inhalation, 18 mcg per dose50.37 30 dose Spiriva 60 dose OP Spiriva Respimat

⇒SA1568 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 μg ipratropium g.i.d for one month; and
- 3 Fither:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV₁ (litres); and
- 4.2 Predicted FEV1 (litres); and
- 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

30 dose OP ✓ Incruse Ellipta

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

⇒SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 abo	ve – Retail phar	macy
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00	30 dose OP	✓ Ultibro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584 a	above – Retail p	harmacy
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00	60 dose OP	✓ Spiolto Respimat

UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 above - Retail pharmacy

Powder for inhalation 62.5 mcg with vilanterol 25 mcg77.00 30 dose OP ✓ Anoro Ellipta

Antifibrotics

PIRFENIDONE - Retail pharmacy-Specialist - Special Authority see SA1628 below Esbriet Cap 267 mg3,645.00 270 OP

⇒SA1628 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis as confirmed by histology, CT or biopsy; and
- 2 Forced vital capacity is between 50% and 80% predicted; and
- 3 Pirfenidone is to be discontinued at disease progression (See Notes).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Pirfenidone is to be discontinued at disease progression (See Notes).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Leukotriene Receptor Antagonists

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses.

Tab 4 mg	5.25	28	✓ Apo-Montelukast
ŭ	(18.48)		Singulair
Apo-Montelukast to be Sole Supply on 1 April 2017			•
Tab 5 mg	5.50	28	Apo-Montelukast
v	(18.48)		Singulair
Apo-Montelukast to be Sole Supply on 1 April 2017			_
Tab 10 mg	5.65	28	Apo-Montelukast
ŭ	(18.48)		Singulair

Apo-Montelukast to be Sole Supply on 1 April 2017

(Singulair Tab 4 mg to be delisted 1 April 2017)

(Singulair Tab 5 mg to be delisted 1 April 2017)

(Singulair Tab 10 mg to be delisted 1 April 2017)

⇒SA1421 | Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

Mast Cell Stabilisers

NEDOCROMIL		
Aerosol inhaler, 2 mg per dose CFC-free28.07	112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE		
Powder for inhalation, 20 mg per dose26.35	50 dose	✓ Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free28.07	112 dose OP	✓ Intal Forte CFC Free

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
Methylxanthines			
AMINOPHYLLINE			
* Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj avail. PSO		5	✓ DBL Aminophylline
THEOPHYLLINE			
* Tab long-acting 250 mg		100	✓ Nuelin-SR
*‡ Oral liq 80 mg per 15 ml	15.50	500 ml	✓ Nuelin
Mucolytics			
DORNASE ALFA – Special Authority see SA0611 below Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	✔ Pulmozyme
▶SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Adviso Notes: Application details may be obtained from PHARM		w.pharmac.govt.	nz or:
PHARMAC, PO Box 10 254 F	Phone: (04) 460 4990 facsimile: (04) 916 7571 fmail: CFPanel@pharm	ac.govt.nz	_
Prescriptions for patients approved for treatment must b and expertise in treating cystic fibrosis.	e written by respiratory p	ohysicians or pa	ediatricians who have experience
SODIUM CHLORIDE			
Not funded for use as a nasal drop.			4
Soln 7%	23.50	90 ml OP	✓ Biomed
Nasal Preparations			
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
	(5.26)	000 1 00	Alanase
Metered aqueous nasal spray, 100 mcg per dose	(6.00)	200 dose OP	Alanase
BUDECONIDE	(0.00)		Alaliase
BUDESONIDE Metered aqueous nasal spray, 50 mcg per dose	2 35	200 dose OP	
	(5.26)	_00 0000 01	Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	•
	(6.00)		Butacort Aqueous
FLUTICASONE PROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	Flixonase Hayfever

15 ml OP

✓ Flixonase Hayfever & Allergy

✔ Univent

IPRATROPIUM BROMIDE

Aqueous nasal spray, 0.03%3.95

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer **Respiratory Devices** MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under 1 e-chamber Mask PEAK FLOW METER a) Up to 10 dev available on a PSO b) Only on a PSO Mini-Wright AFS Low Range ✓ Mini-Wright 1 Standard SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO e-chamber Turbo 1 ✓ e-chamber La 1 Grande ✓ Volumatic **Respiratory Stimulants** CAFFEINE CITRATE ✓ Biomed 25 ml OP

	Subsidy (Manufacturer's Price	e) Subs	Fully	Brand or Generic
	\$	Per	~	Manufacturer
Ear Preparations				
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN For Vosol ear drops with hydrocortisone powder refer Standa Ear drops 2% with 1, 2-Propanediol diacetate 3% and	rd Formulae, page 2		411	
benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vo	osol
FLUMETASONE PIVALATE Ear drops 0.02% with clioquinol 1%	4.46 7	7.5 ml OP		ocacorten-Viaform ED's ocorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII	N AND NYSTATIN			
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate				
2.5 mg and gramicidin 250 mcg per g	5.16 7	'.5 ml OP	✓ Ke	enacomb
Ear/Eye Preparations				
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and				
gramicidin 50 mcg per ml		8 ml OP	Sc	ofradex
FRAMYCETIN SULPHATE				
Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	Sc	oframycin

Eye Preparations

Anti-Infective Preparations

Eye preparations are only funded for use in the eye, unless explicitly stated otherwise.

7 in a missians i reparations			
ACICLOVIR			
* Eye oint 3%	14.92	4.5 g OP	✓ <u>ViruPOS</u>
CHLORAMPHENICOL			
Eye oint 1%	2.48	4 g OP	✓ Chlorsig
Eye drops 0.5%	0.98	10 ml OP	Chlorafast
Funded for use in the ear*. Indications marked with * are U	napproved Indi	cations.	
CIPROFLOXACIN			
Eye Drops 0.3%	12.43	5 ml OP	Ciloxan
For treatment of bacterial keratitis or severe bacterial conju	nctivitis resistar	nt to chloramph	enicol.
FUSIDIC ACID			
Eye drops 1%	4.50	5 g OP	Fucithalmic
GENTAMICIN SULPHATE			
Eye drops 0.3%	11.40	5 ml OP	Genoptic
PROPAMIDINE ISETHIONATE			
* Eye drops 0.1%	2.97	10 ml OP	
, ,	(7.99)		Brolene
TOBRAMYCIN	. ,		
Eye oint 0.3%	10.45	3.5 g OP	✓ Tobrex
Eye drops 0.3%		5 ml OP	✓ Tobrex
•			

Brand or

Fully

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or bsidised Generic Manufacturer
Corticosteroids and Other Anti-Inflammatory Pro	eparations		
DEXAMETHASONE * Eye oint 0.1% * Eye drops 0.1%	4.50	3.5 g OP 5 ml OP	✓ <u>Maxidex</u> ✓ <u>Maxidex</u>
Bye oint 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per g Eye drops 0.1% with neomycin sulphate 0.35% and polymyxin b sulphate 6,000 u per g	5.39	IATE 3.5 g OP	✓ <u>Maxitrol</u>
xin b sulphate 6,000 u per ml DICLOFENAC SODIUM		5 ml OP	✓ <u>Maxitrol</u>
* Eye drops 0.1% FLUOROMETHOLONE	13.80	5 ml OP	✓ <u>Voltaren Ophtha</u>
* Eye drops 0.1%	3.09	5 ml OP	✓ <u>FML</u>
Eye drops 0.5 mg per ml	8.71 (10.34)	4 ml OP	Livostin
LODOXAMIDE Eye drops 0.1%	8.71	10 ml OP	✓ <u>Lomide</u>
PREDNISOLONE ACETATE * Eye drops 1%	3.93 1.97 (4.50)	10 ml OP 5 ml OP	✓ Prednisolone-AFT Pred Forte
Prednisolone-AFT to be Sole Supply on 1 April 2017 (Pred Forte Eye drops 1% to be delisted 1 April 2017)	(23)		
PREDNISOLONE SODIUM PHOSPHATE - Special Authority see Eye drops 0.5%, single dose (preservative free)		v – Retail pharr 20 dose	macy ✓ Minims Prednisolone
▶SA1547 Special Authority for Subsidy Initial application only from an ophthalmologist. Approvals valid Both:	for 6 months for	applications m	neeting the following criteria:
1 Patient has severe inflammation; and2 Patient has a confirmed allergic reaction to preservative i	n eye drops.		
Renewal from any relevant practitioner. Approvals valid for 6 mo benefiting from treatment.	nths where the	treatment rema	ains appropriate and the patient is
SODIUM CROMOGLYCATE Eye drops 2%	0.85	5 ml OP	✓ Rexacrom

Subsidy

BETAXOLOL

Glaucoma Preparations - Beta Blockers

* Eye drops 0.5%7.50	5 ml OP	✓ Betoptic
LEVOBUNOLOL		
* Eve drops 0.5%	5 ml OP	Betagan

5 ml OP

✓ Betoptic S



	Subsidy (Manufacturer's I	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
TIMOLOL			
* Eye drops 0.25%		5 ml OP	✓ <u>Arrow-Timolol</u>
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ <u>Timoptol XE</u>
* Eye drops 0.5% * Eye drops 0.5%, gel forming		5 ml OP 2.5 ml OP	✓ <u>Arrow-Timolol</u> ✓ Timoptol XE
		2.3 1111 01	TIMOPLOI XL
Glaucoma Preparations - Carbonic Anhydrase	innibitors		
ACETAZOLAMIDE			
* Tab 250 mg - For acetazolamide oral liquid formulation reference page 224		100	✓ Diamox
BRINZOLAMIDE			· _ · _ ·
* Eye drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE			•
* Eye drops 2%	9.77	5 ml OP	
	(17.44)		Trusopt
DORZOLAMIDE WITH TIMOLOL			
* Eye drops 2% with timolol 0.5%	3.45	5 ml OP	✓ <u>Arrow-Dortim</u>
Glaucoma Preparations - Prostaglandin Analog	gues		
BIMATOPROST			
* Eye drops 0.03%	3.65	3 ml OP	✓ Bimatoprost Actavis
LATANOPROST			4
* Eye drops 0.005%	1.50	2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST	10.50	0.5.105	4
* Eye drops 0.004%	19.50	2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE			
* Eye drops 0.2%	4.32	5 ml OP	✓ Arrow-Brimonidine
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE			
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
PILOCARPINE HYDROCHLORIDE		45 .05	4
* Eye drops 1%		15 ml OP	✓ Isopto Carpine
* Eye drops 2% Eye drops 4%		15 ml OP 15 ml OP	✓ <u>Isopto Carpine</u> ✓ <u>Isopto Carpine</u>
Subsidised for oral use pursuant to the Standard Formula		10 1111 01	- isopio oaipino
* Eye drops 2% single dose - Special Authority see SA089	95		
below – Retail pharmacy	31.95	20 dose	Minims Pilocarpine
⇒ SA0895 Special Authority for Subsidy			

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Brand or

Fully

	(Manufacturer's F	Price) Sub	sidised Generic	
	\$	Per	✓ Manufacturer	
Mydriatics and Cycloplegics				
ATROPINE SULPHATE				
* Eye drops 1%	17.36	15 ml OP	✓ <u>Atropt</u>	
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	0.76	15 ml OP	✓ Cyclogyl	
TROPICAMIDE	0.70	13 1111 0F	Cyclogyi	
* Eye drops 0.5%	7.15	15 ml OP	✓ Mydriacyl	
* Eye drops 1%	8.66	15 ml OP	✓ Mydriacyl	
Preparations for Tear Deficiency				
For acetylcysteine eye drops refer Standard Formulae, page 2	27			
HYPROMELLOSE				
* Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt	
HYPROMELLOSE WITH DEXTRAN				
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✔ Poly-Tears	
POLYVINYL ALCOHOL * Eye drops 1.4%	0.60	15 ml OP	✓ Vistil	
* Eye drops 1.4%* Eye drops 3%		15 ml OP	✓ Vistil Forte	
Preservative Free Ocular Lubricants				
■→SA1388 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals va	lid for 12 months fo	r applications	meeting the following cr	iteria:
Both:				
1 Confirmed diagnosis by slit lamp of severe secretory of2 Either:	dry eye; and			
2.1 Patient is using eye drops more than four time2.2 Patient has had a confirmed allergic reaction t				
Renewal from any relevant practitioner. Approvals valid for 24 and has benefited from treatment.	months where the	patient continu	es to require lubricating	eye drops
CARBOMER - Special Authority see SA1388 above - Retail I	oharmacy		45.4	

Subsidy

SODIUM HYALURONATE [HYALURONIC ACID] - Special Authority	y see SA1388	above - Retai	l pharmacy
Eye drops 1 mg per ml	22.00	10 ml OP	✓ Hylo-I
Hylo-Fresh has a 6 month expiry after opening. The Pharmac	y Procedures	Manual restric	tion allowing
is not relevant and therefore only the prescribed dosage to th	e nearest OP	may be claime	ed.

Other Eye Preparations NAPHAZOLINE HYDROCHLORIDE

Ophthalmic gel 0.3%, 0.5 g8.25

Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml4.30

15 ml OP Naphcon Forte

30

10 ml OP The Pharmacy Procedures Manual restriction allowing one bottle per month

✔ Poly-Gel

✔ Hylo-Fresh

✓ Systane Unit Dose

Eye drops 0.1%4.15 **OLOPATADINE** Eye drops 0.1%17.00 5 ml OP ✔ Patanol PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN

MACROGOL 400 AND PROPYLENE GLYCOL - Special Authority see SA1388 above - Retail pharmacy

Eye oint with soft white paraffin3.63 3.5 g OP ✔ Refresh Night Time

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

SENSORY ORGANS

	Subsidy (Manufacturer's Price) Sub	Fully sidised	Brand or Generic	
	\$	Per		Manufacturer	
PARAFFIN LIQUID WITH WOOL FAT					
* Eye oint 3% with wool fat 3%	3.63	8.5 g OP	✓ Po	oly-Visc	
RETINOL PALMITATE					
Eve oint 138 mcg per a	3.80	5 a OP	✓ Vi	tA-POS	

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

Various

PHARMACY SERVICES

May only be claimed once per patient.

Brand switch fee4.50 The Pharmacode for BSF Apo-Metoprolol is 2511541 - see also page 59

1 fee ✓ BSF Apo-Metoprolol

(BSF Apo-Metoprolol Brand switch fee to be delisted 1 February 2017)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE - Retail pharmacy-Specialist		
Inj 200 mg per ml, 10 ml ampoule78.34	10	✓ DBL Acetylcysteine
NAME OF THE PROPERTY OF THE PR		

NALOXONE HYDROCHLORIDE

- a) Up to 5 ini available on a PSO
- b) Only on a PSO
- 5 ✓ Hospira

Removal and Elimination

CHARCOAL

- * Oral lig 50 g per 250 ml43.50 250 ml OP ' Carbosorb-X
 - a) Up to 250 ml available on a PSO
 - b) Only on a PSO

DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Tab 125 mg dispersible	276.00	28	Exjade
Tab 250 mg dispersible	552.00	28	Exjade
Tab 500 mg dispersible	1,105.00	28	Exjade

⇒SA1492 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis: or
 - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μ L) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per μ L).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.



	Subsidy (Manufacturer's Price \$	e) Sub Per	osidised	Brand or Generic Manufacturer	
DEFERIPRONE – Special Authority see SA1480 below – Retail p	harmacy				
Tab 500 mg Oral liq 100 mg per 1 ml		100 50 ml OP		erriprox erriprox	

⇒SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

	SFERRIOXAMINE MESILATE	54.50	40	. A De afamil
*	Inj 500 mg vial	51.52	10	✓ Desferal
SO	DIUM CALCIUM EDETATE			
*	Inj 200 mg per ml, 5 ml	53.31	6	
		(156.71)		Calcium Disodium Versenate

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- · Salicylic acid powder
- · Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/mlFlecainide 20 mg/mlRifabutin 20 mg/mlAllopurinol 20 mg/mlGabapentin 100 mg/mlSildenafil 2 mg/mlAmlodipine 1 mg/mlHydrocortisone 1 mg/mlSotalol 5 mg/ml

Azathioprine 50 mg/ml
Baclofen 10 mg/ml
Carvedilol 1 mg/ml
Clopidogrel 5 mg/ml
Levatiracetam 100 mg/ml
Tacrolimus 1 mg/ml
Terbinafine 25 mg/ml
Tramadol 10 mg/ml

Diltiazem hydrochloride 12 mg/ml

Dipyridamole 10 mg/ml

Domperidone 1 mg/ml

Metoclopramide 1 mg/ml

Metoprolol tartrate 10 mg/ml

Valganciclovir 60 mg/ml*

Verapamil hydrochloride 50 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend. Ora-Blend SF. Ora-Plus. Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholoodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 223) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



VOSOL EAR DROPS

Vosol Ear Drops

Hydrocortisone powder

WITH HYDROCORTISONE POWDER 1%

1%

to 35 ml

Standard Formulae		PHENOBARBITONE ORAL LIQUID	
ACETYLCYSTEINE EYE DROPS		Phenobarbitone Sodium	1 g
Acetylcysteine inj 200 mg per ml, 10 ml	l qs	Glycerol BP	70 ml
Suitable eye drop base	qs	Water	to 100 ml
ASPIRIN AND CHLOROFORM APPLICAT	ΓΙΟΝ	vvalei	10 100 1111
Aspirin Soluble tabs 300 mg	12 tabs	PHENOBARBITONE SODIUM PAEDIATRI	CORAL
Chloroform	to 100 ml	LIQUID (10 mg per ml)	OOTIVE
CODEINE LINCTUS PAEDIATRIC (3 mg p	ner 5 ml)	Phenobarbitone Sodium	400 mg
Codeine phosphate	60 mg	Glycerol BP	4 ml
Glycerol	40 ml	Water	to 40 ml
Preservative	qs		
Water	to 100 ml	PILOCARPINE ORAL LIQUID	
CODEINE LINCTUS DIABETIC (15 mg pe	or 5 ml)	Pilocarpine 4% eye drops	qs
Codeine phosphate	300 mg	Preservative	qs
Glycerol	40 ml	Water	to 500 ml
Preservative	qs	(Preservative should be used if quantity su	pplied is for
Water	to 100 ml	more than 5 days.)	
FOLINIC MOUTHWASH	10 100 1111		
Calcium folinate 15 mg tab	1 tab	SALIVA SUBSTITUTE FORMULA	
Preservative	qs	Methylcellulose	5 g
Water	to 500 ml	Preservative	qs
(Preservative should be used if quantity su		Water	to 500 ml
more than 5 days. Maximum 500 ml per p	rescription)	(Preservative should be used if quantity su	pplied is for
		more than 5 days. Maximum 500 ml per pro	escription.)
MAGNESIUM HYDROXIDE 8% MIXTURE	_		
Magnesium hydroxide paste 29%	275 g	SODIUM CHLORIDE ORAL LIQUID	
Methyl hydroxybenzoate Water	1.5 g	Sodium chloride inj 23.4%, 20 ml	qs
	to 1,000 ml	Water	qs
METHADONE MIXTURE		(Only funded if prescribed for treatment of I	hyponatraemia)
Methadone powder	qs		
Glycerol	qs	VANCOMYCIN ORAL SOLUTION (50 mg)	per ml)
Water	to 100 ml	Vancomycin 500 mg injection	10 vials
METHYL HYDROXYBENZOATE 10% SO	LUTION	Glycerol BP	40 ml
Methyl hydroxybenzoate	10 g	Water	to 100 ml
Propylene glycol	to 100 ml	(Only funded if prescribed for treatment of	Clostridium
(Use 1 ml of the 10% solution per 100 ml of	of oral liquid	difficile following metronidazole failure)	

8.4 g

to 100 ml

mixture)

Water

OMEPRAZOLE SUSPENSION Omeprazole capules or powder Sodium bicarbonate powder BP

_	^	٠,
	٠,	•

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Extemporaneously Compounded Preparations and Galenicals BENZOIN Tincture compound BP24.42 500 ml (39.90)Pharmacy Health 2.44 50 ml Pharmacy Health (5.10)CHLOROFORM - Only in combination Only in aspirin and chloroform application. Chloroform BP25.50 500 ml ✓ PSM CODEINE PHOSPHATE - Safety medicine; prescriber may determine dispensing frequency Powder - Only in combination63.09 25 g (90.09)Douglas 12.62 5 g (25.46)Douglas a) Only in extemporaneously compounded codeine linctus diabetic or codeine linctus paediatric. b) ± Safety cap for extemporaneously compounded oral liquid preparations. COLLODION FLEXIBLE 100 ml ✓ PSM COMPOUND HYDROXYBENZOATE - Only in combination Only in extemporaneously compounded oral mixtures. 100 ml ✓ Midwest 34.18 David Craig GLYCERIN WITH SODIUM SACCHARIN - Only in combination Only in combination with Ora-Plus. ✓ Ora-Sweet SF 473 ml GLYCERIN WITH SUCROSE - Only in combination Only in combination with Ora-Plus. ✓ Ora-Sweet 473 ml **GLYCEROL** 500 ml ✓ healthE Glycerol BP Only in extemporaneously compounded oral liquid preparations. MAGNESIUM HYDROXIDE ✓ PSM 500 a METHADONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency d) Extemporaneously compounded methadone will only be reimbursed at the rate of the cheapest form available (methadone powder, not methadone tablets). 1 q ✓ AFT ‡ Safety cap for extemporaneously compounded oral liquid preparations. METHYL HYDROXYBENZOATE 25 g ✓ PSM Powder 8.00 ✓ Midwest METHYLCELLULOSE 100 g ✓ MidWest 473 ml Ora-Plus

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Pri \$	ce) S	Fully Brand or Subsidised Generic Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA Suspension	•	mbination 473 ml	✓ Ora-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl Suspension	•	473 ml	✓ Ora-Blend
PHENOBARBITONE SODIUM Powder – Only in combination	52.50 325.00	10 g 100 g	✓ MidWest ✓ MidWest
a) Only in children up to 12 years b) ‡ Safety cap for extemporaneously compounded oral lic PROPYLENE GLYCOL Only in extemporaneously compounded methyl hydroxybenz	oate 10% solution.		4
Liq SODIUM BICARBONATE	11.25	500 ml	✓ Midwest
Powder BP - Only in combination	8.95 9.80	500 g	✓ Midwest
Only in extemporaneously compounded omeprazole and	(29.50)	ension	David Craig
SYRUP (PHARMACEUTICAL GRADE) – Only in combination Only in extemporaneously compounded oral liquid preparation		J. 1010111	
Liq	21.75	2,000 ml	✓ Midwest
WATER Tap - Only in combination	0.00	1 ml	✓ Tap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive Growth deficiency

An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Either:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3]

Carbohydrate And Fat

■SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 Infant or child aged four years or under; and
- 2 cvstic fibrosis.



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:
Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children: or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT – Special Auth	ority see SA1376 on th	e previous pag	e – Hospital pharmacy [HP3]
Powder (neutral)	60.31	400 g OP	✓ Duocal Super
			Soluble Powder

Fat

■ SA1523 Special Authority for Subsidy

Initial application — (**Inborn errors of metabolism**) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia: or
- 3 fat malabsorption; or
- 4 lymphangiectasia: or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 ascites; or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)12.30	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
Emulsion (strawberry)12.30	200 ml OP	✓ Calogen
Oil30.00	500 ml OP	✓ MCT oil (Nutricia)
Oil, 250 ml114.92	4 OP	✓ Liquigen

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT – Special Authority see SA1	1524 above – Hospital phar	macy [HP3]	
Powder	7.90	225 g OP	✓ Protifar
	8.95	227 g OP	✓ Resource
			Beneprotein
Powder (vanilla)	12.90	275 g OP	✓ Promod

Subsidy (Manufacturer's Price) Fully Subsidised Per Brand or Generic Manufacturer

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 above - Hospital pharmacy [HP3]

Diabetic Products

■SA1095 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

ADE HO ONAL FEED	TROAL/IVIL — Special Authority See SA 1095 above — Hospi	iai piiai iiiacy [i i	[ال
Liquid (strawberry)	1.50	200 ml OP 6	✓ Diasip
Liquid (vanilla)	1.50	200 ml OP 6	✓ Diasip
	1.88	250 ml OP •	✓ Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic
	(2.10)		Sustagen Diabetic

Fat Modified Products

■ SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak: or

Subsidy (Manufacturer's Price) Fully Subsidised Per

Brand or Generic Manufacturer

continued...

3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]
Liquid54.00 400 g OP

✓ Kindergen

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- Both:
 - 1 Child is aged one to ten years; and
 - 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1379 ab Liquid6.00	ove – Hospital pharmacy [HP3] 500 ml OP Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1379 abov Liquid2.68	ve – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Special Authority se Liquid6.00	ee SA1379 above − Hospital pharmacy [HP3] 500 ml OP
PAEDIATRIC ORAL FEED - Special Authority see SA1379 above - Hospital ph. Powder (vanilla)28.00	armacy [HP3] 850 g OP ✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 above Liquid (strawberry)	 Hospital pharmacy [HP3] 200 ml OP
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority see SA1379 above - Liquid (chocolate)	Hospital pharmacy [HP3] 200 ml OP Pediasure 200 ml OP Pediasure 200 ml OP Pediasure 250 ml OP Pediasure 250 ml OP Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see S. Liquid (chocolate)	A1379 above – Hospital pharmacy [HP3] 200 ml OP 200 ml OP 200 ml OP 200 ml OP Fortini Multi Fibre 200 ml OP Fortini Multi Fibre

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Renal Products

⇒SA1101 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML - Special Authority see Liquid			nacy [HP3] Nepro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML - Special Authority see SA Liquid		pital pharmacy 220 ml OP	[HP3] ✓ Nepro HP (strawberry) ✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see SA11	01 above - Hospi	tal pharmacy [F	HP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	✔ Renilon 7.5

Specialised And Elemental Products

■ SA1377 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption: or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas: or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA1377 above - Hospital pharmacy [HP3] 76 a OP ✓ Alitrag

macy [HP3]

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML - Special Authority see SA1377 on the previous page - Hospital phar-1.000 ml OP ✓ Vital

1.000 ml OP

✔ Peptisorb

ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] 18 OP ✓ Elemental 028 Extra Liquid (grapefruit), 250 ml carton171.00 Liquid (pineapple & orange), 250 ml carton171.00 18 OP ✓ Elemental 028 Extra ✓ Elemental 028 Extra 18 OP ORAL ELEMENTAL FEED 1KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3] ✔ Vivonex TEN Powder (unflavoured)4.50 80 a OP SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Authority see SA1377 on the previous page - Hospital pharmacy [HP3]

Paediatric Products For Children With Low Energy Requirements

⇒SA1196 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML - Special Authority see SA1196 above - Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Low Energy Liquid4.00 Multi Fibre

Standard Supplements

⇒SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian. relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive: or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — **(Adults)** only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months;
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions: or

✓ Nutrison Energy Multi Fibre

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	ubsidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 10 Epidermolysis bullosa; or
 - 11 AIDS (CD4 count < 200 cells/mm³); or
 - 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page	-	ospital pharmac 1,000 ml OP	,
ENTERAL FEED 1KCAL/ML – Special Authority see SA1554 on page Liquid		spital pharmacy 250 ml OP 1,000 ml OP	✓ Isosource Standard
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML - Special Authority see		n page 238 – Ho 1,000 ml OP	, , , ,
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA Liquid		age 238 – Hosp 237 ml OP 1,000 ml OP	✓ Jevity
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see S Liquid		page 238 – Hos 250 ml OP 1,000 ml OP	✓ Ensure Plus HN

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

ORAL FEED (POWDER) - Special Authority see SA1554 on page 238 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$26.00 per 850

g with Endorsement	26.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)		Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Sustagen Hospital Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 238 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72	200 ml OP	
LIIdoiseilleill	(1.26)	200 1111 01	Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with	(1.20)		i oi lioip
Endorsement	0.72	200 ml OP	
LITUOISEITIETI	(1.26)	200 IIII OF	Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) Lligher subside of \$1.00 per 000	(1.20)		Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 ml with Endorsement	0.72	200 ml OP	
mi with Endorsement		200 Mi OP	Ensure Plus
1: :1/	(1.26)		Elisule Flus
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with	0.70	000 100	
Endorsement		200 ml OP	E 51
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement	0.85	237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

Subsidy		Fully	Brand or	
(Manufacturer s Pri	ce) Sul	osidised	Generic	
\$	Per	~	Manufacturer	

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 238 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

, p p	-		
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

High Calorie Products

■SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements: or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

SPECIAL FOODS

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

500 ml OP ✓ Nutrison Concentrated

11 00 1.000 ml OP ✓ Two Cal HN RTH

ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with

200 ml OP

> Two Cal HN (1.90)

Food Thickeners

⇒SA1106 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER - Special Authority see SA1106 above - Hospital pharmacy [HP3]

✓ Nutilis 300 a OP 380 a OP ✓ Feed Thickener 7.25 Karicare Aptamil

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

⇒SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3]

1.000 a OP

(5.15)

Healtheries Simple Baking Mix

	Subsidy (Manufacturer's I \$	Price) Subsi Per	Fully Brand or dised Generic Manufacturer
GLUTEN FREE BREAD MIX - Special Authority see SA1107	on the previous pa	ge – Hospital ph	armacy [HP3]
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten
			Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free
			Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
(Bakels Gluten Free Health Bread Mix Powder to be delisted 1	April 2017)		
GLUTEN FREE FLOUR - Special Authority see SA1107 on th	e previous page -	Hospital pharma	cy [HP3]
Powder	5.62	2,000 g OP	
	(18.10)		Horleys Flour
GLUTEN FREE PASTA - Special Authority see SA1107 on the	e previous page – F	Hospital pharma	ev [HP3]
Buckwheat Spirals		250 g OP	,, [o]
240Q. Op. 400	(3.11)	_00 g 0.	Orgran
Corn and Vegetable Shells	` '	250 g OP	o.g.a
	(2.92)		Orgran
Corn and Vegetable Spirals	` ,	250 g OP	3
	(2.92)	Ü	Orgran
Rice and Corn Lasagne Sheets	1.60 [°]	200 g OP	· ·
· ·	(3.82)	ŭ	Orgran
Rice and Corn Macaroni	2.00	250 g OP	•
	(2.92)	-	Orgran
Rice and Corn Penne	2.00	250 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals	2.00	250 g OP	
	(3.11)		Orgran
Rice and corn spaghetti noodles		375 g OP	_
	(2.92)		Orgran
Vegetable and Rice Spirals		250 g OP	_
	(2.92)		Orgran
Italian long style spaghetti		220 g OP	
	(3.11)		Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
S Per ✔ Manufacturer

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

✓ MSUD Maxamaid
✓ MSUD Maxamum

(MSUD Maxamaid Powder to be delisted 1 May 2017)

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE - Special Authority see SA1108 on the previous page - Hospital pharmacy

HP3] Tab

Tabs	393.00	75 OP 30 400 g OP	✓ Phlexy 10✓ PKU Anamix Junior✓ PKU Anamix Infant
Powder (orange)		500 g OP	✓ XP Maxamaid ✓ XP Maxamum
Powder (unflavoured)	221.00 320.00	500 g OP	✓ XP Maxamaid ✓ XP Maxamum
Liquid (berry)	13.10	125 ml OP	PKU Anamix Junior LQ
Liquid (orange)		125 ml OP	PKU Anamix Junior LQ
Liquid (unflavoured)	13.10	125 ml OP	PKU Anamix Junior LQ
Liquid (forest berries), 250 ml carton		18 OP	Easiphen Liquid
Liquid (juicy berries) 62.5 ml	939.00	60 OP	PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml	939.00	60 OP	PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml	939.00	60 OP	PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml		30 OP	PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml	936.00	30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy orange) 125 ml		30 OP	✓ PKU Lophlex LQ 20

Foods

LOW PROTEIN BAKING MIX – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

Powder8.22 500 g OP

✓ Loprofin Mix

IN PROTEIN PACTA. Cresial Authority and CA1100 and the remaining area. Hearthal abortion (HD0)

LOW PROTEIN PASTA - Special Authority see SA1108 on the	e previous page – H	lospital pharma	acy [HP3]	
Animal shapes	11.91	500 g OP	✓ Loprofin	
Lasagne	5.95	250 g OP	✓ Loprofin	
Low protein rice pasta	11.91	500 g OP	✓ Loprofin	
Macaroni	5.95	250 g OP	✓ Loprofin	
Penne	11.91	500 g OP	✓ Loprofin	
Spaghetti	11.91	500 g OP	✓ Loprofin	
Spirals	11.91	500 g OP	✓ Loprofin	

Infant Formulae

For Premature Infants

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powder44.40 400 q OP ✓ Locasol

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA - Special Authority see SA1219 below - Ho	spital pharn	nacy [HP3]	
Powder	6.00	48.5 g OP	✓ Vivonex Pediatric
	43.60	400 g OP	Alfamino Junior
	53.00	•	✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
. ,		•	✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	53.00	400 g OP	✓ Elecare
,		ŭ	✓ Neocate Advance

(Vivonex Pediatric Powder to be delisted 1 April 2017)

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1557 below - Hospital pharmacy [HP3]

⇒SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Fither:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis: or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure: or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula: and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Ketogenic Diet

⇒SA1197 | Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special Authority see	e SA1197 ab	ove – Retail ph	narmacy
Powder (unflavoured)	35.50	300 g OP	✓ KetoCal 4:1
Powder (vanilla)	35.50	300 a OP	✓ Ketocal 3:1 ✓ KetoCal 4:1

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

48851111 INTE	0555011/01/5
ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule	✓ Inj 500 mg vial – Subsidy by endorsement –
✓ Inj 1 in 10,000, 10 ml ampoule5	See note on page 985
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See
✓ Inj 25 mg per ml, 10 ml ampoule5	note on page 985
AMIODARONE HYDROCHLORIDE	CHARCOAL
✓ Inj 50 mg per ml, 3 ml ampoule6	✓ Oral liq 50 g per 250 ml
Fing 50 mg per mi, 5 mi ampoule	
AMOXICILLIN	CHLORPROMAZINE HYDROCHLORIDE
✓ Cap 250 mg30	✓ Tab 10 mg
✓ Cap 500 mg30	✓ Tab 25 mg
✓ Grans for oral liq 125 mg per 5 ml	✓ Inj 25 mg per ml, 2 ml
✓ Grans for oral liq 250 mg per 5 ml	▶ IIIJ 25 IIIg pei IIII, 2 IIII
✓ Inj 1 g vial5	CIPROFLOXACIN
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 250 mg – See note on page 1015
✓ Tab 500 mg with clavulanic acid 125 mg30	✓ Tab 500 mg – See note on page 1015
✓ Grans for oral liq amoxicillin 125 mg with	CO-TRIMOXAZOLE
clavulanic acid 31.25 mg per	✓ Tab trimethoprim 80 mg and
5 ml200 ml	sulphamethoxazole 400 mg30
✓ Grans for oral liq amoxicillin 250 mg with	✓ Oral lig trimethoprim 40 mg and
clavulanic acid 62.5 mg per 5 ml200 ml	sulphamethoxazole 200 mg per
ASPIRIN	5 ml200 ml
✓ Tab dispersible 300 mg30	
	COMPOUND ELECTROLYTES
ATROPINE SULPHATE	✓ Powder for oral soln10
✓ Inj 600 mcg per ml, 1 ml ampoule5	CONDOMS
AZITHROMYCIN	✓ 49 mm144
✓ Tab 500 mg – See note on page 988	✓ 52 mm144
DENIDDOELLIMETHIAZIDE (DENIDDOELLIAZIDE)	✓ 52 mm extra strength144
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] ✓ Tab 2.5 mg – See note on page 62150	✓ 53 mm144
✓ Tab 2.5 flig – See flote off page oz	✓ 53 mm (chocolate)144
BENZATHINE BENZYLPENICILLIN	✓ 53 mm (strawberry)144
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe5	✓ 55 mm
BENZTROPINE MESYLATE	✓ 56 mm
✓ Inj 1 mg per ml, 2 ml10	✓ 56 mm, shaped
	✓ 60 mm144
BENZYLPENICILLIN SODIUM (PENICILLIN G)	CYPROTERONE ACETATE WITH
✓ Inj 600 mg (1 million units) vial5	ETHINYLOESTRADIOL
BLOOD GLUCOSE DIAGNOSTIC TEST METER	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
✓ Meter with 50 lancets, a lancing device and	7 inert tabs168
10 diagnostic test strips – Subsidy by	DEXAMETHASONE
endorsement – See note on page 261	✓ Tab 0.5 mg – Retail pharmacy-Specialist60
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	✓ Tab 4 mg – Retail pharmacy-Specialist
✓ Blood glucose test strips – See note on page	
26	DEXAMETHASONE PHOSPHATE
	✓ Inj 4 mg per ml, 1 ml ampoule – See note on
BLOOD KETONE DIAGNOSTIC TEST METER	page 865
✓ Meter – See note on page 251	continued

continued)	✓ Tab 35 mcg with norethisterone 1 mg and
✓ Inj 4 mg per ml, 2 ml ampoule – See note on	7 inert tab
page 86	· · · · · · · · · · · · · · · · · · ·
DIAPHRAGM	✓ Tab 35 mcg with norethisterone 500 mcg and 7 inert tab84
✓ 65 mm – See note on page 79	1 and 7 mert tab
✓ 70 mm – See note on page 79	1 FLUCLOXACILLIN
✓ 75 mm – See note on page 79	1 Cap 250 mg30
✓ 80 mm – See note on page 79	1
DIAZEDAM	✓ Grans for oral liq 50 mg per ml
DIAZEPAM	✓ Inj 1 g vial10
✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by	5 FLUPENTHIXOL DECANOATE
endorsement – See note on page 138	415 00 00 00 00 00 00 00 00 00 00 00 00 00
✓ Rectal tubes 5 mg	4 lm 00 mm mm 0 ml
✓ Rectal tubes 10 mg	✓ Inj 100 mg per ml, 1 ml5
DICLOFENAC SODIUM	• Inj 100 mg per mi, 1 mi
✓ Inj 25 mg per ml, 3 ml ampoule	5 FLUPHENAZINE DECANOATE
✓ Suppos 50 mg1	
	endorsement – See note on page 1485
DIGOXIN	✓ Inj 25 mg per ml, 1 ml – Subsidy by
✓ Tab 62.5 mcg	
✓ Tab 250 mcg	lo ✓ Inj 25 mg per ml, 2 ml – Subsidy by
DOXYCYCLINE	endorsement – See note on page 1485
Tab 50 mg	4 lot 400 many and 4 mal . Out of the loss
✓ Tab 100 mg	and an annual Control on the second 140
• Tab Too mg	
ERGOMETRINE MALEATE	FUROSEMIDE [FRUSEMIDE]
✓ Inj 500 mcg per ml, 1 ml ampoule	5
	✓ Inj 10 mg per ml, 2 ml ampoule5
ERYTHROMYCIN ETHYL SUCCINATE	GLUCAGON HYDROCHLORIDE
✓ Tab 400 mg	Ini 1 mg syringe kit
Grans for oral liq 200 mg per 5 ml	
✓ Grans for oral liq 400 mg per 5 ml 200 r	
ERYTHROMYCIN STEARATE	✓ Inj 50%, 10 ml ampoule5
Tab 250 mg	✓ Inj 50%, 90 ml bottle5
•	GLYCERYL TRINITRATE
ETHINYLOESTRADIOL WITH DESOGESTREL	✓ Tab 600 mcg100
Tab 20 mcg with desogestrel 150 mcg and	✓ Oral pump spray, 400 mcg per dose 250 dose
7 inert tab	✓ Oral spray, 400 mcg per dose250 dose
Tab 30 mcg with desogestrel 150 mcg and	GLYCOPYRRONIUM BROMIDE
7 inert tab	Inj 200 mcg per ml, 1 ml ampoule10
ETHINYLOESTRADIOL WITH LEVONORGESTREL	Fing 200 mag per mi, 1 mi ampodic
	HALOPERIDOL
✓ Tab 20 mcg with levonorgestrel 100 mcg and	✓ Tab 500 mcg30
7 inert tab	▶ 1ab 1.5 mg50
✓ Tab 50 mcg with levonorgestrel 125 mcg and	✓ Tab 5 mg30
7 inert tab	ording 2 mg por mi
Tab 30 mcg with levenorgestrel 150 mcg	¹³ ✓ Inj 5 mg per ml, 1 ml ampoule5
✓ Tab 30 mcg with levonorgestrel 150 mcg and	HALOPERIDOL DECANOATE
7 inert tab8	✓ Inj 50 mg per ml, 1 ml5
ETHINYLOESTRADIOL WITH NORETHISTERONE	✓ Inj 100 mg per ml, 1 ml5
✓ Tab 35 mcg with norethisterone 1 mg	
	continued

PRACTITIONER'S SUPPLY ORDERS

(continued) HYDROCORTISONE	METRONIDAZOLE ✓ Tab 200 mg30
✓ Inj 100 mg vial5	MORPHINE SULPHATE
HYDROXOCOBALAMIN ✓ Inj 1 mg per ml, 1 ml ampoule6	✓ Inj 5 mg per ml, 1 ml ampoule – Only on a controlled drug form5
HYOSCINE N-BUTYLBROMIDE ✓ Inj 20 mg, 1 ml5	✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form5
INTRA-UTERINE DEVICE	✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form5
✓ IUD 29.1 mm length × 23.2 mm width	✓ Inj 30 mg per ml, 1 ml ampoule – Only on a controlled drug form5
IPRATROPIUM BROMIDE	NALOXONE HYDROCHLORIDE ✓ Inj 400 mcg per ml, 1 ml ampoule5
✓ Aerosol inhaler, 20 mcg per dose	NICOTINE
CFC-free	 ✓ Patch 7 mg – See note on page 165
✓ Nebuliser soln, 250 mcg per ml, 2 ml ampoule 40	✓ Patch 21 mg – See note on page 16528
IVERMECTIN	✓ Lozenge 1 mg – See note on page 165216
✓ Tab 3 mg – See note on page 74100	✓ Lozenge 2 mg – See note on page 165216
KETONE BLOOD BETA-KETONE ELECTRODES	✓ Gum 2 mg (Classic) – See note on page 165384
✓ Test strip10	✓ Gum 2 mg (Fruit) – See note on page 165384 ✓ Gum 2 mg (Mint) – See note on page 165384
LEVONOBOEOTRE	✓ Gum 4 mg (Classic) – See note on page 165384
LEVONORGESTREL 24	✓ Gum 4 mg (Fruit) – See note on page 165384
Tab 30 mcg	✓ Gum 4 mg (Mint) – See note on page 165384
✓ Tab 1.5 mg5	
LIDOCAINE [LIGNOCAINE]	NORETHISTERONE
✓ Gel 2%, 10 ml urethral syringe – Subsidy by	✓ Tab 350 mcg84 ✓ Tab 5 mg30
endorsement – See note on page 1325	✓ 1ab 5 Hig50
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	OXYTOCIN
✓ Inj 1%, 5 ml ampoule25	✓ Inj 5 iu per ml, 1 ml ampoule5
✓ Inj 2%, 5 ml ampoule5	✓ Inj 10 iu per ml, 1 ml ampoule5
✓ Inj 1%, 20 ml ampoule5	OXYTOCIN WITH ERGOMETRINE MALEATE
✓ Inj 2%, 20 ml ampoule5	✓ Inj 5 iu with ergometrine maleate 500 mcg
LIDOCAINE (LICANOCAINE) WITH CHILOPHEVIDINE	per ml, 1 ml5
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	•
✓ Gel 2% with chlorhexidine 0.05%, 10 ml	PARACETAMOL
urethral syringes – Subsidy by	✓ Tab 500 mg30
endorsement – See note on page 1335	✓ Oral liq 120 mg per 5 ml
LOPERAMIDE HYDROCHLORIDE	✓ Oral liq 250 mg per 5 ml 100 ml
✓ Tab 2 mg30	PEAK FLOW METER
✓ Cap 2 mg30	✓ Low range10
MASK FOR SPACER DEVICE	✓ Normal range10
✓ Small – See note on page 21520	PETHIDINE HYDROCHLORIDE
	✓ Inj 50 mg per ml, 1 ml – Only on a controlled
MEDROXYPROGESTERONE ACETATE	drug form5
✓ Inj 150 mg per ml, 1 ml syringe5	✓ Inj 50 mg per ml, 2 ml – Only on a controlled
METOCLOPRAMIDE HYDROCHLORIDE	drug form5
✓ Inj 5 mg per ml, 2 ml ampoule5	-
,,,	continued

PRACTITIONER'S SUPPLY ORDERS

continued)
PHENOXYMETHYLPENICILLIN (PENICILLIN V)
✓ Cap 250 mg
✓ Grans for oral liq 125 mg per 5 ml 200 ml
✓ Grans for oral liq 250 mg per 5 ml 300 ml
PHENYTOIN SODIUM
✓ Inj 50 mg per ml, 2 ml ampoule
PHYTOMENADIONE
✓ Inj 2 mg per 0.2 ml5
✓ Inj 10 mg per ml, 1 ml5
PIPOTHIAZINE PALMITATE
✓ Inj 50 mg per ml, 1 ml – Subsidy by
endorsement – See note on page 1505 ✓ Inj 50 mg per ml, 2 ml – Subsidy by
endorsement – See note on page 1505
PREDNISOLONE
✔ Oral liq 5 mg per ml – See note on page
8630 ml
PREDNISONE ✓ Tab 5 mg30
PREGNANCY TESTS - HCG URINE
PREGNANCY TESTS - HCG URINE ✓ Cassette
PREGNANCY TESTS - HCG URINE ✓ Cassette
PREGNANCY TESTS - HCG URINE ✓ Cassette
PREGNANCY TESTS - HCG URINE ✓ Cassette
PREGNANCY TESTS - HCG URINE ✓ Cassette
PREGNANCY TESTS - HCG URINE ✓ Cassette
PREGNANCY TESTS - HCG URINE ✓ Cassette
PREGNANCY TESTS - HCG URINE ✓ Cassette

✓ Aerosol inhaler, 100 mcg per dose CFC free1000 dose
✓ Nebuliser soln, 1 mg per ml, 2.5 ml ampoule30 ✓ Nebuliser soln, 2 mg per ml, 2.5 ml ampoule30
SALBUTAMOL WITH IPRATROPIUM BROMIDE ✓ Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule20
SILVER SULPHADIAZINE ✓ Crm 1%
SODIUM BICARBONATE ✓ Inj 8.4%, 50 ml 5 ✓ Inj 8.4%, 100 ml 5
SODIUM CHLORIDE ✓ Inj 0.9%, bag – See note on page 54
SPACER DEVICE ✓ 220 ml (single patient)
TRIMETHOPRIM ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule5
WATER ✓ Inj 5 ml ampoule – See note on page 55
ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml5

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND

Northland DHB Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa

Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka

Waipu Whangaroa

Tutukaka

Helensville Huapai Kumeu

Waitemata DHB

Snells Beach Waimauku Warkworth Wellsford

Auckland DHB
Great Barrier Island

Oneroa

Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville

Ngatea Otorohanga Paeroa Pauanui Beach

Putaruru Raglan Tairua
Taumarunui
Te Aroha
Te Kauwhata
Te Kuiti
Tokoroa
Waihi

Whangamata Whitianga

Bay of Plenty DHB Edgecumbe Katikati Kawerau Murupara Opotiki

Te Kaha Waihi Beach Whakatane

Taneatua

Lakes DHB Mangakino

Turangi

Tairawhiti DHB
Ruatoria
Te Araroa
Te Karaka
Te Puia Springs
Tikitiki

Tikitiki Tokomaru Bay Tolaga Bay

Taranaki DHB
Eltham
Inglewood
Manaia
Oakura
Okato
Opunake
Patea
Stratford

Hawkes Bay DHB Waipawa Waipukurau

Whanganui DHB

Bulls

Wairoa

Waverley

Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB
Dannevirke
Foxton
Levin
Otaki
Pahiatua

Woodville

Wairarapa DHB
Carteron
Featherston

Shannon

Greytown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB Havelock

Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB
Dobson
Greymouth
Hokitika
Karamea
Reefton
South Westland
Westport
Whataroa

Canterbury DHB
Akaroa
Amberley
Amuri
Chatham Islands

Cheviot
Darfield
Diamond Harbour
Hanmer Springs

Southern DHB

Kaikoura

Leeston

Lincoln

Oxford

Rakaia

Rolleston

Rotherham

Templeton

South Canterbury DHB

Waikari

Fairlie

Geraldine

Temuka

Waimate

Twizel

Pleasant Point

Methven

Southern Alexandra Balclutha Cromwell Gore Kurow Lawrence Lumsden Mataura

Mataura
Milton
Oamaru
Oban
Otautau
Outram
Owaka
Palmerston
Queenstown
Ranfurly

Ranfurly Riverton Roxburgh Tapanui Te Anau Tokonui Tuatapere Wanaka Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the
prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies
"certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility;
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note – the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

SECTION F

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE

Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor
Cap long-acting 100 mg Tambocor CR
Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per m

Nasal spray 10 mcg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	. Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral liq 30 mg (6 mg el- Ferodan

emental) per 1 ml

CARDIOVASCULAR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral liq 5 mg per ml Capoten

CHLOROTHIAZIDE

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral liq 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 25 mcg Synthroid
Tab 50 mcg Eltroxin

Synthroid

Tab 100 mcg Eltroxin

Synthroid

(Extemporaneously compounded oral liquid preparations)

LEVOTHYROXINE (MERCURY PHARMA)

Tab 50 mcg Mercury Pharma

Tab 100 mcg Mercury Pharma (Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 mcg Xanax Tab 500 mcg Xanax

Tab 1 mg Xanax

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 20 mg per ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam
Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral liq 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml
Oral liq 5 mg per ml
Oral liq 10 mg per ml
Biodone Forte
Biodone Extra Forte

MORPHINE HYDROCHLORIDE

 Oral liq 1 mg per ml
 RA-Morph

 Oral liq 2 mg per ml
 RA-Morph

 Oral liq 5 mg per ml
 RA-Morph

Oral liq 10 mg per ml

RA-Morph

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare

Oral lig 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral liq 30 mg per 5 ml Dilantin

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE
Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE
Oral lig 1 mg per 1 ml Allersoothe

SALBUTAMOL

Oral lig 400 mcg per ml Ventolin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

\$

Vaccinations

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Ini 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml0.00 ADT Booster ✔ ADT Booster

Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients; or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds: or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000

Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcgatlas.org/index.php.

Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin), Danish strain 1331, live attenuated, vial with diluent0.00 10 ✓ BCG Vaccine

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- 2) A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Ini 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg pertussis toxoid, 8 mcg pertussis filamentous haemagluttinin 10 ✓ Boostrix **Boostrix**

	Subsidy (Manufacturer's Price)	Subsi Per	dised	Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE – Funded for any of the following: 1) A single dose for children up to the age of 7 who have compared to 7. 3) An additional four doses (as appropriate) are funded for or post splenectomy; pre- or post solid organ transplant or 4) Five doses will be funded for children requiring solid organ.	ompleted primary immunes for children (to the (re-)immunisation for prenal dialysis and other	e age of 10 patients po	0 years	T, or chemotherapy; pre
Note: Please refer to the Immunisation Handbook for approp Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid 25 mcg pertussis toxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe	riate schedule for catcl , ; ;	n up progra 1 10	✓ <u>Infa</u>	anrix IPV anrix IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AN Funded for patients meeting any of the following criteria: 1) Up to four doses for children up to and under the age of 2) An additional four doses (as appropriate) are funded for are patients post haematopoietic stem cell transplantation organ transplant, renal dialysis and other severely immuria. 3) Up to five doses for children up to and under the age of Note: A course of up-to four vaccines is funded for catch up to complete full primary immunisation. Please refer to the Ir programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisB-surfaceantigen in 0.5ml syringe	10 for primary immunis (re-)immunisation for con, or chemotherapy; phosuppressive regimer 10 receiving solid organ to programmes for child nmunisation Handbook	sation; or children up ore or post ns; or n transplan Iren (up to	to and splene station. and un opropria	under the age of 10 who ectomy; pre- or post solid
	0.00	1		anrix-nexa anrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm] One dose for patients meeting any of the following: 1) For primary vaccination in children; or 2) An additional dose (as appropriate) is funded for (re-)im tation, or chemotherapy; functional asplenic; pre or pos cochlear implants, renal dialysis and other severely immi	st splenectomy; pre- o unosuppressive regime es, on the recommend	r post soli ens; or lation of a	d orgar n intern	n transplant, pre- or pos
Inj 10 mcg vial with diluent syringe	0.00	1	✓ <u>Ac</u>	<u>t-HIB</u>
HEPATITIS A VACCINE – [Xpharm] Funded for patients meeting any of the following criteria: 1) Two vaccinations for use in transplant patients; or 2) Two vaccinations for use in children with chronic liver dis 3) One dose of vaccine for close contacts of known hepatiti	s A cases.	1	√ Ua-	neiv.
Inj 1440 ELISA units in 1 ml syringe		1	✓ <u>Ha</u>	<u>vrix</u> vrix Junior
ing 120 ELIOA diliko ili 0.0 tili oyillige		•	≠ 110	TILA GUIIIOI

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial Funded for patients meeting any of the following criteria:		1		<u>HBvaxPRO</u>
 for household or sexual contacts of known acute hepatitis for children born to mothers who are hepatitis B surface ar 				
3) for children up to and under the age of 18 years inclusive v				ved a positive serology and
require additional vaccination; or				9,
4) for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse; of7) for patients following immunosuppression; or	JI			
8) for transplant patients; or				
9) following needle stick injury.				
Inj 10 mcg per 1 ml vial	0.00	1	/ <u> </u>	<u>HBvaxPRO</u>
Funded for patients meeting any of the following criteria:				
1) for household or sexual contacts of known acute hepatitis				
 for children born to mothers who are hepatitis B surface at for children up to and under the age of 18 years inclusive v 				und a positive corology and
require additional vaccination; or	viio are considered in	ו טו וט	lave acrile	veu a positive serology and
for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse; of	or			
7) for patients following immunosuppression; or				
8) for transplant patients; or9) following needle stick injury.				
Inj 40 mcg per 1 ml vial	0.00	1	1	-lBvaxPRO
Funded for any of the following criteria:		•	V <u>1</u>	IDVAXI 110
for dialysis patients; or				
for liver or kidney transplant patient.				
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV] -	- [Xpharm]			
Maximum of three doses for patient meeting any of the following	ng criteria:			
Females aged under 20 years old; or	Para an			
 Patients aged under 26 years old with confirmed HIV infec For use in transplant (including stem cell) patients; or 	tion; or			
An additional dose for patients under 26 years of age post	chemotherapy			
Inj 120 mcg in 0.5 ml syringe	, ,	10	~	Gardasil
-,, g-		1	-	Gardasil
(Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October 20 (Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October 20				
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 58)	VACCINE [HPV] - [Xpha	rml	
Any of the following:		μ		
1) Maximum of two doses for children aged 14 years and und				
2) Maximum of three doses for patients meeting any of the fo	llowing criteria:			
a) People aged 15 to 26 years inclusive; or				
b) Either: People aged 9 to 26 years inclusive				
Confirmed HIV infection; or				
b) Transplant (including stem cell) patients: or				
3) Maximum of four doses for people aged 9 to 26 years inclu	usive post chemother	ару		
Inj 270 mcg in 0.5 ml syringe	0.00	10	V (Gardasil 9

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

INFLUENZA VACCINE - [Xpharm]

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
 - a) all people 65 years of age and over; or
 - b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - i) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
 - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

11 7			,	
Inj 45 mcg in 0.5 ml syringe	90.00	10	Fluarix	
			✓ Influvac	

MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression; or
- 3) For any individual susceptible to measles, mumps or rubella; or
- 4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 1000 TCID50 measles, 12500 TCID50 mumps and
1000 TCID50 rubella vial with diluent 0.5 ml vial0.00

10

✓ M-M-R II

MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONGUGATE VACCINE - [Xpharm]

An	y of the following:
	Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or
,	anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
2)	One dose for close contacts of meningococcal cases; or
,	A maximum of two doses for bone marrow transplant patients; or
	A maximum of two doses for patients following immunosuppression*.
	te: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series
	te. Children under seven years of age require two doses o weeks apart, a booster dose three years after the primary series.
	osuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.
	4 mcg of each meningococcal polysaccharide conjugated
1111	
	to a total of approximately 48 mcg of diphtheria toxoid
	carrier per 0.5 ml vial
MENIN	GOCOCCAL C CONGUGATED VACCINE - [Xpharm]
An	y of the following:
1)	Up to three doses and a booster every five years for patients pre- and post splenectomy and for patients with functional or
	anatomic asplenia, HIV, complement deficiency (acquired or inherited), or pre or post solid organ transplant; or
2)	One dose for close contacts of meningococcal cases; or
3)	A maximum of two doses for bone marrow transplant patients; or
4)	A maximum of two doses for patients following immunosuppression*.
No	te: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series
an	d then five yearly.
*Immur	osuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days.
	10 mcg in 0.5 ml syringe
•	10 ✔ Neisvac-C
DNEIN	IOCOCCAL (PCV13) VACCINE – [Xpharm]
	y of the following:
	A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or
	Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months
رے	who have received one to three doses of PCV10; or
٥/	One dose is funded for high risk children (over the age of 17 months and up to the age of 18) who have previously received
٥)	four doses of PCV10; or
4\	Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients with HIV, for patients post
4)	haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post-
	solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immun-
E/	odeficiency; or
5)	For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or
NI.	paediatrician.
INO	te: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes
inj	30.8 mcg in 0.5 ml syringe
	1 Prevenar 13
PNEUN	IOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [Xpharm]
Eit	ner:
1)	Up to three doses (as appropriate) for patients with HIV, for patients post haematopoietic stem cell transplant, or chemother-
	apy; pre- or post-splenectomy or with functional asplenia, pre- or post-solid organ transplant, renal dialysis, complement
	deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
2)	Up to two doses are funded for high risk children to the age of 18.
	575 mcg in 0.5 ml prefilled syringe (25 mcg of each
	23 pneumococcal serotype)

Subsidy

(Manufacturer's Price)

\$

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following: 1) For partially vaccinated or previously unvaccinated individuals; or 2) For revaccination following immunosuppression. Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes. ✓ IPOL ROTAVIRUS LIVE REASSORTANT ORAL VACCINE - [Xpharm] Maximum of three doses for patients meeting the following: 1) first dose to be administered in infants aged under 15 weeks of age; and 2) no vaccination being administered to children aged 8 months or over. Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units ✔ RotaTeq 10

VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

- 1) For non-immune patients:
- 2) a) with chronic liver disease who may in future be candidates for transplantation; or
 - b) with deteriorating renal function before transplantation; or
 - c) prior to solid organ transplant; or
 - d) prior to any elective immunosuppression*.
- 3) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 4) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 5) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- 6) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
- For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
- 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

- Symbols -	
3TC	.117
50X 3.0 Reservoir	37
- A -	
A-Scabies	75
Abacavir sulphate	.116
Abacavir sulphate with	
lamivudinė	116
Abilify	.145
Abiraterone acetate	.182
Acarbose	
Accu-Chek Ketur-Test	25
Accu-Chek Performa	26
Accuretic 10	
Accuretic 20	
Acetazolamide	
Acetic acid with 1, 2- propanediol	
diacetate and	
benzethonium	216
Acetic acid with hydroxyquinoline	
and ricinoleic acid	82
Acetylcysteine	
Aci-Jel	
Aciclovir	
Infection	.110
Sensory	
Acidex	
Acipimox	
Acitretin	
Aclasta	
Aclin	
Act-HIB	.261
Actinomycin D	.172
Actrapid	
Actrapid Penfill	24
Acupan	.133
Adalat 10	60
Adalimumab	
Adapalene	
Adefin XL	
Adefovir dipivoxil	.108
Adenuric	.129
ADR Cartridge 1.8	37
Adrenaline	65
Adriamycin	
ADT Booster	.260
Adult diphtheria and tetanus	
vaccine	260
Advantan	
Advate	
Afinitor	.205
AFT SLS-free	73

AFT-Pyrazinamide	107
AFT-Pyrazinamide S29	107
Agents Affecting the	
Renin-Angiotensin System	56
Agents for Parkinsonism and	
Related Disorders	. 131
Agents Used in the Treatment of	
Poisonings	. 221
Agrylin	171
Alanase	214
Albendazole	97
Albey	207
Albustix	84
Alendronate sodium	
Alendronate sodium with	
colecalciferol	. 125
Alfacalcidol	44
Alfamino Junior	247
Alginic acid	20
Alglucosidase alfa	40
Alitraq	
Alkeran	
Allersoothe	208
Allopurinol128	-129
Allopurinol-Apotex	128
Alpha Adrenoceptor Blockers	56
Alpha-Keri Lotion	73
Alprazolam	150
Alu-Tab	
Aluminium hydroxide	20
Aluminium hydroxide Amantadine hydrochloride	131
Ambrisentan	66
Amiloride hydrochloride	62
Amiloride hydrochloride with	٥_
furosemide	62
Amiloride hydrochloride with	0_
hydrochlorothiazide	62
Aminophylline	214
Amiodarone hydrochloride	57
Amisulpride	145
Amitriptyline	136
Amlodipine	
Amorolfine	
Amoxicillin	
Amoxicillin Actavis	
Amoxicillin with clavulanic	
acid	100
Amphotericin B	43
Amsacrine	71
AmsaLyo	171
Amsidine	171
Amyl nitrita	

Amzoate	42
Anaesthetics	132
Anagrelide hydrochloride	171
Analgesics	
Anastrozole	184
Andriol Testocaps	87
Androderm	87
Animas Battery Cap	33
Animas Cartridge	37
Animas Vibe	
Anoro Ellipta	212
Antabuse	164
Antacids and Antiflatulants	20
Anten	136
Anthelmintics	97
Antiacne Preparations	68
Antiallergy Preparations	207
Antianaemics	47
Antiandrogen Oral	
Contraceptives	82
Antiarrhythmics	
Antibacterials	
Antibacterials Topical	
Anticholinergic Agents	210
Anticholinesterases	
Antidepressants	136
Antidiarrhoeals	20
Antiepilepsy Drugs	138
Antifibrinolytics, Haemostatics	
and Local Sclerosants	48
Antifibrotics	212
Antifungals	104
Antifungals Topical	69
Antihistamines	207
Antihypotensives	58
Antimalarials	106
Antimigraine Preparations	
Antinaus	144
Antinausea and Vertigo	
Agents	143
Antiparasitics	106
Antipruritic Preparations	70
Antipsychotics	145
Antiretrovirals	114
Antiretrovirals - Additional	
Therapies	118
Antirheumatoid Agents	123
Antispasmodics and Other	
Agents Altering Gut	
Motility	22
Antithrombotic Agents	50
Antithymocyte globulin	

(equine)	190	Aptamil Gold+ Pepti Junior	248	ATGAM	190
Antitrichomonal Agents	106	Aquasun 30+	77	Ativan	151
Antituberculotics and		Aqueous cream	73	Atomoxetine	159
Antileprotics	107	Arava	123	Atorvastatin	63
Antiulcerants	22	Aremed		Atripla	116
Antivirals		Arimidex	184	Atropine sulphate	
Anxiolytics		Aripiprazole	145	Cardiovascular	58
Anzatax		Aristocort		Sensory	
Apidra		Arrow - Clopid		Atropt	
Apidra SoloStar		Arrow-Amitriptyline		Atrovent	
Apo-Allopurinol		Arrow-Bendrofluazide		Aubagio	
Apo-Amiloride		Arrow-Brimonidine		Augmentin	
Apo-Amlodipine		Arrow-Calcium		Auranofin	
Apo-Amoxi		Arrow-Diazepam		Ava 20 ED	
Apo-Azithromycin		Arrow-Dortim		Ava 30 ED	
Apo-Bromocriptine		Arrow-Doxorubicin		Avelox	
Apo-Ciclopirox		Arrow-Etidronate		Avomine	
Apo-Cilazapril		Arrow-Fluoxetine		Avonex	
Apo-Cilazapril/		Arrow-Gabapentin		Avonex Pen	
Hydrochlorothiazide	57	Arrow-Lamotrigine		Azacitidine	
Apo-Clarithromycin		Arrow-Losartan &		Azamun	
Alimentary	22	Hydrochlorothiazide	57	Azathioprine	
Infection		Arrow-Meloxicam		Azithromycin	
Apo-Clomipramine		Arrow-Morphine LA		Azol	
Apo-Diclo SR		Arrow-Norfloxacin		Azopt	
Apo-Diltiazem CD		Arrow-Nornidazole		AZT	
Apo-Dinazeni CD		Arrow-Quinapril 10		-B-	117
Apo-Folic Acid		Arrow-Quinapril 20		_	07
•		Arrow-Quinapril 5		B-D Micro-Fine	
Apo-Imiquimod Cream 5%				B-D Ultra Fine	
Apo-Megestrol		Arrow-Roxithromycin Arrow-Sertraline		B-D Ultra Fine II	
Apo-Metoprolol				Bacillus Calmette-Guerin	'
Apo-Mirtazapine		Arrow Simva 10mg		vaccine	190
Apo-Moclobemide		Arrow-Simva 20mg		Bacillus Calmette-Guerin	
Apo-Montelukast		Arrow-Simva 40mg		vaccine	
Apo-Nadolol		Arrow-Simva 80mg		Baclofen	
Apo-Nicotinic Acid		Arrow-Sumatriptan		Bactroban	
Apo-Oxybutynin		Arrow-Timolol		Bakels Gluten Free Health	
Apo-Perindopril		Arrow-Tolterodine		Mix	
Apo-Pindolol		Arrow-Topiramate		Baraclude	109
Apo-Prazosin		Arrow-Tramadol		Barrier Creams and	
Apo-Prednisone		Arrow-Venlafaxine XR		Emollients	
Apo-Primidone		Arsenic trioxide		BCG Vaccine	
Apo-Propranolol		Asacol		Beclazone 100	
Apo-Pyridoxine		Asamax		Beclazone 250	
Apo-Ropinirole		Ascorbic acid		Beclazone 50	208
Apo-Selegiline S29		Aspen Adrenaline	65	Beclomethasone	
Apo-Terazosin		Aspirin		dipropionate	
Apo-Thiamine		Blood		Becton Dickinson PosiFlus	sh53
Apo-Timol		Nervous		Bee venom allergy	
Apo-Trifluoperazine		Asthalin		treatment	
Apomorphine hydrochloride		Atazanavir sulphate		Bendrofluazide	62
Aprepitant		Atenolol		Bendroflumethiazide	
Apresoline	65	Atenolol AFT	58	[Bendrofluazide]	62

BeneFIX	49
Benzathine benzylpenicillin	100
Benzbromaron AL 100	129
Benzbromarone	
Benzoin	
Benztrop	
Pon-troning magulate	101
Benztropine mesylate Benzydamine hydrochloride	ادا
Benzylpenicillin sodium (penicilli	42
Benzylpeniciiin sodium (peniciiii	100
G)	
Beta Adrenoceptor Blockers	58
Beta Cream	71
Beta Ointment	
Beta Scalp	77
Beta-Adrenoceptor Agonists	
Betadine	74
Betadine Skin Prep	74
Betaferon	158
Betagan	217
Betahistine dihydrochloride	144
Betaloc CR	59
Betamethasone dipropionate	71
Betamethasone dipropionate	
with calcipotriol	76
Betamethasone sodium	7 0
phosphate with	
betamethasone acetate	06
Determetheeene velerete	00 74 77
Betamethasone valerate	71, 77
Betamethasone valerate	71, 77
Betamethasone valerate Betamethasone valerate with clioquinol	71, 77
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with	71, 77 72
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid	71, 77 72 72
Betamethasone valerate	71, 77 72 72 217
Betamethasone valerate	71, 77 72 72 217 71
Betamethasone valerate	71, 77 72 72 217 71 72
Betamethasone valerate	71, 77 72 72 217 71 72 217
Betamethasone valerate	71, 77 72 72 71 71 72 217 217
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid Betaxolol Betnovate Betnovate-C Betoptic Betoptic S Bezafibrate	71, 77 72 72 71 71 72 217 217 63
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid Betaxolol Betnovate Betoptic Betoptic S Bezafibrate Bezalip	71, 77 72 72 71 71 72 217 217 63 63
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid Betaxolol Betnovate Betoptic Betoptic S Bezafibrate Bezalip	71, 77 72 72 71 71 72 217 217 63 63
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid Betaxolol Betnovate Betoptic Betoptic S Bezafibrate Bezalip Bezalip Retard	71, 77 72 72 71 71 72 217 217 63 63 63
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid Betaxolol Betnovate Betoptic Betoptic S Bezafibrate Bezalip Bezalip Retard Bietamethasone valerate with fusidic scid	71, 77 72 72 71 71 72 217 217 63 63 63 182
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid Betaxolol Betnovate Betnovate C Betoptic Betoptic S Bezafibrate Bezalip Bezalip Bezalip Retard Bicalaccord Bicalutamide	71, 77 72 72 71 72 71 72 217 63 63 182 182
Betamethasone valerate	71, 77 72 72 71 71 72 217 63 63 63 182 182 100
Betamethasone valerate	71, 77 72 72 72 72 71 72 63 63 63 182 182 180 180 180 180
Betamethasone valerate	71, 777271717171717271
Betamethasone valerate	71, 777271717171717271
Betamethasone valerate Betamethasone valerate with clioquinol Betamethasone valerate with fusidic acid Betaxolol Betnovate Betnovate-C Betoptic Betoptic S Bezafibrate Bezafibrate Bezalip Retard Bicalutamide Bicalutamide BicINU Bile and Liver Therapy Biltricide Bimatoprost	71, 77 71, 77 72 72 72 72 72 72 71 71 72 72 72 71 72 72 72 72 72 71 72 72 72 72 72 72 72 72 72 72 72 72 72
Betamethasone valerate	71, 77 71, 77 72 72 72 72 72 72 72 72 73 74 75 77 77 77 77 77 77 77 77 77 77 77 77
Betamethasone valerate	71, 77 71, 77 72 72 72 72 72 72 72 72 72 72 72 72 7
Betamethasone valerate	71, 77 71, 77 72 72 72 72 72 71 72 72 72 72 72 72 72 72 72 72 72 72 72
Betamethasone valerate	71, 77 71, 77 72 72 72 72 71 72 72 71 72 72 72 72 72 72 72 73 74 75 76 76 77 77 77 77 77 77 77 77 77 77 77
Betamethasone valerate	71, 77 71, 77 72 72 72 72 71 72 72 71 72 72 72 72 72 73 74 75 76 77 77 77 77 77 77 77 77 77 77 77 77
Betamethasone valerate	71, 77 71, 77 72 72 72 72 71 72 72 71 72 72 72 72 72 73 74 75 76 77 77 77 77 77 77 77 77 77 77 77 77

BK Lotion	73
Bleomycin sulphate	.171
Blood Colony-stimulating	
Factors	53
Blood alucose diagnostic test	
meter	26
Blood alucose diagnostic test	
strip	26
Blood glucose test strips (visually	
impaired)	27
Blood ketone diagnostic test	
meter	
Boceprevir	
Bonjela	
Boostrix	.260
Bortezomib	
Bosentan	
Bosvate	59
Bplex	
Breo Ellipta	
Brevinor 1/21	
Brevinor 1/28	
Brevinor 21	
Bricanyl Turbuhaler	
Brilinta	
Brimonidine tartrateBrimonidine tartrate with timolol	.218
maleate	210
Brinov	160
Brinzolamide	219
Brolene	216
Bromocriptine mesylate	131
Brufen SR	.122
BSF Apo-Metoprolol	.221
Buccastem	.144
Budesonide	
Alimentary	20
Respiratory208,	214
Budesonide with	
eformoterol	209
Burnetanide	61
Buprenorphine with	
naloxone	
Bupropion hydrochloride	.164
Burinex	
Buscopan	22
Buspirone hydrochloride	.150
Busulfan	.167
Butacort Aqueous	.214
- C -	
Cabergoline	96

Cafergot S29	
Caffeine citrate	215
Calamine	70
Calcipotriol	76
Calcitonin	
Calcitriol	
Calcitriol-AFT	
Calcium carbonate	
Calcium Channel Blockers	20, 40 60
Calcium Disodium	00
Versenate	222
Calcium folinate	
Calcium Folinate Ebewe	
Calcium gluconate	
Calcium Homeostasis	85
Calcium polystyrene	
sulphonate	55
Calcium Resonium	
Calogen	233
Calsource	45
Camptosar	170
Candesartan cilexetil	57
Candestar	57
Canesten	
Capecitabine	
Capecitabine Winthrop	
Capoten	109
Capsaicin	30
Musculoskeletal	100
Nervous	
Captopril	
Carafate	
Carbaccord	
Carbamazepine	
Carbimazole	
Carbomer	219
Carboplatin	167
Carboplatin Ebewe	
Carbosorb-X	221
Cardinol LA	60
Cardizem CD	
CareSens	26
CareSens II	
CareSens N	
CareSens N POP	02
Carmellose sodium with ge	∠0 ∠0
and pectin	
Carmustine	
Carvedilol	
Catapres	
Catapres-TTS-1	
Catapres-TTS-2	61
Catapres-TTS-3	61

CeeNU167
Cefaclor monohydrate97
Cefalexin97
Cefalexin Sandoz97
Cefazolin97
Ceftriaxone98
Ceftriaxone-AFT98
Cefuroxime axetil98
Celestone Chronodose86
Celiprolol59
Cellcept184
Celol59
Centrally-Acting Agents61
Cephalexin ABM97
Cerezyme42
Cetirizine hydrochloride207
Cetomacrogol73
Cetomacrogol with glycerol73
Champix165
Charcoal221
Chemotherapeutic Agents167
Chicken pox vaccine265
Chlorafast216
Chlorambucil167
Chloramphenicol216
Chlorhexidine gluconate
Alimentary43
Dermatological72
Chloroform228
Chlorothiazide62
Chlorpheniramine maleate207
Chlorpromazine
hydrochloride146
Chlorsig216
Ohlantalidana
Chlortalidone
[Chlorthalidone]62
Chlorthalidone62
Chlorvescent55
Choice Load 37579
Choice TT380 Short79
Choice TT380 Standard79
Cholestyramine63
Choline salicylate with
cetalkonium chloride43
Cholvastin64
Cialanimas alamina
Ciclopirox olamine69
Ciclosporin205
Cilazapril56
Cilazapril with
hydrochlorothiazide57
Cilicaine100
Cilicaine VK100
Ciloxan216

Cinacalcet	85
Cipflox	
Ciprofloxacin	
Infection	101
Sensory	
Cisplatin	
Cisplatin Ebewe	167
Citalopram hydrobromide	137
Cladribine	160 160
Clarithromycin	100
Alimentary	22
Infection	
Clexane	
Clindamycin	
Clindamycin ABM	
Clinicians Renal Vit	
Clobazam	
Clobetasol propionate71	
Clobetasone butyrate	
Clofazimine	
Clomazol	107
	60
DermatologicalGenito-Urinary	
Clomiphene citrate	90 106
Clonazepam138–139,	150
Clonidine	DI
Clopidogrel	5U
Clopixol148,	140 150
Clotrimazole	150
Dermatological	60
Genito-Urinary	
Clozapine	02 116
Clozaril	
Co-trimoxazole	
Coal tar	
Coal tar with allantoin, menthol,	/0
about and outstanding mention,	76
phenol and sulphur	. /0
sulphur	76
Coco-Scalp	
Codeine phosphate	/0
Extemporaneous	ഹര
Nervous	
Colaspase [L-asparaginase]	
Colonicine	
Colectid	
Colestid	
Colestipol hydrochloride	ხპ

Colifoam	21
Colistin sulphomethate	101
Colistin-Link	101
Collodion flexible	228
Colloidal bismuth subcitrate	23
Colofac	22
Coloxyl	39
Combigan	218
Comfort	35
Comfort Short	35
Compound electrolytes	55
Compound	
hydroxybenzoate	228
Concerta	162
Condoms	79
Condyline	77
Contact-D	34
Contraceptives - Hormonal	80
Contraceptives -	
Non-hormonal	79
Copaxone	158
Cordarone-X	57
Corticosteroids and Related	
Agents for Systemic Use	86
Corticosteroids Topical	71
Cosmegen	172
Coumadin	53
Creon 10000	
Creon 25000	38
Crixivan	117
Crotamiton	
Crystaderm	69
Cvite	44
Cyclizine hydrochloride	144
Cyclizine lactate	
Cyclogyl	219
Cyclopentolate	
hydrochloride	219
Cyclophosphamide	167
Cycloserine	107
Cyklokapron	50
Cyproterone acetate	87
Cyproterone acetate with	
ethinyloestradiol Cytarabine	82
Cytarabine	169
Cytotec	22
Cytoxan	167
- D -	
D-Penamine	123
d4T	
Dabigatran	
Dacarbazine	172

Dactinomycin [Actinomycin		Desferal	222	Dipentum	2
D]	172	Desferrioxamine mesilate	222	Diphtheria, tetanus and pertussis	S
Daivobet	76	Desmopressin acetate	95	vaccine	260
Daivonex	76	Desmopressin-PH&T	95	Diphtheria, tetanus, pertussis	
Daktarin	70	Detection of Substances in		and polio vaccine	26
Dalacin C	101	Urine	84	Diphtheria, tetanus, pertussis,	
Dalteparin sodium	51	Dexamethasone		polio, hepatitis B and	
Danazol	96	Hormone	86	haemophilus influenzae type	В
Dantrium	130	Sensory	217	vaccine	26
Dantrium S29	130	Dexamethasone phosphate	86	Diprosone	
Dantrolene	130	Dexamethasone with framyceting	า	Diprosone OV	7
Daonil	25	and gramicidin	216	Dipyridamole	50
Dapa-Tabs	62	Dexamethasone with neomycin		Disinfecting and Cleansing	
Dapsone		sulphate and polymyxin B		Agents	72
Daraprim		sulphate	217	Disopyramide phosphate	
Darunavir	117	Dexamfetamine sulfate	160	Disulfiram	164
Dasatinib	176	Dexmethsone	86	Diuretics	6
Daunorubicin	172	Dextrochlorpheniramine		Diurin 40	
DBL Acetylcysteine	221	maleate	208	Docetaxel	172
DBL Aminophylline		Dextrose	54	Docetaxel Sandoz	172
DBL Bleomycin Sulfate		Dextrose with electrolytes		Docusate sodium	
DBL Carboplatin		DHC Continus		Docusate sodium with	
DBL Cisplatin		Diabetes		sennosides	39
DBL Dacarbazine		Diabetes Management		Dolutegravir	117
DBL Docetaxel		Diacomit		Domperidone	
DBL Doxorubicin		Diamide Relief		Donepezil hydrochloride	
DBL Doxorubicin S29		Diamox		Donepezil-Rex	
DBL Epirubicin		Diaphragm		Dopress	
Hydrochloride	173	Diasip		Dornase alfa	
DBL Ergometrine		Diason RTH		Dorzolamide hydrochloride	
DBL Gemcitabine		Diazepam13		Dorzolamide with timolol	
DBL Leucovorin Calcium		Diazoxide		Dostinex	
DBL Methotrexate		Dicarz		Dothiepin hydrochloride	
Onco-Vial	170	Diclofenac Sandoz		Doxazosin	
DBL Morphine Sulphate		Diclofenac sodium	۱ ۲ ۲	Doxepin hydrochloride	
DBL Morphine Tartrate		Musculoskeletal	122	Doxine	
DBL Pethidine	100			Doxorubicin Ebewe	
Hydrochloride	126	Sensory Didanosine [DDI]		Doxorubicin hydrochloride	
DBL Tobramycin		Differin		Doxy-50	
DBL Vincristine Sulfate		Difflam		Doxycycline	
DDI		Diflucan		DP Fusidic Acid Cream	١٥١
				DP Lotion	
De-Worm		Diflucan S29 Diflucortolone valerate		DP Lotin HC	
			/ 1		
Deferasirox		Digestives Including	00	DP-Anastrozole	
Deferiprone		Enzymes		Dr Reddy's Omeprazole	
Deoxycoformycin		Digoxin		Dr Reddy's Ondansetron	
Depo-Medrol		Dihydrocodeine tartrate		Dr Reddy's Terbinafine	108
Depo-Medrol with Lidocaine		Dilantin		Drugs Affecting Bone	400
Depo-Provera		Dilantin Infatab		Metabolism	120
Depo-Testosterone		Diltiazem hydrochloride		Duocal Super Soluble	001
Deprim		Dilzem		Powder	
DermAssist		Dimethicone		Duolin	
Dermol	/1, 77	Dimethyl fumarate	151	Duolin HFA	21(

Durex Confidence79
Durex Extra Safe79
Duride65
Duro-K55
Dynacirc-SRO60
-E-
e-chamber La Grande215
e-chamber Mask215
e-chamber Turbo215
E-Mycin99
Ear Preparations216
Ear/Eye Preparations216
Easiphen Liquid246
EasyCheck83
Econazole nitrate70
Efavirenz116
Efavirenz with emtricitabine and
tenofovir disoproxil
fumarate116
Efexor XR138
Effient50
Eformoterol fumarate209
Efudix78
Egopsoryl TA76
Elaprase41
Elecare247
Elecare LCP247
Elemental 028 Extra238
Eligard 1 Month95
Eligard 3 Month95
Eligard 6 Month95
Elocon72
Elocon Alcohol Free72
Eloxatin168
Eltrombopag48
Eltroxin90
Emend Tri-Pack143
EMLA133
Emtricitabine117
Emtricitabine with tenofovir
disoproxil fumarate117
Emtriva117
Emulsifying ointment73
Enalapril maleate56
Enbrel184
Endocrine Therapy182
Endoxan167
Enerlyte55
Enfuvirtide118
Enoxaparin sodium52
Ensure242
Ensure Plus242
Ensure Plus HN241

Ensure Plus RTH	.241
Entacapone	
Entapone	131
Entecavir	109
Entocort CIR	20
Epilim	
Epilim Crushable	141
Epilim IV	141
Epilim S/F Liquid	. 141
Epiliffi 5/F Liquid	.141
Epilim Syrup	.141
Epirubicin Ebewe	.1/3
Epirubicin hydrochloride	.1/3
Epoetin alfa [Erythropoietin	
_ alfa]	48
Eprex	48
Eptacog alfa [Recombinant factor	
VIIa]	
ERA	
Ergometrine maleate	82
Ergotamine tartrate with	
caffeine	
Erlotinib	
Erythrocin IV	99
Erythromycin ethyl succinate	99
Erythromycin lactobionate	99
Erythromycin stearate	99
Erythropoietin alfa	
Esbriet	.212
Escitalopram	.137
Eskazole	97
Estradot	88
Estradot 50 mcg	88
Estrofem	
Etanercept	.184
Ethambutol hydrochloride	.107
Ethics Aspirin	
Ethics Aspirin EC	50
Ethics Enalapril	56
Ethics Lisinopril	56
Ethinyloestradiol	89
Ethinyloestradiol with	
desogestrel	80
Ethinyloestradiol with	
levonorgestrel	80
Ethinyloestradiol with	
norethisterone	81
Ethosuximide	
Etidronate disodium	
Etopophos	
Etoposide	
Etoposide phosphate	.173
Etropision	

Eumovate71

Everet	
Everolimus	205
Evista	125
Exelon	163
Exemestane	
Exjade	221
Extemporaneously Compounded	
Preparations and	
Galenicals	. 228
Eye Preparations	216
Ezemibe	64
Ezetimibe	64
Ezetimibe with simvastatin	64
-F-	
Factor eight inhibitor bypassing	
fraction	49
Febuxostat	
Feed Thickener Karicare	
Aptamil	. 244
FEIBA NF	49
Felodipine	60
Fenpaed	122
Fentanyl	134
Fentanyl Sandoz	134
Ferodan	
Ferriprox	222
Ferro-F-Tabs	45
Ferro-tab	45
Ferrograd	45
Ferrograd F	45
Ferrous fumarate	45
Ferrous fumarate with folic	
acid	45
Ferrous sulphate	45
Ferrous sulphate with folic	
acid	45
Ferrum H	45
Fexofenadine hydrochloride	208
Fibro-vein	50
Filgrastim	53
Finasteride	83
Fingolimod	152
Finpro	83
Firazyr	.207
Flagyl	106
Flagyl-S	106
Flamazine	69
Flecainide acetate	58
Fleet Phosphate Enema	40
Flixonase Hayfever &	
Allergy	. 214
Flixotide	209
Flixotide Accubaler	

Floair	209	Frusemide	61	Extemporaneous	228
Florinef	86	Frusemide-Claris	62	Glyceryl trinitrate	
Fluanxol	148	Fucicort	72	Alimentary	22
Fluarix	263	Fucidin	101	Cardiovascular	65
Flucloxacillin	100	Fucithalmic	216	Glycopyrronium	
Flucloxin		Fungilin		Glycopyrronium bromide	22
Fluconazole		Furosemide [Frusemide]		Glycopyrronium with	
Fludara		Fusidic acid		indacaterol	212
Fludara Oral		Dermatological	69	Glytrin	65
Fludarabine Ebewe		Infection		Gold Knight	
Fludarabine phosphate		Sensory		Goserelin	
Fludrocortisone acetate		Fuzeon		Granirex	
Fluids and Electrolytes		- G -		Granisetron	
Flumetasone pivalate		-	120	Gutron	
Fluocortolone caproate with	210	Gabapentin		Gynaecological	
fluocortolone pivalate and		Gacet		Anti-infectives	82
cinchocaine	21	Galsulfase		- H -	02
Fluorometholone		Gardasil		••	405
Fluorouracil		Gardasil 9		Habitrol	165
Fluorouracil Ebewe		Gastrodenol		Haemophilus influenzae type B	
Fluorouracil sodium		Gastrosoothe		vaccine	
		Gaviscon Double Strength		Haldol	
Fluoxetine hydrochloride		Gaviscon Infant		Haldol Concentrate	
Flupenthixol decanoate		Gazyva		Haldol Decanoas	
Fluphenazine decanoate		Gefitinib		Haloperidol	
Flutamide		Gemcitabine Ebewe		Haloperidol decanoate	
Flutamin		Gemcitabine hydrochloride		Hamilton Sunscreen	
Fluticasone	209	Gemfibrozil		Harvoni	
Fluticasone furoate with	000	Gemzar		Havrix	
vilanterol		Genoptic	216	Havrix Junior	
Fluticasone propionate		Genox	184	HBvaxPRO	
Fluticasone with salmeterol		Gentamicin sulphate		healthE Dimethicone 10%	73
FML		Infection	102	healthE Dimethicone 5%	
Foban		Sensory	216	healthE Glycerol BP	228
Folic acid		Gilenya	152	healthE Urea Cream	73
Food Thickeners	244	Ginet	82	Healtheries Simple Baking	
Foods And Supplements For		Glatiramer acetate	158	Mix	244
Inborn Errors Of		Glibenclamide	25	Hemastix	
Metabolism		Gliclazide	25	Heparin sodium	52
Foradil		Glipizide	25	Heparinised saline	53
Forteo	126	Glivec		Heparon Junior	235
Fortini	236	Glizide	25	Hepatitis A vaccine	
Fortini Multi Fibre	236	Glucagen Hypokit	24	Hepatitis B recombinant	
Fortisip	242	Glucagon hydrochloride		vaccine	262
Fortisip Multi Fibre	243	Glucerna Select		Hepsera	
Fosamax	125	Glucerna Select RTH		Herceptin	
Fosamax Plus	125	Glucobay		Hexamine hippurate	
Fragmin	51	Glucose [Dextrose]		Hiprex	
Framycetin sulphate	216	Gluten Free Foods		Histaclear	
Freestyle Optium	26	Glycerin with sodium	·····-	Histafen	
Freestyle Optium Ketone		saccharin	228	Holoxan	
Freestyle Optium Neo		Glycerin with sucrose		Horleys Bread Mix	
Frisium		Glycerol		Horleys Flour	245
Frumil	62	Alimentary	39	Hormone Replacement Therapy	
		,		The transfer of the transfer o	

Systemic 87
HPV262
Humalog25
Humalog Mix 2524
Humalog Mix 5024
Human papillomavirus (6, 11, 16
and 18) vaccine [HPV]262
Human papillomavirus (6, 11, 16,
18, 31, 33, 45, 52 and 58)
vaccine [HPV]262
Humatin102
Humira191
HumiraPen191
Humulin 30/7024
Humulin NPH24
Humulin R24
Hyaluronic acid219
Hybloc59
Hydralazine65
Hydralazine hydrochloride65
Hydrea173
Hydrocortisone
Dermatological71
Hormone86
Hydrocortisone acetate21
Hydrocortisone and paraffin
liquid and lanolin71
Hydrocortisone butyrate71, 77
Hydrocortisone with
cinchocaine21
Hydrocortisone with
miconazole72
Hydrocortisone with natamycin
and neomycin72
Hydrogen peroxide
Alimentary43
Dermatological69
Hydroxocobalamin43
Hydroxychloroquine123
Hydroxyurea173
Hygroton62
Hylo-Fresh219
Hyoscine hydrobromide144
Hyoscine N-butylbromide22
Hypam159
Hyperuricaemia and
Antigout128
Hypnovel159
Hypromellose219
Hypromellose with Dextran219
Hysite218
-1-
Ibiamox99

Ibugesic122
lbuprofen122
Icatibant207
Idarubicin hydrochloride173
Idursulfase41
Ifosfamide167
Ikorel66
lloprost67
Imatinib mesilate178
Imatinib-AFT178
Imiglucerase42
Imipramine hydrochloride136
Imiquimod77
Immune Modulators118
Immunosuppressants184
Imuran184
Incruse Ellipta211
Indacaterol
Indapamide62
Indinavir117
Infanrix IPV261
Infanrix-hexa261
Infant Formulae246
Influenza vaccine263
Influvac263
Inhaled Corticosteroids208
innaled Corticosteroids208
Inhalad Lana astina
Inhaled Long-acting
Beta-adrenoceptor
Beta-adrenoceptor Agonists209
Beta-adrenoceptor 209 Agonists 35
Beta-adrenoceptor 209 Agonists 35 Inset 30 35 Inset II 36
Beta-adrenoceptor 209 Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24
Beta-adrenoceptor 209 Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart
Beta-adrenoceptor 209 Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin gluisine 25
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24
Beta-adrenoceptor 209 Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin 24
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin isophane 24 Insulin isophane 24 Insulin isopophane 24 Insulin isophane 24 Insulin isophane 24 Insulin isophane 25
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro 25 Insulin lispro with insulin lispro 25
Beta-adrenoceptor 209 Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro protamine 24
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin 24 Insulin lispro 25 Insulin lispro with insulin lispro 24 Insulin neutral 24 Insulin neutral 24
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro protamine 25 Insulin neutral 24 Insulin neutral 24 Insulin neutral 24 Insulin pen needles 27
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin 24 Insulin lispro 25 Insulin lispro with insulin lispro 25 Insulin lispro with insulin lispro 25 Insulin neutral 24 Insulin neutral 24 Insulin pen needles 27 Insulin pump 28
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro protamine 25 Insulin neutral 24 Insulin neutral 24 Insulin neutral 24 Insulin pen needles 27
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin in glargine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro protamine 24 Insulin neutral 24 Insulin pen needles 27 Insulin pump 28 Insulin pump 28 Insulin pump infusion set (steel
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart 24 Insulin glurgine 24 Insulin gluisine 25 Insulin isophane 24 Insulin isophane with insulin 24 Insulin lispro 25 Insulin lispro with insulin lispro 25 Insulin lispro with insulin lispro 25 Insulin neutral 24 Insulin pen needles 27 Insulin pump 28 Insulin pump 28 Insulin pump infusion set (steel cannula) 34
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 25 Insulin isophane 24 Insulin isophane 24 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro protamine 24 Insulin neutral 24 Insulin penneedles 27 Insulin pump 28 Insulin pump accessories 33 Insulin pump infusion set (steel cannula) 34 Insulin pump infusion set (teflon
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro protamine 24 Insulin neutral 24 Insulin penedles 27 Insulin pump 28 Insulin pump accessories 33 Insulin pump infusion set (steel canula) 34 Insulin pump infusion set (teflon canula, angle insertion with
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 25 Insulin isophane 24 Insulin isophane 24 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro protamine 24 Insulin neutral 24 Insulin penneedles 27 Insulin pump 28 Insulin pump accessories 33 Insulin pump infusion set (steel cannula) 34 Insulin pump infusion set (teflon
Beta-adrenoceptor Agonists 209 Inset 30 35 Inset II 36 Insulin aspart 24 Insulin aspart with insulin aspart protamine 24 Insulin glargine 24 Insulin glulisine 25 Insulin isophane 24 Insulin isophane with insulin neutral 24 Insulin lispro 25 Insulin lispro with insulin lispro protamine 24 Insulin neutral 24 Insulin penedles 27 Insulin pump 28 Insulin pump accessories 33 Insulin pump infusion set (steel canula) 34 Insulin pump infusion set (teflon canula, angle insertion with

Insulin pump infusion set (teflon	
cannula, straight insertion with	- 00
insertion device)	36
Insulin pump infusion set (teflon	
cannula, straight insertion)	
Insulin pump reservoir	37
Insulin syringes, disposable with	
attached needle	27
Intal Forte CFC Free	
Intal Spincaps	
Intelence	
Interferon alfa-2a	
Interferon alfa-2bInterferon beta-1-alpha	
Interferon beta-1-beta	
InterPharma5 Intra-uterine device5	4, 55
Intra-uterine device	/9
Intron-AInvega Sustenna	119
IPOLpratropium bromide210	205
Iressa	1, 214 170
Irinotecan Actavis 100	170
Irinotecan Actavis 40	170
Irinotecan Actavis 40Irinotecan hydrochloride	170
Irinotecan nydrochioride	170
Irinotecan-RexIron polymaltose	170
Isentress	45
Ismo 20	
Ismo 40 Retard	
Isoniazid	
Isoprenaline	
Isoptin	00
Isopto Carpine	010
Isosorbide mononitrate	210
Isosource Standard	
Isosource Standard RTH	241
Isotane 10	241 68
Isotane 20	
Isotretinoin	
Ispaghula (psyllium) husk	
Isradipine	60
Isuprel	
Itch-Soothe	
Itraconazole	104
Itrazole	
Ivermectin	
- J -	/ ¬
Jadelle	01
Jevity Jevity HiCal RTH	9/1
Jevity RTH	241
Octili IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIII	41

- K -		Laxatives	39	Locoid	71, 7
Kaletra	117	Laxsol	39	Locoid Crelo	
Kemadrin		Ledipasvir with sofosbuvir	113	Locoid Lipocream	7
Kenacomb		Leflunomide	123	Locorten-Vioform	216
		Lenalidomide	173	Lodoxamide	217
Kenacort-A 10		Letrole	184	Logem	
Kenacort-A 40		Letrozole		Lomide	
Kenalog in Orabase		Leukeran FC		Lomustine	
Ketocal 3:1		Leukotriene Receptor		Loniten	
KetoCal 4:1	249	Antagonists	213	Loperamide hydrochloride	
Ketoconazole		Leunase		Lopinavir with ritonavir	
Dermatological		Leuprorelin		Lopresor	50
Infection	105	Leustatin		Loprofin	246
Ketogenic Diet	249				
Ketone blood beta-ketone		Levetiracetam		Loprofin Mix	
electrodes	25	Levobunolol		Lorafix	
Ketoprofen		Levocabastine		LoraPaed	
Ketostix		Levodopa with benserazide .		Loratadine	
Keytruda		Levodopa with carbidopa	131	Lorazepam	
Kindergen		Levomepromazine		Lorfast	
Kinson		hydrochloride	146	Lormetazepam	
Kivexa		Levomepromazine maleate .	146	Lorstat	63
Klacid		Levonorgestrel		Losartan Actavis	57
		Genito-Urinary	81-82	Losartan potassium	57
Kliogest		Hormone		Losartan potassium with	
Kliovance		Levothyroxine		hydrochlorothiazide	57
Kogenate FS		Levothyroxine (mercury		Lovir	
Konakion MM		pharma)	90	Loxamine	
Konsyl-D	39	Lidocaine		Lucrin Depot 1-month	
-L-		[Lignocaine]	132-133	Lucrin Depot 3-month	
L-asparaginase	172	Lidocaine [Lignocaine]	. 102 100	Lucrin Depot 6-month	
Labetalol		hydrochloride	122	Ludiomil	
Lacosamide		Lidocaine [Lignocaine] with	102	Lycinate	
Lactulose		chlorhexidine	122		
Laevolac			100	Lyderm	/ 3
Lamictal		Lidocaine [Lignocaine] with	100	- M -	
Lamivudine		prilocaine		m-Eslon	135
		Lidocaine-Claris	132	M-M-R II	263
Lamivudine Alphapharm		Lignocaine		m-Nystatin	43
Lamotrigine		Hormone		Mabthera	
Lamprene		Nervous	,	Macrogol 3350 with potassium	
Lanoxin		Link Healthcare		chloride, sodium bicarbona	
Lanoxin PG		Lioresal Intrathecal	130	and sodium chloride	
Lansoprazole		Lipazil	63	Macrogol 400 and propylene	
Lantus		Lipid-Modifying Agents	63	glycol	210
Lantus SoloStar	24	Liquigen	233	Madopar 125	
Lanvis	171	Lisinopril			
Lanzol Relief	22	Lithicarb FC		Madopar 250	
Lapatinib ditosylate	178	Lithium carbonate		Madopar 62.5	
Largactil		Livostin		Madopar HBS	
Lasix		LMX4		Madopar Rapid	
Latanoprost		Locacorten-Viaform ED's		Magnesium hydroxide	228
Lax-Sachets		Local preparations for Anal a		Magnesium sulphate	
Lax-Suppositories				Maprotiline hydrochloride	
Lax-Tab		Rectal Disorders		Marevan	
Lax lab		Locasol	247	Marine Blue Lotion SPF 50+ .	77

Marquis Black	79	Methylcellulose with glycerin and		Mirena
Marquis Conforma	79	sucrose	. 229	Mirtazapine
Marquis Protecta	79	Methyldopa	61	Misoprostol
Marquis Selecta	79	Methyldopa Mylan	61	Mitomycin C
MarquisTantiliza	79	Methylphenidate		Mitozantrone
Marvelon 28		hydrochloride	. 161	Mitozantrone Ebewe
Mask for spacer device	215	Methylphenidate hydrochloride		Mixtard 30
Mast Cell Stabilisers		extended-release	162	Moclobemide
Maxidex		Methylprednisolone		Modafinil
Maxitrol	217	Methylprednisolone (as sodium		Modavigil
MCT oil (Nutricia)		succinate)	86	Modecate
Measles, mumps and rubella		Methylprednisolone		Modecate S29
vaccine	263	aceponate	72	Moduretic
Mebendazole	97	Methylprednisolone acetate		Mometasone furoate
Mebeverine hydrochloride		Methylprednisolone acetate with		Monogen
Medrol		lidocaine [Lignocaine]	86	Montelukast
Medroxyprogesterone acetate		Methylxanthines		Moroctocog alfa [Recombi
Genito-Urinary	81	Metoclopramide		factor VIII]
Hormone		hydrochloride	144	Morphine hydrochloride
Mefenamic acid		Metolazone		Morphine sulphate
Megestrol acetate		Metopirone		Morphine tartrate
Meloxicam		Metoprolol - AFT CR		Motetis
Melphalan		Metoprolol succinate		Motrig
Menactra		Metoprolol tartrate		Mouth and Throat
Meningococcal (groups A, C, Y	0 .	Metronidazole		Movapo
and W-135) congugate		Metyrapone		Moxifloxacin
vaccine	264	Mexiletine hydrochloride		MSUD Maxamaid
Meningococcal c congugated	201	Mexiletine Hydrochloride	00	MSUD Maxamum
vaccine	264	USP	58	Mucilaginous laxatives wit
Menthol		Miacalcic		stimulants
Mercaptopurine		Micolette		Mucolytics
Mercilon 28		Miconazole		Multiple Sclerosis
Mesalazine		Miconazole nitrate	0	Treatments
Mesna		Dermatological	70	Multivitamin renal
Mestinon		Genito-Urinary		Multivitamins
Metabolic Disorder Agents		Micreme		Mupirocin
Metamide		Micreme H		Muscle Relaxants
Metchek		Microgynon 30		Mvite
Meterol		Microgynon 50 ED		Myambutol
Metformin hydrochloride		Microlut		Mycobutin
Metformin Mylan		Midazolam		MycoNail
Methadone hydrochloride		Midazolam-Claris		Mycophenolate mofetil
Extemporaneous	228	Midodrine		Mycostatin
Nervous		Minerals		Mydriacyl
Methatabs		Mini-Wright AFS Low Range		Mylan Atenolol
Methopt		Mini-Wright Standard		Mylan Clomiphen
Methotrexate		Minidiab		Mylan Melphalan
Methotrexate Ebewe		Minirin		Mylan-Bosentan
Methotrexate Sandoz		Mino-tabs		Myleran
Methyl hydroxybenzoate		Minocycline hydrochloride		Myloc CR
Methylcellulose		Minomycin		Myocrisin
Methylcellulose with glycerin and		Minor Skin Infections		Myometrial and Vaginal H
sodium saccharin		Minoxidil		Preparations

Mirena	
Mirtazapine	.137
Misoprostol Mitomycin C	22
Mitomycin C	.174
Mitozantrone	.174
Mitozantrone Ebewe	.174
Mixtard 30	24
Moclobemide	.137
Modafinil	
Modavigil	.162
Modecate	.148
Modecate S29	.148
Moduretic	62
Mometasone furoate	72
Monogen	.235
Montelukast	.213
Moroctocog alfa [Recombinant	
factor VIII]	49
Morphine hydrochloride	.134
Morphine sulphate	.135
Morphine tartrate	.135
Motetis	
Motrig	
Mouth and Throat	42
Movapo	.131
Moxifloxacin	.102
MSUD Maxamaid	.246
MSUD Maxamum	
Mucilaginous laxatives with	
Mucilaginous laxatives with stimulants	39
Mucolytics	.214
Multiple Sclerosis	
Treatments	151
Multivitamin renal	
Multivitamins	44
Mupirocin	69
Muscle Relaxants	.130
Vite	44
Myambutol	107
Mycobutin	108
MycoNail	
Mycophenolate mofetil	
Mycostatin	 70
Mydriacyl	219
Mylan Atenolol	58
Mylan Clomiphen	96
Mylan Melphalan	167
Mylan-Bosentan	66
Myleran	55 .167
Myloc CR	. 107 50
Myocrisin	
Myometrial and Vaginal Hormone	. 120
Preparations	82
	02

Myozyme	40
- N -	
Nadolol	59
Naglazyme	41
Nalcrom	
Naloxone hydrochloride	
Naltraccord	
Naltrexone hydrochloride	164
Naphazoline hydrochloride	219
Naphcon Forte	219
Naprosyn SR 1000	
Naprosyn SR 750	122
Naproxen	122
Nardil	
Nasal Preparations	214
Natalizumab	154
Natulan	175
Nausicalm	
Nauzene	144
Navelbine	
Nedocromil	213
Nefopam hydrochloride	133
Neisvac-C	
Neo-B12	
Neo-Mercazole	
Neocate Advance	
Neocate Gold	
Neocate LCP	
Neoral	
Neostigmine metilsulfate	122
Nepro HP (strawberry)	237
Nepro HP (vanilla)	237
Nepro HP RTH	237
Nerisone	
Neulactil	
Neulastim	
Neurontin NeuroTabs	
Nevirapine	
Nevirapine Alphapharm	
Nicorandil	110
Nicotine	
Nicotinic acid	
Nifedipine	
Nifuran	
Nilotinib	
Nilstat	
Genito-Urinary	82
Infection	105
Nipent	
Nitrados	
Nitrates	65

Nitrazepam	159
Nitroderm TTS	65
Nitrofurantoin	
Nitrolingual Pump Spray	65
Nivolumab	
Nizoral	
Noctamid	
Nodia	
Noflam 250	
Noflam 500	
Non-Steroidal Anti-Inflammatory	122
Drugs	100
Nonacog alfa [Recombinant	. 122
factor IX]	40
Nanana and Danashinan	49
Nonacog gamma, [Recombinant Factor IX]	40
	49
Norethisterone	٠.
Genito-Urinary	
Hormone	
Norflex	
Norfloxacin	
Noriday 28	
Norimin	
Normacol Plus	
Normison	
Norpress	136
Nortriptyline hydrochloride	136
Norvir	117
NovaSource Renal	237
Novatretin	76
NovoMix 30 FlexPen	24
NovoRapid	24
NovoRapid FlexPen	24
NovoRapid Penfill	
NovoSeven RT	48
Noxafil	
Nozinan	
Nuelin	
Nuelin-SR	
Nupentin	
Nutilis	
Nutrient Modules	
Nutrini Energy Multi Fibre	236
Nutrini Energy Multi Fibre	236
Nutrini Energy RTH Nutrini Low Energy Multi Fibre	200
238	
Nutrini RTH	236
Nutrison 800 Complete Multi	
Fibre	. 241
Nutrison Concentrated	
Nutrison Energy	241
Nutrison Energy Nutrison Energy Multi Fibre	241
Nutrices Multi Fibre	0/14

Nutrison Standard RTH	.241
Nyefax Retard	
Nystatin	
Alimentary	
Dermatological	70
Genito-Urinary	82
Infection	.105
NZB Low Gluten Bread Mix	.245
- 0 -	
O/W Fatty Emulsion Cream	73
Obinutuzumab	
Octocog alfa [Recombinant factor	
VIII] (Advate)	49
Octocog alfa [Recombinant factor	
VIII] (Kogenate FS)	50
Octreotide	.182
Octreotide LAR (somatostatin	
analogue)	182
Oestradiol	88
Oestradiol valerate	88
Oestradiol with	
norethisterone	88
Oestriol	
Genito-Urinary	82
Hormone	
Oestrogens	88
Oestrogens with	
medroxyprogesterone	
Oil in water emulsion	
Olanzapine146,	149
Olbetam	
Olopatadine	
Olsalazine	
Omalizumab	
Omeprazole	23
Omezol Relief	
Omnitrope	91
Onbrez Breezhaler	
Oncaspar	
OncoTICE	.190
Ondansetron	.144
Ondansetron ODT-DRLA	
One-Alpha	
Onrex	
Opdivo	
Ora-Blend	.229
Ora-Blend SF	
Ora-Plus	.228
Ora-Sweet	.228
Ora-Sweet SF	
OrabaseOral Supplements/Complete Diet	43
(Nasogastric/Gastrostomy	
(Ivasoyasiiic/Gasiiosioffly	

Tube Feed)	234	Paracare	133	Paraffin liquid with wool fat	220
Oratane	68	Paracare Double Strength	133	Paraldehyde	138
Orgran	245	Paracetamol	133	Parasidose	75
Orion Temozolomide	175	Paracetamol + Codeine		Parasiticidal Preparations	74
Ornidazole	106	(Relieve)	135	Paritaprevir, ritonavir and	
Orphenadrine citrate	130	Paracetamol with codeine	135	ombitasvir with dasabuvir	114
Ortho All-flex		Paradigm 1.8 Reservoir		Paritaprevir, ritonavir and	
Ortho-tolidine	84	Paradigm 3.0 Reservoir	37	ombitasvir with dasabuvir ar	nd
Oruvail SR		Paradigm 522		ribavirin	
Osmolite RTH	241	Paradigm 722		Parnate	137
Ospamox		Paradigm Mio MMT-921		Paromomycin	
Other Endocrine Agents		Paradigm Mio MMT-923		Paroxetine hydrochloride	
Other Oestrogen		Paradigm Mio MMT-925		Paser	
Preparations	89	Paradigm Mio MMT-941		Patanol	
Other Progestogen		Paradigm Mio MMT-943		Paxam	
Preparations	89	Paradigm Mio MMT-945		Pazopanib	
Other Skin Preparations		Paradigm Mio MMT-965		Peak flow meter	
Ovestin		Paradigm Mio MMT-975		Pedialyte - Bubblegum	
Genito-Urinary	82	Paradigm Quick-Set	00	Pediasure	
Hormone		MMT-386	37	Pediasure RTH	
Ox-Pam		Paradigm Quick-Set	01	Pegaspargase	
Oxaliccord		MMT-387	27		
Oxaliplatin		Paradigm Quick-Set	31	Pegasys Pegasys RBV Combination	119
•		MMT-396	27	Pack	110
Oxaliplatin Actavis 100		Paradigm Quick-Set	31	Pegfilgrastim	
Oxaliplatin Actavis 50		MMT-397	07	3 3	
Oxaliplatin Ebewe			31	Pegylated interferon alfa-2a Pembrolizumab	
Oxazepam		Paradigm Quick-Set	27	Penicillamine	
Oxis Turbuhaler		MMT-398	37		
Oxpentifylline		Paradigm Quick-Set	07	PenMix 30	
Oxybutynin		MMT-399	37	PenMix 40	
Oxycodone hydrochloride		Paradigm Silhouette	0.5	PenMix 50	
OxyNorm		MMT-368	35	Pentasa	21
Oxytocin	82	Paradigm Silhouette	0.5	Pentostatin	474
Oxytocin with ergometrine	00	MMT-377	35	[Deoxycoformycin]	
maleate		Paradigm Silhouette	05	Pentoxifylline [Oxpentifylline]	
Ozole	104	MMT-378	35	Peptisoothe	
-P-		Paradigm Silhouette	0.5	Peptisorb	
Pacifen	130	MMT-381	35	Perhexiline maleate	
Paclitaxel	174	Paradigm Silhouette		Pericyazine	
Paclitaxel Actavis		MMT-382	35	Perindopril	
Paclitaxel Ebewe		Paradigm Silhouette		Perjeta	
Paediatric Seravit	44	MMT-383	35	Permethrin	
Paliperidone	149	Paradigm Silhouette		Pertuzumab	
Pamidronate disodium	125	MMT-384		Peteha	
Pamisol	125	Paradigm Sure-T MMT-864		Pethidine hydrochloride	
Pancreatic enzyme	38	Paradigm Sure-T MMT-866		Pevaryl	
Pantoprazole		Paradigm Sure-T MMT-874		Pexsig	
Pantoprazole Actavis 20	23	Paradigm Sure-T MMT-876		Pharmacare	
Pantoprazole Actavis 40	23	Paradigm Sure-T MMT-884		Pharmacy Services	
Panzop Relief	23	Paradigm Sure-T MMT-886		Pheburane	
Panzytrat	38	Paraffin	73	Phenelzine sulphate	137
Papaverine hydrochloride		Paraffin liquid with soft white		Phenobarbitone	141
Para-amino salicylic acid		paraffin	219	Phenobarbitone sodium	

Externación 000	
Extemporaneous229	'
Nervous159	
Phenothrin75	•
Phenoxybenzamine	
hydrochloride56	,
Phenoxymethylpenicillin	
(Penicillin V)100	1
Phenytoin sodium139, 141	
Phlexy 10246	
Phosphate-Sandoz55	
Phosphorus55	
Phytomenadione50	
Pilocarpine hydrochloride218	
Pimafucort72	
Pindolol59	
Pine tar with trolamine	
laurilsulfate and	
fluorescein77	•
Pinetarsol77	•
Pioglitazone25	,
Piportil150	1
Pipothiazine palmitate150	,
Pirfenidone212	
Pizotifen143	
PKU Anamix Infant246	
PKU Anamix Junior246	
DKLI Anomis Junior I O 046	
PKU Anamix Junior LQ246	
PKU Lophlex LQ 10246	
PKU Lophlex LQ 20246	
Plaquenil123	
Plendil ER60	1
Pneumococcal (PCV13)	
vaccine264	
Pneumococcal (PPV23)	
polysaccharide vaccine 264	
Pneumovax 23264	
Podophyllotoxin77	
Polaramine208	
Poliomyelitis vaccine265	
Poloxamer39	
Poly-Gel219	
Poly-Tears219	
Poly-Visc220	
Polycal231	
Polyvinyl alcohol219	
Ponstan122	
Posaconazole105	
Postinor-182	
Potassium chloride54–55	,
Potassium citrate83	
Potassium iodate45	,
Povidone iodine74	
Pradaxa53	

Pramipexole hydrochloride	13
Prasugrel	50
Pravastatin	64
Praziquantel	
Prazosin	
Pred Forte	217
Prednisolone	86
Prednisolone acetate	217
Prednisolone sodium	
phosphate Prednisolone-AFT	217
Prednisolone-AFT	217
Prednisone	87
Pregnancy Tests - hCG Urine	83
Premarin	
Premia 2.5 Continuous	
Premia 5 Continuous	
Prevenar 13	264
Prezista	117
Priadel	146
Primacin	106
Primaquine phosphate	
Primidone	14
Primolut N	89
Probenecid	130
Probenecid-AFT	130
Procaine penicillin	
Procarbazine hydrochloride	17
Prochlorperazine	144
Proctosedyl	2
Procur	
Procyclidine hydrochloride	133
Procytox	167
Prodopa	6.
Progesterone	0
Proglicem	
Proglycem	رک
Progynova	
Prokinex	
Promethazine hydrochloride	1 4 4
Promethazine theoclate	1/1
Promod	14t
Propafenone hydrochloride	200
Propamidine isethionate	o
Propranolol	
Propulano alvod	ou
Propylene glycolPropylthiouracil	22
Fropyllillouracii	90
Protamine sulphate	
Protaphane	24
Protaphane Penfill	
Protifar	
Protionamide	
Provera	88

PSM Citalopram	.137
Psoriasis and Eczema Preparations	
Preparations	76
PTU	
Pulmicort Turbuhaler	
Pulmocare	
Pulmozyme	
Puri-nethol	
Pyrazinamide	.107
Pyridostigmine bromide	.122
Pyridoxine hydrochloride	43
Pyrimethamine	.103
Pytazen SR	50
- Q - Q 300	400
Questran-Lite	
Quetiapine	
Quick-Set MMT-390	.147
Quick-Set MMT-391	01
Quick-Set MMT-392	37
Quick-Set MMT-393	37
Quinapril	57
Quinanril with	
hydrochlorothiazide	57
Quinine sulphate	106
Qvar	208
- R -	
RA-Morph	134
Raloxifene hydrochloride	125
Raltegravir potassium	.117
Ramipex	.131
Ranbaxy-Cefaclor	
Ranitidine	
Ranitidine Relief	
Rapamune	.206
Reandron 1000	87
Recombinant Factor IX	49
Recombinant factor IX	49
Recombinant factor VIIa	
Recombinant factor VIII	
Rectogesic	22
Redipred	86
Refresh Night Time	
Resonium-A	
Resource Beneprotein	55
Resource Diabetic	203.
Respigen	
Respiratory Devices	
Respiratory Stimulants	215
Retinol palmitate	

ReTrieve	68	Salazopyrin EN	21	Blood	54
Retrovir	117	Salbutamol	210	Respiratory	214
Revlimid	173	Salbutamol with ipratropium		Sodium citrate with sodium lau	uryl
Revolade	48	bromide	210	sulphoacetate	40
Rexacrom	217	Salicylic acid	77	Sodium citro-tartrate	
RexAir	210	Salmeterol		Sodium cromoglycate	
Reyataz		Sandomigran		Alimentary	21
Ridaura s29		Sandostatin LAR		Respiratory	
Rifabutin		Scalp Preparations		Sensory	
Rifadin		Scopoderm TTS		Sodium fluoride	
Rifampicin		Sebizole		Sodium hyaluronate [Hyaluror	
Rifaximin		Sedatives and Hypnotics		acid]	
Rifinah		Seebri Breezhaler		Sodium nitroprusside	
Rilutek		Selegiline hydrochloride		Sodium phenylbutyrate	
Riluzole		Senna		Sodium polystyrene	
Riodine		Senokot		sulphonate	55
Risedronate Sandoz		Sensipar		Sodium tetradecyl sulphate	
Risedronate sodium		SensoCard		Sodium valproate	
Risperdal Consta		Serenace		Sofradex	
Risperdal Quicklet		Seretide		Soframycin	
Risperidone		Seretide Accuhaler		Solian	
Risperon		Serevent		Solifenacin succinate	
Ritalin		Serevent Accuhaler		Solu-Cortef	
Ritalin LA		Serophene		Solu-Medrol	
Ritalin SR		Sertraline		Somatropin (Omnitrope)	
Ritonavir		Sevredol		Sotacor	
Rituximab		Sex Hormones Non	100	Sotalol	
Rivaroxaban		Contraceptive	97	Spacer device	
Rivastigmine		Shield 49		Span-K	
Rivotril		Shield Blue		Spiolto Respimat	
RIXUBIS		Shield XL		Spiractin	
Rizamelt		SII-Onco-BCG		Spiriva	
Rizatriptan		Sildenafil		Spiriva Respimat	
Roferon-A		Silhouette MMT-371		·	
Ropinirole hydrochloride		Silhouette MMT-373		Spironolactone Sporanox	
RotaTeg		Siltuximab		•	
Rotavirus live reassortant o				Sprycel	
vaccine		Silver sulphadiazine		Staphlex	
	203	Simvastatin		Stavudine [d4T]	
Roxane	20	Sinemet CD		Stelazine	
Alimentary		Sinemet CR		Stemetil	
Cardiovascular		Singulair		Stesolid	130
Roxithromycin		Sirolimus		Stimulants/ADHD	150
Rubifen		Slow-Lopresor		Treatments	
Rubifen SR		Sodibic		Stiripentol	
Rythmodan		Sodium acid phosphate		Stocrin	
Rytmonorm	58	Sodium alginate		Stomahesive	
- S -		Sodium aurothiomalate		Strattera	
S-26 Gold Premgro	246	Sodium benzoate	42	Stromectol	
Sabril	142	Sodium bicarbonate	E4 EE	Suboxone	
SalAir	210	Blood		Sucralfate	
Salamol	210	Extemporaneous		Sulfadiazine sodium	
Salazopyrin	21	Sodium calcium edetate	222	Sulindac	
		Sodium chloride		Sulphasalazine	21

Sulphur	77
Sulprix	145
Sumatriptan	
Sunitinib	180
Sunscreens	77
Sunscreens, proprietary	77
Sure-T MMT-863	34
Sure-T MMT-865	
Sure-T MMT-873	34
Sure-T MMT-875	34
Sure-T MMT-883	34
Sure-T MMT-885	
Sustagen Diabetic	234
Sustagen Hospital Formula	242
Sustanon Ampoules	87
Sutent	180
Sylvant	
Symbicort Turbuhaler 100/6	209
Symbicort Turbuhaler 200/6	209
Symbicort Turbuhaler	
400/12	209
Symmetrel	131
Sympathomimetics	
Synacthen	
Synacthen Depot	87
Synthroid	90
Syntometrine	82
Syrup (pharmaceutical grade)	
grade)	229
Systane Unit Dose	219
- T -	
Tacrolimus	206
Tacrolimus Sandoz	206
Tambocor	58
Tambocor CR	58
Tamoxifen citrate	
Tamsulosin hydrochloride	83
Tamsulosin-Rex	83
Tap water	
Tarceva	
Tasigna	179
Tasmar	131
Taxotere	
Tecfidera	151
Tegretol	
Tegretol CR	
Telfast	
Temaccord	
Temazepam	159
Temozolomide	175
Tenofovir disoproxil	
fumarate	111
fumarate Tenoxicam	111

Tepadina	
Terazosin	56
Terbinafine	105
Terbutaline sulphate	210
Teriflunomide	155
Teriparatide	
Testosterone	
Testosterone cypionate	87
Testosterone esters	87
Testosterone undecanoate	87
Tetrabenazine	132
Tetrabromophenol	84
Tetracosactrin	87
Tetracyclin Wolff	101
Tetracyclin Wolff Tetracycline	101
Teva	171
Thalidomide	176
Thalomid	176
Theophyline	170
Theophylline Thiamine hydrochloride	214
Thiamine hydrochionae	44
THIO-TEPA	108
Thioguanine	1/1
Thiotepa	168
Thymol glycerin	43
Thyroid and Antithyroid	
Agents	90
Ticagrelor	51
Tilade	213
Tilcotil	122
Timolol	
Cardiovascular	60
Sensory Timoptol XE	218
Timoptol XE	218
Tiotropium bromide	211
Tiotropium bromide with	
olodaterol	212
Tivicay	117
TMP	103
TOBI	103
Tobramycin	
Infection	103
Sensory	216
Tobramycin Mylan	103
Tobrex	216
Tofranil	136
Tofranil s29	
Tolcapone	
Tolterodine	84
Topamax	142
Topical Products for Joint and	
Muscular Pain	123
Topiramate	142
Topiramate Actavis	142

Total parenteral nutrition	
(TPN)	
TPN	54
Tramadol hydrochloride	
Tramal SR 100	.136
Tramal SR 150	.136
Tramal SR 200	
Trandate	
Tranexamic acid	
Tranylcypromine sulphate	137
Trastuzumab	201
Travatan	218
Travoprost	
Treatments for Dementia	
Treatments for Substance	. 103
Dependence	160
Trantal 400	. 103
Trental 400	00
Tretinoin	
Dermatological	68
Oncology	.176
Trexate	.170
Triamcinolone acetonide	
Alimentary	43
Dermatological	72
Hormone	87
Triamcinolone acetonide with	
gramicidin, neomycin and nysta	ıtin
Dermatological	72
Sensory	.216
Triazolam	
Trichozole	
Triclosan	
Trifluoperazine	
hydrochloride	148
Trimeprazine tartrate	
Trimethoprim	103
Trisequens	. 100
Trisul	101
Trophic Hormones	. 101
Tropicamide	
Trusopt	219
Truscopt	.210
Truvada	.11/
Two Cal HN	.244
IWO CALHN RTH	.244
Tykerb	.1/8
Tysabri	.154
- U -	
Ultibro Breezhaler	.212
Ultraproct	21
Umeclidinium	.211
Umeclidinium with vilanterol	.212
Univent210,	214
Urol	01

Urea73
Urex Forte62
Urinary Agents83
Urinary Tract Infections121
Uromitexan174
Ursodeoxycholic acid38
Ursosan38
Utrogestan89
- V -
Vaccinations260
Vaclovir110
Valaciclovir110
Valcyte110
Valganciclovir110
Vallergan Forte208
Vancomycin103
Vannair209
Varenicline tartrate165
Varicella vaccine [Chicken pox
vaccine]265
Varilrix265
Various221
Vasodilators65
Vasopressin Agonists95
Vedafil67
Velcade171
Venlafaxine
Venomil207
Ventavis67
Ventolin210
Vepesid173
Verapamil hydrochloride61
Vergo 16144
Vermox97
Verpamil SR61
Vesanoid
Vexazone25
Vfend105
Viaderm KC72
Victrelis113
Vidaza
Videx EC116
Viekira Pak114
Viekira Pak-RBV114
Vigabatrin142
Vimpat140
viiripat140

Vinblastine sulphate	176
Vincristine sulphate	176
Vinorelbine	
Vinorelbine Ebewe	
Viramune Suspension	
Viread	
ViruPOS	216
Vistil	
Vistil Forte	
Vit.D3	
VitA-POS	
Vitabdeck	
Vitadol C	
Vital	238
Vitamin A with vitamins D and	
C	
Vitamin B complex	44
Vitamin B6 25	43
Vitamins	
Vivonex Pediatric	247
Vivonex TEN	
Volibris	
Voltaren	
Voltaren D	
Voltaren Ophtha	
Volumatic	
Voriconazole	
Vosol	
Votrient	100 ع
Vttack	
- W -	105
••	
Warfarin sodium	
Wart Preparations	//
Wasp venom allergy	
treatment	207
Water	
Blood	
Extemporaneous	229
Wool fat with mineral oil	73
- X -	
Xanax	150
Xarelto	53
Xifaxan	
XMET Maxamum	
Xolair	
XP Maxamaid	246
	•

XP Maxamum246

Xylocaine	.132
Xylocaine Viscous	.132
Xyntha	
- Z -	
Zantac	22
Zapril	
Zarator	
Zarontin	.139
Zaroxolyn	
Zarzio	53
Zavedos	.173
Zeffix	
Zerit	
Zetop	
Ziagen	
Zidovudine [AZT]	
Zidovudine [AZT] with	
lamivudine	117
Zimybe	64
Zinc and castor oil	73
Zinc sulphate	
Zincaps	
Zinnat	98
Ziprasidone	.148
Zista	
Zithromax	98
Zoladex	94
Zoledronic acid	
Hormone	85
Musculoskeletal	.126
Zoledronic acid Mylan	85
Zometa	
Zopiclone	.159
Zopiclone Actavis	.159
Zostrix	.123
Zostrix HP	.133
Zuclopenthixol decanoate	
Zuclopenthixol	
hydrochloride	
Zusdone	
Zyban	.164
Zypine	.146
Zypine ODT	.146
Zyprexa Relprevv	
Zytiga	.182