February 2017 Volume 24 Number 0

Editors: Kaye Wilson and Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

PO Box 10 254 Wellington

Circulation

Published each April, August and Decem ber. Changes to the contents are publishe in monthly updates.

Accessible in an electronic format at no cos from the Health Professionals section of th PHARMAC website www.pharmac.govt.nz

You can register to have an electronic ve sion of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated ema address each month. Alternatively there i a nominal charge for an annual subscription to the printed Schedule publications. access either of these subscriptions visit ou subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and TEX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archiv

Programmers

Anrik Drenth & John Geering email: texschedule@pharmac.govt.nz

© Pharmaceutical Management Agency



ISSN 1179-3686 pdf ISSN 1172-9376 prir

This work is licensed under the Creativ Commons Attribution 3.0 New Zealan licence. In essence, you are free to copy distribute and adapt it, as long as you attribute the work to PHARMAC and abid by the other licence terms. To view a cop of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/.

Attribution to PHARMAC should be written form and not by reproduction of th PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors of omissions, and shall not be liable for an consequences arising there from.

Section A	General Rules	6
Section B	Alimentary Tract & Metabolism	20
	Blood & Blood Forming Organs	47
	Cardiovascular System	56
	Dermatologicals	67
	Genito Urinary System	78
	Hormone Preparations – Systemic	84
Inf	ections – Agents For Systemic Use	96
	Musculoskeletal System	120
	Nervous System	129
Oncole	ogy Agents & Immunosuppressants	165
	Respiratory System & Allergies	206
	Sensory Organs	215
	Various	220
Section CEx	temporaneous Compounds (ECPs)	222
Section D	Special Foods	229
Section E	Practitioner's Supply Orders	249
	Rural Areas	253
Section F	Dispensing Period Exemptions	254
Section G	Safety Cap Medicines	256
Section I	National Immunisation Schedule	259

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

gram g kilogram kg international unit iu	microgrammcg milligrammg millilitreml	millimolemmol unitu
Abbreviations		
Ampoule Amp	GelatinousGel	SolutionSoln
CapsuleCap	GranulesGran	SuppositorySupp
CreamCrm	InfusionInf	TabletTab
Device	InjectionInj	TinctureTinc
DispersibleDisp	LiquidLiq	Trans Dermal Delivery
Effervescent Eff	Long ActingLA	SystemTDDS
Emulsion Emul	OintmentOint	,
Enteric CoatedEC	Sachet Sach	
BSO Bulk Supply Order		

BSO Bulk Supply Order.

CBS Cost Brand Source.

ECP Extemporaneously Compounded Preparation.

OP Original Pack – subsidy is rounded up to a multiple at whole packs.

PSO Practitioner's Supply Order.

Sole Subsidised

Supplier Only brand of this medicine subsidised.

XPharm Pharmacies cannot claim subsidy because PHARMAC has made alternative distribution arrangements.

- Three months supply may be dispensed at one time if the exempted medicine is endorsed 'certified exemption' by the practitioner or pharmacist.
- * Three months dispensed all-at-once or, in the case of oral contraceptives, six months dispensed all-at-once, unless the medicine meets the Dispensing Frequency Rule criteria.
- ‡ Safety cap required for oral liquid formulations, including extemporaneously compounded preparations.
- Fully subsidised brand of a given medicine. Brands without the tick are not fully subsidised and may cost the patient a manufacturer's surcharge.
- This medicine is an unapproved medication supplied under Section 29 of the Medicines Act 1981.
- HP3 Subsidised when dispensed from a pharmacy that has a contract to dispense Special Foods.
- HP4 Subsidised when dispensed from a pharmacy that has a contract to dispense from the Monitored Therapy Variation (for Clozapine Services).

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Fax: (06) 349 1983 or free fax 0800 100 131

Private Bag 3015, WANGANUI 4540

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at

http://www.pharmac.govt.nz/nppa. or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and:
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to wholesalers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 February 2017 and is to be referred to as the Pharmaceutical Schedule Volume 24 Number 0, 2017. Distribution will be from 20 February 2017. This Schedule comes into force on 1 February 2017.

PART I

INTERPRETATIONS AND DEFINITIONS

- 1.1 In this Schedule, unless the context otherwise requires:
 - "90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;
 - "180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;
 - "Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:
 - a) have limited physical mobility;
 - b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - c) are relocating to another area;
 - d) are travelling extensively and will be out of town when the repeat prescriptions are due.
 - "Act", means the New Zealand Public Health and Disability Act 2000.
 - "Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.
 - "Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.
 - "Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.
 - "Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.
 - "Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be

required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.
"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit.

"DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by

the Practitioner, or

- endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol".
- iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

- "Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:
 - a) to an Outpatient; and
 - b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified.

"Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC). "Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, a Quitcard Provider, or a Pharmacist Prescriber as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations

"Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is

not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

"Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:

- a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
- in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol". or
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- a) i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule.

"Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine: or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine
 for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that
 area of competency; or
- d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by

the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II

COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Practitioners', Registered Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber, Optometrist, or Pharmacist Prescriber unless specifically excluded:

- 3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.
- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner or Registered Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect: or
 - b) both
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner: and
 - every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only
 that part of any Prescription that is dispensed within the time frames specified above is eligible for
 Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words

- "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
- b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
- c) is under the Dispensing Frequency Rule,

The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

- 3.2.1 The prescribing Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber, or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.
- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.

3.3.2 If a Community Pharmaceutical is either:

- a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
- an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
- any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

- 3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a) a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
 - any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

3.6 Quitcard Providers' Prescriptions

Prescriptions written by a Quitcard Provider will only be subsidised where they are:

- a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum;
 and
- b) written on a Quitcard.

PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be

clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial";
 and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.

Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on the previous page; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4.1 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - a) PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note – no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V

MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders

with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or
 if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.
- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 **Expiry**

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2. for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1:
 - b) clauses 2.1 to 2.2;
 - c) clauses 3.1 to 3.4: and
 - d) clause 5.4.
 - of Section A of the Schedule
- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under

- the Medicines Act 1981 or for an Unapproved Indication; or
- not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication. Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted' Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	\$	Per	✓ Manufacturer
Antacids and Antiflatulants			
Antacids and Reflux Barrier Agents			
ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg per sachet		30	✓ Gaviscon Infant
SODIUM ALGINATE * Tab 500 mg with sodium bicarbonate 267 mg and calcium	ı		
carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double Strength
Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml	Acidex
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE * Tab 600 mg	12.56	100	✓ Alu-Tab
CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement Only when prescribed for children under 12 years of ag endorsed accordingly.	39.00	500 ml hosphate bin	✔ Roxane ding agent and the prescription is
Antidiarrhoeals			
Agents Which Reduce Motility			
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a * Tab 2 mg * Cap 2 mg	10.75	400 400	 ✓ Nodia ✓ Diamide Relief
Rectal and Colonic Anti-inflammatories			
BUDESONIDE Cap 3 mg - Special Authority see SA1155 below - Retail pharmacy		90	✓ Entocort CIR
■►SA1155 Special Authority for Subsidy Initial application — (Crohn's disease) from any relevant practifollowing criteria: Both:	titioner. Approval	s valid for 6 n	nonths for applications meeting the
 Mild to moderate ileal, ileocaecal or proximal Crohn's dis Any of the following: 	ease; and		

Subsidy

(Manufacturer's Price)

Unapproved medicine supplied under Section 20

continued...

Brand or

Generic

Fully

Subsidised

2.1 Diabetes; or2.2 Cushingoid habitus; or

2.3 Osteoporosis where there is significant risk of fracture; or

2.4 Severe acne following treatment with conventional corticosteroid therapy; or2.5 History of severe psychiatric problems associated with corticosteroid treatment; or

	ubsidy F cturer's Price) Subsidi	ully	Brand or Generic
(ivialiulac	\$ Per	✓	Manufacturer

continued...

- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

HYDROCORTISONE ACETATE

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

TIDNOCONTISONE ACETATE		4
Rectal foam 10%, CFC-Free (14 applications)26.55	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	✓ Asacol
Tab EC 500 mg49.50	100	✓ Asamax
Tab long-acting 500 mg59.05	100	✔ Pentasa
Tab 800 mg85.55	90	✓ Asacol
Modified release granules, 1 g141.72	120 OP	✔ Pentasa
Enema 1 g per 100 ml41.30	7	✓ Pentasa
Suppos 500 mg22.80	20	✓ Asacol
Suppos 1 g54.60	30	✓ Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	✓ Dipentum
Cap 250 mg31.51	100	✓ Dipentum
SODIUM CROMOGLYCATE		
Cap 100 mg92.91	100	✓ Nalcrom
SULPHASALAZINE		
* Tab 500 mg - For sulphasalazine oral liquid formulation refer,		
page 223	100	✓ Salazopyrin
* Tab EC 500 mg	100	✓ Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

	CHOCAINE	VALATE AND CIN	FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVAL
✓ Ultraproct	30 g OP		Oint 950 mcg, with fluocortolone pivalate 920 mcg, and cin- chocaine hydrochloride 5 mg per g
✓ Ultraproct	12		Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and cinchocaine hydrochloride 1 mg
			HYDROCORTISONE WITH CINCHOCAINE
✔ Proctosedyl	30 g OP	15.00	Oint 5 mg with cinchocaine hydrochloride 5 mg per g
Proctosedyl	12	9.90	Suppos 5 mg with cinchocaine hydrochloride 5 mg per g

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

90

✓ Colofac

Brand or Generic Manufacturer

Management of Anal Fissures

GLYCERYL TRINITRATE - Special Authority see SA1329 below - Retail pharmacy 30 g OP ✔ Rectogesic

⇒SA1329 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has a chronic anal fissure that has persisted for longer than three weeks.

Antispasmodics and Other Agents Altering Gut Motility

GLYCOPYRRONIUM BROMIDE

Inj 200 mcg per ml, 1 ml ampoule – Up to 10 in a PSO		10	✓ Max Health
HYOSCINE N-BUTYLBROMIDE			
* Tab 10 mg	2.18	20	✓ Gastrosoothe
* Inj 20 mg, 1 ml - Up to 5 inj available on a PSO	9.57	5	Buscopan
MEREVERINE HYDROCHLORIDE			

Antiulcerants

Antisecretory and Cytoprotective

MICO	NOTO	

	T-1, 000	44.50	400	
*	Tab 200 mcg	41.50	120	Cvtotec

Helicobacter Pylori Eradication

CLA

ARITHROMYCIN			
Tab 500 mg – Subsidy by endorsement	10.40	14	Apo-Clarithromycin

a) Maximum of 14 tab per prescription

Note: the prescription is considered endorsed if clarithromycin is prescribed in conjunction with a proton pump inhibitor and either amoxicillin or metronidazole.

H2 Antagonists

RANITIDINE - Only on a prescription

*	Tab 150 mg	30 !	500 🗸	Ranitidine Relief
	Tab 300 mg14.7		500 🗸	Ranitidine Relief
	Oral lig 150 mg per 10 ml		00 ml 🗸	Peptisoothe
	Inj 25 mg per ml, 2 ml8.7		5	Zantac

Proton Pump Inhibitors

LA	NSOPRAZOLE		
*	Cap 15 mg5.08	100	✓ Lanzol Relief
*	Cap 30 mg5.93	100	✓ Lanzol Relief

b) Subsidised only if prescribed for helicobacter pylori eradication and prescription is endorsed accordingly.

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
OMEPRAZOLE			
For omeprazole suspension refer Standard Formulae, page	e 226		
* Cap 10 mg	2.23	90	✓ Omezol Relief
* Cap 20 mg		90	Omezol Relief
* Cap 40 mg		90	✓ Omezol Relief
* Powder – Only in combination		5 g	✓ Midwest
Only in extemporaneously compounded omeprazole su: * Inj 40 mg ampoule with diluent		5	✓ <u>Dr Reddy's</u> Omeprazole
PANTOPRAZOLE			<u></u>
* Tab EC 20 mg	2 41	100	✓ Pantoprazole
7. 145 EO 20 Hig		100	Actavis 20
Popper Deliaf to be Cala Cumby on 1 March 2017			✓ Panzop Relief
Panzop Relief to be Sole Supply on 1 March 2017 * Tab EC 40 mg	3 35	100	✓ Pantoprazole
* Tab LO 40 Hig		100	Actavis 40
			✓ Panzop Relief
Panzop Relief to be Sole Supply on 1 March 2017 (Pantoprazole Actavis 20 Tab EC 20 mg to be delisted 1 March (Pantoprazole Actavis 40 Tab EC 40 mg to be delisted 1 March			
Site Protective Agents			
COLLOIDAL BISMUTH SUBCITRATE			
Tab 120 mg	14.51	50	✓ Gastrodenol S29
SUCRALFATE			
	35.50	120	
SUCRALFATE	35.50 (48.28)	120	Carafate
SUCRALFATE		120	Carafate
SUCRALFATE Tab 1 g Bile and Liver Therapy	(48.28)	120	Carafate
SUCRALFATE Tab 1 g Bile and Liver Therapy RIFAXIMIN – Special Authority see SA1461 below – Retail pha	(48.28) armacy		
SUCRALFATE Tab 1 g Bile and Liver Therapy RIFAXIMIN – Special Authority see SA1461 below – Retail pha Tab 550 mg	(48.28) armacy	120 56	Carafate ✓ <u>Xifaxan</u>
SUCRALFATE Tab 1 g Bile and Liver Therapy RIFAXIMIN – Special Authority see SA1461 below – Retail pha Tab 550 mg	armacy tor Practitioner on the has hepatic encephaloponer on the recommend	56 reconathy cation of	Xifaxan nmendation of a gastroenterologist despite an adequate trial of maximu of a gastroenterologist or hepatologis
SUCRALFATE Tab 1 g Bile and Liver Therapy RIFAXIMIN – Special Authority see SA1461 below – Retail pha Tab 550 mg SA1461 Special Authority for Subsidy Initial application only from a gastroenterologist, hepatologish hepatologist. Approvals valid for 6 months where the patient if tolerated doses of lactulose. Renewal only from a gastroenterologist, hepatologist or Practiti Approvals valid without further renewal unless notified where the treatment. Diabetes	armacy tor Practitioner on the has hepatic encephaloponer on the recommend	56 reconathy cation of	Xifaxan nmendation of a gastroenterologist despite an adequate trial of maximu of a gastroenterologist or hepatologis
SUCRALFATE Tab 1 g Bile and Liver Therapy RIFAXIMIN – Special Authority see SA1461 below – Retail pha Tab 550 mg	armacy tor Practitioner on the has hepatic encephaloponer on the recommend	56 reconathy cation of	Xifaxan nmendation of a gastroenterologist despite an adequate trial of maximu of a gastroenterologist or hepatologis

100

100

30 ml OP

✔ Proglicem S29

✔ Proglicem S29

✔ Proglycem \$29

Cap 25 mg110.00

Cap 100 mg280.00

Oral liq 50 mg per ml620.00

Per Manufacturer ⇒SA1320 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 12 months where used for the treatment of confirmed hypoglycaemia caused by hyperinsulinism. Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment. GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit - Up to 5 kit available on a PSO......32.00 Glucagen Hypokit **Insulin - Short-acting Preparations** INSULIN NEUTRAL ▲ Inj human 100 u per ml25.26 10 ml OP ✔ Actrapid ✔ Humulin R 5 ✓ Actrapid Penfill ✔ Humulin R Insulin - Intermediate-acting Preparations INSULIN ASPART WITH INSULIN ASPART PROTAMINE 5 ✓ NovoMix 30 FlexPen INSULIN ISOPHANE ▲ Inj human 100 u per ml17.68 ✔ Humulin NPH 10 ml OP ✔ Protaphane ▲ Inj human 100 u per ml, 3 ml29.86 5 ✔ Humulin NPH Protaphane Penfill INSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml25.26 10 ml OP ✔ Humulin 30/70 ✓ Mixtard 30 ▲ Inj human with neutral insulin 100 u per ml, 3 ml42.66 5 ✔ Humulin 30/70 ✓ PenMix 30 ✔ PenMix 40 ✔ PenMix 50 INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE ▲ Inj lispro 25% with insulin lispro protamine 75% 100 u per ml, ✔ Humalog Mix 25 ▲ Ini lispro 50% with insulin lispro protamine 50% 100 u per ml. 5 Humalog Mix 50 **Insulin - Long-acting Preparations** INSULIN GLARGINE ▲ Inj 100 u per ml, 10 ml63.00 ✓ Lantus 1 ▲ Inj 100 u per ml, 3 ml94.50 5 ✓ Lantus ▲ Inj 100 u per ml, 3 ml disposable pen94.50 ✓ Lantus SoloStar **Insulin - Rapid Acting Preparations**

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

5

5

✓ NovoRapid FlexPen

✓ NovoRapid Penfill

✓ NovoRapid

INSULIN ASPART

▲ Inj 100 u per ml, 3 ml syringe51.19

▲ Inj 100 u per ml, 3 ml51.19

	Subsidy (Manufacturer's F \$	Price) S	Full Subsidise	d Generic
NSULIN GLULISINE				
▲ Inj 100 u per ml, 10 ml	27.03	1	1	Apidra
▲ Inj 100 u per ml, 3 ml		5		Apidra
▲ Inj 100 u per ml, 3 ml disposable pen	46.07	5	~	Apidra SoloStar
NSULIN LISPRO				
▲ Inj 100 u per ml, 10 ml		10 ml OP		Humalog
▲ Inj 100 u per ml, 3 ml	59.52	5	~	Humalog
Alpha Glucosidase Inhibitors				
ACARBOSE				
* Tab 50 mg	4.28	90	~	Glucobay
* Tab 100 mg	7.78	90	~	<u>Glucobay</u>
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	~	Daonil
GLICLAZIDE				
* Tab 80 mg	11.50	500	1	Glizide
GLIPIZIDE				
* Tab 5 mg	2.85	100	V	Minidiab
METFORMIN HYDROCHLORIDE				
* Tab immediate-release 500 mg	9 59	1,000	~	Metchek
* Tab immediate-release 850 mg		500		Apotex
				Metformin Mylan
PIOGLITAZONE				·
* Tab 15 mg	3.47	90	~	Vexazone
* Tab 30 mg		90	1	Vexazone
* Tab 45 mg	7.10	90	~	Vexazone
Diabetes Management				
Ketone Testing				
BLOOD KETONE DIAGNOSTIC TEST METER - Up to 1 meter a	available on a PS	SO		
Meter funded for the purposes of blood ketone diagnostics or			nore epi	sodes of ketoacidosis and
at risk of future episodes or patient is on an insulin pump. On				
Meter	40.00	· 1	~	Freestyle Optium
110001				Neo
KETONE BLOOD BETA-KETONE ELECTRODES				
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO				
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription	15.50	10 strip O	P 🗸	Freestyle Optium
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip – Not on a BSO		10 strip O	P 🗸	Freestyle Optium Ketone
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip – Not on a BSO	ion			Ketone
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip – Not on a BSO	ion	10 strip O 50 strip O		Ketone Accu-Chek
KETONE BLOOD BETA-KETONE ELECTRODES a) Maximum of 20 strip per prescription b) Up to 10 strip available on a PSO Test strip – Not on a BSO	ion		P 🗸	Ketone

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Blood Glucose Testing

BLOOD GLUCOSE DIAGNOSTIC TEST METER - Subsidy by endorsement

- a) Maximum of 1 pack per prescription
- b) Up to 1 pack available on a PSO
- c) A diagnostic blood glucose test meter is subsidised for a patient who:
- 1) is receiving insulin or sulphonylurea therapy; or
- 2) is pregnant with diabetes; or
- 3) is on home TPN at risk of hypoglycaemia or hyperglycaemia; or
- 4) has a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome. Only one CareSens meter per patient. No further prescriptions will be subsidised for patients who already have a CareSens

meter. For the avoidance of doubt patients who have previously received a funded meter, other than CareSens, are eligible for a CareSens meter. The prescription must be endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylureas.

Meter with 50 lancets, a lancing device and 10 diagnostic test

1 OP CareSens II

✓ CareSens N

✓ CareSens N POP

Note: Only 1 meter available per PSO

BLOOD GLUCOSE DIAGNOSTIC TEST STRIP - Up to 50 test available on a PSO

The number of test strips available on a prescription is restricted to 50 unless:

- Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription
 as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

28.75

Blood glucose test strips - Note differing brand requirements

✓ CareSens

✓ CareSens N

✓ Accu-Chek Performa

✓ Freestyle Optium

- a) Accu-Chek Performa brand: Special Authority see SA1294 below Retail pharmacy
- b) Freestyle Optium brand: Special Authority see SA1291 below Retail pharmacy
- c) Note: Accu-Chek Performa and Freestyle Optium are not available on a PSO

►SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788
Wellington Email: bgstrips@pharmac.govt.nz

■ SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to:

PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

Wellington Email: bgstrips@pharmac.govt.nz

Subsidy (Manufacturer's Price) Subsi		Fully Subsidised	Brand or Generic	
` \$	Per	~	Manufacturer	

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- 2) Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed:
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

✓ SensoCard 50 test OP

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INCLUMENTAL NEEDLES -	 Maximum of 100 dev per prescription
INOULIN FEN NEEDLEO -	- Maximum of 100 dev bei brescribtion

*	29 g × 12.7 mm	10.50	100	✓ B-D Micro-Fine
*	31 g × 5 mm		100	✓ B-D Micro-Fine
*	31 g × 6 mm		100	✓ ABM
*	31 g × 8 mm		100	✓ B-D Micro-Fine
*	32 g × 4 mm		100	✓ B-D Micro-Fine
INS	SULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE	- Maximum of 1	00 dev per p	rescription
*	Syringe 0.3 ml with 29 g × 12.7 mm needle		100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00 [′]	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00 [′]	100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle	13.00 [′]	100	✓ B-D Ultra Fine
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00	100	✓ B-D Ultra Fine II
	, ,	1.30	10	
		(1.99)		B-D Ultra Fine II

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

Insulin Pumps

INSULIN PUMP - Special Authority see SA1603 below - Retail pharmacy

- a) Maximum of 1 dev per prescription
- b) Only on a prescription

c) Maximum of 1 Insulin pump per patient each four	year period.		
Min basal rate 0.025 U/h; black colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; green colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour	4,500.00	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour	4,500.00	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; clear colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; pink colour	4,400.00	1	Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1	✓ Paradigm 522
			Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	✓ Paradigm 522
			Paradigm 722

■ SA1603 | Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Fither:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — **(HbA1c)** only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

continued...

Subsidy Brand or Fully (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol: and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Fither:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment: and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy: and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 8.2 The pump is due for replacement; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 4.2 The pump is due for replacement; and
- 5 Fither:
 - 5.1 Applicant is a relevant specialist; or
 - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Subsidy (Manufacturer's Price) Fully Subsidised Per 🗸 Brand or Generic Manufacturer

Insulin Pump Consumables

⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol: and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Fither:
 - 3.1 Applicant is a relevant specialist; or

continued...

31

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Fither:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (**Previous use before 1 September 2012**) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

continued...

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol: and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 31 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription
- c) Maximum of 1 prescription per 180 days.

✓ Animas Battery Cap

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special Authority see SA1604 on page 31 - Retail pharmacy

a'	Maximum	of :	3 sets	ner	prescription
a	i iviaxiiiiuiii	UI V	ノンロい	וסט	DIESCHDUID

a) Maximum of 3 sets per prescription b) Only on a prescription			
c) Maximum of 13 infusion sets will be funded per year.			
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing \times			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line \times			
10 with 10 needles	130.00	1 OP	✓ Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing \times			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
			MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line \times			
10 with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line $ imes$			
10 with 10 needles	130.00	1 OP	✓ Contact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles	130.00	1 OP	✔ Paradigm Sure-T MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			
10 with 10 needles; luer lock	130.00	1 OP	✓ Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×	100.00	. 01	- Juic 1 mm 1070
10 with 10 needles	130.00	1 OP	✓ Paradigm Sure-T
TO WALL TO HOOGIOO	100.00	. 01	MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing ×			
o min ocoor noodio, zo d, manda moortion, oo om tubing x			4.4

1 OP

✓ Sure-T MMT-875

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per \$

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 31 - Retail pharmacy

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula: angle insertion: insertion device: 110 cm grey line × 10 with 10 needles140.00
- 13 mm teflon cannula: angle insertion: insertion device:
- 13 mm teflon cannula: angle insertion: insertion device:
- 60 cm grey line × 10 with 10 needles140.00 13 mm teflon cannula; angle insertion; insertion device:
- 60 cm pink line × 10 with 10 needles140.00 1 OP

INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE INSERTION) - Special Authority see SA1604 on page 31 - Retail pharmacv

- a) Maximum of 3 sets per prescription
- b) Only on a prescription
- c) Maximum of 13 infusion sets will be funded per year.
- 13 mm teflon cannula: angel insertion: 60 cm grev line ×
- 13 mm teflon cannula; angle insertion; 120 cm line \times 10 with 1 OP
- 13 mm teflon cannula; angle insertion; 45 cm line \times 10 with

- 13 mm teflon cannula; angle insertion; 60 cm line \times 10 with
- 13 mm teflon cannula; angle insertion; 80 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 110 cm grey line \times
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 110 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 60 cm grey line \times 17 mm teflon cannula; angle insertion; 60 cm line \times 10 with
- 17 mm teflon cannula; angle insertion; 60 cm line × 10 with
- 17 mm teflon cannula; angle insertion; 80 cm line \times 10 with

- 1 OP ✓ Inset 30
- 1 OP ✓ Inset 30
- 1 OP ✓ Inset 30
- ✓ Inset 30

1 OP

- - Comfort Short
 - ✔ Paradigm Silhouette MMT-382
 - ✔ Paradigm Silhouette MMT-368
 - ✔ Paradigm Silhouette MMT-381
 - ✓ Paradigm Silhouette MMT-383
 - ✓ Comfort
 - ✔ Paradigm Silhouette MMT-377
 - ✓ Silhouette MMT-371
 - ✓ Comfort
 - ✔ Paradigm Silhouette MMT-378
 - ✓ Silhouette MMT-373
 - ✓ Paradigm Silhouette MMT-384

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION WITH INSERTION DEVICE) - Special Authority see SA1604 on page 31 - Retail pharmacy

			prescription	

b) Only on a prescription

c) Maximum of 13 infusion sets will be funded per year.

6 mm teflon cannula; straight insertion; insertion device; 110 cm grey line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
The string by mile X to that to he calco millionism the control of the string to the s	
6 mm teflon cannula; straight insertion; insertion device;	
45 cm blue tubing × 10 with 10 needles130.00 1 OP ✓ Pa	aradigm Mio MMT-941
, ,	aradigm Mio MMT-921
· ·	aradigm Mio MMT-943
, •	aradigm Mio MMT-923
· ·	aradigm Mio MMT-945
	aradigm Mio MMT-965
, •	aradigm Mio MMT-925
6 mm teflon cannula; straight insertionl insertion device; 60 cm blue line × 10 with 10 needles140.00 1 OP ✓ Insertion device;	set II
60 cm grey line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
6 mm teflon cannula; straight insertionl insertion device; 60 cm pink line × 10 with 10 needles140.00 1 OP ✓ Ins 9 mm teflon cannula; straight insertion; insertion device;	set II
60 cm blue line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
9 mm teflon cannula; straight insertion; insertion device; 60 cm grey line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
9 mm teflon cannula; straight insertion; insertion device; 60 cm pink line × 10 with 10 needles140.00 1 OP ✓ Ins	set II
v	aradigm Mio MMT-975
9 mm teflon cannula; straight insertionl insertion device;	
110 cm grey line × 10 with 10 needles140.00 1 OP ✓ Ins	set II

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Por \$ Manufacturer INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGHT INSERTION) - Special Authority see SA1604 on page 31 -Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 infusion sets will be funded per year. 6 mm teflon cannula: straight insertion: 110 cm tubing × 1 OP ✓ Paradigm Quick-Set MMT-398 6 mm teflon cannula; straight insertion; 110 cm tubing \times Quick-Set MMT-391 1 OP 6 mm teflon cannula; straight insertion; 60 cm tubina \times 1 OP ✔ Paradigm Quick-Set MMT-399 6 mm teflon cannula; straight insertion; 60 cm tubing \times 1 OP Quick-Set MMT-393 6 mm teflon cannula; straight insertion; 80 cm tubing \times 1 OP ✔ Paradigm Quick-Set MMT-387 9 mm teflon cannula; straight insertion; 106 cm tubing × ✓ Paradigm Quick-Set 1 OP MMT-396 9 mm teflon cannula; straight insertion; 110 cm tubing \times ✓ Quick-Set MMT-390 1 OP 9 mm teflon cannula; straight insertion: 60 cm tubing \times 1 OP ✔ Paradigm Quick-Set MMT-397 9 mm teflon cannula; straight insertion; 60 cm tubing \times 1 OP ✓ Quick-Set MMT-392 9 mm teflon cannula; straight insertion: 80 cm tubing \times 1 OP ✔ Paradigm Quick-Set MMT-386 INSULIN PUMP RESERVOIR - Special Authority see SA1604 on page 31 - Retail pharmacy a) Maximum of 3 sets per prescription b) Only on a prescription c) Maximum of 13 packs of reservoir sets will be funded per year. 10 × luer lock conversion cartridges 1.8 ml for Paradigm 1 OP ✓ ADR Cartridge 1.8 Cartridge 200 U, luer lock × 1050.00 1 OP ✓ Animas Cartridge Cartridge for 5 and 7 series pump: 1.8 ml \times 1050.00 1 OP ✓ Paradigm 1.8

1 OP

1 OP

Reservoir

✓ 50X 3.0 Reservoir

✓ Paradigm 3.0 Reservoir

Cartridge for 7 series pump; 3.0 ml × 1050.00

Syringe and cartridge for 50X pump, 3.0 ml \times 1050.00

Subsidy		Fully	Brand or
(Manufacturer's Price)	,	Subsidised	Generic
\$	Per	~	Manufacturer

Digestives Including Enzymes

PANCREATIC ENZYME

34.93	100	✓ Creon 10000
94.40	100	Panzytrat
94.38	100	✓ Creon 25000
Retail pharmac	;y	
53.40	100	✓ <u>Ursosan</u>
	34.93 94.40 94.38 Retail pharmac 53.40	94.40 100 94.38 100 Retail pharmacy

■ SA1383 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults: and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (**Pregnancy**) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

continued...

Subsidy (Manufacturer's Price)	S	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

Laxatives

Bulk-forming Agents

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure - doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy. marked worsening of pruritus or fatique, histological progression by two stages, or to cirrhosis, need for transplantation.

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	5.51	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS		Ü	•
* Dry	6.02	500 g OP	
	(17.32)		Normacol Plus
	2.41	200 g OP	
	(8.72)		Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription * Tab 50 mg		100	Coloxyl
* Tab 120 mg		100	✓ <u>Coloxyl</u>
* Enema conc 18%	5.40	100 ml OP	✓ Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with sennosides 8 mg	4.40	200	✓ Laxsol
POLOXAMER – Only on a prescription Not funded for use in the ear.			
* Oral drops 10%	3.78	30 ml OP	✓ Coloxyl
Osmotic Laxatives			

	/CEROL Suppos 3.6 g — Only on a prescription	6.50	20	✓ <u>PSM</u>
LAC	CTULOSE - Only on a prescription			
*	Oral lig 10 g per 15 ml	3.18	500 ml	✓ Laevolac

MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BICARBONATE AND SODIUM CHLORIDE - Special Authority see SA1473 on the next page - Retail pharmacy

Powder for oral soln 13.125 g with potassium chloride 46.6 mg, sodium bicarbonate 178.5 mg and sodium chlo-

30 ✓ Lax-Sachets

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1473 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has problematic constipation despite an adequate trial of other oral pharmacotherapies including lactulose where lactulose is not contraindicated; and
- 2 The patient would otherwise require a per rectal preparation.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is compliant and is continuing to gain benefit from treatment.

SODIUM ACID PHOSPHATE – Only on a prescription Enema 16% with sodium phosphate 8%	2.50	1	✓ Fleet Phosphate Enema
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE – Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml,	Only on a preso	cription	
5 ml	19.95	50	✓ Micolette
Stimulant Laxatives			
BISACODYL – Only on a prescription			
* Tab 5 mg		200	✓ Lax-Tab
* Suppos 10 mg	3.78	10	✓ <u>Lax-Suppositories</u>
SENNA – Only on a prescription			
* Tab, standardised	2.17	100	
	(6.84)		Senokot
	0.43	20	
	(1.72)		Senokot

Metabolic Disorder Agents

ALGLUCOSIDASE ALFA – Special Authority see SA1622 below – Retail pharmacy		
Inj 50 mg vial1,142.60	1	Myozyme

⇒SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease; and
- 2 Any of the following:
 - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
 - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
 - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a diseasecausing mutation in the acid alpha-glucosidase gene (GAA gene); or
 - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT); and
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT or might be reasonably expected to compromise a response to ERT; and
- 5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$
\$ Per ✔ Manufacturer

continued...

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT;
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for >14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE – Special Authority see SA1593 below – Retail pharmacy
Inj 1 mg per ml, 5 ml vial2,234.00 1 ✓ Naglazyme

⇒SA1593 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

⇒SA1623 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
 - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant; and

continued...

Subsidy (Manufacturer's Price) Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

SODIUM BENZOATE - Special Authority see SA1599 below - Retail pharmacy

Soln 100 mg per mlCBS 100 ml ✓ Amzoate \$29

⇒SA1599 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder

Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

SODIUM PHENYLBUTYRATE - Special Authority see SA1598 below - Retail pharmacy

174 a OP Pheburane

⇒SA1598 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months where the patient has a diagnosis of a urea cycle disorder involving a deficiency of carbamylphosphate synthetase, ornithine transcarbamylase or argininosuccinate synthetase. Renewal only from a metabolic physician. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Gaucher's Disease

IMIGLUCERASE - Special Authority see SA0473 below - Retail pharmacy

✓ Cerezvme Inj 40 iu per ml, 400 iu vial2,144.00 1 ✓ Cerezyme

⇒SA0473 Special Authority for Subsidy

Special Authority approved by the Gaucher's Treatment Panel

Notes: Subject to a budgetary cap. Applications will be considered and approved subject to funding availability.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Gaucher's Treatment Panel Phone: (04) 460 4990 PHARMAC, PO Box 10 254 Facsimile: (04) 916 7571

Wellington Email: gaucherpanel@pharmac.govt.nz

Mouth and Throat

Agents Used in Mouth Ulceration

BENZYDAMINE HYDROCHLORIDE

✓ fully subsidised

[HP4] refer page 4

Soln 0.15% - Higher subsidy of up to \$17.01 per 500 ml with

500 ml Endorsement 9.00 (17.01)Difflam 3.60 200 ml (8.50)Difflam

Additional subsidy by endorsement for a patient who has oral mucositis as a result of treatment for cancer, and the prescription is endorsed accordingly.

	21		Fully Donald
	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
CARMELLOSE SODIUM WITH GELATIN AND PECTIN			
Paste	17.20	56 g OP	✓ Stomahesive
	4.55	15 g OP	
	(7.90)		Orabase
	1.52	5 g OP	
	(3.60)		Orabase
Powder	8.48	28 g OP	
	(10.95)		Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ <u>healthE</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
* Adhesive gel 8.7% with cetalkonium chloride 0.01%	2.06	15 g OP	
	(6.00)		Bonjela
TRIAMCINOLONE ACETONIDE	()		·)· ··
Paste 0.1%	5 22	5 g OP	✓ Kenalog in Orabase
		5 y OF	▼ Nenalog III Orabase
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
· ·		20	V Tungiiii
MICONAZOLE	4.70	40 - OD	. / D
Oral gel 20 mg per g	4.79	40 g OP	✓ <u>Decozol</u>
NYSTATIN			
Oral liq 100,000 u per ml	2.55	24 ml OP	✓ m-Nystatin
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	formula refer Sta	ndard Formula	nana 226
	iomidia refer otal	iluaiu i Oililulai	e, page 220
HYDROGEN PEROXIDE	1.40	100 ml	A / Dhawmany Haalth
* Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 ml	Pharmacy Health
THYMOL GLYCERIN			
* Compound, BPC	9.15	500 ml	✓ <u>PSM</u>
Vitamins			
Vitamin A			
VITAMIN A WITH VITAMINS D AND C			
* Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 m	na		
per 10 drops	•	10 ml OP	✓ Vitadol C
•		10 1111 01	- Titudei V
Vitamin B			
HYDROXOCOBALAMIN			
* Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a F	PSO2.31	3	✓ Neo-B12
		J	
PYRIDOXINE HYDROCHLORIDE			
a) No more than 100 mg per dose			
b) Only on a prescription	0.15	00	■ Vitamin BC 05
* Tab 25 mg – No patient co-payment payable		90 500	✓ <u>Vitamin B6 25</u>
* Tab 50 mg	11.33	500	✓ Apo-Pyridoxine

[†] safety car

[▲]Three months supply may be dispensed at one time ce if endorsed "certified exemption" by the prescriber or pharmacist.

		Subsidy		Full	y Brand or
		(Manufacturer's P	rice) Sul Per	osidise	
THIA	MINE HYDROCHLORIDE - Only on a prescription				
*	Tab 50 mg	5.62	100	~	Apo-Thiamine
	MIN B COMPLEX	7.15	500	./	Polov
	Tab, strong, BPC	1.15	500	•	Bplex
VIL	amin C				
á	ORBIC ACID a) No more than 100 mg per dose b) Only on a prescription				
	Tab 100 mg	8.10	500	~	Cvite
Vit	amin D				
	ACALCIDOL				
	Cap 0.25 mcg		100 100		One-Alpha One-Alpha
	Cap 1 mcg Oral drops 2 mcg per ml		20 ml OP		One-Alpha
CAL	CITRIOL				•
	Cap 0.25 mcg		100		Calcitriol-AFT
	Cap 0.5 mcg	18.39	100	•	<u>Calcitriol-AFT</u>
	ECALCIFEROL Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per prescript	on 3.85	12	V	Vit.D3
	Iltivitamin Preparations			•	
	·	Datail ahawaaa			
	TIVITAMIN RENAL - Special Authority see SA1546 below - Cap		30	V	Clinicians Renal Vit
	A1546 Special Authority for Subsidy				
>> S	A 1340 Special Authority for Subsidy				
Initia the fo	al application from any relevant practitioner. Approvals vali ollowing criteria:	d without further	renewal unles	ss noti	fied for applications meetin
Initia the fo	al application from any relevant practitioner. Approvals vali ollowing criteria:	either peritoneal o	dialysis or hae	emodia	alysis; or
Initia the for Either	al application from any relevant practitioner. Approvals valibllowing criteria: 1 The patient has chronic kidney disease and is receiving 2 The patient has chronic kidney disease grade 5, defined the control of the patient has chronic kidney disease grade 5, defined the control of the patient has chronic kidney disease grade 5, defined the control of the patient has chronic kidney disease grade 5, defined the control of the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5, defined the patient has chronic kidney disease grade 5.	either peritoneal oned as patient with pharmacy	dialysis or hae	emodia ited gl	alysis; or
Initia the for Either MUL™	Il application from any relevant practitioner. Approvals valibllowing criteria: If the patient has chronic kidney disease and is receiving The patient has chronic kidney disease grade 5, defiin 15 ml/min/1.73 m² body surface area (BSA). ITIVITAMINS – Special Authority see SA1036 below – Retail Powder	either peritoneal of the das patient with pharmacy	dialysis or hae ith an estima 200 g OP	emodia ated gl	ulysis; or omerular filtration rate of Paediatric Seravit
Initia the fo Eithe MUL [™] * I	I application from any relevant practitioner. Approvals valibllowing criteria: 1 The patient has chronic kidney disease and is receiving 2 The patient has chronic kidney disease grade 5, defii 15 ml/min/1.73 m² body surface area (BSA). TIVITAMINS – Special Authority see SA1036 below – Retail Powder	either peritoneal of the das patient with pharmacy	dialysis or hae ith an estima 200 g OP	emodia ated gl	ulysis; or omerular filtration rate of Paediatric Seravit
MUL* * Initia * Initia	I application from any relevant practitioner. Approvals valibllowing criteria: 1 The patient has chronic kidney disease and is receiving 2 The patient has chronic kidney disease grade 5, defii 15 ml/min/1.73 m² body surface area (BSA). TIVITAMINS – Special Authority see SA1036 below – Retail Powder	either peritoneal of the das patient with pharmacy	dialysis or hae ith an estima 200 g OP r renewal unle	emodia ited gl	alysis; or omerular filtration rate of Paediatric Seravit tified where the patient ha
MUL* * Initia * MUL* * Initia nbor Rene appro	I application from any relevant practitioner. Approvals valibllowing criteria: 1 The patient has chronic kidney disease and is receiving 2 The patient has chronic kidney disease grade 5, defii 15 ml/min/1.73 m² body surface area (BSA). TIVITAMINS – Special Authority see SA1036 below – Retail Powder	either peritoneal of the das patient with pharmacy	dialysis or hae ith an estima 200 g OP r renewal unle	emodia ited gl	alysis; or omerular filtration rate of Paediatric Seravit tified where the patient ha
Initia	Il application from any relevant practitioner. Approvals valiblowing criteria: 1 The patient has chronic kidney disease and is receiving 2 The patient has chronic kidney disease grade 5, defii 15 ml/min/1.73 m² body surface area (BSA). TIVITAMINS – Special Authority see SA1036 below – Retail Powder	either peritoneal of the das patient work pharmacy	dialysis or hae ith an estima 200 g OP r renewal unle	emodia ited gl	alysis; or omerular filtration rate of Paediatric Seravit tified where the patient ha
MULL MULL MINITIAL MULL MINITIAL MINITIAL MULL MINITIAL MI	I application from any relevant practitioner. Approvals valibllowing criteria: 1 The patient has chronic kidney disease and is receiving 2 The patient has chronic kidney disease grade 5, defii 15 ml/min/1.73 m² body surface area (BSA). TIVITAMINS – Special Authority see SA1036 below – Retail Powder	either peritoneal of the das patient with pharmacy machine in 72.00 bid without further further renewal umachine in 10.50	dialysis or had ith an estima 200 g OP r renewal unla nless notified	emodia ited gl	Alysis; or omerular filtration rate of Paediatric Seravit stified where the patient has patient has had a previous

	Subsidy	Fully	Brand or
(Mar	nufacturer's Price)	Subsidised	Generic
	\$ 6	Per 🗸	Manufacturer

⇒SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

Minerals

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or
- 2 Patient is an infant or child with liver disease or short gut syndrome.

Calcium		
CALCIUM CARBONATE * Tab eff 1.75 g (1 g elemental)	10 250	✓ Calsource ✓ Arrow-Calcium
* Inj 10%, 10 ml ampoule	10	✓ HameIn S29✓ Hospira
Fluoride		
SODIUM FLUORIDE * Tab 1.1 mg (0.5 mg elemental)5.00	100	✓ PSM
lodine		
POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	90	✓ NeuroTabs
Ivan		

POTASSIUM IODATE * Tab 253 mcg (150 mcg elemental iodine)	90	✓ NeuroTabs
Iron		
FERROUS FUMARATE * Tab 200 mg (65 mg elemental)2.89	100	✓ <u>Ferro-tab</u>
FERROUS FUMARATE WITH FOLIC ACID * Tab 310 mg (100 mg elemental) with folic acid 350 mcg4.75	60	✓ Ferro-F-Tabs
FERROUS SULPHATE * Tab long-acting 325 mg (105 mg elemental)2.06 *‡ Oral liq 30 mg (6 mg elemental) per 1 ml10.80	30 500 ml	✓ Ferrograd✓ Ferodan
FERROUS SULPHATE WITH FOLIC ACID * Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg	30	
(4.29)		Ferrograd F
IRON POLYMALTOSE * Inj 50 mg per ml, 2 ml ampoule15.22	5	✓ Ferrum H

Magnesium	
For magnesium hydroxide mixture refer Standard Formulae, page 226	

MA	GNESIUM SULPHATE			
*	Ini 2 mmol per ml. 5 ml ampoule	.12.65	10	✓ DBL

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

Zinc

ZINC SULPHATE

Cap 137.4 mg (50 mg elemental)11.00 100

✓ Zincaps

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Antianaemics

Hypoplastic and Haemolytic

▶SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure: and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus; and
 - 3.1.2 Glomerular filtration rate < 30ml/min: or
 - 3.2 Both:
 - 3.2.1 Patient has diabetes mellitus: and
 - 3.2.2 Glomerular filtration rate < 45ml/min: or
 - 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*: and
- 2 Has had symptomatic anaemia with haemoglobin <100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of <500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy (Manufacturer's Price \$		Fully dised	Brand or Generic Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] – Special Authority Wastage claimable – see rule 3.3.2 on page 13	y see SA1469 on the	previous page	e – Re	etail pharmacy
Inj 1,000 iu in 0.5 ml, syringe	48.68	6	✓ <u>E</u>	prex
Inj 2,000 iu in 0.5 ml, syringe	120.18	6	✓ <u>E</u>	prex
Inj 3,000 iu in 0.3 ml, syringe	166.87	6	✓ <u>E</u>	prex
Inj 4,000 iu in 0.4 ml, syringe	193.13	6	✓ <u>E</u>	prex
Inj 5,000 iu in 0.5 ml, syringe	243.26	6	✓ <u>E</u>	prex
Inj 6,000 iu in 0.6 ml, syringe	291.92	6	✓ <u>E</u>	prex
Inj 8,000 iu in 0.8 ml, syringe	352.69	6	✓ <u>E</u>	prex
Inj 10,000 iu in 1 ml, syringe	395.18	6	✓ <u>E</u>	prex
Inj 40,000 iu in 1 ml, syringe	263.45	1	✓ <u>E</u>	prex
Megaloblastic				
FOLIC ACID * Tab 0.8 mg * Tab 5 mg Oral liq 50 mcg per ml	10.92	1,000 500 25 ml OP	✓ A	po-Folic Acid po-Folic Acid iomed
Antifibrinolytics, Haemostatics and Local Scle	rosants			
ELTROMBOPAG – Special Authority see SA1418 below – Reta Wastage claimable – see rule 3.3.2 on page 13	ail pharmacy			
Tab 25 mg	1,771.00	28	✓ R	evolade
Tab 50 mg		28	✓ R	evolade

⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of $\leq 10,000$ platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of >30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1	✓ NovoSeven RT
Inj 2 mg syringe2,356.60	1	✓ NovoSeven RT
Inj 5 mg syringe5,891.50	1	✓ NovoSeven RT
Inj 8 mg syringe9,426.40	1	✓ NovoSeven RT

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

FACTOR EIGHT INHIBITOR BYPASSING FRACTION - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group

	,		
Inj 500 U	1,450.00	1	FEIBA NF
•	2,900.00	1	✓ FEIBA NF
Inj 2,500 U	7,250.00	1	✓ FEIBA NF

MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] - [Xpharm]

Preferred Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Groun

210.00	1	Xyntha
	1	Xyntha
	1	Xyntha
	1	Xyntha
2,520.00	1	Xyntha
		420.00 1840.00 11,680.00 1

NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	310.00	1	✓ BeneFIX
Inj 500 iu vial		1	✓ BeneFIX
Inj 1,000 iu vial		1	✓ BeneFIX
Inj 2,000 iu vial		1	✓ BeneFIX
Ini 3.000 iu vial	·	1	✓ BeneFIX

NONACOG GAMMA. [RECOMBINANT FACTOR IX] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 250 iu vial	287.50 1	✓ RIXUBIS
Inj 500 iu vial	575.00 1	✓ RIXUBIS
Inj 1,000 iu vial		✓ RIXUBIS
Inj 2,000 iu vial		✓ RIXUBIS
Inj 3,000 iu vial	· ·	✓ RIXUBIS

OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVATE) - [Xpharm]

Rare Clinical Circumstances Brand of recombinant factor VIII for patients with haemophilia from 1 March 2016 until 28 February 2019. Access to funded treatment by application to the Haemophilia Treatments Panel. Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O			
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@ph	vt.nz		
Inj 250 iu vial	287.50	1	✓ Advate	
Inj 500 iu vial		1		
Inj 1,000 iu vial		1	Advate	
Inj 1,500 iu vial	1,725.00	1	Advate	
Inj 2,000 iu vial	2,300.00	1	Advate	
Inj 3,000 iu vial	3,450.00	1	Advate	

OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGENATE FS) - [Xpharm]

* Tab long-acting 150 mg11.52

PRASUGREL – Special Authority see SA1201 below – Retail pharmacy

* Tab 75 mg - For clopidogrel oral liquid formulation refer, page

Arrow - Clopid to be Sole Supply on 1 April 2017

Second Brand of recombinant factor VIII for patients funded treatment by application to the Haemophilia T website http://www.pharmac.govt.nz or:	with hae	mophilia from			
The Co-ordinator, Haemophilia Treatments Panel	Phone:	0800 023 588	Option 2		
PHARMAC PO Box 10 254	Facsim	ile: (04) 974 48	881		
Wellington	Email:	haemophilia@	pharmac.govt.nz	<u> </u>	
Inj 250 iu vial		237.50	1	~	Kogenate FS
Inj 500 iu vial			1	1	Kogenate FS
Inj 1,000 iu vial			1		Kogenate FS
Inj 2,000 iu vial			1	~	Kogenate FS
Inj 3,000 iu vial			1	~	Kogenate FS
SODIUM TETRADECYL SULPHATE					
* Inj 3% 2 ml		28 50	5		
1,07,02111		(73.00)	Ŭ		Fibro-vein
TRANEXAMIC ACID		(. 0.00)			
Tab 500 mg		20.67	100		Cyklokapron
lab 500 flig		20.07	100	•	Сукіокаріон
Vitamin K					
PHYTOMENADIONE					
Inj 2 mg per 0.2 ml - Up to 5 inj available on a PSO		8.00	5	~	Konakion MM
Inj 10 mg per ml, 1 ml - Up to 5 inj available on a PS			5	1	Konakion MM
Antithrombotic Agents					
Antiplatelet Agents					

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Per

Brand or

Generic

Manufacturer

⇒SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

continued...

990

60

28

28

✓ Ethics Aspirin EC

Arrow - Clopid

Pytazen SR

✓ Effient

✓ Effient

ASPIRIN

CLOPIDOGREL

DIPYRIDAMOI F

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrelallergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TIC	CAGRELOR - Special Authority see SA1382 below - Retail pharmacy	у		
*	Tab 90 mg	90.00	56	Brilinta

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome: and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALI EPARIN SODIUM – Special Authority see SA1270 belo	w – Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe	19.97	10	Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe	39.94	10	Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe	60.03	10	✓ Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	✓ Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	99.96	10	Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe	158.47	10	✓ Fragmin

■SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Fither:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sı	ubsidised	Generic
\$	Per	~	Manufacturer

continued...

5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe	30.91	10	Clexane
Inj 40 mg in 0.4 ml syringe		10	Clexane
Inj 60 mg in 0.6 ml syringe		10	Clexane
Inj 80 mg in 0.8 ml syringe		10	Clexane
Inj 100 mg in 1 ml syringe		10	Clexane
Inj 120 mg in 0.8 ml syringe		10	Clexane
Inj 150 mg in 1 ml syringe		10	Clexane

⇒SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml	10	Hospira
61.04	50	✔ Pfizer
66.80		Hospira
Inj 1,000 iu per ml, 35 ml vial17.76	1	✓ Hospira
Inj 5,000 iu per ml, 1 ml14.20	5	✓ Hospira
Inj 5,000 iu per ml, 5 ml236.60	50	✔ Pfizer
Inj 25,000 iu per ml, 0.2 ml9.50	5	Hospira

				_	
	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
HEPARINISED SALINE Inj 10 iu per ml, 5 ml	23.40	30		ecton Dickinson PosiFlush 829	
	39.00	50	✓ Pfi		
PROTAMINE SULPHATE * Inj 10 mg per ml, 5 ml	22.40 (119.23)	10	Art	tex	
Oral Anticoagulants					
DABIGATRAN Cap 75 mg - No more than 2 cap per day Cap 110 mg Cap 150 mg	76.36	60 60 60	✓ Pra	adaxa adaxa adaxa	
RIVAROXABAN – Special Authority see SA1066 below – Retail p Tab 10 mg		15	✓ Xa	ırelto	

■SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	50	Coumadin
	6.86	100	✓ Marevan
*	Tab 2 mg4.31	50	Coumadin
*	Tab 3 mg	100	Marevan
*	Tab 5 mg	50	Coumadin
	11.75	100	✓ Marevan

Blood Colony-stimulating Factors

FILGRASTIM - Special Authority see SA1259 below - Retail pha	armacy		
Inj 300 mcg per 0.5 ml prefilled syringe	270.00	5	Zarzio
Ini 480 mcg per 0.5 ml prefilled syringe	432.00	5	✓ Zarzio

⇒SA1259 | Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5×10 /L); or

continued...

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer Per \$

continued...

5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10 /L).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

Inj 50%, 10 ml ampoule - Up to 5 inj available on a PSO27.50

Inj 6 mg per 0.6 ml syringe1,080.00

✓ Neulastim

✓ Biomed

5

■SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk ≥ 20

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

GLUCOSE [DEXTROSE]

Intravenous Administration

*	Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO		1	✓ Biomed
PO	TASSIUM CHLORIDE		-	· <u></u>
*	Inj 75 mg per ml, 10 ml	55.00	50	✓ AstraZeneca
SO	DIUM BICARBONATE			
-	Inj 8.4%, 50 ml	19.95	1	✓ Biomed
	a) Up to 5 inj available on a PSO			
	b) Not in combination			
	Inj 8.4%, 100 ml	20.50	1	✓ Biomed
	a) Up to 5 inj available on a PSO			
	b) Not in combination			
SO	DIUM CHLORIDE			
	Not funded for use as a nasal drop. Only funded for nebuliser	use when in co	njunction with a	an antibiotic intended for nebuliser
	use.			
	Inj 0.9%, bag – Up to 2000 ml available on a PSO		500 ml	Baxter
		1.26	1,000 ml	✓ <u>Baxter</u>
	Only if prescribed on a prescription for renal dialysis, mater	rnity or post-na	tal care in the	home of the patient, or on a PSO
	for emergency use. (500 ml and 1,000 ml packs)	00.00	-	. d Diamand
	Inj 23.4% (4 mmol/ml), 20 ml ampoule		5	✓ Biomed
	For Sodium chloride oral liquid formulation refer Standard F			. Luta vDhavena
	Inj 0.9%, 5 ml ampoule – Up to 5 inj available on a PSO	10.85	50	✓ InterPharma✓ Multichem
		15.50		✓ Mullichem ✓ Pfizer
	Inj 0.9%, 10 ml ampoule - Up to 5 inj available on a PSO		50	✓ Pfizer
	inj 0.9%, 10 mi ampoule – Op to 5 mj avaliable on a FSO	11.50	50	✓ Multichem
	Inj 0.9%, 20 ml ampoule		6	✓ Multicrieni ✓ Pharmacia
	111 0.0 70, 20 1111 dilipodic	7.50	30	✓ InterPharma
		8.41	20	✓ Multichem
		11.79	30	✓ Pharmacia
TO.	TAL PARENTERAL NUTRITION (TPN) - Retail pharmacy-Spec	cialist		
_	Infusion		1 OP	✓ TPN

454 g OP

✔ Resonium-A

	Subsidy (Manufacturer's I \$	Price) Sub Per	Fully sidised	Brand or Generic Manufacturer
WATER				
 On a prescription or Practitioner's Supply Order only w Schedule requiring a solvent or diluent; or 	hen on the same	form as an inje	ction lis	sted in the Pharmaceur
On a bulk supply order; or				
When used in the extemporaneous compounding of eye	e drops.			
Inj 5 ml ampoule - Up to 5 inj available on a PSO	7.00	50	🗸 In	terPharma
	10.25		✓ M	ultichem
Inj 10 ml ampoule - Up to 5 inj available on a PSO	6.63	50	✓ P	fizer
, , ,	11.25		✓ M	ultichem
Inj 20 ml ampoule - Up to 5 inj available on a PSO	6.50	20	✓ M	ultichem
, , ,	7.50	30	🗸 In	terPharma
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE				
Powder	169.85	300 g OP	√ C	alcium Resonium
COMPOUND ELECTROLYTES		9		
	0.00	10		
Powder for oral soln — Up to 10 sach available on a PSO	2.30	10	V E	<u>nerlyte</u>
DEXTROSE WITH ELECTROLYTES				
Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP		edialyte - Bubblegum
PHOSPHORUS				
Tab eff 500 mg (16 mmol)	82.50	100	✓ P	hosphate-Sandoz
POTASSIUM CHLORIDE				-
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5 26	60		
is table in 640 mg (14 m 64) with difference 200 mg (6 m 64)	(11.85)	00	С	hlorvescent
★ Tab long-acting 600 mg (8 mmol)	, ,	100	-	uro-K \$29
iab long-acting ood mig to million)	7.42	200		pan-K
	7.42	200	V 3	pan-ix
SODIUM BICARBONATE			4 -	
Cap 840 mg	8.52	100		odibic
			✓ S	odibic

SODIUM POLYSTYRENE SULPHONATE

Powder84.65

	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg	6.75	500	✓ A	po-Doxazosin
* Tab 4 mg	9.67	500	✓ A	po-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	65.00	30	✓ B	NM S29
PRAZOSIN				
* Tab 1 mg	5.53	100	✓ A	po-Prazosin
* Tab 2 mg		100	✓ A	po-Prazosin
* Tab 5 mg		100	✓ A	po-Prazosin
TERAZOSIN				
* Tab 1 mg	0.59	28	✓ A	ctavis
* Tab 2 mg		28	✓ Ā	rrow
	7.50	500	✓ A	po-Terazosin
* Tab 5 mg	10.90	500	✓ A	po-Terazosin
-	0.57	28		
	(0.68)		Α	rrow
Apo-Terazosin to be Sole Supply on 1 May 2017				

Subsidy

Fully

Brand or

(Arrow Tab 5 mg to be delisted 1 May 2017)

Agents Affecting the Renin-Angiotensin System

ACE Inhibitors

CAPTOPRIL			
*‡ Oral liq 5 mg per ml Oral liquid restricted to children under 12 years of age.	94.99	95 ml OP	✓ Capoten
CILAZAPRIL			
* Tab 0.5 mg	2.00	90	✓ Zapril
* Tab 2.5 mg	7.20	200	Apo-Cilazapril
	3.24	90	
	(4.31)		Zapril
Apo-Cilazapril to be Sole Supply on 1 March 2017			
* Tab 5 mg	12.00	200	Apo-Cilazapril
-	5.40	90	
	(6.98)		Zapril
Apo-Cilazapril to be Sole Supply on 1 March 2017 (Zapril Tab 2.5 mg to be delisted 1 March 2017) (Zapril Tab 5 mg to be delisted 1 March 2017)			
ENALAPRIL MALEATE			
* Tab 5 mg	0.96	100	Ethics Enalapril
* Tab 10 mg		100	✓ Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation re-			•
fer, page 223	1.78	100	Ethics Enalapril
LISINOPRIL			<u> </u>
* Tab 5 mg	1.80	90	✓ Ethics Lisinopril
* Tab 10 mg		90	Ethics Lisinopril
		90	✓ Ethics Lisinoprii
* Tab 20 mg	2.70	90	Eunes Lisinophi

✓ fully subsidised

[HP4] refer page 4

S Per		Subsidy (Manufacturer's Price)		Fully Subsidised	
Tab 2 mg			Per		
Tab 4 mg	PERINDOPRIL				
UNAPRIL Tab 5 mg	•				
Tab 5 mg	€ Tab 4 mg	4.80	30	-	Apo-Perindopril
Tab 10 mg	QUINAPRIL				
Tab 20 mg	š				
ACE Inhibitors with Diuretics LAZAPRIL WITH HYDROCHLOROTHIAZIDE Tab 5 mg with hydrochlorothiazide 12.5 mg	3				
LAZAPRIL WITH HYDROCHLOROTHIAZIDE Tab 5 mg with hydrochlorothiazide 12.5 mg		3.97	90	•	Arrow-Quinaprii 20
Tab 5 mg with hydrochlorothiazide 12.5 mg	ACE IIIIIDIOIS WIIII DIUIEUCS				
INAPRIL WITH HYDROCHLOROTHIAZIDE Tab 10 mg with hydrochlorothiazide 12.5 mg	ILAZAPRIL WITH HYDROCHLOROTHIAZIDE				
Tab 10 mg with hydrochlorothiazide 12.5 mg	Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	•	Apo-Cilazapril/ Hydrochlorothiazide
Tab 20 mg with hydrochlorothiazide 12.5 mg	UINAPRIL WITH HYDROCHLOROTHIAZIDE				
ANDESARTAN CILEXETIL — Special Authority see SA1223 below — Retail pharmacy Tab 4 mg	0 ,				
ANDESARTAN CILEXETIL — Special Authority see SA1223 below — Retail pharmacy Tab 4 mg	Tab 20 mg with hydrochlorothiazide 12.5 mg	4.78	30	-	Accuretic 20
Tab 4 mg	Angiotensin II Antagonists				
Tab 8 mg	ANDESARTAN CILEXETIL - Special Authority see SA12	223 below – Retail pharmacy	/		
Tab 16 mg					
Tab 32 mg					
**SA1223 Special Authority for Subsidy Itial application — (ACE inhibitor intolerance) from any relevant practitioner. Approvals valid without further renewal tiffied for applications meeting the following criteria: ther: 1	•				
or 2 Patient has a history of angioedema. itial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without newal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor. DSARTAN POTASSIUM Tab 12.5 mg	otified for applications meeting the following criteria: ther:				
itial application — (Unsatisfactory response to ACE inhibitor) from any relevant practitioner. Approvals valid without newal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor. DSARTAN POTASSIUM Tab 12.5 mg	or	that is not resolved by ACE	inhibi	tor retrial ((same or new ACE inhibi
newal unless notified where patient is not adequately controlled on maximum tolerated dose of an ACE inhibitor. DSARTAN POTASSIUM Tab 12.5 mg	, ,	mbibitar) from one volocost	n ro of	itionar Arr	annovala valid without fu
Tab 12.5 mg					
Tab 25 mg	OSARTAN POTASSIUM				
Tab 50 mg	•				
Tab 100 mg	•				
Angiotensin II Antagonists with Diuretics DSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg	3				
DSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg	3		0,	•	200di tali Autavio
Tab 50 mg with hydrochlorothiazide 12.5 mg		_			
Antiarrhythmics or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 129 MIODARONE HYDROCHLORIDE Tab 100 mg - Retail pharmacy-Specialist			30	•	
or lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaesthetics, Local, page 129 MIODARONE HYDROCHLORIDE . Tab 100 mg − Retail pharmacy-Specialist	Antiarrhythmics				nyurochiorothiazide
MIODARONE HYDROCHLORIDE Tab 100 mg − Retail pharmacy-Specialist		Amazathatian I and an	00		
Tab 100 mg − Retail pharmacy-Specialist	•	Anaestnetics, Local, page 1	29		
		4.66	20	.,	Cordorono V
			30		Cordarone-X

✓ Cordarone-X

Inj 50 mg per ml, 3 ml ampoule - Up to 6 inj available on a

[†] safety ca

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	\$	Per	✓	
ATROPINE SULPHATE				
* Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a PSO	71.00	50	v	AstraZeneca
DIGOXIN				
* Tab 62.5 mcg - Up to 30 tab available on a PSO		240	/	Lanoxin PG
* Tab 250 mcg - Up to 30 tab available on a PSO		240		<u>Lanoxin</u>
*‡ Oral liq 50 mcg per ml	16.60	60 ml	~	Lanoxin
DISOPYRAMIDE PHOSPHATE				
▲ Cap 100 mg	15.00	100		
	(23.87)			Rythmodan
▲ Cap 150 mg	26.21	100	~	Rythmodan
(Rythmodan Cap 150 mg to be delisted 1 April 2017)				
FLECAINIDE ACETATE - Retail pharmacy-Specialist				
▲ Tab 50 mg	38.95	60	~	Tambocor
▲ Cap long-acting 100 mg	38.95	30	-	Tambocor CR
▲ Cap long-acting 200 mg		30	-	Tambocor CR
Inj 10 mg per ml, 15 ml ampoule	52.45	5	•	Tambocor
MEXILETINE HYDROCHLORIDE				
▲ Cap 150 mg	162.00	100	•	Mexiletine Hydrochloride USP 829
▲ Cap 250 mg	202.00	100	~	Mexiletine Hydrochloride USP \$29
PROPAFENONE HYDROCHLORIDE - Retail pharmacy-Specialis	t			
▲ Tab 150 mg	40.90	50	~	Rytmonorm
Antihypotensives				
MIDODRINE - Special Authority see SA1474 below - Retail pharm	nacv			
Tab 2.5 mg		100	~	Gutron
Tab 5 mg		100	-	Gutron
■SA1474 Special Authority for Subsidy				

■SA1474 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where patient has disabling orthostatic hypotension not due to drugs.

Note: Treatment should be started with small doses and titrated upwards as necessary. Hypertension should be avoided, and the usual target is a standing systolic blood pressure of 90 mm Hg.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

ATE	ENOLOL			
*	Tab 50 mg	4.61	500	Mylan Atenolol
*	Tab 100 mg	7.67	500	✓ Mylan Atenolol
*	Oral liq 25 mg per 5 ml	21.25	300 ml OP	✓ Atenolol AFT
	Restricted to children under 12 years of age.			

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic Manufacturer
BISOPROLOL FUMARATE	· · · · · · · · · · · · · · · · · · ·		
Tab 2.5 mg	2.40	30	✓ Bosvate
Tab 5 mg		30	✓ Bosvate
Tab 10 mg		30	✓ Bosvate
CARVEDILOL			
* Tab 6.25 mg	3.90	60	✓ Dicarz
* Tab 12.5 mg		60	✓ Dicarz
* Tab 25 mg - For carvedilol oral liquid formulation refer, pag			
223		60	✓ Dicarz
CELIPROLOL			
* Tab 200 mg	21 40	180	✓ Celol
v	21.70	100	Color
LABETALOL	2.22	400	4.1.1.
* Tab 50 mg		100	✓ Hybloc
* Tab 100 mg - For labetalol oral liquid formulation refer, pag			4
223		100	Hybloc
* Tab 200 mg		100	✓ Hybloc
* Inj 5 mg per ml, 20 ml ampoule		5	
	(88.60)		Trandate
METOPROLOL SUCCINATE			
Tab long-acting 23.75 mg	0.80	30	✓ Myloc CR
	2.39	90	✓ Metoprolol - AFT CR
Tab long-acting 47.5 mg	3.48	90	✓ Metoprolol - AFT CR
	7.50	30	✓ Betaloc CR
Tab long-acting 95 mg	1.91	30	✓ Myloc CR
	5.73	90	✓ Metoprolol - AFT CR
	7.50	30	✓ Betaloc CR
Tab long-acting 190 mg	3.85	30	✓ Myloc CR
	11.54	90	✓ Metoprolol - AFT CR
METOPROLOL TARTRATE			
* Tab 50 mg - For metoprolol tartrate oral liquid formulatio	n		
refer, page 223		100	✓ Apo-Metoprolol
* Tab 100 mg		60	✓ Apo-Metoprolol
* Tab long-acting 200 mg		28	✓ Slow-Lopresor
* Inj 1 mg per ml, 5 ml vial		5	✓ Lopresor
, ,	27.00	J	Lopicson
NADOLOL the Table 40 mm	40.05	400	. A Amar Nandalal
* Tab 40 mg		100	Apo-Nadolol
* Tab 80 mg	24./0	100	✓ Apo-Nadolol
PINDOLOL			
* Tab 5 mg	9.72	100	Apo-Pindolol
* Tab 10 mg	15.62	100	Apo-Pindolol
* Tab 15 mg	23.46	100	Apo-Pindolol

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PR	OPRANOLOL				
*	Tab 10 mg	3.65	100	✓ A	po- Propranolol §29
*	Tab 40 mg	4.65	100	✓ A	po- Propranolol (S29)
*	Cap long-acting 160 mg Oral liq 4 mg per ml – Special Authority see SA1327 below –		100	✓ C	ardinol LA
	Retail pharmacy		500 ml	✓ R	oxane S29

⇒SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

AMI ODIPINE

	Tab 80 mg - For sotalol oral liquid formulation refer, page 22339				<u>Mylan</u> Mylan
	Tab 160 mg 12 Inj 10 mg per ml, 4 ml ampoule 65				Sotacor
TIN	MOLOL				
*	Tab 10 mg10	.55	100	~	Apo-Timol

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

/\IV	EODII INC		
*	Tab 2.5 mg2.21	100	✓ Apo-Amlodipine
*	Tab 5 mg - For amlodipine oral liquid formulation refer, page		
	2235.04	250	✓ Apo-Amlodipine
*	Tab 10 mg7.21	250	✓ Apo-Amlodipine
FE	LODIPINE		
*	Tab long-acting 2.5 mg	30	✓ Plendil ER
*	Tab long-acting 5 mg1.55	30	✓ Plendil ER
*	Tab long-acting 10 mg2.30	30	✔ Plendil ER
ISF	RADIPINE		
*	Cap long-acting 2.5 mg7.50	30	Dynacirc-SRO
*	Cap long-acting 5 mg7.85	30	✓ Dynacirc-SRO
NIF	EDIPINE		
*	Tab long-acting 10 mg17.72	60	✓ Adalat 10
*	Tab long-acting 20 mg9.59	100	✓ Nyefax Retard
*	Tab long-acting 30 mg	30	✓ Adefin XL
*	Tab long-acting 60 mg5.75	30	✓ Adefin XL

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Other Calcium Channel Blockers				
ILTIAZEM HYDROCHLORIDE				
Tab 30 mg Tab 60 mg – For diltiazem hydrochloride oral liquid formula-		100	✓ Di	Izem
tion refer, page 223	8.50	100	🗸 Di	Izem
Cap long-acting 120 mg	1.91	30	✓ Ca	ardizem CD
	31.83	500		oo-Diltiazem CD
Cap long-acting 180 mg	7.56	30		ardizem CD
	47.67	500		oo-Diltiazem CD
Cap long-acting 240 mg	10.22	30		ardizem CD
	63.58	500	✓ A _l	oo-Diltiazem CD
RHEXILINE MALEATE Tab 100 mg	62 90	100	✓ Pe	veia
· ·	02.30	100	<u> </u>	zxsi <u>y</u>
ERAPAMIL HYDROCHLORIDE				
Tab 40 mg		100	✓ Is	optin
Tab 80 mg - For verapamil hydrochloride oral liquid formula-				
tion refer, page 223		100	✓ <u>ls</u>	
Tab long-acting 120 mg		250		erpamil SR
Tab long-acting 240 mg		250	✓ Ve	erpamil SR
Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a				
PSO	25.00	5	✓ Is	optin
Centrally-Acting Agents				
LONIDINE				
Patch 2.5 mg, 100 mcg per day - Only on a prescription	12.80	4	✓ Ca	atapres-TTS-1
Patch 5 mg, 200 mcg per day - Only on a prescription	18.04	4	✓ Ca	atapres-TTS-2
Patch 7.5 mg, 300 mcg per day - Only on a prescription	22.68	4	✓ Ca	atapres-TTS-3
LONIDINE HYDROCHLORIDE				
	10.53	112	✓ CI	onidine BNM
Tab 25 mcg Tab 150 mcg		100	_	atapres
Inj 150 mcg per ml, 1 ml ampoule	16.07	5		atapres
		ŭ		
ETHYLDOPA	14.05	100	. / D.	radana
Tab 125 mg Tab 250 mg		100		odopa
Tab 250 mg	10	100		ethyldopa Mylan odopa
Tab 500 mg	23 15	100		odopa
rab 300 mg to be delisted 1 June 2017)	20.13	100	₩ FI	σασμα
,				
Diuretics				
oop Diuretics				
JMETANIDE				
Tab 1 mg	16.36	100	✓ Bi	urinex

	Subsidy (Manufacturer's I		Fully Brand or osidised Generic
	\$	Per	✓ Manufacturer
FUROSEMIDE [FRUSEMIDE]			4
* Tab 40 mg – Up to 30 tab available on a PSO		1,000	Diurin 40
* Tab 500 mg		50	✓ <u>Urex Forte</u>
*‡ Oral liq 10 mg per ml		30 ml OP	✓ Lasix
* Inj 10 mg per ml, 25 ml ampoule	57.77	6	✓ Lasix
Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO	1.00	5	4 Francowide Claric
	1.20	<u> </u>	Frusemide-Claris
Potassium Sparing Diuretics			
AMILORIDE HYDROCHLORIDE			
* Tab 5 mg	15.00	100	✓ Apo-Amiloride
† Oral liq 1 mg per ml	30.00	25 ml OP	✓ Biomed
METOLAZONE - Special Authority see SA1349 below - Retail ph	armacy		
Tab 5 mg		1	✓ Metolazone S29
lab o mg		50	✓ Zaroxolyn S29
⇒SA1349 Special Authority for Subsidy		50	Zaioxolyil 323
* Tab 25 mg * Tab 100 mg ‡ Oral liq 5 mg per ml	11.80	100 100 25 ml OP	✓ <u>Spiractin</u> ✓ <u>Spiractin</u> ✓ Biomed
Potassium Sparing Combination Diuretics			
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE			
* Tab 5 mg with furosemide 40 mg	8.63	28	✓ Frumil
ANAU ORIDE LIVERGOLII ORIDE MITU LIVERGOLII OROTUIAZIDI	_		
AMII OBIDE HYDBOCHI OBIDE WITH HYDBOCHI OBOTHIAZIDI	-		
		50	✓ Moduretic
		50	✓ Moduretic
Thiazide and Related Diuretics		50	✓ Moduretic
* Tab 5 mg with hydrochlorothiazide 50 mg Thiazide and Related Diuretics BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	5.00		
* Tab 5 mg with hydrochlorothiazide 50 mg Thiazide and Related Diuretics BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	5.00	500	✓ Arrow-
* Tab 5 mg with hydrochlorothiazide 50 mg Thiazide and Related Diuretics BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] * Tab 2.5 mg – Up to 150 tab available on a PSO	5.00		
Tab 5 mg with hydrochlorothiazide 50 mg	5.00 5.48 cy.		✓ Arrow-
Tab 5 mg with hydrochlorothiazide 50 mg	5.00 5.48 cy.	500	✓ <u>Arrow-</u> Bendrofluazide
* Tab 5 mg with hydrochlorothiazide 50 mg Thiazide and Related Diuretics BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] * Tab 2.5 mg - Up to 150 tab available on a PSO May be supplied on a PSO for reasons other than emergence Tab 5 mg CHLOROTHIAZIDE	5.00 5.48 cy8.95	500	✓ <u>Arrow-</u> Bendrofluazide ✓ <u>Arrow-</u>
Tab 5 mg with hydrochlorothiazide 50 mg Thiazide and Related Diuretics BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] Tab 2.5 mg – Up to 150 tab available on a PSO May be supplied on a PSO for reasons other than emergence.	5.00 5.48 cy8.95	500	✓ <u>Arrow-</u> Bendrofluazide ✓ <u>Arrow-</u>
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00 5.48 cy8.95	500	✓ <u>Arrow-</u> Bendrofluazide ✓ <u>Arrow-</u> Bendrofluazide
* Tab 5 mg with hydrochlorothiazide 50 mg Thiazide and Related Diuretics BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] * Tab 2.5 mg - Up to 150 tab available on a PSO May be supplied on a PSO for reasons other than emergence Tab 5 mg CHLOROTHIAZIDE	5.005.48 cy8.95	500	✓ <u>Arrow-</u> Bendrofluazide ✓ <u>Arrow-</u> Bendrofluazide

✓ Dapa-Tabs

90

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
Lipid-Modifying Agents				
Fibrates				
BEZAFIBRATE				
* Tab 200 mg * Tab long-acting 400 mg		90 30		<u>ezalip</u> ezalip Retard
	0.70	30	<u> </u>	ezalip netaru
GEMFIBROZIL * Tab 600 mg	19.56	60	✓ Li	nazil
Other Lipid-Modifying Agents		00	¥ <u>=</u> :	pazn
ACIPIMOX				
* Cap 250 mg	18.75	30	v 0	lbetam
NICOTINIC ACID				
* Tab 50 mg	3.96	100	✓ <u>A</u>	po-Nicotinic Acid
* Tab 500 mg	17.37	100	✓ <u>A</u>	po-Nicotinic Acid
Resins				
CHOLESTYRAMINE				
Powder for oral liq 4 g	19.25	50		
	(52.68)		Q	uestran-Lite
COLESTIPOL HYDROCHLORIDE				
Grans for oral liq 5 g	22.00	30	✓ C	olestid
HMG CoA Reductase Inhibitors (Statins)				
Prescribing Guidelines Treatment with HMG CoA Reductase Inhibitors (statins) is reconcardiovascular risk of 15% or greater. ATORVASTATIN a) Brand switch fee payable (Pharmacode 2514206) - see pab) See prescribing guideline above	·	with	dyslipidaem	ia and an absolute 5 yea
* Tab 10 mg	9.29	500	✓ Lo	<u>orstat</u>
* Tab 20 mg		500	_	orstat
* Tab 40 mg * Tab 80 mg		500 500	_	<u>orstat</u> orstat
, y	30.20	500	<u> </u>	<u>Jistat</u>
PRAVASTATIN – See prescribing guideline above * Tab 20 mg	3.45	30	~ C	holvastin
* Tab 40 mg		30	_	holvastin
SIMVASTATIN – See prescribing guideline above			· <u>-</u>	
* Tab 10 mg	0.95	90	✓ A	rrow-Simva 10mg
* Tab 20 mg		90	_	rrow-Simva 20mg
* Tab 40 mg		90	_	rrow-Simva 40mg
* Tab 80 mg Selective Cholesterol Absorption Inhibitors	/.91	90	✓ <u>A</u>	rrow-Simva 80mg
Selective Cholesteror Absorption inflibitors				
EZETIMIBE – Special Authority see SA1045 on the next page – Tab 10 mg		30	✓ <u>E</u>	<u>zemibe</u>

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than $10 \times \text{normal}$) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

30 ✓ Zimybe
30 Zimybe
30 Zimybe
30 Zimybe

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to ≤ 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Nitrates

GLY	CERYL TRINITRATE		
*	Tab 600 mcg - Up to 100 tab available on a PSO8.0	0 100 OP	✓ Lycinate
*	Oral pump spray, 400 mcg per dose - Up to 250 dose avail-		
	able on a PSO4.4	5 250 dose OP	✓ Nitrolingual Pump
			Spray
*	Oral spray, 400 mcg per dose – Up to 250 dose available on		
	a PSO4.4	5 250 dose OP	✓ Glytrin
*	Patch 25 mg, 5 mg per day15.7	3 30	✓ Nitroderm TTS
*	Patch 50 mg, 10 mg per day	2 30	✓ Nitroderm TTS

		Subsidy		Full	v Brand or
		(Manufacturer's Price)	Per	Subsidise	d Generic
ISC	DSORBIDE MONONITRATE				
*	Tab 20 mg		100		Ismo 20
*	Tab long-acting 40 mg		30 90		Ismo 40 Retard Duride
*	Tab long-acting 60 mg	6.49	90		Duride
S	ympathomimetics				
ΑD	RENALINE				
	Inj 1 in 1,000, 1 ml ampoule - Up to 5 inj available on a PSO		5		Aspen Adrenaline
	Let 4 to 40 000 40 or leaves the Liberty E to contain a second	5.25		•	Hospira
	Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a PSO	27.00	5	~	Hospira
	1 30	49.00	10		Aspen Adrenaline
ISC	PRENALINE				· · · · · · ·
*	Inj 200 mcg per ml, 1 ml ampoule	36.80	25		
	•	(164.20)			Isuprel
۷	asodilators				
	YL NITRITE Lig 98% in 0.3 ml cap	62.02	12		
*	Liq 90 % iii 0.3 iiii cap	(73.40)	12		Baxter
ΗY	DRALAZINE HYDROCHLORIDE	(10110)			
*	Tab 25 mg - Special Authority see SA1321 below - Retail				
	pharmacy	CBS	1	~	Hydralazine
			56		Onelink S29
*	Inj 20 mg ampoule	25.90	5	-	Apresoline
Init the	 SA1321 Special Authority for Subsidy ial application from any relevant practitioner. Approvals valid following criteria: ner: 1 For the treatment of refractory hypertension; or 2 For the treatment of heart failure in combination with a nitral inhibitors and/or angiotensin receptor blockers. 				
N // II	NOXIDIL - Special Authority see SA1271 below - Retail pharma	001			
	Tab 10 mg	,	100	~	Loniten
_	SA1271 Special Authority for Subsidy			·	
Ini t	cial application only from a relevant specialist. Approvals valid vactory hypertension which has failed to respond to extensive mu		wal un	less notif	ed where patient has severe
	CORANDIL Tab 10 mg	27.05	60	./	lkorel
_	Tab 20 mg		60	•	Ikorel
	9	· · -		-	-
▲	PAVERINE HYDROCHI ORIDE				
▲ PA	PAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml ampoule	217.90	5	V	Hospira
▲ PAI *	PAVERINE HYDROCHLORIDE Inj 12 mg per ml, 10 ml ampoule	217.90	5	•	Hospira
▲ PA *	Inj 12 mg per ml, 10 ml ampoule		5 50	•	Hospira



Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Endothelin Receptor Antagonists

⇒SA0967 | Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz

AMBRISENTAN - Special Authority see SA0967 above - Retail	pharmacy		
Tab 5 mg	4,585.00	30	✓ Volibris
Tab 10 mg	4,585.00	30	✓ Volibris
BOSENTAN - Special Authority see SA0967 above - Retail pha	rmacy		
Tab 62.5 mg	375.00	56	✓ Mylan-Bosentan
Tab 125 mg	375.00	56	✓ Mylan-Bosentan

Phosphodiesterase Type 5 Inhibitors

⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon*: and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form SA1293-PAH).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL – Special Authority see SA1293 above – Retail pharmacy		
Tab 25 mg0.75	4	✓ Vedafil
Tab 50 mg0.75	4	✓ Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page		
2232.75	4	Vedafil

Prostacyclin Analogues

■ SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The Coordinator, PAH Panel

PHARMAC, PO Box 10-254, WELLINGTON

Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz ILOPROST - Special Authority see SA0969 above - Retail pharmacy

30

✓ Ventavis

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Antiacne Preparations

For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 96

ADAPAI FNF

a) Maximum of 30 g per prescription

b) Only on a prescription

b) Only on a procomption			
Crm 0.1%	22.89	30 g OP	Differin
Gel 0.1%	22.89	30 g OP	✓ Differin
ISOTRETINOIN - Special Authority see SA1475 below - R	etail pharmacy		
Cap 10 mg	12.47	100	Isotane 10
	14.96	120	Oratane
Cap 20 mg	19.27	100	Isotane 20
	23.12	120	Oratane

⇒SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g − Maximum of 50 g per prescription13.90 50 g OP ✓ ReTrieve

67

(Manufacturer's Price) Subsidised Generic Per Manufacturer \$ Antibacterials Topical For systemic antibacterials, refer to INFECTIONS, Antibacterials, page 96 FUSIDIC ACID ✓ DP Fusidic Acid 15 q OP Cream a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination ✓ Foban 15 g OP a) Maximum of 15 g per prescription b) Only on a prescription c) Not in combination HYDROGEN PEROXIDE 15 q OP Crystaderm **MUPIROCIN** 15 g OP Bactroban (9.26)a) Only on a prescription b) Not in combination SILVER SUI PHADIAZINE 50 q OP ✓ Flamazine a) Up to 250 g available on a PSO b) Not in combination **Antifungals Topical** For systemic antifungals, refer to INFECTIONS, Antifungals, page 102 **AMOROLFINE** a) Only on a prescription b) Not in combination 5 ml OP MycoNail CICLOPIROX OLAMINE a) Only on a prescription b) Not in combination Nail-soln 8% 6.50 7 ml OP ✓ Apo-Ciclopirox CLOTRIMAZOLE 20 g OP ✔ Clomazol a) Only on a prescription b) Not in combination

Subsidy

Brand or

Fully

(7.55)

20 ml OP

Canesten

a) Only on a prescription b) Not in combination

	2		- ·	B 1
	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
ECONAZOLE NITRATE				
Crm 1%		20 g OP		
a) Only on a managinting	(7.48)		Р	evaryl
a) Only on a prescription b) Not in combination				
Foaming soln 1%, 10 ml sachets	9.89	3		
3 ,	(17.23)		Р	evaryl
a) Only on a prescription				
b) Not in combination				
MICONAZOLE NITRATE				
* Crm 2%	0.55	15 g OP	✓ N	<u>lultichem</u>
a) Only on a prescription				
b) Not in combination * Lotn 2%	136	30 ml OP		
本 LOUI1 2 / 0	(10.03)	JU IIII OF	D	aktarin
a) Only on a prescription	(10.00)			artam
b) Not in combination				
* Tinct 2%	4.36	30 ml OP		
	(12.10)		D	aktarin
a) Only on a prescription				
b) Not in combination				
NYSTATIN	1.00	15 ± OD		
Crm 100,000 u per g	(7.90)	15 g OP	M	lycostatin
a) Only on a prescription	(7.50)		IV	iyoostatii i
b) Not in combination				
Antipruritic Preparations				
CALAMINE				
a) Only on a prescription b) Not in combination				
Crm, aqueous, BP	1.49	100 g	✓ P	harmacy Health
Lotn, BP		2,000 ml	P	
CROTAMITON				
a) Only on a prescription				
b) Not in combination				
Crm 10%	3.37	20 g OP	✓ <u>lt</u>	ch-Soothe
MENTHOL - Only in combination				
 Only in combination with a dermatological base or propage 222 	oprietary Topical C	Corticosteriod -	- Plain,	refer dermatological base
With or without other dermatological galenicals.				
Crystals		25 g	P	
	6.92	100		lidWest
	29.60	100 g	V	lidWest

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Corticosteroids Topical

For systemic corticosteroids, refer to CORTICOSTEROIDS AND RELATED AGENTS, page 85

A			DI-1
Corti	coster	'Olas -	· Plain

BETAMETHASONE DIPROPIONATE			
Crm 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	✓ Diprosone OV
Oint 0.05%	2.96	15 g OP	✓ Diprosone
	8.97	50 g OP	✓ Diprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	Diprosone OV
BETAMETHASONE VALERATE			
* Crm 0.1%	3.15	50 g OP	✓ Beta Cream
* Oint 0.1%	3.15	50 g OP	✓ Beta Ointment
* Lotn 0.1%	10.05	50 ml OP	✓ Betnovate
CLOBETASOL PROPIONATE			
* Crm 0.05%	2.20	30 g OP	✓ Dermol
	(3.20)	ŭ	Clobetasol BNM
Dermol to be Sole Supply on 1 March 2017	` '		
* Oint 0.05%	2.20	30 g OP	✓ Dermol
	(3.20)	-	Clobetasol BNM
Dermol to be Sole Supply on 1 March 2017			
(Clobetasol BNM Crm 0.05% to be delisted 1 March 2017)			
(Clobetasol BNM Oint 0.05% to be delisted 1 March 2017)			
CLOBETASONE BUTYRATE			
Crm 0.05%	5.38	30 g OP	
	(7.09)	Ü	Eumovate
DIFLUCORTOLONE VALERATE			
Crm 0.1%	8 97	50 g OP	
0111 0.170	(15.86)	00 g 0.	Nerisone
Fatty oint 0.1%		50 g OP	TOTOGRA
. 4.1, 4.1.7	(15.86)	00 g 0.	Nerisone
HYDROCORTISONE	, -:/		
* Crm 1% – Only on a prescription	1 11	30 g OP	✓ DermAssist
本 Onit 1/0 - Only on a prescription	16.25	500 g	✓ Pharmacy Health
DermAssist to be Sole Supply on 1 May 2017	10.20	500 g	Finalinacy ricalui
* Powder – Only in combination	59 50	25 g	✓ ABM
Up to 5% in a dermatological base (not proprietary Topic			
galenicals. Refer, page 222	Jai - O 1 1100 310 11	iou i iuiiij Wit	ar or maiour outor dormatological
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN			
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only			
on a prescription	10.57	250 ml	✓ DP Lotn HC
HYDROCORTISONE BUTYRATE			
Lipocream 0.1%	2.30	30 g OP	✓ Locoid Lipocream
	6.85	100 g OP	✓ Locoid Lipocream
Oint 0.1%		100 g OP	✓ Locoid
Milky emul 0.1%		100 g Ol	✓ Locoid Crelo
Hilling Office 0.170		700 1111 01	2 230014 01010

	Subsidy (Manufacturer's F	Price) Sub	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
METHYLPREDNISOLONE ACEPONATE			
Crm 0.1%	4.95	15 g OP	✓ Advantan
Oint 0.1%	4.95	15 g OP	✓ Advantan
MOMETASONE FUROATE		ŭ	
Crm 0.1%	1.51	15 g OP	✓ Elocon Alcohol Free
0111 0.170	2.90	50 g OP	✓ Elocon Alcohol Free
Oint 0.1%		15 g OP	✓ Elocon
	2.90	50 g OP	✓ Elocon
Lotn 0.1%	7.35	30 ml OP	Elocon
RIAMCINOLONE ACETONIDE			
Crm 0.02%	6 20	100 g OP	✓ Aristocort
Oint 0.02%		100 g OP	✓ Aristocort
	0.33	100 g OF	Alistocolt
Corticosteroids - Combination			
ETAMETHASONE VALERATE WITH CLIQUINOL - Only on	a prescription		
Crm 0.1% with clioquinol 3%	3.49	15 g OP	
·	(4.90)	•	Betnovate-C
SETAMETHASONE VALERATE WITH FUSIDIC ACID			
Crm 0.1% with fusidic acid 2%	3 49	15 g OP	
OTTH 0.170 WITH TUSICIO ACIA 270	(10.45)	10 g O1	Fucicort
a) Maximum of 15 g per prescription	(10.40)		1 000011
b) Only on a prescription			
IYDROCORTISONE WITH MICONAZOLE - Only on a prescrip	tion		
Crm 1% with miconazole nitrate 2%		15 g OP	✓ Micreme H
		·	WIICIEIIIE II
IYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - O	, , ,		4=1 4 .
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	✓ Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCI	N AND NYSTATI	N	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg)		
and gramicidin 250 mcg per g - Only on a prescription.	3.49	15 g OP	
	(6.60)		Viaderm KC
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescription Handrub 1% with ethanol 70%		• •	. / haalib F
Soln 4% wash		500 ml 500 ml	healthE
	3.96	200 1111	✓ <u>healthE</u>
RICLOSAN – Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
b)			(1001)
a) Only if prescribed for a patient identified with Methicillin-		ococcus aureu	s (MRSA) prior to elective su
in hospital and the prescription is endorsed accordingly;		,	
b) Only if prescribed for a patient with recurrent Staphyloco	ccus aureus infec	tion and the pr	escription is endorsed accord
Soln 1%		500 ml OP	✓ healthE

# Crm 5% pump bottle		Subsidy (Manufacturer's	Price) Sub	Fully Brand or sidised Generic
### Crm 10% pump bottle		\$	Per	✓ Manufacturer
Marticone Mart	Barrier Creams and Emollients			
Crm 5% pump bottle	Barrier Creams			
	DIMETHICONE			4
# Crm 10% pump bottle	* Crm 5% pump bottle	4.59	500 ml OP	
Emollients AQUEOUS CREAM ★ Crm	* Crm 10% pump bottle	4.90	500 ml OP	✓ healthE
Emollients AQUEOUS CREAM	ZINC AND CASTOR OIL * Oint BP	3.83	500 a	✓ Multichem
AQUEOUS CREAM			000 g	• managinam
Set Common Set		1.99	500 g	✓ AFT SLS-free
SETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10% 2.82 500 ml OP Sorbolene with Sorbolene with Glycerin Pharmacy Health Sorbolene with Glycerin	CETOMACROGOL		ŭ	
Crm 90% with glycerol 10% 2.82 500 ml OP ✓ Pharmacy Health Sorbolene with Glycerin 3.87 1,000 ml OP ✓ Pharmacy Health Sorbolene with Glycerin EMULSIFYING OINTMENT 2.73 500 g ✓ AFT EMULSION 2.25 500 g ✓ OMF Fatty Emulsion Cream JREA Crm 10% 1.37 100 g OP ✓ healthE Urea Cream WOOL FAT WITH MINERAL OIL – Only on a prescription 5.60 1,000 ml K Lotin hydrous 3% with mineral oil (11.95) DP Lotion 1.40 250 ml OP Alpha-Keri Lotion BK Lotion 1.40 250 ml OP BK Lotion Other Dermatological Bases Alpha-Keri Lotion BK Lotion PARAFFIN So0 g ✓ IPW White soft – Only in combination 20.20 2,500 g ✓ IPW 3.58 500 g IPW (7.78) IPW PSM		2.74	500 g	✓ <u>healthE</u>
Semulsifying Ointment Sorbolene with Glycerin		2.82	500 ml OP	
EMULSIFYING OINTMENT ★ Oint BP		3.87	1,000 ml OP	Pharmacy Health Sorbolene with
DIL IN WATER EMULSION Cream Cream	EMULSIFYING OINTMENT			Glyceriii
# Crm	* Oint BP	2.73	500 g	✓ <u>AFT</u>
Cream Cream Cream	OIL IN WATER EMULSION	2 25	500 a	✓ O/W Fatty Emulsion
K		2.20	300 g	
WOOL FAT WITH MINERAL OIL − Only on a prescription Lotn hydrous 3% with mineral oil		1.37	100 a OP	✓ healthE Urea Cream
(11.95) DP Lotion 1.40 250 ml OP (4.53) DP Lotion 5.60 1,000 ml (20.53) Alpha-Keri Lotion (23.91) BK Lotion 1.40 250 ml OP (7.73) BK Lotion Other Dermatological Bases PARAFFIN White soft − Only in combination 20.20 2,500 g (7.78) IPW (8.69) PSM	WOOL FAT WITH MINERAL OIL - Only on a prescription		3 -	
1.40 250 ml OP (4.53) DP Lotion 5.60 1,000 ml (20.53) Alpha-Keri Lotion (23.91) BK Lotion 1.40 250 ml OP (7.73) BK Lotion Other Dermatological Bases PARAFFIN White soft − Only in combination 20.20 2,500 g (7.78) IPW (8.69) PSM	* Lotn hydrous 3% with mineral oil		1,000 ml	DB Lation
S.60		, ,	250 ml OP	DF LOUIDIT
(20.53) Alpha-Keri Lotion (23.91) BK Lotion 1.40 250 ml OP (7.73) BK Lotion Other Dermatological Bases PARAFFIN White soft − Only in combination 20.20 2,500 g (7.78) IPW (8.69) PSM		, ,		DP Lotion
(23.91) BK Lotion 1.40 250 ml OP (7.73) BK Lotion Other Dermatological Bases PARAFFIN White soft − Only in combination 20.20 2,500 g (7.78) IPW (8.69) PSM			1,000 ml	Almha Kavi Latian
1.40 250 ml OP (7.73) BK Lotion Other Dermatological Bases PARAFFIN White soft − Only in combination 20.20 2,500 g IPW 3.58 500 g (7.78) IPW (8.69) PSM		, ,		'
Other Dermatological Bases PARAFFIN White soft − Only in combination		, ,	250 ml OP	DIV Editori
PARAFFIN White soft − Only in combination		(7.73)		BK Lotion
White soft − Only in combination	Other Dermatological Bases			
3.58 500 g (7.78) IPW (8.69) PSM	PARAFFIN			
(7.78) IPW (8.69) PSM	White soft - Only in combination			✓ IPW
(8.69) PSM			500 g	ID)M
only in complication with a contratological galoribal or as a ullustration a proprietary repleat Control Collision — I fall.	Only in combination with a dermatological galenical or a		roprietary Topica	

Brand or

Generic Manufacturer

Fully

Subsidised

Per

·		
Minor Skin Infections		
POVIDONE IODINE		
Oint 10%	7 25 g OP	✓ Betadine
a) Maximum of 100 g per prescription		
b) Only on a prescription	0 500 ml	✓ Betadine
Antiseptic soln 10%	J 500 IIII	✓ Riodine
1.28	3 100 ml	Niouille
(4.20		Riodine
(8.25)	,	Betadine
0.19	9 [°] 15 ml	
(4.45)	5)	Betadine
Skin preparation, povidone iodine 10% with 30% alcohol10.00	0 500 ml	Betadine Skin Prep
1.63		
(3.65	,	Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol8.13		
(18.63	,	Orion
1.63		0.1
(6.04	4)	Orion

Subsidy

(Manufacturer's Price)

\$

Parasiticidal Preparations

IVERMECTIN - Special Authority see SA1225 below - Retail pharmacy

Tab 3 mg − Up to 100 tab available on a PSO......17.20 4 Stromectol

- PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required and a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

■ SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:



Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
- 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
- 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

- Any of the following:
 - 1 Filaricides: or
 - 2 Cutaneous larva migrans (creeping eruption); or
 - 3 Strongyloidiasis.

Renewal — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scables with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scables hyperinfestation (Crusted/ Norwegian scables); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy;
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides: or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

PERMET	

Crm 5% 4.20 Lotn 5% 3.19	9 -	✓ <u>Lyderm</u>✓ <u>A-Scabies</u>
PHENOTHRIN		
Shampoo 0.5%	100 ml OP	✓ Parasidose
11.36	200 ml OP	✔ Parasidose

	Subsidy (Manufacturer's Price) \$		Fully bsidised	Brand or Generic Manufacturer	
Psoriasis and Eczema Preparations					

ACITRETIN - Special Authority see SA1476 below - Retail pharmacy		
Cap 10 mg17.86	60	✓ Novatretin
Cap 25 mg41.36	60	✓ Novatretin

⇒SA1476 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Fither:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two vears after the completion of the treatment: or
- 2 Patient is male.

Gel 500 mcg with calcipotriol 50 mcg per g Oint 500 mcg with calcipotriol 50 mcg per g		30 g OP 30 g OP	✓ <u>Daivobet</u> ✓ Daivobet
CALCIPOTRIOL		J	
Crm 50 mcg per g	16.00	30 g OP	✓ Daivonex
	45.00	100 g OP	✓ Daivonex
Oint 50 mcg per g	45.00	100 g OP	✓ Daivonex
Soln 50 mcg per ml	16.00	30 ml OP	✓ Daivonex
(Daivonex Crm 50 mcg per g to be delisted 1 April 2017)			
(Daivonex Crm 50 mcg per g to be delisted 1 April 2017)			
(Daivonex Soln 50 mcg per ml to be delisted 1 April 2017)			
COAL TAR			
Soln BP - Only in combination	32.95	200 ml	✓ <u>Midwest</u>
 Up to 10% only in combination with a dermatological base or base, page 222 	proprietary T	opical Corticos	teriod – Plain, refer dermatological
With or without other dermatological galenicals.			
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPHU	R		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	6.59	75 g OP	
	(8.00)		Egopsoryl TA
	3.43	30 g OP	
	(4.35)		Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			

[±] safety cap

40 a OP

✓ Coco-Scalp

Soln 12% with salicylic acid 2% and sulphur 4% oint7.95

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

DERMATOLOGICALS

	Subsidy (Manufacturer's \$	Price) Subs	Fully Brand or sidised Generic Manufacturer
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUORES	CEIN – Only or	n a prescription	
* Soln 2.3% with trolamine laurilsulfate and fluorescein sodium	3.36	500 ml	✓ Pinetarsol
SALICYLIC ACID			
Powder – Only in combination		250 g	PSM
 Only in combination with a dermatological base or prop dermatological base, page 222 	metary ropical	Corticosteroia -	- Plain of collodion liexible, rele
With or without other dermatological galenicals.			
SULPHUR			
Precipitated - Only in combination	6.35	100 g	✓ Midwest
Only in combination with a dermatological base or propriate to the second	rietary Topical (Corticosteroid –	Plain, refer dermatological base
page 222 2) With or without other dermatological galenicals.			
Scalp Preparations			
BETAMETHASONE VALERATE			
* Scalp app 0.1%	7.75	100 ml OP	✓ Beta Scalp
CLOBETASOL PROPIONATE			4
* Scalp app 0.05%	6.96	30 ml OP	✓ Dermol
HYDROCORTISONE BUTYRATE	0.05	100 ml OD	المحمدانا
Scalp lotn 0.1%	3.05	100 ml OP	✓ Locoid
KETOCONAZOLE Shampoo 2%	2.00	100 ml OP	✓ Sebizole
a) Maximum of 100 ml per prescription	2.33	100 1111 01	Jebizole
b) Only on a prescription			
Sunscreens			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement			
Only if prescribed for a patient with severe photosensitivity	secondary to a	defined clinical	condition and the prescription is
endorsed accordingly.	,		
Crm		100 g OP	
Lotn,	(5.89)	100 g OP	Hamilton Sunscreen ✓ Marine Blue Lotion
LOUI,	3.30	100 y OF	SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion
		-	SPF 50+
Lotn		125 ml OP	
(Aquasun 30+ Lotn to be delisted 1 April 2017)	(6.94)		Aquasun 30+
Wart Preparations			
For salicylic acid preparations refer to PSORIASIS AND ECZEMA	PREPARATIO	NS, page 75	
IMIQUIMOD			4
Crm 5%, 250 mg sachet	17.98	12	✓ <u>Apo-Imiquimod</u> Cream 5%
PODOPHYLLOTOXIN			Clean 570
Soln 0.5%	33.60	3.5 ml OP	✓ Condyline
a) Maximum of 3.5 ml per prescription		-	•
b) Only on a prescription			

DERMATOLOGICALS

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Other Skin Preparations

Antineoplastics

FLUOROURACIL SODIUM

Crm 5%8.95

20 g OP



*Three months or six months, as applicable, dispensed all-at-once

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

Contraceptives - Non-hormonal

Condoms CONDOMS

*	49 mm – Up to 144 dev available on a PSO	13.36	144
* * *	52 mm - Up to 144 dev available on a PSO	13.36	144 144 12
		13.36	144
*	53 mm (chocolate) – Up to 144 dev available on a PSO	1.11	12 144
*	53 mm (strawberry) - Up to 144 dev available on a PSO	1.11 13.36	12 144
*	55 mm - Up to 144 dev available on a PSO	13.36	144
*	56 mm – Up to 144 dev available on a PSO	1.11 13.36	12 144
*	56 mm, shaped – Up to 144 dev available on a PSO	1.11	12 144
*	60 mm - Up to 144 dev available on a PSO		144
(Ma	arquisTantiliza 49 mm to be delisted 1 June 2017)		
•	arquis Selecta 52 mm to be delisted 1 June 2017)		
,	arquis Protecta 52 mm extra strength to be delisted 1 June 2017)		
(Ma	arquis Black 53 mm to be delisted 1 June 2017)		

✓ MarquisTantiliza

✓ Shield 49

✓ Marguis Selecta

✓ Marquis Protecta

✓ Gold Knight ✓ Shield Blue

✓ Marquis Black

✓ Shield Blue

✓ Gold Knight

✓ Gold Knight

✓ Gold Knight

✓ Gold Knight

✓ Marquis Conforma

✓ Gold Knight

✔ Durex Extra Safe

✓ Gold Knight

✔ Durex Confidence

✔ Durex Confidence

✓ Shield XL

Contraceptive Devices

DIAPHRAGM - Up to 1 dev available on a PSO One of each size is permitted on a PSO.

(Marguis Conforma 55 mm to be delisted 1 June 2017)

*	70 mm	42.90
*	75 mm	42.90
*	80 mm	42.90
(Ort	tho All-flex 65 mm to be delisted 1 April 2017)	
(Ort	tho All-flex 70 mm to be delisted 1 April 2017)	
(Ort	tho All-flex 75 mm to be delisted 1 April 2017)	
(Ort	tho All-flex 80 mm to be delisted 1 April 2017)	

1	Ortho	All-flex
1	Ortho	All-flex

✓ Ortho All-flex

✔ Ortho All-flex

INTRA-UTERINE DEVICE

a) Up to 40 dev available on a PSO

b) Only on a PSO

	IUD 29.1 mm length × 23.2 mm width	31.60
*	IUD 33.6 mm length \times 29.9 mm width	31.60

65 mm42.90

✓ Choice TT380 Standard

✓ Choice TT380 Short

IUD 35.5 mm length × 19.6 mm width31.60 1 ✓ Choice Load 375

1

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

84

Contraceptives - Hormonal

Combined Oral Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and

Tab 20 mcg with desogestrel 150 mcg and 7 inert tab6.62

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Fither:
 - 1 Patient is on a Social Welfare benefit: or
 - 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ETHINYLOESTRADIOL WITH DESOGESTREL

		(19.80)			Mercilon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	above		
	b) Up to 84 tab available on a PSO				
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84		
		(19.80)	-		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authority	see SA0500 a	bove		
	b) Up to 84 tab available on a PSO				
СТ	HINYLOESTRADIOL WITH LEVONORGESTREL				
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	2.65	84	~	Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	9.45	84	1	Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63		•
		(16.50)			Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Authority	see SA0500 a	above		•
	b) Up to 63 tab available on a PSO				
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up				
	to 84 tab available on a PSO	2.30	84	~	Ava 30 ED

GENITO-URINARY SYSTEM

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
ET	HINYLOESTRADIOL WITH NORETHISTERONE					
*	Tab 35 mcg with norethisterone 1 mg - Up to 63 tab available on a PSO	6.62	63	✓ B	revinor 1/21	
*	Tab 35 mcg with norethisterone 1 mg and 7 inert tab - Up to 84 tab available on a PSO	6.62	84	✓ B	revinor 1/28	
*	Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab available on a PSO	6.62	63	✓ B	revinor 21	
*	Tab 35 mcg with norethisterone 500 mcg and 7 inert tab — Up to 84 tab available on a PSO	6.62	84	✓ N	orimin	

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient is on a Social Welfare benefit; or
 - 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

on a Social Welfare benefit; or

✓ fully subsidised

[HP4] refer page 4

• have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTRE

* Tab 30 mcg	6.62 (16.50)	84	Microlut
 a) Higher subsidy of \$13.80 per 84 tab with Special 6 b) Up to 84 tab available on a PSO Subdermal implant (2 × 75 mg rods) – Up to 3 pack ava 	,	ove	
on a PSO		1	✓ <u>Jadelle</u>
MEDROXYPROGESTERONE ACETATE * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available or	n a PSO7.25	1	✓ Depo-Provera
NORETHISTERONE * Tab 350 mcg – Up to 84 tab available on a PSO	6.25	84	✓ Noriday 28

		GEN	NITO-URI	NARY SYSTEM
	Subsidy (Manufacturer's Price) \$) Per	Fully Subsidised	Brand or Generic Manufacturer
Emergency Contraceptives				
LEVONORGESTREL * Tab 1.5 mg	3.50	1	✓ Po	ostinor-1
a) Maximum of 2 tab per prescription b) Up to 5 tab available on a PSO				
Antiandrogen Oral Contraceptives				
Prescribers may code prescriptions "contraceptive" (code "O") wh prescription charge will be as per other contraceptives, as follows: • \$5.00 prescription charge (patient co-payment) will apply. • prescription may be written for up to six months supply.	:	l for co	ntraception.	The period of supply and
Prescriptions coded in any other way are subject to the non control of supply. ie. Prescriptions may be written for up to three months		n char	ges, and the	non-contraceptive period
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL	,			
* Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs - Up to 168 tab available on a PSO		168	✓ <u>G</u> i	inet
Gynaecological Anti-infectives				
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC A	CID			
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sul- phate 0.025%, glycerol 5% and ricinoleic acid 0.75% with				
applicator	8.43 10 (24.00)	00 g O		ci-Jel
CLOTRIMAZOLE * Vaginal crm 1% with applicators	1.60 3	5 g OF	o √ (i	lomazol
* Vaginal crm 2% with applicators		0 g OF		omazol
MICONAZOLE NITRATE * Vaginal crm 2% with applicator	3.95 4	0 g OF	• ✓ M	icreme
NYSTATIN		Ü	_	
Vaginal crm 100,000 u per 5 g with applicator(s)	4.71 7	'5 g OF	○ 🗸 Ni	ilstat
Myometrial and Vaginal Hormone Preparations				
ERGOMETRINE MALEATE Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on a				
PSO	94.70	5	✓ <u>DI</u>	BL Ergometrine
OESTRIOL * Crm 1 mg per g with applicator	6.30 1	5 g OF	· • •	vestin
* Pessaries 500 mcg		15	✓ 0	vestin
OXYTOCIN — Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule	4.03	5	✓ 0:	xytocin BNM
Inj 10 iu per ml, 1 ml ampoule		5	_	xytocin BNM

✓ Syntometrine

OXYTOCIN WITH ERGOMETRINE MALEATE - Up to 5 inj available on a PSO Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml11.13

GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price)

Fully Subsidised

Per

Brand or Generic Manufacturer

Pregnancy Tests - hCG Urine

PREGNANCY TESTS - HCG URINE

- a) Up to 200 test available on a PSO
- b) Only on a PSO

Cassette 40 test OP ✓ EasyCheck

Urinary Agents

For urinary tract Infections refer to INFECTIONS, Antibacterials, page 117

5-Alpha Reductase Inhibitors

FINASTERIDE - Special Authority see SA0928 below - Retail pharmacy 30 **Finpro**

⇒SA0928 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- - 1 Patient has symptomatic benign prostatic hyperplasia; and
 - 2 Either:
 - 2.1 The patient is intolerant of non-selective alpha blockers or these are contraindicated; or
 - 2.2 Symptoms are not adequately controlled with non-selective alpha blockers.

Note: Patients with enlarged prostates are the appropriate candidates for therapy with finasteride.

Alpha-1A Adrenoreceptor Blockers

TAMSULOSIN HYDROCHLORIDE - Special Authority see SA1032 below - Retail pharmacy

* Cap 400 mcg13.51

✓ Tamsulosin-Rex

⇒SA1032 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

- Both:
 - 1 Patient has symptomatic benign prostatic hyperplasia; and
 - 2 The patient is intolerant of non-selective alpha blockers or these are contraindicated.

Other Urinary Agents

OXYBUTYNIN

500 ✓ Apo-Oxybutynin ✓ Apo-Oxybutynin 473 ml

POTASSIUM CITRATE

Oral lig 3 mmol per ml - Special Authority see SA1083 below 200 ml OP ✓ Riomed

⇒SA1083 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has recurrent calcium oxalate urolithiasis; and
- 2 The patient has had more than two renal calculi in the two years prior to the application.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

GENITO-URINARY SYSTEM

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e)	Subsidised	Generic
	\$	Per	~	Manufacturer
SODIUM CITRO-TARTRATE				
* Grans eff 4 g sachets	2.93	28	√ <u>L</u>	<u>Jral</u>
SOLIFENACIN SUCCINATE - Special Authority see SA0998	below - Retail pharma	асу		
Tab 5 mg	37.50	30	/ \	/esicare
Tab 10 mg	37.50	30	V \	/esicare
⇒SA0998 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals overactive bladder and a documented intolerance of, or is non			unless noti	fied where the patient ha
TOLTERODINE - Special Authority see SA1272 below - Reta	ail pharmacy			
Tab 1 mg	14.56	56	V	Arrow-Tolterodine
Tab 2 mg	14.56	56	V	Arrow-Tolterodine
⇒SA1272 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals valve bladder and a documented intolerance of, or is non-respondent		ewal unl	ess notified	d where patient has overage
Detection of Substances in Urine				
ORTHO-TOLIDINE				
* Compound diagnostic sticks	7.50 5 (8.25)	50 test C		Hemastix
TETRABROMOPHENOL				

Blue diagnostic strips7.02

100 test OP

Albustix

83

(13.92)

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

Calcium Homeostasis

CAL		

✓ Miacalcic

CINACALCET - Special Authority see SA1618 below - Retail pharmacy

Tab 30 mg - Wastage claimable - see rule 3.3.2 on page 13403.70 Sensipar

⇒SA1618 Special Authority for Subsidy

Initial application only from a nephrologist or endocrinologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been diagnosed with a parathyroid carcinoma (see Note); and
 - 1.2 The patient has persistent hypercalcaemia (serum calcium > 3 mmol/L) despite previous first-line treatments including sodium thiosulfate (where appropriate) and bisphosphonates; and
 - 1.3 The patient is symptomatic; or
- 2 All of the following:
 - 2.1 The patient has been diagnosed with calciphylaxis (calcific uraemic arteriolopathy); and
 - 2.2 The patient has symptomatic (e.g. painful skin ulcers) hypercalcaemia (serum calcium ≥ 3 mmol/L); and
 - 2.3 The patient's condition has not responded to previous first-line treatments including bisphosphonates and sodium thiosulfate.

Renewal only from a nephrologist or endocrinologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient's serum calcium level has fallen to < 3mmol/L; and
- 2 The patient has experienced clinically significant symptom improvement.

Note: This does not include parathyroid adenomas unless these have become malignant.

ZOLEDRONIC ACID

Inj 4 mg per 5 ml, vial - Special Authority see SA1512 below ✓ Zoledronic acid - Retail pharmacy84.50 Mvlan ✓ Zometa 550.00

⇒SA1512 Special Authority for Subsidy

Initial application only from an oncologist, haematologist or palliative care specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Patient has hypercalcaemia of malignancy; or
- 2 Both:
 - 2.1 Patient has bone metastases or involvement; and
 - 2.2 Patient has severe bone pain resistant to standard first-line treatments; or
- 3 Both:
 - 3.1 Patient has bone metastases or involvement; and
 - 3.2 Patient is at risk of skeletal-related events pathological fracture, spinal cord compression, radiation to bone or surgery to bone).

Subsidy

Fully

Brand or

(Manufacturer's Price) Subsidised Generic Per Manufacturer Corticosteroids and Related Agents for Systemic Use BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHASONE ACETATE 5 Celestone (36.96)Chronodose DEXAMETHASONE 30 Dexmethsone Up to 60 tab available on a PSO 30 Dexmethsone Up to 30 tab available on a PSO Oral lig 1 mg per ml - Retail pharmacy-Specialist45.00 25 ml OP Biomed Oral lig prescriptions: 1) Must be written by a Paediatrician or Paediatric Cardiologist; or 2) On the recommendation of a Paediatrician or Paediatric Cardiologist. DEXAMETHASONE PHOSPHATE Dexamethasone phosphate injection will not be funded for oral use. ✓ Max Health Inj 4 mg per ml, 1 ml ampoule - Up to 5 inj available on a PSO14.19 10 Inj 4 mg per ml, 2 ml ampoule - Up to 5 inj available on a PSO12.59 5 Max Health FLUDROCORTISONE ACETATE Tab 100 mcg14.32 ✓ Florinef 100 **HYDROCORTISONE** Tab 5 mg8.10 ✓ Douglas 100 Tab 20 mg - For hydrocortisone oral liquid formulation refer. page 22320.32 100 Douglas ✓ Solu-Cortef Inj 100 mg vial5.30 a) Up to 5 ini available on a PSO b) Only on a PSO METHYLPREDNISOLONE - Retail pharmacy-Specialist 100 Medrol 20 ✓ Medrol METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retail pharmacy-Specialist ✓ Solu-Medrol 1 1 ✓ Solu-Medrol Inj 500 mg vial9.00 ✓ Solu-Medrol 1 ✓ Solu-Medrol Ini 1 q vial16.00 1 METHYLPREDNISOLONE ACETATE Inj 40 mg per ml, 1 ml vial40.00 5 ✓ Depo-Medrol METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGNOCAINE] Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial9.25 ✓ Depo-Medrol with Lidocaine **PREDNISOLONE** Oral liq 5 mg per ml - Up to 30 ml available on a PSO7.50 30 ml OP Redipred

Restricted to children under 12 years of age.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PREDNISONE				
* Tab 1 mg	10.68	500	V 1	Apo-Prednisone
* Tab 2.5 mg		500	V	Apo-Prednisone
* Tab 5 mg - Up to 30 tab available on a PSO		500	V 1	Apo-Prednisone
* Tab 20 mg	29.03	500	V 1	Apo-Prednisone
FETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	75.00	1	V 9	Synacthen
* Inj 1 mg per ml, 1 ml ampoule		1		Synacthen Depot
TRIAMCINOLONE ACETONIDE				
Inj 10 mg per ml, 1 ml ampoule	20.80	5	V 1	Cenacort-A 10
Inj 40 mg per ml, 1 ml ampoule		5		Cenacort-A 40

Sex Hormones Non Contraceptive

Androgen Agonists and Antagonists

CYPROTERONE ACETATE – Retail pharmacy-Specialist			
Tab 50 mg	15.87	50	✓ Procur
Tab 100 mg	30.40	50	✓ Procur
TESTOSTERONE Transdermal patch, 2.5 mg per day	80.00	60	✓ Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist Inj 100 mg per ml, 10 ml vial	76.50	1	✓ Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist Inj 250 mg per ml, 1 ml	12.98	1	✓ Sustanon Ampoules
TESTOSTERONE UNDECANOATE – Retail pharmacy-Specialist Cap 40 mg		60	✓ Andriol Testocaps
Inj 250 mg per ml, 4 ml vial		1	Reandron 1000

Hormone Replacement Therapy - Systemic

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

	Subsidy (Manufacturer's F \$	Price) Su Per	Fully bsidised	Brand or Generic Manufacturer
Oestrogens				
OESTRADIOL - See prescribing guideline on the previous page				
* Tab 1 mg	4.12	28 OP		
•	(11.10)		Es	strofem
* Tab 2 mg	4.12	28 OP		
•	(11.10)		Es	strofem
* Patch 25 mcg per day	6.12	8	✓ Es	stradot
a) No more than 2 patch per week				
b) Only on a prescription				
* Patch 50 mcg per day	7.04	8	✓ Es	stradot 50 mcg
a) No more than 2 patch per week			_	
b) Only on a prescription				
* Patch 75 mcg per day	7.91	8	✓ Es	stradot
a) No more than 2 patch per week		ū	·	
b) Only on a prescription				
c) Estradot to be Sole Supply on 1 April 2017				
* Patch 100 mcg per day	7 01	8	✓ Fo	stradot
a) No more than 2 patch per week	7.31	O	V <u>L</u>	strauot
,				
b) Only on a prescription				
OESTRADIOL VALERATE - See prescribing guideline on the pre				
* Tab 1 mg		84		ogynova
* Tab 2 mg	12.36	84	✓ <u>Pr</u>	<u>ogynova</u>
OESTROGENS - See prescribing guideline on the previous page	е			
* Conjugated, equine tab 300 mcg		28		
The conjugation, equition and cooling in the conjugation in the conjug	(11.48)	_0	Pr	emarin
* Conjugated, equine tab 625 mcg	, ,	28		
The Conjugation, oquino tab 020 mag	(11.48)	20	Pr	emarin
	(11.10)			omann
Progestogens				
MEDROXYPROGESTERONE ACETATE - See prescribing guide	eline on the previ	ious page		
* Tab 2.5 mg	3.75	30	🗸 Pr	overa
* Tab 5 mg	14.00	100	✓ Pr	overa
* Tab 10 mg	7.15	30	✓ Pr	overa
Dragastagen and Ocetrogen Combined Dranero	liono			
Progestogen and Oestrogen Combined Prepara	uons			
OESTRADIOL WITH NORETHISTERONE - See prescribing gui		, ,		
* Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP		
	(18.10)		Kli	iovance
* Tab 2 mg with 1 mg norethisterone acetate	5.40	28 OP		
	(18.10)		Kli	iogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg	, ,			-
oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP		
	(18.10)		Tri	sequens
	(10.10)		***	22420110

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
OESTROGENS WITH MEDROXYPROGESTERONE - See presi	cribing guideline on p	age 8	6	
* Tab 625 mcg conjugated equine with 2.5 mg medroxyprogesterone acetate tab (28)		8 OP	Pı	remia 2.5 Continuous
* Tab 625 mcg conjugated equine with 5 mg medroxyprogesterone acetate tab (28)	5.40 2 (22.96)	8 OP	Pı	remia 5 Continuous
Other Oestrogen Preparations				
ETHINYLOESTRADIOL * Tab 10 mcg	17.60	100	_	Z Medical and Scientific
OESTRIOL	7.00	30	~ 0	vestin
Other Progestogen Preparations	7.00	00		voouii
LEVONORGESTREL * Intra-uterine system 20 mcg per day - Special Authority see				

⇒SA1608 Special Authority for Subsidy

Initial application — (No previous use) only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 The patient has a clinical diagnosis of heavy menstrual bleeding; and

- 2 The patient has failed to respond to or is unable to tolerate other appropriate pharmaceutical therapies as per the Heavy Menstrual Bleeding Guidelines: and
- 3 Fither:
 - 3.1 serum ferritin level < 16 mcg/l (within the last 12 months); or
 - 3.2 haemoglobin level < 120 g/l.

Note: Applications are not to be made for use in patients as contraception except where they meet the above criteria.

Renewal only from a relevant specialist or general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Patient demonstrated clinical improvement of heavy menstrual bleeding; or
 - 1.2 Previous insertion was removed or expelled within 3 months of insertion; and
- 2 Applicant to state date of the previous insertion.

MEDROXYPROGESTERONE ACETATE * Tab 100 mg - Retail pharmacy-Specialist101.00	100	✓ Provera HD
NORETHISTERONE * Tab 5 mg - Up to 30 tab available on a PSO18.29	100	✓ Primolut N
PROGESTERONE		
Cap 100 mg - Special Authority see SA1609 on the next		
page – Retail pharmacy16.50	30	✓ <u>Utrogestan</u>

Mirena

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

⇒SA1609 | Special Authority for Subsidy

Initial application only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 For the prevention of pre-term labour*: and
- 2 Fither:
 - 2.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
 - 2.2 The patient has a history of pre-term birth at less than 28 weeks.

Renewal only from an obstetrician or gynaecologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 For the prevention of pre-term labour*; and
- 2 Treatment is required for second or subsequent pregnancy; and
- 3 Fither:

CARBIMAZOLE

- 3.1 The patient has a short cervix on ultrasound (defined as < 25 mm at 16 to 28 weeks); or
- 3.2 The patient has a history of pre-term birth at less than 28 weeks.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents

* Tab 5 mg	10.80	100	✓ AFT
			Carbimazole S29
			✓ Neo-Mercazole
LEVOTHYROXINE			
* Tab 25 mcg	3.89	90	✓ Synthroid
‡ Safety cap for extemporaneously compounded o	ral liquid preparations.		
* Tab 50 mcg	4.05	90	✓ Synthroid
	64.28	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded o	ral liquid preparations.		
* Tab 100 mcg	4.21	90	✓ Synthroid
	66.78	1,000	✓ Eltroxin
‡ Safety cap for extemporaneously compounded o	ral liquid preparations.		
LEVOTHYROXINE (MERCURY PHARMA)			
* Tab 50 mcg	1.71	28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded o	ral liquid preparations.		•
* Tab 100 mcg	1.78	28	✓ Mercury Pharma
‡ Safety cap for extemporaneously compounded o	ral liquid preparations.		•
PROPYLTHIOURACIL - Special Authority see SA1199 be	elow – Retail pharmacy		
Propylthiouracil is not recommended for patients under	' '	ess the patie	ent is pregnant and other treatments
are contraindicated.			p 9
Tab 50 mg	35.00	100	✓ PTU S29
SACA1100 Special Authority for Subsidy			

⇒SA1199 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Subsidy Fully (Manufacturer's Price) Subsidised Per

Brand or

Generic Manufacturer

Trophic Hormones

Growth Hormones

SOMATROPIN (OMNITROPE) - Special Authority see SA1629 below - Retail pharmacy Inj 5 mg cartridge109.50 Omnitrope Omnitrope Inj 10 mg cartridge219.00 Inj 15 mg cartridge328.50 Omnitrope

⇒SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: Fither:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
 - 2.1 Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older. GH testing with sex steroid priming is required; and
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon followup laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is > 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

1 Height velocity ≥ 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and

Subsidy	Fully		
(Manufacturer's Price)	Subsidised	d Generic	
\$	Per 🗸	' Manufacturer	

continued...

- 2 Height velocity is ≥ 2 cm per year, calculated over six months; and
- 3 A current bone age is \leq 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — **(short stature without growth hormone deficiency)** only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is ≤ 14 years (female patients) or ≤ 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is \leq to 14 years (female patients) or \leq to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is > 2 cm per year as calculated over six months; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

continued...

- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred: and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria;
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 The patient is aged two years or older; and
 - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months; or
 - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is > 2 cm per year as calculated over six months; and
- 3 A current bone age is ≤ 14 years (female patients) or ≤ 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred: and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by > 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

continued...

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of ≤ 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test.

Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of ≤ 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
 - 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or
 - 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

GnRH Analogues

\sim	~~		
(1))SE	ĸн	ΙIN

Implant 3.6 mg, syringe	66.48	1	✓ Zoladex
Implant 10.8 mg, syringe	177.50	1	✓ Zoladex

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

I FUPRORFI IN

Additional subsidy by endorsement where the patient is a child or adolescent and is unable to tolerate administration of goserelin and the prescription is endorsed accordingly; or the patient has outstanding repeat dispensings at 1 December 2016 and the prescription is endorsed accordingly. From 1 December 2016 until 28 February 2017 pharmacists may annotate a prescription as endorsed where the patient has outstanding repeat dispensings at 1 December 2016.

Inj 3.75 mg prefilled dual chamber syringe – Higher subsidy		111001 2010.	
of \$221.60 per 1 inj with Endorsement	66.48	1	
	(221.60)		Lucrin Depot 1-month
Inj 7.5 mg syringe with diluent - Higher subsidy of \$166.20			
per 1 inj with Endorsement	66.48	1	
'	(166.20)		Eligard 1 Month
Inj 11.25 mg prefilled dual chamber syringe - Higher subsidy			
of \$591.68 per 1 inj with Endorsement	177.50	1	
	(591.68)		Lucrin Depot 3-month
Inj 22.5 mg syringe with diluent - Higher subsidy of \$443.76			
per 1 inj with Endorsement	177.50	1	
	(443.76)		Eligard 3 Month
Inj 30 mg prefilled dual chamber syringe - Higher subsidy of			
\$1109.40 per 1 inj with Endorsement	332.82	1	
	(1,109.40)		Lucrin Depot 6-month
Inj 45 mg syringe with diluent - Higher subsidy of \$832.05			
per 1 inj with Endorsement	332.82	1	
	(832.05)		Eligard 6 Month
igard 1 Month Inj 7.5 mg syringe with diluent to be delisted 1 Jur	ne 2017)		
ligard 2 Month Inj 22 5 mg cyrings with diluont to be delicted 1. In	ma 2017)		

(Elic (Eligard 3 Month Inj 22.5 mg syringe with diluent to be delisted 1 June 2017)

(Lucrin Depot 6-month Inj 30 mg prefilled dual chamber syringe to be delisted 1 August 2017)

(Eligard 6 Month Ini 45 mg syringe with diluent to be delisted 1 June 2017)

Vasopressin Agonists

DESMOPRESSIN A	ACETATE	
Tab 100 mag	Charial Authority and CA1401 below	Dotail

	pharmacypharmacy - Special Authority see SA1401 below – Retail	25.00	30	✓ <u>Minirin</u>
	Tab 200 mcg - Special Authority see SA1401 below - Retail			
	pharmacy	54.45	30	✓ Minirin
\blacktriangle	Nasal drops 100 mcg per ml - Retail pharmacy-Specialist	39.03	2.5 ml OP	Minirin
•	Nasal spray 10 mcg per dose - Retail pharmacy-Specialist	22.95	6 ml OP	✓ <u>Desmopressin-</u> <u>PH&T</u>
	Inj 4 mcg per ml, 1 ml - Special Authority see SA1401 below			
	- Retail pharmacy	67.18	10	✓ Minirin

⇒SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

		_
Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents

CABERGOLINE

Tab 0.5 mg - Maximum of 2 tab per prescription; can be waived by Special Authority see SA1370 below......4.75 Dostinex 19.00 Dostinex 2

⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Fither:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

CLOMIPHENE CITRATE

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

Tab 50 mg		29.84	10	✓ Mylan Clomiphen \$29 ✓ Serophene
DANAZOL				
Cap 100 mg		68.33	100	✓ Azol
Cap 200 mg		97.83	100	✓ Azol
METYRAPONE				
Cap 250 mg - Retail	pharmacy-Specialist	520.00	50	✓ Metopirone

95

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

✓ Biltricide

Anthelmintics

ALBENDAZOLE - Special Authority see SA1318 below - Retail pharmacy 60 ✓ Eskazole \$29

⇒SA1318 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the patient has hydatids.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

MEBENDAZOLE - Only on a prescription

Tab 100 mg	24.19	24	De-Worm
Oral lig 100 mg per 5 ml	2.18	15 ml	
	(7.17)		Vermox
PRAZIQUANTEI			

Antibacterials

- a) For topical antibacterials, refer to DERMATOLOGICALS, page 68
- b) For anti-infective eye preparations, refer to SENSORY ORGANS, page 215

Cephalosporins and Cephamycins

CEFACLOR MONOHYDRATE			
Cap 250 mg	24.70	100	✓ Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml - Wastage claimable - see			
rule 3.3.2 on page 13	3.53	100 ml	✓ Ranbaxy-Cefaclor
CEFALEXIN			
Cap 250 mg	3.50	20	✓ Cephalexin ABM
Cap 500 mg	3.95	20	✓ Cephalexin ABM
Grans for oral liq 25 mg per ml - Wastage claimable - see			
rule 3.3.2 on page 13	8.00	100 ml	✓ Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in amour	its more than 14	days treatme	ent per dispensing.
Grans for oral liq 50 mg per ml - Wastage claimable - see			
rule 3.3.2 on page 13	11.00	100 ml	✓ Cefalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in amour	its more than 14	days treatme	ent per dispensing.

CEFAZOLIN - Subsidy by endorsement

Only if prescribed for dialysis or cellulitis in accordance with a DHB approved protocol and the prescription is endorsed accordinaly

11917.		
Inj 500 mg vial	5	✓ AFT
Inj 1 g vial	5	✓ AFT

	0.1			
	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	\$	Per	~	Manufacturer
CEFTRIAXONE – Subsidy by endorsement				
a) Up to 5 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibro				
pelvic inflammatory disease, or the treatment of suspected n	neningitis in patients	who ha	ave a know	n allergy to penicillin, and
the prescription or PSO is endorsed accordingly. Inj 500 mg vial	1.20	1	4/ D	EVA
Inj 1 g vial		1	✓ <u>D</u>	
11) 1 9 Vidi	4.20	5	• 5	LVA
	(5.22)	Ū	C	eftriaxone-AFT
DEVA to be Sole Supply on 1 March 2017	, ,			
(Ceftriaxone-AFT Inj 1 g vial to be delisted 1 March 2017)				
CEFUROXIME AXETIL – Subsidy by endorsement				
Only if prescribed for prophylaxis of endocarditis and the pres				
Tab 250 mg	29.40	50	✓ Zi	nnat
Macrolides				
AZITHROMYCIN – Maximum of 5 days treatment per prescription	n: can be waived by e	endorse	ement	
For Endorsement, patient has either:	., 20 27			
1) Received a lung transplant and requires treatment or pro	phylaxis for bronchiol	itis obli	terans syn	drome*; or
Cystic fibrosis and has chronic infection with Pseudomo	nas aeruginosa or P	'seudor	monas rela	ted gram negative organ-
isms*.				
Indications marked with * are Unapproved Indications Tab 250 mg	0.00	30	4/ A	po-Azithromycin
Tab 500 mg - Up to 8 tab available on a PSO		2		po-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) – Wastage		-	<u> </u>	po / Elanomyon
claimable – see rule 3.3.2 on page 13	12.50	15 ml	✓ Zi	thromax
CLARITHROMYCIN - Maximum of 500 mg per prescription; can	be waived by Specia	l Autho	rity see SA	.1131 below
Tab 250 mg		14		po-Clarithromycin
Grans for oral liq 250 mg per 5 ml - Wastage claimable - see			_	
rule 3.3.2 on page 13	23.12	50 ml	✓ K	lacid
▶ SA1131 Special Authority for Waiver of Rule				
Initial application — (Mycobacterial infections) only from a re		nfectiou	ıs disease	specialist or paediatrician.
Approvals valid for 2 years for applications meeting the following of	riteria:			
Either:				
Atypical mycobacterial infection; or			a tana da sala	shamma a sa Parka sa sa ka
2 Mycobacterium tuberculosis infection where there is drug				•
Renewal — (Mycobacterial infections) only from a respiratory s valid for 2 years where the treatment remains appropriate and the				or paediatrician. Approvais
ERYTHROMYCIN ETHYL SUCCINATE				
Tab 400 mg	16.95	100	√ E·	-Mycin
a) Up to 20 tab available on a PSO				-
b) Up to 2 x the maximum PSO quantity for RFPP – see ru				
Grans for oral liq 200 mg per 5 ml	5.00 1	00 ml	✓ E	·Mycin

100 ml

✓ E-Mycin

a) Up to 300 ml available on a PSO

a) Up to 200 ml available on a PSO

c) Wastage claimable - see rule 3.3.2 on page 13

b) Wastage claimable - see rule 3.3.2 on page 13

b) Up to 2 x the maximum PSO quantity for RFPP - see rule 5.2.6 on page 17

	Subsidy		Fully	Brand or
	(Manufacturer's Price	e) Per	Subsidised	
ERYTHROMYCIN LACTOBIONATE				
Inj 1 g	16.00	1	✓ I	Erythrocin IV
ERYTHROMYCIN STEARATE				•
Tab 250 mg - Up to 30 tab available on a PSO	14.95	100		
.as =50 mg	(22.29)		E	≣RA
Tab 500 mg	' '	100		
g	(44.58)			ERA
ROXITHROMYCIN	, ,			
Tab 150 mg	7 48	50	1	Arrow-
100 100 mg		00	• ,	Roxithromycin
Tab 300 mg	14.40	50	1	Arrow-
1ab 300 mg	14.40	30	•	Roxithromycin
				HOXILIIOHIYOHI
Penicillins				
AMOXICILLIN				
Cap 250 mg	14.97	500	V <u>I</u>	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – see	, ,	17		
Cap 500 mg	16.75	500	V !	Apo-Amoxi
a) Up to 30 cap available on a PSO				
b) Up to 10 x the maximum PSO quantity for RFPP – see				
Grans for oral liq 125 mg per 5 ml		100 ml		Amoxicillin Actavis
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2.00		•	Ospamox
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.07	100		A
Grans for oral liq 250 mg per 5 ml		100 ml		Amoxicillin Actavis
a) Un to 200 ml available on a BSO	2.00		•	Ospamox
 a) Up to 300 ml available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP – see 	rulo 5 2 6 on page 1	17		
c) Wastage claimable – see rule 3.3.2 on page 13	Tule 5.2.0 off page	1 /		
Inj 250 mg vial	10.67	10	1	biamox
Inj 500 mg vial		10	_	biamox
Inj 1 g vial – Up to 5 inj available on a PSO		10	-	biamox
			* -	<u> </u>
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab avail-		00		A
able on a PSO		20	V !	<u>Augmentin</u>
Grans for oral liq amoxicillin 125 mg with clavulanic acid		400		4
31.25 mg per 5 ml	3.83	100 ml	•	Augmentin
a) Up to 200 ml available on a PSO				
 b) Wastage claimable – see rule 3.3.2 on page 13 Grans for oral liq amoxicillin 250 mg with clavulanic acid 	1			
62.5 mg per 5 ml		100 ml	./	Augmentin
a) Up to 200 ml available on a PSO	4.37	100 1111	•	Augmentin
b) Wastage claimable – see rule 3.3.2 on page 13				
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj	•	40	٠.	Distillar I A
available on a PSO	315.00	10	V	Bicillin LA

	Subsidy (Manufacturer's Price	20/	Full	
	(Manufacturer's Pric	ce) Per	Subsidise	d Generic Manufacturer
BENZYLPENICILLIN SODIUM (PENICILLIN G)				
Inj 600 mg (1 million units) vial – Up to 5 inj available on a				
PSO		10	~	Sandoz
FLUCLOXACILLIN				
Cap 250 mg - Up to 30 cap available on a PSO	18 70	250	V	Staphlex
Cap 500 mg		500		Staphlex
Grans for oral liq 25 mg per ml		100 ml		AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 ml	~	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Inj 250 mg vial	8.80	10		<u>Flucloxin</u>
Inj 500 mg vial	9.20	10	~	Flucloxin
Inj 1 g vial – Up to 10 inj available on a PSO	11.60	10	~	Flucloxin
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg - Up to 30 cap available on a PSO	2.88	50	~	Cilicaine VK
Cap 500 mg	4.73	50	~	Cilicaine VK
a) Up to 20 cap available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP - see ru	ule 5.2.6 on page 1	7		
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	~	<u>AFT</u>
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13			_	
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	•	<u>AFT</u>
a) Up to 300 ml available on a PSO		-		
b) Up to 2 x the maximum PSO quantity for RFPP – see ru	lie 5.2.6 on page 1	/		
c) Wastage claimable – see rule 3.3.2 on page 13				
PROCAINE PENICILLIN		_		 .
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO	123.50	5	-	<u>Cilicaine</u>
Tetracyclines				
20VVQVQLINE				
OXYCYCLINE k Tab 50 mg − Up to 30 tab available on a PSO	2.00	30		
★ Tab 50 mg – Up to 30 tab available on a PSO	(6.00)	30		Doxy-50
★ Tab 100 mg - Up to 30 tab available on a PSO	\ /	250	~	Doxine
	0.73	230	•	DOXIIIC
MINOCYCLINE HYDROCHLORIDE				
* Tab 50 mg - Additional subsidy by Special Authority see				
SA1355 below – Retail pharmacy		60		
h 0 100	(12.05)	400		Mino-tabs
★ Cap 100 mg		100		Minomyoin
	(52.04)			Minomycin
⇒SA1355 Special Authority for Manufacturers Price				
nitial application from any relevant practitioner. Approvals val	ia without further i	renewal ı	uniess no	titled where the patient
osacea.	D . " .			
*ETRACYCLINE – Special Authority see SA1332 on the next pa	•	•		Tatus accellus
Cap 500 mg	46.00	30	•	Tetracyclin
				Wolff S29

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and
- 2 For use only in combination with bismuth as part of a quadruple therapy regimen.

Other Antibiotics

For topical antibiotics, refer to DERMATOLOGICALS, page 68

CIPROFLOXACIN

Recommended for patients with any of the following:

- i) microbiologically confirmed and clinically significant pseudomonas infection; or
- ii) prostatitis; or
- iii) pyelonephritis; or

1.75	28	✓ Cipflox
2.00	28	✓ Cipflox
3.75	28	✓ Cipflox
4.10	16	✓ Clindamycin ABM
65.00	10	✓ Dalacin C
22.90	500	✓ Trisul
2.15	100 ml	✓ Deprim
, ,		rdingly.
65.00	1	✓ Colistin-Link
34.50	12	✓ Fucidin
າ of, an infectiou	ıs disease phy	sician or a clinical microbiologist
8.56	5	✓ Hospira
	-	✓ Hospira on and the prescription is endorsed
	-	
omplicated urina	ary tract infecti	on and the prescription is endorsed
omplicated urina	ary tract infection	on and the prescription is endorsed APP
	2.00	

Only if prescribed for a dialysis or cystic fibrosis patient or complicated urinary tract infection and the prescription is endorsed

✓ fully subsidised [HP4] refer page 4

accordingly.

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
MOXIFLOXACIN – Special Authority see SA1358 below – Retail No patient co-payment payable Tab 400 mg	,	5	✓ Av	/elox

⇒SA1358 | Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Active tuberculosis*; and
 - 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (**Penetrating eye injury**) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN - Special Authority see SA1324 below - Retail pharmacy

Cap 250 mg126.00 16 **V Humatin** \$29

⇒SA1324 | Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

PYRIMETHAMINE - Special Authority see SA1328 below - Retail pharmacy

■SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or
- 3 For infants with congenital toxoplasmosis until 12 months of age.

	Subsidy (Manufacturer's Price) \$) Sub Per	Fully sidised	Brand or Generic Manufacturer
SULFADIAZINE SODIUM - Special Authority see SA1331 below - Tab 500 mg		56	✓ W	ockhardt S29
■ SA1331 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid the following criteria: Any of the following:	without further rend	ewal unles	s notifie	d for applications meeting
 For the treatment of toxoplasmosis in patients with HIV for For pregnant patients for the term of the pregnancy; or For infants with congenital toxoplasmosis until 12 months or 	·	hs; or		
TOBRAMYCIN Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement	15.00	5		BL Tobramycin bbramycin Mylan
 a) Only if prescribed for dialysis or cystic fibrosis patient and b) Tobramycin Mylan to be Sole Supply on 1 May 2017 Solution for inhalation 60 mg per ml, 5 ml – Subsidy by en- 	d the prescription is	endorsed		
dorsement	scription is endorse	66 dose	✓ T ogly.	OBI
TRIMETHOPRIM * Tab 300 mg – Up to 30 tab available on a PSO	15.00	50	✓ <u>T</u>	MP_
VANCOMYCIN – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or for p following metronidazole failure and the prescription is endorsed		carditis or fo	or treatr	nent of Clostridium difficil
Inj 500 mg Antifungals	٠,	1	✓ <u>M</u>	<u>ylan</u>
a) For topical antifungals refer to DERMATOLOGICALS, page 68 b) For topical antifungals refer to GENITO URINARY, page 81				
FLUCONAZOLE Cap 50 mg - Retail pharmacy-Specialist		28 1	<u>/ 0</u>	
Cap 150 mg – Subsidy by endorsement	dorsement - Retail er considers that a t	pharmacy opical imid	lazole (ı	llist used intra-vaginally) is no
Cap 200 mg - Retail pharmacy-Specialist		28	✓ <u>0</u>	
Powder for oral suspension 10 mg per ml — Special Authority see SA1359 on the next page — Retail pharmacy	34.56 98.50	35 ml		iflucan S29 S29 iflucan

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Manufacturer \$ Per

⇒SA1359 Special Authority for Subsidy

Initial application — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Initial application — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Patient is at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

Renewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and
- 2 Patient is unable to swallow capsules.

Renewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient remains immunocompromised: and
- 2 Patient remains at moderate to high risk of invasive fungal infection; and
- 3 Patient is unable to swallow capsules.

ITRACONAZOLE

✓ Itrazole 15 Funded for tinea vesicolor where topical treatment has not been successful and diagnosis has been confirmed by mycology. or for tinea unquium where terbinafine has not been successful in eradication or the patient is intolerant to terbinafine and

diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement -Retail pharmacy - Specialist Specialist must be an infectious disease physician, clinical microbiologist, clinical immunologist or dermatologist.

Oral lig 10 mg per ml - Special Authority see SA1322 below

150 ml OP - Retail pharmacy141.80 Sporanox

⇒SA1322 Special Authority for Subsidy

Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant practitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approvals valid for 6 months where the patient has a congenital immune deficiency.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefitting from the treatment.

KFTOCONAZOI F Tab 000 ma

Tab 200 mg - PCT - Retail pharmacy-Specialist -	Subsidy		
by endorsement	CBS	30	✓ Link Healthcare S29
·			✓ Nizoral S29
Prescriptions must be written by, or on the recomr	mendation of an oncologist		
NYSTATIN			
Tab 500,000 u	14.16	50	
	(17.09)		Nilstat
Cap 500,000 u	12.81	50	
	(15.47)		Nilstat

	Subsidy (Manufacturer's Price \$	e) Sub Per	Fully sidised	Brand or Generic Manufacturer
POSACONAZOLE – Special Authority see SA1285 below – Reta Tab modified-release 100 mg Oral liq 40 mg per ml	869.86	24 05 ml OP	V No	oxafil oxafil

⇒SA1285 Special Authority for Subsidy

Initial application only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Fither:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation chemotherapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

TERBINAFINE

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (≥ 1 mg per kilogram of body weight per day for patients with acute GVHD or ≥ 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

<u>Terbinafine</u>

✓ Dr Reddy's

⇒SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient is immunocompromised; and

Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis: or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Antimalarials

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

Tab 7.5 mg117.00 ✓ Primacin S29

■SA1326 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria; and
- 2 Primaguine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

QUININE SULPHATE

Tab 300 mg61.91 500 ✓ Q 300

‡ Safety cap for extemporaneously compounded oral liquid preparations.

Antitrichomonal Agents

MFTRONIDAZOI F

OF

Tab 200 mg – Up to 30 tab available on a PSO Tab 400 mg		100 100	✓ Trichozole✓ Trichozole
Oral liq benzoate 200 mg per 5 ml	25.00	100 ml 10	✓ Flagyl-S ✓ Flagyl
RNIDAZOLE Tab 500 mg	23.00	10	✓ Arrow-Ornidazole

Antituberculotics and Antileprotics

Note: There is no co-payment charge for all pharmaceuticals listed in the Antituberculotics and Antileprotics group regardless of immigration status.

CLOFAZIMINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or dermatologist.
- ✓ Lamprene S29 * Cap 50 mg442.00 100

CYCLOSERINE - Retail pharmacy-Specialist

- a) No patient co-payment payable
- b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, clinical microbiologist or respiratory physician.

✓ King S29 100

		Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
	ONE - Retail pharmacy-Specialist				
	No patient co-payment payable				
	Prescriptions must be written by, or on the recommendati	on of, an infectious	disea	se physicia	an, clinical microbiologist o
	ermatologist	05.00	100		D
	ab 25 mgab 100 mg		100 100	-	<u>Dapsone</u> Dapsone
	•		100	<u> </u>	<u>Барэопс</u>
	MBUTOL HYDROCHLORIDE – Retail pharmacy-Specialist				
	No patient co-payment payable Prescriptions must be written by, or on the recommendati	on of an infectious	dicaa	ea nhveicia	n clinical microhiologiet o
	spiratory physician	on oi, an iniectious	uisca	se priysicio	iri, ciiriicai microbiologist o
	ab 100 mg	48.01	56	1	Myambutol \$29
	ab 400 mg		56		Myambutol §29
	v			•	,
	AZID – Retail pharmacy-Specialist No patient co-payment payable				
	Prescriptions must be written by, or on the recommendation	n of an internal med	licine	nhysician ı	naediatrician clinical micro
	ologist, dermatologist or public health physician	roi, air internarmea		priyololari, į	pacaiatriolari, cirrical micro
	ab 100 mg	20.00	100	1	PSM
	ab 100 mg with rifampicin 150 mg		100	_	Rifinah
* Ta	ab 150 mg with rifampicin 300 mg	170.60	100	✓]	Rifinah
PARA	-AMINO SALICYLIC ACID - Retail pharmacy-Specialist				
	No patient co-payment payable				
	Specialist must be an infectious disease specialist, clinical		pirato	ry specialis	t.
G	rans for oral liq 4 g sachet	280.00	30	/	Paser S29
PROT	IONAMIDE - Retail pharmacy-Specialist				
a)	No patient co-payment payable				
b)	Specialist must be an infectious disease specialist, clinical	microbiologist or resp	pirato	ry specialis	t.
Ta	ab 250 mg	305.00	100	/ I	Peteha S29
PYRA	ZINAMIDE – Retail pharmacy-Specialist				
	No patient co-payment payable				
b)	Prescriptions must be written by, or on the recommendati	on of, an infectious	disea	se physicia	an, clinical microbiologist o
	spiratory physician				
* Ta	ab 500 mg - For pyrazinamide oral liquid formulation refer,	50.00	400		A ET De mende e melete
	page 223	59.00	100		AFT-Pyrazinamide
				•	AFT-Pyrazinamide
					S29 \$29
	BUTIN – Retail pharmacy-Specialist				
	No patient co-payment payable	ion of an infantions	dia e -	.aa nha!-!-	on roonirotory physicia
	Prescriptions must be written by, or on the recommendation astroenterologist	ion oi, an intectious	uisea	ise priysicia	an, respiratory physician o
•	ap 150 mg - For rifabutin oral liquid formulation refer, page				
0	223	275.00	30	v 1	Mycobutin
		= / 0.00	-	▼ .	,

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	✓	Manufacturer	

RIFAMPICIN - Subsidy by endorsement

- a) No patient co-payment payable
- b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy -Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician.

*	Cap 150 mg55.75	100	✓ Rifadin
*	Cap 300 mg116.25	100	✓ Rifadin
*	Oral lig 100 mg per 5 ml	60 ml	Rifadin

Antivirals

For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 215

Hepatitis B Treatment

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy 30 ✔ Hepsera

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic: and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined ac.

- i) raised serum ALT (> 1 × ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAq seroconversion for patients who were HBeAq+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines.

Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR - Special Authority see SA1361 on the next page - Retail pharmacy

/ Baraclude 30

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

■ SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Fither:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 patient has ≥ 2,000 IU HBV DNA units per ml and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV. HIV or HDV: and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and
- 10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss
 of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to
 commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced
 fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

 Tab 100 mg
 6.00
 28
 ✓ Zeffix

 Oral lig 5 mg per ml
 270.00
 240 ml
 ✓ Zeffix

⇒SA1360 | Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or
- 6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine: and

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
- 1.3 HBV DNA <100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine

- 2 All of the following:
 - 2.1 Lamiyudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and
 - Documented resistance to lamivudine, defined as:
 - 2.3 Patient has raised serum ALT (> 1 × ULN); and
 - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> $1 \times ULN$); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICLOVIR

* Tab dispersible 200 mg 1.6 * Tab dispersible 400 mg 5.3 * Tab dispersible 800 mg 5.9	38 56	✓ <u>Lovir</u> ✓ <u>Lovir</u> ✓ <u>Lovir</u>
VALACICLOVIR Tab 500 mg6.4 Tab 1,000 mg12.7		✓ <u>Vaclovir</u> ✓ <u>Vaclovir</u>
VALGANCICLOVIR - Special Authority see SA1404 below - Retail pharma Tab 450 mg1,050.0	,	✓ <u>Valcyte</u>

■SA1404 | Special Authority for Subsidy

initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE - Subsidy by endorsement; can be waived by Special Authority see SA1362 below Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil furnarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note: Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 113

✓ Viread

■SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	~	Manufacturer	

continued...

- 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
- 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
- 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation: or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score >20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation: or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAq positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAq positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Subsidy (Manufacturer's Price) Per

Fully Subsidised Brand or Generic Manufacturer

✓ Victrelis

Hepatitis C Treatment

BOCEPREVIR - Special Authority see SA1402 below - Retail pharmacy

Cap 200 mg - Wastage claimable - see rule 3.3.2 on page

336

(Victrelis Cap 200 mg to be delisted 1 April 2017)

⇒SA1402 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, first-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has not received prior pegylated interferon treatment; and
- 3 Patient has IL-28B genotype CT or TT: and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Patient is hepatitis C protease inhibitor treatment-naive; and
- 6 Maximum of 44 weeks therapy.

Initial application — (chronic hepatitis C - genotype 1, second-line) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has received pegylated interferon treatment; and
- 3 Any of the following:
 - 3.1 Patient was a responder relapser; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received pegylated interferon prior to 2004; and
- 4 Patient is to be treated in combination with pegylated interferon and ribavirin; and
- 5 Maximum of 44 weeks therapy.

Notes:

112

- Due to risk of severe sepsis boceprevir should not be initiated if either Platelet count < 100 x10⁹ /l or Albumin <35 g/l
- The wastage rule applies to boceprevir to allow dispensing to occur more frequently than monthly

LEDIPASVIR WITH SOFOSBUVIR - Special Authority see SA1605 below - [Xpharm]

No patient co-payment payable

Tab 90 mg with sofosbuvir 400 mg24,363.46 ✔ Harvoni

⇒SA1605 Special Authority for Subsidy

Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)

Notes: By application to the Hepatitis C Treatment Panel (HepCTP).

Applications will be considered by HepCTP and approved subject to confirmation of eligibility.

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments or:

The Coordinator, Hepatitis C Treatment Panel

PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,

Email: hepcpanel@pharmac.govt.nz

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR - [Xpharm]

a) No patient co-payment payable

b) Note - Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),

1 OP ✓ Viekira Pak

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN - [Xpharm]

- a) No patient co-payment payable
- b) Note Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments

Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg

Antiretrovirals

■ SA1364 | Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or
 - 2.3 Both:
 - 2.3.1 Patient aged 1 to 5 years; and
 - 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts < 0.25 \times total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or
 - 2.4 Both:
 - 2.4.1 Patient aged 6 years and over; and
 - 2.4.2 CD4 counts < 500 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretro-

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil furnarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1364 on the previous page - Retail pharmacy

Tab 50 mg	63.38	30	✓ Stocrin S29
Tab 200 mg		90	✓ Stocrin
Tab 600 mg		30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	✓ Stocrin S29

	Subsidy (Manufacturer's Pri \$	ice) Subs Per	Fully Brand or idised Generic ✓ Manufacturer
ETRAVIRINE – Special Authority see SA1364 on page 113 – Reta Tab 200 mg		60	✓ Intelence
NEVIRAPINE – Special Authority see SA1364 on page 113 – Reta Tab 200 mg		60	✓ <u>Nevirapine</u> Alphapharm
Oral suspension 10 mg per ml	203.55	240 ml	✓ Viramune Suspension
Nucleosides Reverse Transcriptase Inhibitors			
ABACAVIR SULPHATE – Special Authority see SA1364 on page Tab 300 mg	229.00	macy 60 240 ml OP	✓ Ziagen ✓ Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Special Authority son Note: abacavir with lamivudine (combination tablets) counts retroviral Special Authority. The COO provide lamination 2000 as a second secon	as two anti-retro	viral medication	ons for the purposes of the anti-
Tab 600 mg with lamivudine 300 mg		30	✓ Kivexa
Cap 200 mg	115.05 184.08 230.10	30 30 30 30 30	✓ Videx EC ✓ Videx EC ✓ Videx EC ✓ Videx EC
(Videx EC Cap 125 mg to be delisted 1 July 2017) (Videx EC Cap 200 mg to be delisted 1 July 2017) (Videx EC Cap 250 mg to be delisted 1 July 2017) (Videx EC Cap 400 mg to be delisted 1 July 2017)			
EFAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOPRO — Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil fuma of the anti-retroviral Special Authority Tab 600 mg with emtricitabine 200 mg and tenofovir disoproxil fumarate 300 mg	arate counts as th	·	,
EMTRICITABINE - Special Authority see SA1364 on page 113 - I		30	✓ Emtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARATE - Note: Emtricitabine with tenofovir disoproxil fumarate counts retroviral Special Authority	as two anti-retro	viral medication	ons for the purposes of the anti
Tab 200 mg with tenofovir disoproxil fumarate 300 mg		30	✓ Truvada
LAMIVUDINE – Special Authority see SA1364 on page 113 – Reta Tab 150 mg		60	✓ Lamivudine Alphapharm
Oral liq 10 mg per ml	102.50	240 ml OP	✓ 3TC
STAVUDINE [D4T] - Special Authority see SA1364 on page 113 -		,	4 Zavit
Cap 40 mg	100.76	60 200 ml OP	✓ Zerit ✓ Zerit S29
(Zerit S29 Powder for oral soln 1 mg per ml to be delisted 1 July 2	:017)		

115

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
ZIDOVUDINE [AZT] – Special Authority see SA1364 on page Cap 100 mg Oral liq 10 mg per ml	152.25	nacy 100 200 ml OP	✓ <u>Retrovir</u> ✓ <u>Retrovir</u>
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority s Note: zidovudine [AZT] with lamivudine (combination table anti-retroviral Special Authority. Tab 300 mg with lamivudine 150 mg	ets) counts as two		
Protease Inhibitors			
ATAZANAVIR SULPHATE — Special Authority see SA1364 on Cap 150 mg Cap 200 mg DARUNAVIR — Special Authority see SA1364 on page 113 — I Tab 400 mg Tab 600 mg INDINAVIR — Special Authority see SA1364 on page 113 — Re Cap 200 mg Cap 400 mg LOPINAVIR WITH RITONAVIR — Special Authority see SA1364 Tab 100 mg with ritonavir 25 mg Tab 200 mg with ritonavir 20 mg per ml RITONAVIR — Special Authority see SA1364 on page 113 — Re Tab 100 mg with ritonavir 20 mg per ml RITONAVIR — Special Authority see SA1364 on page 113 — Re Tab 100 mg Oral liq 80 mg per ml		60 60 60 60 360 180	Prezista Prezista Prezista Crixivan Crixivan Kaletra Kaletra Kaletra Norvir
Strand Transfer Inhibitors			
DOLUTEGRAVIR - Special Authority see SA1364 on page 11 Tab 50 mg	1,090.00 on page 113 – Re	30 tail pharmacy	✓ Tivicay
Tab 400 mg Antiretrovirals - Additional Therapies	1,090.00	60	✓ Isentress
·			
HIV Fusion Inhibitors ENFLIVIRTIDE - Special Authority see SA0845 below - Retain			

(Fuzeon Powder for inj 90 mg per ml \times 60 to be delisted 1 June 2017)

⇒SA0845 Special Authority for Subsidy

Initial application only from a named specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Confirmed HIV infection: and
- 2 Enfuvirtide to be given in combination with optimized background therapy (including at least 1 other antiretroviral drug that the patient has never previously been exposed to) for treatment failure; and
- 3 Either:
 - 3.1 Patient has evidence of HIV replication, despite ongoing therapy; or

Subsidy (Manufacturer's Price)	5	Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 3.2 Patient has treatment-limiting toxicity to previous antiretroviral agents; and
- 4 Previous treatment with 3 different antiretroviral regimens has failed; and
- 5 All of the following:
 - 5.1 Previous treatment with a non-nucleoside reverse transcriptase inhibitor has failed; and
 - 5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and
 - 5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12: and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- a) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- a) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- b) Pregnancy.
- c) Neutropenia ($<2.0 \times 10^9$) and/or thrombocytopenia.
- d) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist
- 1 ✓ Roferon-A

INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

- a) See prescribing quideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist
- 1 ✓ Intron-A Inj 30 m iu, 1.2 ml multidose pen344.52 1 ✓ Intron-A
- ✓ Intron-A

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PEGYLATED INTERFERON ALFA-2A – Special Authority see SA See prescribing guideline on the previous page	A1400 below – Retail	pharn	nacy	
Inj 180 mcg prefilled syringe	900.00	4	✓ <u>P</u>	egasys
Inj 135 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times 168		1 OP	✓ <u>P</u>	egasys RBV Combination Pack
Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 112		1 OP	✓ <u>P</u>	egasys RBV Combination Pack
Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 168		1 OP	✓ <u>P</u>	egasys RBV Combination Pack

⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
 - 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400.000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 4 Patient is to be treated in combination with boceprevir; and
 - 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- .
- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive: or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- · Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE			
* Tab 1 g	18.40	100	
· ·	(38.10)		Hiprex
NITROFURANTOIN			
* Tab 50 mg - For nitrofurantoin oral liquid formulation refer,			
page 223	22.20	100	Nifuran
* Tab 100 mg	37.50	100	✓ Nifuran
NORFLOXACIN			
Tab 400 mg – Subsidy by endorsement	13 50	100	✓ Arrow-Norfl

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

	Subsidy		Fully	Brand or
	(Manufacturer's Pri	ce)	Subsidised	Generic
	\$	Per	/	Manufacturer
A 11 4 11 11 11				
Anticholinesterases				
NEOSTIGMINE METILSULFATE				
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	✓ Δ	straZeneca
		00	<u> </u>	<u>otrazerioua</u>
PYRIDOSTIGMINE BROMIDE	40.70	100		
▲ Tab 60 mg	42.79	100	<u> </u>	<u>estinon</u>
Non-Steroidal Anti-Inflammatory Drugs				
DIOLOFFNAO CODILINA				
DICLOFENAC SODIUM	1.00	F 0		lalafamaa Camalaa
* Tab EC 25 mg		50	_	iclofenac Sandoz oltaren D
* Tab 50 mg dispersible * Tab EC 50 mg		20 50		iclofenac Sandoz
* Tab EC 50 mg * Tab long-acting 75 mg		500	_	po-Diclo SR
* Tab long-acting 100 mg		500	. —	po-Diclo SR
* Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on		300	• 4	po-bicio 311
PSO		5	✓ Vo	oltaren
* Suppos 12.5 mg		10	_	oltaren
* Suppos 25 mg		10		oltaren
* Suppos 50 mg - Up to 10 supp available on a PSO		10		oltaren
* Suppos 100 mg		10		oltaren
IBUPROFEN			_	
* Tab 200 mg	9.45	1.000	√ Ih	ugesic
* Tab long-acting 800 mg		30		rufen SR
* Oral liq 20 mg per ml		200 ml	. —	enpaed
		200 1111	•	puou
* Cap long-acting 200 mg	10.07	28	4/0	ruvail SR
	12.07	20	• 0	ruvali on
MEFENAMIC ACID				
* Cap 250 mg		50	_	
	(9.16)	00	Po	onstan
	0.50	20	ъ.	
	(5.60)		P	onstan
NAPROXEN				
* Tab 250 mg		500	· · · · · · · · · · · · · · · · · · ·	oflam 250
* Tab 500 mg		250		oflam 500
* Tab long-acting 750 mg		90		aprosyn SR 750
* Tab long-acting 1 g	21.00	90	V N	aprosyn SR 1000
SULINDAC				
* Tab 100 mg		50	✓ A	
* Tab 200 mg	15.10	50	✓ A	clin
TENOXICAM				
* Tab 20 mg	10.95	100	✓ Ti	<u>lcotil</u>
* Inj 20 mg vial	9.95	1	✓ A	FT
NSAIDs Other				
1107 1100 0 41101				
MELOXICAM - Special Authority see SA1034 on the next page	e – Retail pharmacy			
* Tab 7.5 mg	11.50	30	✓ A	rrow-Meloxicam

((Subsidy Manufacturer's Price)	Subs	Fully	Brand or Generic
	\$	Per	~	Manufacturer

⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% - Special Authority see SA1289 below - Retail			
pharmacy	6.95	25 g OP	Zostrix
	9.95	45 a OP	✓ Zostrix

■ SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

AURANOFIN		
Tab 3 mg68.99	60	✓ Ridaura s29 S29
114.98	100	✓ Ridaura s29 S29
HYDROXYCHLOROQUINE		
* Tab 200 mg10.50	100	✓ Plaquenil
LEFLUNOMIDE		
Tab 10 mg55.00	30	✓ Arava
Tab 20 mg76.00	30	✓ Arava
PENICILLAMINE		
Tab 125 mg67.23	100	D-Penamine
Tab 250 mg110.12	100	✓ D-Penamine
SODIUM AUROTHIOMALATE		
Inj 10 mg in 0.5 ml ampoule76.87	10	✓ Myocrisin
Inj 20 mg in 0.5 ml ampoule113.17	10	✓ Myocrisin
Inj 50 mg in 0.5 ml ampoule217.23	10	✓ Myocrisin

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD)

 ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note): or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents).

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
ILENDRONATE SODIUM - Special Authority see SA1039 or	1 0	nacy 4	✓ Fo	osamax
LENDRONATE SODIUM WITH COLECALCIFEROL - Spec Tab 70 mg with colecalciferol 5,600 iu		on pa		Retail pharmacy osamax Plus

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity: or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM -	- Special Authority see SA0949 above - Retail pharmacy			
* Tab 40 mg	133.00	30	✓ Fosamax	
A				

Other Treatments

ETI	DRONATE DISODIUM – See prescribing guideline below		
*	Tab 200 mg13.50	100	Arrow-Etidronate

Prescribing Guidelines

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose - 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

PAMIDRONATE DISODIUM

Inj 3 mg per ml, 10 ml vial	6.80	1	Pamisol
Inj 6 mg per ml, 10 ml vial	13.20	1	✓ Pamisol
Inj 9 mg per ml, 10 ml vial		1	✓ Pamisol
RALOXIFENE HYDROCHLORIDE - Special Authority see	SA1138 below – Retail p	harmacy	
* Tab 60 mg	53.76	28	Evista

⇒SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) > 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score < -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age: or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score < -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes): or

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause - Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM

TERIPARATIDE – Special Authority see SA1139 below – Retail pharmacy Inj 250 mcg per ml, 2.4 ml

1 Forteo

⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial − Special Authority see

SA1187 on the next page − Retail pharmacy600.00 100 ml OP ✓ Aclasta

Subsidy (Manufacturer's Price) Subs

Fully Subsidised

Brand or Generic Manufacturer

■SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease: and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:
Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note);
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause - Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALI	LOPURINOL		
*	Tab 100 mg15.11	1,000	✓ Allopurinol-Apotex✓ Apo-Allopurinol
*	Tab 300 mg - For allopurinol oral liquid formulation refer,		
	page 22315.91	500	✓ Allopurinol-Apotex✓ Apo-Allopurinol

100 529

⇒SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/home/resources-2/

COLCHICINE		
* Tab 500 mcg10.08	100	Colgout
FEBUXOSTAT - Special Authority see SA1538 on the next page - Retail pharmacy		
Tab 80 mg39.50	28	Adenuric
Tab 120 mg39.50	28	Adenuric

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

Muscle Relaxants

BACLOFEN

*	Tab 10 mg - For baclofen oral liquid formulation refer, page				
	223	3.85	100	✓ Pacifen	
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement	11.55	1	✓ Lioresal Intrathecal	
	Subsidised only for use in a programmable pump in patient	s where oral	l antispastic	agents have been ineffective or have	9
	caused intolerable side effects and the prescription is endors	ed according	gly.		
	Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement	209.29	1	Lioresal Intrathecal	
	Subsidised only for use in a programmable nump in patient	s where oral	l antispastic	agents have been ineffective or have	ڊ

	Subsidised only for use in a programmable pump in patients where oral antispastic agents have been ineffective or have
(caused intolerable side effects and the prescription is endorsed accordingly.
DANTR	OLENE

Cap 25 mg	100	✓ Dantrium
Cap 50 mg77.00	100	✓ Dantrium S29 S29 ✓ Dantrium
ORPHENADRINE CITRATE		

100

✓ Norflex

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Agents for Parkinsonism and Related Disorders

Dopamine Agonists and Related Agents			
AMANTADINE HYDROCHLORIDE			
▲ Cap 100 mg	38.24	60	✓ Symmetrel
APOMORPHINE HYDROCHLORIDE			
▲ Inj 10 mg per ml, 2 ml ampoule	119.00	5	✓ Movapo
BROMOCRIPTINE MESYLATE			
₭ Tab 2.5 mg	32.08	100	✓ Apo-Bromocriptine
ENTACAPONE			
▲ Tab 200 mg	28.00	100	✓ Entapone
EVODOPA WITH BENSERAZIDE			
★ Tab dispersible 50 mg with benserazide 12.5 mg	10.00	100	✓ Madopar Rapid
Cap 50 mg with benserazide 12.5 mg		100	✓ Madopar 62.5
Cap 100 mg with benserazide 25 mg		100	✓ Madopar 125
Cap long-acting 100 mg with benserazide 25 mg		100	✓ Madopar HBS
, , , , ,		100	✓ Madopar 1153
k Cap 200 mg with benserazide 50 mg	25.00	100	wadopar 250
EVODOPA WITH CARBIDOPA			
* Tab 100 mg with carbidopa 25 mg - For levodopa with ca			4 141
bidopa oral liquid formulation refer, page 223	20.00	100	Kinson
			✓ Sinemet
★ Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	✓ Sinemet CR
Fab 250 mg with carbidopa 25 mg	40.00	100	✓ Sinemet
PRAMIPEXOLE HYDROCHLORIDE			
▲ Tab 0.25 mg	7.20	100	✓ Ramipex
▲ Tab 1 mg	24.39	100	✓ Ramipex
ROPINIROLE HYDROCHLORIDE			
▲ Tab 0.25 mg	2.78	100	✓ Apo-Ropinirole
▲ Tab 1 mg		100	✓ Apo-Ropinirole
▲ Tab 2 mg		100	✓ Apo-Ropinirole
▲ Tab 5 mg		100	✓ Apo-Ropinirole
SELEGILINE HYDROCHLORIDE			
* Tab 5 mg	22.00	100	✓ Apo-Selegiline
r lab 5 mg	22.00	100	S29 S29
			329 329
TOLCAPONE			4-
▲ Tab 100 mg	132.50	100	✓ <u>Tasmar</u>
Anticholinergics			
BENZTROPINE MESYLATE			
Tab 2 mg	7 99	60	✓ Benztrop
Inj 1 mg per ml, 2 ml		5	✓ Cogentin
IIIJ I IIIg pei IIII, 2 IIII		-	•
a) I la ta 40 ini available en a 200	190.00	10	✓ Omega S29
a) Up to 10 inj available on a PSO b) Only on a PSO			
PROCYCLIDINE HYDROCHLORIDE			
Tab 5 mg	7.40	100	✓ Kemadrin
-			

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

Agents for Essential Tremor, Chorea and Related Disorders

RILUZOLE - Special Authority see SA1403 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

⇒SA1403 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 The patient has amyotrophic lateral sclerosis with disease duration of 5 years or less; and
- 2 The patient has at least 60 percent of predicted forced vital capacity within 2 months prior to the initial application; and
- 3 The patient has not undergone a tracheostomy; and
- 4 The patient has not experienced respiratory failure; and
- 5 Any of the following:
 - 5.1 The patient is ambulatory; or
 - 5.2 The patient is able to use upper limbs; or
 - 5.3 The patient is able to swallow.

Renewal from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has not undergone a tracheostomy; and
- 2 The patient has not experienced respiratory failure; and
- 3 Any of the following:
 - 3.1 The patient is ambulatory; or
 - 3.2 The patient is able to use upper limbs; or
 - 3.3 The patient is able to swallow.

TETRABENAZINE

Tab 25 mg91.10 112 ✔ <u>Motetis</u>

Anaesthetics

Local

LIDOCAINE [LIGNOCAINE]

- a) Up to 5 each available on a PSO
- b) Subsidised only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly.

LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE

Oral (viscous) soln 2%	55.00	200 ml	Xylocaine Viscous
Inj 1%, 5 ml ampoule - Up to 25 inj available on a PSO	8.75	25	✓ Lidocaine-Claris
	17.50	50	
	(35.00)		Xylocaine
Inj 2%, 5 ml ampoule - Up to 5 inj available on a PSO	6.90	25	✓ Lidocaine-Claris
Inj 1%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris
	12.00	5	
	(20.00)		Xylocaine
Inj 2%, 20 ml ampoule - Up to 5 inj available on a PSO	2.40	1	✓ Lidocaine-Claris

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer	
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE					
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes -					
Subsidy by endorsement	43.26	10	✓ Pf	fizer	
a) Up to 5 each available on a PSO					
b) Subsidised only if prescribed for urethral or cervical adm	ninistration and the pr	escri	otion is endo	rsed accordingly	V.

Topical Local Anaesthetics

⇒SA0906 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

LIDOCAINE [LIGNOCAINE] - Special Authorit	ty see SA0906 above - Retail ph	narmacy	
Crm 4%	27.00	30 g OP	✓ LMX4
Crm 4% (5 g tubes)	27.00	5	✓ LMX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAIN	IE - Special Authority see SA09	906 above – Reta	ail pharmacy
Crm 2.5% with prilocaine 2.5%	45.00	30 g OP	✓ EMLA
Crm 2.5% with prilocaine 2.5% (5 g tubes)	45.00	5	EMLA

Analgesics

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 120

For aspirin & chloroform application refer Standard Formulae, page 226

Non-opioid Analgesics

ASPIRIN * Tab dispersible 300 mg - Up to 30 tab available on a PSO	.3.90	100	✓ Ethics Aspirin
CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabeti accordingly. Crm 0.075%		neuropathy a	and the prescription is endorsed
	12.50	45 y OF	ZOSUIX HP
NEFOPAM HYDROCHLORIDE Tab 30 mg	23.40	90	✓ Acupan
PARACETAMOL * Tab 500 mg - Up to 30 tab available on a PSO *‡ Oral liq 120 mg per 5 ml a) Up to 200 ml available on a PSO		1,000 1,000 ml	✓ Pharmacare ✓ Paracare
b) Not in combination			

1,000 ml

10

10

50

✔ Paracare Double

Strength

✓ Gacet
✓ Gacet

✔ Paracare

a) Up to 100 ml available on a PSO

b) Not in combination

	\$	Per	✓ Manufacturer
Opioid Analgesics			
CODEINE PHOSPHATE - Safety medicine; prescriber may dete	rmine dispensing	g frequency	
Tab 15 mg	5.75	100	✓ PSM
PSM to be Sole Supply on 1 May 2017			
Tab 30 mg	6.80	100	✓ PSM
PSM to be Sole Supply on 1 May 2017	10.50	100	- A DOM
Tab 60 mgPSM to be Sole Supply on 1 May 2017	13.50	100	✓ PSM
,			
DIHYDROCODEINE TARTRATE	0.55	60	✓ DHC Continus
Tab long-acting 60 mg	9.55	60	DHC Continus
FENTANYL			
a) Only on a controlled drug form			
b) No patient co-payment payable	~		
c) Safety medicine; prescriber may determine dispensing free Inj 50 mcg per ml, 2 ml ampoule		10	✓ Boucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10	✓ Boucher and Muir
Patch 12.5 mcg per hour		5	Fentanyl Sandoz
Patch 25 mcg per hour		5	✓ Fentanyl Sandoz
Patch 50 mcg per hour		5	✓ Fentanyl Sandoz
Patch 75 mcg per hour	9.18	5	✓ Fentanyl Sandoz
Patch 100 mcg per hour	11.29	5	✓ Fentanyl Sandoz
METHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing free			
d) Extemporaneously compounded methadone will only be r	eimbursed at the	rate of the ch	neapest form available (methadone
powder, not methadone tablets).		_	
e) For methadone hydrochloride oral liquid refer Standard Fo			. / Mathataka
Tab 5 mg		10 200 ml	✓ <u>Methatabs</u>✓ Biodone
Tral liq 2 mg per ml Oral liq 5 mg per ml		200 ml	✓ Biodone Forte
‡ Oral liq 10 mg per ml		200 ml	✓ Biodone Extra Forte
Inj 10 mg per ml, 1 ml		10	✓ AFT
MORPHINE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing free	guency		
‡ Oral liq 1 mg per ml		200 ml	✓ RA-Morph
‡ Oral liq 2 mg per ml	14.00	200 ml	✓ RA-Morph
‡ Oral liq 5 mg per ml	18.00	200 ml	✓ RA-Morph
‡ Oral liq 10 mg per ml	26.00	200 ml	✓ RA-Morph

Subsidy

(Manufacturer's Price)

Fully

Subsidised

Brand or

Generic

S Per			Subsidy (Manufacturar's Price)		Fully	
a) Only on a controlled drug form b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg			(Manufacturer's Price) \$			
a) Only on a controlled drug form b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg	MODDHINE SHI	DUATE				
b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab immediate-release 10 mg						
C) Safety medicine; prescriber may determine dispensing frequency Tab immediate-releases 10 mg	, ,	•				
Tab immediate-release 10 mg	, ,		allency			
Tab long-acting 10 mg				10	/	Sevredol
Tab immediate-release 20 mg		· ·				
Tab long-acting 30 mg	-	•				
Tab long-acting 60 mg		· ·				
Tab long-acting 100 mg						
Cap long-acting 10 mg						
Cap long-acting 30 mg						
Cap long-acting 60 mg	, ,	0 0				
Cap long-acting 100 mg	1 0	5 5				
Inj 5 mg per ml, 1 ml ampoule — Up to 5 inj available on a PSO	, ,	0 0				
Inj 10 mg per ml, 1 ml ampoule — Up to 5 inj available on a PSO						
Inj 10 mg per ml, 1 ml ampoule	inj o mg por i	Till, I Till dilipodio Op to o ilij dvalidolo oti d i o	O12.70	J	•	
PSO 9.09 5 DBL Morphine Sulphate	lni 10 ma ne	er ml. 1 ml.ampoule. – Un to 5 ini available on a	a			ouiphate
Inj 15 mg per ml, 1 ml ampoule — Up to 5 inj available on a PSO				5	~	DBI Morphine
Inj 15 mg per ml, 1 ml ampoule	1 00			J	•	
PSO 9.77 5 DBL Morphine Sulphate	lni 15 ma ne	er ml. 1 ml.ampoule. – Un to 5 ini available on a	a			Ouiphato
Inj 30 mg per ml, 1 ml ampoule — Up to 5 inj available on a PSO	, , ,			5	~	DBI Morphine
Inj 30 mg per ml, 1 ml ampoule — Up to 5 inj available on a PSO	1 00			Ū	•	
PSO	Ini 30 ma ne	er ml. 1 ml.ampoule. – Un to 5 ini available on a	a			Ouiphate
MORPHINE TARTRATE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Inj 80 mg per ml, 1.5 ml ampoule				5	~	DBI Morphine
MORPHINE TARTRATE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Inj 80 mg per ml, 1.5 ml ampoule				Ū	•	
a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Inj 80 mg per ml, 1.5 ml ampoule	MORPHINE TAR	TRATE				
b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Inj 80 mg per ml, 1.5 ml ampoule						
c) Safety medicine; prescriber may determine dispensing frequency Inj 80 mg per ml, 1.5 ml ampoule	, ,	•				
Inj 80 mg per ml, 1.5 ml ampoule	, .		allency			
Tartrate				5	/	DRI Mornhine
Inj 80 mg per ml, 5 ml 107.67 5 ✔ Hospira OXYCODONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab controlled-release 5 mg 2.63 20 ₱ BNM Tab controlled-release 10 mg 2.76 20 ₱ BNM Tab controlled-release 20 mg 4.72 20 ₱ BNM Tab controlled-release 40 mg 7.69 20 ₱ BNM Tab controlled-release 80 mg 14.11 20 ₱ BNM Cap immediate-release 5 mg 1.98 20 ✔ OxyNorm Cap immediate-release 10 mg 3.91 20 ✔ OxyNorm Cap immediate-release 20 mg 6.84 20 ✔ OxyNorm † Oral liq 5 mg per 5 ml 11.20 250 ml ✔ OxyNorm	mj oo mg po	inii, no iii ampoalo		Ü	•	
OXYCODONE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab controlled-release 5 mg 2.63 20 BNM Tab controlled-release 10 mg 2.76 20 BNM Tab controlled-release 20 mg 4.72 20 BNM Tab controlled-release 40 mg 7.69 20 BNM Tab controlled-release 80 mg 14.11 20 BNM Cap immediate-release 5 mg 1.98 20 OxyNorm Cap immediate-release 10 mg 3.91 20 OxyNorm Cap immediate-release 20 mg 6.84 20 OxyNorm Cap immediate-release 20 mg 6.84 20 OxyNorm	Ini 80 ma ne	rml 5 ml	107.67	5	~	
a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab controlled-release 5 mg				Ū	•	поорши
b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab controlled-release 5 mg						
c) Safety medicine; prescriber may determine dispensing frequency Tab controlled-release 5 mg 2.63 20 BNM Tab controlled-release 10 mg 2.76 20 BNM Tab controlled-release 20 mg 4.72 20 BNM Tab controlled-release 40 mg 7.69 20 BNM Tab controlled-release 80 mg 14.11 20 BNM Cap immediate-release 5 mg 1.98 20 OxyNorm Cap immediate-release 10 mg 3.91 20 OxyNorm Cap immediate-release 20 mg 6.84 20 OxyNorm † Oral liq 5 mg per 5 ml 11.20 250 ml OxyNorm	, ,	•				
Tab controlled-release 5 mg 2.63 20 ✓ BNM Tab controlled-release 10 mg 2.76 20 ✓ BNM Tab controlled-release 20 mg 4.72 20 ✓ BNM Tab controlled-release 40 mg 7.69 20 ✓ BNM Tab controlled-release 80 mg 14.11 20 ✓ BNM Cap immediate-release 5 mg 1.98 20 ✓ OxyNorm Cap immediate-release 10 mg 3.91 20 ✓ OxyNorm Cap immediate-release 20 mg 6.84 20 ✓ OxyNorm † Oral liq 5 mg per 5 ml 11.20 250 ml ✓ OxyNorm	, .					
Tab controlled-release 10 mg 2.76 20 ■ BNM Tab controlled-release 20 mg 4.72 20 ■ BNM Tab controlled-release 40 mg 7.69 20 ■ BNM Tab controlled-release 80 mg 14.11 20 ■ BNM Cap immediate-release 5 mg 1.98 20 ✓ OxyNorm Cap immediate-release 10 mg 3.91 20 ✓ OxyNorm Cap immediate-release 20 mg 6.84 20 ✓ OxyNorm † Oral liq 5 mg per 5 ml 11.20 250 ml ✓ OxyNorm	, ,	, , ,		00		DNIA
Tab controlled-release 20 mg 4.72 20 ■ BNM Tab controlled-release 40 mg 7.69 20 ■ BNM Tab controlled-release 80 mg 14.11 20 ■ BNM Cap immediate-release 5 mg 1.98 20 ✓ OxyNorm Cap immediate-release 10 mg 3.91 20 ✓ OxyNorm Cap immediate-release 20 mg 6.84 20 ✓ OxyNorm † Oral liq 5 mg per 5 ml 11.20 250 ml ✓ OxyNorm		•				
Tab controlled-release 40 mg 7.69 20 ■ BNM Tab controlled-release 80 mg 14.11 20 ■ BNM Cap immediate-release 5 mg 1.98 20 ○ OxyNorm Cap immediate-release 10 mg 3.91 20 ○ OxyNorm Cap immediate-release 20 mg 6.84 20 ○ OxyNorm ‡ Oral liq 5 mg per 5 ml 11.20 250 ml ✓ OxyNorm		ŭ				
Tab controlled-release 80 mg 14.11 20 ■ BNM Cap immediate-release 5 mg 1.98 20 OxyNorm Cap immediate-release 10 mg 3.91 20 OxyNorm Cap immediate-release 20 mg 6.84 20 OxyNorm ‡ Oral liq 5 mg per 5 ml 11.20 250 ml OxyNorm						
Cap immediate-release 5 mg 1.98 20 ✓ OxyNorm Cap immediate-release 10 mg 3.91 20 ✓ OxyNorm Cap immediate-release 20 mg 6.84 20 ✓ OxyNorm ‡ Oral liq 5 mg per 5 ml 11.20 250 ml ✓ OxyNorm						
Cap immediate-release 10 mg 3.91 20 ✓ OxyNorm Cap immediate-release 20 mg 6.84 20 ✓ OxyNorm ‡ Oral liq 5 mg per 5 ml 11.20 250 ml ✓ OxyNorm		ŭ				
Cap immediate-release 20 mg	•	· ·				
‡ Oral liq 5 mg per 5 ml		· ·				
T	•	· ·				
						•
	, , ,	•		5		
Inj 10 mg per ml, 2 ml ampoule	, , ,	•				
Inj 50 mg per ml, 1 ml ampoule51.00 5 V <u>OxyNorm</u>	inj 50 mg pe	r mi, 1 ml ampoule	51.00	5		<u>Oxynorm</u>
PARACETAMOL WITH CODEINE - Safety medicine; prescriber may determine dispensing frequency	PARACETAMOL	WITH CODEINE - Safety medicine; prescriber	may determine dispe	nsing	frequency	
* Tab paracetamol 500 mg with codeine phosphate 8 mg21.06 1,000 Paracetamol +	* Tab paraceta	amol 500 mg with codeine phosphate 8 mg	21.06	1,000	1	Paracetamol +

Codeine (Relieve)

[▲]Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. ‡ safety cap *Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
-	Į.	rei		Manuacturer
PETHIDINE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable	NI ODOV			
c) Safety medicine; prescriber may determine dispensing free Tab 50 mg		10	✓ F	DCM
Tab 100 mg		10	_	PSM
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	·	OBL Pethidine
ing do mg por mi, 1 mi — op to o ing available on a 1 oo		Ŭ	· <u>-</u>	Hydrochloride
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	5.83	5	/ [OBL Pethidine
, , ,			_	Hydrochloride
TRAMADOL HYDROCHLORIDE				
Tab sustained-release 100 mg	2.00	20	1	ramal SR 100
Tab sustained-release 150 mg		20	_	Framal SR 150
Tab sustained-release 200 mg		20	√ 1	Framal SR 200
Cap 50 mg - For tramadol hydrochloride oral liquid formula-			_	
tion refer, page 223		100	V 1	Arrow-Tramadol
Antidepressants				
Cyclic and Related Agents				
AMITRIPTYLINE - Safety medicine; prescriber may determine d				
Tab 10 mg		100		Arrow-Amitriptyline
Tab 25 mg		100	_	Arrow-Amitriptyline
Tab 50 mg	2.82	100	V <u>I</u>	Arrow-Amitriptyline
CLOMIPRAMINE HYDROCHLORIDE - Safety medicine; prescri	ber may determine di	spens	ing freque	ncy
Tab 10 mg	12.60	100		Apo-Clomipramine
Tab 25 mg	8.68	100	V <u>I</u>	Apo-Clomipramine
DOTHIEPIN HYDROCHLORIDE - Safety medicine; prescriber n	nay determine dispen	sing fr	equency	
Tab 75 mg		100		Dopress
Cap 25 mg	6.45	100	✓ [Dopress
DOXEPIN HYDROCHLORIDE - Safety medicine; prescriber ma	v determine dispensir	na fred	uencv	
Cap 10 mg	, ,	100		Anten
Cap 25 mg		100	V	Anten
Cap 50 mg	8.55	100	V 1	Anten
IMIPRAMINE HYDROCHLORIDE - Safety medicine; prescriber	may determine disne	nsina	frequency	
Tab 10 mg		50		Tofranil
	6.58	60		Tofranil s29 S29
	10.96	100		Tofranil
Tab 25 mg		50		Tofranil
MAPROTILINE HYDROCHLORIDE – Safety medicine; prescribe				
Tab 25 mg		30		y _udiomil
iab 20 mg	12.53	50 50		_udiomil
	25.06	100		_udiomil
Tab 75 mg		20		udiomil
	21.01	30		udiomil
NODTDIDTYLINE HYDDOCHLODIDE Cofoty modicines areas				
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescr Tab 10 mg	•	100		lncy Norpress
Tab 10 mg		100	<u> </u>	101111222

180

✓ Norpress

Monoamine-Oxidase Inhibitors (MAOIs) - Non Se HENELZINE SULPHATE Tab 15 mg RANYLCYPROMINE SULPHATE Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Tab 150 mg Tab 150 mg Tab 300 mg Selective Serotonin Reuptake Inhibitors PARTICLA COPRAM HYDROBROMIDE Tab 20 mg SCITALOPRAM SCITALOPRAM	95.00 22.94 85.10	100 50 500 100	√ P	Nardil Parnate
€ Tab 15 mg RANYLCYPROMINE SULPHATE € Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE € Tab 150 mg € Tab 300 mg Selective Serotonin Reuptake Inhibitors EITALOPRAM HYDROBROMIDE € Tab 20 mg SCITALOPRAM	22.94	50	√ P	
RANYLCYPROMINE SULPHATE Tab 10 mg Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Tab 150 mg Tab 300 mg Selective Serotonin Reuptake Inhibitors FITALOPRAM HYDROBROMIDE Tab 20 mg SCITALOPRAM	22.94	50	√ P	
Monoamine-Oxidase Type A Inhibitors MOCLOBEMIDE Tab 150 mg Tab 300 mg Selective Serotonin Reuptake Inhibitors HALOPRAM HYDROBROMIDE Tab 20 mg SCITALOPRAM	85.10	500		Parnate
COCLOBEMIDE Tab 150 mg Tab 300 mg Selective Serotonin Reuptake Inhibitors SITALOPRAM HYDROBROMIDE Tab 20 mg SCITALOPRAM			✓ Δ	
€ Tab 150 mg			✓ Δ	
Tab 300 mg Selective Serotonin Reuptake Inhibitors ITALOPRAM HYDROBROMIDE Tab 20 mg SCITALOPRAM			✓ ∆	
Selective Serotonin Reuptake Inhibitors EITALOPRAM HYDROBROMIDE Tab 20 mg	30.70	100		Apo-Moclobemide
EITALOPRAM HYDROBROMIDE Tab 20 mgSCITALOPRAM			✓ <u>A</u>	Apo-Moclobemide
€ Tab 20 mgSCITALOPRAM				
SCITALOPRAM				
	1.79	84	✓ <u>P</u>	PSM Citalopram
F Tab 10 mg	1.40	28	VA	Accord
				Escitalopram Air Flow Products
← Tab 20 mg	2.40	28		Air Flow Products
Accord Escitalopram Tab 10 mg to be delisted 1 July 2017)				
LUOXETINE HYDROCHLORIDE				
 Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement 	2.47	30	✓ <u>A</u>	Arrow-Fluoxetine
1) When prescribed for a patient who cannot swallow whole to	tablets or capsules a	nd the pr	escriptio	on is endorsed according
or 2) When prescribed in a daily dose that is not a multiple of 2	20 mg in which case	the pres	crintion i	is deemed to be endors
Note: Tablets should be combined with capsules to facilita	•		op	
Cap 20 mg	1.99	90	V A	Arrow-Fluoxetine
AROXETINE				
← Tab 20 mg	4.02	90		Apo-Paroxetine
	4.32		✓ L	oxamine.
ERTRALINE				
Tab 50 mg		90	_	Arrow-Sertraline
Tab 100 mg	5.25	90	V A	Arrow-Sertraline
Other Antidepressants				
IIRTAZAPINE				
Tab 30 mg Tab 45 mg		30		Apo-Mirtazapine

	Subsidy (Manufacturer's Price)	Per	Fully Brand or Subsidised Generic Manufacturer
VENLAFAXINE			
Tab 37.5 mg	5.06	28	Arrow-Venlafaxine XR
Tab 75 mg	6.44	28	Arrow-VenlafaxineXR
Tab 150 mg	8.86	28	Arrow-VenlafaxineXR
Tab 225 mg	14.34	28	Arrow-VenlafaxineXR
Cap 37.5 mg - Special Authority see SA1061 below - Retail			
pharmacy	5.69	28	✓ Efexor XR
Cap 75 mg - Special Authority see SA1061 below - Retail pharmacy	11.40	28	✓ Efexor XR
Cap 150 mg - Special Authority see SA1061 below - Retail pharmacy	13.98	28	✓ Efexor XR

⇒SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 The patient has 'treatment-resistant' depression; and
- 2 Either:
 - 2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or
 - 2.2 Both:
 - 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
 - 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml19.00	5	✓ Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement	5	✔ Hospira
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg - Up to 5 tube available on a PSO33.07	5	✓ Stesolid
Rectal tubes 10 mg - Up to 5 tube available on a PSO40.87	5	Stesolid
PARALDEHYDE * Inj 5 ml1,500.00	5	✓ AFT

	Subsidy (Manufacturer's P \$	rice) Sul Per	Fully osidised	Brand or Generic Manufacturer
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available or	n a			
PSO		5	✓ Ho	spira
* Inj 50 mg per ml, 5 ml ampoule - Up to 5 inj available or	n a			
PSO	133.92	5	✓ Ho	<u>spira</u>
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg	14.53	100	✓ Te	aretol
* Tab long-acting 200 mg		100		gretol CR
* Tab 400 mg		100	✓ Te	•
* Tab long-acting 400 mg		100		gretol CR
*‡ Oral liq 20 mg per ml	26.37	250 ml	✓ Te	gretol
CLOBAZAM – Safety medicine; prescriber may determine disp	nensing frequency			-
Tab 10 mg	. ,	50	✓ Fri	sium
‡ Safety cap for extemporaneously compounded oral lig			•	
CLONAZEPAM – Safety medicine; prescriber may determine of		'V		
Oral drops 2.5 mg per ml		10 ml OP	✓ Riv	votril
ETHOSUXIMIDE			•	
Cap 250 mg	16.45	100	✓ Za	rontin
Cap 250 mg	32.90	200	✓ Za	
‡ Oral lig 250 mg per 5 ml		200 ml	✓ Za	• • • • • • • • • • • • • • • • • • • •
		200 1111	V 2a	TOTIUT
GABAPENTIN – Special Authority see SA1477 below – Retail	. ,	100		warre Calcanamatin
▲ Cap 100 mg	7.16	100		row-Gabapentin
				urontin
A Con 200 mm. For maken anti- and limited formsulation and			∨ Nu	pentin
▲ Cap 300 mg – For gabapentin oral liquid formulation ref		100		row-Gabapentin
page 223	11.00	100		row-Gabapentin eurontin
				pentin
▲ Cap 400 mg	13.75	100		row-Gabapentin
- ουρ του πις	10.73	100		urontin
				pentin
			+ I10	Pontin

■SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 The patient has been diagnosed with neuropathic pain; or

continued...

137

NERVOUS SYSTEM

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2 Both:
 - 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
 - 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LA(LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy					
\blacktriangle	Tab 50 mg	25.04	14	Vimpat		
\blacktriangle	Tab 100 mg	50.06	14	✓ Vimpat		
	-	200.24	56	✓ Vimpat		
\blacktriangle	Tab 150 mg	75.10	14	Vimpat		
	Ç	300.40	56	✓ Vimpat		
\blacktriangle	Tab 200 mg	400.55	56	✓ Vimpat		

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

✓ fully subsidised

[HP4] refer page 4

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	d Generic
LAMOTRICINE	Ψ	101		Manadataror
LAMOTRIGINE	0.74	00		Lamiatal
Tab dispersible 2 mg		30		Lamictal
▲ Tab dispersible 5 mg		30		Lamictal
A Tab diamentible OF man	15.00	56		Arrow-Lamotrigine
▲ Tab dispersible 25 mg		56		Motrig
	19.38			Logem
	20.40			Arrow-Lamotrigine Lamictal
A Tab dianaraible 50 mg	29.09	E6		Motrig
▲ Tab dispersible 50 mg		56		•
	32.97			Logem
	34.70			Arrow-Lamotrigine
A Tab diamentilla 100 mm	47.89	F.C.		Lamictal
▲ Tab dispersible 100 mg		56		Motrig
	56.91			Logem
	59.90			Arrow-Lamotrigine
	79.16		•	Lamictal
LEVETIRACETAM				
Tab 250 mg	24.03	60	~	Everet
Tab 500 mg - For levetiracetam oral liquid formulation refer,				
page 223	28.71	60	/	Everet
Tab 750 mg		60	/	Everet
Tab 1,000 mg		60	/	Everet
PHENOBARBITONE For phonobarbitons and liquid refer Standard Formulae, page	226			
For phenobarbitone oral liquid refer Standard Formulae, page * Tab 15 mg		500		PSM
		500		PSM
* Tab 30 mg	31.00	300	•	<u> FSIVI</u>
PHENYTOIN SODIUM				
* Tab 50 mg	50.51	200	-	Dilantin Infatab
Cap 30 mg	22.00	200	~	Dilantin
Cap 100 mg	19.79	200	~	Dilantin
*‡ Oral liq 30 mg per 5 ml	22.03	500 m	/	Dilantin
PRIMIDONE				
* Tab 250 mg	17 25	100	~	Apo-Primidone
-			•	7.00 1 1
SODIUM VALPROATE				
Tab 100 mg		100		Epilim Crushable
Tab 200 mg EC		100		Epilim
Tab 500 mg EC		100		Epilim
*‡ Oral liq 200 mg per 5 ml	20.48	300 m		Epilim S/F Liquid
				Epilim Syrup
* Inj 100 mg per ml, 4 ml	41.50	1	/	Epilim IV
STIRIPENTOL - Special Authority see SA1330 on the next page	- Retail pharmacy			
Cap 250 mg		60	~	Diacomit \$29
		60		Diacomit \$29
Powder for oral liq 250 mg sachet		UU	•	DiaCOIIII 029

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

\blacksquare	Tab 25 mg11.07	60	Arrow-Topiramate
			✓ Topiramate Actavis
	26.04		✓ Topamax
\blacktriangle	Tab 50 mg18.81	60	Arrow-Topiramate
	•		✓ Topiramate Actavis
	44.26		✓ Topamax
\blacktriangle	Tab 100 mg31.99	60	✓ Arrow-Topiramate
	•		✓ Topiramate Actavis
	75.25		✓ Topamax
\blacktriangle	Tab 200 mg55.19	60	Arrow-Topiramate
	-		✓ Topiramate Actavis
	129.85		✓ Topamax
\blacktriangle	Sprinkle cap 15 mg20.84	60	✓ Topamax
\blacktriangle	Sprinkle cap 25 mg26.04	60	✓ Topamax
VIG	ABATRIN - Special Authority see SA1072 below - Retail pharmacy		
\blacktriangle	Tab 500 mg	100	✓ Sabril

⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Fither:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Fither:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and
- 2 Either:
 - 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6monthly basis thereafter); or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

Notes: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
 - 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 120

.31.00	100	✓ Cafergot
		✓ Cafergot S29 S29
3.24	12	✓ Rizamelt
8.10	30	✓ Rizamelt
.29.80	100	✓ Arrow-Sumatriptan
.54.80	100	Arrow-Sumatriptan
10.00	0.00	4
.13.80	2 OP	✓ Arrow-Sumatriptan
10.67	2 OB	✓ Clustran
.42.07	2 UP	✓ Sun Pharma \$29
uly 2017)		▼ Juli Filalilla 323
page 58		
pago		
.23.21	100	✓ Sandomigran
		<u></u>
il nharmacv		
	3.24 8.10 3.24 8.10 29.80 .54.80 13.80 42.67 	3.24 12 8.10 30 .29.80 100 .54.80 100 .13.80 2 OP .42.67 2 OP .uly 2017) .page 58 .23.21 100

3 OP

✓ Emend Tri-Pack

Cap 2×80 mg and 1×125 mg

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	~	Manufacturer

⇒SA0987 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

Renewal from any relevant practitioner. Approvals valid for 12 months where the patient is undergoing highly emetogenic chemotherapy and/or anthracycline-based chemotherapy for the treatment of malignancy.

BETAHISTINE DIHYDROCHLORIDE * Tab 16 mg	84	✓ <u>Vergo 16</u>
CYCLIZINE HYDROCHLORIDE Tab 50 mg	20	✓ Nauzene
CYCLIZINE LACTATE Inj 50 mg per ml, 1 ml14.95	5	✓ Nausicalm
DOMPERIDONE		
* Tab 10 mg - For domperidone oral liquid formulation refer,		
page 223	100	✓ Prokinex
GRANISETRON		
* Tab 1 mg	50	✓ Granirex
HYOSCINE HYDROBROMIDE		
* Inj 400 mcg per ml, 1 ml ampoule46.50	5	✓ Hospira
93.00	10	✓ Martindale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retail		
pharmacy11.95	2	✓ Scopoderm TTS

■SA1387 | Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Control of intractable nausea, vomiting, or inability to swallow saliva in the treatment of malignancy or chronic disease where the patient cannot tolerate or does not adequately respond to oral anti-nausea agents; or
- 2 Control of clozapine-induced hypersalivation where trials of at least two other alternative treatments have proven ineffective.

Renewal from any relevant practitioner. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

METOCLOPRAMIDE HYDROCHLORIDE

*	Tab 10 mg — For metoclopramide hydrochloride oral liquid	100	✓ Metamide
	formulation refer, page 2231.82	100	<u>Metamide</u>
*	Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSO4.50	10	✓ <u>Pfizer</u>
ON	DANSETRON		
*	Tab 4 mg5.51	50	Onrex
*	Tab disp 4 mg1.00	10	✓ Dr Reddy's
			Ondansetron
*	Tab 8 mg6.19	50	✓ Onrex
*	Tab disp 8 mg1.50	10	Ondansetron
			ODT-DRLA
PR	OCHLORPERAZINE		
*	Tab 3 mg buccal	50	
	(15.00))	Buccastem
*	Tab 5 mg - Up to 30 tab available on a PSO9.75	500	✓ Antinaus
*	Inj 12.5 mg per ml, 1 ml – Up to 5 inj available on a PSO25.81	10	✓ Stemetil
•••	,	10	

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	
PROMETHAZINE THEOCLATE					
* Tab 25 mg	1.20	10			
·	(6.24)		A	vomine	
Autinovahation					

Antipsychotics

General

AMISULPRIDE – Safety medicine; prescriber may determine dispensin	g frequency		
Tab 100 mg – Brand switch fee payable (Pharmacode 2514192) - see page 220 for details	4.56	30	✓ <u>Sulprix</u>
Tab 200 mg - Brand switch fee payable (Pharmacode 2514192) - see page 220 for details	14.75	60	✓ <u>Sulprix</u>
Tab 400 mg – Brand switch fee payable (Pharmacode 2514192) - see page 220 for details	27.70	60	✓ <u>Sulprix</u>
Oral liq 100 mg per ml	65.53	60 ml	✓ <u>Solian</u>
ARIPIPRAZOLE – Special Authority see SA1539 below – Retail pharm: Safety medicine; prescriber may determine dispensing frequency	acy		
Tab 5 mg - No more than 1 tab per day1	23.54	30	✓ Abilify
Tab 10 mg1	23.54	30	✓ Abilify
Tab 15 mg1	75.28	30	✓ Abilify
Tab 20 mg2	213.42	30	✓ Abilify
Tab 30 mg2	260.07	30	✓ Abilify

⇒SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

1 Doti

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

	Subsidy		Fully Brand or
	(Manufacturer's P \$	rice) Sul Per	bsidised Generic Manufacturer
	*		
CHLORPROMAZINE HYDROCHLORIDE – Safety medicine; pre	•		•
Tab 10 mg – Up to 30 tab available on a PSO		100	✓ Largactil
Tab 25 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Tab 100 mg - Up to 30 tab available on a PSO		100	✓ Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	25.66	10	Largactil
CLOZAPINE - Hospital pharmacy [HP4]			
Safety medicine; prescriber may determine dispensing frequency	ency		
Tab 25 mg	5.69	50	Clozaril
	6.69		Clopine
	11.36	100	✓ Clozaril
	13.37		Clopine
Tab 50 mg	8.67	50	✓ Clopine
·	17.33	100	✓ Clopine
Tab 100 mg	14.73	50	✓ Clozaril
V	17.33		✓ Clopine
	29.45	100	✔ Clozaril
	34.65		✓ Clopine
Tab 200 mg	34.65	50	✓ Clopine
	69.30	100	✓ Clopine
Suspension 50 mg per ml		100 ml	✓ Clopine
		•••	
HALOPERIDOL – Safety medicine; prescriber may determine dis		•	. / Caranasa
Tab 500 mcg — Up to 30 tab available on a PSO		100	Serenace
Tab 1.5 mg — Up to 30 tab available on a PSO		100	Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100	Serenace
Oral liq 2 mg per ml — Up to 200 ml available on a PSO		100 ml	Serenace
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS		10	✓ Serenace
LEVOMEPROMAZINE HYDROCHLORIDE - Safety medicine; p	rescriber may det	ermine dispe	nsing frequency
Inj 25 mg per ml, 1 ml ampoule	47.89	10	✓ Wockhardt
LEVOMEPROMAZINE MALEATE - Safety medicine; prescriber	mav determine di	spensing fred	iuencv
Tab 25 mg	•	100	✓ Nozinan
Tab 100 mg		100	✓ Nozinan
-			·
LITHIUM CARBONATE – Safety medicine; prescriber may determ			. / Likhinash FO
Tab 250 mg		500	Lithicarb FC
Tab 400 mg		100	Lithicarb FC
Tab long-acting 400 mg		100	✓ Priadel
Cap 250 mg		100	✓ Douglas
OLANZAPINE - Safety medicine; prescriber may determine disp	ensing frequency	,	
Tab 2.5 mg	0.75	28	Zypine
Tab 5 mg	1.65	28	Zypine
Tab orodispersible 5 mg	1.75	28	Zypine ODT
Tab 10 mg	2.55	28	Zypine
Tab orodispersible 10 mg	3.05	28	Zypine ODT
PERICYAZINE - Safety medicine; prescriber may determine disp	pensing frequency	/	
Tab 2.5 mg		100	✓ Neulactil
Tab 10 mg		100	✓ Neulactil
· • · · · · · · · · · · · · · · · ·		. 50	

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	
QUETIAPINE – Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 25 mg	2.10	90	V (Quetapel
Tab 100 mg	4.20	90	V	Quetapel
Tab 200 mg	7.20	90	/ <u>(</u>	Quetapel
Tab 300 mg	12.00	90	V <u>C</u>	Quetapel
RISPERIDONE – Safety medicine; prescriber may determine disp Tab orodispersible 0.5 mg – Special Authority see SA0927	pensing frequency			
below – Retail pharmacy	21.42	28	✓ F	Risperdal Quicklet
Tab 0.5 mg		60		Actavis
Tab 1 mg		60	V	Actavis
Tab orodispersible 1 mg - Special Authority see SA0927				
below - Retail pharmacy	42.84	28	✓ F	Risperdal Quicklet
Tab 2 mg	2.34	60	V <u>F</u>	Actavis
Tab orodispersible 2 mg - Special Authority see SA0927				
below - Retail pharmacy		28	✓ F	Risperdal Quicklet
Tab 3 mg	2.55	60	V <u>I</u>	<u>Actavis</u>
Tab 4 mg	3.50	60	V <u>F</u>	<u>Actavis</u>
Oral liq 1 mg per ml	9.75	30 ml	✓ <u>F</u>	Risperon .
(Risperdal Quicklet Tab orodispersible 0.5 mg to be delisted 1 Jun	,			
(Risperdal Quicklet Tab orodispersible 1 mg to be delisted 1 June	2017)			

■SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

(Risperdal Quicklet Tab orodispersible 2 mg to be delisted 1 June 2017)

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

NERVOUS SYSTEM				
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
TRIFLUOPERAZINE HYDROCHLORIDE – Subsidy by endorseme a) Safety medicine; prescriber may determine dispensing frequ b) Subsidised for patients who were taking trifluoperazine hyd dorsed accordingly. Pharmacists may annotate the prescriptior trifluoperazine hydrochloride.	ency drochloride prior to			
Tab 1 mg	9.83	100	~	Stelazine
g	11.01	112		Mercury
			•	Pharma S29
	19.75	100	./	
	19.75	100	•	Apo-
				Trifluoperazine S29
Tab 2 mg	14.64	100	./	Stelazine
Tab 5 mg		100		Stelazine Stelazine
1ab 5 mg	26.23	100		
	20.23		•	Apo-
				Trifluoperazine §29
(Stelazine Tab 1 mg to be delisted 1 July 2017)				
(Mercury Pharma S29 Tab 1 mg to be delisted 1 July 2017)				
(Apo-Trifluoperazine \$29 Tab 1 mg to be delisted 1 December 201 (Stelazine Tab 2 mg to be delisted 1 July 2017) (Stelazine Tab 5 mg to be delisted 1 July 2017)	17)			
(Apo-Trifluoperazine \$29 Tab 5 mg to be delisted 1 December 201	17)			
ZIPRASIDONE – Safety medicine; prescriber may determine dispe	ensing frequency	60	~	Zusdone
Cap 40 mg		60		Zusdone
Cap 60 mg		60		Zusdone
Cap 80 mg		60		Zusdone
ZUCLOPENTHIXOL HYDROCHLORIDE - Safety medicine; presc	riber may determine	e disp	ensing free	quency
Tab 10 mg	31.45	100	~	Clopixol
Depot Injections				
FLUPENTHIXOL DECANOATE - Safety medicine; prescriber may		•		
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		Fluanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO		5	-	Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	40.87	5	•	Fluanxol
FLUPHENAZINE DECANOATE – Subsidy by endorsement a) Safety medicine; prescriber may determine dispensing frequ b) Subsidised for patients who were taking fluphenazine decar endorsed accordingly. Pharmacists may annotate the prescript of fluphenazine decanoate.	noate prior to 1 Dec			
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PSO	17 60	5	V	Modecate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	-	Modecate
ing 20 mg por mil, i mil op to 5 mg available on a 1.30		J	-	Modecate S29 S29
Ini 05 ma normi. 0 ml Un to 5 ini qualichia co a 200	77.05	E		
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5 5		Modecate S29 S29 Modecate

	Subsidy (Manufacturer's Price) \$	Su Per	Fully bsidised	Brand or Generic Manufacturer
HALOPERIDOL DECANOATE – Safety medicine; prescriber ma	y determine dispensin	g freque	ncy	
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO	28.39	5	✓ H	aldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	✓ H	aldol Concentrate aldol Decanoas 829
OLANZAPINE - Special Authority see SA1428 below - Retail ph	•			
Safety medicine; prescriber may determine dispensing frequency	,	1	./ 7	yprexa Relprevv
Inj 210 mg vial Inj 300 mg vial		1		yprexa Relprevv
Inj 405 mg vial		1		yprexa Relprevv

■SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 below - Retail pharmacy

Safety medicine; pre	escriber may determine dispensing frequency		
Inj 25 mg syringe	194.25	1	Invega Sustenna
Inj 50 mg syringe	271.95	1	Invega Sustenna
Inj 75 mg syringe	357.42	1	Invega Sustenna
Inj 100 mg syringe	435.12	1	Invega Sustenna
Inj 150 mg syringe	435.12	1	✓ Invega Sustenna

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

147

NERVOUS SYSTEM

(Manufacturer's Price)	Subsidis		
`	Per	✓ Manufactur	rer

0 1 . 1

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing

of pipothiazine palmitate.			
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a	a PSO178.48	10	✓ Piportil
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a	a PSO353.32	10	✓ Piportil
SPERIDONE – Special Authority see SA1427 belo Safety medicine; prescriber may determine dispe	. ,		
Inj 25 mg vial	0 1 ,	1	Risperdal Consta
Inj 37.5 mg vial	178.71	1	Risperdal Consta
Inj 50 mg vial	217.56	1	✓ Risperdal Consta

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:

RIS

- 2.1 The patient has schizophrenia or other psychotic disorder; and
- 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
- 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE - Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml - Up to 5 inj available on a PSO19.80 ✔ Clopixol

Anxiolytics

Tal- 000 ----

ALPRAZOLAM - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking alprazolam prior to 1 December 2016 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of alprazolam.

1ab 250 mcg	2.50	50	✓ Xanax
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		
Tab 500 mcg	3.25	50	Xanax
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		
Tab 1 mg	5.00	50	Xanax
‡ Safety cap for extemporaneously compounded oral	liquid preparations.		
BUSPIRONE HYDROCHLORIDE			
* Tab 5 mg	23.80	100	Orion
* Tab 10 mg	14.96	100	✓ Orion
CLONAZEPAM - Safety medicine; prescriber may determin	e dispensing frequency	1	
Tab 500 mcg	7.53	100	Paxam
Tab 2 mg	14.37	100	Paxam

-0

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
DIAZEPAM – Safety medicine; prescriber may determine dispensi	ng frequency			
Tab 2 mg	11.44	500	✓ Aı	rrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid				
Tab 5 mg		500	✓ Aı	rrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid				
LORAZEPAM – Safety medicine; prescriber may determine disper	. ,			
Tab 1 mg		250	✓ At	<u>tivan</u>
‡ Safety cap for extemporaneously compounded oral liquid		400		
Tab 2.5 mg		100	✓ <u>At</u>	<u>tivan</u>
‡ Safety cap for extemporaneously compounded oral liquid				
OXAZEPAM – Safety medicine; prescriber may determine dispens	. ,			_
Tab 10 mg		100	✓ 0:	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid				
Tab 15 mg		100	✓ 0:	x-Pam
‡ Safety cap for extemporaneously compounded oral liquid	preparations.			

Multiple Sclerosis Treatments

DIMETHYL FUMARATE - Special Authority see SA155	9 below – Retail pharmacy		
Wastage claimable - see rule 3.3.2 on page 13			
Cap 120 mg	520.00	14	Tecfidera
Cap 240 mg	2.000.00	56	✓ Tecfidera

⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s):
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse:
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to dimethyl fumarate: or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 0.5 mg2,650.00 ✓ Gilenva

⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator

Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254

Wellington

Email: mstaccoordinator@pharmac.govt.nz

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to fingolimod; and
- g) patients must have not previously had intolerance to fingolimod; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - a) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to fingolimod; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.



Subsidy (Manufacturer's Price) Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990

Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised

Brand or Generic Manufacturer

continued...

i)

- g) patients must have no previous history of lack of response to natalizumab; and
- h) patients must have not previously had intolerance to natalizumab; and
 - a) Patient is JC virus negative, or
 - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- i) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5: or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5: or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to natalizumab; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13

28 ' Aubagio

⇒SA1560 | Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator Phone: 04 460 4990 Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:

Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to teriflunomide; and
- g) patients must have not previously had intolerance to teriflunomide; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to teriflunomide; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.



Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Other Multiple Sclerosis Treatments

■SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC), Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below). Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

Phone: 04 460 4990 The coordinator Multiple Sclerosis Treatment Assessment Committee Facsimile: 04 916 7571

PHARMAC PO Box 10 254 Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria):
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s) tom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least
 - f) be distinguishable from the effects of general fatigue; and
 - a) not be associated with a fever (T>37.5°C); and
- e) applications must be made by the patient's neurologist; and
- patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- g) patients must have either:

continued...

155

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

- a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- h) patient will not be co-prescribed natalizumab or fingolimod.

Stopping Criteria

Any of the following:

- a) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or a) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- b) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- c) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- d) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564	on the previous page – [Xpharm]	
Inj 20 mg prefilled syringe	1,089.25	28	Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA	11564 on the previous pa	ge – [Xphar	m]
Inj 6 million iu prefilled syringe		4	Avonex
Injection 6 million iu per 0.5 ml pen injector	1,170.00	4	Avonex Pen
Inj 6 million iu per vial		4	✓ Avonex
INTERFERON BETA-1-BETA - Special Authority see SA1	564 on the previous pag	e – [Xpharm]
Inj 8 million iu per 1 ml	1,322.89	15	Betaferon

Sedatives and Hypnotics

LORMETAZEPAM - Safety medicine; prescriber may de	etermine dispensing frequen	су	
Tab 1 mg	3.11	30	
•	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded	oral liquid preparations.		

			NE	HVOUS SYSTEM
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
MIDAZOLAM – Safety medicine; prescriber may determine disp				
Inj 1 mg per ml, 5 ml ampoule	4.30	10		Hypnovel
	10.00		-	Midazolam-Claris
Inj 5 mg per ml, 3 ml ampoule	10.00	5	-	Pfizer Hypnovel
IIIJ 5 IIIg pei IIII, 5 IIII ampoule	2.50	5		Midazolam-Claris
	11.90			Pfizer
(Hypnovel Inj 1 mg per ml, 5 ml ampoule to be delisted 1 August (Hypnovel Inj 5 mg per ml, 3 ml ampoule to be delisted 1 July 20	,			
NITRAZEPAM - Safety medicine; prescriber may determine disp	pensing frequency			
Tab 5 mg		100	~	<u>Nitrados</u>
‡ Safety cap for extemporaneously compounded oral liqu				
PHENOBARBITONE SODIUM - Special Authority see SA1386	below – Retail pharma	асу		
Inj 200 mg per ml, 1 ml ampoule	46.20	10	~	Martindale S29
Both: 1 For the treatment of terminal agitation that is unrespons 2 The applicant is part of a multidisciplinary team working		d		
2 The applicant is part of a multidisciplinary team working	in palliative care.			
TEMAZEPAM – Safety medicine; prescriber may determine disp		0.5		N!
Tab 10 mg‡ Safety cap for extemporaneously compounded oral liqu		25	•	<u>Normison</u>
FRIAZOLAM – Safety medicine; prescriber may determine dispe				
Tab 125 mcg	. ,	100		
Tab 123 mg	(9.85)	100		Hypam
‡ Safety cap for extemporaneously compounded oral liqu				
Tab 250 mcg	4.10	100		
	(11.20)			Hypam
‡ Safety cap for extemporaneously compounded oral liqu				
ZOPICLONE – Safety medicine; prescriber may determine dispersion				
Tab 7.5 mg	8.99	500	<i>\(\begin{array}{c} \begin{array}{c} \end{array}</i>	Zopiclone Actavis
Stimulants/ADHD Treatments				
TOMOXETINE - Special Authority see SA1416 on the next page	ge – Retail pharmacy			
Cap 10 mg		28	~	Strattera
Cap 18 mg	107.03	28		Strattera
Cap 25 mg		28		Strattera
Cap 40 mg		28		Strattera
Cap 60 mg		28	-	Strattera

Cap 80 mg139.11

Cap 100 mg139.11

28

28

✓ Strattera

✓ Strattera

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing: and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

100

✓ PSM

⇒SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsid	dised	Generic	
\$	Per	~	Manufacturer	

continued...

- 2 Fither:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency 30 Rubifen 30
- ✓ Ritalin Rubifen Tab immediate-release 20 mg7.85 ✔ Rubifen 30 30 Rubifen SR ✓ Ritalin SR 100 50.00

⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

159

NERVOUS SYSTEM

Subsidy		Fully	Brand or	
(Manufacturer's Price	e) :	Subsidised	Generic	
\$	Per	/	Manufacturer	

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine: prescriber may determine dispensing frequency

by carety medianie, precented may determine dispersion	giloquolioj		
Tab extended-release 18 mg	58.96	30	Concerta
Tab extended-release 27 mg	65.44	30	Concerta
Tab extended-release 36 mg		30	Concerta
Tab extended-release 54 mg	86.24	30	Concerta
Cap modified-release 10 mg		30	Ritalin LA
Cap modified-release 20 mg		30	Ritalin LA
Cap modified-release 30 mg		30	Ritalin LA
Cap modified-release 40 mg		30	Ritalin LA

▶SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Fither:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL - Special Authority see SA1126 below - Retail pharmac	у		
Tab 100 mg	72.50	30	Modavigi

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

Subsidy	Fu	lly Brand or	
(Manufacturer's Price)	Subsidis	ed Generic	
\$	Per	Manufacturer	

continued...

- 3 Fither:
 - 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
 - 3.2 Methylphenidate and dexamfetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE			
* Tab 5 mg	5.48	90	✓ Donepezil-Rex
* Tab 10 mg	10.51	90	✓ Donepezil-Rex
RIVASTIGMINE - Special Authority see SA1488 below -	Retail pharmacy		
Patch 4.6 mg per 24 hour	90.00	30	Exelon
Patch 9.5 mg per 24 hour	90.00	30	✓ Exelon

⇒SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine: prescriber may determine dispensing frequency

		Tillic disperising frequency	b) daicty medicine, presember may determine t
Suboxone	28	g57.40	Tab sublingual 2 mg with naloxone 0.5 mg
Suboxone	28	166.00	Tab sublingual 8 mg with naloxone 2 mg

⇒SA1203 | Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone: and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

NERVOUS SYSTEM

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone):
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE Tab modified-release 150 mg	11.00	30	✓ Zyban
DISULFIRAM Tab 200 mg	44.30	100	✓ Antabuse
NALTREXONE HYDROCHLORIDE - Special Authority see	e SA1408 below – Retai	l pharmacy	
Tab 50 mg	131.00	30	✓ Naltraccord

■ SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

(Ma	Subsidy nufacturer's Price)	Fully Subsidised	
	\$	Per 🗸	Manufacturer

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Thousand wan not be fariable ander the Biopenioning i requestoy i	talo ili allibalito i	JOO LIIGII I W	conc or a caumoni
Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	✓ <u>Habitrol</u>
Patch 14 mg - Up to 28 patch available on a PSO	11.31	28	✓ <u>Habitrol</u>
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	✓ <u>Habitrol</u>
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	✓ Habitrol
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	✓ Habitrol
Gum 2 mg (Classic) - Up to 384 piece available on a PSO	22.26	384	✓ Habitrol
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	✓ Habitrol
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	✓ Habitrol
Gum 4 mg (Classic) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	✓ Habitrol
1" 10 0 10 10 10 10 10 10 10 10 10 10 10 1			

(Habitrol Gum 2 mg (Classic) to be delisted 1 March 2017)

(Habitrol Gum 4 mg (Classic) to be delisted 1 March 2017)

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

- a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.
- b) A maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval, including the starter pack

✓ Champix	28	Tab 1 mg67.74
Champix	56	135.48
Champix	25 OP	Tab 0.5 mg \times 11 and 1 mg \times 14

■ SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 Either:
 - 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
 - 3.2 The patient has tried but failed to guit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and

continued...

163

NERVOUS SYSTEM

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

Chemotherapeutic Agents

Alkylating Agents

BUSULFAN – PCT – Retail pharmacy-Specialist Tab 2 mg	89.25	100	✓ Myleran
CARBOPLATIN - PCT only - Specialist			•
Inj 10 mg per ml, 5 ml vial	15.07	1	✓ DBL Carboplatin
, ,	20.00		✓ Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	DBL Carboplatin
	19.50		✓ Carbaccord
	22.50		Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial	32.59	1	DBL Carboplatin
	48.50		Carbaccord
	50.00		Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	✓ Baxter
CARMUSTINE - PCT only - Specialist			
Inj 100 mg vial	532.00	1	✓ BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	✓ Baxter
CHLORAMBUCIL - PCT - Retail pharmacy-Specialist			
Tab 2 mg	29.06	25	✓ Leukeran FC
CISPLATIN - PCT only - Specialist			
Inj 1 mg per ml, 50 ml vial	12.20	1	✓ DBL Cisplatin
iiij i iiig pei iiii, 50 iiii viai	15.00	'	✓ Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	✓ Cisplatin Ebewe
ing i mg por mi, roo mi viai	22.46	•	✓ DBL Cisplatin
Inj 1 mg for ECP		1 mg	✓ Baxter
CYCLOPHOSPHAMIDE		3	
	70.00	FO	✓ Endoxan S29
Tab 50 mg - PCT - Retail pharmacy-Specialist		50	
Western deimakle and mile 0.000 an man 10	158.00	100	✓ Procytox S29
Wastage claimable – see rule 3.3.2 on page 13	25.02	1	✓ Endoxan
Inj 1 g vial – PCT – Retail pharmacy-Specialist	127.80	6	✓ Cytoxan
Inj 2 g vial - PCT only - Specialist		1	✓ Endoxan
Inj 1 mg for ECP - PCT only - Specialist		1 mg	✓ Baxter
, , ,		11119	₽ Buxter
IFOSFAMIDE – PCT only – Specialist	00.00	4	. 🗸 11-1
Inj 1 g		1	✓ Holoxan
Inj 2 gInj 1 mg for ECP		1 mg	✓ Holoxan✓ Baxter
, ,	0.10	ring	Daxiei
LOMUSTINE - PCT - Retail pharmacy-Specialist			4.4
Cap 10 mg		20	CeeNU
Cap 40 mg	399.15	20	✓ CeeNU
MELPHALAN			
Tab 2 mg - PCT - Retail pharmacy-Specialist		25	✓ Alkeran
Inj 50 mg - PCT only - Specialist	67.80	1	✓ Alkeran
	3,068.83		Mylan
			Melphalan S29

	Subsidy (Manufacturer's Price \$	e) S Per	Fully Subsidised	
OXALIPLATIN - PCT only - Specialist	·			
Inj 5 mg per ml, 10 ml vial	13.32	1	~	Oxaliccord
Inj 50 mg vial	15 32	1	• .	Oxaliplatin Actavis
iiij 30 iiig vidi	10.02	'		50
	55.00		V	Oxaliplatin Ebewe
	200.00		1	Eloxatin
Inj 100 mg vial	25.01	1	V	Oxaliplatin Actavis
, ,				100
	110.00		~	Oxaliplatin Ebewe
	400.00		1	Eloxatin
Inj 5 mg per ml, 20 ml vial	16.00	1	V (Oxaliccord
Inj 1 mg for ECP		1 mg	1	Baxter
(Eloxatin Inj 50 mg vial to be delisted 1 April 2017)		ŭ		
(Eloxatin Inj 100 mg vial to be delisted 1 April 2017)				
THIOTEPA - PCT only - Specialist				
Inj 15 mg vial	CBS	1	1	Bedford S29
iiij 13 iiig viai		'		
			٠.	THIO-TEPA S29
			/	Tepadina S29
Inj 100 mg vial	CBS	1	V.	Tepadina S29

Antimetabolites

AZACITIDINE - PCT only - Specialist - Special Authority see SA1467	below	
Inj 100 mg vial60	05.00 1 🗸 Vidaza	ı
Inj 1 mg for ECP	.6.66 1 mg	ŕ

⇒SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome: or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder);
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

	Subsidy (Manufacturer's Pr \$	rice) Sub Per	Fully Brand or sidised Generic Manufacturer
CALCIUM FOLINATE			
Tab 15 mg - PCT - Retail pharmacy-Specialist	104.26	10	✓ DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml - PCT - Retail pharmacy-Specialist	17.10	5	✓ Hospira
Inj 50 mg - PCT - Retail pharmacy-Specialist		5	✓ Calcium Folinate Ebewe
Inj 100 mg - PCT only - Specialist	7.33	1	✓ Calcium Folinate Ebewe
Inj 300 mg - PCT only - Specialist	22.51	1	✓ Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	✓ Calcium Folinate Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.06	1 mg	✓ Baxter
APECITABINE - Retail pharmacy-Specialist			
Tab 150 mg	11.15	60	✔ Brinov✔ CapecitabineWinthrop
Brinov to be Sole Supply on 1 April 2017			
Tab 500 mg	62.28	120	✓ Brinov✓ Capecitabine✓ Winthrop
Brinov to be Sole Supply on 1 April 2017 Capecitabine Winthrop Tab 150 mg to be delisted 1 April 2017) Capecitabine Winthrop Tab 500 mg to be delisted 1 April 2017)			
LADRIBINE - PCT only - Specialist			
Inj 1 mg per ml, 10 ml	5,249.72	7	Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	✓ Baxter
YTARABINE			
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis	st55.00	5	✔ Pfizer
	80.00		Hospira
Inj 500 mg - PCT - Retail pharmacy-Specialist		1	✓ Pfizer
	95.36	5	✓ Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-			4
Specialist		1	✓ Pfizer
	42.65		✓ Hospira
Inj 100 mg per ml, 20 ml vial – PCT – Retail pharmacy-			. / D#=
Specialist		1	✓ Pfizer
Init was few FOR DOT and a Consciolist	34.47	10	✓ Hospira
Inj 1 mg for ECP — PCT only — Specialist Inj 100 mg intrathecal syringe for ECP — PCT only – Specialis		10 mg 100 mg OP	✓ Baxter✓ Baxter
LUDARABINE PHOSPHATE			
Tab 10 mg - PCT - Retail pharmacy-Specialist	412.00	20	✓ Fludara Oral
Inj 50 mg vial - PCT only - Specialist	525.00	5	✓ Fludarabine Ebew
	1,430.00		✓ Fludara
Inj 50 mg for ECP - PCT only - Specialist	105.00	50 mg OP	✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's F		Subsidised	
	\$	Per	~	Manufacturer
FLUOROURACIL				
Inj 50 mg per ml, 20 ml vial – PCT only – Specialist	10.00			Fluorouracil Ebewe
		1		
Inj 50 mg per ml, 50 ml vial — PCT only — Specialist	17.00	1		Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial - PCT only - Specialist	30.00	1		Fluorouracil Ebewe
Inj 1 mg for ECP - PCT only - Specialist	0.66	100 mg	•	Baxter
GEMCITABINE HYDROCHLORIDE - PCT only - Specialist				
Inj 1 g	15.89	1	1	Gemcitabine Ebewe
, 0	62.50		/	DBL Gemcitabine
	349.20		1	Gemzar
Inj 200 mg		1	1	Gemcitabine Ebewe
" j 200 mg	78.00	•		Gemzar
Inj 1 mg for ECP		1 mg		Baxter
	0.02	i ilig		Daxioi
IRINOTECAN HYDROCHLORIDE - PCT only - Specialist				
Inj 20 mg per ml, 2 ml vial	11.50	1	/	rinotecan Actavis
				40
	41.00		~	Camptosar
				rinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	1	rinotecan Actavis
, = 0 9 por, 0 100.		•	•	100
	100.00		./	Camptosar
	100.00			rinotecan-Rex
Ini 1 may few FOR	0.40	4		
Inj 1 mg for ECP	0.19	1 mg	•	Baxter
MERCAPTOPURINE - PCT - Retail pharmacy-Specialist				
Tab 50 mg	49.41	25	/	Puri-nethol
METHOTREXATE				
* Tab 2.5 mg - PCT - Retail pharmacy-Specialist	2.10	30		Trexate
		50	-	Trexate
* Tab 10 mg - PCT - Retail pharmacy-Specialist	21.00		-	
* Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Special		5		Hospira
* Inj 7.5 mg prefilled syringe	14.61	1	•	Methotrexate
				Sandoz
* Inj 10 mg prefilled syringe	14.66	1	/	Methotrexate
				Sandoz
* Inj 15 mg prefilled syringe	14.77	1	/	Methotrexate
				Sandoz
* Inj 20 mg prefilled syringe	14.88	1	~	Methotrexate
, g p		•		Sandoz
* Inj 25 mg prefilled syringe	1/ 00	1	•	Methotrexate
* IIIJ 23 IIIg preilileu syriilige	14.33	1		Sandoz
ate. Let 00 are a see filled a seite see	45.00			
* Inj 30 mg prefilled syringe	15.09	1	•	Methotrexate
				Sandoz
* Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Spec	alist30.00	5	/	DBL Methotrexate
				Onco-Vial
* Inj 25 mg per ml, 20 ml vial - PCT - Retail pharma	cy-			
Specialist	45.00	1	/	DBL Methotrexate
·			-	Onco-Vial
* Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Spec	alist25.00	1	/	Methotrexate Ebewe
* Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Speci		1		Methotrexate Ebewe
* Inj 1 mg for ECP - PCT only - Specialist		1 mg		Baxter
* Inj 5 mg intrathecal syringe for ECP - PCT only - Special		5 mg OP		Baxter
, 5 mg maanood opinigo for Lot 1 of only Opoole		July Of	•	

(1	Subsidy Manufacturer's Price) \$	Per	Ful Subsidise	,
THIOGUANINE - PCT - Retail pharmacy-Specialist Tab 40 mg	126.31	25	~	Lanvis
Other Cytotoxic Agents				
AMSACRINE - PCT only - Specialist				
Inj 50 mg per ml, 1.5 ml ampoule	.1,500.00	6	~	Amsidine S29
Inj 75 mg	.1,250.00	5	~	AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharmacy-Spec				
Cap 0.5 mg	CBS	100	~	Agrylin S29
			~	Teva S29
ARSENIC TRIOXIDE - PCT only - Specialist				
Inj 10 mg	.4,817.00	10	~	AFT S29
BLEOMYCIN SULPHATE - PCT only - Specialist				
Inj 15,000 iu, vial	150.48	1	~	DBL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64 1	,000 ii	. 🗸	Baxter
BORTEZOMIB - PCT only - Specialist - Special Authority see SA	1576 below			
Inj 3.5 mg vial		1	~	Velcade
Inj 1 mg for ECP	594.77	1 mg	~	Baxter

⇒SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *: and
- 2 Maximum of 9 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

Both:

- DOIII.
 - 1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and
 - 2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

a) a known therapeutic chemotherapy regimen and supportive treatments; or

b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] – PCT only – Specialist Inj 10,000 iu		1 10,000 iu OP	✓ Leunase ✓ Baxter
DACARBAZINE - PCT only - Specialist			
Inj 200 mg vial	58.06	1	DBL Dacarbazine
Inj 200 mg for ECP	58.06	200 mg OP	✓ Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
Inj 0.5 mg vial	145.00	1	✓ Cosmegen
Inj 0.5 mg for ECP	145.00	0.5 mg OP	✓ Baxter
DAUNORUBICIN - PCT only - Specialist			
Inj 2 mg per ml, 10 ml	118.72	1	✓ Pfizer
Inj 20 mg for ECP		20 mg OP	✓ Baxter
, -			
DOCETAXEL – PCT only – Specialist Inj 20 mg	12.70	1	✓ DBL Docetaxel
IIIJ 20 IIIg	48.75	ı ı	✓ Docetaxel Sandoz
Inj 20 mg per ml, 1 ml		1	✓ Taxotere
Inj 20 mg per ml, 4 ml		1	✓ Taxotere
Inj 80 mg		1	✓ DBL Docetaxel
iii oo iiig	195.00	•	✓ Docetaxel Sandoz
Inj 1 mg for ECP		1 mg	✓ Baxter
(Taxotere Inj 20 mg per ml, 1 ml to be delisted 1 April 2017) (Taxotere Inj 20 mg per ml, 4 ml to be delisted 1 April 2017)		·····g	- Dunio
DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist			
Inj 2 mg per ml, 5 ml vial	10.00	1	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial	11.50	1	Doxorubicin Ebewe
	17.00		Arrow-Doxorubicin
Inj 50 mg vial	40.00	1	DBL Doxorubicin
			DBL Doxorubicin
			S29 S29
Inj 2 mg per ml, 50 ml vial	23.00	1	✔ Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial	46.00	1	Doxorubicin Ebewe
	65.00		Arrow-Doxorubicin
	150.00		✓ Adriamycin
Inj 1 mg for ECP	0.25	1 mg	✓ Baxter

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	\$	Per	V	Manufacturer
PIRUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	25.00	1	✓ E	pirubicin Ebewe
Inj 2 mg per ml, 25 ml vial	30.00	1	✓ E	pirubicin Ebewe
	39.38		~ [BL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 50 ml vial	32.50	1	✓ E	pirubicin Ebewe
	58.20		/ [BL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 100 ml vial	65.00	1	✓ E	pirubicin Ebewe
, -	94.50		/ [BL Epirubicin
				Hydrochloride
Inj 1 mg for ECP	0.36	1 mg	✓ E	Baxter
TOPOSIDE				
Cap 50 mg - PCT - Retail pharmacy-Specialist	340.73	20	~ \	/epesid
Cap 100 mg - PCT - Retail pharmacy-Specialist		10		/epesid
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis		1		Rex Medical
Inj 1 mg for ECP - PCT only - Specialist	0.09	1 mg	✓ E	Baxter
OPOSIDE PHOSPHATE - PCT only - Specialist				
Inj 100 mg (of etoposide base)	40.00	1	√ F	topophos
Inj 1 mg (of etoposide base) for ECP		1 mg		Baxter
		9	· -	
YDROXYUREA – PCT – Retail pharmacy-Specialist	01.76	100	./ 1	luduaa
Cap 500 mg	31./0	100	V F	lydrea
ARUBICIN HYDROCHLORIDE				
Inj 5 mg vial – PCT only – Specialist		1		Zavedos
Inj 10 mg vial – PCT only – Specialist		_1		avedos
Inj 1 mg for ECP - PCT only - Specialist	27.75	1 mg	✓ E	Baxter
NALIDOMIDE – Retail pharmacy-Specialist – Special Authority Wastage claimable – see rule 3.3.2 on page 13	see SA1468 belov	V		
Cap 10 mg	6,207.00	21	✓ F	Revlimid
Cap 25 mg	7,627.00	21	✓ F	Revlimid

■ SA1468 | Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
 - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

continued...

171

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	~	Manufacturer	

continued...

2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA

Tab 400 mg - PCT - Retail pharmacy-Specialist	273.00	50	✓ Uromitexan
Tab 600 mg - PCT - Retail pharmacy-Specialist	407.50	50	Uromitexan
Inj 100 mg per ml, 4 ml ampoule - PCT only - Specialis	t161.25	15	Uromitexan
Inj 100 mg per ml, 10 ml ampoule - PCT only - Speciali	st370.35	15	Uromitexan
Inj 1 mg for ECP - PCT only - Specialist	2.69	100 mg	✓ Baxter
MITOMYCIN C - PCT only - Specialist			
Inj 5 mg vial	204.08	1	✓ Arrow
Inj 1 mg for ECP	42.04	1 mg	✓ Baxter
MITOZANTRONE - PCT only - Specialist			
Inj 2 mg per ml, 10 ml vial	97.50	1	Mitozantrone Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
PACLITAXEL - PCT only - Specialist			
Inj 30 mg	45.00	5	Paclitaxel Ebewe
Inj 100 mg	19.02	1	Paclitaxel Ebewe
	91.67		✓ Paclitaxel Actavis
Inj 150 mg	26.69	1	✔ Paclitaxel Ebewe
, ,	137.50		✓ Anzatax
			✔ Paclitaxel Actavis
Inj 300 mg	36.53	1	✔ Paclitaxel Ebewe
,	275.00		✓ Anzatax
			✔ Paclitaxel Actavis
Inj 600 mg	73.06	1	✓ Paclitaxel Ebewe
Inj 1 mg for ECP		1 mg	✓ Baxter
PEGASPARGASE - PCT only - Special Authority see SA13	25 below		
Inj 3,750 IU per 5 ml	3,005.00	1	✓ Oncaspar S29

⇒SA1325 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following

- 1 The patient has newly diagnosed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has relapsed acute lymphoblastic leukaemia; and
- 2 Pegaspargase to be used with a contemporary intensive multi-agent chemotherapy treatment protocol; and
- 3 Treatment is with curative intent.

PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specia	alist		
Inj 10 mg	CBS	1	✓ Nipent S29

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy	/-Specialist			
Cap 50 mg	498.00	50	✓ N	atulan S29
TEMOZOLOMIDE - Special Authority see SA1616 below - Reta	il pharmacy			
Cap 5 mg		5	✓ To	emaccord
	10.20		~ 0	rion Temozolomide
Orion Temozolomide to be Sole Supply on 1 May 2017				
Cap 20 mg	18.30	5	V 0	rion
				Temozolomide
			✓ To	emaccord
Orion Temozolomide to be Sole Supply on 1 May 2017	40.00	_		
Cap 100 mg	40.20	5	~ 0	rion Temozolomide
			✓ To	emaccord
Orion Temozolomide to be Sole Supply on 1 May 2017	00.00	_		
Cap 250 mg	96.80	5	~ 0	rion Temozolomide
			✓ To	emaccord

Orion Temozolomide to be Sole Supply on 1 May 2017 (Temaccord Cap 5 mg to be delisted 1 May 2017)

(Temaccord Cap 20 mg to be delisted 1 May 2017)

(Temaccord Cap 100 mg to be delisted 1 May 2017)

(Temaccord Cap 250 mg to be delisted 1 May 2017)

■SA1616 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*: and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 Patient has glioblastoma multiforme; and
 - 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 2 All of the following:
 - 2.1 Patient has anaplastic astrocytoma*; and
 - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
 - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme.

THALIDOMIDE	- PCT only - Specialist - Special Authority see SA1124 below		
Cap 50 mg	378.00	28	✓ Thalomid
Cap 100 mg	756.00	28	Thalomid

■ SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

TDETINIOIN

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period. Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen. Indication marked with * is an Unapproved Indication.

Cap 10 mg - PCT - Retail pharmacy-Specialist	100	✓ Vesanoid
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist37.29	1	✓ Hospira
186.46	5	✓ Hospira
Inj 1 mg for ECP - PCT only - Specialist4.14	1 mg	✓ Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml vial — PCT – Retail pharmacy-Specialist74.52	5	DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial — PCT – Retail pharmacy-Specialist85.61	5	DBL Vincristine Sulfate
Inj 1 mg for ECP - PCT only - Specialist11.30	1 mg	✓ Baxter
VINORELBINE - PCT only - Specialist		
Inj 10 mg per ml, 1 ml vial8.00	1	✓ Navelbine
42.00		✓ Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial40.00	1	✓ Navelbine
210.00		✓ Vinorelbine Ebewe
Inj 1 mg for ECP	1 mg	✓ Baxter

(Manufacturer's Price)	Subsidised Per	Brand or Generic Manufacturer	

Protein-tyrosine Kinase Inhibitors

DASATINIB - Special Authority see SA0976 below -	- [Xpharm]		
Tab 20 mg	3,774.06	60	Sprycel
Tab 50 mg	6,214.20	60	✓ Sprycel
Tab 70 mg	7,692.58	60	✓ Sprycel
Tah 100 mg		30	✓ Sprycel

■ SA0976 | Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz. and prescriptions should be

The CML/GIST Co-ordinator Phone: (04) 460 4990 **PHARMAC** Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - a) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5×10^9 /L. platelets $> 100 \times 10^9$ /L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - b) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0×10^9 /L, platelets > 20×10^9 /L, 109/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - c) return to chronic phase (as characterised by BM and PB blasts < 15%. BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB – Retail pharmac	y-Specialist – Special Authority see SA1577 on t	he next page	
Tab 100 mg	764.00	30	Tarceva
Tab 150 mg	1,146.00	30	Tarceva

Subsidy (Manufacturer's Price) \$ Per

Fully Subsidised Brand or Generic Manufacturer

⇒SA1577 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Any of the following:
 - 3.1 Patient is treatment naive: or
 - 3.2 Both:
 - 3.2.1 Patient has documented disease progression following treatment with first line platinum based chemotherapy; and
 - 3.2.2 Patient has not received prior treatment with gefitinib; or
 - 3.3 Both:
 - 3.3.1 The patient has discontinued gefitinib within 12 weeks of starting treatment due to intolerance; and
 - 3.3.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1578 below

⇒SA1578 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 Either:
 - 2.1 Patient is treatment naive: or
 - 2.2 Both:
 - 2.2.1 The patient has discontinued erlotinib within 12 weeks of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 on the next page

	– [xpnarm	J	60	✔ Glivec
*	Cap 100 mg	298.90	60	✓ Imatinib-AFT
*	Cap 400 mg	597.80	30	✓ Imatinib-AFT

✓ fully subsidised

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CMI /GIST Co-ordinator Phone: (04) 460 4990

PHARMAC Facsimile: (04) 916 7571

PO Box 10 254 Email: cmlgistcoordinator@pharmac.govt.nz

Wellington

Special Authority criteria for GIST – access by application

Funded for patients:

- a) With a diagnosis (confirmed by an oncologist) of unresectable and/or metastatic malignant gastrointestinal stromal tumour (GIST).
- b) Maximum dose of 400 mg/day.
- c) Applications to be made and subsequent prescriptions can be written by an oncologist.
- d) Initial and subsequent applications are valid for one year. The re-application criterion is an adequate clinical response to the treatment with imatinib (prescriber determined).

LAPATINIB DITOSYLATE - Special Authority see SA1191 below - Retail pharmacy

70 ✓ Tykerb

⇒SA1191 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 All of the following:
 - 1.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 1.2 The patient has not previously received trastuzumab treatment for HER 2 positive metastatic breast cancer; and
 - 1.3 Lapatinib not to be given in combination with trastuzumab; and
 - 1.4 Lapatinib to be discontinued at disease progression; or
- 2 All of the following:
 - 2.1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2.2 The patient started trastuzumab for metastatic breast cancer but discontinued trastuzumab within 3 months of starting treatment due to intolerance; and
 - 2.3 The cancer did not progress whilst on trastuzumab; and
 - 2.4 Lapatinib not to be given in combination with trastuzumab; and
 - 2.5 Lapatinib to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology):
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on lapatinib; and
- 3 Lapatinib not to be given in combination with trastuzumab; and
- 4 Lapatinib to be discontinued at disease progression.

NILOTINIB - Special Authority see SA1489 on the next page - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

Cap 150 mg	4,680.00	120	Tasigna
Cap 200 mg	6,532.00	120	Tasigna

Subsidy (Manufacturer's Price) Per \$

Fully Subsidised

Brand or Generic Manufacturer

⇒SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and
- 2 Fither:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day: and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg	1,334.70	30	✓ Votrient
Tab 400 mg	2,669.40	30	✓ Votrient

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and

The patient has intermediate or poor prognosis defined as:

- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of < 70: or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 below - Retail pharmacy

Cap 12.5 mg2,315.3	8 28	Sutent
Cap 25 mg4,630.7	7 28	Sutent
Cap 50 mg9,261.5	4 28	Sutent

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
 - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of ≤ 70 ; or
 - 5.6 > 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Fither:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

continued...

179

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol. 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of > 10% and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 90

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable - see rule 3.3.2 on page 13

✓ Zvtiga Tab 250 mg4,276.19 120

⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

Subsidy	Fully	Brand or	Т
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

4 The treatment remains appropriate and the patient is ber	lenting morn treatmen	it.	
BICALUTAMIDE Tab 50 mg	4.90	28	✓ Bicalaccord
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg	55.00	100	✓ Flutamin
MEGESTROL ACETATE - Retail pharmacy-Specialist			
Tab 160 mg	54.30	30	✓ Apo-Megestrol
OCTREOTIDE			
Inj 50 mcg per ml, 1 ml vial	13.50	5	✓ <u>DBL</u>
Inj 100 mcg per ml, 1 ml vial		5	✓ <u>DBL</u>
Inj 500 mcg per ml, 1 ml vial	89.40	5	✓ <u>DBL</u>
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special Au	thority see SA1016	below – Ret	ail pharmacy
Inj LAR 10 mg prefilled syringe		1	✓ Sandostatin LAR
Inj LAR 20 mg prefilled syringe	2,358.75	1	Sandostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓ Sandostatin LAR

▶SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed: or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Subsidy (Manufacturer's Price) Per

Fully Subsidised Brand or Generic Manufacturer

continued...

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

- Any of the following:
 - 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery: or
 - 2 Both:
 - 2.1 Gastrinoma: and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or
 - 2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or
 - 3 Both:
 - 3.1 Insulinomas: and
 - 3.2 Surgery is contraindicated or has failed; or
 - 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
 - 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

8.75

100

30

100

✓ Genox

✓ Genox

✓ Genox

TAMOXIFFN CITRATE

0.76	J	100	• acrox
Aromatase Inhibitors			
ANASTROZOLE * Tab 1 mg26.55	5	30	✓ Aremed ✓ Arimidex ✓ DP-Anastrozole
EXEMESTANE	0	30	✓ <u>Pfizer Exemestane</u>
LETROZOLE * Tab 2.5 mg	5	30	✓ Letrole

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic S Per ✔ Manufacturer

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE - Retail pharmacy-Specialist		
* Tab 25 mg8.28	60	Azamun
* Tab 50 mg - For azathioprine oral liquid formulation refer,		
page 22313.22	100	Azamun
* Inj 50 mg vial60.00	1	✓ <u>Imuran</u>
MYCOPHENOLATE MOFETIL		
Tab 500 mg25.00	50	✓ Cellcept
Cap 250 mg25.00	100	✓ Cellcept
Powder for oral liq 1 g per 5 ml – Subsidy by endorsement	165 ml OP	✔ Cellcept

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Fusion Proteins

ETANERCEPT - Special Authority see SA1620 below - Retail pharmacy

Inj 25 mg799.96	4	Enbrel
Inj 50 mg autoinjector	4	Enbrel
Inj 50 mg prefilled syringe	4	Enbrel

■SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA: or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints;
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and

2.7 Either:

- 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis: or

2 All of the following:

2.1 Either:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin. or acitretin: and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroillitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

continued...

185

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm: Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis: and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pvoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

1 Both:

- 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

- 1.1 Applicant is a rheumatologist: or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

continued...

187

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

Renewal — (severe chronic plague psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist gist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment: and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Fither:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or

Subsidy		Fully	Brand or
		,	
(Manufacturer's Price)	_	Subsidised	
S	Per	~	Manufacturer

continued...

- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

Inj 50 mg per ml, 5 ml	, ,	5	✓ ATGAM	
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – Subsidised only for bladder cancer.	PCT only – Specialist			
Inj 2-8 × 100 million CFU	149.37	1	✔ OncoTICE	

Monoclonal Antibodies

ADALIMUMAB – Special	Authority see SA1621	below – Retail pharmacy
In: 40 man man 0 0 mal	fill	4 500

Inj 10 mg per 0.2 ml prefilled syringe	 .1,599.96	2	Humira
Inj 20 mg per 0.4 ml prefilled syringe	 1,599.96	2	Humira
Inj 40 mg per 0.8 ml prefilled pen	 1,599.96	2	✔ HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe	 1,599.96	2	Humira

(Humira Inj 10 mg per 0.2 ml prefilled syringe to be delisted 1 August 2017)

■SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and

Subsidy (Manufacturer's Price) \$

Fully Subsidised

Per

Brand or Generic Manufacturer

continued...

- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints;
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe active Crohn's disease: and
- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection;
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

2.1 Either:

- 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
- 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
- 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin. or acitretin: and
- 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
- 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or

2 All of the following:

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroillitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

continued...

191

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

continued...

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm: Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm 35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm: Female: 5.0 cm 55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm: Female: 4.0 cm 75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis: and
 - - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints;
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (iuvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for iuvenile idiopathic arthritis: or
- 2 All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with JIA; and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — **(fistulising Crohn's disease)** only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease: and
- 2 Fither:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease. **Initial application — (pyoderma gangrenosum)** only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD: or
- 2 All of the following:

continued...

193

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
- 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
- 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Fither:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Fither:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab;
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 2 Fither:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plague psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Fither:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value: and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less: and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — **(psoriatic arthritis)** only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

1 Either:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- 1.1 Applicant is a named specialist or rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Fither:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Fither:

- 1.1 Applicant is a rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OBINUTUZUMAB - PCT only - Specialist - Special Authority see SA1627 below

■ SA1627 Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment); and
- 2 The patient is obinutuzumab treatment naive: and

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance <70mL/min); and
- 4 Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL: and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to <2.

* Neutrophil $\geq 1.5 \times 10^9/L$ and platelets $\geq 75 \times 10^9/L$.

OMALIZUMAB - Special Authority see SA1490 below - Retail pharmacy ✓ Xolair

⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IqE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated: and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month.

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

PERTUZUMAB - PCT only - Specialist - Special Authority see SA1606 below 1 ' Perieta 1 ma Baxter '

■ SA1606 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 Patient is chemotherapy treatment naÃrve: or

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

continued...

- 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology): and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

RITUXIMAB	 PCT only – Specialist – Specialist 	ecial Authority see SA1631 below

Inj 100 mg per 10 ml vial	1,075.50	2	Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	Mabthera
Inj 1 mg for ECP	5.64	1 mg	✓ Baxter

⇒SA1631 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy;
 - 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy:
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Initial application — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles: or
- 2 Both:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance ≥ 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles;
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to <2.

Renewal — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and

Subsidy (Manufacturer's Price) Subsidies Subsi

Fully Subsidised

Brand or Generic Manufacturer

continued...

4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had a rituximab treatment-free interval of 36 months or more; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration); and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

SILTUXIMAB - Special Authority see SA1596 below - Retail pharmacy

Note: Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Inj 100 mg vial770.57	1	✓ Sylvant
Inj 400 mg vial3,082.33	1	✓ Sylvant

■SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1632 below

Inj 150 mg vial1,350.00	1	Herceptin
Inj 440 mg vial3,875.00	1	✓ Herceptin
Inj 1 mg for ECP	1 mg	✓ Baxter

⇒SA1632 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 2.2 Both:
 - 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
 - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 3.2 All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

continued...

- 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
- 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 3.2 Both:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; or
 - 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 4 Fither:
 - 4.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 4.2 All of the following:
 - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and

Fully Brand or Subsidy (Manufacturer's Price) Subsidised Generic Per Manufacturer \$

continued...

- 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Programmed Cell Death-1 (PD-1) Inhibitors

		Specialist – Special Authority see SA1617 below	1AB – P	NIVOLU
Opdivo	1	I1,051.98	mg per n	Inj 1
✓ Opdivo	1	al2,629.96	mg per n	lnj 1
✓ Baxter	1 ma	27.62	ma for EC	lni 1

⇒SA1617 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
 - 3.1 Patient has not received funded pembrolizumab; or
 - 3.2 Both:
 - 3.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 4 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

✓ fully subsidised

[HP4] refer page 4

- 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
- 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
- 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

continued...

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
 must have reduction in short axis to <10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB	- PCT only - Specialist - Special Authority see SA1615 belo	W	
Inj 50 mg vial	2,340.00	1	Keytruda
Inj 1 mg for ECP	49.14	1 mg	✓ Baxter

■ SA1615 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
 - 3.1 Patient has not received funded nivolumab; or
 - 3.2 Both:
 - 3.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress while the patient was on nivolumab; and
- 4 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer

continued...

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to <10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

Other Immunosuppressants

CICLOSPORIN		
Cap 25 mg44.63	50	Neoral
Cap 50 mg88.91	50	Neoral
Cap 100 mg177.81	50	Neoral
Oral liq 100 mg per ml198.13	50 ml OP	✓ Neoral
EVEROLIMUS - Special Authority see SA1491 below - Retail pharmacy		
Wastage claimable – see rule 3.3.2 on page 13		
Tab 5 mg4,555.76	30	✓ Afinitor
Tab 10 mg6,512.29	30	✓ Afinitor

⇒SA1491 | Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIROLIMUS - Special Author	ority see SA0866 on the next page - Retail pharmac	у	
Tab 1 mg	749.99	100	Rapamune
Tab 2 mg	1,499.99	100	✓ Rapamune
Oral lig 1 mg per ml	449.99	60 ml OP	✓ Rapamune

Fully Subsidy Brand or (Manufacturer's Price) Subsidised Generic \$ Per Manufacturer

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR<30 ml/min: or
- Rapidly progressive transplant vasculopathy: or
- Rapidly progressive obstructive bronchiolitis; or
- . HUS or TTP: or
- Leukoencepthalopathy: or
- Significant malignant disease

TACROLIMUS - S	pecial Authority se	e SA1540 below -	Retail pharmacy

Cap 0.5 mg85.60	100	✓ Tacrolimus Sandoz
Cap 1 mg171.20	100	✓ Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer, page		
223428.00	50	✓ <u>Tacrolimus Sandoz</u>

⇒SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS; and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with * are Unapproved Indications Note: Subsidy applies for either primary or rescue therapy.

205

Subsidy (Manufacturer's Price) \$

Fully Subsidised Per

Brand or Generic Manufacturer

Antiallergy Preparations

Allergic Emergencies

ICATIBANT - Special Authority see SA1558 below - Retail pharmacy

Inj 10 mg per ml, 3 ml prefilled syringe2,668.00

1 ✓ Firazyr

⇒SA1558 Special Authority for Subsidy

Initial application only from a clinical immunologist or relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Supply for anticipated emergency treatment of laryngeal/oro-pharyngeal or severe abdominal attacks of acute hereditary angioedema (HAE) for patients with confirmed diagnosis of C1-esterase inhibitor deficiency; and
- 2 The patient has undergone product training and has agreed upon an action plan for self-administration.

Renewal from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Allergy Desensitisation

⇒SA1367 Special Authority for Subsidy

Initial application only from a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 RAST or skin test positive; and
- 2 Patient has had severe generalised reaction to the sensitising agent.

REE VENOM ALLERGY TREATMENT Special Authority con SA1267 above. Betail pharmacy

Renewal only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

BEE VENOM ALLERGY TREATMENT – Special Authority see SA	1367 above – Re	etail pharmad	СУ
Maintenance kit - 6 vials 120 mcg freeze dried venom, with diluent	285.00	1 OP	✓ Venomil S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent 9 ml, 3 diluent 1.8 ml	305.00	1 OP	✓ Albey
WASP VENOM ALLERGY TREATMENT - Special Authority see S	SA1367 above -	Retail pharm	nacy
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil \$29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	1 OP	✓ Albey
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent	305.00	1 OP	✓ Venomil §29
Antihistamines			
CETIRIZINE HYDROCHLORIDE			
* Tab 10 mg	1.01	100	✓ Zetop✓ Zista
Zista to be Sole Supply on 1 March 2017			
*‡ Oral liq 1 mg per ml(Zetop Tab 10 mg to be delisted 1 March 2017)	2.99	200 ml	✓ <u>Histaclear</u>
CHLORPHENIRAMINE MALEATE			
*‡ Oral liq 2 mg per 5 ml	8.06	500 ml	✓ Histafen

	0		F. 0	Drond or
	Subsidy (Manufacturer's I	Price) Sub-	Fully	Brand or Generic
	(Manuacturer S i	Per	siuiseu •	Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE				
* Tab 2 mg	2.02	40		
· · · · · · · · · · · · · · · · · · ·	(8.40)		F	Polaramine
	1.01	20	-	
	(5.99)		F	Polaramine
*‡ Oral lig 2 mg per 5 ml	` ,	100 ml	-	
THE STATING ENGINEERS	(10.29)	100 1111	F	Polaramine
FEXOFENADINE HYDROCHLORIDE	, ,			
* Tab 60 mg	4.34	20		
	(11.53)		Т	elfast
* Tab 120 mg		30		
1 1	(29.81)		Т	elfast
	4.74	10		
	(11.53)	.0	Т	elfast
LODATADINE	(11.00)			Cildot
LORATADINE the Tab 40 mass	4.00	400		(
* Tab 10 mg		100	_	orafix
* Oral liq 1 mg per ml		120 ml	V	.orfast
	3.58	200 ml		
	(4.25)		L	.oraPaed
Lorfast to be Sole Supply on 1 May 2017				
(LoraPaed Oral liq 1 mg per ml to be delisted 1 May 2017)				
PROMETHAZINE HYDROCHLORIDE				
* Tab 10 mg	1.78	50	V	Allersoothe
* Tab 25 mg		50	_	Allersoothe
*‡ Oral liq 1 mg per 1 ml		100 ml	_	Allersoothe
* Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a			-	
PSO		5	4/ F	łospira
	10.04	3	• <u>1</u>	юэрна
TRIMEPRAZINE TARTRATE				
‡ Oral liq 30 mg per 5 ml		100 ml OP		
	(8.06)		V	/allergan Forte
Inhaled Corticosteroids				
BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose	g 30	200 dose OP	v 0	Ovar
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP		avai Beclazone 50
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP	V 0	
		200 dose OP		avar Beclazone 100
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP		Beclazone 100 Beclazone 250
Aerosol inhaler, 250 mcg per dose CFC-free	22.07	200 dose OP	•	DECIAZONE ZOU
BUDESONIDE				
Powder for inhalation, 100 mcg per dose	17.00	200 dose OP	✓ F	Pulmicort
				Turbuhaler
Powder for inhalation, 200 mcg per dose	19.00	200 dose OP	✓ F	Pulmicort
				Turbuhaler
Powder for inhalation, 400 mcg per dose	32.00	200 dose OP	√ F	Pulmicort
				Turbuhaler

	Subsidy			Ful	ly Brand or
	(Manufacturer's	Price)		Subsidise	
	\$		Per	•	✓ Manufacturer
FLUTICASONE					
Aerosol inhaler, 50 mcg per dose	7.50	120 0	dose (OP 🗸	Floair
Aerosol inhaler, 50 mcg per dose CFC-free			dose (Flixotide
Powder for inhalation, 50 mcg per dose			ose C		Flixotide Accuhaler
Powder for inhalation, 100 mcg per dose			ose C		Flixotide Accuhaler
Aerosol inhaler, 125 mcg per dose			dose (Floair
Aerosol inhaler, 125 mcg per dose CFC-free			dose (Flixotide
Aerosol inhaler, 250 mcg per dose			dose (Floair
Aerosol inhaler, 250 mcg per dose CFC-free			dose (Flixotide
Powder for inhalation, 250 mcg per dose			ose C		Flixotide Accuhaler
Inhaled Long-acting Beta-adrenoceptor Agonist	S				
EFORMOTEROL FUMARATE					
Powder for inhalation, 6 mcg per dose, breath activated	10 32	60 d	ose C)P	
Towaci for initial allott, o may per dose, breath activated	(16.90)	00 u	030 0	71	Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose de-	, ,				Oxio furburialer
Vice		60	dose		
VICE	(35.80)	00	uose	•	Foradil
	(00.00)				Toradii
INDACATEROL			_		
Powder for inhalation 150 mcg			ose C		Onbrez Breezhaler
Powder for inhalation 300 mcg	61.00	30 d	ose C)P V	Onbrez Breezhaler
SALMETEROL					
Aerosol inhaler CFC-free, 25 mcg per dose	25.00	120 (dose (OP 🗸	Serevent
Aerosol inhaler 25 mcg per dose	26.46	120 (dose (OP 🗸	Meterol
Powder for inhalation, 50 mcg per dose, breath activated	25.00	60 d	ose C	DP 🗸	Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-	∆drenocent	or Aa	onic	ete	
minuted controcaterolds with Long Acting Detail	Adiciloocpi	oi Ag	01110	,,,	
BUDESONIDE WITH EFORMOTEROL					
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	18.23	120 0	dose (OP 🗸	Vannair
Powder for inhalation 100 mcg with eformoterol fumarate)				
6 mcg		120 0	dose (OP 🗸	Symbicort
•					Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg	21.40	120 (dose (OP 🗸	Vannair
Powder for inhalation 200 mcg with eformoterol fumarate					
6 mcg		120 0	dose (OP 🗸	Symbicort
5g					Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate	1				14.14.14.14.1
12 mcg – No more than 2 dose per day		60 d	ose C)P 🗸	Symbicort
12 mog 140 more than 2 dood per day		00 u	000 €	,	Turbuhaler 400/12
ELLITIOA CONE ELIDOATE MITUVII ANTEROL					TALBAHAIOI TOO/ IL
FLUTICASONE FUROATE WITH VILANTEROL	44.00		_		
Powder for inhalation 100 mcg with vilanterol 25 mcg	44.08	30 d	ose C	אנ	Breo Ellipta

	Subsidy	Dring) Cub	Fully Brand or
	(Manufacturer's \$	Per Per	osidised Generic Manufacturer
FLUTICASONE WITH SALMETEROL			
Aerosol inhaler 50 mcg with salmeterol 25 mcg		120 dose OP	✓ Seretide
Acrosol inholar 105 mag with colmotoral 05 mag	37.48	100 doos OD	✓ RexAir ✓ Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg	49.69	120 dose OP	✓ Serelide ✓ RexAir
Powder for inhalation 100 mcg with salmeterol 50 mcg - No			
more than 2 dose per day		60 dose OP	Seretide Accuhaler
Powder for inhalation 250 mcg with salmeterol 50 mcg - No more than 2 dose per day		60 dose OP	✓ Seretide Accuhaler
, ,	44.00	00 dose OF	Seretide Acculiatei
Beta-Adrenoceptor Agonists			
SALBUTAMOL			
‡ Oral liq 400 mcg per ml		150 ml 10	✓ Ventolin
Initiasion i mg per mi, 5 mi	(130.21)	10	Ventolin
Inj 500 mcg per ml, 1 ml - Up to 5 inj available on a PSO	` ,	5	✓ Ventolin
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 mcg per dose CFC free - Up to 1000			
dose available on a PSO	3.80	200 dose OP	Respigen
			✓ SalAir ✓ Salamol
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule - Up to 30 neb			
available on a PSO		20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO		20	✓ Asthalin
(Salamol Aerosol inhaler, 100 mcg per dose CFC free to be delist			<u> 710trianni</u>
TERBUTALINE SULPHATE			
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	Bricanyl Turbuhaler
Anticholinergic Agents			
IPRATROPIUM BROMIDE			
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dose			
available on a PSO		200 dose OP	✓ Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 neb		20	. / Ilminont
available on a PSONebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 neb		20	✓ <u>Univent</u>
available on a PSO	3.52	20	✓ Univent
Inhaled Beta-Adrenoceptor Agonists with Antich	nolinergic A	gents	
SALBUTAMOL WITH IPRATROPIUM BROMIDE			
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg			
per dose CFC-free		200 dose OP	✓ Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule – Up to 20 neb available on a PSO		20	✓ Duolin
viai, 2.3 mi ampoule - op to 20 neb available on a P30		20	₩ Duoiiii

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists

GLYCOPYRRONIUM - Subsidy by endorsement

a) Inhaled glycopyrronium treatment will not be subsidised if patient is also receiving treatment with subsidised tiotropium or umeclidinium.

b) Glycopyrronium powder for inhalation 50 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

✓ Seebri Breezhaler 30 dose OP

TIOTROPIUM BROMIDE - Special Authority see SA1568 below - Retail pharmacy

Tiotropium treatment will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or umeclidinium.

30 dose ✓ Spiriva

60 dose OP ✓ Spiriva Respimat

⇒SA1568 Special Authority for Subsidy

Initial application only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD: and
- 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 μg ipratropium g.i.d for one month; and
- 3 Fither:

The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:

- 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
- 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
- 4 All of the following:

Applicant must state recent measurement of:

- 4.1 Actual FEV₁ (litres); and
- 4.2 Predicted FEV1 (litres); and
- 4.3 Actual FEV₁ as a % of predicted (must be below 60%); and
- 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
- 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

30 dose OP ✓ Incruse Ellipta

Subsidy (Manufacturer's Price) Subs

Fully Subsidised

Brand or Generic Manufacturer

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

■SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 above - Retail pharmacy					
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00	30 dose OP	✔ Ultibro Breezhaler			
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584	above - Retail p	harmacy			
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg81.00	60 dose OP	Spiolto Respimat			

UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 above - Retail pharmacy

Antifibrotics

PIRFENIDONE – Retail pharmacy-Specialist – Special Authority see SA1628 below
Cap 267 mg3,645.00 270 OP

✓ Esbriet

⇒SA1628 Special Authority for Subsidy

Initial application — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with idiopathic pulmonary fibrosis as confirmed by histology, CT or biopsy; and
- 2 Forced vital capacity is between 50% and 80% predicted; and
- 3 Pirfenidone is to be discontinued at disease progression (See Notes).

Renewal — (idiopathic pulmonary fibrosis) only from a respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Treatment remains clinically appropriate and patient is benefitting from and tolerating treatment; and
- 2 Pirfenidone is to be discontinued at disease progression (See Notes).

Note: disease progression is defined as a decline in percent predicted FVC of 10% or more within any 12 month period.

211

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	osidised	Generic
\$	Per	~	Manufacturer

Leukotriene Receptor Antagonists

MONTELUKAST - Special Authority see SA1421 below - Retail pharmacy

Prescribing Guideline: Clinical evidence indicates that the effectiveness of montelukast is strongest when montelukast is used in short treatment courses

Tab 4 mg	5.25	28	✓ Apo-Montelukast
Ÿ	(18.48)		Singulair
Apo-Montelukast to be Sole Supply on 1 April 2017	, ,		•
Tab 5 mg	5.50	28	Apo-Montelukast
·	(18.48)		Singulair
Apo-Montelukast to be Sole Supply on 1 April 2017	, ,		· ·
Tab 10 mg	5.65	28	Apo-Montelukast
· ·	(18.48)		Singulair

Apo-Montelukast to be Sole Supply on 1 April 2017

(Singulair Tab 4 mg to be delisted 1 April 2017)

(Singulair Tab 5 mg to be delisted 1 April 2017)

(Singulair Tab 10 mg to be delisted 1 April 2017)

▶SA1421 Special Authority for Subsidy

Initial application — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and
- 2 Patient has moderate to severe aspirin-exacerbated respiratory disease or Samter's triad; and
- 3 Nasal polyposis, confirmed radiologically or surgically; and
- 4 Documented aspirin or NSAID allergy confirmed by aspirin challenge or a clinical history of severe reaction to aspirin or NSAID where challenge would be considered dangerous.

Mast Cell Stabilisers

NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free28.07	112 dose OP	✓ Tilade
SODIUM CROMOGLYCATE		
Powder for inhalation, 20 mg per dose26.35	50 dose	✓ Intal Spincaps
Aerosol inhaler, 5 mg per dose CFC-free28.07	112 dose OP	✓ Intal Forte CFC Free

	Subsidy (Manufacturer's \$	Price) Subs Per	Fully Brand or sidised Generic Manufacturer
Methylxanthines			
AMINOPHYLLINE			
* Inj 25 mg per ml, 10 ml ampoule - Up to 5 inj avai			
PSO	118.25	5	✓ DBL Aminophylline
THEOPHYLLINE			
* Tab long-acting 250 mg		100	Nuelin-SR
*‡ Oral liq 80 mg per 15 ml	15.50	500 ml	✓ Nuelin
Mucolytics			
DORNASE ALFA – Special Authority see SA0611 belo	w – Retail pharmacy		
Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	✓ Pulmozyme
■ SA0611 Special Authority for Subsidy			·
Special Authority approved by the Cystic Fibrosis Advis	ory Panel		
Notes: Application details may be obtained from PHARI	MAC's website http://www	v.pharmac.govt.i	nz or:
	Phone: (04) 460 4990		
*	Facsimile: (04) 916 7571		
•	Email: CFPanel@pharma		
Prescriptions for patients approved for treatment must land expertise in treating cystic fibrosis.	be written by respiratory p	ohysicians or pa	ediatricians who have experience
SODIUM CHLORIDE			
Not funded for use as a nasal drop.	00.50	00 00	. / Diamad
Soln 7%	23.50	90 ml OP	✓ Biomed
Nasal Preparations			
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
, , , , , , , , , , , , , , , , , , , ,	(5.26)		Alanase
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	
	(6.00)		Alanase
BUDESONIDE			
Metered aqueous nasal spray, 50 mcg per dose		200 dose OP	Dutagart Aguagua
Metered aqueous nasal spray, 100 mcg per dose	(5.26) 2.61	200 dose OP	Butacort Aqueous
motorou aqueous riasai spray, 100 meg per uose	(6.00)	200 0035 OF	Butacort Aqueous
	(3.00)		_ = = = = = = = = = = = = = = = = = = =

FLUTICASONE PROPIONATE

IPRATROPIUM BROMIDE

120 dose OP

15 ml OP

Flixonase Hayfever & Allergy

✔ Univent

Metered aqueous nasal spray, 50 mcg per dose2.18

Aqueous nasal spray, 0.03%3.95

Oral liq 20 mg per ml (10 mg base per ml)14.85

			· manadarara
Respiratory Devices			
MASK FOR SPACER DEVICE a) Up to 20 dev available on a PSO b) Only on a PSO c) Only for children aged six years and under Small	2.20	1	✓ e-chamber Mask
PEAK FLOW METER a) Up to 10 dev available on a PSO b) Only on a PSO			
Low range	9.54	1	✓ Mini-Wright AFS Low Range
Normal range	9.54	1	Mini-WrightStandard
SPACER DEVICE			
a) Up to 20 dev available on a PSO b) Only on a PSO			
220 ml (single patient)	2.95	1	✓ e-chamber Turbo
510 ml (single patient)		1	e-chamber La Grande
800 ml	6.50	1	✓ Volumatic
Respiratory Stimulants			

Subsidy

(Manufacturer's Price)

\$

Fully

Subsidised

Per

25 ml OP

✔ Biomed

Brand or

Generic

Manufacturer

CAFFEINE CITRATE

	Subsidy (Manufacturer's Pr \$	ice) Si	Fully ubsidised	Brand or Generic Manufacturer
Ear Preparations				
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BEN For Vosol ear drops with hydrocortisone powder refer Standar	rd Formulae, page	e 226		
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%		35 ml OP	✓ Vo	osol
FLUMETASONE PIVALATE Ear drops 0.02% with cliqquinol 1%	4.46	7.5 ml OP		ocacorten-Viaform ED's
				ocorten-Vioform
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYCII Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate				
2.5 mg and gramicidin 250 mcg per g		7.5 ml OP	✓ K	enacomb
Ear/Eye Preparations				
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN				
Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and gramicidin 50 mcg per ml		8 ml OP		
	(9.27)		S	ofradex
FRAMYCETIN SULPHATE Ear/Eye drops 0.5%	4.13	8 ml OP		
	(8.65)		S	oframycin
Eye Preparations				
Eye preparations are only funded for use in the eye, unless explicit	itly stated otherwi	se.		
Anti-Infective Preparations				
ACICLOVIR	44.00	45.00	4 10	
* Eye oint 3%	14.92	4.5 g OP	V VI	<u>ruPOS</u>
Eye oint 1%	2.48	4 g OP	✓ <u>C</u>	hlorsig
Eye drops 0.5%Funded for use in the ear*. Indications marked with * are U		10 ml OP tions.	✓ <u>C</u>	<u>hlorafast</u>
CIPROFLOXACIN Eye Drops 0.3%	12.43	5 ml OP	✓ C	iloxan
For treatment of bacterial keratitis or severe bacterial conju				•
FUSIDIC ACID Eye drops 1%	4.50	5 g OP	✓ Fi	ucithalmic

TOBRAMYCIN

GENTAMICIN SULPHATE

PROPAMIDINE ISETHIONATE

5 ml OP

10 ml OP

3.5 g OP

5 ml OP

(7.99)

✓ Genoptic

Brolene

✓ Tobrex

✓ Tobrex

Eye drops 0.3%11.40

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per

Subsidised Generic Manufacturer

Corticosteroids and Other Anti-Inflammatory Prepara	tions		
DEXAMETHASONE			
* Eye oint 0.1% * Eye drops 0.1%		3.5 g OP 5 ml OP	✓ <u>Maxidex</u> ✓ <u>Maxidex</u>
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYMYXIN E	SULPHAT	Έ	
★ Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin			
b sulphate 6,000 u per g	.5.39	3.5 g OP	✓ <u>Maxitrol</u>
# Eye drops 0.1% with neomycin sulphate 0.35% and polymy- xin b sulphate 6,000 u per ml	. 4.50	5 ml OP	✓ <u>Maxitrol</u>
DICLOFENAC SODIUM			
* Eye drops 0.1%	13.80	5 ml OP	✓ Voltaren Ophtha
FLUOROMETHOLONE			
* Eye drops 0.1%	.3.09	5 ml OP	✓ <u>FML</u>
LEVOCABASTINE			
Eye drops 0.5 mg per ml		4 ml OP	
(:	10.34)		Livostin
LODOXAMIDE			
Eye drops 0.1%	.8.71	10 ml OP	✓ Lomide
PREDNISOLONE ACETATE			
* Eye drops 1%		10 ml OP	✓ Prednisolone-AFT
	1.97	5 ml OP	
	(4.50)		Pred Forte
Prednisolone-AFT to be Sole Supply on 1 April 2017 (Pred Forte Eye drops 1% to be delisted 1 April 2017)			
PREDNISOLONE SODIUM PHOSPHATE - Special Authority see SA15	47 below -	Retail pharma	acy
Eye drops 0.5%, single dose (preservative free)	38.50	20 dose	Minims Prednisolone

▶SA1547 Special Authority for Subsidy

SODIUM CROMOGLYCATE

Initial application only from an ophthalmologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has severe inflammation; and
- 2 Patient has a confirmed allergic reaction to preservative in eye drops.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Eye drops 2%	5 ml OP	✓ Rexacrom
Glaucoma Preparations - Beta Blockers		
BETAXOLOL * Eye drops 0.25% 11.80 * Eye drops 0.5% 7.50	5 ml OP 5 ml OP	✓ <u>Betoptic S</u> ✓ <u>Betoptic</u>
LEVOBUNOLOL	5 ml OP	✓ Betagan

	Subsidy (Manufacturer's \$	Price) Sub Per	Fully Brand or sidised Generic Manufacturer
TIMOLOL	· ·		
* Eye drops 0.25%		5 ml OP	Arrow-Timolol
* Eye drops 0.25%, gel forming		2.5 ml OP	✓ <u>Timoptol XE</u> ✓ Arrow-Timolol
* Eye drops 0.5% * Eye drops 0.5%, gel forming		5 ml OP 2.5 ml OP	✓ Timoptol XE
Glaucoma Preparations - Carbonic Anhydrase Ir			- <u></u>
ACETAZOLAMIDE			
* Tab 250 mg - For acetazolamide oral liquid formulation refer,			
page 223		100	✓ <u>Diamox</u>
BRINZOLAMIDE			
* Eye drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE			
* Eye drops 2%	9.77	5 ml OP	
	(17.44)		Trusopt
DORZOLAMIDE WITH TIMOLOL			
* Eye drops 2% with timolol 0.5%	3.45	5 ml OP	✓ Arrow-Dortim
Glaucoma Preparations - Prostaglandin Analogu	ıes		
BIMATOPROST	0.05	0.100	45
* Eye drops 0.03%	3.65	3 ml OP	✓ <u>Bimatoprost Actavis</u>
LATANOPROST			4
* Eye drops 0.005%	1.50	2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST			4
* Eye drops 0.004%	19.50	2.5 ml OP	✓ Travatan
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE			
* Eye drops 0.2%	4.32	5 ml OP	✓ Arrow-Brimonidine
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE			
* Eye drops 0.2% with timolol maleate 0.5%	18.50	5 ml OP	✓ Combigan
PILOCARPINE HYDROCHLORIDE			
* Eye drops 1%		15 ml OP	✓ <u>Isopto Carpine</u>
* Eye drops 2%		15 ml OP	✓ <u>Isopto Carpine</u>
* Eye drops 4%		15 ml OP	✓ <u>Isopto Carpine</u>
Subsidised for oral use pursuant to the Standard Formulae * Eye drops 2% single dose – Special Authority see SA0895			
below – Retail pharmacy		20 dose	✓ Minims Pilocarpine
		_0 0000	·

⇒SA0895 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Fither:

- 1 Patient has to use an unpreserved solution due to an allergy to the preservative; or
- 2 Patient wears soft contact lenses.

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's F \$	Price) Sub	Fully Brand or osidised Generic Manufacturer
Mydriatics and Cycloplegics	Ψ	1 61	• Manuacurer
ATROPINE SULPHATE * Eye drops 1%	17.36	15 ml OP	✓ Atropt
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%		15 ml OP	✓ Cyclogyl
TROPICAMIDE * Eye drops 0.5%		15 ml OP	✓ Mydriacyl
* Eye drops 1%		15 ml OP	✓ Mydriacyl
Preparations for Tear Deficiency			
For acetylcysteine eye drops refer Standard Formulae, page 226 HYPROMELLOSE			
* Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt
HYPROMELLOSE WITH DEXTRAN * Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	✓ Poly-Tears
POLYVINYL ALCOHOL * Eye drops 1.4% * Eye drops 3%		15 ml OP 15 ml OP	✓ <u>Vistil</u> ✓ Vistil Forte
Preservative Free Ocular Lubricants	3.00	15 1111 OF	<u>Visui Forte</u>
■SA1388 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid Both: 1 Confirmed diagnosis by slit lamp of severe secretory dry 2 Either: 2.1 Patient is using eye drops more than four times of 2.2 Patient has had a confirmed allergic reaction to provide the second	eye; and daily on a regular	basis; or	meeting the following criteria:
Renewal from any relevant practitioner. Approvals valid for 24 m and has benefited from treatment. CARBOMER – Special Authority see SA1388 above – Retail ph.		patient continu	es to require lubricating eye drops
Ophthalmic gel 0.3%, 0.5 g	ity see SA1388 a		
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	ority see SA1388 22.00 macy Procedures	10 ml OP Manual restric	✓ Hylo-Fresh tion allowing one bottle per month
Other Eye Preparations			
NAPHAZOLINE HYDROCHLORIDE			

Subsidy

Fully

Brand or

✔ Patanol

Refresh Night Time

5 ml OP

3.5 g OP

OLOPATADINE

PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN

Eye drops 0.1%17.00

SENSORY ORGANS

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.63	3.5 g OP	✓ <u>P</u> c	oly-Visc
RETINOL PALMITATE Eye oint 138 mcg per g	3.80	5 g OP	✓ Vi	itA-POS

Subsidy (Manufacturer's Price)

Fully Subsidised

Brand or Generic Manufacturer

Various

PHARMACY SERVICES

May only be claimed once per patient.

1 fee

Per

✓ BSF Lorstat ✓ BSF Sulprix

a) The Pharmacode for BSF Lorstat is 2514206 - see also page 63

b) The Pharmacode for BSF Sulprix is 2514192 - see also page 143

(BSF Lorstat Brand switch fee to be delisted 1 May 2017)

(BSF Sulprix Brand switch fee to be delisted 1 May 2017)

Agents Used in the Treatment of Poisonings

Antidotes

ACETYLCYSTEINE - Retail pharmacy-Specialist

Inj 200 mg per ml, 10 ml ampoule78.34 ✓ DBL Acetylcysteine 10

NALOXONE HYDROCHLORIDE

a) Up to 5 inj available on a PSO

b) Only on a PSO

5 ✓ Hospira

Removal and Elimination

CHARCOAL

* Oral liq 50 g per 250 ml43.50 250 ml OP ✓ Carbosorb-X

a) Up to 250 ml available on a PSO

b) Only on a PSO

DEFERASIROX - Special Authority see SA1492 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13

28 Exiade Tab 250 mg dispersible552.00 28 Exjade 28 Exjade

⇒SA1492 | Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; and
- 2 Deferasirox is to be given at a daily dose not exceeding 40 mg/kg/day; and
- 3 Any of the following:
 - 3.1 Treatment with maximum tolerated doses of deferiprone monotherapy or deferiprone and desferrioxamine combination therapy have proven ineffective as measured by serum ferritin levels, liver or cardiac MRI T2*; or
 - 3.2 Treatment with deferiprone has resulted in severe persistent vomiting or diarrhoea; or
 - 3.3 Treatment with deferiprone has resulted in arthritis; or
 - 3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μ L) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per μ L).

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria:

Either:



Subsidy (Manufacturer's Price)	Sı	Fully ubsidised	Brand or Generic	
\$	Per	~	Manufacturer	

continued...

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

DEFERIPRONE	 Special Authority see SA1480 below – Retail pharmacy 	
Tab 500 mg	E22 17	100

Tab 500 mg	533.17	100	✓ Ferriprox
Oral lig 100 mg per 1 ml	266.59	250 ml OP	Ferriprox

■ SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERBIOXAMINE MESILATE

* Inj 500 mg vial	51.52	10	✓ Desferal
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
	(156.71)		Calcium Disodium Versenate

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- · Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored.

The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

Acetazolamide 25 mg/mlFlecainide 20 mg/mlRifabutin 20 mg/mlAllopurinol 20 mg/mlGabapentin 100 mg/mlSildenafil 2 mg/mlAmlodipine 1 mg/mlHydrocortisone 1 mg/mlSotalol 5 mg/ml

Azathioprine 50 mg/ml
Baclofen 10 mg/ml
Carvedilol 1 mg/ml
Clopidogrel 5 mg/ml
Labetolol 10 mg/ml
Levetiracetam 100 mg/ml
Levodopa with carbidopa (5 mg levodopa 1.25 mg carbidopa)/ml
Clopidogrel 5 mg/ml
Clopidogrel 5 mg/ml
Labetolol 10 mg/ml
Sulphasalazine 100 mg/ml
Tacrolimus 1 mg/ml
Terbinafine 25 mg/ml
Tramadol 10 mg/ml

Diltiazem hydrochloride 12 mg/ml

Dipyridamole 10 mg/ml

Domperidone 1 mg/ml

Metoclopramide 1 mg/ml

Metoprolol tartrate 10 mg/ml

Nitrofurantoin 10 mg/ml

Ursodeoxycholic acid 50 mg/ml

Valganciclovir 60 mg/ml*

Verapamil hydrochloride 50 mg/ml

Enalapril 1 mg/ml Pyrazinamide 100 mg/ml

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical judgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form qs
Preservative qs
Suspending agent qs
Water to 100%

or

Solid dose form qs
Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative
 and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

^{*}Note this is a DCS formulation

EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend. Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 222) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products).


One or more dermatological galenicals may be added to a dermatological base (including proprietary topical corticosteroid preparations). Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised.

The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.

Dermatological ECPs

Is it subsidised?



EXTEMPORANEOUSLY COMPOUNDED PRODUCTS AND GALENICALS

Standard Formulae			
ACETYLCYSTEINE EYE DROPS		PHENOBARBITONE ORAL LIQUID	
Acetylcysteine inj 200 mg per ml, 10 ml	as	Phenobarbitone Sodium	1 g
Suitable eye drop base	qs	Glycerol BP	70 ml
, ,	•	Water	to 100 ml
ASPIRIN AND CHLOROFORM APPLICAT			
Aspirin Soluble tabs 300 mg	12 tabs	PHENOBARBITONE SODIUM PAEDIATRI	C ORAL
Chloroform	to 100 ml	LIQUID (10 mg per ml)	
CODEINE LINCTUS PAEDIATRIC (3 mg p	er 5 ml)	Phenobarbitone Sodium	400 mg
Codeine phosphate	60 mg	Glycerol BP	4 ml
Glycerol	40 ml	Water	to 40 ml
Preservative	qs		
Water	to 100 ml	PILOCARPINE ORAL LIQUID	
CODEINE LINCTUS DIABETIC (15 mg per	r 5 ml)	Pilocarpine 4% eye drops	qs
Codeine phosphate	300 mg	Preservative	qs
Glycerol	40 ml	Water	to 500 ml
Preservative	qs	(Preservative should be used if quantity sup	oplied is for
Water	to 100 ml	more than 5 days.)	
FOLINIC MOUTHWASH			
Calcium folinate 15 mg tab	1 tab	SALIVA SUBSTITUTE FORMULA	
Preservative	qs	Methylcellulose	5 g
Water	to 500 ml	Preservative	qs
(Preservative should be used if quantity su		Water	to 500 ml
more than 5 days. Maximum 500 ml per pro	•	(Preservative should be used if quantity sup	oplied is for
, , , ,	oonplion.)	more than 5 days. Maximum 500 ml per pre	escription.)
MAGNESIUM HYDROXIDE 8% MIXTURE	075		
Magnesium hydroxide paste 29%	275 g	SODIUM CHLORIDE ORAL LIQUID	
Methyl hydroxybenzoate	1.5 g	Sodium chloride inj 23.4%, 20 ml	qs
Water	to 1,000 ml	Water	qs
METHADONE MIXTURE		(Only funded if prescribed for treatment of h	nyponatraemia)
Methadone powder	qs		
Glycerol	qs	VANCOMYCIN ORAL SOLUTION (50 mg p	per ml)
Water	to 100 ml	Vancomycin 500 mg injection	10 vials
METHYL HYDROXYBENZOATE 10% SOL	UTION	Glycerol BP	40 ml
Methyl hydroxybenzoate	10 g	Water	to 100 ml
Propylene glycol	to 100 ml	(Only funded if prescribed for treatment of C	
(Use 1 ml of the 10% solution per 100 ml o		difficile following metronidazole failure)	
mixture)	1		
,		V0001 FAR RRORS	

OMEPRAZOLE SUSPENSION

Omeprazole capules or powder Sodium bicarbonate powder BP qs 8.4 g Water to 100 ml WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops 1% to 35 ml

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Extemporaneously Compounded Preparations and	d Galenica	ls	
ENZOIN			
Tincture compound BP	24.42	500 ml	
·	(39.90)		Pharmacy Health
	2.44	50 ml	
	(5.10)		Pharmacy Health
HLOROFORM – Only in combination			
Only in aspirin and chloroform application.			
Chloroform BP	25.50	500 ml	✓ PSM
DDEINE PHOSPHATE - Safety medicine; prescriber may determ	ine dispensino	ı frequency	
Powder - Only in combination		25 g	
•	(90.09)	ŭ	Douglas
	12.62	5 g	-
	(25.46)	-	Douglas
a) Only in extemporaneously compounded codeine linctus di			ediatric.
b) ‡ Safety cap for extemporaneously compounded oral liquid	d preparations	i .	
DLLODION FLEXIBLE			
Collodion flexible	19.30	100 ml	✓ PSM
DMPOUND HYDROXYBENZOATE - Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln	30.00	100 ml	✓ Midwest
	34.18		David Craig
YCERIN WITH SODIUM SACCHARIN - Only in combination			
Only in combination with Ora-Plus.			
Suspension	32.50	473 ml	✓ Ora-Sweet SF
YCERIN WITH SUCROSE - Only in combination			
Only in combination with Ora-Plus.			
Suspension	32.50	473 ml	✓ Ora-Sweet
YCEROL Liquid – Only in combination	2.71	500 ml	✓ healthE Chrosrol BD
Only in extemporaneously compounded oral liquid preparation		300 1111	✓ healthE Glycerol BP
, , , , , , , , , , , , , , , , , , , ,	1113.		
AGNESIUM HYDROXIDE Paste 29%	22.61	500 g	✓ PSM
	22.01	500 g	₽ P3IVI
ETHADONE HYDROCHLORIDE			
a) Only on a controlled drug form			
b) No patient co-payment payablec) Safety medicine; prescriber may determine dispensing freque	no.		
d) Extemporaneously compounded methadone will only be rein		rata of the ch	neanest form available (methad
powder, not methadone tablets).	ibuiscu at tiic	Tate of the ci	icapest form available (methac
Powder	7.84	1 g	✓ AFT
‡ Safety cap for extemporaneously compounded oral liquid p		. 9	
ETHYL HYDROXYBENZOATE	L		
Powder	8.00	25 g	✓ PSM
	8.98	y	✓ Midwest
ETHYLCELLII OCE	5.00		
ETHYLCELLULOSE Powder	26.05	100 a	✓ MidWest
		100 g	
Suspension - Only in combination	33 50	473 ml	✔ Ora-Plus

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully sidised	Brand or Generic Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	ARIN - Only in co	mbination		
Suspension	32.50	473 ml	~ 0	ra-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Only	y in combination			
Suspension		473 ml	V 0	ra-Blend
PHENOBARBITONE SODIUM				
Powder - Only in combination	52.50	10 g	✓ N	lidWest
	325.00	100 g	✓ N	lidWest
a) Only in children up to 12 years				
b) ‡ Safety cap for extemporaneously compounded oral lie	quid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenz				lidwest
Liq	11.25	500 ml	VIV	iiawesi
SODIUM BICARBONATE	0.05	500 ··		Vb 4
Powder BP - Only in combination	8.95 9.80	500 g	VIV	lidwest
	(29.50)		П	avid Craig
Only in extemporaneously compounded omeprazole and I	(/	ension.		avia Oralg
SYRUP (PHARMACEUTICAL GRADE) – Only in combination				
Only in extemporaneously compounded oral liquid preparation	ons.			
Liq		2,000 ml	✓ N	lidwest
WATER				
Tap – Only in combination	0.00	1 ml	✓ T	ap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

Initial Applications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner.

Reapplications: Only from a dietitian, relevant specialist or a vocationally registered general

practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioner. Other general practitioners must include the name of the dietitian, relevant specialist or voca-

tionally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services

Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

Failure to thrive Growth deficiency An inability to gain or maintain weight resulting in physiological impairment. Where the weight of the child is less than the fifth or possibly third percentile for

their age, with evidence of malnutrition

Subsidy (Manufacturer's Price)

Fully Subsidised Per

Brand or Generic Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Either:
 - 1 cystic fibrosis; or
 - 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a digititian relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3]

400 g OP ✔ Polycal

Carbohydrate And Fat

⇒SA1376 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 Infant or child aged four years or under; and
 - 2 cvstic fibrosis.

Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

Soluble Powder

continued...

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 infant or child aged four years or under: and
- 2 Any of the following:
 - 2.1 cancer in children: or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPPLEMENT - S	Special Authority see SA1376 on th	e previous page –	Hospital pharmacy [HP3
Powder (neutral)	60.31	400 g OP ✓	Duocal Super

Fat

➡SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia: or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia: or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 ascites; or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
` \$	Per	~	Manufacturer	

continued...

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

	,	[+]
12.30	200 ml OP	✓ Calogen
30.75	500 ml OP	✓ Calogen
12.30	200 ml OP	✓ Calogen
30.00	500 ml OP	✓ MCT oil (Nutricia)
114.92	4 OP	✓ Liquigen
		12.30 200 ml OP

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA1524 above - Hospital pharmacy [HP3] ✔ Protifar 225 q OP 8.95 227 g OP ✓ Resource Beneprotein ✓ Promod

275 a OP

Subsidy (Manufacturer's Price) Subsequence Subsequence

Fully Subsidised Per Brand or Generic Manufacturer

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see SA1094 above - Hospital pharmacy [HP3]

Diabetic Products

►SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hospital pharmacy [HP3]

Liquid (strawberry)1.50	200 ml OP	Diasip
Liquid (vanilla)	200 ml OP	✓ Diasip
1.88	3 250 ml OP	✓ Glucerna Select
1.78	3 237 ml OP	
(2.10))	Resource Diabetic

Fat Modified Products

⇒SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

(2.10)

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak: or

continued...

Sustagen Diabetic



Subsidy (Manufacturer's Price) \$ Fully Subsidised Per

Brand or Generic Manufacturer

continued...

3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED - Special Authority see SA1525 on the previous page - Hospital pharmacy [HP3]

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1098 above - Hospital pharmacy [HP3]

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1099 above - Hospital pharmacy [HP3]

Brand or

Generic

Manufacturer

Subsidy Fully (Manufacturer's Price) Subsidised Per

Paediatric Products

■ SA1379 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML - Special Auth Liquid		ve – Hospital p 500 ml OP	
PAEDIATRIC ENTERAL FEED 1KCAL/ML - Special Autho	ority see SA1379 above		••
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML - Liquid	, ,	SA1379 above 500 ml OP	e – Hospital pharmacy [HP3] Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED - Special Authority see SA1379 Powder (vanilla)		macy [HP3] 850 g OP	✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML - Special Authority Liquid (strawberry) Liquid (vanilla)	1.60	Hospital pharn 200 ml OP 200 ml OP	nacy [HP3] Fortini Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML - Special Authority s Liquid (chocolate) Liquid (strawberry) Liquid (vanilla)	1.07 1.07	ospital pharma 200 ml OP 200 ml OP 200 ml OP 250 ml OP	cy [HP3] Pediasure Pediasure Pediasure Pediasure Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Sp Liquid (chocolate) Liquid (strawberry)	1.60 1.60	1379 above – F 200 ml OP 200 ml OP 200 ml OP	Hospital pharmacy [HP3] Fortini Multi Fibre Fortini Multi Fibre Fortini Multi Fibre



Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic
\$ Per ✔ Manufacturer

Renal Products

⇒SA1101 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

RENAL ENTERAL FEED 1.8 KCAL/ML – Special Authority see Liquid			nacy [HP3] Nepro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see SA Liquid		spital pharmacy 220 ml OP	[HP3] ✓ Nepro HP (strawberry) ✓ Nepro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML - Special Authority see SA11	01 above - Hospi	ital pharmacy [F	HP3]
Liquid	2.88	237 ml OP	
	(3.31)		NovaSource Renal
Liquid (apricot) 125 ml	11.52	4 OP	Renilon 7.5
Liquid (caramel) 125 ml	11.52	4 OP	✓ Renilon 7.5

Specialised And Elemental Products

⇒SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 malabsorption: or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML	 Special Authority see SA1377 	above – Ho	spital pharmacy [HP3]
Powder	7.50	76 g OP	Alitraq

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per	Brand or Generic Manufacturer
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML - Spermacy [HP3] Liquid	•	377 on the prev	
ORAL ELEMENTAL FEED 0.8KCAL/ML - Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 18 171.00 18	OP VE	tal pharmacy [HP3] Elemental 028 Extra Elemental 028 Extra Elemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see SA Powder (unflavoured)			l pharmacy [HP3] 'ivonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Autho	•		– Hospital pharmacy [HP3] Peptisorb

Paediatric Products For Children With Low Energy Requirements

■SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML -	 Special Authority see 	e SA1196 above –	Hospital pharmacy [HP3
Liquid	4.00	500 ml OP 🗸	Nutrini Low Energy
			Multi Fibre

Standard Supplements

►SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or
 - 2.2 The patient has failure to thrive: or
 - 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic

\$ Per ✔ Manufacturer

continued...

- 1 The patient is under 18 years of age; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Any of the following:

Patient is Malnourished

- 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:

Patient has not responded to first-line dietary measures over a 4 week period by:

- 2.1 Increasing their food intake frequency (eg snacks between meals); or
- 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
- 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Patient is Malnourished

- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube: or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (<13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure: or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome: or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions: or

Subsidy Fully (Manufacturer's Price) Subsidised
\$ Per ✔

Brand or

Generic

Nutrison Energy Multi Fibre

Manufacturer

continued...

- 10 Epidermolysis bullosa: or
 - 11 AIDS (CD4 count < 200 cells/mm³); or
 - 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula: or
- 9 Severe chronic neurological conditions.

ŭ		
ENTERAL FEED 1.5KCAL/ML - Special Authority see SA1554 of Liquid	 	y [HP3] ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML - Special Authority see SA1554 on Liquid		✓ Isosource Standard
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML - Special Authority Liquid		
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority se Liquid	237 ml OP	
ENTERAL FEED WITH FIBRE 1.5KCAL/ML — Special Authority s Liquid		✓ Ensure Plus HN

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

ORAL FEED (POWDER) - Special Authority see SA1554 on page 237 - Hospital pharmacy [HP3]

Note: Higher subsidy for Sustagen Hospital Formula will only be reimbursed for patients with both a valid Special Authority number and an appropriately endorsed prescription.

Powder (chocolate) - Higher subsidy of up to \$26.00 per 850

g with Endorsement	26.00	850 g OP	✓ Ensure
	9.54	840 g OP	
	(14.90)	_	Sustagen Hospital
			Formula

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

Additional subsidy by endorsement is available for patients with fat malabsorption, fat intolerance or chyle leak. The prescription must be endorsed accordingly.

ORAL FEED 1.5KCAL/ML - Special Authority see SA1554 on page 237 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, who have severe epidermolysis bullosa, or as exclusive enteral nutrition in children under the age of 18 years for the treatment of Crohn's disease. The prescription must be endorsed accordingly.

Endorsement	0.72	200 ml OP	
	(1.26)	200 0.	Ensure Plus
	(1.26)		Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement		200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200			
ml with Endorsement		200 ml OP	E 51
	(1.26)		Ensure Plus
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with			
Endorsement		200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml			
with Endorsement		237 ml OP	
	(1.33)		Ensure Plus
	0.72	200 ml OP	
	(1.26)		Ensure Plus
	(1.26)		Fortisip

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	~	Manufacturer	

ORAL FEED WITH FIBRE 1.5 KCAL/ML - Special Authority see SA1554 on page 237 - Hospital pharmacy [HP3]

Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly.

. ,			
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (strawberry) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with			
Endorsement	0.72	200 ml OP	
	(1.26)		Fortisip Multi Fibre

High Calorie Products

■SA1195 | Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- All of the following:

 1 Cystic fibrosis: and
 - 2 other lower calorie products have been tried; and
 - 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements: or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer ENTERAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] Liquid5.50 500 ml OP ✓ Nutrison Concentrated 11.00 1.000 ml OP ✓ Two Cal HN RTH ORAL FEED 2 KCAL/ML - Special Authority see SA1195 on the previous page - Hospital pharmacy [HP3] Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly. Liquid (vanilla) - Higher subsidy of \$1.90 per 200 ml with 200 ml OP Two Cal HN

Food Thickeners

■ SA1106 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder.

(1.90)

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FOOD THICKENER - Special Authority see SA1106 above - Hospital pharmacy [HP3] ✓ Nutilis 300 a OP 380 a OP Feed Thickener 7.25 Karicare Aptamil

Gluten Free Foods

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

⇒SA1107 | Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither:

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX - Special Authority see SA1107 above - Hospital pharmacy [HP3] 1.000 a OP Healtheries Simple (5.15)**Baking Mix**

	Subsidy (Manufacturer's Pr \$		Fully Brand or ised Generic Manufacturer
GLUTEN FREE BREAD MIX – Special Authority see SA1107 on			rmacy [HP3]
Powder		1,000 g OP	
	(7.32)		NZB Low Gluten
			Bread Mix
	4.77		
	(8.71)		Bakels Gluten Free
			Health Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
(Bakels Gluten Free Health Bread Mix Powder to be delisted 1 Ap	oril 2017)		
GLUTEN FREE FLOUR - Special Authority see SA1107 on the	previous page – H	ospital pharmac	v [HP3]
Powder		2,000 g OP	, [· · · · ·]
	(18.10)	_, 5	Horleys Flour
CLUTTEN EDGE DACTA Consciel Authority and CA1107 on the	, ,		•
GLUTEN FREE PASTA – Special Authority see SA1107 on the p			(HP3)
Buckwheat Spirals		250 g OP	0
0 17 11 01 11	(3.11)	050 05	Orgran
Corn and Vegetable Shells		250 g OP	0
One and Variable Orbels	(2.92)	050 - 00	Orgran
Corn and Vegetable Spirals		250 g OP	0
5: 10 1 01 1	(2.92)	000 00	Orgran
Rice and Corn Lasagne Sheets		200 g OP	
5	(3.82)		Orgran
Rice and Corn Macaroni		250 g OP	
	(2.92)		Orgran
Rice and Corn Penne		250 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals		250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals		250 g OP	_
	(3.11)		Orgran
Rice and corn spaghetti noodles		375 g OP	_
	(2.92)		Orgran
Vegetable and Rice Spirals		250 g OP	_
	(2.92)		Orgran
Italian long style spaghetti		220 g OP	_
	(3.11)		Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per ✔ Manufacturer

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE – Special Authority see SA1108 on the previous page – Hospital pharmacy [HP3]

500 g OP ✓ MSUD Maxamaid ✓ MSUD Maxamum

(MSUD Maxamaid Powder to be delisted 1 May 2017)

Supplements For PKU

AMINOACID FORMULA WITHOUT PHENYLALANINE – Special Authority see SA1108 on the previous page – Hospital pharmacy IHP31

T-1	00.00	75.00	. / Distance 40
Tabs		75 OP	✓ Phlexy 10
Powder (unflavoured) 36 g sachets	393.00	30	PKU Anamix Junior
Infant formula	174.72	400 g OP	PKU Anamix Infant
Powder (orange)	221.00	500 g OP	XP Maxamaid
	320.00	-	XP Maxamum
Powder (unflavoured)	221.00	500 g OP	XP Maxamaid
	320.00	•	✓ XP Maxamum
Liquid (berry)	13.10	125 ml OP	PKU Anamix Junior
			LQ
Liquid (orange)	13.10	125 ml OP	✔ PKU Anamix Junior
1 (3.)			LQ
Liquid (unflavoured)	13.10	125 ml OP	✔ PKU Anamix Junior
			LQ
Liquid (forest berries), 250 ml carton	540.00	18 OP	Easiphen Liquid
Liquid (juicy berries) 62.5 ml	939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml	939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy orange) 62.5 ml	939.00	60 OP	✓ PKU Lophlex LQ 10
Liquid (juicy berries) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (juicy citrus) 125 ml		30 OP	✓ PKU Lophlex LQ 20
Liquid (iuicy orange) 125 ml		30 OP	✓ PKU Lophlex LQ 20

Foods

LOW PROTEIN BAKING MIX - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

Powder8.22 500 g OP

✓ Loprofin Mix

LOW PROTEIN PASTA - Special Authority see SA1108 on the previous page - Hospital pharmacy [HP3]

OWITHOLEHVINON	openial realitionity dee or till of oil till provides page	rioopital priarrit	aoy [i ii o]	
Animal shapes	11.91	500 g OP	✓ Loprofin	
Lasagne	5.95	250 g OP	✓ Loprofin	
Low protein rice past	a11.91	500 g OP	✓ Loprofin	
	5.95	250 g OP	✓ Loprofin	
Penne	11.91	500 g OP	✓ Loprofin	
Spaghetti	11.91	500 g OP	✓ Loprofin	
Spirals	11.91	500 g OP	✓ Loprofin	

Infant Formulae

For Premature Infants



Subsidy (Manufacturer's Price) \$ Fully Subsidised

Per

Brand or Generic Manufacturer

⇒SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

DOUT:

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Fither:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA – Special Authority see SA1110 above – Hospital pharmacy [HP3]

Powder44.40 400 q OP ✓ Locasol

Gastrointestinal and Other Malabsorptive Problems

AMINO ACID FORMULA — Special Authority see SA12	19 below – Hospital phar	macy [HP3]	
Powder	6.00	48.5 g OP	Vivonex Pediatric
	43.60	400 g OP	Alfamino Junior
	53.00		✓ Neocate LCP
Powder (unflavoured)	53.00	400 g OP	✓ Elecare
			✓ Elecare LCP
			✓ Neocate Advance
			✓ Neocate Gold
Powder (vanilla)	53.00	400 g OP	✓ Elecare
, ,		•	✓ Neocate Advance

(Vivonex Pediatric Powder to be delisted 1 April 2017)

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
(Manulacturers Frice)	Per	Subsidised	Manufacturer

continued...

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1557 below - Hospital pharmacy [HP3]

⇒SA1557 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis: or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure: or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula: and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Subsidy Fully (Manufacturer's Price) Subsidised
\$ Per ✔

Brand or

Generic

Manufacturer

Ketogenic Diet

⇒SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - Special Authority see SA	1197 above – Retail pharmacy
Powder (unflavoured)35	5.50 300 g OP KetoCal 4:
	✓ Ketocal 3:1
Powder (vanilla)	5.50 300 g OP ✓ KetoCal 4:

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE	CEFTRIAXONE
✓ Inj 1 in 1,000, 1 ml ampoule5	✓ Inj 500 mg vial – Subsidy by endorsement –
✓ Inj 1 in 10,000, 10 ml ampoule5	See note on page 975
AMINOPHYLLINE	✓ Inj 1 g vial – Subsidy by endorsement – See
✓ Inj 25 mg per ml, 10 ml ampoule	note on page 975
	CHARCOAL
AMIODARONE HYDROCHLORIDE	CHARCOAL
✓ Inj 50 mg per ml, 3 ml ampoule6	✓ Oral liq 50 g per 250 ml250 ml
AMOXICILLIN	CHLORPROMAZINE HYDROCHLORIDE
✓ Cap 250 mg30	✓ Tab 10 mg30
✓ Cap 500 mg30	✓ Tab 25 mg30
✓ Grans for oral liq 125 mg per 5 ml	✓ Tab 100 mg30
✓ Grans for oral liq 250 mg per 5 ml	✓ Inj 25 mg per ml, 2 ml5
✓ Inj 1 g vial5	CIDDOELOVACINI
	CIPROFLOXACIN
AMOXICILLIN WITH CLAVULANIC ACID	✓ Tab 250 mg – See note on page 100
✓ Tab 500 mg with clavulanic acid 125 mg30	✓ Tab 500 mg – See note on page 1005
✓ Grans for oral liq amoxicillin 125 mg with	CO-TRIMOXAZOLE
clavulanic acid 31.25 mg per	✓ Tab trimethoprim 80 mg and
5 ml200 ml	sulphamethoxazole 400 mg30
✓ Grans for oral liq amoxicillin 250 mg with	✓ Oral liq trimethoprim 40 mg and
clavulanic acid 62.5 mg per 5 ml200 ml	sulphamethoxazole 200 mg per
ASPIRIN	5 ml200 ml
	5 III200 IIII
✓ Tab dispersible 300 mg30	COMPOUND ELECTROLYTES
ATROPINE SULPHATE	✔ Powder for oral soln10
✓ Inj 600 mcg per ml, 1 ml ampoule5	CONDOMS
AZITHROMYCIN	✓ 49 mm144
✓ Tab 500 mg – See note on page 978	✓ 52 mm
P Tab 300 mg - See note on page 37	✓ 52 mm extra strength144
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]	✓ 53 mm
✓ Tab 2.5 mg – See note on page 62150	✓ 53 mm (chocolate)
BENZATHINE BENZYLPENICILLIN	✓ 53 mm (strawberry)144
	✓ 55 mm
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe5	✓ 56 mm
BENZTROPINE MESYLATE	✓ 56 mm, shaped144
✓ Inj 1 mg per ml, 2 ml10	✓ 60 mm
DENZY/ DENIGH LIN CODIUM (DENIGH LIN C)	144
BENZYLPENICILLIN SODIUM (PENICILLIN G)	CYPROTERONE ACETATE WITH
✓ Inj 600 mg (1 million units) vial5	ETHINYLOESTRADIOL
BLOOD GLUCOSE DIAGNOSTIC TEST METER	✓ Tab 2 mg with ethinyloestradiol 35 mcg and
✓ Meter with 50 lancets, a lancing device and	7 inert tabs168
10 diagnostic test strips – Subsidy by	DEVANETUACONE
endorsement – See note on page 261	DEXAMETHASONE
• •	✓ Tab 0.5 mg – Retail pharmacy-Specialist
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP	✓ Tab 4 mg – Retail pharmacy-Specialist30
✔ Blood glucose test strips – See note on page	DEXAMETHASONE PHOSPHATE
26 50 test	✓ Inj 4 mg per ml, 1 ml ampoule – See note on
BLOOD KETONE DIAGNOSTIC TEST METER	page 855
✓ Meter – See note on page 251	continued
	continuea

[✓] fully subsidised brand available

PRACTITIONER'S SUPPLY ORDERS

continued) ✓ Inj 4 mg per ml, 2 ml ampoule – See note on		✓ Tab 35 mcg with norethisterone 1 mg and 7 inert tab	Q
page 85	5	✓ Tab 35 mcg with norethisterone 500 mcg	
. •		✓ Tab 35 mcg with norethisterone 500 mcg	
DIAPHRAGM ✓ 65 mm – See note on page 78	1	and 7 inert tab	84
✓ 70 mm – See note on page 78		FLUCLOXACILLIN	
✓ 75 mm – See note on page 78		✓ Cap 250 mg	30
✓ 80 mm – See note on page 78		✓ Grans for oral liq 25 mg per ml	
		✓ Grans for oral lig 50 mg per ml	
DIAZEPAM		✓ Inj 1 g vial	
✓ Inj 5 mg per ml, 2 ml ampoule – Subsidy by		FLUDENTILLY OF DECANOATE	
endorsement – See note on page 136		FLUPENTHIXOL DECANOATE ✓ Inj 20 mg per ml, 1 ml	
✓ Rectal tubes 5 mg		✓ Inj 20 mg per ml, 2 ml	
✓ Rectal tubes 10 mg	5	✓ Inj 100 mg per ml, 1 ml	
DICLOFENAC SODIUM			
✓ Inj 25 mg per ml, 3 ml ampoule	5	FLUPHENAZINE DECANOATE	
✓ Suppos 50 mg		✓ Inj 12.5 mg per 0.5 ml, 0.5 ml – Subsidy by	
		endorsement – See note on page 146	5
DIGOXIN	00	✓ Inj 25 mg per ml, 1 ml – Subsidy by	
✓ Tab 62.5 mcg		endorsement – See note on page 146	
✓ Tab 250 mcg	30	✓ Inj 25 mg per ml, 2 ml – Subsidy by	
DOXYCYCLINE		endorsement – See note on page 146	5
Tab 50 mg	30	✓ Inj 100 mg per ml, 1 ml – Subsidy by	
✓ Tab 100 mg	30	endorsement – See note on page 146	5
EDCOMETRINE MALEATE		FUROSEMIDE [FRUSEMIDE]	
ERGOMETRINE MALEATE	_	✓ Tab 40 mg	30
✓ Inj 500 mcg per ml, 1 ml ampoule	5	✓ Inj 10 mg per ml, 2 ml ampoule	5
ERYTHROMYCIN ETHYL SUCCINATE		GLUCAGON HYDROCHLORIDE	
✓ Tab 400 mg	20	✓ Inj 1 mg syringe kit	
✓ Grans for oral liq 200 mg per 5 ml	ml		
✓ Grans for oral liq 400 mg per 5 ml	ml	GLUCOSE [DEXTROSE]	
ERYTHROMYCIN STEARATE		✓ Inj 50%, 10 ml ampoule	
Tab 250 mg	30	✓ Inj 50%, 90 ml bottle	5
140 200 mg	00	GLYCERYL TRINITRATE	
ETHINYLOESTRADIOL WITH DESOGESTREL		✓ Tab 600 mcg	100
Tab 20 mcg with desogestrel 150 mcg and		✓ Oral pump spray, 400 mcg per dose	
7 inert tab	84	✓ Oral spray, 400 mcg per dose	
Tab 30 mcg with desogestrel 150 mcg and		GLYCOPYRRONIUM BROMIDE	
7 inert tab	84	✓ Inj 200 mcg per ml, 1 ml ampoule	10
ETHINYLOESTRADIOL WITH LEVONORGESTREL		Firij 200 meg per mi, 1 mi ampoule	10
		HALOPERIDOL	
✓ Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab	0.4	✓ Tab 500 mcg	
	04	✓ Tab 1.5 mg	
✓ Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab	Q/I	✓ Tab 5 mg	
Tab 30 mcg with levonorgestrel 150 mcg		✓ Oral liq 2 mg per ml	
✓ Tab 30 mcg with levonorgestrel 150 mcg and	00	✓ Inj 5 mg per ml, 1 ml ampoule	5
7 inert tab	84	HALOPERIDOL DECANOATE	
	~	✓ Inj 50 mg per ml, 1 ml	5
ETHINYLOESTRADIOL WITH NORETHISTERONE		✓ Inj 100 mg per ml, 1 ml	5
✓ Tab 35 mcg with norethisterone 1 mg	63	со	ntinued

(continued) HYDROCORTISONE	METRONIDAZOLE ✓ Tab 200 mg30
✓ Inj 100 mg vial	5 MORPHINE SULPHATE
HYDROXOCOBALAMIN ✓ Inj 1 mg per ml, 1 ml ampoule	✓ Inj 5 mg per ml, 1 ml ampoule – Only on a controlled drug form5
HYOSCINE N-BUTYLBROMIDE ✓ Inj 20 mg, 1 ml	✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form5
INTRA-UTERINE DEVICE ✓ IUD 29.1 mm length × 23.2 mm width	✓ Inj 15 mg per ml, 1 ml ampoule – Only on a controlled drug form5
✓ IUD 33.6 mm length × 29.9 mm width	controlled drug form5
IPRATROPIUM BROMIDE	NALOXONE HYDROCHLORIDE ✓ Inj 400 mcg per ml, 1 ml ampoule5
✓ Aerosol inhaler, 20 mcg per dose CFC-free400 dos	se NICOTINE
✓ Nebuliser soln, 250 mcg per ml, 1 ml ampoule4 ✓ Nebuliser soln, 250 mcg per ml, 2 ml ampoule	
IVERMECTIN	✓ Patch 21 mg – See note on page 16328 ✓ Lozenge 1 mg – See note on page 163216
✓ Tab 3 mg – See note on page 7310	Do Lozenge 1 mg − See note on page 163216 ✓ Lozenge 2 mg − See note on page 163216
KETONE BLOOD BETA-KETONE ELECTRODES	✓ Gum 2 mg (Classic) – See note on page 163384
✓ Test strip1	☐ ✓ Gum 2 mg (Fruit) – See note on page 163384
LEVONORGESTREL	✓ Gum 2 mg (Mint) – See note on page 163
Tab 30 mcg	³⁴ Gum 4 mg (Fruit) – See note on page 163
✓ Tab 1.5 mg	.5 ✓ Gum 4 mg (Mint) – See note on page 163
✓ Subdermal implant (2 × 75 mg rods)	NORETHISTERONE
LIDOCAINE [LIGNOCAINE]	✓ Tab 350 mcg84
✓ Gel 2%, 10 ml urethral syringe – Subsidy by endorsement – See note on page 130	✓ Tab 5 mg30
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	OXYTOCIN ✓ Inj 5 iu per ml, 1 ml ampoule5
✓ Inj 1%, 5 ml ampoule	
✓ Inj 2%, 5 ml ampoule	5
✓ Inj 1%, 20 ml ampoule	41 1 = 1 111 1 1 1 1 = 4
✓ Inj 2%, 20 ml ampoule	5 ✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml5
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	,
✓ Gel 2% with chlorhexidine 0.05%, 10 ml	PARACETAMOL
urethral syringes – Subsidy by	✓ Tab 500 mg
endorsement – See note on page 131	.5 ✓ Oral liq 120 mg per 5 ml
LOPERAMIDE HYDROCHLORIDE	
✓ Tab 2 mg	41
✓ Cap 2 mg	30 ✓ Low range
MASK FOR SPACER DEVICE	
✓ Small – See note on page 2142	
MEDROXYPROGESTERONE ACETATE	✓ Inj 50 mg per ml, 1 ml – Only on a controlled
✓ Inj 150 mg per ml, 1 ml syringe	5 drug form
METOCLOPRAMIDE HYDROCHLORIDE	✓ Inj 50 mg per ml, 2 ml – Only on a controlled drug form5
✓ Inj 5 mg per ml, 2 ml ampoule	5 continued

PRACTITIONER'S SUPPLY ORDERS

continued)
PHENOXYMETHYLPENICILLIN (PENICILLIN V)
✓ Cap 250 mg
✓ Cap 500 mg
✓ Grans for oral liq 250 mg per 5 ml
PHENYTOIN SODIUM
✓ Inj 50 mg per ml, 2 ml ampoule
PHYTOMENADIONE ✓ Inj 2 mg per 0.2 ml5
✓ Inj 2 mg per 0.2 m
PIPOTHIAZINE PAI MITATE
✓ Inj 50 mg per ml, 1 ml – Subsidy by
endorsement – See note on page 1485
✓ Inj 50 mg per ml, 2 ml – Subsidy by
endorsement – See note on page 1485
PREDNISOLONE
✓ Oral lig 5 mg per ml – See note on page
8530 ml
PREDNISONE
✓ Tab 5 mg30
PREGNANCY TESTS - HCG URINE
✓ Cassette
PROCAINE PENICILLIN
✓ Inj 1.5 g in 3.4 ml syringe
PROCHLORPERAZINE
✓ Tab 5 mg30
✓ Inj 12.5 mg per ml, 1 ml5
PROMETHAZINE HYDROCHLORIDE
✓ Inj 25 mg per ml, 2 ml ampoule
SALBUTAMOL
✓ Inj 500 mcg per ml, 1 ml

✓ Aerosol inhaler, 100 mcg per dose CFC
free
SALBUTAMOL WITH IPRATROPIUM BROMIDE Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule20
SILVER SULPHADIAZINE ✓ Crm 1%250 g
SODIUM BICARBONATE ✓ Inj 8.4%, 50 ml
SODIUM CHLORIDE ✓ Inj 0.9%, bag – See note on page 54
✓ Inj 0.9%, 10 ml ampoule – See note on page 54
✓ 220 ml (single patient) 20 ✓ 510 ml (single patient) 20 ✓ 800 ml 20
TRIMETHOPRIM ✓ Tab 300 mg30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule
WATER ✓ Inj 5 ml ampoule – See note on page 55 ✓ Inj 10 ml ampoule – See note on page 55 ✓ Inj 20 ml ampoule – See note on page 55
ZUCLOPENTHIXOL DECANOATE ✓ Inj 200 mg per ml, 1 ml

Kaikoura

Leeston

Lincoln

Methven

Oxford

Rakaia

Rolleston

Rotherham

Templeton

South Canterbury DHB

Waikari

Fairlie

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND Northland DHB Dargaville

Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri

Mangonui Maungaturoto Moerewa Naunauru Paihia Rawene Ruakaka Russell Tutukaka

Waipu Whangaroa Waitemata DHB Helensville

Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

Auckland DHB

Great Barrier Island

Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea

Otorohanga Paeroa Pauanui Reach

Putaruru Raglan

Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi

Whangamata Whitianga

Bay of Plenty DHB Edaecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Reach Whakatane

Lakes DHB

Mangakino Turangi

Tairawhiti DHR Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay

Tolaga Bay

Taranaki DHB

Fltham Inglewood Manaia Oakura Okato Opunake Patea

Stratford

Waverley

Waipukurau

Wairoa

Hawkes Bay DHB Waipawa

Whanganui DHB

Bulls

Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB Dannevirke Foxton I evin Otaki Pahiatua

Shannon Woodville Wairarapa DHB

Carteron Geraldine Featherston Pleasant Point Greytown Temuka Martinborough Twizel Waimate

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB Dobson Grevmouth

Hokitika Karamea Reefton South Westland Westport Whataroa

Canterbury DHB Akaroa Amberlev

Amuri Chatham Islands Cheviot Darfield

Diamond Harbour Hanmer Springs

Southern DHB

Alexandra Balclutha Cromwell Gore Kurow Lawrence Lumsden Mataura

Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton

Roxburah Tananui Te Anau Tokonui Tuatapere Wanaka Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the
prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies
"certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility:
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note - the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

The following Community Pharmaceuticals are identified with a A within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

Cordarone-X

Cordarone-X

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg

Tab 200 mg

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor

Cap long-acting 100 mg Tambocor CR Cap long-acting 200 mg Tambocor CR

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHI ORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE

Nasal drops 100 mcg Minirin

per ml

Nasal spray 10 mcg per Desmopressin-PH&T

dose

MUSCULOSKELETAL SYSTEM

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHI ORIDE

FNTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROI E HYDROCHI ORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '±'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	.Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE

Oral liq 30 mg (6 mg el- Ferodan

emental) per 1 ml

CARDIOVASCULAR SYSTEM

AMILORIDE HYDROCHLORIDE

Oral liq 1 mg per ml Biomed

CAPTOPRIL

Oral liq 5 mg per ml Capoten

CHI OROTHIAZIDE

Oral lig 50 mg per ml Biomed

DIGOXIN

Oral liq 50 mcg per ml Lanoxin

FUROSEMIDE [FRUSEMIDE]

Oral liq 10 mg per ml Lasix

SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

LEVOTHYROXINE

Tab 25 mcg Synthroid
Tab 50 mcg Eltroxin

Synthroid

Tab 100 mcg Eltroxin

Synthroid

(Extemporaneously compounded oral liquid preparations)

LEVOTHYROXINE (MERCURY PHARMA)

Tab 50 mcg Mercury Pharma

Tab 100 mcg Mercury Pharma

(Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE

Tab 300 mg Q 300

(Extemporaneously compounded oral liquid preparations)

NERVOUS SYSTEM

ALPRAZOLAM

Tab 250 mcg Xanax
Tab 500 mcg Xanax
Tab 1 mg Xanax

(Extemporaneously compounded oral liquid preparations)

CARBAMAZEPINE

Oral lig 20 mg per ml Tegretol

CLOBAZAM

Tab 10 mg Frisium

(Extemporaneously compounded oral liquid preparations)

CLONAZEPAM

Oral drops 2.5 mg per Rivotril

ml

DIAZEPAM

Tab 2 mg Arrow-Diazepam Tab 5 mg Arrow-Diazepam

(Extemporaneously compounded oral liquid preparations)

ETHOSUXIMIDE

Oral lig 250 mg per 5 ml Zarontin

LORAZEPAM

Tab 1 mg Ativan
Tab 2.5 mg Ativan

(Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM

Tab 1 mg Noctamid

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral liq 2 mg per ml Biodone
Oral liq 5 mg per ml Biodone Forte
Oral liq 10 mg per ml Biodone Extra Forte

MORPHINE HYDROCHLORIDE

Oral liq 1 mg per ml RA-Morph
Oral liq 2 mg per ml RA-Morph
Oral liq 5 mg per ml RA-Morph
Oral liq 10 mg per ml RA-Morph

NITRAZEPAM

Tab 5 mg Nitrados

(Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam
Tab 15 mg Ox-Pam

(Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE

Oral lig 5 mg per 5 ml OxyNorm

PARACETAMOL

Oral lig 120 mg per 5 ml Paracare

Oral liq 250 mg per 5 ml Paracare Double Strength

PHENYTOIN SODIUM

Oral lig 30 mg per 5 ml Dilantin

SAFETY CAP MEDICINES

SODIUM VALPROATE

Oral liq 200 mg per 5 ml Epilim S/F Liquid

Epilim Syrup

TEMAZEPAM

Tab 10 mg Normison

(Extemporaneously compounded oral liquid preparations)

TRIAZOLAM

Tab 125 mcg Hypam Tab 250 mcg Hypam

(Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE

Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE

Oral liq 2 mg per 5 ml Polaramine

PROMETHAZINE HYDROCHLORIDE
Oral lig 1 mg per 1 ml Allersoothe

SALBUTAMOL

Oral liq 400 mcg per ml Ventolin

THEOPHYLLINE

Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE

Oral lig 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE

Powder Douglas

(Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

owder AFT

(Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM

Powder MidWest

(Extemporaneously compounded oral liquid preparations)

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

Vaccinations

ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]

Any of the following:

- 1) For vaccination of patients aged 45 and 65 years old; or
- 2) For vaccination of previously unimmunised or partially immunised patients: or
- 3) For revaccination following immunosuppression; or
- 4) For boosting of patients with tetanus-prone wounds: or
- 5) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

BACILLUS CALMETTE-GUERIN VACCINE - [Xpharm]

For infants at increased risk of tuberculosis. Increased risk is defined as:

- 1) living in a house or family with a person with current or past history of TB; or
- 2) having one or more household members or carers who within the last 5 years lived in a country with a rate of TB > or equal to 40 per 100,000 for 6 months or longer; or
- 3) during their first 5 years will be living 3 months or longer in a country with a rate of TB > or equal to 40 per 100,000 Note a list of countries with high rates of TB are available at www.health.govt.nz/tuberculosis (search for downloads) or www.bcqatlas.org/index.php.
- Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),
 Danish strain 1331, live attenuated, vial with diluent0.00 10

 ▶ BCG Vaccine

DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE - [Xpharm]

Funded for any of the following criteria:

- 1) A single vaccine for pregnant woman between gestational weeks 28 and 38; or
- A course of up to four vaccines is funded for children from age 7 up to the age of 18 years inclusive to complete full primary immunisation; or
- 3) An additional four doses (as appropriate) are funded for (re-)immunisation for patients post haematopoietic stem cell transplantation or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens.

Notes: Tdap is not registered for patients aged less than 10 years. Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg pertussis toxoid, 8 mcg pertussis filamentous haemagluttinin

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE -	[Ynharm]			
Funded for any of the following:	[Apriariii]			
A single dose for children up to the age of 7 who have co	mpleted primary immu	ınisation;	or	
2) A course of four vaccines is funded for catch up program				s) to complete full primary
immunisation; or				OT 1 11
 An additional four doses (as appropriate) are funded for or post splenectomy; pre- or post solid organ transplant, or 	renal dialysis and oth	er severe	ost HS0 ly immo	unosuppressive regimens;
Five doses will be funded for children requiring solid organized for the solid organization for t	n transplantation.			
Note: Please refer to the Immunisation Handbook for appropri		n up progi	rammes	3.
Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid,				
25 mcg pertussis toxoid, 25 mcg pertussis filamentous				
haemagluttinin, 8 mcg pertactin and 80 D-antigen units	0.00			formin IDV
poliomyelitis virus in 0.5ml syringe		1 10		<u>ıfanrix IPV</u> ıfanrix IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AN			_	
Funded for patients meeting any of the following criteria:	D HALMOF HILOS IN	LULINZA	.L	E B VACCINE - [Apriaiii]
Up to four doses for children up to and under the age of 1	10 for primary immunis	ation: or		
2) An additional four doses (as appropriate) are funded for			o to and	d under the age of 10 who
are patients post haematopoietic stem cell transplantation	n, or chemotherapy; p	ore or pos		
organ transplant, renal dialysis and other severely immur	osuppressive regimer	ns; or		
Up to five doses for children up to and under the age of 1				
Note: A course of up-to four vaccines is funded for catch up	programmes for child	ren (up to	and u	nder the age of 10 years)
to complete full primary immunisation. Please refer to the In	nmunisation Handbool	t for the a	ppropri	iate schedule for catch up
programmes.				
Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg per- tussistoxoid, 25mcg pertussisfilamentoushaemagluttinin,				
8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisB-				
surfaceantigen in 0.5ml syringe		10	✓ In	fanrix-hexa
		1		fanrix-hexa
HAEMOPHILUS INFLUENZAE TYPE B VACCINE - [Xpharm]				
One dose for patients meeting any of the following:				
For primary vaccination in children; or				
2) An additional dose (as appropriate) is funded for (re-)im	munisation for patients	s post had	ematop	oietic stem cell transplan-
tation, or chemotherapy; functional asplenic; pre or pos	t splenectomy; pre- o	r post so		
cochlear implants, renal dialysis and other severely immu	inosuppressive regime	ens; or		
3) For use in testing for primary immunodeficiency disease	es, on the recommend	lation of a	an inter	nal medicine physician or
paediatrician.				
Inj 10 mcg vial with diluent syringe	0.00	1	✓ <u>A</u>	ct-HIB
HEPATITIS A VACCINE - [Xpharm]				
Funded for patients meeting any of the following criteria:				
 Two vaccinations for use in transplant patients; or 				
2) Two vaccinations for use in children with chronic liver disc				
3) One dose of vaccine for close contacts of known hepatitis			4	
Inj 1440 ELISA units in 1 ml syringe		1	✓ H	
Inj 720 ELISA units in 0.5 ml syringe	0.00	1	✓ Ha	avrix Junior

	Subsidy (Manufacturer's Price)	Per	Fully Subsidised	Brand or Generic Manufacturer
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial	0.00	1	✓ <u>H</u>	IBvaxPRO
Funded for patients meeting any of the following criteria:	-	_		
for household or sexual contacts of known acute hepatitis for children have to method who are honoritis R surface.			,	
 for children born to mothers who are hepatitis B surface a for children up to and under the age of 18 years inclusive 				and a positive serology and
require additional vaccination; or	will are considered in	טו וט	nave acme	red a positive serology and
for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse;	or			
for patients following immunosuppression; or				
8) for transplant patients; or				
following needle stick injury.				
Inj 10 mcg per 1 ml vial	0.00	1	✓ <u>H</u>	<u>IBvaxPRO</u>
Funded for patients meeting any of the following criteria:	5	_		
for household or sexual contacts of known acute hepatitis for children born to methors who are hopetitis B surface of				
2) for children born to mothers who are hepatitis B surface a3) for children up to and under the age of 18 years inclusive	0 1 0/1			red a nocitive carology and
require additional vaccination; or	wild ale considered in	01 10	nave acriie	red a positive serology and
4) for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual intercourse;	or			
for patients following immunosuppression; or				
8) for transplant patients; or				
9) following needle stick injury.			4	
Inj 40 mcg per 1 ml vial	0.00	1	✓ <u>H</u>	IBvaxPRO
Funded for any of the following criteria: 1) for dialysis patients; or				
for liver or kidney transplant patient.				
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV]	[Vnharm]			
Funded for patient meeting either of the following criteria:				
Maximum of 3 doses for people aged 9 to 26 years inclused to 26.	sive: or			
2) Maximum of four doses for people aged 9 to 26 years inc		rapy.		
Inj 120 mcg in 0.5 ml syringe	0.00	10	√ G	ardasil
,		1	√ G	Gardasil
(Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October 2				
(Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October 2	017)			
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 58) VACCINE [HPV] - [[Xpha	ırm]	
Any of the following:				
 Maximum of two doses for children aged 14 years and ur 				
2) Maximum of three doses for patients meeting any of the f	ollowing criteria:			
a) People aged 15 to 26 years inclusive; orb) Either:				
People aged 9 to 26 years inclusive				
a) Confirmed HIV infection; or				
b) Transplant (including stem cell) patients: or				
Maximum of four doses for people aged 9 to 26 years inc		rapy		
Inj 270 mcg in 0.5 ml syringe	•	10	√ G	ardasil 9

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

INFLUENZA VACCINE - [Xpharm]

- A) is available each year for patients who meet the following criteria, as set by PHARMAC:
 - a) all people 65 years of age and over; or
 - b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
 - c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Doctors are the only Contractors entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria for subsidised immunisation and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

Inj 45 mcg in 0.5 ml syringe	90.00	10	✓ Influvac
------------------------------	-------	----	------------

MEASLES, MUMPS AND RUBELLA VACCINE - [Xpharm]

A maximum of two doses for any patient meeting the following criteria:

- 1) For primary vaccination in children; or
- 2) For revaccination following immunosuppression; or
- 3) For any individual susceptible to measles, mumps or rubella; or
- 4) A maximum of three doses for children who have had their first dose prior to 12 months.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj	1000	TCID50	measles,	12500	TCID50	mumps	and			
	1000	TCID50 r	rubella vial	with dilu	ent 0.5 m	ıl vial		.0.00	10	✓ M-M-R
									1	✓ M-M-R

	Subsidy (Manufacturer's Price) \$	S Per	Fully subsidised	Brand or Generic Manufacturer
MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONGUGAT	E VACCINE - [Xph:	arm]		
Any of the following:		•		
 Up to three doses and a booster every five years for patie anatomic asplenia, HIV, complement deficiency (acquired One dose for close contacts of meningococcal cases; or 			•	•
A maximum of two doses for bone marrow transplant paties	ents: or			
A maximum of two doses for patients following immunosu				
Note: children under seven years of age require two doses 8 v		ter dose	three yea	rs after the primary series
and then five yearly.	,		•	, ,
*Immunosuppression due to steroid or other immunosuppressive t	herapy must be for a	a period	of greater	than 28 days.
Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid				
carrier per 0.5 ml vial	0.00	1	<u> ✓ M</u>	<u>enactra</u>
MENINGOCOCCAL C CONGUGATED VACCINE - [Xpharm]				
Any of the following:				
 Up to three doses and a booster every five years for patie anatomic asplenia, HIV, complement deficiency (acquired One dose for close contacts of meningococcal cases; or 				
A maximum of two doses for bone marrow transplant patie	ante: or			
A maximum of two doses for bothe marrow transplant patro A maximum of two doses for patients following immunosu				
Note: children under seven years of age require two doses 8 v		ter dose	three vea	rs after the primary series
and then five yearly.	Tooks apart, a 2000			o and are primary correc
*Immunosuppression due to steroid or other immunosuppressive t	herapy must be for a	a period	of greater	than 28 days.
Inj 10 mcg in 0.5 ml syringe	0.00	1	<u> ✓ N</u>	eisvac-C
		10	✓ No	eisvac-C
PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm]				
Any of the following:				
1) A primary course of four doses for previously unvaccinate	d individuals up to th	ne age d	f 59 month	ns inclusive; or
 Up to three doses as appropriate to complete the primary of who have received one to three doses of PCV10; or 	ourse of immunisati	on for in	dividuals u	nder the age of 59 months
 One dose is funded for high risk children (over the age of 1 four doses of PCV10; or 	·	ŭ	,	, ,
4) Up to an additional four doses (as appropriate) are fund	` '		•	
haematopoietic stem cell transplantation, or chemothera				
solid organ transplant, renal dialysis, complement deficier	cy (acquired or inne	erited), c	ochlear im	plants, or primary immun-
odeficiency; or 5) For use in testing for primary immunodeficiency disease	s. on the recommer	ndation	of an inter	nal medicine physician or
paediatrician.				. ,
Note: please refer to the Immunisation Handbook for the appre				
Inj 30.8 mcg in 0.5 ml syringe	0.00	10		revenar 13
		1	✓ <u>Pı</u>	revenar 13
PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE - [XX	oharm]			
Either:				
 Up to three doses (as appropriate) for patients with HIV, for 				
apy; pre- or post-splenectomy or with functional asplenia				enal dialysis, complement
deficiency (acquired or inherited), cochlear implants, or pr	•	ency; or		
2) Up to two doses are funded for high risk children to the ag	je of 18.			
Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype)	0.00	1	∠ Pı	neumovax 23
			· ·	

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per ✔ Manufacturer

✓ IPOL

POLIOMYELITIS VACCINE - [Xpharm]

Up to three doses for patients meeting either of the following:

- 1) For partially vaccinated or previously unvaccinated individuals; or
- 2) For revaccination following immunosuppression.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch-up programmes.

ROTAVIRUS LIVE REASSORTANT ORAL VACCINE - [Xpharm]

Maximum of three doses for patients meeting the following:

- 1) first dose to be administered in infants aged under 15 weeks of age; and
- 2) no vaccination being administered to children aged 8 months or over.

Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units

VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

1) For non-immune patients:

varicella.

- 2) a) with chronic liver disease who may in future be candidates for transplantation; or
 - b) with deteriorating renal function before transplantation; or
 - c) prior to solid organ transplant; or
 - d) prior to any elective immunosuppression*.
- 3) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 4) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 5) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- 6) For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.

 7) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune
- compromise where the household contact has no clinical history of varicella.

 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of

- Symbols -
3TC115
50X 3.0 Reservoir37
- A -
A-Scabies74
Abacavir sulphate115
Abacavir sulphate with
lamivudine115
Abilify143
Abiraterone acetate180
Acarbose25
Accord Escitalopram135
Accu-Chek Ketur-Test25
Accu-Chek Performa26
Accuretic 1057
Accuretic 2057
Acetazolamide217
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium215
Acetic acid with hydroxyquinoline
and ricinoleic acid81
Acetylcysteine220
Aci-Jel81
Aciclovir
Infection109
Sensory215
Acidex20
Acipimox63
Acitretin75
Aclasta124
Aclin120
Act-HIB260
Actinomycin D170
Actrapid24
Actrapid Penfill24
Acupan131
Adalat 1060
Adalimumab189
Adapalene67
Adefin XL60
Adefovir dipivoxil107
Adenuric127
ADR Cartridge 1.837
Adrenaline65
Adriamycin170
ADT Booster259
Adult diphtheria and tetanus
vaccine259
Advantan71
Advate49
Afinitor204

AFT Carbimazole	89
AFT SLS-free	72
AFT-Pyrazinamide	.106
AFT-Pyrazinamide S29	106
Agents Affecting the	. 100
Renin-Angiotensin System	56
Agents for Parkinsonism and	50
Related Disorders	100
Agents Used in the Treatment of	. 129
Agents Used in the Treatment of	000
Poisonings	. 220
Agrylin	.169
Alanase	.213
Albendazole	
Albey	
Albustix	
Alendronate sodium	.123
Alendronate sodium with	
colecalciferol	. 123
Alfacalcidol	44
Alfamino Junior	.246
Alginic acid	20
Alglucosidase alfa	40
Alitraq	.236
Alkeran	.165
Allersoothe	.207
Allopurinol126-	-127
Allopurinol-Apotex	.126
Alpha Adrenoceptor Blockers	56
Alpha-Keri Lotion	
Alprazolam	.148
Alu-Tab	20
Aluminium hydroxide	20
Amantadine hydrochloride	
Ambrisentan	66
Amiloride hydrochloride	62
Amiloride hydrochloride with	
furosemide	62
Amiloride hydrochloride with	
hydrochlorothiazide	62
Aminophylline	.213
Amiodarone hydrochloride	57
Amisulpride	.143
Amitriptyline	.134
Amlodipine	60
Amorolfine	
Amoxicillin	98
Amoxicillin Actavis	98
Amoxicillin with clavulanic	
acid	98
Amphotericin B	
Amsacrine	
Amealiva	

Amsidine	
Amyl nitrite	
Amzoate	
Anaesthetics	
Anagrelide hydrochloride	
Analgesics	
Anastrozole	182
Andriol Testocaps	
Androderm	86
Animas Battery Cap	33
Animas Cartridge	37
Animas Vibe	28
Anoro Ellipta	
Antabuse	162
Antacids and Antiflatulants	20
Anten	
Anthelmintics	96
Antiacne Preparations	67
Antiallergy Preparations	206
Antianaemics	47
Antiandrogen Oral	
Contraceptives	81
Antiarrhythmics	
Antibacterials	96
Antibacterials Topical	68
Anticholinergic Agents	209
Anticholinesterases	
Antidepressants	
Antidiarrhoeals	20
Antiepilepsy Drugs	136
Antifibrinolytics, Haemostatics	
and Local Sclerosants	48
Antifibrotics	
Antifungals	102
Antifungals Topical	68
Antihistamines	
Antihypotensives	
Antimalarials	105
Antimigraine Preparations	141
Antinaus	142
Antinausea and Vertigo	
Agents	141
Antiparasitics	105
Antipruritic Preparations	69
Antipsychotics	143
Antiretrovirals	113
Antiretrovirals - Additional	
Therapies	116
Antirheumatoid Agents	121
Antispasmodics and Other	
Agents Altering Gut	
Motility	22

Antithrombotic Agents	50	Apomorphine hydrochloride	129	Atazanavir sulphate	
Antithymocyte globulin		Aprepitant	141	Atenolol	58
(equine)	189	Apresoline	65	Atenolol AFT	
Antitrichomonal Agents .	105	Aptamil Gold+ Pepti Junior		ATGAM	189
Antituberculotics and		Aquasun 30+		Ativan	149
Antileprotics	105	Aqueous cream		Atomoxetine	157
Antiulcerants		Arava		Atorvastatin	
Antivirals		Aremed		Atripla	
Anxiolytics	148	Arimidex	182	Atropine sulphate	
Anzatax		Aripiprazole		Cardiovascular	58
Apidra		Aristocort		Sensory	
Apidra SoloStar		Arrow - Clopid		Atropt	
Apo-Allopurinol		Arrow-Amitriptyline		Atrovent	
Apo-Amiloride		Arrow-Bendrofluazide		Aubagio	
Apo-Amlodipine		Arrow-Brimonidine		Augmentin	
Apo-Amoxi		Arrow-Calcium		Auranofin	
Apo-Azithromycin		Arrow-Diazepam		Ava 20 ED	
Apo-Bromocriptine		Arrow-Dortim		Ava 30 ED	
Apo-Ciclopirox		Arrow-Doxorubicin		Avelox	
Apo-Cilazapril		Arrow-Etidronate		Avenox	
		Arrow-Eligionale		Avonex	
Apo-Cilazapril/	E7			Avonex Pen	
Hydrochlorothiazide	57	Arrow-Gabapentin			
Apo-Clarithromycin	00	Arrow-Lamotrigine	139	Azacitidine	
Alimentary		Arrow-Losartan &	-7	Azamun	
Infection		Hydrochlorothiazide		Azathioprine	
Apo-Clomipramine		Arrow-Meloxicam		Azithromycin	
Apo-Diclo SR		Arrow-Morphine LA		Azol	
Apo-Diltiazem CD		Arrow-Norfloxacin		Azopt	
Apo-Doxazosin		Arrow-Ornidazole		AZT	115, 116
Apo-Folic Acid		Arrow-Quinapril 10		-B-	
Apo-Imiquimod Cream 5%		Arrow-Quinapril 20		B-D Micro-Fine	27
Apo-Megestrol		Arrow-Quinapril 5		B-D Ultra Fine	27
Apo-Metoprolol		Arrow-Roxithromycin		B-D Ultra Fine II	27
Apo-Mirtazapine		Arrow-Sertraline		Bacillus Calmette-Guerin	(BCG)
Apo-Moclobemide		Arrow-Simva 10mg		vaccine	189
Apo-Montelukast		Arrow-Simva 20mg		Bacillus Calmette-Guerin	
Apo-Nadolol	59	Arrow-Simva 40mg		vaccine	259
Apo-Nicotinic Acid	63	Arrow-Simva 80mg	63	Baclofen	
Apo-Oxybutynin	82	Arrow-Sumatriptan	141	Bactroban	68
Apo-Paroxetine	135	Arrow-Timolol		Bakels Gluten Free Health	
Apo-Perindopril	57	Arrow-Tolterodine	83	Mix	244
Apo-Pindolol	59	Arrow-Topiramate	140	Baraclude	
Apo-Prazosin	56	Arrow-Tramadol	134	Barrier Creams and	
Apo-Prednisone	86	Arrow-Venlafaxine XR	136	Emollients	72
Apo-Primidone	139	Arsenic trioxide	169	BCG Vaccine	
Apo-Propranolol	60	Asacol	21	Beclazone 100	
Apo-Pyridoxine	43	Asamax	21	Beclazone 250	
Apo-Ropinirole	129	Ascorbic acid	44	Beclazone 50	
Apo-Selegiline S29		Aspen Adrenaline	65	Beclomethasone	
Apo-Terazosin		Aspirin		dipropionate	207 212
Apo-Thiamine		Blood	50	Becton Dickinson PosiFlu	
Apo-Timol		Nervous		Bee venom allergy	311
Apo-Trifluoperazine		Asthalin	209	treatment	200
				ucauneni	200

Bendrofluazide Bendroflumethiazide	
[Bendrofluazide]	. 62
BeneFIX	49
Benzathine benzylpenicillin	98
Benzbromaron AL 100	127
Benzbromarone	127
Benzoin	
Benztrop	
Benztropine mesylate	
Benzydamine hydrochloride	42
Benzylpenicillin sodium (penicillin G)	
Beta Adrenoceptor Blockers	99
Beta Cream	
Beta Cintment	
Beta Scalp	/6
Beta-Adrenoceptor Agonists	209
Betadine	73
Betadine Skin Prep	
Betaferon	156
Betagan Betahistine dihydrochloride	216
Betahistine dihydrochloride	142
Betaloc CR	59
Betamethasone dipropionate	70
Betamethasone dipropionate	
with calcipotriol	. 75
Betamethasone sodium	
phosphate with	
phosphate with	85
phosphate with betamethasone acetate	85
phosphate with betamethasone acetate70 Betamethasone valerate70 Betamethasone valerate with clicquinol	85 , 76
phosphate with betamethasone acetate70 Betamethasone valerate70 Betamethasone valerate with clicquinol	85 , 76
phosphate with betamethasone acetate70 Betamethasone valerate70 Betamethasone valerate with	85 , 76 71
phosphate with betamethasone acetate70 Betamethasone valerate with clioquinol	85 , 76 71
phosphate with betamethasone acetate70 Betamethasone valerate with clioquinol	85 ., 76 71 71 216
phosphate with betamethasone acetate70 Betamethasone valerate with clioquinol	85 ., 76 71 71 216 70
phosphate with betamethasone acetate70 Betamethasone valerate with clioquinol	85 , 76 71 71 216 70 71
phosphate with betamethasone acetate	85 ., 76 71 71 216 70 71 216
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 216
phosphate with betamethasone acetate	85 ., 76 71 71 216 70 71 216 216 63
phosphate with betamethasone acetate	85 71 71 216 70 71 216 216 63 63
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 216 63 63
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 63 63 63 181
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 63 63 181 181
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 216 63 63 181 181 98
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 63 63 63 181 181 98 165
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 63 63 181 181 98 165 23
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 216 63 63 181 181 98 165 23 96
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 216 63 63 181 181 98 165 23 96 217
phosphate with betamethasone acetate	85 , 76 71 71 71 216 63 63 63 181 181 98 165 23 96 217 217
phosphate with betamethasone acetate	85 , 76 71 71 216 70 71 216 63 63 63 181 181 23 96 217 217

Biodone Forte	132
Bisacodyl	40
Bisoprolol fumarate	
BK Lotion	72
Bleomycin sulphate	169
Blood Colony-stimulating	
Factors	53
Blood glucose diagnostic test	
meter	26
Blood glucose diagnostic test	
strip	26
Blood glucose test strips (visually	
impaired)	27
Blood ketone diagnostic test	
meter	25
Boceprevir	112
Bonjela	
Boostrix	
Bortezomib	
Bosentan	
Bosvate	
Bplex	44
Breo Ellipta	∠∪ŏ ^^
Brevinor 1/28	
Brevinor 21	
Bricanyl Turbuhaler	ou
Brilinta	
Brimonidine tartrate	
Brimonidine tartrate with timolol	217
maleate	217
Brinov	
Brinzolamide	
Brolene	
Bromocriptine mesylate	129
Brufen SR	
BSF Lorstat	
BSF Sulprix	220
Buccastem	
Budesonide	
Alimentary207	20
Respiratory207	', 213
Budesonide with	
eformoterol	
Bumetanide	61
Buprenorphine with	
naloxone	161
Bupropion hydrochloride	162
Burinex	
Buscopan	22
Buspirone hydrochloride	
Busulfan	165
Butacort Aqueous	213

- C -

Cabergoline	95
Cafergot	
Cafergot S29	
Caffeine citrate	
Calamine	
Calcipotriol	
Calcitonin	
Calcitriol	44
Calcitriol-AFT	
Calcium carbonate2	
Calcium Channel Blockers	60
Calcium Disodium	
Versenate	
Calcium folinate	
Calcium Folinate Ebewe	
Calcium gluconate	
Calcium Homeostasis	84
Calcium polystyrene	
sulphonate	55
Calcium Resonium	55
Calogen	232
Calsource	
Camptosar	168
Candesartan cilexetil	
Candestar	
Canesten	
Capecitabine	167
Capecitabine Winthrop	167
Capoten	56
Capsaicin	
Musculoskeletal	
Nervous	131
Captopril	56
Carafate	
Carbaccord	165
Carbamazepine	
Carbimazole	
Carbomer	
Carboplatin	165
Carboplatin Ebewe	165
Carbosorb-X	220
Cardinol LA	
Cardizem CD	61
CareSens	
CareSens II	
CareSens N	26
CareSens N POP	26
Carmellose sodium with gelatin	
and pectin	43
Carmustine	165
Carvedilol	59

Catapres-TTS-1 .61 Cilicaine .99 Colecatofierol .44 Catapres-TTS-2 .61 Cilcaine VK .99 Colestipol hydrochloride .66 Catapres-TTS-3 .61 Ciloxan .215 Colestipol hydrochloride .66 Celadeur .96 Ciprollox .100 Colistin sulphomethate .00 Celatexin Sandoz .96 .96 Celatexin Sandoz .96 Colistin sulphomethate .100 Celazolin .96 Sensory .215 Collodion flexible .22 Celtrixoxone .97 Cisplatin Ebewe .165 Coloidal bismuth subcitrate .22 Celtrixoxone AFT .97 Cisplatin Ebewe .165 Coloidal bismuth subcitrate .22 Celtrixore Nordose .85 Cladribine .167 Combot .20 Cellestone Chronodose .85 Cladribine .167 Combot .20 Celloracyl Acting Agents .61 Clavare .52 Combot .20 Celloracyl Acting Ag	Catapres	61	hydrochlorothiazide	57	Colchicine	127
Calapres-TTS-3	Catapres-TTS-1	61	Cilicaine	99		
Ceefalor monchydrate	Catapres-TTS-2	61	Cilicaine VK	99	Colestid	63
Cefalozin monohydrate 96 Cipflox 100 Colisiam 2: Cefalexin 2: Cefalexin 96 Ciprofloxacin Colistin sulphomethate 100 Colistin-Link 100 Colistin-Link 100 Colestina Sulphomethate 2: Ceftriaxone 96 Sensory 2:15 Collodion flexible 2: 2: Ceftriaxone 97 Cisplatin 165 Colidal bismuth subcitrate 2: Ceftriaxone-AFT 97 Cisplatin Ebewe 165 Coloidal bismuth subcitrate 2: Ceftrizone 2: Ceftrizone 2: Coloxy 3: Celore 2: Ceftrizone 3: Cefore 2: Ceftrizone 3: Cefore Compound Ceferezyme 4: Ceferezyme </td <td>Catapres-TTS-3</td> <td>61</td> <td>Ciloxan</td> <td>215</td> <td>Colestipol hydrochloride</td> <td>63</td>	Catapres-TTS-3	61	Ciloxan	215	Colestipol hydrochloride	63
Cefalexin .96 Ciprofloxacin Colistin sulphomethate .100 Cefaleziolin .96 Infection .100 Colistin-Link .100 Ceftrizione .96 Sensory .215 Colloidon flexible .222 Ceftrizione ART .97 Cisplatin Ebewe .165 Colloidal bismuth subcitrate .22 Cefuroxime axetil .97 Citalopram hydrobromide .135 Colocyl .33 Celestone Chronodose .85 Cladribine .167 Combigan .211 Cellogrol .59 Infection .97 Comfort .33 Celol .59 Infection .97 Compound deport system .36 Cephalexin ABM .96 Clindamycin .100 Coptrologropt deport system .42 Clindamycin ABM .00 Concera .56 Cetrizine hydrochloride .206 Clinicians Renal Vit .44 Condoms .77 Cetomacrogol With glycerol .72 Clobasaol propionate .70 Contact-D <td>CeeNU</td> <td>165</td> <td>Cinacalcet</td> <td>84</td> <td>Colgout</td> <td>127</td>	CeeNU	165	Cinacalcet	84	Colgout	127
Cefalexin .96 Ciprofloxacin Colistin sulphomethate .100 Cefaleziolin .96 Infection .100 Colistin-Link .100 Ceftrizione .96 Sensory .215 Colloidon flexible .222 Ceftrizione ART .97 Cisplatin Ebewe .165 Colloidal bismuth subcitrate .22 Cefuroxime axetil .97 Citalopram hydrobromide .135 Colocyl .33 Celestone Chronodose .85 Cladribine .167 Combigan .211 Cellogrol .59 Infection .97 Comfort .33 Celol .59 Infection .97 Compound deport system .36 Cephalexin ABM .96 Clindamycin .100 Coptrologropt deport system .42 Clindamycin ABM .00 Concera .56 Cetrizine hydrochloride .206 Clinicians Renal Vit .44 Condoms .77 Cetomacrogol With glycerol .72 Clobasaol propionate .70 Contact-D <td>Cefaclor monohydrate</td> <td>96</td> <td>Cipflox</td> <td>100</td> <td>•</td> <td></td>	Cefaclor monohydrate	96	Cipflox	100	•	
Cefazolin 96 Sensory 215 Colloidal biswible 222 Ceftriaxone .97 Cisplatin 165 Colloidal biswible 221 Ceftriaxone-AFT .97 Cisplatin Ebewe 165 Coloidac 22 Cefuroxime axetil .97 Citalopram hydrobromide 135 Coloxyl .33 Cellestone Chronodose .85 Cladribine 167 Combigan .22 Cellegot .183 Alimentary .22 Comfort Short .33 Cellol .59 Clardibrormycin .00 Comfort Short .33 Celol .59 Cloridanycin .100 Mydroxybenzote .25 Cephalexin ABM .96 Clindamycin ABM .100 Concrear .16 Cephalexin ABM .96 Clindamycin ABM .100 Concrear .16 Cetomacrogol .72 Clobatason Porpionate .70 Condoms .77 Cetomacrogol with glycerol .72 Clobatason Porpionate .70	Cefalexin	96			Colistin sulphomethate	100
Cefazolin 96 Sensory 215 Collodian flexible 22 Ceftriaxone-AFT 97 Cisplatin 165 Colloidal bismuth subcitrate 22 Ceftroxime axetil 97 Citalopram hydrobromide 135 Coloxy 3 Celiprolol 59 Claribrine 167 Combigan 21 Celiprolol 59 Clarithromycin Comfort 33 Celol 59 Clarithromycin Comfort Short 33 Celol 59 Claridamycin 100 Compound electrolytes 55 Centrally-Acting Agents 61 Clexane 52 Compound 100 Certrizine hydrochloride 206 Clinicians Renal Vit 44 Comdoms 77 Cetomacrogol 72 Clobetason Propionate 70 Condact-D 30 Charmpix 163 Clobetasone butyrate 70 Contract-D 33 Charmoik 163 Cloidazimine 105 Contract-D 34 <t< td=""><td>Cefalexin Sandoz</td><td>96</td><td>Infection</td><td>100</td><td>Colistin-Link</td><td>100</td></t<>	Cefalexin Sandoz	96	Infection	100	Colistin-Link	100
Celtriaxone .97 Cisplatin .165 Colloidal bismuth subcitrate 2.2 Cefturoxime axetil .97 Cisplatin Ebewe .165 Cololoza .22 Celestone Chronodose .85 Cladribine .167 Combigan .21 Celiprolol .59 Clarithromycin Comfort .33 Celolo .59 Alimentary .22 Comfort Short .33 Celolo .59 Infection .97 Compound electrolytes .55 Centrally-Acting Agents .61 Clexane .52 Compound electrolytes .55 Cephalexin ABM .96 Clindamycin .100 hydroxybenzoate .22 Certaryme .42 Clindamycin ABM .100 Concerta .160 Cetromacrogol with glycerol .72 Clobatasne Pland Vit .44 Condoms .77 Cetomacrogol with glycerol .72 Clobetasone butyrate .70 Contact-D .30 Champix Agents Colevation .65 Clomaz	Cefazolin	96	Sensory	215		
Celtriaxone-AFT .97 Cisplatin Ebewe .165 Colofac .22 Celuroxime axetil .97 Citalopram hydrobromide .135 Coloxyl .33 Celestone Chronodose .85 Cladribine .167 Combigan .211 Celiprolol .59 Clarithromycin .00mbigan .211 Cellogl .83 Alimentary .22 Comfort Short .33 Cellogl .83 Alimentary .22 Comfort Short .33 Cellogl .59 Infection .97 Compound electrolytes .55 Centrally-Acting Agents .61 Clexane .52 Compound .60 Certrally-Acting Agents .61 Clexane .52 Compound electrolytes .55 Cetromacrogol .72 Clobazam .137 Condoms .77 Cetromacrogol .72 Clobazam .137 Condomin .77 Charmpix .63 Clobetasol propionate .70 Contact-D .30	Ceftriaxone	97	•		Colloidal bismuth subcitrate	2
Cefuroxime axetil .97 Citalopram hydrobromide .135 Coloxyl .33 Cellestone Chronodose .85 Cladribine .167 Combigan .211 Celloprolol .59 Clarithromycin Comfort .33 Celloe .83 Alimentary .22 Comfort Short .33 Celol .59 Infection .97 Compound electrolytes .55 Centrally-Acting Agents .61 Clexane .52 Compound .56 Cerezyme .42 Clindamycin ABM .100 hydroxybenzoate .222 Cerezyme .42 Clindamycin ABM .100 Concerta .161 Cettomacrogol .72 Clobetason Branal Vit .44 Condoms .77 Cetomacrogol with glycerol .72 Clobetason propionate .70 Contact-D .33 Charcoal .220 Clofazimine .105 Contraceptives - Hormonal .72 Chaemotic Agents .165 Clofazimine .105 Co					Colofac	22
Celestrone Chronodose	Cefuroxime axetil	97				
Celiprolol	Celestone Chronodose	85	Cladribine	167		
Alimentary 22 Comfort Short 38 Alimentary 22 Comfort Short 38 Celol 59 Infection 97 Compound electrolytes 55 Comtrally-Acting Agents 61 Clexane 52 Compound Cephalexin ABM 96 Clindamycin ABM 100 Concerta 161 Cetromacrogol 24 Clindamycin ABM 100 Concerta 161 Cetromacrogol 72 Clindamycin ABM 100 Concerta 161 Cetromacrogol 72 Clobazam 137 Condyline 76 Cetomacrogol with glycerol 72 Clobazam 137 Condyline 76 Contracel-D 39 Charmoix 163 Clobetason poutyrate 70 Contraceptives - Hormonal 77 Charcoal 220 Clofazimine 105 Contraceptives - Hormonal 77 Contraceptives - Hormonal 78 Contraceptives - Hor			Clarithromycin			
Celol				22		
Centrally-Acting Agents .61 Clexane .52 Compound Cephalexin ABM .96 Clindamycin .100 hydroxybenzaate .222 Cerezyme .42 Clindamycin ABM .100 Concerta .166 Cetimacrogol .72 Clobazam .137 Condyline .77 Charmoix .163 Clobetason Eputrate .70 Contraceptives - Hormonal .78 Charcoal .220 Clofazimine .105 Contraceptives - Hormonal .78 Chicken pox vaccine .264 Dermatological .68 Copaxone .156 Chlorabucil .165 Clomiphene citrate .95 Corticosteroids and Related Chloramphenicol .215 Genito-Urinary .81 Cordarone-X .55 Chloramphenicol .215 Clomiphenie citrate .95 Corticosteroids and Related Chloramphenicol .215 Clonidine hydrochloride .44 Agents for Systemic Use .88 Chlororbiazide .62 Clopine .14 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Cephalexin ABM .96 Clindamycin 100 hydroxybenzoate .22 Cerezyme .42 Clindamycin ABM .100 Concerta .16 Cetomacrogol .72 Clobazam .137 Condyline .77 Cetomacrogol with glycerol .72 Clobetasol propionate .70, 76 Contact-D .33 Charcoal .220 Clofazimine .105 Contraceptives - Hormonal .75 Charcoal .220 Clofazimine .105 Contraceptives - Hormonal .75 Chemotherapeutic Agents .165 Clomazol .05 Contraceptives - Hormonal .75 Chlorafast .215 Clomazol .05 Contraceptives - Non-hormonal .75 Chlorafast .215 Clomazol .05 Copaxone .15f Chlorafast .215 Clomidine Lurinary .81 Cordicosteroids and Related Chlorafactidine gluconate .165 Clonidine hydrochloride .134 Agents for Systemic Use .81 Alimentary .43<						
Cerezyme			Clindamycin	100		227
Cetirizine hydrochloride .206 Clinicians Renal Vit .44 Condoms .76 Cetomacrogol .72 Clobazam .137 Condyline .76 Cetomacrogol with glycerol .72 Clobetasol propionate .70, 76 Contact-D .32 Champix .163 Clobetasone butyrate .70 Contraceptives - Hormonal .72 Charcoal .220 Clofazimine .105 Contraceptives - Non-hormonal .70 Chicken pox vaccine .264 Dermatological .68 Copaxone .156 Chlorambucil .165 Clomiphene citrate .95 Corticosteroids and Related Alimentary .43 Clonazepam .136–137, 148 Corticosteroids Topical .70 Alimentary .43 Clonidine hydrochloride .61 Cosmegen .17 Chlorothoriazide .62 Clopine .44 Croon 25000 .38 Chloropheniramine maleate .206 Clopine .144 Croen 25000 .38 Chlorsigi .2			,		Concerta	160
Cetomacrogol .72 Clobazam 137 Condyline .76 Cetomacrogol with glycerol .72 Clobetasol propionate .70, 76 Contact-D .3a Champix .163 Clobetasone butyrate .70 Contraceptives - Hormonal .78 Charcoal .220 Clofazimine .105 Contraceptives - Contraceptives - Chemotherapeutic Agents .165 Clomazol .80 Copaxone .156 Chicken pox vaccine .264 Dermatological .68 Copaxone .156 Chlorafast .215 Genito-Urinary .81 Cordarone-X .57 Chlorambenicol .155 Clomiphene citrate .95 Corticosteroids and Related Chloramphenicol .215 Clomiphene citrate .95 Corticosteroids and Related Chloramphenicol .215 Clomiphene citrate .95 Corticosteroids and Related Chloramphenicol .215 Clomidine hydrochloride .134 Agents for Systemic Use .88 Corticosteroids Topical .77	•					
Cetomacrogol with glycerol .72 Clobetasol propionate .70, 76 Contact-D .34 Champix .163 Clobetasone butyrate .70 Contraceptives - Hormonal .73 Charcoal .220 Clofazimine .105 Contraceptives - .71 Chemotherapeutic Agents .165 Clomazol Non-hormonal .77 Chicken pox vaccine .264 Dermatological .68 Copaxone .156 Chlorafast .215 Genito-Urinary .81 Cordarone-X .57 Chlorambucil .165 Clomiphene citrate .95 Corticosteroids and Related Chloramphenicol .215 Clomiphene citrate .134 Agents for Systemic Use .88 Chlorhexidine gluconate Clomiphene citrate .134 Agents for Systemic Use .88 Chlorhexidine gluconate Clomiphene citrate .134 Agents for Systemic Use .88 Chlorhexidine gluconate Clomidine hydrochloride .61 Cosmegen .17 Alimentary .43 Cloindine	•					
Champix 163 Clobetasone butyrate 70 Contraceptives - Hormonal 75 Charcoal 220 Clofazimine 105 Contraceptives - Contraceptives - Chemotherapeutic Agents 165 Clomazol Non-hormonal 77 Chicken pox vaccine 264 Dermatological 68 Copaxone 156 Chlorafast 215 Genito-Urinary 81 Cordarone-X 55 Chlorambucil 165 Clomiphene citrate 95 Corticosteroids and Related Chloramphenicol 215 Clomiphene citrate 95 Corticosteroids and Related Chloramphenicol 215 Clomiphene citrate 95 Corticosteroids and Related Chloramphenicol 215 Clomiphene citrate 95 Corticosteroids and Related Chlorariamphenicol 215 Clomidine hydrochloride 134 Agents for Systemic Use 88 Chlorariamentary 43 Clonidine hydrochloride 61 Coumadin 52 Chlorofariamentary 43 Clopidele	-					
Charcoal .220 Clofazimine .105 Contraceptives - Chemotherapeutic Agents .165 Clomazol Non-hormonal .77 Chicken pox vaccine .264 Dermatological .68 Copaxone .156 Chlorafast .215 Genito-Urinary .81 Cordarone-X .55 Chlorambucil .165 Clomiphene citrate .95 Corticosteroids and Related Chlorhexidine gluconate Clonazepam .136–137, 148 Agents for Systemic Use .88 Chlorhexidine gluconate Clonidine hydrochloride .61 Cosmegen .17 Alimentary .43 Clonidine hydrochloride .61 Cosmegen .17 Chloroform .227 Clopidogrel .50 Creon 10000 .38 Chlorothiazide .62 Clopine .144 Creon 25000 .38 Chloropheniramine maleate .206 Clopixol .146, 148 Crixivan .11 Chlororbalidone .215 Genito-Urinary .81 Cvita .144 <td>0 0,</td> <td></td> <td></td> <td></td> <td></td> <td></td>	0 0,					
Chemotherapeutic Agents .165 Clomazol Non-hormonal 76 Chicken pox vaccine .264 Dermatological .68 Copaxone .156 Chlorafast .215 Genito-Urinary .81 Cordarone-X .55 Chloramphenicol .215 Clomiphene citrate .95 Corticosteroids and Related Chlorhexidine gluconate Clomipramine hydrochloride .134 Agents for Systemic Use .88 Chlorhexidine gluconate Clonidine .61 Cosmegen .77 Alimentary .43 Clonidine .61 Cosmegen .170 Chlorofrom .227 Clopidogrel .50 Creon 10000 .38 Chlorofrom .227 Clopidogrel .144 Creon 25000 .38 Chloropheniramine maleate .206 Clopixol .146, 148 Crixivan .116 Chloropheniramine maleate .206 Clopixol .146, 148 Crixivan .14 Chloropheniramine maleate .206 Clopixol .146, 148 Crixi	•					
Chicken pox vaccine 264 Dermatological .68 Copaxone 156 Chlorafast 215 Genito-Urinary .81 Cordarone-X 57 Chlorambucil .165 Clomipre citrate .95 Corticosteroids and Related Chloramphenicol .215 Clomipramine hydrochloride .134 Agents for Systemic Use .88 Chlorhexidine gluconate Clonidine .61 Corticosteroids Topical .77 Alimentary .43 Clonidine .61 Cosmegen .170 Alimentary .43 Clonidine hydrochloride .61 Cosmadin .55 Chlorofrorm .227 Clopidogrel .50 Cron 10000 .33 Chlorothiazide .62 Clopine .144 Creon 25000 .36 Chlorypheniramine maleate .206 Clopixol .146 .148 Crixivan .111 Chlorypheniramine maleate .206 Clopixol .146 .144 Creon 25000 .33 Chlorypheniramine maleate .206<				105		79
Chlorafast 215 Genito-Urinary 81 Cordarone-X 57 Chlorambucil 165 Clomiphene citrate .95 Corticosteroids and Related Chloramphenicol 215 Clomipramine hydrochloride .134 Agents for Systemic Use .88 Chlorhexidine gluconate Clonidine .61 Cosmegen .17 Alimentary .43 Clonidine .61 Cosmegen .17 Dermatological .71 Clonidine hydrochloride .61 Coumadin .55 Chloroform .227 Clopidogrel .50 Creon 10000 .38 Chloropheniramine maleate .206 Clopine .144 Creon 25000 .38 Chloropheniramine maleate .206 Clopixol .146, 148 Crixivan .116 Chloropheniramine maleate .206 Clopixol .146, 148 Crixivan .116 Chlorydochloride .144 Dermatological .68 Crystaderm .66 Chloroside .215 Genito-Urinary .81				69		
Chlorambucil 165 Clomiphene citráte 95 Corticosteroids and Related Chloramphenicol 215 Clomipramine hydrochloride 134 Agents for Systemic Use 85 Chlorhexidine gluconate Clonidine 61 Cosmegen 177 Alimentary 43 Clonidine hydrochloride 61 Cosmegen 177 Chloroform 227 Clopidogrel 50 Creon 10000 36 Chlorofform 227 Clopidogrel 50 Creon 10000 36 Chlorpheniramine maleate 206 Clopixol 144 Creon 25000 38 Chlorpheniramine maleate 206 Clopixol 144, 148 Crixivan 116 Chlorpheniramine maleate 206 Clopixol	·		•			
Chloramphenicol .215 Clomipramine hydrochloride .134 Agents for Systemic Use .88 Chlorhexidine gluconate Clonazepam .136–137, 148 Corticosteroids Topical .70 Alimentary 43 Clonidine .61 Cosmegen .176 Dermatological .71 Clonidine hydrochloride .61 Cosmegen .176 Chloroform .227 Clopidogrel .50 Coreon 10000 .38 Chlorothiazide .62 Clopine .144 Creon 25000 .38 Chlorothaizide .62 Clopixol .146, 148 Crixivan .116 Chlorrynazine Clotrimazole Crotamiton .66 Chlorisig .215 Genito-Urinary .81 Cvite .44 Chlorisig .215 Genito-Urinary .81 Cvite .44 Chlorialidone .62 Clozaril .144 Cyclizine hydrochloride .142 Chlorthalidone .62 Clozaril .144 Cyclopinolate .142			•			
Chlorhexidine gluconate Clonazepam 136–137, 148 Corticosteroids Topical 70 Alimentary .43 Clonidine .61 Cosmegen .170 Chloroform .227 Clopidogrel .50 Creon 10000 .33 Chlorothiazide .62 Clopine .144 Croixon .38 Chlorpheniramine maleate .206 Clopixol .144 Croamoton .38 Chloryochloride .144 Dermatological .68 Crystaderm .68 Chlorsig .215 Genito-Urinary .81 Cvite .44 Chlorididone .215 Genito-Urinary .81 Cvite .42 Chlorididone .226 Clozaril .144 Cyclopinosphacin .44			•			01
Alimentary		213				
Dermatological 71 Clonidine hydrochloride 61 Coumadin 55 Chloroform 227 Clopidogrel 50 Creon 10000 38 Chlorothiazide 62 Clopine 144 Creon 25000 38 Chlorpheniramine maleate 206 Clopixol 146, 148 Crixivan 116 Chloride 144 Dermatological 68 Crystaderm 68 Chlorsel 215 Genito-Urinary 81 Cvite 44 Chlorididene Clozaril 144 Cyclizine hydrochloride 142 Chlorthalidone 62 Cluzaril 144 Cyclogylosphacide		49	•		•	
Chloroform 227 Clopidogrel .50 Creon 10000 38 Chlorothiazide .62 Clopine .144 Creon 25000 38 Chlorpheniramine maleate .206 Clopixol .146, 148 Crixivan .116 Chlorpromazine Clotrimazole Crotamiton .63 Chlorsig .215 Genito-Urinary .81 Cvite .44 Chlortalidone Clozapine .144 Cyclizine hydrochloride .142 Chlorthalidone 62 Clozaril .144 Cyclognetolate .144 Chlorvescent .62 Clustran .141 Cyclopentolate .142 Chlorvescent .55 Co-trimoxazole .100 Cyclopentolate .100 Choice Load 375 .78 Coal tar .75 hydrochloride .218 Choice TT380 Short .78 Coal tar with allantoin, menthol, Cyclophosphamide .163 Cholire salicylate with sulphur .75 Cyglobasphamide .50 Choline s	•				•	
Chlorothiazide 62 Clopine 144 Creon 25000 38 Chlorpheniramine maleate 206 Clopixol 146, 148 Crixivan 116 Chlorpromazine Clotrimazole Crotamiton 68 hydrochloride 144 Dermatological 68 Crystaderm 68 Chlorsig 215 Genito-Urinary 81 Cvite 44 Chlortalidone Clozapine 144 Cyclizine hydrochloride 142 Chlorthalidone 62 Clozaril 144 Cyclizine lactate 144 Chlorthalidone 62 Clustran 141 Cycloprizine lactate 144 Chlorvescent 55 Co-trimoxazole 100 Cyclopentolate Chlorvescent 55 Co-trimoxazole 100 Cyclopentolate Choice Load 375 78 Coal tar with allantoin, menthol, Cyclophosphamide 218 Choice TT380 Shandard 78 phenol and sulphur 75 Cyclophosphamide 165 Choline salicylate with	•		-			
Chlorpheniramine maleate .206 Clopixol .146, 148 Crixivan .116 Chlorpromazine Clotrimazole Crotamiton .68 hydrochloride .144 Dermatological .68 Crystaderm .68 Chlorsig .215 Genito-Urinary .81 Cvite .44 Chlortalidone Clozapine .144 Cyclizine hydrochloride .142 [Chlorthalidone] .62 Clozaril .144 Cyclizine lactate .142 Chlortythalidone .62 Clustran .141 Cyclogyl .218 Chlortythalidone .62 Clustran .141 Cyclogyl .218 Chlorvescent .55 Co-trimoxazole .100 Cyclopentolate Choice Load 375 .78 Coal tar .75 hydrochloride .218 Choice TT380 Short .78 Coal tar with allantoin, menthol, phenol and sulphur .75 Cyclopensphamide .165 Cholire salicylate with sulphur .75 Cyklokapron .56			. •			
Chlorpromazine Clotrimazole Crotamiton 66 hydrochloride 144 Dermatological .68 Crystaderm .68 Chlorsig 215 Genito-Urinary .81 Cvite .44 Chlortalidone Clozapine .144 Cyclizine hydrochloride .142 [Chlorthalidone] .62 Clozaril .144 Cyclizine lactate .142 Chlortyescent .62 Clustran .141 Cyclopyl .218 Chlorvescent .55 Co-trimoxazole .100 Cyclopentolate Choice Load 375 .78 Coal tar .75 hydrochloride .218 Choice TT380 Short .78 Coal tar with allantoin, menthol, Cyclophosphamide .165 Choice TT380 Standard .78 phenol and sulphur .75 Cycloserine .105 Cholires Salicylate with sulphur .75 Cyclophosphamide .165 Cholire salicylate with sulphur .75 Cyproterone acetate .86 Cholivastin			•			
hydrochloride 144 Dermatological .68 Crystaderm .66 Chlorsig .215 Genito-Urinary .81 Cvite .44 Chlortalidone Clozapine .144 Cyclizine hydrochloride .142 [Chlorthalidone] .62 Clozaril .144 Cyclizine lactate .142 Chlorvescent .62 Clustran .141 Cyclopyl .218 Chlorvescent .55 Co-trimoxazole .100 Cyclopentolate Choice Load 375 .78 Coal tar .75 hydrochloride .218 Choice TT380 Short .78 Coal tar with allantoin, menthol, Cyclophosphamide .165 Cholice TT380 Standard .78 phenol and sulphur .75 Cycloserine .105 Cholistyramine .63 Coal tar with salicylic acid and Cyklokapron .50 Choline salicylate with sulphur .75 Cyproterone acetate .86 Cetalkonium chloride .43 Coco-Scalp .75 Cyproterone acetate with <	•	200	•	140, 146		
Chlorsig 215 Genito-Urinary 81 Cvite 44 Chlortalidone Clozapine 144 Cyclizine hydrochloride 142 [Chlorthalidone] 62 Clozaril 144 Cyclizine lactate 142 Chlorvescent 62 Clustran 141 Cyclogyl 218 Chlorvescent 55 Co-trimoxazole 100 Cyclopentolate Choice Load 375 78 Coal tar 75 hydrochloride 218 Choice TT380 Short 78 Coal tar with allantoin, menthol, Cyclophosphamide 165 Cholice TT380 Standard 78 phenol and sulphur 75 Cycloserine 105 Cholier Standard 78 coal tar with salicylic acid and Cyklokapron 50 Cholier Salicylate with sulphur 75 Cyproterone acetate 86 Cholier Salicylate with sulphur 75 Cyproterone acetate with 60 Cholvastin 63 Codeine phosphate ethinyloestradiol 8 Ciclopirox olami		444		60		
Chlortalidone Clozapine 144 Cyclizine hydrochloride 142 [Chlorthalidone] 62 Clozaril 144 Cyclizine lactate 142 Chlorthalidone 62 Clustran 141 Cyclogyl 218 Chlorvescent 55 Co-trimoxazole 100 Cyclopentolate Choice Load 375 78 Coal tar 75 hydrochloride 218 Choice TT380 Short 78 Coal tar with allantoin, menthol, Cyclophosphamide 165 Choice TT380 Standard 78 phenol and sulphur 75 Cycloserine 105 Cholies TT380 Standard 78 Coal tar with salicylic acid and Cycloserine 105 Cholies TJ380 Standard 78 Coal tar with salicylic acid and Cycloserine 105 Cholies Stardine 63 Coal tar with salicylic acid and Cyproterone acetate 86 Choline salicylate with sulphur 75 Cyproterone acetate with 20 Cholvastin 63 Codeine phosphate ethinyloestradiol 86			•			
[Chlorthalidone] 62 Clozaril 144 Cyclizine lactate 142 Chlorthalidone 62 Clustran 141 Cyclogyl 218 Chlorvescent 55 Co-trimoxazole 100 Cyclopentolate Choice Load 375 78 Coal tar 75 hydrochloride 218 Choice TT380 Short 78 Coal tar with allantoin, menthol, Cyclophosphamide 165 Choice TT380 Standard 78 phenol and sulphur 75 Cycloserine 105 Cholies Tyramine 63 Coal tar with salicylic acid and cholies alicylate with Cyclophosphamide 105 Choline salicylate with cetalkonium chloride 43 Coco-Scalp 75 Cyproterone acetate 86 Cholivastin 63 Codeine phosphate ethinyloestradiol 8 Ciclopirox olamine 68 Extemporaneous 227 Cytarabine 16 Ciclosporin 204 Nervous 132 Cytotec 22 Cilazapril 56 Cogentin 129 <t< td=""><td>-</td><td>215</td><td></td><td></td><td></td><td></td></t<>	-	215				
Chlorthalidone 62 Clustran 141 Cyclogyl 218 Chlorvescent 55 Co-trimoxazole 100 Cyclopentolate Choice Load 375 78 Coal tar 75 hydrochloride 218 Choice TT380 Short 78 Coal tar with allantoin, menthol, Cyclophosphamide 168 Choice TT380 Standard 78 phenol and sulphur 75 Cycloserine 109 Cholestyramine 63 Coal tar with salicylic acid and sulphur 75 Cyklokapron 50 Choline salicylate with cetalkonium chloride 43 Coco-Scalp 75 Cyproterone acetate 86 Cholivastin 63 Codeine phosphate Cyproterone acetate with ethinyloestradiol 8 Ciclopirox olamine 68 Extemporaneous 227 Cytarabine 16 Ciclosporin 204 Nervous 132 Cytotec 22 Cilazapril 56 Cogentin 129 Cytoxan 16		00			Cyclizine nydrochloride	142
Chlorvescent 55 Co-trimoxazole 100 Cyclopentolate Choice Load 375 78 Coal tar 75 hydrochloride 218 Choice TT380 Short 78 Coal tar with allantoin, menthol, Cyclophosphamide 168 Choice TT380 Standard 78 phenol and sulphur 75 Cycloserine 108 Cholestyramine 63 Coal tar with salicylic acid and Cyklokapron 56 Choline salicylate with sulphur 75 Cyproterone acetate 86 cetalkonium chloride 43 Coco-Scalp 75 Cyproterone acetate with Cholvastin 63 Codeine phosphate ethinyloestradiol 81 Ciclopirox olamine 68 Extemporaneous 227 Cytarabine 167 Ciclosporin 204 Nervous 132 Cytotec 22 Cilazapril 56 Cogentin 129 Cytoxan 168						
Choice Load 375 78 Coal tar 75 hydrochloride 218 Choice TT380 Short 78 Coal tar with allantoin, menthol, Cyclophosphamide 168 Choice TT380 Standard 78 phenol and sulphur 75 Cycloserine 108 Cholestyramine 63 Coal tar with salicylic acid and Cyklokapron 56 Choline salicylate with sulphur 75 Cyproterone acetate 86 cetalkonium chloride 43 Coco-Scalp 75 Cyproterone acetate with Cholvastin 63 Codeine phosphate ethinyloestradiol 8 Ciclopirox olamine 68 Extemporaneous 227 Cytarabine 167 Ciclosporin 204 Nervous 132 Cytotec 22 Cilazapril 56 Cogentin 129 Cytoxan 168						218
Choice TT380 Short .78 Coal tar with allantoin, menthol, phenol and sulphur Cyclophosphamide .168 Choice TT380 Standard .78 phenol and sulphur .75 Cycloserine .108 Cholestyramine .63 Coal tar with salicylic acid and sulphur .75 Cyklokapron .50 Choline salicylate with cetalkonium chloride .43 Coco-Scalp .75 Cyproterone acetate .86 Cholvastin .63 Codeine phosphate ethinyloestradiol .81 Ciclopirox olamine .68 Extemporaneous .227 Cytarabine .16 Ciclosporin .204 Nervous .132 Cytotec .22 Cilazapril .56 Cogentin .129 Cytoxan .16						0.1
Choice TT380 Standard .78 phenol and sulphur .75 Cycloserine .105 Cholestyramine .63 Coal tar with salicylic acid and cetalkonium chloride .75 Cyproterone acetate .86 Choline salicylate with cetalkonium chloride .43 Coco-Scalp .75 Cyproterone acetate with Cholvastin .63 Codeine phosphate ethinyloestradiol .81 Ciclopirox olamine .68 Extemporaneous .227 Cytarabine .16 Ciclosporin .204 Nervous .132 Cytotec .22 Cilazapril .56 Cogentin .129 Cytoxan .16					nydrochloride	218
Cholestyramine 63 Coal tar with salicylic acid and cetalkonium chloride Cyklokapron 56 Choline salicylate with cetalkonium chloride 43 Coco-Scalp 75 Cyproterone acetate 86 Cholvastin 63 Codeine phosphate ethinyloestradiol 8 Ciclopirox olamine 68 Extemporaneous 227 Cytarabine 16 Ciclosporin 204 Nervous 132 Cytotec 22 Cilazapril 56 Cogentin 129 Cytoxan 16				-		
Choline salicylate with cetalkonium chloride sulphur .75 Cyproterone acetate .86 Cholvastin 63 Codeine phosphate ethinyloestradiol .81 Ciclopirox olamine 68 Extemporaneous .227 Cytarabine .167 Ciclosporin .204 Nervous .132 Cytotec .22 Cilazapril .56 Cogentin .129 Cytoxan .168						
cetalkonium chloride 43 Coco-Scalp		63	•			
Cholvastin 63 Codeine phosphate ethinyloestradiol 8 Ciclopirox olamine 68 Extemporaneous 227 Cytarabine 16 Ciclosporin 204 Nervous 132 Cytotec 22 Cilazapril 56 Cogentin 129 Cytoxan 16						86
Ciclopirox olamine 68 Extemporaneous 227 Cytarabine 167 Ciclosporin 204 Nervous 132 Cytotec 22 Cilazapril 56 Cogentin 129 Cytoxan 168				75	Cyproterone acetate with	
Ciclopirox olamine 68 Extemporaneous 227 Cytarabine 167 Ciclosporin 204 Nervous 132 Cytotec 22 Cilazapril 56 Cogentin 129 Cytoxan 168						
Cilazapril129 Cytoxan						
Cilazapril129 Cytoxan					Cytotec	22
Cilazapril with Colaspase [L-asparaginase]170	Cilazapril	56			Cytoxan	165
	Cilazapril with		Colaspase [L-asparaginase]170		

- U -
D-Penamine121
d4T115
Dabigatran53
Dacarbazine170
Dactinomycin [Actinomycin
D]170
Daivobet75
Daivonex75
Daktarin69
Dalacin C100
Dalteparin sodium51
Danazol95
Dantrium128
Dantrium S29128
Dantrolene128
Daonil25
Dapa-Tabs62
Dapsone106
Daraprim101
Darunavir116
Dasatinib175
Daunorubicin170
DBL Acetylcysteine220
DBL Aminophylline213
DBL Bleomycin Sulfate169
DBL Carboplatin165
DBL Cisplatin165
DBL Dacarbazine170
DBL Docetaxel170
DBL Doxorubicin170
DBL Doxorubicin S29170
DBL Epirubicin
Hydrochloride171
DBL Ergometrine81
DBL Gemcitabine168
DBL Leucovorin Calcium167
DBL Methotrexate
Onco-Vial168
DBL Morphine Sulphate133
DBL Morphine Tartrate133
DBL Pethidine
Hydrochloride134
DBL Tobramycin102
DBL Vincristine Sulfate174
DDI115
De-Worm96
Decozol43
Deferasirox220
Deferiprone221
Deoxycoformycin172
Depo-Medrol85

Depo-Medrol with Lidocaine	.85
Depo-Provera	.80
Depo-Testosterone	.86
Deprim	
DermAssist	
Dermol70	, 76
Desferal	221
Desferrioxamine mesilate	221
Desmopressin acetate	94
Desmopressin-PH&T	94
Detection of Substances in	
Urine	. 83
Dexamethasone	
Hormone	
Sensory	
Dexamethasone phosphate	.85
Dexamethasone with framycetin	
and gramicidin	215
Dexamethasone with neomycin	
sulphate and polymyxin B	
sulphate	
Dexamfetamine sulfate	
Dexmethsone	.85
Dextrochlorpheniramine	
maleate	
Dextrose	
Dextrose with electrolytes	
DHC Continus	
Diabetes	
Diabetes Management	
Diacomit	
Diamide Relief	
Diamox	
Diaphragm	
Diasip	
Diason RTH	
Diazepam136,	
Diazoxide	
Dicarz	
Diclofenac Sandoz Diclofenac sodium	120
Musculoskeletal	100
Sensory	
Didanosine [DDI]	∠10 11⊑
Differin	
Difflam	
Diflucan	
Diflucan S29	
Diflucortolone valerate	
Digestives Including	
Enzymes	38
Digoxin	
Dihydrocodeine tartrate	132
,	

Dilantin	139
Dilantin Infatab	139
Diltiazem hydrochloride	61
Dilzem	
Dimethicone	72
Dimethyl fumarate	149
Dipentum	21
Diphtheria, tetanus and pertussis	1
vaccine	259
Diphtheria, tetanus, pertussis	_00
and polio vaccine	260
Diphtheria, tetanus, pertussis,	200
polio, hepatitis B and	
haemophilus influenzae type B	
vaccine	260
Diprosone	
Diprosone OV	
Dipyridamole	
Disinfecting and Cleansing	00
Agents	71
Disopyramide phosphate	 58
Disulfiram	
Diuretics	61
Diurin 40	62
Docetaxel	
Docetaxel Sandoz	170
Docusate sodium	
Docusate sodium with	00
sennosides	39
Dolutegravir	116
Domperidone	142
Donepezil hydrochloride	161
Donepezil-Rex	161
Dopress	134
Dornase alfa	213
Dorzolamide hydrochloride	217
Dorzolamide with timolol	217
Dostinex	95
Dothiepin hydrochloride	134
Doxazosin	56
Doxepin hydrochloride	134
Doxine	99
Doxorubicin Ebewe	170
Doxorubicin hydrochloride	170
Doxy-50	
Doxycycline	99
DP Fusidic Acid Cream	68
DP Lotion	72
DP Lotn HC	70
DP-Anastrozole	182
Dr Reddy's Omeprazole	23
Dr Reddy's Ondansetron	142
Dr Reddy's Terbinafine	104

Drugs Affecting Bone	404
Metabolism	. 121
Duocal Super Soluble	
Powder	
Duolin	
Duolin HFA	
Durex Confidence	
Durex Extra Safe	
Duride	65
Duro-K	55
Dynacirc-SRO	60
-E-	
e-chamber La Grande	214
e-chamber Mask	
e-chamber Turbo	214
E-Mycin	97
Ear Preparations	215
Ear/Eye Preparations	215
Easiphen Liquid	245
EasyCheck	<u>24</u> 5
Econazole nitrate	02 60
Efavirenz	
Efavirenz with emtricitabine and	1 14
tenofovir disoproxil	
	445
fumarate	
Efexor XR	
Efficient	
Eformoterol fumarate	
Efudix	
Egopsoryl TA	
Elaprase	
Elecare	246
Elecare LCP	
Elemental 028 Extra	
Eligard 1 Month	
Eligard 3 Month	94
Eligard 6 Month	94
Elocon	71
Elocon Alcohol Free	71
Eloxatin	166
Eltrombopag	48
Eltroxin	89
Emend Tri-Pack	141
EMLA	131
Emtricitabine	115
Emtricitabine with tenofovir	
disoproxil fumarate	. 115
Emtriva	115
Emulsifying ointment	72
Enalapril maleate	
Enbrel	183
Endocrine Therapy	 180
Endoxan	165
L1100A011	100

Enerlyte	55
Enfuvirtide	
Enoxaparin sodium	52
Ensure	241
Ensure Plus	241
Ensure Plus HN	240
Ensure Plus RTH	
Entacapone	
Entapone	129
Entecavir	
Entocort CIR	20
Epilim	
Epilim Crushable	120
Epilim IV	120
Epilim S/F Liquid	120
Epilim Syrup	120
Epirubicin Ebewe	
Epirubicin Ebewe Epirubicin hydrochloride	
Epirubicin nydrochlonde Epoetin alfa [Erythropoletin	. 1 / 1
epoetin alia (Erythropoletin alfa]	40
aliaj	40
Eprex	40
Eptacog alfa [Recombinant factor	40
VIIa]	
ERA	
Ergometrine maleate	81
Ergotamine tartrate with	
caffeine	141
Erlotinib	
Erythrocin IV	
Erythromycin ethyl succinate	97
Erythromycin lactobionate	98
Erythromycin stearate Erythropoietin alfa	98
Erythropoietin alfa	47
Esbriet	.211
Escitalopram	
Eskazole	
Estradot	87
Estradot 50 mcg	
Estrofem	
Etanercept	
Ethambutol hydrochloride	
Ethics Aspirin	.131
Ethics Aspirin EC	
Ethics Enalapril	56
Ethics Lisinopril	56
Ethinyloestradiol	88
Ethinyloestradiol with	
desogestrel	79
Ethinyloestradiol with	
levonorgestrel	79
Ethinyloestradiol with	
norethisterone	80
Tth a au wimida	107

Etidronate disodium	
Etopophos	171
Etoposide	
Etoposide phosphate	171
Etravirine	
Eumovate	
Everet	
Everolimus	
Evista	
Exelon	
Exemestane	182
Exjade	
Extemporaneously Compounded	1220
Preparations and	'
Galenicals	227
Eye Preparations	
Ezemibe	دا ۲
Ezembe	00
Ezetimibe Ezetimibe with simvastatin	63
	64
-F-	
Factor eight inhibitor bypassing fraction	40
Febuxostat	
Feed Thickener Karicare	121
Aptamil	040
FEIBA NF	
Felodipine	
Fenpaed	
Fentanyl	132
Fentanyl Sandoz	132
Ferodan	
Ferriprox	221
Ferro-F-Tabs	
Ferro-tab	
Ferrograd	45
Ferrograd F	
Ferrous fumarate	45
Ferrous fumarate with folic	
acid	45
Ferrous sulphate	45
Ferrous sulphate with folic	
acid	45
Ferrum H	45
Fexofenadine hydrochloride	207
Fibro-vein	
Filgrastim	53
Finasteride	
Fingolimod	
Finpro	82
Firazyr	
Flagyl	
Flagyl-S	
Flamazine	

Flecainide acetate58
Fleet Phosphate Enema40
Flixonase Hayfever &
Allergy213
Flixotide208
Flixotide Accuhaler208
Floair208
Florinef85
Fluanxol146
Flucloxacillin
Flucloxin99
Fluconazole
Fludara167
Fludara Oral167
Fludarabine Ebewe167
Fludarabine phosphate167
Fludrocortisone acetate85
Fluids and Electrolytes54
Flumetasone pivalate215
Fluocortolone caproate with
fluocortolone pivalate and
cinchocaine21
Fluorometholone216
Fluorouracil168
Fluorouracil Ebewe168
Fluorouracil sodium77
Fluoxetine hydrochloride135
Flupenthixol decanoate146
Fluphenazine decanoate146
Flutamide181
Flutamin181
Fluticasone208
Fluticasone furoate with
vilanterol208
Fluticasone propionate213
Fluticasone with salmeterol209
FML216
Foban68
Folic acid48
Food Thickeners243
Foods And Supplements For
Inborn Errors Of
Metabolism244
Foradil208
Forteo124
Fortini235
Fortini Multi Fibre235
Fortisip241
Fortisip Multi Fibre242
Fosamax123
Fosamax Plus123
Fragmin
Framycetin sulphate215

Freestyle Optium	26
Freestyle Optium Ketone	25
Freestyle Optium Neo	
Frisium	137
Frumil	62
Frusemide	
Frusemide-Claris	62
Fucicort	
Fucidin	100
Fucithalmic	
Fungilin	4.3
Furosemide [Frusemide]	62
Fusidic acid	
Dermatological	68
Infection	100
Sensory	215
Fuzeon	116
- G -	
Gabapentin	127
Gacet	131
Galsulfase	
Gardasil	
Gardasil 9	201 261
Gastrodenol	201
Gastrosoothe	22
Gaviscon Double Strength	ے۔ م
Gaviscon Infant	20
Gazyva	106
Gefitinib	
Gemeitahine Ehewe	169
Gemcitabine Ebewe	169
Gemfibrozil	100
Gemzar	169
Genoptic	215
Genox	192
Gentamicin sulphate	102
Infection	100
Sensory	215
Gilenya	150
Ginet	130 81
Glatiramer acetate	156
Glibenclamide	25
Gliclazide	25
Glipizide	25
Glivec	176
Glizide	
Glucagen Hypokit	24
Glucagon hydrochloride	24 2∕1
Glucerna Select	
Glucerna Select RTH	222 222
Glucobay	
Glucose [Dextrose]	5/
Gluten Free Foods	

Glycerin with sodium	
saccharin	. 227
Glycerin with sucrose	227
Glycerol	
Alimentary	39
Extemporaneous	227
Glyceryl trinitrate	
Alimentary	22
Cardiovascular	64
Glycopyrronium	210
Glycopyrronium bromide	22
Glycopyrronium with	
indacaterol	
Glytrin	64
Gold Knight	78
Goserelin	93
Granirex	142
Granisetron	142
Gutron	58
Gynaecological	
Anti-infectives	81
- H -	
Habitrol	163
Haemophilus influenzae type B	
vaccine	. 260
Haldol	147
Haldol Concentrate	147
Haldol Decanoas	
Haloperidol	
Haloperidol decanoate	147
Hamilton Sunscreen	76
Harvoni	
Havrix	.260
Havrix Junior	.260
HBvaxPRO	.261
healthE Dimethicone 10%	72
healthE Dimethicone 5%	72
healthE Glycerol BP	227
healthE Urea Cream	
Healtheries Simple Baking	
Mix	. 243
Hemastix	
Heparin sodium	52
Heparinised saline	53
Heparon Junior	234
Hepatitis A vaccine	260
Hepatitis B recombinant	
vaccine	
Hepsera	
Herceptin	200
Hexamine hippurate	119
Hiprex	119
Histaclear	206

Histafen	
Holoxan	.165
Horleys Bread Mix	
Horleys Flour	.244
Hormone Replacement Therapy -	
Systemic	86
HPV	.261
Humalog	
Humalog Mix 25	24
Humalog Mix 50	24
Human papillomavirus (6, 11, 16	
and 18) vaccine [HPV]	261
Human papillomavirus (6, 11, 16,	0.
18, 31, 33, 45, 52 and 58)	
vaccine [HPV]	261
Humatin	
Humira	
HumiraPen	
Humulin 30/70	
Humulin NPH	
Humulin R	
Hyaluronic acid	.218
Hybloc	
Hydralazine	65
Hydralazine hydrochloride	
Hydrea	.171
Hydrocortisone	
Dermatological	
Hormone	85
Hydrocortisone acetate	21
Hydrocortisone and paraffin	
liquid and lanolin	70
Hydrocortisone butyrate70	0, 76
Hydrocortisone with	
cinchocaine	21
Hydrocortisone with	
miconazole	71
Hydrocortisone with natamycin	
and neomycin	71
Hydrogen peroxide	
Alimentary	43
Dermatological	68
Hydroxocobalamin	
Hydroxychloroquine	
Hydroxyurea	171
Hygroton	
Hylo-Fresh	
Hyoscine hydrobromide	1/10
Hyoscine N-butylbromide	29
Hypam	157
нуратт Hyperuricaemia and	.13/
Anticout	100
Antigout	. 120 157
пурночен	.15/

Hypromellose	218
Hypromellose with Dextran	218
Hysite	217
-1-	
	00
Ibiamox	98
Ibugesic	120
Ibuprofen	120
Icatibant	206
Idarubicin hydrochloride	171
Idursulfase	41
Ifosfamide	165
Ikorel	65
Iloprost	66
Imatinib mesilate	176
Imatinib-AFT	176
Imiglucerase	42
Imipramine hydrochloride	.134
Imiquimod	76
Immune Modulators	
Immunosuppressants	
Imuran	100
Incruse Ellipta	210
Indepeteral	210
Indacaterol	200
Indapamide	
Indinavir	116
Infanrix IPV	260
Infanrix-hexa	260
Infant Formulae	245
Influenza vaccine	
Influvac	262
Inhaled Corticosteroids	207
Inhaled Long-acting	
Beta-adrenoceptor	
Agonists	208
Inset 30	35
Inset II	
Insulin aspart	
Insulin aspart with insulin aspart	
protamine	24
Insulin glargine	24
Insulin glulisine	25
Insulin isophane	2/
Insulin isophane with insulin	2
neutral	2/
Inculia lianza	22
Insulin lisproInsulin lispro with insulin lispro	2
protamine	
Insulin neutral	24
Insulin pen needles	
Insulin pump	28
Insulin pump accessories	
Insulin numn infusion set (steel	

cannula)	34
Insulin pump infusion set (teflon	
cannula, angle insertion with	
insertion device)	35
Insulin pump infusion set (teflon	
cannula, angle insertion)	35
Insulin pump infusion set (teflon	
cannula, straight insertion with	
insertion device)	36
Insulin pump infusion set (teflon	
cannula, straight insertion)	37
Insulin pump reservoir	37
Insulin syringes, disposable with	
attached needle	27
Intal Forte CFC Free	
Intal Spincaps	.212
Intelence	
Interferon alfa-2a	.117
Interferon alfa-2b	
Interferon beta-1-alpha	.156
Interferon beta-1-beta	.156
InterPharma54	4, 55
Intra-uterine device	78
Intron-A	
Invega Sustenna	4 47
IPOĽ	.264
IPOLpratropium bromide209	.264 213
IPOL	.264 , 213 176
IPOL	.264 , 213 176 168
IPOL	.264 , 213 176 168 168
IPOL	.264 , 213 176 168 168
IPOL	264 , 213 176 168 168 168
IPOL	264 176 168 168 168 168
IPOL	264 213 176 168 168 168 45
IPOL	264 , 213 176 168 168 168 45 16
IPOL	264 176 168 168 168 45 45 165
IPOL	264 , 213 176 168 168 168 45 116 65 106
IPOL	264 , 213 176 168 168 168 168 116 65 106
IPOL	264 , 213 176 168 168 168 45 116 65 65 65
IPOL	.264 ,213 .176 .168 .168 .168 45 .116 65 65 65 61
IPOL	.264 ,213 .176 .168 .168 .168 45 65 65 65 65 61 61
IPOL	.264 , 213 .176 .168 .168 .168 168 45 116 65 65 65 65
IPOL	.264 , 213 .176 .168 .168 .168 45 116 65 65 61 65 61 65
IPOL	.264 , 213 .176 .168 .168 .168 45 .116 65 65 61 65 65 61 65 65 65
IPOL	.264 , 213 .176 .168 .168 .168 45 .116 65 65 65 65 65 217 65 240 240
IPOL	.264 , 213 .176 .168 .168 45 166 65 65 65 61 217 65 240 240 240 67
IPOL	.264 , 213 .176 .168 .168 .168 45 .116 65 65 65 65 61 217 65 65 61 217 65 65 65 61 65 65 65
IPOL	.264 , 213 .176 .168 .168 .168 .168 45 .116 65 65 65 65 67 67 67 67
IPOL	.264 , 213 .176 .168 .168 .168 .168 45 .116 65 65 65 67 67 67 67
IPOL	264 , 213 176 168 168 45 45 65 65 65 65 61 6217 67 67 67 67 67 67 67
IPOL	264 , 213 176 168 168 45 65 65 65 65 67 67 67 67 67 67 67 67 69 67
IPOL	264 , 213 176 168 168 45 65 65 65 65 67 67 67 67 67 67 67 67 69 67

- J -
Jadelle80
Jevity240
Jevity HiCal RTH240
Jevity RTH240
- K -
Kaletra116
Kemadrin129
Kenacomb215
Kenacort-A 1086
Kenacort-A 4086
Kenalog in Orabase43
Ketocal 3:1248
KetoCal 4:1248
Ketoconazole
Dermatological76
Infection103
Ketogenic Diet248
Ketone blood beta-ketone
electrodes25
Ketoprofen120
Ketostix25
Keytruda203
Kindergen234
Kinson129
Kivexa115
Klacid97
Kliogest87
Kliovance87
Kogenate FS50
Konakion MM50
Konsyl-D39
- L -
L-asparaginase170
Labetalol59
Lacosamide138
Lactulose39
Laevolac39
Lamictal139
Lamivudine108, 115
Lamivudine Alphapharm115
Lamotrigine139
Lamprene105
Lanoxin58
Lanoxin PG58
Lansoprazole22
Lantus24
Lantus SoloStar24
Lanvis169
Lanzol Relief22 Lapatinib ditosylate177
Lapatili uitosyiate1//
Largactil144

Lasix	62
Latanoprost	
Lax-Sachets	
Lax-Suppositories	
Lax-Tab	
Laxatives	39
Laxsol	39
Ledipasvir with sofosbuvir	112
Leflunomide	121
Lenalidomide	
Letrole	182
Letrozole	182
Leukeran FC	165
Leukotriene Receptor	
Antagonists	212
Leunase	170
Leuprorelin	
Leustatin	167
Levetiracetam	139
Levobunolol	216
Levocabastine	216
Levodopa with benserazide	129
Levodopa with carbidopa	
Lovementemenine	
hydrochloride	144
Levomepromazine maleate	144
Levonorgestrel	
Oneita I Inimam.	
Genito-Urinary80	-81
Genito-Urinary80)–81 88
Hormone Levothyroxine	88
Hormone Levothyroxine	88 89
Hormone Levothyroxine	88 89
Hormone	88 89 89
Hormone	88 89 89
Hormone	88 89 89 -131
Hormone	88 89 89 -131 130
Hormone Levothyroxine	88 89 89 -131 130 131
Hormone	88 89 89 -131 130 131
Hormone	88 89 89 89 131 130
Hormone Levothyroxine	88 89 89 89 131 130
Hormone	88 89 89 81 131 131 131 130 85
Hormone Levothyroxine	88 89 -131 130 131 131 130 85 131 103
Hormone Levothyroxine	88898981
Hormone Levothyroxine	88898981
Hormone Levothyroxine	88898981
Hormone Levothyroxine	88 89 89 131 130 131 131 130 85 131 103 128 63 232
Hormone Levothyroxine	88 89 89 131 130 131 131 130 85 131 103 128 63 232 56
Hormone Levothyroxine	8889898981 130 131 131 13085 131 103 12863 23256 144
Hormone Levothyroxine	88 89 89 89 131 130 131 131 130 85 131 103 128 63 232 56 144 144

LMX4	131
Locacorten-Viaform ED's	215
Local preparations for Anal and	
Rectal Disorders	21
Locasol	
Locoid	
Locoid Crelo	70
Locoid Lipocream	
Locorten-Vioform	
Lodoxamide	
Logem	
Lomide	
Lomustine	
Loniten	
Loperamide hydrochloride	20
Lopinavir with ritonavir	116
Lopresor	59
Loprofin	245
Loprofin Mix	245
Lorafix	207
LoraPaed	207
Loratadine	207
Lorazepam	
Lorfast	
Lormetazepam	
Lorstat	
Losartan Actavis	57
Losartan potassium	
Losartan potassium with	
hydrochlorothiazide	57
Lovir	109
Loxamine	135
Lucrin Depot 1-month	94
Lucrin Depot 3-month	
Lucrin Depot 6-month	94
Ludiomil	134
Lycinate	64
Lyderm	
- M -	
m-Eslon	100
M-M-R II	
m-Nystatin	
Mabthera	100
Macrogol 3350 with potassium	190
chloride, sodium bicarbonate	
and sodium chloride	20
Macrogol 400 and propylene	ა9
glycol	010
Madopar 125	∠18 ^^^
Madopar 250	129
Madopar 250	
Madopar 62.5	
IVIAUUUDI IIDO	129

Madopar Rapid	129	Methotrexate Ebewe	168	Minirin	94
Magnesium hydroxide	227	Methotrexate Sandoz	168	Mino-tabs	99
Magnesium sulphate	45	Methyl hydroxybenzoate	227	Minocycline hydrochloride	99
Maprotiline hydrochloride	134	Methylcellulose	227	Minomycin	99
Marevan	53	Methylcellulose with glycerin ar	nd	Minor Skin Infections	73
Marine Blue Lotion SPF 50+	76	sodium saccharin	228	Minoxidil	65
Marquis Black	78	Methylcellulose with glycerin ar	nd	Mirena	
Marquis Conforma	78	sucrose	228	Mirtazapine	
Marquis Protecta		Methyldopa	61	Misoprostol	22
Marquis Selecta		Methyldopa Mylan		Mitomycin C	
MarquisTantiliza		Methylphenidate		Mitozantrone	172
Marvelon 28		hydrochloride	159	Mitozantrone Ebewe	
Mask for spacer device	214	Methylphenidate hydrochloride		Mixtard 30	
Mast Cell Stabilisers		extended-release		Moclobemide	
Maxidex		Methylprednisolone		Modafinil	
Maxitrol		Methylprednisolone (as sodium		Modavigil	
MCT oil (Nutricia)		succinate)		Modecate	
Measles, mumps and rubella		Methylprednisolone		Modecate S29	
vaccine	262	aceponate	71	Moduretic	
Mebendazole		Methylprednisolone acetate		Mometasone furoate	
Mebeverine hydrochloride		Methylprednisolone acetate wit		Monogen	
Medrol		lidocaine [Lignocaine]		Montelukast	
Medroxyprogesterone acetate	00	Methylxanthines		Moroctocog alfa [Recombinant	212
Genito-Urinary	80	Metoclopramide	210	factor VIII]	10
Hormone		hydrochloride	1/12	Morphine hydrochloride	
Mefenamic acid		Metolazone			
				Morphine sulphate	
Megestrol acetate Meloxicam		Metopirone		Morphine tartrate Motetis	
		Metoprolol - AFT CR			
Melphalan		Metoprolol succinate		Motrig	
Menactra		Metoprolol tartrate		Mouth and Throat	
Meningococcal (groups A, C, Y		Metronidazole		Movapo	
and W-135) congugate	000	Metyrapone		Moxifloxacin	
vaccine	263	Mexiletine hydrochloride	58	MSUD Maxamaid	
Meningococcal c congugated	000	Mexiletine Hydrochloride	50	MSUD Maxamum	245
vaccine		USP		Mucilaginous laxatives with	00
Menthol		Miacalcic		stimulants	
Mercaptopurine		Micolette		Mucolytics	213
Mercilon 28		Miconazole	43	Multiple Sclerosis	
Mesalazine		Miconazole nitrate		Treatments	
Mesna		Dermatological		Multivitamin renal	
Mestinon		Genito-Urinary		Multivitamins	
Metabolic Disorder Agents		Micreme		Mupirocin	
Metamide		Micreme H		Muscle Relaxants	
Metchek		Microgynon 30		Mvite	
Meterol		Microgynon 50 ED		Myambutol	
Metformin hydrochloride	25	Microlut		Mycobutin	106
Metformin Mylan	25	Midazolam		MycoNail	
Methadone hydrochloride		Midazolam-Claris		Mycophenolate mofetil	
Extemporaneous	227	Midodrine	58	Mycostatin	69
Nervous	132	Minerals	45	Mydriacyl	218
Methatabs	132	Mini-Wright AFS Low Range	214	Mylan Atenolol	58
Methopt	218	Mini-Wright Standard	214	Mylan Clomiphen	
Methotrexate	168	Minidiab	25	Mylan Melphalan	165

Mylan-Bosentan	66	Genito-Urinary	81	Fibre	240
Myleran	165	Infection	103	Nutrison Concentrated	243
Myloc CR	59	Nipent	172	Nutrison Energy	240
Myocrisin	121	Nitrados	157	Nutrison Energy Multi Fibre	240
Myometrial and Vaginal Hor		Nitrates	64	Nutrison Multi Fibre	240
Preparations	81	Nitrazepam	157	Nutrison Standard RTH	240
Myozyme	40	Nitroderm TTS	64	Nyefax Retard	
- N -		Nitrofurantoin	119	Nystatin	
Nadolol	50	Nitrolingual Pump Spray	64	Alimentary	43
Naglazyme		Nivolumab		Dermatological	69
Nalcrom		Nizoral	103	Genito-Urinary	81
Naloxone hydrochloride		Noctamid	156	Infection	
Naltraccord		Nodia	20	NZB Low Gluten Bread Mix	244
Naltrexone hydrochloride		Noflam 250		- 0 -	
Naphazoline hydrochloride		Noflam 500	120	O/W Fatty Emulsion Cream	72
Naphcon Forte		Non-Steroidal Anti-Inflamma	atory	Obinutuzumab	
•		Drugs	120	Octocog alfa [Recombinant	
Naprosyn SR 1000		Nonacog alfa [Recombinant		VIII] (Advate)	
Naprosyn SR 750 Naproxen		factor IX]		Octocog alfa [Recombinant	
Nardil		Nonacog gamma, [Recombi		VIII] (Kogenate FS)	
Nasal Preparations		Factor IX]		Octreotide	
Natalizumab		Norethisterone		Octreotide LAR (somatostat	
Natulan		Genito-Urinary	80	analogue)	
Nausicalm		Hormone		Oestradiol	
Nauzene		Norflex		Oestradiol valerate	
Navelbine		Norfloxacin		Oestradiol with	
Nedocromil		Noriday 28		norethisterone	87
Nefopam hydrochloride		Norimin	80	Oestriol	
Neisvac-C		Normacol Plus	39	Genito-Urinary	81
Neo-B12		Normison	157	Hormone	
Neo-Mercazole		Norpress		Oestrogens	
Neocate Advance		Nortriptyline hydrochloride		Oestrogens with	
Neocate Gold		Norvir	116	medroxyprogesterone	88
Neocate LCP		NovaSource Renal		Oil in water emulsion	
Neoral		Novatretin		Olanzapine	
Neostigmine metilsulfate		NovoMix 30 FlexPen	24	Olbetam	
Nepro HP (strawberry)		NovoRapid	24	Olopatadine	
Nepro HP (vanilla)		NovoRapid FlexPen	24	Olsalazine	
Nepro HP RTH		NovoRapid Penfill	24	Omalizumab	
Nerisone		NovoSeven RT	48	Omeprazole	
Neulactil		Noxafil	104	Omezol Relief	
Neulastim		Nozinan	144	Omnitrope	
Neurontin		Nuelin	213	Onbrez Breezhaler	
NeuroTabs		Nuelin-SR	213	Oncaspar	
Nevirapine		Nupentin	137	OncoTICE	
Nevirapine Alphapharm		Nutilis	243	Ondansetron	
Nicorandil		Nutrient Modules	230	Ondansetron ODT-DRLA	
Nicotine		Nutrini Energy Multi Fibre	235	One-Alpha	
Nicotinic acid		Nutrini Energy RTH	235	Onrex	
Nifedipine		Nutrini Low Energy Multi Fib		Opdivo	
Nifuran		237		Ora-Blend	
Nilotinib		Nutrini RTH	235	Ora-Blend SF	
Nilstat	1 / /	Nutrison 800 Complete Mult	i	Ora-Plus	
T THO CALL		•			

Ora-Sweet	227	Pantoprazole Actavis 40	23	Paradigm Sure-T MMT-884	34
Ora-Sweet SF	227	Panzop Relief	23	Paradigm Sure-T MMT-886	34
Orabase	43	Panzytrat	38	Paraffin	72
Oral Supplements/Complete Di	et	Papaverine hydrochloride	65	Paraffin liquid with soft white	
(Nasogastric/Gastrostomy		Para-amino salicylic acid	106	paraffin	218
Tube Feed)	233	Paracare		Paraffin liquid with wool fat	
Oratane		Paracare Double Strength		Paraldehyde	
Orgran		Paracetamol		Parasidose	
Orion Temozolomide		Paracetamol + Codeine		Parasiticidal Preparations	
Ornidazole		(Relieve)	133	Paritaprevir, ritonavir and	
Orphenadrine citrate		Paracetamol with codeine		ombitasvir with dasabuvir	112
Ortho All-flex		Paradigm 1.8 Reservoir		Paritaprevir, ritonavir and	
Ortho-tolidine		Paradigm 3.0 Reservoir		ombitasvir with dasabuvir and	ł
Oruvail SR		Paradigm 522		ribavirin	
Osmolite RTH		Paradigm 722		Parnate	
Ospamox		Paradigm Mio MMT-921		Paromomycin	
Other Endocrine Agents		Paradigm Mio MMT-923		Paroxetine	
Other Oestrogen		Paradigm Mio MMT-925		Paser	
Preparations	88	Paradigm Mio MMT-941		Patanol	
Other Progestogen		Paradigm Mio MMT-943		Paxam	
Preparations	88	Paradigm Mio MMT-945		Pazopanib	
Other Skin Preparations		Paradigm Mio MMT-965		Peak flow meter	
Ovestin		Paradigm Mio MMT-975		Pedialyte - Bubblegum	
Genito-Urinary	81	Paradigm Quick-Set		Pediasure	
Hormone		MMT-386	37	Pediasure RTH	
Ox-Pam		Paradigm Quick-Set		Pegaspargase	
Oxaliccord		MMT-387	37	Pegasys	
Oxaliplatin		Paradigm Quick-Set		Pegasys RBV Combination	
Oxaliplatin Actavis 100		MMT-396	37	Pack	118
Oxaliplatin Actavis 50		Paradigm Quick-Set		Pegfilgrastim	
Oxaliplatin Ebewe		MMT-397	37	Pegylated interferon alfa-2a	
Oxazepam		Paradigm Quick-Set		Pembrolizumab	
Oxis Turbuhaler		MMT-398	37	Penicillamine	
Oxpentifylline		Paradigm Quick-Set		PenMix 30	24
Oxybutynin		MMT-399	37	PenMix 40	
Oxycodone hydrochloride		Paradigm Silhouette		PenMix 50	
OxyNorm		MMT-368	35	Pentasa	
Oxytocin		Paradigm Silhouette		Pentostatin	
Oxytocin with ergometrine		MMT-377	35	[Deoxycoformycin]	172
maleate	81	Paradigm Silhouette		Pentoxifylline [Oxpentifylline]	
Ozole		MMT-378	35	Peptisoothe	
.P.		Paradigm Silhouette		Peptisorb	
Pacifen	128	MMT-381	35	Perhexiline maleate	
Paclitaxel		Paradigm Silhouette		Pericyazine	
Paclitaxel Actavis		MMT-382	35	Perindopril	
Paclitaxel Ebewe		Paradigm Silhouette		Perjeta	
Paediatric Seravit		MMT-383	35	Permethrin	
Paliperidone		Paradigm Silhouette		Pertuzumab	
Pamidronate disodium		MMT-384	35	Peteha	
Pamisol		Paradigm Sure-T MMT-864		Pethidine hydrochloride	
Pancreatic enzyme		Paradigm Sure-T MMT-866		Pevaryl	
Pantoprazole		Paradigm Sure-T MMT-874		Pexsig	
Pantoprazole Actavis 20		Paradigm Sure-T MMT-876		Pharmacare	
י מיווסףימבטוכ הטומיוט בט	20	3	-		

Pharmacy Services220
Pheburane42
Phenelzine sulphate135
Phenobarbitone139
Phenobarbitone sodium
Externary 200
Extemporaneous228 Nervous157
Phenothrin74
Phenoxybenzamine
hydrochloride56
Phenoxymethylpenicillin
(Penicillin V)99
Phenytoin sodium137, 139
Phlexy 10245
Phosphate-Sandoz55
Phosphorus
Phytomenadione50
Pilocarpine hydrochloride217
Pimafucort71
Pindolol59
Pine tar with trolamine
laurilsulfate and
fluorescein76
Pinetarsol76
Pioglitazone25
Piportil148
Pipothiazine palmitate148
Pirfenidone211
Pizotifen141
PKU Anamix Infant245
PKU Anamix Junior245
PKU Anamix Junior LQ245
PKU Lophlex LQ 10245
PKU Lophlex LQ 20245
Plaquenil121
Plendil ER60
Pneumococcal (PCV13)
vaccine263
Pneumococcal (PPV23)
polysaccharide vaccine 263
Pneumovax 23263
Podophyllotoxin76
Polaramine
Poliomyelitis vaccine264
Poloxamer39
Poly-Gel218
Poly-Tears218
Poly-Visc219
Polycal230
Polyvinyl alcohol218
Ponstan120
Posaconazole104
Postinor-181
1 USUITUI=101

Potassium chloride	.54–55
Potassium citrate	82
Potassium iodate	
Povidone iodine	
Pradaxa	
Pramipexole hydrochloride	
Prasugrel	
Pravastatin	
Praziquantel	
Prazosin	
Pred Forte	
Prednisolone	
Prednisolone acetate	216
Prednisolone sodium	
phosphate	216
Prednisolone-AFT	216
Prednisone	86
Pregnancy Tests - hCG Urine	
Premarin	87
Premia 2.5 Continuous	88
Premia 5 Continuous	
Prevenar 13	
Prezista	
Priadel	
Primacin	
Primaquine phosphate	
Primidone	
Primolut N	
Probenecid	1∠0
Probenecid-AFT	0∠ا
Procarbazine hydrochloride	99 170
Prochlorperazine	1/3 1/1
Proctosedyl	
Procur	
Procyclidine hydrochloride	
Procytox	
Prodopa	
Progesterone	
Proglicem	
Proglycem	
Progynova	
Prokinex	
Promethazine hydrochloride	207
Promethazine theoclate	
Promod	232
Propafenone hydrochloride	58
Propamidine isethionate	215
Propranolol	60
Propylene glycol	228
Propylthiouracil	89
Protamine sulphate	53
Protaphane	24

Protaphane Penfill	24
Protifar	232
Protionamide	
Provera	87
Provera HD	88
PSM Citalopram	135
Psoriasis and Eczema	
Psoriasis and Eczema Preparations	75
PIU	89
Pulmicort Turbuhaler	.207
Pulmocare	.233
Pulmozyme	.213
Puri-nethol	.168
Pyrazinamide	.106
Pyridostigmine bromide	.120
Pyridoxine hydrochloride	43
Pyrimethamine	.101
Pytazen SR	50
- Q -	
Q 300	105
Questran-Lite	63
Quetapel	145
Quetiapine	145
Quick-Set MMT-390	37
Quick-Set MMT-391	37
Quick-Set MMT-392	37
Quick-Set MMT-393	37
Quinapril	57
Quinapril with	
hydrochlorothiazide	57
Quinine sulphate	105
Qvar	.207
- R -	
RA-Morph	132
Raloxifene hydrochloride	.123
Raltegravir potassium	.116
RamipexRanbaxy-Cefaclor	.129
Ranbaxy-Cetaclor	96
Ranitidine	22
Ranitidine Relief	22
Rapamune	204
Reandron 1000	86
Recombinant Factor IX	49
Recombinant factor IX	
Recombinant factor VIIa	48
Recombinant factor VIII	49
Rectogesic	22
RedipredRefresh Night Time	85
Heiresh Night Time	.218
Renilon 7.5	.236
Resonium-A	
Resource Beneprotein	.232

Resource Diabetic233
Respigen209
Respiratory Devices214
Respiratory Stimulants214
Retinol palmitate219
ReTrieve67
Retrovir116
Revlimid171
Revolade48
Rexacrom216
RexAir209
Reyataz116
Ridaura s29121
Rifabutin106
Rifadin107
Rifampicin107
Rifaximin23
Rifinah
Rilutek
Riluzole130
Riodine73
Risedronate Sandoz124
Risedronate sodium124
Risperdal Consta148
Risperdal Quicklet145
Risperidone145, 148
Risperon145
Ritalin159
Ritalin LA160
Ritalin SR159
Ritonavir116
Rituximab198
Rivaroxaban53
Rivastigmine161
Rivotril
RIXUBIS49
Rizamelt141
Rizatriptan141
Roferon-A117
Ropinirole hydrochloride129
RotaTeq264
Rotavirus live reassortant oral
vaccine264
Roxane
Alimentary20
Cardiovascular60
Roxithromycin98
Rubifen159
Rubifen SR159
Rythmodan58
Rytmonorm58
,

-8-	
S-26 Gold Premgro	.245
Sabril	.140
SalAir	
Salamol	
Salazopyrin	
Salazopyrin EN	
Salbutamol	209
Salbutamol with ipratropium	
bromide	. 209
Salicylic acid	76
Salmeterol	
Sandomigran	
Sandostatin LAR	
Scalp Preparations	76
Scopoderm TTS	
Sebizole	
Sedatives and Hypnotics	
Seebri Breezhaler	
Selegiline hydrochloride	.129
Senna	
Senokot	40
Sensipar	
SensoCard	
Serenace	
Seretide	
Seretide Accuhaler	
Serevent	.208
Serevent Accuhaler	.208
Serophene	95
Sertraline	.135
Sevredol	
Sex Hormones Non	
Contraceptive	86
Shield 49	
Shield Blue	78
Shield XL	78
Sildenafil	66
Silhouette MMT-371	35
Silhouette MMT-373	35
Siltuximab	.200
Silver sulphadiazine	
Simvastatin	63
Sinemet	
Sinemet CR	.129
Singulair	.212
Sirolimus	.204
Slow-Lopresor	59
Sodibic	55
Sodium acid phosphate	40
Sodium alginate	20
Sodium aurothiomalate	.121

Sodium benzoate	42
Sodium bicarbonate	
Blood	54–55
Extemporaneous	228
Sodium calcium edetate	221
Sodium chloride	
Blood	54
Respiratory	213
Sodium citrate with sodium laury	
sulphoacetate	40
Sodium citro-tartrate	83
Sodium cromoglycate	
Alimentary	21
Respiratory	212
Sensory	216
Sodium fluoride	45
Sodium hvaluronate [Hvaluronic	
acid]	218
Sodium nitroprusside	25
Sodium phenylbutyrate	
Sodium polystyrene	
sulphonate	55
Sodium tetradecyl sulphate	50
Sodium valproate	
Sofradex	215
Soframycin	215
Solian	143
Solifenacin succinate	83
Solu-Cortef	85
Solu-Medrol	85
Somatropin (Omnitrope)	90
Sotacor	
Sotalol	60
Spacer device	214
Span-K	55
Spiolto Respimat	211
Spiractin	62
Spiriva	210
Spiriva Respimat	210
Spironolactone	62
Sporanox	103
Sprycel	
Staphlex	99
Stavudine [d4T]	115
Stelazine	146
Stemetil	
Stesolid	136
Stimulants/ADHD	
Treatments	157
Stiripentol	139
Stocrin	114
Stomahesive	
Strattera	

Stromectol	
Sulfadiazine sodium102	
Sulindac	
Sulphasalazine21	
Sulphur76	
Sulprix143	
Sumatriptan141	
Sunitinib179	
Sunscreens76	
Sunscreens, proprietary76	
Sure-T MMT-86334	
Sure-T MMT-86534	
Sure-T MMT-87334	
Sure-T MMT-87534	
Sure-T MMT-88334	
Sure-T MMT-88534	
Sustagen Diabetic233	
Sustagen Hospital Formula241	
Sustanon Ampoules86	
Sutent179	
Sylvant200	
Symbicort Turbuhaler 100/6208	
Symbicort Turbuhaler 200/6208	
Symbicort Turbuhaler	
400/12208	
Symmetrel	
Sympathomimetics65	
Synacthen86	
Synacthen Depot86	
Synthroid89	
Syntometrine81	
Syrup (pharmaceutical	
grade)228	
Systane Unit Dose218	
-T-	
Tacrolimus205	
Tacrolimus Sandoz205	
Tambocor58	
Tambocor CR58	
Tamoxifen citrate182	
Tamsulosin hydrochloride82	
Tamsulosin-Rex82	
Tap water228	
Tarceva175	
Tasigna177	
Tasmar129	
Taxotere170	
Tecfidera149	
Tegretol137	
Tegretol CR137	
3	
Telfast207	

Temaccord173
Temazepam15
Temozolomide173
Tenofovir disoproxil
fumarate11
Tenoxicam120
Tepadina160
Terazosin50
Terbinafine
Terbutaline sulphate20
Teriflunomide
Teriparatide124
Testosterone80
Testosterone cypionate80
Testosterone esters80
Testosterone undecanoate86
Tetrabenazine130
Tetrabromophenol83
Tetracosactrin80
Tetracyclin Wolff99
Tetracycline99
Teva169
Thalidomide174
Thalomid174
Theophylline213
Thiamine hydrochloride4
THIO-TEPA16
Thioguanine169
Thiotepa16
Thymol glycerin43
Thyroid and Antithyroid
Agente Anulinyroid
Agents
Tilade212
Tilcotil120
Timolol
Cardiovascular6
Sensory21
Timoptol XE
Tiotropium bromide210 Tiotropium bromide with
olodaterol
Tivicay110
TMP102
TOBI102
Tobramycin
Infection102
Sensory21
Tobramycin Mylan102
Tobrex21
Tofranil
Tofranil s29
Tolcanone 120

Tolterodine	83
Topamax	140
Topical Products for Joint and	
Muscular Pain	121
Topiramate	
Topiramate Actavis	140
Total parenteral nutrition	
(TPN)	54
TPN	54
Tramadol hydrochloride	
Tramal SR 100	134
Tramal SR 150	134
Tramal SR 200	134
Trandate	59
Tranexamic acid	50
Tranylcypromine sulphate	135
Trastuzumab	200
Travatan	
Travoprost	21/
Treatments for Dementia	161
Treatments for Substance	404
Dependence Trental 400	161
	65
Tretinoin Dermatological	67
Dermatological	/ ال
Oncology	1/4
Trexate	108
Triamcinolone acetonide	40
Alimentary Dermatological	4J
Hormone	۱ /
Triamcinolone acetonide with	00
gramicidin, neomycin and ny	ototin
Dermatological	31a1111 71
Sensory	/ I 215
Triazolam	215 157
Trichozole	105
Triclosan	100 71
Trifluoperazine	1
hydrochloride	146
Trimeprazine tartrate	207
Trimethoprim	102
Trisequens	87
Trisul	100
Trophic Hormones	90
Tropicamide	218
Trusopt	217
Truvada	115
Two Cal HN	243
Two Cal HN RTH	243
Tykerb	177
Tysabri	152

- U -	
Ultibro Breezhaler	211
Ultraproct	
Umeclidinium	210
Umeclidinium with vilanterol	
Univent209	, 213
Ural	83
Urea	72
Urex Forte	
Urinary Agents	
Urinary Tract Infections	119
Uromitexan	172
Ursodeoxycholic acid	38
Ursosan	
Utrogestan	
- V -	
Vaccinations	250
Vaclovir	
Valaciclovir	100
Valcyte	
Valganciclovir	
Vallergan Forte	. 109
Vancomycin	207
Vannair	
Varenicline tartrate Varicella vaccine [Chicken pox	163
	004
vaccine]	
Varilrix	
Various	
Vasodilators	
Vasopressin Agonists	94
Vedafil	
Velcade	
Venlafaxine	
Venomil	
Ventavis	
Ventolin	
Vepesid	1/1
Verapamil hydrochloride	61
Vergo 16	
Vermox	96
Verpamil SR	
Vesanoid	
Vesicare	
Vexazone	
Vfend	
Viaderm KC	
Victrelis	
Vidaza	166

Videx EC	115
Viekira PakViekira Pak-RBV	112
Viekira Pak-RBV	113
Vigabatrin	140
Vimpat	138
Vinblastine sulphate	174
Vincristine sulphate	174
Vinorelbine	174
Vinorelbine Ebewe	174
Viramune Suspension	11
Viread	
ViruPOS	
Vistil	
Vistil Forte	218
Vit.D3	
VitA-POS	
Vitabdeck	
Vitadol C	
Vital	
Vitamin A with vitamins D and	
C	43
Vitamin B complex	4
Vitamin B6 25	43
Vitamins	
Vivonex Pediatric	246
Vivonex TEN	237
Volibris	66
Voltaren	
Voltaren D	
Voltaren Ophtha	216
Volumatic	214
Voriconazole	
Vosol	21!
Votrient	178
Vttack	
- W -	
Warfarin sodium	51
Wart Preparations	
Wasp venom allergy	/ (
treatment	204
Water	200
	-
Blood	ეიი
Extemporaneous	228
Wool fat with mineral oil	
- X -	
Xanax	
Xarelto	
Yifayan	2.

XMET Maxamum244

Xolair	.197
XP Maxamaid	.245
XP Maxamum	.245
Xylocaine	.130
Xylocaine Viscous	.130
Xyntha	49
- Z -	
Zantac	22
Zapril	56
Zarontin	
Zaroxolyn	
Zarzio	53
Zavedos	
Zeffix	.108
Zerit	.115
Zetop	.206
Ziagen	.115
Zidovudine [AZT]	.116
Zidovudine [AZT] with	
lamivudine	. 116
Zimybe	64
Zinc and castor oil	72
Zinc sulphate	46
Zincaps	46
Zinnat	97
Ziprasidone	
Zista	
Zithromax	
Zoladex	93
Zoledronic acid	
Hormone	
Musculoskeletal	
Zoledronic acid Mylan	84
Zometa	84
Zopiclone	
Zopiclone Actavis	
Zostrix	.121
Zostrix HP Zuclopenthixol decanoate	140
Zuclopenthixol	. 140
hydrochloride	1/16
Zusdone	
Zyban	162
ZypineZypine ODT	144
Zyprexa Relprevv	147
Zytiga	