May 2017	
Volume 24 Number	1

Editor:

Kave Wilson & Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and T_FX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

Programmers

Anrik Drenth & John Geering

email: texschedule@pharmac.govt.nz



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section A	General Rules	6
Section B	Alimentary Tract & Metabolism	20
	Blood & Blood Forming Organs	45
	Cardiovascular System	55
	Dermatologicals	66
	Genito Urinary System	77
	Hormone Preparations – Systemic	83
	Infections – Agents For Systemic Use	94
	Musculoskeletal System	117
	Nervous System	126
	Oncology Agents & Immunosuppressants	162
	Respiratory System & Allergies	201
	Sensory Organs	209
	Various	213

Section C	Extemporaneous Compounds (ECPs)	215
Section D	Special Foods	222
Section E	Practitioner's Supply Orders Rural Areas	241 245
Section F	Dispensing Period Exemptions	246
Section G	Safety Cap Medicines	248
Section I	National Immunisation Schedule	251

Index 259

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.


The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

•	g	microgram mcg	millimole mmol
	kg	milligram mg	unit u
international unit	iu	millilitreml	
Abbreviations			
Ampoule	Amp	GelatinousGel	SolutionSoln
Capsule	Сар	Granules Gran	SuppositorySupp
Cream	Crm	Infusion Inf	TabletTab
Device	Dev	Injection Inj	Tincture Tinc
Dispersible	Disp	LiquidLiq	Trans Dermal Delivery
	Ēff	Long ActingLA	SystemTDDS
Emulsion	Emul	OintmentOint	
Enteric Coated	EC	Sachet Sach	
BSO	Dulle Quante Order		
CBS	Bulk Supply Order. Cost Brand Source.		
ECP		Compounded Dreneration	
OP		Compounded Preparation.	
PSO	U U	idy is rounded up to a multiple at whole pack	.5.
Sole Subsidised	Practitioner's Supply	Oldel.	
	Only brand of this m	adiaina aubaidiaad	
<u>Supplier</u> XPharm	Only brand of this m	claim subsidy because PHARMAC has made	altornative distribution arrangements
		may be dispensed at one time if the exempter	
	by the practitioner or	, , , ,	u medicine is endorsed certilied exemption
*		nsed all-at-once or, in the case of oral contract	contives, six menths dispensed all at ence
*		meets the Dispensing Frequency Rule criteri	
+			
‡ ✓		for oral liquid formulations, including extemport nd of a given medicine. Brands without the tion	
•		5	ck are not rully subsidised and may cost the
S29	patient a manufactur		on 20 of the Medicines Act 1081
HP3		unapproved medication supplied under Section	
		pensed from a pharmacy that has a contract	
HP4		spensed from a pharmacy that has a contraction	ci to dispense from the Monitored Therapy
	Variation (for Clozap	ine Services).	

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to whole-salers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 May 2017 and is to be referred to as the Pharmaceutical Schedule Volume 24 Number 1, 2017. Distribution will be from 20 May 2017. This Schedule comes into force on 1 May 2017.

PART I INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

- a) have limited physical mobility;
- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act", means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.

"Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit. "DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
 - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
 - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an

Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified. "Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

"Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, a Quitcard Provider, a Pharmacist Prescriber, or a Vaccinator as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984. "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

a)

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

- "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
 - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
 - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - iii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol", or
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule. "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of competency; or
- d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

"Vaccinator", means either:

- a) a pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health; or
- b) any other person who is authorised by the Director-General of Health or a Medical Officer of Health to administer vaccines in accordance with this Section 44A of the Medicines Regulations 1984.
- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Practitioners', Registered Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber, Optometrist, or Pharmacist Prescriber unless specifically excluded:

3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.

- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner or Registered Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - b) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - 2) every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is under the Dispensing Frequency Rule,
 - The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

3.2.1 The prescribing Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber, or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
 - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
 - b) an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
 - c) any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
 - b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

3.6 Quitcard Providers' Prescriptions

- Prescriptions written by a Quitcard Provider will only be subsidised where they are:
 - a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum; and b) written on a Quitcard.
 - b) written on a Quitcard.
- 3.7 Vaccinators' Prescriptions

Prescriptions written by Vaccinators will only be valid for subsidy in accordance with an agreement between the Contractor and the DHB, and only for direct administration of a vaccine to a patient.

PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial"; and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.
- Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note -- no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.

- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatements with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.2;
 - c) clauses 3.1 to 3.4; and
 - d) clause 5.4,

of Section A of the Schedule

- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may

only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- c) a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$) Su Per	Fully ubsidised	Brand or Generic Manufacturer
Antacids and Antiflatulants				
Antacids and Reflux Barrier Agents				
ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg p sachet		30	∢ (Gaviscon Infant
SODIUM ALGINATE * Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	C	Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml	Þ	Acidex
Phosphate Binding Agents				
ALUMINIUM HYDROXIDE * Tab 600 mg CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement		100 500 ml	-	Alu-Tab Roxane
Only when prescribed for children under 12 years of age endorsed accordingly. Antidiarrhoeals	nor use as a priospri		ing agent	and the prescription is
Agents Which Reduce Motility				
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a * Tab 2 mg * Cap 2 mg	10.75	400 400	-	<u>lodia</u> Diamide Relief
Rectal and Colonic Anti-inflammatories				
BUDESONIDE Cap 3 mg – Special Authority see SA1155 below – Retail pharmacy SA1155 Special Authority for Subsidy		90	√ E	Entocort CIR
Initial application — (Crohn's disease) from any relevant pract the following criteria: Both:	titioner. Approvals v	alid for 6	months	for applications meeting
1 Mild to moderate ileal, ileocaecal or proximal Crohn's dise 2 Any of the following:	ase; and			
2.1 Diabetes; or2.2 Cushingoid habitus; or2.3 Osteoporosis where there is significant risk of fract2.4 Severe acne following treatment with conventional		oy; or		
-				continued.

20

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsi	idised	Generic
\$	Per	1	Manufacturer

continued...

- 2.5 History of severe psychiatric problems associated with corticosteroid treatment; or
- 2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or
- 2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)	21.1 g OP	✓ Colifoam
MESALAZINE		
Tab 400 mg49.50	100	Asacol
Tab EC 500 mg	100	Asamax
Tab long-acting 500 mg59.05	100	 Pentasa
Tab 800 mg	90	Asacol
Modified release granules, 1 g141.72	120 OP	 Pentasa
Enema 1 g per 100 ml41.30	7	 Pentasa
Suppos 500 mg22.80	20	Asacol
Suppos 1 g54.60	30	Pentasa
OLSALAZINE		
Tab 500 mg59.86	100	 Dipentum
Cap 250 mg31.51	100	 Dipentum
SODIUM CROMOGLYCATE		·
Cap 100 mg	100	 Nalcrom
SULPHASALAZINE		
* Tab 500 mg – For sulphasalazine oral liquid formulation refer,	100	. Calananumin
page 216	100	 Salazopyrin Salazopyrin
* Tab EC 500 mg13.50	100	Salazopyrin EN

Local preparations for Anal and Rectal Disorders

*Three months or six months, as applicable, dispensed all-at-once

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

 Ultraproct
 Ultraproct
 Proctosedyl
 Proctosedyl

‡ safety cap

	(Subsidy (Manufacturer's Price) \$		Fully Brand or lised Generic Manufacturer
Management of Anal Fissure	es			
GLYCERYL TRINITRATE – Special A * Oint 0.2% SA1329 Special Authority for Sub Initial application from any relevant pic chronic anal fissure that has persisted	psidy ractitioner. Approvals valid	without further rene	30 g OP ewal unless n	Rectogesic notified where the patient has a
Antispasmodics and Other	Agents Altering Gut I	Motility		
GLYCOPYRRONIUM BROMIDE Inj 200 mcg per ml, 1 ml ampoule PSO			10	✓ Max Health
HYOSCINE N-BUTYLBROMIDE				
* Tab 10 mg			20 5	✓ Gastrosoothe
* Inj 20 mg, 1 ml – Up to 5 inj availa		9.57	5	 Buscopan
MEBEVERINE HYDROCHLORIDE * Tab 135 mg			90	✓ <u>Colofac</u>
Antiulcerants				
Antisecretory and Cytoprote	ective			
MISOPROSTOL				
* Tab 200 mcg		41.50	120	✓ <u>Cytotec</u>
Helicobacter Pylori Eradicat	ion			
CLARITHROMYCIN Tab 500 mg – Subsidy by endorse a) Maximum of 14 tab per pre		10.40	14	✓ <u>Apo-Clarithromycin</u>
 b) Subsidised only if prescribe Note: the prescription is cons and either amoxicillin or metro 	ed for helicobacter pylori era idered endorsed if clarithron			
H2 Antagonists				
RANITIDINE – Only on a prescription * Tab 150 mg		14.73 4.92	500 500 300 ml 5	 <u>Ranitidine Relief</u> <u>Ranitidine Relief</u> <u>Peptisoothe</u> Zantac
Proton Pump Inhibitors				
LANSOPRAZOLE * Cap 15 mg * Cap 30 mg			100 100	 ✓ Lanzol Relief ✓ Lanzol Relief

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	
IEPRAZOLE	•			
For omeprazole suspension refer Standard Formulae, pa	ae 219			
Cap 10 mg	•	90	1	Omezol Relief
Cap 20 mg	2.91	90	✓	Omezol Relief
Cap 40 mg	4.42	90	1	Omezol Relief
Powder – Only in combination		5 g	✓	Midwest
Only in extemporaneously compounded omeprazole				
Inj 40 mg ampoule with diluent		5	1	Dr Reddy's Omeprazole
NTOPRAZOLE				
Tab EC 20 mg	2.41	100		Panzop Relief
Tab EC 40 mg	3.35	100	1	Panzop Relief
ite Protective Agents				
LLOIDAL BISMUTH SUBCITRATE				
Tab 120 mg	14.51	50	-	Gastrodenol S29
CRALFATE	05 50	400		
Tab 1 g		120		Constato
	(48.28)			Carafate
ile and Liver Therapy				
AXIMIN – Special Authority see SA1461 below – Retail p	harmacy			
Tab 550 mg		56	1	Xifaxan
SA1461 Special Authority for Subsidy tial application only from a gastroenterologist, hepatologis batologist. Approvals valid for 6 months where the patient rated doses of lactulose. newal only from a gastroenterologist, hepatologist or Prac batologist. Approvals valid without further renewal unless nefiting from treatment.	has hepatic encephalop	athy d Idatio	espite an n of a gast	adequate trial of maximu roenterologist or
iabetes				
yperglycaemic Agents				
ZOXIDE – Special Authority see SA1320 below – Retail	pharmacy			
Cap 25 mg	-	100	1	Proglicem S29
Cap 100 mg		100		Proglicem S29
Oral liq 50 mg per ml		0 ml C		Proglycem S29
SA1320 Special Authority for Subsidy	0			5,7
tial application from any relevant practitioner. Approvals	valid for 12 months wher	e use	d for the ti	eatment of confirmed
ooglycaemia caused by hyperinsulinism. newal from any relevant practitioner. Approvals valid with				
propriate and the patient is benefiting from treatment.				
UCAGON HYDROCHLORIDE Inj 1 mg syringe kit – Up to 5 kit available on a PSO		1	1	Glucagen Hypokit

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully sidised	Brand or Generic Manufacturer
Insulin - Short-acting Preparations				
NSULIN NEUTRAL ▲ Inj human 100 u per ml	25.26	10 ml OP		Actrapid
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓ ,	Humulin R Actrapid Penfill Humulin R
Insulin - Intermediate-acting Preparations				
NSULIN ASPART WITH INSULIN ASPART PROTAMINE	52.15	5	~	NovoMix 30 FlexPen
NSULIN ISOPHANE ▲ Inj human 100 u per ml	17.68	10 ml OP		Humulin NPH
▲ Inj human 100 u per ml, 3 ml	29.86	5	✓	Protaphane Humulin NPH Protaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml	25.26	10 ml OP		Humulin 30/70 Mixtard 30
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	\ \ \	Humulin 30/70 PenMix 30 PenMix 40 PenMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			•	rennix 50
3 ml Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,		5		Humalog Mix 25
3 ml		5	•	Humalog Mix 50
Insulin - Long-acting Preparations				
NSULIN GLARGINE Inj 100 u per ml, 10 ml Inj 100 u per ml, 3 ml	63.00 94.50	1 5		Lantus Lantus
Inj 100 u per ml, 3 ml disposable pen		5	✓	Lantus SoloStar
Insulin - Rapid Acting Preparations				
NSULIN ASPART Inj 100 u per ml, 3 ml syringe Inj 100 u per ml, 3 ml Inj 100 u per ml, 10 ml	51.19	5 5 1	✓	NovoRapid FlexPen NovoRapid Penfill NovoRapid
NSULIN GLULISINE Inj 100 u per ml, 10 ml Inj 100 u per ml, 3 ml Inj 100 u per ml, 3 ml disposable pen	46.07	1 5 5	✓ .	Apidra Apidra Apidra SoloStar
NSULIN LISPRO ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml		10 ml OP 5		Humalog Humalog

24

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		idised	Generic
	\$	Per		Manufacturer
Alpha Glucosidase Inhibitors				
ACARBOSE				
* Tab 50 mg	4.28	90		ilucobay
* Tab 100 mg	7.78	90	✓ <u>G</u>	lucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	🗸 D	aonil
GLICLAZIDE				
* Tab 80 mg		500	✓ G	alizide
GLIPIZIDE			_	
★ Tab 5 mg	2 85	100	🖌 M	linidiab
METFORMIN HYDROCHLORIDE		100	• •	initialab
* Tab immediate-release 500 mg	0.50	1,000	. / N	letchek
 Tab immediate-release 500 mg Tab immediate-release 850 mg 		500	_	potex
	1.02	500		letformin Mylan
			• "	
PIOGLITAZONE ₭ Tab 15 mg	2 47	90	. V	exazone
₭ Tab 15 mg ₭ Tab 30 mg		90 90		exazone
★ Tab 30 mg		90 90		exazone
		00	• •	CXULONC
Diabetes Management				
Ketone Testing				
BLOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter	available on a PSO			
Meter funded for the purposes of blood ketone diagnostics or				
at risk of future episodes or patient is on an insulin pump. Or	nly one meter per pa	atient will be		
Meter		1	✓ F	reestyle Optium
				Neo
ETONE BLOOD BETA-KETONE ELECTRODES				
 a) Maximum of 20 strip per prescription 				
b) Up to 10 strip available on a PSO				
Test strip – Not on a BSO) strip OP	✔ F	reestyle Optium Ketone
SODIUM NITROPRUSSIDE – Maximum of 50 strip per prescripti	on			
 Test strip – Not on a BSO) strip OP	۸ 🗸	ccu-Chek
				Ketur-Test
	14.14		✓ к	letostix
			- 1	

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

\$	Per		Manufacturer
ptions will be subsidised	d for pa ed me	atients who a ter, other tha	already have a CareSer an CareSens, are eligibl
test 20.00	1 OP	√ C	careSens II careSens N careSens N POP
d of prior dispensing of i	insulin	n or sulphony	lurea; or
	r a patient who: erglycaemia; or homeostasis excluding ptions will be subsidised viously received a fund where there exists a rec test 	r a patient who: erglycaemia; or homeostasis excluding type ptions will be subsidised for pr viously received a funded me where there exists a record of test 	r a patient who: erglycaemia; or homeostasis excluding type 1 or type 2 d ptions will be subsidised for patients who a viously received a funded meter, other tha where there exists a record of prior dispension test

 Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

► SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

 PO Box 10 254
 Facsimile: (04) 974 4788

 Wellington
 Email: bgstrips@pharmac.govt.nz

26

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sul	osidised	Generic	
\$	Per	1	Manufacturer	

⇒SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

 Wellington
 Email: bgstrips@pharmac.govt.nz

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips	50 test OP	 SensoCard
---------------------------	------------	-------------------------------

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INS	ULIN PEN NEEDLES - Maximum of 100 dev per prescription			
*	29 g × 12.7 mm	10.50	100	B-D Micro-Fine
*	31 g × 5 mm	11.75	100	 B-D Micro-Fine
*	31 g × 6 mm	10.50	100	🗸 ABM
*	31 g × 8 mm	10.50	100	B-D Micro-Fine
*	32 g × 4 mm	10.50	100	B-D Micro-Fine
	ULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE		0 dev per pro	escription
*	Syringe 0.3 ml with 29 g × 12.7 mm needle	13.00	100	B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00	100	 B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100	B-D Ultra Fine
	, , , , , , , , , , , , , , , , , , , ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
		, ,		

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Insulin Pumps				
 INSULIN PUMP - Special Authority see SA1603 below - Retail a) Maximum of 1 dev per prescription b) Only on a prescription c) Maximum of 1 insulin pump per patient each four year per 	-			
Min basal rate 0.025 U/h; black colour		1	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour		1		Animas Vibe
Min basal rate 0.025 U/h; green colour		1		Animas Vibe
Min basal rate 0.025 U/h; pink colour		i		Animas Vibe
Min basal rate 0.025 U/h; silver colour		1		Animas Vibe
Min basal rate 0.05 U/h; silver colour		4		Paradigm 522
	4,400.00			Paradigm 722
Min basal rate 0.05 U/h; clear colour	4 400 00	1		Paradigm 522
	4,400.00	1		Paradigm 722
Min boool rote 0.05 11/b, pipk colour	4 400 00	1		•
Min basal rate 0.05 U/h; pink colour	4,400.00	I		Paradigm 522
				Paradigm 722
Min basal rate 0.05 U/h; purple colour	4,400.00	1		Paradigm 522
				Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4,400.00	1	~	Paradigm 522
			✓	Paradigm 722

⇒SA1603 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

appropriate health professional); and

- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or

*Three months or six months, as applicable, dispensed all-at-once

9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or

continued...

\$ safety cap

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🖌	Manufacturer	

continued...

3.2 The pump is due for replacement; and

4 Either:

4.1 Applicant is a relevant specialist; or

4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and

8 Either:

- 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
- 8.2 The pump is due for replacement; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 4.2 The pump is due for replacement; and
- 5 Either:
 - 5.1 Applicant is a relevant specialist; or
 - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Insulin Pump Consumables

⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsi	dised	Generic
 \$	Per	1	Manufacturer

continued...

- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or

*Three months or six months, as applicable, dispensed all-at-once

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to

continued...

‡ safety cap

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

reduce HbA1; and

- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and

9 Either:

- 9.1 Applicant is a relevant specialist; or
- 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:

32

- 4.1 Applicant is a relevant specialist; or
- 4.2 Applicant is a nurse practitioner working within their vocational scope.

INSULIN PUMP ACCESSORIES - Special Authority see SA1604 on page 30 - Retail pharmacy

- a) Maximum of 1 cap per prescription
- b) Only on a prescription

c) Maximum of 1 prescription per 180 days.		
Battery cap	 1	 Animas Battery Cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
INSULIN PUMP INFUSION SET (STEEL CANNULA) – Special A	Authority see SA1604	on p	age 30 – R	etail pharmacy
a) Maximum of 3 sets per prescriptionb) Only on a prescriptionc) Maximum of 13 infusion sets will be funded per year.	-		-	
10 mm steel needle; 29 G; manual insertion; 60 cm tubing x 10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T MMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing x 10 with 10 needles; luer lock		1 OP	v :	Sure-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing x 10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T MMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles; luer lock 6 mm steel cannula; straight insertion; 60 cm grey line × 10 w		1 OP	√ :	Sure-T MMT-885
10 needles		1 OP	•	Contact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T MMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	✓ :	Sure-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T MMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	v :	Sure-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line × 10 with 10 needles		1 OP	v (Contact-D
8 mm steel cannula; straight insertion; 60 cm grey line × 10 w 10 needles 8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×		1 OP	•	Contact-D
10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T MMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	✓ :	Sure-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles	130.00	1 OP	✓	Paradigm Sure-T MMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles; luer lock	130.00	1 OP	√ :	Sure-T MMT-875

\$\$ safety cap
\$\$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Pr	ice) Subs	sidised	Generic
	\$	Per	1	Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	SERTION WITH	INSERTION	DEVICE	E) – Special Authority see
SA1604 on page 30 – Retail pharmacy				,,,,
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
13 mm teflon cannula; angle insertion; insertion device; 110 c				
grey line × 10 with 10 needles		1 OP	🖌 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn			_	
blue line × 10 with 10 needles		1 OP	🗸 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn				
grey line × 10 with 10 needles		1 OP	🗸 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn		4.00		
pink line × 10 with 10 needles		1 OP		set 30
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	ISERTION) – Sp	pecial Authorit	ty see <mark>S/</mark>	A1604 on page 30 –
Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescriptionc) Maximum of 13 infusion sets will be funded per year.				
13 mm teflon cannula; angel insertion; 60 cm grey line × 5 wil	h			
10 needles		1 OP	✓ C	omfort Short
13 mm teflon cannula; angle insertion; 120 cm line × 10 with	120.00			
10 needles		1 OP	🗸 Pa	aradigm Silhouette
				MMT-382
13 mm teflon cannula; angle insertion; 45 cm line $ imes$ 10 with				
10 needles	130.00	1 OP	🖌 Pa	aradigm Silhouette
				MMT-368
13 mm teflon cannula; angle insertion; 60 cm line \times 10 with				
10 needles	130.00	1 OP		aradigm Silhouette
				MMT-381
13 mm teflon cannula; angle insertion; 80 cm line × 10 with	100.00	4.00	(D	0.00
10 needles		1 OP		aradigm Silhouette MMT-383
17 mm toflen connulo; angle incertion; 110 cm grou line v				IVIIVI I -303
17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles	120.00	1 OP	1 C	omfort
17 mm teflon cannula; angle insertion; 110 cm line \times 10 with	120.00	101		onnon
10 needles	130.00	1 OP	🖌 Pa	aradigm Silhouette
				MMT-377
17 mm teflon cannula; angle insertion; 110 cm line \times 10 with				
10 needles; luer lock		1 OP	🖌 Si	Ihouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm grey line × 5 wit	th			
10 needles	120.00	1 OP	🗸 C	omfort
17 mm teflon cannula; angle insertion; 60 cm line × 10 with				
10 needles	130.00	1 OP		aradigm Silhouette
				MMT-378
17 mm teflon cannula; angle insertion; 60 cm line \times 10 with				
10 needles; luer lock	130.00	1 OP	✓ Si	Ihouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line \times 10 with	400.00	4.05	<i>.</i> -	
10 needles		1 OP		aradigm Silhouette
				MMT-384

34

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per	1	Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	IT INSERTION WITH	LINSE		EVICE) - Special Authority
see SA1604 on page 30 – Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
6 mm teflon cannula; straight insertion; insertion device;				
110 cm grey line × 10 with 10 needles	140.00	1 OP	1	Inset II
6 mm teflon cannula; straight insertion; insertion device; 45 c				
blue tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
		1 01	-	MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 c	m			
pink tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
pink tubing × 10 with 10 heedles		101	•	MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 c	m			WIWI 1-92 I
blue tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
blue lubing x to with to heedles		TOF	•	MMT-943
6 mm tallan connular attaight incertion incertion devices 60 a				WIWI 1-943
6 mm teflon cannula; straight insertion; insertion device; 60 c pink tubing × 10 with 10 needles		1 OP		Paradigm Mio
plink tubing x to with to needles		I UF	•	MMT-923
Commutation commuter straight incention, incention devices 00 a				WIWI 1-923
6 mm teflon cannula; straight insertion; insertion device; 80 c		1 OP		Devedian Mie
blue tubing × 10 with 10 needles		TOP	v	Paradigm Mio MMT-945
6 mm taflen connules attaight incertions incertion devices 00 a				IVIIVI 1-945
6 mm teflon cannula; straight insertion; insertion device; 80 c		1 OP		Paradigm Mio
clear tubing × 10 with 10 needles		TUP	•	MMT-965
6 mm tallan connular attaight incertion incertion devices 00 a				101001-905
6 mm teflon cannula; straight insertion; insertion device; 80 c		1 00		Devedian Mie
pink tubing × 10 with 10 needles		1 OP	v	Paradigm Mio MMT-925
Compatible consules statisht in entitle line stime devices CO a				WIW 1-925
6 mm teflon cannula; straight insertionl insertion device; 60 cl blue line x 10 with 10 needles		1 OP		Inset II
		TOP	v	Inset II
6 mm teflon cannula; straight insertionl insertion device; 60 c	m 1 10 00	4 00		I I II
grey line × 10 with 10 needles		1 OP	•	Inset II
6 mm teflon cannula; straight insertionl insertion device; 60 c		4 00		1
pink line × 10 with 10 needles		1 OP	•	Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 c				
blue line × 10 with 10 needles		1 OP	~	Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 c				
grey line × 10 with 10 needles		1 OP	~	Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 c			-	
pink line × 10 with 10 needles		1 OP	~	Inset II
9 mm teflon cannula; straight insertion; insertion device; 80 c			-	
clear tubing × 10 with 10 needles	130.00	1 OP	~	Paradigm Mio
				MMT-975
9 mm teflon cannula; straight insertionl insertion device; 110			-	
grey line × 10 with 10 needles	140.00	1 OP	~	Inset II

\$ safety cap
*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully Bran bsidised Gene ✓ Manu	
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	T INSERTION) -	- Special Au	thority see SA1	604 on page 30 –
Retail pharmacy a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 w	ith			
10 needles		1 OP	 Paradig MMT- 	ım Quick-Set 398
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 w	ith			
10 needles; luer lock	130.00	1 OP	🗸 Quick-S	Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit	h			
10 needles	130.00	1 OP		m Quick-Set
			MMT-	399
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit				
10 needles; luer lock		1 OP	Quick-S	Set MMT-393
6 mm teflon cannula; straight insertion; 80 cm tubing × 10 wit		4.05		
10 needles		1 OP	Paradig MMT-	m Quick-Set
0 mm taflan cannula, atraight insertion, 100 am tubing 10 uu	ith		111111	307
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 w 10 needles		1 OP	🖌 Daradio	ım Quick-Set
		101	MMT-	
9 mm teflon cannula; straight insertion; 110 cm tubing $ imes$ 10 w	ith			000
10 needles: luer lock		1 OP	✓ Quick-9	Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing \times 10 wit		1 01	Guion	
10 needles		1 OP	🗸 Paradio	m Quick-Set
			MMT-	
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit	h			
10 needles; luer lock		1 OP	🗸 Quick-S	Set MMT-392
9 mm teflon cannula; straight insertion; 80 cm tubing × 10 wit				
10 needles		1 OP	🗸 Paradig	ım Quick-Set
			MMT-	386
INSULIN PUMP RESERVOIR - Special Authority see SA1604 or	n page 30 – Reta	il pharmacy		
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 packs of reservoir sets will be funded per				
$10 \times \text{luer lock conversion cartridges 1.8 ml for Paradigm pum}$		1 OP		artridge 1.8
Cartridge 200 U, luer lock × 10		1 OP	Animas	
Cartridge for 5 and 7 series pump; 1.8 ml × 10		1 OP	 Paradig 	
	50.00	4.00		eservoir
Cartridge for 7 series pump; 3.0 ml × 10		1 OP	 Paradig Paradig 	
Ourigens and contrides for EOV summer 0.0 ml s 10	50.00			eservoir
Syringe and cartridge for 50X pump, 3.0 ml × 10		1 OP	✓ 50X 3.0	Reservoir

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Digestives Including Enzymes				
PANCREATIC ENZYME				
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase 10,000 Ph Eur U, total protease 600 Ph Eur U)		100	1	Creon 10000
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase 1,250 U protease))		100	 Image: A second s	Panzytrat
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase 25,000 Ph Eur U, total protease 1,000 Ph Eur U)	94.38	100	1	Creon 25000
URSODEOXYCHOLIC ACID - Special Authority see SA1383 be	low – Retail pharmac	зy		
Cap 250 mg – For ursodeoxycholic acid oral liquid formulatio refer, page 216		100	✓ [<u>Ursosan</u>

⇒SA1383 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
 - 2 Liver function has not improved with modifying the TPN composition.

*Three months or six months, as applicable, dispensed all-at-once

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

continued...

‡ safety cap

Subsidy		Fully	Brand or
(Manufacturer's Price	e)	Subsidised	Generic
\$	Per	· •	Manufacturer

continued...

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure -- doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents			
ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln	5.51	500 g OP	✓ Konsyl-D
MUCILAGINOUS LAXATIVES WITH STIMULANTS * Dry	6.02	500 g OP	
	(17.32)	0	Normacol Plus
	2.41 (8.72)	200 g OP	Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription			
* Tab 50 mg		100	✓ <u>Coloxyl</u>
* Tab 120 mg * Enema conc 18%		100 100 ml OP	✓ <u>Coloxyl</u>
	5.40	TOU MI OP	 Coloxyl
DOCUSATE SODIUM WITH SENNOSIDES	4.40	000	✓ Laxsol
* Tab 50 mg with sennosides 8 mg	4.40	200	
POLOXAMER – Only on a prescription			
Not funded for use in the ear. * Oral drops 10%	3 78	30 ml OP	 Coloxyl
		50 111 01	
Osmotic Laxatives			
GLYCEROL			/
* Suppos 3.6 g – Only on a prescription	6.50	20	✓ <u>PSM</u>
LACTULOSE – Only on a prescription			
* Oral liq 10 g per 15 ml		500 ml	✓ Laevolac
MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM BIG	CARBONATE AN	ND SODIUM CH	HLORIDE – Special Authority
see SA1473 below – Retail pharmacy			
Powder for oral soln 13.125 g with potassium chloride 46.6 m	ıg,		
sodium bicarbonate 178.5 mg and sodium chloride 350.7 mg – Maximum of 90 sach per prescription	7 65	30	 Lax-Sachets
Sold 7 mg = Maximum of 90 sach per prescription		00	
Initial application from any relevant practitioner. Approvals valid Both:	d for 6 months fo	r applications n	neeting the following criteria:
1 The patient has problematic constinution despite on adequ	usto trial of other	oral pharmaga	thorapios including lastuloso

1 The patient has problematic constipation despite an adequate trial of other oral pharmacotherapies including lactulose

continued...

	Subsidy (Manufacturer's Price)		Fully Subsidised	Generic
	\$	Per	/	Manufacturer
ntinued where lactulose is not contraindicated: and				
2 The patient would otherwise require a per rectal prepa	aration			
enewal from any relevant practitioner. Approvals valid for 1		ont is	compliant	and is continuing to gain
enefit from treatment.			compliant	and is continuing to gain
DDIUM ACID PHOSPHATE - Only on a prescription				
Enema 16% with sodium phosphate 8%	2.50	1	1	Fleet Phosphate
				Enema
ODIUM CITRATE WITH SODIUM LAURYL SULPHOACET	• • •	otion		
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per				
5 ml		50	~	Micolette
Stimulant Laxatives				
SACODYL – Only on a prescription				
Tab 5 mg		200		Lax-Tab
Suppos 10 mg	3.78	10	1	Lax-Suppositories
ENNA – Only on a prescription				
Tab, standardised		100		0 • • •
	(6.84)	20		Senokot
	0.43 (1.72)	20		Senokot
	(1.72)			OCHOROL
Metabolic Disorder Agents				
GLUCOSIDASE ALEA - Special Authority see SA1622 be	olow – Retail pharmacy			
GLUCOSIDASE ALFA – Special Authority see SA1622 be Inj 50 mg vial		1	1	Myozyme
Inj 50 mg vial		1	~	Myozyme
Inj 50 mg vial SA1622 Special Authority for Subsidy	1,142.60			
Inj 50 mg vial	1,142.60			
Inj 50 mg vial SA1622 Special Authority for Subsidy itial application only from a metabolic physician. Approva	1,142.60 Is valid for 12 months for	appli	cations me	eeting the following criteria
Inj 50 mg vial SA1622 Special Authority for Subsidy itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initiand	1,142.60 Is valid for 12 months for	appli	cations me	eeting the following criteria
Inj 50 mg vial SA1622 Special Authority for Subsidy itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initiand 2 Any of the following:		applie en dia	cations me agnosed w	eting the following criteria
Inj 50 mg vial SA1622 Special Authority for Subsidy itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initiand 2 Any of the following: 2.1 Diagnosis confirmed by documented deficiency		applie en dia	cations me agnosed w	eting the following criteria
Inj 50 mg vial SA1622 Special Authority for Subsidy itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initiand 2 Any of the following: 2.1 Diagnosis confirmed by documented deficiency villus biopsies and/or cultured amniotic cells; of	1,142.60 Is valid for 12 months for al application and has be y of acid alpha-glucosidaa r	applie en dia se by	cations me agnosed w prenatal d	eeting the following criteria vith infantile Pompe diseas iagnosis using chorionic
Inj 50 mg vial SA1622 Special Authority for Subsidy itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initiand 2 Any of the following: 2.1 Diagnosis confirmed by documented deficiency villus biopsies and/or cultured amniotic cells; of 2.2 Documented deficiency of acid alpha-glucosida	1,142.60 Is valid for 12 months for al application and has be y of acid alpha-glucosidaa r	applie en dia se by	cations me agnosed w prenatal d	eeting the following criteria vith infantile Pompe diseas iagnosis using chorionic
Inj 50 mg vial SA1622 Special Authority for Subsidy itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initiand 2 Any of the following: 2.1 Diagnosis confirmed by documented deficiency villus biopsies and/or cultured amniotic cells; of 2.2 Documented deficiency of acid alpha-glucosida elevation of glucose tetrasaccharides; or		applie en dia se by charid	cations me agnosed w prenatal d e testing in	eeting the following criteria ith infantile Pompe diseas iagnosis using chorionic ndicating a diagnostic
Inj 50 mg vial SA1622 Special Authority for Subsidy Itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initi and 2 Any of the following: 2.1 Diagnosis confirmed by documented deficiency villus biopsies and/or cultured amniotic cells; or 2.2 Documented deficiency of acid alpha-glucosida elevation of glucose tetrasaccharides; or 2.3 Documented deficiency of acid alpha-glucosida		applio en dia se by charid lecula	cations me agnosed w prenatal d e testing in ar genetic f	eeting the following criteria ith infantile Pompe diseas iagnosis using chorionic ndicating a diagnostic
Inj 50 mg vial SA1622 Special Authority for Subsidy itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initiand 2 Any of the following: 2.1 Diagnosis confirmed by documented deficiency villus biopsies and/or cultured amniotic cells; of 2.2 Documented deficiency of acid alpha-glucosida elevation of glucose tetrasaccharides; or		applie en dia se by charid lecula e); or	cations me agnosed w prenatal d e testing i ar genetic 1	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic ndicating a diagnostic testing indicating a
Inj 50 mg vial SA1622 Special Authority for Subsidy Itial application only from a metabolic physician. Approva I of the following: 1 The patient is aged up to 24 months at the time of initi and 2 Any of the following: 2.1 Diagnosis confirmed by documented deficiency villus biopsies and/or cultured amniotic cells; or 2.2 Documented deficiency of acid alpha-glucosida elevation of glucose tetrasaccharides; or 2.3 Documented deficiency of acid alpha-glucosida disease-causing mutation in the acid alpha-gluc		applie en dia se by charid lecula e); or ation	cations me agnosed w prenatal d e testing i ar genetic of glucose	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic ndicating a diagnostic testing indicating a
 Inj 50 mg vial		applie en dia se by charid lecula e); or ation iAA g	cations me agnosed w prenatal d e testing i ar genetic of glucose ene; and	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic indicating a diagnostic testing indicating a tetrasaccharides, and
 Inj 50 mg vial		appli en dia se by charid lecula e); or ation ;AA g or to s	cations me agnosed w prenatal d e testing i ar genetic f of glucose ene; and starting en	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic indicating a diagnostic testing indicating a tetrasaccharides, and zyme replacement therapy
 Inj 50 mg vial		appli en dia se by charid lecula e); or ation ;AA g or to s	cations me agnosed w prenatal d e testing i ar genetic f of glucose ene; and starting en	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic indicating a diagnostic testing indicating a tetrasaccharides, and zyme replacement therapy
 Inj 50 mg vial		appliu en dia se by charid lecula e); or ation ;AA g or to s gnosi	cations me agnosed w prenatal d e testing i ar genetic of glucose ene; and starting en s is unlike	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic indicating a diagnostic testing indicating a tetrasaccharides, and zyme replacement therapy
 Inj 50 mg vial		appli en dia se by charid lecula e); or ation iAA g gnosi 2 we	cations me agnosed w prenatal d e testing i ar genetic of glucose ene; and starting en s is unlike eks.	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic indicating a diagnostic testing indicating a tetrasaccharides, and zyme replacement therapy by to be influenced by ERT
 Inj 50 mg vial		appli en dia se by charid lecula e); or ation ation gnosi 2 we ons m	cations me agnosed w prenatal d e testing in ar genetic i of glucose ene; and starting en: s is unlike eks. eeting the	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic indicating a diagnostic testing indicating a tetrasaccharides, and zyme replacement therapy by to be influenced by ERT following criteria:
 Inj 50 mg vial		appli en dia se by charid lecula e); or ation ation gnosi 2 we ons m	cations me agnosed w prenatal d e testing in ar genetic i of glucose ene; and starting en: s is unlike eks. eeting the	eeting the following criteria with infantile Pompe diseas iagnosis using chorionic indicating a diagnostic testing indicating a tetrasaccharides, and zyme replacement therapy by to be influenced by ERT following criteria:

\$ safety cap
*Three months or six months, as applicable, dispensed all-at-once

[▲] Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Sub	sidy F	Fully Brand or	
(Manufactu	irer's Price) Subsidi	lised Generic	
\$	B Per	 Manufacturer 	

continued...

- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE - Special Authority see SA1593 below - Retail pharmacy

Inj 1 mg per ml,	5 ml vial	 2,	,234.00

Naglazyme

1

► SA1593 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

IDURSULFASE – Special Authority see SA1623 below – Retail pharmacy

Inj 2 mg per ml, 3 ml vial		1	 Elaprase
----------------------------	--	---	------------------------------

⇒SA1623 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

- 1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
 - 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with idursulfase would be bridging treatment to transplant; and
- 4 Patient has not required long-term invasive ventilation for respiratory failure prior to starting Enzyme Replacement Therapy (ERT); and
- 5 Idursulfase to be administered for a total of 24 weeks (equivalent to 12 weeks pre- and 12 weeks post-HSCT) at doses no greater than 0.5 mg/kg every week.

SODIUM BENZOATE - Special Authority see SA1599 on the next page - Retail pharmacy

Soln 100 mg per ml	CBS	100 ml	 Amzoate S29
--------------------	-----	--------	---------------------------------

	ALIMENTARY TRACT AND METABOLISM
	Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic \$ Per 🖌 Manufacturer
cycle disorder.	n. Approvals valid for 12 months where the patient has a diagnosis of a urea valid for 12 months where the treatment remains appropriate and the vise SA1598 below – Betail pharmacy
cycle disorder involving a deficiency of carbamylpl synthetase.	 Approvals valid for 12 months where the patient has a diagnosis of a urea nosphate synthetase, ornithine transcarbamylase or argininosuccinate vals valid for 12 months where the treatment remains appropriate and the
Gaucher's Disease	
IMIGLUCERASE – Special Authority see SA0473 Inj 40 iu per ml, 200 iu vial Inj 40 iu per ml, 400 iu vial ⇒SA0473 Special Authority for Subsidy Special Authority approved by the Gaucher's Trea Notes: Subject to a budgetary cap. Applications Application details may be obtained from PHARM.	tment Panel will be considered and approved subject to funding availability.
The Co-ordinator, Gaucher's Treatment Panel PHARMAC, PO Box 10 254 Wellington	Phone: (04) 460 4990 Facsimile: (04) 916 7571 Email: <u>gaucherpanel@pharmac.govt.nz</u>
Mouth and Throat	
Agents Used in Mouth Ulceration	
BENZYDAMINE HYDROCHLORIDE Soln 0.15% – Higher subsidy of up to \$17.01	per 500 ml with

Soln 0.15% – Higher subsidy of up to \$17.01 per 500 ml with			
Endorsement	9.00	500 ml	
	(17.01)		Difflam
	3.60	200 ml	
	(8.50)		Difflam
Additional subsidy by endorsement for a patient who has or prescription is endorsed accordingly.	al mucositis a	as a result of tre	eatment for cancer, and the
CARMELLOSE SODIUM WITH GELATIN AND PECTIN			
Paste	17.20	56 g OP	 Stomahesive
	4.55	15 g OP	
	(7.90)	0	Orabase
	1.52	5 g OP	
	(3.60)	U U	Orabase
Powder	8.48	28 g OP	
	(10.95)	0	Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ healthE

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully Brand or
	(Manufacturer's P \$	rice) Subs Per	sidised Generic Manufacturer
HOLINE SALICYLATE WITH CETALKONIUM CHLORIDE	Ŷ	101	- Manufacturor
 Adhesive gel 8.7% with cetalkonium chloride 0.01% 		15 g OP	
	(6.00)		Bonjela
RIAMCINOLONE ACETONIDE			
Paste 0.1%	5.33	5 g OP	 Kenalog in Orabase
Orophanyngool Anti infootiyoo			
Oropharyngeal Anti-infectives			
MPHOTERICIN B			/ -
Lozenges 10 mg	5.86	20	 Fungilin
	4.70	40 00	
Oral gel 20 mg per g	4.79	40 g OP	 Decozol
	0.55		an Nerstalla
Oral liq 100,000 u per ml	2.55	24 ml OP	✓ <u>m-Nystatin</u>
Other Oral Agents			
or folinic mouthwash, pilocarpine oral liquid or saliva substitute	e formula refer Sta	ndard Formula	e. page 219
IYDROGEN PEROXIDE			
 Soln 3% (10 vol) – Maximum of 200 ml per prescription 		100 ml	 Pharmacy Health
THYMOL GLYCERIN			_
Compound, BPC	9.15	500 ml	✓ PSM
-			
Vitamins			
Vitamin A			
ITAMIN A WITH VITAMINS D AND C			
 Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg 	por		
10 drops	•	10 ml OP	 Vitadol C
Vitamin B			
IYDROXOCOBALAMIN			
Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a F	PSO2.31	3	✓ <u>Neo-B12</u>
YRIDOXINE HYDROCHLORIDE			
a) No more than 100 mg per dose			
b) Only on a prescription			
Tab 25 mg – No patient co-payment payable		90	Vitamin B6 25
K Tab 50 mg	11.55	500	 <u>Apo-Pyridoxine</u>
HIAMINE HYDROCHLORIDE – Only on a prescription	5.00	400	An This wine
 Tab 50 mg 	5.62	100	Apo-Thiamine
/ITAMIN B COMPLEX ₭ Tab. strong, BPC	7 15	500	🖌 Boley
, ,		500	✓ <u>Bplex</u>
Vitamin C			
SCORBIC ACID			
a) No more than 100 mg per dose			
b) Only on a prescription			
k Tab 100 mg	8.10	500	✓ <u>Cvite</u>
✓ fully subsidised	S29 Unapp	roved medicine	supplied under Section 29
12 [HP4] refer page 4	Sole Subsid		

	Subsidy (Manufacturer's F		Fully Brand or sidised Generic
	\$	Per	 Manufacturer
Vitamin D			
ALFACALCIDOL			
🖌 Cap 0.25 mcg		100	 One-Alpha
🖌 Cap 1 mcg		100	🗸 One-Alpha
Oral drops 2 mcg per ml	60.68	20 ml OP	 One-Alpha
CALCITRIOL			
₭ Cap 0.25 mcg		100	 <u>Calcitriol-AFT</u>
€ Cap 0.5 mcg		100	Calcitriol-AFT
OLECALCIFEROL			
Cap 1.25 mg (50,000 iu) – Maximum of 12 cap per preso	ription3.85	12	 Vit.D3
Multivitamin Preparations			
IULTIVITAMIN RENAL – Special Authority see SA1546 belo	w – Retail pharmac	w/	
Cap		,y 30	Clinicians Renal Vit
SA1546 Special Authority for Subsidy		00	
nitial application from any relevant practitioner. Approvals the following criteria:	valid without further	renewal unless	s notified for applications meetir
ither:			
 The patient has chronic kidney disease and is receivin The patient has chronic kidney disease grade 5, define 			
15 ml/min/1.73 m ² body surface area (BSA).			
• • • •	etail pharmacy		
15 ml/min/1.73 m ² body surface area (BSA). //ULTIVITAMINS – Special Authority see SA1036 below – R ♣ Powder	etail pharmacy 72.00	200 g OP	✓ Paediatric Seravit
IULTIVITAMINS – Special Authority see SA1036 below – R ≰ Powder	etail pharmacy 72.00	200 g OP	✓ Paediatric Seravit
MULTIVITAMINS – Special Authority see SA1036 below – Re Powder	72.00	0	
MULTIVITAMINS – Special Authority see SA1036 below – Re Powder	valid without further	renewal unless	s notified where the patient has
MULTIVITAMINS – Special Authority see SA1036 below – Re Powder	valid without further	renewal unless	s notified where the patient has
MULTIVITAMINS – Special Authority see SA1036 below – Re Powder	valid without further	renewal unless	s notified where the patient has
MULTIVITAMINS – Special Authority see SA1036 below – Re Powder	valid without further	renewal unless	s notified where the patient has where patient has had a previou
MULTIVITAMINS – Special Authority see SA1036 below – Re Powder	valid without further out further renewal to 	renewal unless	s notified where the patient has
MULTIVITAMINS – Special Authority see SA1036 below – Re Powder	valid without further out further renewal to 	renewal unless unless notified 1,000	s notified where the patient has where patient has had a previou <u> Mvite</u>
MULTIVITAMINS – Special Authority see SA1036 below – Re * Powder	valid without further out further renewal to 	renewal unless	s notified where the patient has where patient has had a previou
MULTIVITAMINS – Special Authority see SA1036 below – Re * Powder	valid without further out further renewal to 	renewal unless unless notified 1,000 60	s notified where the patient has where patient has had a previou ✓ <u>Mvite</u> ✓ Vitabdeck
MULTIVITAMINS – Special Authority see SA1036 below – Re Powder	valid without further out further renewal to 	renewal unless unless notified 1,000 60	s notified where the patient has where patient has had a previou ✓ <u>Mvite</u> ✓ Vitabdeck

Minerals

Calcium

CA	LCIUM CARBONATE		
*	Tab eff 1.75 g (1 g elemental)2.07	10	 Calsource
*	Tab 1.25 g (500 mg elemental)5.38	250	Arrow-Calcium

‡ safety cap

 $\ensuremath{\textbf{\#}}$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Per	Subsidised Generic Manufacturer
CALCIUM GLUCONATE			
* Inj 10%, 10 ml ampoule		10	 ✓ HameIn S29 ✓ Hospira
(Hameln \$29) Inj 10%, 10 ml ampoule to be delisted 1 October	2017)		
Fluoride			
SODIUM FLUORIDE			
* Tab 1.1 mg (0.5 mg elemental)	5.00	100	✓ PSM
lodine			
POTASSIUM IODATE			
* Tab 253 mcg (150 mcg elemental iodine)	3.65	90	✓ <u>NeuroTabs</u>
Iron			
FERROUS FUMARATE			
* Tab 200 mg (65 mg elemental)	2.89	100	 Ferro-tab
FERROUS FUMARATE WITH FOLIC ACID	4 75	60	✓ Ferro-F-Tabs
Tab 310 mg (100 mg elemental) with folic acid 350 mcg FERROUS SULPHATE	4.75	60	• remo-r-tabs
 Tab long-acting 325 mg (105 mg elemental) 	2.06	30	 Ferrograd
*‡ Oral liq 30 mg (6 mg elemental) per 1 ml		500 m	•
FERROUS SULPHATE WITH FOLIC ACID			
* Tab long-acting 325 mg (105 mg elemental) with folic acid			
350 mcg		30	
	(4.29)		Ferrograd F
	45.00	-	
Inj 50 mg per ml, 2 ml ampoule		5	✓ Ferrum H
Magnesium			
For magnesium hydroxide mixture refer Standard Formulae, pag	je 219		
MAGNESIUM SULPHATE			
Inj 2 mmol per ml, 5 ml ampoule	12.65	10	✓ <u>DBL</u>
Zinc			
ZINC SULPHATE			
* Cap 137.4 mg (50 mg elemental)	11.00	100	 Zincaps

Subsidised

Per

Fully

Subsidy (Manufacturer's Price) \$ Brand or Generic

Generic Manufacturer

Antianaemics

Hypoplastic and Haemolytic

► SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure; and
- 2 Haemoglobin \leq 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus; and
 - 3.1.2 Glomerular filtration rate \leq 30ml/min; or

3.2 Both:

- 3.2.1 Patient has diabetes mellitus; and
- 3.2.2 Glomerular filtration rate \leq 45ml/min; or
- 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*; and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of < 500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Authority	see SA1469 on the p	revio	us page –	Retail pharmacy
Wastage claimable – see rule 3.3.2 on page 13				
Inj 1,000 iu in 0.5 ml, syringe		6	✓	Eprex
Inj 2,000 iu in 0.5 ml, syringe		6	✓	Eprex
Inj 3,000 iu in 0.3 ml, syringe		6	✓	Eprex
Inj 4,000 iu in 0.4 ml, syringe		6	✓	Eprex
Inj 5,000 iu in 0.5 ml, syringe		6	✓	Eprex
Inj 6,000 iu in 0.6 ml, syringe		6	✓	Eprex
Inj 8,000 iu in 0.8 ml, syringe		6	✓	Eprex
Inj 10,000 iu in 1 ml, syringe		6	✓	Eprex
Inj 40,000 iu in 1 ml, syringe		1	1	Eprex
Megaloblastic				
FOLIC ACID				

*	Tab 0.8 mg	1,000	✓ Apo-Folic Acid
*	Tab 5 mg	500	Apo-Folic Acid
	Oral liq 50 mcg per ml24.00	25 ml OP	✓ Biomed

Antifibrinolytics, Haemostatics and Local Sclerosants

ELTROMBOPAG – Special Authority see SA1418 below – Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13		
Tab 25 mg1,771.00	28	Revolade
Tab 50 mg3,542.00	28	 Revolade

⇒SA1418 Special Authority for Subsidy

Initial application — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 6 weeks for applications meeting the following criteria:

All of the following:

- 1 Patient has had a splenectomy; and
- 2 Two immunosuppressive therapies have been trialled and failed after therapy of 3 months each (or 1 month for rituximab); and
- 3 Any of the following:
 - 3.1 Patient has a platelet count of 20,000 to 30,000 platelets per microlitre and has evidence of significant mucocutaneous bleeding; or
 - 3.2 Patient has a platelet count of ≤ 20,000 platelets per microlitre and has evidence of active bleeding; or
 - 3.3 Patient has a platelet count of \leq 10,000 platelets per microlitre.

Initial application — (idiopathic thrombocytopenic purpura - preparation for splenectomy) only from a haematologist. Approvals valid for 6 weeks where the patient requires eltrombopag treatment as preparation for splenectomy.

Renewal — (idiopathic thrombocytopenic purpura - post-splenectomy) only from a haematologist. Approvals valid for 12 months where the patient has obtained a response (see Note) from treatment during the initial approval or subsequent renewal periods and further treatment is required.

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe	1	NovoSeven RT
Inj 2 mg syringe2,356.60	1	NovoSeven RT
Inj 5 mg syringe	1	NovoSeven RT
Inj 8 mg syringe9,426.40	1	NovoSeven RT

	Subsidy		Fully	
	(Manufacturer's Price) \$	S Per	ubsidised	Generic Manufacturer
FACTOR EIGHT INHIBITOR BYPASSING FRACTION -		1.01	•	Manulacturer
For patients with haemophilia, whose funded treatmer		philia ⁻	Freaters	Group in conjunction with
the National Haemophilia Management Group.	it is managed by the machine	prinia	incutoro	
Inj 500 U	1,450.00	1	✓	FEIBA NF
Inj 1,000 U		1		FEIBA NF
Inj 2,500 U	7,250.00	1	~	FEIBA NF
MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] -				
Preferred Brand of recombinant factor VIII for patients				
to funded treatment is managed by the Haemophilia T	reaters Group in conjunction	with t	he Natio	nal Haemophilia
Management Group.	010.00			Visitha
Inj 250 iu prefilled syringe		1 1		Xyntha Xyntha
Inj 500 iu prefilled syringe Inj 1.000 iu prefilled syringe		1		Xyntha
Inj 2,000 iu prefilled syringe		1		Xyntha
Inj 3,000 iu prefilled syringe	,	1		Xyntha
NONACOG ALFA [RECOMBINANT FACTOR IX] – [Xpha		•	-	, y i i i i i i i i i i i i i i i i i i
For patients with haemophilia, whose funded treatmer		nhilia ⁻	Treaters	Group in conjunction with
the National Haemophilia Management Group.	it is managed by the hadno	prilla	Tealers	
Inj 250 iu vial	310.00	1	1	BeneFIX
Inj 500 iu vial		1		BeneFIX
Inj 1,000 iu vial		1		BeneFIX
Inj 2,000 iu vial		1	-	BeneFIX
Inj 3,000 iu vial		1	~	BeneFIX
NONACOG GAMMA, [RECOMBINANT FACTOR IX] - [X	pharm]			
For patients with haemophilia, whose funded treatmer	t is managed by the Haemo	philia ⁻	Freaters	Group in conjunction with
the National Haemophilia Management Group.				
Inj 250 iu vial		1		RIXUBIS
Inj 500 iu vial		1		RIXUBIS
Inj 1,000 iu vial	,	1		RIXUBIS
Inj 2,000 iu vial	,	1 1		RIXUBIS
Inj 3,000 iu vial	,	I	v	RIXUBIS
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVA				
Rare Clinical Circumstances Brand of recombinant fac				
28 February 2019. Access to funded treatment by ap be obtained from PHARMAC's website http://www.pha		reatri	ients Pal	nei. Application details may
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption 2	2	
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: <u>haemophilia@phar</u>	mac.g	ovt.nz	
Inj 250 iu vial	287 50	1	1	Advate
Inj 500 iu vial		1		Advate
Inj 1,000 iu vial		1		Advate
Inj 1,500 iu vial		1		Advate
Inj 2,000 iu vial	-	1	~	Advate
Inj 3,000 iu vial		1	1	Advate

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price \$) Su Per	Fully bsidised	Brand or Generic Manufacturer	
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGE Second Brand of recombinant factor VIII for patients v funded treatment by application to the Haemophilia T PHARMAC's website http://www.pharmac.govt.nz or:	with haemophilia from 1 Ma				Access to
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588	Option 2			
PHARMAC PO Box 10 254	Facsimile: (04) 974 488	1			
Wellington	Email: haemophilia@pha	armac.go	<u>vt.nz</u>		
Inj 250 iu vial		1		ogenate FS	
Inj 500 iu vial		1		Cogenate FS	
Inj 1,000 iu vial		1		Cogenate FS	
Inj 2,000 iu vial Inj 3,000 iu vial		1 1		Cogenate FS	
	2,050.00	I	• 1	logenale i S	
SODIUM TETRADECYL SULPHATE * Inj 3% 2 ml		5	F	ibro-vein	
TRANEXAMIC ACID					
Tab 500 mg		100	• ₫	Cyklokapron	
Vitamin K					
PHYTOMENADIONE Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PS		5 5	-	Conakion MM Conakion MM	
Antithrombotic Agents					
Antiplatelet Agents					
ASPIRIN ★ Tab 100 mg CLOPIDOGREL		990	✓ <u>E</u>	thics Aspirin	<u>EC</u>
* Tab 75 mg – For clopidogrel oral liquid formulation re page 216		84	✓ <u>A</u>	Arrow - Clopid	
DIPYRIDAMOLE * Tab long-acting 150 mg		60	√ P	ytazen SR	
PRASUGREL – Special Authority see SA1201 below – R			- 1	1	
Tab 5 mg		28	✓ F	ffient	
Tab 10 mg		28		ffient	
mSA1201 Special Authority for Subsidy					

⇒SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is

continued...

	Subsidy (Manufacturer's Price) \$	Subsid Per	Fully ised ✔	Brand or Generic Manufacturer
continued				
clopidogrel-allergic*.				
Renewal — (drug eluting stent) from any relevant practitioner.		2 months w	here h	had a drug-eluting cardiac
stent inserted in the previous 4 weeks and is clopidogrel-allergic* Note: * Clopidogrel allergy is defined as a history of anaphylaxis,		l roch or oo	thma ((in non acthmatic nationta)
developing soon after clopidogrel is started and is considered unl			,	· · · · · ·
TICAGRELOR - Special Authority see SA1382 below - Retail ph	armacy			
* Tab 90 mg	90.00	56	🗸 В	rilinta
► SA1382 Special Authority for Subsidy				
Initial application - (acute coronary syndrome) from any rele	vant practitioner. Ap	provals vali	d for 1	2 months for applications
meeting the following criteria:				
Both:				
 Patient has recently (within the last 60 days) been diagnos syndrome; and 	ed with an ST-elevat	ion or a nor	n-ST-e	levation acute coronary
2 Fibrinolytic therapy has not been given in the last 24 hours	and is not planned.			
Renewal — (subsequent acute coronary syndrome) from any applications meeting the following criteria: Both:	relevant practitioner.	Approvals	valid	for 12 months for
 Patient has recently (within the last 60 days) been diagnos syndrome; and 	ed with an ST-elevat	ion or a nor	n-ST-e	levation acute coronary
2 Fibrinolytic therapy has not been given in the last 24 hours	and is not planned.			
Heparin and Antagonist Preparations				

DALTEPARIN SODIUM - Special Authority see SA1270 below -	Retail pharmacy		
Inj 2,500 iu per 0.2 ml prefilled syringe		10	 Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe		10	 Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe		10	 Fragmin
Inj 10,000 iu per 1 ml graduated syringe	77.55	10	 Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe		10	 Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe	120.05	10	 Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe		10	 Fragmin

■ SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment: or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal -- (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the

continued...

‡ safety cap

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
 \$	Per	1	

continued...

following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1174 below - Retail pharmacy

Inj 20 mg in 0.2 ml syringe		10	 Clexane
Inj 40 mg in 0.4 ml syringe		10	 Clexane
Inj 60 mg in 0.6 ml syringe		10	 Clexane
Inj 80 mg in 0.8 ml syringe		10	 Clexane
Inj 100 mg in 1 ml syringe		10	 Clexane
Inj 120 mg in 0.8 ml syringe		10	Clexane
Inj 150 mg in 1 ml syringe	147.41	10	 Clexane

⇒SA1174 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml13.36	10	 Hospira
61.04	50	 Pfizer
66.80		 Hospira
Inj 1,000 iu per ml, 35 ml vial17.76	1	 Hospira
Inj 5,000 iu per ml, 1 ml	5	 Hospira
Inj 5,000 iu per ml, 5 ml	50	 Pfizer
Inj 25,000 iu per ml, 0.2 ml9.50	5	 Hospira

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✓ Manufacturer
HEPARINISED SALINE			
Inj 10 iu per ml, 5 ml	23.40	30	 Becton Dickinson PosiFlush (\$29)
	39.00	50	✓ Pfizer
(Becton Dickinson PosiFlush 529 Inj 10 iu per ml, 5 ml to be del	isted 1 June 2017)		
PROTAMINE SULPHATE			
* Inj 10 mg per ml, 5 ml		10	
	(119.23)		Artex
Oral Anticoagulants			
DABIGATRAN			
Cap 75 mg - No more than 2 cap per day		60	 Pradaxa
Cap 110 mg		60	 Pradaxa
Cap 150 mg		60	 Pradaxa
RIVAROXABAN - Special Authority see SA1066 below - Retail	pharmacy		
Tab 10 mg		15	 Xarelto
SA1066 Special Authority for Subsidy			

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

1 For the prophylaxis of venous thromboembolism following a total hip replacement; or

2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	3.46	50	Coumadin
	C C C C C C C C C C C C C C C C C C C	6.86	100	 Marevan
*	Tab 2 mg	4.31	50	 Coumadin
*	Tab 3 mg	9.70	100	 Marevan
*	Tab 5 mg	5.93	50	 Coumadin
	-	11.75	100	 Marevan

Blood Colony-stimulating Factors

FILGRASTIM – Special Authority see SA1259 below – Retail pha	rmacy		
Inj 300 mcg per 0.5 ml prefilled syringe		5	 Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe		5	 Zarzio

► SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$); or

2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or

continued...

‡ safety cap

(Manu	Subsidy	Fully	Brand or
	facturer's Price)	Subsidised	Generic
·	\$ P	Per 🖌	Manufacturer

continued...

- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5 ×10⁹/L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10^{9} /L).

Note: *Febrile neutropenia risk \geq 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

PEGFILGRASTIM - Special Authority see SA1384 below - Retail pharmacy

Inj 6 mg per 0.6 ml syringe	1,080.00 1	 Neulastim

⇒SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\ge 20\%^*$).

Note: *Febrile neutropenia risk \geq 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

Intravenous Administration

GLUCOSE	[DEXTROSE]
---------	------------

 Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO 		5 1	✓ <u>Biomed</u> ✓ <u>Biomed</u>
POTASSIUM CHLORIDE * Inj 75 mg per ml, 10 ml	.55.00	50	✓ AstraZeneca
SODIUM BICARBONATE Inj 8.4%, 50 ml	. 19.95	1	✓ Biomed
 a) Up to 5 inj available on a PSO b) Not in combination Inj 8.4%, 100 ml a) Up to 5 inj available on a PSO 	.20.50	1	✓ Biomed

b) Not in combination

Per Inction with a 500 ml 1,000 ml	home v	Generic Manufacturer htibiotic intended for Baxter Baxter e of the patient, or on a PSO Biomed InterPharma Multichem Pfizer Pfizer Multichem
nction with 5 500 ml 1,000 ml care in the l 5 50 50 20 30	an an home	ntibiotic intended for <u>Baxter</u> e of the patient, or on a PSG <u>Biomed</u> InterPharma Multichem Pfizer Pfizer
500 ml 1,000 ml care in the l 5 50 50 20 30	home v	Baxter Baxter e of the patient, or on a PSG Biomed InterPharma Multichem Pfizer Pfizer
500 ml 1,000 ml care in the l 5 50 50 20 30	home v	Baxter Baxter e of the patient, or on a PSG Biomed InterPharma Multichem Pfizer Pfizer
1,000 ml care in the l 5 50 50 20 30	home	Baxter of the patient, or on a PS(Biomed InterPharma Multichem Pfizer Pfizer
1,000 ml care in the l 5 50 50 20 30	home	Baxter of the patient, or on a PS(Biomed InterPharma Multichem Pfizer Pfizer
care in the 1 5 50 50 20 30	home ✓ ✓	e of the patient, or on a PS(<u>Biomed</u> InterPharma Multichem Pfizer Pfizer
5 50 50 20 30	\$ \$ \$	Biomed InterPharma Multichem Pfizer Pfizer
19 50 50 20 30	• • •	InterPharma Multichem Pfizer Pfizer
50 50 20 30	٠ •	Multichem Pfizer Pfizer
50 50 20 30	٠ •	Multichem Pfizer Pfizer
20 30		Pfizer Pfizer
20 30		Pfizer Pfizer
20 30		Pfizer
20 30	1	
20 30	1	
30		Wullchem
30		
30		
	~	Multichem
6		InterPharma
6		Pharmacia
		Pharmacia
1 OP	~	TPN
m aa an inia	ation	listed in the Dharmassutic
m as an inje	CUON	listed in the Pharmaceutic
50	~	InterPharma
		Multichem
50	1	Pfizer
	-	Multichem
		mandonom
20		Multichom
20		Multichem
30	~	InterPharma
	1	Calcium Resonium
800 g OP		
800 g OP		Eporluto
-		Enerlyte
	-	-

‡ safety cap

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

 $\ensuremath{\boldsymbol{\ast}}$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pr \$	rice) Subsi Per	Fully idised	Brand or Generic Manufacturer
DEXTROSE WITH ELECTROLYTES				
Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP	✓ F	Pedialyte - Bubblegum
PHOSPHORUS				
Tab eff 500 mg (16 mmol)		100	🗸 F	Phosphate-Sandoz
POTASSIUM CHLORIDE				
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26	60		
	(11.85)		(Chlorvescent
* Tab long-acting 600 mg (8 mmol)	3.71	100	✓ [Duro-K S29
			✓ 5	Slow-K \$29
	7.42	200	19	Span-K
SODIUM BICARBONATE				
Cap 840 mg		100	19	Sodibic
			1	Sodibic
SODIUM POLYSTYRENE SULPHONATE				
Powder	84.65	454 g OP	✓ <u>F</u>	Resonium-A

	Subsidy		Fully	
	(Manufacturer's Price \$	e) Per	Subsidised	Generic Manufacturer
	Ψ	1 01	•	Manalacturer
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg	6.75	500	1	Apo-Doxazosin
* Tab 4 mg	9.67	500	✓	Apo-Doxazosin
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg	65.00	30	1	BNM S29
PRAZOSIN				
* Tab 1 mg	5 52	100	1	Apo-Prazosin
* Tab 7 mg		100		Apo-Prazosin
* Tab 5 mg		100		Apo-Prazosin
0		100	•	Ap0-F1a205111
TERAZOSIN				
* Tab 1 mg		28		Actavis
* Tab 2 mg		500	~	Apo-Terazosin
	0.42	28		
	(0.45)			Arrow
Apo-Terazosin to be Sole Supply on 1 July 2017	10.00			 .
* Tab 5 mg	10.90	500	~	Apo-Terazosin
(Arrow Tab 2 mg to be delisted 1 July 2017)				
Agents Affecting the Renin-Angiotensin System	n			
Agents Ancoding the Henni-Angiotensin bysten				
ACE Inhibitors				
CARTORRI				
CAPTOPRIL ** Oral lis 5 mg pag ml	04.00	95 ml C		Canatan
*‡ Oral liq 5 mg per ml		95 MI U		Capoten
Oral liquid restricted to children under 12 years of age.				
CILAZAPRIL				
* Tab 0.5 mg		90		Zapril
* Tab 2.5 mg		200		Apo-Cilazapril
* Tab 5 mg	12.00	200	~	Apo-Cilazapril
ENALAPRIL MALEATE				
* Tab 5 mg	0.96	100	✓	Ethics Enalapril
* Tab 10 mg	1.24	100	✓	Ethics Enalapril
* Tab 20 mg - For enalapril maleate oral liquid formulation ref	fer,			
page 216	1.78	100	✓	Ethics Enalapril
LISINOPRIL				
* Tab 5 mg	1 80	90	1	Ethics Lisinopril
* Tab 10 mg		90		Ethics Lisinopril
* Tab 20 mg		90		Ethics Lisinopril
PERINDOPRIL			-	
-	2 75	30		Apo-Perindopril
· · · · · · · · · · · · · · · · · · ·		30 30		
* Tab 4 mg	4.80	30	•	Apo-Perindopril
QUINAPRIL				
* Tab 5 mg		90		Arrow-Quinapril 5
* Tab 10 mg		90		Arrow-Quinapril 10
* Tab 20 mg	5.97	90	~	Arrow-Quinapril 20

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand Subsidised Gene ✓ Manu	
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	✓ <u>Apo-Cil</u> <u>Hydro</u>	azapril/ ochlorothiazide
QUINAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 10 mg with hydrochlorothiazide 12.5 mg * Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30	✓ <u>Accure</u> ✓ <u>Accure</u>	
Angiotensin II Antagonists				
 CANDESARTAN CILEXETIL – Special Authority see SA1223 be ★ Tab 4 mg ★ Tab 8 mg ★ Tab 16 mg ★ Tab 32 mg ▶ SA1223 Special Authority for Subsidy Initial application — (ACE inhibitor intolerance) from any rele notified for applications meeting the following criteria: Either: Patient has persistent ACE inhibitor induced cough that is inhibitor); or Patient has a history of angioedema. Initial application — (Unsatisfactory response to ACE inhibit further renewal unless notified where patient is not adequately co LOSARTAN POTASSIUM ★ Tab 25 mg ★ Tab 50 mg 		90 90 90 90 90 prova	itor retrial (same o stitioner. Approvals	tar tar tar ther renewal unless r new ACE s valid without E inhibitor. In Actavis in Actavis in Actavis
Angiotensin II Antagonists with Diuretics				
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg	2.18	30		<u>osartan &</u> ochlorothiazide
Antiarrhythmics				
For lignocaine hydrochloride refer to NERVOUS SYSTEM, Anaes AMIODARONE HYDROCHLORIDE				
 Tab 100 mg – Retail pharmacy-Specialist Tab 200 mg – Retail pharmacy-Specialist Inj 50 mg per ml, 3 ml ampoule – Up to 6 inj available on a F 	7.63	30 30 5 6	 ✓ <u>Cordare</u> ✓ <u>Cordare</u> ✓ Lodi ✓ Cordare 	one-X
ATROPINE SULPHATE * Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available on a	3			
PSO		50	✓ AstraZe	eneca

	Subsidy (Manufacturer's Price)	S	Fully ubsidised	
	\$	Per	1	Manufacturer
DIGOXIN				
* Tab 62.5 mcg – Up to 30 tab available on a PSO	6.67	240	✓	Lanoxin PG
K Tab 250 mcg – Up to 30 tab available on a PSO	14.52	240	✓	Lanoxin
k‡ Oral liq 50 mcg per ml	16.60	60 ml	✓	Lanoxin
ISOPYRAMIDE PHOSPHATE				
Cap 100 mg		100		
	(23.87)			Rythmodan
LECAINIDE ACETATE – Retail pharmacy-Specialist	()			
Tab 50 mg	38.95	60	~	Tambocor
Cap long-acting 100 mg		30		Tambocor CR
Cap long-acting 200 mg		30	1	Tambocor CR
Inj 10 mg per ml, 15 ml ampoule		5	✓	Tambocor
Cap 150 mg	162.00	100	1	Mexiletine
		100	-	Hydrochloride USP §29
Cap 250 mg	202.00	100	•	Mexiletine Hydrochloride USP 529
ROPAFENONE HYDROCHLORIDE - Retail pharmacy-Speciali	st			
Tab 150 mg	40.90	50	1	Rytmonorm
Antihypotensives				
IDODRINE - Special Authority see SA1474 below - Retail phar	macy			
Tab 2.5 mg		100	1	Gutron
Tab 5 mg		100		Gutron
SA1474 Special Authority for Subsidy itial application from any relevant practitioner. Approvals valid of due to drugs.				о л
ote: Treatment should be started with small doses and titrated usual target is a standing systolic blood pressure of 90 mm Hg enewal from any relevant practitioner. Approvals valid for 2 yea	I.			

benefiting from treatment.

Beta Adrenoceptor Blockers

ATENOLOL		
* Tab 50 mg4.61	500	Mylan Atenolol
* Tab 100 mg7.67	500	 Mylan Atenolol
* Oral lig 25 mg per 5 ml	300 ml OP	✓ Atenolol AFT
Restricted to children under 12 years of age.		
BISOPROLOL FUMARATE		
Tab 2.5 mg2.40	30	 Bosvate
Tab 5 mg	30	✓ Bosvate
Tab 10 mg6.40	30	✓ Bosvate
CARVEDILOL		
* Tab 6.25 mg	60	 Dicarz
* Tab 12.5 mg	60	 Dicarz
* Tab 25 mg – For carvedilol oral liquid formulation refer, page 216 6.30	60	✓ Dicarz

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
CELIPROLOL	Ŷ			manalation
* Tab 200 mg	21.40	180	1	Celol
°		100	•	CEIOI
	0.00	400		
* Tab 50 mg	8.99	100	•	Hybloc
* Tab 100 mg – For labetalol oral liquid formulation refer,	44.00	400		
page 216		100		Hybloc
* Tab 200 mg		100 5	v	Hybloc
Inj 5 mg per ml, 20 ml ampoule		5		Trandate
	(88.60)			Tranuale
METOPROLOL SUCCINATE				
* Tab long-acting 23.75 mg		30		Myloc CR
A Tables a still a 47 F and	2.39	90		Metoprolol - AFT CR
* Tab long-acting 47.5 mg		30		Myloc CR
	3.48	90		Metoprolol - AFT CR
K. Tab lange action OF ma	7.50	30		Betaloc CR
* Tab long-acting 95 mg		30		Myloc CR
	5.73	90		Metoprolol - AFT CR
* Tablana adias 100 ma	7.50	30		Betaloc CR
* Tab long-acting 190 mg		30		Myloc CR
	11.54	90	•	Metoprolol - AFT CR
METOPROLOL TARTRATE				
* Tab 50 mg – For metoprolol tartrate oral liquid formulation				
refer, page 216	4.64	100		Apo-Metoprolol
* Таb 100 mg		60		Apo-Metoprolol
* Tab long-acting 200 mg		28		Slow-Lopresor
* Inj 1 mg per ml, 5 ml vial	24.00	5	v	Lopresor
NADOLOL				
* Tab 40 mg	16.05	100	✓ .	Apo-Nadolol
* Tab 80 mg	24.70	100	✓	Apo-Nadolol
PINDOLOL				
* Tab 5 mg		100	1	Apo-Pindolol
* Tab 10 mg		100		Apo-Pindolol
* Tab 15 mg		100		Apo-Pindolol
PROPRANOLOL				
* Tab 10 mg	3 65	100	1	Аро-
n 100 10 mg		100	•	•
				Propranolol S29
* Tab 40 mg	4 65	100	1	Аро-
		100	-	Propranolol S29
Cap long-acting 160 mg		100	1	Cardinol LA
 Oral liq 4 mg per ml – Special Authority see SA1327 below 				
Retail pharmacy		500 m	nl 🖌	Roxane S29
SA1327 Special Authority for Subsidy				

⇒SA1327 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or

continued...

Subsidy	Full	y Brand or
(Manufacturer's Price)	Subsidise	d Generic
 \$	Per 🖌	Manufacturer

continued...

2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or

2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

*	Tab 80 mg - For sotalol oral liquid formulation refer, page 216	.39.53	500	 Mylan
*	Tab 160 mg	.12.48	100	 Mylan
*	Inj 10 mg per ml, 4 ml ampoule	.65.39	5	 Sotacor
TIN	<i>I</i> OLOL			
*	Tab 10 mg	.10.55	100	🗸 Apo-Timol

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

AMLODIPINE

* Tab 2.5 mg	2.21	100	Apo-Amlodipine
* Tab 5 mg – For amlodipine oral liquid form	ulation refer, page 216 5.04	250	Apo-Amlodipine
* Tab 10 mg		250	Apo-Amlodipine
FELODIPINE			
* Tab long-acting 2.5 mg		30	Plendil ER
* Tab long-acting 5 mg		30	Plendil ER
* Tab long-acting 10 mg		30	Plendil ER
ISRADIPINE			
* Cap long-acting 2.5 mg	7.50	30	Dynacirc-SRO
* Cap long-acting 5 mg		30	 Dynacirc-SRO
NIFEDIPINE			
* Tab long-acting 10 mg		60	 Adalat 10
* Tab long-acting 20 mg		100	Nyefax Retard
* Tab long-acting 30 mg		30	 Adefin XL
* Tab long-acting 60 mg	5.75	30	 Adefin XL

Other Calcium Channel Blockers

*Three months or six months, as applicable, dispensed all-at-once

DILTIAZEM HYDROCHLORIDE		
* Tab 30 mg4.60	100	 Dilzem
* Tab 60 mg – For diltiazem hydrochloride oral liquid formulation		
refer, page 216	100	 Dilzem
* Cap long-acting 120 mg1.91	30	 Cardizem CD
31.83	500	Apo-Diltiazem CD
* Cap long-acting 180 mg7.56	30	 Cardizem CD
47.67	500	 Apo-Diltiazem CD
* Cap long-acting 240 mg 10.22	30	 Cardizem CD
63.58	500	 Apo-Diltiazem CD
PERHEXILINE MALEATE		
* Tab 100 mg	100	✓ Pexsig

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per		Manufacturer
/ERAPAMIL HYDROCHLORIDE				
卷 Таb 40 mg	7.01	100	✓	Isoptin
* Tab 80 mg – For verapamil hydrochloride oral liquid				
formulation refer, page 216		100		Isoptin
* Tab long-acting 120 mg		250		Verpamil SR
* Tab long-acting 240 mg		250	v	Verpamil SR
Inj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a		_		
PSO	25.00	5	~	Isoptin
Centrally-Acting Agents				
Centrally-Acting Agents				
			-	_
Patch 2.5 mg, 100 mcg per day – Only on a prescription		4		Catapres-TTS-1
Patch 5 mg, 200 mcg per day – Only on a prescription		4		Catapres-TTS-2
Patch 7.5 mg, 300 mcg per day – Only on a prescription		4	v	Catapres-TTS-3
CLONIDINE HYDROCHLORIDE				
₭ Tab 25 mcg		112		Clonidine BNM
₭ Tab 150 mcg		100		Catapres
Inj 150 mcg per ml, 1 ml ampoule	16.07	5	v	Catapres
/ETHYLDOPA				
₭ Tab 125 mg		100		Prodopa
* Tab 250 mg	15.10	100		Methyldopa Mylan
K Tab 500 mm	00.45	400		Prodopa
* Tab 500 mg	23.15	100	•	Prodopa
Prodopa Tab 125 mg to be delisted 1 September 2017)				
Prodopa Tab 250 mg to be delisted 1 September 2017) Prodopa Tab 500 mg to be delisted 1 June 2017)				
Frodopa Tab 500 mg to be delisted T Julie 2017)				
Diuretics				
Loop Diuretics				
BUMETANIDE				
₭ Tab 1 mg		100	1	Burinex
₭ Inj 500 mcg per ml, 4 ml vial		5	✓	Burinex
* Tab 40 mg – Up to 30 tab available on a PSO		1.000		Diurin 40
* Tab 500 mg		50		Urex Forte
*‡ Oral lig 10 mg per ml		0 ml (Lasix
 Inj 10 mg per ml, 25 ml ampoule 		6		Lasix
* Inj 10 mg per ml, 2 ml ampoule - Up to 5 inj available on a		5	1	Frusemide-Claris

Potassium Sparing Diuretics

AMILORIDE HYDROCHLORIDE

* Tab 5 mg		100	Apo-Amiloride
the second		25 ml OP	 Biomed
METOLAZONE - Special Authority see SA1349 on the next p	age – Retail pharm	acy	
Tab 5 mg	CBS	1	 Metolazone S29
		50	 Zaroxolyn S29

60

CARDIOVASCULAR SYSTEM Subsidy Fully Brand or

	(Manufacturer's P	rice) Subsi	dised	Generic
	\$	Per	1	Manufacturer
► SA1349 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid treatment of patients with refractory heart failure who are intoleral combination therapy. SPIRONOLACTONE				
* Tab 25 mg	11.80	100 100 25 ml OP	✓ S	<u>piractin</u> piractin iomed
Potassium Sparing Combination Diuretics				
AMILORIDE HYDROCHLORIDE WITH FUROSEMIDE * Tab 5 mg with furosemide 40 mg AMILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZI		28		rumil
* Tab 5 mg with hydrochlorothiazide 50 mg	5.00	50	• М	oduretic
Thiazide and Related Diuretics				
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE] * Tab 2.5 mg – Up to 150 tab available on a PSO	5.48	500		rrow- Bendrofluazide
May be supplied on a PSO for reasons other than emerg * Tab 5 mg		500	_	<u>rrow-</u> Bendrofluazide
CHLOROTHIAZIDE ‡ Oral liq 50 mg per ml CHLORTALIDONE [CHLORTHALIDONE]	26.00	25 ml OP	✓В	iomed
* Tab 25 mg	8.00	50	✓ H	ygroton
INDAPAMIDE * Tab 2.5 mg	2.60	90	✓ <u>D</u>	apa-Tabs
Lipid-Modifying Agents				
Fibrates				
BEZAFIBRATE * Tab 200 mg * Tab long-acting 400 mg GEMFIBROZIL * Tab 600 mg	6.78	90 30 60	✓ <u>B</u>	ezalip ezalip Retard pazil
Other Lipid-Modifying Agents				
ACIPIMOX * Cap 250 mg NICOTINIC ACID * Tab 50 mg		30 100	✓ <u>A</u>	lbetam po-Nicotinic Acid
* Tab 500 mg	17.37	100	✓ <u>A</u>	po-Nicotinic Acid

‡ safety cap

if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Resins				
CHOLESTYRAMINE Powder for oral liq 4 g		50		Questran-Lite
COLESTIPOL HYDROCHLORIDE Grans for oral liq 5 g		30	1	Colestid
HMG CoA Reductase Inhibitors (Statins)				
Prescribing Guidelines Freatment with HMG CoA Reductase Inhibitors (statins) is recom cardiovascular risk of 15% or greater.	mended for patients	with c	lyslipidaem	ia and an absolute 5 year
ATORVASTATIN – See prescribing guideline above ₭ Tab 10 mg	13.32 21.23	500 500 500 500	1 1	Lorstat Lorstat Lorstat Lorstat
 RAVASTATIN – See prescribing guideline above ✓ Tab 20 mg ✓ Tab 40 mg 	3.45	30 30	1	<u>Cholvastin</u> Cholvastin
SIMVASTATIN – See prescribing guideline above ₭ Tab 10 mg ₭ Tab 20 mg ₭ Tab 40 mg ₭ Tab 80 mg	1.61 2.83	90 90 90 90	1 1	Arrow-Simva 10mg Arrow-Simva 20mg Arrow-Simva 40mg Arrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
ZETIMIBE – Special Authority see SA1045 below – Retail phar Tab 10 mg		30	1	<u>Ezemibe</u>
 SA1045 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid All of the following: Patient has a calculated absolute risk of cardiovascular dis 			-	-

- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 × normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
EZETIMIBE WITH SIMVASTATIN - Special Authority see SA104	46 below – Retail pha	irmac	у	
Tab 10 mg with simvastatin 10 mg	5.15	30	✓ <u>Z</u>	imybe
Tab 10 mg with simvastatin 20 mg	6.15	30	✓ <u>Z</u>	imybe
Tab 10 mg with simvastatin 40 mg	7.15	30	✓ <u>Z</u>	imybe
Tab 10 mg with simvastatin 80 mg		30	✓ <u>Z</u>	imybe

➡SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to \leq 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Nitrates

GL	YCERYL TRINITRATE		
*	Tab 600 mcg – Up to 100 tab available on a PSO8.00	100 OP	 Lycinate
*			
~	available on a PSO	250 dose OP	 Nitrolingual Pump
	available 011 a F 304.43	200 005e OF	. .
	• · · · · · · · · · · · · · · · · · · ·		Spray
*	Oral spray, 400 mcg per dose – Up to 250 dose available on a		
	PSO	250 dose OP	🗸 Glytrin
*		30	 Nitroderm TTS
*		30	 Nitroderm TTS
10			
	OSORBIDE MONONITRATE		•
*	Tab 20 mg17.10	100	Ismo 20
*	Tab long-acting 40 mg7.50	30	Ismo 40 Retard
*	Tab long-acting 60 mg	90	✓ Duride
_			
G	Sympathomimetics		
	ympanoninienos		
A	DRENALINE		
	Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO	5	 Aspen Adrenaline
	5.25	0	 ✓ Hospira
		-	•
	Inj 1 in 10,000, 10 ml ampoule – Up to 5 inj available on a PSO27.00	5	 Hospira
	49.00	10	Aspen Adrenaline
IS	OPRENALINE		
*	lnj 200 mcg per ml, 1 ml ampoule	25	
	(164.20)	20	Isuprel
	(104.20)		ISUPICI

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price)	Dor	Fully Brand or Subsidised Generic
	\$	Per	 Manufacturer
Vasodilators			
MYL NITRITE			
₭ Liq 98% in 0.3 ml cap	62.92	12	
	(73.40)		Baxter
YDRALAZINE HYDROCHLORIDE			
★ Tab 25 mg – Special Authority see SA1321 below – Retail			.
pharmacy	CBS	1	 Hydralazine
• Inj 20 mg ampoule	25.00	56 5	 Onelink S29 Apresoline
	20.00	5	• Apresonne
»SA1321 Special Authority for Subsidy itial application from any relevant practitioner. Approvals vali	d without further repo		place notified for applications mostin
ne following criteria:		waiu	mess nouned for applications meetin
ither:			
1 For the treatment of refractory hypertension; or			
 For the treatment of heart failure in combination with a nit inhibitors and/or angiotensin receptor blockers. 	rate, in patients who a	are int	tolerant or have not responded to A
INOXIDIL – Special Authority see SA1271 below – Retail phar	rmacy		
Tab 10 mg	70.00	100	 Loniten
SA1271 Special Authority for Subsidy			
itial application only from a relevant specialist. Approvals val evere refractory hypertension which has failed to respond to ext			unless notified where patient has
ICORANDIL			
Tab 10 mg		60	✓ Ikorel
Tab 20 mg		60	 Ikorel
APAVERINE HYDROCHLORIDE		_	A
Inj 12 mg per ml, 10 ml ampoule	217.90	5	 Hospira
ENTOXIFYLLINE [OXPENTIFYLLINE]			
Tab 400 mg		50	Trantal 400
	(42.26)		Trental 400
Endothelin Receptor Antagonists			
SA0967 Special Authority for Subsidy received by the Dubmenery Arterial Uncertained and Authority and the the Dubmenery Arterial Uncertained	on Donal		
pecial Authority approved by the Pulmonary Arterial Hypertensi lotes: Application details may be obtained from PHARMAC's w		rmac	dovt pz or:
he Coordinator, PAH Panel	ooono <u>mip.//www.prid</u>		Igotaliz VI.
PHARMAC, PO Box 10-254, WELLINGTON			
el: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmad	c.govt.nz		
MBRISENTAN - Special Authority see SA0967 above - Retail	pharmacy		
Tab 5 mg		30	 Volibris
Tab 10 mg	4,585.00	30	✓ Volibris
ROSENTAN - Special Authority see SA0967 above - Retail pha	armacy		

BOSENTAN - Special Authority see SA0967 above - Ret	ail pharmacy		
Tab 62.5 mg		56	 Mylan-Bosentan
Tab 125 mg		56	 Mylan-Bosentan

Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer	

Phosphodiesterase Type 5 Inhibitors

⇒SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).

Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form <u>SA1293-PAH</u>).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL - Special Authority see SA1293 above - Retail pharmacy

Tab 25 mg0.75	4	 Vedafil
Tab 50 mg0.75	4	 Vedafil
Tab 100 mg - For sildenafil oral liquid formulation refer, page 2162.75	4	✓ Vedafil

Prostacyclin Analogues

⇒SA0969 Special Authority for Subsidy

Special Authority approved by the Pulmonary Arterial Hypertension Panel	
Notes: Application details may be obtained from PHARMAC's website http://www.pharm	<u>ac.govt.nz</u> or:
The Coordinator, PAH Panel	
PHARMAC, PO Box 10-254, WELLINGTON	
Tel: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pharmac.govt.nz	
ILOPROST – Special Authority see SA0969 above – Retail pharmacy	
Nebuliser soln 10 mcg per ml, 2 ml 1,185.00 3	0 Ventavis

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials, ADAPALENE a) Maximum of 30 g per prescription b) Only on a prescription Crm 0.1%		30 g OP 30 g OP		ifferin ifferin
ISOTRETINOIN – Special Authority see SA1475 below – Retail p Cap 10 mg Cap 20 mg		100 120 100 120	✓ 0 ✓ 1s	sotane 10 Iratane Sotane 20 Iratane

➡SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g - Maximum of 50 g per prescription	13.90 50 g OP 🖌 ReTrieve
---	--------------------------

DERMATOLOGICALS

	Subsidy (Manufacturer's Price) \$) Sub Per	Fully sidised	Brand or Generic Manufacturer
Antibacterials Topical				
For systemic antibacterials, refer to INFECTIONS, Antibacterials,	page 94			
FUSIDIC ACID				
Crm 2%	2.52	15 g OP	✓ [DP Fusidic Acid Cream
a) Maximum of 15 g per prescription				Greatti
b) Only on a prescription				
c) Not in combination				
Oint 2%	3.45	15 g OP	✓ F	Foban
a) Maximum of 15 g per prescriptionb) Only on a prescription				
c) Not in combination				
HYDROGEN PEROXIDE				
* Crm 1%	8.56 ⁻	15 g OP	✓ (Crystaderm
MUPIROCIN				
Oint 2%	6.60 ·	15 g OP		
	(9.26)		E	Bactroban
a) Only on a prescriptionb) Not in combination				
SILVER SULPHADIAZINE				
Crm 1%	12 30	50 g OP	v F	Flamazine
a) Up to 250 g available on a PSO		50 g 01		
b) Not in combination				
Antifungals Topical				
For systemic antifungals, refer to INFECTIONS, Antifungals, page	e 100			
AMOROLFINE				
a) Only on a prescription				
b) Not in combination			_	
Nail soln 5%		5 ml OP	✓ <u>I</u>	MycoNail
CICLOPIROX OLAMINE				
a) Only on a prescription				
b) Not in combination Nail-soln 8%	6.50	7 ml OP	√ 1	Apo-Ciclopirox
CLOTRIMAZOLE			• •	
* Crm 1%	0.52 2	20 g OP	✓ (Clomazol
a) Only on a prescription		J	-	
b) Not in combination				
* Soln 1%		0 ml OP	,	Conacton
a) Only on a prescription	(7.55)		C	Canesten
b) Not in combination				

‡ safety cap

DERMATOLOGICALS

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Subs Per	sidised Generic Manufacturer
CONAZOLE NITRATE	Ŷ		manaraotaron
CONAZOLE NITRATE Crm 1%	1.00	20 g OP	
Unit 1 /8	(7.48)	20 9 01	Pevaryl
a) Only on a prescription	(1.10)		i ovalji
b) Not in combination			
Foaming soln 1%, 10 ml sachets	9.89	3	
-	(17.23)		Pevaryl
 a) Only on a prescription 			
b) Not in combination			
ICONAZOLE NITRATE			
F Crm 2%	0.55	15 g OP	 Multichem
a) Only on a prescription			
b) Not in combination - Lotn 2%	4.06	20 ml OD	
E Lotn 2%	4.36 (10.03)	30 ml OP	Daktarin
a) Only on a prescription	(10.00)		Daktaini
b) Not in combination			
€ Tinct 2%	4.36	30 ml OP	
	(12.10)		Daktarin
 a) Only on a prescription 			
 b) Not in combination 			
YSTATIN			
Crm 100,000 u per g		15 g OP	
	(7.90)		Mycostatin
a) Only on a prescription			
b) Not in combination			
Antipruritic Preparations			
ALAMINE			
a) Only on a prescription			
b) Not in combination Crm, aqueous, BP	1 49	100 g	 Pharmacy Health
Lotn, BP		2,000 ml	✓ PSM
ROTAMITON		,	
a) Only on a prescription			
b) Not in combination			
Crm 10%	3.37	20 g OP	✓ Itch-Soothe
ENTHOL – Only in combination			
 Only in combination with a dermatological base or p 	roprietary Topical C	Corticosteriod -	Plain, refer dermatological bas
page 215			
2) With or without other dermatological galenicals.			
Chietala	6 50	05 a	
Crystals	6.50 6.92	25 g	✓ PSM ✓ MidWest
	29.60	100 g	✓ MidWest
	20.00	100 9	

	Subsidy (Manufacturer's Pr \$	rice) Subs Per	Fully Brand or sidised Generic ✓ Manufact	urer
Corticosteroids Topical				
For systemic corticosteroids, refer to CORTICOSTEROIDS AND	RELATED AGEN	ITS, page 83		
Corticosteroids - Plain				
BETAMETHASONE DIPROPIONATE				
Crm 0.05%	2.96	15 g OP	 Diprosone 	
	8.97	50 g OP	✓ Diprosone	
Crm 0.05% in propylene glycol base	4.33	30 g OP	 Diprosone 	OV
Oint 0.05%		15 g OP	 Diprosone 	
	8.97	50 g OP	 Diprosone 	
Oint 0.05% in propylene glycol base	4.33	30 g OP	 Diprosone 	OV
ETAMETHASONE VALERATE				
Crm 0.1%		50 g OP	 Beta Crear 	n
• Oint 0.1%		50 g OP	✓ Beta Ointn	
Lotn 0.1%		50 ml OP	✓ Betnovate	
LOBETASOL PROPIONATE				
Crm 0.05%	2 20	30 g OP	 Dermol 	
Oint 0.05%		30 g OP 30 g OP	✓ Dermol	
	2.20	30 y OF	• Dermon	
LOBETASONE BUTYRATE				
Crm 0.05%		30 g OP		
	(7.09)		Eumovate	
IFLUCORTOLONE VALERATE				
Crm 0.1%	8.97	50 g OP		
	(15.86)		Nerisone	
Fatty oint 0.1%	8.97	50 g OP		
	(15.86)		Nerisone	
YDROCORTISONE				
Crm 1% – Only on a prescription	1.11	30 g OP	DermAssis	st
	16.25	500 q	 Pharmacy 	Health
Powder – Only in combination		25 g	✓ ABM	
Up to 5% in a dermatological base (not proprietary Topic galenicals. Refer, page 215		- Plain) with c	or without other de	ermatological
YDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN				
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% - Only o	n			
a prescription		250 ml	🗸 DP Lotn H	C
YDROCORTISONE BUTYRATE				_
Lipocream 0.1%	2 30	30 g OP	🗸 Locoid Lip	ocream
	6.85	100 g OP	 Locoid Lip Locoid Lip 	
Oint 0.1%		100 g OP		ourcain
Milky emul 0.1%		100 g OP 100 ml OP	 Locoid Cre 	No
ETHYLPREDNISOLONE ACEPONATE	4.05	15 - 00	/ Adverte	
Crm 0.1%		15 g OP	 Advantan 	
Oint 0.1%	4.95	15 g OP	 Advantan 	

‡ safety cap

DERMATOLOGICALS

	Subsidy		Fully Brand or
	(Manufacturer's Pr \$	ice) Sub Per	sidised Generic Manufacturer
MOMETASONE FUROATE			
Crm 0.1%	1.51	15 g OP	 Elocon Alcohol Free
	2.90	50 g OP	 Elocon Alcohol Free
Oint 0.1%	1.51	15 g OP	 Elocon
	2.90	50 g OP	 Elocon
Lotn 0.1%	7.35	30 ml OP	 Elocon
FRIAMCINOLONE ACETONIDE			
Crm 0.02%	6.30	100 g OP	 Aristocort
Oint 0.02%		100 g OP	✓ Aristocort
Corticosteroids - Combination			
BETAMETHASONE VALERATE WITH CLIOQUINOL - Only on	a procoription		
Crm 0.1% with clioquinol 3%		15 g OP	
		10 y OF	Betnovate-C
	(4.50)		Demovale O
BETAMETHASONE VALERATE WITH FUSIDIC ACID	2.40	15 ~ OD	
Crm 0.1% with fusidic acid 2%		15 g OP	Fucicort
•) Maximum of 45 a new avaraginities	(10.45)		FUCICOIL
a) Maximum of 15 g per prescriptionb) Only on a prescription			
HYDROCORTISONE WITH MICONAZOLE - Only on a prescrip	otion		
Crm 1% with miconazole nitrate 2%	2.00	15 g OP	 Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - C	only on a prescript	ion	
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	Pimafucort
RIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC		N	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg			
and gramicidin 250 mcg per g – Only on a prescription .	•	15 g OP	
	(6.60)		Viaderm KC
Disinfecting and Cleansing Agents	()		
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescription	on is endorsed ac	•••	1 has a label F
 Handrub 1% with ethanol 70% 		500 ml	✓ <u>healthE</u>
Soln 4% wash	3.98	500 ml	✓ healthE
FRICLOSAN – Subsidy by endorsement			
 a) Maximum of 500 ml per prescription b) 			
a) Only if prescribed for a patient identified with Methic		phylococcus a	aureus (MRSA) prior to elect
surgery in hospital and the prescription is endorsed			
b) Only if prescribed for a patient with recurrent Staphy	ylococcus aureus	infection and	I the prescription is endorsed
accordingly		500 × 1 0 5	/ has a lab
Soln 1%	5 90	500 ml OP	healthE

DERMATOLOGICALS

	0.1.11		
	Subsidy (Manufacturer's I	Price) Subsi	Fully Brand or idised Generic
	(Manulaciale) 31	Per	 Manufacturer
Barrier Creams and Emollients			
Barrier Creams			
Sarrier Creams			
METHICONE			
Lotn 4%	4.98	200 ml OP	✓ healthE
			Dimethicone 4%
			Lotion
healthE Dimethicone 4% Lotion to be Sole Supply on 1		500 ml OB	1 h a s h h F
Crm 5% pump bottle	4.59	500 ml OP	 <u>healthE</u> Dimethicone 5%
Crm 10% pump bottle	4.00	500 ml OP	✓ healthE
	4.90	500 III OF	Dimethicone 10%
NC AND CASTOR OIL			Billiotinoone 1070
Oint BP	5 95	500 g	 Multichem
		500 g	• Multichem
Emollients			
QUEOUS CREAM			
Crm	1 00	500 g	✓ AFT SLS-free
ETOMACROGOL	1.33	500 g	ATT SLO-IICC
Crm BP	2 74	500 g	✓ healthE
	2.14	500 g	
ETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	2 92	500 ml OP	 Pharmacy Health
	2.02	500 111 01	Sorbolene with
			Glycerin
	3.87	1,000 ml OP	 Pharmacy Health
		,	Sorbolene with
			Glycerin
MULSIFYING OINTMENT			
Oint BP	2.73	500 g	✓ <u>AFT</u>
L IN WATER EMULSION			
Crm	2.25	500 g	 O/W Fatty Emulsion
			Cream
REA			• · · · · · ·
Crm 10%	1.37	100 g OP	 healthE Urea Cream
OOL FAT WITH MINERAL OIL – Only on a prescription			
Lotn hydrous 3% with mineral oil		1,000 ml	DD Lation
	(11.95) 1.40	250 ml OP	DP Lotion
	(4.53)	200 IIII OP	DP Lotion
	5.60	1.000 ml	
	0.00		
	(20.53)		Alpha-Keri Lotion
	(20.53) (23.91)		Alpha-Keri Lotion BK Lotion
	(20.53)	250 ml OP	

‡ safety cap

(Subsidy Manufacturer's Pri \$	ce) Subs Per	Fully Brand or sidised Generic ✓ Manufacturer
Other Dermatological Bases			
PARAFFIN White soft – Only in combination	20.20 3.58 (7.78) (8.69)	2,500 g 500 g	✓ IPW IPW PSM
Only in combination with a dermatological galenical or as a	()	oprietary Top	-
Minor Skin Infections			
POVIDONE IODINE Oint 10%	3.27	25 g OP	✓ Betadine
a) Maximum of 100 g per prescriptionb) Only on a prescription		-	
Antiseptic soln 10%	6.20	500 ml	 ✓ Betadine ✓ Riodine
	1.28 (4.20) (8.25)	100 ml	Riodine Betadine
	0.19 (4.45)	15 ml	Betadine
Skin preparation, povidone iodine 10% with 30% alcohol		500 ml 100 ml	 Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol	(3.65) 8.13	500 ml	Betadine Skin Prep
	(18.63) 1.63	100 ml	Orion
	(6.04)		Orion
Parasiticidal Preparations			
 VERMECTIN – Special Authority see SA1225 below – Retail phar Tab 3 mg – Up to 100 tab available on a PSO 1) PSO for institutional use only. Must be endorsed wit a valid Special Authority for patient of that institution. 2) Ivermectin available on BSO provided the BSO incluition for the purposes of subsidy of ivermectin, institution facilities or penal institutions. 	17.20 h the name of th des a valid Spec	ial Authority f	for a patient of the institution.

➡SA1225 Special Authority for Subsidy

Initial application — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
- 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or

*Three months or six months, as applicable, dispensed all-at-once

continued...

‡ safety cap

DERMATOLOGICALS

. (λ	Subsidy /Ianufacturer's P \$	rice) Subs Per	Fully idised	Brand or Generic Manufacturer
continued	Ŷ		•	Manulaciulei
3 Strongyloidiasis.				
PERMETHRIN				
Crm 5%		30 g OP	✓ L	.yderm
Lotn 5%	3.19	30 ml OP	✓ A	-Scabies
PHENOTHRIN				
Shampoo 0.5%	11.36	200 ml OP	🗸 P	Parasidose
Psoriasis and Eczema Preparations				
ACITRETIN – Special Authority see SA1476 below – Retail pharma				
Cap 10 mg	17.86	60	✓ N	lovatretin
Cap 25 mg	41.36	60	✓ N	lovatretin
SA1476 Special Authority for Subsidy				

SA1476 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment: or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Fither:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment: or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL Gel 500 mcg with calcipotriol 50 mcg per g26.12 Oint 500 mcg with calcipotriol 50 mcg per g26.12	30 g OP 30 g OP	 ✓ <u>Daivobet</u> ✓ <u>Daivobet</u>
CALCIPOTRIOL Oint 50 mcg per g45.00	100 g OP	 Daivonex
COAL TAR Soln BP – Only in combination	200 ml	✓ <u>Midwest</u>

- 1) Up to 10% only in combination with a dermatological base or proprietary Topical Corticosteriod Plain, refer dermatological base, page 215
- 2) With or without other dermatological galenicals.

COAL TAR WITH ALLANTOIN. MENTHOL. PHENOL AND SULPHUR

6.59	75 g OP	
(8.00)	-	Egopsoryl TA
3.43	30 g OP	
(4.35)	-	Egopsoryl TA
	(8.00) 3.43	(8.00) 3.43 30 g OP

DERMATOLOGICALS

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Subs Per	idised Generic Manufacturer
COAL TAR WITH SALICYLIC ACID AND SULPHUR	Ŷ	101	
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	 Coco-Scalp
PINE TAR WITH TROLAMINE LAURILSULFATE AND FLUOR			•
* Soln 2.3% with trolamine laurilsulfate and fluorescein sodiu	•	500 ml	✓ Pinetarsol
SALICYLIC ACID			
Powder – Only in combination		250 g	✓ PSM
 Only in combination with a dermatological base of refer dermatological base, page 215 With or without other dermatological galenicals. 	or proprietary Topi	cal Corticostero	id – Plain or collodion flexible,
SULPHUR			
Precipitated – Only in combination	6.35	100 g	✓ Midwest
 Only in combination with a dermatological base of base, page 215 With or without other dermatological galenicals. 	or proprietary Topie	cal Corticostero	id – Plain, refer dermatological
Scalp Preparations			
BETAMETHASONE VALERATE			
₭ Scalp app 0.1%	7.75	100 ml OP	 Beta Scalp
CLOBETASOL PROPIONATE			
₭ Scalp app 0.05%	6.96	30 ml OP	 Dermol
IYDROCORTISONE BUTYRATE Scalp lotn 0.1%	3.65	100 ml OP	✓ Locoid
KETOCONAZOLE			
Shampoo 2%	2.99	100 ml OP	 <u>Sebizole</u>
a) Maximum of 100 ml per prescriptionb) Only on a prescription			
Sunscreens			
SUNSCREENS, PROPRIETARY – Subsidy by endorsement Only if prescribed for a patient with severe photosensitivity	secondary to a de	fined clinical co	ndition and the prescription is
endorsed accordingly.	,		r
Crm		100 g OP	
l eta	(5.89)	100 ~ 00	Hamilton Sunscreen
Lotn,	3.30	100 g OP	 Marine Blue Lotion SPF 50+
	5.10	200 g OP	✓ Marine Blue Lotion SPF 50+
Wart Preparations			
or salicylic acid preparations refer to PSORIASIS AND ECZE	MA PREPARATIO	NS, page 74	
Crm 5%, 250 mg sachet	17.98	12	✓ <u>Apo-Imiquimod</u> Cream 5%

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$ Three months or six months, as applicable, dispensed all-at-once

DERMATOLOGICALS

	Subsidy (Manufacturer's Prio \$	ce) Subsi Per	Fully idised	Brand or Generic Manufacturer
PODOPHYLLOTOXIN Soln 0.5%a) Maximum of 3.5 ml per prescription b) Only on a prescription	33.60	3.5 ml OP	√ 0	condyline
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM Crm 5%	8.95	20 g OP	✓ <u>E</u>	fudix

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ **Contraceptives - Non-hormonal** Condoms CONDOMS 144 ✓ MarquisTantiliza Shield 49 ✓ Marquis Selecta 144 144 ✓ Marquis Protecta * 53 mm - Up to 144 dev available on a PSO1.11 Gold Knight 12 ✓ Shield Blue ✓ Marquis Black 13.36 144 ✓ Shield Blue 53 mm (chocolate) – Up to 144 dev available on a PSO......1.11 12 Gold Knight * 13.36 144 Gold Knight 53 mm (strawberry) - Up to 144 dev available on a PSO1.11 12 Gold Knight * 144 Gold Knight 13.36 55 mm - Up to 144 dev available on a PSO 13.36 144 ✓ Marquis Conforma * 56 mm - Up to 144 dev available on a PSO1.11 12 Gold Knight ✓ Durex Extra Safe 13.36 144 ✓ Gold Knight 56 mm, shaped – Up to 144 dev available on a PSO......1.11 ✓ Durex Confidence 12 * 13.36 144 Durex Confidence ✓ Shield XL * 60 mm - Up to 144 dev available on a PSO 13.36 144 (MarguisTantiliza 49 mm to be delisted 1 June 2017) (Marguis Selecta 52 mm to be delisted 1 June 2017) (Marguis Protecta 52 mm extra strength to be delisted 1 June 2017) (Marguis Black 53 mm to be delisted 1 June 2017) (Marguis Conforma 55 mm to be delisted 1 June 2017) **Contraceptive Devices** INTRA-UTERINE DEVICE a) Up to 40 dev available on a PSO

GENITO-URINARY SYSTEM

Contraceptives - Hormonal

Combined Oral Contraceptives

SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fi	ully	Brand or
(Manufacturer's Price)	Subsidis	ed	Generic
\$	Per	✓	

continued...

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

ET	HINYLOESTRADIOL WITH DESOGESTREL			
*	Tab 20 mcg with desogestrel 150 mcg and 7 inert tab		84	
		(19.80)		Mercilon 28
	 a) Higher subsidy of \$13.80 per 84 tab with Special Author b) Up to 84 tab available on a PSO 	rity see SA050	0 on the prev	vious page
*	Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
-		(19.80)		Marvelon 28
	a) Higher subsidy of \$13.80 per 84 tab with Special Authorb) Up to 84 tab available on a PSO	ity see SA050	0 on the prev	vious page
ET	HINYLOESTRADIOL WITH LEVONORGESTREL			
*	Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up			
	to 84 tab available on a PSO	2.65	84	🗸 Ava 20 ED
*	Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab – Up			
	to 84 tab available on a PSO	9.45	84	 Microgynon 50 ED
*	Tab 30 mcg with levonorgestrel 150 mcg	6.62	63	
		(16.50)		Microgynon 30
	a) Higher subsidy of \$15.00 per 63 tab with Special Author	rity see SA050	0 on the prev	vious page
	b) Up to 63 tab available on a PSO	,		1.0
*	Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab – Up			
	to 84 tab available on a PSO	2.30	84	🗸 Ava 30 ED
FT	HINYLOESTRADIOL WITH NORETHISTERONE			
*	Tab 35 mcg with norethisterone 1 mg – Up to 63 tab available			
*	on a PSO	6.62	63	Brevinor 1/21
*		0.02	00	· Dicvinor 1/21
ጥ	84 tab available on a PSO	6 62	84	Brevinor 1/28
*		0.02	04	· Dievinor 1/20
Ŧ	Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab available on a PSO	6 62	63	Brevinor 21
~		0.02	03	· DIEVINOI ZI
*	Tab 35 mcg with norethisterone 500 mcg and 7 inert tab – Up	6.60	04	Manimin
	to 84 tab available on a PSO	0.62	84	 Norimin

GENITO-URINARY SYSTEM

Subsidy (Manufacturer's Price)	SI	Fully ubsidised	Brand or Generic	
\$	Per	1	Manufacturer	

Progestogen-only Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

1.1 Patient is on a Social Welfare benefit; or

1.2 Patient has an income no greater than the benefit; and

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 Patient is on a Social Welfare benefit; or

2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

• on a Social Welfare benefit; or

• have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED

LEVONORGESTREL			
* Tab 30 mcg	6.62	84	
J. J	(16.50)		Microlut
 a) Higher subsidy of \$13.80 per 84 tab with Special Authors b) Up to 84 tab available on a PSO 	ority see SA0500) above	
 Subdermal implant (2 × 75 mg rods) – Up to 3 pack available on a PSO 	133.65	1	✓ Jadelle
MEDROXYPROGESTERONE ACETATE * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a PS	607.25	1	✓ Depo-Provera
NORETHISTERONE * Tab 350 mcg – Up to 84 tab available on a PSO	6.25	84	✓ Noriday 28
Emergency Contraceptives			
LEVONORGESTREL * Tab 1.5 mg a) Maximum of 2 tab per prescription	4.95	1	Postinor-1

- b) Up to 5 tab available on a PSO
- c) Postinor-1 to be Sole Supply on 1 July 2017

*Three months or six months, as applicable, dispensed all-at-once

‡ safety cap

	Subsidy (Manufacturer's Pric \$	e) Subs Per	Fully idised	Brand or Generic Manufacturer
Antiandrogen Oral Contraceptives				
Prescribers may code prescriptions "contraceptive" (code "O") w and prescription charge will be as per other contraceptives, as fe • \$5.00 prescription charge (patient co-payment) will apply. • prescription may be written for up to six months supply.		ed for contra	ception.	The period of supply
Prescriptions coded in any other way are subject to the non con of supply. ie. Prescriptions may be written for up to three mont CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL * Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – U to 168 tab available on a PSO	hs supply.	on charges, a 168	and the r	
Gynaecological Anti-infectives				
ACETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulpha 0.025%, glycerol 5% and ricinoleic acid 0.75% with app	ate	100 g OP	Ac	i-Jel
CLOTRIMAZOLE * Vaginal crm 1% with applicators * Vaginal crm 2% with applicators		35 g OP 20 g OP		omazol omazol
MICONAZOLE NITRATE * Vaginal crm 2% with applicator		40 g OP	✓ <u>Mi</u>	creme
NYSTATIN Vaginal crm 100,000 u per 5 g with applicator(s)	4.71	75 g OP	🗸 Ni	stat
Myometrial and Vaginal Hormone Preparations				
ERGOMETRINE MALEATE Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available on	a			
PSO OESTRIOL		5	✓ <u>D</u> E	BL Ergometrine
 Crm 1 mg per g with applicator Pessaries 500 mcg 		15 g OP 15		vestin vestin
OXYTOCIN – Up to 5 inj available on a PSO Inj 5 iu per ml, 1 ml ampoule Inj 10 iu per ml, 1 ml ampoule		5 5		<u>xytocin BNM</u> xytocin BNM
OXYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj ava Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	ailable on a PSO	5	✓ <u>S</u> y	ntometrine
Pregnancy Tests - hCG Urine				
PREGNANCY TESTS - HCG URINE a) Up to 200 test available on a PSO b) Only on a PSO Cassette		40 test OP	✓ <u>Ea</u>	syCheck

		GENITO-URINARY SYSTEM					
	Subsidy (Manufacturer's Pric \$	e) S Per	Fully ubsidised	Brand or Generic Manufacturer			
Urinary Agents							
For urinary tract Infections refer to INFECTIONS, Antibacteria	als, page 114						
5-Alpha Reductase Inhibitors							
INASTERIDE – Special Authority see SA0928 below – Reta ★ Tab 5 mg		30	✓ <u>F</u>	inpro			
SA0928 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals he following criteria: Both:	valid without further rea	newal unl	ess notifie	d for applications meeti			
 Patient has symptomatic benign prostatic hyperplasia; Either: 	; and						
2.1 The patient is intolerant of non-selective alpha2.2 Symptoms are not adequately controlled with rNote: Patients with enlarged prostates are the appropriate ca	non-selective alpha blo	ckers.					
Alpha-1A Adrenoreceptor Blockers							
AMSULOSIN HYDROCHLORIDE – Special Authority see S Cap 400 mcg	13.51	100	√ T	amsulosin-Rex			
30th: 1 Patient has symptomatic benign prostatic hyperplasia, 2 The patient is intolerant of non-selective alpha blocker		dicated.					
Other Urinary Agents							
OXYBUTYNIN ★ Tab 5 mg ★ Oral liq 5 mg per 5 ml POTASSIUM CITRATE Oral lig 3 mmol per ml – Special Authority see SA1083 b	60.40	500 473 ml		po-Oxybutynin po-Oxybutynin			
Retail pharmacy		200 ml Of	P ✓ B	liomed			
SA1083 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals Both:	valid for 12 months for	applicatio	ons meetin	g the following criteria:			
 The patient has recurrent calcium oxalate urolithiasis; The patient has had more than two renal calculi in the Renewal from any relevant practitioner. Approvals valid for 2 	two years prior to the a			ppriate and the patient is			
C C							
CODIUM CITRO-TARTRATE		28	✓ <u>u</u>	Iral			
penefitting from the treatment. SODIUM CITRO-TARTRATE ₭ Grans eff 4 g sachets SOLIFENACIN SUCCINATE – Special Authority see SA0996 Tab 5 mg	8 on the next page – R		macy	<u>Iral</u> /esicare			

	Subsidy (Manufacturer's Price \$) Per	Fully Subsidised	
SA0998 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid overactive bladder and a documented intolerance of, or is non-resp			iless notifi	ied where the patient has
TOLTERODINE – Special Authority see SA1272 below – Retail pl Tab 1 mg Tab 2 mg ⇒SA1272 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid overactive bladder and a documented intolerance of, or is non-resp			1	Arrow-Tolterodine Arrow-Tolterodine
Detection of Substances in Urine				
ORTHO-TOLIDINE * Compound diagnostic sticks	7.50 5 (8.25)	0 test C		Hemastix
TETRABROMOPHENOL				

*	Blue diagnostic strips7.02	100 test OP	
	(13.92)		Albustix

	Subsidy		Fully Brand or
	(Manufacturer's Price) \$	Subsid Per	ised Generic Manufacturer
	¥		manufacturor
Calcium Homeostasis			
CALCITONIN			
* Inj 100 iu per ml, 1 ml ampoule	121.00	5	 Miacalcic
CINACALCET - Special Authority see SA1618 below - Retail ph			
Tab 30 mg – Wastage claimable – see rule 3.3.2 on page 13		28	 Sensipar
SA1618 Special Authority for Subsidy			•
Initial application only from a nephrologist or endocrinologist. A	pprovals valid for 6 m	nonths for a	oplications meeting the
following criteria:			
Either:			
 All of the following: 1.1 The patient has been diagnosed with a parathyroid 	annoinama (ana Nat	a), and	
 1.2 The patient has persistent hypercalcaemia (serum including sodium thiosulfate (where appropriate) an 1.3 The patient is symptomatic; or 	calcium $\geq 3 \text{ mmol/L}$	despite prev	vious first-line treatments
2 All of the following:	(aala:6:aa.a:a.a	بر المعام معام ، م	a
 2.1 The patient has been diagnosed with calciphylaxis 2.2 The patient has symptomatic (e.g. painful skin ulce 2.3 The patient's condition has not responded to previo thiosulfate. 	ers) hypercalcaemia ((serum calci	$um \ge 3 mmol/L$); and
Renewal only from a nephrologist or endocrinologist. Approvals meeting the following criteria: Both:	valid without further r	enewal unle	ss notified for applications
1 The patient's serum calcium level has fallen to < 3mmol/L;	and		
2 The patient has experienced clinically significant symptom			
Note: This does not include parathyroid adenomas unless these	have become malign	ant.	
ZOLEDRONIC ACID			
Inj 4 mg per 5 ml, vial – Special Authority see SA1512 below Retail pharmacy	- 	1	 Zoledronic acid Mylan
	550.00		✓ Zometa
➡SA1512 Special Authority for Subsidy	000.00		Loniota
Initial application only from an oncologist, haematologist or pallia	ative care specialist.	Approvals	valid without further renewal
unless notified for applications meeting the following criteria: Any of the following:		FF	
1 Patient has hypercalcaemia of malignancy; or			
2 Both:			
2.1 Patient has bone metastases or involvement; and2.2 Patient has severe bone pain resistant to standard	first-line treatments:	or	
3 Both:		01	
3.1 Patient has bone metastases or involvement; and3.2 Patient is at risk of skeletal-related events patholog	ical fracture, spinal c	ord compre	ssion, radiation to bone or
surgery to bone).			
Corticosteroids and Related Agents for Systemi	c Use		
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA	SONE ACETATE		
* Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		5	
	(36.96)		Celestone
			Chronodose
safety cap	Three months supply m	ay be dispens	sed at one time 83

*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's P \$	rice) Subs Per	Fully Brand or sidised Generic Manufacturer
DEXAMETHASONE			
Fab 0.5 mg – Retail pharmacy-Specialist Up to 60 tab available on a PSO	0.88	30	 Dexmethsone
 Fab 4 mg - Retail pharmacy-Specialist Up to 30 tab available on a PSO 	1.84	30	✓ <u>Dexmethsone</u>
Oral liq 1 mg per ml – Retail pharmacy-Specialist Oral liq prescriptions:		25 ml OP	 Biomed
 Must be written by a Paediatrician or Paediatric On the recommendation of a Paediatrician or P 		st.	
DEXAMETHASONE PHOSPHATE			
Dexamethasone phosphate injection will not be funded for	r oral use.		
Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a	a PSO 14.19	10	 Max Health
Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a		5	 Max Health
	25.18	10	 Max Health
LUDROCORTISONE ACETATE			
₭ Tab 100 mcg	14.32	100	 Florinef
IYDROCORTISONE	0.40	100	
K Tab 5 mg		100	 Douglas
Tab 20 mg – For hydrocortisone oral liquid formulation re page 216		100	✓ Douglas
k lnj 100 mg vial		1	✓ Solu-Cortef
a) Up to 5 inj available on a PSOb) Only on a PSO			
//ETHYLPREDNISOLONE – Retail pharmacy-Specialist			
K Tab 4 mg		100	✓ Medrol
₭ Tab 100 mg		20	✓ Medrol
/ ETHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Re	tail pharmacy-Speci	alist	
Inj 40 mg vial		1	 Solu-Medrol
Inj 125 mg vial	22.25	1	 Solu-Medrol
Inj 500 mg vial		1	Solu-Medrol
Inj 1 g vial	16.00	1	✓ Solu-Medrol
METHYLPREDNISOLONE ACETATE	10.05	_	
Inj 40 mg per ml, 1 ml vial		5	 Depo-Medrol
AETHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIC	•		C Dana Maduataniki
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial	9.25	1	 <u>Depo-Medrol with</u> Lidocaine
PREDNISOLONE			Liuocame
 Oral lig 5 mg per ml – Up to 30 ml available on a PSO 	7.50	30 ml OP	Redipred
Restricted to children under 12 years of age.			
PREDNISONE	10.60	500	Ano Bradalaans
K Tab 1 mg Apo-Prednisone to be Sole Supply on 1 July 2017	10.08	500	 Apo-Prednisone
♣ Tab 2.5 mg	12.09	500	Apo-Prednisone
r Tad 2.5 mg			
Apo-Prednisone to be Sole Supply on 1 July 2017			
Apo-Prednisone to be Sole Supply on 1 July 2017 ₭ Tab 5 mg – Up to 30 tab available on a PSO	11.09	500	Apo-Prednisone
Apo-Prednisone to be Sole Supply on 1 July 2017		500 500	 Apo-Prednisone Apo-Prednisone

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule		1		Synacthen
* Inj 1 mg per ml, 1 ml ampoule		1	1	Synacthen Depot
TRIAMCINOLONE ACETONIDE			_	
Inj 10 mg per ml, 1 ml ampoule		5		Kenacort-A 10
Inj 40 mg per ml, 1 ml ampoule	51.10	5	1	Kenacort-A 40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg	15.87	50	1	Procur
Tab 100 mg		50	1	Procur
TESTOSTERONE				
Transdermal patch, 2.5 mg per day		60	1	Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist				
Inj 100 mg per ml, 10 ml vial	76.50	1	1	Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist				
Inj 250 mg per ml, 1 ml	12.98	1	1	Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialis	st			
Cap 40 mg		60		Andriol Testocaps
Inj 250 mg per ml, 4 ml vial		1	-	Reandron 1000

Hormone Replacement Therapy - Systemic

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

Oestrogens

OE	STRADIOL – See prescribing guideline above		
*	Tab 1 mg4.12	28 OP	
	(11.10)		Estrofem
*	Tab 2 mg4.12	28 OP	
	(11.10)		Estrofem
*	Patch 25 mcg per day6.12	8	 Estradot
	a) No more than 2 patch per week		
	b) Only on a prescription		
*	Patch 50 mcg per day7.04	8	 Estradot 50 mcg
	a) No more than 2 patch per week		
	b) Only on a prescription		
*	Patch 75 mcg per day7.91	8	 Estradot
	a) No more than 2 patch per week		
	b) Only on a prescription		
*	Patch 100 mcg per day7.91	8	 Estradot
	a) No more than 2 patch per week	U	
	b) Only on a prescription		

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
OESTRADIOL VALERATE – See prescribing guideline on the p		0.4		Due
 * Tab 1 mg * Tab 2 mg 		84 84	-	Progynova Progynova
OESTROGENS – See prescribing guideline on the previous pac		04		riogynova
 Conjugated, equine tab 300 mcg 		28		
	(11.48)			Premarin
* Conjugated, equine tab 625 mcg		28		
	(11.48)			Premarin
Progestogens				
MEDROXYPROGESTERONE ACETATE – See prescribing guid	deline on the previous	s paq	e	
* Tab 2.5 mg		30	✓	Provera
* Tab 5 mg	14.00	100	✓	Provera
* Tab 10 mg	7.15	30	1	Provera
Progestogen and Oestrogen Combined Prepara	ations			
OESTRADIOL WITH NORETHISTERONE – See prescribing gu	ideline on the previou	us pag	ge	
* Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OI	C	
	(18.10)			Kliovance
* Tab 2 mg with 1 mg norethisterone acetate		28 OI	5	
	(18.10)			Kliogest
* Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg	5.40	~ ~	-	
oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OI	<i>.</i>	Trianguana
	(18.10)			Trisequens
OESTROGENS WITH MEDROXYPROGESTERONE - See pre	scribing guideline on	the p	revious pa	ge
* Tab 625 mcg conjugated equine with 2.5 mg	5.40	~ ~	-	
medroxyprogesterone acetate tab (28)		28 OI		Duancia
	(22.96)			Premia 2.5 Continuous
* Tab 625 mcg conjugated equine with 5 mg				2.5 Continuous
 Tab 625 mcg conjugated equine with 5 mg medroxyprogesterone acetate tab (28) 	5.40	28 OI	5	
medioxyprogesterone acetate tab (20)	(22.96)	20 01		Premia 5 Continuous
	(22.00)			
Other Oestrogen Preparations				
ETHINYLOESTRADIOL	17.00	100		N7 Medical and
* Tab 10 mcg	17.60	100	•	NZ Medical and
				<u>Scientific</u>
OESTRIOL	7.00	~~		O
* Tab 2 mg		30	~	Ovestin
Other Progestogen Preparations				
LEVONORGESTREL				
Intra-uterine system 20 mcg per day – Special Authority see SA1608 on the part page – Botail pharmacy		1	.1	Mirena
SA1608 on the next page – Retail pharmacy		I	¥.	inin ella

	Subsidy (Manufacturer's Price) \$	Subsic Per	Fully dised	Brand or Generic Manufacturer
■ SA1608 Special Authority for Subsidy Initial application — (No previous use) only from a relevant sp applications meeting the following criteria: All of the following:	ecialist or general pr	actitioner.	Approv	als valid for 6 months for
 The patient has a clinical diagnosis of heavy menstrual ble The patient has failed to respond to or is unable to tolerate Menstrual Bleeding Guidelines; and Either: 	e other appropriate pl	narmaceutio	cal ther	apies as per the Heavy
3.1 serum ferritin level < 16 mcg/l (within the last 12 m3.2 haemoglobin level < 120 g/l.	ionths); or			
Note: Applications are not to be made for use in patients as contr Renewal only from a relevant specialist or general practitioner. A following criteria: Both:				
1 Either:				
 Patient demonstrated clinical improvement of heav 1.2 Previous insertion was removed or expelled within 2 Applicant to state date of the previous insertion. 				
MEDROXYPROGESTERONE ACETATE				
* Tab 100 mg - Retail pharmacy-Specialist	101.00	100	✓ Pi	rovera HD
NORETHISTERONE * Tab 5 mg – Up to 30 tab available on a PSO	18 29	100	🗸 Pi	rimolut N
PROGESTERONE	10.20	100	· <u>·</u>	
Cap 100 mg – Special Authority see SA1609 below – Retail pharmacy	16.50	30	✓ <u>Ut</u>	trogestan
► SA1609 Special Authority for Subsidy Initial application only from an obstetrician or gynaecologist. Ap following criteria: Both:	provals valid for 12 r	months for a	applica	tions meeting the
1 For the prevention of pre-term labour*; and 2 Either:				
2.1 The patient has a short cervix on ultrasound (define2.2 The patient has a history of pre-term birth at less thRenewal only from an obstetrician or gynaecologist. Approvals v	an 28 weeks.		,.	sting the following criteria:
All of the following:			is mee	ang the following chiefia.
 For the prevention of pre-term labour*; and Treatment is required for second or subsequent pregnancy Either: 	y; and			
3.1 The patient has a short cervix on ultrasound (define 3.2 The patient has a history of pre-term birth at less the statement of the		to 28 week	s); or	
Note: Indications marked with * are Unapproved Indications (refe		nd Definitio	ns).	
Thyroid and Antithyroid Agents				
CARBIMAZOLE				
* Tab 5 mg	10.80	100		FT Carbimazole (529) eo-Mercazole

‡ safety cap

[▲] Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised r	Generic
LEVOTHYROXINE				
* Tab 25 mcg		90	✓	Synthroid
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.			•
* Tab 50 mcg	1.71	28	✓	Mercury Pharma
	4.05	90	✓	Synthroid
	64.28	1,000	0 🗸	Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.			
* Tab 100 mcg	1.78	28	1	Mercury Pharma
	4.21	90	✓	Synthroid
	66.78	1,000	0 🗸	Eltroxin
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.			
PROPYLTHIOURACIL – Special Authority see SA1199 below – Propylthiouracil is not recommended for patients under the a treatments are contraindicated.		s the	patient is p	pregnant and other
Tab 50 mg	35.00	100		PTU S29
SA1199 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val Both:				

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

SO	MATROPIN (OMNITROPE) – Special Authority see SA1629 belo	w – Retail pharm	acy	
*	Inj 5 mg cartridge	109.50	1	 Omnitrope
*	Inj 10 mg cartridge	219.00	1	 Omnitrope
*	Inj 15 mg cartridge	328.50	1	 Omnitrope

⇒SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: Either:

Either:

88

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or</p>
- 2 All of the following:
 - Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and</p>
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and
 - 2.5 Appropriate imaging of the pituitary gland has been obtained.

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)		lbsidised	Generic	
\$	Per	1	Manufacturer	

continued...

Renewal - (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 2 Height velocity is \geq 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is \geq 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

applications meeting the following criteria:

All of the following:

- 1 Height velocity \geq 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is \geq 2 cm per year, calculated over six months; and
- 3 A current bone age is \leq 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is \geq 2 cm per year as calculated over six months; and

*Three months or six months, as applicable, dispensed all-at-once

- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

continued...

‡ safety cap

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
(Manulacturer s r fice)	Per		Manufacturer	

continued...

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is \leq to 14 years (female patients) or \leq to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is \ge 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight eximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 The patient is aged two years or older; and
 - 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by \geq 0.5 standard deviations in the preceding 12 months; or
 - 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

90

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Pr	rice)	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is \ge 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of \leq 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test. Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of \leq 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and
- 1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or 2 All of the following:
 - 2.1 The patient has been treated with somatropin for more than 12 months; and
 - 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
 - 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and
 - 2.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients or 1 mg per day for female patients.

‡ safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
GnRH Analogues	•	1 01	-	
GOSERELIN				
Implant 3.6 mg, syringe		1	1	Zoladex
Implant 10.8 mg, syringe		1		Zoladex
LEUPRORELIN				
Additional subsidy by endorsement where the patient is a chi	ild or adolescent and i	s un	able to tole	rate administration of
goserelin and the prescription is endorsed accordingly.				
Inj 3.75 mg prefilled dual chamber syringe – Higher subsidy	of			
\$221.60 per 1 inj with Endorsement		1		
	(221.60)			Lucrin Depot 1-month
Inj 7.5 mg syringe with diluent – Higher subsidy of \$166.20 p				
1 inj with Endorsement		1		
	(166.20)			Eligard 1 Month
Inj 11.25 mg prefilled dual chamber syringe – Higher subsidy				
of \$591.68 per 1 inj with Endorsement		1		Lucrin Depot 3-month
Inj 22.5 mg syringe with diluent – Higher subsidy of \$443.76	· · · ·			Luchin Depot 3-montin
per 1 inj with Endorsement		1		
	(443.76)	'		Eligard 3 Month
Inj 30 mg prefilled dual chamber syringe – Higher subsidy of	· · · ·			
\$1109.40 per 1 inj with Endorsement		1		
,, ,	(1,109.40)			Lucrin Depot 6-month
Inj 45 mg syringe with diluent – Higher subsidy of \$832.05 p	er			
1 inj with Endorsement		1		
	(832.05)			Eligard 6 Month
(Eligard 1 Month Inj 7.5 mg syringe with diluent to be delisted 1 J				
(Eligard 3 Month Inj 22.5 mg syringe with diluent to be delisted 1				
(Lucrin Depot 6-month Inj 30 mg prefilled dual chamber syringe to	•	t 201	17)	
(Eligard 6 Month Inj 45 mg syringe with diluent to be delisted 1 Ju	Ine 2017)			
Vasopressin Agonists				
vasopressiir Agonists				
DESMOPRESSIN ACETATE				
Tab 100 mcg – Special Authority see SA1401 below – Retai				
pharmacy	25.00	30	✓	Minirin

pharmacy Tab 200 mcg – Special Authority see SA1401 below – Retail	25.00	30	✓ <u>Minirin</u>
 Nasal drops 100 mcg per dose – Retail pharmacy-Specialist Nasal spray 10 mcg per dose – Retail pharmacy-Specialist 	39.03	30 2.5 ml OP 6 ml OP	 <u>Minirin</u> Minirin <u>Desmopressin-</u> <u>PH&T</u>
Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below – Retail pharmacy	67.18	10	✓ Minirin

⇒SA1401 Special Authority for Subsidy

Initial application — (Desmopressin tablets for Nocturnal enuresis) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

1 The patient has primary nocturnal enuresis; and

continued...

Subsidy		Fully	Brand or	_
(Manufacturer's Price)	:	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- Both:
 - 1 The patient has cranial diabetes insipidus; and
 - 2 The nasal forms of desmopressin are contraindicated.

Renewal — (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

			۸.	
Uther	316	ocrine	VA O	ents

CABERGOLINE

Tab 0.5 mg – Maximum of 2 tab per prescription; can be		
waived by Special Authority see SA1370 below	2	 Dostinex
19.00	8	 Dostinex

⇒SA1370 Special Authority for Waiver of Rule

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 pathological hyperprolactinemia; or
- 2 acromegaly*.

Renewal — (for patients who have previously been funded under Special Authority form SA1031) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has previously held a valid Special Authority which has expired and the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indication marked with * is an Unapproved indication.

Tab 50 mg	29.84		 Mylan Clomiphen S29
			 Serophene
DANAZOL			
Cap 100 mg6	68.33	100	🗸 Azol
Cap 200 mg	97.83	100	 Azol
METYRAPONE			
Cap 250 mg – Retail pharmacy-Specialist52	20.00	50	 Metopirone

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
Antholmintion				
Anthelmintics				
ALBENDAZOLE - Special Authority see SA1318 below - Retain				
Tab 400 mg		60	✓ E	skazole S29
■SA1318 Special Authority for Subsidy Initial application only from an infectious disease specialist or of	clinical microbiologist.	Approval	s valid fo	or 6 months where the
patient has hydatids.	-			
Renewal only from an infectious disease specialist or clinical mi remains appropriate and the patient is benefitting from the treatr		als valid for	r 6 mont	hs where the treatment
MEBENDAZOLE – Only on a prescription				
Tab 100 mg		24	✓ D	e-Worm
Oral liq 100 mg per 5 ml	2.18 (7.17)	15 ml	V	ermox
PRAZIQUANTEL	(7.17)		v	ennox
Tab 600 mg		8	🗸 В	iltricide
Antibacterials				
a) For tanical antibactorials, refer to DEDMATOLOCICALS, po	ao 67			
 a) For topical antibacterials, refer to DERMATOLOGICALS, page b) For anti-infective eye preparations, refer to SENSORY ORG. 				
Cephalosporins and Cephamycins				
CEFACLOR MONOHYDRATE				
Cap 250 mg		100	✓ <u>R</u>	anbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml – Wastage claimable – s		100 ml	7 D	anhaini Oafaalan
rule 3.3.2 on page 13	3.53	100 ml	• <u>R</u>	anbaxy-Cefaclor
CEFALEXIN Cap 250 mg	3 50	20	v c	ephalexin ABM
Cap 500 mg		20		ephalexin ABM
Grans for oral liq 25 mg per ml - Wastage claimable - see	rule		_	- -
3.3.2 on page 13		100 ml	_	efalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in a		days trea	tment pe	er dispensing.
Grans for oral liq 50 mg per ml – Wastage claimable – see 3.3.2 on page 13		100 ml	v c	efalexin Sandoz
Note: Cefalexin grans for oral liq will not be funded in a				
CEFAZOLIN – Subsidy by endorsement				1 0
Only if prescribed for dialysis or cellulitis in accordance with	a DHB approved prot	tocol and t	he preso	cription is endorsed
accordingly.		_		
Inj 500 mg vial Inj 1 g vial		5 5	✓ <u>A</u> ✓ A	
CEFTRIAXONE – Subsidy by endorsement		5	• •	<u></u>
a) Up to 5 inj available on a PSO				
b) Subsidised only if prescribed for a dialysis or cystic fibro pelvic inflammatory disease, or the treatment of suspect				
and the prescription or PSO is endorsed accordingly. Inj 500 mg vial	1.20	1	✓ D	EVA
Inj 1 g vial		1	✓ D	
			_	

	Subsidy (Manufacturer's Price \$	e) Sub Per	Fully sidised	
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the pre Tab 250 mg		d according 50		Zinnat
Macrolides				
 AZITHROMYCIN – Maximum of 5 days treatment per prescripti For Endorsement, patient has either: 1) Received a lung transplant and requires treatment or p 2) Cystic fibrosis and has chronic infection with Pseudon organisms*. 	prophylaxis for brond	hiolitis oblit	erans	
Indications marked with * are Unapproved Indications				
Tab 250 mg	9.00	30	✓	Apo-Azithromycin
Tab 500 mg – Up to 8 tab available on a PSO	1.05	2	1	Apo-Azithromycin
Grans for oral liq 200 mg per 5 ml (40 mg per ml) – Wastag	,			
claimable – see rule 3.3.2 on page 13		15 ml		Zithromax
CLARITHROMYCIN - Maximum of 500 mg per prescription; ca	n be waived by Spec	cial Authorit		
Tab 250 mg		14	~	Apo-Clarithromycin
Grans for oral liq 250 mg per 5 ml – Wastage claimable – s				
rule 3.3.2 on page 13 SA1131 Special Authority for Waiver of Rule	23.12	50 ml	-	Klacid
Approvals valid for 2 years for applications meeting the following Either: 1 Atypical mycobacterial infection; or 2 Mycobacterium tuberculosis infection where there is drug		rance to sta	andard	pharmaceutical agents.
Renewal — (Mycobacterial infections) only from a respiratory Approvals valid for 2 years where the treatment remains approp			•	•
ERYTHROMYCIN ETHYL SUCCINATE	10.05	100		E Musia
Tab 400 mga) Up to 20 tab available on a PSO		100	•	E-Mycin
b) Up to 2 x the maximum PSO guantity for RFPP – se	o rulo 5 2 6 on page	17		
Grans for oral lig 200 mg per 5 ml		100 ml	1	E-Mycin
a) Up to 300 ml available on a PSO				,•
b) Up to 2 x the maximum PSO guantity for RFPP – se	e rule 5.2.6 on page	17		
c) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	1	E-Mycin
 a) Up to 200 ml available on a PSO 				
b) Wastage claimable – see rule 3.3.2 on page 13				
ERYTHROMYCIN LACTOBIONATE				
lnj 1 g	16.00	1	1	Erythrocin IV
ERYTHROMYCIN STEARATE				
Tab 250 mg – Up to 30 tab available on a PSO		100		
	(22.29)			ERA
Tab 500 mg		100		504
	(44.58)			ERA

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Fully Brand or	
	(Manufacturer's Price)		Subsidised	Generic	
	\$	Per	1	Manufacturer	
OXITHROMYCIN					
Tab 150 mg	7.48	50	✓ ↓	Arrow-	
				Roxithromycin	
Tab 300 mg	14.40	50	✓ ↓	Arrow-	
,				Roxithromycin	
Penicillins					
MOXICILLIN					
Cap 250 mg	14.97	500	✓ <u>µ</u>	Apo-Amoxi	
 a) Up to 30 cap available on a PSO 				-	
b) Up to 10 x the maximum PSO quantity for RFPP – see	ee rule 5.2.6 on page				
Cap 500 mg	16.75	500	✓ <u>I</u>	Apo-Amoxi	
a) Up to 30 cap available on a PSO					
b) Up to 10 x the maximum PSO quantity for RFPP – se Cropp for oral line 105 mg page 5 ml				mericillin Astoria	
Grans for oral liq 125 mg per 5 ml	0.88 2.00	100 m		Amoxicillin Actavis Ospamox	
a) Up to 200 ml available on a PSO	2.00		• (Jopaniox	
b) Wastage claimable – see rule 3.3.2 on page 13					
Grans for oral liq 250 mg per 5 ml	0.97	100 m	nl 🗸 🖌	Amoxicillin Actavis	
	2.00		✓ (Dspamox	
a) Up to 300 ml available on a PSO					
b) Up to 10 x the maximum PSO quantity for RFPP – see	ee rule 5.2.6 on page	917			
c) Wastage claimable – see rule 3.3.2 on page 13					
Inj 250 mg vial		10		<u>biamox</u>	
Inj 500 mg vial		10	-	<u>biamox</u>	
Inj 1 g vial – Up to 5 inj available on a PSO	17.29	10	v I	<u>biamox</u>	
MOXICILLIN WITH CLAVULANIC ACID					
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab	1.05	00			
available on a PSO	1.95	20	• •	Augmentin	
Grans for oral liq amoxicillin 125 mg with clavulanic acid 31.25 mg per 5 ml	3.83	100 m	- - - 1	Augmentin	
a) Up to 200 ml available on a PSO		100 11		aginentin	
b) Wastage claimable – see rule 3.3.2 on page 13					
Grans for oral lig amoxicillin 250 mg with clavulanic acid					
62.5 mg per 5 ml.	4.97	100 m	nl 🗸 🖌	Augmentin	
a) Up to 200 ml available on a PSO				-	
b) Wastage claimable – see rule 3.3.2 on page 13					
ENZATHINE BENZYLPENICILLIN					
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj					
available on a PSO		10	✓ <u>E</u>	Bicillin LA	
SENZYLPENICILLIN SODIUM (PENICILLIN G)					
Inj 600 mg (1 million units) vial – Up to 5 inj available on a P	SO 10.35	10	√ 9	Sandoz	
			-		

	Subsidy		Fully	
	(Manufacturer's Price) \$) Si Per	ubsidised	Generic Manufacturer
LUCLOXACILLIN	Ψ	1.61		Manulacturer
Cap 250 mg – Up to 30 cap available on a PSO	18 70	250	1	Staphlex
Cap 500 mg		200 500		Staphlex
Grans for oral lig 25 mg per ml		100 ml		AFT
a) Up to 200 ml available on a PSO		100 111	•	<u>AI 1</u>
 b) Wastage claimable – see rule 3.3.2 on page 13 				
,	2 00	100 ml		AET
Grans for oral liq 50 mg per ml		100 111	•	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13	0.00	10		Fluelavia
Inj 250 mg vial		10		Flucioxin
Inj 500 mg vial Inj 1 g vial – Up to 10 inj available on a PSO		10 10		Flucloxin Flucloxin
		10	•	FIUCIOXIII
PHENOXYMETHYLPENICILLIN (PENICILLIN V)				
Cap 250 mg – Up to 30 cap available on a PSO		50		Cilicaine VK
Cap 500 mg	4.73	50	~	Cilicaine VK
 a) Up to 20 cap available on a PSO 				
b) Up to 2 x the maximum PSO quantity for RFPP – see		17		
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	~	AFT
 a) Up to 200 ml available on a PSO 				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	✓	AFT
 a) Up to 300 ml available on a PSO 				
b) Up to 2 x the maximum PSO quantity for RFPP - see	e rule 5.2.6 on page	17		
c) Wastage claimable – see rule 3.3.2 on page 13				
PROCAINE PENICILLIN				
Inj 1.5 g in 3.4 ml syringe – Up to 5 inj available on a PSO	123.50	5	1	Cilicaine
		Ū		<u></u>
Tetracyclines				
OXYCYCLINE				
Tab 50 mg – Up to 30 tab available on a PSO	2.90	30		
	(6.00)			Doxy-50
Fab 100 mg – Up to 30 tab available on a PSO	6.75	250	✓	Doxine
INOCYCLINE HYDROCHLORIDE				
 Tab 50 mg – Additional subsidy by Special Authority see 				
SA1355 below – Retail pharmacy	5 79	60		
	(12.05)	00		Mino-tabs
₭ Cap 100 mg		100		
- Cup 100 mg	(52.04)	100		Minomycin
SA1355 Special Authority for Manufacturers Price	(0=.04)			

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has rosacea.

TRACYCLINE – Special Authority see SA1332 be	elow – Retail pharmacy		
Cap 500 mg		30	 Tetracyclin
			Wolff S29

➡SA1332 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Both:

1 For the eradication of helicobacter pylori following unsuccessful treatment with appropriate first-line therapy; and

2 For use only in combination with bismuth as part of a quadruple therapy regimen.

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once if

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully osidised	Brand or Generic Manufacturer
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 67				
CIPROFLOXACIN				
Recommended for patients with any of the following: i) microbiologically confirmed and clinically significant ps	eudomonas infection:	or		
ii) prostatitis; or		01		
iii) pyelonephritis; or				
iv) gonorrhoea.				
Tab 250 mg – Up to 5 tab available on a PSO		28		ipflox
Tab 500 mg – Up to 5 tab available on a PSO		28		ipflox
Tab 750 mg CLINDAMYCIN	3.75	28	• <u>c</u>	ipflox
Cap hydrochloride 150 mg – Maximum of 4 cap per				
prescription; can be waived by endorsement - Retail				
pharmacy - Specialist	4.10	16	✓ <u>c</u>	lindamycin ABM
Inj phosphate 150 mg per ml, 4 ml ampoule – Retail pharmacy-Specialist	65.00	10	./ D	alacin C
CO-TRIMOXAZOLE		10	• <u>•</u>	
* Tab trimethoprim 80 mg and sulphamethoxazole 400 mg -	Up			
to 30 tab available on a PSO		500	🗸 T	risul
 Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml – Up to 200 ml available on a PSO 		100 ml	. D	eprim
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – S			• 0	epinn
Only if prescribed for dialysis or cystic fibrosis patient and th			ordingly.	
Inj 150 mg	65.00	1	✓ C	olistin-Link
FUSIDIC ACID	04.50	4.0	<i>.</i> -	
Tab 250 mg – Retail pharmacy-Specialist a) Prescriptions must be written by, or on the recomme		12 Nuc dicoo		ucidin ian or a clinical
microbiologist		ius uisea	se priysic	
b) Fucidin to be Sole Supply on 1 July 2017				
GENTAMICIN SULPHATE			_	
Inj 10 mg per ml, 1 ml – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient		5 v tract inf		ospira d the preserintion is
endorsed accordingly.	or complicated unitary	y tract ini	ection an	u the prescription is
Inj 10 mg per ml, 2 ml - Subsidy by endorsement	175.10	25	🗸 A	PP
				Pharmaceuticals S29
Only if prescribed for a dialysis or cystic fibrosis patient endorsed accordingly.	or complicated urinar	y tract inf	ection an	d the prescription is
Inj 40 mg per ml, 2 ml ampoule - Subsidy by endorsement.		10	✓ P	
Only if prescribed for a dialysis or cystic fibrosis patient endorsed accordingly.	or complicated urinar	y tract inf	ection an	d the prescription is
MOXIFLOXACIN – Special Authority see SA1358 on the next particular sector of the secto	age – Retail pharmac	y		
No patient co-payment payable Tab 400 mg		5	🗸 A	velox
		-		

Subsidy (Manufacturer's Price	e) S	Fully ubsidised	Brand or Generic	
\$	Per	1	Manufacturer	

➡SA1358 Special Authority for Subsidy

Initial application — (Tuberculosis) only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria: Fither

1 Both:

- 1.1 Active tuberculosis*; and
- 1.2 Any of the following:
 - 1.2.1 Documented resistance to one or more first-line medications; or
 - 1.2.2 Suspected resistance to one or more first-line medications (tuberculosis assumed to be contracted in an area with known resistance), as part of regimen containing other second-line agents; or
 - 1.2.3 Impaired visual acuity (considered to preclude ethambutol use); or
 - 1.2.4 Significant pre-existing liver disease or hepatotoxicity from tuberculosis medications; or
 - 1.2.5 Significant documented intolerance and/or side effects following a reasonable trial of first-line medications; or
- 2 Mycobacterium avium-intracellulare complex not responding to other therapy or where such therapy is contraindicated.*.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Renewal only from a respiratory specialist or infectious disease specialist. Approvals valid for 1 year where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Mycoplasma genitalium) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Has nucleic acid amplification test (NAAT) confirmed Mycoplasma genitalium*; and
- 2 Has tried and failed to clear infection using azithromycin; and
- 3 Treatment is only for 7 days.

Initial application — (Penetrating eye injury) only from an ophthalmologist. Approvals valid for 1 month where the patient requires prophylaxis following a penetrating eye injury and treatment is for 5 days only.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

PAROMOMYCIN – Special Authority see SA1324 below – Retail pharmacy

Cap 250 mg		16	 Humatin S29
------------	--	----	---------------------------------

⇒SA1324 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

Renewal only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month where the patient has confirmed cryptosporidium infection.

		ecial Authority see SA1328 below – Retail pharmacy	PYRIMETHAMINE – Special
🗸 Daraprim S29	30		Tab 25 mg
Daraprim S29	50	36.95	

⇒SA1328 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 For the treatment of toxoplasmosis in patients with HIV for a period of 3 months; or
- 2 For pregnant patients for the term of the pregnancy; or

*Three months or six months, as applicable, dispensed all-at-once

3 For infants with congenital toxoplasmosis until 12 months of age.

SULFADIAZINE SODIUM - Special Authority see	SA1331 on the next page - Re	tail pharmacy	
Tab 500 mg		56	Wockhardt S29

	Subsidy (Manufacturer's Price		Fully Subsidised	Brand or Generic
	(International Contraction of the second sec	Per		Manufacturer
 SA1331 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid he following criteria: Any of the following: 1 For the treatment of toxoplasmosis in patients with HIV for 2 For pregnant patients for the term of the pregnancy; or 3 For infants with congenital toxoplasmosis until 12 months of 	a period of 3 mont		nless notifie	d for applications meetin
TOBRAMYCIN Inj 40 mg per ml, 2 ml vial – Subsidy by endorsement Only if prescribed for dialysis or cystic fibrosis patient and Solution for inhalation 60 mg per ml, 5 ml – Subsidy by endorsement	I the prescription is	5 endors 56 dos	sed accordir	
b) Only if prescribed for a cystic fibrosis patient and the p	prescription is endo	orsed a	ccordingly.	
TRIMETHOPRIM * Tab 300 mg – Up to 30 tab available on a PSO		50	🗸 т	MP
VANCOMYCIN – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or for difficile following metronidazole failure and the prescription is Inj 500 mg.	endorsed accordin			tment of Clostridium I ylan
Antifungals				
 a) For topical antifungals refer to DERMATOLOGICALS, page 67 b) For topical antifungals refer to GENITO URINARY, page 80 FLUCONAZOLE 	,			
Cap 50 mg – Retail pharmacy-Specialist Cap 150 mg – Subsidy by endorsement		28 1		izole Izole
 a) Maximum of 1 cap per prescription; can be waived by b) Patient has vaginal candida albicans and the practition not recommended and the prescription is endorsed activity 	ner considers that	a topica	al imidazole	(used intra-vaginally) is
Specialist. Cap 200 mg – Retail pharmacy-Specialist		28	✓ 0	zole
Powder for oral suspension 10 mg per ml – Special Authority see SA1359 below – Retail pharmacy		35 ml		iflucan S29 s29
Wastage claimable – see rule 3.3.2 on page 13				
 SA1359 Special Authority for Subsidy nitial application — (Systemic candidiasis) from any relevant neeting the following criteria: Both: Patient requires prophylaxis for, or treatment of systemic ca	andidiasis; and			
All of the following: 1 Patient is immunocompromised; and				

onlinued 2 Patient is at moderate to high risk of invasive fungal infection; and 3 Patient is aunable to swallow capsules. enewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the illowing criteria: 11 12 Patient is unable to swallow capsules. enewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the illowing criteria: 11 Patient remains immunocompromised; and 2 Patient memains immunocompromised; and 2 Patient remains immunocompromised; and 2 Patient remains immunocompromised; and 2 Patient remains immunocompromised; and 2 Patient is unable to swallow capsules. RACONAZOLE 2.79 15 Itrazole Funded for timea unguium where terbinafine has not been successful and diagnosis has been confirmed by mycology and the prescription is endorsed accordingly. Can be waived by endorsement - Retail pharmacy - Specialist Oral liq 10 mg per ml – Special Authority see SA1322 below – Retail pharmacy. 141.80 150 ml OP Sperialar Biblio application on firm an infectious disease physician, clinical microbiologist c clinical immunologist or any relevant fractitioner on the recommendation of a infectious disease physician, clin		Subsidy (Manufacturer's Pri \$	ce) (Per	Fully Subsidised	Brand or Generic Manufacturer
 3 Patient is unable to swallow capsules. enewal — (Systemic candidiasis) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the likewing criteria: 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and 2 Patient is unable to swallow capsules. enewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the likewing criteria: 1 I of the following: 1 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient at moderate to high risk of invasive fungal infection; and 3 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient is unable to swallow capsules. RACONAZOLE Cap 100 mg - Subsidy by endorsement	ontinued				
Ilowing criteria: Oth: 1 Patient requires prophylaxis for, or treatment of systemic candidiasis; and 2 Patient is unable to swallow capsules. enewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting the lixed interval. 10 of the following: 1 Patient remains immunocompromised; and 2 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient is unable to swallow capsules. RACONAZOLE Cap 100 mg – Subsidy by endorsement		tion; and			
2 Patient is unable to swallow capsules. enewal — (Immunocompromised) from any relevant practitioner. Approvals valid for 6 months for applications meeting th lid the following: 1 Patient remains immunocompromised; and 2 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient is unable to swallow capsules. RACONAZOLE Cap 100 mg – Subsidy by endorsement	llowing criteria:	ner. Approvals va	lid for 6 w	eeks for a	pplications meeting the
Iloving criteria: Il of the following: 1 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient is unable to swallow capsules. TRACONAZOLE Cap 100 mg – Subsidy by endorsement		candidiasis; and			
 2 Patient remains at moderate to high risk of invasive fungal infection; and 3 Patient is unable to swallow capsules. RACONAZOLE Cap 100 mg - Subsidy by endorsement	llowing criteria:	oner. Approvals va	alid for 6 r	nonths for	applications meeting the
Cap 100 mg – Subsidy by endorsement	 Patient remains immunocompromised; and Patient remains at moderate to high risk of invasive fungation 	al infection; and			
Retail pharmacy	Cap 100 mg – Subsidy by endorsement Funded for tinea vesicolor where topical treatment has n mycology, or for tinea unguium where terbinafine has not terbinafine and diagnosis has been confirmed by mycolo Can be waived by endorsement - Retail pharmacy - Spe Specialist must be an infectious disease physician, clinic	not been successfu ot been successful ogy and the prescr ecialist cal microbiologist,	Il and diag in eradica iption is e	gnosis has ation or the ndorsed ac	been confirmed by patient is intolerant to ccordingly.
Initial application only from an infectious disease specialist, clinical microbiologist, clinical immunologist or any relevant ractitioner on the recommendation of a infectious disease physician, clinical microbiologist or clinical immunologist. Approva alid for 6 months where the patient has a congenital immune deficiency. enewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient enefitting from the treatment. ETOCONAZOLE Tab 200 mg − PCT − Retail pharmacy-Specialist − Subsidy by endorsement. CBS 30 ✓ Link Healthcare \$20 YSTATIN Tab 500,000 u			150 ml C	op √ s	Sporanox
ETOCONAZOLE Tab 200 mg - PCT - Retail pharmacy-Specialist - Subsidy by endorsementCBS 30 ✓ Link Healthcare 50 Prescriptions must be written by, or on the recommendation of an oncologist YSTATIN Tab 500,000 u	itial application only from an infectious disease specialist, clin actitioner on the recommendation of a infectious disease physi alid for 6 months where the patient has a congenital immune de enewal from any relevant practitioner. Approvals valid for 6 mo	ician, clinical micro eficiency.	biologist	or clinical i	mmunologist. Approvals
endorsementCBS 30 ✓ Link Healthcare S29 Prescriptions must be written by, or on the recommendation of an oncologist YSTATIN Tab 500,000 u	5				
Prescriptions must be written by, or on the recommendation of an oncologist YSTATIN Tab 500,000 u Cap 500,000 u				_	
YSTATIN 14.16 50 Tab 500,000 u (17.09) Nilstat Cap 500,000 u 12.81 50 (15.47) Nilstat OSACONAZOLE – Special Authority see SA1285 below – Retail pharmacy 869.86 24 ✓ Noxafil Oral liq 40 mg per ml 761.13 105 ml OP ✓ Noxafil	endorsement	CBS	30		
Tab 500,000 u	Prescriptions must be written by, or on the recommendation	ation of an oncolog	ist		
(17.09) Nilstat Cap 500,000 u 12.81 50 (15.47) Nilstat OSACONAZOLE – Special Authority see SA1285 below – Retail pharmacy 369.86 24 ✓ Noxafil Oral liq 40 mg per ml 761.13 105 ml OP ✓ Noxafil		14.10	50		
Cap 500,000 u 12.81 50 (15.47) Nilstat OSACONAZOLE – Special Authority see SA1285 below – Retail pharmacy 24 ✓ Noxafil Oral liq 40 mg per ml 761.13 105 ml OP ✓ Noxafil	Tab 500,000 u		50	N	Vilstat
OSACONAZOLE – Special Authority see SA1285 below – Retail pharmacy Tab modified-release 100 mg	Cap 500,000 u		50		
Tab modified-release 100 mg 869.86 24 Voxafil Oral liq 40 mg per ml 761.13 105 ml OP Voxafil	OSACONAZOLE Special Authority con SA1285 below Bot	(-)		ľ	NISIAL
	Tab modified-release 100 mg			-	
	SA1285 Special Authority for Subsidy		100 111 0	1	TVALIA

Either:

1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per	~	Manufacturer

continued...

chemotherapy; or

2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppressive therapy*.

Renewal only from a haematologist or infectious disease specialist. Approvals valid for 6 weeks for applications meeting the following criteria:

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (\geq 1 mg per kilogram of body weight per day for patients with acute GVHD or \geq 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg – For terbinafine oral liquid formulation	,		
page 216	1.50	14	✓ <u>Dr Reddy's</u> <u>Terbinafine</u>
VORICONAZOLE – Special Authority see SA1273 below	 Retail pharmacy 		
Tab 50 mg		56	 Vttack
Tab 200 mg		56	✓ Vttack
Powder for oral suspension 40 mg per ml - Wastage	e claimable		
- see rule 3.3.2 on page 13		70 ml	 Vfend

⇒SA1273 Special Authority for Subsidy

Initial application — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Antimalarials

102

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 on the next page - Retail pharmacy

Tab 7.5 mg 117.00

...117.00 56

Primacin S29

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
SA1326 Special Authority for Subsidy nitial application only from an infectious disease specialist or c meeting the following criteria: 3oth:	linical microbiologist.	Аррі	rovals valid f	or 1 month for applicatior
 The patient has vivax or ovale malaria; and Primaquine is to be given for a maximum of 21 days. 				
Antiparasitics				
Antiprotozoals				
QUININE SULPHATE				
Tab 300 mg ‡ Safety cap for extemporaneously compounded oral liqu		500	✓ Q	300
Antitrichomonal Agents				
/ETRONIDAZOLE				
Tab 200 mg – Up to 30 tab available on a PSO	10.45	100		richozole
Tab 400 mg		100	-	richozole
Oral liq benzoate 200 mg per 5 ml		100 m		lagyl-S
Suppos 500 mg	24.48	10		lagyl
RNIDAZOLE				• • • •
Tab 500 mg		10	✓ <u>A</u>	rrow-Ornidazole
Antituberculotics and Antileprotics				
lote: There is no co-payment charge for all pharmaceuticals lis nmigration status.	ted in the Antitubercu	lotics	and Antilepr	otics group regardless of
CLOFAZIMINE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
 b) Prescriptions must be written by, or on the recommendat dermatologist. 	tion of, an infectious of	diseas	e physician,	clinical microbiologist or
Cap 50 mg	442.00	100	✓ L	amprene S29
YCLOSERINE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
 b) Prescriptions must be written by, or on the recommendat respiratory physician. 	tion of, an infectious of	diseas	e physician,	clinical microbiologist or
Cap 250 mg	1,294.50	100	✓ K	ing S29
APSONE – Retail pharmacy-Specialist	*			-
a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendat	tion of, an infectious of	diseas	e physician,	clinical microbiologist or
dermatologist				-
Tab 25 mg		100		apsone
Tab 100 mg		100	✓ <u>D</u>	apsone
THAMBUTOL HYDROCHLORIDE - Retail pharmacy-Speciali	st			
a) No patient co-payment payable				
b) Proparintiana must be written by or on the recommandet				

 Tab 400 mg
 30
 • Myambuci • •

 Tab 400 mg
 56
 • Myambuci • •

‡ safety cap

▲ Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
ISONIAZID – Retail pharmacy-Specialist				
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendat microbiologist, dermatologist or public health physician 	ion of, an internal me	dicine	physiciar	, paediatrician, clinical
* Tab 100 mg		100		PSM
* Tab 100 mg with rifampicin 150 mg		100		<u>Rifinah</u>
* Tab 150 mg with rifampicin 300 mg		100	•	<u>Rifinah</u>
 PARA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist a) No patient co-payment payable b) Specialist must be an infectious disease specialist, clinic 	al microbiologist or re	snirat	orv specia	list
Grans for oral lig 4 g sachet	-	30		Paser S29
PROTIONAMIDE – Retail pharmacy-Specialist	200.00	00		
a) No patient co-payment payable				
b) Specialist must be an infectious disease specialist, clinic	al microbiologist or re	spirat	ory specia	list.
Tab 250 mg		100		Peteha S29
PYRAZINAMIDE – Retail pharmacy-Specialist				
a) No patient co-payment payable				
b) Prescriptions must be written by, or on the recommendat respiratory physician		liseas	e physicia	n, clinical microbiologist or
* Tab 500 mg – For pyrazinamide oral liquid formulation refer				
page 216	59.00	100		AFT-Pyrazinamide AFT-Pyrazinamide S29 (\$29)
RIFABUTIN – Retail pharmacy-Specialist				
a) No patient co-payment payable				
 b) Prescriptions must be written by, or on the recommendat gastroenterologist 	ion of, an infectious d	liseas	e physicia	n, respiratory physician or
 Cap 150 mg – For rifabutin oral liquid formulation refer, 				•• • •
page 216		30	•	Mycobutin
RIFAMPICIN – Subsidy by endorsement				
a) No patient co-payment payable	in combination with	ther	footive	nti atanhulaaaaaal
b) For confirmed recurrent Staphylococcus aureus infection antimicrobial based on susceptibilities and the prescriptic Retail pharmacy - Specialist. Specialist must be an inter paediatrician, or public health physician.	on is endorsed accord	lingly;	can be wa	aived by endorsement -
* Cap 150 mg		100		Rifadin
* Cap 300 mg		100		Rifadin
* Oral liq 100 mg per 5 ml		60 m	1	<u>Rifadin</u>
Antivirals				
For eye preparations refer to Eye Preparations, Anti-Infective Pre	eparations, page 209			
Hepatitis B Treatment				
	Potri page Datail ph	armac	N/	

ADEFOVIR DIPIVOXIL - Special Authority see SA0829 or	the next page - Retail ph	armacy	
Tab 10 mg	670.00	30	 Hepsera

Subsidy	Fully	Brand or
acturer's Price) Sub	sidised	Generic
\$ Per	1	

⇒SA0829 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as:
- 2 Patient has raised serum ALT (> 1 × ULN); and
- 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- 4 Detection of M204I or M204V mutation; and
- 5 Either:
 - 5.1 Both:
 - 5.1.1 Patient is cirrhotic; and
 - 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or
 - 5.2 Both:
 - 5.2.1 Patient is not cirrhotic; and
 - 5.2.2 adefovir dipivoxil to be used as monotherapy.

Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment.

Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as:

- i) raised serum ALT (> 1 \times ULN); and
- ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and
- iii) Detection of N236T or A181T/V mutation.

Adefovir dipivoxil should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg+ prior to commencing adefovir dipivoxil.

The recommended dose of adefovir dipivoxil is no more than 10mg daily.

In patients with renal insufficiency adefovir dipivoxil dose should be reduced in accordance with the datasheet guidelines. Adefovir dipivoxil should be avoided in pregnant women and children.

ENTECAVIR – Special Authority see SA1361 below – Retail pharmacy

Tab 0.5 mg	400.00	30	Baraclude
------------	--------	----	-----------

➡SA1361 Special Authority for Subsidy

Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B nucleoside analogue treatment-naive; and
- 3 Entecavir dose 0.5 mg/day; and
- 4 Either:
 - 4.1 ALT greater than upper limit of normal; or
 - 4.2 Bridging fibrosis (Metavir stage 3 or greater or moderate fibrosis) or cirrhosis on liver histology; and

5 Either:

- 5.1 HBeAg positive; or
- 5.2 patient has ≥ 2,000 IU HBV DNA units per mI and fibrosis (Metavir stage 2 or greater) on liver histology; and
- 6 No continuing alcohol abuse or intravenous drug use; and
- 7 Not co-infected with HCV, HIV or HDV; and
- 8 Neither ALT nor AST greater than 10 times upper limit of normal; and
- 9 No history of hypersensitivity to entecavir; and

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
 \$	Per	1	

continued...

10 No previous documented lamivudine resistance (either clinical or genotypic).

Notes:

- Entecavir should be continued for 6 months following documentation of complete HBeAg seroconversion (defined as loss of HBeAg plus appearance of anti-HBe plus loss of serum HBV DNA) for patients who were HBeAg positive prior to commencing this agent. This period of consolidation therapy should be extended to 12 months in patients with advanced fibrosis (Metavir Stage F3 or F4).
- Entecavir should be taken on an empty stomach to improve absorption.

LAMIVUDINE - Special Authority see SA1360 below - Retail pharmacy

Tab 100 mg	6.00	28	✓ Zeffix
Oral liq 5 mg per ml		240 ml	✓ Zeffix

⇒SA1360 Special Authority for Subsidy

Initial application only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 HBV DNA positive cirrhosis prior to liver transplantation; or
- 2 HBsAg positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 Hepatitis B virus naive patient who has received a liver transplant from an anti-HBc (Hepatitis B core antibody) positive donor; or
- 4 Hepatitis B surface antigen (HbsAg) positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 Hepatitis B surface antigen positive patient who is receiving anti tumour necrosis factor treatment; or
- 6 Hepatitis B core antibody (anti-HBc) positive patient who is receiving rituximab plus high dose steroids (e.g. R-CHOP).

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

Renewal for patients who have maintained continuous treatment and response to lamivudine

- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA < 100,000 copies per ml by quantitative PCR at a reference laboratory; or
 - Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine
- 2 All of the following:
 - 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
 - 2.2 Patient is cirrhotic; and
 - Documented resistance to lamivudine, defined as:
 - 2.3 Patient has raised serum ALT (> 1 × ULN); and
 - 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir, defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

	Subsidy (Manufacturer's Price) \$	Subsi Per	Fully dised	Brand or Generic Manufacturer
Herpesvirus Treatments				
ACICLOVIR				
* Tab dispersible 200 mg	1.60	25	✓ L	ovir
* Tab dispersible 400 mg	5.38	56	✓ <u>L</u>	<u>ovir</u>
* Tab dispersible 800 mg	5.98	35	✓ <u>L</u>	<u>ovir</u>
VALACICLOVIR				
Tab 500 mg	6.42	30	🗸 V	aclovir
Tab 1,000 mg		30	✓ V	aclovir
VALGANCICLOVIR - Special Authority see SA1404 below - Rei	tail pharmacy			
Tab 450 mg		60	✓ <u>v</u>	/alcyte

⇒SA1404 Special Authority for Subsidy

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and
- 2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
- 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient has undergone a lung transplant; and
- 2 Either:
 - 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
 - 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

*Three months or six months, as applicable, dispensed all-at-once

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient is immunocompromised; and

continued...

‡ safety cap

Three months supply may be dispensed at one time

Subsidy		ully	Brand or
(Manufacturer's Price)	Subsidi	seu	Generic
\$	Per	✓	Manufacturer

continued...

- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1362 below Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

Tenofovir disoproxil fumarate prescribed under endorsement for the treatment of HIV is included in the count of up to 4 subsidised antiretrovirals for the purposes of Special Authority SA1364, page 110

⇒SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score > 20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or

continued...

S	Subsidy	Fully	Brand or	_
(Manufa	(Manufacturer's Price) Subsidised		Generic	
	\$ Per	1	Manufacturer	

continued...

- 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
 negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

LEDIPASVIR WITH SOFOSBUVIR – Special Authority see SA1605 below – [Xpharm] No patient co-payment payable Tab 90 mg with sofosbuvir 400 mg
► SA1605 Special Authority for Subsidy
Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)
Notes: By application to the Hepatitis C Treatment Panel (HepCTP).
Applications will be considered by HepCTP and approved subject to confirmation of eligibility.
Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments or:
The Coordinator, Hepatitis C Treatment Panel
PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,
Email: hepcpanel@pharmac.govt.nz
PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR – [Xpharm]
a) No patient co-payment payable
b) Note – Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing
treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments
Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56),
with dasabuvir tab 250 mg (56) 16,500.00 1 OP Viekira Pak

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per ✔	Brand or Generic Manufacturer
PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABI	UVIR AND RIBAVIR!	IN – [Xpharm]	
a) No patient co-payment payable			
b) Note - Supply of treatment is via PHARMAC's approved of	direct distribution sup	oply. Application	details for accessing
treatment may be obtained from PHARMAC's website http	<u>ף://www.pharmac.go</u>	vt.nz/hepatitis-c-tr	reatments
Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56)			
with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg			
(168)	16,500.00	1 OP 🖌 V	/iekira Pak-RBV
Antiretrovirals			

⇒SA1364 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Confirmed HIV infection; and
- 2 Any of the following:
 - 2.1 Symptomatic patient; or
 - 2.2 Patient aged 12 months and under; or

2.3 Both:

- 2.3.1 Patient aged 1 to 5 years; and
- 2.3.2 Any of the following:
 - 2.3.2.1 CD4 counts < 1000 cells/mm³; or
 - 2.3.2.2 CD4 counts $< 0.25 \times$ total lymphocyte count; or
 - 2.3.2.3 Viral load counts > 100000 copies per ml; or

2.4 Both:

- 2.4.1 Patient aged 6 years and over; and
- 2.4.2 CD4 counts < 500 cells/mm³.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application - (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named

continued...

Subsidy	Fu	lly Brand or	
(Manufacturer's Price)	Subsidis	ed Generic	
\$	Per	 Manufactu 	ırer

continued...

specialist. Approvals valid for 4 weeks for applications meeting the following criteria: Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

- Both:
 - 1 Treatment course to be initiated within 72 hours post exposure; and
 - 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Non-nucleosides Reverse Transcriptase Inhibitors

EFAVIRENZ - Special Authority see SA1364 on the p	orevious page – Retail phar	macy	
Tab 50 mg	63.38	30	 Stocrin S29
Tab 200 mg		90	 Stocrin
Tab 600 mg	63.38	30	 <u>Stocrin</u>
Oral liq 30 mg per ml		180 ml OP	 Stocrin S29
ETRAVIRINE - Special Authority see SA1364 on the	previous page - Retail pha	rmacy	
Tab 200 mg		60	 Intelence
NEVIRAPINE - Special Authority see SA1364 on the	previous page - Retail pha	rmacy	
Tab 200 mg		60	 Nevirapine
			<u>Alphapharm</u>
Oral suspension 10 mg per ml		240 ml	 Viramune
			Suspension

\$ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's P \$	rice) Subsi Per	Fully Brand or idised Generic ✓ Manufacturer
Nucleosides Reverse Transcriptase Inhibitors			
BACAVIR SULPHATE – Special Authority see SA1364 on pa Tab 300 mg Oral liq 20 mg per ml	229.00	60 240 ml OP	✓ <u>Ziagen</u> ✓ <u>Ziagen</u>
BACAVIR SULPHATE WITH LAMIVUDINE – Special Authori Note: abacavir with lamivudine (combination tablets) count anti-retroviral Special Authority. Tet Coordinal Special Authority.	ts as two anti-retro	viral medicatior	ns for the purposes of the
Tab 600 mg with lamivudine 300 mg		30	 Kivexa
IDANOSINE [DDI] – Special Authority see SA1364 on page 1			✓ Videx EC
Cap 125 mg Cap 200 mg		30 30	Videx EC
Cap 250 mg		30	✓ Videx EC
Cap 200 mg		30	✓ Videx EC
/idex EC Cap 125 mg to be delisted 1 July 2017) /idex EC Cap 200 mg to be delisted 1 July 2017) /idex EC Cap 250 mg to be delisted 1 July 2017) /idex EC Cap 400 mg to be delisted 1 July 2017)			
FAVIRENZ WITH EMTRICITABINE AND TENOFOVIR DISOF age 110 – Retail pharmacy Note: Efavirenz with emtricitabine and tenofovir disoproxil purposes of the anti-retroviral Special Authority Tab 600 mg with emtricitabine 200 mg and tenofovir disopr fumarate 300 mg	fumarate counts as oxil	•	
MTRICITABINE – Special Authority see SA1364 on page 110 Cap 200 mg		y 30	✓ Emtriva
MTRICITABINE WITH TENOFOVIR DISOPROXIL FUMARAT harmacy Note: Emtricitabine with tenofovir disoproxil fumarate coun anti-retroviral Special Authority	·	,	
Tab 200 mg with tenofovir disoproxil fumarate 300 mg	838.20	30	 Truvada
AMIVUDINE – Special Authority see SA1364 on page 110 – F Tab 150 mg		60	 Lamivudine Alphapharm
Oral lig 10 mg per ml	102 50	240 ml OP	✓ 3TC
TAVUDINE [D4T] – Special Authority see SA1364 on page 1 Cap 40 mg	10 – Retail pharma		✓ Zerit
Powder for oral soln 1 mg per ml		200 ml OP	✓ Zerit S29
		200 IIII OF	
Zerit Cap 40 mg to be delisted 1 July 2017) Zerit Powder for oral soln 1 mg per ml to be delisted 1 Ju	ıly 2017)		
IDOVUDINE [AZT] - Special Authority see SA1364 on page 1			
Cap 100 mg Oral lig 10 mg per ml		100 200 ml OP	 ✓ <u>Retrovir</u> ✓ Retrovir
IDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority so Note: zidovudine [AZT] with lamivudine (combination table the anti-retroviral Special Authority.	ee SA1364 on pag	e 110 – Retail p	pharmacy
Tab 300 mg with lamivudine 150 mg	44.00	60	 Alphapharm

	Subsidy		Fully Brand or
	(Manufacturer's Prices	ce) Subsid Per	dised Generic Manufacturer
	φ	rei	
Protease Inhibitors			
ATAZANAVIR SULPHATE - Special Authority see SA1364 on p			
Cap 150 mg		60	Reyataz
Cap 200 mg		60	 Reyataz
DARUNAVIR – Special Authority see SA1364 on page 110 – Re			
Tab 400 mg		60	Prezista
Prezista to be Sole Supply on 1 July 2017	170.00		
Tab 600 mg		60	Prezista
Prezista to be Sole Supply on 1 July 2017			
INDINAVIR – Special Authority see SA1364 on page 110 – Reta			_
Cap 200 mg		360	 Crixivan
Cap 400 mg	519.75	180	 Crixivan
OPINAVIR WITH RITONAVIR – Special Authority see SA1364	on page 110 - Re	tail pharmacy	
Tab 100 mg with ritonavir 25 mg		60	 Kaletra
Tab 200 mg with ritonavir 50 mg	735.00	120	 Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	 Kaletra
RITONAVIR – Special Authority see SA1364 on page 110 – Reta	ail pharmacy		
Tab 100 mg		30	 Norvir
Oral liq 80 mg per ml		90 ml OP	 Norvir
Strand Transfer Inhibitors			
DOLUTEGRAVIR – Special Authority see SA1364 on page 110 -	 Retail pharmacy 		
Tab 50 mg	1,090.00	30	 Tivicay
RALTEGRAVIR POTASSIUM – Special Authority see SA1364 o	n page 110 – Reta	il pharmacy	
Tab 400 mg		60	 Isentress
-			
Antiretrovirals - Additional Therapies			
HIV Fusion Inhibitors			
ENFUVIRTIDE – Special Authority see SA0845 below – Retail pl			<i>.</i> -
Powder for inj 90 mg per ml × 60		1	 Fuzeon
(Fuzeon Powder for inj 90 mg per ml \times 60 to be delisted 1 June 2	2017)		
SA0845 Special Authority for Subsidy			
Initial application only from a named specialist. Approvals valid	for 3 months for a	pplications me	eeting the following criteria:
All of the following:			
 Confirmed HIV infection; and 			
2 Enfuvirtide to be given in combination with optimized back		cluding at leas	st 1 other antiretroviral drug th
the patient has never previously been exposed to) for trea	tment failure; and		
3 Either:			
3.1 Patient has evidence of HIV replication, despite on	going therapy; or		
3.2 Patient has treatment-limiting toxicity to previous a	ntiretroviral agents	; and	
4 Previous treatment with 3 different antiretroviral regimens	has failed; and		
5 All of the following:			
5.1 Previous treatment with a non-nucleoside reverse t	transcrintasa inhih	itor has failed.	and

5.2 Previous treatment with a nucleoside reverse transcriptase inhibitor has failed; and

continued...

‡ safety cap

 \blacktriangle Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

INFECTIONS - AGENTS FOR SYSTEMIC USE

Subsic	ly Full	y Brand or
(Manufacture	r's Price) Subsidise	d Generic
\$	Per 🖌	Manufacturer

continued...

5.3 Previous treatment with a protease inhibitor has failed.

Renewal only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Evidence of at least a 10 fold reduction in viral load at 12; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects.

Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - · PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (< 2.0 × 10⁹) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

a) See prescribing guideline above

b) Prescriptions must be written by, or on the recommendation of	, an interna	medicine	physician or ophthalmologist
Inj 3 m iu prefilled syringe	31.32	1	 Roferon-A

INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

a) See prescribing guideline above

b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

Inj 18 m iu, 1.2 ml multidose pen	206.71	1	 Intron-A
Inj 30 m iu, 1.2 ml multidose pen	344.52	1	 Intron-A
Inj 60 m iu, 1.2 ml multidose pen	689.04	1	 Intron-A

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Subsi	dised	Generic
	\$	Per	1	Manufacturer
PEGYLATED INTERFERON ALFA-2A – Special Authority see S	A1400 below – Retai	l pharmacy	1	
See prescribing guideline on the previous page				
Inj 180 mcg prefilled syringe		4	🗸 P	egasys
Inj 135 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times				
168	1,975.00	1 OP	✓ <u>P</u>	egasys RBV
				Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times				
112	1,159.84	1 OP	✓ <u>P</u>	egasys RBV
				Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times				
168	1,290.00	1 OP	✓ <u>P</u>	egasys RBV
				Combination Pack

⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or

*Three months or six months, as applicable, dispensed all-at-once

- 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	~	Manufacturer

continued...

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and
- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

Н	IEXAMINE HIPPURATE			
*	€ Tab 1 g	0 10	00	
	(38.1			Hiprex
Ν	IITROFURANTOIN			
*	 Tab 50 mg – For nitrofurantoin oral liquid formulation refer, 			
	page 216	0 10	> 00	Nifuran
*	€ Tab 100 mg	0 10	• 00	Nifuran
Ν	IORFLOXACIN			
	Tab 400 mg - Subsidy by endorsement13.5	0 10	• 00	Arrow-Norfloxacin

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

	Subsidy		Fully Brand or
	(Manufacturer's Price)	ę	Subsidised Generic
	\$	Per	 Manufacturer
Anticholinesterases			
NEOSTIGMINE METILSULFATE			
Inj 2.5 mg per ml, 1 ml ampoule	98.00	50	✓ AstraZeneca
		00	Astrazeneou
PYRIDOSTIGMINE BROMIDE Tab 60 mg	10 70	100	 Mestinon
		100	• <u>Mestinon</u>
Non-Steroidal Anti-Inflammatory Drugs			
DICLOFENAC SODIUM			
* Tab EC 25 mg		50	 Diclofenac Sandoz
* Tab 50 mg dispersible		20	Voltaren D
* Tab EC 50 mg		50	Diclofenac Sandoz
* Tab long-acting 75 mg		500	✓ <u>Apo-Diclo SR</u>
 Tab long-acting 100 mg Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on 		500 5	 ✓ <u>Apo-Diclo SR</u> ✓ Voltaren
* Suppos 12.5 mg		10	✓ Voltaren
* Suppos 25 mg		10	✓ Voltaren
 Suppos 50 mg – Up to 10 supp available on a PSO 		10	✓ Voltaren
* Suppos 100 mg		10	✓ Voltaren
IBUPROFEN			
* Tab 200 mg	9.45	1.000	✓ Ibugesic
* Tab long-acting 800 mg		30	✓ Brufen SR
*+ Oral liq 20 mg per ml		200 ml	
KETOPROFEN			·
* Cap long-acting 200 mg	12.07	28	✓ Oruvail SR
MEFENAMIC ACID			
* Cap 250 mg	1.05	50	
* Oap 230 mg	(9.16)	50	Ponstan
	0.50	20	ronstan
	(5.60)		Ponstan
NAPROXEN	()		
* Tab 250 mg	18.06	500	 Noflam 250
* Tab 500 mg		250	✓ Noflam 500
* Tab long-acting 750 mg		28	✓ Naprosyn SR 750
5 5 5	18.00	90	 Naprosyn SR 750
* Tab long-acting 1 g	6.53	28	 Naprosyn SR 1000
	21.00	90	 Naprosyn SR 1000
SULINDAC			
* Tab 100 mg	8.55	50	🖌 Aclin
* Tab 200 mg		50	 Aclin
TENOXICAM			
* Tab 20 mg		100	✓ Tilcotil
* Inj 20 mg vial		1	✓ AFT
NSAIDs Other			
MELOXICAM - Special Authority see SA1034 on the next part	ne – Retail pharmaou		
* Tab 7.5 mg		30	 Arrow-Meloxicam
		00	

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

⇒SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% – Special Authority see SA1289 below – Retail		
pharmacy	5 25 g OP	 Zostrix
9.95	5 45 g OP	 Zostrix

⇒SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

AURANOFIN - Subsidy by endorsement

Subsidised for patients who were taking auranofin tab prior to	1 April 2017 and	the prescriv	ntion is endorsed accordingly
Pharmacists may annotate the prescription as endorsed where			
Tab 3 mg		100	✓ Ridaura s29 s29
(Ridaura s29 S29 Tab 3 mg to be delisted 1 September 2017)			
HYDROXYCHLOROQUINE			
* Tab 200 mg		100	Plaquenil
LEFLUNOMIDE			
Tab 10 mg	2.90	30	Apo-Leflunomide
C C	55.00		 Arava
Tab 20 mg	2.90	30	Apo-Leflunomide
	76.00		 Arava
PENICILLAMINE			
Tab 125 mg	67.23	100	 D-Penamine
Tab 250 mg	110.12	100	 D-Penamine
SODIUM AUROTHIOMALATE			
Inj 10 mg in 0.5 ml ampoule		10	 Myocrisin
Inj 20 mg in 0.5 ml ampoule		10	 Myocrisin
Inj 50 mg in 0.5 ml ampoule	217.23	10	 Myocrisin

Fully

Subsidy (Manufacturer's Price)

\$

Subsidised Per ✓ Brand or Generic Manufacturer

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \ge 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \le -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents). Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause - osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \ge 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \le -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or

*Three months or six months, as applicable, dispensed all-at-once

- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause Osteoporosis' criteria) or raloxifene.

Notes:

a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA).

continued...

‡ safety cap

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidis	sed	Generic
\$	Per	✓	Manufacturer

continued...

Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.

- b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

AL	ALENDRONATE SODIUM – Special Authority see SA1039 on the previous page – Retail pharmacy						
*	Tab 70 mg		4	Fosamax			
AL	ENDRONATE SODIUM WITH COLECALCIFEROL	- Special Authority see SA103	9 on the	previous page – Retail pharmacy			
*	Tab 70 mg with colecalciferol 5,600 iu		4	 Fosamax Plus 			

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM – Special Authority see SA0949 above – Retail pharmacy * Tab 40 mg	30	✓ Fosamax
Other Treatments		
ETIDRONATE DISODIUM – See prescribing guideline below * Tab 200 mg	100 and repeat	✓ <u>Arrow-Etidronate</u> ed every three months. It should
not be taken at the same time of the day as any calcium supplementation (minimum d calcium). Etidronate should be taken at least 2 hours before or after any food or fluid,	lose – 500 r	ng per day of elemental
PAMIDRONATE DISODIUM		
Inj 3 mg per ml, 10 ml vial6.80	1	Pamisol
Inj 6 mg per ml, 10 ml vial13.20	1	Pamisol
Inj 9 mg per ml, 10 ml vial19.20	1	Pamisol
RALOXIFENE HYDROCHLORIDE - Special Authority see SA1138 on the next page	- Retail ph	armacy
* Tab 60 mg53.76	28	✓ Evista

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsidi	sed	Generic	
\$	Per	1	Manufacturer	

■ SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-year risk of hip fracture \ge 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes): or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and guantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has guantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

BISEDBONATE SODIUM

Tab 35 mg	3.80	4	 Risedronate Sandoz
TERIPARATIDE - Special Authority see SA1139 below - Retail phar	macy		
Inj 250 mcg per ml, 2.4 ml	.490.00	1	 Forteo

■ SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the following:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and
- 3 The patient has had two or more fractures due to minimal trauma: and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).

Notes:

- a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
- b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves

continued...

‡ safety cap

	Subsidy	F	ully	Brand or
(Ma	nufacturer's Price)	Subsidi	sed	Generic
	\$	Per	~	Manufacturer

continued...

the minimum requirement of 12 months' continuous therapy.

- c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
- d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

Inj 0.05 mg per ml, 100 ml, vial – Special Authority see

SA1187 below – Retail pharmacy600.00

0.00 100 ml OP

Aclasta

► SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:

[HP4] refer page 4

- 2.1 The patient has documented BMD \ge 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \le -1.5) (see Note); or
- 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
- 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

1 Any of the following:

- 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
- 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
- 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score \leq -3.0 (see Note); or

*Three months or six months, as applicable, dispensed all-at-once

- 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

((Subsidy Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Hyperuricaemia and Antigout				
ALLOPURINOL				
* Tab 100 mg	15.11	1,000		<u>llopurinol-Apotex</u> po-Allopurinol
* Tab 300 mg – For allopurinol oral liquid formulation refer,				
page 216	15.91	500	_	<u>llopurinol-Apotex</u> po-Allopurinol
(Apo-Allopurinol Tab 100 mg to be delisted 1 June 2017) (Apo-Allopurinol Tab 300 mg to be delisted 1 June 2017)				
BENZBROMARONE - Special Authority see SA1537 below - Reta	ail pharmacy			
Tab 100 mg		100	✓ B	enzbromaron AL 100 S29
■ SA1537 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid f	or 6 months for ap	olicatio	ons meeting	the following criteria:

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/home/resources-2/

124

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	1	Manufacturer	

⇒SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

PROBENECID

*	Tab 500 mg	55.00	100	Probenecid-AFT
Ν	uscle Relaxants			
BA	CLOFEN			
*	Tab 10 mg - For baclofen oral liquid formulation refer, page	e 2163.85	100	 Pacifen
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorseme		1	 Lioresal Intrathecal
	Subsidised only for use in a programmable pump in pa			ents have been ineffective or have
	caused intolerable side effects and the prescription is e	•	· .	• • • • • • •
	Inj 2 mg per ml, 5 ml ampoule - Subsidy by endorsement		. 1	 Lioresal Intrathecal
	Subsidised only for use in a programmable pump in pa caused intolerable side effects and the prescription is e			ents have been ineffective or have
DA	NTROLENE			
	Cap 25 mg	65.00	100	 Dantrium
				Dantrium S29 S29
	Cap 50 mg	77.00	100	 Dantrium
(Da	ntrium S29 S29 Cap 25 mg to be delisted 1 October 2017)			
OR	PHENADRINE CITRATE			
	Tab 100 mg		100	✓ Norflex

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	1	Manufacturer
Agents for Parkinsonism and Related Disorde	rs			
Dopamine Agonists and Related Agents				
AMANTADINE HYDROCHLORIDE				
▲ Cap 100 mg		60	v <u>s</u>	Symmetrel
APOMORPHINE HYDROCHLORIDE ▲ Inj 10 mg per ml, 2 ml ampoule	110.00	5	~ 1	Movapo
		5	• 1	lovapo
BROMOCRIPTINE MESYLATE * Tab 2.5 mg	32.08	100	1	Apo-Bromocriptine
ENTACAPONE		100	• •	
▲ Tab 200 mg		100	🗸 E	Entapone
			=	
 Tab dispersible 50 mg with benserazide 12.5 mg 		100	√ I	Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg	8.00	100		Madopar 62.5
* Cap 100 mg with benserazide 25 mg		100		Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100	I	Madopar HBS
* Cap 200 mg with benserazide 50 mg		100	✓ I	Madopar 250
LEVODOPA WITH CARBIDOPA				
* Tab 100 mg with carbidopa 25 mg - For levodopa with				
carbidopa oral liquid formulation refer, page 216		100	✓ ł	Kinson
			√ 9	Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg	47.50	100	√ 9	Sinemet CR
* Tab 250 mg with carbidopa 25 mg	40.00	100	√ 9	Sinemet
PRAMIPEXOLE HYDROCHLORIDE				
▲ Tab 0.25 mg	7.20	100	🖌 F	Ramipex
▲ Tab 1 mg		100		Ramipex
ROPINIROLE HYDROCHLORIDE				
▲ Tab 0.25 mg	2.78	100	I	Apo-Ropinirole
▲ Tab 1 mg		100		Apo-Ropinirole
▲ Tab 2 mg		100		Apo-Ropinirole
▲ Tab 5 mg		100		Apo-Ropinirole
SELEGILINE HYDROCHLORIDE				
* Tab 5 mg		100	I	Apo-Selegiline
0				S29 S29
TOLCAPONE				
▲ Tab 100 mg		100	✓ 1	Tasmar
			-	
Anticholinergics				
BENZATROPINE MESYLATE			_	_
Tab 2 mg		60		Benztrop
Inj 1 mg per ml, 2 ml	95.00	5		Cogentin
	190.00	10	✓ (Omega S29
a) Up to 10 inj available on a PSO				
b) Only on a PSO				
PROCYCLIDINE HYDROCHLORIDE				

			NER	VOUS SYSTEM
	Subsidy (Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Agents for Essential Tremor, Chorea and Relat	ed Disorders			
RILUZOLE - Special Authority see SA1403 below - Retail phar	macy			
Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	400.00	56	./ 🗖	lilutek S29
		56	• 6	inulek 529
SA1403 Special Authority for Subsidy nitial application only from a neurologist or respiratory speciali	et Approvale valid fr	r 6 months	for an	alications mosting the
ollowing criteria:	st. Approvais valiu it		ioi app	plications meeting the
All of the following:				
1 The patient has amyotrophic lateral sclerosis with diseas	e duration of 5 years	or less: and	1	
2 The patient has at least 60 percent of predicted forced vi				initial application; and
3 The patient has not undergone a tracheostomy; and				
4 The patient has not experienced respiratory failure; and				
5 Any of the following:				
5.1 The patient is ambulatory; or				
5.2 The patient is able to use upper limbs; or				
5.3 The patient is able to swallow.				
Renewal from any relevant practitioner. Approvals valid for 18 r	months for applicatior	is meeting	the follo	owing criteria:
All of the following:				
1 The patient has not undergone a tracheostomy; and				
2 The patient has not experienced respiratory failure; and3 Any of the following:				
, .				
3.1 The patient is ambulatory; or3.2 The patient is able to use upper limbs; or				
3.3 The patient is able to swallow.				
ETRABENAZINE				
Tab 25 mg	91 10	112	🖌 M	lotetis
Tab 23 mg		112	• •	lotetis
Anaesthetics				
Local				
IDOCAINE [LIGNOCAINE]				
Gel 2%, 10 ml urethral syringe – Subsidy by endorsement		10	✓ P	fizer
a) Up to 5 each available on a PSO	- destate to the second state			- de acteria de la construction
b) Subsidised only if prescribed for urethral or cervical	administration and th	e prescripti	on is er	ndorsed accordingly.
IDOCAINE [LIGNOCAINE] HYDROCHLORIDE				
Oral (viscous) soln 2%		200 ml		Viocaine Viscous
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO		25	✓ L	idocaine-Claris
	17.50	50	v	Waaaina
Ini 2% 5 ml ampaula Un ta 5 ini available an a BCO	(35.00)	25		ylocaine
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO		25 1		idocaine-Claris idocaine-Claris
	2.40 12.00	1 5	ΨL	
	(20.00)	5	Y	ylocaine
Inj 1%, 20 ml vial – Up to 5 inj available on a PSO		5		idocaine-Claris
Inj 2%, 20 ml ampoule – Up to 5 inj available on a PSO		1		idocaine-Claris
	·····	•		
Inj 2%, 20 ml vial – Up to 5 inj available on a PSO		5	✓ L	idocaine-Claris

\$ safety cap
*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price) Subs	idised	Generic
	\$	Per	~	Manufacturer
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE				
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes -				
· · · · · · · · · · · · · · · · · · ·		10	✓ P	finar
Subsidy by endorsement		10	• •	lizer
a) Up to 5 each available on a PSO				
 b) Subsidised only if prescribed for urethral or cervical 	administration and th	e prescripti	on is er	idorsed accordingly.
Topical Local Anaesthetics				
- CA000C Creatial Authority for Subaidy				
► SA0906 Special Authority for Subsidy	lid for O			d
Initial application from any relevant practitioner. Approvals va	and for 2 years where t	ine patient	is a chil	a with a chronic medical
condition requiring frequent injections or venepuncture.				
Renewal from any relevant practitioner. Approvals valid for 2 y	ears where the treatm	ient remain	s appro	priate and the patient is
benefiting from treatment.				
LIDOCAINE [LIGNOCAINE] - Special Authority see SA0906 at	bove – Retail pharma	су		
Crm 4%		30 g OP	🗸 L	MX4
Crm 4% (5 g tubes)		5	🗸 L	MX4
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Aut	hority see SA0906 ab	ove – Reta	il nharm	acv
Crm 2.5% with prilocaine 2.5%		30 g OP	✓ E	
Crm 2.5% with prilocaine 2.5% (5 g tubes)		5	✓ E	
		U		
Analgesics				
Analycolog				
For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL,	page 117			
Non-opioid Analgesics				
For contrin 9 chloroform application refer Standard Formulae a	ore 010			
For aspirin & chloroform application refer Standard Formulae, p	lage 219			
ASPIRIN				
* Tab dispersible 300 mg – Up to 30 tab available on a PSO	3.90	100	✓ <u>E</u>	thics Aspirin
CAPSAICIN – Subsidy by endorsement				
Subsidised only if prescribed for post-herpetic neuralgia or	diabetic peripheral ne	uronathy a	nd the n	rescription is endorsed
accordingly.		aropatry a		
Crm 0.075%	12 50	45 g OP	17	ostrix HP
	12.00			
NEFOPAM HYDROCHLORIDE	00.40	~~		
Tab 30 mg	23.40	90	✓ A	cupan
PARACETAMOL				
* Tab 500 mg - Up to 30 tab available on a PSO		1,000	✓ <u>P</u>	harmacare
*‡ Oral liq 120 mg per 5 ml		1,000 ml	✓ P	aracare
a) Up to 200 ml available on a PSO			_	
b) Not in combination				
*‡ Oral liq 250 mg per 5 ml	4 35	1.000 ml	✓ P	aracare Double
		.,	· <u>-</u>	Strength
a) Up to 100 ml available on a PSO				<u>y</u>
b) Not in combination				
* Suppos 125 mg	0.60	10	10	acet
ふ ひいりつち 120 III いいいろう いっちょう いちょう いちょう いちょう いちょう いちょう いちょう いちょう い			✓ U	
* Suppos 250 mg			_	
* Suppos 250 mg * Suppos 500 mg	3.79	10 10 50	✓ <u>G</u>	acet aracare

	Subsidy (Manufacturer's Price) \$	Subs Per	Fully sidised	Brand or Generic Manufacturer
Opioid Analgesics				
CODEINE PHOSPHATE - Safety medicine; prescriber may det	ermine dispensing fre	quency		
Tab 15 mg		100	✓ PS	
Tab 30 mg		100	✓ <u>P</u>	
Tab 60 mg		100	✓ <u>P</u>	SM
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	9.55	60	✓ <u>D</u>	HC Continus
FENTANYL				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing fr				
Inj 50 mcg per ml, 2 ml ampoule		10		oucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10		oucher and Muir
Patch 12.5 mcg per hour		5		entanyl Sandoz
Patch 25 mcg per hour		5 5		entanyl Sandoz entanyl Sandoz
Patch 50 mcg per hour Patch 75 mcg per hour		5 5		entanyi Sandoz
Patch 100 mcg per hour		5		entanyl Sandoz
		0	• 10	Sintanyi GanaG2
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug formb) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing fr	equency			
 d) Extemporaneously compounded methadone will only be 		e of the ch	eanest f	orm available
(methadone powder, not methadone tablets).			oupoori	
e) For methadone hydrochloride oral liquid refer Standard F	Formulae, page 219			
Tab 5 mg		10	🗸 M	ethatabs
the second	5.55	200 ml	🖌 Bi	iodone
the second		200 ml		iodone Forte
the second		200 ml		iodone Extra Forte
Inj 10 mg per ml, 1 ml	61.00	10	🗸 Al	FT
MORPHINE HYDROCHLORIDE				
 a) Only on a controlled drug form 				
 b) No patient co-payment payable 				
c) Safety medicine; prescriber may determine dispensing fr				
+ Oral liq 1 mg per ml		200 ml		A-Morph
+ Oral liq 2 mg per ml		200 ml		<u>A-Morph</u> A Morph
 Cral liq 5 mg per ml Oral lig 10 mg per ml 		200 ml 200 ml		<u>A-Morph</u> A-Morph
			• <u>n</u> /	<u>-morph</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

Fully	
Subsidised	d Generic Manufacturer
	manadator
0 🗸	Sourcedal
	Sevredol Arrent Merekine I A
	Arrow-Morphine LA
	Sevredol
	Arrow-Morphine LA
	Arrow-Morphine LA
	Arrow-Morphine LA
-	m-Eslon
-	m-Eslon
-	m-Eslon
	m-Eslon
5 🗸	DBL Morphine
	Sulphate Sulphate
5 🗸	DBL Morphine
	Sulphate
5 🗸	DBL Morphine
	Sulphate
5 🗸	DBL Morphine
, .	Sulphate
	oupliate
5 🗸	DBL Morphine
	Tartrate
5 🖌	Hospira
	•
	BNM
	OxyNorm
	OxyNorm
0 🖌	OxyNorm
) ml 🖌	OxyNorm
5 🖌	OxyNorm
5 🖌	OxyNorm
	OxyNorm
ing frequence	
100 V	Paracetamol + Codeine (Relieve)

(Manufacture's Price) Subsidied Generic 8 Per ✓ Manufacturer PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency 1 50 mg 446 10 ✓ PSM Tab 100 mg 1ml - Up to 5 inj available on a PSO 5.51 ✓ DBL Pethidine Hydrochloride Hydrochloride Hydrochloride Hydrochloride Hydrochloride TRAMADOL HYDROCHLORIDE 2.00 20 ✓ Tramal SR 100 Tab sustained-release 100 mg 3.00 20 ✓ Tramal SR 100 Tab sustained-release 200 mg 4.00 20 ✓ Tramal SR 200 Cap 50 mg - For tramadol hydrochloride oral liquid formulation 1.68 100 ✓ Arrow-Amitriptyline Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 3.51 100 ✓ Arrow-Amitriptyline Tab 50 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 3.51		Subsidy		Fully	Brand or
PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency ln 50 mg per ml, 1 ml – Up to 5 in j available on a PSO			_		
a) Only on a controlled drug form b) No patient co-payment payable c) Sately medicine; prescriber may determine dispensing frequency Tab 50 mg		\$	Per		Manufacturer
 b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing frequency Tab 50 mg g	PETHIDINE HYDROCHLORIDE				
c) Safety medicine; prescriber may determine dispensing frequency Tab 50 mg	 a) Only on a controlled drug form 				
Tab 50 mg 4.46 10 ✓ PSM Tab 100 mg	, , , , , ,				
Tab 100 mg	, , , , , , , , , , , , , , , , , , , ,	1 2			
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO					
Hydrochloride Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO				-	
Inj 50 mg per ml, 2 ml - Up to 5 inj available on a PSO	Inj 50 mg per mi, 1 mi – Up to 5 inj available on a PSO	5.51	5	•	
Hydrochloride TRAMADOL HYDROCHLORIDE Tab sustained-release 100 mg. 2.00 20 ✓ Tramal SR 100 Tab sustained-release 100 mg. 3.00 20 ✓ Tramal SR 200 Cap 50 mg – For tramadol hydrochloride oral liquid formulation refer, page 216 2.50 100 ✓ Arrow-Tramadol Antidepressants 2.50 100 ✓ Arrow-Amitriptyline Tab 25 mg. 1.68 100 ✓ Arrow-Amitriptyline Tab 25 mg. 1.68 100 ✓ Arrow-Amitriptyline Tab 25 mg. 2.82 100 ✓ Appo-Clomipramine Tab 25 mg. Appo-Clomipramine tab 25 mg. Appo-Clomipramine tab 25 mg. Appo-Clomipramine tab 25 mg. 100 ✓ Appo-Clomipramine tab 25 mg. Anten DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg. C451 00 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg. C486 100 ✓ Anten Cap 25 mg. 6.45 100 ✓ Anten Cap 25 mg. C4 Anten Cap 25 mg. 6.30 100	lai 50 ma ann al 0 ml - Lla ta 5 ini cucilable en e DCO	F 00	~		
TRAMADOL HYDROCHLORIDE 2.00 20 ✓ Tramal SR 100 Tab sustained-release 100 mg. 3.00 20 ✓ Tramal SR 150 Tab sustained-release 100 mg. 4.00 20 ✓ Tramal SR 200 Cap 50 mg - For tramadol hydrochloride oral liquid formulation refer, page 216 .4.00 20 ✓ Arrow-Tramadol Antidepressants Cyclic and Related Agents .2.50 100 ✓ Arrow-Amitriptyline Tab 50 mg .4.00 20 ✓ Arrow-Amitriptyline Tab 50 mg .4.00 .4.00 .4.00 20 ✓ Arrow-Amitriptyline Tab 50 mg .4.00 .2.00 .4.00 .4.00 .4.00 .4.00 .4.00 .5.00	inj 50 mg per mi, 2 mi – 0p to 5 inj available on a PSO	5.83	5	•	
Tab sustained-release 100 mg. 2.00 20 ✓ Tramal SR 100 Tab sustained-release 150 mg. 3.00 20 ✓ Tramal SR 100 Tab sustained-release 00 mg. 4.00 20 ✓ Tramal SR 200 Cap 50 mg - For tramadol hydrochloride oral liquid formulation refer, page 216 2.50 100 ✓ Arrow-Tramadol Antidepressants Cyclic and Related Agents 3.00 2.50 100 ✓ Arrow-Amitriptyline Tab 50 mg 1.68 100 ✓ Arrow-Amitriptyline 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg 1.68 100 ✓ Arrow-Amitriptyline 1.68 100 ✓ Arrow-Amitriptyline CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 1.2.60 100 ✓ Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg 6.45 100 ✓ Anten Cap 50 mg 6.45 100 ✓ Anten 6.58 60 ✓ Tofranil DOXEULPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 7.4 7.4 7.00 7.00 Apo-Clomipramine 6.86 10					Hydrochloride
Tab sustained-release 200 mg 3.00 20 ✓ Tramal SR 150 Tab sustained-release 200 mg 4.00 20 ✓ Tramal SR 200 Cap 50 mg For tramadol hydrochloride oral liquid formulation refer, page 216 100 ✓ Arrow-Tramadol Antidepressants Cyclic and Related Agents 100 ✓ Arrow-Amitriptyline Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg 2.82 100 ✓ Arrow-Amitriptyline Tab 50 mg 2.82 100 ✓ Arrow-Amitriptyline Tab 25 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 25 mg 6.68 100 ✓ Apo-Clomipramine Tab 25 mg 6.68 100 ✓ Apo-Clomipramine Tab 25 mg 6.45 100 ✓ Apo-Clomipramine DOSULEPIN IDOTHIEPINI HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg 11.19 100 ✓ Dopress Cap 25 mg 6.46 100 ✓ Anten 29 cm 29 cm Cap 25 mg 6.86 100 ✓ Anten 29 cm 29 cm Cap 25 mg 6.86 00 <					
Tab sustained-release 200 mg 4.00 20 ✓ Tramal SR 200 Cap 50 mg - For tramadol hydrochloride oral liquid formulation refer, page 216 250 100 ✓ Arrow-Tramadol Antidepressants Cyclic and Related Agents AmitriptyLINE - Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg .68 100 ✓ Arrow-Amitriptyline 7.68 100 ✓ Arrow-Amitriptyline Tab 50 mg .68 100 ✓ Arrow-Amitriptyline 7.68 100 ✓ Apo-Clomipramine Tab 50 mg .68 100 ✓ Apo-Clomipramine 7.60 100 ✓ Apo-Clomipramine Tab 10 mg .6.45 100 ✓ Apo-Clomipramine 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 6.30 100 ✓ Anten Cap 25 mg .6.45 100 ✓ Anten 2.90 2.90 DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 10.96 100 ✓ Anten Cap 25 mg .6.45 100 ✓ Anten				-	
Cap 50 mg – For tramadol hydrochloride oral liquid formulation refer, page 216. 2.50 100 ✓ Arrow-Tramadol Antidepressants Cyclic and Related Agents AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 25 mg Tab 25 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 25 mg 2.82 100 ✓ Arrow-Amitriptyline Tab 25 mg CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 2.82 100 ✓ Apo-Clomipramine Tab 25 mg DOSULEPIN (DOTHIEPINJ HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 25 mg 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg 6.86 100 ✓ Anten Cap 25 mg DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 6.86 100 ✓ Anten Cap 25 mg MIRRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 5.48 50 ✓ Tofranil 4.53 MINRPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 7.52 30 ✓ Ludiomil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may	5			-	
refer, page 216 2.50 100 Arrow-Tramadol Antidepressants Cyclic and Related Agents AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg 2.82 100 ✓ Arrow-Amitriptyline Tab 50 mg 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 8.68 100 ✓ Apo-Clomipramine DOSULEPIN IDOTHIEPINI HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency ✓ Apo-Clomipramine Tab 75 mg 6.45 100 ✓ Anten Cap 25 mg 6.66 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 25 mg 5.48 50 ✓ Tofran	Ū		20	~	Tramal SR 200
Antidepressants Cyclic and Related Agents AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 1.68 100 Arrow-Amitriptyline Tab 50 mg 1.68 100 Arrow-Amitriptyline Tab 50 mg 2.82 10 Arrow-Amitriptyline Tab 50 mg 2.82 100 Arrow-Amitriptyline Tab 50 mg 2.82 100 Apo-Clomipramine Tab 25 mg 12.60 100 Apo-Clomipramine Tab 25 mg 8.68 100 Apo-Clomipramine DOSULEPIN IDOTHIEPINJ HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg Cap 25 mg Cap 25 mg 6.45 100 V Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg Cap 26 mg Cap 25 mg 6.86 100 Anten Cap 25 mg 6.86 100 Anten Cap 25 mg 6.86 100 Anten Cap 25 mg 5.48 50 Tofranil MIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency			100		
Cyclic and Related Agents AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency 1.68 100 ✓ Arrow-Amitriptyline Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg 2.82 100 ✓ Arrow-Amitriptyline Tab 10 mg 2.82 100 ✓ Arrow-Amitriptyline CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 8.68 100 ✓ Apo-Clomipramine 500 Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 11.19 100 ✓ Dopress Cap 25 mg 6.45 100 ✓ Dopress 200 DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg 6.30 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten 289 289 289 289 289 289 289 289 289 288 29 289 289 289 289 289 289 289 289 289 289 289 <td>refer, page 216</td> <td>2.50</td> <td>100</td> <td>•</td> <td>Arrow-Tramadol</td>	refer, page 216	2.50	100	•	Arrow-Tramadol
Cyclic and Related Agents AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency 1.68 100 ✓ Arrow-Amitriptyline Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg 2.82 100 ✓ Arrow-Amitriptyline Tab 10 mg 2.82 100 ✓ Arrow-Amitriptyline CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 8.68 100 ✓ Apo-Clomipramine 500 Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 11.19 100 ✓ Dopress Cap 25 mg 6.45 100 ✓ Dopress 200 DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg 6.30 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten 289 289 289 289 289 289 289 289 289 288 29 289 289 289 289 289 289 289 289 289 289 289 <td>Antidepresents</td> <td></td> <td></td> <td></td> <td></td>	Antidepresents				
AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg1.68 100	Annoepressants				
AMITRIPTYLINE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg1.68 100	Cuolic and Polated Agenta				
Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 25 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg 2.82 100 ✓ Arrow-Amitriptyline CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Apo-Clomipramine Tab 25 mg 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 8.68 100 ✓ Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency ✓ Apo-Clomipramine DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency ✓ Anten Cap 25 mg 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 50 mg 8.55 100 ✓ Anten Cap 50 mg 8.68 50 ✓ Tofranil MIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg ✓ Safety medicine; prescriber may de	Cyclic and helated Agents				
Tab 10 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 25 mg 1.68 100 ✓ Arrow-Amitriptyline Tab 50 mg 2.82 100 ✓ Arrow-Amitriptyline CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Apo-Clomipramine Tab 25 mg 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 8.68 100 ✓ Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency ✓ Apo-Clomipramine DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency ✓ Anten Cap 25 mg 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 50 mg 8.55 100 ✓ Anten Cap 50 mg 8.68 50 ✓ Tofranil MIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg ✓ Safety medicine; prescriber may de	AMITRIPTYLINE - Safety medicine; prescriber may determine	dispensing frequency			
Tab 50 mg .2.82 100 ✓ Arrow-Amitriptyline CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg .12.60 100 ✓ Apo-Clomipramine Tab 25 mg .8.68 100 ✓ Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg .11.19 100 ✓ Dopress Cap 25 mg .6.45 100 ✓ Anten Cap 25 mg Cap 10 mg .6.30 100 ✓ Anten Cap 25 mg .6.30 100 ✓ Anten Cap 25 mg .6.35 100 ✓ Anten Cap 25 mg .6.35 100 ✓ Anten .6.86 100 ✓ Anten Cap 25 mg .6.86 100 ✓ Anten .6.86 100 ✓ Anten Cap 50 mg .6.86 100 ✓ Anten .6.86 100 ✓ Anten MIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency .5.48 50 ✓ Tofranil Tab 25 mg .6.28 60 ✓ Tofranil .6.58 60 ✓ Tofranil			100	1	Arrow-Amitriptyline
CLOMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 8.68 100 ✓ Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg Tab 75 mg 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 25 mg Cap 25 mg 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg 6.30 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 50 mg 6.86 100 ✓ Anten Cap 50 mg 5.48 50 ✓ Tofranil IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg Tab 10 mg 5.48 50 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg 7.52 30 ✓ Ludiomil 12.53	Tab 25 mg	1.68	100	1	Arrow-Amitriptyline
Tab 10 mg 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 8.68 100 ✓ Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg 11.19 100 ✓ Dopress Cap 25 mg .6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg .6.30 100 ✓ Anten Cap 25 mg .6.86 100 ✓ Anten Cap 50 mg .6.86 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg .6.58 60 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg .7.52 30 ✓ Ludiomil 12.53 .50 ✓ Ludiomil .25.06 100 ✓ Ludiomil	Tab 50 mg	2.82	100	✓	Arrow-Amitriptyline
Tab 10 mg 12.60 100 ✓ Apo-Clomipramine Tab 25 mg 8.68 100 ✓ Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg 11.19 100 ✓ Dopress Cap 25 mg .6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg .6.30 100 ✓ Anten Cap 25 mg .6.86 100 ✓ Anten Cap 50 mg .6.86 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg .6.58 60 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg .7.52 30 ✓ Ludiomil 12.53 .50 ✓ Ludiomil .25.06 100 ✓ Ludiomil	CLOMIPRAMINE HYDROCHLORIDE - Safety medicine: presc	riber mav determine d	isper	nsina freau	encv
Tab 25 mg 8.68 100 ✓ Apo-Clomipramine DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg 11.19 100 ✓ Dopress Cap 25 mg .6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg .6.30 100 ✓ Anten Cap 25 mg .6.86 100 ✓ Anten Cap 50 mg .6.86 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg .5.48 50 ✓ Tofranil 10.96 100 ✓ Tofranil .6.58 60 ✓ Tofranil .6.59 .6.58 .6.60 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency .7.52 30 ✓ Ludiomil .25.06 100 ✓ Ludiomil .25.06 100 ✓ Ludiomil .25.06 .00					
Tab 75 mg 11.19 100 ✓ Dopress Cap 25 mg 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 6.30 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 50 mg 6.86 100 ✓ Anten Anten Cap 50 mg 8.55 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 5.48 50 ✓ Tofranil 10.96 100 ✓ Tofranil 8.80 50 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil 29 s29 10.96 100 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE </td <td></td> <td></td> <td>100</td> <td></td> <td></td>			100		
Tab 75 mg 11.19 100 ✓ Dopress Cap 25 mg 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 6.30 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 50 mg 6.86 100 ✓ Anten Anten Cap 50 mg 8.55 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 5.48 50 ✓ Tofranil 10.96 100 ✓ Tofranil 8.80 50 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil 29 s29 10.96 100 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE </td <td>DOSULEPIN (DOTHEPIN) HYDBOCHLOBIDE - Safety medic</td> <td>ine: prescriber may de</td> <td>term</td> <td>ine dispen</td> <td>sing frequency</td>	DOSULEPIN (DOTHEPIN) HYDBOCHLOBIDE - Safety medic	ine: prescriber may de	term	ine dispen	sing frequency
Cap 25 mg 6.45 100 ✓ Dopress DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg 6.30 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 50 mg 6.86 100 ✓ Anten Anten Cap 50 mg 6.86 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 5.48 50 ✓ Tofranil 10.96 100 ✓ Tofranil 529 \$29 10.96 100 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil 529 \$29 10.96 100 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 12.53 50 ✓ Ludiomil 12b 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil 12.01 30 ✓ Ludiomil 21.01 30 ✓ Ludiomil 12b 10 mg <					
DOXEPIN HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Cap 10 mg	•			-	•
Cap 10 mg 6.30 100 ✓ Anten Cap 25 mg 6.86 100 ✓ Anten Cap 50 mg 8.55 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 5.48 50 ✓ Tofranil 1MIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 5.48 50 ✓ Tofranil 10.96 100 ✓ Tofranil 29 529 10.96 100 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil 29 529 10.96 100 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 12.53 50 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 3.22 100 ✓ Norpress					
Cap 25 mg 6.86 100 ✓ Anten Cap 50 mg 8.55 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 5.48 50 ✓ Tofranil 1MIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 5.48 50 ✓ Tofranil 10 mg 6.58 60 ✓ Tofranil 29 \$29 10.96 100 ✓ Tofranil 29 \$29 10.96 100 ✓ Tofranil 59 \$29 10.96 100 ✓ Tofranil 59 \$29 10.96 100 ✓ Tofranil 50 \$29 10.96 100 ✓ Tofranil 50 \$29 10.96 100 ✓ Tofranil 50 \$29 12.53 50 ✓ Ludiomil 12.53 50 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil 12.50 100 ✓ Ludiomil 21.01 30 ✓ Ludiomil 12.01 30 ✓ Ludiomil 21.01 ✓ Norpress					Anten
Cap 50 mg 8.55 100 ✓ Anten IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 5.48 50 ✓ Tofranil Tab 10 mg 6.58 60 ✓ Tofranil 529 10.96 100 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 3.22 100 ✓ Norpress					
IMIPRAMINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 5.48 50 ✓ Tofranil 6.58 60 ✓ Tofranil 29 \$29 10.96 100 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 3.22 100 ✓ Norpress					
Tab 10 mg 5.48 50 ✓ Tofranil 6.58 60 ✓ Tofranil s29 s29 10.96 100 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 3.22 100 ✓ Norpress					
6.58 60 ✓ Tofranil s29 s29 10.96 100 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 3.22 100 ✓ Norpress					
10.96 100 ✓ Tofranil Tab 25 mg 8.80 50 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 3.22 100 ✓ Norpress	100 10 mg				
Tab 25 mg 8.80 50 ✓ Tofranil MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 3.22 100 ✓ Norpress					
MAPROTILINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 25 mg 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 3.22 100 ✓ Norpress	Tab 25 mg				
Tab 25 mg 7.52 30 ✓ Ludiomil 12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 3.22 100 ✓ Norpress	-				
12.53 50 ✓ Ludiomil 25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 3.22 100 ✓ Norpress					
25.06 100 ✓ Ludiomil Tab 75 mg 14.01 20 ✓ Ludiomil 21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency 3.22 100 ✓ Norpress	1 au 20 mg			-	
Tab 75 mg 14.01 20 Ludiomil 21.01 30 Ludiomil NORTRIPTYLINE HYDROCHLORIDE Safety medicine; prescriber may determine dispensing frequency Tab 10 mg 3.22 100 Norpress					
21.01 30 ✓ Ludiomil NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg	Tab 75 mg				
NORTRIPTYLINE HYDROCHLORIDE – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg	1 ab 7 5 mg				
Tab 10 mg					
•	, , , , , , , , , , , , , , , , , , ,	,		0 1	,
1 ab 23 mg	5				
			100	•	10101033

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Monoamine-Oxidase Inhibitors (MAOIs) - Non S	elective			
PHENELZINE SULPHATE * Tab 15 mg	95.00	100	1	Nardil
TRANYLCYPROMINE SULPHATE <pre>* Tab 10 mg</pre>	22.94	50	1	Parnate
Monoamine-Oxidase Type A Inhibitors				
MOCLOBEMIDE * Tab 150 mg * Tab 300 mg		500 100		Apo-Moclobemide Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors				
CITALOPRAM HYDROBROMIDE * Tab 20 mg ESCITALOPRAM	1.79	84	1	PSM Citalopram
* Tab 10 mg	1.40	28	1	Accord Escitalopram Air Flow Products
* Tab 20 mg (Accord Escitalopram Tab 10 mg to be delisted 1 July 2017) FLUOXETINE HYDROCHLORIDE	2.40	28		Loxalate Air Flow Products
 * Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement 	2.47	30	1	Arrow-Fluoxetine
 When prescribed for a patient who cannot swallow accordingly; or When prescribed in a daily dose that is not a multi endorsed. Note: Tablets should be combined with 	ble of 20 mg in which	case	the prescr	iption is deemed to be
* Cap 20 mg PAROXETINE	1.99	90	1	Arrow-Fluoxetine
* Tab 20 mg	4.02 (4.32)	90	1	Apo-Paroxetine Loxamine
Apo-Paroxetine to be Sole Supply on 1 July 2017 (Loxamine Tab 20 mg to be delisted 1 July 2017) SERTRALINE Tab 50 mg		90 90		Arrow-Sertraline Arrow-Sertraline
Tab 100 mg Other Antidepressants		30	·	Anow-Setualitie
MIRTAZAPINE				
Tab 30 mg Tab 45 mg		30 30		<u>Apo-Mirtazapine</u> <u>Apo-Mirtazapine</u>

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
ENLAFAXINE				
Tab 37.5 mg	5.06	28	1	Arrow-Venlafaxine XR
Tab 75 mg	6.44	28	~	Arrow-Venlafaxine XR
Tab 150 mg	8.86	28	~	Arrow-Venlafaxine XR
Tab 225 mg	14.34	28	~	Arrow-Venlafaxine XR
Cap 37.5 mg - Special Authority (Efexor XR brand only) see				
SA1061 below – Retail pharmacy	5.69	28	1	Efexor XR
	6.38	84	1	Enlafax XR
Cap 75 mg – Special Authority (Efexor XR brand only) see				
SA1061 below – Retail pharmacy	8.11	84	1	Enlafax XR
	11.40	28	1	Efexor XR
Cap 150 mg - Special Authority (Efexor XR brand only) see				
SA1061 below - Retail pharmacy		84	1	Enlafax XR
	13.98	28	1	Efexor XR

⇒SA1061 Special Authority for Subsidy

Initial application only from a relevant specialist or vocationally registered general practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- оп. 4 т
 - 1 The patient has 'treatment-resistant' depression; and

2 Either:

2.1 The patient must have had a trial of two different antidepressants and have had an inadequate response from an adequate dose over an adequate period of time (usually at least four weeks); or

2.2 Both:

- 2.2.1 The patient is currently a hospital in-patient as a result of an acute depressive episode; and
- 2.2.2 The patient must have had a trial of one other antidepressant and have had an inadequate response from an adequate dose over an adequate period of time.

Renewal from any medical practitioner. Approvals valid for 2 years where the patient has a high risk of relapse (prescriber determined).

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml19.00	5	✓ Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency	5	✓ Hospira
Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement11.83 a) Up to 5 inj available on a PSO	5	
b) Only on a PSO		
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg – Up to 5 tube available on a PSO	5	 Stesolid
Rectal tubes 10 mg – Up to 5 tube available on a PSO	5	 Stesolid
PARALDEHYDE		
* Inj 5 ml1,500.00	5	 AFT \$29

‡ safety cap

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price \$	e) Subs Per	Fully Brand or sidised Generic Manufacturer
PHENYTOIN SODIUM * Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on a F * Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a	2SO 88.63	5	✓ <u>Hospira</u>
PSO	133.92	5	✓ Hospira
Control of Epilepsy			
CARBAMAZEPINE	11.50	400	/
* Tab 200 mg		100	 Tegretol
* Tab long-acting 200 mg		100	 Tegretol CR Tegretol
* Tab 400 mg		100 100	 ✓ Tegretol ✓ Tegretol CR
 Tab long-acting 400 mg #‡ Oral liq 20 mg per ml 		250 ml	✓ Tegretol
		200 111	• Tegretor
CLOBAZAM – Safety medicine; prescriber may determine disper Tab 10 mg ‡ Safety cap for extemporaneously compounded oral liqui	9.12	50	✓ Frisium
CLONAZEPAM – Safety medicine; prescriber may determine dis	pensing frequency		
Oral drops 2.5 mg per ml		10 ml OP	 Rivotril
ETHOSUXIMIDE			
Cap 250 mg	16 45	100	 Zarontin
oup 200 mg	32.90	200	✓ Zarontin
Cral lig 250 mg per 5 ml		200 ml	✓ Zarontin
GABAPENTIN – Special Authority see SA1477 below – Retail ph			
Cap 100 mg	,	100	 Arrow-Gabapentin
		100	✓ Neurontin
			✓ Nupentin
Cap 300 mg - For gabapentin oral liquid formulation refer,			
page 216	11.00	100	 Arrow-Gabapentin
P~30 = . 0		100	✓ Neurontin
			✓ Nupentin
Cap 400 mg		100	✓ Arrow-Gabapentin
			✓ Neurontin
			✓ Nupentin

⇒SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria: Fither:

1 The patient has been diagnosed with neuropathic pain; or

2 Both:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	1	Manufacturer	

continued...

- The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
- 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
- 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy

	Tab 50 mg		14	 Vimpat
	Tab 100 mg		14	 Vimpat
	0	200.24	56	 Vimpat
	Tab 150 mg	75.10	14	 Vimpat
	C C	300.40	56	 Vimpat
▲	Tab 200 mg		56	 Vimpat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Patient has partial-onset epilepsy; and

*Three months or six months, as applicable, dispensed all-at-once

2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturaria Price)		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	
AMOTRIGINE				
Tab dispersible 2 mg	6.74	30	1	Lamictal
Tab dispersible 5 mg		30		Lamictal
	15.00	56		Arrow-Lamotrigine
Tab dispersible 25 mg		56		Motrig
_ ·	19.38			Logem
	20.40			Arrow-Lamotrigine
	29.09			Lamictal
Tab dispersible 50 mg		56		Motrig
	32.97			Logem
	34.70			Arrow-Lamotrigine
	47.89			Lamictal
Tab dispersible 100 mg		56		Motria
	56.91	00		Logem
	59.90			Arrow-Lamotrigine
	79.16			Lamictal
	70.10		•	Lumota
EVETIRACETAM	04.00	~~		Freedo
Tab 250 mg		60	•	Everet
Tab 500 mg - For levetiracetam oral liquid formulation refer				_
page 216		60		Everet
Tab 750 mg	45.23	60		Everet
Tab 1,000 mg	59.12	60	✓	Everet
HENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, pag	e 219			
€ Tab 15 mg		500	1	PSM
€ Tab 30 mg		500		PSM
HENYTOIN SODIUM				
		000		Dilantia Infatah
Tab 50 mg		200		Dilantin Infatab
Cap 30 mg		200		Dilantin
Cap 100 mg		200	-	Dilantin
¢‡ Oral liq 30 mg per 5 ml		500 n	11 🗸	Dilantin
RIMIDONE				
🗧 Tab 250 mg	17.25	100	✓	Apo-Primidone
ODIUM VALPROATE				
Tab 100 mg	13.65	100	1	Epilim Crushable
Tab 200 mg EC		100	-	Epilim
Tab 500 mg EC		100		Epilim
tab 500 mg E0		300 n		Epilim S/F Liquid
		000 11		Epilim Syrup
€ Inj 100 mg per ml, 4 ml	41 50	1		Epilim IV
		1	•	
TIRIPENTOL – Special Authority see SA1330 below – Retail p	•			
Cap 250 mg	509.29	60	✓	Diacomit S29
Powder for oral lig 250 mg sachet		60	✓	Diacomit S29

⇒SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

1 Patient has confirmed diagnosis of Dravet syndrome; and

continued...

continued...

2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE			
▲ Tab 25 mg	11.07	60	Arrow-Topiramate
			 Topiramate Actavis
	26.04		🗸 Topamax
▲ Tab 50 mg		60	 Arrow-Topiramate
			 Topiramate Actavis
	44.26		 Topamax
▲ Tab 100 mg		60	 Arrow-Topiramate
-			 Topiramate Actavis
	75.25		 Topamax
▲ Tab 200 mg	55.19	60	 Arrow-Topiramate
•			 Topiramate Actavis
	129.85		 Topamax
▲ Sprinkle cap 15 mg		60	 Topamax
Sprinkle cap 25 mg		60	 Topamax
VIGABATRIN - Special Authority see SA1072 below - Re	etail pharmacy		
▲ Tab 500 mg		100	 Sabril

⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient has infantile spasms; or
- 1.2 Both:
 - 1.2.1 Patient has epilepsy; and

1.2.2 Either:

- 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: ``Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. **Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and
- 2 Either:
 - 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Price)	:	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 117

Acute Migraine Treatment

100	✓ Cafergot
	 Cafergot S29 S29
30	Rizamelt
100	 Apo-Sumatriptan
102	Apo-Sumatriptan
100	 Arrow-Sumatriptan
100	 Apo-Sumatriptan
102	 Apo-Sumatriptan
100	 Arrow-Sumatriptan
2 OP	 Arrow-Sumatriptan
	-
2 OP	 Clustran
	Sun Pharma S29
	30 100 102 100 100 102 100 2 OP

(Arrow-Sumatriptan Inj 12 mg per ml, 0.5 ml cartridge to be delisted 1 July 2017)

Prophylaxis of Migraine

For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYSTEM, page 57		
PIZOTIFEN		
* Tab 500 mcg23.21	100	 Sandomigran

Antinausea and Vertigo Agents

PREPITANT - Special Authority see SA0987 below - Retain	il pharmacy		
Cap 2 × 80 mg and 1 × 125 mg		3 OP	 Emend Tri-Pack
Cap 40 mg	71.43	5 OP	 Emend
SA0987 Special Authority for Subsidy itial application from any relevant practitioner. Approvals netogenic chemotherapy and/or anthracycline-based chemo enewal from any relevant practitioner. Approvals valid for 1	otherapy for the treat	ment of malig	gnancy.

	Subsidy	<u> </u>		nd or
	(Manufacturer's Price) \$	Per		neric nufacturer
CYCLIZINE HYDROCHLORIDE	· · · · · · · · · · · · · · · · · · ·			
Tab 50 mg	0.59	20	🗸 Nauze	ne
CYCLIZINE LACTATE				
Inj 50 mg per ml, 1 ml		5	🗸 Nausi	calm
DOMPERIDONE				
* Tab 10 mg – For domperidone oral liquid formulation refer,				
page 216	3.20	100	 Prokir 	<u>nex</u>
GRANISETRON				
* Tab 1 mg	5.98	50	🖌 <u>Granii</u>	rex
(Granirex Tab 1 mg to be delisted 1 October 2017)				
HYOSCINE HYDROBROMIDE				
* Inj 400 mcg per ml, 1 ml ampoule		5	🖌 Hospi	
	93.00	10	🗸 Martin	dale S29
Patch 1.5 mg - Special Authority see SA1387 below - Retai				
pharmacy SA1387 Special Authority for Subsidy		2	 Scope 	oderm TTS
penefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE	ar where the treatmer	nt rema	ins appropriate	and the patient i
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 	1.82	nt rema 100	✓ <u>Metan</u>	nide
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 	1.82			nide
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216		100 10	✓ <u>Metan</u> ✓ <u>Pfizer</u>	nide
benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS ONDANSETRON		100	✓ <u>Metan</u> ✓ <u>Pfizer</u> ✓ Apo-C	<u>nide</u> Ondansetron
 Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS ONDANSETRON * Tab 4 mg 		100 10	✓ <u>Metan</u> ✓ <u>Pfizer</u>	<u>nide</u> Ondansetron
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS ONDANSETRON Tab 4 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 		100 10 50	✓ <u>Metan</u> ✓ <u>Pfizer</u> ✓ Apo-C ✓ Onrex	<u>nide</u> Ondansetron
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 * Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS ONDANSETRON * Tab 4 mg 		100 10	 ✓ Metan ✓ Pfizer ✓ Apo-C ✓ Onrex ✓ Dr Real 	<u>nide</u> Ondansetron
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216		100 10 50	 Metan Pfizer Apo-C Onrex Dr Real Ond 	<u>nide</u> Ondansetron ddy's
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216		100 10 50 10	 Metan Pfizer Apo-C Onrex Dr Real Ond 	nide Ondansetron ddy's lansetron Ondansetron
 Arenefiting from treatment. AFTOCLOPRAMIDE HYDROCHLORIDE Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS DNDANSETRON Tab 4 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 Tab 8 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 		100 10 50 10 50	 <u>Metan</u> <u>Pfizer</u> Apo-C Onrex <u>Dr Reconstruction</u> Apo-C Ond Apo-C Onrex 	nide Ondansetron ddy's lansetron Ondansetron
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS DNDANSETRON Tab 4 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 Tab 8 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 		100 10 50 10	 <u>Metan</u> <u>Pfizer</u> Apo-C Onrex <u>Dr Reconstruction</u> Apo-C Onder Onder 	nide Ondansetron ddy's lansetron Ondansetron
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216		100 10 50 10 50	 <u>Metan</u> <u>Pfizer</u> Apo-C Onrex <u>Dr Reconstruction</u> Apo-C Onder Onder 	nide Ondansetron ddy's lansetron Ondansetron isetron
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216		100 10 50 10 50	 <u>Metan</u> <u>Pfizer</u> Apo-C Onrex <u>Dr Reconstruction</u> Apo-C Onder Onder 	nide Ondansetron ddy's lansetron Ondansetron isetron
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 * Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS ONDANSETRON * Tab 4 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 * Tab 8 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 * Tab 8 mg (Onrex Tab 4 mg to be delisted 1 August 2017) (Onrex Tab 8 mg to be delisted 1 August 2017) PROCHLORPERAZINE 		100 10 50 10 50	 Metan Pfizer Apo-C Onrex Dr Rev Ond Apo-C On rex Apo-C Ondar OD1 	nide Ondansetron ddy's lansetron Ondansetron <u>setron</u> -DRLA
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 * Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS ONDANSETRON * Tab 4 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 * Tab 8 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 * Tab 8 mg (Onrex Tab 4 mg to be delisted 1 August 2017) (Onrex Tab 8 mg to be delisted 1 August 2017) (PROCHLORPERAZINE * Tab 3 mg buccal 		100 10 50 10 50 10	 Metan Pfizer Apo-C Onrex Dr Rec Onde Apo-C On rex Onrex Ondar OD1 	hide Ondansetron ddy's lansetron Ondansetron <u>setron</u> <u>-DRLA</u>
 benefiting from treatment. METOCLOPRAMIDE HYDROCHLORIDE * Tab 10 mg – For metoclopramide hydrochloride oral liquid formulation refer, page 216 * Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS ONDANSETRON * Tab 4 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 * Tab 8 mg Apo-Ondansetron to be Sole Supply on 1 August 2017 * Tab 8 mg (Onrex Tab 4 mg to be delisted 1 August 2017) (Onrex Tab 8 mg to be delisted 1 August 2017) PROCHLORPERAZINE 		100 10 50 10 50	 Metan Pfizer Apo-C Onrex Dr Rev Ond Apo-C On rex Apo-C Ondar OD1 	nide Ondansetron ddy's ansetron Ondansetron <u>setron</u> <u>-DRLA</u>

Stemetil

Avomine

* Inj 12.5 mg per ml, 1 ml - Up to 5 inj available on a PSO......25.81

‡ safety cap

▲ Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

if endorsed "certified exemption" by the prescriber or pharmacist.

10

10

	Subsidy (Manufacturer's Price) \$	Si Per	Fully ubsidised	Brand or Generic Manufacturer
Antipsychotics				
General				
AMISULPRIDE – Safety medicine; prescriber may determine dis Tab 100 mg Tab 200 mg Tab 400 mg Oral lig 100 mg per ml	4.56 	30 60 60 60 ml	✓ <u>s</u> ✓ <u>s</u>	<u>ulprix</u> ulprix ulprix olian
ARIPIPRAZOLE – Special Authority see SA1539 below – Retail Safety medicine; prescriber may determine dispensing frequ	pharmacy ency		-	
Tab 5 mg – No more than 1 tab per day Tab 10 mg Tab 15 mg		30 30 30	🗸 A	bilify bilify bilify
Tab 20 mg Tab 30 mg	213.42	30 30	🗸 A	bilify bilify

⇒SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

CHLORPROMAZINE HYDROCHLORIDE - Safety medicine; prescriber may determine dispensing frequency

Tab 10 mg – Up to 30 tab available on a PSO	12.36	100	🗸 Largactil
Tab 25 mg – Up to 30 tab available on a PSO	13.02	100	 Largactil
Tab 100 mg – Up to 30 tab available on a PSO	30.61	100	 Largactil
Inj 25 mg per ml, 2 ml - Up to 5 inj available on a PSO	25.66	10	 Largactil

	Subsidy		Fully	
	(Manufacturer's Price)	Per	Subsidised	
	\$	Per		Manufacturer
LOZAPINE – Hospital pharmacy [HP4]				
Safety medicine; prescriber may determine dispensing frequencies				
Tab 25 mg	5.69	50		Clozaril
	6.69		✓	Clopine
	11.36	100	✓	Clozaril
	13.37		✓	Clopine
Tab 50 mg	8.67	50	✓	Clopine
	17.33	100	✓	Clopine
Tab 100 mg	14.73	50	✓	Clozaril
3	17.33		✓	Clopine
	29.45	100	✓	Clozaril
	34.65		✓	Clopine
Tab 200 mg		50	-	Clopine
5	69.30	100		Clopine
Suspension 50 mg per ml		100 m		Clopine
ALOPERIDOL – Safety medicine; prescriber may determine c		100 11		Cicpino
Tab 500 mcg – Up to 30 tab available on a PSO		100	1	Serenace
Tab 1.5 mg – Up to 30 tab available on a PSO		100		Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100		Serenace
a 1				
Oral liq 2 mg per ml – Up to 200 ml available on a PSO		100 m		Serenace
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a F		10		Serenace
EVOMEPROMAZINE HYDROCHLORIDE – Safety medicine;		nine d	lispensing	frequency
Inj 25 mg per ml, 1 ml ampoule		10	✓	Wockhardt
EVOMEPROMAZINE MALEATE - Safety medicine; prescribe	r mav determine dispe	ensind	a frequency	V
Tab 25 mg		100		, Nozinan
Tab 100 mg		100		Nozinan
-				No2mun
THIUM CARBONATE – Safety medicine; prescriber may dete				
Tab 250 mg		500		Lithicarb FC
Tab 400 mg		100		Lithicarb FC
Tab long-acting 400 mg		100		Priadel
Cap 250 mg	9.42	100	-	Douglas
ANZAPINE - Safety medicine; prescriber may determine dis	pensing frequency			
Tab 2.5 mg		28	✓	Zypine
Tab 5 mg		28		Zypine
5	······ ·· · ·			Zypine ODT
Tab orodispersible 5 mg	1.75	<u> 70</u>	-	-15.110 001
Tab orodispersible 5 mg Tab 10 mg		28 28	1	Zvpine
Tab 10 mg	2.55	28	-	Zypine Zypine ODT
Tab 10 mg Tab orodispersible 10 mg	2.55 3.05		-	Zypine Zypine ODT
Tab 10 mg Tab orodispersible 10 mg RICYAZINE – Safety medicine; prescriber may determine di	2.55 3.05 spensing frequency	28 28	1	Zypine ODT
Tab 10 mg Tab orodispersible 10 mg RICYAZINE – Safety medicine; prescriber may determine di Tab 2.5 mg	2.55 3.05 spensing frequency 12.49	28 28 100	, ,	Zypine ODT Neulactil
Tab 10 mg Tab orodispersible 10 mg RICYAZINE – Safety medicine; prescriber may determine di	2.55 3.05 spensing frequency 12.49	28 28	, ,	Zypine ODT
Tab 10 mg Tab orodispersible 10 mg ERICYAZINE – Safety medicine; prescriber may determine di Tab 2.5 mg Tab 10 mg	2.55 3.05 spensing frequency 12.49 44.45	28 28 100	, ,	Zypine ODT Neulactil
Tab 10 mg ⁻ Tab orodispersible 10 mg ERICYAZINE – Safety medicine; prescriber may determine di Tab 2.5 mg Tab 10 mg UETIAPINE – Safety medicine; prescriber may determine dis		28 28 100	1 1 1	Zypine ODT Neulactil Neulactil
Tab 10 mg ⁻ Tab orodispersible 10 mg ERICYAZINE – Safety medicine; prescriber may determine di Tab 2.5 mg Tab 10 mg UETIAPINE – Safety medicine; prescriber may determine dis Tab 25 mg		28 28 100 100 90	ע ע ע	Zypine ODT Neulactil Neulactil Quetapel
Tab 10 mg Tab orodispersible 10 mg ERICYAZINE – Safety medicine; prescriber may determine di Tab 2.5 mg Tab 10 mg UETIAPINE – Safety medicine; prescriber may determine dis Tab 25 mg Tab 100 mg		28 28 100 100 90 90	1 1 1 1	Zypine ODT Neulactil Neulactil Quetapel Quetapel
Tab 10 mg Tab orodispersible 10 mg ERICYAZINE – Safety medicine; prescriber may determine di Tab 2.5 mg Tab 10 mg UETIAPINE – Safety medicine; prescriber may determine dis Tab 25 mg		28 28 100 100 90	\$ \$ \$ \$ \$	Zypine ODT Neulactil Neulactil Quetapel

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
RISPERIDONE – Safety medicine; prescriber may determine di	spensing frequency			
Tab orodispersible 0.5 mg - Special Authority see SA0927				
below – Retail pharmacy	21.42	28	1	Risperdal Quicklet
Tab 0.5 mg	1.90	60	✓	Actavis
Tab 1 mg	2.10	60	✓	Actavis
Tab orodispersible 1 mg - Special Authority see SA0927				
below – Retail pharmacy		28	1	Risperdal Quicklet
Tab 2 mg		60	✓	Actavis
Tab orodispersible 2 mg - Special Authority see SA0927				
below – Retail pharmacy		28	1	Risperdal Quicklet
Tab 3 mg	2.55	60	1	Actavis
Tab 4 mg		60	✓	Actavis
Oral liq 1 mg per ml	9.75	30 m	✓	Risperon
(Risperdal Quicklet Tab orodispersible 0.5 mg to be delisted 1 Ju (Risperdal Quicklet Tab orodispersible 1 mg to be delisted 1 Jun	,			-

(Risperdal Quicklet Tab orodispersible 2 mg to be delisted 1 June 2017)

⇒SA0927 Special Authority for Subsidy

Initial application — (Acute situations) from any relevant practitioner. Approvals valid for 6 weeks for applications meeting the following criteria:

Both:

- 1 For a non-adherent patient on oral therapy with standard risperidone tablets or risperidone oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.

Initial application — (Chronic situations) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
- 2 The patient is under direct supervision for administration of medicine.
- Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:
- Both:
 - 1 The patient is unable to take standard risperidone tablets or oral liquid, or once stabilized refuses to take risperidone tablets or oral liquid; and
 - 2 The patient is under direct supervision for administration of medicine.

Note: Risperdal Quicklets cost significantly more than risperidone tablets and should only be used where necessary.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	5	Subsidised	Generic
	\$	Per	1	Manufacturer
TRIFLUOPERAZINE HYDROCHLORIDE – Subsidy by endorser	nent			
 a) Safety medicine; prescriber may determine dispensing free b) Subsidised for patients who were taking trifluoperazine hy endorsed accordingly. Pharmacists may annotate the pre- dispensing of trifluoperazine hydrochloride. 	equency vdrochloride prior to 1			
Tab 1 mg		100	✓ :	Stelazine
,	11.01	112	✓ 1	Mercury
				Pharma S29
	19.75	100	 Image: A second s	Аро-
				Trifluoperazine S29
Tab 2 mg	14 64	100	1	Stelazine
Tab 5 mg		100		Stelazine
Ŭ	26.23		 Image: A second s	Аро-
				Trifluoperazine S29
(Stelazine Tab 1 mg to be delisted 1 July 2017)				
(Mercury Pharma ^{S29} Tab 1 mg to be delisted 1 July 2017)				
(Apo-Trifluoperazine ⁶²⁹ Tab 1 mg to be delisted 1 December 2	2017)			
Stelazine Tab 2 mg to be delisted 1 July 2017)	,			
(Stelazine Tab 5 mg to be delisted 1 July 2017)				
(Apo-Trifluoperazine 2 Tab 5 mg to be delisted 1 December 2	2017)			
ZIPRASIDONE - Safety medicine; prescriber may determine dis				
Cap 20 mg		60		Zusdone
Cap 40 mg		60	-	Zusdone
Cap 60 mg Cap 80 mg		60 60		<u>Zusdone</u> Zusdone
ZUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; pres			-	
Tab 10 mg		100		Clopixol
Depot Injections				
FLUPENTHIXOL DECANOATE - Safety medicine; prescriber ma	ay determine dispens	sing fre	quency	
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		Fluanxol
Inj 20 mg per ml, 2 ml – Up to 5 inj available on a PSO		5		Fluanxol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	✓	Fluanxol
FLUPHENAZINE DECANOATE – Subsidy by endorsement				
 a) Safety medicine; prescriber may determine dispensing free b) Subsidised for patients who were taking fluphenazine dec endorsed accordingly. Pharmacists may annotate the pre- 	anoate prior to 1 De			
dispensing of fluphenazine decanoate.				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a PS	O 17.60	5		Modecate
Inj 25 mg per ml, 1 ml - Up to 5 inj available on a PSO		5		Nodecate
		_		Modecate S29 S29
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		5		Modecate S29 S29
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO (Modecate Inj 12.5 mg per 0.5 ml, 0.5 ml to be delisted 1 March 2		5	✓	Modecate
(Modecate Inj 12.5 mg per 0.5 ml, 0.5 ml to be delisted 1 March 2 (Modecate Inj 25 mg per ml, 1 ml to be delisted 1 March 2018)	:010)			
(Modecate Tri) 25 mg per mi, 1 mi to be delisted 1 March 2018) (Modecate S29 s29 Inj 25 mg per mi, 1 mi to be delisted 1 Marc	h 2018)			
(Modecate S29 see Inj 25 mg per ml, 2 ml to be delisted 1 Marc (Modecate S29 see Inj 25 mg per ml, 2 ml to be delisted 1 Marc	,			
(Modecate Inj 100 mg per ml, 1 ml to be delisted 1 March 2018)				
, , , , , , , , , , , , , , , , , , , ,				

‡ safety cap

▲ Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Su Per	Fully ubsidised	Brand or Generic Manufacturer
HALOPERIDOL DECANOATE - Safety medicine; prescriber may	determine dispensi	ng fregu	lency	
Inj 50 mg per ml, 1 ml - Up to 5 inj available on a PSO		5		Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	55.90	5	-	Haldol Concentrate Haldol
				Decanoas S29
DLANZAPINE – Special Authority see SA1428 below – Retail pha	irmacy			
Safety medicine; prescriber may determine dispensing frequer	ncy			
Inj 210 mg vial		1	✓ 2	Zyprexa Relprevv
Inj 300 mg vial	460.00	1	✓ 2	Zyprexa Relprevv
Inj 405 mg vial	560.00	1	✓ 7	Zyprexa Relprevv

➡SA1428 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE – Special Authority see SA1429 below – Retail pharmacy

Salety medicine; prescriber may determine dispensi	ng irequency		
Inj 25 mg syringe		1	🗸 Invega Sustenna
Inj 50 mg syringe		1	 Invega Sustenna
Inj 75 mg syringe		1	 Invega Sustenna
Inj 100 mg syringe		1	 Invega Sustenna
Inj 150 mg syringe	435.12	1	🗸 Invega Sustenna

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

	Subsidy (Manufacturer's Price)	Fully Subsidised	Brand or Generic
	\$	Per 🗸	Manufacturer
PIPOTHIAZINE PALMITATE – Subsidy by endorsement			
a) Safety medicine; prescriber may determine dispensing fre	nuency		
 b) Subsidised for patients who were taking pipothiazine palm 		t 2014 and the n	recordination or PSO is
endorsed accordingly. Pharmacists may annotate the pre	scription as endorsed	a where there ex	ists a record of prior
dispensing of pipothiazine palmitate.			
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO			Piportil
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO		10 🖌 F	Piportil
RISPERIDONE - Special Authority see SA1427 below - Retail pl	harmacy		
Safety medicine; prescriber may determine dispensing freque	,		
Inj 25 mg vial	•	1	Risperdal Consta
, ,			•
Inj 37.5 mg vial			Risperdal Consta
Inj 50 mg vial		1 √ F	Risperdal Consta

■ SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency

Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO	5	 Clopixol
--	---	------------------------------

Anxiolytics

ALPRAZOLAM - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking alprazolam prior to 1 December 2016 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of alprazolam.

Tab 250 mcg	2.50	50	
•	(4.84)		Xanax
‡ Safety cap for extemporaneously compounded or	al liquid preparations.		
Tab 500 mcg		50	
-	(5.92)		Xanax
‡ Safety cap for extemporaneously compounded or	al liquid preparations.		
Tab 1 mg		50	
	(12.00)		Xanax
‡ Safety cap for extemporaneously compounded or	al liquid preparations.		
(Xanax Tab 250 mcg to be delisted 1 September 2017)			
(Xanax Tab 500 mcg to be delisted 1 September 2017)			
(Xanax Tab 1 mg to be delisted 1 September 2017)			

^{*}Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
BUSPIRONE HYDROCHLORIDE				
* Tab 5 mg		100		Orion
* Tab 10 mg	14.96	100	v	Orion
CLONAZEPAM - Safety medicine; prescriber may determine dis	spensing frequency			
Tab 500 mcg		100	-	Paxam
Tab 2 mg	14.37	100	~	Paxam
DIAZEPAM - Safety medicine; prescriber may determine dispen	ising frequency			
Tab 2 mg		500	✓	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liqui	id preparations.			
Tab 5 mg		500	✓	Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liqui	id preparations.			
LORAZEPAM - Safety medicine; prescriber may determine disp	ensing frequency			
Tab 1 mg		250	✓	Ativan
‡ Safety cap for extemporaneously compounded oral liqui	id preparations.			
Tab 2.5 mg		100	✓	Ativan
‡ Safety cap for extemporaneously compounded oral liqui	id preparations.			
OXAZEPAM - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 10 mg		100	✓	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liqui				
Tab 15 mg		100	~	Ox-Pam
‡ Safety cap for extemporaneously compounded oral liqui	id preparations.			

Multiple Sclerosis Treatments

DIMETHYL FUMARATE - Special Authority see SA1559	below - Retail pharmacy		
Wastage claimable - see rule 3.3.2 on page 13			
Cap 120 mg		14	 Tecfidera
Cap 240 mg	2,000.00	56	 Tecfidera

⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz
Wellington	

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

146

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and

Subsidy	Ful	y Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per •	 Manufacturer 	

- Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5 $^{\circ}\text{C}$); and
- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to dimethyl fumarate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 on the next page	<mark>ge</mark> – Retail pharmacy	/	
Wastage claimable - see rule 3.3.2 on page 13			
Cap 0.5 mg	2,650.00	28	🗸 Gilenya

S Per 🖌 Manufacturer

⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to fingolimod; and
- 7) patients must have not previously had intolerance to fingolimod; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or

NERVOUS SYSTEM

Subsidy		Fully	Brand or	
(Manufacturer's Price)	9	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- b) 1.0 to 3.0; or
- c) 1.5 to 3.5; or
- d) 2.0 to 4.0; or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or
- g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to fingolimod; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB – Special Authority see SA1563 below – Retail pharmacy

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic

continued...

‡ safety cap

Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or	
(Manufacturer's Price)	5	Subsidised	Generic	
\$	Per	1	Manufacturer	

and met the specified criteria);

- b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
- c) last at least one week;
- d) start at least one month after the onset of a previous relapse;
- e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
- f) be distinguishable from the effects of general fatigue; and
- g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- 7) patients must have no previous history of lack of response to natalizumab; and
- 8) patients must have not previously had intolerance to natalizumab; and
- 9) a) Patient is JC virus negative, or
 - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- 10) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to natalizumab; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate.

Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13		
Tab 14 mg	 28	🗸 Aubagio

⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	I Generic
\$	Per 🗸	Manufacturer

(below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months: and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling: or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point:
 - f) be distinguishable from the effects of general fatigue: and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to teriflunomide; and
- 7) patients must have not previously had intolerance to teriflunomide; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0: or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0: or
 - e) 2.5 to 4.5; or

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Pr	rice)	Subsidised	Generic	
\$	Pe	r 🗸	Manufacturer	

- f) 3.0 to 4.5; or
- g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to teriflunomide; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Other Multiple Sclerosis Treatments

⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or

Subsidy	Fu	ly Brand or	
(Manufacturer's Price)	Subsidise	d Generic	
\$	Per	 Manufacturer 	

- iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
- v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- 7) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- 8) patient will not be co-prescribed natalizumab or fingolimod.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment.
 - Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

GLATIRAMER ACETATE – Special Authority see SA1564 on the previous page – [Xpharm]

*Three months or six months, as applicable, dispensed all-at-once

Inj 20 mg prefilled syringe	1,089.25	28	
-----------------------------	----------	----	--

Copaxone

	Subsidy		Fully	
	(Manufacturer's Price) \$	Per	Subsidised	d Generic Manufacturer
NTERFERON BETA-1-ALPHA – Special Authority see SA1564	4 on page 152 – [Xpha	ırm]		
Inj 6 million iu prefilled syringe	1,170.00	4	~	Avonex
Injection 6 million iu per 0.5 ml pen injector		4		Avonex Pen
Inj 6 million iu per vial		4	~	Avonex
Avonex Inj 6 million iu per vial to be delisted 1 September 2017	7)			
NTERFERON BETA-1-BETA – Special Authority see SA1564	on page 152 - [Xpharr	n]		
Inj 8 million iu per 1 ml	1,322.89	15		Betaferon
Sedatives and Hypnotics				
ORMETAZEPAM - Safety medicine; prescriber may determin				
Tab 1 mg		30		N
t Opfaturen fan euterneuweneuwelu een op de de vel lier	(23.50)			Noctamid
\$ Safety cap for extemporaneously compounded oral liqu				
IIDAZOLAM – Safety medicine; prescriber may determine disp		40		11
Inj 1 mg per ml, 5 ml ampoule	4.30	10		Hypnovel Midazolam-Claris
	10.00			Pfizer
Inj 5 mg per ml, 3 ml ampoule		5		Hypnovel
		Ũ		Midazolam-Claris
	11.90			Pfizer
Hypnovel Inj 1 mg per ml, 5 ml ampoule to be delisted 1 Augus Hypnovel Inj 5 mg per ml, 3 ml ampoule to be delisted 1 July 2	,			
ITRAZEPAM - Safety medicine; prescriber may determine dis	spensina freauency			
Tab 5 mg		100	~	Nitrados
‡ Safety cap for extemporaneously compounded oral lique	uid preparations.			
HENOBARBITONE SODIUM – Special Authority see SA1386	below – Retail pharma	acy		
Inj 200 mg per ml, 1 ml ampoule		10	1	Martindale S29
SA1386 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals val	lid without further rene	wal u	nless noti	fied for applications meetin
ne following criteria:				····
Both:				
1 For the treatment of terminal agitation that is unresponsiv	ve to other agents; and	ł		
2 The applicant is part of a multidisciplinary team working i	in palliative care.			
EMAZEPAM - Safety medicine; prescriber may determine dis	pensing frequency			
Tab 10 mg		25	✓	Normison
‡ Safety cap for extemporaneously compounded oral liqu	uid preparations.			
RIAZOLAM – Safety medicine; prescriber may determine disp	ensing frequency			
Tab 125 mcg	5.10	100		
	(9.85)			Hypam
‡ Safety cap for extemporaneously compounded oral liqu				
Tab 250 mcg		100		
	(11.20)			Hypam
+ Cofety con for ovtomorrosculy compared and the	uid proporotions			
\$ Safety cap for extemporaneously compounded oral liqu				
‡ Safety cap for extemporaneously compounded oral liqu COPICLONE – Safety medicine; prescriber may determine disp Tab 7.5 mg	pensing frequency	500		Zopiclone Actavis

	Subsidy (Manufacturer's Price) \$	Per	Fully Brand or Subsidised Generic ✓ Manufacturer
Stimulants/ADHD Treatments			
ATOMOXETINE - Special Authority see SA1416 below - Retail	pharmacy		
Cap 10 mg		28	 Strattera
Cap 18 mg		28	 Strattera
Cap 25 mg		28	 Strattera
Cap 40 mg		28	 Strattera
Cap 60 mg		28	 Strattera
Cap 80 mg		28	 Strattera
Cap 100 mg		28	 Strattera

► SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab 5 mg17.00 100

SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

PSM

Subsi	idy Ful	ly Brand or
(Manufacture	er's Price) Subsidise	d Generic
\$	Per	Manufacturer

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate and the patient is benefiting from treatment; and

- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

a) Only on a controlled drug form

b)	Safety medicine;	prescriber may	determine	dispensing	frequency
----	------------------	----------------	-----------	------------	-----------

Tab immediate-release 5 mg		30	 Rubifen
Tab immediate-release 10 mg		30	 Ritalin
Ũ			 Rubifen
Tab immediate-release 20 mg	7.85	30	 Rubifen
Tab sustained-release 20 mg	10.95	30	Rubifen SR

⇒SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

Subsidy (Manufacturer's Price)	Sub	Fully	Brand or Generic
(Manulactuler's Flice)	Per		Manufacturer

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

a) Only on a controlled drug form

b) Safety medicine; prescriber may determine disper
--

Tab extended-release 18 mg	 30	 Concerta
Tab extended-release 27 mg	30	 Concerta
Tab extended-release 36 mg	30	 Concerta
Tab extended-release 54 mg	30	 Concerta
Cap modified-release 10 mg	30	 Ritalin LA
Cap modified-release 20 mg	30	 Ritalin LA
Cap modified-release 30 mg	30	 Ritalin LA
Cap modified-release 40 mg	30	 Ritalin LA

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

MODAFINIL – Special Authority see SA1126 on the next page – I	Retail pharmacy		
Tab 100 mg	72.50	30	🖌 Modavigil

‡ safety cap

Subsidy (Manufacturer's Price)	Sut	Fully osidised	Brand or Generic
\$	Per	1	Manufacturer

⇒SA1126 Special Authority for Subsidy

Initial application only from a neurologist or respiratory specialist. Approvals valid for 24 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of narcolepsy and has excessive daytime sleepiness associated with narcolepsy occurring almost daily for three months or more; and
- 2 Either:
 - 2.1 The patient has a multiple sleep latency test with a mean sleep latency of less than or equal to 10 minutes and 2 or more sleep onset rapid eye movement periods; or
 - 2.2 The patient has at least one of: cataplexy, sleep paralysis or hypnagogic hallucinations; and

3 Either:

- 3.1 An effective dose of a subsidised formulation of methylphenidate or dexamfetamine has been trialled and discontinued because of intolerable side effects; or
- 3.2 Methylphenidate and dexamfetamine are contraindicated.

Renewal only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

Treatments for Dementia

DONEPEZIL HYDROCHLORIDE

* Tab 5 mg * Tab 10 mg		90 90	 ✓ <u>Donepezil-Rex</u> ✓ <u>Donepezil-Rex</u>
RIVASTIGMINE - Special Authority see SA1488 below - Retail p	harmacy		
Patch 4.6 mg per 24 hour	90.00	30	 Exelon
Patch 9.5 mg per 24 hour	90.00	30	 Exelon

⇒SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with dementia; and
- 2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

1 The treatment remains appropriate; and

2 The patient has demonstrated a significant and sustained benefit from treatment.

Treatments for Substance Dependence

BUPRENORPHINE WITH NALOXONE - Special Authority see SA1203 below - Retail pharmacy

- a) No patient co-payment payable
- b) Safety medicine; prescriber may determine dispensing frequency

Tab sublingual 2 mg	with naloxone 0.5 mg	
Tab sublingual 8 mg	with naloxone 2 mg	

✓ Suboxone✓ Suboxone

⇒SA1203 Special Authority for Subsidy

Initial application — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

158

1 Patient is opioid dependent; and

continued...

28

28

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	✓	Manufacturer	

- 2 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health...

Initial application — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient will not be receiving methadone; and
- 3 Patient is currently enrolled in an opioid substitution treatment program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Detoxification) from any medical practitioner. Approvals valid for 1 month for applications meeting the following criteria:

All of the following:

- 1 Patient is opioid dependent; and
- 2 Patient has previously trialled but failed detoxification with buprenorphine with naloxone with relapse back to opioid use and another attempt is planned; and
- 3 Patient is currently engaged with an opioid treatment service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

Renewal — (Maintenance treatment) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is or has been receiving maintenance therapy with buprenorphine with naloxone (and is not receiving methadone); and
- 2 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 3 Applicant works in an opioid treatment service approved by the Ministry of Health or is a medical practitioner authorised by the service to manage treatment in this patient.

Renewal — (Maintenance treatment where the patient has previously had an initial application for detoxification) from any medical practitioner. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient received but failed detoxification with buprenorphine with naloxone; and
- 2 Maintenance therapy with buprenorphine with naloxone is planned (and patient will not be receiving methadone); and
- 3 Patient is currently enrolled in an opioid substitution program in a service approved by the Ministry of Health; and
- 4 Applicant works in an opioid treatment service approved by the Ministry of Health.

BUPROPION HYDROCHLORIDE

Tab modified-release 150 mg Zyban to be Sole Supply on 1 July 2017	11.00	30	 Zyban
DISULFIRAM Tab 200 mg	44.30	100	 Antabuse
NALTREXONE HYDROCHLORIDE – Special Authority see SA140 Tab 50 mg			✓ Naltraccord

➡SA1408 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is currently enrolled in a recognised comprehensive treatment programme for alcohol dependence; and
- 2 Applicant works in or with a community Alcohol and Drug Service contracted to one of the District Health Boards or accredited against the New Zealand Alcohol and Other Drug Sector Standard or the National Mental Health Sector Standard.

continued...

‡ safety cap

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	1	Manufacturer

Renewal from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Compliance with the medication (prescriber determined); and
- 2 Any of the following:
 - 2.1 Patient is still unstable and requires further treatment; or
 - 2.2 Patient achieved significant improvement but requires further treatment; or
 - 2.3 Patient is well controlled but requires maintenance therapy.

NICOTINE

Nicotine will not be funded under the Dispensing Frequency Rule in amounts less than 4 weeks of treatment.

Patch 7 mg - Up to 28 patch available on a PSO	10.57	28	 Habitrol
Patch 14 mg – Up to 28 patch available on a PSO	11.31	28	 Habitrol
Patch 21 mg - Up to 28 patch available on a PSO	11.95	28	 Habitrol
Lozenge 1 mg - Up to 216 loz available on a PSO	12.91	216	 Habitrol
Lozenge 2 mg - Up to 216 loz available on a PSO	14.14	216	 Habitrol
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO	22.26	384	 Habitrol
Gum 2 mg (Mint) - Up to 384 piece available on a PSO	22.26	384	 Habitrol
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO	25.67	384	 Habitrol
Gum 4 mg (Mint) - Up to 384 piece available on a PSO	25.67	384	✓ <u>Habitrol</u>

VARENICLINE TARTRATE - Special Authority see SA1575 below - Retail pharmacy

a) Varenicline will not be funded under the Dispensing Frequency Rule in amounts less than 2 weeks of treatment.

b) A maximum of 12 weeks' varenicline will be subsidised or	n each Special Au	uthority appro	val, including the starter pack
Tab 1 mg	67.74	28	 Champix
	135.48	56	 Champix

Tab 0.5 mg × 11 and 1 mg × 1460.48 25 OP ✓ Champix

⇒SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and

3 Either:

- 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
- 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and
- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and

Subsidy	Fully	Brand or
acturer's Price) S	Subsidised	Generic
\$ Per	✓	

- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).
- The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval.

This includes the 2-week 'starter' pack.

	Subsidy (Manufacturer's Pric		Fully idised	Brand or Generic
	\$	Per	-	Manufacturer
Chemotherapeutic Agents				
Alkylating Agents				
BUSULFAN – PCT – Retail pharmacy-Specialist				
Tab 2 mg		100	🖌 My	yleran
CARBOPLATIN – PCT only – Specialist				
Inj 10 mg per ml, 5 ml vial		1	🗸 DE	3L Carboplatin
	20.00			arboplatin Ebewe
Inj 10 mg per ml, 15 ml vial	14.05	1	🗸 DE	BL Carboplatin
	19.50		🗸 Ca	arbaccord
	22.50		🖌 Ca	arboplatin Ebewe
Inj 10 mg per ml, 45 ml vial		1	🗸 DE	3L Carboplatin
	48.50			arbaccord
	50.00		-	arboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	🗸 Ba	axter
CARMUSTINE – PCT only – Specialist				
Inj 100 mg vial		1	🗸 Bi	CNU
Inj 100 mg for ECP	532.00	100 mg OP	🗸 Ba	axter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist				
Tab 2 mg		25	🖌 Le	ukeran FC
CISPLATIN – PCT only – Specialist				
Inj 1 mg per ml, 50 ml vial		1	🗸 DE	BL Cisplatin
	15.00		🖌 Ci	splatin Ebewe
Inj 1 mg per ml, 100 ml vial	21.00	1	🖌 Ci	splatin Ebewe
	22.46		🗸 DE	BL Cisplatin
Inj 1 mg for ECP	0.28	1 mg	🗸 Ba	axter
CYCLOPHOSPHAMIDE				
Tab 50 mg – PCT – Retail pharmacy-Specialist		50	🖌 Er	ndoxan S29
	158.00	100	🗸 Pr	ocytox S29
Wastage claimable - see rule 3.3.2 on page 13				•
Inj 1 g vial – PCT – Retail pharmacy-Specialist		1	🖌 Er	ndoxan
	127.80	6		/toxan
Inj 2 g vial – PCT only – Specialist		1		ndoxan
Inj 1 mg for ECP – PCT only – Specialist	0.04	1 mg	🗸 Ba	axter
IFOSFAMIDE – PCT only – Specialist				
Inj 1 g		1	🖌 Ho	oloxan
Inj 2 g		1	🖌 Ho	oloxan
Inj 1 mg for ECP	0.10	1 mg	🗸 Ba	axter
LOMUSTINE – PCT – Retail pharmacy-Specialist				
Cap 10 mg	132.59	20	🗸 Ce	eNU
Cap 40 mg		20	🗸 Ce	eNU
MELPHALAN				
Tab 2 mg - PCT - Retail pharmacy-Specialist		25	🗸 Al	keran
Inj 50 mg – PCT only – Specialist		1	🗸 Al	keran
• •	3,068.83		🖌 My	ylan
				Melphalan S29

	Subsidy (Manufacturer's Price)	Su	Fully bsidised	
	\$	Per	1	Manufacturer
OXALIPLATIN – PCT only – Specialist				
Inj 5 mg per ml, 10 ml vial		1	✓	Oxaliccord
Inj 50 mg vial		1	~	Oxaliplatin Actavis 50
	55.00		1	Oxaliplatin Ebewe
Inj 100 mg vial	25.01	1	~	Oxaliplatin Actavis 100
	110.00		1	Oxaliplatin Ebewe
Inj 5 mg per ml, 20 ml vial	16.00	1		Oxaliccord
Inj 1 mg for ECP		1 mg	1	Baxter
THIOTEPA – PCT only – Specialist		•		
Inj 15 mg vial	CBS	1	1	Bedford S29
			1	THIO-TEPA S29
				Tepadina S29
Inj 100 mg vial	CBS	1		Tepadina S29
Antimetabolites				
AZACITIDINE – PCT only – Specialist – Special Authority see SA Inj 100 mg vial Inj 1 mg for ECP	605.00	1 1 mg	-	Vidaza Baxter

⇒SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

*Three months or six months, as applicable, dispensed all-at-once

2 The treatment remains appropriate and patient is benefitting from treatment.

‡ safety cap

	Subsidy (Manufacturer's P		Fully Brand or idised Generic
	\$	Per	 Manufacturer
			6 · · · ·
Tab 15 mg – PCT – Retail pharmacy-Specialist		10	 DBL Leucovorin Calcium
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	17.10	5	 Hospira
Inj 50 mg – PCT – Retail pharmacy-Specialist		5	 <u>Calcium Folinate</u> <u>Ebewe</u>
Inj 100 mg - PCT only - Specialist	7.33	1	 Calcium Folinate Ebewe
Inj 300 mg – PCT only – Specialist	22.51	1	 Calcium Folinate Ebewe
Inj 1 g - PCT only - Specialist	67.51	1	 Calcium Folinate Ebewe
Inj 1 mg for ECP – PCT only – Specialist	0.06	1 mg	✓ Baxter
CAPECITABINE – Retail pharmacy-Specialist		3	
Tab 150 mg		60	 Brinov
Tab 500 mg		120	✓ Brinov
CLADRIBINE – PCT only – Specialist			
Inj 1 mg per ml, 10 ml	5.249.72	7	 Leustatin
Inj 10 mg for ECP	,	, 10 mg OP	✓ Baxter
YTARABINE			
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Special	ist 55.00	5	✓ Pfizer
	80.00	0	✓ Hospira
Inj 500 mg – PCT – Retail pharmacy-Specialist		1	✓ Pfizer
	95.36	5	✓ Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-Spec	ialist8.83	1	✓ Pfizer
	42.65		 Hospira
Inj 100 mg per ml, 20 ml vial – PCT – Retail			
pharmacy-Specialist	17.65	1	 Pfizer
	34.47		 Hospira
Inj 1 mg for ECP – PCT only – Specialist		10 mg	 Baxter
Inj 100 mg intrathecal syringe for ECP – PCT only – Special Pfizer Inj 500 mg to be delisted 1 September 2017)	st11.00	100 mg OP	 Baxter
LUDARABINE PHOSPHATE	410.00	00	Chudana Onal
Tab 10 mg – PCT – Retail pharmacy-Specialist Inj 50 mg vial – PCT only – Specialist		20 5	 ✓ <u>Fludara Oral</u> ✓ Fludarabine Ebewe
Inj 50 mg for ECP – PCT only – Specialist		5 50 mg OP	 ✓ Fludarabine Ebewe ✓ Baxter
LUOROURACIL	10.00	1	 Fluorouracil Ebewe
Inj 50 mg per ml, 20 ml vial – PCT only – Specialist Inj 50 mg per ml, 50 ml vial – PCT only – Specialist		1	 ✓ Fluorouracii Ebewe ✓ Fluorouracii Ebewe
Inj 50 mg per ml, 50 ml vial – PCT only – Specialist		1	 ✓ Fluorouracil Ebewe ✓ Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist		100 mg	✓ Baxter
EMCITABINE HYDROCHLORIDE – PCT only – Specialist			
Inj 1 g, 26.3 ml vial	62 50	1	DBL Gemcitabine
Inj 1 g		1	 Gemcitabine Ebewe
"'] ' 9	349.20	I	✓ Gemzar
Inj 200 mg		1	 Gemcitabine Ebewe
,	78.00		✓ Gemzar
Inj 1 mg for ECP		1 mg	✓ Baxter

	Subsidy (Manufacturer's Price \$) Su Per	Fully Brand or ubsidised Generic ✓ Manufacturer	
IRINOTECAN HYDROCHLORIDE – PCT only – Specialist Inj 20 mg per ml, 2 ml vial	11.50	1	Irinotecan Actavis	3
	41.00		40 ✓ Camptosar ✓ Irinotecan-Rex	
Inj 20 mg per ml, 5 ml vial	17.80	1	 Irinotecan Actavis 100 	6
	100.00		 ✓ Camptosar ✓ Irinotecan-Rex 	
Inj 1 mg for ECP MERCAPTOPURINE – PCT – Retail pharmacy-Specialist	0.19	1 mg	 Baxter 	
Tab 50 mg METHOTREXATE	49.41	25	 Puri-nethol 	
* Tab 2.5 mg – PCT – Retail pharmacy-Specialist		30	 Trexate 	
* Tab 10 mg – PCT – Retail pharmacy-Specialist		50	✓ Trexate	
* Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist		5	✓ Hospira	
* Inj 7.5 mg prefilled syringe		1	 Methotrexate Sandoz 	
* Inj 10 mg prefilled syringe	14.66	1	 Methotrexate Sandoz 	
* Inj 15 mg prefilled syringe	14.77	1	 Methotrexate Sandoz 	
* Inj 20 mg prefilled syringe	14.88	1	 Methotrexate Sandoz 	
* Inj 25 mg prefilled syringe	14.99	1	 Methotrexate Sandoz 	
* Inj 30 mg prefilled syringe	15.09	1	 Methotrexate Sandoz 	
* Inj 25 mg per ml, 2 ml vial - PCT - Retail pharmacy-Specia	list30.00	5	 <u>DBL Methotrexate</u> <u>Onco-Vial</u> 	2
* Inj 25 mg per ml, 20 ml vial – PCT – Retail pharmacy-Speci	alist45.00	1	 <u>DBL Methotrexate</u> <u>Onco-Vial</u> 	2
* Inj 100 mg per ml, 10 ml - PCT - Retail pharmacy-Specialis	st25.00	1	 Methotrexate Eber 	we
* Inj 100 mg per ml, 50 ml - PCT - Retail pharmacy-Specialis		1	 Methotrexate Eber 	we
* Inj 1 mg for ECP – PCT only – Specialist		1 mg	 Baxter 	
 Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist THIOGUANINE – PCT – Retail pharmacy-Specialist 	4.73	5 mg OP	 Baxter 	
Tab 40 mg		25	 Lanvis 	
Other Cytotoxic Agents				
AMSACRINE – PCT only – Specialist Inj 50 mg per ml, 1.5 ml ampoule	1,500.00	6	✓ Amsidine S29	
lnj 75 mg		5	AmsaLyo S29	
ANAGRELIDE HYDROCHLORIDE - PCT - Retail pharmacy-Sp	pecialist	100	✓ Agrylin S29	
Cap 0.5 mg		100	 Agrynn sza Teva sza 	
ARSENIC TRIOXIDE – PCT only – Specialist Inj 10 mg	4,817.00	10	✓ AFT \$29	

‡ safety cap

 $\ensuremath{\textbf{\#}}$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price \$		ully ised ✔	Brand or Generic Manufacturer
BLEOMYCIN SULPHATE – PCT only – Specialist				
Inj 15,000 iu, vial	150.48	1	✓ D	BL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	✔ В	axter
BORTEZOMIB - PCT only - Specialist - Special Authority see SA	A1576 below			
Inj 3.5 mg vial	1,892.50	1	🗸 V	elcade
Inj 1 mg for ECP	594.77	1 mg	🗸 В	axter

SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
- 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.
- Note: Indications marked with * are Unapproved Indications.

Initial application - (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Fither:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal --- (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and

2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

- a) a known therapeutic chemotherapy regimen and supportive treatments: or
- b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

COLASPASE [L-ASPARAGINASE] - PCT only - Specialist			,
Inj 10,000 iu		1	Leunase
Inj 10,000 iu for ECP	102.32	10,000 iu OP	 Baxter
DACARBAZINE – PCT only – Specialist			
Inj 200 mg vial		1	 DBL Dacarbazine
Inj 200 mg for ECP		200 mg OP	 Baxter
DACTINOMYCIN [ACTINOMYCIN D] - PCT only - Specialist			
Inj 0.5 mg vial	145.00	1	 Cosmegen
Inj 0.5 mg for ECP		0.5 mg OP	 Baxter
DAUNORUBICIN – PCT only – Specialist			
Inj 2 mg per ml, 10 ml	118.72	1	 Pfizer
Inj 20 mg for ECP		20 mg OP	 Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's Price		Subsidised	
	\$	Per	1	Manufacturer
DOCETAXEL – PCT only – Specialist				
Inj 20 mg	13.70	1		DBL Docetaxel
	48.75		1	Docetaxel Sandoz
Inj 80 mg		1	1	DBL Docetaxel
	195.00		1	Docetaxel Sandoz
Inj 1 mg for ECP	0.61	1 mg	1	Baxter
DOXORUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial	10.00	1	1	Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Doxorubicin Ebewe
	17.00	•		Arrow-Doxorubicin
Inj 50 mg vial		1		DBL Doxorubicin
				DBL Doxorubicin
			•	S29 S29
lei Ouran annal EO ad aist	00.00			
Inj 2 mg per ml, 50 ml vial		1		Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1		Doxorubicin Ebewe
	65.00			Arrow-Doxorubicin
	150.00			Adriamycin
Inj 1 mg for ECP	0.25	1 mg	~	Baxter
EPIRUBICIN HYDROCHLORIDE - PCT only - Specialist				
Inj 2 mg per ml, 5 ml vial		1	1	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1	1	Epirubicin Ebewe
	39.38		1	DBL Epirubicin
				Hydrochloride
Inj 2 mg per ml, 50 ml vial	32.50	1	1	Epirubicin Ebewe
	58.20	·		DBL Epirubicin
	00.20			Hydrochloride
Inj 2 mg per ml, 100 ml vial	65.00	1	1	Epirubicin Ebewe
	94.50	1		DBL Epirubicin
	94.50		•	Hydrochloride
lei 1 ma far FOR	0.00	4		
Inj 1 mg for ECP	0.36	1 mg	•	Baxter
ETOPOSIDE				
Cap 50 mg – PCT – Retail pharmacy-Specialist		20		Vepesid
Cap 100 mg – PCT – Retail pharmacy-Specialist		10		Vepesid
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specia	list7.90	1	✓	Rex Medical
Inj 1 mg for ECP – PCT only – Specialist	0.09	1 mg	✓	Baxter
ETOPOSIDE PHOSPHATE – PCT only – Specialist				
Inj 100 mg (of etoposide base)	40.00	1	1	Etopophos
Inj 1 mg (of etoposide base) for ECP		1 mg		Baxter
		ing	-	Duxtor
HYDROXYUREA – PCT – Retail pharmacy-Specialist	01 70	100		Underso
Cap 500 mg		100	•	Hydrea
IDARUBICIN HYDROCHLORIDE				
Inj 5 mg vial – PCT only – Specialist		1	1	Zavedos
Inj 10 mg vial – PCT only – Specialist		1	1	Zavedos
Inj 1 mg for ECP – PCT only – Specialist	27.75	1 mg	1	Baxter
LENALIDOMIDE - Retail pharmacy-Specialist - Special Authori		e next	page	
Wastage claimable – see rule 3.3.2 on page 13	.,	2	3-	
Cap 10 mg	6,207,00	21	1	Revlimid
Cap 25 mg		21		Revlimid
			-	

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

Subsic (Manufacture	, , , , , , , , , , , , , , , , , , , ,
(Manuacture \$	Per ✓ Manufacturer

➡SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has relapsed or refractory multiple myeloma with progressive disease; and
- 2 Either:
 - 2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or
 - 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA

Tab 400 mg PCT – Retail pharmacy-Specialist	50 50 15 15	 Uromitexan Uromitexan Uromitexan Uromitexan
Inj 1 mg for ECP – PCT only – Specialist2.69	100 mg	 Baxter
MITOMYCIN C – PCT only – Specialist		
Inj 5 mg vial204.08	1	✓ <u>Arrow</u>
Inj 1 mg for ECP42.04	1 mg	 Baxter
MITOZANTRONE – PCT only – Specialist		
Inj 2 mg per ml, 10 ml vial	1	 Mitozantrone Ebewe
Inj 1 mg for ECP5.51	1 ma	✓ Baxter
PACLITAXEL – PCT only – Specialist		
Inj 30 mg45.00	5	Paclitaxel Ebewe
Inj 100 mg19.02	1	 Paclitaxel Ebewe
91.67		 Paclitaxel Actavis
lnj 150 mg26.69	1	 Paclitaxel Ebewe
137.50		 Anzatax
		 Paclitaxel Actavis
lnj 300 mg36.53	1	 Paclitaxel Ebewe
275.00		 Anzatax
		 Paclitaxel Actavis
Inj 600 mg73.06	1	 Paclitaxel Ebewe
Inj 1 mg for ECP0.17	1 mg	 Baxter
PEGASPARGASE – PCT only – Special Authority see SA1325 on the next page	•	
Inj 3,750 IU per 5 ml	1	 Oncaspar S29

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	1	Manufacturer
 SA1325 Special Authority for Subsidy Initial application only from a relevant specialist or medical pract Approvals valid for 12 months for applications meeting the followir All of the following: 1 The patient has newly diagnosed acute lymphoblastic leuk 2 Pegaspargase to be used with a contemporary intensive m 3 Treatment is with curative intent. Renewal only from a relevant specialist or medical practitioner on for 12 months for applications meeting the following criteria: All of the following: The patient has relaysed acute lymphoblastic leukaemia; a 2 Pegaspargase to be used with a contemporary intensive m 3 Treatment is with curative intent. 	ng criteria: aemia; and ulti-agent chemother the recommendatior nd	apy i of a	treatment p relevant sp	rotocol; and pecialist. Approvals valid
PENTOSTATIN [DEOXYCOFORMYCIN] – PCT only – Specialist Inj 10 mg		1	~	Nipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy-	Specialist			
Cap 50 mg	•	50	 Image: A second s	Natulan S29
TEMOZOLOMIDE – Special Authority see SA1616 below – Retai Cap 5 mg	l pharmacy	5		<u>Orion</u> Temozolomide
Cap 20 mg	18.30	5	1	Orion
		Ũ		Temozolomide
Cap 100 mg		5	1	Orion
		2	-	Temozolomide
Cap 250 mg		5	1	Orion
		-	-	Temozolomide

⇒SA1616 Special Authority for Subsidy

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

*Three months or six months, as applicable, dispensed all-at-once

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

1 Both:

1.1 Patient has glioblastoma multiforme; and

1.2 The treatment remains appropriate and the patient is benefitting from treatment; or

- 2 All of the following:
 - 2.1 Patient has anaplastic astrocytoma*; and
 - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
 - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed glioblastoma multiforme.

THALIDOMIDE - PCT only - Specialist - Special Authority	y see SA1124 below		
Cap 50 mg		28	 Thalomid
Cap 100 mg	756.00	28	 Thalomid

⇒SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

TRETINOIN

1110 1111			
Cap	10 mg – PCT – Retail pharmacy-Specialist	100	 Vesanoid
VINBLA	STINE SULPHATE		
Inj 1	I mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist37.29	1	 Hospira
	186.46	5	 Hospira
Inj 1	I mg for ECP – PCT only – Specialist4.14	1 mg	 Baxter
VINCRI	STINE SULPHATE		
Inj 1	I mg per ml, 1 ml vial – PCT – Retail pharmacy-Specialist74.52	5	 DBL Vincristine Sulfate
Inj 1	I mg per ml, 2 ml vial – PCT – Retail pharmacy-Specialist85.61	5	 DBL Vincristine Sulfate
Inj 1	I mg for ECP – PCT only – Specialist11.30	1 mg	 Baxter
VINORE	ELBINE – PCT only – Specialist		
	10 mg per ml, 1 ml vial8.00	1	Navelbine
,	42.00		 Vinorelbine Ebewe
Inj 1	10 mg per ml, 5 ml vial40.00	1	 Navelbine
	210.00		 Vinorelbine Ebewe
Inj 1	I mg for ECP0.90	1 mg	 Baxter

	Subsidy (Manufacturer's Price) \$	l Subsid Per	Fully ised ✔	Brand or Generic Manufacturer
Protein-tyrosine Kinase Inhibitors				
DASATINIB – Special Authority see SA0976 below – [Xpharm]				
Tab 20 mg	3,774.06	60	✓ S	prycel
Tab 50 mg	6,214.20	60	✓ S	prycel
Tab 70 mg	7,692.58	60	✓ s	prycel
Tab 100 mg	6,214.20	30	✓ S	prycel
■ SA0976 Special Authority for Subsidy				

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: cmlgistcoordinator@pharmac.govt.nz
Wellington	

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase.
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cvtogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > $1.0 \times 10^{9}/L$, platelets > $20 \times 10^{10}/L$ 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases). and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

ERLOTINIB - Retail pharmacy-Specialist - Special Authority see	SA1641 below		
Tab 100 mg	764.00	30	 Tarceva
Tab 150 mg	1,146.00	30	🗸 Tarceva

⇒SA1641 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

‡ safety cap

	Subsidy	F	ully	Brand or
(Mai	nufacturer's Price)	Subsidi	sed	Generic
	\$	Per	✓	Manufacturer

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Either:
 - 3.1 Patient is treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient has discontinued gefitinib within 12 weeks of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

ab 250 mg 1,700.00 30 V

⇒SA1578 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

- All of the following:
 - 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and 2 Either:
 - 2 Either:
 - 2.1 Patient is treatment naive; or
 - 2.2 Both:

2.2.1 The patient has discontinued erlotinib within 12 weeks of starting treatment due to intolerance; and 2.2.2 The cancer did not progress whilst on erlotinib; and

- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

[Xpharm]2,400.00 60 🗸 🖸	Glivec
* Cap 100 mg	Imatinib-AFT
	Imatinib-AFT

➡SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: cmlgistcoordinator@pharmac.govt.nz
Wellington	

Special Authority criteria for GIST – access by application Funded for patients:

	Subsidy (Manufacturer's Price) \$	Sut Per	Fully osidised	Brand or Generic Manufacturer
continued				
 a) With a diagnosis (confirmed by an oncologist) of unresec (GIST). b) Maximum dose of 400 mg/day. c) Applications to be made and subsequent prescriptions ca d) Initial and subsequent applications are valid for one year. the treatment with imatinib (prescriber determined). 	n be written by an ond	cologist.	Ū	
LAPATINIB DITOSYLATE - Special Authority see SA1191 belo		70		- de a da
Tab 250 mg SA1191 Special Authority for Subsidy	1,899.00	70	✓ 1	ykerb
Initial application — (metastatic breast cancer) only from a re of a relevant specialist. Approvals valid for 12 months for applic Either: 1 All of the following:				r on the recommendatior
 The patient has metastatic breast cancer expressi technology); and 	ing HER-2 IHC 3+ or I	SH+ (inc	luding Fl	SH or other current
1.2 The patient has not previously received trastuzum1.3 Lapatinib not to be given in combination with trast1.4 Lapatinib to be discontinued at disease progression	uzumab; and	2 positiv	e metast	atic breast cancer; and
2 All of the following:		011 //		
 2.1 The patient has metastatic breast cancer expressi technology); and 	ING HER-2 IHC 3+ OF I	SH+ (Inc	luaing Fi	SH or other current
2.2 The patient started trastuzumab for metastatic bre starting treatment due to intolerance; and		tinued tra	istuzuma	ab within 3 months of
2.3 The cancer did not progress whilst on trastuzumal2.4 Lapatinib not to be given in combination with trast2.5 Lapatinib to be discontinued at disease progressic	uzumab; and			
Renewal — (metastatic breast cancer) only from a relevant sp relevant specialist. Approvals valid for 12 months for application All of the following:				ecommendation of a
1 The patient has metastatic breast cancer expressing HEF and	R-2 IHC 3+ or ISH+ (in	cluding I	SH or c	other current technology)
 2 The cancer has not progressed at any time point during th 3 Lapatinib not to be given in combination with trastuzumath 4 Lapatinib to be discontinued at disease progression. 		s whilst c	n lapatin	ib; and
NILOTINIB – Special Authority see SA1489 below – Retail phar Wastage claimable – see rule 3.3.2 on page 13				
Cap 150 mg Cap 200 mg		120 120		asigna asigna
SA1489 Special Authority for Subsidy				
Initial application only from a haematologist. Approvals valid for All of the following:	or 6 months for applica	ations me	eting the	e following criteria:

1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and 2 Either:

- 2.1 Patient has documented CML treatment failure* with imatinib; or
- 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day; and

*Three months or six months, as applicable, dispensed all-at-once

continued...

‡ safety cap

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy	rice)	Fully	Brand or
(Manufacturer's F		Subsidised	Generic
\$	Per	1	Manufacturer

continued...

4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg	1,334.70	30	 Votrient
Tab 400 mg	2,669.40	30	 Votrient

⇒SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
 - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of \leq 70; or
 - 5.6 \geq 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.
- Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

SUNITINIB - Special Authority see SA1266 on the next page	 Retail pharmacy 		
Cap 12.5 mg		28	 Sutent
Cap 25 mg		28	 Sutent
Cap 50 mg	9,261.54	28	 Sutent

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
 \$	Per 🖌	Manufacturer

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or
 - 2.4 Both:
 - 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
 - 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
 - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of \leq 70; or
 - 5.6 \geq 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and
- 2 Either:
 - 2.1 The patient's disease has progressed following treatment with imatinib; or
 - 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.
- Notes: Sunitinib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or

continued...

‡ safety cap

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of $\ge 10\%$ and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 88

⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- 3 No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

BICALUTAMIDE

Tab 50 mg	4.90	28	 Bicalaccord
FLUTAMIDE – Retail pharmacy-Specialist Tab 250 mg		30	 Flutamide Mylan \$29
	55.00	100	✓ Flutamin
MEGESTROL ACETATE – Retail pharmacy-Specialist Tab 160 mg		30	✓ <u>Apo-Megestrol</u>

	Subsidy (Manufacturer's Price)	Sub Per	Fully sidised	Brand or Generic Manufacturer
OCTREOTIDE	Ψ			
Inj 50 mcg per ml, 1 ml vial Inj 100 mcg per ml, 1 ml vial		5 5	✓ <u>D</u> ✓ D	
Inj 500 mcg per ml, 1 ml vial		5	✓ <u>D</u>	
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special	Authority see SA1016	below -	Retail ph	narmacy
Inj LAR 10 mg prefilled syringe	1,772.50	1	🖌 Sa	andostatin LAR
Inj LAR 20 mg prefilled syringe	2,358.75	1	🗸 Si	andostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	✓ Sa	andostatin LAR

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 IGF1 levels have decreased since starting octreotide; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or

*Three months or six months, as applicable, dispensed all-at-once

2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or

- 3 Both:
 - 3.1 Insulinomas; and

continued...

‡ safety cap

Subsidy	Fu	illy	Brand or
(Manufacturer's Price)	Subsidis	ed	Generic
\$	Per	✓	Manufacturer

continued...

3.2 Surgery is contraindicated or has failed; or

4 For pre-operative control of hypoglycaemia and for maintenance therapy; or

5 Both:

5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and

5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. TAMOXIFEN CITRATE

*	Tab 10 mg 17.50	100	🗸 Genox
	Tab 20 mg2.63	30	🗸 Genox
	8.75	100	🗸 Genox

Aromatase Inhibitors

ANASTROZOLE * Tab 1 mg26.55	30	 ✓ Aremed ✓ Arimidex ✓ DP-Anastrozole
EXEMESTANE * Tab 25 mg14.50	30	✓ Pfizer Exemestane
LETROZOLE * Tab 2.5 mg2.95	30	✓ Letrole

Immunosuppressants

Cytotoxic Immunosuppressants

🗸 Azamun
🗸 Imuran
🗸 Imuran
🗸 Azamun
 Imuran
 Cellcept
 Cellcept
DP V Cellcept
-

Mycophenolate powder for oral liquid is subsidised only for patients unable to swallow tablets and capsules, and when the prescription is endorsed accordingly.

Fusion Proteins

ETANERCEPT - Special Authority see SA1620 on the next page	- Retail pharmacy		
Inj 25 mg	799.96	4	 Enbrel
Inj 50 mg autoinjector	1,599.96	4	 Enbrel
Inj 50 mg prefilled syringe	1,599.96	4	 Enbrel

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
 \$	Per 🖌	Manufacturer

⇒SA1620 Special Authority for Subsidy

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Either

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and 1.2 Either:
 - 1.2 Lither
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA; or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or

continued...

‡ safety cap

A Three months supply may be dispensed at one time

Subsidy	Full	/ Brand or
(Manufacturer's Price)	Subsidise	d Generic
\$	Per 🖌	Manufacturer

continued...

- 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints;
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Fither:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application: or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plague psoriasis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab: or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Fither:
 - 2.1.1 Patient has "whole body" severe chronic plague psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from. at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course: and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadeguate response" is defined as: for whole body severe chronic plague psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment: for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. Initial application - (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
 \$	Per 🗸	

continued...

- 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years Male: 7.0 cm; Female: 5.5 cm
- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm

65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:

*Three months or six months, as applicable, dispensed all-at-once

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsi	dised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
- 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Subsidy	Fu	ılly	Brand or
(Manufacturer's Price)	Subsidis	ed	Generic
\$	Per	✓	Manufacturer

continued...

1 Either:

- 1.1 Applicant is a rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or

*Three months or six months, as applicable, dispensed all-at-once

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

continued...

Subsidy (Manufacturer's	Ful Price) Subsidise	
\$	Per	Manufacturer

continued...

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

2 Either:

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- Both:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
 - 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) – PCT only – Specialist Inj 50 mg per ml, 5 ml2,351.25	5	✓ ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE – PCT only – Specialist Subsidised only for bladder cancer.		
Inj 2-8 × 100 million CFU	1	 OncoTICE
Monoclonal Antibodies		
ADALIMUMAB – Special Authority see SA1621 below – Retail pharmacy		
Inj 10 mg per 0.2 ml prefilled syringe1,599.96	2	🗸 Humira
Inj 20 mg per 0.4 ml prefilled syringe1,599.96	2	🗸 Humira
Inj 40 mg per 0.8 ml prefilled pen 1,599.96	2	 HumiraPen
Inj 40 mg per 0.8 ml prefilled syringe1,599.96	2	🗸 Humira
(Humira Inj 10 mg per 0.2 ml prefilled syringe to be delisted 1 August 2017)		

► SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	sidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
 - 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
 - 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has severe active Crohn's disease; and

*Three months or six months, as applicable, dispensed all-at-once

- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

continued...

‡ safety cap

A Three months supply may be dispensed at one time

¹ Both:

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	lbsidised	Generic
\$	Per	1	Manufacturer

continued...

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and

continued...

186

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

18-24 years - Male: 7.0 cm; Female: 5.5 cm 25-34 years - Male: 7.5 cm; Female: 5.5 cm

35-44 years - Male: 6.5 cm; Female: 4.5 cm 45-54 years - Male: 6.0 cm; Female: 5.0 cm

45-54 years - Male: 6.0 cm; Female: 5.0 cm

55-64 years - Male: 5.5 cm; Female: 4.0 cm 65-74 years - Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or
- 2 All of the following:

*Three months or six months, as applicable, dispensed all-at-once

continued...

	Subsidy		ully	Brand or
(Mar	nufacturer's Price)	Subsidi	sed	Generic
	\$	Per	✓	Manufacturer

continued...

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with JIA; and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or

2 All of the following:

2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

- 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
- 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.
- **Renewal** (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or
 - 2.1.2 CDAI score is 150 or less; or
 - 2.2 Both:
 - 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
 - 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or

*Three months or six months, as applicable, dispensed all-at-once

- 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price	e)	Subsidised	Generic
\$	Per	1	Manufacturer

continued...

- 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
- 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.
- Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
 - 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
 - 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Either:

190

- 1.1 Applicant is a named specialist or rheumatologist; or
- 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

OBINUTUZUMAB – PCT only – Specialist – Special Authority see SA1627 below

Inj 25 mg per ml, 40 ml vial	5,910.00	1	🖌 Gazyva
Inj 1 mg for ECP	6.21	1 mg	 Baxter

► SA1627 Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and
- 4 Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL; and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price)		Fully idised	Brand or Generic
	\$	Per	1	Manufacturer
continued than CLL induced illness/impairment in the patient. 'Good perform temporarily debilitated by their CLL disease symptoms a higher E is expected to improve symptoms and improve ECOG score to < * Neutrophil $\geq 1.5 \times 10^9$ /L and platelets $\geq 75 \times 10^9$ /L.	COG (2 or 3) is accep 2.			
OMALIZUMAB – Special Authority see SA1490 below – Retail p Inj 150 mg vial		1	🗸 Xo	blair
 SA1490 Special Authority for Subsidy Initial application only from a respiratory specialist. Approvals of All of the following: Patient is over the age of 6; and Patient has a diagnosis of severe, life threatening asthma. Past or current evidence of atopy, documented by skin pride total serum human immunoglobulin E (IgE) between 76 IU Proven compliance with optimal inhaled therapy including per day or fluticasone propionate 1000 micrograms per data salmeterol 50 micrograms bd or eformoterol 12 microgram tolerated; and Patient has received courses of systemic corticosteroids equaless contraindicated or not tolerated; and At least four admissions to hospital for a severe asthma extra those being in the previous 12 months; and An Asthma Control Questionnaire (ACQ-5) score of at lea Renewal only from a respiratory specialist. Approvals valid for 2 All of the following:	and ck testing or RAST; a J/mL and 1300 IU/mI high dose inhaled cor y or equivalent), plus is bd) for at least 12 n equivalent to at least 2 kacerbation over the p st 3.0 as assessed in	nd at baselini ticosteroic long-actin nonths, un 8 days tre previous 2 the previo	e; and d (budes g beta-2 lless cor eatment i 4 month us mont	sonide 1600 micrograms 2 agonist therapy (at least ntraindicated or not in the past 12 months, s with at least one of th .
 Hospital admissions have been reduced as a result of treat A reduction in the Asthma Control Questionnaire (ACQ-5) A reduction in the maintenance oral corticosteroid dose of 	score of at least 1.0 f		ine; and	
PERTUZUMAB – PCT only – Specialist – Special Authority see Inj 30 mg per ml, 14 ml vial Inj 1 mg for ECP	3,927.00	1 1 mg	✓ Pe ✓ Ba	
■ SA1606 Special Authority for Subsidy Initial application — (metastatic breast cancer) only from a re of a relevant specialist. Approvals valid for 12 months for applica All of the following:	tions meeting the follo	owing crite	eria:	
 The patient has metastatic breast cancer expressing HER and Either: Detion to chamatherapy treatment pairs or 	-2 IHC 3+ or ISH+ (in	cluding FI	SH or ot	her current technology);

- 2.1 Patient is chemotherapy treatment naïve; or
- 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

S	ubsidy	Fully	Brand or
(Manufac	cturer's Price) Sul	bsidised	Generic
	\$ Per	~	Manufacturer

- continued...
 - 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1631 below

Inj 100 mg per 10 ml vial		2	 Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	 Mabthera
Inj 1 mg for ECP	5.64	1 mg	 Baxter

■SA1631 Special Authority for Subsidy

Initial application - (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- - 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
 - 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application - (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 6 treatment cycles; or
- 2 Both:
 - 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Initial application - (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and 2.2 To be used for a maximum of 6 treatment cycles.
- Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Initial application - (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive: and

*Three months or six months, as applicable, dispensed all-at-once

- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
- 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient has good renal function (creatinine clearance \geq 30 ml/min); and
- 6 The patient does not have chromosome 17p deletion CLL; and
- 7 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles; and
- 8 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration).

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2. **Renewal — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had a rituximab treatment-free interval of 36 months or more; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration); and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

	Subsidy (Manufacturer's Price)	Subsi		Brand or Generic Manufacturer
	ð	Per	/	Manulaclurer
SILTUXIMAB – Special Authority see SA1596 below – Retail ph	,			
Note: Siltuximab is to be administered at doses no greater t		weeks.		
Inj 100 mg vial	770.57	1		Sylvant
Inj 400 mg vial	3,082.33	1		Sylvant
■SA1596 Special Authority for Subsidy				
Initial application only from a haematologist or rheumatologist.	Approvals valid for 6	months for	r appli	cations meeting the
following criteria:				
All of the following:				
1 Patient has severe HHV-8 negative idiopathic multicentric	Castleman's Disease	; and		

- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and
- 3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

TRASTUZUMAB - PCT only - Specialist - Special Authority see SA1632 below

Inj 150 mg vial	 1	 Herceptin
Inj 440 mg vial	 1	 Herceptin
Inj 1 mg for ECP	 1 mg	 Baxter

SA1632 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 Either:
 - 2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 2.2 Both:
 - 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
 - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 3.2 All of the following:
 - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a

relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

- All of the following:
 - 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
 - 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
 - 3 Trastuzumab not to be given in combination with lapatinib; and
 - 4 Trastuzumab to be discontinued at disease progression.

*Three months or six months, as applicable, dispensed all-at-once

Initial application - (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or	
(Manufacturer's Pri	ce)	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or 3.2 Both:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; or
 - 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 4 Either:
 - 4.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 4.2 All of the following:
 - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Programmed Cell Death-1 (PD-1) Inhibitors

NIVOLUMAB – PCT only – Specialist – Special Authority see SA1617 below		
Inj 10 mg per ml, 4 ml vial1,051.98	1	🗸 Opdivo
Inj 10 mg per ml, 10 ml vial2,629.96	1	 Opdivo
Inj 1 mg for ECP27.62	1 mg	 Baxter

➡SA1617 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per		Manufacturer

continued...

3 Either:

- 3.1 Patient has not received funded pembrolizumab; or
- 3.2 Both:

3.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and

- 3.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 4 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
 must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB - PCT only - Specialist - Special Authority see SA1615 below

Inj 50 mg vial	2,340.00	1	🗸 Keytruda
Inj 1 mg for ECP		1 mg	 Baxter

➡SA1615 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

1 Patient has metastatic or unresectable melanoma stage III or IV; and

*Three months or six months, as applicable, dispensed all-at-once

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subs	idised	Generic
\$	Per	1	Manufacturer

continued...

- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 Either:
 - 3.1 Patient has not received funded nivolumab; or
 - 3.2 Both:
 - 3.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress while the patient was on nivolumab; and
- 4 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 5 Baseline measurement of overall tumour burden is documented (see Note); and
- 6 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

Other Immunosuppressants

CICLOSPORIN		
Cap 25 mg	50 50	 Neoral
Cap 50 mg	1 50	Neoral
Cap 100 mg	50	Neoral
Oral liq 100 mg per ml198.1		 Neoral

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
EVEROLIMUS - Special Authority see SA1491 below - Retail ph	narmacy			
Wastage claimable – see rule 3.3.2 on page 13				
Tab 5 mg	4,555.76	30	🗸 A	finitor
Tab 10 mg	6,512.29	30	🗸 🖌	finitor

SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis: and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the followina:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

SIROLIMUS - Special Authority see SA0866 below - Retail pharmacy

Tab 1 mg	 100	 Rapamune
Tab 2 mg	 100	 Rapamune
Oral lig 1 mg per ml	 60 ml OP	 Rapamune

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min; or
- · Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- · HUS or TTP; or
- Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS - Special Authority see SA1540 below - Retail pharmacy

Cap 0.5 mg	100	Tacrolimus Sandoz
Cap 1 mg	100	 Tacrolimus Sandoz
Cap 5 mg – For tacrolimus oral liquid formulation refer,		
page 216	50	 <u>Tacrolimus Sandoz</u>

⇒SA1540 Special Authority for Subsidy

Initial application - (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application - (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS: and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

continued...

effects or inadequate clinical response; and

2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.

Note: Indications marked with * are Unapproved Indications

Note: Subsidy applies for either primary or rescue therapy.

	Subsidy (Manufacturer's Price)	Subs	Fully idised	Brand or Generic
	\$	Per	 ✓ 	Manufacturer
Antiallergy Preparations				
Allergic Emergencies				
ICATIBANT – Special Authority see SA1558 below – Retail pharn Inj 10 mg per ml, 3 ml prefilled syringe	2,668.00	1 valid for 12		i razyr s for applications meeting
 Supply for anticipated emergency treatment of laryngeal/o angioedema (HAE) for patients with confirmed diagnosis of 2 The patient has undergone product training and has agree Renewal from any relevant practitioner. Approvals valid for 12 m is benefiting from treatment. 	of C1-esterase inhibito ed upon an action pla	or deficien n for self-a	cy; and dminist	ration.
Allergy Desensitisation				
 ⇒SA1367 Special Authority for Subsidy Initial application only from a relevant specialist. Approvals vali Both: RAST or skin test positive; and Patient has had severe generalised reaction to the sensitis Renewal only from a relevant specialist. Approvals valid for 2 ye benefiting from treatment. BEE VENOM ALLERGY TREATMENT – Special Authority see S Maintenance kit - 6 vials 120 mcg freeze dried venom, with diluent	sing agent. ars where the treatme A1367 above – Reta 285.00	ent remain	s appro	ppriate and the patient is
WASP VENOM ALLERGY TREATMENT – Special Authority see Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml	SA1367 above – Re			
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze dried venom, with diluent Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze		1 OP		enomil \$29
dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze dried venom, with diluent		1 OP 1 OP	✓ A	lbey enomil 629
Antihistamines				
CETIRIZINE HYDROCHLORIDE * Tab 10 mg *‡ Oral liq 1 mg per ml		100 00 ml	✓ <u>Zi</u> ✓ <u>H</u>	ista istaclear
CHLORPHENIRAMINE MALEATE *+ Oral liq 2 mg per 5 ml		00 ml	✔ Н	istafen

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	
	(Manufacturer's Pr \$	ice) S Per	Subsidised	Generic Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE		-		
* Tab 2 mg	2.02	40		
1 1 1 2 1 1 g	(8.40)	10		Polaramine
	1.01	20		
	(5.99)			Polaramine
* + Oral lig 2 mg per 5 ml	()	100 ml		
	(10.29)			Polaramine
FEXOFENADINE HYDROCHLORIDE	(/			
* Tab 60 mg	1 31	20		
* Tab 00 mg	(11.53)	20		Telfast
* Tab 120 mg	()	30		renasi
* Tab 120 mg	(29.81)	50		Telfast
	4.74	10		renasi
	(11.53)	10		Telfast
	(11.50)			Tondot
LORATADINE	4.00	100		
* Tab 10 mg		100		Lorafix
* Oral liq 1 mg per ml	2.15	120 ml	~	Lorfast
PROMETHAZINE HYDROCHLORIDE				
* Tab 10 mg	1.78	50		Allersoothe
* Tab 25 mg		50		Allersoothe
*+ Oral liq 1 mg per 1 ml		100 ml		Allersoothe
✤ Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available on a F	'SO 15.54	5	✓	Hospira
TRIMEPRAZINE TARTRATE				
+ Oral liq 30 mg per 5 ml	2.79	100 ml C	P	
	(8.06)			Vallergan Forte
	()			5
Inhaled Corticosteroids				
BECLOMETHASONE DIPROPIONATE				
Aerosol inhaler, 50 mcg per dose	9.30	200 dose	OP 🖌	Qvar
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose 200 dose	•.	Beclazone 50
Aerosol inhaler, 30 mcg per dose of 0-nee		200 dose 200 dose	-	Qvar
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose	-	Beclazone 100
		200 0036		

BUDESONIDE

Powder for inhalation, 100 mcg per dose	0 200 d
Powder for inhalation, 200 mcg per dose	0 200 de
Powder for inhalation, 400 mcg per dose	0 200 d

FLUTICASONE

Aerosol inhaler, 50 mcg per dose	7.50	120 dose OP
Aerosol inhaler, 50 mcg per dose CFC-free		120 dose OP
Powder for inhalation, 50 mcg per dose		60 dose OP
Powder for inhalation, 100 mcg per dose		60 dose OP
Aerosol inhaler, 125 mcg per dose		120 dose OP
Aerosol inhaler, 125 mcg per dose CFC-free		120 dose OP
Aerosol inhaler, 250 mcg per dose	27.20	120 dose OP
Aerosol inhaler, 250 mcg per dose CFC-free	27.20	120 dose OP
Powder for inhalation, 250 mcg per dose	13.60	60 dose OP

200 dose OP	 Beclazone 50
200 dose OP	🗸 Qvar
200 dose OP	 Beclazone 100
200 dose OP	 Beclazone 250
200 dose OP	✓ Pulmicort
	Turbuhaler
200 dose OP	 Pulmicort
	Turbuhaler
200 dose OP	 Pulmicort
	Turbuhaler
120 dose OP	✓ Floair
120 dose OP	 Flixotide
60 dose OP	 Flixotide Accuhaler
60 dose OP	 Flixotide Accuhaler
120 dose OP	 Floair
120 dose OP	 Flixotide
120 dose OP	 Floair
120 dose OP	 Flixotide

✓ Flixotide Accuhaler

Subsic		Fully Brand or dised Generic
(Manufacture \$	r's Price) Subsi Per	Manufacturer
Ψ	101	- manufacturor
Inhaled Long-acting Beta-adrenoceptor Agonists		
EFORMOTEROL FUMARATE		
Powder for inhalation, 6 mcg per dose, breath activated10.32		
(16.90)	,	Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose device20.64		E a una all'I
(35.80))	Foradil
INDACATEROL		
Powder for inhalation 150 mcg61.00		 Onbrez Breezhaler
Powder for inhalation 300 mcg61.00	30 dose OP	 Onbrez Breezhaler
SALMETEROL		
Aerosol inhaler CFC-free, 25 mcg per dose	120 dose OP	 Serevent
Aerosol inhaler 25 mcg per dose26.46		 Meterol
Powder for inhalation, 50 mcg per dose, breath activated25.00	60 dose OP	 Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-Adrenoce	ptor Agonists	
BUDESONIDE WITH EFORMOTEROL		
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	120 dose OP	🗸 Vannair
Powder for inhalation 100 mcg with eformoterol fumarate 6 mcg33.74		✓ Symbicort
r owder for initialiation foo mog with clothiotor initialiate o mogoo.r +	120 0000 01	Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg21.40	120 dose OP	✓ Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6 mcg44.08		✓ Symbicort
	120 0000 01	Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate		
12 mcg – No more than 2 dose per day	60 dose OP	 Symbicort
		Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL		
Powder for inhalation 100 mcg with vilanterol 25 mcg	30 dose OP	✓ Breo Ellipta
	00 0030 01	• Breo Empla
FLUTICASONE WITH SALMETEROL		
Aerosol inhaler 50 mcg with salmeterol 25 mcg		 ✓ Seretide ✓ RexAir
Acrosol inholor 125 mag with colmotoral 25 mag		 ✓ RexAir ✓ Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg44.08 49.69		✓ Serende ✓ RexAir
Powder for inhalation 100 mcg with salmeterol 50 mcg – No more than 2 dose per day	60 dose OP	 Seretide Accuhaler
	00 005e OF	• Seletite Accultate
Powder for inhalation 250 mcg with salmeterol 50 mcg – No more than 2 dose per day	60 dose OP	 Seretide Accuhaler
1101e than 2 dose per day	00 UUSE OF	• Selellue Accultatei
Beta-Adrenoceptor Agonists		
SALBUTAMOL		
Cral liq 400 mcg per ml2.06		 Ventolin
Infusion 1 mg per ml, 5 ml118.38	10	
(130.21)		Ventolin
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO	5	 Ventolin

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Subsi Per	,
	ф Ф	Fei	
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL			
Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000	0.00		. Despison
dose available on a PSO	3.80	200 dose OP	 ✓ Respigen ✓ SalAir
	(6.00)		Ventolin
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb		00	A all all a
available on a PSO Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb		20	✓ <u>Asthalin</u>
available on a PSO		20	 Asthalin
TERBUTALINE SULPHATE			
Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OP	 Bricanyl Turbuhaler
Anticholinergic Agents			
IPRATROPIUM BROMIDE			
Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dos	е		
available on a PSO	16.20	200 dose OP	 Atrovent
Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 ne available on a PSO		20	✓ Univent
Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 ne		20	• <u>Oniveni</u>
available on a PSO		20	✓ <u>Univent</u>
Inhaled Beta-Adrenoceptor Agonists with Antic	holineraic /	Agents	
	J	•	
Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg p	ber		
dose CFC-free		200 dose OP	 Duolin HFA
Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per	2.50	20	
vial, 2.5 ml ampoule – Up to 20 neb available on a PSO	3.59	20	✓ <u>Duolin</u>
Long-Acting Muscarinic Antagonists			
GLYCOPYRRONIUM – Subsidy by endorsement			
a) Inhaled glycopyrronium treatment will not be subsidised if	f patient is also	receiving treatme	ent with subsidised tiotropium of
umeclidinium. b) Glycopyrronium powder for inhalation 50 mcg per dose is	subsidised onl	v for nationts wh	n have been diagnosed as
having COPD using spirometry, and the prescription is er			o nave been diagnosed as
Powder for inhalation 50 mcg per dose	61.00	30 dose OP	 Seebri Breezhaler
TIOTROPIUM BROMIDE - Special Authority see SA1568 below			
Tiotropium treatment will not be subsidised if patient is also r umeclidinium.	eceiving treatm	ent with subsidis	ed inhaled glycopyrronium or
Powder for inhalation, 18 mcg per dose	50.37	30 dose	✓ Spiriva
Soln for inhalation 2.5 mcg per dose		60 dose OP	 Spiriva Respimat
■ SA1568 Special Authority for Subsidy	anialist Arrest	uple valid for 0	oro for opplications months who
Initial application only from a general practitioner or relevant spe following criteria:	ecialist. Approv	vais valid for 2 ye	ears for applications meeting the
All of the following:			

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	~	Manufacturer	

- continued...
 - 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
 - 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 µg ipratropium a.i.d for one month; and
 - 3 Either:
 - The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:
 - 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
 - 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
 - 4 All of the following:
 - Applicant must state recent measurement of:
 - 4.1 Actual FEV₁ (litres); and
 - 4.2 Predicted FEV₁ (litres); and
 - 4.3 Actual FEV_1 as a % of predicted (must be below 60%); and
 - 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
 - 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).
- UMECLIDINIUM Subsidy by endorsement
 - a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

➡SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL – Special Authority see SA1584 above – Retail pha	rmacy
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00 30 dose OP	 Ultibro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584 above - Retail p	oharmacy
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg	 Spiolto Respimat
UMECLIDINIUM WITH VILANTEROL - Special Authority see SA1584 above - Retail pharmacy	
Powder for inhalation 62.5 mcg with vilanterol 25 mcg77.00 30 dose OP	 Anoro Ellipta

‡ safety cap

if endorsed "certified exemption" by the prescriber or pharmacist.

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Sub: Per	Fully sidised	Brand or Generic Manufacturer
Antifibrotics				
PIRFENIDONE – Retail pharmacy-Specialist – Special Authority Cap 267 mg – Wastage claimable – see rule 3.3.2 on page 13		270	/ E	sbriet
		270	• •	spriet
Initial application — (idiopathic pulmonary fibrosis) only from applications meeting the following criteria: All of the following:	a respiratory speci	alist. Appr	ovals va	lid for 12 months for
 Patient has been diagnosed with idiopathic pulmonary fibre Forced vital capacity is between 50% and 80% predicted; Pirfenidone is to be discontinued at disease progression (\$ 	and	/ histology	CT or t	biopsy; and
Renewal — (idiopathic pulmonary fibrosis) only from a respirate meeting the following criteria: Both:	tory specialist. App	orovals vali	d for 12	months for applications
1 Treatment remains clinically appropriate and patient is ber	efitting from and tol	erating trea	atment;	and
2 Pirfenidone is to be discontinued at disease progression (S Note: disease progression is defined as a decline in percent pred	,	r more witl	nin any ⁻	12 month period.
Leukotriene Receptor Antagonists				
MONTELUKAST - Special Authority see SA1421 below - Retail	pharmacy			
 a) Brand switch fee payable (Pharmacode 2519593) - see payable (Pharmacode 25195930) - see payable (Pharmacode 25195930) - see payable (Pharmac	age 213 for details	ontelukast	is stron	gest when montelukast is
Tab 4 mg		28		po-Montelukast
Tab 5 mg Tab 10 mg		28 28		<u>po-Montelukast</u> po-Montelukast
SA1421 Special Authority for Subsidy		20	• •	po-momentast
Initial application — (Pre-school wheeze) from any relevant pr	actitioner. Approval	s valid for	1 year f	or applications meeting

the following criteria:

Both:

- 1 To be used for the treatment of intermittent severe wheezing (possibly viral) in children under 5 years; and
- 2 The patient has had at least three episodes in the previous 12 months of acute wheeze severe enough to seek medical attention.

Renewal — (Pre-school wheeze) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

1 Patient is undergoing aspirin desensitisation therapy under the supervision of a Clinical Immunologist or Allergist; and

	Subsidy (Manufacturer's	Price) S	Fully Subsidised	Brand or Generic
	(Manulacturer 5	Per	 ✓ 	Manufacturer
continued				
 Patient has moderate to severe aspirin-exacer Nasal polyposis, confirmed radiologically or su Documented aspirin or NSAID allergy confirmed NSAID where challenge would be considered 	rgically; and ed by aspirin challenge or a			e reaction to aspirin or
Mast Cell Stabilisers				
NEDOCROMIL Aerosol inhaler, 2 mg per dose CFC-free		112 dose (OP 🖌 Ti	lade
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free (Intal Spincaps Powder for inhalation, 20 mg per dose		50 dose 112 dose (2018)		tal Spincaps tal Forte CFC Free
Methylxanthines				
AMINOPHYLLINE * Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj ava PSO		5	✓ D	BL Aminophylline
THEOPHYLLINE	01 51	100	κ. N	uelin-SR
* Tab long-acting 250 mg *‡ Oral liq 80 mg per 15 ml		500 ml	✓ N	
Mucolytics				
DORNASE ALFA – Special Authority see SA0611 be Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	✓ Pi	ulmozyme
SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Adv Notes: Application details may be obtained from PHA	isory Panel	w.pharmac.g		·
The Co-ordinator, Cystic Fibrosis Advisory Panel PHARMAC, PO Box 10 254	Phone: (04) 460 4990 Facsimile: (04) 916 757			
	Email: <u>CFPanel@pharm</u>			
Prescriptions for patients approved for treatment mus and expertise in treating cystic fibrosis. SODIUM CHLORIDE	t be written by respiratory	Shysicians of	paediatricia	ans who have experience
Not funded for use as a nasal drop. Soln 7%		90 ml OF	• ✓ Bi	iomed
Nasal Preparations				
Allergy Prophylactics				
BECLOMETHASONE DIPROPIONATE Metered aqueous nasal spray, 50 mcg per dose .		200 dose (
Metered aqueous nasal spray, 100 mcg per dose		200 dose (OP	anase
	(6.00)		AI	anase

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's \$	Price) Subs Per	Fully Brand or idised Generic ✓ Manufacturer
BUDESONIDE			
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
	(5.26)		Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	
	(6.00)		Butacort Aqueous
FLUTICASONE PROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	 Flixonase Hayfever <u>& Allergy</u>
PRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%	3.95	15 ml OP	✓ Univent
Respiratory Devices			
AASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under			
Small	2.20	1	 e-chamber Mask
PEAK FLOW METER			
a) Up to 10 dev available on a PSO			
b) Only on a PSO			
Low range	9.54	1	 Mini-Wright AFS
			Low Range
Normal range	9.54	1	 Mini-Wright
			Standard
SPACER DEVICE			
 a) Up to 20 dev available on a PSO 			
b) Only on a PSO			
220 ml (single patient)		1	 <u>e-chamber Turbo</u>
510 ml (single patient)	5.12	1	 e-chamber La
			Grande
800 ml	6.50	1	 Volumatic
Respiratory Stimulants			
CAFFEINE CITRATE			
Oral liq 20 mg per ml (10 mg base per ml)	14 85	25 ml OP	 Biomed
		20111 01	Elonica

SENSORY ORGANS

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Subs Per	idised Generic Manufacturer
Ear Preparations			
ACETIC ACID WITH 1, 2- PROPANEDIOL DIACETATE AND BE For Vosol ear drops with hydrocortisone powder refer Standa		ge 219	
Ear drops 2% with 1, 2-Propanediol diacetate 3% and benzethonium chloride 0.02%	6.97	35 ml OP	✓ Vosol
FLUMETASONE PIVALATE Ear drops 0.02% with clioquinol 1%	4.46	7.5 ml OP	 Locacorten-Viaform ED's
TRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	N AND NYSTAT	ĪN	 Locorten-Vioform
Ear drops 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 mg and gramicidin 250 mcg per g		7.5 ml OP	✓ Kenacomb
Ear/Eye Preparations			
DEXAMETHASONE WITH FRAMYCETIN AND GRAMICIDIN Ear/Eye drops 500 mcg with framycetin sulphate 5 mg and			
gramicidin 50 mcg per ml	4.50 (9.27)	8 ml OP	Sofradex
FRAMYCETIN SULPHATE Ear/Eye drops 0.5%	4.13 (8.65)	8 ml OP	Soframycin
Eye Preparations			
Eye preparations are only funded for use in the eye, unless explicit	citly stated other	wise.	
Anti-Infective Preparations			
ACICLOVIR * Eye oint 3% CHLORAMPHENICOL	14.92	4.5 g OP	✓ <u>ViruPOS</u>
Eye oint 1% Eye drops 0.5% Funded for use in the ear*.		4 g OP 10 ml OP	 ✓ <u>Chlorsig</u> ✓ <u>Chlorafast</u>
Indications marked with * are Unapproved Indications. CIPROFLOXACIN Eye Drops 0.3%	10 / 3	5 ml OP	✓ Ciloxan
For treatment of bacterial keratitis or severe bacterial co			
FUSIDIC ACID Eye drops 1%	4.50	5 g OP	 Fucithalmic
GENTAMICIN SULPHATE Eye drops 0.3%	11.40	5 ml OP	✓ Genoptic
PROPAMIDINE ISETHIONATE * Eye drops 0.1%	2.97 (7.99)	10 ml OP	Brolene
TOBRAMYCIN	, , , , , , , , , , , , , , , , , , ,		
Eye oint 0.3% Eye drops 0.3%		3.5 g OP 5 ml OP	✓ <u>Tobrex</u> ✓ <u>Tobrex</u>

‡ safety cap

▲ Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pric \$	e) Subs Per	Fully sidised	
Corticosteroids and Other Anti-Inflammatory P	•	1.01	-	
DEXAMETHASONE	-			
★ Eye oint 0.1%		3.5 g OP	1	Maxidex
* Eye drops 0.1%		5 ml OP	1	Maxidex
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLY	MYXIN B SULPHA	TE		
₭ Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin				
sulphate 6,000 u per g		3.5 g OP	1	Maxitrol
Eye drops 0.1% with neomycin sulphate 0.35% and polymy		0		
b sulphate 6,000 u per ml		5 ml OP	1	Maxitrol
DICLOFENAC SODIUM				
₭ Eye drops 0.1%		5 ml OP	1	Voltaren Ophtha
FLUOROMETHOLONE				
₭ Eye drops 0.1%		5 ml OP	1	FML
EVOCABASTINE				
Eye drops 0.5 mg per ml		4 ml OP		
,	(10.34)	-		Livostin
ODOXAMIDE	, , ,			
Eye drops 0.1%		10 ml OP	1	Lomide
PREDNISOLONE ACETATE				
₭ Eve drops 1%		10 ml OP	1	Prednisolone-AFT
PREDNISOLONE SODIUM PHOSPHATE – Special Authority s		Rotail nharr	nacy	
Eye drops 0.5%, single dose (preservative free)		20 dose		Minims
		20 0000		Prednisolone
SA1547 Special Authority for Subsidy				
nitial application only from an ophthalmologist. Approvals val	id for 6 months for a	pplications n	neetin	a the following criteria:
Both:		FF		3 - - - - - - - - - -
1 Patient has severe inflammation; and				
2 Patient has a confirmed allergic reaction to preservative	in eye drops.			
Renewal from any relevant practitioner. Approvals valid for 6 m	onths where the tre	atment rema	ins ap	propriate and the patient
enefiting from treatment.				
SODIUM CROMOGLYCATE				
Eye drops 2%	0.85	5 ml OP	✓	Rexacrom
Glaucoma Preparations - Beta Blockers				
BETAXOLOL				
K Eye drops 0.25%	11 80	5 ml OP	1	Betoptic S
 ► Eye drops 0.20% ★ Eye drops 0.5% 		5 ml OP		Betoptic
			-	

* Eye drops 0.5%7	7.50	5 ml OP •	Betoptic
LEVOBUNOLOL * Eye drops 0.5%	7.00	5 ml OP	Betagan
TIMOLOL			
* Eye drops 0.25%1	1.45	5 ml OP	Arrow-Timolol
* Eye drops 0.25%, gel forming	3.30	2.5 ml OP	Timoptol XE
* Eye drops 0.5% 1		5 ml OP	Arrow-Timolol
* Eye drops 0.5%, gel forming	3.78	2.5 ml OP	Timoptol XE

SENSORY ORGANS

	Subsidy		Fully Brand or
	(Manufacturer's I \$	Price) Subs Per	sidised Generic Manufacturer
Glaucoma Preparations - Carbonic Anhydrase I	nhibitors		
CETAZOLAMIDE			
Tab 250 mg – For acetazolamide oral liquid formulation refer page 216		100	✓ <u>Diamox</u>
BRINZOLAMIDE			
₭ Eye drops 1%	9.77	5 ml OP	 Azopt
		- 100	
₭ Eye drops 2%		5 ml OP	Trusopt
OORZOLAMIDE WITH TIMOLOL	(17.44)		Παδορι
Eye drops 2% with timolol 0.5%	3 45	5 ml OP	 Arrow-Dortim
			<u>Inter Detain</u>
Glaucoma Preparations - Prostaglandin Analog	ues		
BIMATOPROST			
₭ Eye drops 0.03%	3.65	3 ml OP	 Bimatoprost Actavis
ATANOPROST			.
* Eye drops 0.005%	1.50	2.5 ml OP	✓ <u>Hysite</u>
ГRAVOPROST ₩ Eye drops 0.004%	10.50	2.5 ml OP	✓ Travatan
► Eye drops 0.004%		2.5 MI OP	• Iravalari
Glaucoma Preparations - Other			
BRIMONIDINE TARTRATE			
¥ Eye drops 0.2%	4.32	5 ml OP	Arrow-Brimonidine
BRIMONIDINE TARTRATE WITH TIMOLOL MALEATE			
₭ Eye drops 0.2% with timolol maleate 0.5%		5 ml OP	 Combigan
PILOCARPINE HYDROCHLORIDE			• • •
₭ Eye drops 1%		15 ml OP	Isopto Carpine
 Eye drops 2% Eve drops 4% 		15 ml OP 15 ml OP	 ✓ Isopto Carpine ✓ Isopto Carpine
Eye drops 4% Subsidised for oral use pursuant to the Standard Formula		15 IIII OF	
 Eye drops 2% single dose – Special Authority see SA0895 			
below – Retail pharmacy		20 dose	 Minims Pilocarpine
SA0895 Special Authority for Subsidy			
nitial application from any relevant practitioner. Approvals valid	I for 2 years for	applications me	eeting the following criteria:
Either:			
 Patient has to use an unpreserved solution due to an aller Patient wears soft contact lenses. 	gy to the preser	vative; or	
2 I alietti weats sul cuttaci letises.			

Note: Minims for a general practice are considered to be "tools of trade" and are not approved as special authority items. **Renewal** from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Mydriatics and Cycloplegics

ATROPINE SULPHATE * Eye drops 1%	15 ml OP	✓ <u>Atropt</u>
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1%	15 ml OP	✓ Cyclogyl

‡ safety cap

▲ Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

if endorsed "certified exemption" by the prescriber or pharmacist.

SENSORY ORGANS

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully Brand or sidised Generic ✓ Manufacturer	
TROPICAMIDE * Eye drops 0.5% * Eye drops 1%		15 ml OP 15 ml OP	 ✓ <u>Mydriacyl</u> ✓ <u>Mydriacyl</u> 	
Preparations for Tear Deficiency				
For acetylcysteine eye drops refer Standard Formulae, page 219)			
HYPROMELLOSE				
* Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt	
HYPROMELLOSE WITH DEXTRAN				
* Eye drops 0.3% with dextran 0.1%	2.30	15 ml OP	Poly-Tears	
POLYVINYL ALCOHOL				
* Eye drops 1.4%	2.62	15 ml OP	✓ Vistil	
* Eye drops 3%		15 ml OP	✓ Vistil Forte	
Preservative Free Ocular Lubricants				

⇒SA1388 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

CARBOMER - Special Authority see SA1388 above - Retail pharm	nacy		
Ophthalmic gel 0.3%, 0.5 g	8.25	30	 Poly-Gel
MACROGOL 400 AND PROPYLENE GLYCOL - Special Authority	see SA1388	above – Retail	pharmacy
Eye drops 0.4% and propylene glycol 0.3%, 0.4 ml	4.30	24	 Systane Unit Dose
SODIUM HYALURONATE [HYALURONIC ACID] - Special Authori	ity see SA138	8 above – Reta	ail pharmacy
Eye drops 1 mg per ml	22.00	10 ml OP	✓ Hylo-Fresh
Hylo-Fresh has a 6 month expiry after opening. The Pharm month is not relevant and therefore only the prescribed dos			

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	✓ Naphcon Forte
OLOPATADINE Eye drops 0.1%	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin3.63	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.5 g OP	✓ Poly-Visc
RETINOL PALMITATE Eye oint 138 mcg per g3.80	5 g OP	✓ VitA-POS
	Ũ	

	Subsidy (Manufacturer's Pric \$	ce) Subs Per	idised	Brand or Generic Manufacturer
Various				
PHARMACY SERVICES				
May only be claimed once per patient.			(_
* Brand switch fee	4.50	1 fee	✓ BS	F .po-Montelukast
The Pharmacode for BSF Apo-Montelukast is 251959 (BSF Apo-Montelukast Brand switch fee to be delisted 1 July 2		6		
Agents Used in the Treatment of Poisonings				
Antidotes				
ACETYLCYSTEINE - Retail pharmacy-Specialist				
Inj 200 mg per ml, 10 ml ampoule		10	✓ <u>DB</u>	L Acetylcysteine
NALOXONE HYDROCHLORIDE				
 a) Up to 5 inj available on a PSO b) Only on a PSO 				
* Inj 400 mcg per ml, 1 ml ampoule		5	🗸 Hos	spira
Removal and Elimination				
CHARCOAL				
* Oral liq 50 g per 250 ml		250 ml OP	🗸 Cai	bosorb-X
 a) Up to 250 ml available on a PSO b) Only on a PSO 				
DEFERASIROX – Special Authority see SA1492 below – Reta	ail pharmacy			
Wastage claimable – see rule 3.3.2 on page 13	an priarriady			
Tab 125 mg dispersible		28	🖌 Exj	
Tab 250 mg dispersible Tab 500 mg dispersible		28 28	✓ Exj ✓ Exj	
	1,105.00	20	▼ ⊑xj	aue
SA1492 Special Authority for Subsidy nitial application only from a haematologist. Approvals valid	for 2 years for applic	ations meeti	na the foll	owing criteria:
All of the following:			ing the foll	owing ontena.
1 The patient has been diagnosed with chronic iron overla	oad due to congenital	l inherited an	aemia; ar	nd
2 Deferasirox is to be given at a daily dose not exceeding	40 mg/kg/day; and			
3 Any of the following:				- (
3.1 Treatment with maximum tolerated doses of def				
combination therapy have proven ineffective as 3.2 Treatment with deferiprone has resulted in sever				aruiau IVINI 12,01
3.3 Treatment with deferiprone has resulted in arthri		,	., 01	

3.4 Treatment with deferiprone is contraindicated due to a history of agranulocytosis (defined as an absolute neutrophil count (ANC) of < 0.5 cells per μL) or recurrent episodes (greater than 2 episodes) of moderate neutropenia (ANC 0.5 - 1.0 cells per μL).</p>

Renewal only from a haematologist. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 For the first renewal following 2 years of therapy, the treatment has been tolerated and has resulted in clinical improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels; or
- 2 For subsequent renewals, the treatment has been tolerated and has resulted in clinical stability or continued improvement in all three parameters namely serum ferritin, cardiac MRI T2* and liver MRI T2* levels.

‡ safety cap

VARIOUS

	Subsidy (Manufacturer's Price \$	e) Subs Per	Fully sidised	Brand or Generic Manufacturer		
DEFERIPRONE – Special Authority see SA1480 below – Retail pharmacy						
Tab 500 mg	533.17	100	🖌 Fe	rriprox		
Oral liq 100 mg per 1 ml		250 ml OP	🖌 Fe	rriprox		
 SA1480 Special Authority for Subsidy Initial application only from a haematologist. Approvals valid w following criteria: Either: The patient has been diagnosed with chronic iron overloa 2 The patient has been diagnosed with chronic iron overloa 	d due to congenital	inherited an	naemia; c			
DESFERRIOXAMINE MESILATE * Inj 500 mg vial	51.52	10	✓ <u>D</u> e	esferal		
SODIUM CALCIUM EDETATE * Inj 200 mg per ml, 5 ml	53.31	6	_			

.....53.31 (156.71)

Calcium Disodium Versenate

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- · Emulsifying ointment BP
- · Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- · Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as yoghurt should be explored. The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

- Acetazolamide 25 mg/ml Allopurinol 20 mg/ml Amlodipine 1 mg/ml Azathioprine 50 mg/ml Baclofen 10 mg/ml Carvedilol 1 mg/ml Clopidogrel 5 mg/ml Diltiazem hydrochloride 12 mg/ml Dipyridamole 10 mg/ml Domperidone 1 mg/ml Enalapril 1 mg/ml
- Flecainide 20 mg/ml Gabapentin 100 mg/ml Hydrocortisone 1 mg/ml Labetolol 10 mg/ml Levetiracetam 100 mg/ml Levodopa with carbidopa (5 mg levodopa + 1.25 mg carbidopa)/ml Metoclopramide 1 mg/ml Metoprolol tartrate 10 mg/ml Nitrofurantoin 10 mg/ml Pyrazinamide 100 mg/ml
- Rifabutin 20 mg/ml Sildenafil 2 mg/ml Sotalol 5 mg/ml Sulphasalazine 100 mg/ml Tacrolimus 1 mg/ml Terbinafine 25 mg/ml Tramadol 10 mg/ml Ursodeoxycholic acid 50 mg/ml Valganciclovir 60 mg/ml* Verapamil hydrochloride 50 mg/ml

qs

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical iudgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

or

Solid dose form Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- Mixing more than one extemporaneously compounded oral liquid mixture.
- Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.


Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 215) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products). One or more dermatological galenicals may be added to a dermatological base (including proprietary, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid. The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised. The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.



Standard Formulae

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs	PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg Chloroform	12 tabs to 100 ml	PHENOBARBITONE SODIUM PAEDIATRIC ORAL mg per ml) Phenobarbitone Sodium	
CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Codeine phosphate Glycerol Preservative	60 mg 40 ml qs	Glycerol BP Water PILOCARPINE ORAL LIQUID	4 ml to 40 ml
Water CODEINE LINCTUS DIABETIC (15 mg per 5 ml)	to 100 ml	Pilocarpine 4% eye drops Preservative Water	qs qs to 500 ml
Codeine phosphate Glycerol Preservative	300 mg 40 ml qs	(Preservative should be used if quantity supplied is than 5 days.)	
Water	to 100 ml	SALIVA SUBSTITUTE FORMULA Methylcellulose	5 g
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water	1 tab qs to 500 ml	Preservative Water (Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	qs to 500 ml for more
(Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	for more	SODIUM CHLORIDE ORAL LIQUID Sodium chloride inj 23.4%, 20 ml	qs
MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% Methyl hydroxybenzoate	275 g 1.5 g	Water (Only funded if prescribed for treatment of hyponatra	qs
Water	to 1,000 m	I VANCOMYCIN ORAL SOLUTION (50 mg per ml) Vancomycin 500 mg injection	10 vials
METHADONE MIXTURE Methadone powder Glycerol Water	qs qs to 100 ml	Glycerol BP Water (Only funded if prescribed for treatment of Clostridiu following metronidazole failure)	40 ml to 100 ml m difficile
METHYL HYDROXYBENZOATE 10% SOLUTION Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of oral liqu	10 g to 100 ml iid mixture)	VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops	1% to 35 ml
OMEPRAZOLE SUSPENSION Omeprazole capules or powder Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml		

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's Pric		sidised	Generic
	\$	Per	1	Manufacturer
		-		
Extemporaneously Compounded Preparations a	and Galenical	S		
BENZOIN	04.40	500 ml		
Tincture compound BP		500 ml		D
	(39.90)			Pharmacy Health
	2.44	50 ml		
	(5.10)			Pharmacy Health
CHLOROFORM – Only in combination				
Only in aspirin and chloroform application.				
Chloroform BP	25 50	500 ml	1	PSM
			•	FOW
CODEINE PHOSPHATE - Safety medicine; prescriber may dete		frequency		
Powder – Only in combination	63.09	25 g		
	(90.09)			Douglas
a) Only in extemporaneously compounded codeine linct	us diabetic or code	eine linctus i	paediat	tric.
b)‡ Safety cap for extemporaneously compounded oral li				
COLLODION FLEXIBLE				
Collodion flexible		100 ml	~	PSM
COMPOUND HYDROXYBENZOATE - Only in combination				
Only in extemporaneously compounded oral mixtures.				
Soln	30.00	100 ml	1	Midwest
	34.18	100 111		David Craig
	54.10		•	David Craig
GLYCERIN WITH SODIUM SACCHARIN - Only in combination				
Only in combination with Ora-Plus.				
Suspension		473 ml	✓	Ora-Sweet SF
GLYCERIN WITH SUCROSE – Only in combination				
Only in combination with Ora-Plus.				
Suspension	00 50	470 ml		Over Owerst
Suspension		473 ml	•	Ora-Sweet
GLYCEROL				
* Liquid – Only in combination	3.71	500 ml	✓	healthE Glycerol BP
Only in extemporaneously compounded oral liquid prepa				
MAGNESIUM HYDROXIDE				
	00.01	F00 -		DOM
Paste 29%		500 g	•	PSM
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing free	auency			
 d) Extemporaneously compounded methadone will only be r 	aimburead at the r	rate of the ch	noanos	t form available
(methadone powder, not methadone tablets).			leapes	
	7.04	4		A
Powder		1 g	•	AFT
‡ Safety cap for extemporaneously compounded oral liqui	d preparations.			
METHYL HYDROXYBENZOATE				
Powder		25 g	1	PSM
	8.98	Ũ	✓	Midwest
METUVI CELLUI OSE				
METHYLCELLULOSE		100		
Powder		100 g		MidWest
Suspension – Only in combination		473 ml	✓	Ora-Plus
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCHA	ARIN – Only in co	mbination		
		473 ml	1	Ora-Blend SF
Suspension				

220

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e)	Subsidised	
	\$	Per	1	Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl	y in combination			
Suspension		473 m	I 🖌	Ora-Blend
PHENOBARBITONE SODIUM				
Powder – Only in combination		10 g	✓	MidWest
	325.00	100 g	✓	MidWest
a) Only in children up to 12 years		-		
b)‡ Safety cap for extemporaneously compounded oral I	iquid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenz	oate 10% solution.			
Liq		500 m	✓	Midwest
SODIUM BICARBONATE				
Powder BP – Only in combination		500 q	✓	Midwest
	9.80	Ū		
	(29.50)			David Craig
Only in extemporaneously compounded omeprazole and	l lansoprazole susp	ension.		-
SYRUP (PHARMACEUTICAL GRADE) - Only in combination				
Only in extemporaneously compounded oral liquid preparatic	ons.			
Liq		2,000 n	nl 🗸	Midwest
WATER				
Tap – Only in combination	0.00	1 ml	1	Tap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

 Initial Applications:
 Only from a dietitian, relevant specialist or a vocationally registered general practitioner.

 Reapplications:
 Only from a dietitian, relevant specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioners.

 Weight of the second seco

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition.

(Manufacturer's Price)

Per

Subsidy

\$

Fully Subsidised

Generic Manufacturer

Brand or

Nutrient Modules

Carbohydrate

■SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Fither:

- 1 cvstic fibrosis: or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children: or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia: or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism: or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. Renewal — (Cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment: and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE SUPPLEMENT - Special Authority see SA1522 above - Hospital pharmacy [HP3] Powder 5.29 400 a OP Polvcal

Carbohydrate And Fat

■SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

1 Infant or child aged four years or under; and

Subsidy		Fully	Brand or	
(Manufacturer's Pric		Subsidised	Generic	
\$	Per	✓	Manufacturer	

2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 faltering growth; or
 - 2.3 bronchopulmonary dysplasia; or
 - 2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SUPP	LEMENT - Special Author	rity see SA1376 or	n the previous page	ge –	Hospital pharmacy [HP3]
Powder (neutral)		60.31	400 g OP	✓ [Duocal Super
					Soluble Powder

Fat

⇒SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or
- 10 ascites; or

11 for use as a component in a modular formula made from at least one nutrient module and at least one further product

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT SUPPLEMENT - Special Authority see SA1523 on the previous page - Hospital pharmacy [HP3]

Emulsion (neutral)12.30	200 ml OP	✓ Calogen
30.75	500 ml OP	 Calogen
Emulsion (strawberry)12.30	200 ml OP	 Calogen
Oil	500 ml OP	 MCT oil (Nutricia)
Oil, 250 ml	4 OP	 Liquigen

Protein

➡SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

 Protifar
 Resource Beneprotein

fully subsidised

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	bsidised	Generic
\$	Per	1	Manufacture

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority see S	A1094 above – Hospi	tal pharmacy [H	IP3]
Liquid	1.66	237 ml OP	 Pulmocare

Diabetic Products

➡SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see SA10 Liquid		- Hospital pharm 1,000 ml OP	acy [HP3] ✓ Diason RTH ✓ Glucerna Select RTH
DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 a	bove – Hos	spital pharmacy	[HP3]
Liquid (strawberry)	1.50	200 ml OP	 Diasip
Liquid (vanilla)	1.50	200 ml OP	 Diasip
	1.88	250 ml OP	 Glucerna Select
	1.78	237 ml OP	
	(2.10)		Resource Diabetic
	(2.10)		Sustagen Diabetic

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

Fat Modified Products

⇒SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED – Special Authority see SA1525 above – I	Hospital pharma	icy [HP3]	
Powder	60.48	400 g OP	 Monogen

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy	Fully	Brand or
	(Manufacturer's Price)	Subsidised	Generic
	\$	Per ✓	Manufacturer
ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA1 Liquid		age – Hospital p 0 g OP ✔ I	

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1379 a Liquid	above – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 about Liquid	ove – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini RTH ✓ Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority Eliquid	see SA1379 above – Hospital pharmacy [HP3] 500 ml OP ✓ Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED – Special Authority see SA1379 above – Hospital p Powder (vanilla)	bharmacy [HP3] 850 g OP ✓ Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 above Liquid (strawberry)	e – Hospital pharmacy [HP3] 200 ml OP ✓ Fortini 200 ml OP ✓ Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA1379 above – Liquid (chocolate)	 Hospital pharmacy [HP3] 200 ml OP ✓ Pediasure 200 ml OP ✓ Pediasure 200 ml OP ✓ Pediasure 250 ml OP ✓ Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see Liquid (chocolate)	SA1379 above – Hospital pharmacy [HP3] 200 ml OP

fully subsidised

	Subsidy (Manufacturer's Price \$	e) Per	Fully Subsidised	Brand or Generic Manufacturer
Renal Products				
 SA1101 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or voca years where the patient has acute or chronic kidney disease. Renewal only from a dietitian, relevant specialist, vocationally regrecommendation of a dietitian, relevant specialist or vocationally regrecommendations meeting the following criteria: Both: The treatment remains appropriate and the patient is beneficial practitioners must include the name of the dietitian 	gistered general pra registered general p efiting from treatme	actitione practitio nt; and	r or general ner. Approv	practitioner on the als valid for 3 years for
practitioner and date contacted. RENAL ENTERAL FEED 1.8 KCAL/ML – Special Authority see S Liguid		ospital p 500 ml (² 3] epro HP RTH
RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see SA11 Liquid		al pharr 220 ml (OP 🗸 N	epro HP (strawberry) epro HP (vanilla)
RENAL ORAL FEED 2 KCAL/ML – Special Authority see SA110 Liquid Liquid (apricot) 125 ml Liquid (caramel) 125 ml	2.88 2 (3.31) 11.52	pharma 237 ml (4 OP 4 OP) P ✓ R e	ovaSource Renal enilon 7.5 enilon 7.5

Specialised And Elemental Products

⇒SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas: or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy		Fully	Brand or
	(Manufacturer's	Price) Subsi	dised	Generic
	\$	Per	1	Manufacturer
ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Aut [HP3]	hority see SA13	77 on the previou	us page	e – Hospital pharmacy
Powder	7.50	76 g OP	🗸 🗸	litraq
(Alitraq Powder to be delisted 1 September 2017)		0		•
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML – Spepharmacy [HP3]		ee SA1377 on the	e previo	ous page – Hospital
Liquid		1,000 ml OP	🗸 Vi	ital
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	e SA1377 on the 171.00 171.00	previous page - 18 OP 18 OP 18 OP 18 OP	✓ EI ✓ EI	tal pharmacy [HP3] lemental 028 Extra lemental 028 Extra lemental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see S Powder (unflavoured)		revious page – H 80 g OP		pharmacy [HP3] i vonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML - Special Auth [HP3]	nority see SA137	77 on the previou	is page	 Hospital pharmacy
Liquid	12.04	1,000 ml OP	✓ Pe	eptisorb

Paediatric Products For Children With Low Energy Requirements

⇒SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

			Multi Fibre
Liquid	4.00	500 ml OP	Nutrini Low Energy
PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML -	Special Authority	see SA1196 al	bove – Hospital pharmacy [HP3]

Standard Supplements

⇒SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:
 - 2.1 The patient has a condition causing malabsorption; or

Fully Brand or	Subsidy
Price) Subsidised Generic	(Manufacturer's Price)
Per Manufacturer	\$

- 2.2 The patient has failure to thrive; or
- 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - Patient is Malnourished
 - 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
 - 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
 - Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:
 - Patient has not responded to first-line dietary measures over a 4 week period by:
 - 2.1 Increasing their food intake frequency (eg snacks between meals); or
 - 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
 - 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- Both:
 - 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
 - 2 Any of the following:
 - Patient is Malnourished
 - 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	✓	Manufacturer

2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or

2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Is undergoing a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or

Subsidy	Fu	ly Brand	or
(Manufacturer's Price)	Subsidise	d Gener	ric
\$	Per	 Manuf 	facturer

- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm³); or
- 12 Chronic pancreatitis.

Renewal — (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3] Liquid
ENTERAL FEED 1KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3] Liquid
Liquid
5.29 1,000 ml OP ✓ Isosource Standard RTH ✓ Nutrison Standard RTH ✓ Osmolite RTH ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3] Liquid
RTH
RTH ✓ Osmolite RTH ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3] Liquid
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3] Liquid
Liquid
800 Complete Multi Fibre ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3] Liquid
Multi Fibre ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3] Liquid1.32 237 ml OP ✓ Jevity
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3] Liquid1.32 237 ml OP ✓ Jevity
Liquid1.32 237 ml OP 🖌 Jevity
Liquid1.32 237 ml OP 🖌 Jevity
5.29 1,000 ml OP 🖌 Jevity RTH
✓ Nutrison Multi Fibre
(Jevity Liquid to be delisted 1 June 2017)
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA1554 on page 230 – Hospital pharmacy [HP3]
Liquid1.75 250 ml OP 🖌 Ensure Plus HN
7.00 1,000 ml OP 🖌 Ensure Plus RTH
✓ Jevity HiCal RTH
✓ Nutrison Energy
Multi Fibre

				_
	Subsidy		Fully Brand or	
	(Manufacturer's F		idised Generic	
	\$	Per	 Manufacturer 	
ORAL FEED (POWDER) - Special Authority see SA1554 on page	e 230 – Hospita	al pharmacy [HP	23]	
Note: Higher subsidy for Sustagen Hospital Formula will only				/
number and an appropriately endorsed prescription.				
Powder (chocolate) – Higher subsidy of up to \$26.00 per 850) a			
with Endorsement		850 g OP	Ensure	
	9.54	840 g OP	• Elisure	
		040 y OF	Suctorian Hoopital	
	(14.90)		Sustagen Hospital Formula	
A definition of a state base of a second second for a second state for a second s	to a shirt of the second of	hard and the second second		
Additional subsidy by endorsement is available for patien	ts with fat mala	ibsorption, fat int	tolerance or chyle leak. The	
prescription must be endorsed accordingly.				
Powder (vanilla) – Higher subsidy of up to \$26.00 per 850 g				
with Endorsement	3.67	350 g OP	 Fortisip 	
	26.00	850 g OP	 Ensure 	
	9.54	840 g OP		
	(14.90)	-	Sustagen Hospital	
	. ,		Formula	
Additional subsidy by endorsement is available for patien	ts with fat mala	bsorption, fat int	tolerance or chyle leak. The	
prescription must be endorsed accordingly.			,	
ORAL FEED 1.5KCAL/ML – Special Authority see SA1554 on pa		tal ala ana any fili	1001	
Additional subsidy by endorsement is available for patients be				
epidermolysis bullosa, or as exclusive enteral nutrition in child	fren under the a	age of 18 years i	for the treatment of Crohn's	
disease. The prescription must be endorsed accordingly.				
Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with				
Endorsement		200 ml OP		
	(1.26)		Ensure Plus	
	(1.26)		Fortisip	
Liguid (chocolate) – Higher subsidy of \$1.26 per 200 ml with				
Endorsement	0.72	200 ml OP		
	(1.26)		Ensure Plus	
	(1.26)		Fortisip	
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 r			rendep	
with Endorsement				
with Endorsement		200 ml OP	E Di	
	(1.26)		Ensure Plus	
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with				
Endorsement	0.72	200 ml OP		
	(1.26)		Ensure Plus	
	(1.26)		Fortisip	
Liquid (vanilla) – Higher subsidy of up to \$1.33 per 237 ml wi	th			
Endorsement		237 ml OP		
	(1.33)	201 111 01	Ensure Plus	
	0.72	200 ml OP	Endererido	
			Ensure Plus	
	(1.26)			
	(1.26)		Fortisip	

	Subsidy		Fully	Brand or
	(Manufacturer's F	Price) Subs	idised	Generic
	\$	Per	1	Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see Additional subsidy by endorsement is available for patients b epidermolysis bullosa. The prescription must be endorsed a Liquid (chocolate) – Higher subsidy of \$1.26 per 200 ml with	being bolus fed th accordingly.			
Endorsement		200 ml OP		
	(1.26)	200 111 01	F	Fortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with	th			
Endorsement		200 ml OP		
	(1.26)	200 0.	F	Fortisip Multi Fibre
Liquid (vanilla) - Higher subsidy of \$1.26 per 200 ml with				
Endorsement	0.72	200 ml OP		
	(1.26)	200 111 01	F	Fortisip Multi Fibre

High Calorie Products

⇒SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- All of the following:
 - 1 Cystic fibrosis; and
 - 2 other lower calorie products have been tried; and
 - 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2 KCAL/ML – Special Authority see SA1195 abo	ove – Hospital j	oharmacy [HP3]	
Liquid	5.50	500 ml OP	 Nutrison
			Concentrated
	11.00	1,000 ml OP	Two Cal HN RTH

	Subsidy (Manufacturer's Pr \$	rice) Subs Per	sidised Gen	nd or eric ufacturer
DRAL FEED 2 KCAL/ML – Special Authority see SA1195 on the Additional subsidy by endorsement is available for patients epidermolysis bullosa. The prescription must be endorsed Liquid (vanilla) – Higher subsidy of \$1.90 per 200 ml with	being bolus fed the accordingly.	rough a feedin		o have severe
Endorsement	0.96 (1.90)	200 ml OP	Two Ca	al HN
Food Thickeners				
tenewal only from a dietitian, relevant specialist, vocationally r ecommendation of a dietitian, relevant specialist or vocationall pplications meeting the following criteria: Noth: 1 The treatment remains appropriate and the patient is be	y registered genera	al practitioner.		
 General Practitioners must include the name of the dieti practitioner and date contacted. 			onally register	ed general
OOD THICKENER – Special Authority see SA1106 above – I Powder		[HP3] 300 g OP 380 g OP	✓ Nutilis✓ Feed TKario	
Gluten Free Foods				
he funding of gluten free foods is no longer being actively mar	aged by PHARMA	C from 1 April	2011 This	means that we are

The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are no longer considering the listing of new products, or making subsidy, or other changes to the existing listings. As a result we anticipate that the range of funded items will reduce over time. Management of Coeliac disease with a gluten free diet is necessary for good outcomes. A range of gluten free options are available through retail outlets.

➡SA1107 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither

- 1 Gluten enteropathy has been diagnosed by biopsy; or
- 2 Patient suffers from dermatitis herpetiformis.

GLUTEN FREE BAKING MIX – Special Authority see SA1107 Powder		pharmacy [HP3] 1,000 g OP	
	(5.15)	-	Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX – Special Authority see SA1107	<mark>above</mark> – Hospital p	oharmacy [HP3]	
Powder		1,000 g OP	
	(7.32)		NZB Low Gluten Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR – Special Authority see SA1107 abov Powder		nacy [HP3] 2,000 g OP	
r uwuei	(18.10)	2,000 y OP	Horleys Flour

	Subsidy (Manufacturer's P		Fully Brand or lised Generic
	(Manulacturers F	Per	Manufacturer
GLUTEN FREE PASTA – Special Authority see SA1107 on	the previous page -	Hospital pharma	icy [HP3]
Buckwheat Spirals	2.00	250 g OP	
	(3.11)		Orgran
Corn and Vegetable Shells	2.00	250 g OP	
	(2.92)		Orgran
Corn and Vegetable Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Corn Lasagne Sheets		200 g OP	
	(3.82)		Orgran
Rice and Corn Macaroni		250 g OP	
	(2.92)		Orgran
Rice and Corn Penne		250 g OP	-
	(2.92)	-	Orgran
Rice and Maize Pasta Spirals		250 g OP	-
	(2.92)	-	Orgran
Rice and Millet Spirals		250 g OP	-
	(3.11)	•	Orgran
Rice and corn spaghetti noodles		375 g OP	-
	(2.92)	•	Orgran
Vegetable and Rice Spirals		250 g OP	-
- '	(2.92)	ů.	Orgran
Italian long style spaghetti	· · ·	220 g OP	2
	(3.11)	e e	Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE	- Special Authority see SA1108	<mark>3 above –</mark> Hosp	ital pharmacy [HP3]
Powder		500 g OP	 XMET Maxamum

Supplements For MSUD

AMINOACID FORMULA WITHOUT VALINE, LEUCINE AND ISOLEUCINE	- Special	Authority see	SA1108 above – Hospital
pharmacy [HP3]		-	
Powder	22 50	0 a OP 🖌	MSUD Maxamum

	Subsidy		Fully	Brand or
	(Manufacturer's	Price) Subs Per	idised	Generic Manufacturer
	\$	Per	•	Manulaclurer
Supplements For PKU				
AMINOACID FORMULA WITHOUT PHENYLALANINE – Specia pharmacy [HP3]	I Authority see	SA1108 on the p	orevious	page – Hospital
Tabs		75 OP		lexy 10
Powder (unflavoured) 36 g sachets		30	🖌 PK	U Anamix Junior
Infant formula	174.72	400 g OP	🖌 PK	U Anamix Infant
Powder (orange)	221.00	500 g OP	🖌 XP	Maxamaid
	320.00			Maxamum
Powder (unflavoured)	221.00	500 g OP		Maxamaid
	320.00			Maxamum
Liquid (berry)	13.10	125 ml OP		U Anamix Junior .Q
Liquid (orange)	13.10	125 ml OP		U Anamix Junior .Q
Liquid (unflavoured)	13.10	125 ml OP		U Anamix Junior .Q
Liquid (forest berries), 250 ml carton		18 OP	🖌 Ea	siphen Liquid
Liquid (juicy berries) 62.5 ml	939.00	60 OP	🖌 PK	U Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml		60 OP		U Lophlex LQ 10
Liquid (juicy orange) 62.5 ml		60 OP	🖌 PK	U Lophlex LQ 10
Liquid (juicy berries) 125 ml	936.00	30 OP	🖌 PK	U Lophlex LQ 20
Liquid (juicy citrus) 125 ml	936.00	30 OP	🖌 PK	U Lophlex LQ 20
Liquid (juicy orange) 125 ml	936.00	30 OP	🖌 PK	U Lophlex LQ 20

Foods

LOW PROTEIN BAKING MIX – Special Authority see SA1108 c Powder			oharmacy [HP3]
LOW PROTEIN PASTA - Special Authority see SA1108 on the	previous page -	Hospital pharm	acy [HP3]
Animal shapes		500 g OP	 Loprofin
Lasagne	5.95	250 g OP	 Loprofin
Low protein rice pasta	11.91	500 g OP	 Loprofin
Macaroni	5.95	250 g OP	 Loprofin
Penne	11.91	500 g OP	 Loprofin
Spaghetti	11.91	500 g OP	 Loprofin
Spirals	11.91	500 g OP	 Loprofin

Infant Formulae

For Premature Infants

PRETERM POST-DISCHARGE INFANT FORMULA - Special Authori	ty see SA1	198 below - H	lospital pharmacy [HP3]
Powder	.15.25	400 g OP	 S-26 Gold Premgro

■ SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsid	dised	Generic	
\$	Per	1	Manufacturer	

2 Either:

- 2.1 The infant has faltering growth (downward crossing of percentiles); or
- 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the

recommendation of a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA	- Special Authority see SA1110 above	 Hospital pharmacy [HP3]
----------------------------	--------------------------------------	---

Powder	.44.40	400 g OP	 Locasol
--------	--------	----------	-----------------------------

Gastrointestinal and Other Malabsorptive Problems

Powder	3.60	400 g OP	 Alfamino Junior
			 Peptamen Junior
5	53.00		✓ Neocate LCP
Powder (unflavoured)5	53.00	400 g OP	 Elecare
		0	 Elecare LCP
			Neocate Advanc
			Neocate Gold
Powder (vanilla)5	53.00	400 g OP	 Elecare
· · · ·		0	Neocate Advance

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.

Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's Pri	ce)	Fully Subsidised	
	\$	Per	~	Manufacturer
EXTENSIVELY HYDROLYSED FORMULA - Special Authority s			•	
Powder	15.21	450 g (DP ◀	Aptamil Gold+ Pepti Junior
SA1557 Special Authority for Subsidy				

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Both:
 - 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and
 - 1.2 Either:
 - 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or
 - 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or
- 2 Severe malabsorption; or
- 3 Short bowel syndrome; or
- 4 Intractable diarrhoea; or
- 5 Biliary atresia; or
- 6 Cholestatic liver diseases causing malsorption; or
- 7 Cystic fibrosis; or
- 8 Proven fat malabsorption; or
- 9 Severe intestinal motility disorders causing significant malabsorption; or
- 10 Intestinal failure; or
- 11 All of the following:
 - 11.1 For step down from Amino Acid Formula; and
 - 11.2 The infant is currently receiving funded amino acid formula; and
 - 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and
 - 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.
- Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Ketogenic Diet

⇒SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA - S	Special Authority see SA1197 above – Retail pharmacy

Powder (unflavoured)	60 300 g OP	KetoCal 4:1
	°,	Ketocal 3:1
Powder (vanilla)35.5	50 300 g OP	 KetoCal 4:1

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE
✓ Inj 1 in 1,000, 1 ml ampoule5
✓ Inj 1 in 10,000, 10 ml ampoule5
AMINOPHYLLINE
✓ Inj 25 mg per ml, 10 ml ampoule5
AMIODARONE HYDROCHLORIDE
 Inj 50 mg per ml, 3 ml ampoule
AMOXICILLIN
✓ Cap 250 mg30
✓ Cap 500 mg
✓ Grans for oral liq 125 mg per 5 ml
✓ Grans for oral liq 250 mg per 5 ml
✓ Inj 1 g vial
AMOXICILLIN WITH CLAVULANIC ACID
✓ Tab 500 mg with clavulanic acid 125 mg
✓ Grans for oral liq amoxicillin 125 mg with clavulanic acid 31.25 mg per 5 ml200 ml
✓ Grans for oral lig amoxicillin 250 mg with
clavulanic acid 62.5 mg per 5 ml
ASPIRIN
✓ Tab dispersible 300 mg
ATROPINE SULPHATE
✓ Inj 600 mcg per ml, 1 ml ampoule
AZITHROMYCIN
✓ Tab 500 mg – See note on page 95
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]
✓ Tab 2.5 mg – See note on page 61
BENZATHINE BENZYLPENICILLIN
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe
BENZATROPINE MESYLATE
✓ Inj 1 mg per ml, 2 ml
BENZYLPENICILLIN SODIUM (PENICILLIN G)
✓ Inj 600 mg (1 million units) vial
BLOOD GLUCOSE DIAGNOSTIC TEST METER
 Meter with 50 lancets, a lancing device and
10 diagnostic test strips – Subsidy by
endorsement - See note on page 261
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP
 Blood glucose test strips – See note on
page 26 50 test
BLOOD KETONE DIAGNOSTIC TEST METER
✓ Meter – See note on page 251
CEFTRIAXONE
✓ Inj 500 mg vial – Subsidy by endorsement – See
note on page 945 ✓ Inj 1 g vial – Subsidy by endorsement – See note
 Inj 1 g viai – Subsidy by endorsement – See note on page 94
CHARCOAL
✓ Oral liq 50 g per 250 ml

CHLORPROMAZINE HYDROCHLORIDE	
✓ Tab 10 mg	
✓ Tab 25 mg	30
✓ Tab 100 mg	
 Inj 25 mg per ml, 2 ml 	5
CIPROFLOXACIN	
✓ Tab 250 mg – See note on page 98	5
✓ Tab 500 mg – See note on page 98	5
CO-TRIMOXAZOLE	
 Tab trimethoprim 80 mg and sulphamethoxazole 	
400 mg	30
✓ Oral liq trimethoprim 40 mg and	
sulphamethoxazole 200 mg per 5 ml	200 ml
COMPOUND ELECTROLYTES	40
 Powder for oral soln 	10
CONDOMS	
✓ 49 mm	
 52 mm	
✓ 53 mm	
✓ 53 mm (chocolate)	
✓ 53 mm (strawberry)	
✓ 55 mm	
✓ 56 mm	144
✓ 56 mm, shaped	
✓ 60 mm	144
CYPROTERONE ACETATE WITH ETHINYLOESTRAD	DIOL
 Tab 2 mg with ethinyloestradiol 35 mcg and 	-
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs 	-
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE 	168
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE Tab 0.5 mg – Retail pharmacy-Specialist 	168
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE Tab 0.5 mg – Retail pharmacy-Specialist Tab 4 mg – Retail pharmacy-Specialist 	168
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE Tab 0.5 mg – Retail pharmacy-Specialist Tab 4 mg – Retail pharmacy-Specialist DEXAMETHASONE PHOSPHATE 	168 60 30
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE Tab 0.5 mg – Retail pharmacy-Specialist Tab 4 mg – Retail pharmacy-Specialist DEXAMETHASONE PHOSPHATE Inj 4 mg per ml, 1 ml ampoule – See note on page 84 	168 60 30 4 5
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE Tab 0.5 mg – Retail pharmacy-Specialist Tab 4 mg – Retail pharmacy-Specialist DEXAMETHASONE PHOSPHATE Inj 4 mg per ml, 1 ml ampoule – See note on page 84 Inj 4 mg per ml, 2 ml ampoule – See note on page 84 	168 60 30 4 5
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE Tab 0.5 mg – Retail pharmacy-Specialist Tab 4 mg – Retail pharmacy-Specialist DEXAMETHASONE PHOSPHATE Inj 4 mg per ml, 1 ml ampoule – See note on page 84 Inj 4 mg per ml, 2 ml ampoule – See note on page 84 DIAZEPAM 	168 60 30 4 5
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE Tab 0.5 mg – Retail pharmacy-Specialist Tab 4 mg – Retail pharmacy-Specialist DEXAMETHASONE PHOSPHATE Inj 4 mg per ml, 1 ml ampoule – See note on page 84 Inj 4 mg per ml, 2 ml ampoule – See note on page 84 DIAZEPAM Inj 5 mg per ml, 2 ml ampoule – Subsidy by 	168 60 30 45 45
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs DEXAMETHASONE Tab 0.5 mg – Retail pharmacy-Specialist Tab 4 mg – Retail pharmacy-Specialist DEXAMETHASONE PHOSPHATE Inj 4 mg per ml, 1 ml ampoule – See note on page 84 Inj 4 mg per ml, 2 ml ampoule – See note on page 84 DIAZEPAM Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement – See note on page 133 	168 60 30 4 5 4 5
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168 60
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168 60
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168 60 30 45 45 5 5 5 5 10 30 30
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168 60 30 45 45 5 5 5 5 10 30 30
 Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs	168

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

ERGOMETRINE MALEATE
✓ Inj 500 mcg per ml, 1 ml ampoule5
ERYTHROMYCIN ETHYL SUCCINATE
✓ Tab 400 mg
✓ Grans for oral liq 200 mg per 5 ml
✓ Grans for oral liq 400 mg per 5 ml 200 ml ERYTHROMYCIN STEARATE
Tab 250 mg
ETHINYLOESTRADIOL WITH DESOGESTREL
Tab 20 mcg with desogestrel 150 mcg and 7 inert tab84
Tab 30 mcg with desogestrel 150 mcg and 7 inert tab 84
ETHINYLOESTRADIOL WITH LEVONORGESTREL
 Tab 20 mcg with levonorgestrel 100 mcg and
7 inert tab84
 Tab 50 mcg with levonorgestrel 125 mcg and
7 inert tab
Tab 30 mcg with levonorgestrel 150 mcg63
✓ Tab 30 mcg with levonorgestrel 150 mcg and
7 inert tab
✓ Tab 35 mcg with norethisterone 1 mg
 Tab 35 mcg with norethisterone 1 mg and 7 inert tab
 Tab 35 mcg with norethisterone 500 mcg
✓ Tab 35 mcg with norethisterone 500 mcg and
7 inert tab
FLUCLOXACILLIN
FLUCLOXACILLIN ✓ Cap 250 mg30
 ✓ Cap 250 mg
 ✓ Cap 250 mg
 Cap 250 mg
 ✓ Cap 250 mg
 ✓ Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg
 Cap 250 mg

GLYCERYL TRINITRATE

✓ Tab 600 mcg	100
 Oral pump spray, 400 mcg per dose 	. 250 dose
 Oral spray, 400 mcg per dose 	. 250 dose
GLYCOPYRRONIUM BROMIDE	
✓ Inj 200 mcg per ml, 1 ml ampoule	10
HALOPERIDOL	
 Tab 500 mcg 	
✓ Tab 1.5 mg	
 Tab 5 mg 	
 Oral liq 2 mg per ml 	200 ml
 Inj 5 mg per ml, 1 ml ampoule 	5
HALOPERIDOL DECANOATE	
 Inj 50 mg per ml, 1 ml 	
 Inj 100 mg per ml, 1 ml 	5
HYDROCORTISONE	
✓ Inj 100 mg vial	5
HYDROXOCOBALAMIN	
✓ Inj 1 mg per ml, 1 ml ampoule	6
HYOSCINE N-BUTYLBROMIDE	
✓ Inj 20 mg, 1 ml	5
INTRA-UTERINE DEVICE	
✓ IUD 29.1 mm length × 23.2 mm width	40
 IUD 33.6 mm length × 29.9 mm width 	
 IUD 35.5 mm length × 19.6 mm width 	
IPRATROPIUM BROMIDE	
 Aerosol inhaler, 20 mcg per dose CFC-free 	100 dooo
 Aerosof inflater, 20 mcg per dose CFC-free	
 Nebuliser soln, 250 mcg per ml, 2 ml ampoule 	
IVERMECTIN	
 Tab 3 mg – See note on page 72 	100
	100
KETONE BLOOD BETA-KETONE ELECTRODES	10
 Test strip 	10
LEVONORGESTREL	
Tab 30 mcg	
✓ Tab 1.5 mg	
 Subdermal implant (2 × 75 mg rods) 	3
LIDOCAINE [LIGNOCAINE]	
 Gel 2%, 10 ml urethral syringe – Subsidy by 	
endorsement - See note on page 127	5
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	
 Inj 1%, 5 ml ampoule 	
✓ Inj 2%, 5 ml ampoule	
 Inj 1%, 20 ml ampoule 	
 Inj 1%, 20 ml vial 	
✓ Inj 2%, 20 ml ampoule	
 Inj 2%, 20 ml vial 	
CC	ontinued

fully subsidised brand available

(continued)	
LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE	
✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral	
syringes – Subsidy by endorsement – See	
note on page 128	5
LOPERAMIDE HYDROCHLORIDE	
	^
✓ Tab 2 mg	
✓ Cap 2 mg	U
MASK FOR SPACER DEVICE	
✓ Small – See note on page 208	U
MEDROXYPROGESTERONE ACETATE	
✓ Inj 150 mg per ml, 1 ml syringe	5
METOCLOPRAMIDE HYDROCHLORIDE	
 Inj 5 mg per ml, 2 ml ampoule 	5
METRONIDAZOLE	
✓ Tab 200 mg	0
MORPHINE SULPHATE	
 Inj 5 mg per ml, 1 ml ampoule – Only on a 	
controlled drug form	5
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a	5
controlled drug form	5
	5
 Inj 15 mg per ml, 1 ml ampoule – Only on a 	_
controlled drug form	b
 Inj 30 mg per ml, 1 ml ampoule – Only on a 	
controlled drug form	5
NALOXONE HYDROCHLORIDE	
✓ Inj 400 mcg per ml, 1 ml ampoule	5
NICOTINE	
✓ Patch 7 mg – See note on page 160	8
✓ Patch 14 mg – See note on page 160	
✓ Patch 21 mg – See note on page 160	
✓ Lozenge 1 mg – See note on page 160216	
✓ Lozenge 2 mg – See note on page 160	6
✓ Gum 2 mg (Fruit) – See note on page 160	4
✓ Gum 2 mg (Mint) – See note on page 160	
✓ Gum 4 mg (Fruit) – See note on page 160	
✓ Gum 4 mg (Mint) – See note on page 160	
NORETHISTERONE	+
✓ Tab 350 mcg	
✓ Tab 5 mg	U
OXYTOCIN	
 Inj 5 iu per ml, 1 ml ampoule 	
 Inj 10 iu per ml, 1 ml ampoule 	5
OXYTOCIN WITH ERGOMETRINE MALEATE	
✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml	5
PARACETAMOL	
✓ Tab 500 mg	0
✓ Oral liq 120 mg per 5 ml	
 Oral liq 250 mg per 5 ml	
PEAK FLOW METER	
✓ Low range	h
✓ Normal range	J

✓ Inj 50 mg per ml, 1 ml – Only on a controlled drug form5 ✓ Inj 50 mg per ml, 2 ml – Only on a controlled drug form5 PHENOXYMETHYLPENICILLIN (PENICILLIN V)
✓ Cap 250 mg
✓ Cap 500 mg
✓ Grans for oral liq 125 mg per 5 ml
✓ Grans for oral liq 250 mg per 5 ml
PHENYTOIN SODIUM
✓ Inj 50 mg per ml, 2 ml ampoule5
✓ Inj 50 mg per ml, 5 ml ampoule5
PHYTOMENADIONE
✓ Inj 2 mg per 0.2 ml
• Inj 2 Ing per 0.2 Ini
✓ Inj 10 mg per ml, 1 ml5
PIPOTHIAZINE PALMITATE
 Inj 50 mg per ml, 1 ml – Subsidy by endorsement
- See note on page 1455
✓ Inj 50 mg per ml, 2 ml – Subsidy by endorsement
 Inj 50 mg per mi, 2 mi – Subsidy by endorsement
- See note on page 1455
PREDNISOLONE
✓ Oral liq 5 mg per ml – See note on page 84 30 ml
PREDNISONE
✓ Tab 5 mg
PREGNANCY TESTS - HCG URINE
Cassette
PROCAINE PENICILLIN
✓ Inj 1.5 g in 3.4 ml syringe
PROCHLORPERAZINE
✓ Tab 5 mg
✓ Inj 12.5 mg per ml, 1 ml
PROMETHAZINE HYDROCHLORIDE
✓ Inj 25 mg per ml, 2 ml ampoule5
SALBUTAMOL
✓ Inj 500 mcg per ml, 1 ml
✓ Aerosol inhaler, 100 mcg per dose CFC
free 1000 dose
 Nebuliser soln, 1 mg per ml, 2.5 ml ampoule
 Nebuliser soln, 2 mg per ml, 2.5 ml ampoule30
SALBUTAMOL WITH IPRATROPIUM BROMIDE
 Nebuliser soln, 2.5 mg with ipratropium bromide
0.5 mg per vial, 2.5 ml ampoule20
SILVER SULPHADIAZINE
✓ Crm 1%
SODIUM BICARBONATE
✓ Inj 8.4%, 50 ml5
✓ Inj 8.4%, 100 ml
SODIUM CHLORIDE
 Inj 0.9%, bag – See note on page 53
Inj 0.9%, 5 ml ampoule – See note on page 53
✓ Inj 0.9%, 10 ml ampoule – See note on page 535
continued

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

SPACER DEVICE	
 220 ml (single patient) 	20
✓ 510 ml (single patient)	
✓ 800 ml	20
TRIMETHOPRIM ✓ Tab 300 mg	30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule	5

WATER

Inj 5 ml ampoule – See note on page 53	.5
✓ Inj 10 ml ampoule – See note on page 53	.5
✓ Inj 20 ml ampoule – See note on page 53	.5
ZUCLOPENTHIXOL DECANOATE	_

~	Inj 200 mg per ml,	1	ml	. 5
---	--------------------	---	----	-----

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND

Northland DHB Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

Auckland DHB

Great Barrier Island Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

Bay of Plenty DHB

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

Lakes DHB

Mangakino Turangi

Tairawhiti DHB Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

Hawkes Bay DHB

Waipawa Waipukurau Wairoa Whanganui DHB

Bulls Marton Ohakune Raetihi Taihape Waiouru

MidCentral DHB

Dannevirke Foxton Levin Otaki Pahiatua Shannon Woodville

Wairarapa DHB

Carteron Featherston Greytown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB

Dobson Greymouth Hokitika Karamea Reefton South Westland Westport Whataroa

Canterbury DHB

Akaroa Amberley Amuri Chatham Islands Cheviot Darfield

Diamond Harbour Hanmer Springs Kaikoura Leeston Lincoln Methven Oxford Rakaia **Bolleston** Rotherham Templeton Waikari South Canterbury DHB Fairlie Geraldine Pleasant Point Temuka Twizel Waimate Southern DHB Alexandra Balclutha Cromwell Gore Kurow I awrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurly Riverton Roxburah Tapanui Te Anau Tokonui Tuatapere Wanaka

Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility;
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II

Note - the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM

INSULIN ASPART

INSULIN ASPART WITH INSULIN ASPART PROTAMINE

INSULIN GLARGINE

INSULIN GLULISINE

INSULIN ISOPHANE

INSULIN ISOPHANE WITH INSULIN NEUTRAL

INSULIN LISPRO

INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE

INSULIN NEUTRAL

CARDIOVASCULAR SYSTEM

AMIODARONE HYDROCHLORIDE Tab 100 mg Cordarone-X Tab 200 mg Cordarone-X

DISOPYRAMIDE PHOSPHATE

FLECAINIDE ACETATE

Tab 50 mg Tambocor Cap long-acting Tambocor CR 100 mg Cap long-acting Tambocor CR 200 mg

MEXILETINE HYDROCHLORIDE

MINOXIDIL

NICORANDIL

PROPAFENONE HYDROCHLORIDE

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

DESMOPRESSIN ACETATE Nasal drops 100 mcg Minirin per ml Nasal sprav 10 mcg Desmopressin-PH&T

MUSCULOSKELETAL SYSTEM

per dose

PYRIDOSTIGMINE BROMIDE

NERVOUS SYSTEM

AMANTADINE HYDROCHLORIDE

APOMORPHINE HYDROCHLORIDE

ENTACAPONE

GABAPENTIN

LACOSAMIDE

LAMOTRIGINE

PRAMIPEXOLE HYDROCHLORIDE

ROPINIROLE HYDROCHLORIDE

TOLCAPONE

TOPIRAMATE

VIGABATRIN

SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the
 particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursment

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

SAFETY CAP MEDICINES

Tegretol

ALIMENTARY TRACT AND METABOLISM

FERROUS SULPHATE Oral lig 30 mg (6 mg Ferodan elemental) per 1 ml

CARDIOVASCULAR SYSTEM AMILORIDE HYDROCHLORIDE Oral liq 1 mg per ml Biomed CAPTOPRIL Oral lig 5 mg per ml Capoten CHI OROTHIAZIDE Oral lig 50 mg per ml Biomed DIGOXIN Oral lig 50 mcg per ml Lanoxin FUROSEMIDE [FRUSEMIDE] Oral lig 10 mg per ml I asix SPIRONOLACTONE

Oral liq 5 mg per ml Biomed

HORMONE PREPARATIONS - SYSTEMIC EXCLUDING CONTRACEPTIVE HORMONES

I FVOTHYROXINF Tab 25 mcg Tab 50 mcg

Tab 100 mcg

Synthroid Eltroxin Mercury Pharma Synthroid Fltroxin Mercury Pharma Synthroid (Extemporaneously compounded oral liquid preparations)

INFECTIONS - AGENTS FOR SYSTEMIC USE

QUININE SULPHATE Tab 300 mg Q 300 (Extemporaneously compounded oral liquid preparations)

MUSCULOSKELETAL SYSTEM

IBUPROFEN Oral liq 20 mg per ml Fenpaed

NERVOUS SYSTEM

ALPRAZOLAM Tab 250 mcg Xanax Tab 500 mcg Xanax Tab 1 mg Xanax (Extemporaneously compounded oral liquid preparations) **CARBAMAZEPINE** Oral liq 20 mg per ml

CI OBAZAM Tab 10 mg Frisium (Extemporaneously compounded oral liquid preparations)

CLONAZEPAM Oral drops 2.5 mg per ml Rivotril

DIAZEPAM Tab 2 mg Arrow-Diazepam Arrow-Diazepam Tab 5 mg (Extemporaneously compounded oral liquid preparations)

FTHOSUXIMIDE Oral liq 250 mg per 5 ml Zarontin

I ORAZEPAM Tab 1 mg Ativan Ativan Tab 2.5 mg (Extemporaneously compounded oral liquid preparations)

LORMETAZEPAM Tab 1 mg Noctamid (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE

Oral lig 2 mg per ml Oral lig 5 mg per ml Oral lig 10 mg per ml Biodone **Biodone Forte Biodone Extra Forte**

MORPHINE HYDROCHLORIDE

Oral lig 1 mg per ml Oral lig 2 mg per ml Oral lig 5 mg per ml Oral lig 10 mg per ml RA-Morph RA-Morph RA-Morph **RA-Morph**

NITRAZEPAM

Tab 5 mg Nitrados (Extemporaneously compounded oral liquid preparations)

OXAZEPAM

Tab 10 mg Ox-Pam Ox-Pam Tab 15 mg (Extemporaneously compounded oral liquid preparations)

OXYCODONE HYDROCHLORIDE Oral lig 5 mg per 5 ml OxvNorm

PARACETAMOL

Oral liq 120 mg per 5 ml Oral lig 250 mg per 5 ml Paracare Paracare Double Strength

SAFETY CAP MEDICINES

PHENYTOIN SODIUM Oral liq 30 mg per 5 ml

SODIUM VALPROATE Oral lig 200 mg per 5 ml

Epilim S/F Liquid Epilim Syrup

Dilantin

TEMAZEPAM Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

TRIAZOLAM Tab 125 mcg Hypam Tab 250 mcg Hypam (Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine PROMETHAZINE HYDROCHLORIDE Oral liq 1 mg per 1 ml Allersoothe

SALBUTAMOL Oral lig 400 mcg per ml

THEOPHYLLINE Oral lig 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

Ventolin

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

SECTION I: NATIONAL IMMUNISATION SCHEDULE

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
	Ŷ	1 01		manalaotaron
Vaccinations				
ADULT DIPHTHERIA AND TETANUS VACCINE - [Xpharm]				
Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml	0.00	5		DT Booster
		1	✓ A	DT Booster
Any of the following:				
 For vaccination of patients aged 45 and 65 years of 				
 For vaccination of previously unimmunised or parti 		nts; or		
 For revaccination following immunosuppression; of 				
 For boosting of patients with tetanus-prone wounds For use in testing for primary immunodeficiency dis 		monde	tion of on i	ntornal madiaina nhvaiaian
or paediatrician.	eases, on the recom	menua	allon of an i	memai medicine physician
of paediametan.				
Note: Please refer to the Immunisation Handbook for an	propriate schedule fo	or cate	h un progra	ammes
BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm]		1 0010	in up progre	
For infants at increased risk of tuberculosis. Increased risk is	s defined as:			
1) living in a house or family with a person with current or				
2) having one or more household members or carers who			l in a count	rv with a rate of TB > or
equal to 40 per 100,000 for 6 months or longer; or	, , ,			,
 during their first 5 years will be living 3 months or longe 	r in a country with a r	ate of	TB > or eq	ual to 40 per 100,000
Note a list of countries with high rates of TB are available at	www.health.govt.nz/tu	ubercu	ilosis (searo	ch for downloads) or
www.bcgatlas.org/index.php.				
Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin),	0.00	10		CC Vasaina
Danish strain 1331, live attenuated, vial with diluent		10	• □	CG Vaccine
DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE – [Xphar	mj			
Funded for any of the following criteria:				
 A single vaccine for pregnant woman between gestatio A course of up to four vaccines is funded for children fr 			9 voore in	alucivo to complete full
primary immunisation; or	on aye / up to the at	ye ur i	o years in	
3) An additional four doses (as appropriate) are funded fo	r (re-)immunisation fo	or patie	ents post ha	ematopoietic stem cell
transplantation or chemotherapy; pre or post splenecto				
severely immunosuppressive regimens.	7 , F = 1 = F = 1 = 1	5		, ,
Notes: Tdap is not registered for patients aged less than 10	years. Please refer t	o the l	Immunisatio	on Handbook for
appropriate schedule for catch up programmes.				
Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg				
pertussis toxoid, 8 mcg pertussis filamentous	0.00	40		
haemagluttinin and 2.5 mcg pertactin in 0.5 ml syringe	0.00	10 1		<u>Boostrix</u> Boostrix
		I	• <u>-</u>	

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

NATIONAL IMMUNISATION SCHEDULE

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINI Funded for any of the following:	E – [Xpharm]			
 A single dose for children up to the age of 7 who have A course of four vaccines is funded for catch up programmunisation; or 				ars) to complete full
 An additional four doses (as appropriate) are funded pre- or post splenectomy; pre- or post solid organ tra regimens; or 				
4) Five doses will be funded for children requiring solid	organ transplantation.			
Note: Please refer to the Immunisation Handbook for app Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mc pertussis toxoid, 25 mcg pertussis filamentous	cg	tch up pr	ogramme	es.
haemagluttinin, 8 mcg pertactin and 80 D-antigen unit poliomyelitis virus in 0.5ml syringe		1 10		nfanrix IPV nfanrix IPV
DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS E	3 AND HAEMOPHILUS	INFLUEN	IZAE TY	PE B VACCINE -
Xpharm] Funded for patients meeting any of the following criteria:				
1) Up to four doses for children up to and under the age	e of 10 for primary immu	nisation:	or	
2) An additional four doses (as appropriate) are funded				nd under the age of
10 who are patients post haematopoietic stem cell tr				
post solid organ transplant, renal dialysis and other s	severely immunosuppres	ssive regi	mens; o	r
3) Up to five doses for children up to and under the age	e of 10 receiving solid or	gan trans	plantatio	on.
Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the	up programmes for child	lren (up t	o and un	der the age of 10 years)
Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg	up programmes for child	lren (up t	o and un	der the age of 10 years)
Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg	up programmes for child	lren (up t	o and un	der the age of 10 years)
Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin,	up programmes for chilo Immunisation Handboo	lren (up t	o and un	der the age of 10 years)
 Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen i 	up programmes for chilo Immunisation Handboo n	fren (up t k for the	o and un appropri	der the age of 10 years; ate schedule for catch u
Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin,	up programmes for chilo Immunisation Handboo n	lren (up t	o and un appropri	der the age of 10 years)
 Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen i 0.5ml syringe HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm 	up programmes for chilo Immunisation Handboo n	fren (up t k for the	o and un appropri	Ider the age of 10 years ate schedule for catch u nfanrix-hexa
 Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen i 0.5ml syringe HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm One dose for patients meeting any of the following: 	up programmes for chilo Immunisation Handboo n	fren (up t k for the	o and un appropri	der the age of 10 years ate schedule for catch u nfanrix-hexa
 Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen i 0.5ml syringe HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm 	up programmes for child Immunisation Handboo n 0.00])immunisation for patier c; pre or post splenector	fren (up t k for the 10 1 nts post h ny; pre- c	o and un appropria <u> </u>	ider the age of 10 years; ate schedule for catch u <u>nfanrix-hexa</u> <u>nfanrix-hexa</u> poietic stem cell
 Note: A course of up-to four vaccines is funded for catch to complete full primary immunisation. Please refer to the programmes. Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen i 0.5ml syringe HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm One dose for patients meeting any of the following: For primary vaccination in children; or An additional dose (as appropriate) is funded for (retransplantation, or chemotherapy; functional asplenia) 	up programmes for child Immunisation Handboo n 0.00])immunisation for patier c; pre or post splenector everely immunosuppress	fren (up t k for the 10 1 nts post h ny; pre- c sive regin	o and un appropria <u> </u>	Ider the age of 10 years) ate schedule for catch u <u>Ifanrix-hexa</u> Ifanrix-hexa Doietic stem cell Did organ transplant, pre

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per	1	Manufacturer
HEPATITIS A VACCINE – [Xpharm]				
Funded for patients meeting any of the following criteria:				
 Two vaccinations for use in transplant patients; or 				
Two vaccinations for use in children with chronic liver d	isease; or			
One dose of vaccine for close contacts of known hepati	tis A cases.			
Inj 1440 ELISA units in 1 ml syringe	0.00	1	1	Havrix
Inj 720 ELISA units in 0.5 ml syringe		1		Havrix Junior
		•		
HEPATITIS B RECOMBINANT VACCINE - [Xpharm]				
Inj 5 mcg per 0.5 ml vial	0.00	1	✓	<u>HBvaxPRO</u>
Funded for patients meeting any of the following criteria:				
 for household or sexual contacts of known acute he 	epatitis B patients or h	nepat	itis B carrie	ers; or
for children born to mothers who are hepatitis B su	rface antigen (HBsAg) pos	itive; or	
for children up to and under the age of 18 years inc	lusive who are consid	derec	I not to hav	e achieved a positive
serology and require additional vaccination; or				
for HIV positive patients; or				
5) for hepatitis C positive patients; or				
6) for patients following non-consensual sexual interc	ourse; or			
7) for patients following immunosuppression; or	,-			
8) for transplant patients; or				
 following needle stick injury. 				
ey lonoming needlo blok injury.				
Inj 10 mcg per 1 ml vial	0.00	1	1	HBvaxPRO
	0.00	I	•	novazeno
Funded for patients meeting any of the following criteria:				
 for household or sexual contacts of known acute he 				ers; or
for children born to mothers who are hepatitis B su				
for children up to and under the age of 18 years inc	clusive who are consid	derec	I not to hav	e achieved a positive
serology and require additional vaccination; or				
for HIV positive patients; or				
for hepatitis C positive patients; or				
for patients following non-consensual sexual intercontent	ourse; or			
for patients following immunosuppression; or				
for transplant patients; or				
following needle stick injury.				
Inj 40 mcg per 1 ml vial	0.00	1	1	HBvaxPRO
Funded for any of the following criteria:				
1) for dialysis patients; or				
2) for liver or kidney transplant patient.				
HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV]	– [Xpharm]			
Funded for patient meeting either of the following criteria:				
1) Maximum of 3 doses for people aged 9 to 26 years incl	usive: or			
 Maximum of four doses for people aged 9 to 26 years in 		hera	ov.	
			- ,-	
Ini 100 mag in 0.5 ml ovringe	0.00	10		Gardasil
Inj 120 mcg in 0.5 ml syringe	0.00	10		Gardasil
	0.17	ſ	•	uaiuasii
(Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October 2				
(Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October 2	(/10/			

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	l Subsid Per	ully ised	Brand or Generic Manufacturer
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 58 Any of the following:	B) VACCINE [HPV] -	- [Xpharm]		
 Maximum of two doses for children aged 14 years and u Maximum of three doses for patients meeting any of the 	,			
 People aged 15 to 26 years inclusive; or Either: 				
People aged 9 to 26 years inclusive 1) Confirmed HIV infection; or				
2) Transplant (including stem cell) patients: or				
 Maximum of four doses for people aged 9 to 26 years in 	iclusive post chemoti	herapy		
Inj 270 mcg in 0.5 ml syringe Gardasil 9 to be Sole Supply on 1 July 2017	0.00	10	🗸 Gi	ardasil 9

Subsidy (Manufacturer's Price)	Sub	Fully	Brand or Generic
\$	Per	1	Manufacturer

INFLUENZA VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- C)

A) is available each year for patients who meet the following criteria, as set by PHARMAC:

- a) all people 65 years of age and over; or
- b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
- c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
- d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board);

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

‡ safety cap

	Subsidy			Fully	Brand or
	(Manufacturer's Price)		Subsid		Generic
	\$	Per		~	Manufacturer
MEASLES, MUMPS AND RUBELLA VACCINE – [Xpharm]					
A maximum of two doses for any patient meeting the followir	ng criteria:				
1) For primary vaccination in children; or					
For revaccination following immunosuppression; or					
For any individual susceptible to measles, mumps or rule					
 A maximum of three doses for children who have had t 	heir first dose prior to	12 n	nonths	•	
Note: Please refer to the Immunisation Handbook for approp	priate schedule for ca	tch u	p prog	ramm	es.
Inj 1000 TCID50 measles, 12500 TCID50 mumps and					
1000 TCID50 rubella vial with diluent 0.5 ml vial	0.00	10		_	<u>1-M-R II</u>
		1		✓ <u>N</u>	<u>1-M-R II</u>
MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONGUGA Any of the following:	TE VACCINE - [Xph	arm]			
, 6	tionto and poot o	-	o oto m	(and)	for notionto with functional
 Up to three doses and a booster every five years for pa or anatomic asplenia, HIV, complement deficiency (acc 					
 2) One dose for close contacts of meningococcal cases; of 		pie	01 003	1 30110	organ transplant, or
3) A maximum of two doses for bone marrow transplant p					
4) A maximum of two doses for patients following immuno					
,					
Note: children under seven years of age require two doses	8 weeks apart, a boos	ster d	lose th	ree ye	ars after the primary
series and then five yearly.					
*Immunosuppression due to steroid or other immunosuppres	sive therapy must be	for a	perio	d of gr	eater than 28 days.
Inj 4 mcg of each meningococcal polysaccharide conjugated					
a total of approximately 48 mcg of diphtheria toxoid carri					
per 0.5 ml vial	0.00	1		✓ №	lenactra
MENINGOCOCCAL C CONGUGATED VACCINE – [Xpharm]					
Any of the following:					
1) Up to three doses and a booster every five years for pa					
or anatomic asplenia, HIV, complement deficiency (acc		pre	or pos	t solid	organ transplant; or
 One dose for close contacts of meningococcal cases; c A maximum of two closes for here mercury transmission 					
3) A maximum of two doses for bone marrow transplant p4) A maximum of two doses for patients following immuno					
4) A maximum of two doses for patients following infinunc	suppression .				
Note: children under seven years of age require two doses	8 weeks apart, a boos	ster d	lose th	ree ve	ars after the primary

Note: children under seven years of age require two doses 8 weeks apart, a booster dose three years after the primary series and then five yearly.

*Immunosuppression due to steroid or other immunosuppressive therapy must be for a period of greater than 28 days. Inj 10 mcg in 0.5 ml syringe......0.00 1 <u>Veisvac-C</u>

5	.,	5		10	✓ Neisvac-C

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
PNEUMOCOCCAL (PCV13) VACCINE - [Xpharm]				
Any of the following:				
 A primary course of four doses for previously unvaccina Up to three doses as appropriate to complete the prima 59 months who have received one to three doses of PC 	ry course of immunis V10; or	ation for i	ndividua	als under the age of
 One dose is funded for high risk children (over the age received four doses of PCV10; or 	of 17 months and up	to the age	e of 18)	who have previously
 Up to an additional four doses (as appropriate) are fund haematopoietic stem cell transplantation, or chemother solid organ transplant, renal dialysis, complement defici immunodeficiency; or 	apy; pre- or post sple	nectomy;	functior	nal asplenia, pre- or post-
 For use in testing for primary immunodeficiency disease paediatrician. 	es, on the recommend	dation of	an interr	nal medicine physician or
Note: please refer to the Immunisation Handbook for the app		catch up		
Inj 30.8 mcg in 0.5 ml syringe	0.00	10 1		Prevenar 13 Prevenar 13
PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE – [> Either:	(pharm]			
 Up to three doses (as appropriate) for patients with HIV chemotherapy; pre- or post-splenectomy or with functio complement deficiency (acquired or inherited), cochlear Up to two doses are funded for high risk children to the 	nal asplenia, pre- or p implants, or primary	oost-solid	organ t	ransplant, renal dialysis,
Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each 23 pneumococcal serotype)	0.00	1	✓ P	neumovax 23
POLIOMYELITIS VACCINE - [Xpharm] Up to three doses for patients meeting either of the following:			_	
 For partially vaccinated or previously unvaccinated indiv For revaccination following immunosuppression. 	<i>v</i> iduals; or			
Note: Please refer to the Immunisation Handbook for approp Inj 80D antigen units in 0.5 ml syringe		tch-up pro 1	ogramm ✓ <u>I</u>	
ROTAVIRUS LIVE REASSORTANT ORAL VACCINE – [Xpharm Maximum of three doses for patients meeting the following:]			
 first dose to be administered in infants aged under 15 w no vaccination being administered to children aged 8 m 				
Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units pe	er			

‡ safety cap

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	Subsidised	Generic
\$	Per	~	Manufacturer

VARICELLA VACCINE [CHICKEN POX VACCINE] - [Xpharm]

Maximum of two doses for any of the following:

- 1) For non-immune patients:
- 2) a) with chronic liver disease who may in future be candidates for transplantation; or
 - b) with deteriorating renal function before transplantation; or
 - c) prior to solid organ transplant; or
 - d) prior to any elective immunosuppression*.
- 3) For patients at least 2 years after bone marrow transplantation, on advice of their specialist.
- 4) For patients at least 6 months after completion of chemotherapy, on advice of their specialist.
- 5) For HIV positive non immune to varicella with mild or moderate immunosuppression on advice of HIV specialist.
- For patients with inborn errors of metabolism at risk of major metabolic decompensation, with no clinical history of varicella.
- 7) For household contacts of paediatric patients who are immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.
- 8) For household contacts of adult patients who have no clinical history of varicella and who are severely immunocompromised, or undergoing a procedure leading to immune compromise where the household contact has no clinical history of varicella.

* immunosuppression due to steroid or other immunosuppressive therapy must be for a treatment period of greater than 28 days

nj 2000 PFU vial with diluent	0.00	1	 Varilrix
-------------------------------	------	---	------------------------------

- Symbols -

3TC112
50X 3.0 Reservoir
- A -
A-Scabies74
Abacavir sulphate
Abacavir sulphate with
lamivudine 112
Abilify
Abiraterone acetate
Acarbose
Accord Escitalopram
Accord Eschalopram
Accu-Chek Ketur-Test
Accu-Chek Performa
Accuretic 1056
Accuretic 2056
Acetazolamide
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium 209
Acetic acid with hydroxyquinoline and
ricinoleic acid 80
Acetylcysteine213
Aci-Jel80
Aciclovir
Infection107
Sensory209
Acidex
Acipimox61
Acitretin74
Aclasta122
Aclin
Act-HIB
Actinomycin D166
Actrapid
Actrapid Penfill
Acupan
Adalat 10
Adalimumab184
Adapalene
Adefin XL
Adefovir dipivoxil
Adenuric
Adrenaline
Adriamycin167
ADT Booster251
Adult diphtheria and tetanus
vaccine 251
Advantan
Advate
Afinitor
AFT Carbimazole87
AFT SLS-free 71

AFT-Pyrazinamide	. 104
AFT-Pyrazinamide S29	. 104
Agents Affecting the	
Renin-Angiotensin System	55
Agents for Parkinsonism and Relation	ed
Disorders	
Agents Used in the Treatment of	
Poisonings	213
Agrylin	165
Alanase	
Albendazole	
Albey	
Albustix	201
Alendronate sodium	100
Alendronate sodium with	120
colecalciferol	400
Alfacalcidol	43
Alfamino Junior	239
Alginic acid	
Alglucosidase alfa	
Alitraq	
Alkeran	
Allersoothe	
Allopurinol	124
Allopurinol-Apotex	124
Alpha Adrenoceptor Blockers	55
Alpha-Keri Lotion	71
Alprazolam	
Alu-Tab	20
Aluminium hydroxide	20
Amantadine hydrochloride	126
Ambrisentan	64
Amiloride hydrochloride	60
Amiloride hydrochloride with	
furosemide	61
Amiloride hydrochloride with	
hydrochlorothiazide	61
Aminophylline	
Amiodarone hydrochloride	56
Amisulpride	
Amitriptyline	
Amlodipine	
Amorolfine	
Amoxicillin	
Amoxicillin Actavis	
Amoxicillin with clavulanic acid	90
Amphotericin B	
Amphotencin B	165
AmsaLyo	
Amsidine	
Amyl nitrite	
Anaesthetics	
Anagrelide hydrochloride	165

Analgesics	
Anastrozole	.178
Andriol Testocaps	85
Androderm	<mark>85</mark>
Animas Battery Cap	32
Animas Cartridge	36
Animas Vibe	28
Anoro Ellipta	.205
Antabuse	. 159
Antacids and Antiflatulants	20
Anten	
Anthelmintics	
Antiacne Preparations	66
Antiallergy Preparations	
Antianaemics	
Antiandrogen Oral	
Contraceptives	80
Antiarrhythmics	
Antibacterials	
Antibacterials Topical	
Anticholinergic Agents	
Anticholinesterases	
Antidepressants	
Antidiarrhoeals	
Antiepilepsy Drugs	
Antifibrinolytics, Haemostatics and	. 155
Antinoninolytics, Haemostatics and	
	10
Local Sclerosants	
Antifibrotics	. 206
Antifibrotics Antifungals	.206
Antifibrotics Antifungals Antifungals Topical	.206 .100 67
Antifibrotics Antifungals Antifungals Topical Antihistamines	.206 .100 67 .201
Antifibrotics Antifungals Antifungals Topical Antihistamines Antihypotensives	.206 .100 67 .201 57
Antifibrotics Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials	.206 .100 67 .201 57 .102
Antifibrotics Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations	.206 .100 67 .201 57 .102 .138
Antifibrotics Antifungals Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus	.206 .100 67 .201 57 .102 .138 .139
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimagraine Preparations Antinaus. Antinausea and Vertigo Agents	.206 .100 67 .201 57 .102 .138 .139 .138
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalgraine Preparations Antinausea and Vertigo Agents Antiparasitics	.206 .100 67 .201 57 .102 .138 .139 .138 .103
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalarials Antimaus Antinaus Antinausea and Vertigo Agents Antiparasitics Antipruritic Preparations	.206 .100 67 .201 57 .102 .138 .139 .138 .103 68
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalarials Antinaus Antinausea and Vertigo Agents Antiparasitics Antipruritic Preparations Antipyschotics	.206 .100 67 .201 57 .102 .138 .139 .138 .103 68 .140
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalarials Antinaus Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antipruritic Preparations Antipsychotics Antiretrovirals	.206 .100 67 .201 57 .102 .138 .139 .138 .103 68 .140
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antipruritic Preparations Antipsychotics Antiretrovirals - Additional	.206 .100 67 .201 57 .102 .138 .139 .138 .103 68 .140 .110
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalarials Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antipsychotics Antiretrovirals - Additional Therapies	.206 .100 67 .201 .138 .139 .138 .103 68 .140 .110
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalarials Antimausea and Vertigo Agents Antiparasitics Antiparasitics Antipruritic Preparations Antipsychotics. Antiretrovirals - Additional Therapies Antirheumatoid Agents	.206 .100 67 .201 .138 .139 .138 .103 68 .140 .110
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalarials Preparations Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antipruritic Preparations Antipsychotics Antiretrovirals - Additional Therapies Antircheumatoid Agents Antispasmodics and Other Agents	.206 .100 67 .201 57 .102 .138 .139 .138 .140 .110 .1113 .118
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalarials Preparations Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antipruritic Preparations Antipsychotics Antiretrovirals - Additional Therapies Antircheumatoid Agents Antirspasmodics and Other Agents Altering Gut Motility	.206 .100 67 .201 57 .102 .138 .139 .138 .103 .138 .140 .110 .111 .113 .118
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimigraine Preparations Antinaus Antiparasitics Antiparasitics Antiparasitics Antiparasitics Antipsychotics Antiretrovirals - Additional Therapies Antirkneumatoid Agents Antirspasmodics and Other Agents Altering Gut Motility Antithrombotic Agents	.206 .100 67 .201 57 .102 .138 .139 .138 .103 .138 .140 .110 .111 .113 .118
Antifibrotics Antifungals Topical Antifungals Topical Antihistamines Antihistamines Antimalarials Antimagraine Preparations Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antiparasitics Antipruritic Preparations Antiprovirals - Additional Therapies Antiretrovirals - Additional Therapies Antirheumatoid Agents Antispasmodics and Other Agents Altering Gut Motility Antithrombotic Agents Antithrombotic Agents Antithrombotic Agents	. 2066 . 100 67 . 201 . 37 . 102 . 138 . 139 . 138 . 139 . 138 . 103 68 . 140 113
Antifibrotics	.206 .100 67 .201 .138 .139 .138 .103 68 .140 .110 .113 .118 22 48
Antifibrotics Antifungals Topical Antifungals Topical Antifungals Topical Antihistamines Antihypotensives Antimalarials Antimalarials Antimalarials Antimalarials Antinausea and Vertigo Agents Antiparasitics Antiparasitics Antiparasitics Antiparasitics Antipsychotics Antipsychotics Antipsychotics Antiretrovirals - Additional Therapies Antiretrovirals - Additional Therapies Antiretromatoid Agents Antispasmodics and Other Agents Altering Gut Motility Antithrombotic Agents Antithymocyte globulin (equine) Antitrichomonal Agents	.206 .100 67 .201 .138 .139 .138 .103 68 .140 .110 .113 .118 22 48
Antifibrotics Antifungals Topical Antifungals Topical Antifungals Topical Antifungals Topical Antifungals Topical Antiparasites Antimalarials Antimalarials Antimalarials Antimalarials Antinaus Antiparasitics Antiparasitics Antiparasitics Antipruritic Preparations Antipruritic Preparations Antipruritic Preparations Antipruritic Preparations Antipruritic Preparations Antipretrovirals - Additional Therapies Antiretrovirals - Additional Therapies Antiretrowirals - Additional Antispasmodics and Other Agents Antieng Gut Motility Antitrhombotic Agents Antitrhomonal Agents Antitruberculotics and	.206 .100 67 .201 57 .102 .138 .139 .138 .140 .113 .118 .111 .113 .118 48 .140 .113 .118 48
Antifibrotics	.206 .100 67 .201 57 .102 .138 .139 .138 .140 .113 .113 .114 .113 .118 22 48 .184 .103 .103
Antifibrotics	.206 .100 67 .201 57 .102 .138 .139 .138 .140 .110 .111 .111 .111 .111 .111 .111
Antifibrotics	.206 .100 67 .201 57 .102 .138 .139 .138 .140 .110 .111 .111 .111 .111 .111 .111

Anzatax168
Apidra24
Apidra SoloStar24
Apo-Allopurinol 124
Apo-Amiloride
Apo-Amlodipine59
Apo-Amoxi
Apo-Azithromycin95
Apo-Bromocriptine126
Apo-Ciclopirox
Apo-Cilazapril
Apo-Cilazapril/
Hydrochlorothiazide
Apo-Clarithromycin
Alimentary
Infection
Apo-Clomipramine
Apo-Diclo SR 117
Apo-Diltiazem CD
Apo-Doxazosin
Apo-Folic Acid
Apo-Imiquimod Cream 5%
Apo-Influencido
Apo-Leflunomide
Apo-Megestrol
Apo-Metoprolol
Apo-Mirtazapine
Apo-Moclobemide
Apo-Montelukast
Apo-Nadolol
Apo-Nicotinic Acid61
Apo-Ondansetron
Apo-Oxybutynin
Apo-Paroxetine
Apo-Perindopril
Apo-Pindolol
Apo-Prazosin
Apo-Prednisone
Apo-Primidone136
Apo-Propranolol58
Apo-Pyridoxine
Apo-Ropinirole126
Apo-Selegiline S29126
Apo-Sumatriptan138
Apo-Terazosin55
Apo-Thiamine
Apo-Timol
Apo-Trifluoperazine 143
Apomorphine hydrochloride126
Aprepitant 138
Apresoline64
Aptamil Gold+ Pepti Junior240
Aqueous cream71
Arava118
Aremed 178
Arimidex178
Aripiprazole140

Aristocort	
Arrow - Clopid	
Arrow-Amitriptyline1	31
Arrow-Bendrofluazide	
Arrow-Brimonidine2	
Arrow-Calcium	
Arrow-Diazepam1	
Arrow-Dortim2	11
Arrow-Doxorubicin1	
Arrow-Etidronate1	20
Arrow-Fluoxetine1	
Arrow-Gabapentin1	
Arrow-Lamotrigine1	36
Arrow-Losartan &	
Hydrochlorothiazide	
Arrow-Meloxicam1	17
Arrow-Morphine LA1	
Arrow-Norfloxacin1	
Arrow-Ornidazole1	03
Arrow-Quinapril 10	
Arrow-Quinapril 20	
Arrow-Quinapril 5	55
Arrow-Roxithromycin	96
Arrow-Sertraline1	32
Arrow-Simva 10mg	
Arrow-Simva 20mg	
Arrow-Simva 40mg	62
Arrow-Simva 80mg	
Arrow-Sumatriptan1	
Arrow-Timolol	
Arrow-Tolterodine	
Arrow-Topiramate1	
Arrow-Tramadol1	
Arrow-Venlafaxine XR 1	
Arsenic trioxide1	00 65
Asacol	
Asacoi	
Ascorbic acid	
Aspen Adrenaline	63
Aspirin Blood	
Nervous1	28
Asthalin2	04
Atazanavir sulphate1	
Atenolol	57
Atenolol AFT	57
ATGAM1	84
Ativan1	
Atomoxetine1	55
Atorvastatin	
Atripla1	12
Atropine sulphate	
Cardiovascular	
Sensory2	
Atropt2	11
Atrovent	04

Aubagio	150
Augmentin	
Auranofin	118
Ava 20 ED	78
Ava 30 ED	78
Avelox	98
Avomine	
Avonex	
Avonex Pen	
Azacitidine	
Azamun	
Azathioprine	
Azithromycin	
Azol	
Azopt	
AZT - B -	112
	07
B-D Micro-Fine	
B-D Ultra Fine	27
B-D Ultra Fine II	21
Bacillus Calmette-Guerin (BCG)	
vaccine	. 184
Bacillus Calmette-Guerin	
vaccine	. 251
Baclofen	
Bactroban	67
Baraclude	105
Barrier Creams and Emollients	
BCG Vaccine	
Beclazone 100	
Beclazone 250	
Beclazone 50	202
Beclomethasone	
dipropionate 202	, <mark>20</mark> 7
Becton Dickinson PosiFlush	
Bee venom allergy treatment	201
Bendrofluazide	<mark>6</mark> 1
Bendroflumethiazide	
[Bendrofluazide]	61
BeneFIX	47
Benzathine benzylpenicillin	
Benzatropine mesylate	126
Benzbromaron AL 100	124
Benzbromarone	
Benzoin	
Benztrop	
Benzydamine hydrochloride	41
Benzylpenicillin sodium (penicillin	
G)	96
Beta Adrenoceptor Blockers	
Beta Cream	
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists	
Betadine	
Betadine Skin Prep	
	···· / C

Betaferon	154
Betagan	210
Betahistine dihydrochloride	138
Betaloc CR	.58
Betamethasone dipropionate	69
Betamethasone dipropionate with	
calcipotriol	74
Betamethasone sodium phosphate	14
with betamethasone acetate	83
Betamethasone valerate	
Betamethasone valerate with	15
clioquinol	70
Betamethasone valerate with fusidic	70
	70
acid Betaxolol	
Betnovate	
Betnovate-C	. 70
Betoptic	210
Betoptic S	210
Bezafibrate	
Bezalip	.61
Bezalip Retard	.61
Bicalaccord	
Bicalutamide	176
Bicillin LA	
BiCNU	162
Bile and Liver Therapy	.23
Biltricide	
Bimatoprost	211
Bimatoprost Actavis	211
Biodone	129
Biodone Extra Forte	129
Biodone Forte	
Bisacodyl	.39
Bisoprolol fumarate	.57
BK Lotion	.71
Bleomycin sulphate	166
Blood Colony-stimulating	
Factors	51
Blood glucose diagnostic test	· · ·
meter	26
Blood glucose diagnostic test	
strip	26
Blood glucose test strips (visually	20
impaired)	27
Blood ketone diagnostic test	21
meter	05
Bonjela	40
Boostrix	
Bortezomib	
Bosentan	
Bosvate	
Bplex.	
Breo Ellipta	203
Brevinor 1/21	
Brevinor 1/28	.78

Brevinor 21	78
Bricanyl Turbuhaler	.204
Brilinta	49
Brimonidine tartrate	.211
Brimonidine tartrate with timolol	
maleate	. 211
Brinov	. 164
Brinzolamide	211
Brolene	209
Bromocriptine mesylate	
Brufen SR	117
BSF Apo-Montelukast	213
Buccastem	139
Budesonide	
Alimentary	20
Respiratory202	208
Budesonide with eformoterol	203
Bumetanide	
Buprenorphine with naloxone	
Bupropion hydrochloride	
Burinex	60
Buscopan	22
Buspirone hydrochloride	146
Busulfan	
Butacort Aqueous	
- C -	
Cabergoline	93
Cafergot	
Cafergot S29	138
Caffeine citrate	208
Calamine	
Calcipotriol	74
Calcitonin	83
Calcitriol	
Calcitriol-AFT	. 43
Calcium carbonate2	0.43
Calcium Channel Blockers	
Calcium Disodium Versenate	214
Calcium folinate	. 164
Calcium Folinate Ebewe	. 164
Calcium gluconate	44
Calcium Homeostasis	
Calcium polystyrene sulphonate	
Calcium Resonium	
Calogen	.225
Calsource	
Camptosar	. 165
Candesartan cilexetil	
Candestar	56
Canesten	67
Capecitabine	. 164
Capoten	55
Capsaicin	
Musculoskeletal	
Nervous	
Captopril	55

Carafate	
Carbaccord	
Carbamazepine	134
Carbimazole	
Carbomer	
Carboplatin	
Carboplatin Ebewe	
Carbosorb-X	213
Cardinol LA	
Cardizem CD	
CareSens	
CareSens II	
CareSens N	26
CareSens N POP	
Carmellose sodium with gelatin and	
pectin	
Carmustine	
Carvedilol	57
Catapres	60
Catapres-TTS-1	60
Catapres-TTS-2	60
Catapres-TTS-3	60
CeeNU	
Cefaclor monohydrate	94
Cefalexin	
Cefalexin Sandoz	94
Cefazolin	94
Ceftriaxone	
Cefuroxime axetil	
Celestone Chronodose	30 00
Celiprolol	
Cellcept	30 170
Celol	58
Centrally-Acting Agents	60
Cephalexin ABM	
Cerezyme	
Cetirizine hydrochloride	
Cetomacrogol	71
Cetomacrogol with glycerol	71
Champix	160
Charcoal	213
Chemotherapeutic Agents	162
Chicken pox vaccine	258
Chlorafast	209
Chlorambucil	162
Chloramphenicol	
Chlorhexidine gluconate	
Alimentary	41
Dermatological	••••
Chloroform	
Chlorothiazide	
Chlorpheniramine maleate	
Chlorpromazine hydrochloride	
Chlorsig	
Chlortalidone [Chlorthalidone]	
Uniormalidone	bl

Chlorvescent54
Choice Load 37577
Choice TT380 Short77
Choice TT380 Standard77
Cholestyramine62
Choline salicylate with cetalkonium
chloride
Cholvastin
Ciclopirox olamine67
Ciclosporin198
Cilazapril55
Cilazapril with
hydrochlorothiazide 56
Cilicaine
Cilicaine VK97
Ciloxan209
Cinacalcet83
Cipflox
Ciprofloxacin
Infection
Sensory209
Cisplatin
Cisplatin Ebewe162
Citalopram hydrobromide 132
Cladribine164
Clarithromycin
Alimentary
Infection
Clexane
Clindamycin
Clindamycin ABM
Clinicians Renal Vit
Clobazam134
Clobetasol propionate
Clobetasone butyrate
Clofazimine103
Clomazol
Dermatological
Genito-Urinary
Clomifene citrate
Clomipramine hydrochloride
Clonazepam 133–134, 146
Clonidine
Clonidine BNM60
Clonidine hydrochloride
Clopidogrel
Clopine
Clopixol143, 145
Clotrimazole
Dermatological
Genito-Urinary80
Clozapine141
Clozaril
Clustran
Co-trimoxazole
Coal tar

Coal tar with allantoin, menthol,
phenol and sulphur74
Coal tar with salicylic acid and
sulphur75
Coco-Scalp
Codeine phosphate
Extemporaneous220
Nervous129
Cogentin
Colaspase [L-asparaginase]166
Colchicine
Colecalciferol43
Colestid62
Colestipol hydrochloride62
Colgout
Colifoam
Colistin sulphomethate
Colistin-Link
Collodion flexible
Colloidal bismuth subcitrate
Colofac
Coloxyl
Combigan211
Comfort
Comfort Short
Compound electrolytes
Compound hydroxybenzoate
Concerta
Condyline76
O = = + = + D 00
Contact-D
Contraceptives - Hormonal77
Contraceptives - Hormonal77 Contraceptives - Non-hormonal77
Contraceptives - Hormonal
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Cotricosteroids and Related Agents 56 for Systemic Use 83 Corticosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Crixivan 113 Crotamiton 68 Crystaderm 67
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Cotricosteroids and Related Agents for Systemic Use 83 Cotricosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Crixivan 113 Crotamiton 68 Crystaderm 67 Cvite 42
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Cotricosteroids and Related Agents 56 for Systemic Use 83 Cotricosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Crixivan 113 Crotamiton 68 Crystaderm 67 Cvite 42 Cyclizine hydrochloride 139
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Cotricosteroids and Related Agents 56 for Systemic Use 83 Cotricosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Crixivan 113 Crotamiton 68 Crystaderm 67 Cvite 42 Cyclizine hydrochloride 139 Cyclizine lactate 139
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Corticosteroids and Related Agents for Systemic Use 83 Corticosteroids Topical 69 Cosmegen 166 Cuenadin 51 Creon 10000 37 Crixivan 113 Crotadermicon 68 Crystaderm 67 Cvite 42 Cyclizine hydrochloride 139 Cyclogyl 211
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Corticosteroids and Related Agents for Systemic Use 83 Corticosteroids Topical 69 Cosmegen 166 Cuenadin 51 Creon 10000 37 Crotaviton 68 Crystaderm 68 Crystaderm 68 Crystaderm 69 Oyclizine hydrochloride 139 Cyclizine lactate 139 Cyclogyl 211 Cyclopentolate hydrochloride 211
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Corticosteroids and Related Agents for Systemic Use 83 Corticosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Crotawiton 68 Crystaderm 67 Cvite 42 Cyclizine hydrochloride 139 Cyclogyl 211 Cyclophosphamide 162
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Cotricosteroids and Related Agents for Systemic Use 83 Corticosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Creon 25000 37 Crixivan 113 Crotamiton 68 Crystaderm 67 Cvite 42 Cyclizine hydrochloride 139 Cyclogyl 211 Cyclophosphamide 162 Cycloserine 103
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Cotricosteroids and Related Agents for Systemic Use 83 Corticosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Creon 25000 37 Crixivan 113 Crotamiton 68 Crystaderm 67 Cvite 42 Cyclizine hydrochloride 139 Cyclogyl 211 Cyclopentolate hydrochloride 211 Cycloserine 103 Cyklokapron 48
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Cotricosteroids and Related Agents for Systemic Use 83 Corticosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Creon 25000 37 Crixivan 113 Crotamiton 68 Crystaderm 67 Cvite 42 Cyclizine hydrochloride 139 Cyclogyl 211 Cyclopentolate hydrochloride 211 Cyclopesphamide 162 Cycloserine 103 Cyklokapron 48 Cyproterone acetate 85
Contraceptives - Hormonal 77 Contraceptives - Non-hormonal 77 Copaxone 153 Cordarone-X 56 Cotricosteroids and Related Agents for Systemic Use 83 Corticosteroids Topical 69 Cosmegen 166 Coumadin 51 Creon 10000 37 Creon 25000 37 Crixivan 113 Crotamiton 68 Crystaderm 67 Cvite 42 Cyclizine hydrochloride 139 Cyclogyl 211 Cyclopentolate hydrochloride 211 Cycloserine 103 Cyklokapron 48

Cytarabine	164
Cytotec	. 22
Cytoxan	162
- D -	
D-Penamine	118
d4T	112
Dabigatran	
Dacarbazine	
Dactinomycin [Actinomycin D]	166
Daivobet	74
Daivonex	74
Daktarin	
Dalacin C	
Dalteparin sodium	40
Danazol	93
Dantrium	125
Dantrium S29	
Dantrolene	120
Daonil	
Dapa-Tabs	
Dapsone	
Daraprim	00
Daraphin	. 99
Dasatinib	171
Daunorubicin	1/1
DBL Acetylcysteine	001
DBL Aminonhylling	213
DBL Aminophylline	207
DBL Carboplatin	102
DBL Cisplatin	
DBL Dacarbazine	
DBL Docetaxel	
DBL Doxorubicin	
DBL Doxorubicin S29	167
DBL Epirubicin Hydrochloride	167
DBL Ergometrine	.80
DBL Gemcitabine	
DBL Leucovorin Calcium	164
DBL Methotrexate Onco-Vial	165
DBL Morphine Sulphate	130
DBL Morphine Tartrate	130
DBL Pethidine Hydrochloride	131
DBL Vincristine Sulfate	
DDI	
De-Worm	. 94
Decozol	. 42
Deferiprone	214
Deoxycoformycin Depo-Medrol	03
Depo-Medrol with Lidocaine	04. م
Depo-Provera	
Depo-Testosterone	
Deprim	
DermAssist	
Dermol	

Desferal
Desferrioxamine mesilate
Desmopressin acetate
Desmopressin-PH&T92
Detection of Substances in
Urine
Dexamethasone
Hormone
Sensory
Dexamethasone phosphate
Dexamethasone with framycetin and
gramicidin
Dexamethasone with neomycin
sulphate and polymyxin B
sulphate
Dexamfetamine sulfate
Dexmethsone
Dextrochlorpheniramine
maleate
Dextrose
Dextrose with electrolytes
DHC Continus
Diabetes
Diabetes Management
Diacomit
Diamide Relief
Diamox
Diasip
Diason RTH
Diazepam
Diazoxide
Dicarz
Diclofenac Sandoz
Diclofenac sodium
Musculoskeletal
Sensory
Didanosine [DDI]
Didanosine [DDi]
Difflam
Diflucan
Diflucan S29
Diflucortolone valerate
Digestives Including Enzymes
Digoxin
Dihydrocodeine tartrate
Dilantin
Dilantin Infatab
Diltiazem hydrochloride
Dilzem
Dimethicone
Dimethyl fumarate
Dipentum
Diphtheria, tetanus and pertussis
vaccine
Diphtheria, tetanus, pertussis and
polio vaccine252

Diphtheria, tetanus, pertussis, polio, hepatitis B and haemophilus	
influenzae type B vaccine	
Diprosone	.69
Diprosone OV	
Dipyridamole	
Disinfecting and Cleansing	
Agents	70
Disopyramide phosphate	
Disulfiram	150
Diuretics	
Diurin 40	
Docetaxel	167
Docetaxel Sandoz	
Docusate sodium	. 38
Docusate sodium with	~~
sennosides	
Dolutegravir	
Domperidone	139
Donepezil hydrochloride	158
Donepezil-Rex	158
Dopress	
Dornase alfa	207
Dorzolamide hydrochloride	
Dorzolamide with timolol	
Dostinex	
Dosulepin [Dothiepin]	
hydrochloride	131
Dothiepin	131
Doxazosin	
Doxepin hydrochloride	
Doxine	
Doxorubicin Ebewe	
Doxorubicin Ebewe	107
Doxorubicin nyarochioriae	107
Doxy-50	.97
Doxycycline	.97
DP Fusidic Acid Cream	
DP Lotion	
DP Lotn HC	
DP-Anastrozole	
Dr Reddy's Omeprazole	.23
Dr Reddy's Ondansetron	139
Dr Reddy's Terbinafine	102
Drugs Affecting Bone	
Metabolism	119
Duocal Super Soluble Powder	224
Duolin	204
Duolin HFA	
Durex Confidence	
Durex Extra Safe	
Duride	
Duro-K	
Dynacirc-SRO	
- E -	. 59
-	200
e-chamber La Grande	
e-chamber Mask	208

e-chamber Turbo	208
E-Mycin	95
Ear Preparations	209
Ear/Eye Preparations	209
Easiphen Liquid	238
FasyCheck	-80
EasyCheck	
Efavirenz	111
Efavirenz with emtricitabine and	
tenofovir disoproxil	
fumarate	112
Efexor XR	
Effient	48
Eformoterol fumarate	203
Efudix	76
Egopsoryl TA	74
Elaprase	40
Elecare	239
Elecare LCP	230
Elemental 028 Extra	230
Eligard 1 Month	
Eligard 3 Month	
Eligard 6 Month	92
Elocon	70
Elocon Alcohol Free	
Eltrombopag	46
Eltroxin	88
Emond	100
	130
Emend Emend Tri-Pack	130
Emend Tri-Pack	138
Emend Tri-Pack	138 128
Emend Tri-Pack EMLA Emtricitabine	138 128 112
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox	138 128 112 il
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate	138 128 112 112 112
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva	138 128 112 112 112 112
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment	138 128 112 112 112 112 71
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate	138 128 112 112 112 112 71 55
Emend Tri-Pack EMLA. Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Enbrel	138 128 112 112 112 .112 71 55 .178
Emend Tri-Pack EMLA. Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Enbrel Endocrine Therapy	138 128 112 112 112 112 71 55 178 76
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endocrine Therapy Endoxan	138 128 112 112 112 112 112 112 112 112 11
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy	138 128 112 112 112 112 112 71 55 178 178 53
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy Endocrine Therapy	138 128 112 112 112 112 112 71 55 178 178 53
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Enbrel Endocrine Therapy Endoxan Enerlyte Enfuvirtide	138 128 112 112 112 112 112 112 178 178 178 162 53 113
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulaifying ointment Enalapril maleate Endocrine Therapy Endoxan Enerlyte Enfuvirtide Enlafax XR	138 128 112 112 112 112 112 112 112 112 176 162 162 113 133
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endocrine Therapy Endoxan Enerlyte Enfuvirtide Enfuvirtide Enalfax XR Enoxaparin sodium	138 128 112 112 112 112 112 112 112 112 11
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Enbrel Endocrine Therapy Endoxan Enerlyte Enfuvirtide Enfuvirtide Enfustride Enoxaparin sodium Ensure	138 128 112 112 112 112 112 112 112 112 178 178 178 178 178 178 178 178 178 178
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endoraine Therapy Endoxan Enerlyte Enfuvirtide Enlafax XR. Enoxaparin sodium Ensure Ensure Plus	138 128 112 112 112 112 112 112 112 112 11
Emend Tri-Pack EMLA Emtricitabine Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Enbrel Enbrel Endoxan Enerlyte Enfuvirtide Enlafax XR Enoxaparin sodium Ensure Plus Ensure Plus Ensure Plus HN	138 128 112 112 112 112 112 112 112 112 11
Emend Tri-Pack EMLA. Emtricitabine with tenofovir disoprox fumarate Emulsifying ointment Enalapril maleate Endocrine Therapy Endocrine Therapy Endoxan Endoxan Endryte Enfuvirtide Enfuvirtide Enfuvirtide Ensure Plus Ensure Plus HN Ensure Plus RTH	138 128 112 112 112 112 112 112 112 112 11
Emend Tri-Pack EMLA. Emtricitabine with tenofovir disoprox fumarate Emulsifying ointment Enalapril maleate. Enalapril maleate. Endocrine Therapy Endocrine Therapy Endoxan Enerlyte Enfuvirtide. Enlafax XR. Enoxaparin sodium. Ensure Plus Ensure Plus HN. Ensure Plus HN. Ensure Plus RTH. Entacapone	138 128 128 112 112 112 112 112 71 55 178 162 50 234 234 234 234 235 235 126
Emend Tri-Pack EMLA. Emtricitabine with tenofovir disoprox fumarate Emulsifying ointment Enalapril maleate. Enalapril maleate. Endocrine Therapy Endocrine Therapy Endoxan Enerlyte Enfuvirtide. Enlafax XR. Enoxaparin sodium. Ensure Plus Ensure Plus HN. Ensure Plus HN. Ensure Plus HN. Ensure Plus RTH. Entacapone Entapone	138 128 128 112 112 112 112 112 178 178 178 178 178 133 133 133 234 234 234 233 126 126
Emend Tri-Pack EMLA. Emtricitabine with tenofovir disoprox fumarate Emulsifying ointment Enalapril maleate. Endocrine Therapy Endocrine Therapy Endocrine Therapy Endoxan Enerlyte Endifax XR. Enoxaparin sodium Ensure Plus Ensure Plus HN Ensure Plus RTH. Ensure Plus RTH. Entacapone Entacone Entecavir.	138 128 128 112 112 112 112 112 178 178 178 178 178 178 178 178 129 234 233 234 233 126 126 126 126
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endocrine Therapy Endorine Therapy Endocrine Therapy Endoxan Enerlyte Endoxan Enerlyte Enfuvirtide Enlafax XR. Enoxaparin sodium. Ensure Plus Ensure Plus Ensure Plus RTH Entacapone Entapone Entapone Entocort CIR	138 128 128 112 112 112 112 112 112 178 178 178 162 50 234 233 233 126 126 126 126 126 126 126
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endocrine Therapy Endocrine Therapy Endoxan Enerlyte Endoxan Enerlyte Enfuvirtide Enfuvirtide Ensure Plus Ensure Plus Ensure Plus HN Ensure Plus HN Ensure Plus HT Entacapone Entacovir Entacovir CIR Epilim	138 128 128 112 112 112 112 112 112 178 178 178 162 50 234 233 126 128 128 128 128 128 128 128 128 128 128
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endocrine Therapy Endocrine Therapy Endoxan Enerlyte Endoxan Enerlyte Enfuvirtide Enfuvirtide Ensure Plus Ensure Plus Ensure Plus HN Ensure Plus HN Ensure Plus HN Entacapone Entacopone Entecavir Entocort CIR Epilim	138 128 128 112 112 112 112 112 112 112 11
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emusifying ointment Enalapril maleate Endocrine Therapy Endocrine Therapy Endoxan Endryte Endryte Enfuvirtide Enfuvirtide Enfuvirtide Enfuvirtide Enfuvirtide Ensure Plus Ensure Plus HN Ensure Plus BTH Ensure Plus BTH Entacapone Entacapone Entacort CIR Epilim Crushable Epilim Crushable Epilim IV	138 128 128 112 112 112 112 112 112 112 11
Emend Tri-Pack EMLA Emtricitabine with tenofovir disoprox fumarate Emtriva Emulsifying ointment Enalapril maleate Endocrine Therapy Endocrine Therapy Endoxan Enerlyte Endoxan Enerlyte Enfuvirtide Enfuvirtide Ensure Plus Ensure Plus Ensure Plus HN Ensure Plus HN Ensure Plus HT Entacapone Entacovir Entacovir CIR Epilim	138 128 128 112 112 112 112 112 112 112 11

Epirubicin Ebewe167 Epirubicin hydrochloride167
Epoetin alfa [Erythropoietin alfa]46
Eprex
Eptacog alfa [Recombinant factor
VIIa]
ERA
Ergometrine maleate
Ergotamine tartrate with
caffeine 138
Erlotinib171
Erythrocin IV95
Erythromycin ethyl succinate95
Erythromycin lactobionate95
Erythromycin stearate95
Erythropoietin alfa46
Esbriet
Escitalopram132
Eskazole
Estradot
Estradot 50 mcg85
Estrofem85
Etanercept
Ethambutol hydrochloride103
Ethics Aspirin
Ethics Aspirin EC48
Ethics Enalapril55
Ethics Lisinopril55
Ethinyloestradiol86
Ethinyloestradiol with
desogestrel 78
Ethinyloestradiol with
levonorgestrel78
Ethinyloestradiol with
norethisterone
Ethosuximide 134
Etidronate disodium120
Etopophos
Etoposide
Etoposide phosphate
Etravirine
Eumovate
Everet
Everolimus
Evista
Exelon
Exemestane178
Exjade213
Extemporaneously Compounded
Preparations and
Galenicals 220
Eye Preparations 209
Ezemibe62
Ezetimibe62
Ezetimibe with simvastatin63
- F -

Factor eight inhibitor bypassing	47
fraction	47
Febuxostat	124
Feed Thickener Karicare	
Aptamil	236
FEIBA NF	
Felodipine	<mark>59</mark>
Fenpaed	117
Fentanyl	129
Fentanyl Sandoz	129
Ferodan	44
Ferriprox	
Ferro-F-Tabs	44
Ferro-tab	
Ferrograd	44
Ferrograd F	
Ferrous fumarate	
Ferrous fumarate with folic acid	····· 44
Ferrous sulphate	44
Ferrous sulphate with folic acid	
Ferrum H	44
Fexofenadine hydrochloride	
Fibro-vein	
Filgrastim	
Finasteride	
Fingolimod	147
Finpro	
Firazyr	201
Flagyl	103
FlagyI-S	103
Flamazine	<mark>67</mark>
Flecainide acetate	57
Fleet Phosphate Enema	
Flixonase Hayfever & Allergy	208
Flixotide	
Flixotide Accuhaler	202
Floair	
Florinef	
Fluanxol	
Flucloxacillin	
Flucloxin	37
Flucionazole	
Fludara Oral	
Fludarabine Ebewe	164
Fludarabine phosphate	164
Fludrocortisone acetate	
Fluids and Electrolytes	
Flumetasone pivalate	209
Fluocortolone caproate with	
fluocortolone pivalate and	
cinchocaine	21
Fluorometholone	
Fluorouracil	164
Fluorouracil Ebewe	164
Fluorouracil sodium	
Fluoxetine hydrochloride	

Flupenthixol decanoate	143
Fluphenazine decanoate	.143
Flutamide	
Flutamide Mylan	
Flutamin	
Fluticasone	
Fluticasone furoate with	202
	000
vilanterol	203
Fluticasone propionate	.208
Fluticasone with salmeterol	
FML	
Foban	
Folic acid	46
Food Thickeners	
Foods And Supplements For Inborn	
Errors Of Metabolism	237
Foradil	203
Forteo	
Fortini	
Fortini Multi Fibre	
Fortisip	224
Fortisip Multi Fibre	204
Fosamax	100
Fosamax Plus	
Fragmin	49
Framycetin sulphate	209
Freestyle Optium	26
Freestyle Optium Ketone	
Freestyle Optium Neo	
Frisium	134
Frumil	61
Frusemide	60
Frusemide-Claris	60
Fucicort	70
Fucidin	
Fucithalmic	
Fungilin	
Furosemide [Frusemide] Fusidic acid	00
Fusidic acid	~~
Dermatological	
Infection	
Sensory	
Fuzeon	.113
- G -	
Gabapentin	.134
Gacet	128
Galsulfase	40
Gardasil	253
Gardasil 9	
Gastrodenol	
Gastrosoothe	
Gaviscon Double Strength	
Gaviscon Infant	02 חמ
Gazyva	
Gefitinib	1/2
Gemcitabine Ebewe	. 164

Gemcitabine hydrochloride164
Gemfibrozil61
Gemzar164
Genoptic209
Genox178
Gentamicin sulphate
Infection
Sensory209
Gilenya 147
Ginet
Glatiramer acetate 153
Glibenclamide25
Gliclazide
Glipizide
1
Glivec
Glizide
Glucagen Hypokit
Glucagon hydrochloride23
Glucerna Select 226
Glucerna Select RTH 226
Glucobay25
Glucose [Dextrose]52
Gluten Free Foods236
Glycerin with sodium saccharin 220
Glycerin with sucrose
Glycerol
Alimentary
Extemporaneous
Glyceryl trinitrate
Alimentary
Cardiovascular
Glycopyrronium
Glycopyrronium bromide22
Glycopyrronium with
indacaterol 205
Glytrin63
Gold Knight77
Goserelin92
Granirex139
Granisetron139
Gutron57
Gynaecological Anti-infectives
- H -
Habitrol
Haemophilus influenzae type B
vaccine
Haldol
Haldol Concentrate144
Haldol Decanoas 144
Haloperidol141
Haloperidol decanoate144
Hamilton Sunscreen75
Harvoni 109
Havrix253
Havrix Junior253
HBvaxPRO253

Gemcitabine hydrochloride......164

healthE Dimethicone 10%71
healthE Dimethicone 4% Lotion71
healthE Dimethicone 5%71
healthE Glycerol BP 220
healthE Urea Cream
Healtheries Simple Baking Mix236
Hemastix
Heparin sodium
Heparinised saline
Heparon Junior
Hepatitis A vaccine
Hepatitis B recombinant
vaccine 253
Hepsera104
Herceptin 195
Hexamine hippurate116
Hiprex
Histaclear201
Histafen201
Holoxan
Horleys Bread Mix236
Horleys Flour 236
Hormone Replacement Therapy -
Systemic
HPV
Humalog
Humalog Mix 2524
Humalog Mix 50
Human papillamovirus /6 11 16 19
Human papillomavirus (6, 11, 16, 18,
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV]
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV]254 Human papillomavirus (6, 11, 16 and
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV]
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV]
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 Humira 184
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 Humira 184 Humira 184 Humira 184 Humira 184 Humira 184 Humina 30/70 24
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 HumiraPen 184 Humin 30/70 24 Humulin NPH 24
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 Humira 184 Humira 184 Humira 184 Humira 184 Humira 244 Humin 30/70 244 Humulin NPH 244 Humulin R 244
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 Humira 184 HumiraPen 184 Humulin 30/70 24 Humulin NPH 24
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 Humira 184 Humira 184 Humira 30/70 224 Humulin NPH 244 Hyaluronic acid 212
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 Humaira 184 Humira 184 Humira Off 184 Humin 30/70 24 Humulin NPH 24 Hyaluronic acid 212 Hybloc 56
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 Humira 184 HumiraPen 184 Humulin 30/70 244 Humulin R 244 Hyaluronic acid 214 Hybloc 564 Hydralazine 644
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 Humira 184 Humuin 30/70 244 Humulin NPH 244 Hyaluronic acid 212 Hydralazine 64 Hydralazine 64
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 HumiraPen 184 Humulin 30/70 244 Humulin NPH 244 Hyaluronic acid 212 Hydralazine 644 Hydralazine 644 Hydralazine 644 Hydrae 167
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 Humira 184 Humira Pen 184 Humulin 30/70 24 Humulin R 24 Hyaluronic acid 212 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 167 Hydrocortisone 167
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 Humira 184 Humira NPH 24 Humulin 30/70 24 Humulin R 24 Hyaluronic acid 212 Hydralazine 64 Hydralazine hydrochloride 64 Hydrocortisone 167 Dermatological 652
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 99 Humira 184 Humira 184 Humira 184 Humira 184 Humuin 30/70 24 Humulin NPH 24 Hydralazine 64 Hydralazine 64 Hydraca 167 Hydrocortisone 0 Dermatological 65 Hormone 84
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV]
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humain papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 HumiraPen 184 Humulin 30/70 24 Humulin NPH 24 Hyaluronic acid 212 Hybloc 56 Hydralazine 64 Hydrea 167 Hydrocortisone 64 Hydrocortisone acetate 21 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid 54
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humain papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 HumiraPen 184 Humulin 30/70 24 Humulin NPH 24 Hyaluronic acid 212 Hybloc 56 Hydralazine 64 Hydrea 167 Hydrocortisone 64 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid and lanolin 65
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humain appillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 Humira 184 HumiraPen 184 Humulin 30/70 224 Humulin NPH 244 Hydroncic acid 212 Hybloc 56 Hydralazine 64 Hydrea 167 Hydrocortisone 66 Dermatological 62 Hydrocortisone acetate 21 Hydrocortisone butyrate 64 Hydrocortisone butyrate 67
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humain appillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 Humira 184 HumiraPen 184 Humulin 30/70 224 Humulin NPH 244 Hydroncic acid 212 Hybloc 56 Hydralazine 64 Hydrea 167 Hydrocortisone 66 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid and lanolin 65 Hydrocortisone with cinchocaine 21 Hydrocortisone and paraffin liquid and lanolin 65 Hydrocortisone with cinchocaine 21
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humain appillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 Humira 184 HumiraPen 184 Humulin 30/70 244 Humulin NPH 244 Hydroncic acid 212 Hydralazine 64 Hydralazine 64 Hydrocortisone 65 Dermatological 65 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid and lanolin 65 Hydrocortisone with cinchocaine 21 Hydrocortisone with cinchocaine 21
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 255 Humain appillomavirus (6, 11, 16 and 18) vaccine [HPV] 255 Humatin 96 Humira 184 HumiraPen 184 Humulin 30/70 24 Humulin NPH 24 Hydroncic acid 212 Hydralazine 64 Hydralazine 64 Hydrocortisone 65 Dermatological 65 Hydrocortisone acetate 21 Hydrocortisone butyrate 69 Derrostisone with cinchocaine 21 Hydrocortisone with cinchocaine 64 Hydrocortisone and paraffin liquid and lanolin 65 Hydrocortisone with cinchocaine 21 Hydrocortisone with cinchocaine 21 Hydrocortisone with cinchocaine 21 Hydrocortisone with natamycin and 64
Human papillomavirus (6, 11, 16, 18, 31, 33, 45, 52 and 58) vaccine [HPV] 254 Human papillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humain appillomavirus (6, 11, 16 and 18) vaccine [HPV] 253 Humatin 96 Humira 184 HumiraPen 184 Humulin 30/70 244 Humulin NPH 244 Hydroncic acid 212 Hydralazine 64 Hydralazine 64 Hydrocortisone 65 Dermatological 65 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid and lanolin 65 Hydrocortisone with cinchocaine 21 Hydrocortisone with cinchocaine 21

Hydrogen peroxide
Alimentary 42
Dermatological67
Hydroxocobalamin42
Hydroxychloroquine118
Hydroxyurea
Hygroton61
Hylo-Fresh212
Hyoscine hydrobromide139
Hyoscine N-butylbromide22
Hypam 154
Hyperuricaemia and Antigout 124
Hypnovel154
Hypromellose212
Hypromellose with dextran
Hysite211
· - -
Ibiamox96
Ibugesic 117
Ibuprofen 117
Icatibant201
Idarubicin hydrochloride 167
Idursulfase
Ifosfamide
Ikorel64
lloprost65
Imatinib mesilate172
Imatinib-AFT172
Imiglucerase41
Imipramine hydrochloride 131
Imiquimod75
Immune Modulators114
Immunosuppressants 178
Imuran
Incruse Ellipta205
Indacaterol203
Indapamide61
Indinavir113
Infanrix IPV
Infanrix-hexa252
Infant Formulae238
Influenza vaccine255
Influvac255
Inhaled Corticosteroids202
Inhaled Long-acting
Beta-adrenoceptor Agonists 203
Inset 30
Inset II
Insulin aspart24
Insulin aspart with insulin aspart
protamine24
Insulin glargine24
Insulin glulisine
Insulin isophane24
Insulin isophane with insulin

neutral24
Insulin lispro24
Insulin lispro with insulin lispro
protamine24
Insulin neutral24
Insulin pen needles27
Insulin pump28
Insulin pump accessories
Insulin pump infusion set (steel
cannula)
Insulin pump infusion set (teflon
cannula, angle insertion with
insertion device) 34
Insulin pump infusion set (teflon
cannula, angle insertion) 34
Insulin pump infusion set (teflon
cannula, straight insertion with
insertion device) 35
Insulin pump infusion set (teflon
cannula, straight insertion)
Insulin pump reservoir
Insulin syringes, disposable with
attached needle
Intal Forte CFC Free
Intal Spincaps
Intelence
Interferon alfa-2a 114
Interferon alfa-2b 114
Interferon beta-1-alpha
Interferon beta-1-beta
Intra-uterine device
Intron-A114
Invega Sustenna
IPOL
Ipratropium bromide
Iressa
Irinotecan Actavis 100
Irinotecan Actavis 40
Irinotecan hydrochloride
Irinotecan-Rex
Iron polymaltose
Isentress
Ismo 20
Ismo 40 Retard
Isoniazid
Isoprenaline
Isoptin
Isopto Carpine
Isosorbide mononitrate
Isosource Standard
Isosource Standard RTH233
Isotane 10
Isotane 20
Isotretinoin
Ispaghula (psyllium) husk
Isradipine59

suprel6	63
Itch-Soothe6	8
Itraconazole10	
Itrazole10	
lvermectin	
- J -	-
Jadelle	70
	9
Jevity23 Jevity HiCal RTH23	53
Jevity HICal RTH23	53
Jevity RTH23 - K -	53
Kaletra 11	3
Kemadrin 12	26
Kenacomb20)9
Kenacort-A 108	
Kenacort-A 408	35
Kenalog in Orabase4	2
Ketocal 3:124	0
KetoCal 4:124	0
Ketoconazole	
Dermatological	75
Infection)1
Ketogenic Diet24	0
Ketone blood beta-ketone	
electrodes 2	5
Ketoprofen 11	7
Ketostix	5
Keytruda19	
Kindergen22	
Kinson12	
Kivexa11	
Klacid	
Kliogest	36
Kliovance	
Kogenate FS4	
Konakion MM4	8
Konsyl-D	38
-L-	
L-asparaginase16	6
Labetalol5	58
Lacosamide13	35
Lactulose	88
Laevolac	88
Lamictal13	36
Lamivudine106, 11	2
Lamivudine Alphapharm11	2
Lamotrigine13	36
Lamprene10	
Lanoxin	57
Lanoxin PG5	57
Lansoprazole2	22
Lansoprazole2	2
Lantus SoloStar2	- - -
Lanvis	.+
Lanvis	50
Lanzoi Relief2 Lapatinib ditosylate17	20
Lapatinin ultosylate	3

Largactil	
Lasix	
Latanoprost	
Lax-Sachets	
Lax-Suppositories	
Lax-Tab	39
Laxatives	38
Laxsol	
Ledipasvir with sofosbuvir	109
Leflunomide	118
Lenalidomide	167
Letrole	178
Letrozole	178
Leukeran FC	162
Leukotriene Receptor	
Antagonists	206
Leunase	166
Leuprorelin	
Leustatin	
Levetiracetam	
Levobunolol	
Levocabastine	
Levodopa with benserazide	
Levodopa with carbidopa	
Levomepromazine	
hydrochloride	141
Levomepromazine maleate	141
Levonorgestrel	
Genito-Urinary	79
Hormone	
Levothyroxine	
Lidocaine [Lignocaine]1	27-128
Lidocaine [Lignocaine]	
hydrochloride	127
Lidocaine [Lignocaine] with	121
chlorhexidine	128
Lidocaine [Lignocaine] with	120
prilocaine	128
Lidocaine-Claris	120
Lignocaine	
Hormone	84
Nervous1	
Lioresal Intrathecal	
Lipazil	
Lipid-Modifying Agents	61
Liquigen	225
Lisinopril	
Lithicarb FC	
Lithium carbonate	
Livostin	
LMX4	
Locacorten-Viaform ED's	221 ۵۵۵
Local preparations for Anal and	209
Rectal Disorders	91
Locasol	
Locoid	
E00010	, , ,

Locoid Crelo	69
Locoid Lipocream	
Locorten-Vioform	209
Lodi	
Lodoxamide	
Logem	
Lomide	210
Lomustine	
Loniten	
Loperamide hydrochloride	
Lopinavir with ritonavir	
Lopresor	58
Loprofin	238
Loprofin Mix	238
Lorafix	202
Loratadine	
Lorazepam	
Lorfast	
Lormetazepam	
Lorstat	
Losartan Actavis	
Losartan potassium	
Losartan potassium with	50
hydrochlorothiazide	56
Lovir	
Loxalate	
Loxamine	
Lucrin Depot 1-month	. 102
Lucrin Depot 3-month	
Lucrin Depot 6-month	
Ludiomil	
Lycinate	. 101
Lyderm	
- M -	/4
m-Eslon	120
M-M-R II	
m-Nystatin	
Mabthera	
Macrogol 3350 with potassium	195
chloride, sodium bicarbonate and	4
sodium chloride	
Macrogol 400 and propylene	00
glycol	010
	106
Madapar 125	120
Madopar 125	106
Madopar 250	
Madopar 250 Madopar 62.5	. 126
Madopar 250 Madopar 62.5 Madopar HBS	. 126 . 126
Madopar 250 Madopar 62.5 Madopar HBS Madopar Rapid	126 126 126
Madopar 250 Madopar 62.5 Madopar HBS Madopar Rapid Magnesium hydroxide	126 126 126 220
Madopar 250 Madopar 62.5 Madopar HBS Madopar Rapid Magnesium hydroxide Magnesium sulphate	126 126 126 220 44
Madopar 250 Madopar 62.5 Madopar HBS Madopar Rapid Magnesium hydroxide Magnesium sulphate Maprotiline hydrochloride	126 126 126 220 44 131
Madopar 250 Madopar 62.5 Madopar HBS Magnesium hydroxide Magnesium sulphate Maprotiline hydrochloride Marevan	126 126 126 220 44 131 51
Madopar 250 Madopar 62.5 Madopar HBS Magnesium hydroxide Magnesium sulphate Maprotiline hydrochloride Marevan Marine Blue Lotion SPF 50+	126 126 126 220 44 131 51 75
Madopar 250 Madopar 62.5 Madopar HBS. Madopar Rapid Magnesium hydroxide Magnesium sulphate Maprotiline hydrochloride Marevan. Marine Blue Lotion SPF 50+ Marquis Black	126 126 126 220 44 131 51 75 77
Madopar 250 Madopar 62.5 Madopar HBS Magnesium hydroxide Magnesium sulphate Maprotiline hydrochloride Marevan Marine Blue Lotion SPF 50+	126 126 220 44 131 51 75 77 77

Marquis Selecta	77
MarquisTantiliza	77
Marvelon 28	78
Mask for spacer device	. 208
Mast Cell Stabilisers	207
Maxidex	210
Maxitrol	
MCT oil (Nutricia)	. 225
Measles, mumps and rubella	
vaccine	. 256
Mebendazole	94
Mebeverine hydrochloride	22
Medrol	84
Medroxyprogesterone acetate	
Genito-Urinary	79
Hormone8	6–87
Mefenamic acid	. 117
Megestrol acetate	176
Meloxicam	117
Melphalan	. 162
Menactra	256
Meningococcal (groups A, C, Y and	
W-135) congugate vaccine	. 256
Meningococcal c congugated	
vaccine	. 256
Menthol	
Mercaptopurine	. 165
Mercilon 28	78
Mesalazine	21
Mesna	. 168
Mestinon	117
Metabolic Disorder Agents	39
Metamide	. 139
Metchek	25
Meterol	
Metformin hydrochloride	25
Metformin Mylan	25
Methadone hydrochloride	
Extemporaneous	. 220
Nervous	. 129
Methatabs	. 129
Methopt	.212
Methotrexate	. 165
Methotrexate Ebewe	
Methotrexate Sandoz	. 165
Methyl hydroxybenzoate	. 220
Methylcellulose	. 220
Methylcellulose with glycerin and	
sodium saccharin	. 220
Methylcellulose with glycerin and	
sucrose	. 221
Methyldopa	60
Methyldopa Mylan	
Methylphenidate hydrochloride	
Methylphenidate hydrochloride	
extended-release	. 157

Methylprednisolone	84
Methylprednisolone (as sodium	
succinate)	84
Methylprednisolone aceponate	69
Methylprednisolone acetate	84
Methylprednisolone acetate with	
lidocaine [Lignocaine]	84
Methylxanthines	
Metoclopramide hydrochloride	139
Metolazone	60
Metopirone	
Metoprolol - AFT CR	58
Metoprolol succinate	58
Metoprolol tartrate	
Metronidazole	103
Metyrapone	
Mexiletine hydrochloride	50
Mexiletine Hydrochloride USP	57
Miacalcic	07 00
Micolette Miconazole	
Miconazole nitrate	42
Dermatological	60
Genito-Urinary	
Micreme	
Micreme H	
Microgynon 30 Microgynon 50 ED	/ 0 70
Microlut	70
Midazolam	
Midazolam-Claris	104
Midodrine	
Minerals Mini-Wright AFS Low Range	43
Mini-Wright AFS LOW Range	200
Mini-Wright Standard	
Minidiab	25
Minims Pilocarpine	211
Minims Prednisolone	
Minirin	
Mino-tabs Minocycline hydrochloride	97
Minocycline nydrochloride	97
Minomycin Minor Skin Infections	97
Minoxidil	
Mirena	100
Mirtazapine	132
Misoprostol	
Mitomycin C	168
Mitozantrone	168
Mitozantrone Ebewe	
Mixtard 30	24
Moclobemide	132
Modafinil	157
Modavigil	157
Modecate Modecate S29	143
Modecate S29	143

Moduretic61
Mometasone furoate70
Monogen
Montelukast 206
Moroctocog alfa [Recombinant factor
VIII]
Morphine hydrochloride 129
Morphine sulphate 130
Morphine tartrate 130
Motetis 127
Motrig136
Mouth and Throat41
Movapo126
Moxifloxacin98
MSUD Maxamum237
Mucilaginous laxatives with
stimulants 38
Mucolytics207
Multiple Sclerosis Treatments 146
Multivitamin renal43
Multivitamins43
Mupirocin67
Muscle Relaxants 125
Mvite
Myambutol103
Mycobutin 104
MycoNail67
Mycophenolate mofetil178
Mycostatin68
Mydriacyl 212
Mylan Atenolol57
Mylan Clomiphen93
Mylan Melphalan 162
Mylan-Bosentan64
Myleran162
Myloc CR
Myocrisin 118
Myometrial and Vaginal Hormone
Preparations 80
Myozyme
- N -
Nadolol
Naglazyme
Nalcrom
Naloxone hydrochloride
Naltraccord
Naitrexone hydrochloride
Naphazoline hydrochloride
Naphcon Forte
Naprosyn SR 1000 117
Naprosyn SR 750 117 Naproxen
Naproxen
Naroli
Natalizumab149
Natulan
100

Nausicalm	.139
Nauzene	.139
Navelbine	170
Nedocromil	207
Nefopam hydrochloride	128
Neisvac-C	256
Neo-B12	42
Neo-Mercazole	87
Neocate Advance	239
Neocate Gold	.239
Neocate LCP	239
Neoral	
Neostigmine metilsulfate	.117
Nepro HP (strawberry)	
Nepro HP (vanilla)	.229
Nepro HP RTH	229
Nerisone	69
Neulactil	.141
Neulastim	52
Neurontin	
NeuroTabs	
Nevirapine	
Nevirapine Alphapharm	.111
Nicorandil	64
Nicotine	.160
Nicotinic acid	61
Nifedipine	59
Nifuran	.116
Nilotinib	173
Nilstat	
Genito-Urinary	80
Infection	.101
Nipent	
Nitrados	.154
Nitrates	
Nitrazepam Nitroderm TTS	.154
Nitroderm TTS	63
Nitrofurantoin	.116
Nitrolingual Pump Spray	63
Nivolumab	196
Nizoral	101
Noctamid	
Nodia	20
Noflam 250	
Noflam 500	.117
Non-Steroidal Anti-Inflammatory	
Drugs	117
Nonacog alfa [Recombinant factor	
IX]	47
Nonacog gamma, [Recombinant	
Factor IX]	47
Norethisterone	
Genito-Urinary	79
Hormone	87
Norflex	.125
Norfloxacin	.116

Noriday 28	79
Norimin	78
Normacol Plus	38
Normison	154
Norpress	131
Nortriptyline hydrochloride	
Norvir	113
NovaSource Renal	229
Novatretin	74
NovoMix 30 FlexPen	24
NovoRapid	24
NovoRapid FlexPen	24
NovoRapid Penfill	
NovoSeven RT	
Noxafil	
Nozinan	
Nuelin	
Nuelin-SR	207
Nupentin	
Nutilis	236
Nutrient Modules	
Nutrini Energy Multi Fibre	228
Nutrini Energy RTH	228
Nutrini Low Energy Multi Fibre	230
Nutrini RTH Nutrison 800 Complete Multi	228
Fibre	000
Nutrison Concentrated Nutrison Energy	230
Nutrison Energy Multi Fibre	
Nutrison Multi Fibre	200 000
Nutrison Standard RTH	200 200
Nyefax Retard	
Nystatin	39
Alimentary	10
Dermatological	
Genito-Urinary	
Infection	
NZB Low Gluten Bread Mix	
- 0 -	
O/W Fatty Emulsion Cream	71
Obinutuzumab	. 191
Octocog alfa [Recombinant factor	
VIII] (Advate)	47
Octocog alfa [Recombinant factor	
VIII] (Kogenate FS)	48
Octreotide	177
Octreotide LAR (somatostatin	
analogue)	177
Oestradiol	85
Oestradiol valerate	<mark>86</mark>
Oestradiol with norethisterone	86
Oestriol	
Genito-Urinary	80
Hormone	
Oestrogens	<mark>86</mark>

Oestrogens with
medroxyprogesterone
Oil in water emulsion71
Olanzapine 141, 144
Olbetam
Olopatadine
Olsalazine
Omalizumab
Omeprazole
Omezol Relief23
Omnitrope88
Onbrez Breezhaler 203
Oncaspar168
OncoTICE184
Ondansetron139
Ondansetron ODT-DRLA 139
One-Alpha43
Onrex
Opdivo
Ora-Blend
Ora-Blend SF
Ora-Plus
Ora-Sweet
Ora-Sweet SF220
Orabase41
Oral Supplements/Complete Diet
(Nasogastric/Gastrostomy Tube
Feed) 226
reeu)
Oratane
Oratane
Oratane 66 Orgran 237 Orion Temozolomide 169
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125
Oratane
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Osparnox 96
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Ospamox 96 Other Endocrine Agents 93
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 93 Other Endocrine Agents 93 Other Oestrogen Preparations 86
Oratane 66 Orgran 237 Orion Temozolomide 169 Ormidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Progestogen 86
Oratane 66 Orgran 237 Orion Temozolomide 169 Ormidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Progestogen 86
Oratane 66 Orgran 237 Orion Temozolomide 169 Ormidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Progestogen Preparations
Oratane 66 Orgran 237 Orion Temozolomide 169 Ormidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations Preparations 86 Other Skin Preparations 76
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Neparations 86 Other Skin Preparations 76 Ovestin 76
Oratane 66 Orgran 237 Orion Temozolomide 169 Ormidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Skin Preparations 76 Ovestin 76 Genito-Urinary 80
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Ospanoite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Skin Preparations 76 Ovestin 60 Genito-Urinary 80 Hormone 86
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Progestogen 76 Ovestin 6 Genito-Urinary 80 Hormone 86 Ox-Pam 146
Oratane 66 Orgran 237 Orion Temozolomide 169 Omidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Skin Preparations 76 Ovestin 6 Genito-Urinary 80 Hormone 86 Ox-Pam 146 Oxaliccord 163
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Skin Preparations 76 Ovestin 80 Hormone 86 Ox-Pam 146 Oxalicocrd. 163 Oxaliplatin 163
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Skin Preparations 76 Ovestin 80 Hormone 86 Ox-Pam 146 Oxaliplatin 163 Oxaliplatin 163
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Skin Preparations 76 Ovestin 80 Hormone 86 Ox-Pam 146 Oxaliplatin 163 Oxaliplatin 163 Oxaliplatin 163 Oxaliplatin 163
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Skin Preparations 76 Ovestin 80 Hormone 86 Ox-Pam 146 Oxaliplatin 163 Oxaliplatin 163
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Vogestogen 76 Preparations 76 Ovestin 63 Ox-Pam 146 Oxaliplatin Actavis 100 163 Oxaliplatin Actavis 50 163 Oxaliplatin Ebewe 163 Oxaleplatin Ebewe 163 Oxazepam 146
Oratane 66 Orgran 237 Orion Temozolomide 169 Ornidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Vogestogen 76 Preparations 76 Ovestin 63 Ox-Pam 146 Oxaliplatin Actavis 100 163 Oxaliplatin Actavis 50 163 Oxaliplatin Ebewe 163 Oxaleplatin Ebewe 163 Oxazepam 146
Oratane 66 Orgran 237 Orion Temozolomide 169 Ormidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Progestogen Preparations Preparations 86 Other Skin Preparations 76 Ovestin 6 Genito-Urinary 80 Hormone 86 Ox-Pam 146 Oxaliplatin Actavis 100 163 Oxaliplatin Actavis 50 163 Oxaliplatin Ebewe 163 Oxazepam 146 Oxis Turbuhaler 203
Oratane 66 Orgran 237 Orion Temozolomide 169 Ormidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Progestogen Preparations Preparations 76 Ovestin 6 Genito-Urinary 80 Hormone 86 Ox-Pam 146 Oxaliplatin Actavis 100 163 Oxaliplatin Actavis 50 163 Oxaliplatin Ebewe 163 Oxazepam 146 Oxis Turbuhaler 203 Oxpentifylline 64
Oratane 66 Orgran 237 Orion Temozolomide 169 Ormidazole 103 Orphenadrine citrate 125 Ortho-tolidine 82 Oruvail SR 117 Osmolite RTH 233 Ospamox 96 Other Endocrine Agents 93 Other Oestrogen Preparations 86 Other Progestogen Preparations Preparations 86 Other Skin Preparations 76 Ovestin 6 Genito-Urinary 80 Hormone 86 Ox-Pam 146 Oxaliplatin Actavis 100 163 Oxaliplatin Actavis 50 163 Oxaliplatin Ebewe 163 Oxazepam 146 Oxis Turbuhaler 203

OxyNorm
Oxytocin80
Oxytocin BNM80
Oxytocin with ergometrine
maleate
Ozole 100
- P -
Pacifen
Paclitaxel
Paclitaxel Actavis
Paclitaxel Ebewe
Paediatric Seravit
Paliperidone
Pamidronate disodium
Pamisol
Pancreatic enzyme
Pantoprazole23
Panzop Relief23
Panzytrat37
Papaverine hydrochloride64
Para-amino salicylic acid104
Paracare 128
Paracare Double Strength 128
Paracetamol 128
Paracetamol + Codeine
(Relieve) 130
Paracetamol with codeine
Paradigm 1.8 Reservoir
Paradigm 3.0 Reservoir
Paradigm 522
Paradigm 722
Paradigm Mio MMT-921
Paradigm Mio MMT-923
Paradigm Mio MMT-925
Paradigm Mio MMT-925
Paradigm Mio MMT-941
Paradigm Mio MMT-945
Paradigm Mio MMT-96535
Paradigm Mio MMT-975
Paradigm Quick-Set MMT-386
Paradigm Quick-Set MMT-387
Paradigm Quick-Set MMT-396
Paradigm Quick-Set MMT-397
Paradigm Quick-Set MMT-39836
Paradigm Quick-Set MMT-39936
Paradigm Silhouette MMT-36834
Paradigm Silhouette MMT-377
Paradigm Silhouette MMT-37834
Paradigm Silhouette MMT-38134
Paradigm Silhouette MMT-38234
Paradigm Silhouette MMT-38334
Paradigm Silhouette MMT-38434
Paradigm Sure-T MMT-86433
Paradigm Sure-T MMT-86633
Paradigm Sure-T MMT-87433
Paradigm Sure-T MMT-87633
.

Paradigm Sure-T MMT-884	22
Paradigm Sure-T MMT-886	.00
Paraffin	.12
Paraffin liquid with soft white	
paraffin	212
Paraffin liquid with wool fat	
Paraldehyde	133
Parasidose	.74
Parasiticidal Preparations	.72
Paritaprevir, ritonavir and ombitasvir	
with dasabuvir	109
Paritaprevir, ritonavir and ombitasvir	
with dasabuvir and ribavirin	110
Parnate	
Paromomycin	
Paroxetine	
Paser	
Patanol	
Paxam	
Pazopanib	
Peak flow meter	
Pedialyte - Bubblegum	
Pediasure	
Pediasure RTH	228
Pegaspargase	
Pegasys	115
Pegasys RBV Combination	
Pack	115
Pegfilgrastim	
Pegylated interferon alfa-2a	115
Pembrolizumab	197
Penicillamine	118
PenMix 30	
PenMix 40	
PenMix 50	
Pentasa	
Pentostatin [Deoxycoformycin]	
Pentoxifylline [Oxpentifylline]	
Peptamen Junior	220
Peptisoothe	
Peptisorb	
Perhexiline maleate	
Pericyazine	. 39
Perindopril	
Perjeta	
Permethrin	
Pertuzumab	
Peteha	
Pethidine hydrochloride	
Pevaryl	
Pexsig	
Pfizer Exemestane	
Pharmacare	128
Pharmacy Health Sorbolene with	
Glycerin	. 71
Pharmacy Services	213

Pheburane
Phenobarbitone
Phenobarbitone sodium
Extemporaneous
Nervous154
Phenothrin74
Phenoxybenzamine
hydrochloride 55
Phenoxymethylpenicillin (Penicillin
V)97
Phenytoin sodium134, 136
Phlexy 10
Phosphate-Sandoz54
Phosphorus54
Phytomenadione
Pilocarpine hydrochloride
Pimafucort
Pindolol
Pine tar with trolamine laurilsulfate
and fluorescein
Pinetarsol
Pioglitazone
Piportil
Pipothiazine palmitate
Pirfenidone
Pizotifen
PKU Anamix Infant238
PKU Anamix Junior238
PKU Anamix Junior LQ238
PKU Lophlex LQ 10238
PKU Lophlex LQ 20238
Plaquenil118
Plendil ER59
Pneumococcal (PCV13)
vaccine
Pneumococcal (PPV23)
polysaccharide vaccine 257
Pneumovax 23257
Podophyllotoxin
Polaramine
Poliomyelitis vaccine
Poloxamer
Poly-Gel212
Poly-Tears
Poly-Visc
Polycal
Polyvinyl alcohol
Ponstan
Posaconazole
Postinor-1
Postinor-1
Potassium citroto
Potassium citrate
Potassium iodate
Povidone iodine
Pradaxa51

Pramipexole hydrochloride	126
Prasugrel	48
Pravastatin	
Praziquantel	94
Prazosin	55
Prednisolone	
Prednisolone acetate	
Prednisolone sodium	210
phosphate	210
Prednisolone-AFT	210
Prednisone	
Pregnancy Tests - hCG Urine	04 00
Premarin	
Premia 2.5 Continuous	
Premia 2.5 Continuous	00
Premia 5 Continuous	
Prevenar 13	
Prezista	
Priadel	
Primacin	
Primaquine phosphate	102
Primidone	
Primolut N	
Probenecid	
Probenecid-AFT	
Procaine penicillin	97
Procarbazine hydrochloride	169
Prochlorperazine	139
Proctosedyl	
Procur	
Procyclidine hydrochloride	
Procytox	
Prodopa	
Progesterone	87
Proglicem	
Proglycem	23
Progynova	
Prokinex	
Promethazine hydrochloride	
Promethazine theoclate	
Propafenone hydrochloride	
Propamidine isethionate	200
Propranolol	209
Propylene glycol	
Propylerie giycol	221
Propylthiouracil	88
Protamine sulphate	51
Protaphane	24
Protaphane Penfill	
Protifar	
Protionamide	
Provera	
Provera HD	
PSM Citalopram	132
Psoriasis and Eczema	
Preparations	
PTU	
Pulmicort Turbuhaler	202

Pulmocare	226
Pulmozyme	207
Puri-nethol	165
Pyrazinamide	
Pyridostigmine bromide	
Pyridoxine hydrochloride	42
Pyrimethamine	90
Pytazen SR	48
- Q -	
Q 300	103
Questran-Lite	
Quetapel	1/1
Quetiapine	1/1
Quick-Set MMT-390	- 141
Quick-Set MMT-391	
Quick-Set MMT-392	
Quick-Set MMT-393	30
Quinapril	55
Quinapril with	
hydrochlorothiazide	56
Quinine sulphate	103
Qvar	202
- R -	
RA-Morph	129
Raloxifene hydrochloride	120
Raltegravir potassium	113
Ramipex	126
Ranbaxy-Cefaclor	
Ranitidine	22
Ranitidine Relief	22
Rapamune	199
Reandron 1000	85
Recombinant factor IX	47
Recombinant factor VIIa	
Recombinant factor VIII	7-48
Rectogesic	
Redipred	84
Refresh Night Time	212
Renilon 7.5	
Resonium-A	
Resource Beneprotein	225
Resource Diabetic	226
Respigen	
Respiratory Devices	204
Respiratory Stimulants	
Retinol palmitate ReTrieve	
Retrovir	
Revlimid	
Revolade	
Rexacrom	
RexAir	
Reyataz	113
Ridaura s29	
Rifabutin	
Rifadin	104

Rifampicin104
Rilampicin
Rifaximin
Rifinah
Riluzole
Risedronate Sandoz
Risedronate sodium
Risperdal Consta
Risperdal Quicklet
Risperon
Ritalin
Ritalin LA
Ritalin SR
Ritonavir
Rituximab
Rivaroxaban
Rivastigmine
Rivotril
RIXUBIS
Rizamelt
Rizatriptan
Roferon-A 114
Ropinirole hydrochloride
RotaTeq
Rotavirus live reassortant oral
vaccine
Roxane
Alimentary
Cardiovascular
Roxithromycin
Rubifen
Rubifen SR
Rythmodan
Rytmonorm
- S -
S-26 Gold Premgro
Sabril
SalAir
Salazopyrin
Salazopyrin EN
Salbutamol
Salbutamol with ipratropium
bromide
Salicylic acid
Salmeterol
Sandomigran
Sandostatin LAR
Scalp Preparations
Scopoderm TTS
Sebizole
Sedatives and Hypnotics
Seebri Breezhaler
Selegiline hydrochloride
Senna

Senokot	39
Sensipar	83
SensoCard	
Serenace	
Seretide	.203
Seretide Accuhaler	.203
Serevent	203
Serevent Accuhaler	203
Serophene	93
Sertraline	
Sevredol	
Sex Hormones Non	. 100
Contraceptive	85
Shield 49	
Shield Blue	/ /
Shield XL	<i>11</i> 77
Sildenafil	
Silhouette MMT-371	
Silhouette MMT-373	04 04
Siltuximab	105
Silver sulphadiazine	. 190
Sinvastatin	07
Sinemet	100
Sinemet CR	
Sirolimus	100
Slow-K	. 199
Slow-Lopresor	
Sodibic	50 54
Sodium acid phosphate	20
Sodium alginate	00
Sodium aurothiomalate	110
Sodium benzoate	. 110
Sodium bicarbonate	40
Blood	
Bioou	2, 04
Extemporaneous	. 221
Sodium calcium edetate	.214
Sodium chloride Blood	50
Blood	53
Respiratory	.207
Sodium citrate with sodium lauryl sulphoacetate	20
Sodium citro-tartrate	
	01
Sodium cromoglycate	0.1
Alimentary	21
Respiratory	.207
Sensory	.210
Sodium fluoride	
Sodium hyaluronate [Hyaluronic	010
acid]	.212
Sodium nitroprusside	25
Sodium phenylbutyrate	41
Sodium polystyrene sulphonate	54
Sodium tetradecyl sulphate	
Sodium valproate Sofradex	
Soframycin	
Surally Cill	.209

Solian	140
Solifenacin succinate	
Solu-Cortef	
Solu-Oollel	۲0
Solu-Medrol	04
Somatropin (Omnitrope)	88
Sotacor	59
Sotalol	. 59
Spacer device	208
Span-K	. 54
Spiolto Respimat	205
Spiractin	. 61
Spiriva	204
Spiriva Respimat	204
Spironolactone	
Sporanox	101
Sprycel	101
Sprycei	1/1
Staphlex	97
Stavudine [d4T]	112
Stelazine	143
Stemetil	139
Stesolid	133
Stimulants/ADHD Treatments	155
Stiripentol	136
Stocrin	111
Stomahesive	41
Strattera	155
Stromectol	70
Suboxone	150
	100
Sucralfate	23
Sulfadiazine sodium	
Sulindac	117
Sulphasalazine	. 21
Sulphur	. 75
Sulprix	140
Sumatriptan	138
Sunitinib	174
Sunscreens	. 75
Sunscreens, proprietary	. 75
Sure-T MMT-863	. 33
Sure-T MMT-865	
Sure-T MMT-873	33
Sure-T MMT-875	33
Sure-T MMT-883	33
Sure-T MMT-885	
Sustagen Diabetic	
Sustagen Hospital Formula	220
Sustanon Ampoules	204
Sutent	
Sylvant	195
Symbicort Turbuhaler 100/6	203
Symbicort Turbuhaler 200/6	
Symbicort Turbuhaler 400/12	
Symmetrel	
Sympathomimetics	
Synacthen	. 85
Synacthen Depot	85

Synthroid88
Syntometrine80
Syrup (pharmaceutical grade)
Systane Unit Dose
- T -
Tacrolimus199
Tacrolimus Sandoz199
Tambocor
Tambocor CR
Tamoxifen citrate
Tamsulosin hydrochloride81
Tamsulosin-Rex81
Tap water221
Tarceva171
Tasigna173
Tasmar 126
Tecfidera146
Tegretol134
Tegretol CR 134
Telfast
Temazepam154
Temozolomide
Tenofovir disoproxil fumarate
Tenoxicam
Tepadina
Terazosin
Terbinafine
Terbutaline sulphate
Teriflunomide
Teriparatide
Testosterone
Testosterone cypionate85
Testosterone esters85
Testosterone undecanoate85
Tetrabenazine127
Tetrabromophenol82
Tetracosactrin85
Tetracyclin Wolff97
Tetracycline
Teva
Thalidomide170
Thalomid170
Theophylline 207
Thiamine hydrochloride
THIO-TEPA 163
Thioguanine165
Thiotepa
Thymol glycerin
Thyroid and Antithyroid Agents
Ticagrelor
Tilade
Tilcotil
Timolol
Cardiovascular
Sensory
Timoptol XE210

Tiotropium bromide204
Tiotropium bromide with
olodaterol 205
Tivicay 113
TMP
TOBI 100
Tobramycin
Infection100
Sensory209
Tobramycin Mylan 100
Tobrex
Tofranil131
Tofranil s29131
Tolcapone126
Tolterodine82
Topamax137
Topical Products for Joint and
Muscular Pain 118
Topiramate137
Topiramate Actavis137
Total parenteral nutrition (TPN)53
TPN
Tramadol hydrochloride131
Tramal SR 100 131
Tramal SR 150 131
Tramal SR 200 131
Trandate
Tranexamic acid
Tranylcypromine sulphate
Trastuzumad
Travalan
Treatments for Dementia158
Treatments for Substance
Dependence
Trental 400
Tretinoin
Dermatological
Oncology170
Trexate
Triamcinolone acetonide
Alimentary42
Dermatological
Hormone
Triamcinolone acetonide with
gramicidin, neomycin and nystatin
Dermatological
Sensory209
Triazolam154
Trichozole 103
Triclosan70
Trifluoperazine hydrochloride143
Trimeprazine tartrate202
Trimethoprim100
Trisequens86
Trisul

Trophic Hormones	
Tropicamide	.212
Trusopt	
Truvada	.112
Two Cal HN	
Two Cal HN RTH	235
Tykerb	173
Tysabri	1/0
- U -	. 149
Ultibro Breezhaler	205
Ultraproct	
Umeclidinium	.205
Umeclidinium with vilanterol	.205
Univent	
Ural	
Urea	
Urex Forte	
Urinary Agents	<mark>8</mark> 1
Urinary Tract Infections	.116
Uromitexan	.168
Ursodeoxycholic acid	37
Ursosan	
Utrogestan	
- V -	
Vaccinations	.251
Vaclovir	
Valaciclovir	107
Valcyte	107
Valganciclovir	107
Vallergan Forte	. 107
Vancomycin	
Vannair	
Varenicline tartrate	.160
Varicella vaccine [Chicken pox	
vaccine]	
Varilrix	
Various	
Vasodilators	
Vasopressin Agonists	
Vedafil	65
Velcade	
Venlafaxine	.133
Venomil	.201
Ventavis	
Ventolin	
Vepesid	
Verapamil hydrochloride	60
Vergo 16	
Vermox	
Vernamil SR	
Vesanoid	
Vesicare	
Vexazone	
Vfend	
Viaderm KC	
Vidaza	.163

Videx EC 112
Viekira Pak 109
Viekira Pak-RBV110
Vigabatrin 137
Vimpat
Vinblastine sulphate 170
Vincristine sulphate 170
Vinorelbine
Vinorelbine Ebewe170
Viramune Suspension
Viread
Viruedu 100 ViruPOS
Viiur 03
Vistil Forte
Visui Forte
VitA-POS
Vitabdeck
Vitadol C42
Vital
Vitamin A with vitamins D and C 42
Vitamin B complex42
Vitamin B6 25 42
Vitamins42-43
Vivonex TEN230
Volibris64
Voltaren 117
Voltaren D117
Voltaren Ophtha210
Volumatic
Voriconazole102
Vosol
Votrient 174
Vttack102
- W -
Warfarin sodium
Wart Preparations
Wasp venom allergy treatment201
Water
Blood53
Extemporaneous221
Wool fat with mineral oil
- X -
Xanax
Xarelto
Xifaxan
XMET Maxamum
Xolair
XP Maxamaid
XP Maxamum
Xylocaine
Xylocaine Viscous 127
Xyntha
-Z-
Zantac
Zapril55
Zarontin134

Zaroxolyn60
Zarzio
Zavedos167
Zeffix106
Zerit
Ziagen112
Zidovudine [AZT] 112
Zidovudine [AZT] with
lamivudine
Zimybe63
Zinc and castor oil71
Zinc sulphate44
Zincaps44
Zinnat95
Ziprasidone143
Zista201
Zithromax95
Zoladex92
Zoledronic acid
Hormone
Musculoskeletal 122
Zoledronic acid Mylan83
Zometa83
Zopiclone 154
Zopiclone Actavis 154
Zostrix118
Zostrix HP128
Zuclopenthixol decanoate145
Zuclopenthixol hydrochloride143
Zusdone143
Zyban159
Zypine141
Zypine ODT 141
Zyprexa Relprevv 144
Zytiga176















