July 2	017
Volume 24 N	lumber 1

Editor:

Kave Wilson & Doris Chong email: enquiry@pharmac.govt.nz Telephone +64 4 460 4990 Facsimile +64 4 460 4995 Level 9, 40 Mercer Street PO Box 10 254 Wellington

Freephone Information Line 0800 66 00 50 (9am - 5pm weekdays)

Circulation

Published each April, August and December. Changes to the contents are published in monthly updates.

Accessible in an electronic format at no cost from the Health Professionals section of the PHARMAC website www.pharmac.govt.nz

You can register to have an electronic version of the Pharmaceutical Schedule (link to PDF copy) emailed to your nominated email address each month. Alternatively there is a nominal charge for an annual subscription to the printed Schedule publications. To access either of these subscriptions visit our subscription website www.schedule.co.nz.

Production

Typeset automatically from XML and T_FX. XML version of the Schedule available from www.pharmac.govt.nz/pub/schedule/archive/

Programmers

Anrik Drenth & John Geering

email: texschedule@pharmac.govt.nz



ISSN 1179-3686 pdf ISSN 1172-9376 print

This work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt it, as long as you attribute the work to PHARMAC and abide by the other licence terms. To view a copy of this licence, visit:

creativecommons.org/licenses/by/3.0/nz/. Attribution to PHARMAC should be in written form and not by reproduction of the PHARMAC logo. While care has been taken in compiling this Schedule, PHARMAC takes no responsibility for any errors or omissions, and shall not be liable for any consequences arising there from.

Section A	General Rules	6
Section B	Alimentary Tract & Metabolism	20
	Blood & Blood Forming Organs	46
	Cardiovascular System	55
	Dermatologicals	67
	Genito Urinary System	78
	Hormone Preparations – Systemic	84
	Infections – Agents For Systemic Use	95
	Musculoskeletal System	119
	Nervous System	128
	Oncology Agents & Immunosuppressants	165
	Respiratory System & Allergies	205
	Sensory Organs	213
	Various	218

Section C	Extemporaneous Compounds (ECPs)	220
Section D	Special Foods	227
Section E		0.10
Section E	Practitioner's Supply Orders	246
	Rural Areas	250
Section F	Dispensing Period Exemptions	251
Section G	Safety Cap Medicines	253
Section I	National Immunisation Schedule	256

Index 265

Introducing PHARMAC

The Pharmaceutical Management Agency (PHARMAC) makes decisions that help control Government spending on pharmaceuticals. This includes community pharmaceuticals, hospital pharmaceuticals, vaccines and increasingly, hospital medical devices. PHARMAC negotiates prices, sets subsidy levels and conditions, and makes decisions on changes to the subsidised list. The funding for pharmaceuticals comes from District Health Boards.

PHARMAC's role:

"Secure for eligible people in need of pharmaceuticals, the best health outcomes that can reasonably be achieved, and from within the amount of funding provided."

New Zealand Public Health and Disability Act 2000

To ensure our decisions are as fair and robust as possible we use a decision-making process that incorporates clinical, economic and commercial issues. We also seek the views of users and the wider community through consultation. The processes we generally use are outlined in our Operating Policies and Procedures.

Further information about PHARMAC and the way we make funding decisions can be found on the PHARMAC website at http://www.pharmac.govt.nz/about.

Purpose of the Pharmaceutical Schedule

The purpose of the Schedule is to list:

- the Community Pharmaceuticals that are subsidised by the Government and to show the amount of the subsidy paid to contractors, as well as the manufacturer's price and any access conditions that may apply;
- the Hospital Pharmaceuticals that may be used in DHB Hospitals, as well as any access conditions that may apply; and
- the Pharmaceuticals, including Medical Devices, used in DHB Hospitals for which national prices have been negotiated by PHARMAC.

The Schedule does not show the final cost to Government of subsidising each Community Pharmaceutical or to DHB Hospitals in purchasing each Pharmaceutical, since that will depend on any rebate and other arrangements PHARMAC has with the supplier and, for Pharmaceuticals used in DHB Hospitals, on any logistics arrangements put in place.

This book contains sections A through to G and Section I of the Pharmaceutical Schedule and lists the Pharmaceuticals funded for use in the community, including vaccines, as well as haemophilia and cancer treatments given in DHB hospitals. Section H lists the Pharmaceuticals that that can be used in DHB hospitals and is a separate publication.

The Pharmaceuticals in this book are listed by therapeutic group, which is based on the WHO Anatomical Therapeutic Chemical (ATC) system. The listings are displayed alphabetically under each heading.

The index lists both chemical entities and product brand names.

Explaining pharmaceutical entries

The Pharmaceutical Schedule lists pharmaceuticals subsidised by the Government, the subsidy, the supplier's price and the access conditions that may apply.

Example



Glossary

Units of Measure

•	g	microgram mcg	millimole mmol
	kg	milligram mg	unit u
international unit	iu	millilitreml	
Abbreviations			
Ampoule	Amp	GelatinousGel	SolutionSoln
Capsule	Сар	Granules Gran	SuppositorySupp
Cream	Crm	Infusion Inf	TabletTab
Device	Dev	Injection Inj	Tincture Tinc
Dispersible	Disp	LiquidLiq	Trans Dermal Delivery
	Ēff	Long ActingLA	SystemTDDS
Emulsion	Emul	OintmentOint	
Enteric Coated	EC	Sachet Sach	
BSO	Dulle Quante Order		
CBS	Bulk Supply Order. Cost Brand Source.		
ECP		Compounded Dreneration	
OP		Compounded Preparation.	
PSO	U U	idy is rounded up to a multiple at whole pack	.5.
Sole Subsidised	Practitioner's Supply	Oldel.	
	Only brand of this m	adiaina aubaidiaad	
<u>Supplier</u> XPharm	Only brand of this m	claim subsidy because PHARMAC has made	altornative distribution arrangements
		may be dispensed at one time if the exempter	
	by the practitioner or	, , , ,	u medicine is endorsed certilied exemption
*		nsed all-at-once or, in the case of oral contract	contives, six menths dispensed all at ence
*		meets the Dispensing Frequency Rule criteri	
+			
‡ ✓		for oral liquid formulations, including extemport nd of a given medicine. Brands without the tion	
•		5	ik are not rully subsidised and may cost the
S29	patient a manufactur		on 20 of the Medicines Act 1081
HP3		unapproved medication supplied under Section	
		pensed from a pharmacy that has a contract	
HP4		spensed from a pharmacy that has a contract	ci to dispense from the Monitored Therapy
	Variation (for Clozap	ine Services).	

Community Pharmaceutical costs met by the Government

Most of the cost of a subsidised prescription for a Community Pharmaceutical is met by the Government through the Combined Pharmaceutical Budget. The Government pays a subsidy for the Community Pharmaceutical to pharmacies, and a fee covering distribution and pharmacy dispensing services. The subsidy paid to pharmacies does not necessarily represent the final cost to Government of subsidising a particular Community Pharmaceutical. The final cost will depend on the nature of PHARMAC's contractual arrangements with the supplier. Fully subsidised medicines are identified with a \checkmark in the product's Schedule listing.

Patient costs

Everyone who is eligible for publicly funded health and disability services should in most circumstances pay only a \$5 co-payment for subsidised medicines, although co-payments can vary from \$0 to \$15. Where the price of a Pharmaceutical is higher than the subsidy, a patient may pay a manufacturer's surcharge in addition to the co-payment. A patient may also pay additional fees for services such as after-hours dispensing and special packaging.

Patients can check whether they are eligible for publicly funded health and disability services by referring to the Guide to eligibility on the Ministry of Health's website.

DHBs have a list of eligible providers in their respective regions. Any provider/prescriber not specifically listed by a DHB as an approved provider/prescriber should be regarded as not approved.

For more information on patient co-payments or eligibility please visit http://www.moh.govt.nz.

Special Authority Applications

Special Authority is an application process in which a prescriber requests government subsidy on a Community Pharmaceutical for a particular person.

Subsidy

Once approved, the applicant will be provided a Special Authority number which must appear on the prescription.

The authority number can provide access to subsidy, increased subsidy, or waive certain restrictions otherwise present on the Community Pharmaceutical.

Some approvals are dependent on the availability of funding from the Combined Pharmaceutical Budget.

Criteria

The criteria for approval of Special Authority applications are included below each Community Pharmaceutical listing, and on the application forms available on PHARMAC's website. For some Special Authority Community Pharmaceuticals, not all indications that have been approved by Medsafe are subsidised.

Making a Special Authority application

Application forms can be found at http://www.pharmac.govt.nz. Except where stated on the application form, applications are processed by the Ministry of Health, and are sent to:

Ministry of Health Sector Services, Private Bag 3015, WANGANUI 4540 Fax: (06) 349 1983 or free fax 0800 100 131

To register for submission of applications on-line - Contact the Ministry of Health on 0800 505 125 or email at onlinehelpdesk@moh.govt.nz. For Special Authority approval numbers, applicants can phone the Ministry of Health Sector Services Call Centre, free phone 0800 243 666.

Named Patient Pharmaceutical Assessment policy

Named Patient Pharmaceutical Assessment (NPPA) provides a mechanism for individual patients to receive funding for medicines not listed in the Pharmaceutical Schedule (either at all or for their clinical circumstances). PHARMAC will assess applications that meet the prerequisites according to its Factors for Consideration before deciding whether to approve applications for funding. The Factors for Consideration will be used to assess both the individual clinical circumstances of each NPPA applicant, and the implications of each NPPA funding decision on PHARMAC's ability to carry out its legislative functions.

For more information on NPPA, or to apply, visit the PHARMAC website at http://www.pharmac.govt.nz/nppa, or call the Panel Coordinators at 0800 660 050 Option 2.

INTRODUCTION

Section A contains the restrictions and other general rules that apply to Subsidies on Community Pharmaceuticals. The amounts payable by the Funder to Contractors are currently determined by:

- the quantities, forms, and strengths, of subsidised Community Pharmaceuticals dispensed under valid prescription by each Contractor;
- the amount of the Subsidy on the Manufacturer's Price payable for each unit of the Community Pharmaceuticals dispensed by each Contractor and;
- the contractual arrangements between the Contractor and the Funder for the payment of the Contractor's dispensing services.

The Pharmaceutical Schedule shows the level of subsidy payable in respect of each Community Pharmaceutical so that the amount payable by the Government to Contractors, for each Community Pharmaceutical, can be calculated. The Pharmaceutical Schedule also shows the standard price (exclusive of GST) at which a Community Pharmaceutical is supplied ex-manufacturer to whole-salers if it differs from the subsidy. The manufacturer's surcharge to patients can be estimated using the subsidy and the standard manufacturer's price as set out in this Schedule.

The cost to Government of subsidising each Community Pharmaceutical and the manufacturer's prices may vary, in that suppliers may provide rebates to other stakeholders in the primary health care sector, including dispensers, wholesalers, and the Government. Rebates are not specified in the Pharmaceutical Schedule.

This Schedule is dated 1 July 2017 and is to be referred to as the Pharmaceutical Schedule Volume 24 Number 1, 2017. Distribution will be from 20 July 2017. This Schedule comes into force on 1 July 2017.

PART I INTERPRETATIONS AND DEFINITIONS

1.1 In this Schedule, unless the context otherwise requires:

"90 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 90 consecutive days' treatment;

"180 Day Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 180 consecutive days' treatment;

"Access Exemption Criteria", means the criteria under which patients may receive greater than one Month's supply of a Community Pharmaceutical covered by Section F Part II (b) subsidised in one Lot. The specifics of these criteria are conveyed in the Ministry of Health guidelines, which are issued from time to time. The criteria the patient must meet are that they:

- a) have limited physical mobility;
- b) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
- c) are relocating to another area;
- d) are travelling extensively and will be out of town when the repeat prescriptions are due.

"Act", means the New Zealand Public Health and Disability Act 2000.

"Advisory Committee", means the Pharmaceutical Services Advisory Committee convened by the Ministry of Health under the terms of the Advice Notice issued to Contractors pursuant to Section 88 of the Act.

"Alternate Subsidy", means a higher level of subsidy that the Government will pay contractors for a particular community Pharmaceutical dispensed to a person who has either been granted a Special Authority for that pharmaceutical, or where the prescription is endorsed in accordance with the requirements of this Pharmaceutical Schedule.

"Annotation", means written annotation of a prescription by a dispensing pharmacist in the pharmacist's own handwriting following confirmation from the Prescriber if required, and "Annotated" has a corresponding meaning. The Annotation must include the details specified in the Schedule, including the date the prescriber was contacted (if applicable) and be initialled by the dispensing pharmacist.

"Authority to Substitute", means an authority for the dispensing pharmacist to change a prescribed medicine in accordance with regulation 42(4) of the Medicines Regulations 1984. An authority to substitute letter, which may be used by Practitioners, is available on the final page of the Schedule.

"Bulk Supply Order", means a written order, on a form supplied by the Ministry of Health, or approved by the Ministry of Health, made by the licensee or manager of an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 for the supply of such Community Pharmaceuticals as are expected to be required for the treatment of persons who are under the medical or dental supervision of such a Private Hospital or institution.

"Class B Controlled Drug", means a Class B controlled drug within the meaning of the Misuse of Drugs Act 1975.

"Community Pharmaceutical", means a Pharmaceutical listed in Sections A to G and Section I of the Pharmaceutical Schedule that is subsidised by the Funder from the Pharmaceutical Budget for use in the community.

"Contractor", means a person who is entitled to receive a payment from the Crown or a DHB under a notice issued by the Crown or a DHB under Section 88 of the Act or under a contract with the Ministry of Health or a DHB for the supply of Community Pharmaceuticals.

"Controlled Drug", means a controlled drug within the meaning of the Misuse of Drugs Act 1975 (other than a controlled drug specified in Part VI of the Third Schedule to that Act).

"Cost, Brand, Source of Supply", means that the Community Pharmaceutical is eligible for Subsidy on the basis of the Contractor's annotated purchase price, brand, and source of supply. Alternatively a copy of the invoice for the purchase of the Pharmaceutical may be attached to the prescription, in the place of an annotation, in order to be eligible for Subsidy.

"Dentist", means a person registered with the Dental Council, and who holds a current annual practising certificate, under the HPCA Act 2003.

"Dietitian", means a person registered as a dietitian with the Dietitians Board, and who holds a current annual practicing certificate under the HPCA Act 2003.

"DHB", means an organisation established as a District Health Board by or under Section 19 of the Act.

"DHB Hospital", means a DHB, including its hospital or associated provider unit that the DHB purchases Hospital Pharmaceuticals for.

"Dispensing Frequency Rule", means the rule in Part IV, Section A of the Pharmaceutical Schedule that defines patient groups or medicines eligible for more frequent dispensing periods.

"Doctor", means a medical Practitioner registered with the Medical Council of New Zealand and, who holds a current annual practising certificate under the HPCA Act 2003.

"DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the National DV Limit or the Individual DV Limit. "DV Pharmaceutical", means a discretionary variance Pharmaceutical, that does not have HSS and which:

- a) is either listed in Section H Part II of the Schedule as being a DV Pharmaceutical in association with the relevant Hospital Pharmaceutical with HSS; or
- b) is the same chemical entity, at the same strength, and in the same or a similar presentation or form, as the relevant Hospital Pharmaceutical with HSS, but which is not yet listed as being a DV Pharmaceutical.

"Endorsements", unless otherwise specified, endorsements should be either handwritten or computer generated by the practitioner prescribing the medication. The endorsement can be written as "certified condition", or state the condition of the patient, where that condition is specified for the Community Pharmaceutical in Section B of the Pharmaceutical Schedule. Where the practitioner writes "certified condition" as the endorsement, he/she is making a declaration that the patient meets the criteria as set out in Section B of the Pharmaceutical Schedule.

"Funder", means the body or bodies responsible, pursuant to the Act, for the funding of pharmaceuticals listed on the Schedule (which may be one or more DHBs and/or the Ministry of Health) and their successors.

"GST", means goods and services tax under the Goods and Services Tax Act 1985.

"Hospital Care Operator", means a person for the time being in charge of providing hospital care, in accordance with the Health and Disability Services (Safety) Act 2001.

"Hospital Pharmaceuticals", means the list of pharmaceuticals set out in Section H Part II of the Schedule which includes some National Contract Pharmaceuticals.

"Hospital Pharmacy", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an person on the Prescription of a Practitioner.

"Hospital Pharmacy-Specialist", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy to an Outpatient either:

- a) on a Prescription signed by a Specialist, or
- b) where the treatment with the Community Pharmaceutical has been recommended by a Specialist, on the Prescription of a practitioner which is either:
 - i) endorsed with the words "recommended by [name of specialist and year of authorisation]" and signed by the Practitioner, or
 - ii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol",
 - iii) annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and date of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an

Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
- ii) the consultation to relate to the Patient for whom the Prescription is written;
- iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
- iv) except in emergencies consultation to precede annotation of the Prescription; and
- v) both the specialist and the General Practitioner must keep a written record of the consultation; or
- a) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

For the purposes of the definition it makes no difference whether or not the Specialist is employed by a hospital.

"Hospital Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied by a hospital or pharmacy contracted to the Funder to dispense as a hospital pharmacy:

- a) to an Outpatient; and
- b) on a Prescription signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"HSS", means hospital supply status, the status of being the brand of the relevant Hospital Pharmaceutical listed in Section H Part II as HSS, that DHBs are obliged to purchase subject to any DV Limit for that Hospital Pharmaceutical for the period of hospital supply, as awarded under an agreement between PHARMAC and the relevant pharmaceutical supplier.

"In Combination", means that the Community Pharmaceutical is only subsidised when prescribed in combination with another subsidised pharmaceutical as specified in Section B or C of the Pharmaceutical Schedule.

"Individual DV Limit", means, for a particular Hospital Pharmaceutical with HSS and a particular DHB Hospital, the discretionary variance limit, being the specified percentage of that DHB Hospital's Total Market Volume up to which that DHB Hospital may purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"Licensed Hospital", means a place or institution that is certified to provide hospital care within the meaning of the Health and Disability Services (Safety) Act 2001.

"Lot", means a quantity of a Community Pharmaceutical supplied in one dispensing.

"Manufacturer's Price", means the standard price at which a Community Pharmaceutical is supplied to wholesalers (excluding GST), as notified to PHARMAC by the supplier.

"Maternity hospital", means that the Community Pharmaceutical is not eligible for Subsidy unless it is supplied pursuant to a Bulk Supply Order to a maternity hospital certified under the Health and Disability Services (Safety) Act 2001.

"Midwife", means a person registered as a midwife with the Midwifery Council, and who holds a current annual practising certificate under the HPCA Act 2003.

"Month", means a period of 30 consecutive days.

"Monthly Lot", means the quantity of a Community Pharmaceutical required for the number of days' treatment covered by the Prescription, being up to 30 consecutive days' treatment;

"Named Patient Pharmaceutical Assessment Advisory Panel", means the panel of clinicians, appointed by the PHARMAC Board, that is responsible for advising, within its Terms of Reference, on Named Patient Pharmaceutical Assessment applications and Exceptional Circumstances renewal applications submitted after 1 March 2012 (EC renewal application form located at http://www.pharmac.govt.nz/nppa#oldec)

"National Contract Pharmaceutical", means a Hospital Pharmaceutical for which PHARMAC has negotiated a national contract and the Price.

"National DV Limit", means, for a particular Hospital Pharmaceutical with HSS, the discretionary variance limit, being the specified percentage of the Total Market Volume up to which all DHB Hospitals may collectively purchase DV Pharmaceuticals of that Hospital Pharmaceutical.

"National Immunisation Schedule", means Section I of the Pharmaceutical Schedule, which is a schedule administered by PHARMAC, being a schedule specifying a programme of vaccinations to promote immunity against the diseases specified in the schedule.

"Not In Combination", means that no Subsidy is available for any Prescription containing the Community Pharmaceutical in combination with other ingredients unless the particular combination of ingredients is separately specified in Section B or C of the Schedule, and then only to the extent specified. "Nurse Practitioner", means a nurse registered with Nursing Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003 and for whom the Nursing Council has authorised a scope of practice that includes prescribing medicines

"Optional Pharmaceuticals", means the list of National Contract Pharmaceuticals set out in Section H Part II of the Schedule

"Optometrist", means a person registered with the Optometrists and Dispensing Opticians Board with a scope of practice that includes prescribing medicines (TPA endorsement)

"Outpatient", in relation to a Community Pharmaceutical, means a person who, as part of treatment at a hospital or other institution under the control of a DHB, is prescribed the Community Pharmaceutical for consumption or use in the person's home.

"PCT", means Pharmaceutical Cancer Treatment in respect of which DHB hospital pharmacies and other Contractors can claim Subsidies.

"PCT only", means Pharmaceutical Cancer Treatment in respect of which only DHB hospital pharmacies can claim Subsidies.

"Penal Institution", means a penal institution, as that term is defined in The Penal Institutions Act 1954;

"PHARMAC", means the Pharmaceutical Management Agency established by Section 46 of the Act (PHARMAC).

"Pharmaceutical", means a medicine, therapeutic medical device, or related product or related thing listed in Sections B to I of the Schedule.

"Pharmaceutical Benefits", means the right of:

- a) a person; and
- b) any member under 16 years of age of that person's family, to have made by the Government on his or her behalf, subject to any conditions for the time being specified in the Schedule, such payment in respect of any Community Pharmaceutical supplied to that person or family member under the order of a Practitioner in the course of his or her practice.

"Pharmaceutical Budget", means the pharmaceutical budget set for PHARMAC by the Crown for the subsidised supply of Community Pharmaceuticals and Pharmaceutical Cancer Treatments including for named patients in exceptional circumstances.

"Pharmaceutical Cancer Treatment", means Pharmaceuticals for the treatment of cancer, listed in Sections A to G of the Schedule and identified therein as a "PCT" or "PCT only" Pharmaceutical that DHBs must provide access to, for use in their hospitals, and/or in association with Outpatient services provided in their DHB Hospitals, in relation to the treatment of cancers.

"Pharmacist Prescriber", means a person registered with the Pharmacy Council of New Zealand, who holds a current annual practising certificate under the HPCA Act 2003, and is approved by the Pharmacy Council of New Zealand to prescribe specified prescription medicines relating to his/her scope of practice.

"Pharmacist", means a person registered with the Pharmacy Council of New Zealand and who holds a current annual practicing certificate under the HPCA Act 2003.

"Practitioner", means a Doctor, a Dentist, a Dietitian, a Midwife, a Nurse Practitioner, a Registered Nurse Prescriber, an Optometrist, a Quitcard Provider, a Pharmacist Prescriber, or a Vaccinator as those terms are defined in the Pharmaceutical Schedule.

"Practitioner's Supply Order", means a written order made by a Practitioner on a form supplied by the Ministry of Health, or approved by the Ministry of Health, for the supply of Community Pharmaceuticals to the Practitioner, which the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.

"Prescription", means a quantity of a Community Pharmaceutical prescribed for a named person on a document signed by a Practitioner.

"Prescription Medicine", means any Pharmaceutical listed in Part I of Schedule 1 of the Medicines Regulations 1984. "Private Hospital", means a hospital certified under the Health and Disability Services (Safety) Act 2001 that is not owned or operated by a DHB.

"Quitcard Provider", means a person registered with the Ministry of Health as a Quitcard Provider.

"Registered Nurse Prescriber", means a registered nurse who meets specified requirements for qualifications, training and competence to be a designated prescriber for the purpose of prescribing specified prescription medicines under the Medicines (Designated Prescriber-Registered Nurses) Regulations 2016.

"Residential Disability Care Institution", means premises used to provide residential disability care in accordance with the Health and Disability Services (Safety) Act 2001.

a)

"Rest Home", means premises used to provide rest home care in accordance with the Health and Disability Services (Safety) Act 2001.

"Restricted Medicine", means any Pharmaceutical listed in Part II of Schedule 1 of the Medicines Regulations 1984.

- "Retail Pharmacy-Specialist", means that the Community Pharmaceutical is only eligible for Subsidy if it is either:
 - a) supplied on a Prescription or Practitioner's Supply Order signed by a Specialist, or,
 - b) in the case of treatment recommended by a Specialist, supplied on a Prescription or Practitioner's Supply Order and either:
 - i) endorsed with the words "recommended by [name of Specialist and year of authorisation]" and signed by the Practitioner, or
 - iii) endorsed with the word 'protocol' which means "initiated in accordance with DHB hospital approved protocol", or
 - iii) Annotated by the dispensing pharmacist, following verbal confirmation from the Practitioner of the name of the Specialist and date of recommendation, with the words "recommended by [name of specialist and year of authorisation], confirmed by [practitioner]". Where the Contractor has an electronic record of such an Endorsement or Annotation from a previous prescription for the same Community Pharmaceutical written by a prescriber for the same patient, they may annotate the prescription accordingly.

"As recommended by a Specialist" to be interpreted as either:

- i) follows a substantive consultation with an appropriate Specialist;
 - ii) the consultation to relate to the Patient for whom the Prescription is written;
 - iii) consultation to mean communication by referral, telephone, letter, facsimile or email;
 - iv) except in emergencies consultation to precede annotation of the Prescription; and
 - v) both the Specialist and the General Practitioner must keep a written record of consultation; or
- b) treatment with the Community Pharmaceutical has been initiated in accordance with a DHB hospital approved protocol.

"Retail Pharmacy-Specialist Prescription", means that the Community Pharmaceutical is only eligible for Subsidy if it is supplied on a Prescription, or Practitioner's Supply Order, signed by a Specialist.

For the purposes of this definition, a "specialist" means a doctor who holds a current annual practicing certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) of the definitions of Specialist below.

"Safety Medicine", means a Community Pharmaceutical defined in Section A, Part IV of the Pharmaceutical Schedule. "Schedule", means this Pharmaceutical Schedule and all its sections and appendices.

"Special Authority", means that the Community Pharmaceutical or Pharmaceutical Cancer Treatment is only eligible for Subsidy or additional Subsidy for a particular person if an application meeting the criteria specified in the Schedule has been approved, and the valid Special Authority number is present on the prescription.

"Specialist", in relation to a Prescription, means a doctor or nurse practitioner who holds a current annual practising certificate and who satisfies the criteria set out in paragraphs (a) or (b) or (c) or (d) below:

- a) the doctor is vocationally registered in accordance with the criteria set out by the Medical Council of New Zealand and the HPCA Act 2003 and who has written the Prescription in the course of practising in that area of medicine; or
- b) the doctor is recognised by the Ministry of Health as a specialist for the purposes of this Schedule and receives remuneration from a DHB at a level which that DHB considers appropriate for specialists and who has written that prescription in the course of practising in that area of competency; or
- c) the doctor is recognised by the Ministry of Health as a specialist in relation to a particular area of medicine for the purpose of writing Prescriptions and who has written the Prescription in the course of practising in that area of competency; or
- d) the doctor or nurse practitioner writes the prescription on DHB stationery and is appropriately authorised by the relevant DHB to do so.

"Subsidy", means the maximum amount that the Government will pay Contractors for a Community Pharmaceutical dispensed to a person eligible for Pharmaceutical Benefits and is different from the cost to Government of subsidising that Community Pharmaceutical. For the purposes of a DHB hospital pharmacy claiming for Pharmaceutical Cancer Treatments, Subsidy refers to any payment made to the DHB hospital pharmacy or service provider to which that pharmacy serves, and does not relate to a specific payment that might be made on submission of a claim.

"Supply Order", means a Bulk Supply Order or a Practitioner's Supply Order.

"Unapproved Indication", means, for a Pharmaceutical, an indication for which it is not approved under the Medicines Act 1981. Practitioners prescribing Pharmaceuticals for Unapproved Indications should be aware of, and comply with, their obligations under Section 25 and/or Section 29 of the Medicines Act 1981 and as set out in Section A: General Rules, Part IV (Miscellaneous Provisions) rule 5.5.

"Unlisted Pharmaceutical", means a Pharmaceutical that is within the scope of a Hospital Pharmaceutical but is not listed in Section H Part II

"Unusual Clinical Circumstances (UCC)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for named patients whose clinical circumstances are so unusual that PHARMAC is unlikely, for administrative reasons, to consider listing treatments for these circumstances on the Schedule.

"Urgent Assessment (UA)", means the pathway under the Named Patient Pharmaceutical Assessment policy for funding consideration for treatments for named patients where PHARMAC is also considering or is likely to consider the treatment for Schedule listing, but the patient's clinical circumstances justify urgent assessment, prior to a decision on Schedule listing.

"Vaccinator", means either:

- a) a pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health; or
- b) any other person who is authorised by the Director-General of Health or a Medical Officer of Health to administer vaccines in accordance with this Section 44A of the Medicines Regulations 1984.
- 1.2 In addition to the above interpretations and definitions, unless the content requires otherwise, a reference in the Schedule to:
 - a) the singular includes the plural; and
 - b) any legislation includes a modification and re-enactment of, legislation enacted in substitution for, and a regulation, Order in Council, and other instrument from time to time issued or made under that legislation, where that legislation, regulation, Order in Council or other instrument has an effect on the prescribing, dispensing or subsidising of Community Pharmaceuticals.

PART II COMMUNITY PHARMACEUTICALS SUBSIDY

- 2.1 Community Pharmaceuticals eligible for Subsidy include every medicine, therapeutic medical device or related product, or related thing listed in Sections B to G and I of the Schedule subject to:
 - 2.1.1 clauses 2.2 of the Schedule; and
 - 2.1.2 clauses 3.1 to 5.4 of the Schedule; and
 - 2.1.3 the conditions (if any) specified in Sections B to G and I of the Schedule;
- 2.2 No claim by a Contractor for payment in respect of the supply of Community Pharmaceuticals will be allowed unless the Community Pharmaceuticals so supplied:
 - 2.2.1 comply with the appropriate standards prescribed by regulations for the time being in force under the Medicines Act 1981; or
 - 2.2.2 in the absence of any such standards, comply with the appropriate standards for the time being prescribed by the British Pharmacopoeia; or
 - 2.2.3 in the absence of the standards prescribed in clauses 2.2.1 and 2.2.2, comply with the appropriate standards for the time being prescribed by the British Pharmaceutical Codex; or
 - 2.2.4 in the absence of the standards prescribed in clauses 2.2.1, 2.2.2 and 2.2.3 are of a grade and quality not lower than those usually applicable to Community Pharmaceuticals intended to be used for medical purposes.

PART III PERIOD AND QUANTITY OF SUPPLY

3.1 Doctors', Dentists', Dietitians', Midwives', Nurse Practitioners', Registered Nurse Prescribers', Optometrists and Pharmacist Prescribers' Prescriptions (other than oral contraceptives)

The following provisions apply to all Prescriptions, other than those for an oral contraceptive, written by a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner, Registered Nurse Prescriber, Optometrist, or Pharmacist Prescriber unless specifically excluded:

3.1.1 For a Community Pharmaceutical other than a Class B Controlled Drug, only a quantity sufficient to provide treatment for a period not exceeding three Months will be subsidised.

- 3.1.2 For methylphenidate hydrochloride and dexamfetamine sulphate (except for Dentist prescriptions), only a quantity sufficient to provide treatment for a period not exceeding one Month will be subsidised.
- 3.1.3 For a Class B Controlled Drug:
 - a) other than Dentist prescriptions and methylphenidate hydrochloride and dexamfetamine sulphate, only a quantity:
 - i) sufficient to provide treatment for a period not exceeding 10 days; and
 - which has been dispensed pursuant to a Prescription sufficient to provide treatment for a period not exceeding one Month, will be subsidised.
 - b) for a Dentist prescription only such quantity as is necessary to provide treatment for a period not exceeding five days will be subsidised.
- 3.1.4 Subject to clauses 3.1.3 and 3.1.7, for a Doctor, Dentist, Dietitian, Midwife, Nurse Practitioner or Registered Nurse Prescriber and 3.1.7 for an Optometrist, where a practitioner has prescribed a quantity of a Community Pharmaceutical sufficient to provide treatment for:
 - A) one Month or less than one Month, but dispensed by the Contractor in quantities smaller than the quantity prescribed, the Community Pharmaceutical will only be subsidised as if that Community Pharmaceutical had been dispensed in a Monthly Lot;
 - B) more than one Month, the Community Pharmaceutical will be subsidised only if it is dispensed:
 - i) in a 90 Day Lot, where the Community Pharmaceutical is a Pharmaceutical covered by Section F Part I of the Pharmaceutical Schedule; or
 - ii) if the Community Pharmaceutical is not a Pharmaceutical referred to in Section F Part I of the Pharmaceutical Schedule, in Monthly Lots, unless:
 - a) the eligible person or his/her nominated representative endorses the back of the Prescription form with a statement identifying which Access Exemption Criterion (Criteria) applies and signs that statement to this effect; or
 - b) both:
 - the Practitioner endorses the Community Pharmaceutical on the Prescription with the words "certified exemption" written in the Practitioner's own handwriting, or signed or initialled by the Practitioner; and
 - 2) every Community Pharmaceutical endorsed as "certified exemption" is covered by Section F Part II of the Pharmaceutical Schedule.
- 3.1.5 A Community Pharmaceutical is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor:
 - a) for a Class B Controlled Drug, within eight days of the date on which the Prescription was written; or
 - b) for any other Community Pharmaceutical, within three Months of the date on which the Prescription was written.
- 3.1.6 No subsidy will be paid for any Prescription, or part thereof, that is not fulfilled within:
 - a) in the case of a Prescription for a total supply of from one to three Months, three Months from the date the Community Pharmaceutical was first dispensed; or
 - b) in any other case, one Month from the date the Community Pharmaceutical was first dispensed. Only that part of any Prescription that is dispensed within the time frames specified above is eligible for Subsidy.
- 3.1.7 If a Community Pharmaceutical:
 - a) is stable for a limited period only, and the Practitioner has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that may be dispensed at any one time; or
 - b) is stable for a limited period only, and the Contractor has endorsed the Prescription with the words "unstable medicine" and has specified the maximum quantity that should be dispensed at any one time in all the circumstances of the particular case; or
 - c) is under the Dispensing Frequency Rule,
 - The actual quantity dispensed will be subsidised in accordance with any such specification.

3.2 Oral Contraceptives

The following provisions apply to all Prescriptions written by a Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber or a Pharmacist Prescriber for an oral contraceptive:

3.2.1 The prescribing Doctor, Midwife, Nurse Practitioner, Registered Nurse Prescriber, or a Pharmacist Prescriber must specify on the Prescription the period of treatment for which the Community Pharmaceutical is to be supplied. This period must not exceed six Months.

- 3.2.2 Where the period of treatment specified in the Prescription does not exceed six Months, the Community Pharmaceutical is to be dispensed:
 - a) in Lots as specified in the Prescription if the Community Pharmaceutical is under the Dispensing Frequency Rule; or
 - b) where no Lots are specified, in one Lot sufficient to provide treatment for the period prescribed.
- 3.2.3 An oral contraceptive is only eligible for Subsidy if the Prescription under which it has been dispensed was presented to the Contractor within three Months of the date on which it was written.
- 3.2.4 Where a Community Pharmaceutical on a Prescription is under the Dispensing Frequency Rule and a repeat on the Prescription remains unfulfilled after six Months from the date the Community Pharmaceutical was first dispensed only the actual quantity supplied by the Contractor within this time limit will be eligible for Subsidy.

3.3 Original Packs, Certain Antibiotics and Unapproved Medicines

- 3.3.1 Notwithstanding clauses 3.1 and 3.3 of the Schedule, if a Practitioner prescribes or orders a Community Pharmaceutical that is identified as an Original Pack (OP) on the Pharmaceutical Schedule and is packed in a container from which it is not practicable to dispense lesser amounts, every reference in those clauses to an amount or quantity eligible for Subsidy, is deemed to be a reference:
 - a) where an amount by weight or volume of the Community Pharmaceutical is specified in the Prescription, to the smallest container of the Community Pharmaceutical, or the smallest number of containers of the Community Pharmaceutical, sufficient to provide that amount; and
 - b) in every other case, to the amount contained in the smallest container of the Community Pharmaceutical that is manufactured in, or imported into, New Zealand.
- 3.3.2 If a Community Pharmaceutical is either:
 - a) the liquid oral form of an antibiotic to which a diluent must be added by the Contractor at the time of dispensing; or
 - b) an unapproved medicine supplied under Section 29 of the Medicines Act 1981, but excluding any medicine listed as Cost, Brand, Source of Supply, or
 - c) any other pharmaceutical that PHARMAC determines, from time to time and notes in the Pharmaceutical Schedule

and it is prescribed or ordered by a Practitioner in an amount that does not coincide with the amount contained in one or more standard packs of that Community Pharmaceutical, Subsidy will be paid for the amount prescribed or ordered by the Practitioner in accordance with either clause 3.1 or clause 3.3 of the Schedule, and for the balance of any pack or packs from which the Community Pharmaceutical has been dispensed. At the time of dispensing the Contractor must keep a record of the quantity discarded. To ensure wastage is reduced, the Contractor should reduce the amount dispensed to make it equal to the quantity contained in a whole pack where:

- a) the difference between the amount dispensed and the amount prescribed by the Practitioner is less than 10% (eg; if a prescription is for 105 mls then a 100 ml pack would be dispensed); and
- b) in the reasonable opinion of the Contractor the difference would not affect the efficacy of the course of treatment prescribed by the Practitioner.

Note: For the purposes of audit and compliance it is an act of fraud to claim wastage and then use the wastage amount for any subsequent prescription.

3.4 Pharmacist Prescribers' Prescriptions

The following apply to every prescription written by a Pharmacist Prescriber

- 3.4.1 Prescriptions written by a Pharmacist Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:
 - a Community Pharmaceutical classified as a Prescription Medicine and which a Pharmacist Prescriber is permitted under regulations to prescribe; or
 - b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sales Medicine.
- 3.4.2 Any Pharmacist Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed).

3.5 Registered Nurse Prescribers' Prescriptions

The following apply to every prescription written by a Registered Nurse Prescriber:

3.5.1 Prescriptions written by a Registered Nurse Prescriber for a Community Pharmaceutical will only be subsidised where they are for either:

- a Community Pharmaceutical classified as a Prescription Medicine and which a Registered Nurse Prescriber is permitted under regulations to prescribe; or
- b) any other Community Pharmaceutical that is a Restricted Medicine (Pharmacist Only Medicine), a Pharmacy Only Medicine or a General Sale Medicine.
- 3.5.2 Any Registered Nurse Prescribers' prescriptions for a medication requiring a Special Authority will only be subsidised if it is for a repeat prescription (ie after the initial prescription with Special Authority approval was dispensed). Registered Nurse Prescribers are not eligible to apply for Special Authority approvals (initial or renewal).

3.6 Quitcard Providers' Prescriptions

- Prescriptions written by a Quitcard Provider will only be subsidised where they are:
 - a) for any of the following Community Pharmaceuticals: nicotine patches, nicotine lozenges or nicotine gum; and b) written on a Quitcard.
 - b) written on a Quitcard.
- 3.7 Vaccinators' Prescriptions

Prescriptions written by Vaccinators will only be valid for subsidy in accordance with an agreement between the Contractor and the DHB, and only for direct administration of a vaccine to a patient.

PART IV DISPENSING FREQUENCY RULE

Rule 3.1.4 of the Pharmaceutical Schedule specifies, for community patients, a default period of supply for each Community Pharmaceutical (a Monthly Lot, 90 Day Lot or for oral contraceptives 180 Day Lot). This Dispensing Frequency Rule defines patient groups or medicines eligible for more frequent dispensing periods for Community Pharmaceuticals; and the conditions that must be met to enable any pharmacy to claim for payment of handling fees for the additional dispensings made. This Dispensing Frequency Rule relates to the circumstances in which a subsidy is payable for the Community Pharmaceutical; it does not override alternative dispensing frequencies as expressly stated in the Medicines Act, Medicines Regulations, Pharmacy Services Agreement or Pharmaceutical Schedule.

For the purposes of this Dispensing Frequency Rule:

"Frequent Dispensing" means:

- i) for a Community Pharmaceutical referred to in Section F Part I, (the Stat exemption) dispensing in quantities less than one 90 Day Lot (or for oral contraceptives, less than one 180 Day Lot); or
- ii) for any other Community Pharmaceutical dispensing in quantities less than a Monthly Lot

"Safety Medicine"

- i) an antidepressant listed under the "Cyclic and Related Agents" subheading;
- ii) an antipsychotic;
- iii) a benzodiazepine;
- iv) a Class B Controlled Drug;
- v) codeine (includes combination products);
- vi) buprenorphine with naloxone; or
- vii) zopiclone.

The Dispensing Frequency Rule covers 5 different circumstances where Frequent Dispensing for patients may be clinically or otherwise appropriate. These are:

- 1) Long Term Condition (LTC) patients and Core patients, or
- 2) Persons in residential care, or
- 3) Trial periods, or
- 4) Safety and co-prescribed medicines, or
- 5) Pharmaceutical Supply Management.

4.1 Frequent Dispensing for patients registered as Long Term Condition (LTC) or Core patients

If a Pharmacist considers Frequent Dispensing is required, then:

- 4.1.1 For LTC registered patients, Frequent Dispensing can occur as often as the dispensing Pharmacist deems appropriate to meet that patient's compliance and adherence needs;
- 4.1.2 For Core (non-LTC) patients, Frequent Dispensing should be no more often than a Monthly Lot. Pharmacists may authorise monthly dispensing on a Stat exemption Community Pharmaceutical without prescriber authority. If the Pharmacist considers more frequent (than monthly) dispensing is necessary, prescriber approval is required. Verbal approval from the prescriber is acceptable provided it is annotated by the Pharmacist on the Prescription and dated.

4.2 Frequent Dispensings for persons in residential care

- 4.2.1 Community Pharmaceuticals can be dispensed to:
 - any person whose placement in a Residential Disability Care Institution is funded by the Ministry of Health or a DHB; or
 - a person assessed as requiring long term residential care services and residing in an age related residential care facility;

on the request of the person, their agent or caregiver or community residential service provider via Frequent Dispensing, provided the following conditions are met:

- a) the quantity or period of supply to be dispensed at any one time is not less than:
 - i) 7 days' supply for a Class B Controlled Drug; or
 - ii) 7 days' supply for clozapine in accordance with a Clozapine Dispensing Protocol; or
 - 28 days' supply for any other Community Pharmaceutical (except under conditions outlined in 4.3 (Trial periods) below; and
- b) the prescribing Practitioner or dispensing Pharmacist has
 - i) included the name of the patient's residential placement or facility on the Prescription; and
 - ii) included the patient's NHI number on the Prescription; and
 - iii) specified the maximum quantity or period of supply to be dispensed at any one time.
- 4.2.2 Any person meeting the criteria above who is being initiated onto a new medicine or having their dose changed is able to have their medicine dispensed in accordance with 4.3 (Trial periods) below.

4.3 Frequent Dispensings for Trial Periods

Frequent Dispensing can occur when a Community Pharmaceutical has been prescribed for a patient who requires close monitoring due to recent initiation onto, or dose change for, the Community Pharmaceutical (applicable to the patient's first changed Prescription only) and the prescribing Practitioner has:

- endorsed each Community Pharmaceutical on the Prescription clearly with the words "Trial Period", or "Trial"; and
- specified the maximum quantity or period of supply to be dispensed for each Community Pharmaceutical at any one time.
- Patients who reside in Penal Institutions are not eligible for Trial Periods.

4.4 Frequent Dispensing for Safety and co-prescribed medicines

- 4.4.1 For a Safety Medicine to be dispensed via Frequent Dispensing, both of the following conditions must be met:
 - a) The patient is not a resident in a Penal Institution, or one of the residential placements or facilities referenced in 4.2 on page 15; and
 - b) The prescribing Practitioner has:
 - i) Assessed clinical risk and determined the patient requires increased Frequent Dispensing; and
 - ii) Specified the maximum quantity or period of supply to be dispensed for each Safety Medicine at each dispensing.
- 4.4.2 A Community Pharmaceutical that is co-prescribed with a Safety Medicine, which can be dispensed in accordance with rule 4.4 above, may be dispensed at the same frequency as the Safety Medicine if the dispensing pharmacist has:
 - Assessed clinical risk and determined the patient requires Frequent Dispensing of their co-dispensed medicines; and
 - Annotated the Prescription with the amended dispensing quantity and frequency.

4.5 Frequent Dispensing for Pharmaceutical Supply Management

- 4.5.1 Frequent Dispensing may be required from time to time to manage stock supply issues or emergency situations. Pharmacists may dispense more frequently than the Schedule would otherwise allow when all of the following conditions are met:
 - PHARMAC has approved and notified pharmacists to annotate Prescriptions for a specified Community Pharmaceutical(s) "out of stock" without prescriber endorsement for a specified time; and
 - b) the dispensing pharmacist has:
 - clearly annotated each of the approved Community Pharmaceuticals that appear on the Prescription with the words "out of stock" or "OOS"; and
 - ii) initialled the annotation in their own handwriting; and
 - iii) has complied with maximum quantity or period of supply to be dispensed at any one time, as specified by PHARMAC at the time of notification.

Note -- no claim shall be made to any DHB for subsidised dispensing under this rule where dispensing occurs more frequently than specified by PHARMAC to manage the supply management issue.

PART V MISCELLANEOUS PROVISIONS

5.1 Bulk Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals under Bulk Supply Orders:

- 5.1.1 No Community Pharmaceutical supplied under a Bulk Supply Order will be subsidised unless all the requirements in Section B, C or D of the Schedule applicable to that pharmaceutical are met.
- 5.1.2 The person who placed the Bulk Supply Order may be called upon by the Ministry of Health to justify the amount ordered.
- 5.1.3 Class B Controlled Drugs will be subsidised only if supplied under Bulk Supply Orders placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001.
- 5.1.4 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Bulk Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.1.5 Community Pharmaceuticals listed in Part I of the First Schedule to the Medicines Regulations 1984 will be subsidised only if supplied under a Bulk Supply Order placed by an institution certified to provide hospital care under the Health and Disability Services (Safety) Act 2001 and:
 - a) that institution employs a registered general nurse, registered with the Nursing Council and who holds a current annual practicing certificate under the HPCA Act 2003; and
 - b) the Bulk Supply Order is supported by a written requisition signed by a Hospital Care Operator.
- 5.1.6 No Subsidy will be paid for any quantity of a Community Pharmaceutical supplied under a Bulk Supply Order in excess of what is a reasonable monthly allocation for the particular institution, after taking into account stock on hand.
- 5.1.7 The Ministry of Health may, at any time, by public notification, declare that any approved institution within its particular region, is not entitled to obtain supplies of Community Pharmaceuticals under Bulk Supply Orders with effect from the date specified in that declaration. Any such notice may in like manner be revoked by the Ministry of Health at any time.

5.2 Practitioner's Supply Orders

The following provisions apply to the supply of Community Pharmaceuticals to Practitioners under a Practitioner's Supply Order:

- 5.2.1 Subject to clause 5.2.3 and 5.2.6, a Practitioner may only order under a Practitioner's Supply Order those Community Pharmaceuticals listed in Section E Part I and only in such quantities as set out in Section E Part I that the Practitioner requires to ensure medical supplies are available for emergency use, teaching and demonstration purposes, and for provision to certain patient groups where individual prescription is not practicable.
- 5.2.2 Any order for a Class B Controlled Drug or for buprenorphine hydrochloride must be written on a Special Practitioner's Supply Order Controlled Drug Form supplied by the Ministry of Health.
- 5.2.3 A Practitioner may order such Community Pharmaceuticals as he or she expects to be required for personal administration to patients under the Practitioner's care if:
 - a) the Practitioner's normal practice is in the specified areas listed in Section E Part II of the Schedule, or if the Practitioner is a locum for a Practitioner whose normal practice is in such an area.
 - b) the quantities ordered are reasonable for up to one Month's supply under the conditions normally existing in the practice. (The Practitioner may be called on by the Ministry of Health to justify the amounts of Community Pharmaceuticals ordered.)
- 5.2.4 No Community Pharmaceutical ordered under a Practitioner's Supply order will be eligible for Subsidy unless:
 - a) the Practitioner's Supply Order is made on a form supplied for that purpose by the Ministry of Health, or approved by the Ministry of Health and which:
 - i) is personally signed and dated by the Practitioner; and
 - ii) sets out the Practitioner's address; and
 - iii) sets out the Community Pharmaceuticals and quantities, and;
 - b) all the requirements of Sections B and C of the Schedule applicable to that pharmaceutical are met.

- 5.2.5 The Ministry of Health may, at any time, on the recommendation of an Advisory Committee appointed by the Ministry of Health for that purpose, by public notification, declare that a Practitioner specified in such a notice is not entitled to obtain supplies of Community Pharmaceuticals under Practitioner's Supply Orders until such time as the Ministry of Health notifies otherwise.
- 5.2.6 A Practitioner working in the Rheumatic Fever Prevention Programme (RFPP) may order under a Practitioner's Supply Order such Community Pharmaceuticals (identified below) as he or she requires to ensure medical supplies are available for patients with suspected or confirmed Group A Streptococcal throat infections for the purposes of the RFPP in the following circumstances:
 - a) the RFPP provider name is written on the Practitioner's Supply Order; and
 - b) the total quantity ordered does not exceed a multiple of:
 - i) ten times the Practitioner's Supply Order current maximum listed in Section E Part I for amoxicillin grans for oral liq 250 mg per 5 ml, amoxicillin cap 250 mg and amoxicillin cap 500 mg; or
 - ii) two times the Practitioner's Supply Order current maximum listed in Section E Part I for phenoxymethyl penicillin grans for oral liquid 250 mg per 5 ml, phenoxymethyl penicillin cap 500 mg, erythromycin ethyl succinate grans for oral liq 200 mg per 5 ml and erythromycin ethyl succinate tab 400 mg; and
 - c) the practitioner must specify the order quantity in course-specific amounts on the Practitioner's Supply Order (e.g. 10 x 300 ml amoxicillin grans for oral liq 250 mg per 5 ml). This will enable the pharmacy to dispense each course separately and claim multiple service fees as per the Community Pharmacy Services Agreement.

5.3 Retail Pharmacy and Hospital Pharmacy-Specialist Restriction

The following provisions apply to Prescriptions for Community Pharmaceuticals eligible to be subsidised as "Retail Pharmacy-Specialist" and "Hospital Pharmacy-Specialist":

5.3.1 Record Keeping

It is expected that a record will be kept by both the General Practitioner and the Specialist of the fact of consultation and enough of the clinical details to justify the recommendation. This means referral by telephone will need to be followed up by written consultation.

5.3.2 Expiry

The recommendation expires at the end of two years and can be renewed by a further consultation.

- 5.3.3 The circulation by Specialists of the circumstances under which they are prepared to recommend a particular Community Pharmaceutical is acceptable as a guide. It must however be followed up by the procedure in subclauses 5.3.1 and 5.3.2, for the individual Patient.
- 5.3.4 The use of preprinted forms and named lists of Specialists (as circulated by some pharmaceutical companies) is regarded as inappropriate.
- 5.3.5 The Rules for Retail Pharmacy-Specialist and Hospital Pharmacy-Specialist will be audited as part of the Ministry of Health's routine auditing procedures.

5.4 Pharmaceutical Cancer Treatments

- 5.4.1 DHBs must provide access to Pharmaceutical Cancer Treatments for the treatment of cancers in their DHB hospitals, and/or in association with Outpatient services provided in their DHB hospitals.
- 5.4.2 DHBs must only provide access to Pharmaceuticals for the treatment of cancer that are listed as Pharmaceutical Cancer Treatments in Sections A to G of the Schedule, provided that DHBs may provide access to an unlisted pharmaceutical for the treatment of cancer where that unlisted pharmaceutical:
 - a) has Named Patient Pharmaceutical Assessment (NPPA) approval;
 - b) is being used as part of a bona fide clinical trial which has Ethics Committee approval;
 - c) is being used and funded as part of a paediatric oncology service; or
 - d) was being used to treat the patient in question prior to 1 July 2005.
- 5.4.3 A DHB hospital pharmacy that holds a claiming agreement for Pharmaceutical Cancer Treatments with the Funder may claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" or "PCT only" in Sections A to G of this Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with:
 - a) Part 1;
 - b) clauses 2.1 to 2.2;
 - c) clauses 3.1 to 3.4; and
 - d) clause 5.4,

of Section A of the Schedule

- 5.4.4 A Contractor (other than a DHB hospital pharmacy) may only claim a Subsidy for a Pharmaceutical Cancer Treatment marked as "PCT" in Sections A to G of the Schedule subject to that Pharmaceutical Cancer Treatment being dispensed in accordance with the rules applying to Sections A to G of the Schedule.
- 5.4.5 Some indications for Pharmaceutical Cancer Treatments listed in the Schedule are Unapproved Indications. Some of these formed part of the October 2001 decision by the Minister of Health as to pharmaceuticals and indications for which DHBs must provide access. As far as reasonably practicable, these Unapproved Indications are marked in the Schedule. However, PHARMAC makes no representation and gives no guarantee as to the accuracy of this information. Practitioners prescribing Pharmaceutical Cancer Treatments for such Unapproved Indications should:
 - a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that act and the Medicines Regulations 1984;
 - b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
 - c) exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical Cancer Treatment or a Pharmaceutical Cancer Treatment for an Unapproved Indication.
- 5.4.6 Applications to add pharmaceuticals, and add or amend indications for Pharmaceutical Cancer Treatments, may be made in writing by pharmaceutical suppliers and/or clinicians to PHARMAC. Applications should follow the Guidelines for Funding Applications to PHARMAC 2010 and Recommended methods to derive clinical inputs for proposals to PHARMAC, copies of which are available from PHARMAC or PHARMAC's website.

5.5 Practitioners prescribing unapproved Pharmaceuticals

Practitioners should, where possible, prescribe Pharmaceuticals that are approved under the Medicines Act 1981. However, the access criteria under which a Pharmaceutical is listed on the Pharmaceutical Schedule may:

- a) in some case, explicitly permit Government funded access to a Pharmaceutical that is not approved under the Medicines Act 1981 or for an Unapproved Indication; or
- b) not explicitly preclude Government funded access to a Pharmaceutical when it is used for an Unapproved Indication;

Accordingly, if Practitioners are planning on prescribing an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication, Practitioners should:

- a) be aware of and comply with their obligations under sections 25 and 29 of the Medicines Act 1981, as applicable, and otherwise under that Act and the Medicines Regulations 1984;
- b) be aware of and comply with their obligations under the Health and Disability Commissioner's Code of Consumer Rights, including the requirement to obtain informed consent from the patient (PHARMAC recommends that Practitioners obtain written consent); and
- c) exercise their own skill, judgment, expertise and discretion, and make their own prescribing decisions with respect to the use of an unapproved Pharmaceutical or a Pharmaceutical for an Unapproved Indication.

Practitioners should be aware that simply by listing a Pharmaceutical on the Pharmaceutical Schedule PHARMAC makes no representations about whether that Pharmaceutical has any form of approval or consent under, or whether the supply or use of the Pharmaceutical otherwise complies with, the Medicines Act 1981. Further, the Pharmaceutical Schedule does not constitute an advertisement, advertising material or a medical advertisement as defined in the Medicines Act or otherwise.

5.6 Substitution

Where a Practitioner has prescribed a brand of a Community Pharmaceutical that has no Subsidy or has a Manufacturer's Price that is greater than the Subsidy and there is an alternative fully subsidised Community Pharmaceutical available, a Contractor may dispense the fully subsidised Community Pharmaceutical, unless either or both of the following circumstances apply:

- a) there is a clinical reason why substitution should not occur; or
- b) the prescriber has marked the prescription with a statement such as 'no brand substitution permitted'

Such an Authority to Substitute is valid whether or not there is a financial implication for the Pharmaceutical Budget. When dispensing a subsidised alternative brand, the Contractor must annotate and sign the prescription and inform the patient of the brand change.

5.7 Alteration to Presentation of Pharmaceutical Dispensed

A Contractor, when dispensing a subsidised Community Pharmaceutical, may alter the presentation of a Pharmaceutical dispensed to another subsidised presentation but may not alter the dose, frequency and/or total daily dose. This may

only occur when it is not practicable for the contractor to dispense the requested presentation. If the change will result in additional cost to the DHBs, then annotation of the prescription by the dispensing pharmacist must occur stating the reason for the change, and the Contractor must initial the change for the purposes of Audit.

5.8 Other DHB Funding

A DHB may fund a Community Pharmaceutical outside of the mechanisms established in the Pharmaceutical Schedule, provided that:

- a) specific prior agreement is obtained from PHARMAC for such funding;
- b) any funding restrictions set out in the Pharmaceutical Schedule for those Community Pharmaceuticals are applied; and
- c) a Contractor (including a DHB Hospital Pharmacy) may not claim a Subsidy for a Community Pharmaceutical dispensed and funded by the DHB via such an alternate mechanism.

5.9 Conflict in Provisions

If any rules in Sections B-G and Section I of this Schedule conflict with the rules in Section A, the rules in Sections B-G and Section I apply.

SECTION B: ALIMENTARY TRACT AND METABOLISM

	Subsidy (Manufacturer's Price) \$	Ful Subsidise Per	,
Antacids and Antiflatulants	Ŷ		Mandaotaroi
Antacids and Reflux Barrier Agents			
ALGINIC ACID Sodium alginate 225 mg and magnesium alginate 87.5 mg pe sachet		30 🗸	Gaviscon Infant
SODIUM ALGINATE * Tab 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg - peppermint flavour	1.80 (8.60)	60	Gaviscon Double Strength
* Oral liq 500 mg with sodium bicarbonate 267 mg and calcium carbonate 160 mg per 10 ml		500 ml	Acidex
Phosphate Binding Agents			
ALUMINIUM HYDROXIDE * Tab 600 mg CALCIUM CARBONATE Oral liq 1,250 mg per 5 ml (500 mg elemental per 5 ml) – Subsidy by endorsement Only when prescribed for children under 12 years of age		500 ml 🗸	Alu-Tab Roxane ent and the prescription is
Antidiarrhoeals Agents Which Reduce Motility			
LOPERAMIDE HYDROCHLORIDE – Up to 30 cap available on a * Tab 2 mg * Cap 2 mg	10.75		Nodia Diamide Relief
Rectal and Colonic Anti-inflammatories			
BUDESONIDE Cap 3 mg − Special Authority see SA1155 below − Retail pharmacy			Entocort CIR ns for applications meeting
Both: 1 Mild to moderate ileal, ileocaecal or proximal Crohn's dise 2 Any of the following: 2.1 Diabetes; or 2.2 Cushingoid habitus; or 2.3 Osteoporosis where there is significant risk of fract			
			continued.

20

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	I Generic
\$	Per 🗸	Manufacturer

continued...

2.4 Severe acne following treatment with conventional corticosteroid therapy; or

2.5 History of severe psychiatric problems associated with corticosteroid treatment; or

2.6 History of major mental illness (such as bipolar affective disorder) where the risk of conventional corticosteroid treatment causing relapse is considered to be high; or

2.7 Relapse during pregnancy (where conventional corticosteroids are considered to be contraindicated).

Initial application — (collagenous and lymphocytic colitis (microscopic colitis)) from any relevant practitioner. Approvals valid for 6 months where patient has a diagnosis of microscopic colitis (collagenous or lymphocytic colitis) by colonoscopy with biopsies.

Initial application — (gut Graft versus Host disease) from any relevant practitioner. Approvals valid for 6 months where patient has a gut Graft versus Host disease following allogenic bone marrow transplantation*.

Note: Indication marked with * is an Unapproved Indication.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Clinical trials for Entocort CIR use beyond three months demonstrated no improvement in relapse rate.

HYDROCORTISONE ACETATE

Rectal foam 10%, CFC-Free (14 applications)	26.55	21.1 g OP	✓ Colifoam
MESALAZINE			
Tab 400 mg	49.50	100	Asacol
Tab EC 500 mg	49.50	100	Asamax
Tab long-acting 500 mg	59.05	100	 Pentasa
Tab 800 mg	85.50	90	Asacol
Modified release granules, 1 g		120 OP	 Pentasa
Enema 1 g per 100 ml	41.30	7	Pentasa
Suppos 500 mg	22.80	20	Asacol
Suppos 1 g	54.60	30	Pentasa
OLSALAZINE			
Tab 500 mg	59.86	100	 Dipentum
Cap 250 mg		100	 Dipentum
SODIUM CROMOGLYCATE			•
Cap 100 mg	92.91	100	 Nalcrom
SULPHASALAZINE			
* Tab 500 mg – For sulphasalazine oral liquid formulation refer,			
page 221	14.00	100	 Salazopyrin
* Tab EC 500 mg		100	✓ Salazopyrin EN

Local preparations for Anal and Rectal Disorders

Antihaemorrhoidal Preparations

FLUOCORTOLONE CAPROATE WITH FLUOCORTOLONE PIVALATE AND CINCHOCAINE

Oint 950 mcg, with fluocortolone pivalate 920 mcg, and			
cinchocaine hydrochloride 5 mg per g6.3	35 3	0gOP v	 Ultraproct
Suppos 630 mcg, with fluocortolone pivalate 610 mcg, and			
cinchocaine hydrochloride 1 mg2.6	66	12	 Ultraproct
HYDROCORTISONE WITH CINCHOCAINE			
Oint 5 mg with cinchocaine hydrochloride 5 mg per g15.0	00 3	0gOP v	Proctosedyl
Suppos 5 mg with cinchocaine hydrochloride 5 mg per g9.		12	Proctosedyl

‡ safety cap

	<u> </u>			
	Subsidy (Manufacturer's Price) Sub	Fully Brand or sidised Generic	
	(Manulacturer 5 1 1106 \$	Per	Manufactu	rer
Management of Anal Fissures				
GLYCERYL TRINITRATE - Special Authority see SA1329	elow – Retail pharmacy			
* Oint 0.2%		30 g OP	 Rectogesic 	
SA1329 Special Authority for Subsidy				
nitial application from any relevant practitioner. Approvals		ewal unles	s notified where the	patient has a
Antispasmodics and Other Agents Altering				
Inj 200 mcg per ml, 1 ml ampoule – Up to 10 inj availab	le on a			
PSO		10	🗸 Max Health	
HYOSCINE N-BUTYLBROMIDE				
* Tab 10 mg	2.18	20	 Gastrosootł 	ne
Inj 20 mg, 1 ml – Up to 5 inj available on a PSO	9.57	5	 Buscopan 	
MEBEVERINE HYDROCHLORIDE				
* Tab 135 mg		90	 Colofac 	
Antiulcerants				
Antisecretory and Cytoprotective				
MISOPROSTOL				
* Tab 200 mcg	41.50	120	 Cytotec 	
Helicobacter Pylori Eradication				
CLARITHROMYCIN				
Tab 500 mg - Subsidy by endorsement	10.40	14	 Apo-Clarith 	romycin
 a) Maximum of 14 tab per prescription b) Subsidized only if prescribed for beliephotor multiple 	ari aradiaatian and prog	aviation is a	adaraad aaaardinal	.,
b) Subsidised only if prescribed for helicobacter pyc) Apo-Clarithromycin to be Sole Supply on 1 Octo		cription is e	indorsed accordingi	у.
Note: the prescription is considered endorsed if cla and either amoxicillin or metronidazole.		in conjunc	tion with a proton p	ump inhibitor
H2 Antagonists				
RANITIDINE – Only on a prescription				
* Tab 150 mg		500	 Ranitidine F 	
* Tab 300 mg		500	 Ranitidine F Rentice athe 	
 * Oral liq 150 mg per 10 ml * Inj 25 mg per ml, 2 ml 		300 ml 5	 Peptisoothe Zantac 	9
Proton Pump Inhibitors				
ANSOPRAZOLE				
* Cap 15 mg		100	✓ Lanzol Relie	
* Сар 30 mg	5.93	100	 Lanzol Relie 	ef

	Subsidy		Fully	
	(Manufacturer's Price)	Per	Subsidised	Generic Manufacturer
	\$	Per	•	Manufacturer
OMEPRAZOLE				
For omeprazole suspension refer Standard Formulae, page 2	224			
* Cap 10 mg	2.23	90	✓	Omezol Relief
* Cap 20 mg		90	1	Omezol Relief
* Cap 40 mg		90	1	Omezol Relief
* Powder – Only in combination		5 g	1	Midwest
Only in extemporaneously compounded omeprazole sus		Ű		
* Inj 40 mg ampoule with diluent		5	1	Dr Reddy's
· · · j · · · · · · · · · · · · · · · ·				Omeprazole
PANTOPRAZOLE	0.44	400		Damage Dallad
* Tab EC 20 mg		100		Panzop Relief
* Tab EC 40 mg	3.35	100	•	Panzop Relief
Othe Durate atting America				
Site Protective Agents				
COLLOIDAL BISMUTH SUBCITRATE				
	1451	50		Gastrodenol S29
Tab 120 mg	14.51	50	v	Gastrodenoi 529
SUCRALFATE				
Tab 1 g		120		
	(48.28)			Carafate
			_	
Bile and Liver Therapy				
DIEAVIMIN Special Authority con SA1461 below Betail abor	200			
RIFAXIMIN – Special Authority see SA1461 below – Retail pharr		56		Xifaxan
Tab 550 mg Vifayan ta ba Sala Supply on 1 October 2017	020.00	00	•	ΛΠαλαΠ
Xifaxan to be Sole Supply on 1 October 2017				

SA1461 Special Authority for Subsidy

Initial application only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid for 6 months where the patient has hepatic encephalopathy despite an adequate trial of maximum tolerated doses of lactulose.

Renewal only from a gastroenterologist, hepatologist or Practitioner on the recommendation of a gastroenterologist or hepatologist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Diabetes

Hyperglycaemic Agents

DIAZOXIDE - Special Authority see SA1320 below - Retail ph	narmacy		
Cap 25 mg	110.00	100	 Proglicem S29
Cap 100 mg		100	 Proglicem S29
Oral liq 50 mg per ml	620.00	30 ml OP	 Proglycem S29
➡SA1320 Special Authority for Subsidy			
Initial application from any relevant practitioner. Approvals va	alid for 12 months	where used for	the treatment of confirmed
hypoglycaemia caused by hyperinsulinism.			
Renewal from any relevant practitioner. Approvals valid without appropriate and the patient is benefiting from treatment.	ut further renewal u	unless notified	where the treatment remains
GLUCAGON HYDROCHLORIDE Inj 1 mg syringe kit – Up to 5 kit available on a PSO		1	 Glucagen Hypokit

	Subsidy (Manufacturer's Pr \$	ice) Subs Per	Fully sidised	Brand or Generic Manufacturer
Insulin - Short-acting Preparations				
NSULIN NEUTRAL ▲ Inj human 100 u per ml	25.26	10 ml OP		Actrapid
▲ Inj human 100 u per ml, 3 ml	42.66	5	✓ ,	Humulin R Actrapid Penfill Humulin R
Insulin - Intermediate-acting Preparations				
NSULIN ASPART WITH INSULIN ASPART PROTAMINE	52.15	5	~	NovoMix 30 FlexPen
NSULIN ISOPHANE ▲ Inj human 100 u per ml	17.68	10 ml OP		Humulin NPH
▲ Inj human 100 u per ml, 3 ml	29.86	5	✓	Protaphane Humulin NPH Protaphane Penfill
NSULIN ISOPHANE WITH INSULIN NEUTRAL Inj human with neutral insulin 100 u per ml	25.26	10 ml OP		Humulin 30/70 Mixtard 30
Inj human with neutral insulin 100 u per ml, 3 ml	42.66	5	\ \ \	Humulin 30/70 PenMix 30 PenMix 40 PenMix 50
NSULIN LISPRO WITH INSULIN LISPRO PROTAMINE			•	rennix 50
3 ml Inj lispro 50% with insulin lispro protamine 50% 100 u per ml,		5		Humalog Mix 25
3 ml		5	•	Humalog Mix 50
Insulin - Long-acting Preparations				
NSULIN GLARGINE Inj 100 u per ml, 10 ml Inj 100 u per ml, 3 ml	63.00 94.50	1 5		Lantus Lantus
Inj 100 u per ml, 3 ml disposable pen		5	✓	Lantus SoloStar
Insulin - Rapid Acting Preparations				
NSULIN ASPART Inj 100 u per ml, 3 ml syringe Inj 100 u per ml, 3 ml Inj 100 u per ml, 10 ml	51.19	5 5 1	✓	NovoRapid FlexPen NovoRapid Penfill NovoRapid
NSULIN GLULISINE Inj 100 u per ml, 10 ml Inj 100 u per ml, 3 ml Inj 100 u per ml, 3 ml disposable pen	46.07	1 5 5	✓ .	Apidra Apidra Apidra SoloStar
NSULIN LISPRO ▲ Inj 100 u per ml, 10 ml ▲ Inj 100 u per ml, 3 ml		10 ml OP 5		Humalog Humalog

24

	Subsidy		Fully	
	(Manufacturer's Price)		Subsidised	
	\$	Per	1	Manufacturer
Alpha Glucosidase Inhibitors				
ACARBOSE				
* Tab 50 mg	4.28	90	1	Glucobay
* Tab 100 mg	7.78	90	1	Glucobay
Oral Hypoglycaemic Agents				
GLIBENCLAMIDE				
* Tab 5 mg	5.00	100	1	Daonil
C C		100	•	Buom
GLICLAZIDE	10.00	500		Glizide
* Tab 80 mg Glizide to be Sole Supply on 1 October 2017	10.29	500	•	Glizide
GLIPIZIDE * Tab 5 mg	2.85	100	1	Minidiab
-	2.00	100	•	
	0.50	1 000		Matabak
* Tab immediate-release 500 mg		1,000		Metchek Anotox
* Tab immediate-release 850 mg	1.82	500		Apotex Metformin Mylan
			•	Metroritini Mytan
PIOGLITAZONE	o /=			.,
* Tab 15 mg		90		Vexazone
 * Tab 30 mg * Tab 45 mg 		90 90	-	Vexazone Vexazone
* Tab 45 mg		90	•	Vexazone
Diabetes Management				
Ketone Testing				
BLOOD KETONE DIAGNOSTIC TEST METER – Up to 1 meter	available on a PSO			
Meter funded for the purposes of blood ketone diagnostics of		one o	r more ep	isodes of ketoacidosis and is
at risk of future episodes or patient is on an insulin pump. C				
Meter		1	1	Freestyle Optium
				Neo
KETONE BLOOD BETA-KETONE ELECTRODES				
a) Maximum of 20 strip per prescription				
b) Up to 10 strip available on a PSO				
Test strip – Not on a BSO) strip	OP 🗸	Freestyle Optium Ketone
SODIUM NITROPRUSSIDE - Maximum of 50 strip per prescrip	tion			
 Test strip – Not on a BSO) strip	OP 🗸	Accu-Chek
· · · · · · · · · · · · · · · · · · ·		- on p		Ketur-Test
	14.14		1	Ketostix

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$ Three months or six months, as applicable, dispensed all-at-once

\$	Per		Manufacturer
ptions will be subsidised	d for pa ed me	atients who a ter, other tha	already have a CareSer an CareSens, are eligibl
test 20.00	1 OP	√ 0	careSens II careSens N careSens N POP
d of prior dispensing of i	insulin	n or sulphony	lurea; or
	r a patient who: erglycaemia; or homeostasis excluding ptions will be subsidised viously received a fund where there exists a rec test 	r a patient who: erglycaemia; or homeostasis excluding type ptions will be subsidised for pr viously received a funded me where there exists a record of test 	r a patient who: erglycaemia; or homeostasis excluding type 1 or type 2 d ptions will be subsidised for patients who a viously received a funded meter, other tha where there exists a record of prior dispension test

 Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

► SA1294 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

 PO Box 10 254
 Facsimile: (04) 974 4788

 Wellington
 Email: bgstrips@pharmac.govt.nz

26

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sul	osidised	Generic	
\$	Per	1	Manufacturer	

⇒SA1291 Special Authority for Subsidy

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz and can be sent to: PHARMAC

PO Box 10 254 Facsimile: (04) 974 4788

 Wellington
 Email: bgstrips@pharmac.govt.nz

BLOOD GLUCOSE TEST STRIPS (VISUALLY IMPAIRED)

The number of test strips available on a prescription is restricted to 50 unless:

- 1) Prescribed for a patient on insulin or a sulphonylurea and endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin or sulphonylurea; or
- Prescribed on the same prescription as insulin or a sulphonylurea in which case the prescription is deemed to be endorsed; or
- 3) Prescribed for a pregnant woman with diabetes and endorsed accordingly; or
- 4) Prescribed for a patient on home TPN at risk of hypoglycaemia or hyperglycaemia and endorsed accordingly; or
- 5) Prescribed for a patient with a genetic or an acquired disorder of glucose homeostasis excluding type 1 or type 2 diabetes and metabolic syndrome and endorsed accordingly.

Blood glucose test strips	50 test OP	 SensoCard
---------------------------	------------	-------------------------------

Insulin Syringes and Needles

Subsidy is available for disposable insulin syringes, needles, and pen needles if prescribed on the same form as the one used for the supply of insulin or when prescribed for an insulin patient and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of insulin.

INS	ULIN PEN NEEDLES - Maximum of 100 dev per prescription			
*	29 g × 12.7 mm	10.50	100	B-D Micro-Fine
*	31 g × 5 mm	11.75	100	B-D Micro-Fine
*	31 g × 6 mm	10.50	100	🗸 ABM
*	31 g × 8 mm	10.50	100	B-D Micro-Fine
*	32 g × 4 mm	10.50	100	B-D Micro-Fine
	ULIN SYRINGES, DISPOSABLE WITH ATTACHED NEEDLE		0 dev per pro	escription
*	Syringe 0.3 ml with 29 g × 12.7 mm needle	13.00	100	B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.3 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 0.5 ml with 29 g × 12.7 mm needle	13.00	100	 B-D Ultra Fine
		1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 0.5 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
*	Syringe 1 ml with 29 g × 12.7 mm needle	13.00	100	B-D Ultra Fine
	, , , ,	1.30	10	
		(1.99)		B-D Ultra Fine
*	Syringe 1 ml with 31 g × 8 mm needle	13.00	100	B-D Ultra Fine II
		1.30	10	
		(1.99)		B-D Ultra Fine II
		, ,		

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Insulin Pumps				
 INSULIN PUMP - Special Authority see SA1603 below - Retail a) Maximum of 1 dev per prescription b) Only on a prescription c) Maximum of 1 insulin pump per patient each four year per 				
Min basal rate 0.025 U/h; black colour		1	1	Animas Vibe
Min basal rate 0.025 U/h; blue colour		1		Animas Vibe
Min basal rate 0.025 U/h; green colour		1	1	Animas Vibe
Min basal rate 0.025 U/h; pink colour		1	1	Animas Vibe
Min basal rate 0.025 U/h; silver colour		1	1	Animas Vibe
Min basal rate 0.05 U/h; blue colour		1		Paradigm 522
		•		Paradigm 722
Min basal rate 0.05 U/h; clear colour	4 400 00	1		Paradigm 522
				Paradigm 722
Min basal rate 0.05 U/h; pink colour	4 400 00	1		Paradigm 522
				Paradigm 722
Min basal rate 0.05 U/h; purple colour	4 400 00	1		Paradigm 522
		'		Paradigm 722
Min basal rate 0.05 U/h; smoke colour	4 400 00	1		Paradigm 522
		1		Paradigm 722
			•	raiauiyiii 122

⇒SA1603 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 It has been at least 4 years since the last insulin pump received by the patient or, in the case of patients qualifying under previous pump therapy for the initial application; the pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

28

1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and

continued...

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	✓	Manufacturer

continued...

- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or

*Three months or six months, as applicable, dispensed all-at-once

9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and

continued...

‡ safety cap

Subsidy		Fully	Brand or
(Manufacturer's Price)	S	ubsidised	Generic
\$	Per	✓	Manufacturer

continued...

- 3 Either:
 - 3.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 3.2 The pump is due for replacement; and
- 4 Either:
 - 4.1 Applicant is a relevant specialist; or
 - 4.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 8.2 The pump is due for replacement; and

9 Either:

- 9.1 Applicant is a relevant specialist; or
- 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from the time of commencing pump treatment; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:
 - 4.1 It has been at least 4 years since the last insulin pump was received by the patient; or
 - 4.2 The pump is due for replacement; and
- 5 Either:
 - 5.1 Applicant is a relevant specialist; or
 - 5.2 Applicant is a nurse practitioner working within their vocational scope.

Insulin Pump Consumables

⇒SA1604 Special Authority for Subsidy

Initial application — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

30

continued...

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
(Manulacturer s r fice)	Per		Manufacturer	

continued...

- 1 Patient has permanent neonatal diabetes; and
- 2 A MDI regimen trial is inappropriate; and
- 3 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 4 Patient/Parent/Guardian has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 5 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 6 Either:
 - 6.1 Applicant is a relevant specialist; or
 - 6.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (permanent neonatal diabetes) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction; and
- 2 Patient remains fully compliant and transition to MDI is considered inappropriate by the treating physician; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an appropriate health professional); and
- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has had four severe unexplained hypoglycaemic episodes over a six month period (severe as defined as requiring the assistance of another person); and
- 6 Has an average HbA1c between the following range: equal to or greater than 53 mmol/mol and equal to or less than 90 mmol/mol; and
- 7 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (severe unexplained hypoglycaemia) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of at least a 50% reduction from baseline in hypoglycaemic events; and
- 2 HbA1c has not increased by more than 5 mmol/mol from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or

*Three months or six months, as applicable, dispensed all-at-once

3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Has undertaken carbohydrate counting education (either a carbohydrate counting course or direct education from an

continued...

\$ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsid	lised	Generic
\$	Per	✓	Manufacturer

continued...

appropriate health professional); and

- 3 Applicant is part of a multidisciplinary team experienced in the management of type 1 diabetes care; and
- 4 Has adhered to an intensive MDI regimen using analogue insulins for at least six months; and
- 5 Has unpredictable and significant variability in blood glucose including significant hypoglycaemia affecting the ability to reduce HbA1; and
- 6 In the opinion of the treating clinician, HbA1c could be reduced by at least 10 mmol/mol using insulin pump treatment; and
- 7 Has typical HbA1c results between the following range: equal to or greater than 65 mmol/mol and equal to or less than 90 mmol/mol; and
- 8 Has been evaluated by the multidisciplinary team for their suitability for insulin pump therapy; and
- 9 Either:
 - 9.1 Applicant is a relevant specialist; or
 - 9.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (HbA1c) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient is continuing to derive benefit according to the treatment plan agreed at induction of achieving and maintaining a reduction in HbA1c from baseline of 10 mmol/mol; and
- 2 The number of severe unexplained recurrent hypoglycaemic episodes has not increased from baseline; and
- 3 Either:
 - 3.1 Applicant is a relevant specialist; or
 - 3.2 Applicant is a nurse practitioner working within their vocational scope.

Initial application — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient has type 1 diabetes or has undergone a pancreatectomy or has cystic fibrosis-related diabetes; and
- 2 Was already on pump treatment prior to 1 September 2012 and had been evaluated by the multidisciplinary team for their suitability for insulin pump therapy at the time of initiating that pump treatment and continues to benefit from pump treatment; and
- 3 The patient has adhered to an intensive MDI regimen using analogue insulins for at least six months prior to initiating pump therapy; and
- 4 The patient is continuing to derive benefit from pump therapy; and
- 5 The patient had achieved and is maintaining a HbA1c of equal to or less than 80 mmol/mol on pump therapy; and
- 6 The patient has had no increase in severe unexplained hypoglycaemic episodes from baseline; and
- 7 The patient's HbA1c has not deteriorated more than 5 mmol/mol from baseline; and
- 8 Either:
 - 8.1 Applicant is a relevant specialist; or
 - 8.2 Applicant is a nurse practitioner working within their vocational scope.

Renewal — (Previous use before 1 September 2012) only from a relevant specialist or nurse practitioner. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 The patient is continuing to derive benefit according to the treatment plan and has maintained a HbA1c of equal to or less than 80 mmol/mol; and
- 2 The patient's HbA1c has not deteriorated more than 5 mmol/mol from initial application; and
- 3 The patient has not had an increase in severe unexplained hypoglycaemic episodes from baseline; and
- 4 Either:

32

- 4.1 Applicant is a relevant specialist; or
- 4.2 Applicant is a nurse practitioner working within their vocational scope.

	Subsidy			Brand or
	(Manufacturer's Price) \$	S Per		Generic Manufacturer
INSULIN PUMP ACCESSORIES – Special Authority see SA1604	*			Wandlacturer
a) Maximum of 1 cap per prescription	4 on page 30 – Rela	ii pharm	acy	
b) Only on a prescription				
c) Maximum of 1 prescription per 180 days.				
Battery cap		1	🗸 Ani	mas Battery Cap
INSULIN PUMP INFUSION SET (STEEL CANNULA) - Special A		1 on nad		• •
a) Maximum of 3 sets per prescription		r on pag		il pharmady
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
10 mm steel needle; 29 G; manual insertion; 60 cm tubing ×				
10 with 10 needles	130.00	1 OP	🗸 Par	adigm Sure-T
				IMT-884
10 mm steel needle; 29 G; manual insertion; 60 cm tubing \times				
10 with 10 needles; luer lock	130.00	1 OP	🗸 Sur	e-T MMT-883
10 mm steel needle; 29 G; manual insertion; 80 cm tubing ×				
10 with 10 needles	130.00	1 OP	🗸 Par	adigm Sure-T
			N	IMT-886
10 mm steel needle; 29 G; manual insertion; 80 cm tubing \times				
10 with 10 needles; luer lock		1 OP	🗸 Sur	e-T MMT-885
6 mm steel cannula; straight insertion; 60 cm grey line \times 10 w				
10 needles	130.00	1 OP	V Coi	ntact-D
6 mm steel needle; 29 G; manual insertion; 60 cm tubing ×			<i>.</i> -	
10 with 10 needles	130.00	1 OP		adigm Sure-T
			IV	IMT-864
6 mm steel needle; 29 G; manual insertion; 60 cm tubing × 10 with 10 needles; luer lock	100.00	1 OP		e-T MMT-863
6 mm steel needle; 29 G; manual insertion; 80 cm tubing ×		IUF	• Sui	e-1 WWW1-003
10 with 10 needles	130.00	1 OP	🖌 Dar	adigm Sure-T
To with to fleedies		TOF		IMT-866
6 mm steel needle; 29 G; manual insertion; 80 cm tubing \times				
10 with 10 needles; luer lock	130.00	1 OP	🗸 Sur	e-T MMT-865
8 mm steel cannula; straight insertion; 110 cm grey line ×			•••	••••••
10 with 10 needles	130.00	1 OP	🗸 Cor	ntact-D
8 mm steel cannula; straight insertion; 60 cm grey line $ imes$ 10 w				
10 needles		1 OP	🗸 Coi	ntact-D
8 mm steel needle; 29 G; manual insertion; 60 cm tubing ×				
10 with 10 needles	130.00	1 OP	🗸 Par	adigm Sure-T
			Ν	IMT-874
8 mm steel needle; 29 G; manual insertion; 60 cm tubing \times				
10 with 10 needles; luer lock	130.00	1 OP	🗸 Sur	e-T MMT-873
8 mm steel needle; 29 G; manual insertion; 80 cm tubing \times				
10 with 10 needles	130.00	1 OP		adigm Sure-T
			N	IMT-876
8 mm steel needle; 29 G; manual insertion; 80 cm tubing × 10 with 10 needles; luer lock	120.00	1 OP		e-T MMT-875
TO WITH TO HEEDIES, ILEF TOCK	130.00	IUP	▼ Sur	e-1 WIWI1-0/0

‡ safety cap

	Subsidy		Fully	Brand or
	(Manufacturer's Pr	ice) Subs	sidised	Generic
	\$	Per	1	Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	SERTION WITH	INSERTION	DEVICE	E) – Special Authority see
SA1604 on page 30 – Retail pharmacy				,,,,
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
13 mm teflon cannula; angle insertion; insertion device; 110 c				
grey line × 10 with 10 needles		1 OP	🖌 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn			_	
blue line × 10 with 10 needles		1 OP	🗸 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn				
grey line × 10 with 10 needles		1 OP	🗸 In	set 30
13 mm teflon cannula; angle insertion; insertion device; 60 cn		4.00		
pink line × 10 with 10 needles		1 OP		set 30
INSULIN PUMP INFUSION SET (TEFLON CANNULA, ANGLE IN	ISERTION) – Sp	pecial Authorit	ty see <mark>S/</mark>	A1604 on page 30 –
Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescriptionc) Maximum of 13 infusion sets will be funded per year.				
13 mm teflon cannula; angel insertion; 60 cm grey line × 5 wil	h			
10 needles		1 OP	✓ C	omfort Short
13 mm teflon cannula; angle insertion; 120 cm line × 10 with	120.00			
10 needles		1 OP	🗸 Pa	aradigm Silhouette
				MMT-382
13 mm teflon cannula; angle insertion; 45 cm line $ imes$ 10 with				
10 needles	130.00	1 OP	🖌 Pa	aradigm Silhouette
				MMT-368
13 mm teflon cannula; angle insertion; 60 cm line \times 10 with				
10 needles	130.00	1 OP		aradigm Silhouette
				MMT-381
13 mm teflon cannula; angle insertion; 80 cm line × 10 with	100.00	4.00	(D	
10 needles		1 OP		aradigm Silhouette MMT-383
17 mm toflen connulo; angle incertion; 110 cm grou line v				IVIIVI I -303
17 mm teflon cannula; angle insertion; 110 cm grey line × 5 with 10 needles	120.00	1 OP	1 C	omfort
17 mm teflon cannula; angle insertion; 110 cm line \times 10 with	120.00	101		onnon
10 needles	130.00	1 OP	🖌 Pa	aradigm Silhouette
				MMT-377
17 mm teflon cannula; angle insertion; 110 cm line \times 10 with				
10 needles; luer lock		1 OP	🖌 Si	Ihouette MMT-371
17 mm teflon cannula; angle insertion; 60 cm grey line × 5 wit	th			
10 needles	120.00	1 OP	🗸 C	omfort
17 mm teflon cannula; angle insertion; 60 cm line \times 10 with				
10 needles	130.00	1 OP		aradigm Silhouette
				MMT-378
17 mm teflon cannula; angle insertion; 60 cm line \times 10 with				
10 needles; luer lock	130.00	1 OP	✓ Si	Ihouette MMT-373
17 mm teflon cannula; angle insertion; 80 cm line \times 10 with	400.00	4.00	<i>.</i> -	
10 needles		1 OP		aradigm Silhouette
				MMT-384

34

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	
	\$	Per	1	Manufacturer
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	IT INSERTION WITH	LINSE		EVICE) - Special Authority
see SA1604 on page 30 – Retail pharmacy				
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
6 mm teflon cannula; straight insertion; insertion device;				
110 cm grey line × 10 with 10 needles	140.00	1 OP	1	Inset II
6 mm teflon cannula; straight insertion; insertion device; 45 c				
blue tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
		1 01	-	MMT-941
6 mm teflon cannula; straight insertion; insertion device; 45 c	m			
pink tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
pink tubing × 10 with 10 heedles		101	•	MMT-921
6 mm teflon cannula; straight insertion; insertion device; 60 c	m			WIWI 1-92 I
blue tubing × 10 with 10 needles		1 OP	1	Paradigm Mio
blue lubing x to with to heedles		TOF	•	MMT-943
6 mm tallan connular attaight incertion incertion devices 60 a				WIWI 1-943
6 mm teflon cannula; straight insertion; insertion device; 60 c pink tubing × 10 with 10 needles		1 OP		Paradigm Mio
plink tubing x to with to needles		TUP	•	MMT-923
Commutation commutes statistic incentions incention devices 00 a				WIWI 1-923
6 mm teflon cannula; straight insertion; insertion device; 80 c		1 OP		Devedian Mie
blue tubing × 10 with 10 needles		TOP	v	Paradigm Mio MMT-945
6 mm taflen connules attaight incertions incertion devices 00 a				IVIIVI 1-945
6 mm teflon cannula; straight insertion; insertion device; 80 c		1 OP		Paradigm Mio
clear tubing × 10 with 10 needles		TUP	•	MMT-965
6 mm tallan connular attaight incertion incertion devices 00 a				101001-905
6 mm teflon cannula; straight insertion; insertion device; 80 c		1 00		Devedian Mie
pink tubing × 10 with 10 needles		1 OP	v	Paradigm Mio MMT-925
Compatible consules statisht in entitle line stime devices CO a				WIW 1-925
6 mm teflon cannula; straight insertionl insertion device; 60 cl blue line x 10 with 10 needles		1 OP		Inset II
		TOP	v	Inset II
6 mm teflon cannula; straight insertionl insertion device; 60 c	m 1 10 00	4 00		I I II
grey line × 10 with 10 needles		1 OP	•	Inset II
6 mm teflon cannula; straight insertionl insertion device; 60 c		4 00		1
pink line × 10 with 10 needles		1 OP	•	Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 c				
blue line × 10 with 10 needles		1 OP	~	Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 c				
grey line × 10 with 10 needles		1 OP	~	Inset II
9 mm teflon cannula; straight insertion; insertion device; 60 c			-	
pink line × 10 with 10 needles		1 OP	~	Inset II
9 mm teflon cannula; straight insertion; insertion device; 80 c			-	
clear tubing × 10 with 10 needles	130.00	1 OP	~	Paradigm Mio
				MMT-975
9 mm teflon cannula; straight insertionl insertion device; 110			-	
grey line × 10 with 10 needles	140.00	1 OP	~	Inset II

\$ safety cap
*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pri \$	ice) Sub Per	Fully Bran bsidised Gene ✓ Manu	
INSULIN PUMP INFUSION SET (TEFLON CANNULA, STRAIGH	T INSERTION) -	- Special Au	thority see SA1	604 on page 30 –
Retail pharmacy a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 infusion sets will be funded per year.				
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 w	ith			
10 needles		1 OP	 Paradig MMT- 	ım Quick-Set 398
6 mm teflon cannula; straight insertion; 110 cm tubing × 10 w	ith			
10 needles; luer lock	130.00	1 OP	🗸 Quick-S	Set MMT-391
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit	h			
10 needles	130.00	1 OP		m Quick-Set
			MMT-	399
6 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit				
10 needles; luer lock		1 OP	Quick-S	Set MMT-393
6 mm teflon cannula; straight insertion; 80 cm tubing × 10 wit		4.05		
10 needles		1 OP	Paradig MMT-	m Quick-Set
0 mm taflan cannula, atraight insertion, 100 am tubing 10 uu	ith		111111	307
9 mm teflon cannula; straight insertion; 106 cm tubing × 10 w 10 needles		1 OP	🖌 Daradio	ım Quick-Set
		101	MMT-	
9 mm teflon cannula; straight insertion; 110 cm tubing $ imes$ 10 w	ith			000
10 needles: luer lock		1 OP	✓ Quick-9	Set MMT-390
9 mm teflon cannula; straight insertion; 60 cm tubing \times 10 wit		1 01	Guion	
10 needles		1 OP	🗸 Paradio	m Quick-Set
			MMT-	
9 mm teflon cannula; straight insertion; 60 cm tubing × 10 wit	h			
10 needles; luer lock		1 OP	🗸 Quick-S	Set MMT-392
9 mm teflon cannula; straight insertion; 80 cm tubing × 10 wit				
10 needles		1 OP	🗸 Paradig	ım Quick-Set
			MMT-	386
INSULIN PUMP RESERVOIR - Special Authority see SA1604 or	n page 30 – Reta	il pharmacy		
a) Maximum of 3 sets per prescription				
b) Only on a prescription				
c) Maximum of 13 packs of reservoir sets will be funded per				
$10 \times \text{luer lock conversion cartridges 1.8 ml for Paradigm pum}$		1 OP		artridge 1.8
Cartridge 200 U, luer lock × 10		1 OP	Animas	
Cartridge for 5 and 7 series pump; 1.8 ml × 10	50.00	1 OP	 Paradig 	
	50.00	4.00		eservoir
Cartridge for 7 series pump; 3.0 ml × 10		1 OP	 Paradig Paradig 	
Ourigens and contrides for EOV summer 0.0 ml s 10	50.00	1.00		eservoir
Syringe and cartridge for 50X pump, 3.0 ml × 10	50.00	1 OP	✓ 50X 3.0	Reservoir
	Subsidy		Fully	Brand or
---	------------------------	-----	------------	--------------
	(Manufacturer's Price)	-	Subsidised	Generic
	\$	Per		Manufacturer
Digestives Including Enzymes				
PANCREATIC ENZYME				
Cap pancreatin 150 mg (amylase 8,000 Ph Eur U, lipase				
10,000 Ph Eur U, total protease 600 Ph Eur U)		100	✓ (Creon 10000
Cap pancreatin (175 mg (25,000 U lipase, 22,500 U amylase	·,			
1,250 U protease))		100	🗸 F	Panzytrat
Cap pancreatin 300 mg (amylase 18,000 Ph Eur U, lipase				-
25,000 Ph Eur U, total protease 1,000 Ph Eur U)		100	✓ (Creon 25000
URSODEOXYCHOLIC ACID - Special Authority see SA1383 be	low – Retail pharmad	y		
Cap 250 mg – For ursodeoxycholic acid oral liquid formulation	on .			
refer, page 221		100	✓ (Jrsosan
Ursosan to be Sole Supply on 1 October 2017				

➡SA1383 Special Authority for Subsidy

Initial application — (Alagille syndrome or progressive familial intrahepatic cholestasis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Fither:

- 1 Patient has been diagnosed with Alagille syndrome; or
- 2 Patient has progressive familial intrahepatic cholestasis.

Initial application — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic severe drug induced cholestatic liver injury; and
- 2 Cholestatic liver injury not due to Total Parenteral Nutrition (TPN) use in adults; and
- 3 Treatment with ursodeoxycholic acid may prevent hospital admission or reduce duration of stay.

Initial application — (Cirrhosis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Primary biliary cirrhosis confirmed by antimitochondrial antibody titre (AMA) > 1:80, and raised cholestatic liver enzymes with or without raised serum IgM or, if AMA is negative, by liver biopsy; and
- 2 Patient not requiring a liver transplant (bilirubin > 100 umol/l; decompensated cirrhosis).

Initial application — (Pregnancy) from any relevant practitioner. Approvals valid for 6 months where the patient diagnosed with cholestasis of pregnancy.

Initial application — (Haematological Transplant) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Patient at risk of veno-occlusive disease or has hepatic impairment and is undergoing conditioning treatment prior to allogenic stem cell or bone marrow transplantation; and
- 2 Treatment for up to 13 weeks.

Initial application — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 Paediatric patient has developed abnormal liver function as indicated on testing which is likely to be induced by Total Parenteral Nutrition (TPN); and
- 2 Liver function has not improved with modifying the TPN composition.

*Three months or six months, as applicable, dispensed all-at-once

Renewal — (Chronic severe drug induced cholestatic liver injury) from any relevant practitioner. Approvals valid for 6 months where the patient continues to benefit from treatment.

continued...

‡ safety cap

Three months supply may be dispensed at one time

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	✓	Manufacturer	

continued...

Renewal — (Pregnancy/Cirrhosis) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Total parenteral nutrition induced cholestasis) from any relevant practitioner. Approvals valid for 6 months where the paediatric patient continues to require TPN and who is benefiting from treatment, defined as a sustained improvement in bilirubin levels.

Note: Ursodeoxycholic acid is not an appropriate therapy for patients requiring a liver transplant (bilirubin > 100 micromol/l; decompensated cirrhosis). These patients should be referred to an appropriate transplant centre. Treatment failure -- doubling of serum bilirubin levels, absence of a significant decrease in ALP or ALT and AST, development of varices, ascites or encephalopathy, marked worsening of pruritus or fatigue, histological progression by two stages, or to cirrhosis, need for transplantation.

Laxatives

Bulk-forming Agents

ISPAGHULA (PSYLLIUM) HUSK – Only on a prescription * Powder for oral soln MUCILAGINOUS LAXATIVES WITH STIMULANTS * Dry		500 g OP 500 g OP 200 g OP	 Konsyl-D Normacol Plus Normacol Plus
Faecal Softeners			
DOCUSATE SODIUM – Only on a prescription * Tab 50 mg Coloxyl to be Sole Supply on 1 October 2017 * Tab 120 mg Coloxyl to be Sole Supply on 1 October 2017 * Enema conc 18% DOCUSATE SODIUM WITH SENNOSIDES * Tab 50 mg with sennosides 8 mg POLOXAMER – Only on a prescription Not funded for use in the ear. * Oral drops 10%	3.13 5.40 4.40	100 100 100 ml OP 200 30 ml OP	 ✓ Coloxyl ✓ Coloxyl ✓ Coloxyl ✓ Laxsol ✓ Coloxyl
Coloxyl to be Sole Supply on 1 October 2017			
Osmotic Laxatives			
GLYCEROL * Suppos 3.6 g – Only on a prescription LACTULOSE – Only on a prescription * Oral liq 10 g per 15 ml MACROGOL 3350 WITH POTASSIUM CHLORIDE, SODIUM Bli see SA1473 on the next page – Retail pharmacy Powder for oral soln 13.125 g with potassium chloride 46.6 m	3.18 CARBONATE AN	20 500 ml ND SODIUM Cl	 ✓ PSM ✓ Laevolac HLORIDE – Special Authority
sodium bicarbonate 178.5 mg and sodium chloride 350.7 mg – Maximum of 90 sach per prescription	0	30	 Lax-Sachets

	Subsidy		Fully	Brand or
	(Manufacturer's Price) \$	Subs Per	idised	Generic Manufacturer
	φ	Fei		Manulaciulei
- CA1470 Oregist Authority for Orthoidy				
SA1473 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals vali	d for 6 months for an	lications n	nootino	the following criteria:
Both:	a for o months for app		neeung	i ile ioliowing ciliena.
 The patient has problematic constipation despite an adeq 	uate trial of other oral	pharmaco	therap	ies including lactulose
where lactulose is not contraindicated; and		priamace	anorap	
2 The patient would otherwise require a per rectal preparati	on.			
Renewal from any relevant practitioner. Approvals valid for 12 n	nonths where the pati	ent is com	pliant a	nd is continuing to gain
benefit from treatment.				
SODIUM ACID PHOSPHATE – Only on a prescription	0.50			
Enema 16% with sodium phosphate 8%	2.50	1	. ►	leet Phosphate Enema
	- 0.1			Ellellia
SODIUM CITRATE WITH SODIUM LAURYL SULPHOACETATE	, , ,	DTION		
Enema 90 mg with sodium lauryl sulphoacetate 9 mg per ml. 5 ml		50	/ N	licolette
0 111		00	- 11	
Stimulant Laxatives				
BISACODYL – Only on a prescription				
* Tab 5 mg	5.99	200	✓ L	ax-Tab
* Suppos 10 mg		10		ax-Suppositories
SENNA – Only on a prescription				
* Tab, standardised	2.17	100		
	(6.84)		S	enokot
	0.43	20		
	(1.72)		S	enokot
Matabolic Disorder Agents				
Metabolic Disorder Agents				
Metabolic Disorder Agents ALGLUCOSIDASE ALFA – Special Authority see SA1622 below Inj 50 mg vial		1		lvozyme

■ SA1622 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient is aged up to 24 months at the time of initial application and has been diagnosed with infantile Pompe disease: and
- 2 Any of the following:
 - 2.1 Diagnosis confirmed by documented deficiency of acid alpha-glucosidase by prenatal diagnosis using chorionic villus biopsies and/or cultured amniotic cells; or
 - 2.2 Documented deficiency of acid alpha-glucosidase, and urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides; or
 - 2.3 Documented deficiency of acid alpha-glucosidase, and documented molecular genetic testing indicating a disease-causing mutation in the acid alpha-glucosidase gene (GAA gene); or
 - 2.4 Documented urinary tetrasaccharide testing indicating a diagnostic elevation of glucose tetrasaccharides, and molecular genetic testing indicating a disease-causing mutation in the GAA gene; and
- 3 Patient has not required long-term invasive ventilation for respiratory failure prior to starting enzyme replacement therapy (ERT): and
- 4 Patient does not have another life-threatening or severe disease where the prognosis is unlikely to be influenced by ERT

continued...

‡ safety cap

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	✓	Manufacturer

continued...

or might be reasonably expected to compromise a response to ERT; and

5 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Alglucosidase alfa to be administered at doses no greater than 20 mg/kg every 2 weeks; and
- 3 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 4 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by ERT; and
- 5 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT; and
- 6 There is no evidence of life threatening progression of respiratory disease as evidenced by the needed for > 14 days of invasive ventilation; and
- 7 There is no evidence of new or progressive cardiomyopathy.

GALSULFASE – Special Authority see SA1593 below – Retail pharmacy

⇒SA1593 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has been diagnosed with mucopolysaccharidosis VI; and
- 2 Either:
 - 2.1 Diagnosis confirmed by demonstration of N-acetyl-galactosamine-4-sulfatase (arylsulfatase B) deficiency by either enzyme activity assay in leukocytes or skin fibroblasts; or
 - 2.2 Detection of two disease causing mutations and patient has a sibling who is known to have mucopolysaccharidosis VI.

Renewal only from a metabolic physician. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The treatment remains appropriate for the patient and the patient is benefiting from treatment; and
- 2 Patient has not had severe infusion-related adverse reactions which were not preventable by appropriate pre-medication and/or adjustment of infusion rates; and
- 3 Patient has not developed another life threatening or severe disease where the long term prognosis is unlikely to be influenced by Enzyme Replacement Therapy (ERT); and
- 4 Patient has not developed another medical condition that might reasonably be expected to compromise a response to ERT.

IDURSULFASE – Special Authority see SA1623 below – Retail pharmacy

Inj 2 mg per ml, 3 ml vial...... 4,608.30 1 🖌 Elaprase

➡SA1623 Special Authority for Subsidy

Initial application only from a metabolic physician. Approvals valid for 24 weeks for applications meeting the following criteria: All of the following:

1 The patient has been diagnosed with Hunter Syndrome (mucopolysaccharidosis II); and

2 Either:

- 2.1 Diagnosis confirmed by demonstration of iduronate 2-sulfatase deficiency in white blood cells by either enzyme assay in cultured skin fibroblasts; or
- 2.2 Detection of a disease causing mutation in the iduronate 2-sulfatase gene; and
- 3 Patient is going to proceed with a haematopoietic stem cell transplant (HSCT) within the next 3 months and treatment with

continued...

	Subsidy (Manufacturer's Price \$	Fully) Subsidised Per ✔	Brand or Generic Manufacturer
continued idursulfase would be bridging treatment to t 4 Patient has not required long-term invasive (ERT); and		ior to starting Enz	yme Replacement Therapy
5 Idursulfase to be administered for a total of greater than 0.5 mg/kg every week.	24 weeks (equivalent to 12 weeks	pre- and 12 week	s post-HSCT) at doses no
SODIUM BENZOATE – Special Authority see SA Soln 100 mg per ml		100 ml 🗸	Amzoate S29
SA1599 Special Authority for Subsidy nitial application only from a metabolic physician cycle disorder. Renewal only from a metabolic physician. Approv			0
batient is benefiting from treatment. SODIUM PHENYLBUTYRATE – Special Authority Grans 483 mg per g			Pheburane
SA1598 Special Authority for Subsidy nitial application only from a metabolic physician cycle disorder involving a deficiency of carbamylph synthetase. Renewal only from a metabolic physician. Approv patient is benefiting from treatment.	 Approvals valid for 12 months w nosphate synthetase, ornithine tran 	here the patient has scarbamylase or a	argininosuccinate
Gaucher's Disease			
MIGLUCERASE – Special Authority see SA0473 Inj 40 iu per ml, 200 iu vial Inj 40 iu per ml, 400 iu vial ⇒SA0473 Special Authority for Subsidy Special Authority approved by the Gaucher's Treat Notes: Subject to a budgetary cap. Applications v Application details may be obtained from PHARMA		1 🗸 (Cerezyme Cerezyme vailability.
The Co-ordinator, Gaucher's Treatment Panel PHARMAC, PO Box 10 254 Wellington	Phone: (04) 460 4990 Facsimile: (04) 916 7571 Email: gaucherpanel@pharmac		
Mouth and Throat			
Agents Used in Mouth Ulceration			
BENZYDAMINE HYDROCHLORIDE			
Soln 0.15% – Higher subsidy of up to \$17.01 Endorsement	•	500 ml	Difflam
	3.60 (8.50)	200 ml	Difflam
Additional subsidy by endorsement for a p prescription is endorsed accordingly.	patient who has oral mucositis as a	result of treatmen	t for cancer, and the

‡ safety cap

	Subsidy		Fully Brand or
	(Manufacturer's F \$	Price) Subs Per	sidised Generic Manufacturer
	Ψ	1 61	• Manulacturer
CARMELLOSE SODIUM WITH GELATIN AND PECTIN Paste	17.20	56 g OP	✓ Stomahesive
	4.55	15 g OP	• Stomanesive
	(7.90)	15 9 01	Orabase
	1.52	5 g OP	Olabase
		5 y OF	Orabase
Dowdor	(3.60)	20 a OD	Olabase
Powder		28 g OP	Otomohooise
	(10.95)		Stomahesive
CHLORHEXIDINE GLUCONATE			
Mouthwash 0.2%	2.57	200 ml OP	✓ <u>healthE</u>
CHOLINE SALICYLATE WITH CETALKONIUM CHLORIDE			
 Adhesive gel 8.7% with cetalkonium chloride 0.01% 	2.06	15 g OP	
		10 9 01	Bonjela
	(6.00)		Donjela
FRIAMCINOLONE ACETONIDE			
Paste 0.1%		5 g OP	 Kenalog in Orabase
Kenalog in Orabase to be Sole Supply on 1 October 20)17		
Oropharyngeal Anti-infectives			
AMPHOTERICIN B			
Lozenges 10 mg	5.86	20	✓ Fungilin
		20	• Tungiini
/ICONAZOLE			
Oral gel 20 mg per g	4.79	40 g OP	 Decozol
VYSTATIN			
Oral lig 100,000 u per ml	2 55	24 ml OP	 m-Nystatin
			· III Hyotatiii
Other Oral Agents			
For folinic mouthwash, pilocarpine oral liquid or saliva substitute	e formula refer Sta	Indard Formula	e, page 224
HYDROGEN PEROXIDE			
	1 40	100 ml	Dharmaou Health
Soln 3% (10 vol) – Maximum of 200 ml per prescription	1.40	100 mi	Pharmacy Health
THYMOL GLYCERIN			
Compound, BPC	9.15	500 ml	✓ <u>PSM</u>
Vitamins			
Miteres in A			
Vitamin A			
/ITAMIN A WITH VITAMINS D AND C			
* Soln 1000 u with Vitamin D 400 u and ascorbic acid 30 mg	per		
10 drops		10 ml OP	 Vitadol C
Vitamin B			
HYDROXOCOBALAMIN			
Inj 1 mg per ml, 1 ml ampoule – Up to 6 inj available on a F	PSO2.31	3	Neo-B12
		-	
PYRIDOXINE HYDROCHLORIDE			
a) No more than 100 mg per dose			
 b) Only on a prescription 			
* Tab 25 mg – No patient co-payment payable	2.15	90	 Vitamin B6 25
* Tab 50 mg	11.55	500	 Apo-Pyridoxine
fully subsidised	S29 Unapp	proved medicine	supplied under Section 29
HP4] refer page 4	Sole Subsic	lised Supply	

Subsidy (Manufacturer's Price) Fully Subsidised Per Brand or Generic Manufacturer THIAMINE HYDROCHLORIDE – Only on a prescription * * Apo-Thiamine * Tab 50 mg 5.62 100 ✓ Apo-Thiamine VITAMIN B COMPLEX * 500 ✓ Bplex Vitamin C . . 7.15 500 ✓ Bplex Vitamin C . <
* Tab 50 mg .5.62 100 ✓ Apo-Thiamine VITAMIN B COMPLEX * Tab, strong, BPC .7.15 500 ✓ Bplex Vitamin C ASCORBIC ACID
* Tab, strong, BPC .7.15 500 ✓ Bplex Vitamin C ASCORBIC ACID
ASCORBIC ACID a) No more than 100 mg per dose b) Only on a prescription * Tab 100 mg
a) No more than 100 mg per dose b) Only on a prescription ★ Tab 100 mg
ALFACALCIDOL * Cap 0.25 mcg
* Cap 0.25 mcg26.32 100 ✓ One-Alpha One-Alpha to be Sole Supply on 1 September 2017 100 ✓ One-Alpha * Cap 1 mcg87.98 100 ✓ One-Alpha
★ Cap 1 mcg
One-Alpha to be Sole Supply on 1 September 2017
 ★ Oral drops 2 mcg per ml60.68 20 ml OP ✓ One-Alpha One-Alpha to be Sole Supply on 1 September 2017
CALCITRIOL ★ Cap 0.25 mcg
 ColleCALCIFEROL ★ Cap 1.25 mg (50,000 iu) - Maximum of 12 cap per prescription3.85 12 ✓ Vit.D3
Multivitamin Preparations
MULTIVITAMIN RENAL – Special Authority see SA1546 below – Retail pharmacy * Cap
SA1546 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:
 The patient has chronic kidney disease and is receiving either peritoneal dialysis or haemodialysis; or The patient has chronic kidney disease grade 5, defined as patient with an estimated glomerular filtration rate of < 15 ml/min/1.73 m² body surface area (BSA).
MULTIVITAMINS – Special Authority see SA1036 below – Retail pharmacy * Powder
 SA1036 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has inborn errors of metabolism. Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where patient has had a previor approval for multivitamins. VITAMINS
 ★ Tab (BPC cap strength)10.50 ★ Cap (fat soluble vitamins A, D, E, K) – Special Authority see
SA1002 on the next page – Retail pharmacy

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$ Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or
(Manufacturer's Price)		ubsidised	Generic
\$	Per		Manufacturer

SA1002 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 Patient has cystic fibrosis with pancreatic insufficiency; or 2 Patient is an infant or child with liver disease or short gut syndrome.

Minerals

-	
^ -I	cium
(a)	CIIIM
Vu	UIUIII

Tab eff 1.75 g (1 g elemental) 2.07 10 ✓ Calsource Tab 1.25 g (500 mg elemental) 5.38 250 ✓ Arrow-Calcium ALCIUM GLUCONATE 0 ✓ Hameln @@ ✓ Hospira Inj 10%, 10 nl ampoule 34.24 10 ✓ Hameln @@ Izerandi @@ Inj 10%, 10 nl ampoule to be delisted 1 October 2017) ✓ Hospira Fluoride 200100 ✓ PSM Odine 000 ✓ PSM Otta 1.1 mg (0.5 mg elemental) 5.00 100 ✓ PSM odine 0100 ✓ PSM 0100 ✓ PSM Otta 25 mcg (150 mcg elemental iodine) 3.65 90 ✓ NeuroTabs Fron 2.89 100 ✓ Ferro-tab ERROUS FUMARATE 7.5 60 ✓ Ferro-tab ERROUS SULPHATE 7.80 30 ✓ Ferrograd Tab 10 mg acting 325 mg (105 mg elemental) 0.80 500 ml ✓ Ferrograd Coral ig 30 mg (6 mg elemental) per 1 ml 1.80 30 30 ✓ Ferrograd F CNUS SULPHATE 10 ✓ Mampoule Ferrograd F Tab 10 mg-acting 325 mg (105 mg elemental) with folic acid 350 mg 1.80 30	Calcium			
Tab eff 1.75 g (1 g elemental) 2.07 10 ✓ Calsource Tab 1.25 g (500 mg elemental) 5.38 250 ✓ Arrow-Calcium ALCIUM GLUCONATE 0 ✓ Hameln @@ ✓ Hospira Inj 10%, 10 nl ampoule 34.24 10 ✓ Hameln @@ Izerandi @@ Inj 10%, 10 nl ampoule to be delisted 1 October 2017) ✓ Hospira Fluoride 200100 ✓ PSM Odine 000 ✓ PSM Otta 1.1 mg (0.5 mg elemental) 5.00 100 ✓ PSM odine 0100 ✓ PSM 0100 ✓ PSM Otta 25 mcg (150 mcg elemental iodine) 3.65 90 ✓ NeuroTabs Fron 2.89 100 ✓ Ferro-tab ERROUS FUMARATE 7.5 60 ✓ Ferro-tab ERROUS SULPHATE 7.80 30 ✓ Ferrograd Tab 10 mg acting 325 mg (105 mg elemental) 0.80 500 ml ✓ Ferrograd Coral ig 30 mg (6 mg elemental) per 1 ml 1.80 30 30 ✓ Ferrograd F CNUS SULPHATE 10 ✓ Mampoule Ferrograd F Tab 10 mg-acting 325 mg (105 mg elemental) with folic acid 350 mg 1.80 30	CALCIUM CARBONATE			
Tab 1.25 g (500 mg elemental)		2.07	10	 Calsource
Inj 10%, 10 ml ampoule 34.24 10 ✓ Hameln ﷺ Iameln ﷺ Inj 10%, 10 ml ampoule to be delisted 1 October 2017) ✓ Hospira Fluoride 5.00 100 ✓ PSM Odine 5.00 100 ✓ PSM Odine 5.00 100 ✓ PSM Other 5.00 100 ✓ PSM Odine 5.00 100 ✓ PSM Other 5.00 100 ✓ PSM Odine 5.00 100 ✓ PSM Other 5.00 100 ✓ PSM OBINE 5.00 100 ✓ PSM ODINE 5.00 100 ✓ PSM ODINE 5.00 100 ✓ PSM CROUS FUMARATE 3.65 90 ✓ NeuroTabs FROUS FUMARATE 2.89 100 ✓ Ferro-Fabs CROUS FUMARATE 2.89 100 ✓ Ferro-F-Tabs CROUS FUMARATE 500 ml ✓ Ferro-F-Tabs Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 10.80			250	 Arrow-Calcium
Inj 10%, 10 ml ampoule 34.24 10 ✓ Hameln ﷺ Iameln ﷺ Inj 10%, 10 ml ampoule to be delisted 1 October 2017) ✓ Hospira Fluoride 5.00 100 ✓ PSM Odine 000 ✓ SM DTASSIUM IODATE 5.00 100 ✓ PSM Tab 1.1 mg (0.5 mg elemental) 5.00 100 ✓ PSM Odine 000 ✓ PSM DTASSIUM IODATE 3.65 90 ✓ NeuroTabs ron 2.89 100 ✓ Ferro-tab ERROUS FUMARATE 2.89 100 ✓ Ferro-F-Tabs Tab 310 mg (100 mg elemental) 2.89 100 ✓ Ferro-F-Tabs ERROUS FUMARATE WITH FOLIC ACID 7 60 ✓ Ferro-F-Tabs Tab 10mg-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) with folic acid 300 ✓ Ferrograd F ON POLYMALTOSE 10 ✓ Ferrograd F Inj 50 mg per ml, 2 ml ampoule 15.22 5 ✓ Ferrum H Magnesium	CALCIUM GLUCONATE			
Iameln Image Inj 10%, 10 ml ampoule to be delisted 1 October 2017) Fluoride DDIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental) Tab 1.1 mg (0.5 mg elemental) Odine DTASSIUM IODATE Tab 253 mg (150 mg elemental iodine) Status Tab 253 mg (150 mg elemental) Status Tab 253 mg (150 mg elemental) Status Tab 253 mg (150 mg elemental) Tab 200 mg (65 mg elemental) Tab 200 mg (65 mg elemental) Tab 200 mg (65 mg elemental) Tab 310 mg (100 mg elemental) Tab 310 mg (100 mg elemental) Tab 310 mg (100 mg elemental) Tab 10 ng-acting 325 mg (105 mg elemental) 2.06 30 Y Ferrograd Yoral ing 30 mg (6 mg elemental) with folic acid 30 Y Ferrograd Y Ferrograd Yoral ing 30 mg (105 mg elemental) with folic acid 30 Yoral ing 30 mg (105 mg elemental) with folic acid 30 Yoral ing 30 mg (105 mg elemental) with folic acid 30 Yoral ing 30 mg (105 mg elemental) with folic acid 30 Yoral ing 30 mg elemental) with folic acid 30 Yoral ing 50 mg er Y manpoul			10	✓ Hameln S29
Fluoride DDIUM FLUORIDE Tab 1.1 mg (0.5 mg elemental) DTASSIUM IODATE Tab 253 mcg (150 mcg elemental iodine) Tab 253 mcg (150 mcg elemental iodine) STROUS FUMARATE Tab 200 mg (65 mg elemental) ERROUS FUMARATE Tab 200 mg (65 mg elemental) Coll Tab 200 mg (65 mg elemental) Coll Tab 310 mg (100 mg elemental) Tab 310 mg (100 mg elemental) Tab 310 mg (105 mg elemental) Tab 310 mg (105 mg elemental) .2.06 30 * Ferrostab STROUS SULPHATE Tab long-acting 325 mg (105 mg elemental) .2.06 30 * Ferrograd * Ferrograd * Ferrograd * Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg .1.80 .00 .1.80 .015 00 mg per ml, 2 ml ampoule .15.22 5 .015 00 mg per ml, 2 ml ampoule .10.21 10 .015 00 mg per ml, 2 ml ampoule .10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017	· · · , · · · · · · · · · · · · · · · · · · ·			✓ Hospira
DDIUM FLUORIDE 100 ✓ PSM Tab 1.1 mg (0.5 mg elemental) .5.00 100 ✓ PSM odine DTASSIUM IODATE	(Hameln 329) Inj 10%, 10 ml ampoule to be delisted 1 October 201	17)		·
Tab 1.1 mg (0.5 mg elemental) 5.00 100 ✓ PSM odine DTASSIUM IODATE 3.65 90 ✓ NeuroTabs ron 5.00 100 ✓ Ferro-tab ERROUS FUMARATE 2.89 100 ✓ Ferro-tab Tab 200 mg (65 mg elemental) 2.89 100 ✓ Ferro-tab ERROUS FUMARATE WITH FOLIC ACID 60 ✓ Ferro-F-Tabs Tab 310 mg (100 mg elemental) with folic acid 350 mcg 4.75 60 ✓ Ferrograd Collag 30 mg (105 mg elemental) 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd ERROUS SULPHATE 10.80 500 ml ✓ Ferrodan ERROUS SULPHATE 10.80 500 ml ✓ Ferrodan Tab long-acting 325 mg (105 mg elemental) with folic acid 30 (4.29) Ferrograd F ON POLYMALTOSE 1.80 30 (4.29) Ferrograd F ON POLYMALTOSE 1.5.22 ✓ Ferrum H Magnesium Magnesium magnesium hydroxide mixture refer Standard Formulae, page 224 AGNESIUM SULPHATE Inj 2 mmol per ml, 5 ml ampoule	Fluoride			
Tab 1.1 mg (0.5 mg elemental) 5.00 100 ✓ PSM odine DTASSIUM IODATE 3.65 90 ✓ NeuroTabs ron 5.00 100 ✓ Ferro-tab ERROUS FUMARATE 2.89 100 ✓ Ferro-tab Tab 200 mg (65 mg elemental) 2.89 100 ✓ Ferro-tab ERROUS FUMARATE WITH FOLIC ACID 5.00 30 ✓ Ferro-F-Tabs Tab 10 mg (100 mg elemental) with folic acid 350 mcg 4.75 60 ✓ Ferrograd Collag 30 mg (105 mg elemental) 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd ERROUS SULPHATE 10.80 500 ml ✓ Ferrodan ERROUS SULPHATE 10.80 500 ml ✓ Ferrodan Tab long-acting 325 mg (105 mg elemental) with folic acid 30 (4.29) Ferrograd F ON POLYMALTOSE 1.80 30 (4.29) Ferrograd F ON POLYMALTOSE 15.22 ✓ Ferrum H Magnesium Magnesium Imagnous 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017	SODIUM FLUORIDE			
odine DTASSIUM IODATE Tab 253 mcg (150 mcg elemental iodine) 3.65 90 ✓ NeuroTabs ron ERROUS FUMARATE Tab 200 mg (65 mg elemental) 2.89 100 ✓ Ferro-tab ERROUS FUMARATE WITH FOLIC ACID 2.89 100 ✓ Ferro-tab Tab 310 mg (100 mg elemental) with folic acid 350 mcg 4.75 60 ✓ Ferro-F-Tabs ERROUS SULPHATE 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd ERROUS SULPHATE 10.80 500 ml ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) with folic acid 30 (4.29) Ferrograd F ON POLYMALTOSE 1.80 30 (4.29) Ferrograd F Inj 50 mg per ml, 2 ml ampoule 15.22 5 ✓ Ferrum H Magnesium 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017 10 ✓ DBL		5.00	100	✓ PSM
DTASSIUM IODATE Tab 253 mcg (150 mcg elemental iodine) 3.65 90 ✓ NeuroTabs ron ERROUS FUMARATE Tab 200 mg (65 mg elemental) 2.89 100 ✓ Ferro-tab STROUS FUMARATE WITH FOLIC ACID Tab 310 mg (100 mg elemental) with folic acid 350 mcg. 4.75 60 ✓ Ferro-F-Tabs ERROUS SULPHATE Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd * Oral liq 30 mg (6 mg elemental) per 1 ml 10.80 500 ml ✓ Ferrograd ERROUS SULPHATE Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg. 30 ✓ Ferrograd F ON POLYMALTOSE Inj 50 mg per ml, 2 ml ampoule 15.22 5 ✓ Ferrum H Magnesium 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017 10 ✓ DBL				
Tab 253 mcg (150 mcg elemental iodine) 3.65 90 ✓ NeuroTabs ron ERROUS FUMARATE 2.89 100 ✓ Ferro-tab Tab 200 mg (65 mg elemental) 2.89 100 ✓ Ferro-tab ERROUS FUMARATE WITH FOLIC ACID 2.89 100 ✓ Ferro-F-Tabs Tab 310 mg (100 mg elemental) with folic acid 350 mcg 4.75 60 ✓ Ferro-F-Tabs ERROUS SULPHATE 30 mg (6 mg elemental) per 1 ml 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 10.80 500 ml ✓ Ferrograd ERROUS SULPHATE WITH FOLIC ACID 7 7 60 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) with folic acid 30 ✓ Ferrograd F ON POLYMALTOSE 180 30 9 ✓ Ferrograd F ON POLYMALTOSE 15.22 5 ✓ Ferrum H Magnesium vor magnesium hydroxide mixture refer Standard Formulae, page 224 AGNESIUM SULPHATE 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017 10 ✓ DBL 28 Unanoraved medicing supplied under Section 29	louine			
ron ERROUS FUMARATE Tab 200 mg (65 mg elemental)	POTASSIUM IODATE			
ERROUS FUMARATE Tab 200 mg (65 mg elemental) 2.89 100 ✓ Ferro-tab ERROUS FUMARATE WITH FOLIC ACID 0 ✓ Ferro-F-Tabs Tab 310 mg (100 mg elemental) with folic acid 350 mcg 4.75 60 ✓ Ferro-F-Tabs ERROUS SULPHATE 0 10.80 500 ml ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd Coral liq 30 mg (6 mg elemental) per 1 ml 10.80 500 ml ✓ Ferrograd Coral liq 30 mg (6 mg elemental) per 1 ml 10.80 500 ml ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) with folic acid 30 (4.29) Ferrograd F ON POLYMALTOSE 18.0 30 30 (4.29) Ferrograd F Inj 50 mg per ml, 2 ml ampoule 15.22 5 ✓ Ferrum H Magnesium 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017 10 ✓ DBL	* Tab 253 mcg (150 mcg elemental iodine)	3.65	90	NeuroTabs
Tab 200 mg (65 mg elemental) 2.89 100 ✓ Ferro-tab ERROUS FUMARATE WITH FOLIC ACID 4.75 60 ✓ Ferro-F-Tabs Tab 310 mg (100 mg elemental) with folic acid 350 mcg. 4.75 60 ✓ Ferro-F-Tabs ERROUS SULPHATE 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd ‡ Oral liq 30 mg (6 mg elemental) per 1 ml 10.80 500 ml ✓ Ferrograd ERROUS SULPHATE WITH FOLIC ACID 10.80 500 ml ✓ Ferrograd F Tab long-acting 325 mg (105 mg elemental) with folic acid 30 (4.29) Ferrograd F ON POLYMALTOSE 11,80 30 9 Ferrograd F Inj 50 mg per ml, 2 ml ampoule 15.22 5 ✓ Ferrum H Magnesium Magnesium 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017 10 ✓ DBL 20 10 ✓ DBL	Iron			
Tab 200 mg (65 mg elemental) 2.89 100 ✓ Ferro-tab ERROUS FUMARATE WITH FOLIC ACID 4.75 60 ✓ Ferro-F-Tabs Tab 310 mg (100 mg elemental) with folic acid 350 mcg. 4.75 60 ✓ Ferro-F-Tabs ERROUS SULPHATE 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd ‡ Oral liq 30 mg (6 mg elemental) per 1 ml 10.80 500 ml ✓ Ferrograd ERROUS SULPHATE WITH FOLIC ACID 10.80 500 ml ✓ Ferrograd F Tab long-acting 325 mg (105 mg elemental) with folic acid 30 (4.29) Ferrograd F ON POLYMALTOSE 11,80 30 9 Ferrograd F Inj 50 mg per ml, 2 ml ampoule 15.22 5 ✓ Ferrum H Magnesium Magnesium 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017 10 ✓ DBL 20 10 ✓ DBL	FEBROUS FUMABATE			
Tab 310 mg (100 mg elemental) with folic acid 350 mcg		2.89	100	 Ferro-tab
Tab 310 mg (100 mg elemental) with folic acid 350 mcg				
ERROUS SULPHATE 2.06 30 ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) per 1 ml 10.80 500 ml ✓ Ferrograd ERROUS SULPHATE WITH FOLIC ACID 10.80 500 ml ✓ Ferrograd Tab long-acting 325 mg (105 mg elemental) with folic acid 30 (4.29) Ferrograd F ON POLYMALTOSE 18.0 30 (4.29) Ferrograd F ON POLYMALTOSE 15.22 5 ✓ Ferrum H Magnesium Dr magnesium hydroxide mixture refer Standard Formulae, page 224 AGNESIUM SULPHATE Inj 2 mmol per ml, 5 ml ampoule 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017 10 ✓ DBL		4.75	60	Ferro-F-Tabs
Tab long-acting 325 mg (105 mg elemental) 2.06 30 ✓ Ferrograd ‡ Oral liq 30 mg (6 mg elemental) per 1 ml 10.80 500 ml ✓ Ferrograd ERROUS SULPHATE WITH FOLIC ACID 10.80 30 ✓ Ferrograd F Tab long-acting 325 mg (105 mg elemental) with folic acid 30 ✓ Ferrograd F ON POLYMALTOSE 1.80 30 (4.29) Ferrograd F ON POLYMALTOSE 15.22 5 ✓ Ferrum H Magnesium 15.22 5 ✓ Ferrum H Magnesium 10.21 10 ✓ DBL DBL to be Sole Supply on 1 October 2017 10 ✓ DBL	FERROUS SULPHATE			
ERROUS SULPHATE WITH FOLIC ACID Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg		2.06	30	Ferrograd
Tab long-acting 325 mg (105 mg elemental) with folic acid 350 mcg			500 ml	✓ Ferodan
350 mcg	FERROUS SULPHATE WITH FOLIC ACID			
(4.29) Ferrograd F ON POLYMALTOSE Inj 50 mg per ml, 2 ml ampoule	* Tab long-acting 325 mg (105 mg elemental) with folic acid			
ON POLYMALTOSE Inj 50 mg per ml, 2 ml ampoule		1.80	30	
Inj 50 mg per ml, 2 ml ampoule	-	(4.29)		Ferrograd F
Magnesium or magnesium hydroxide mixture refer Standard Formulae, page 224 AGNESIUM SULPHATE Inj 2 mmol per ml, 5 ml ampoule	RON POLYMALTOSE			
or magnesium hydroxide mixture refer Standard Formulae, page 224 AGNESIUM SULPHATE Inj 2 mmol per ml, 5 ml ampoule	Inj 50 mg per ml, 2 ml ampoule	15.22	5	 Ferrum H
AGNESIUM SULPHATE Inj 2 mmol per ml, 5 ml ampoule	Magnesium			
AGNESIUM SULPHATE Inj 2 mmol per ml, 5 ml ampoule	For magnesium hydroxide mixture refer Standard Formulae, page 2	024		
Inj 2 mmol per ml, 5 ml ampoule	o			
DBL to be Sole Supply on 1 October 2017		10.21	10	
fully subsidized S28 Unannoved medicine supplied under Section 29			10	
↓ ✓ fully subsidised S29 Unapproved medicine supplied under Section 29				
A 7 11 11	44 ✓ fully subsidised	S29 Unapp	roved medicine	supplied under Section 29

[HP4] refer page 4

	Subsidy (Manufacturer's Price) \$	Subsic Per	Fully dised	Brand or Generic Manufacturer
Zinc				
ZINC SULPHATE * Cap 137.4 mg (50 mg elemental)	11.00	100	🗸 Zi	ncaps

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subs	idised	Generic
\$	Per	1	Manufacturer

Antianaemics

Hypoplastic and Haemolytic

► SA1469 Special Authority for Subsidy

Initial application — (chronic renal failure) from any specialist. Approvals valid for 2 years for applications meeting the following criteria:

All of the following:

- 1 Patient in chronic renal failure; and
- 2 Haemoglobin ≤ 100g/L; and
- 3 Any of the following:
 - 3.1 Both:
 - 3.1.1 Patient does not have diabetes mellitus; and
 - 3.1.2 Glomerular filtration rate \leq 30ml/min; or

3.2 Both:

- 3.2.1 Patient has diabetes mellitus; and
- 3.2.2 Glomerular filtration rate \leq 45ml/min; or
- 3.3 Patient is on haemodialysis or peritoneal dialysis.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Initial application — (myelodysplasia) from any specialist. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 Patient has a confirmed diagnosis of myelodysplasia (MDS)*; and
- 2 Has had symptomatic anaemia with haemoglobin < 100g/L and is red cell transfusion-dependent; and
- 3 Patient has very low, low or intermediate risk MDS based on the WHO classification based prognostic scoring system for myelodysplastic syndrome (WPSS); and
- 4 Other causes of anaemia such as B12 and folate deficiency have been excluded; and
- 5 Patient has a serum erythropoietin level of < 500 IU/L; and
- 6 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

Renewal — (chronic renal failure) from any specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Erythropoietin alfa is indicated in the treatment of anaemia associated with chronic renal failure (CRF) where no cause for anaemia other than CRF is detected and there is adequate monitoring of iron stores and iron replacement therapy.

Renewal — (myelodysplasia) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's transfusion requirement continues to be reduced with erythropoietin treatment; and
- 2 Transformation to acute myeloid leukaemia has not occurred; and
- 3 The minimum necessary dose of erythropoietin would be used and will not exceed 80,000 iu per week.

Note: Indication marked with * is an Unapproved Indication

	Subsidy		Fully Brand or
	(Manufacturer's Pric		sidised Generic
	\$	Per	 Manufacturer
EPOETIN ALFA [ERYTHROPOIETIN ALFA] - Special Author	ity see SA1469 on the	e previous p	bage – Retail pharmacy
Wastage claimable – see rule 3.3.2 on page 13	40.00	c	- Envoy
Inj 1,000 iu in 0.5 ml, syringe Inj 2,000 iu in 0.5 ml, syringe		6 6	✓ <u>Eprex</u> ✓ Eprex
Inj 3,000 iu in 0.3 ml, syringe		6	✓ Eprex
Inj 4,000 iu in 0.4 ml, syringe		6	✓ Eprex
Inj 5,000 iu in 0.5 ml, syringe		6	✓ Eprex
Inj 6,000 iu in 0.6 ml, syringe		6	 Eprex
Inj 8,000 iu in 0.8 ml, syringe		6	 Eprex
Inj 10,000 iu in 1 ml, syringe		6	 Eprex
Inj 40,000 iu in 1 ml, syringe		1	✓ Eprex
Megaloblastic			
FOLIC ACID			
* Tab 0.8 mg		1,000	Apo-Folic Acid
* Tab 5 mg		500	 Apo-Folic Acid
Oral liq 50 mcg per ml	24.00	25 ml OP	 Biomed
Antifibrinolytics, Haemostatics and Local Scl	erosants		
ELTROMBOPAG – Special Authority see SA1418 below – Re	tail pharmacy		
Wastage claimable – see rule 3.3.2 on page 13	an pharmady		
Tab 25 mg	1,771.00	28	Revolade
Tab 50 mg	3,542.00	28	Revolade
SA1418 Special Authority for Subsidy			
Initial application — (idiopathic thrombocytopenic purpura	a - post-splenectom	only from	n a haematologist. Approvals v
for 6 weeks for applications meeting the following criteria:			
All of the following:			
1 Patient has had a splenectomy; and	and failed after theree	v of 0 month	a aaah (ar t manth far riturima
2 Two immunosuppressive therapies have been trialled a and	ind lalled alter therap	y of 3 monu	is each (or i month for muxima
3 Any of the following:			
3.1 Patient has a platelet count of 20,000 to 30,000	nlatelets per microlitr	e and has e	vidence of significant
mucocutaneous bleeding; or			nachod of diginitount
3.2 Patient has a platelet count of ≤ 20,000 platelets	s per microlitre and ha	as evidence	of active bleeding; or
3.3 Patient has a platelet count of ≤ 10,000 platelets			.
Initial application — (idiopathic thrombocytopenic purpura			
Approvals valid for 6 weeks where the patient requires eltromb			
Renewal — (idiopathic thrombocytopenic purpura - post-s			
months where the patient has obtained a response (see Note)	from treatment during	g the initial a	approval or subsequent renewa
periods and further treatment is required.			

Note: Response to treatment is defined as a platelet count of > 30,000 platelets per microlitre.

EPTACOG ALFA [RECOMBINANT FACTOR VIIA] - [Xpharm]

*Three months or six months, as applicable, dispensed all-at-once

For patients with haemophilia, whose funded treatment is managed by the Haemophilia Treaters Group in conjunction with the National Haemophilia Management Group.

Inj 1 mg syringe1,178.30	1	NovoSeven RT
Inj 2 mg syringe2,356.60	1	NovoSeven RT
Inj 5 mg syringe	1	NovoSeven RT
Inj 8 mg syringe9,426.40	1	NovoSeven RT

	Subsidy (Manufacturer's Price)		Fully ubsidised	Brand or Generic
	\$	Per	~	Manufacturer
FACTOR EIGHT INHIBITOR BYPASSING FRACTION -				
For patients with haemophilia, whose funded treatment	nt is managed by the Haemo	philia I	reaters (Group in conjunction with
the National Haemophilia Management Group. Inj 500 U	1 450 00	1	1	FEIBA NF
Inj 1,000 U	,	1		FEIBA NF
Inj 2,500 U		1		FEIBA NF
MOROCTOCOG ALFA [RECOMBINANT FACTOR VIII] -			•	
Preferred Brand of recombinant factor VIII for patients		rch 20	16 until 2	8 February 2010 Access
to funded treatment is managed by the Haemophilia 1	Freaters Group in conjunction	with th	he Nation	al Haemonhilia
Management Group.		, where a	io nation	arriaomophila
Inj 250 iu prefilled syringe		1	1	Xyntha
Inj 500 iu prefilled syringe		1		Xyntha
Inj 1,000 iu prefilled syringe		1		Xyntha
Inj 2,000 iu prefilled syringe		1	1	Xyntha
Inj 3,000 iu prefilled syringe	2,520.00	1	✓	Xyntha
NONACOG ALFA [RECOMBINANT FACTOR IX] - [Xpha	arml			
For patients with haemophilia, whose funded treatment		philia 1	Freaters C	Group in conjunction with
the National Haemophilia Management Group.				· · · · · · · · ·
Inj 250 iu vial		1	1	BeneFIX
Inj 500 iu vial	620.00	1	1	BeneFIX
Inj 1,000 iu vial	1,240.00	1	✓	BeneFIX
Inj 2,000 iu vial	2,480.00	1	✓	BeneFIX
Inj 3,000 iu vial		1	✓	BeneFIX
NONACOG GAMMA, [RECOMBINANT FACTOR IX] - [X	(pharm]			
For patients with haemophilia, whose funded treatment		philia 1	Freaters C	Group in conjunction with
the National Haemophilia Management Group.				
Inj 250 iu vial		1		RIXUBIS
Inj 500 iu vial		1		RIXUBIS
Inj 1,000 iu vial	'	1		RIXUBIS
Inj 2,000 iu vial	'	1		RIXUBIS
Inj 3,000 iu vial	,	1	~	RIXUBIS
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (ADVA				
Rare Clinical Circumstances Brand of recombinant fa				
28 February 2019. Access to funded treatment by ap		Treatm	nents Par	nel. Application details may
be obtained from PHARMAC's website http://www.pha	<u>armac.govt.nz</u> or:			
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 588 O	ption 2		
PHARMAC PO Box 10 254	Facsimile: (04) 974 4881			
Wellington	Email: haemophilia@phar	mac.q	ovt.nz	
Inj 250 iu vial	007 E0	1		Advate
Inj 500 iu vial		1		Advate
Inj 500 iu vial		1		Advate
Inj 1,500 iu vial	'	1		Advate
Inj 2,000 iu vial	'	1		Advate
Inj 3,000 iu vial	,	1		Advate
, , , , , , , , , , , , , , , , , , ,	-,			

	Subsidy		Fully	Brand or	
	(Manufacturer's Pri \$	ice) Sul Per	osidised	Generic Manufacturer	
	+	1 61	•	Manulacturer	
OCTOCOG ALFA [RECOMBINANT FACTOR VIII] (KOGE		larah 0016 .			Access to
Second Brand of recombinant factor VIII for patients v funded treatment by application to the Haemophilia Tr					Access i
PHARMAC's website <u>http://www.pharmac.govt.nz</u> or:	eatments Faher. Applica	allon details	may be		
The Co-ordinator, Haemophilia Treatments Panel	Phone: 0800 023 58	B Option 2			
PHARMAC PO Box 10 254	Facsimile: (04) 974 4	881			
Wellington	Email: <u>haemophilia@</u> p	pharmac.gov	<u>/t.nz</u>		
Inj 250 iu vial		1	~ I	Kogenate FS	
Inj 500 iu vial		1		Kogenate FS	
lnj 1,000 iu vial	950.00	1		Kogenate FS	
Inj 2,000 iu vial		1		Kogenate FS	
Inj 3,000 iu vial	2,850.00	1		Kogenate FS	
SODIUM TETRADECYL SULPHATE					
* Inj 3% 2 ml		5			
	(73.00)		F	ibro-vein	
TRANEXAMIC ACID					
Tab 500 mg	20.67	100	✓ <u>(</u>	Cyklokapron	
Vitamin K					
PHYTOMENADIONE					
Inj 2 mg per 0.2 ml – Up to 5 inj available on a PSO	8.00	5		Konakion MM	
Inj 10 mg per ml, 1 ml – Up to 5 inj available on a PS	09.21	5		Konakion MM	
Antithrombotic Agents					
-					
Antiplatelet Agents					
ASPIRIN					
* Tab 100 mg		990	✓ I	Ethics Aspirin	EC
CLOPIDOGREL					
* Tab 75 mg – For clopidogrel oral liquid formulation re					
page 221	5.44	84	✓ <u> </u>	Arrow - Clopid	
DIPYRIDAMOLE					
* Tab long-acting 150 mg	11.52	60	✓ I	Pytazen SR	
PRASUGREL – Special Authority see SA1201 below – R	etail pharmacy				
Tab 5 mg		28		Effient	
Tab 10 mg	120.00	28	🗸 E	Effient	
■ SA1201 Special Authority for Subsidy					

SA1201 Special Authority for Subsidy

Initial application — (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where the patient has undergone coronary angioplasty in the previous 4 weeks and is clopidogrel-allergic*. **Initial application** — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where the patient has

had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Initial application — (stent thromobosis) from any relevant practitioner. Approvals valid without further renewal unless notified where patient has experienced cardiac stent thrombosis whilst on clopidogrel.

Renewal --- (coronary angioplasty and bare metal stent) from any relevant practitioner. Approvals valid for 6 months where

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

Subsidy (Manufacturer's Price)	Ful Subsidise	,	
 (Manulacturer s r nee) \$	Per •	Manufacturer	

continued...

the patient has undergone coronary angioplasty or had a bare metal cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Renewal — (drug eluting stent) from any relevant practitioner. Approvals valid for 12 months where had a drug-eluting cardiac stent inserted in the previous 4 weeks and is clopidogrel-allergic*.

Note: * Clopidogrel allergy is defined as a history of anaphylaxis, urticaria, generalised rash or asthma (in non-asthmatic patients) developing soon after clopidogrel is started and is considered unlikely to be caused by any other treatment.

TICAGRELOR - Special Authority see SA1382 below - Retail pharmacy

⇒SA1382 Special Authority for Subsidy

Initial application — (acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Renewal — (subsequent acute coronary syndrome) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 Patient has recently (within the last 60 days) been diagnosed with an ST-elevation or a non-ST-elevation acute coronary syndrome; and
- 2 Fibrinolytic therapy has not been given in the last 24 hours and is not planned.

Heparin and Antagonist Preparations

DALTEPARIN SODIUM - Special Authority see SA1270 below - Retail pharmacy

Inj 2,500 iu per 0.2 ml prefilled syringe1	9.97 1	0 🗸	Fragmin
Inj 5,000 iu per 0.2 ml prefilled syringe		0 🖌	Fragmin
Inj 7,500 iu per 0.75 ml graduated syringe60	0.03 1	0 🖌	Fragmin
Inj 10,000 iu per 1 ml graduated syringe7		0 🖌	Fragmin
Inj 12,500 iu per 0.5 ml prefilled syringe	9.96 1	0 🖌	Fragmin
Inj 15,000 iu per 0.6 ml prefilled syringe120		0 🖌	Fragmin
Inj 18,000 iu per 0.72 ml prefilled syringe158	8.47 1	0 🗸	Fragmin

⇒SA1270 Special Authority for Subsidy

Initial application — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

50

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

continued...

Subsidy	Full	y Brand or
(Manufacturer's Price)	Subsidise	d Generic
 \$	Per 🖌	Manufacturer

continued...

Renewal — (Pregnancy or Malignancy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, Acute Coronary Syndrome, cardioversion, or prior to oral anti-coagulation).

ENOXAPARIN SODIUM - Special Authority see SA1646 below - Retail pharmacy

 10	 Clexane
 10	 Clexane
 10	 Clexane
10	 Clexane
10	 Clexane
 10	 Clexane
10	 Clexane

⇒SA1646 Special Authority for Subsidy

Initial application — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patients pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Initial application — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Any of the following:

- 1 For the short-term treatment of venous thromboembolism prior to establishing a therapeutic level of oral anti-coagulant treatment; or
- 2 For the prophylaxis and treatment of venous thromboembolism in high risk surgery; or
- 3 To enable cessation/re-establishment of existing oral anticoagulant treatment pre/post surgery; or
- 4 For the prophylaxis and treatment of venous thromboembolism in Acute Coronary Syndrome surgical intervention; or
- 5 To be used in association with cardioversion of atrial fibrillation.

Renewal — (Pregnancy, Malignancy or Haemodialysis) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Low molecular weight heparin treatment is required during a patient's pregnancy; or
- 2 For the treatment of venous thromboembolism where the patient has a malignancy; or
- 3 For the prevention of thrombus formation in the extra-corporeal circulation during home haemodialysis.

Renewal — (Venous thromboembolism other than in pregnancy or malignancy) from any relevant practitioner. Approvals valid for 1 month where low molecular weight heparin treatment or prophylaxis is required for a second or subsequent event (surgery, ACS, cardioversion, or prior to oral anti-coagulation).

HEPARIN SODIUM

Inj 1,000 iu per ml, 5 ml13.3	6 10	🗸 Hospira
61.0	4 50	 Pfizer
66.8	0	🗸 Hospira
Inj 1,000 iu per ml, 35 ml vial17.7	6 1	 Hospira
Inj 5,000 iu per ml, 1 ml14.2	0 5	 Hospira
Inj 5,000 iu per ml, 5 ml236.6	0 50	 Pfizer
Inj 25,000 iu per ml, 0.2 ml9.5		🗸 Hospira

‡ safety cap

(Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
HEPARINISED SALINE Inj 10 iu per ml, 5 ml		50	1	Pfizer
PROTAMINE SULPHATE * Inj 10 mg per ml, 5 ml	22.40	10		
	(149.33)			Artex
Oral Anticoagulants				
DABIGATRAN				
Cap 75 mg – No more than 2 cap per day		60	✓	Pradaxa
Cap 110 mg		60	✓	Pradaxa
Cap 150 mg		60	✓	Pradaxa
RIVAROXABAN – Special Authority see SA1066 below – Retail p Tab 10 mg	,	15	1	Xarelto

⇒SA1066 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 weeks for applications meeting the following criteria: Either:

- 1 For the prophylaxis of venous thromboembolism following a total hip replacement; or
- 2 For the prophylaxis of venous thromboembolism following a total knee replacement.

Note: Rivaroxaban is only currently indicated and subsidised for up to 5 weeks therapy for prophylaxis of venous thromboembolism following a total hip replacement and up to 2 weeks therapy for prophylaxis of venous thromboembolism following a total knee replacement.

Renewal from any relevant practitioner. Approvals valid for 5 weeks where prophylaxis for venous thromboembolism is required for patients following a subsequent total hip or knee replacement.

WARFARIN SODIUM

Note: Marevan and Coumadin are not interchangeable.

*	Tab 1 mg	50	 Coumadin
	6.86	100	 Marevan
*	Tab 2 mg4.31	50	 Coumadin
*	Tab 3 mg9.70	100	 Marevan
*	Tab 5 mg	50	 Coumadin
	11.75	100	 Marevan

Blood Colony-stimulating Factors

FILGRASTIM - Special Authority see SA1259 below - Retail p	harmacy		
Inj 300 mcg per 0.5 ml prefilled syringe		5	 Zarzio
Inj 480 mcg per 0.5 ml prefilled syringe		5	 Zarzio

⇒SA1259 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\geq 20\%^*$); or
- 2 Peripheral blood stem cell mobilisation in patients undergoing haematological transplantation; or
- 3 Peripheral blood stem cell mobilisation or bone marrow donation from healthy donors for transplantation; or
- 4 Treatment of severe chronic neutropenia (ANC < 0.5 ×10⁹/L); or
- 5 Treatment of drug-induced prolonged neutropenia (ANC < 0.5×10^9 /L).

Note: *Febrile neutropenia risk ≥ 20% after taking into account other risk factors as defined by the European Organisation for Research and Treatment of Cancer (EORTC) guidelines.

	Subsidy (Manufacturer's Price) \$	Sub Per	Fully sidised	Brand or Generic Manufacturer
PEGFILGRASTIM – Special Authority see SA1384 below – Retai Inj 6 mg per 0.6 ml syringe		1	🗸 N	leulastim

➡SA1384 Special Authority for Subsidy

Initial application only from a relevant specialist, vocationally registered general practitioner or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where used for prevention of neutropenia in patients undergoing high risk chemotherapy for cancer (febrile neutropenia risk $\ge 20\%$ *). Note: *Febrile neutropenia risk $\ge 20\%$ after taking into account other risk factors as defined by the European Organisation for

Research and Treatment of Cancer (EORTC) guidelines.

Fluids and Electrolytes

Intravenous Administration

GLUCOSE [DEXTROSE]			
* Inj 50%, 10 ml ampoule – Up to 5 inj available on a PSO	27.50	5	 Biomed
* Inj 50%, 90 ml bottle – Up to 5 inj available on a PSO		1	 Biomed
POTASSIUM CHLORIDE			
* Inj 75 mg per ml, 10 ml	55.00	50	 AstraZeneca
SODIUM BICARBONATE			
lnj 8.4%, 50 ml	19.95	1	 Biomed
a) Up to 5 inj available on a PSO			
b) Not in combination			
Inj 8.4%, 100 ml	20.50	1	 Biomed
 a) Up to 5 inj available on a PSO 			
b) Not in combination			
SODIUM CHLORIDE			
Not funded for use as a nasal drop. Only funded for nebuliser	use when in c	onjunction with	an antibiotic intended for
nebuliser use.			
Inj 0.9%, bag – Up to 2000 ml available on a PSO	1.23	500 ml	✓ Baxter
	1.26	1,000 ml	✓ Baxter
Only if prescribed on a prescription for renal dialysis, mate	ernity or post-na	atal care in the	home of the patient, or on a PSO
for emergency use. (500 ml and 1,000 ml packs)		-	
Inj 23.4% (4 mmol/ml), 20 ml ampoule		5	Biomed
For Sodium chloride oral liquid formulation refer Standard			. Inter Dherme
Inj 0.9%, 5 ml ampoule – Up to 5 inj available on a PSO		50 50	 ✓ InterPharma ✓ Pfizer
Inj 0.9%, 10 ml ampoule – Up to 5 inj available on a PSO Inj 0.9%, 20 ml ampoule		50 20	✓ <u>Pil2er</u> ✓ Multichem
11j 0.3 /0, 20 111 anipoule		20 30	✓ InterPharma
		00	
TOTAL PARENTERAL NUTRITION (TPN) – Retail pharmacy-Spe		1.00	🗸 TPN
Infusion		1 OP	♥ IPN
WATER			

- On a prescription or Practitioner's Supply Order only when on the same form as an injection listed in the Pharmaceutical Schedule requiring a solvent or diluent; or
- 2) On a bulk supply order; or
- 3) When used in the extemporaneous compounding of eye drops.

Inj 5 ml ampoule – Up to 5 inj available on a PSO	7.00	50	 InterPharma
Inj 10 ml ampoule - Up to 5 inj available on a PSO	6.63	50	✓ Pfizer
Inj 20 ml ampoule - Up to 5 inj available on a PSO	5.00	20	 Multichem
	7.50	30	 InterPharma

*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's P \$	rice) Subsi Per	Fully idised	Brand or Generic Manufacturer
Oral Administration				
CALCIUM POLYSTYRENE SULPHONATE Powder	169.85	300 g OP	✓ Ca	alcium Resonium
Powder for oral soln – Up to 10 sach available on a PSO	2.30	10	✓ <u>E</u>	nerlyte
DEXTROSE WITH ELECTROLYTES Soln with electrolytes (2 × 500 ml)	6.55	1,000 ml OP		edialyte - Bubblegum
PHOSPHORUS				
Tab eff 500 mg (16 mmol)		100	🗸 Pi	hosphate-Sandoz
POTASSIUM CHLORIDE				
* Tab eff 548 mg (14 m eq) with chloride 285 mg (8 m eq)	5.26 (11.85)	60	C	hlorvescent
* Tab long-acting 600 mg (8 mmol)	3.71	100	🗸 D	uro-K S29
			🗸 SI	ow-K S29
	7.42	200	✓ S	pan-K
SODIUM BICARBONATE				
Cap 840 mg	8.52	100	-	odibic odibic
SODIUM POLYSTYRENE SULPHONATE				
Powder	84.65	454 g OP	✓ <u>R</u>	esonium-A

	Subsidy		Fully	Brand or
	(Manufacturer's Pric	e) (Subsidised	Generic
	\$	Per		Manufacturer
	Ŧ			
Alpha Adrenoceptor Blockers				
DOXAZOSIN				
* Tab 2 mg	6 75	500	1	Apo-Doxazosin
Apo-Doxazosin to be Sole Supply on 1 October 201		000		(po boxazoom
* Tab 4 mg		500	1	Apo-Doxazosin
		500	• /	Apo-Doxazosiii
Apo-Doxazosin to be Sole Supply on 1 October 201	/			
PHENOXYBENZAMINE HYDROCHLORIDE				
* Cap 10 mg		30	✓ E	BNM S29
			-	
PRAZOSIN		400		
* Tab 1 mg		100		Apo-Prazosin
* Tab 2 mg	7.00	100		Apo-Prazosin
* Tab 5 mg	11.70	100	I	Apo-Prazosin
TERAZOSIN				
* Tab 1 mg	0.50	28	1	Actavis
•			-	
* Tab 2 mg		500		Apo-Terazosin
* Tab 5 mg	10.90	500	• [Apo-Terazosin
Agents Affecting the Renin-Angiotensin Sys	tem			
ACE Inhibitors				
CAPTOPRIL				
*‡ Oral liq 5 mg per ml		95 ml O	P ✔(Capoten
Oral liquid restricted to children under 12 years of a				
	J 0.			
CILAZAPRIL				
* Tab 0.5 mg		90		Zapril
* Tab 2.5 mg	7.20	200	I	Apo-Cilazapril
* Tab 5 mg	12.00	200	I	Apo-Cilazapril
ENALAPRIL MALEATE				
	0.00	100		Ithiaa Englanyil
* Tab 5 mg		100	-	Ethics Enalapril
* Tab 10 mg		100	v <u>i</u>	Ethics Enalapril
* Tab 20 mg – For enalapril maleate oral liquid formulatio	n refer,			
page 221	1.78	100	✓ <u>I</u>	Ethics Enalapril
LISINOPRIL				
	1 00	00		thice Lieinenvil
* Tab 5 mg		90		thics Lisinopril
* Tab 10 mg		90		Ethics Lisinopril
* Tab 20 mg	2.76	90	✓ <u>I</u>	Ethics Lisinopril
PERINDOPRIL				
* Tab 2 mg	3 75	30	1	Apo-Perindopril
Apo-Perindopril to be Sole Supply on 1 October 201		00	• •	spo i crindoprii
		20		Ana Davindanuil
* Tab 4 mg		30	• /	Apo-Perindopril
Apo-Perindopril to be Sole Supply on 1 October 201	1			
QUINAPRIL				
* Tab 5 mg	4 31	90	I	Arrow-Quinapril 5
* Tab 10 mg		90	-	Arrow-Quinapril 10
•			-	
* Tab 20 mg	5.97	90	• [Arrow-Quinapril 20

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
ACE Inhibitors with Diuretics				
CILAZAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 5 mg with hydrochlorothiazide 12.5 mg	10.18	100	1	Apo-Cilazapril/ Hydrochlorothiazide
QUINAPRIL WITH HYDROCHLOROTHIAZIDE * Tab 10 mg with hydrochlorothiazide 12.5 mg * Tab 20 mg with hydrochlorothiazide 12.5 mg		30 30		Accuretic 10 Accuretic 20
Angiotensin II Antagonists				
CANDESARTAN CILEXETIL – Special Authority see SA1223 * Tab 4 mg * Tab 8 mg * Tab 16 mg * Tab 32 mg SA1223 Special Authority for Subsidy Initial application — (ACE inhibitor intolerance) from any r notified for applications meeting the following criteria: Either: 1 Patient has persistent ACE inhibitor induced cough that inhibitor); or 2 Patient has a history of angioedema. Initial application — (Unsatisfactory response to ACE inhili Initial application — (Unsatisfactory response to ACE inhili		90 90 90 90 prova	Ils valid wi itor retrial	(same or new ACE
further renewal unless notified where patient is not adequately LOSARTAN POTASSIUM * Tab 12.5 mg * Tab 25 mg * Tab 50 mg * Tab 100 mg	1.55 1.90 2.25	84 84 84 84 84	1 1 1	Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis Losartan Actavis
Angiotensin II Antagonists with Diuretics				
LOSARTAN POTASSIUM WITH HYDROCHLOROTHIAZIDE Tab 50 mg with hydrochlorothiazide 12.5 mg	2.18	30	•	Arrow-Losartan & Hydrochlorothiazide
Antiarrhythmics				
 For lignocaine hydrochloride refer to NERVOUS SYSTEM, An AMIODARONE HYDROCHLORIDE ▲ Tab 100 mg - Retail pharmacy-Specialist ▲ Tab 200 mg - Retail pharmacy-Specialist Inj 50 mg per ml, 3 ml ampoule - Up to 5 inj available on the second second	4.66	128 30 30 5 6	1 1	<u>Cordarone-X</u> <u>Cordarone-X</u> Lodi Cordarone-X
Lodi to be Sole Supply on 1 September 2017 (Cordarone-X Inj 50 mg per ml, 3 ml ampoule to be delisted 1 ATROPINE SULPHATE * Inj 600 mcg per ml, 1 ml ampoule – Up to 5 inj available c PSO	<i>September 2017)</i> n a	50		AstraZeneca

anufacturer's Price) \$ 6.67 14.52	Per 240	Subsidised	
	240		
	240		
14.52	240	✓	Lanoxin PG
	240	✓	Lanoxin
16.60	60 ml	✓	Lanoxin
15.00	100		
(23.87)			Rythmodan
X			
38.95	60	✓	Tambocor
	30	1	Tambocor CR
68.78	30	1	Tambocor CR
52.45	5	✓	Tambocor
162.00	100	1	Mexiletine
	100	-	Hydrochloride USP \$29
202.00	100	1	Mexiletine Hydrochloride USP §29
40.90	50	~	Rytmonorm
	100	1	Gutron
			Gutron
79.00	100	•	Gutton
0			Para and a state for a star of
r 2 years where p	batient l	has disab	ling orthostatic hypotensi
			والمتعام والمتعام والمار والمرام والم
varus as necessa	ıry. Hy	pertensio	n should be avoided, and
	15.00 (23.87) 38.95 68.78 52.45 162.00 202.00 40.90 acy 79.00 r 2 years where p vards as necessa	15.00 100 (23.87) 100 38.95 60 38.95 30 68.78 30 52.45 5 162.00 100 202.00 100 40.90 50 acy 100	15.00 100 (23.87) 100 38.95 60 • 38.95 30 •

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Beta Adrenoceptor Blockers

*Three months or six months, as applicable, dispensed all-at-once

ATENOLOL		
* Tab 50 mg4.61	500	Mylan Atenolol
* Tab 100 mg7.67	500	Mylan Atenolol
* Oral liq 25 mg per 5 ml21.25	300 ml OP	 Atenolol AFT
Restricted to children under 12 years of age.		
BISOPROLOL FUMARATE		
Tab 2.5 mg2.40	30	 Bosvate
Tab 5 mg	30	 Bosvate
Tab 10 mg6.40	30	 Bosvate
CARVEDILOL		
* Tab 6.25 mg	60	 Dicarz
* Tab 12.5 mg	60	 Dicarz
* Tab 25 mg – For carvedilol oral liquid formulation refer, page 221 6.30	60	 Dicarz

‡ safety cap

Subsidy (Manufacturer's Price)			
(Manufacturer's Price) \$	Per		Manufacturer
	180	1	Celol
8 00	100	1	Hybloc
	100	•	Tybloc
11 36	100	1	Hybloc
			Hybloc
		•	Tiybloo
	0		Trandate
(00.00)			Tandate
	~~		
	30		Myloc CR
	~~		Betaloc CR
			Metoprolol - AFT CR
			Myloc CR
			Metoprolol - AFT CR
		-	Betaloc CR
			Myloc CR
			Metoprolol - AFT CR
			Betaloc CR
			Myloc CR
11.54	90	~	Metoprolol - AFT CR
4.64	100	1	Apo-Metoprolol
6.09	60	1	Apo-Metoprolol
	28	1	Slow-Lopresor
	5	1	Lopresor
16.05	100	1	Apo-Nadolol
			Apo-Nadolol
	100	•	
0.70	100		Ana Dindalal
			Apo-Pindolol
			Apo-Pindolol
	100	~	Apo-Pindolol
			A
3.65	100	~	Аро-
3.65	100	•	Apo- Propranolol S29
	100		Propranolol S29
3.65	100 100		
			Propranolol S29
4.65	100	¥	Propranolol 529 Apo- Propranolol 529
4.65		¥	Propranolol 629
4.65 	100	√ √	Propranolol 529 Apo- Propranolol 529
	(Manufacturer's Price)	K Per	(Manufacturer's Price) Subsidised

SA1327 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

continued...

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
 \$	Per	✓	

continued...

- 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
- 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.
- Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:
- Either:
 - 1 For the treatment of a child under 12 years with an haemangioma causing functional impairment (not for cosmetic reasons only); or
 - 2 For the treatment of a child under 12 years with cardiac arrthymias or congenital cardiac abnormalities.

SOTALOL

* Tab 80 mg - For sotalol oral liquid formulation refer, page 221 39.53	500	✓ Mylan
* Tab 160 mg 12.48	100	 Mylan
* Inj 10 mg per ml, 4 ml ampoule	5	 Sotacor
TIMOLOL		
* Tab 10 mg 10.55	100	 Apo-Timol

Calcium Channel Blockers

Dihydropyridine Calcium Channel Blockers

AMLODIPINE

AI	ALODIPINE		
*	Tab 2.5 mg1.72 Apo-Amlodipine to be Sole Supply on 1 October 2017	100	 Apo-Amlodipine
*		250	 Apo-Amlodipine
*		250	 Apo-Amlodipine
FE	ELODIPINE		
*	Tab long-acting 2.5 mg1.45	30	Plendil ER
*		30	✓ Plendil ER
*		30	✓ Plendil ER
IS	RADIPINE		
*	Cap long-acting 2.5 mg7.50	30	Dynacirc-SRO
*		30	Dynacirc-SRO
NI	FEDIPINE		
*	Tab long-acting 10 mg10.63	60	 Adalat 10
	Adalat 10 to be Sole Supply on 1 September 2017		
*		100	 Nyefax Retard
*	Tab long-acting 30 mg3.75	30	 Adefin XL
*	Tab long-acting 60 mg5.75	30	 Adefin XL

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
Other Calcium Channel Blockers				
ILTIAZEM HYDROCHLORIDE				
፦ Tab 30 mg		100	✓	Dilzem
Tab 60 mg – For diltiazem hydrochloride oral liquid formulation				
refer, page 221		100		Dilzem
Cap long-acting 120 mg		30		Cardizem CD
	31.83	500		Apo-Diltiazem CD
Cap long-acting 180 mg		30		Cardizem CD
	47.67	500		Apo-Diltiazem CD
Cap long-acting 240 mg		30		Cardizem CD
	63.58	500	~	Apo-Diltiazem CD
ERHEXILINE MALEATE				
F Tab 100 mg		100	1	Pexsig
ERAPAMIL HYDROCHLORIDE				
Tab 40 mg	7.01	100	1	Isoptin
		100	•	isoptili
Tab 80 mg – For verapamil hydrochloride oral liquid	44 74	100		le e u tiu
formulation refer, page 221		100		Isoptin
Tab long-acting 120 mg		250		Verpamil SR
Tab long-acting 240 mg		250	•	Verpamil SR
Finj 2.5 mg per ml, 2 ml ampoule – Up to 5 inj available on a		_		
PSO		5	~	Isoptin
Centrally-Acting Agents				
LONIDINE	7.40			Madaa
Patch 2.5 mg, 100 mcg per day – Only on a prescription		4		Mylan
Database 2000 management of the	12.80		-	Catapres-TTS-1
Patch 5 mg, 200 mcg per day – Only on a prescription		4		Mylan
A Detable 7.5 mm 2000 mension days. Only an a proceeding in	18.04			Catapres-TTS-2
Patch 7.5 mg, 300 mcg per day – Only on a prescription		4	-	Mylan
	22.68		•	Catapres-TTS-3
LONIDINE HYDROCHLORIDE				
F Tab 25 mcg		112		Clonidine BNM
F Tab 150 mcg		100		Catapres
Inj 150 mcg per ml, 1 ml ampoule		5	✓	Catapres
ETHYLDOPA				
Tab 125 mg		100	1	Prodopa
Tab 250 mg		100		Methyldopa Mylan
				Prodopa
Prodopa Tab 125 mg to be delisted 1 September 2017)				

Diuretics

60

Loop Diuretics

ΒU	METANIDE		
*	Tab 1 mg	100	 Burinex
*	Inj 500 mcg per ml, 4 ml vial7.95	5	 Burinex

(FUROSEMIDE [FRUSEMIDE] * Tab 40 mg – Up to 30 tab available on a PSO * Tab 500 mg *‡ Oral liq 10 mg per ml * Inj 10 mg per ml, 25 ml ampoule * Inj 10 mg per ml, 2 ml ampoule – Up to 5 inj available on a PS	25.00	Per 1,000 50	Fully Brand or idised Generic Manufacturer <u>Urex Forte</u>
FUROSEMIDE [FRUSEMIDE] * Tab 40 mg – Up to 30 tab available on a PSO * Tab 500 mg *‡ Oral liq 10 mg per ml * Inj 10 mg per ml, 25 ml ampoule	\$ 	Per 1,000 50	Manufacturer Diurin 40
 ★ Tab 40 mg – Up to 30 tab available on a PSO		1,000 50	✓ Diurin 40
 ★ Tab 40 mg – Up to 30 tab available on a PSO	25.00	50	
 ★ Tab 500 mg ★‡ Oral liq 10 mg per ml ★ Inj 10 mg per ml, 25 ml ampoule 	25.00	50	
★‡ Oral liq 10 mg per ml			
Inj 10 mg per ml, 25 ml ampoule		30 ml OP	
	E7 77		✓ Lasix
\mathbf{r} inj to my per mi, 2 mi ampoule – Op to 5 mj available on a PS		6 5	✓ Lasix ✓ Frusemide-Claris
	50 1.20	Э	 Fruseinide-Claris
Potassium Sparing Diuretics			
MILORIDE HYDROCHLORIDE			
🖌 Tab 5 mg		100	Apo-Amiloride
Oral lig 1 mg per ml		25 ml OP	 Biomed
IETOLAZONE – Special Authority see SA1349 below – Retail ph	armacy		
Tab 5 mg	-	1	✓ Metolazone S29
rab 5 mg		50	
		50	Zaroxolyn S29
SA1349 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid			
reatment of patients with refractory heart failure who are intolerant combination therapy. SPIRONOLACTONE ★ Tab 25 mg	4.38	100	✓ <u>Spiractin</u>
🖌 Tab 100 mg	11.80	100	 Spiractin
Oral liq 5 mg per ml		25 ml OP	 Biomed
Potassium Sparing Combination Diuretics			
MILORIDE HYDROCHLORIDE WITH FUROSEMIDE			
K Tab 5 mg with furosemide 40 mg	8.63	28	🗸 Frumil
MILORIDE HYDROCHLORIDE WITH HYDROCHLOROTHIAZID)F		
 Tab 5 mg with hydrochlorothiazide 50 mg 		50	 Moduretic
Thiazide and Related Diuretics			
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]			
* Tab 2.5 mg – Up to 150 tab available on a PSO	5.48	500	 Arrow-
			Bendrofluazide
May be sumplied as a DOO for state the state			
May be supplied on a PSO for reasons other than emerge		500	✓ Arrow-
k Tab 5 mg	0.90	500	 Arrow- Bendrofluazide
			Denuronuazide
CHLOROTHIAZIDE			
	26.00	25 ml OP	 Biomed
		20111 01	- Diomed
HLORTALIDONE [CHLORTHALIDONE]	0.00	50	
CHLORTALIDONE [CHLORTHALIDONE]	8.00	50	 Hygroton
F Oral liq 50 mg per ml CHLORTALIDONE [CHLORTHALIDONE] ★ Tab 25 mg NDAPAMIDE ★ Tab 2.5 mg		50 90	✓ Hygroton✓ Dapa-Tabs

‡ safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Lipid-Modifying Agents				
Fibrates				
BEZAFIBRATE * Tab 200 mg * Tab long-acting 400 mg GEMFIBROZIL * Tab 600 mg	6.78	90 30 60	✓	<u>Bezalip</u> Bezalip Retard Lipazil
Other Lipid-Modifying Agents		00	• 1	
ACIPIMOX				
* Cap 250 mg NICOTINIC ACID	18.75	30	✓ (Olbetam
 * Tab 50 mg * Tab 500 mg 		100 100		Apo-Nicotinic Acid Apo-Nicotinic Acid
Resins				
CHOLESTYRAMINE Powder for oral liq 4 g		50	(Questran-Lite
COLESTIPOL HYDROCHLORIDE Grans for oral liq 5 g	22.00	30	✓ (Colestid
HMG CoA Reductase Inhibitors (Statins)				
Prescribing Guidelines Treatment with HMG CoA Reductase Inhibitors (statins) is recon cardiovascular risk of 15% or greater. ATORVASTATIN – See prescribing guideline above	·	vith d	yslipidaemi	a and an absolute 5 year
 * Tab 10 mg * Tab 20 mg * Tab 40 mg * Tab 80 mg 	13.32 21.23	500 500 500 500	✓ [✓]	Lorstat Lorstat Lorstat Lorstat
PRAVASTATIN – See prescribing guideline above * Tab 20 mg		30	✓ (Cholvastin
 Tab 40 mg SIMVASTATIN – See prescribing guideline above 	6.36	30	✓ (Cholvastin
* Tab 10 mg * Tab 20 mg * Tab 40 mg * Tab 80 mg	1.61 2.83	90 90 90 90		Arrow-Simva 10mg Arrow-Simva 20mg Arrow-Simva 40mg Arrow-Simva 80mg
Selective Cholesterol Absorption Inhibitors				
FZETIMIBE - Special Authority see SA1045 on the pext page -	Potail pharmaou			

EZETIMIBE – Special Authority see SA1045 on the next page –	Retail pharmacy		
Tab 10 mg		30	 Ezemibe

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsidised		Generic	
\$	Per	1	Manufacturer	

⇒SA1045 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 years; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and
- 3 Any of the following:
 - 3.1 The patient has rhabdomyolysis (defined as muscle aches and creatine kinase more than 10 \times normal) when treated with one statin; or
 - 3.2 The patient is intolerant to both simvastatin and atorvastatin; or
 - 3.3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to < 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be

performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

EZETIMIBE WITH SIMVASTATIN - Special Authority see SA1046 below - Retail pharmacy

Tab 10 mg with simvastatin 10 mg	5.15	30	 Zimybe
Tab 10 mg with simvastatin 20 mg		30	 Zimybe
Tab 10 mg with simvastatin 40 mg		30	 Zimybe
Tab 10 mg with simvastatin 80 mg		30	 Zimybe

⇒SA1046 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Patient has a calculated absolute risk of cardiovascular disease of at least 15% over 5 year; and
- 2 Patient's LDL cholesterol is 2.0 mmol/litre or greater; and

*Three months or six months, as applicable, dispensed all-at-once

3 The patient has not reduced their LDL cholesterol to less than 2.0 mmol/litre with the use of the maximal tolerated dose of atorvastatin.

Notes: A patient who has failed to reduce their LDL cholesterol to \leq 2.0 mmol/litre with the use of a less potent statin should use a more potent statin prior to consideration being given to the use of non-statin therapies.

Other treatment options including fibrates, resins and nicotinic acid should be considered after failure of statin therapy.

If a patient's LDL cholesterol cannot be calculated because the triglyceride level is too high then a repeat test should be

performed and if the LDL cholesterol again cannot be calculated then it can be considered that the LDL cholesterol is greater than 2.0 mmol/litre.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

	Subsidy		Fully	Brand or
	(Manufacturer's	Price) Subs Per	idised	
	\$	Per	-	Manufacturer
Nitrates				
LYCERYL TRINITRATE				
 Tab 600 mcg – Up to 100 tab available on a PSO 	8.00	100 OP	-	Lycinate
• Oral pump spray, 400 mcg per dose – Up to 250 dose				
available on a PSO	4.45	250 dose OP	-	Nitrolingual Pump
				Spray
• Oral spray, 400 mcg per dose – Up to 250 dose available on				
PSO		250 dose OP		Glytrin
Patch 25 mg, 5 mg per day		30		Nitroderm TTS
Patch 50 mg, 10 mg per day		30	~	Nitroderm TTS
SOSORBIDE MONONITRATE				
F Tab 20 mg	17.10	100		Ismo 20
F Tab long-acting 40 mg		30	-	Ismo 40 Retard
 Tab long-acting 60 mg 	8.29	90	-	Duride
Duride to be Sole Supply on 1 October 2017				
Sympathomimetics				
DRENALINE				
Inj 1 in 1,000, 1 ml ampoule – Up to 5 inj available on a PSO	1 08	5	1	Aspen Adrenaline
	5.25	5	-	Hospira
Inj 1 in 10,000, 10 ml ampoule - Up to 5 inj available on a PS		5		Hospira
	49.00	10		Aspen Adrenaline
	40.00	10	•	Aspen Aurenume
	26.00	05		
Inj 200 mcg per ml, 1 ml ampoule		25		loural
	(164.20)			Isuprel
Vasodilators				
MYL NITRITE				
£ Liq 98% in 0.3 ml cap	62.92	12		
	(73.40)			Baxter
YDRALAZINE HYDROCHLORIDE				
Tab 25 mg – Special Authority see SA1321 below – Retail				
pharmacy	CBS	1	1	Hydralazine
phannady		56		Onelink S29
- Inj 20 mg ampoule	25.00	5		Apresoline
	20.90	5	•	Apresonne
SA1321 Special Authority for Subsidy				
itial application from any relevant practitioner. Approvals valid	I without furthe	r renewal unless	noti	fied for applications meeti
e following criteria:				
1 For the treatment of refractory hypertension; or				
 For the treatment of refractory hypertension; or For the treatment of heart failure in combination with a nitra 	ate, in patients	who are intolera	ant or	have not responded to A
2 For the treatment of heart failure in combination with a nitra inhibitors and/or angiotensin receptor blockers.		who are intolera	ant or	have not responded to A
 For the treatment of refractory hypertension; or For the treatment of heart failure in combination with a nitra inhibitors and/or angiotensin receptor blockers. INOXIDIL – Special Authority see SA1271 below – Retail pharm 	nacy	who are intolera	ant or	have not responded to A
 For the treatment of refractory hypertension; or For the treatment of heart failure in combination with a nitra inhibitors and/or angiotensin receptor blockers. 	nacy	who are intolera		have not responded to A
 For the treatment of refractory hypertension; or For the treatment of heart failure in combination with a nitra inhibitors and/or angiotensin receptor blockers. INOXIDIL – Special Authority see SA1271 below – Retail pharma Tab 10 mg 	nacy			·
 For the treatment of refractory hypertension; or For the treatment of heart failure in combination with a nitra inhibitors and/or angiotensin receptor blockers. INOXIDIL – Special Authority see SA1271 below – Retail pharm 	nacy 70.00	100	~	Loniten
 For the treatment of refractory hypertension; or For the treatment of heart failure in combination with a nitra inhibitors and/or angiotensin receptor blockers. INOXIDIL – Special Authority see SA1271 below – Retail pharm Tab 10 mg SA1271 Special Authority for Subsidy 	nacy 70.00 d without furthe	100 er renewal unless	~	Loniten

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		lbsidised	Generic
	\$	Per		Manufacturer
IICORANDIL				
Tab 10 mg	27.95	60	🗸 I	korel
Tab 20 mg		60	✓	korel
APAVERINE HYDROCHLORIDE				
Inj 12 mg per ml, 10 ml ampoule		5		lospira
ENTOXIFYLLINE [OXPENTIFYLLINE]				-
Tab 400 mg		50		
·	(42.26)		Т	rental 400
Endothelin Receptor Antagonists				
SA0967 Special Authority for Subsidy				
	rtension Panel			
pecial Authority approved by the Pulmonary Arterial Hype		rmac.go	<u>vt.nz</u> or:	
pecial Authority approved by the Pulmonary Arterial Hype lotes: Application details may be obtained from PHARMA		rmac.gc	<u>wt.nz</u> or:	
pecial Authority approved by the Pulmonary Arterial Hype lotes: Application details may be obtained from PHARMA he Coordinator, PAH Panel HARMAC, PO Box 10-254, WELLINGTON	C's website <u>http://www.pha</u>	rmac.gc	i <u>vt.nz</u> or:	
SA0967 Special Authority for Subsidy special Authority approved by the Pulmonary Arterial Hype lotes: Application details may be obtained from PHARMA 'he Coordinator, PAH Panel 'HARMAC, PO Box 10-254, WELLINGTON 'el: (04) 916 7561, Fax: (04) 974 4858, Email: PAH@pha	C's website <u>http://www.pha</u>	rmac.go	i <u>vt.nz</u> or:	
pecial Authority approved by the Pulmonary Arterial Hype lotes: Application details may be obtained from PHARMA he Coordinator, PAH Panel HARMAC, PO Box 10-254, WELLINGTON	C's website <u>http://www.pha</u> armac.govt.nz	rmac.go	<u>wt.nz</u> or:	
pecial Authority approved by the Pulmonary Arterial Hype lotes: Application details may be obtained from PHARMA he Coordinator, PAH Panel HARMAC, PO Box 10-254, WELLINGTON el: (04) 916 7561, Fax: (04) 974 4858, Email: <u>PAH@ph</u> a	C's website <u>http://www.pha</u> armac.govt.nz Retail pharmacy	rmac.go 30		/olibris
pecial Authority approved by the Pulmonary Arterial Hype lotes: Application details may be obtained from PHARMA 'he Coordinator, PAH Panel 'HARMAC, PO Box 10-254, WELLINGTON el: (04) 916 7561, Fax: (04) 974 4858, Email: <u>PAH@pha</u> MBRISENTAN – Special Authority see SA0967 above – I	C's website <u>http://www.pha</u> armac.govt.nz Retail pharmacy 4,585.00		•	/olibris /olibris
pecial Authority approved by the Pulmonary Arterial Hype lotes: Application details may be obtained from PHARMA he Coordinator, PAH Panel HARMAC, PO Box 10-254, WELLINGTON el: (04) 916 7561, Fax: (04) 974 4858, Email: <u>PAH@pha</u> MBRISENTAN – Special Authority see SA0967 above – I Tab 5 mg	C's website <u>http://www.pha</u> armac.govt.nz Retail pharmacy 4,585.00 4,585.00	30	•	••
pecial Authority approved by the Pulmonary Arterial Hype lotes: Application details may be obtained from PHARMA he Coordinator, PAH Panel HARMAC, PO Box 10-254, WELLINGTON el: (04) 916 7561, Fax: (04) 974 4858, Email: <u>PAH@pha</u> MBRISENTAN – Special Authority see SA0967 above – I Tab 5 mg Tab 10 mg	C's website <u>http://www.pha</u> armac.govt.nz Retail pharmacy 4,585.00 4,585.00 ail pharmacy	30	~ \ ~ \	••

Phosphodiesterase Type 5 Inhibitors

➡SA1293 Special Authority for Subsidy

Initial application — (Raynaud's Phenomenon* - for Pulmonary Arterial Hypertension see note below) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: All of the following:

- 1 Patient has Raynaud's Phenomenon*; and
- 2 Patient has severe digital ischaemia (defined as severe pain requiring hospital admission or with a high likelihood of digital ulceration; digital ulcers; or gangrene); and
- 3 Patient is following lifestyle management (avoidance of cold exposure, sufficient protection, smoking cessation support, avoidance of sympathomimetic drugs); and
- 4 Patient is being treated with calcium channel blockers and nitrates (or these are contraindicated/not tolerated).
- Notes: Sildenafil is also funded for patients with Pulmonary Arterial Hypertension who are approved by the Pulmonary Arterial Hypertension Panel (an application must be made using form <u>SA1293-PAH</u>).

Application details may be obtained from:

The Coordinator, PAH Panel

PHARMAC, PO Box 10 254, Wellington

Phone: (04) 916 7561 Facsimile: (04) 974 4858 Email: PAH@pharmac.govt.nz

Indications marked with * are Unapproved Indications.

SILDENAFIL – Special Authority see SA1293 above – Retail pharmacy		
Tab 25 mg0.75	4	 Vedafil
Tab 50 mg0.75	4	✓ Vedafil
Tab 100 mg – For sildenafil oral liquid formulation refer, page 2212.75	4	✓ Vedafil

‡ safety cap

	Subsidy (Manufacturer's Price) \$	Fully Subsidised Per 🖌	Brand or Generic Manufacturer
Prostacyclin Analogues			
► SA0969 Special Authority for Subsidy Special Authority approved by the Pulmonary Arterial Hypertens Notes: Application details may be obtained from PHARMAC's w The Coordinator, PAH Panel PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 916 7561, Fax: (04) 974 4858, Email: <u>PAH@pharma</u> ILOPROST – Special Authority see SA0969 above – Retail pha	vebsite <u>http://www.pha</u> c.govt.nz	<u>rmac.govt.nz</u> or:	
Nebuliser soln 10 mcg per ml, 2 ml		30 🗸 V	entavis

	Subsidy		Fully	Brand or
	(Manufacturer's Price) Sub	sidised	Generic
	\$	Per	1	Manufacturer
Antiacne Preparations				
For systemic antibacterials, refer to INFECTIONS, Antibacterials	, page 95			
ADAPALENE				
a) Maximum of 30 g per prescription				
b) Only on a prescription				
Crm 0.1%	00.00	20 ~ OD		Differin
		30 g OP	-	
Gel 0.1%		30 g OP	V L	Differin
ISOTRETINOIN - Special Authority see SA1475 below - Retail	pharmacy			
Cap 10 mg		100	✓ s	sotane 10
	14.96	120		Dratane
Cap 20 mg		100		sotane 20
Oup 20 mg		120		Dratane
	23.12	120	• •	Jratane

► SA1475 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around isotretinoin and is competent to prescribe isotretinoin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
 - 3.2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if isotretinoin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of one month after the completion of the treatment; or
- 2 Patient is male.

Note: Applicants are recommended to either have used or be familiar with using a decision support tool accredited by their professional body.

TRETINOIN

Crm 0.5 mg per g - Maximum of 50 g per prescription	. 13.90	50 g OP	 ReTrieve
---	---------	---------	------------------------------

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's P	Price) Subs	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
Antibacterials Topical			
For systemic antibacterials, refer to INFECTIONS, Antibacterials	, page 95		
FUSIDIC ACID			
Crm 2%	2.52	15 g OP	✓ DP Fusidic Acid
a) Maximum of 15 g per prescription			Cream
b) Only on a prescription			
c) Not in combination			
Oint 2%	3.45	15 g OP	 Foban
a) Maximum of 15 g per prescription			
 b) Only on a prescription c) Not in combination 			
c) Not in combination			
HYDROGEN PEROXIDE * Crm 1%	8 56	15 g OP	 Crystaderm
MUPIROCIN	0.00	15 9 01	• Orystadenii
Oint 2%	6.60	15 g OP	
	(9.26)		Bactroban
a) Only on a prescription			
b) Not in combination			
SULPHADIAZINE SILVER			
Crm 1%	10.80	50 g OP	 Flamazine
 a) Up to 250 g available on a PSO b) Not in combination 			
c) Flamazine to be Sole Supply on 1 September 2017			
Antifungals Topical			
For systemic antifungals, refer to INFECTIONS, Antifungals, page	ne 103		
AMOROLFINE			
a) Only on a prescription			
b) Not in combination			
Nail soln 5%	15.95	5 ml OP	 MycoNail
MycoNail to be Sole Supply on 1 October 2017			
CICLOPIROX OLAMINE			
a) Only on a prescription			
b) Not in combination Nail-soln 8%	6 50	7 ml OP	Apo-Ciclopirox
CLOTRIMAZOLE	0.00		
* Crm 1%		20 g OP	 Clomazol
a) Only on a prescription			
b) Not in combination			
* Soln 1%		20 ml OP	
a) Only on a propagintic-	(7.55)		Canesten
a) Only on a prescriptionb) Not in combination			
by Not in combination			

DERMATOLOGICALS

	Subsidy		Fully Brand or
	(Manufacturer's Price \$	e) : Per	Subsidised Generic Manufacturer
ECONAZOLE NITRATE	*		
Crm 1%	1.00	20 g Of	Þ
	(7.48)	20 9 01	Pevaryl
 a) Only on a prescription 			
b) Not in combination			
Foaming soln 1%, 10 ml sachets	9.89 (17.23)	3	Pevaryl
a) Only on a prescriptionb) Not in combination			
MICONAZOLE NITRATE			
* Crm 2%	0.55	15 g OF	P 🖌 Multichem
a) Only on a prescription		Ū	
b) Not in combination			
* Lotn 2%	4.36	30 ml O	P
	(10.03)		Daktarin
a) Only on a prescription			
b) Not in combination	4.00	00 0	P
* Tinct 2%	4.36 (12.10)	30 ml O	Daktarin
a) Only on a prescription	(12.10)		Daklalli
b) Not in combination			
NYSTATIN			
Crm 100,000 u per g	1.00	15 g OF	P
	(7.90)		Mycostatin
a) Only on a prescription	()		,
b) Not in combination			
Antipruritic Preparations			
CALAMINE			
a) Only on a prescription			
b) Not in combination			
Órm, aqueous, BP	1.49	100 g	 Pharmacy Health
Lotn, BP	12.94	2,000 m	nl 🖌 <u>PSM</u>
CROTAMITON			
a) Only on a prescription			
b) Not in combination			
Crm 10%	3.37	20 g OF	P < <u>Itch-Soothe</u>
MENTHOL – Only in combination			
 Only in combination with a dermatological base or p page 220 	roprietary Topical Cort	icosterio	od – Plain, refer dermatological base
2) With or without other dermatological galenicals.			
Crystals	6.50	25 g	✓ PSM
,	6.92	- 9	✓ MidWest
	29.60	100 g	✓ MidWest

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Pri	ce) Subs Per	idised ✓	Generic Manufacturer
Corticosteroids Topical				
For systemic corticosteroids, refer to CORTICOSTEROIDS AND	RELATED AGEN	TS, page 84		
Corticosteroids - Plain				
BETAMETHASONE DIPROPIONATE				
Crm 0.05%	2.96	15 g OP	🗸 D	liprosone
	8.97	50 g OP	🗸 D	iprosone
Crm 0.05% in propylene glycol base	4.33	30 g OP	🗸 D	iprosone OV
Oint 0.05%		15 g OP	🗸 D	iprosone
	8.97	50 g OP	🗸 D	iprosone
Oint 0.05% in propylene glycol base	4.33	30 g OP	🗸 D	iprosone OV
BETAMETHASONE VALERATE		-		
* Crm 0.1%	3 15	50 g OP	🗸 R	eta Cream
* Oint 0.1%		50 g OP	_	eta Ointment
* Lotn 0.1%		50 g Ol 50 ml OP		etnovate
		00111101		
CLOBETASOL PROPIONATE	0.00	00 x 0D		· · ···· · · ·
* Crm 0.05%		30 g OP		ermol
* Oint 0.05%	2.20	30 g OP	• □	ermol
CLOBETASONE BUTYRATE				
Crm 0.05%	5.38	30 g OP		
	(7.09)		E	umovate
DIFLUCORTOLONE VALERATE				
Crm 0.1%	8.97	50 g OP		
	(15.86)	J	N	lerisone
Fatty oint 0.1%		50 g OP		
	(15.86)	00 g 0.	N	lerisone
HYDROCORTISONE	(10100)			
	1 11	30 g OP	. n	ermAssist
* Crm 1% – Only on a prescription		•		harmacy Health
* Powder – Only in combination		500 g 25 g	✓ A	
		0		
 a) Up to 5% in a dermatological base (not proprietary 1 	opical Conticosterio	od – Plain) Wi	th or wi	thout other dermatological
galenicals. Refer, page 220				
b) ABM to be Sole Supply on 1 October 2017				
HYDROCORTISONE AND PARAFFIN LIQUID AND LANOLIN				
Lotn 1% with paraffin liquid 15.9% and lanolin 0.6% – Only				
a prescription	10.57	250 ml	🗸 D	P Lotn HC
DP Lotn HC to be Sole Supply on 1 October 2017				
HYDROCORTISONE BUTYRATE				
Lipocream 0.1%	2.30	30 g OP	🖌 L	ocoid Lipocream
	6.85	100 g OP		ocoid Lipocream
Oint 0.1%		100 g OP		ocoid
Milky emul 0.1%		100 ml OP	-	ocoid Crelo
METHYLPREDNISOLONE ACEPONATE			-	
Crm 0.1%	1 05	15 a OD	/ ^	dvantan
Oint 0.1%		15 g OP 15 g OP		dvantan
Unit U.1 /0	4.90	15 y OF	₹ A	uvallall

DERMATOLOGICALS

	Quboid		Fully Drand ar
	Subsidy (Manufacturer's Pri	ice) Subs	Fully Brand or sidised Generic
	\$	Per	 Manufacturer
MOMETASONE FUROATE			
Crm 0.1%	1.51	15 g OP	Elocon Alcohol Free
	2.90	50 g OP	 Elocon Alcohol Free
Oint 0.1%	1.51	15 g OP	 Elocon
	2.90	50 g OP	 Elocon
Lotn 0.1%	7.35	30 ml OP	 Elocon
TRIAMCINOLONE ACETONIDE			
Crm 0.02%	6.30	100 g OP	 Aristocort
Aristocort to be Sole Supply on 1 October 2017		Ū	
Oint 0.02%	6.35	100 g OP	 Aristocort
Aristocort to be Sole Supply on 1 October 2017			
Corticosteroids - Combination			
	a a proportion		
BETAMETHASONE VALERATE WITH CLIOQUINOL – Only or Crm 0.1% with alignuinol 2%		15 a OB	
Crm 0.1% with clioquinol 3%	(4.90)	15 g OP	Betnovate-C
	(4.90)		Delliovale-C
BETAMETHASONE VALERATE WITH FUSIDIC ACID	0.40	15 × 00	
Crm 0.1% with fusidic acid 2%		15 g OP	Fusies
a) Maximum of 1E a new processintian	(10.45)		Fucicort
 a) Maximum of 15 g per prescription b) Only on a prescription 			
HYDROCORTISONE WITH MICONAZOLE – Only on a prescri			
Crm 1% with miconazole nitrate 2%		15 g OP	✓ Micreme H
HYDROCORTISONE WITH NATAMYCIN AND NEOMYCIN - (
Crm 1% with natamycin 1% and neomycin sulphate 0.5%		15 g OP	 Pimafucort
Oint 1% with natamycin 1% and neomycin sulphate 0.5%	2.79	15 g OP	Pimafucort
FRIAMCINOLONE ACETONIDE WITH GRAMICIDIN, NEOMYC	CIN AND NYSTATI	N	
Crm 1 mg with nystatin 100,000 u, neomycin sulphate 2.5 m	ng		
and gramicidin 250 mcg per g – Only on a prescription	3.49	15 g OP	
	(6.60)		Viaderm KC
Disisfection and Oleversian America			
Disinfecting and Cleansing Agents			
CHLORHEXIDINE GLUCONATE – Subsidy by endorsement			
a) No more than 500 ml per month			
b) Only if prescribed for a dialysis patient and the prescripti	ion is endorsed acc	cordinaly.	
 Handrub 1% with ethanol 70% 		500 ml	✓ healthE
* Soln 4% wash	3.98	500 ml	✓ healthE
FRICLOSAN – Subsidy by endorsement			
a) Maximum of 500 ml per prescription			
b)			
a) Only if prescribed for a patient identified with Methi	icillin-resistant Star	hylococcus a	ureus (MRSA) prior to elective
surgery in hospital and the prescription is endorsed		,	
b) Only if prescribed for a patient with recurrent Staph		infection and	the prescription is endorsed
accordingly	-		
Soln 1%	5.90	500 ml OP	✓ healthE

\$\$ safety cap
\$\$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully Brand or
	(Manufacturer's		idised Generic
	\$	Per	 Manufacturer
Barrier Creams and Emollients			
Barrier Creams			
DIMETHICONE			
* Crm 5% pump bottle	4.59	500 ml OP	✓ <u>healthE</u> Dimethicone 5%
Crm 10% pump bottle	4.90	500 ml OP	✓ <u>healthE</u> Dimethicone 10%
ZINC AND CASTOR OIL * Oint BP	5.95	500 g	 Multichem
Emollients			
AQUEOUS CREAM			
* Crm	1.99	500 g	✓ AFT SLS-free
CETOMACROGOL		-	_
* Crm BP	2.74	500 g	 healthE
CETOMACROGOL WITH GLYCEROL Crm 90% with glycerol 10%	2.82	500 ml OP	✓ <u>Pharmacy Health</u> <u>Sorbolene with</u>
	3.87	1,000 ml OP	Glycerin ✓ Pharmacy Health Sorbolene with Glycerin
EMULSIFYING OINTMENT * Oint BP	2.73	500 g	✔ AFT
OIL IN WATER EMULSION		ooo g	
* Crm	2.25	500 g	✓ <u>O/W Fatty Emulsion</u> <u>Cream</u>
UREA	4.07	400 00	
* Crm 10%	1.37	100 g OP	 healthE Urea Cream
NOOL FAT WITH MINERAL OIL – Only on a prescription * Lotn hydrous 3% with mineral oil	5.60	1,000 ml	
	(11.95)	1,000 111	DP Lotion
	`1.40 [´]	250 ml OP	
	(4.53)		DP Lotion
	5.60	1,000 ml	
	(20.53)		Alpha-Keri Lotion
	(23.91) 1.40	250 ml OP	BK Lotion
	(7.73)	200 III UP	BK Lotion
Other Dermatological Bases	· /		
•			
PARAFFIN White soft – Only in combination	20.20 3.58	2,500 g 500 g	✓ IPW
	(7.78)		IPW
Only in combination with a dermatological galenical o	(8.69) r as a diluont for a	propriotory Topi	PSM col Corticostoroid Plain
	as a unuern ior a		cai conticosterolu – Piali.
70 ✓ fully subsidised	S29 Unap	proved medicine s	upplied under Section 29
72 [HP4] refer page 4	Solo Subci	disad Sunnly	

[HP4] refer page 4
DERMATOLOGICALS

	Subsidy (Manufacturer's Prio \$	ce) Subs Per	Fully idised	Brand or Generic Manufacturer
Miner Clip Infections	Ψ		•	Manufacturer
Minor Skin Infections				
OVIDONE IODINE				
Oint 10%	3.27	25 g OP	 I 	Betadine
 a) Maximum of 100 g per prescription 				
 b) Only on a prescription 				
Antiseptic soln 10%	6.20	500 ml	 I 	Betadine
			 I 	Riodine
	1.28	100 ml		
	(4.20)		I	Riodine
	(8.25)		I	Betadine
	0.19	15 ml		
	(4.45)			Betadine
Skin preparation, povidone iodine 10% with 30% alcohol		500 ml		Betadine Skin Prep
	1.63	100 ml		
	(3.65)			Betadine Skin Prep
Skin preparation, povidone iodine 10% with 70% alcohol		500 ml		o 1
	(18.63)		(Orion
	1.63	100 ml		• ·
	(6.04)		(Orion
Parasiticidal Preparations				
METHICONE				
Lotn 4%	4.98	200 ml OP	✓	healthE Dimethicone 4% Lotion
healthE Dimethicone 4% Lotion to be Sole Supply on 1	October 2017			
ERMECTIN – Special Authority see SA1225 below – Retail p				
Tab 3 mg – Up to 100 tab available on a PSO		4	1	Stromectol
 PSO for institutional use only. Must be endorsed 				

- PSO for institutional use only. Must be endorsed with the name of the institution for which the PSO is required ar a valid Special Authority for patient of that institution.
- 2) Ivermectin available on BSO provided the BSO includes a valid Special Authority for a patient of the institution.
- For the purposes of subsidy of ivermectin, institution means age related residential care facilities, disability care facilities or penal institutions.

➡SA1225 Special Authority for Subsidy

Initial application — (Scables) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:

*Three months or six months, as applicable, dispensed all-at-once

- 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
- 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	osidised	Generic	
\$	Per	1	Manufacturer	

continued...

topical therapy; or

2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or

- 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.
- Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Initial application — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or

dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

Renewal — (Scabies) from any relevant practitioner. Approvals valid for 1 month for applications meeting the following criteria: Both:

- 1 Applying clinician has discussed the diagnosis of scabies with a dermatologist, infectious disease physician or clinical microbiologist; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 The patient is in the community; and
 - 2.1.2 Any of the following:
 - 2.1.2.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.1.2.2 The community patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.1.2.3 The patient has previously tried and failed to clear infestation using topical therapy; or
 - 2.2 All of the following:
 - 2.2.1 The Patient is a resident in an institution; and
 - 2.2.2 All residents of the institution with scabies or at risk of carriage are to be treated for scabies concurrently; and
 - 2.2.3 Any of the following:
 - 2.2.3.1 Patient has a severe scabies hyperinfestation (Crusted/ Norwegian scabies); or
 - 2.2.3.2 The patient is physically or mentally unable to comply with the application instructions of topical therapy; or
 - 2.2.3.3 Previous topical therapy has been tried and failed to clear the infestation.

Note: Ivermectin is no more effective than topical therapy for treatment of standard scabies infestation.

Renewal — (Other parasitic infections) only from an infectious disease specialist, clinical microbiologist or dermatologist. Approvals valid for 1 month for applications meeting the following criteria:

Any of the following:

- 1 Filaricides; or
- 2 Cutaneous larva migrans (creeping eruption); or
- 3 Strongyloidiasis.

PERMETHRIN

Crm 5%4.20	30 g OP	 Lyderm
Lotn 5%		 A-Scabies

DERMATOLOGICALS

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully idised	Brand or Generic Manufacturer
PHENOTHRIN Shampoo 0.5%	11.36	200 ml OP	✓ F	Parasidose
Psoriasis and Eczema Preparations				
ACITRETIN – Special Authority see SA1476 below – Retail pha Cap 10 mg Novatretin to be Sole Supply on 1 October 2017		60	✓ N	lovatretin
Cap 25 mg Novatretin to be Sole Supply on 1 October 2017	41.36	60	✓ N	lovatretin

⇒SA1476 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- Applicant is a vocationally registered dermatologist, vocationally registered general practitioner, or nurse practitioner working in a relevant scope of practice; and
- 2 Applicant has an up to date knowledge of the safety issues around acitretin and is competent to prescribe acitretin; and
- 3 Either:
 - 3.1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
 - 3.2 Patient is male.

Renewal from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria: Either:

- 1 Patient is female and has been counselled and understands the risk of teratogenicity if acitretin is used during pregnancy and the applicant has ensured that the possibility of pregnancy has been excluded prior to the commencement of the treatment and that the patient is informed that she must not become pregnant during treatment and for a period of two years after the completion of the treatment; or
- 2 Patient is male.

BETAMETHASONE DIPROPIONATE WITH CALCIPOTRIOL Gel 500 mcg with calcipotriol 50 mcg per g Oint 500 mcg with calcipotriol 50 mcg per g CALCIPOTRIOL Oint 50 mcg per g	26.12	30 g OP 30 g OP 100 g OP	 ✓ <u>Daivobet</u> ✓ <u>Daivobet</u> ✓ Daivonex
Daivonex to be Sole Supply on 1 August 2017		100 g OI	Daivonex
COAL TAR			
Soln BP – Only in combination	32.95	200 ml	 Midwest
 Up to 10% only in combination with a dermatological dermatological base, page 220 With or without other dermatological galenicals. 	base or propri	etary Topical C	Corticosteriod – Plain, refer
COAL TAR WITH ALLANTOIN, MENTHOL, PHENOL AND SULPH	UR		
Soln 5% with sulphur 0.5%, menthol 0.75%, phenol 0.5% and			
allantoin crm 2.5%	6.59	75 g OP	
	(8.00)		Egopsoryl TA
	3.43	30 g OP	
	(4.35)		Egopsoryl TA
COAL TAR WITH SALICYLIC ACID AND SULPHUR			
Soln 12% with salicylic acid 2% and sulphur 4% oint	7.95	40 g OP	 Coco-Scalp

*Three months or six months, as applicable, dispensed all-at-once

		Subsidy (Manufacturer's F	Price) Subs Per	Fully Brand or idised Generic
		\$ DECOEIN Only 1	-	Manufacturer
	AR WITH TROLAMINE LAURILSULFATE AND FLUC In 2.3% with trolamine laurilsulfate and fluorescein so		n a prescriptior 500 ml	✓ Pinetarsol
	YLIC ACID		000 111	
	wder – Only in combination		250 g	✓ PSM
	1) Only in combination with a dermatological base	e or proprietary Topic	-	id – Plain or collodion flexible,
	refer dermatological base, page 220			
	With or without other dermatological galenicals	3.		
SULPH				
	ecipitated – Only in combination		100 g	✓ Midwest
	1) Only in combination with a dermatological base		0	id – Plain. refer dermatological
	base, page 220			, 0
	2) With or without other dermatological galenicals	S.		
Scal	p Preparations			
BETAN	IETHASONE VALERATE			
	alp app 0.1%	7.75	100 ml OP	✓ Beta Scalp
	TASOL PROPIONATE			
	alp app 0.05%	6.96	30 ml OP	 Dermol
		0.05	100 ml OD	
	alp lotn 0.1% CONAZOLE	3.05	100 ml OP	Locoid
	ampoo 2%	2 99	100 ml OP	✓ Sebizole
U.I.	a) Maximum of 100 ml per prescription	2.00		
	b) Only on a prescription			
	c) Sebizole to be Sole Supply on 1 October 2017			
Suns	screens			
		+		
	CREENS, PROPRIETARY – Subsidy by endorsemen Ily if prescribed for a patient with severe photosensitivity		fined clinical co	undition and the prescription is
	dorsed accordingly.			
Crr	m		100 g OP	
ا ما	ta .	(5.89)	100 ~ OD	Hamilton Sunscreen
LO	tn,	3.30	100 g OP	 Marine Blue Lotion SPF 50+
		5.10	200 g OP	✓ Marine Blue Lotion
			-	SPF 50+
Wart	Preparations			
For cali	icylic acid preparations refer to PSORIASIS AND ECZ		NS page 75	
IMIQUI			NO, page 75	
	m 5%, 250 mg sachet		12	Apo-Imiquimod
	,			Cream 5%
	PHYLLOTOXIN			
So	In 0.5%		3.5 ml OP	 Condyline
	a) Maximum of 3.5 ml per prescription			
	b) Only on a prescription			
76	✓ fully subsidised	S29 Unapp	proved medicine s	supplied under Section 29
10	[HP4] refer page 4	Sole Subsid	lised Supply	

DERMATOLOGICALS

	Subsidy (Manufacturer's Price \$	e) Subsi Per	Fully idised	Brand or Generic Manufacturer
Other Skin Preparations				
Antineoplastics				
FLUOROURACIL SODIUM Crm 5%	8.95	20 g OP	✓ <u>E</u> f	fudix

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Contraceptives - Non-hormonal				
Condoms				
CONDOMS				
* 49 mm – Up to 144 dev available on a PSO		144	✓	Shield 49
* 53 mm – Up to 144 dev available on a PSO	1.11	12		Gold Knight Shield Blue
	13.36	144	✓	Shield Blue
* 53 mm (chocolate) - Up to 144 dev available on a PSO	1.11	12	✓	Gold Knight
	13.36	144	✓	Gold Knight
* 53 mm (strawberry) – Up to 144 dev available on a PSO		12		Gold Knight
	13.36	144		Gold Knight
* 56 mm – Up to 144 dev available on a PSO		12		Gold Knight
	13.36	144		Durex Extra Safe
				Gold Knight
* 56 mm, shaped – Up to 144 dev available on a PSO		12		Durex Confidence
	13.36	144		Durex Confidence
* 60 mm – Up to 144 dev available on a PSO	13.36	144	~	Shield XL
Contraceptive Devices				
INTRA-UTERINE DEVICE				
a) Up to 40 dev available on a PSO b) Only on a PSO				
# IUD 29.1 mm length × 23.2 mm width		1	1	Choice TT380 Short
* IUD 33.6 mm length × 29.9 mm width		1	✓	Choice
-				TT380 Standard
* IUD 35.5 mm length × 19.6 mm width	31.60	1	✓	Choice Load 375
Contracentives Hormonal				

Contraceptives - Hormonal

Combined Oral Contraceptives

⇒SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

- 1.1 Patient is on a Social Welfare benefit; or
- 1.2 Patient has an income no greater than the benefit; and
- 2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

continued...

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on he Schedule at 1 November 1999. Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either: • on a Social Welfare benefit, or • have an income no greater than the benefit. The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINYLOESTRADIOL WITH DESOGESTREL * Tab 20 mcg with desogestrel 150 mcg and 7 inert tab				
The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on he Schedule at 1 November 1999. Special Authonities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either: • on a Social Welfare benefit; or • have an income no greater than the benefit. The approval numbers of Special Authonities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINVLOESTRADIOL WITH DESOGESTREL * Tab 20 mcg with desogestrel 150 mcg and 7 inert tab		(Manufacturer's Price)	Subsidise	d Generic
he Schedule at 1 November 1999. Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that worme are still either: • on a Social Welfare benefit; or • have an income no greater than the benefit. The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINYLOESTRADIOL WITH DESOGESTREL * Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	continued			
Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either: • on a Social Welfare benefit; or • have an income no greater than the benefit. The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINYLOESTRADIOL WITH DESOGESTREL * Tab 20 mcg with desogestrel 150 mcg and 7 inert tab		manufacturer's price f	or each of the	ese products as identified on
women are still either: • on a Social Welfare benefit; or • have an income no greater than the benefit. The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINYLOESTRADIOL WITH DESOGESTREL * Tab 20 mcg with desogestrel 150 mcg and 7 inert tab.		Rahama Mada an ann fan a da A		and the second second second second
 on a Social Welfare benefit; or have an income no greater than the benefit. The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the zombined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINYLOESTRADIOL WITH DESOGESTREL * Tab 20 mcg with desogestrel 150 mcg and 7 inert tab		lid until the expiry date	e and can be	renewed providing that
 have an income no greater than the benefit. The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINYLOESTRADIOL WITH DESOGESTREL * Tab 20 mcg with desogestrel 150 mcg and 7 inert tab				
The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINYLOESTRADIOL WITH DESOGESTREL ** Tab 20 mcg with desogestrel 150 mcg and 7 inert tab				
 combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED ETHINYLOESTRADIOL WITH DESOGESTREL * Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	5	lovember 1999 are in	terchangeable	e for products within the
 Tab 20 mcg with desogestrel 150 mcg and 7 inert tab				
 (19.80) Mercilon 28 a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page b) Up to 84 tab available on a PSO * Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	ETHINYLOESTRADIOL WITH DESOGESTREL	0		
 a) Higher subsidy of \$13.80 per 84 tab with Special Authority see \$A0500 on the previous page b) Up to 84 tab available on a PSO * Tab 30 mcg with desogestrel 150 mcg and 7 inert tab	* Tab 20 mcg with desogestrel 150 mcg and 7 inert tab	6.62	84	
 b) Up to 84 tab available on a PSO * Tab 30 mcg with desogestrel 150 mcg and 7 inert tab		(19.80)		Mercilon 28
 * Tab 30 mcg with desogestrel 150 mcg and 7 inert tab		hority see SA0500 on	the previous	page
 (19.80) Marvelon 28 a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page b) Up to 84 tab available on a PSO ETHINYLOESTRADIOL WITH LEVONORGESTREL * Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up to 84 tab available on a PSO				
 a) Higher subsidy of \$13.80 per 84 tab with Special Authority see SA0500 on the previous page b) Up to 84 tab available on a PSO ETHINYLOESTRADIOL WITH LEVONORGESTREL * Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - Up to 84 tab available on a PSO	* Tab 30 mcg with desogestrel 150 mcg and 7 inert tab		84	Manualan 00
 b) Up to 84 tab available on a PSO ETHINYLOESTRADIOL WITH LEVONORGESTREL * Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab – Up to 84 tab available on a PSO	a) Lligher subsidy of \$12,00 per 04 tob with Cresic Aut	()	the province	
 * Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab – Up to 84 tab available on a PSO		nonty see SA0500 on	the previous (page
 to 84 tab available on a PSO	ETHINYLOESTRADIOL WITH LEVONORGESTREL			
 * Tab 50 mcg with levonorgestrel 125 mcg and 7 inert tab – Up to 84 tab available on a PSO	* Tab 20 mcg with levonorgestrel 100 mcg and 7 inert tab - U	р		
 to 84 tab available on a PSO	to 84 tab available on a PSO	2.65	84 🖌	🖌 Ava 20 ED
 * Tab 30 mcg with levonorgestrel 150 mcg				_
(16.50) Microgynon 30 a) Higher subsidy of \$15.00 per 63 tab with Special Authority see \$A0500 on the previous page b) Up to 63 tab available on a PSO * Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab – Up to 84 tab available on a PSO				Microgynon 50 ED
 a) Higher subsidy of \$15.00 per 63 tab with Special Authority see \$A0500 on the previous page b) Up to 63 tab available on a PSO * Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab - Up to 84 tab available on a PSO	* Tab 30 mcg with levonorgestrel 150 mcg		63	Mieron non 20
 b) Up to 63 tab available on a PSO * Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab – Up to 84 tab available on a PSO	a) Higher subsidy of \$15.00 per 62 tob with Special Aut	· · · ·	the provinue i	
 * Tab 30 mcg with levonorgestrel 150 mcg and 7 inert tab – Up to 84 tab available on a PSO		nonty see SA0500 on	the previous p	paye
to 84 tab available on a PSO		n		
 * Tab 35 mcg with norethisterone 1 mg – Up to 63 tab available on a PSO			84 🗸	Ava 30 ED
 * Tab 35 mcg with norethisterone 1 mg – Up to 63 tab available on a PSO	ETHINYLOESTRADIOL WITH NORETHISTERONE			
on a PSO		le		
84 tab available on a PSO			63 🗸	Brevinor 1/21
 ★ Tab 35 mcg with norethisterone 500 mcg – Up to 63 tab available on a PSO	* Tab 35 mcg with norethisterone 1 mg and 7 inert tab - Up to)		
available on a PSO		6.62	84 🖌	Brevinor 1/28
✤ Tab 35 mcg with norethisterone 500 mcg and 7 inert tab – Up				_
			63 🖌	Brevinor 21
to 84 tab available on a PSU				
	to 84 tad available on a PSU		84	Norimin

Progestogen-only Contraceptives

► SA0500 Special Authority for Alternate Subsidy

Initial application from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

1 Either:

1.1 Patient is on a Social Welfare benefit; or

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

GENITO-URINARY SYSTEM

Subsidy	F	ully	Brand or
(Manufacturer's	Price) Subsid	ised	Generic
\$	Per	✓	Manufacturer

continued...

1.2 Patient has an income no greater than the benefit; and

2 Has tried at least one of the fully funded options and has been unable to tolerate it.

Renewal from any medical practitioner. Approvals valid for 2 years for applications meeting the following criteria: Either:

- 1 Patient is on a Social Welfare benefit; or
- 2 Patient has an income no greater than the benefit.

Notes: The approval numbers of Special Authorities approved after 1 November 1999 are interchangeable between Mercilon and Marvelon.

The additional subsidy will fund Mercilon and Marvelon up to the manufacturer's price for each of these products as identified on the Schedule at 1 November 1999.

Special Authorities approved before 1 November 1999 remain valid until the expiry date and can be renewed providing that women are still either:

- on a Social Welfare benefit; or
- have an income no greater than the benefit.

The approval numbers of Special Authorities approved before 1 November 1999 are interchangeable for products within the combined oral contraceptives and progestogen-only contraceptives groups, except Loette and Microgynon 20 ED LEVONORGESTREL

* Tab 30 mcg	6.62 (16.50)	84	Microlut
a) Higher subsidy of \$13.80 per 84 tab with Special Aub) Up to 84 tab available on a PSO	thority see SA0500	on the prev	vious page
Subdermal implant (2 × 75 mg rods) – Up to 3 pack availab on a PSO		1	✓ Jadelle
MEDROXYPROGESTERONE ACETATE * Inj 150 mg per ml, 1 ml syringe – Up to 5 inj available on a	PSO7.25	1	✓ <u>Depo-Provera</u>
NORETHISTERONE * Tab 350 mcg – Up to 84 tab available on a PSO	6.25	84	✓ Noriday 28
Emergency Contraceptives			
LEVONORGESTREL * Tab 1.5 mga) Maximum of 2 tab per prescription	4.95	1	✓ Postinor-1

b) Up to 5 tab available on a PSO

Antiandrogen Oral Contraceptives

Prescribers may code prescriptions "contraceptive" (code "O") when used as indicated for contraception. The period of supply and prescription charge will be as per other contraceptives, as follows:

- \$5.00 prescription charge (patient co-payment) will apply.
- prescription may be written for up to six months supply.

Prescriptions coded in any other way are subject to the non contraceptive prescription charges, and the non-contraceptive period of supply. ie. Prescriptions may be written for up to three months supply.

CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL

*	Tab 2 mg with ethinyloestradiol 35 mcg and 7 inert tabs – Up			
	to 168 tab available on a PSO	4.67	168	🗸 Ginet
	Ginet to be Sole Supply on 1 October 2017			

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's Pi	rico) Subc	Fully Brand or idised Generic
		Per	Manufacturer
Gynaecological Anti-infectives			
CETIC ACID WITH HYDROXYQUINOLINE AND RICINOLEIC	ACID		
Jelly with glacial acetic acid 0.94%, hydroxyquinoline sulph		100 00	
0.025%, glycerol 5% and ricinoleic acid 0.75% with app	(24.00) (24.00)	100 g OP	Aci-Jel
CLOTRIMAZOLE	(24.00)		
✓ Vaginal crm 1% with applicators		35 g OP	 Clomazol
Vaginal crm 2% with applicators		20 g OP	✓ Clomazol
IICONAZOLE NITRATE			
Vaginal crm 2% with applicator	3.88	40 g OP	 Micreme
Micreme to be Sole Supply on 1 October 2017			
IYSTATIN	4 45		. Alilotot
Vaginal crm 100,000 u per 5 g with applicator(s) Nilstat to be Sole Supply on 1 September 2017	4.45	75 g OP	 Nilstat
Myometrial and Vaginal Hormone Preparations	;		
RGOMETRINE MALEATE			
Inj 500 mcg per ml, 1 ml ampoule – Up to 5 inj available or	a		
PSO		5	 DBL Ergometrine
ESTRIOL			
Crm 1 mg per g with applicator		15 g OP	✓ Ovestin
Pessaries 500 mcg	6.53	15	 Ovestin
XYTOCIN – Up to 5 inj available on a PSO	4.00	-	
Inj 5 iu per ml, 1 ml ampoule Inj 10 iu per ml, 1 ml ampoule		5 5	 Oxytocin BNM Oxytocin BNM
XYTOCIN WITH ERGOMETRINE MALEATE – Up to 5 inj av		Ū	<u></u>
Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml		5	 Syntometrine
Pregnancy Tests - hCG Urine			
REGNANCY TESTS - HCG URINE			
a) Up to 200 test available on a PSO			
b) Only on a PSO	17.00	(0.1) OD	
Cassette	17.60	40 test OP	 EasyCheck
Urinary Agents			
or urinary tract Infections refer to INFECTIONS, Antibacterials	, page 116		
5-Alpha Reductase Inhibitors			
INASTERIDE – Special Authority see SA0928 below – Retail ∉ Tab 5 mg		30	✓ Finpro
»SA0928 Special Authority for Subsidy			•
itial application from any relevant practitioner. Approvals va ne following criteria:	lid without further r	renewal unless	notified for applications meetin
			continued

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once



Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where patient has overactive bladder and a documented intolerance of, or is non-responsive to oxybutynin.

82

GENITO-URINARY SYSTEM

GENITO-URINARY SYSTEM

	Subsidy (Manufacturer's \$	Price) Su Per	Fully ubsidised	Brand or Generic Manufacturer
Detection of Substances in Urine				
ORTHO-TOLIDINE * Compound diagnostic sticks	7.50 (8.25)	50 test OP		Hemastix
TETRABROMOPHENOL * Blue diagnostic strips	7.02 (13.92)	100 test OF		Albustix

	Subsidy (Manufacturer's Price)	Su	Fully bsidised	Brand or Generic
	\$	Per	 ✓ 	Manufacturer
Calcium Homeostasis				
CALCITONIN				
* Inj 100 iu per ml, 1 ml ampoule	121.00	5	🗸 N	liacalcic
CINACALCET - Special Authority see SA1618 below - Retail ph	armacy			
Tab 30 mg - Wastage claimable - see rule 3.3.2 on page 13	403.70	28	✓ s	ensipar
■ SA1618 Special Authority for Subsidy Initial application only from a nephrologist or endocrinologist. A following criteria:	pprovals valid for 6 n	nonths fo	or applica	tions meeting the
Either: 1 All of the following:				
 1.1 The patient has been diagnosed with a parathyroid 1.2 The patient has persistent hypercalcaemia (serum including sodium thiosulfate (where appropriate) ar 1.3 The patient is symptomatic; or 2 All of the following: 2.1 The patient has been diagnosed with calciphylaxis 2.2 The patient has symptomatic (e.g. painful skin ulce 2.3 The patient's condition has not responded to previo 	calcium ≥ 3 mmol/L) d bisphosphonates; (calcific uraemic arte ers) hypercalcaemia	despite and riolopath (serum c	ny); and alcium ≥	3 mmol/L); and
thiosulfate.				
Renewal only from a nephrologist or endocrinologist. Approvals meeting the following criteria: Both:		enewal	unless no	tified for applications
1 The patient's serum calcium level has fallen to < 3mmol/L;				
2 The patient has experienced clinically significant symptom Note: This does not include parathyroid adenomas unless these	•	ant		
ZOLEDRONIC ACID	have become mangin	unt.		
Inj 4 mg per 5 ml, vial – Special Authority see SA1512 below	_			
Retail pharmacy		1	✓ Z	oledronic acid Mylan
	550.00		✓ Z	ometa
 SA1512 Special Authority for Subsidy Initial application only from an oncologist, haematologist or pallia unless notified for applications meeting the following criteria: Any of the following: Patient has hypercalcaemia of malignancy; or 	ative care specialist.	Approv	als valid v	vithout further renewal
2 Both: 2.1 Patient has bone metastases or involvement; and				
2.2 Patient has severe bone pain resistant to standard 3 Both:	tirst-line treatments;	or		
 3.1 Patient has bone metastases or involvement; and 3.2 Patient is at risk of skeletal-related events patholog surgery to bone). 	ical fracture, spinal c	ord com	pression,	radiation to bone or
Corticosteroids and Related Agents for Systemi	c Use			
BETAMETHASONE SODIUM PHOSPHATE WITH BETAMETHA * Inj 3.9 mg with betamethasone acetate 3 mg per ml, 1 ml		5	С	elestone Chronodose

				-
	Subsidy		Fully	Brand or
	(Manufacturer's Pi		sidised	Generic
	\$	Per	1	Manufacturer
DEXAMETHASONE				
* Tab 0.5 mg – Retail pharmacy-Specialist	0.88	30	✓	Dexmethsone
Up to 60 tab available on a PSO				
* Tab 4 mg - Retail pharmacy-Specialist	1 84	30		Dexmethsone
Up to 30 tab available on a PSO		00	-	
Oral liq 1 mg per ml – Retail pharmacy-Specialist	45.00	25 ml OP	1	Biomed
		20111101	•	Diomed
Oral liq prescriptions:				
1) Must be written by a Paediatrician or Paediatric Ca				
2) On the recommendation of a Paediatrician or Pae	diatric Cardiologis	t.		
DEXAMETHASONE PHOSPHATE				
Dexamethasone phosphate injection will not be funded for o	raluse			
 Inj 4 mg per ml, 1 ml ampoule – Up to 5 inj available on a P 		10	1	Max Health
 * Inj 4 mg per ml, 2 ml ampoule – Up to 5 inj available on a P 		5		Max Health
* III 4 III per III, 2 III ampoule – Op to 5 III available of a P				
	25.18	10	•	Max Health
FLUDROCORTISONE ACETATE				
* Tab 100 mcg	14.32	100		Florinef
HYDROCORTISONE				
* Tab 5 mg	8 10	100		Douglas
		100	•	Dougias
* Tab 20 mg – For hydrocortisone oral liquid formulation references 201		100		Develop
page 221		100		Douglas
* Inj 100 mg vial	5.30	1	•	Solu-Cortef
 a) Up to 5 inj available on a PSO 				
b) Only on a PSO				
METHYLPREDNISOLONE – Retail pharmacy-Specialist				
* Tab 4 mg	80.00	100	 Image: A second s	Medrol
* Tab 100 mg		20		Medrol
-			-	induror
METHYLPREDNISOLONE (AS SODIUM SUCCINATE) - Retai				. . .
Inj 40 mg vial		1		Solu-Medrol
Inj 125 mg vial		1		Solu-Medrol
Inj 500 mg vial	9.00	1		Solu-Medrol
Inj 1 g vial	16.00	1		Solu-Medrol
METHYLPREDNISOLONE ACETATE				
Inj 40 mg per ml, 1 ml vial		5	1	Depo-Medrol
		Ū	:	
METHYLPREDNISOLONE ACETATE WITH LIDOCAINE [LIGN	•			Dense Marduel uddi
Inj 40 mg per ml with lidocaine [lignocaine] 1 ml vial	9.25	1	•	Depo-Medrol with
				Lidocaine
PREDNISOLONE				
* Oral liq 5 mg per ml – Up to 30 ml available on a PSO	7.50	30 ml OP		Redipred
Restricted to children under 12 years of age.				•
PREDNISONE				
	10.69	500		Ana Dradniaana
* Tab 1 mg		500		Apo-Prednisone
* Tab 2.5 mg		500		Apo-Prednisone
* Tab 5 mg – Up to 30 tab available on a PSO		500		Apo-Prednisone
* Tab 20 mg	29.03	500	•	Apo-Prednisone
TETRACOSACTRIN				
* Inj 250 mcg per ml, 1 ml ampoule	75.00	1	1	Synacthen
* Inj 1 mg per ml, 1 ml ampoule		1		Synacthen Depot

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
TRIAMCINOLONE ACETONIDE Inj 10 mg per ml, 1 ml ampoule Kenacort-A 10 to be Sole Supply on 1 October 2017	20.80	5	1	Kenacort-A 10
Inj 40 mg per ml, 1 ml ampoule Kenacort-A 40 to be Sole Supply on 1 October 2017	51.10	5	1	Kenacort-A 40
Sex Hormones Non Contraceptive				
Androgen Agonists and Antagonists				
CYPROTERONE ACETATE – Retail pharmacy-Specialist				
Tab 50 mg		50	✓	Procur
Tab 100 mg		50	1	Procur
TESTOSTERONE				
Transdermal patch, 2.5 mg per day	80.00	60	✓	Androderm
Patch 5 mg per day	80.00	30	1	Androderm
TESTOSTERONE CYPIONATE – Retail pharmacy-Specialist				
Inj 100 mg per ml, 10 ml vial Depo-Testosterone to be Sole Supply on 1 October 2017		1	~	Depo-Testosterone
TESTOSTERONE ESTERS – Retail pharmacy-Specialist				
Inj 250 mg per ml, 1 ml		1	1	Sustanon Ampoules
TESTOSTERONE UNDECANOATE - Retail pharmacy-Specialis				•
Cap 40 mg		60	1	Andriol Testocaps
Inj 250 mg per ml, 4 ml vial		1		Reandron 1000

Hormone Replacement Therapy - Systemic

Prescribing Guideline

HRT should be taken at the lowest dose for the shortest period of time necessary to control symptoms. Patients should be reviewed 6 monthly in line with the updated NZGG "Evidence-based Best Practice Guideline on Hormone Replacement Therapy March 2004".

Oestrogens

OE	STRADIOL – See prescribing guideline above			
*	Tab 1 mg	4.12	28 OP	
		(11.10)		Estrofem
*	Tab 2 mg		28 OP	
	3	(11.10)		Estrofem
*	Patch 25 mcg per day	(-)	8	 Estradot
	a) No more than 2 patch per week		U U	
	, , , , ,			
	b) Only on a prescription	7.04	•	
*	Patch 50 mcg per day		8	Estradot 50 mcg
	 a) No more than 2 patch per week 			
	b) Only on a prescription			
*	Patch 75 mcg per day	7.91	8	Estradot
	a) No more than 2 patch per week			
	b) Only on a prescription			
*	Patch 100 mcg per day	7 91	8	 Estradot
~			0	
	a) No more than 2 patch per week			
	b) Only on a prescription			

	Subsidy		Full	/ Brand or
	(Manufacturer's Price))	Subsidise	d Generic
	\$	Per	~	Manufacturer
ESTRADIOL VALERATE See preseribing guideling on the				
ESTRADIOL VALERATE – See prescribing guideline on the		~ ~		-
• Tab 1 mg		84		Progynova
🗧 Tab 2 mg		84	~	Progynova
ESTROGENS - See prescribing guideline on the previous pa	ide			
Conjugated, equine tab 300 mcg	•	28		
	(11.48)	20		Premarin
Conjugated aquina tab COE mag		00		Tremann
Conjugated, equine tab 625 mcg		28		D .
	(11.48)			Premarin
Progestogens				
IEDROXYPROGESTERONE ACETATE – See prescribing gu				
🗧 Tab 2.5 mg	3.75	30		Provera
🗧 Tab 5 mg	14.00	100	✓	Provera
🗧 Tab 10 mg	7.15	30	~	Provera
Descents and Operation Compliand Drane				
Progestogen and Oestrogen Combined Preparetic Prepa	ations			
ESTRADIOL WITH NORETHISTERONE – See prescribing g	uideline on the previo	us pag	е	
Tab 1 mg with 0.5 mg norethisterone acetate	5.40	28 OP)	
	(18.10)			Kliovance
Tab 2 mg with 1 mg norethisterone acetate		28 OP)	
· ··· = ···g · ··· · · · · · · · · · · ·	(18.10)			Kliogest
Tob 2 ma with 1 ma norothistorona costate (10) and 2 ma	(10.10)			Riogoot
Tab 2 mg with 1 mg norethisterone acetate (10), and 2 mg	F 40	~~~~		
oestradiol tab (12) and 1 mg oestradiol tab (6)		28 OP	,	- .
	(18.10)			Trisequens
ESTROGENS WITH MEDROXYPROGESTERONE - See pr	escribing guideline on	the pr	evious pa	age
Tab 625 mcg conjugated equine with 2.5 mg	00			•
medroxyprogesterone acetate tab (28)	5.40	28 OP)	
		20 01		Premia
	(22.96)			
				2.5 Continuous
Tab 625 mcg conjugated equine with 5 mg				
medroxyprogesterone acetate tab (28)	5.40	28 OP)	
	(22.96)			Premia 5 Continuous
	, ,			
Other Oestrogen Preparations				
THINYLOESTRADIOL				
Tab 10 mcg	17.60	100	✓	NZ Medical and
-				Scientific
ESTRIO				
ESTRIOL	7.00	20		Overtin
ESTRIOL € Tab 2 mg	7.00	30	~	Ovestin
• Tab 2 mg	7.00	30	~	Ovestin
	7.00	30	~	Ovestin
Tab 2 mg Other Progestogen Preparations	7.00	30	/	Ovestin
 Tab 2 mg Other Progestogen Preparations EVONORGESTREL 		30	/	Ovestin
Tab 2 mg Tab 2 mg	e	30	~	Ovestin
 Tab 2 mg Other Progestogen Preparations EVONORGESTREL 	e	30	/	Ovestin Mirena

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pric \$	e) Per	Full Subsidise	·
SA1608 Special Authority for Subsidy Initial application — (No previous use) only from a relevant s applications meeting the following criteria: All of the following:	specialist or general	practitic	oner. App	provals valid for 6 months fo
 The patient has a clinical diagnosis of heavy menstrual b The patient has failed to respond to or is unable to tolera Menstrual Bleeding Guidelines; and Either: 3.1 serum ferritin level < 16 mcg/l (within the last 12 	te other appropriate	pharma	aceutical	therapies as per the Heavy
3.2 haemoglobin level $<$ 120 g/l.				
Note: Applications are not to be made for use in patients as con Renewal only from a relevant specialist or general practitioner. following criteria: Both:				
1 Either:				
1.1 Patient demonstrated clinical improvement of hea	wy menstrual bleedi	na. or		
1.2 Previous insertion was removed or expelled within			ł	
2 Applicant to state date of the previous insertion.		,		
MEDROXYPROGESTERONE ACETATE				
 * Tab 100 mg – Retail pharmacy-Specialist 		100	~	Provera HD
NORETHISTERONE				
* Tab 5 mg – Up to 30 tab available on a PSO		100	~	Primolut N
PROGESTERONE				
Cap 100 mg - Special Authority see SA1609 below - Reta	il			
pharmacy		30	~	Utrogestan
SA1609 Special Authority for Subsidy				
nitial application only from an obstetrician or gynaecologist.	Approvals valid for 1	2 month	ns for app	lications meeting the
following criteria:				
Both:				
 For the prevention of pre-term labour*; and Either: 				
2.1 The patient has a short cervix on ultrasound (defi	ned as < 25 mm at 1	6 to 28	weeks).	or
2.2 The patient has a history of pre-term birth at less		0 10 20	, moonoj,	
Renewal only from an obstetrician or gynaecologist. Approvals		for app	lications I	meeting the following criter
All of the following:				
1 For the prevention of pre-term labour*; and				
2 Treatment is required for second or subsequent pregnan	icy; and			
3 Either:	nod on . OF mer at a	C to 00		
3.1 The patient has a short cervix on ultrasound (defi3.2 The patient has a history of pre-term birth at less		10 10 28	weeks);	UI
S.2 The patient has a history of pre-term birth at less		and D	ofinitional	

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Thyroid and Antithyroid Agents		
CARBIMAZOLE * Tab 5 mg10.80	100	 ✓ AFT Carbimazole S230 ✓ Neo-Mercazole

	rations. .1.71 4.05	90 28 90	1	Manufacturer Synthroid Mercury Pharma
 Tab 25 mcg ‡ Safety cap for extemporaneously compounded oral liquid prepa Tab 50 mcg 	rations. .1.71 4.05	28	1	
	rations. .1.71 4.05	28	1	
 Tab 50 mcg 	.1.71 4.05			Mercurv Pharma
-	4.05			Mercury Pharma
		90		
	~ 4 00		~	Synthroid
+ Safaty can far avtomporaneously compounded arel liquid propo	64.28	1,000	~	Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid prepa	rations.			
← Tab 100 mcg	.1.78	28	✓	Mercury Pharma
	4.21	90	✓	Synthroid
1	66.78	1,000	✓	Eltroxin
‡ Safety cap for extemporaneously compounded oral liquid prepa	rations.			
ROPYLTHIOURACIL - Special Authority see SA1199 below - Retail p	harmacv			
Propylthiouracil is not recommended for patients under the age of 18 treatments are contraindicated.	,	s the pati	ient is p	pregnant and other
Tab 50 mg	35.00	100	-	PTU S29
SA1199 Special Authority for Subsidy				

- 1 The patient has hyperthyroidism; and
- 2 The patient is intolerant of carbimazole or carbimazole is contraindicated.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from the treatment.

Trophic Hormones

Growth Hormones

SO	MATROPIN (OMNITROPE) - Special Authority see SA1629 below	v – Retail pharma	асу	
*	Inj 5 mg cartridge	109.50	1	 Omnitrope
*	Inj 10 mg cartridge	219.00	1	 Omnitrope
*	Inj 15 mg cartridge	328.50	1	 Omnitrope

⇒SA1629 Special Authority for Subsidy

Initial application — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria: Fither:

- 1 Growth hormone deficiency causing symptomatic hypoglycaemia, or with other significant growth hormone deficient sequelae (e.g. cardiomyopathy, hepatic dysfunction) and diagnosed with GH < 5 mcg/l on at least two random blood samples in the first 2 weeks of life, or from samples during established hypoglycaemia (whole blood glucose < 2 mmol/l using a laboratory device); or
- 2 All of the following:
 - Height velocity < 25th percentile for age adjusted for bone age/pubertal status if appropriate over 6 or 12 months using the standards of Tanner and Davies (1985); and
 - 2.2 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
 - 2.3 Peak growth hormone value of < 5.0 mcg per litre in response to two different growth hormone stimulation tests. In children who are 5 years or older, GH testing with sex steroid priming is required; and</p>
 - 2.4 If the patient has been treated for a malignancy, they should be disease free for at least one year based upon follow-up laboratory and radiological imaging appropriate for the malignancy, unless there are strong medical reasons why this is either not necessary or appropriate; and

continued...

\$ safety cap

Three months supply may be dispensed at one time

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsidi	sed	Generic
\$	Per	✓	Manufacturer

continued...

2.5 Appropriate imaging of the pituitary gland has been obtained.

Renewal — (growth hormone deficiency in children) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 2 Height velocity is ≥ 25th percentile for age (adjusted for bone age/pubertal status if appropriate) while on growth hormone treatment, as calculated over six months using the standards of Tanner and Davis (1985); and
- 3 Height velocity is \ge 2.0 cm per year, as calculated over 6 months; and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.

Initial application — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a post-natal genotype confirming Turner Syndrome; and
- 2 Height velocity is < 25th percentile over 6-12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is < 14 years.

Renewal — (Turner syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity ≥ 50th percentile for age (while on growth hormone calculated over 6 to 12 months using the Ranke's Turner Syndrome growth velocity charts); and
- 2 Height velocity is \ge 2 cm per year, calculated over six months; and
- 3 A current bone age is \leq 14 years; and
- 4 No serious adverse effect that the specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed since starting growth hormone.
- **Initial application** (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 3 standard deviations below the mean for age or for bone age if there is marked growth acceleration or delay; and
- 2 Height velocity is < 25th percentile for age (adjusted for bone age/pubertal status if appropriate), as calculated over 6 to 12 months using the standards of Tanner and Davies(1985); and
- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 The patient does not have severe chronic disease (including malignancy or recognized severe skeletal dysplasia) and is not receiving medications known to impair height velocity.

Renewal — (short stature without growth hormone deficiency) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

90

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is \ge 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred.

Initial application - (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist

continued...

Subsidy	Fu	lly Brand or	
(Manufacturer's Price)	Subsidis	ed Generic	
\$	Per	 Manufacture 	r

continued...

or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient's height is more than 2 standard deviations below the mean; and
- 2 Height velocity is < 25th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 3 A current bone age is \leq to 14 years (female patients) or \leq to 16 years (male patients); and
- 4 The patient is metabolically stable, has no evidence of metabolic bone disease and absence of any other severe chronic disease; and
- 5 The patient is under the supervision of a specialist with expertise in renal medicine; and
- 6 Either:
 - 6.1 The patient has a GFR ≤ 30 ml/min/1.73m² as measured by the Schwartz method (Height(cm)/plasma creatinine (umol/l) × 40 = corrected GFR (ml/min/1.73m² in a child who may or may not be receiving dialysis; or
 - 6.2 The patient has received a renal transplant and has received < 5mg/ m²/day of prednisone or equivalent for at least 6 months..

Renewal — (short stature due to chronic renal insufficiency) only from a paediatric endocrinologist, endocrinologist or renal physician on the recommendation of a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is ≥ 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patients specialist considers is likely to be attributable to growth hormone has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not experienced significant biochemical or metabolic deterioration confirmed by diagnostic results; and
- 7 The patient has not received renal transplantation since starting growth hormone treatment; and
- 8 If the patient requires transplantation, growth hormone prescription should cease before transplantation and a new application should be made after transplantation based on the above criteria.

Initial application — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a diagnosis of Prader-Willi syndrome that has been confirmed by genetic testing or clinical scoring criteria; and
- 2 The patient is aged six months or older; and

*Three months or six months, as applicable, dispensed all-at-once

- 3 A current bone age is < 14 years (female patients) or < 16 years (male patients); and
- 4 Sleep studies or overnight oximetry have been performed and there is no obstructive sleep disorder requiring treatment, or if an obstructive sleep disorder is found, it has been adequately treated under the care of a paediatric respiratory physician and/or ENT surgeon; and
- 5 Either:

5.1 Both:

- 5.1.1 The patient is aged two years or older; and
- 5.1.2 There is no evidence of type II diabetes or uncontrolled obesity defined by BMI that has increased by \geq 0.5 standard deviations in the preceding 12 months; or
- 5.2 The patient is aged between six months and two years and a thorough upper airway assessment is planned to be undertaken prior to treatment commencement and at six to 12 weeks following treatment initiation.

continued...

‡ safety cap

Subsidy	Fully	Brand or	
(Manufacturer's Price)	Subsidised	Generic	
\$	Per 🗸	Manufacturer	

continued...

Renewal — (Prader-Willi syndrome) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Height velocity is ≥ 50th percentile (adjusted for bone age/pubertal status if appropriate) as calculated over 6 to 12 months using the standards of Tanner and Davies (1985); and
- 2 Height velocity is \ge 2 cm per year as calculated over six months; and
- 3 A current bone age is \leq 14 years (female patients) or \leq 16 years (male patients); and
- 4 No serious adverse effect that the patient's specialist considers is likely to be attributable to growth hormone treatment has occurred; and
- 5 No malignancy has developed after growth hormone therapy was commenced; and
- 6 The patient has not developed type II diabetes or uncontrolled obesity as defined by BMI that has increased by ≥ 0.5 standard deviations in the preceding 12 months.

Initial application — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has a medical condition that is known to cause growth hormone deficiency (e.g. surgical removal of the pituitary for treatment of a pituitary tumour); and
- 2 The patient has undergone appropriate treatment of other hormonal deficiencies and psychological illnesses; and
- 3 The patient has severe growth hormone deficiency (see notes); and
- 4 The patient's serum IGF-I is more than 1 standard deviation below the mean for age and sex; and
- 5 The patient has poor quality of life, as defined by a score of 16 or more using the disease-specific quality of life questionnaire for adult growth hormone deficiency (QoL-AGHDA®).

Notes: For the purposes of adults and adolescents, severe growth hormone deficiency is defined as a peak serum growth hormone level of \leq 3 mcg per litre during an adequately performed insulin tolerance test (ITT) or glucagon stimulation test. Patients with one or more additional anterior pituitary hormone deficiencies and a known structural pituitary lesion only require one test. Patients with isolated growth hormone deficiency require two growth hormone stimulation tests, of which, one should be ITT unless otherwise contraindicated. Where an additional test is required, an arginine provocation test can be used with a peak serum growth hormone level of \leq 0.4 mcg per litre.

The dose of somatropin should be started at 0.2 mg daily and be titrated by 0.1 mg monthly until the serum IGF-I is within 1 standard deviation of the mean normal value for age and sex; and

Dose of somatropin not to exceed 0.7 mg per day for male patients, or 1 mg per day for female patients.

At the commencement of treatment for hypopituitarism, patients must be monitored for any required adjustment in replacement doses of corticosteroid and levothyroxine.

Renewal — (adults and adolescents) only from a paediatric endocrinologist or endocrinologist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

92

- 1 All of the following:
 - 1.1 The patient has been treated with somatropin for < 12 months; and
 - 1.2 There has been an improvement in Quality of Life defined as a reduction of at least 8 points on the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA®) score from baseline; and
 - 1.3 Serum IGF-I levels have been increased within ±1SD of the mean of the normal range for age and sex; and

1.4 The dose of somatropin has not exceeded 0.7 mg per day for male patients, or 1 mg per day for female patients; or 2 All of the following:

- 2.1 The patient has been treated with somatropin for more than 12 months; and
- 2.2 The patient has not had a deterioration in Quality of Life defined as a 6 point or greater increase from their lowest QoL-AGHDA® score on treatment (other than due to obvious external factors such as external stressors); and
- 2.3 Serum IGF-I levels have continued to be maintained within ±1SD of the mean of the normal range for age and sex (other than for obvious external factors); and

continued...

	Subsidy (Manufacturer's Pric \$	e) Subsi Per	Fully dised	Brand or Generic Manufacturer
ontinued				
2.4 The dose of somatropin has not exceeded 0.7 mg	per day for male pa	atients or 1 m	g per d	ay for female patients
GnRH Analogues				
GOSERELIN				
Implant 3.6 mg, syringe	66.48	1	✓ <u>Z</u>	oladex
Implant 10.8 mg, syringe	177.50	1	✓ <u>Z</u>	oladex
EUPRORELIN				
Additional subsidy by endorsement where the patient is a chi	ld or adolescent ar	nd is unable to	o tolera	te administration of
goserelin and the prescription is endorsed accordingly.				
Inj 3.75 mg prefilled dual chamber syringe - Higher subsidy	of			
\$221.60 per 1 inj with Endorsement		1		
	(221.60)		Lu	ucrin Depot 1-month
Inj 11.25 mg prefilled dual chamber syringe - Higher subsidy	1			
of \$591.68 per 1 inj with Endorsement		1		
	(591.68)		Lu	ucrin Depot 3-month
Inj 30 mg prefilled dual chamber syringe - Higher subsidy of				
\$1109.40 per 1 inj with Endorsement		1		
	(1,109.40)		Lu	ucrin Depot 6-month
Lucrin Depot 6-month Inj 30 mg prefilled dual chamber syringe to	be delisted 1 Aug	ust 2017)		
Vasopressin Agonists				
Vasopiessiii Agoinsis				
DESMOPRESSIN ACETATE				
Tab 100 mcg - Special Authority see SA1401 below - Retai				
pharmacy		30	🗸 <u>М</u>	<u>inirin</u>
Tab 200 mcg - Special Authority see SA1401 below - Retai				
pharmacy		30		inirin
Nasal drops 100 mcg per ml – Retail pharmacy-Specialist		2.5 ml OP	🗸 M	inirin
Nasal spray 10 mcg per dose – Retail pharmacy-Specialist	22.95	6 ml OP		esmopressin-
				PH&T
Inj 4 mcg per ml, 1 ml – Special Authority see SA1401 below	ı —			
Retail pharmacy		10	🗸 W	inirin
■SA1401 Special Authority for Subsidy				
nitial application — (Desmopressin tablets for Nocturnal en	uresis) from any re	elevant practi	tioner.	Approvals valid for 1
nonths for applications meeting the following criteria:				
Il of the following:				

All of the following:

- 1 The patient has primary nocturnal enuresis; and
- 2 The nasal forms of desmopressin are contraindicated; and
- 3 An enuresis alarm is contraindicated.

Initial application — (Desmopressin tablets for Diabetes insipidus) from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has cranial diabetes insipidus; and
- 2 The nasal forms of desmopressin are contraindicated.

Renewal - (Desmopressin tablets) from any relevant practitioner. Approvals valid for 12 months where the treatment remains

continued...

‡ safety cap

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or
(Manufacturer's Price))	Subsidised	Generic
\$	Per	1	Manufacturer

continued...

appropriate and the patient is benefiting from the treatment.

Initial application — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the patient cannot use desmopressin nasal spray or nasal drops.

Renewal — (Desmopressin injection) only from a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Other Endocrine Agents			
CABERGOLINE			
Tab 0.5 mg – Maximum of 2 tab per prescription; can be			
waived by Special Authority see SA1370 below	4.75 9.00	2 8	✓ <u>Dostinex</u> ✓ <u>Dostinex</u>
■ SA1370 Special Authority for Waiver of Rule			
Initial application from any relevant practitioner. Approvals valid without the following criteria: Either:	further renew	al unless n	otified for applications meeting
 pathological hyperprolactinemia; or acromegaly*. 			
Renewal — (for patients who have previously been funded under Sp practitioner. Approvals valid without further renewal unless notified where which has expired and the treatment remains appropriate and the patient Note: Indication marked with * is an Unapproved indication.	e the patient ha	as previous	sly held a valid Special Authority
CLOMIFENE CITRATE			
Tab 50 mg24	9.84	10	 Mylan Clomiphen S29 Serophene
DANAZOL			·
Cap 100 mg6	8.33 1	100	✓ Azol
Cap 200 mg9	7.83	100	✓ Azol
METYRAPONE			

1ETYRAPONE		
Cap 250 mg - Retail pharmacy-Specialist	 50	 Metopirone

	Subsidy		Fully Brand or
	(Manufacturer's Price)		Subsidised Generic
	\$	Per	 Manufacturer
Anthelmintics			
ALBENDAZOLE - Special Authority see SA1318 below - Retai	Inharmacy		
Tab 400 mg		60	Eskazole S29
		00	ESKALOIC
► SA1318 Special Authority for Subsidy	liniaal miarahialagiat	A	wale walled for C months where the
Initial application only from an infectious disease specialist or or patient has hydatids.	cimical microbiologist.	Appro	ovais valid for 6 months where the
Renewal only from an infectious disease specialist or clinical mi	orobiologist Approva	le valie	for 6 months where the treatment
remains appropriate and the patient is benefitting from the treatr		lis vail	
	nom.		
MEBENDAZOLE – Only on a prescription Tab 100 mg	04.10	24	✓ De-Worm
Oral lig 100 mg per 5 ml		15 ml	• De-wollin
	(7.17)	13 111	Vermox
	(r, r)		Vermox
PRAZIQUANTEL			
Tab 600 mg		8	 Biltricide
Antihestariale			
Antibacterials			
a) For topical antibactorials, refer to DEPMATOLOGICALS, page	no 69		
 a) For topical antibacterials, refer to DERMATOLOGICALS, page b) For anti-infective eye preparations, refer to SENSORY ORGA 			
	ANO, page 210		
Cephalosporins and Cephamycins			
CEFACLOR MONOHYDRATE	04.70		
Cap 250 mg		100	Ranbaxy-Cefaclor
Grans for oral liq 125 mg per 5 ml - Wastage claimable - s			
rule 3.3.2 on page 13		100 ml	Ranbaxy-Cefaclor
CEFALEXIN			_
Cap 250 mg		20	 Cephalexin ABM
Cap 500 mg		20	 Cephalexin ABM
Grans for oral liq 25 mg per ml – Wastage claimable – see			
3.3.2 on page 13		100 ml	
Note: Cefalexin grans for oral liq will not be funded in a		days t	reatment per dispensing.
Grans for oral liq 50 mg per ml – Wastage claimable – see			
3.3.2 on page 13		100 ml	
Note: Cefalexin grans for oral liq will not be funded in a	mounts more than 14	days t	reatment per dispensing.
CEFAZOLIN – Subsidy by endorsement			
Only if prescribed for dialysis or cellulitis in accordance with	a DHB approved prot	tocol ai	nd the prescription is endorsed
accordingly.			_
Inj 500 mg vial	3.39	5	✓ AFT
AFT to be Sole Supply on 1 October 2017		_	<pre>////////////////////////////////////</pre>
Inj 1 g vial		5	✓ AFT
AFT to be Sole Supply on 1 October 2017			
CEFTRIAXONE – Subsidy by endorsement			
 a) Up to 5 inj available on a PSO 			
b) Subsidised only if prescribed for a dialysis or cystic fibro			
pelvic inflammatory disease, or the treatment of suspect	ed meningitis in patier	nts who	o have a known allergy to penicillin,
and the prescription or PSO is endorsed accordingly.			_
Inj 500 mg vial		1	✓ <u>DEVA</u>
Inj 1 g vial	0.84	1	✓ <u>DEVA</u>

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Full Subsidise	d Generic
CEFUROXIME AXETIL – Subsidy by endorsement Only if prescribed for prophylaxis of endocarditis and the pr Tab 250 mg		acco 50		Zinnat
Macrolides				
AZITHROMYCIN – Maximum of 5 days treatment per prescript A maximum of 24 months of azithromycin treatment for nor Authority.				
Tab 250 mg		30	~	Apo-Azithromycin
Tab 500 mg – Up to 8 tab available on a PSO Grans for oral lig 200 mg per 5 ml (40 mg per ml) – Wasta		2	~	Apo-Azithromycin
claimable - see rule 3.3.2 on page 13		15 m	I 🖌	Zithromax
► SA1648 Special Authority for Waiver of Rule Initial application — (bronchiolitis obliterans syndrome, cy relevant specialist. Approvals valid without further renewal unle Any of the following:				

- 1 Patient has received a lung transplant and requires treatment or prophylaxis for bronchiolitis obliterans syndrome*; or
- 2 Patient has cystic fibrosis and has chronic infection with Pseudomonas aeruginosa or Pseudomonas-related gram negative organisms*; or
- 3 Patient has an atypical Mycobacterium infection.
- Note: Indications marked with * are Unapproved Indications.

Initial application — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 For prophylaxis of exacerbations of non-cystic fibrosis bronchiectasis*; and
- 2 Patient is aged 18 and under; and
- 3 Either:
 - 3.1 Patient has had 3 or more exacerbations of their bronchiectasis, within a 12 month period; or
 - 3.2 Patient has had 3 acute admissions to hospital for treatment of infective respiratory exacerbations within a 12 month period.

Note: Indications marked with * are Unapproved Indications.

Renewal — (non-cystic fibrosis bronchiectasis*) only from a respiratory specialist or paediatrician. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has completed 12 months of azithromycin treatment for non-cystic fibrosis bronchiectasis; and
- 2 Following initial 12 months of treatment, the patient has not received any further azithromycin treatment for non-cystic fibrosis bronchiectasis for a further 12 months, unless considered clinically inappropriate to stop treatment; and
- 3 The patient will not receive more than a total of 24 months' azithromycin cumulative treatment (see note).

The patient must not have had more than 1 prior approval.

Note: No further renewals will be subsidised. A maximum of 24 months of azithromycin treatment for non-cystic fibrosis bronchiectasis will be subsidised. Indications marked with * are Unapproved Indications

CLARITHROMYCIN - Maximum of 500 mg per prescription; can be waived by Special Authority see SA1131 on the next page

Tab 250 mg		14	Apo-Clarithromycin	
Apo-Clarithromycin to be Sole Supply on 1 October 2017				
Grans for oral liq 250 mg per 5 ml - Wastage claimable - see				
rule 3.3.2 on page 13	23.12	50 ml	 Klacid 	

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

⇒SA1131 Special Authority for Waiver of Rule

Initial application — (Mycobacterial infections) only from a respiratory specialist, infectious disease specialist or paediatrician. Approvals valid for 2 years for applications meeting the following criteria: Either:

1 Atypical mycobacterial infection; or

2 Mycobacterium tuberculosis infection where there is drug-resistance or intolerance to standard pharmaceutical agents. **Renewal — (Mycobacterial infections)** only from a respiratory specialist, infectious disease specialist or paediatrician.

Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

ERYTHROMYCIN ETHYL SUCCINATE

Tab 400 mg	16.95	100	 E-Mycin
a) Up to 20 tab available on a PSO		100	
b) Up to 2 x the maximum PSO guantity for RFPP		no 17	
Grans for oral lig 200 mg per 5 ml		100 ml	 E-Mycin
		100 111	
a) Up to 300 ml available on a PSO		-	
b) Up to 2 x the maximum PSO quantity for RFPP	- see rule 5.2.6 on page	ge 17	
c) Wastage claimable – see rule 3.3.2 on page 13	o ==	100 1	/ - · ·
Grans for oral liq 400 mg per 5 ml	6.77	100 ml	 E-Mycin
a) Up to 200 ml available on a PSO			
b) Wastage claimable – see rule 3.3.2 on page 13			
ERYTHROMYCIN LACTOBIONATE			
lnj 1 g		1	 Erythrocin IV
ERYTHROMYCIN STEARATE			-
Tab 250 mg – Up to 30 tab available on a PSO		100	
	(22.29)		ERA
Tab 500 mg		100	
	(44.58)		ERA
ROXITHROMYCIN			
Tab disp 50 mg		10	Rulide D
Restricted to children under 12 years of age.			
Tab 150 mg	7.48	50	Arrow-
5			Roxithromycin
Tab 300 mg	14.40	50	✓ Arrow-
			Roxithromycin

	Subsidy		Fully	Brand or
(Manufacturer's Price) \$	Per	Subsidised	l Generic Manufacturer
	.	rei	•	Manulaciulei
Penicillins				
AMOXICILLIN				
Cap 250 mg	14.97	500	✓	Apo-Amoxi
a) Up to 30 cap available on a PSO		17		
 b) Up to 10 x the maximum PSO quantity for RFPP – see Cap 500 mg 		500	1	Apo-Amoxi
a) Up to 30 cap available on a PSO				<u></u>
b) Up to 10 x the maximum PSO quantity for RFPP - see				
Grans for oral liq 125 mg per 5 ml		100 m		Amoxicillin Actavis
a) Up to 200 ml available on a PSO	2.00		v	Ospamox
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml		100 m		Amoxicillin Actavis
	2.00		~	Ospamox
 a) Up to 300 ml available on a PSO b) Up to 10 x the maximum PSO quantity for RFPP – see 	rule 5.2.6 on page	17		
c) Wastage claimable – see rule 3.3.2 on page 13	Tule 5.2.0 off page	17		
Inj 250 mg vial	10.67	10	1	Ibiamox
Ibiamox to be Sole Supply on 1 October 2017	10.11	40		11. January
Inj 500 mg vial Ibiamox to be Sole Supply on 1 October 2017		10	•	Ibiamox
Inj 1 g vial – Up to 5 inj available on a PSO	17.29	10	1	Ibiamox
Ibiamox to be Sole Supply on 1 October 2017				
AMOXICILLIN WITH CLAVULANIC ACID				
Tab 500 mg with clavulanic acid 125 mg – Up to 30 tab	1.05	00		A
available on a PSO Grans for oral lig amoxicillin 25 mg with clavulanic acid 6.25 m		20	•	Augmentin
per ml		100 m	nl 🗸	Augmentin
a) Up to 200 ml available on a PSO				- J
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq amoxicillin 50 mg with clavulanic acid 12.5 m per ml – Up to 200 ml available on a PSO)0 ml (Curam
Grans for oral liquid amoxicillin 50 mg with clavulanic acid	2.20 10		JF V	Curam
12.5 mg per ml	4.97	100 m	nl 🗸	Augmentin
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
BENZATHINE BENZYLPENICILLIN				
Inj 900 mg (1.2 million units) in 2.3 ml syringe – Up to 5 inj available on a PSO	315.00	10	1	Bicillin LA
BENZYLPENICILLIN SODIUM (PENICILLIN G)		10	5	
Inj 600 mg (1 million units) vial – Up to 5 inj available on a PS	O 10.35	10	1	Sandoz
Sandoz to be Sole Supply on 1 October 2017				

	Subsidy		Fully	Brand or
	(Manufacturer's Pri		sidised	
	\$	Per		Manufacturer
LUCLOXACILLIN				
Cap 250 mg – Up to 30 cap available on a PSO		250		Staphlex
Cap 500 mg		500		Staphlex
Grans for oral liq 25 mg per ml	2.29	100 ml	-	AFT
 a) Up to 200 ml available on a PSO 				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 50 mg per ml	3.08	100 ml	✓	AFT
 a) Up to 200 ml available on a PSO 				
b) Wastage claimable – see rule 3.3.2 on page 13				
Inj 250 mg vial	9.00	10	1	Flucloxin
Flucloxin to be Sole Supply on 1 October 2017				
Inj 500 mg vial	9.40	10	✓	Flucloxin
Flucloxin to be Sole Supply on 1 October 2017				
Inj 1 g vial – Up to 10 inj available on a PSO		5	1	Flucil
, , , , , , , , , , , , , , , , , , ,	11.60	10	1	Flucloxin
HENOXYMETHYLPENICILLIN (PENICILLIN V) Cap 250 mg – Up to 30 cap available on a PSO	0.00	50		Cilicaine VK
Cap 500 mg		50 50		Cilicaine VK
	4.73	50	•	
a) Up to 20 cap available on a PSO				
b) Up to 2 x the maximum PSO quantity for RFPP – s				
Grans for oral liq 125 mg per 5 ml	1.48	100 ml	~	AFT
a) Up to 200 ml available on a PSO				
b) Wastage claimable – see rule 3.3.2 on page 13				
Grans for oral liq 250 mg per 5 ml	1.58	100 ml	~	<u>AFT</u>
 a) Up to 300 ml available on a PSO 				
b) Up to 2 x the maximum PSO quantity for RFPP – s	see rule 5.2.6 on pag	e 17		
c) Wastage claimable – see rule 3.3.2 on page 13				
ROCAINE PENICILLIN				
Inj 1.5 g in 3.4 ml syringe - Up to 5 inj available on a PSC		5	1	Cilicaine
Cilicaine to be Sole Supply on 1 October 2017		•		
Tetracyclines				
OXYCYCLINE	0.00	00		
Fab 50 mg – Up to 30 tab available on a PSO		30		Dave: 50
K. Tab 100 mm. Up to 00 tab available on a BCO	(6.00)	050		Doxy-50
Fab 100 mg – Up to 30 tab available on a PSO	b./5	250	•	Doxine
IINOCYCLINE HYDROCHLORIDE				
Tab 50 mg – Additional subsidy by Special Authority see				
SA1355 below – Retail pharmacy	5.79	60		
	(12.05)			Mino-tabs
₭ Cap 100 mg		100		
-	(52.04)			Minomycin
SA1355 Special Authority for Manufacturers Price				
itial application from any relevant practitioner. Approvals v	alid without further re	enewal unles	s notif	ied where the patient has
una application nom any relevant practitioner. Approvale v				
ETRACYCLINE – Special Authority see SA1332 on the next	nage – Retail pharm	acv		
Cap 500 mg		30	1	Tetracyclin
		00	-	Wolff S29

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$ Three months or six months, as applicable, dispensed all-at-once

(Subsidy (Manufacturer's Price) \$	Sub: Per	Fully sidised	Brand or Generic Manufacturer
 SA1332 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid soth: 1 For the eradication of helicobacter pylori following unsucces 	ssful treatment with	appropria	-	-
2 For use only in combination with bismuth as part of a quadr	uple therapy regime	ən.		
Other Antibiotics				
For topical antibiotics, refer to DERMATOLOGICALS, page 68 CIPROFLOXACIN Recommended for patients with any of the following: i) microbiologically confirmed and clinically significant pseu ii) prostatitis; or iii) pyelonephritis; or iv) gonorrhoea.	udomonas infection;	or		
Tab 250 mg – Up to 5 tab available on a PSO Cipflox to be Sole Supply on 1 October 2017	1.45	28	✓ 0	Cipflox
Tab 500 mg – Up to 5 tab available on a PSO Cipflox to be Sole Supply on 1 October 2017	1.99	28	✓ 0	Cipflox
Tab 750 mg Cipflox to be Sole Supply on 1 October 2017	3.15	28	✓ (Cipflox
CLINDAMYCIN				
Cap hydrochloride 150 mg – Maximum of 4 cap per prescription; can be waived by endorsement - Retail				
pharmacy - Specialist Inj phosphate 150 mg per ml, 4 ml ampoule – Retail	4.10	16	√ <u>0</u>	Clindamycin ABM
pharmacy-Specialist		10	✓ <u>□</u>	Dalacin C
CO-TRIMOXAZOLE				
Tab trimethoprim 80 mg and sulphamethoxazole 400 mg – Up to 30 tab available on a PSO		500	✓ т	risul
Oral liq trimethoprim 40 mg and sulphamethoxazole 200 mg per 5 ml – Up to 200 ml available on a PSO		100 ml		Deprim
COLISTIN SULPHOMETHATE – Retail pharmacy-Specialist – Su				-opinin
Only if prescribed for dialysis or cystic fibrosis patient and the			rdingly.	
Inj 150 mg	65.00	1	V (Colistin-Link
USIDIC ACID			-	
Tab 250 mg – Retail pharmacy-Specialist		12	✓ <u>F</u> nysician	ucidin

100 fully subsidised [HP4] refer page 4

	Subsidy Manufacturer's Price)		Fully Subsidised	Brand or Generic
(s s s s s s s s s s s s s s s s s s s	Per		Manufacturer
	÷		-	
GENTAMICIN SULPHATE	0.50	F		Jaanira
Inj 10 mg per ml, 1 ml – Subsidy by endorsement		5		Hospira
Only if prescribed for a dialysis or cystic fibrosis patient or	complicated urinary	rract i	infection a	ha the prescription is
endorsed accordingly.	175 10	05		
Inj 10 mg per ml, 2 ml – Subsidy by endorsement	175.10	25	~	
				Pharmaceuticals S29
Only if prescribed for a dialysis or cystic fibrosis patient or	complicated urinary	/ tract i	infection a	nd the prescription is
endorsed accordingly.	complicated annaly	liuoti	inicotion a	
Inj 40 mg per ml, 2 ml ampoule – Subsidy by endorsement		10	✓ F	Pfizer
Only if prescribed for a dialysis or cystic fibrosis patient or				
endorsed accordingly.	complicated annaly	liuoti	inicotion a	
MOXIFLOXACIN – Special Authority see SA1358 below – Retail p	hormooy			
No patient co-payment payable	namacy			
Tab 400 mg	52.00	5	1	Avelox
		5	• ,	AVEIOX
■ SA1358 Special Authority for Subsidy	initiat an infection of			Ammuniale velial for divisory
Initial application — (Tuberculosis) only from a respiratory spec	talist of infectious di	isease	specialist	. Approvais valid for Tyear
for applications meeting the following criteria: Either:				
1 Both:				
1.1 Active tuberculosis*; and				
1.2 Any of the following:				
1.2.1 Documented resistance to one or more first-li				
1.2.2 Suspected resistance to one or more first-line	,			
area with known resistance), as part of regim			id-line age	nts; or
1.2.3 Impaired visual acuity (considered to preclud	<i>/</i> ·			
1.2.4 Significant pre-existing liver disease or hepat				
1.2.5 Significant documented intolerance and/or signature	te effects following a	a reas	onable tria	I of first-line medications;
or				
2 Mycobacterium avium-intracellulare complex not responding	5 15			rapy is contraindicated. [*] .
Note: Indications marked with * are Unapproved Indications (refer			,	
Renewal only from a respiratory specialist or infectious disease sp	ecialist. Approvals	valid fo	or 1 year w	here the treatment
remains appropriate and the patient is benefiting from treatment.				
Initial application — (Mycoplasma genitalium) from any relevant	it practitioner. Appr	rovais	valid for 1	month for applications
meeting the following criteria:				
All of the following:		ام مر م		
1 Has nucleic acid amplification test (NAAT) confirmed Mycor		and		
2 Has tried and failed to clear infection using azithromycin; ar	0			
3 Treatment is only for 7 days.			الما المعاط سم	
Initial application — (Penetrating eye injury) only from an ophth			lid for I m	onth where the patient
requires prophylaxis following a penetrating eye injury and treatme			initiona)	
Note: Indications marked with * are Unapproved Indications (refer		nu Dei	initions).	
PAROMOMYCIN - Special Authority see SA1324 below - Retail p				
Cap 250 mg	126.00	16		lumatin S29
SA1324 Special Authority for Subsidy				
Initial application only from an infectious disease specialist or clin	ical microbiologist.	Appro	vals valid	for 1 month where the
patient has confirmed cryptosporidium infection.				
Renewal only from an infectious disease specialist or clinical micro	biologist. Approval	ls valid	for 1 mon	th where the patient has
confirmed cryptosporidium infection.				

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy			
	(Manufacturer's Price)	C h.	Fully sidised	Brand or Generic
	(Manufacturer's Price)	Per		Manufacturer
PYRIMETHAMINE - Special Authority see SA1328 below - Reta	*			
Tab 25 mg		30	./ 1	Daraprim S29
Tab 25 mg				•
	36.95	50	¥ [Daraprim S29
► SA1328 Special Authority for Subsidy				
Initial application from any relevant practitioner. Approvals valid	I without further rene	wal unless	s notifie	ed for applications meeting
the following criteria: Any of the following:				
1 For the treatment of toxoplasmosis in patients with HIV for	a pariod of 2 months	or or		
2 For pregnant patients for the term of the pregnancy; or	a period of 5 months	5, 01		
3 For infants with congenital toxoplasmosis until 12 months of	of age.			
•	-			
SULFADIAZINE SODIUM – Special Authority see SA1331 below		50		
*		90	• \	VOCKNAROI 529
Initial application from any relevant practitioner. Approvals valid	i without further rene	wai unies	s notifie	ed for applications meeting
, .	a period of 3 months	e: or		
	a period of 5 months	5, 01		
	of age.			
o 1				
	15.00	5	1 1	Cobramycin Mylan
		-		
			2000101	ngiy.
	2.200.00 5	6 dose	√ 1	ГОВІ
			-	•
b) Only if prescribed for a cystic fibrosis patient and the p	prescription is endors	sed accord	dingly.	
TRIMETHOPRIM			0,	
		50	✓ 1	ſMP
			-	
, , , , , , , , , , , , , , , , , , ,	prophylaxis of endo	carditis or	for trea	tment of Clostridium
difficile following metronidazole failure and the prescription is	enuorseu accoruniqu	iy.		
difficile following metronidazole failure and the prescription is Inj 500 mg vial		1	~ I	Aylan
 TRIMETHOPRIM * Tab 300 mg – Up to 30 tab available on a PSO VANCOMYCIN – Subsidy by endorsement Only if prescribed for a dialysis or cystic fibrosis patient or for 	l without further rene a period of 3 months of age. 	5 endorsed a 6 dose sed accord 50 carditis or	s notifie	Fobramycin Mylan ngly. FOBI

	Subsidy		Fully	Brand or
	(Manufacturer's Price		sidised	Generic
	\$	Per	1	Manufacturer
Antifungals				
 a) For topical antifungals refer to DERMATOLOGICALS, page 6 b) For topical antifungals refer to GENITO URINARY, page 81 	8			
FLUCONAZOLE				
Cap 50 mg – Retail pharmacy-Specialist	3 /0	28	√ 0	
Cap 150 mg – Subsidy by endorsement		1	✓ 0	
a) Maximum of 1 cap per prescription; can be waived b				
 b) Patient has vaginal candida albicans and the practition of recommended and the prescription is endorsed a Specialist. 	oner considers that	a topical im	idazole	(used intra-vaginally) is
Cap 200 mg – Retail pharmacy-Specialist	9.69	28	√ 0	zole
Powder for oral suspension 10 mg per ml - Special Authorit				
see SA1359 below - Retail pharmacy		35 ml	-	iflucan S29 ^{S29} iflucan
Wastage claimable – see rule 3.3.2 on page 13				
► SA1359 Special Authority for Subsidy				
Initial application — (Systemic candidiasis) from any relevan	t practitioner Appro	wals valid f	or 6 wee	eks for applications
meeting the following criteria:			01 0 100	
Both:				
 Patient requires prophylaxis for, or treatment of systemic Patient is unable to swallow capsules. 				
Initial application — (Immunocompromised) from any relevant meeting the following criteria: All of the following:	nt practitioner. Appr	ovals valid	for 6 mc	onths for applications
1 Patient is immunocompromised; and				
 Patient is at moderate to high risk of invasive fungal infec Patient is unable to swallow capsules. 	tion; and			
	nor Annrovalovali	for 6 wool	o for on	nlightions mosting the
Renewal — (Systemic candidiasis) from any relevant practitio following criteria:	ner. Approvais valio	1 IOI O Weer	(S 101 ap	plications meeting the
Both:				
1 Patient requires prophylaxis for, or treatment of systemic	candidiasis; and			
2 Patient is unable to swallow capsules.		1 (0		
Renewal — (Immunocompromised) from any relevant practition following criteria:	oner. Approvais vai	a for 6 mor	iths for a	applications meeting the
All of the following:				
1 Patient remains immunocompromised; and				
2 Patient remains at moderate to high risk of invasive funga	il infection; and			
3 Patient is unable to swallow capsules.				
ITRACONAZOLE				
Cap 100 mg – Subsidy by endorsement		15		razole
Funded for tinea vesicolor where topical treatment has r	not been successful	and diagno	sis has l	been confirmed by
mycology, or for tinea unguium where terbinafine has no				
terbinafine and diagnosis has been confirmed by mycolo		tion is endo	orsed ac	cordingly.
Can be waived by endorsement - Retail pharmacy - Spe				
Specialist must be an infectious disease physician, clinic		inical immu	nologist	or dermatologist.
Oral liq 10 mg per ml – Special Authority see SA1322 on the				
next page – Retail pharmacy		50 ml OP	✓ S	poranox

‡ safety cap

 $\ensuremath{\boldsymbol{\ast}}$ Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	Brand or
	(Manufacturer's Price		Subsidised	Generic
	\$	Per		Manufacturer
► SA1322 Special Authority for Subsidy Initial application only from an infectious disease specialist, clin practitioner on the recommendation of a infectious disease physi valid for 6 months where the patient has a congenital immune de Renewal from any relevant practitioner. Approvals valid for 6 mo benefitting from the treatment. KETOCONAZOLE	cian, clinical microl ficiency.	biologis	t or clinical in	mmunologist. Approvals
	h.			
Tab 200 mg – PCT – Retail pharmacy-Specialist – Subsidy endorsement		30	-	ink Healthcare S29
Prescriptions must be written by, or on the recommenda	tion of an oncologi	st	• •	
NYSTATIN	and the second gr			
Tab 500.000 u	14 16	50		
	(17.09)	00	Ν	Vilstat
Cap 500.000 u	· · · ·	50		
- · · · · · · · · · · · · · · · · · · ·	(15.47)		Ν	lilstat
POSACONAZOLE - Special Authority see SA1285 below - Ret	ail pharmacy			
Tab modified-release 100 mg		24	N	loxafil
Oral liq 40 mg per ml		105 ml	OP 🖌 N	loxafil
	se specialist. Appro	ovals va	alid for 6 wee	eks for applications
 Patient has acute myeloid leukaemia and is to be treated chemotherapy; or 	with high dose rem	nission i	nduction, re-	induction or consolidation
2 Patient has received a stem cell transplant and has graft therapy*.	versus host diseas	e and is	on significa	nt immunosuppressive
Renewal only from a haematologist or infectious disease special following criteria:	ist. Approvals vali	d for 6 v	weeks for ap	plications meeting the

Either:

- 1 Patient has acute myeloid leukaemia and is to be treated with high dose remission induction, re-induction or consolidation therapy; or
- 2 Patient has received a stem cell transplant and has graft versus host disease and is on significant immunosuppression* and requires on going posaconazole treatment.

Note: * Graft versus host disease (GVHD) on significant immunosuppression is defined as acute GVHD, grade II to IV, or extensive chronic GVHD, or if they were being treated with intensive immunosuppressive therapy consisting of either high-dose corticosteroids (\geq 1 mg per kilogram of body weight per day for patients with acute GVHD or \geq 0.8 mg per kilogram every other day for patients with chronic GVHD), antithymocyte globulin, or a combination of two or more immunosuppressive agents or types of treatment.

TERBINAFINE

* Tab 250 mg – For terbinafine oral liquid formulation refer, page 221	1.50	14	✓ Dr Reddy's Terbinafine
VORICONAZOLE - Special Authority see SA1273 on the next p	age – Retail phar	macy	
Tab 50 mg		56	 Vttack
Tab 200 mg		56	✓ Vttack
Powder for oral suspension 40 mg per ml - Wastage claima	able		
- see rule 3.3.2 on page 13		70 ml	 Vfend

Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic	
\$	Per	1	Manufacturer	

■ SA1273 Special Authority for Subsidy

Initial application - (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 Patient is immunocompromised; and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient has proven or probable invasive aspergillus infection; or
 - 3.2 Patient has possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis; or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Renewal — (invasive fungal infection) only from a haematologist, infectious disease specialist or clinical microbiologist. Approvals valid for 3 months for applications meeting the following criteria: All of the followina:

- 1 Patient is immunocompromised: and
- 2 Applicant is part of a multidisciplinary team including an infectious disease specialist; and
- 3 Any of the following:
 - 3.1 Patient continues to require treatment for proven or probable invasive aspergillus infection; or
 - 3.2 Patient continues to require treatment for possible invasive aspergillus infection; or
 - 3.3 Patient has fluconazole resistant candidiasis: or
 - 3.4 Patient has mould strain such as Fusarium spp. and Scedosporium spp.

Antimalarials

PRIMAQUINE PHOSPHATE - Special Authority see SA1326 below - Retail pharmacy

56 Primacin S29

➡SA1326 Special Authority for Subsidy

Initial application only from an infectious disease specialist or clinical microbiologist. Approvals valid for 1 month for applications meeting the following criteria:

Both:

- 1 The patient has vivax or ovale malaria: and
- 2 Primaguine is to be given for a maximum of 21 days.

Antiparasitics

Antiprotozoals

‡ safety cap

A Three months supply may be dispensed at one time

10

*Three months or six months, as applicable, dispensed all-at-once

Tab 500 mg23.00

Arrow-Ornidazole

	Subsidy (Manufacturer's Price \$) Pei	Fully Subsidised	
Antituberculotics and Antileprotics				
Note: There is no co-payment charge for all pharmaceuticals lis immigration status. CLOFAZIMINE – Retail pharmacy-Specialist	ted in the Antituberc	ulotics	and Antile	protics group regardless of
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommenda dermatologist. 	tion of, an infectious	disea	se physicia	n, clinical microbiologist or
* Cap 50 mg		100	1	Lamprene S29
CYCLOSERINE - Retail pharmacy-Specialist				
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommenda respiratory physician. Cap 250 mg 		disea: 100		_
	1,294.50	100	•	King S29
 DAPSONE – Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommenda dermatologist 				-
Tab 25 mg		100		Dapsone
Tab 100 mg ETHAMBUTOL HYDROCHLORIDE – Retail pharmacy-Special		100	•	Dapsone
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommenda respiratory physician Tab 100 mg 	tion of, an infectious	disea: 56		n, clinical microbiologist or Myambutol S29
Tab 400 mg		56	1	Myambutol S29
ISONIAZID – Retail pharmacy-Specialist				
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommenda microbiologist, dermatologist or public health physician 				
Tab 100 mg Tab 100 mg with rifampicin 150 mg		100 100		<u>PSM</u> Rifinah
 * Tab 150 mg with rifampicin 300 mg. 		100		Rifinah
PARA-AMINO SALICYLIC ACID – Retail pharmacy-Specialist a) No patient co-payment payable				
b) Specialist must be an infectious disease specialist, clinic	al microbiologist or r	espira	tory specia	list.
Grans for oral liq 4 g sachet		30	✓	Paser S29
PROTIONAMIDE – Retail pharmacy-Specialist				
a) No patient co-payment payableb) Specialist must be an infectious disease specialist, clinic	al microbiologist or r	espira	tory specia	list.
Tab 250 mg		100	 ✓ 	Peteha S29
PYRAZINAMIDE – Retail pharmacy-Specialist				
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommenda respiratory physician 		disea	se physicia	n, clinical microbiologist or
* Tab 500 mg – For pyrazinamide oral liquid formulation refe page 221		100	1	AFT-Pyrazinamide
-			<i>✓</i>	AFT-Pyrazinamide S29 S29

(Manufacturer's Price) Subsisting Generic 8 Per ✓ Manufacturer 8 No patient co-payment payable 0) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist ** Cap 150 mg - For rifabutin oral liquid formulation refer, page 221 30 ✓ Mycobutin RFAMPCIN - Subsidy by endorsement		Subsidy		Fully	Brand or
 RIFABUTIN - Retail pharmacy-Specialist a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist * Cap 150 mg - For rifabutin oral liquid formulation refer, page 221				,	Generic
 a) No patient co-payment payable b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist c ap 150 mg - For ritabutin oral liquid formulation refer, page 221		\$	Per	1	Manufacturer
 b) Prescriptions must be written by, or on the recommendation of, an infectious disease physician, respiratory physician or gastroenterologist * Cap 150 mg - For rifabulin oral liquid formulation refer, page 221. RIFAMPICIN - Subsidy by endorsement a) No patient co-payment payable b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobia based on susceptibilities and the prescription is endored accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician. Cap 150 mg - Song - October 2017 * Cap 150 mg - Song - Mitadin and Big and the prescription is and the prescription of the matologist, dermatologist, dermatologist, paediatrician, or public health physician. * Cap 150 mg - Song - Mitadin and Big and the prescription of the matologist, dermatologist, paediatrician, or public health physician. * Cap 150 mg - Song - Mitadin and Big and the prescription of the physician, clinical microbiologist, dermatologist, and the sole Supply on 1 October 2017 * Oral lig 100 mg per 5 ml	RIFABUTIN – Retail pharmacy-Specialist				
npage 221	b) Prescriptions must be written by, or on the recommendati gastroenterologist	on of, an infectious d	liseas	e physician	, respiratory physician or
 a) No patient co-payment payable b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal artimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, dermatologist, paediatrician, or public health physician. * Cap 150 mg	page 221		30	✓ [Mycobutin
 b) For confirmed recurrent Staphylococcus aureus infection in combination with other effective anti-staphylococcal antimicrobial based on susceptibilities and the prescription is endorsed accordingly; can be waived by endorsement - Retail pharmacy - Specialist. Specialist must be an internal medicine physician, clinical microbiologist, gernatologist, paediatrician, or public health physician. * Cap 150 ng					
 Rifadin to be Sole Supply on 1 October 2017 * Cap 300 mg116.25 100 ✓ Rifadin Rifadin to be Sole Supply on 1 October 2017 * Oral liq 100 mg per 5 ml12.00 60 ml ✓ Rifadin Rifadin to be Sole Supply on 1 October 2017 Antivirals For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 213 Hepatitis B Treatment ADEFOVIR DIPIVOXIL – Special Authority see SA0829 below – Retail pharmacy Tab 10 mg670.00 30 ✓ Hepsera > SA0829 Special Authority for Subsidy Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following criteria: I Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as: 2 Patient has raised serum ALT (> 1 × ULN); and 3 Patient is cirrhotic; and 5.2.1 Patient is cirrhotic; and 5.2.2 Both: 5.2.1 Patient is not cirrhotic; and 5.2.2 adefovir dipivoxii to be used in combination with lamivudine; or 5.2.1 Patient is not cirrhotic; and 5.2.1 Patient nemains appropriate and patient is benefiting from treatment. Notes: Lamivudine should be added to adefovir dipivoxii if a patient develops documented resistance to adefovir dipivoxil, defined as: 1 matient is enviroling appropriate and patient is benefiting from treatment. Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as: 1 matient is solid be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as: 1 matient is cirrhotic; and 2.2 Both: 5.2.1 Patient is not cirrhotic; and 3.2.2 adefovir dipivoxil to be used as monotherapy. Renewal only form a gastroenterologist or infectious disease specia	b) For confirmed recurrent Staphylococcus aureus infection antimicrobial based on susceptibilities and the prescriptio Retail pharmacy - Specialist. Specialist must be an interr paediatrician, or public health physician.	n is endorsed accord nal medicine physicia	lingly; ın, clir	can be wa nical microb	ived by endorsement - iologist, dermatologist,
 Piłdadin to be Sole Supply on 1 October 2017 ** Oral liq 100 mg per 5 ml	Rifadin to be Sole Supply on 1 October 2017		100		
Antivirals For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 213 Hepatitis B Treatment ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy Tab 10 mg SA0829 Special Authority for Subsidy Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria: 1 of the following 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as: 2 Patient has raised serum ALT (> 1 × ULN); and 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and 4 Detection of M2041 or M204V mutation; and 5.1.1 Patient is cirrhotic; and 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or 5.2 Both: 5.2.1 Patient is not cirrhotic; and 5.2.2 adefovir dipivoxil to be used as monotherapy. Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment. Note: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as: 1 inised serum ALT (> 1 × ULN); and I patient than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and	Rifadin to be Sole Supply on 1 October 2017		100		Rifadin
For eye preparations refer to Eye Preparations, Anti-Infective Preparations, page 213 Hepatitis B Treatment ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy Tab 10 mg		12.00	60 ml		Rifadin
Hepatitis B Treatment ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy Tab 10 mg	Antivirals				
Hepatitis B Treatment ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below - Retail pharmacy Tab 10 mg	For eye preparations refer to Eye Preparations, Anti-Infective Pre	parations, page 213			
Tab 10 mg					
Tab 10 mg	ADEFOVIR DIPIVOXIL - Special Authority see SA0829 below -	Retail pharmacy			
Initial application only from a gastroenterologist or infectious disease specialist. Approvals valid for 1 year for applications meeting the following criteria: All of the following: 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as: 2 Patient has raised serum ALT (> 1 × ULN); and 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and 4 Detection of M204I or M204V mutation; and 5 Either: 5.1 Both: 5.1.1 Patient is cirrhotic; and 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or 5.2 Both: 5.2.1 Patient is not cirrhotic; and 5.2.2 adefovir dipivoxil to be used as monotherapy. Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment. Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and			30	✓	Hepsera
 3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and 4 Detection of M204I or M204V mutation; and 5 Either: 5.1 Both: 5.1.1 Patient is cirrhotic; and 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or 5.2 Both: 5.2.1 Patient is not cirrhotic; and 5.2.2 adefovir dipivoxil to be used as monotherapy. Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment. Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and 	 meeting the following criteria: All of the following: 1 Patient has confirmed Hepatitis B infection (HBsAg+); and Documented resistance to lamivudine, defined as: 		oroval	s valid for 1	year for applications
 5.1.1 Patient is cirrhotic; and 5.1.2 adefovir dipivoxil to be used in combination with lamivudine; or 5.2 Both: 5.2.1 Patient is not cirrhotic; and 5.2.2 adefovir dipivoxil to be used as monotherapy. Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment. Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and 	 3 Patient has HBV DNA greater than 100,000 copies per ml 4 Detection of M204I or M204V mutation; and 5 Either: 	_, or viral load ≥ 10 fc	old ov	er nadir; an	d
 5.2.2 adefovir dipivoxil to be used as monotherapy. Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment. Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and 	5.1.1 Patient is cirrhotic; and5.1.2 adefovir dipivoxil to be used in combination5.2 Both:	with lamivudine; or			
Renewal only from a gastroenterologist or infectious disease specialist. Approvals valid for 2 years where in the opinion of the treating physician, treatment remains appropriate and patient is benefiting from treatment. Notes: Lamivudine should be added to adefovir dipivoxil if a patient develops documented resistance to adefovir dipivoxil, defined as: i) raised serum ALT (> 1 × ULN); and ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and		y.			
ii) HBV DNA greater than 100,000 copies per mL, or viral load ≥ 10 fold over nadir; and	treating physician, treatment remains appropriate and patient is b Notes: Lamivudine should be added to adefovir dipivoxil if a patient defined as:	enefiting from treatm	ient.		
continued		ad \geq 10 fold over nad	ir; and	ł	
					continued.

‡ safety cap

	Subsidy (Manufacturer's P \$	rice) Per	Subsidi	sed	Brand or Generic Manufacturer
continued					
iii) Detection of N236T or A181T/V mutation.					
Adefovir dipivoxil should be stopped 6 months following HBeAg	seroconversion fo	or patients	s who we	ere HB	eAg+ prior to
commencing adefovir dipivoxil.					
The recommended dose of adefovir dipivoxil is no more than 10 In patients with renal insufficiency adefovir dipivoxil dose should Adefovir dipivoxil should be avoided in pregnant women and chil	be reduced in ac	cordance	with the	datas	heet guidelines.
ENTECAVIR – Special Authority see SA1361 below – Retail ph					
Tab 0.5 mg		30		🗸 Bai	raclude
SA1361 Special Authority for Subsidy					
Initial application only from a gastroenterologist or infectious di notified for applications meeting the following criteria: All of the following:	sease specialist.	Approva	ls valid v	vithout	further renewal unless
 Patient has confirmed Hepatitis B infection (HBsAg positi Patient is Hepatitis B nucleoside analogue treatment-naix Entecavir dose 0.5 mg/day; and Either: 		6 months); and		
4.1 ALT greater than upper limit of normal; or					
4.2 Bridging fibrosis (Metavir stage 3 or greater or mo	derate fibrosis) o	r cirrhosis	on liver	histolo	ogy; and
5 Either:					
5.1 HBeAg positive; or					
5.2 patient has \geq 2,000 IU HBV DNA units per ml and	•	stage 2 o	r greate	r) on liv	ver histology; and
6 No continuing alcohol abuse or intravenous drug use; and	d				
 7 Not co-infected with HCV, HIV or HDV; and 8 Neither ALT nor AST greater than 10 times upper limit of 	normali and				
9 No history of hypersensitivity to entecavir; and	normal, anu				
10 No previous documented lamivudine resistance (either cl	inical or genotypi	c).			
Notes:		- /-			
 Entecavir should be continued for 6 months following doc of HBeAg plus appearance of anti-HBe plus loss of serur commencing this agent. This period of consolidation the fibrosis (Metavir Stage F3 or F4). Entecavir should be taken on an empty stomach to impro- 	n HBV DNA) for p rapy should be ex	atients w	ho were	HBeA	g positive prior to
LAMIVUDINE – Special Authority see SA1650 below – Retail pl	narmacy				
Tab 100 mg		28		🗸 Zef	fix
Oral liq 5 mg per ml	270.00	240 ml	OP	 Zef 	fix
⇒SA1650 Special Authority for Subsidy					
nitial application only from a gastroenterologist, infectious dise oractitioner on the recommendation of a gastroenterologist, infect Approvals valid for 1 year for applications meeting the following	tious disease spe				

Any of the following:

- 1 Hepatitis B virus (HBV) DNA positive cirrhosis prior to liver transplantation; or
- 2 Hepatitis B surface antigen (HBsAg)-positive and have had a liver, kidney, heart, lung or bone marrow transplant; or
- 3 HBV-naïve patient who has received a liver transplant from a hepatitis B core antibody (anti-HBc)-positive donor; or
- 4 HbsAg-positive patient who is receiving chemotherapy for a malignancy, or high dose steroids (at least 20mg/day for at least 7 days), or who has received such treatment within the previous two months; or
- 5 HBsAg-positive patient who is receiving anti tumour necrosis factor treatment; or

continued...
Subsidy		Fully	Brand or	
(Manufacturer's Price	ce)	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

6 Anti-HBc-positive patient who is receiving rituximab in combination with immunosuppressive chemotherapies for a malignancy..

Renewal only from a gastroenterologist, infectious disease specialist, paediatrician, general physician or medical practitioner on the recommendation of a gastroenterologist, infectious disease specialist, paediatrician or general physician. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- Renewal for patients who have maintained continuous treatment and response to lamivudine
- 1 All of the following:
 - 1.1 Have maintained continuous treatment with lamivudine; and
 - 1.2 Most recent test result shows continuing biochemical response (normal ALT); and
 - 1.3 HBV DNA < 100,000 copies per ml by quantitative PCR at a reference laboratory; or

Renewal when given in combination with adefovir dipivoxil for patients with cirrhosis and resistance to lamivudine 2 All of the following:

- 2.1 Lamivudine to be used in combination with adefovir dipivoxil; and
- 2.2 Patient is cirrhotic; and

Documented resistance to lamivudine, defined as:

- 2.3 Patient has raised serum ALT (> 1 × ULN); and
- 2.4 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
- 2.5 Detection of M204I or M204V mutation; or

Renewal when given in combination with adefovir dipivoxil for patients with resistance to adefovir dipivoxil

- 3 All of the following:
 - 3.1 Lamivudine to be used in combination with adefovir dipivoxil; and Documented resistance to adefovir. defined as:
 - 3.2 Patient has raised serum ALT (> 1 × ULN); and
 - 3.3 Patient has HBV DNA greater than 100,000 copies per mL, or viral load = 10 fold over nadir; and
 - 3.4 Detection of N236T or A181T/V mutation.

Herpesvirus Treatments

ACICLOVIR

* Tab dispersible 200 mg	1.60	25	 Lovir
* Tab dispersible 400 mg	5.38	56	 Lovir
* Tab dispersible 800 mg		35	 Lovir
VALACICLOVIR			
Tab 500 mg	6.42	30	Vaclovir
Tab 1,000 mg		30	 Vaclovir
VALGANCICLOVIR - Special Authority see SA1404 below - R	letail pharmacy		
Tab 450 mg		60	✓ Valcyte

➡SA1404 Special Authority for Subsidy

*Three months or six months, as applicable, dispensed all-at-once

Initial application — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months where the patient has undergone a solid organ transplant and requires valganciclovir for CMV prophylaxis.

Renewal — (transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

1 Patient has undergone a solid organ transplant and received anti-thymocyte globulin and requires valganciclovir therapy for CMV prophylaxis; and

continued...

Subsid	idy Fi	ully Brand o	r
(Manufacture	er's Price) Subsidis	sed Generic	
\$	Per	 Manufac 	cturer

continued...

2 Patient is to receive a maximum of 90 days of valganciclovir prophylaxis following anti-thymocyte globulin.

Initial application — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

- Both:
 - 1 Patient has undergone a solid organ transplant and received valganciclovir under Special Authority more than 2 years ago (27 months); and
 - 2 Patient has received anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Renewal — (cytomegalovirus prophylaxis following anti-thymocyte globulin) only from a relevant specialist. Approvals valid for 3 months where the patient has received a further course of anti-thymocyte globulin and requires valganciclovir for CMV prophylaxis.

Initial application — (Lung transplant cytomegalovirus prophylaxis) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 Patient has undergone a lung transplant; and

2 Either:

- 2.1 The donor was cytomegalovirus positive and the patient is cytomegalovirus negative; or
- 2.2 The recipient is cytomegalovirus positive.

Initial application — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Renewal — (Cytomegalovirus in immunocompromised patients) only from a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient is immunocompromised; and
- 2 Any of the following:
 - 2.1 Patient has cytomegalovirus syndrome or tissue invasive disease; or
 - 2.2 Patient has rapidly rising plasma CMV DNA in absence of disease; or
 - 2.3 Patient has cytomegalovirus retinitis.

Note: for the purpose of this Special Authority "immunocompromised" includes transplant recipients, patients with immunosuppressive diseases (e.g. HIV) or those receiving immunosuppressive treatment for other conditions.

Hepatitis B/ HIV/AIDS Treatment

TENOFOVIR DISOPROXIL FUMARATE – Subsidy by endorsement; can be waived by Special Authority see SA1362 on the next page

Endorsement for treatment of HIV: Prescription is deemed to be endorsed if tenofovir disoproxil fumarate is co-prescribed with another anti-retroviral subsidised under Special Authority SA1364 and the prescription is annotated accordingly by the Pharmacist or endorsed by the prescriber.

Note:

Tenofovir disoproxil fumarate prescribed under endorseme	nt for the treatment	of HIV is inc	cluded in the count o	f up to
4 subsidised antiretrovirals for the purposes of Special Auth	hority SA1364, page	112		
Tab 300 mg	531.00	30	 Viread 	

Subsidy (Manufacturer's Price)	Subs	Fully sidised	Brand or Generic	
\$	Per	1	Manufacturer	

⇒SA1362 Special Authority for Waiver of Rule

Initial application — (Chronic Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV; or
- 3 Patient has decompensated cirrhosis with a Mayo score > 20.

Initial application — (Pregnant, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Renewal — (Confirmed Hepatitis B following funded tenofovir treatment for pregnancy within the previous two years) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid without further renewal unless notified for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
 - 1.2 Patient has had previous lamivudine, adefovir or entecavir therapy; and
 - 1.3 HBV DNA greater than 20,000 IU/mL or increased ≥ 10 fold over nadir; and
 - 1.4 Any of the following:
 - 1.4.1 Lamivudine resistance detection of M204I/V mutation; or
 - 1.4.2 Adefovir resistance detection of A181T/V or N236T mutation; or
 - 1.4.3 Entecavir resistance detection of relevant mutations including I169T, L180M T184S/A/I/L/G/C/M, S202C/G/I, M204V or M250I/V mutation; or
- 2 Patient is either listed or has undergone liver transplantation for HBV.

Renewal — (Subsequent pregnancy or Breastfeeding, Active hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant or breastfeeding; and
- 2 HBV DNA > 20,000 IU/mL and ALT > ULN.

Initial application — (Pregnant, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Renewal — (Subsequent pregnancy, prevention of vertical transmission) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 6 months for applications meeting the following criteria: Both:

continued...

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subs	idised	Generic
\$	Per	1	Manufacturer

continued...

- 1 Patient is HBsAg positive and pregnant; and
- 2 HBV DNA > 20 million IU/mL and ALT normal.

Notes:

- Tenofovir disoproxil fumarate should be stopped 6 months following HBeAg seroconversion for patients who were HBeAg
 positive prior to commencing this agent and 6 months following HBsAg seroconversion for patients who were HBeAg
 negative prior to commencing this agent.
- The recommended dose of Tenofovir disoproxil fumarate for the treatment of all three indications is 300 mg once daily.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Tenofovir disoproxil fumarate dose should be reduced in accordance with the approved Medsafe datasheet guidelines.
- Tenofovir disoproxil fumarate is not approved for use in children.

Hepatitis C Treatment

LEDIPASVIR WITH SOFOSBUVIR – Special Authority see SA1605 below – [Xpharm] No patient co-payment payable
Tab 90 mg with sofosbuvir 400 mg24,363.46 28 🖌 Harvoni
► SA1605 Special Authority for Subsidy
Special Authority approved by the Hepatitis C Treatment Panel (HepCTP)
Notes: By application to the Hepatitis C Treatment Panel (HepCTP).
Applications will be considered by HepCTP and approved subject to confirmation of eligibility.
Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments or:
The Coordinator, Hepatitis C Treatment Panel
PHARMAC, PO Box 10-254, WELLINGTON Tel: (04) 460 4990,
Email: hepcpanel@pharmac.govt.nz
PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR – [Xpharm]
 a) No patient co-payment payable b) Note – Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website http://www.pharmac.govt.nz/hepatitis-c-treatments Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56), with dasabuvir tab 250 mg (56).
PARITAPREVIR, RITONAVIR AND OMBITASVIR WITH DASABUVIR AND RIBAVIRIN – [Xpharm]
a) No patient co-payment payable
b) Note – Supply of treatment is via PHARMAC's approved direct distribution supply. Application details for accessing treatment may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz/hepatitis-c-treatments</u>
Tab 75 mg with ritonavir 50 mg, and ombitasvir 12.5 mg (56) with dasabuvir tab 250 mg (56) and ribavirin tab 200 mg
(168)16,500.00 1 OP 🗸 Viekira Pak-RBV
Antiretrovirals

► SA1651 Special Authority for Subsidy

Initial application — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the patient has confirmed HIV infection.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	5	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (Confirmed HIV) only from a named specialist. Approvals valid without further renewal unless notified where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Prevention of maternal transmission) only from a named specialist. Approvals valid for 1 year for applications meeting the following criteria:

Either:

- 1 Prevention of maternal foetal transmission; or
- 2 Treatment of the newborn for up to eight weeks.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Some antiretrovirals are unapproved or contraindicated for this indication. Practitioners prescribing these medications should exercise their own skill, judgement, expertise and discretion, and make their own prescribing decisions with respect to the use of a Pharmaceutical for an indication for which it is not approved or contraindicated.

Initial application — (post-exposure prophylaxis following non-occupational exposure to HIV) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

- 1 Treatment course to be initiated within 72 hours post exposure; and
- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal — (second or subsequent post-exposure prophylaxis) only from a named specialist. Approvals valid for 4 weeks for applications meeting the following criteria:

Both:

1 Treatment course to be initiated within 72 hours post exposure; and

*Three months or six months, as applicable, dispensed all-at-once

- 2 Any of the following:
 - 2.1 Patient has had unprotected receptive anal intercourse with a known HIV positive person; or
 - 2.2 Patient has shared intravenous injecting equipment with a known HIV positive person; or
 - 2.3 Patient has had non-consensual intercourse and the clinician considers that the risk assessment indicates prophylaxis is required.

Initial application — (Percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks where the patient has percutaneous exposure to blood known to be HIV positive.

Notes: Tenofovir disoproxil fumarate prescribed under endorsement for HIV is included in the count of up to 4 subsidised antiretrovirals.

Subsidies for a combination of up to four antiretroviral medications. The combination of a protease inhibitor and low-dose ritonavir given as a booster (either as part of a combination product or separately) will be counted as one protease inhibitor for the purpose of accessing funding to antiretrovirals.

Renewal - (Second or subsequent percutaneous exposure) only from a named specialist. Approvals valid for 6 weeks

continued...

	Subsidy (Manufacturer's F	Price) Subs	Fully Brand or idised Generic
	\$	Per	 Manufacturer
continued where the patient has percutaneous exposure to blood	I known to be HIV positive.		
Non-nucleosides Reverse Transcriptas	e Inhibitors		
EFAVIRENZ – Special Authority see SA1651 on page Retail pharmacy	e 112 – Retail pharmacy –	Special Authori	ity see SA1651 on page 112 -
Tab 50 mg		30	✓ Stocrin S29
Tab 200 mg		90	✓ Stocrin
Tab 600 mg	63.38	30	✓ Stocrin
Oral liq 30 mg per ml	145.79	180 ml OP	 Stocrin S29
ETRAVIRINE – Special Authority see SA1651 on pag Retail pharmacy	e 112 – Retail pharmacy –	Special Author	rity see SA1651 on page 112 -
Tab 200 mg	770.00	60	 Intelence
NEVIRAPINE – Special Authority see SA1651 on pag Retail pharmacy		- Special Autho	rity see SA1651 on page 112 -
Tab 200 mg		60	 <u>Nevirapine</u> Alphapharm
Oral suspension 10 mg per ml		240 ml	✓ Viramune Suspension
Nucleosides Reverse Transcriptase Inh	ihitara		•
Nucleosides neverse transcriptase init	IDITOLS		
ABACAVIR SULPHATE – Special Authority see SA16	651 on page 112 – Retail ph	narmacy – Spe	cial Authority see SA1651 on
page 112 – Retail pharmacy			<i>a</i>
Tab 300 mg		60 240 ml OP	✓ Ziagen
Oral liq 20 mg per ml			Ziagen
ABACAVIR SULPHATE WITH LAMIVUDINE – Speci. Authority see SA1651 on page 112 – Retail pharmacy Note: abacavir with lamivudine (combination table			
anti-retroviral Special Authority.	,		
Tab 600 mg with lamivudine 300 mg		30	✓ Kivexa
EFAVIRENZ WITH EMTRICITABINE AND TENOFOV page 112 – Retail pharmacy – Special Authority see \$			Authority see SA1651 on
Note: Efavirenz with emtricitabine and tenofovir c purposes of the anti-retroviral Special Authority			roviral medications for the
Tab 600 mg with emtricitabine 200 mg and tenofo	vir disoproxil		
fumarate 300 mg		30	 Atripla
EMTRICITABINE – Special Authority see SA1651 on - Retail pharmacy	page 112 – Retail pharmac	cy – Special Au	uthority see SA1651 on page 11
Cap 200 mg		30	 Emtriva
EMTRICITABINE WITH TENOFOVIR DISOPROXIL F pharmacy – Special Authority see SA1651 on page 1	12 – Retail pharmacy		
Note: Emtricitabine with tenofovir disoproxil fuma anti-retroviral Special Authority			
Tab 200 mg with tenofovir disoproxil fumarate 300	•	30	✓ Truvada
AMIVUDINE – Special Authority see SA1651 on page	e 112 – Retail pharmacy –	- Special Autho	rity see SA1651 on page 112 -
Retail pharmacy Tab 150 mg		60	 Lamivudine Alphapharm
Oral liq 10 mg per ml		240 ml OP	✓ 3TC
1 • • • • • • •			

	Subsidy		Fully Brand or
	(Manufacturer's Pr	,	
	\$	Per	 Manufacturer
ZIDOVUDINE [AZT] – Special Authority see SA1651 on page 1" page 112 – Retail pharmacy	12 – Retail pharma	acy – Special J	Authority see SA1651 on
Cap 100 mg	152 25	100	 Retrovir
Oral lig 10 mg per ml		200 ml OP	✓ <u>Retrovir</u>
ZIDOVUDINE [AZT] WITH LAMIVUDINE – Special Authority services see SA1651 on page 112 – Retail pharmacy Note: zidovudine [AZT] with lamivudine (combination tablets the anti-retroviral Special Authority. Tab 300 mg with lamivudine 150 mg	s) counts as two a		
Alphapharm to be Sole Supply on 1 October 2017			
Protease Inhibitors			
ATAZANAVIR SULPHATE – Special Authority see SA1651 on p	bage 112 – Retail	pharmacy – S	pecial Authority see SA1651 on
page 112 – Retail pharmacy			
Cap 150 mg		60	 Reyataz
Cap 200 mg	757.79	60	✓ Reyataz
DARUNAVIR – Special Authority see SA1651 on page 112 – Re Retail pharmacy	etail pharmacy - S	Special Authori	ity see SA1651 on page 112 -
Tab 400 mg		60	 Prezista
Tab 600 mg		60	✓ Prezista
INDINAVIR – Special Authority see SA1651 on page 112 – Reta Retail pharmacy	ail pharmacy – Sp	ecial Authority	see SA1651 on page 112 –
Cap 200 mg	519.75	360	 Crixivan
Cap 400 mg		180	 Crixivan
LOPINAVIR WITH RITONAVIR – Special Authority see SA1651 on page 112 – Retail pharmacy	on page 112 - Re	etail pharmacy	- Special Authority see SA165
Tab 100 mg with ritonavir 25 mg		60	 Kaletra
Tab 200 mg with ritonavir 50 mg Kaletra to be Sole Supply on 1 October 2017		120	✓ Kaletra
Oral liq 80 mg with ritonavir 20 mg per ml	735.00	300 ml OP	 Kaletra
RITONAVIR – Special Authority see SA1651 on page 112 – Ret Retail pharmacy		pecial Authority	y see SA1651 on page 112 -
Tab 100 mg	43.31	30	 Norvir
Oral liq 80 mg per ml	103.98	90 ml OP	 Norvir
Strand Transfer Inhibitors			
DOLUTEGRAVIR – Special Authority see SA1651 on page 112 – Retail pharmacy		y – Special Au	thority see SA1651 on page 11
Tab 50 mg	1,090.00	30	 Tivicay
RALTEGRAVIR POTASSIUM – Special Authority see SA1651 c on page 112 – Retail pharmacy	on page 112 – Ret	ail pharmacy	- Special Authority see SA1651
Tab 400 mg	1,090.00	60	✓ Isentress

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
· \$	Per 🗸	Manufacturer

Immune Modulators

Guidelines for the use of interferon in the treatment of hepatitis C:

Physicians considering treatment of patients with hepatitis C should discuss cases with a gastroenterologist or an infectious disease physician. All subjects undergoing treatment require careful monitoring for side effects. Patients should be otherwise fit.

Hepatocellular carcinoma should be excluded by ultrasound examination and alpha-fetoprotein level.

Criteria for Treatment

- 1) Diagnosis
 - Anti-HCV positive on at least two occasions with a positive PCR for HCV-RNA and preferably confirmed by a supplementary RIBA test; or
 - · PCR-RNA positive for HCV on at least 2 occasions if antibody negative; or
 - Anti-HCV positive on at least two occasions with a positive supplementary RIBA test with a negative PCR for HCV RNA but with a liver biopsy consistent with 2(b) following.

Exclusion Criteria

- 1) Autoimmune liver disease. (Interferon may exacerbate autoimmune liver disease as well as other autoimmune diseases such as thyroid disease).
- 2) Pregnancy.
- 3) Neutropenia (< 2.0×10^9) and/or thrombocytopenia.
- 4) Continuing alcohol abuse and/or continuing intravenous drug users.

Dosage

The current recommended dosage is 3 million units of interferon alfa-2a or interferon alfa-2b administered subcutaneously 3 times a week for 52 weeks (twelve months)

Exit Criteria

The patient's response to interferon treatment should be reviewed at either three or four months. Interferon treatment should be discontinued in patients who do not show a substantial reduction (50%) in their mean pre-treatment ALT level at this stage.

INTERFERON ALFA-2A - PCT - Retail pharmacy-Specialist

- a) See prescribing guideline above
- b) Prescriptions must be written by, or on the recommendation of, an internal medicine physician or ophthalmologist

INTERFERON ALFA-2B - PCT - Retail pharmacy-Specialist

INTERIERION ALIAZO TOT Retail pharmacy opecialist			
 a) See prescribing guideline above 			
b) Prescriptions must be written by, or on the recommendation	on of, an internal	medicine ph	ysician or ophthalmologist
Inj 18 m iu, 1.2 ml multidose pen	206.71	1	✓ Intron-A
Inj 30 m iu, 1.2 ml multidose pen		1	 Intron-A
Inj 60 m iu, 1.2 ml multidose pen		1	 Intron-A
PEGYLATED INTERFERON ALFA-2A - Special Authority see SA	A1400 on the ne	xt page - Re	tail pharmacy
See prescribing guideline above			
Inj 180 mcg prefilled syringe	900.00	4	 Pegasys
Inj 135 mcg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$			
168	1,975.00	1 OP	 Pegasys RBV
			Combination Pack
Inj 180 mcg prefilled syringe $ imes$ 4 with ribavirin tab 200 mg $ imes$			
112	1,159.84	1 OP	Pegasys RBV
			Combination Pack
Inj 180 mcg prefilled syringe \times 4 with ribavirin tab 200 mg \times			
168	1,290.00	1 OP	Pegasys RBV
			Combination Pack

(Pegasys RBV Combination Pack Inj 180 mcg prefilled syringe × 4 with ribavirin tab 200 mg × 112 to be delisted 1 December 2017)

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

⇒SA1400 Special Authority for Subsidy

Initial application — (chronic hepatitis C - genotype 1, 4, 5 or 6 infection or co-infection with HIV or genotype 2 or 3 post liver transplant) from any specialist. Approvals valid for 18 months for applications meeting the following criteria: Both:

- 1 Any of the following:
 - 1.1 Patient has chronic hepatitis C, genotype 1, 4, 5 or 6 infection; or
 - 1.2 Patient has chronic hepatitis C and is co-infected with HIV; or
 - 1.3 Patient has chronic hepatitis C genotype 2 or 3 and has received a liver transplant; and
- 2 Maximum of 48 weeks therapy.

Notes:

- Consider stopping treatment if there is absence of a virological response (defined as at least a 2-log reduction in viral load) following 12 weeks of treatment since this is predictive of treatment failure.
- Consider reducing treatment to 24 weeks if serum HCV RNA level at Week 4 is undetectable by sensitive PCR assay (less than 50IU/ml) AND Baseline serum HCV RNA is less than 400,000IU/ml

Renewal — (Chronic hepatitis C - genotype 1 infection) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Either:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (Chronic Hepatitis C - genotype 1 infection treatment more than 4 years prior) only from a

gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has chronic hepatitis C, genotype 1; and
- 2 Patient has had previous treatment with pegylated interferon and ribavirin; and
- 3 Any of the following:
 - 3.1 Patient has responder relapsed; or
 - 3.2 Patient was a partial responder; or
 - 3.3 Patient received interferon treatment prior to 2004; and
- 4 Patient is to be treated in combination with boceprevir; and
- 5 Maximum of 48 weeks therapy.

Initial application — (chronic hepatitis C - genotype 2 or 3 infection without co-infection with HIV) from any specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Patient has chronic hepatitis C, genotype 2 or 3 infection; and
- 2 Maximum of 6 months therapy.

Initial application — (Hepatitis B) only from a gastroenterologist, infectious disease specialist or general physician. Approvals valid for 18 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Hepatitis B infection (HBsAg positive for more than 6 months); and
- 2 Patient is Hepatitis B treatment-naive; and
- 3 ALT > 2 times Upper Limit of Normal; and

*Three months or six months, as applicable, dispensed all-at-once

continued...

‡ safety cap

Three months supply may be dispensed at one time

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subs	idised	Generic
\$	Per	1	Manufacturer

continued...

- 4 HBV DNA < 10 log10 IU/ml; and
- 5 Either:
 - 5.1 HBeAg positive; or
 - 5.2 serum HBV DNA ≥ 2,000 units/ml and significant fibrosis (≥ Metavir Stage F2 or moderate fibrosis); and
- 6 Compensated liver disease; and
- 7 No continuing alcohol abuse or intravenous drug use; and
- 8 Not co-infected with HCV, HIV or HDV; and
- 9 Neither ALT nor AST > 10 times upper limit of normal; and
- 10 No history of hypersensitivity or contraindications to pegylated interferon; and
- 11 Maximum of 48 weeks therapy.

Notes:

- Approved dose is 180 mcg once weekly.
- The recommended dose of Pegylated Interferon alfa-2a is 180 mcg once weekly.
- In patients with renal insufficiency (calculated creatinine clearance less than 50ml/min), Pegylated Interferon-alfa 2a dose should be reduced to 135 mcg once weekly.
- In patients with neutropaenia and thrombocytopaenia, dose should be reduced in accordance with the datasheet guidelines.
- Pegylated Interferon-alfa 2a is not approved for use in children.

Urinary Tract Infections

HEXAMINE HIPPURATE			
* Tab 1 g		100	
,	(40.01)		Hiprex
NITROFURANTOIN			
* Tab 50 mg – For nitrofurantoin oral liquid formulation refer.			
page 221		100	 Nifuran
* Tab 100 mg		100	 Nifuran
NORFLOXACIN			
Tab 400 mg - Subsidy by endorsement		100	

Only if prescribed for a patient with an uncomplicated urinary tract infection that is unresponsive to a first line agent or with proven resistance to first line agents and the prescription is endorsed accordingly.

_				_	
		Subsidy	、 -	Fully	
		(Manufacturer's Price	,	Subsidised	
_		\$	Per		Manufacturer
A	nticholinesterases				
NF	OSTIGMINE METILSULFATE				
	Inj 2.5 mg per ml, 1 ml ampoule	08.00	50	1	AstraZeneca
			50	•	Astrazeneca
	RIDOSTIGMINE BROMIDE				
	Tab 60 mg		100	~	Mestinon
N	on-Steroidal Anti-Inflammatory Drugs				
חם	CLOFENAC SODIUM				
*	Tab EC 25 mg	1 30	50	1	Diclofenac Sandoz
*	Tab 50 mg dispersible		20		Voltaren D
	Tab EC 50 mg		50		Diclofenac Sandoz
	5				
*	Tab long-acting 75 mg		500		Apo-Diclo SR
	Tab long-acting 100 mg		500		Apo-Diclo SR
	Inj 25 mg per ml, 3 ml ampoule – Up to 5 inj available on a P		5		Voltaren
	Suppos 12.5 mg		10		Voltaren
	Suppos 25 mg		10		Voltaren
	Suppos 50 mg – Up to 10 supp available on a PSO		10		Voltaren
*	Suppos 100 mg	7.00	10	~	Voltaren
IBL	JPROFEN				
*	Tab 200 mg		1.000	1	Ibugesic
	Tab long-acting 800 mg		30		Brufen SR
	Cral lig 20 mg per ml		200 ml		Fenpaed
	TOPROFEN	40.07	00		0
*	Cap long-acting 200 mg		28	•	Oruvail SR
ME	FENAMIC ACID				
*	Cap 250 mg	1.25	50		
		(9.16)			Ponstan
		0.50	20		
		(5.60)			Ponstan
NΔ	PROXEN	()			
	-	19.06	500	1	Noflam 250
	Tab 250 mg				
	Tab 500 mg		250		Noflam 500
*	Tab long-acting 750 mg		28		Naprosyn SR 750
	Tables a strand a	18.00	90		Naprosyn SR 750
*	Tab long-acting 1 g		28		Naprosyn SR 1000
		21.00	90	~	Naprosyn SR 1000
SU	LINDAC				
*	Tab 100 mg		50	1	Aclin
*	Tab 200 mg		50	1	Aclin
т⊨	NOXICAM				
	Tab 20 mg	10.05	100	1	Tilcotil
	Inj 20 mg vial		100		AFT
ጥ	ווון בס וווש אומו		1	•	

\$ safety cap
*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
NSAIDs Other				
CELECOXIB				
Cap 100 mg	3.63	60	1	Celecoxib Pfizer
Celecoxib Pfizer to be Sole Supply on 1 August 2017 Cap 200 mg	2 30	30	1	Celecoxib Pfizer
Celecoxib Pfizer to be Sole Supply on 1 August 2017	2.00	00	•	
MELOXICAM – Special Authority see SA1034 below – Retail pr * Tab 7.5 mg		30	1	Arrow-Meloxicam

➡SA1034 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 The patient has moderate to severe haemophilia with less than or equal to 5% of normal circulating functional clotting factor; and
- 2 The patient has haemophilic arthropathy; and
- 3 Pain and inflammation associated with haemophilic arthropathy is inadequately controlled by alternative funded treatment options, or alternative funded treatment options are contraindicated.

Topical Products for Joint and Muscular Pain

CAPSAICIN

Crm 0.025% - Special Authority see SA1289 below - Retail	
pharmacy	25 g OP
9.95	45 a OP

✓ Zostrix✓ Zostrix

⇒SA1289 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has osteoarthritis that is not responsive to paracetamol and oral non-steroidal anti-inflammatories are contraindicated.

Antirheumatoid Agents

AURANOFIN - Subsidy by endorsement

Subsidised for patients who were taking auranofin tab prior to 1 April 2017 and the prescription is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of auranofin.

Tab 3 mg (Ridaura s29 © Tab 3 mg to be delisted 1 September 2017)	114.98	100	 Ridaura s29 S29
HYDROXYCHLOROQUINE			
* Tab 200 mg	10.50	100	Plaquenil
LEFLUNOMIDE			
Tab 10 mg	2.90	30	Apo-Leflunomide
	(55.00)		Arava
Apo-Leflunomide to be Sole Supply on 1 September 2017			
Tab 20 mg	2.90	30	Apo-Leflunomide
	(76.00)		Arava
Apo-Leflunomide to be Sole Supply on 1 September 2017			
(Arava Tab 10 mg to be delisted 1 September 2017)			
(Arava Tab 20 mg to be delisted 1 September 2017)			
PENICILLAMINE			
Tab 125 mg	67.23	100	 D-Penamine
Tab 250 mg	110.12	100	 D-Penamine

	Subsidy (Manufacturer's Price) \$	S Per	Fully Subsidised	Brand or Generic Manufacturer
SODIUM AUROTHIOMALATE				
Inj 10 mg in 0.5 ml ampoule		10	🗸 М	lyocrisin
Inj 20 mg in 0.5 ml ampoule		10	🗸 М	lyocrisin
Inj 50 mg in 0.5 ml ampoule	217.23	10	🗸 M	lyocrisin

Drugs Affecting Bone Metabolism

Alendronate for Osteoporosis

⇒SA1039 Special Authority for Subsidy

Initial application - (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture \ge 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or raloxifene.

Initial application - (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 vear for applications meeting the following criteria:

Both:

- 1 The patient is receiving systemic glucocorticosteriod therapy (\geq 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD \geq 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically: or
 - 2.3 The patient has had a Special Authority approval for zoledronic acid (Underlying cause glucocorticosteroid therapy) or raloxifene.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year where the patient is continuing systemic glucocorticosteriod therapy (\geq 5 mg per day prednisone equivalents). Renewal --- (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause -osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Note); or
- 5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsic	dised	Generic	
\$	Per	✓	Manufacturer	

continued...

incorporates BMD measurements (see Note); or

- 6 Patient has had a Special Authority approval for zoledronic acid (Underlying cause was glucocorticosteroid therapy but patient now meets the `Underlying cause Osteoporosis' criteria) or raloxifene.
- Notes:
 - a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
 - b) Evidence suggests patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.
 - c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
 - d) In line with the Australian guidelines for funding alendronate, a vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

ALENDRONATE SODIUM - Special Authority see SA1	039 on the previous page -	Retail pha	Irmacy
* Tab 70 mg		4	 Fosamax
ALENDRONATE SODIUM WITH COLECALCIFEROL * Tab 70 mg with colecalciferol 5,600 iu	, ,		

Alendronate for Paget's Disease

⇒SA0949 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications due to site (base of skull, spine, long bones of lower limbs); or
 - 2.5 Preparation for orthopaedic surgery.

Renewal from any relevant practitioner. Approvals valid for 6 months where the treatment remains appropriate and the patient is benefiting from treatment.

ALENDRONATE SODIUM – Special Authority see SA0949 above – * Tab 40 mg		30	✓ Fosamax
Other Treatments			
ETIDRONATE DISODIUM – See prescribing guideline below * Tab 200 mg Prescribing Guidelines	13.50	100	✓ Arrow-Etidronate

Etidronate for osteoporosis should be prescribed for 14 days (400 mg in the morning) and repeated every three months. It should not be taken at the same time of the day as any calcium supplementation (minimum dose – 500 mg per day of elemental calcium). Etidronate should be taken at least 2 hours before or after any food or fluid, except water.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
PAMIDRONATE DISODIUM				
Inj 3 mg per ml, 10 ml vial	5.98	1	🗸 P	Pamisol
Pamisol to be Sole Supply on 1 October 2017				
Inj 6 mg per ml, 10 ml vial		1	🗸 P	Pamisol
Pamisol to be Sole Supply on 1 October 2017				
Inj 9 mg per ml, 10 ml vial		1	✓ P	Pamisol
Pamisol to be Sole Supply on 1 October 2017				
RALOXIFENE HYDROCHLORIDE - Special Authority see S	A1138 below – Retail pha	armac	v	
* Tab 60 mg		28	·	vista

■ SA1138 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) \geq 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score \leq -2.5) (see Notes); or
- 2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
- 3 History of two significant osteoporotic fractures demonstrated radiologically; or
- 4 Documented T-Score ≤ -3.0 (see Notes); or
- 5 A 10-vear risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Notes); or
- 6 Patient has had a prior Special Authority approval for zoledronic acid (Underlying cause Osteoporosis) or alendronate (Underlying cause - Osteoporosis).

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for raloxifene funding.
- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis, and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

RISEDRONATE SODIUM

Tab 35 mg	4	 <u>Risedronate Sandoz</u>
TERIPARATIDE – Special Authority see SA1139 below – Retail pharmacy		
Inj 250 mcg per ml, 2.4 ml 490.00	1	 Forteo

⇒SA1139 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 18 months for applications meeting the following criteria: All of the followina:

- 1 The patient has severe, established osteoporosis; and
- 2 The patient has a documented T-score less than or equal to -3.0 (see Notes); and

continued...

	Subsidy	Fi	ılly	Brand or
(M	lanufacturer's Price)	Subsidis	ed	Generic
	\$	Per	✓	Manufacturer

continued...

- 3 The patient has had two or more fractures due to minimal trauma; and
- 4 The patient has experienced at least one symptomatic new fracture after at least 12 months' continuous therapy with a funded antiresorptive agent at adequate doses (see Notes).
- Notes:
 - a) The bone mineral density (BMD) measurement used to derive the T-score must be made using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable
 - b) Antiresorptive agents and their adequate doses for the purposes of this Special Authority are defined as: alendronate sodium tab 70 mg or tab 70 mg with colecalciferol 5,600 iu once weekly; raloxifene hydrochloride tab 60 mg once daily; zoledronic acid 5 mg per year. If an intolerance of a severity necessitating permanent treatment withdrawal develops during the use of one antiresorptive agent, an alternate antiresorptive agent must be trialled so that the patient achieves the minimum requirement of 12 months' continuous therapy.
 - c) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.
 - d) A maximum of 18 months of treatment (18 cartridges) will be subsidised.

ZOLEDRONIC ACID

⇒SA1187 Special Authority for Subsidy

Initial application — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 Paget's disease; and
- 2 Any of the following:
 - 2.1 Bone or articular pain; or
 - 2.2 Bone deformity; or
 - 2.3 Bone, articular or neurological complications; or
 - 2.4 Asymptomatic disease, but risk of complications; or
 - 2.5 Preparation for orthopaedic surgery; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Initial application — (Underlying cause - Osteoporosis) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

- 1 Any of the following:
 - History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score ≤ -3.0 (see Note); or
 - 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
 - 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause Osteoporosis) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Initial application — (Underlying cause - glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1

continued...

	ubsidy	Fully	Brand or	
(Manutac	turer's Price) Su \$ Per	ubsidised ✓	Generic Manufacturer	

continued...

year for applications meeting the following criteria:

All of the following:

- 1 The patient is receiving systemic glucocorticosteroid therapy (≥ 5 mg per day prednisone equivalents) and has already received or is expected to receive therapy for at least three months; and
- 2 Any of the following:
 - 2.1 The patient has documented BMD ≥ 1.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -1.5) (see Note); or
 - 2.2 The patient has a history of one significant osteoporotic fracture demonstrated radiologically; or
 - 2.3 The patient has had a Special Authority approval for alendronate (Underlying cause glucocorticosteroid therapy) or raloxifene; and
- 3 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

Renewal — (Paget's disease) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - 1.1 The patient has relapsed (based on increases in serum alkaline phosphatase); or
 - 1.2 The patient's serum alkaline phosphatase has not normalised following previous treatment with zoledronic acid; or
 - 1.3 Symptomatic disease (prescriber determined); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal — (Underlying cause was, and remains, glucocorticosteroid therapy) from any relevant practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The patient is continuing systemic glucocorticosteriod therapy (≥ 5 mg per day prednisone equivalents); and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in the 12-month approval period.

The patient must not have had more than 1 prior approval in the last 12 months.

Renewal - (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause -

osteoporosis' criteria) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Both:

- 1 Any of the following:
 - History of one significant osteoporotic fracture demonstrated radiologically and documented bone mineral density (BMD) ≥ 2.5 standard deviations below the mean normal value in young adults (i.e. T-Score ≤ -2.5) (see Note); or
 - 1.2 History of one significant osteoporotic fracture demonstrated radiologically, and either the patient is elderly, or densitometry scanning cannot be performed because of major logistical, technical or pathophysiological reasons. It is unlikely that this provision would apply to many patients under 75 years of age; or
 - 1.3 History of two significant osteoporotic fractures demonstrated radiologically; or
 - 1.4 Documented T-Score \leq -3.0 (see Note); or

*Three months or six months, as applicable, dispensed all-at-once

- 1.5 A 10-year risk of hip fracture ≥ 3%, calculated using a published risk assessment algorithm (e.g. FRAX or Garvan) which incorporates BMD measurements (see Note); or
- 1.6 Patient has had a Special Authority approval for alendronate (Underlying cause was glucocorticosteroid therapy but patient now meets the 'Underlying cause Osteoporosis' criteria) or raloxifene; and
- 2 The patient will not be prescribed more than 5 mg of zoledronic acid in a 12-month period.

Notes:

- a) BMD (including BMD used to derive T-Score) must be measured using dual-energy x-ray absorptiometry (DXA). Quantitative ultrasound and quantitative computed tomography (QCT) are not acceptable.
- b) Evidence suggests that patients aged 75 years and over who have a history of significant osteoporotic fracture

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsi	dised	Generic
\$	Per	~	Manufacturer

continued...

demonstrated radiologically are very likely to have a T-Score ≤ -2.5 and, therefore, do not require BMD measurement for treatment with bisphosphonates.

- c) Osteoporotic fractures are the incident events for severe (established) osteoporosis and can be defined using the WHO definitions of osteoporosis and fragility fracture. The WHO defines severe (established) osteoporosis as a T-score below -2.5 with one or more associated fragility fractures. Fragility fractures are fractures that occur as a result of mechanical forces that would not ordinarily cause fracture (minimal trauma). The WHO has quantified this as forces equivalent to a fall from a standing height or less.
- d) A vertebral fracture is defined as a 20% or greater reduction in height of the anterior or mid portion of a vertebral body relative to the posterior height of that body, or a 20% or greater reduction in any of these heights compared to the vertebral body above or below the affected vertebral body.

Hyperuricaemia and Antigout

ALLOPURINOL			
* Tab 100 mg		000 🗸	Allopurinol-Apotex
* Tab 300 mg – For allopurinol oral liquid formulation refer,			
page 221	15.91 5	500 🗸	Allopurinol-Apotex
BENZBROMARONE - Special Authority see SA1537 below - Reta	ail pharmacy		
Tab 100 mg		00 🖌	Benzbromaron AL
			100 S29

⇒SA1537 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 Both:
 - 2.3.1 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Notes); and
 - 2.3.2 The patient has a rate of creatinine clearance greater than or equal to 20 ml/min; or
 - 2.4 All of the following:
 - 2.4.1 The patient is taking azathioprine and requires urate-lowering therapy; and
 - 2.4.2 Allopurinol is contraindicated; and
 - 2.4.3 Appropriate doses of probenecid are ineffective or probenecid cannot be used due to reduced renal function; and
- 3 The patient is receiving monthly liver function tests.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefitting from the treatment; and
- 2 There is no evidence of liver toxicity and patient is continuing to receive regular (at least every three months) liver function tests.

Notes: Benzbromarone has been associated with potentially fatal hepatotoxicity.

In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be

continued...

(Man	Subsidy	Fully	Brand or
	ufacturer's Price)	Subsidised	Generic
	\$ F	Per 🗸	Manufacturer

continued...

effective. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

The New Zealand Rheumatology Association has developed information for prescribers which can be accessed from its website at www.rheumatology.org.nz/home/resources-2/

COLCHICINE

* Tab 500 mcg		100	 Colgout
FEBUXOSTAT - Special Authority see SA1538 below - Reta	ail pharmacy		
Tab 80 mg		28	 Adenuric
Tab 120 mg		28	 Adenuric

► SA1538 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Patient has been diagnosed with gout; and
- 2 Any of the following:
 - 2.1 The patient has a serum urate level greater than 0.36 mmol/l despite treatment with allopurinol at doses of at least 600 mg/day and addition of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.2 The patient has experienced intolerable side effects from allopurinol such that treatment discontinuation is required and serum urate remains greater than 0.36 mmol/l despite use of probenecid at doses of up to 2 g per day or maximum tolerated dose; or
 - 2.3 The patient has renal impairment such that probenecid is contraindicated or likely to be ineffective and serum urate remains greater than 0.36 mmol/l despite optimal treatment with allopurinol (see Note).

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefitting from treatment.

Note: In chronic renal insufficiency, particularly when the glomerular filtration rate is 30 ml/minute or less, probenecid may not be effective. The efficacy and safety of febuxostat have not been fully evaluated in patients with severe renal impairment (creatinine clearance less than 30 ml/minute). No dosage adjustment of febuxostat is necessary in patients with mild or moderate renal impairment. Optimal treatment with allopurinol in patients with renal impairment is defined as treatment to the creatinine clearance-adjusted dose of allopurinol then, if serum urate remains greater than 0.36 mmol/l, a gradual increase of the dose of allopurinol to 600 mg or the maximum tolerated dose.

	Tab 500 mg	55.00	100	Probenecid-AFT
Ν	uscle Relaxants			
BA	CLOFEN			
*	Tab 10 mg - For baclofen oral liquid formulation refer, page 221.	3.85	100	 Pacifen
	Inj 0.05 mg per ml, 1 ml ampoule - Subsidy by endorsement	11.55	1	 Lioresal Intrathecal
	Subsidised only for use in a programmable pump in patients of caused intolerable side effects and the prescription is endorse		pastic agen	ts have been ineffective or have
	Inj 2 mg per ml, 5 ml ampoule – Subsidy by endorsement		1	 Lioresal Intrathecal
	Subsidised only for use in a programmable pump in patients in caused intolerable side effects and the prescription is endorse	where oral antis	pastic agen	ts have been ineffective or have
DA	NTROLENE			
	Cap 25 mg	65.00	100	 Dantrium
				 Dantrium S29 S29
	Cap 50 mg	77.00	100	 Dantrium
(Da	ntrium S29 S29 Cap 25 mg to be delisted 1 October 2017)			
OR	PHENADRINE CITRATE			
_	Tab 100 mg	18.54	100	✓ Norflex

‡ safety cap

▲ Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price)		Fully Subsidised	Brand or Generic
	\$	Per		Manufacturer
Agents for Parkinsonism and Related Disorde	rs			
Dopamine Agonists and Related Agents				
AMANTADINE HYDROCHLORIDE				
▲ Cap 100 mg		60		Symmetrel
APOMORPHINE HYDROCHLORIDE		_		
Inj 10 mg per ml, 2 ml ampoule	119.00	5	•	Movapo
BROMOCRIPTINE MESYLATE				
* Tab 2.5 mg		100	v	Apo-Bromocriptine
ENTACAPONE				
▲ Tab 200 mg		100		Entapone
LEVODOPA WITH BENSERAZIDE				
* Tab dispersible 50 mg with benserazide 12.5 mg		100		Madopar Rapid
* Cap 50 mg with benserazide 12.5 mg		100	-	Madopar 62.5
 Cap 100 mg with benserazide 25 mg 		100		Madopar 125
* Cap long-acting 100 mg with benserazide 25 mg		100		Madopar HBS
* Cap 200 mg with benserazide 50 mg	25.00	100	✓	Madopar 250
_EVODOPA WITH CARBIDOPA				
* Tab 100 mg with carbidopa 25 mg – For levodopa with				
carbidopa oral liquid formulation refer, page 221		100		Kinson
				Sinemet
* Tab long-acting 200 mg with carbidopa 50 mg		100		Sinemet CR
* Tab 250 mg with carbidopa 25 mg	40.00	100		Sinemet
PRAMIPEXOLE HYDROCHLORIDE				
▲ Tab 0.25 mg	7.20	100		Ramipex
▲ Tab 1 mg	24.39	100	✓	Ramipex
ROPINIROLE HYDROCHLORIDE				
▲ Tab 0.25 mg	2.78	100	✓ .	Apo-Ropinirole
▲ Tab 1 mg	5.00	100		Apo-Ropinirole
Tab 2 mg		100		Apo-Ropinirole
▲ Tab 5 mg	16.51	100	✓ .	Apo-Ropinirole
SELEGILINE HYDROCHLORIDE				
* Tab 5 mg	22.00	100	✓ ,	Apo-Selegiline
				S29 S29
TOLCAPONE				
▲ Tab 100 mg		100	1	Tasmar
Anticholinergics				
Anticholinergies				
BENZATROPINE MESYLATE	_	_	-	
Tab 2 mg		60		Benztrop
Inj 1 mg per ml, 2 ml		5		Cogentin
	190.00	10		Omega S29
a) Up to 10 inj available on a PSO				
b) Only on a PSO				
PROCYCLIDINE HYDROCHLORIDE				
Tab 5 mg	7.40	100	✓	Kemadrin

			NER	VOUS SYSTEM
(Subsidy Manufacturer's Price) \$	Subs Per	Fully idised	Brand or Generic Manufacturer
Agents for Essential Tremor, Chorea and Related	l Disorders			
RILUZOLE - Special Authority see SA1403 below - Retail pharma	асу			
Wastage claimable – see rule 3.3.2 on page 13 Tab 50 mg	400.00	56	V R	lilutek
SA1403 Special Authority for Subsidy				
nitial application only from a neurologist or respiratory specialist.	Approvals valid for	or 6 months	for app	plications meeting the
ollowing criteria:				
All of the following:				
 The patient has amyotrophic lateral sclerosis with disease of The patient has at least 60 percent of predicted forced vital 				initial application: and
3 The patient has not undergone a tracheostomy; and	capacity within 2 h		to the	initial application, and
4 The patient has not experienced respiratory failure; and				
5 Any of the following:				
5.1 The patient is ambulatory; or				
5.2 The patient is able to use upper limbs; or5.3 The patient is able to swallow.				
Renewal from any relevant practitioner. Approvals valid for 18 mo	nths for application	s meeting t	the follo	wing criteria:
Il of the following:		is meeting		Swing chiena.
1 The patient has not undergone a tracheostomy; and				
2 The patient has not experienced respiratory failure; and				
3 Any of the following:				
3.1 The patient is ambulatory; or				
3.2 The patient is able to use upper limbs; or3.3 The patient is able to swallow.				
•				
ETRABENAZINE Tab 25 mg	91 10	112	✓ N	lotetis
		112	• <u>"</u>	lotetio
Anaesthetics				
Local				
IDOCAINE [LIGNOCAINE]				
Gel 2%, 10 ml urethral syringe - Subsidy by endorsement	43.26	10	✓ P	fizer
a) Up to 5 each available on a PSO				
b) Subsidised only if prescribed for urethral or cervical ad	ministration and the	e prescripti	on is er	ndorsed accordingly.
Oral (viscous) soln 2%		200 ml 25		ylocaine Viscous idocaine-Claris
Inj 1%, 5 ml ampoule – Up to 25 inj available on a PSO	8.75 17.50	25 50	ΨL	iuocame-ciaris
	(35.00)	00	х	ylocaine
	(33.001			idocaine-Claris
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO	()	25		iuocaine-cians
Inj 2%, 5 ml ampoule – Up to 5 inj available on a PSO Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO		25 1		idocaine-Claris
	6.90 2.40 12.00		✓L	idocaine-Claris
Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO	6.90 2.40 12.00 (20.00)	1 5	✓ L X	idocaine-Claris
Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO	6.90 2.40 12.00 (20.00) 12.00	1 5 5	✓ L ✓ L	idocaine-Claris ylocaine idocaine-Claris
Inj 1%, 20 ml ampoule – Up to 5 inj available on a PSO		1 5	✓ L X ✓ L ✓ L	idocaine-Claris

\$\$ safety cap
\$\$ Three months or six months, as applicable, dispensed all-at-once

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is penefiting from treatment. JDOCAINE [LIGNOCAINE] – Special Authority see SA0906 above – Retail pharmacy Crm 4%. (5 g tubes) 5.40 5 g OP ✓ LMX4 Crm 4%. (5 g tubes) 27.00 30 g OP ✓ LMX4 Crm 4%. (5 g tubes) 0.5 ✓ LMX4 Crm 4%. (5 g tubes) 0.64 0.5 ✓ LMX4 LMX4 Crm 4%. (5 g tubes) 0.64 0.5 ✓ LMX4 LDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see SA0906 above – Retail pharmacy Crm 2.5% with prilocaine 2.5%. 45.00 30 g OP ✓ EMLA Crm 2.5% with prilocaine 2.5%. 45.00 5 ✓ EMLA Analgesics 5 ✓ EMLA 5 ✓ EMLA For Anti-Inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119 Non-optioid Analgesics 100 ✓ Ethics Aspirin CAPSAICIN – Subsidy by endorsement 3.90 100 ✓ Ethics Aspirin CAPSAICIN – Subsidy by endorsement 3.90 100 ✓ Ethics Aspirin CAPSAICIN – Subsidy by endorsement 23.40 90 ✓ Acupan PARACETAMOL * 1.000					
§ Per Manufacturer JDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes – Subsidy by endorsement			.) c		
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes - Subsidy by endorsement					
Gel 2% with chlorhexidine 0.05%, 10 ml urethral syringes - Subsidy by endorsement	LIDOCAINE [LIGNOCAINE] WITH CHI OBHEXIDINE				
Subsidy by endorsement.					
a) Up to 5 each available on a PSO b) Subsidies only if prescribed for urethral or cervical administration and the prescription is endorsed accordingly. Topical Local Anaesthetics ■SA0906] Special Authority for Subsidy Initial application from may relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical sondhion requiring frequent injections or venepuncture. Beneval from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is senefitting from treatment. IDOCAINE [LIGNOCAINE] – Special Authority see SA0906 above – Retail pharmacy Crm 4%. (5 g tubes)	· · · · · · · · · · · · · · · · · · ·		10	🗸 P	fizer
■SA0000 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is penefiting from treatment. JDDCAINE [LIGNOCAINE] – Special Authority see SA0906 above – Retail pharmacy Cm 4%. 27.00 30 g OP ✓ LMX4 LMX4 Cm 4% (5 g tubes) 27.00 5 ✓ LMX4 LMX4 Cm 4% (5 g tubes) 27.00 5 ✓ LMX4 LDOCAINE [LIGNOCAINE] HUTH PRILOCAINE – Special Authority see SA0906 above – Retail pharmacy Cm 2.5% with prilocaine 2.5% 45.00 30 g OP ✓ EMLA Cm 2.5% with prilocaine 2.5% 45.00 30 g OP ✓ EMLA Cm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Cm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Cm 2.5% with prilocaine 2.5% C g tubes) .45.00 5 ✓ EMLA Cm 2.5% with prilocaine 2.5% C g tubes) .45.00 5 ✓ EMLA Cm 3.60 g OP - LMX4					
SA9996 Special Authority for Subsidy initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical sondition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is senefitting from treatment. JIDOCAINE [LIGNOCAINE] – Special Authority see SA0906 above – Retail pharmacy Crm 4%. (5 g tubes) - Special Authority see SA0906 above – Retail pharmacy Crm 4% (5 g tubes) to be delisted 1 December 2017) JIDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see SA0906 above – Retail pharmacy Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 30 g OP ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5%. (5 g tubes) - 45.00 5 ✓ EMLA Crm 0.075% 2.10 45 g OP ✓ Zostrix HP	b) Subsidised only if prescribed for urethral or cervical a	administration and th	ne prescrip	otion is er	ndorsed accordingly.
Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. JIDOCAINE [LIGNOCAINE] – Special Authority see SA0906 above – Retail pharmacy Crm 4%. 27.00 30 g OP ✓ LMX4 Crm 4% (5 g tubes) 27.00 5 ✓ LMX4 LMA4 Cmr 4% (5 g tubes) to be delisted 1 December 2017) JDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see SA0906 above – Retail pharmacy Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Analgesics Sonofioid Analgesics For Anti-Inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119 Non-optioid Analgesics 100 ✓ Ethics Aspirin CAPSAICIN – Subsidy by endorsement 3.90 100 ✓ Ethics Aspirin Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075%. 12.50 45 g OP ✓ Zostrix HP <	Topical Local Anaesthetics				
Initial application from any relevant practitioner. Approvals valid for 2 years where the patient is a child with a chronic medical condition requiring frequent injections or venepuncture. Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. JIDOCAINE [LIGNOCAINE] – Special Authority see SA0906 above – Retail pharmacy Crm 4%. 27.00 30 g OP ✓ LMX4 Crm 4% (5 g tubes) 27.00 5 ✓ LMX4 LMA4 Cmr 4% (5 g tubes) to be delisted 1 December 2017) JDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see SA0906 above – Retail pharmacy Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Analgesics Sonofioid Analgesics For Anti-Inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119 Non-optioid Analgesics 100 ✓ Ethics Aspirin CAPSAICIN – Subsidy by endorsement 3.90 100 ✓ Ethics Aspirin Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075%. 12.50 45 g OP ✓ Zostrix HP <	► SA0906 Special Authority for Subsidy				
Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is penefiting from treatment. JDOCAINE [LIGNOCAINE] - Special Authority see SA0906 above - Retail pharmacy Crm 4% 27.00 5 g OP / LMX4 Crm 4% 27.00 5 / LMX4 Crm 4% (5 g tubes) 27.00 5 / LMX4 Crm 4% (5 g tubes) b b delisted 1 December 2017) // LMX4 Crm 4% (5 g tubes) // LMX4 LIAXA Crm 4% (5 g tubes) 0 b delisted 1 December 2017) // LMX4 Crm 4% (5 g tubes) // LMX4 LIGNOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see SA0906 above – Retail pharmacy // LMX4 // Crm 2.5% with prilocaine 2.5% (5 g tubes) // 45.00 30 g OP / EMLA Analgesics // Crm 2.5% with prilocaine 2.5% (5 g tubes) // 45.00 5 / EMLA For aspirin & chloroform application refer Standard Formulae, page 224 // ASPIRIN // Emore and the prescription is endorsed accordingly. * Tab dispersible 300 mg – Up to 30 tab available on a PSO. .100 / Ethics Aspirin Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. / Z costrix HP VEFOPAM HYDROCHLORIDE 23.40 90		d for 2 years where	the patien	t is a chil	d with a chronic medical
benefiting from tréatment. Intervention JDOCAINE [LIGNOCAINE] - Special Authority see SA0906 above - Retail pharmacy Crm 4%. 5 g OP ✓ LMX4 Crm 4%. 27.00 30 g OP ✓ LMX4 Crm 4%. (5 g tubes) 27.00 5 ✓ LMX4 Crm 4%. (6 g tubes) be delisted 1 December 2017) JDOCAINE [LIGNOCAINE] WITH PRILOCAINE – Special Authority see SA0906 above – Retail pharmacy Crm 2.5% with prilocaine 2.5%. 45.00 30 g OP ✓ EMLA Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Analgesics 5 ✓ EMLA Solution ✓ Emathematory For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119 Non-opioid Analgesics Solution 5 ✓ Ethics Aspirin CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. 12.50 45 g OP ✓ Zostrix HP VEFOPAM HYDROCHLORIDE 23.40 90 ✓ Acupan PARACETAMOL * 1,000 ml ✓ Paracare a) Up to 200 ml available on a PSO 8.47 1,000 ml ✓ Paracare a) Up to 200 ml availa	condition requiring frequent injections or venepuncture.				
Crm 4%	Renewal from any relevant practitioner. Approvals valid for 2 ye benefiting from treatment.	ars where the treatn	nent rema	ins appro	priate and the patient is
Crm 4%	LIDOCAINE [LIGNOCAINE] - Special Authority see SA0906 abo	ove – Retail pharma	су		
Crm 4% (5 g tubes) 27.00 5 ✓ LMX4 LMX4 Crm 4% (5 g tubes) to be delisted 1 December 2017) JDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Authority see SA0906 above - Retail pharmacy Crm 2.5% with prilocaine 2.5% 45.00 30 g OP ✓ EMLA Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Analgesics For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119 Non-opioid Analgesics For aspirin & chloroform application refer Standard Formulae, page 224 ASPIRIN * Tab dispersible 300 mg – Up to 30 tab available on a PSO. 3.90 100 ✓ Ethics Aspirin CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. 7 Zostrix HP VEFOPAM HYDROCHLORIDE 12.50 45 g OP ✓ Zostrix HP VEFOPAM HYDROCHLORIDE 8.47 1,000 ✓ Pharmacare ** Tab 500 mg – Up to 30 tab available on a PSO 8.47 1,000 ml ✓ Paracare ** Tab 500 mg – Up to 30 tab available on a PSO 90 ✓ Acupan APARACETAMOL 4.15 1,000 ml ✓ Paracare ** Oral liq 120		5.40	5 g OP		
<i>LMX4 Crm</i> 4% [5 g tubes) to be delisted 1 December 2017) JDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Authority see SA0906 above - Retail pharmacy Crm 2.5% with prilocaine 2.5%	•		•		
LIDOCAINE [LIGNOCAINE] WITH PRILOCAINE - Special Authority see SA0906 above - Retail pharmacy Crm 2.5% with prilocaine 2.5%		27.00	5	۷L	MX4
Crm 2.5% with prilocaine 2.5% 45.00 30 g OP ✓ EMLA Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Analgesics S ✓ EMLA ✓ EMLA Analgesics S ✓ EMLA ✓ EMLA Non-opioid Analgesics ✓ Emics Aspirin ✓ Emics Aspirin For aspirin & chloroform application refer Standard Formulae, page 224 ✓ Emics Aspirin ASPIRIN × Tab dispersible 300 mg – Up to 30 tab available on a PSO. 3.90 100 ✓ Ethics Aspirin CAPSAICIN – Subsidy by endorsement Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075%. 12.50 45 g OP ✓ Zostrix HP VEFOPAM HYDROCHLORIDE Tab 30 mg 23.40 90 ✓ Acupan ARACETAMOL * Tab 500 mg – Up to 30 tab available on a PSO. 8.47 1,000 ml ✓ Paracare a) Up to 200 ml available on a PSO b) Not in combination * 20 mg per 5 ml 4.35 1,000 ml ✓ Paracare Double Strength * 10 Up to 100 ml available on a PSO b) Not in combination * 3.69 10 ✓ Gacet * Suppos 255 mg 3.79 10 <td></td> <td></td> <td>_</td> <td></td> <td></td>			_		
Crm 2.5% with prilocaine 2.5% (5 g tubes) 45.00 5 ✓ EMLA Analgesics For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119 Non-opioid Analgesics For aspirin & chloroform application refer Standard Formulae, page 224 ASPIRIN * Tab dispersible 300 mg – Up to 30 tab available on a PSO					
Analgesics For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119 Non-opioid Analgesics For aspirin & chloroform application refer Standard Formulae, page 224 ASPIRIN * Tab dispersible 300 mg – Up to 30 tab available on a PSO			•		
For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119 Non-opioid Analgesics For aspirin & chloroform application refer Standard Formulae, page 224 ASPIRIN * Tab dispersible 300 mg – Up to 30 tab available on a PSO		43.00	5	• L	MLA
Non-opioid Analgesics For aspirin & chloroform application refer Standard Formulae, page 224 ASPIRIN * Tab dispersible 300 mg – Up to 30 tab available on a PSO	Analgesics				
For aspirin & chloroform application refer Standard Formulae, page 224 ASPIRIN * Tab dispersible 300 mg – Up to 30 tab available on a PSO	For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, p	age 119			
ASPIRIN * Tab dispersible 300 mg – Up to 30 tab available on a PSO	Non-opioid Analgesics				
 * Tab dispersible 300 mg – Up to 30 tab available on a PSO	For aspirin & chloroform application refer Standard Formulae, pa	ge 224			
 * Tab dispersible 300 mg – Up to 30 tab available on a PSO	ASPIRIN	-			
Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075%		3.90	100	✓ <u>E</u>	thics Aspirin
Subsidised only if prescribed for post-herpetic neuralgia or diabetic peripheral neuropathy and the prescription is endorsed accordingly. Crm 0.075%	CAPSAICIN – Subsidy by endorsement			_	
Crm 0.075% 12.50 45 g OP ✓ Zostrix HP NEFOPAM HYDROCHLORIDE 23.40 90 ✓ Acupan PARACETAMOL * Tab 500 mg – Up to 30 tab available on a PSO 8.47 1,000 M ** Tab 500 mg – Up to 30 tab available on a PSO 4.15 1,000 M ✓ Pharmacare ** Oral liq 120 mg per 5 ml 4.15 1,000 ml ✓ Paracare a) Up to 200 ml available on a PSO b) Not in combination 4.35 1,000 ml ✓ Paracare Double **‡ Oral liq 250 mg per 5 ml 4.35 1,000 ml ✓ Paracare Double strength a) Up to 100 ml available on a PSO b) Not in combination % ** Suppos 125 mg 3.69 10 ✓ Gacet * Suppos 250 mg 3.79 10 ✓ Gacet		iabetic peripheral ne	europathy	and the p	prescription is endorsed
NEFOPAM HYDROCHLORIDE Tab 30 mg					
Tab 30 mg 23.40 90 ✓ Acupan PARACETAMOL * Tab 500 mg – Up to 30 tab available on a PSO 8.47 1,000 ✓ Pharmacare ** Tab 500 mg – Up to 30 tab available on a PSO 4.15 1,000 ml ✓ Pharmacare ** Oral liq 120 mg per 5 ml 4.15 1,000 ml ✓ Paracare a) Up to 200 ml available on a PSO b) Not in combination */ Paracare Double ** Oral liq 250 mg per 5 ml 4.35 1,000 ml ✓ Paracare Double strength a) Up to 100 ml available on a PSO 5 5 b) Not in combination 4.35 1,000 ml ✓ Paracare Double ** Suppos 125 mg 3.69 10 ✓ Gacet ** Suppos 250 mg 3.79 10 ✓ Gacet	Crm 0.075%	12.50	45 g OP	✓ Z	ostrix HP
PARACETAMOL * Tab 500 mg - Up to 30 tab available on a PSO .* Tab 500 mg - Up to 30 tab available on a PSO .* Oral liq 120 mg per 5 ml	NEFOPAM HYDROCHLORIDE				
 ★ Tab 500 mg - Up to 30 tab available on a PSO	Tab 30 mg	23.40	90	✓ A	cupan
 *‡ Oral liq 120 mg per 5 ml4.15 1,000 ml ✓ Paracare a) Up to 200 ml available on a PSO b) Not in combination *‡ Oral liq 250 mg per 5 ml4.35 1,000 ml ✓ Paracare Double Strength a) Up to 100 ml available on a PSO b) Not in combination * Suppos 125 mg3.69 10 ✓ Gacet * Suppos 250 mg3.79 10 ✓ Gacet 	PARACETAMOL				
a) Up to 200 ml available on a PSO b) Not in combination *≠ Oral liq 250 mg per 5 ml4.35 1,000 ml ✓ Paracare Double Strength a) Up to 100 ml available on a PSO b) Not in combination * Suppos 125 mg3.69 10 ✓ <u>Gacet</u> * Suppos 250 mg3.79 10 ✓ <u>Gacet</u>			,		
b) Not in combination *≠ Oral liq 250 mg per 5 ml4.35 1,000 ml ✓ Paracare Double Strength a) Up to 100 ml available on a PSO b) Not in combination * Suppos 125 mg		4.15	1,000 mi	• P	aracare
★‡ Oral líq 250 mg per 5 ml 4.35 1,000 ml ✓ Paracare Double Strength a) Up to 100 ml available on a PSO b) Not in combination ★ Suppos 125 mg 3.69 10 ✓ Gacet ★ Suppos 250 mg 3.79 10 ✓ Gacet	, ,				
a) Up to 100 ml available on a PSO b) Not in combination ★ Suppos 125 mg		4.35	1.000 ml	√ P	aracare Double
b) Not in combination ★ Suppos 125 mg	· · · · · · · · · · · · · · · · · · ·		.,	•	
★ Suppos 125 mg 10 ✓ Gacet ★ Suppos 250 mg 10 ✓ Gacet	a) Up to 100 ml available on a PSO				-
★ Suppos 250 mg					
<u></u>					
★ Suppos sou mg				-	
	★ Suppos SUU mg	12.60	50	✓ P	aracare

	Subsidy (Manufacturer's Price) \$	Sul Per	Fully osidised	Brand or Generic Manufacturer
Opioid Analgesics				
CODEINE PHOSPHATE - Safety medicine; prescriber may de	termine dispensing fre	quency		
Tab 15 mg		100	✓ P	
Tab 30 mg		100	✓ P	
Tab 60 mg	13.50	100	✓ P	SM
DIHYDROCODEINE TARTRATE				
Tab long-acting 60 mg	9.55	60	✓ <u>D</u>	HC Continus
FENTANYL				
 a) Only on a controlled drug form 				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing f				
Inj 50 mcg per ml, 2 ml ampoule		10		oucher and Muir
Inj 50 mcg per ml, 10 ml ampoule		10		oucher and Muir
Patch 12.5 mcg per hour		5		entanyl Sandoz
Patch 25 mcg per hour		5		entanyl Sandoz
Patch 50 mcg per hour		5 5		entanyl Sandoz
Patch 75 mcg per hour Patch 100 mcg per hour		ว 5		entanyl Sandoz entanyl Sandoz
		5	• 6	emanyi Sanuoz
METHADONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing f		<i>c</i>		· · · · ·
 d) Extemporaneously compounded methadone will only be (wether does not wether the does to be the does to be the does not be all only be 	e reimbursed at the rate	e of the c	neapest	form available
(methadone powder, not methadone tablets).				
 e) For methadone hydrochloride oral liquid refer Standard Tab 5 mg 		10	л м	ethatabs
trad 5 mg trad 5 mg per ml		200 ml		iodone
 Oral lig 2 mg per ml Oral lig 5 mg per ml 		200 ml		iodone Forte
 For a liq of mg per ml Oral liq 10 mg per ml 		200 ml		iodone Extra Forte
Inj 10 mg per ml, 1 ml		10	✓ Ā	
MORPHINE HYDROCHLORIDE				
a) Only on a controlled drug form				
 b) No patient co-payment payable 				
 c) Safety medicine; prescriber may determine dispensing f 	requency			
+ Oral lig 1 mg per ml		200 ml	🗸 R	A-Morph
Oral lig 2 mg per ml		200 ml		A-Morph
 Crailing 2 mg per ml Oral lig 5 mg per ml 		200 ml		A-Morph
 For an ing of mg per million Oral lig 10 mg per million 		200 ml		A-Morph
,			- <u>n</u>	

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully	
((Manufacturer's Price) \$	Per	Subsidised	
ORPHINE SULPHATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing freq	uency			
Tab immediate-release 10 mg	2.80	10	1	Sevredol
Sevredol to be Sole Supply on 1 October 2017				
Tab long-acting 10 mg	1.93	10	✓	Arrow-Morphine LA
Tab immediate-release 20 mg	5.52	10	✓	Sevredol
Sevredol to be Sole Supply on 1 October 2017				
Tab long-acting 30 mg	2.85	10	✓	Arrow-Morphine LA
Tab long-acting 60 mg	5.60	10	✓	Arrow-Morphine LA
Tab long-acting 100 mg	6.10	10	✓	Arrow-Morphine LA
Cap long-acting 10 mg	1.70	10	1	m-Eslon
Cap long-acting 30 mg	2.50	10	1	m-Eslon
Cap long-acting 60 mg	5.40	10	1	m-Eslon
Cap long-acting 100 mg		10	1	m-Eslon
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PSC		5	1	DBL Morphine Sulphate
DBL Morphine Sulphate to be Sole Supply on 1 October 2				
Inj 10 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	0 4.47	5	~	DBL Morphine Sulphate
DBL Morphine Sulphate to be Sole Supply on 1 October 2	017			
Inj 15 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS	O4.76	5	~	DBL Morphine Sulphate
DBL Morphine Sulphate to be Sole Supply on 1 October 2	017			
Inj 30 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS		5	~	DBL Morphine Sulphate
DBL Morphine Sulphate to be Sole Supply on 1 October 2	017			
ORPHINE TARTRATE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing freq	uency			
Inj 80 mg per ml, 1.5 ml ampoule		5	~	DBL Morphine Tartrate
Inj 80 mg per ml, 5 ml Iospira Inj 80 mg per ml, 5 ml to be delisted 1 December 2017)	107.67	5	1	Hospira

	Subsidy		Fully	Brand or
	(Manufacturer's Pric \$	e) Per	Subsidised	Generic Manufacturer
XYCODONE HYDROCHLORIDE				
a) Only on a controlled drug form				
b) No patient co-payment payable				
c) Safety medicine; prescriber may determine dispensing	g frequency			
Tab controlled-release 5 mg	2.63	20	✓	BNM
Tab controlled-release 10 mg	2.76	20	✓	BNM
Tab controlled-release 20 mg	4.72	20	✓	BNM
Tab controlled-release 40 mg	7.69	20	✓	BNM
Tab controlled-release 80 mg	14.11	20	✓	BNM
Cap immediate-release 5 mg	1.98	20	✓	OxyNorm
Cap immediate-release 10 mg	3.91	20	✓	OxyNorm
Cap immediate-release 20 mg	6.84	20		OxyNorm
Oral liq 5 mg per 5 ml	11.20	250 ml	✓	OxyNorm
Inj 10 mg per ml, 1 ml ampoule	8.57	5		<u>OxyNorm</u>
Inj 10 mg per ml, 2 ml ampoule		5		OxyNorm
Inj 50 mg per ml, 1 ml ampoule	51.00	5	1	OxyNorm
ABACETAMOL WITH CODEINE Sofoty modicing: proport	hor may dotorming die	pensina	frequency	/
ARACETANIOL WITH CODEINE – Salety medicine, presch	Del may determine dis			
		1,000		Paracetamol +
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE 				Paracetamol + Codeine (Relieve)
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing 	m 1 October 2017			
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg 		1,000		Codeine (Relieve)
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of ETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing 		1,000 10 10		Codeine (Relieve) <u>PSM</u> <u>PSM</u>
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg 		1,000		Codeine (Relieve)
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 		1,000 10 10 5	v v v	Codeine (Relieve) <u>PSM</u> <u>PSM</u> DBL Pethidine Hydrochloride
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on 		1,000 10 10	v v v	Codeine (Relieve) <u>PSM</u> <u>PSM</u> DBL Pethidine
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of ETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 		1,000 10 10 5	v v v	Codeine (Relieve) <u>PSM</u> <u>PSM</u> DBL Pethidine Hydrochloride DBL Pethidine
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on 		1,000 10 10 5	v v v	Codeine (Relieve) <u>PSM</u> <u>PSM</u> DBL Pethidine Hydrochloride DBL Pethidine
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on 		1,000 10 10 5		Codeine (Relieve) <u>PSM</u> <u>PSM</u> DBL Pethidine Hydrochloride DBL Pethidine
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Ing S0 mg per ml, 2 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Ing S0 mg per ml, 2 ml ampoule – Up to 5 inj available on 		1,000 10 10 5 5		Codeine (Relieve) PSM PSM DBL Pethidine Hydrochloride DBL Pethidine Hydrochloride
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 IRAMADOL HYDROCHLORIDE Tab sustained-release 100 mg 		1,000 10 10 5 5		Codeine (Relieve) PSM PSM DBL Pethidine Hydrochloride DBL Pethidine Hydrochloride
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of ETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 RAMADOL HYDROCHLORIDE Tab sustained-release 100 mg Tramal SR 100 to be Sole Supply on 1 October 2017 		1,000 10 10 5 5 20		Codeine (Relieve) PSM PSM DBL Pethidine Hydrochloride DBL Pethidine Hydrochloride
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of ETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg		1,000 10 10 5 5 20	· · · · · · · · · · · · · · · · · · ·	Codeine (Relieve) PSM PSM DBL Pethidine Hydrochloride DBL Pethidine Hydrochloride
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg min 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 RAMADOL HYDROCHLORIDE Tab sustained-release 100 mg Tramal SR 100 to be Sole Supply on 1 October 2017 Tab sustained-release 150 mg Tramal SR 150 to be Sole Supply on 1 October 2017 		1,000 10 10 5 5 20 20	· · · · · · · · · · · · · · · · · · ·	Codeine (Relieve) PSM PSM DBL Pethidine Hydrochloride DBL Pethidine Hydrochloride Tramal SR 100 Tramal SR 150
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg		1,000 10 10 5 5 20 20	· · · · · · · · · · · · · · · · · · ·	Codeine (Relieve) PSM PSM DBL Pethidine Hydrochloride DBL Pethidine Hydrochloride Tramal SR 100 Tramal SR 150
 Tab paracetamol 500 mg with codeine phosphate 8 mg Paracetamol + Codeine (Relieve) to be Sole Supply of PETHIDINE HYDROCHLORIDE a) Only on a controlled drug form b) No patient co-payment payable c) Safety medicine; prescriber may determine dispensing Tab 50 mg Tab 100 mg Inj 50 mg per ml, 1 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 Inj 50 mg per ml, 2 ml ampoule – Up to 5 inj available on DBL Pethidine Hydrochloride to be Sole Supply on 1 TRAMADOL HYDROCHLORIDE Tab sustained-release 100 mg Tramal SR 100 to be Sole Supply on 1 October 2017 Tab sustained-release 200 mg Tramal SR 200 to be Sole Supply on 1 October 2017 		1,000 10 10 5 5 20 20	5 5 5 5 5 5 5	Codeine (Relieve) PSM PSM DBL Pethidine Hydrochloride DBL Pethidine Hydrochloride Tramal SR 100 Tramal SR 150

Cyclic and Related Agents

AMITRIPTYLINE - Safety medicine; prescriber may determine dispensing frequenc	у	
Tab 10 mg1.68	100	Arrow-Amitriptyline
Tab 25 mg1.68	100	 Arrow-Amitriptyline
Tab 50 mg2.82	100	 Arrow-Amitriptyline

‡ safety cap

▲ Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

· · · · · · · · · · · · · · · · · · ·			
	Subsidy	\	Fully Brand or
	(Manufacturer's Price	e) Su Per	Ibsidised Generic Manufacturer
	Ŷ		
CLOMIPRAMINE HYDROCHLORIDE – Safety medici	ne; prescriber may determine	dispensin	
Tab 10 mg		100	Apo-Clomipramine
Tab 25 mg	8.68	100	 Apo-Clomipramine
DOSULEPIN [DOTHIEPIN] HYDROCHLORIDE - Safe	aty modicing: proceriber may	lotormino	disponsing froquency
Tab 75 mg		100	 Dopress
Cap 25 mg	6.45	100	 Dopress
OOXEPIN HYDROCHLORIDE - Safety medicine; pres	scriber may determine dispension	sing frequ	ency
Cap 10 mg	6.30	100	 Anten
Cap 25 mg	6.86	100	 Anten
Cap 50 mg	8.55	100	 Anten
MIPRAMINE HYDROCHLORIDE – Safety medicine;		oncina fr	auopov
			✓ Tofranil
Tab 10 mg		50	
	6.58	60	 Tofranil s29 s29
	10.96	100	 Tofranil
Tab 25 mg	8.80	50	 Tofranil
APROTILINE HYDROCHLORIDE - Safety medicine	: prescriber may determine di	spensina	frequency
Tab 25 mg		30	✓ Ludiomil
· ~ = - · · · g	12.53	50	
	25.06	100	
Tab 75 mg		20	
Tab 75 Tily	21.01	30	
IORTRIPTYLINE HYDROCHLORIDE – Safety medic Tab 10 mg Tab 25 mg		100 180	✓ <u>Norpress</u> ✓ <u>Norpress</u>
Monoamine-Oxidase Inhibitors (MAOIs)	- Non Selective		
PHENELZINE SULPHATE			
* Tab 15 mg	95.00	100	 Nardil
	00.04	50	/ Downsto
₭ Tab 10 mg		50	 Parnate
Monoamine-Oxidase Type A Inhibitors			
	0E 10	500	Ano Moolohowista
* Tab 150 mg		500	✓ <u>Apo-Moclobemide</u>
* Tab 300 mg		100	Apo-Moclobemide
Selective Serotonin Reuptake Inhibitors			
CITALOPRAM HYDROBROMIDE			
* Tab 20 mg	1 70	84	PSM Citalopram
		04	
ESCITALOPRAM			
₭ Tab 10 mg		28	 Air Flow Products
* Tab 20 mg	2.40	28	 Air Flow Products

	Subsidy (Manufacturer's Price) \$	9 Per	Fully Subsidised	Brand or Generic Manufacturer
 FLUOXETINE HYDROCHLORIDE * Tab dispersible 20 mg, scored – Subsidy by endorsement Subsidised by endorsement 1) When prescribed for a patient who cannot swallow accordingly; or 2) When prescribed in a daily dose that is not a multip endorsed. Note: Tablets should be combined with 	whole tablets or caps ble of 20 mg in which o	case tl	nd the pre	ption is deemed to be
 Cap 20 mg PAROXETINE – Brand switch fee payable (Pharmacode 252393 Tab 20 mg SERTRALINE Tab 50 mg Tab 100 mg 	30) - see page 218 for 4.02 	90 detail 90 90 90	s ✓	Arrow-Fluoxetine Apo-Paroxetine Arrow-Sertraline Arrow-Sertraline
Other Antidepressants				
MIRTAZAPINE Tab 30 mg Tab 45 mg		30 30		Apo-Mirtazapine Apo-Mirtazapine

2.13 (5.06)	28		
	28		
			Arrow-Venlafaxine
			XR
2.70	28		
(6.44)			Arrow-Venlafaxine
. ,			XR
3.72	28		
(8.86)			Arrow-Venlafaxine
			XR
8.10	28		
(14.34)			Arrow-Venlafaxine
			XR
6.38	84	✓	Enlafax XR
2.13	28		
(2.80)			Efexor XR
		~	Enlafax XR
	28		
(5.59)			Efexor XR
		~	Enlafax XR
	28		
(86.0)			Efexor XR
0017)			
			$\begin{array}{c} (3.7) \\ \dots \\ (6.44) \\ \dots \\ (6.44) \\ \dots \\ (8.86) \\ \dots \\ (14.34) \\ \dots \\ (2.80) \\ \dots \\ (2.8$

(Arrow-Venlafaxine XR Tab 37.5 mg to be delisted 1 September 2017) (Arrow-Venlafaxine XR Tab 75 mg to be delisted 1 September 2017) (Arrow-Venlafaxine XR Tab 150 mg to be delisted 1 September 2017) (Arrow-Venlafaxine XR Tab 225 mg to be delisted 1 September 2017) (Efexor XR Cap 37.5 mg to be delisted 1 September 2017) (Efexor XR Cap 75 mg to be delisted 1 September 2017) (Efexor XR Cap 150 mg to be delisted 1 September 2017)

Antiepilepsy Drugs

Agents for Control of Status Epilepticus

CLONAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 1 ml19.00	5	 Rivotril
DIAZEPAM – Safety medicine; prescriber may determine dispensing frequency Inj 5 mg per ml, 2 ml ampoule – Subsidy by endorsement11.83	5	✓ Hospira
a) Up to 5 inj available on a PSO	5	
b) Only on a PSO		
c) PSO must be endorsed "not for anaesthetic procedures".		
Rectal tubes 5 mg – Up to 5 tube available on a PSO	5	 Stesolid
Rectal tubes 10 mg – Up to 5 tube available on a PSO 40.87	5	 Stesolid
PARALDEHYDE		
* Inj 5 ml1,500.00	5	✓ AFT \$29

	Subsidy	<u>, , , , , , , , , , , , , , , , , , , </u>	Fully Brand	
	(Manufacturer's Price \$	e) Subs Per	idised Generic Manufa	-
PHENYTOIN SODIUM				
* Inj 50 mg per ml, 2 ml ampoule - Up to 5 inj available on a R	PSO 88.63	5	 Hospira 	
* Inj 50 mg per ml, 5 ml ampoule – Up to 5 inj available on a				
PSO	133.92	5	 Hospira 	
Control of Epilepsy				
CARBAMAZEPINE				
* Tab 200 mg		100	 Tegretol 	
* Tab long-acting 200 mg		100	 Tegretol 	CR
* Tab 400 mg		100	 Tegretol 	
* Tab long-acting 400 mg		100	 Tegretol 	CR
*‡ Oral liq 20 mg per ml		250 ml	 Tegretol 	
CLOBAZAM - Safety medicine; prescriber may determine dispe	nsing frequency			
Tab 10 mg		50	 Frisium 	
‡ Safety cap for extemporaneously compounded oral liqu	id preparations.			
CLONAZEPAM - Safety medicine; prescriber may determine dis	spensing frequency			
‡ Oral drops 2.5 mg per ml	7.38	10 ml OP	 Rivotril 	
ETHOSUXIMIDE				
Cap 250 mg		100	 Zarontin 	
	32.90	200	 Zarontin 	
+ Oral liq 250 mg per 5 ml		200 ml	 Zarontin 	
GABAPENTIN - Special Authority see SA1477 below - Retail p	harmacy			
▲ Cap 100 mg	•	100	🗸 Arrow-Ga	abapentin
			 Neuronti 	
			 Nupentin 	
▲ Cap 300 mg – For gabapentin oral liquid formulation refer,			-	
page 221		100	🖌 Arrow-Ga	abapentin
			 Neuronti 	n
			 Nupentin 	
▲ Cap 400 mg	13.75	100	 Arrow-Ga 	
			 Neuronti 	-
			 Nupentin 	

⇒SA1477 Special Authority for Subsidy

Initial application — (Epilepsy) from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria:

Either:

- 1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
- 2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents.

Note: "Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Initial application — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 3 months for applications meeting the following criteria:

Either:

1 The patient has been diagnosed with neuropathic pain; or

*Three months or six months, as applicable, dispensed all-at-once

2 Both:

continued...

Subsidy		Fully	Brand or	
(Manufacturer's F	rice)	Subsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

- 2.1 The patient has Chronic Kidney Disease Stage 5-associated pruritus* where no other cause for pruritus can be identified (e.g. scabies, allergy); and
- 2.2 The patient has persistent pruritus not relieved with a trial of emollient/moisturising creams alone.

Renewal — (Epilepsy) from any relevant practitioner. Approvals valid without further renewal unless notified where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life.

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Renewal — (Neuropathic pain or Chronic Kidney Disease associated pruritus) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Either:
 - 1 The patient has demonstrated a marked improvement in their control of pain or itch (prescriber determined); or
 - 2 The patient has previously demonstrated clinical responsiveness to gabapentin and has now developed neuropathic pain in a new site.

Note: Indications marked with * are Unapproved Indications (see Interpretations and Definitions). Dosage adjustment of gabapentin is recommended for patients with renal impairment.

LACOSAMIDE - Special Authority see SA1125 below - Retail pharmacy

Tab 50 mg		14	 Vimpat
Tab 100 mg		14	 Vimpat
0	200.24	56	 Vimpat
Tab 150 mg	75.10	14	 Vimpat
0	300.40	56	 Vimpat
Tab 200 mg	400.55	56	 Vimpat

⇒SA1125 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Patient has partial-onset epilepsy; and
- 2 Seizures are not adequately controlled by, or patient has experienced unacceptable side effects from, optimal treatment with all of the following: sodium valproate, topiramate, levetiracetam and any two of carbamazepine, lamotrigine and phenytoin sodium (see Note).

Note: "Optimal treatment" is defined as treatment which is indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight and other features affecting the pharmacokinetics of the drug with good evidence of compliance. Women of childbearing age are not required to have a trial of sodium valproate.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient has demonstrated a significant and sustained improvement in seizure rate or severity and/or quality of life compared with that prior to starting lacosamide treatment (see Note).

Note: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

	Subsidy (Manufacturer's Price)		Fully Subsidised	
	(Manulacturer's Frice)	Per		Manufacturer
AMOTRIGINE				
Tab dispersible 2 mg	6.74	30	1	Lamictal
Tab dispersible 5 mg		30		Lamictal
3	15.00	56	1	Arrow-Lamotrigine
Tab dispersible 25 mg		56		Motrig
	19.38		1	Logem
	20.40			Arrow-Lamotrigine
	29.09			Lamictal
Tab dispersible 50 mg		56	1	Motrig
· · · · · · · · · · · · · · · · · · ·	32.97			Logem
	34.70			Arrow-Lamotrigine
	47.89			Lamictal
Tab dispersible 100 mg		56		Motrig
······	56.91	20		Logem
	59.90			Arrow-Lamotrigine
	79.16			Lamictal
	04.00	60		Everet
Tab 250 mg		60	v	Everel
Tab 500 mg - For levetiracetam oral liquid formulation refer,				- .
page 221		60		Everet
Tab 750 mg		60		Everet
Tab 1,000 mg	59.12	60	~	Everet
HENOBARBITONE				
For phenobarbitone oral liquid refer Standard Formulae, pag	e 224			
Tab 15 mg		500	✓	PSM
Tab 30 mg		500	✓	PSM
HENYTOIN SODIUM				
Tab 50 mg	50 51	200	1	Dilantin Infatab
Cap 30 mg		200		Dilantin
Cap 100 mg		200		Dilantin
+ Oral lig 30 mg per 5 ml		200 500 m		Dilantin
		500 11		Dilantin
RIMIDONE				
Tab 250 mg		100	v	Apo-Primidone
ODIUM VALPROATE				
Tab 100 mg		100	✓	Epilim Crushable
Tab 200 mg EC		100	-	Epilim
Tab 500 mg EC		100	1	Epilim
+ Oral liq 200 mg per 5 ml		300 m	nl 🗸	Epilim S/F Liquid
				Epilim Syrup
Inj 100 mg per ml, 4 ml		1		Epilim IV
FIRIPENTOL – Special Authority see SA1330 below – Retail p				•
				Discoultant
Cap 250 mg		60		Diacomit S29
Powder for oral liq 250 mg sachet		60	~	Diacomit S29

➡SA1330 Special Authority for Subsidy

Initial application only from a paediatric neurologist or Practitioner on the recommendation of a paediatric neurologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price	e)	Subsidised	Generic
\$	Pe	r 🖌	Manufacturer

continued...

- 1 Patient has confirmed diagnosis of Dravet syndrome; and
- 2 Seizures have been inadequately controlled by appropriate courses of sodium valproate, clobazam and at least two of the following: topiramate, levetiracetam, ketogenic diet.

Renewal from any relevant practitioner. Approvals valid without further renewal unless notified where the patient continues to benefit from treatment as measured by reduced seizure frequency from baseline.

TOPIRAMATE

▲ Tab 25 mg		60	Arrow-Topiramate
5			 Topiramate Actavis
	26.04		 Topamax
▲ Tab 50 mg		60	Arrow-Topiramate
J. J			 Topiramate Actavis
	44.26		 Topamax
▲ Tab 100 mg		60	 Arrow-Topiramate
-			 Topiramate Actavis
	75.25		 Topamax
▲ Tab 200 mg		60	 Arrow-Topiramate
-			 Topiramate Actavis
	129.85		 Topamax
Sprinkle cap 15 mg		60	 Topamax
▲ Sprinkle cap 25 mg		60	 Topamax
VIGABATRIN - Special Authority see SA1072 belo	ow – Retail pharmacy		
▲ Tab 500 mg	1 2	100	 Sabril

⇒SA1072 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 15 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Patient has infantile spasms; or
 - 1.2 Both:
 - 1.2.1 Patient has epilepsy; and
 - 1.2.2 Either:
 - 1.2.2.1 Seizures are not adequately controlled with optimal treatment with other antiepilepsy agents; or
 - 1.2.2.2 Seizures are controlled adequately but the patient has experienced unacceptable side effects from optimal treatment with other antiepilepsy agents; and

2 Either:

- 2.1 Patient is, or will be, receiving regular automated visual field testing (ideally before starting therapy and on a 6-monthly basis thereafter); or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: ``Optimal treatment with other antiepilepsy agents" is defined as treatment with other antiepilepsy agents which are indicated and clinically appropriate for the patient, given in adequate doses for the patient's age, weight, and other features affecting the pharmacokinetics of the drug with good evidence of compliance.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages. **Renewal** from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Both:

1 The patient has demonstrated a significant and sustained improvement in seizure rate or severity and or quality of life; and

2 Either:

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	Subsidised		Generic
\$	Per	1	Manufacturer

continued...

- 2.1 Patient is receiving regular automated visual field testing (ideally every 6 months) on an ongoing basis for duration of treatment with vigabatrin; or
- 2.2 It is impractical or impossible (due to comorbid conditions) to monitor the patient's visual fields.

Notes: As a guideline, clinical trials have referred to a notional 50% reduction in seizure frequency as an indicator of success with anticonvulsant therapy and have assessed quality of life from the patient's perspective.

Vigabatrin is associated with a risk of irreversible visual field defects, which may be asymptomatic in the early stages.

Antimigraine Preparations

For Anti-inflammatory NSAIDS refer to MUSCULOSKELETAL, page 119

Acute Migraine Treatment

ERGOTAMINE TARTRATE WITH CAFFEINE Tab 1 mg with caffeine 100 mg	31.00	100	 ✓ Cafergot ✓ Cafergot S29 ©29
RIZATRIPTAN Tab orodispersible 10 mg Rizamelt to be Sole Supply on 1 October 2017	5.26	30	✓ Rizamelt
SUMATRIPTAN Tab 50 mg	24.44	100	 Apo-Sumatriptan
	(29.80)	102 100	 Apo-Sumatriptan Arrow-Sumatriptan
Apo-Sumatriptan to be Sole Supply on 1 September 2017 Tab 100 mg	46.23	100 102	 ✓ Apo-Sumatriptan ✓ Apo-Sumatriptan
Apo-Sumatriptan to be Sole Supply on 1 September 2017	(54.80)	100	Arrow-Sumatriptan
Inj 12 mg per ml, 0.5 ml prefilled pen – Maximum of 10 inj per prescription	42.67	2 OP	 ✓ Clustran ✓ Sun Pharma ^{S29}
(Arrow-Sumatriptan Tab 50 mg to be delisted 1 September 2017) (Arrow-Sumatriptan Tab 100 mg to be delisted 1 September 2017)			• Sun Pharma 329
Prophylaxis of Migraine			
For Beta Adrenoceptor Blockers refer to CARDIOVASCULAR SYST	EM, page 57		
* Tab 500 mcg	23.21	100	✓ <u>Sandomigran</u>
Antinausea and Vertigo Agents			
For Antispasmodics refer to ALIMENTARY TRACT, page 22 APREPITANT – Special Authority see SA0987 on the next page – F Cap 2 × 80 mg and 1 × 125 mg Cap 40 mg	100.00	3 OP 5 OP	 ✓ Emend Tri-Pack ✓ Emend

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
SA0987] Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid metogenic chemotherapy and/or anthracycline-based chemother Renewal from any relevant practitioner. Approvals valid for 12 mo hemotherapy and/or anthracycline-based chemotherapy for the tr	apy for the treatmer onths where the pat	nt of m ient is	alignancy	·. · · · · · · · · · · · · · · · · · ·
BETAHISTINE DIHYDROCHLORIDE ★ Tab 16 mg Vergo 16 to be Sole Supply on 1 October 2017	2.89	84	1	Vergo 16
CYCLIZINE HYDROCHLORIDE Tab 50 mg	0.59	20	1	Nauzene
YCLIZINE LACTATE Inj 50 mg per ml, 1 ml	14.95	5	1	Nausicalm
OMPERIDONE ★ Tab 10 mg – For domperidone oral liquid formulation refer, page 221	3.20	100	~	Prokinex
RANISETRON € Tab 1 mg Granirex Tab 1 mg to be delisted 1 October 2017)		50		Granirex
YOSCINE HYDROBROMIDE		_		
Inj 400 mcg per ml, 1 ml ampoule		5 10		Hospira Martindale S29
Patch 1.5 mg – Special Authority see SA1387 below – Retail pharmacy		2		Scopoderm TTS
SA1387 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid Either:	for 1 year for applic	ations	meeting	the following criteria:
 Control of intractable nausea, vomiting, or inability to swalld where the patient cannot tolerate or does not adequately re Control of clozapine-induced hypersalivation where trials of ineffective. 	espond to oral anti-r	ausea	a agents; o	or
Renewal from any relevant practitioner. Approvals valid for 1 yea enefiting from treatment.	r where the treatme	nt ren	nains appr	opriate and the patient is
IETOCLOPRAMIDE HYDROCHLORIDE				
 Tab 10 mg – For metoclopramide hydrochloride oral liquid 	1.00	100		Matamida
formulation refer, page 221 € Inj 5 mg per ml, 2 ml ampoule – Up to 5 inj available on a PSI		100 10		Metamide Pfizer
NDANSETRON	0	10	·	
• Tab 4 mg	3.36	50	1	Apo-Ondansetron

(Onrex Tab 4 mg to be delisted 1 August 2017) (Onrex Tab 8 mg to be delisted 1 August 2017)

Apo-Ondansetron to be Sole Supply on 1 August 2017 Tab disp 4 mg......1.00

*

*

10

50

10

✓ Onrex

✓ Onrex

✓ Dr Reddy's

Ondansetron

Ondansetron

✓ Apo-Ondansetron

ODT-DRLA

Fully Brand or Subsidised Generic	
er 🖌 Manufacturer	
)	
Buccastem	
0 🖌 Antinaus	
 Stemetil 	
)	
Avomine	
	Avomine

Antipsychotics

General

AMISULPRIDE - Safety medicine; prescriber may determin	ne dispensing frequenc	:V	
Tab 100 mg	1 0 1	30	 Sulprix
Tab 200 mg		60	 Sulprix
Tab 400 mg	27.70	60	 Sulprix
Oral liq 100 mg per ml	65.53	60 ml	 Solian
ARIPIPRAZOLE – Special Authority see SA1539 below – F Safety medicine; prescriber may determine dispensing			
Tab 5 mg - No more than 1 tab per day		30	🗸 Abilify
Tab 10 mg		30	🗸 Abilify
Tab 15 mg	175.28	30	 Abilify
Tab 20 mg	213.42	30	 Abilify
Tab 30 mg		30	🗸 Abilify

⇒SA1539 Special Authority for Subsidy

Initial application — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is suffering from schizophrenia or related psychoses; and
- 2 Either:
 - 2.1 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of unacceptable side effects; or
 - 2.2 An effective dose of risperidone or quetiapine has been trialled and has been discontinued, or is in the process of being discontinued, because of inadequate clinical response.

Initial application — (Autism spectrum disorder*) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has been diagnosed with an autism spectrum disorder* and has symptoms of severe irritability; and
- 2 An effective dose of risperidone has been trialled and has been discontinued because of unacceptable side effects or inadequate response; and
- 3 The patient is aged less than 18 years.

Renewal — (Schizophrenia or related psychoses) from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Autism spectrum disorder*) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: Indications marked with * are Unapproved Indications

*Three months or six months, as applicable, dispensed all-at-once

	Subaidu		Eully	Propd or
	Subsidy (Manufacturer's Price	e) (Fully Subsidised	
	(Manulacturer 3 i fic	Per		Manufacturer
HLORPROMAZINE HYDROCHLORIDE - Safety medicine; pre	scriber may deter	mina disr	onsina fi	
Tab 10 mg – Up to 30 tab available on a PSO		100		Largactil
Tab 25 mg – Up to 30 tab available on a PSO		100		Largactil
Tab 100 mg – Up to 30 tab available on a PSO		100		Largactil
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO		10		Largactil
	20.00			
LOZAPINE – Hospital pharmacy [HP4] Safety medicine; prescriber may determine dispensing freque	2001			
Tab 25 mg		50	1	Clozaril
Tab 25 Hig	6.69	50		Clopine
	11.36	100		Clozaril
	13.37	100		Clopine
Tab 50 mg		50	-	Clopine
	17.33	100	-	Clopine
Tab 100 mg		50		Clozaril
	17.33	00		Clopine
	29.45	100		Clozaril
	34.65			Clopine
Tab 200 mg		50		Clopine
·	69.30	100		Clopine
Suspension 50 mg per ml		100 ml		Clopine
LOPERIDOL – Safety medicine; prescriber may determine dis				
Tab 500 mcg – Up to 30 tab available on a PSO				Saranaaa
Tab 1.5 mg – Up to 30 tab available on a PSO		100 100		Serenace Serenace
Tab 5 mg – Up to 30 tab available on a PSO		100		Serenace
Oral liq 2 mg per ml – Up to 200 ml available on a PSO		100 ml		Serenace
Inj 5 mg per ml, 1 ml ampoule – Up to 5 inj available on a PS		100 11		Serenace
VOMEPROMAZINE HYDROCHLORIDE – Safety medicine; pr				
Inj 25 mg per ml, 1 ml ampoule		10		<u>Wockhardt</u>
VOMEPROMAZINE MALEATE - Safety medicine; prescriber r	may determine dis	pensing	frequenc	у
Tab 25 mg		100	~	Nozinan
Tab 100 mg		100	~	Nozinan
THIUM CARBONATE – Safety medicine; prescriber may deterr	nine dispensing fr	equency		
Tab 250 mg		500	1	Lithicarb FC
Tab 400 mg		100	1	Lithicarb FC
Tab long-acting 400 mg		100	✓	Priadel
Cap 250 mg		100	1	Douglas
ANZAPINE - Safety medicine; prescriber may determine dispe	ensing frequency			
Tab 2.5 mg	• • •	28	1	Zypine
Zypine to be Sole Supply on 1 October 2017				_)[
Tab 5 mg		28	1	Zypine
Zypine to be Sole Supply on 1 October 2017				
Tab orodispersible 5 mg	1.25	28	1	Zypine ODT
Zypine ODT to be Sole Supply on 1 October 2017				// ······
Tab 10 mg		28	1	Zypine
Zypine to be Sole Supply on 1 October 2017				
Tab orodispersible 10 mg	2.05	28	1	Zypine ODT
Zypine ODT to be Sole Supply on 1 October 2017		-		//
RICYAZINE – Safety medicine; prescriber may determine disp	oneina froquonou			
	• • •		1	Neulactil
Tab 2.5 mg Tab 10 mg		100 100		Neulactil
		11/1/	•	neulaulli
NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	I Generic
UETIAPINE – Safety medicine; prescriber may determine	÷	1.01		Manufacturer
Tab 25 mg		90	1	Quetapel
Quetapel to be Sole Supply on 1 October 2017		00	•	auctuper
Tab 100 mg	3 45	90	1	Quetapel
Quetapel to be Sole Supply on 1 October 2017		00		duotapoi
Tab 200 mg	5 75	90	1	Quetapel
Quetapel to be Sole Supply on 1 October 2017		00		auotapoi
Tab 300 mg	9.60	90	1	Quetapel
Quetapel to be Sole Supply on 1 October 2017				a compos
SPERIDONE – Safety medicine; prescriber may determine		~~		Antonio
Tab 0.5 mg		60 60		Actavis
Tab 1 mg		60 60		Actavis Actavis
Tab 2 mg		60		
Tab 3 mg		60		Actavis
Tab 4 mg		60		Actavis
Oral liq 1 mg per ml Risperon to be Sole Supply on 1 October 2017		30 m	•	Risperon
a) Safety medicine; prescriber may determine dispensinb) Subsidised for patients who were taking trifluoperazir	g frequency ne hydrochloride prior to 1			
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. 	g frequency he hydrochloride prior to 1 e prescription as endorse		ere there e	exists a record of prior
 b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate th 	g frequency he hydrochloride prior to 1 e prescription as endorse	d wh	ere there e	
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg 	g frequency he hydrochloride prior to 1 e prescription as endorse 	d wh	ere there e	Apo- Trifluoperazine S29
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. 	g frequency he hydrochloride prior to 1 e prescription as endorse 	d who 100	ere there e	exists a record of prior Apo-
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg 	g frequency he hydrochloride prior to 1 e prescription as endorse 	d who 100	ere there e	Apo- Trifluoperazine S29 Apo-
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg <i>Tab 5 mg</i> <i>Tab 1 mg to be delisted 1 Decemb</i> 	g frequency he hydrochloride prior to 1 e prescription as endorse 	d who 100	ere there e	Apo- Trifluoperazine S29 Apo-
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg Tab 5 mg Tab 1 mg to be delisted 1 Decemb po-Trifluoperazine see Tab 5 mg to be delisted 1 Decemb 	g frequency he hydrochloride prior to 1 e prescription as endorse 	d who 100	ere there e	Apo- Trifluoperazine 529 Apo-
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg Tab 5 mg Tab 1 mg to be delisted 1 Decemb po-Trifluoperazine ^{S29} Tab 1 mg to be delisted 1 Decemb PRASIDONE – Safety medicine; prescriber may determine 	g frequency he hydrochloride prior to 1 e prescription as endorse 	d who 100 100	ere there e	Apo- Trifluoperazine S29 Apo- Trifluoperazine S29
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg Tab 5 mg Tab 5 mg to be delisted 1 Decemb po-Trifluoperazine ^{S29} Tab 1 mg to be delisted 1 Decemb PRASIDONE – Safety medicine; prescriber may determine Cap 20 mg 	g frequency he hydrochloride prior to 1 e prescription as endorse 	60	ere there e	exists a record of prior Apo- Trifluoperazine S29 Apo- Trifluoperazine S29 Zusdone
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg Tab 5 mg Tab 5 mg to be delisted 1 December po-Trifluoperazine see Tab 5 mg to be delisted 1 December PRASIDONE – Safety medicine; prescriber may determine Cap 20 mg 	g frequency he hydrochloride prior to 1 e prescription as endorse 	60 60	ere there e	Apo- Trifluoperazine 529 Apo- Trifluoperazine 529 <u>Zusdone</u> <u>Zusdone</u>
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg Tab 5 mg Tab 5 mg to be delisted 1 December por Trifluoperazine see Tab 5 mg to be delisted 1 December PRASIDONE – Safety medicine; prescriber may determine Cap 20 mg Cap 40 mg Cap 60 mg 	g frequency he hydrochloride prior to 1 e prescription as endorse 	60 60 60	ere there e	Apo- Trifluoperazine S29 Apo- Trifluoperazine S29 <u>Zusdone</u> <u>Zusdone</u> <u>Zusdone</u>
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg Tab 5 mg Tab 5 mg Tab 5 mg to be delisted 1 December po-Trifluoperazine see Tab 5 mg to be delisted 1 December PRASIDONE – Safety medicine; prescriber may determine Cap 20 mg Cap 40 mg Cap 80 mg 	g frequency ne hydrochloride prior to 1 e prescription as endorse 	60 60 60 60 60 60 60 60 60 60 60 60 60 6	ere there e	Apo- Trifluoperazine 529 Apo- Trifluoperazine 529 Zusdone Zusdone Zusdone Zusdone Zusdone
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg Tab 5 mg <i>po-Trifluoperazine</i> ^{\$29} <i>Tab 1 mg to be delisted 1 Decemb</i> <i>po-Trifluoperazine</i> ^{\$29} <i>Tab 5 mg to be delisted 1 Decemb</i> PRASIDONE – Safety medicine; prescriber may determine Cap 20 mg Cap 40 mg Cap 80 mg	g frequency ne hydrochloride prior to 1 e prescription as endorse 	60 60 60 60 60 60 60 60 60 60 60 60 60 6	ere there e	Apo- Trifluoperazine 529 Apo- Trifluoperazine 529 Zusdone Zusdone Zusdone Zusdone Zusdone
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg <i>po-Trifluoperazine</i> ^{\$29} Tab 1 mg to be delisted 1 Decemb po-Trifluoperazine ^{\$29} Tab 5 mg to be delisted 1 Decemb PRASIDONE – Safety medicine; prescriber may determine Cap 20 mg Cap 40 mg Cap 80 mg 	g frequency he hydrochloride prior to 1 e prescription as endorse 	60 60 60 60 60 60 60 60 60 60 60 60 60 6	ere there e	Apo- Trifluoperazine 529 Apo- Trifluoperazine 529 <u>Apo-</u> Trifluoperazine 529 <u>Zusdone</u> <u>Zusdone</u> <u>Zusdone</u> <u>Zusdone</u>
 a) Safety medicine; prescriber may determine dispensin b) Subsidised for patients who were taking trifluoperazir endorsed accordingly. Pharmacists may annotate the dispensing of trifluoperazine hydrochloride. Tab 1 mg Tab 5 mg Tab 5 mg Tab 5 mg to be delisted 1 December po-Trifluoperazine ^{\$29} Tab 1 mg to be delisted 1 December PRASIDONE – Safety medicine; prescriber may determine Cap 20 mg Cap 40 mg Cap 80 mg JUCLOPENTHIXOL HYDROCHLORIDE – Safety medicine; 	g frequency he hydrochloride prior to 1 e prescription as endorse 	60 60 60 60 60 60 60 60 60 60 60 60 60 6	ere there e	Apo- Trifluoperazine 529 Apo- Trifluoperazine 529 Zusdone Zusdone Zusdone Zusdone Zusdone Zusdone Zusdone

FLUPENTHIXOL DECANOATE – Safety medicine; prescriber may determin	ie dispensing frequency	
Inj 20 mg per ml, 1 ml – Up to 5 inj available on a PSO13.1	4 5 •	Fluanxol
Inj 20 mg per ml, 2 ml - Up to 5 inj available on a PSO20.9	05.	Fluanxol
Inj 100 mg per ml, 1 ml - Up to 5 inj available on a PSO	75.	 Fluanxol

‡ safety cap

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Generic
LUPHENAZINE DECANOATE - Subsidy by endorsement	φ	Fei	•	Manufacturer
a) Safety medicine: prescriber may determine dispensing fr	aguenev			
 b) Subsidised for patients who were taking fluphenazine de 		embe	er 2016 ar	nd the prescription or PSO
endorsed accordingly. Pharmacists may annotate the plant				
dispensing of fluphenazine decanoate.				
Inj 12.5 mg per 0.5 ml, 0.5 ml – Up to 5 inj available on a P		5		Modecate
Inj 25 mg per ml, 1 ml – Up to 5 inj available on a PSO	27.90	5		Modecate
			~	Modecate S29 S29
Inj 25 mg per ml, 2 ml – Up to 5 inj available on a PSO	77.25	5	1	Modecate S29 S29
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO	154.50	5	✓	Modecate
Modecate Inj 12.5 mg per 0.5 ml, 0.5 ml to be delisted 1 March	2018)			
Modecate Inj 25 mg per ml, 1 ml to be delisted 1 March 2018)				
Modecate S29 💷 Inj 25 mg per ml, 1 ml to be delisted 1 Mar	rch 2018)			
Modecate S29 529 Inj 25 mg per ml, 2 ml to be delisted 1 Mar	rch 2018)			
Modecate Inj 100 mg per ml, 1 ml to be delisted 1 March 2018)	,			
ALOPERIDOL DECANOATE - Safety medicine; prescriber m	av determine dispensi	na fre	anency	
Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO		5		Haldol
Inj 100 mg per ml, 1 ml – Up to 5 inj available on a PSO		5	1	Haldol Concentrate
j i ja i ja i i i i i i i i i i i i i i			1	Haldol
				Decanoas S29
DLANZAPINE – Special Authority see SA1428 below – Retail p	harmacy			
Safety medicine; prescriber may determine dispensing frequ				
Inj 210 mg vial		1	1	Zyprexa Relprevv
Inj 300 mg vial		1		Zyprexa Relprevv
Inj 405 mg vial		1		Zyprexa Relprevv
SA1428 Special Authority for Subsidy				

Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Fither:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or risperidone depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia; and
 - 2.2 The patient has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 The patient has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in the last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of olanzapine depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: The patient should be monitored for post-injection syndrome for at least two hours after each injection.

PALIPERIDONE - Special Authority see SA1429 on the next page - Retail pharmacy

Safety medicine; prescriber may determine dispensing frequency

Inj 25 mg syringe	1	Invega Sustenna
Inj 50 mg syringe271.95	1	🗸 Invega Sustenna
Inj 75 mg syringe	1	Invega Sustenna
Inj 100 mg syringe	1	Invega Sustenna
Inj 150 mg syringe	1	Invega Sustenna

 Subsidy (Manufacturer's Price)	Su	Fully bsidised	Brand or Generic
\$	Per	✓	Manufacturer

⇒SA1429 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

1 The patient has had an initial Special Authority approval for risperidone depot injection or olanzapine depot injection; or

- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of paliperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Paliperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialling paliperidone depot injection.

PIPOTHIAZINE PALMITATE - Subsidy by endorsement

- a) Safety medicine; prescriber may determine dispensing frequency
- b) Subsidised for patients who were taking pipothiazine palmitate prior to 1 August 2014 and the prescription or PSO is endorsed accordingly. Pharmacists may annotate the prescription as endorsed where there exists a record of prior dispensing of pipothiazine palmitate.

Inj 50 mg per ml, 1 ml – Up to 5 inj available on a PSO	178.48	10	 Piportil
Inj 50 mg per ml, 2 ml – Up to 5 inj available on a PSO		10	 Piportil
RISPERIDONE - Special Authority see SA1427 below - Retail p	,		
Safety medicine; prescriber may determine dispensing freque	ency		
Inj 25 mg vial	135.98	1	 Risperdal Consta
Inj 37.5 mg vial	178.71	1	 Risperdal Consta
Inj 50 mg vial	217.56	1	 Risperdal Consta
Safety medicine; prescriber may determine dispensing freque Inj 25 mg vial Inj 37.5 mg vial	ency 135.98 178.71	1 1 1	 Risperdal Cons

⇒SA1427 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has had an initial Special Authority approval for paliperidone depot injection or olanzapine depot injection; or
- 2 All of the following:
 - 2.1 The patient has schizophrenia or other psychotic disorder; and
 - 2.2 Has tried but failed to comply with treatment using oral atypical antipsychotic agents; and
 - 2.3 Has been admitted to hospital or treated in respite care, or intensive outpatient or home-based treatment for 30 days or more in last 12 months.

Renewal from any relevant practitioner. Approvals valid for 12 months where the initiation of risperidone depot injection has been associated with fewer days of intensive intervention than was the case during a corresponding period of time prior to the initiation of an atypical antipsychotic depot injection.

Note: Risperidone depot injection should ideally be used as monotherapy (i.e. without concurrent use of any other antipsychotic medication). In some cases, it may be clinically appropriate to attempt to treat a patient with typical antipsychotic agents in depot injectable form before trialing risperidone depot injection.

ZUCLOPENTHIXOL DECANOATE – Safety medicine; prescriber may determine dispensing frequency Inj 200 mg per ml, 1 ml – Up to 5 inj available on a PSO......19.80 5 **Clopixol**

*Three months or six months, as applicable, dispensed all-at-once

Subsidy (Manufacturer's	Price) Sub	Fully Brand or osidised Generic
\$	Per	 Manufacturer
Anxiolytics		
LPRAZOLAM – Subsidy by endorsement		
a) Safety medicine; prescriber may determine dispensing frequency		
b) Subsidised for patients who were taking alprazolam prior to 1 December	2016 and the r	prescription is endorsed
accordingly. Pharmacists may annotate the prescription as endorsed wi alprazolam.		
Tab 250 mcg	50	
(4.84)	50	Xanax
‡ Safety cap for extemporaneously compounded oral liquid preparations.		Xanax
Tab 500 mcg	50	
(5.92)		Xanax
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 1 mg5.00	50	
(12.00)		Xanax
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
anax Tab 250 mcg to be delisted 1 September 2017)		
anax Tab 500 mcg to be delisted 1 September 2017)		
anax Tab 1 mg to be delisted 1 September 2017)		
JSPIRONE HYDROCHLORIDE		
Tab 5 mg23.80	100	✓ <u>Orion</u>
Tab 10 mg14.96	100	✓ Orion
ONAZEPAM - Safety medicine; prescriber may determine dispensing freque	ency	
Tab 500 mcg7.53	100	 Paxam
Tab 2 mg14.37	100	Paxam
AZEPAM – Safety medicine; prescriber may determine dispensing frequency		
Tab 2 mg	500	 Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
Tab 5 mg	500	 Arrow-Diazepam
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
DRAZEPAM – Safety medicine; prescriber may determine dispensing frequen		
Tab 1 mg	250	Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.		4 • · · ·
Tab 2.5 mg	100	Ativan
‡ Safety cap for extemporaneously compounded oral liquid preparations.		
(AZEPAM – Safety medicine; prescriber may determine dispensing frequency		<i></i>
Tab 10 mg	100	 Ox-Pam
a)‡ Safety cap for extemporaneously compounded oral liquid preparation	ons.	
b) Ox-Pam to be Sole Supply on 1 October 2017	100	A Ov Daw
Tab 15 mg	100	 Ox-Pam
 a)‡ Safety cap for extemporaneously compounded oral liquid preparation b) Ox Pare to be Sale Supply on 1 October 2017 	JIIS.	
b) Ox-Pam to be Sole Supply on 1 October 2017		

Multiple Sclerosis Treatments

DIMETHYL FUMARATE - Special Authority see SA1559 on the next page	- Retail pharmacy	,
Wastage claimable – see rule 3.3.2 on page 13		
Cap 120 mg520.	00 14	 Tecfidera
Cap 240 mg2,000.	00 56	 Tecfidera

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
`\$´´	Per	~	Manufacturer

⇒SA1559 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- a) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- b) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- c) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- d) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and

*Three months or six months, as applicable, dispensed all-at-once

- e) applications must be made by the patient's neurologist or general physician; and
- f) patients must have no previous history of lack of response to dimethyl fumarate; and
- g) patients must have not previously had intolerance to dimethyl fumarate; and
- h) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:

continued...

‡ safety cap

Subsidy (Manufacturer's Price)	S	Fully Subsidised	Brand or Generic	
\$	Per	1	Manufacturer	

- a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
- b) 1.0 to 3.0; or
- c) 1.5 to 3.5; or
- d) 2.0 to 4.0; or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or
- g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to dimethyl fumarate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

FINGOLIMOD - Special Authority see SA1562 below - Retail pharmacy

Wastage claimable – see rule 3.3.2 on page 13			
Cap 0.5 mg	2,650.00	28	🗸 Gilenya

⇒SA1562 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz
Wellington	

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to fingolimod; and
- 7) patients must have not previously had intolerance to fingolimod; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to fingolimod; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

NATALIZUMAB - Special Authority see SA1563 below - Retail pharmacy

lnj 20 mg per ml,	15 ml vial	1,750.00	1	🗸 Tysabri
-------------------	------------	----------	---	-----------

⇒SA1563 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

*Three months or six months, as applicable, dispensed all-at-once

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

continued...

‡ safety cap

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	✓	Manufacturer	

The coordinator

	THUNE
Multiple Sclerosis Treatment Assessment Committee	Facsin
PHARMAC PO Box 10 254	Email:
Mallin etc.	

Phone: 04 460 4990 nile: 04 916 7571 mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified). **Entry Criteria**

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months: and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- treatment must be initiated and supervised by a neurologist who is registered in the Tysabri Australasian Prescribing Programme operated by the supplier; and
- 7) patients must have no previous history of lack of response to natalizumab; and
- 8) patients must have not previously had intolerance to natalizumab; and
- 9) a) Patient is JC virus negative, or
 - b) Patient is JC virus positive and has given written informed consent acknowledging an understanding of the risk of progressive multifocal leucoencephalopathy (PML) associated with natalizumab
- 10) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or

continued...

NERVOUS SYSTEM

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	sidised	Generic
\$	Per	1	Manufacturer

continued...

- b) 1.0 to 3.0; or
- c) 1.5 to 3.5; or
- d) 2.0 to 4.0; or
- e) 2.5 to 4.5; or
- f) 3.0 to 4.5; or
- g) 3.5 to 4.5; or
- h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to natalizumab; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Natalizumab can only be dispensed from a pharmacy registered in the Tysabri Australasian Prescribing Programme operated by the supplier.

Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate.

Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

TERIFLUNOMIDE - Special Authority see SA1560 below - Retail pharmacy

Wastage claimable - see rule 3.3.2 on page 13			
Tab 14 mg	1,582.62	28	🗸 Aubagio

⇒SA1560 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz

Wellington

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:

*Three months or six months, as applicable, dispensed all-at-once

- Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months; and
- Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling; or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subsi	dised	Generic	
\$	Per	✓	Manufacturer	

- v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week;
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - g) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist or general physician; and
- 6) patients must have no previous history of lack of response to teriflunomide; and
- 7) patients must have not previously had intolerance to teriflunomide; and
- 8) patient must not be co-prescribed beta interferon or glatiramer acetate.

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months. Progression of disability is defined as progress by any of the following EDDSS points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to teriflunomide; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Switching between natalizumab, fingolimod, dimethyl fumarate and teriflunomide is permitted provided the EDSS stopping criteria are not met. Switching to interferon or glatiramer acetate is only permitted provided the EDSS stopping criteria are not met and both fingolimod and natalizumab are either not tolerated or treatment with both agents would be clinically inappropriate. Continued relapses on treatment would be expected to lead to a switch of treatment provided the stopping criteria are not met. If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur.

Other Multiple Sclerosis Treatments

⇒SA1564 Special Authority for Subsidy

Special Authority approved by the Multiple Sclerosis Treatment Committee

Notes: Special Authority approved by the Multiple Sclerosis Treatment Assessment Committee (MSTAC). Applications will be considered by MSTAC at its regular meetings and approved subject to eligibility according to the Entry and Stopping criteria (below).

NERVOUS SYSTEM

<u> </u>		= "		
Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sul	bsidised	Generic	
\$	Per	✓	Manufacturer	

continued...

Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz or:

The coordinator	Phone: 04 460 4990
Multiple Sclerosis Treatment Assessment Committee	Facsimile: 04 916 7571
PHARMAC PO Box 10 254	Email: mstaccoordinator@pharmac.govt.nz
Wellington	

Completed application forms must be sent to the coordinator for MSTAC and will be considered by MSTAC at the next practicable opportunity.

Notification of MSTAC's decision will be sent to the patient, the applying clinician and the patient's GP (if specified).

These agents will NOT be subsidised if dispensed from a community or hospital pharmacy. Regular supplies will be distributed to all approved patients or their clinicians by courier.

Prescribers must send quarterly prescriptions for approved patients to the MSTAC coordinator.

Only prescriptions for 6 million iu of interferon beta-1-alpha per week, or 8 million iu of interferon beta-1-beta every other day, or 20 mg glatiramer acetate daily will be subsidised.

Switching between treatments is permitted within the 12 month approval period without reapproval by MSTAC. The MSTAC coordinator should be notified of the change and a new prescription provided.

Entry Criteria

- 1) Diagnosis of multiple sclerosis (MS) must be confirmed by a neurologist. Diagnosis must include MRI confirmation; and
- 2) patients must have Clinically Definite Relapsing Remitting MS with or without underlying progression; and
- 3) patients must have:
 - a) EDSS score 0 4.0 and:
 - Experienced at least 1 significant relapse of MS in the previous 12 months or 2 significant relapses in the past 24 months: and
 - Evidence of new inflammatory activity on an MR scan within the past 24 months, any of the following:
 - i) a gadolinium enhancing lesion; or
 - ii) a Diffusion Weighted Imaging positive lesion; or
 - iii) a T2 lesion with associated local swelling: or
 - iv) a prominent T2 lesion that clearly is responsible for the clinical features of a recent relapse; or
 - v) new T2 lesions compared with a previous MR scan; and
- 4) A significant relapse must:
 - a) be confirmed by the applying neurologist or general physician (the patient may not necessarily have been seen by them during the relapse but the neurologist/physician must be satisfied that the clinical features were characteristic and met the specified criteria);
 - b) be associated with characteristic new symptom(s)/sign(s) or substantial worsening of previously experienced symptom(s)/sign(s);
 - c) last at least one week:
 - d) start at least one month after the onset of a previous relapse;
 - e) be severe enough to change either the EDSS or at least one of the Kurtzke Functional System scores by at least 1 point;
 - f) be distinguishable from the effects of general fatigue; and
 - q) not be associated with a fever (T> 37.5°C); and
- 5) applications must be made by the patient's neurologist; and
- 6) patients must have no previous history of lack of response to beta-interferon or glatiramer acetate; and
- 7) patients must have either:
 - a) intolerance to both natalizumab and fingolimod; or
 - b) treatment with both natalizumab and fingolimod is considered clinically inappropriate; and
- 8) patient will not be co-prescribed natalizumab or fingolimod.

continued...

‡ safety cap

A Three months supply may be dispensed at one time *Three months or six months, as applicable, dispensed all-at-once if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy (Manufacturer's Price)	9	Fully Subsidised	Brand or Generic
\$	Per	1	Manufacturer

Stopping Criteria

Any of the following:

- 1) Confirmed progression of disability that is sustained for six months during a minimum of one year of treatment. Progression of disability is defined as progress by any of the following EDDSS Points:
 - a) from starting at EDSS 0 increasing to (i.e. stopping on reaching) EDSS 3.0; or
 - b) 1.0 to 3.0; or
 - c) 1.5 to 3.5; or
 - d) 2.0 to 4.0; or
 - e) 2.5 to 4.5; or
 - f) 3.0 to 4.5; or
 - g) 3.5 to 4.5; or
 - h) 4.0 to 4.5.
- 2) increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment)(see note); or
- 3) intolerance to interferon beta-1-alpha, and/or interferon beta-1-beta and/or glatiramer acetate; or
- 4) non-compliance with treatment, including refusal to undergo annual assessment.

Note: Treatment with interferon beta -1-beta, interferon beta-1-alpha and glatiramer acetate, is permitted only if treatment with both natalizumab and fingolimod is not tolerated or treatment with both would be clinically inappropriate. Beta-interferon or glatiramer acetate will not be funded as second line treatments if EDSS progression has occurred on treatment with natalizumab or fingolimod. Patients who have an increasing relapse rate over 12 months of treatment (compared with the relapse rate on starting treatment) and who do not meet the EDSS Stopping Criteria at annual review may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa. Patients may switch from either of the beta-interferon's [interferon beta-1-beta or interferon beta-1-alpha] to glatiramer acetate or vice versa for increased relapses only once, after which they will be required to stop funded treatment if they meet any of the Stopping Criteria at annual review (including the criterion relating to increasing relapse rate over 12 months of treatment). If a relapse has resulted in an increased EDSS score that potentially may lead to discontinuation of treatment according to stopping criteria, a period of 6 months is allowed from the start of the relapse for recovery to occur. In this setting anti-JCV antibody positive status may be accepted as a clinically inappropriate reason for treatment with natalizumab.

, , , , , , , , , , , , , , , , , , , ,			
GLATIRAMER ACETATE – Special Authority see SA1564 on pag Inj 20 mg prefilled syringe		28	 Copaxone
INTERFERON BETA-1-ALPHA - Special Authority see SA1564 c	on page 154 – [Xpha	ırm]	
Inj 6 million iu prefilled syringe	1,170.00	4	 Avonex
Injection 6 million iu per 0.5 ml pen injector		4	 Avonex Pen
Inj 6 million iu per vial		4	 Avonex
(Avonex Inj 6 million iu per vial to be delisted 1 September 2017)			
INTERFERON BETA-1-BETA - Special Authority see SA1564 on	page 154 - [Xpharr	nl	
Inj 8 million iu per 1 ml		15	 Betaferon
Sedatives and Hypnotics			
LORMETAZEPAM – Safety medicine; prescriber may determine of	dispensing frequenc	v	
Tab 1 mg		, 30	
·	(23.50)		Noctamid
‡ Safety cap for extemporaneously compounded oral liquid	· · ·		
MELATONIN - Special Authority see SA1666 on the next page -	Retail pharmacy		
Tab modified-release 2 mg – No more than 5 tab per day		30	 Circadin
5			

Subsidy		Fully	Brand or	
(Manufacturer's Price)		Subsidised	Generic	
\$	Per	1	Manufacturer	

⇒SA1666 Special Authority for Subsidy

Initial application only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with persistent and distressing insomnia secondary to a neurodevelopmental disorder (including, but not limited to, autism spectrum disorder or attention deficit hyperactivity disorder)*; and
- 2 Behavioural and environmental approaches have been tried and were unsuccessful, or are inappropriate; and
- 3 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day; and
- 4 Patient is aged \leq 18 years^{*}.

Renewal only from a psychiatrist, paediatrician, neurologist, respiratory specialist or medical practitioner on the recommendation of a psychiatrist, paediatrician, neurologist or respiratory specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Patient is aged \leq 18 years^{*}; and
- 2 Patient has demonstrated clinically meaningful benefit from funded modified-release melatonin (clinician determined); and
- 3 Patient has had a trial of funded modified-release melatonin discontinuation within the past 12 months and has had a recurrence of persistent and distressing insomnia; and
- 4 Funded modified-release melatonin is to be given at doses no greater than 10 mg per day.

Note: Indications marked with * are Unapproved Indications.

*Three months or six months, as applicable, dispensed all-at-once

MIDAZOLAM – Safety medicine; prescriber may determine dispensing frequency Inj 1 mg per ml, 5 ml ampoule	10	✓ Hypnovel✓ Midazolam-Claris
Inj 1 mg per ml, 5 ml plastic ampoule – Up to 10 inj available on a PSO	10 s epilepticu 5 5	 Pfizer is use only. Midazolam-Claris Pfizer
On a PSO for status epilepticus use only. PSO must be endorsed for statu (Hypnovel Inj 1 mg per ml, 5 ml ampoule to be delisted 1 August 2017) NITRAZEPAM – Safety medicine; prescriber may determine dispensing frequency Tab 5 mg	•	
 PHENOBARBITONE SODIUM – Special Authority see SA1386 below – Retail phane Inj 200 mg per ml, 1 ml ampoule	10 newal unles	✓ Martindale €29 ss notified for applications meeting
 2 The applicant is part of a multidisciplinary team working in palliative care. TEMAZEPAM – Safety medicine; prescriber may determine dispensing frequency Tab 10 mg	25	✓ Normison

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
TRIAZOLAM – Safety medicine; prescriber may determine disper Tab 125 mcg	5.10 (9.85)	100		Hypam
Safety cap for extemporaneously compounded oral liquid Tab 250 mcg Safety cap for extemporaneously compounded oral liquid	4.10 (11.20)	100		Hypam
‡ Safety cap for extemporaneously compounded oral liquid ZOPICLONE – Safety medicine; prescriber may determine disper Tab 7.5 mg	nsing frequency	500	✓ <u>7</u>	Zopiclone Actavis
Stimulants/ADHD Treatments				
ATOMOXETINE – Special Authority see SA1416 below – Retail p Cap 10 mg Cap 18 mg Cap 25 mg Cap 40 mg Cap 60 mg Cap 80 mg Cap 100 mg	107.03 107.03 107.03 107.03 107.03 107.03 139.11	28 28 28 28 28 28 28 28 28		Strattera Strattera Strattera Strattera Strattera Strattera Strattera Strattera

⇒SA1416 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient has ADHD (Attention Deficit and Hyperactivity Disorder) diagnosed according to DSM-IV or ICD 10 criteria; and
- 2 Once-daily dosing; and
- 3 Any of the following:
 - 3.1 Treatment with a subsidised formulation of a stimulant has resulted in the development or worsening of serious adverse reactions or where the combination of subsidised stimulant treatment with another agent would pose an unacceptable medical risk; or
 - 3.2 Treatment with a subsidised formulation of a stimulant has resulted in worsening of co-morbid substance abuse or there is a significant risk of diversion with subsidised stimulant therapy; or
 - 3.3 An effective dose of a subsidised formulation of a stimulant has been trialled and has been discontinued because of inadequate clinical response; or
 - 3.4 Treatment with a subsidised formulation of a stimulant is considered inappropriate because the patient has a history of psychoses or has a first-degree relative with schizophrenia; and
- 4 The patient will not be receiving treatment with atomoxetine in combination with a subsidised formulation of a stimulant, except for the purposes of transitioning from subsidised stimulant therapy to atomoxetine.

Renewal from any relevant practitioner. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment.

Note: A "subsidised formulation of a stimulant" refers to currently subsidised methylphenidate hydrochloride tablet formulations (immediate-release, sustained-release and extended-release) or dexamfetamine sulphate tablets.

DEXAMFETAMINE SULFATE - Special Authority see SA1149 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

✓ PSM

► SA1149 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following

continued...

100

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

criteria:

All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria: and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application - (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal - (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE - Special Authority see SA1150 below - Retail pharmacy

a) Only on a controlled drug form

b) Safety medicine; prescriber may determine dispens	ing frequency		
Tab immediate-release 5 mg		30	 Rubifen
Tab immediate-release 10 mg	3.00	30	 Ritalin
·			 Rubifen
Tab immediate-release 20 mg	7.85	30	 Rubifen
Tab sustained-release 20 mg	10.95	30	 Rubifen SR
-	50.00	100	 Ritalin SR

■SA1150 Special Authority for Subsidy

Initial application — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

All of the followina:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder) patients aged 5 years or over; and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Fither:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

continued...

‡ safety cap

	Subsidy		Fully	Brand or
(Man	ufacturer's Price)	Subsid	dised	Generic
	\$	Per	1	Manufacturer

Initial application — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 ADHD (Attention Deficit and Hyperactivity Disorder) patients under 5 years of age; and

2 Diagnosed according to DSM-IV or ICD 10 criteria.

Initial application — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the patient suffers from narcolepsy.

Renewal — (ADHD in patients 5 or over) only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 Either:
 - 2.1 Applicant is a paediatrician or psychiatrist; or
 - 2.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing.

Renewal — (ADHD in patients under 5) only from a paediatrician or psychiatrist. Approvals valid for 12 months where the treatment remains appropriate and the patient is benefiting from treatment.

Renewal — (Narcolepsy) only from a neurologist or respiratory specialist. Approvals valid for 24 months where the treatment remains appropriate and the patient is benefiting from treatment.

METHYLPHENIDATE HYDROCHLORIDE EXTENDED-RELEASE - Special Authority see SA1151 below - Retail pharmacy

- a) Only on a controlled drug form
- b) Safety medicine; prescriber may determine dispensing frequency

Tab extended-release 18 mg		30	 Concerta
Tab extended-release 27 mg	65.44	30	 Concerta
Tab extended-release 36 mg	71.93	30	 Concerta
Tab extended-release 54 mg		30	 Concerta
Cap modified-release 10 mg		30	 Ritalin LA
Cap modified-release 20 mg		30	 Ritalin LA
Cap modified-release 30 mg		30	 Ritalin LA
Cap modified-release 40 mg		30	 Ritalin LA

⇒SA1151 Special Authority for Subsidy

Initial application only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria: All of the following:

- 1 ADHD (Attention Deficit and Hyperactivity Disorder); and
- 2 Diagnosed according to DSM-IV or ICD 10 criteria; and
- 3 Either:
 - 3.1 Applicant is a paediatrician or psychiatrist; or
 - 3.2 Applicant is a medical practitioner and confirms that a paediatrician or psychiatrist has been consulted within the last 2 years and has recommended treatment for the patient in writing; and
- 4 Either:
 - 4.1 Patient is taking a currently subsidised formulation of methylphenidate hydrochloride (immediate-release or sustained-release) which has not been effective due to significant administration and/or compliance difficulties; or
 - 4.2 There is significant concern regarding the risk of diversion or abuse of immediate-release methylphenidate hydrochloride.

Renewal only from a paediatrician, psychiatrist or medical practitioner on the recommendation of a paediatrician or psychiatrist (in writing). Approvals valid for 24 months for applications meeting the following criteria:

continued...

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	`\$	Per	1	Manufacturer
continued Both:				
1 The treatment remains appropriate and the patient is ber 2 Either:	efiting from treatment	; and		
2.1 Applicant is a paediatrician or psychiatrist; or2.2 Applicant is a medical practitioner and confirms th last 2 years and has recommended treatment for		osychi	atrist has be	en consulted within the
MODAFINIL – Special Authority see SA1126 below – Retail pha Tab 100 mg		30	🗸 N	lodavigil
► SA1126 Special Authority for Subsidy		00		louurigii
Initial application only from a neurologist or respiratory special	st Approvals valid fo	r 24 r	nonths for a	onlications meeting the
following criteria:				spiloadone meeting the
All of the following:				
1 The patient has a diagnosis of narcolepsy and has excess almost daily for three months or more; and	sive daytime sleepine	ess as	sociated wit	n narcolepsy occurring
2 Either:				
2.1 The patient has a multiple sleep latency test with more sleep onset rapid eye movement periods; or	•			
2.2 The patient has at least one of: cataplexy, sleep	paralysis or hypnagog	jic ha	lucinations;	and
3 Either:				
3.1 An effective dose of a subsidised formulation of m discontinued because of intolerable side effects; of a Mathubapidate and devemfetaming are contrained.	or	amfe	tamine has l	been trialled and
3.2 Methylphenidate and dexamfetamine are contrain		the w	aara tha traa	tment remains energy ist
Renewal only from a neurologist or respiratory specialist. Appre and the patient is benefiting from treatment.	ovais valid for 24 mon	INS W	here the trea	iment remains appropriate
Treatments for Dementia				
DONEPEZIL HYDROCHLORIDE				
* Tab 5 mg Donepezil-Rex to be Sole Supply on 1 October 2017	4.34	90	✓ 0	onepezil-Rex
Nr. Tab 40 mm	0.04	~~	1.5	

* Tab 10 mg	6.64	90	Donepezil-Rex
Donepezil-Rex to be Sole Supply on 1 October 2017			·
RIVASTIGMINE - Special Authority see SA1488 below - Retail pha	armacy		
Patch 4.6 mg per 24 hour	90.00	30	 Exelon
Patch 9.5 mg per 24 hour	90.00	30	 Exelon

SA1488 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

1 The patient has been diagnosed with dementia; and

*Three months or six months, as applicable, dispensed all-at-once

2 The patient has experienced intolerable nausea and/or vomiting from donepezil tablets.

Renewal from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate; and
- 2 The patient has demonstrated a significant and sustained benefit from treatment.

	Subsidy (Manufacturer's Price)	Subci	Fully dised	Brand or Generic
	(Manulacluler's Flice)	Per	uiseu ✓	Manufacturer
Treatments for Substance Dependence				
BUPRENORPHINE WITH NALOXONE - Special Authority see	SA1203 below – Reta	ail pharmac	y	
a) No patient co-payment payable		·		
b) Safety medicine; prescriber may determine dispensing fr				
Tab sublingual 2 mg with naloxone 0.5 mg Tab sublingual 8 mg with naloxone 2 mg		28 28		uboxone uboxone
SA1203 Special Authority for Subsidy				
Initial application — (Detoxification) from any medical practiti	oner. Approvals valio	d for 1 mon	th for a	pplications meeting the
following criteria: All of the following:				
1 Patient is opioid dependent; and				
2 Patient is currently engaged with an opioid treatment serv	rice approved by the	Ministry of I	-lealth;	and
3 Applicant works in an opioid treatment service approved b	by the Ministry of Hea	alth		
Initial application — (Maintenance treatment) from any medic	al practitioner. Appr	ovals valid	for 12 r	nonths for applications
meeting the following criteria: All of the following:				
1 Patient is opioid dependent; and				
2 Patient will not be receiving methadone; and				
3 Patient is currently enrolled in an opioid substitution treat	ment program in a se	rvice appro	ved by	the Ministry of Health;
and		. 11.		
4 Applicant works in an opioid treatment service approved I Renewal — (Detoxification) from any medical practitioner. Applicant is a service of the service approach is a service of the service of th			lication	a maating the following
criteria:	provais valiu for 1 mic	nun ior app	lication	s meeting the following
All of the following:				
1 Patient is opioid dependent; and				
2 Patient has previously trialled but failed detoxification with	buprenorphine with	naloxone w	ith rela	pse back to opioid use
and another attempt is planned; and 3 Patient is currently engaged with an opioid treatment serv	ico approved by the	Ministry of I	Joolth:	and
4 Applicant works in an opioid treatment service approved l			ieaiiii,	anu
Renewal — (Maintenance treatment) from any medical practiti			nths fo	r applications meeting the
following criteria:				
All of the following:				
 Patient is or has been receiving maintenance therapy with and 	h buprenorphine with	naloxone (a	and is r	not receiving methadone);
 Patient is currently enrolled in an opioid substitution progr 	am in a service appr	oved by the	Minist	rv of Health: and
3 Applicant works in an opioid treatment service approved it				
the service to manage treatment in this patient.				
Renewal — (Maintenance treatment where the patient has pr				r detoxification) from
any medical practitioner. Approvals valid for 12 months for appli All of the following:	cations meeting the f	ollowing cri	teria:	
1 Patient received but failed detoxification with buprenorphi	ne with naloxone: an	d		
2 Maintenance therapy with buprenorphine with naloxone is			receiv	ing methadone); and
3 Patient is currently enrolled in an opioid substitution progr			Minist	ry of Health; and
4 Applicant works in an opioid treatment service approved b	by the Ministry of Hea	alth.		
BUPROPION HYDROCHLORIDE				
Tab modified-release 150 mg	11.00	30	✓ <u>Z</u>	yban
DISULFIRAM	44.00	100		
Tab 200 mg		100	✓ A	ntabuse

NERVOUS SYSTEM

	Subsidy (Manufacturer's Price) \$	Subsi Per	Fully dised	Brand or Generic Manufacturer
NALTREXONE HYDROCHLORIDE – Special Authority see SA Tab 50 mg Naltraccord to be Sole Supply on 1 October 2017		armacy 30	🗸 N	altraccord
SA1408 Special Authority for Subsidy Initial application from any relevant practitioner. Approvals val Both:	id for 6 months for app	lications n	neeting	the following criteria:
 Patient is currently enrolled in a recognised comprehensi Applicant works in or with a community Alcohol and Drug accredited against the New Zealand Alcohol and Other E Standard. 	Service contracted to	one of the	Distric	t Health Boards or
Renewal from any relevant practitioner. Approvals valid for 6 m Both:	ionths for applications i	meeting th	e follov	wing criteria:
 Compliance with the medication (prescriber determined); Any of the following: Patient is still unstable and requires further treatm Patient achieved significant improvement but requires Patient is well controlled but requires maintenanc 	ient; or uires further treatment;	or		
NICOTINE				
Nicotine will not be funded under the Dispensing Frequency				
Patch 7 mg – Up to 28 patch available on a PSO Patch 14 mg – Up to 28 patch available on a PSO		28 28		abitrol abitrol
Patch 21 mg – Up to 28 patch available on a PSO		20 28		abitrol
Lozenge 1 mg – Up to 216 loz available on a PSO		216		abitrol
Lozenge 2 mg – Up to 216 loz available on a PSO		216		labitrol
Gum 2 mg (Fruit) - Up to 384 piece available on a PSO		384	🗸 Н	abitrol
Gum 2 mg (Mint) – Up to 384 piece available on a PSO		384	🗸 Н	labitrol
Gum 4 mg (Fruit) - Up to 384 piece available on a PSO		384	🗸 Н	labitrol
Gum 4 mg (Mint) – Up to 384 piece available on a PSO		384	🗸 Н	labitrol
VARENICLINE TARTRATE – Special Authority see SA1575 be	low – Retail pharmacy			
a) Varenicline will not be funded under the Dispensing Free	quency Rule in amount	s less thar	2 wee	eks of treatment.
b) A maximum of 12 weeks' varenicline will be subsidised of	on each Special Author	ity approva	'	0 1
	67.74	28		hampix

Tab 1 mg	67.74	28	Champix
-	135.48	56	 Champix
Tab 0.5 mg × 11 and 1 mg × 14	60.48	25 OP	 Champix

SA1575 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and

3 Either:

- 3.1 The patient has tried but failed to quit smoking after at least two separate trials of nicotine replacement therapy, at least one of which included the patient receiving comprehensive advice on the optimal use of nicotine replacement therapy; or
- 3.2 The patient has tried but failed to quit smoking using bupropion or nortriptyline; and
- 4 The patient has not used funded varenicline in the last 12 months; and

*Three months or six months, as applicable, dispensed all-at-once

continued...

‡ safety cap

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Su	bsidised	Generic	
\$	Per	✓	Manufacturer	

- 5 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 6 The patient is not pregnant; and
- 7 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

Renewal from any relevant practitioner. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Short-term therapy as an aid to achieving abstinence in a patient who has indicated that they are ready to cease smoking; and
- 2 The patient is part of, or is about to enrol in, a comprehensive support and counselling smoking cessation programme, which includes prescriber or nurse monitoring; and
- 3 The patient has not used funded varenicline in the last 12 months; and
- 4 Varenicline is not to be used in combination with other pharmacological smoking cessation treatments and the patient has agreed to this; and
- 5 The patient is not pregnant; and
- 6 The patient will not be prescribed more than 12 weeks' funded varenicline (see note).

The patient must not have had an approval in the past 12 months.

Notes: a maximum of 12 weeks' varenicline will be subsidised on each Special Authority approval. This includes the 2-week 'starter' pack.

	Subsidy	Fully	Brand or
	(Manufacturer's Price) \$	Subsidised Per 🖌	Generic Manufacturer
Chemotherapeutic Agents			
Alkylating Agents			
BENDAMUSTINE HYDROCHLORIDE – PCT only – Specialist Inj 25 mg vial Inj 100 mg vial Inj 1 mg for ECP		1 ✓ R 1 ✓ R	ibomustin ibomustin axter
► SA1667 Special Authority for Subsidy Initial application — (treatment naive CLL) only from a relevant relevant specialist. Approvals valid for 12 months for application All of the following:			he recommendation of a
 The patient has Binet stage B or C, or progressive stage The patient is chemotherapy treatment naive; and The patient is unable to tolerate toxicity of full-dose FCR Patient has ECOG performance status 0-2; and Patient has a Cumulative Illness Rating Scale (CIRS) sca Bendamustine is to be administered at a maximum dose 6 cycles. 	; and pre of < 6; and	·	
Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lym to comprise a known standard therapeutic chemotherapy regime Initial application — (Indolent, Low-grade lymphomas) only recommendation of a relevant specialist. Approvals valid for 9 r All of the following:	en and supportive treat from a relevant specia	ments. list or medical pra	actitioner on the
 The patient has indolent low grade NHL requiring treatment Patient has a WHO performance status of 0-2; and Either: 	ent; and		
 3.1 Both: 3.1.1 Patient is treatment naive; and 3.1.2 Bendamustine is to be administered for a CD20+); or 	maximum of 6 cycles (i	n combination wi	th rituximab when
 3.2 All of the following: 3.2.1 Patient has relapsed refractory disease fol 3.2.2 The patient has not received prior bendarr 3.2.3 Either: 3.2.3.1 Both: 		apy; and	
3.2.3.1 Both. 3.2.3.1.1 Bendamustine is to be admin combination with rituximab w 3.2.3.1.2 Patient has had a rituximab tu 3.2.3.2 Bendamustine is to be administered refractory patients.	hen CD20+); and reatment-free interval c	f 12 months or m	ore; or

Renewal — (Indolent, Low-grade lymphomas) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: Both:

- 1 Patients have not received a bendamustine regimen within the last 12 months; and
- 2 Either:
 - 2.1 Both:

*Three months or six months, as applicable, dispensed all-at-once

continued...

‡ safety cap

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy	\ ^	Fully Brand or
	(Manufacturer's Prie	ce) Subs Per	sidised Generic Manufacturer
ontinued			
2.1.1 Bendamustine is to be administered for a	a maximum of 6 cycle	es in relapsed	I patients (in combination with
rituximab when CD20+); and		·	
2.1.2 Patient has had a rituximab treatment-free	ee interval of 12 mont	ths or more; c	or
2.2 Bendamustine is to be administered as a mono	therapy for a maximu	m of 6 cycles	in rituximab refractory patien
ote: 'indolent, low-grade lymphomas' includes follicular, mar	ntle cell, marginal zon	e and lympho	oplasmacytic/ Waldenstrom's
nacroglobulinaemia.			
BUSULFAN – PCT – Retail pharmacy-Specialist			
Tab 2 mg		100	 Myleran
CARBOPLATIN – PCT only – Specialist			
Inj 10 mg per ml, 5 ml vial		1	 DBL Carboplatin
	20.00		 Carboplatin Ebewe
Inj 10 mg per ml, 15 ml vial		1	DBL Carboplatin
	19.50		 Carbaccord
	22.50		 Carboplatin Ebewe
Inj 10 mg per ml, 45 ml vial		1	 DBL Carboplatin
	48.50		 Carbaccord
	50.00		 Carboplatin Ebewe
Inj 1 mg for ECP	0.08	1 mg	 Baxter
ARMUSTINE – PCT only – Specialist			
Inj 100 mg vial	532.00	1	BiCNU
Inj 100 mg for ECP	532.00	100 mg OP	 Baxter
CHLORAMBUCIL – PCT – Retail pharmacy-Specialist			
Tab 2 mg		25	 Leukeran FC
CISPLATIN – PCT only – Specialist			
Inj 1 mg per ml, 50 ml vial	12 20	1	 DBL Cisplatin
	15.00	'	 Cisplatin Ebewe
Inj 1 mg per ml, 100 ml vial		1	 Cisplatin Ebewe
	22.46	·	✓ DBL Cisplatin
Inj 1 mg for ECP		1 mg	✓ Baxter
YCLOPHOSPHAMIDE		0	
Tab 50 mg – PCT – Retail pharmacy-Specialist	70.00	50	Endoxan S29
Tab 50 mg - PCT - Relair pharmacy-Specialist			
Western elsimptile and rule 2.2.0 on pore 12	158.00	100	Procytox S29
Wastage claimable – see rule 3.3.2 on page 13 Inj 1 g vial – PCT – Retail pharmacy-Specialist	25.02	1	Endoxan
inj i g viai – POT – Netali phannacy-Specialist		6	 ✓ Endoxan ✓ Cytoxan
Inj 2 g vial – PCT only – Specialist		1	
Inj 1 mg for ECP – PCT only – Specialist		1 mg	✓ Baxter
FOSFAMIDE – PCT only – Specialist		9	Bunton
Inj 1 g	06.00	1	✓ Holoxan
Inj 2 g		1	✓ Holoxan
Inj 2 g Inj 1 mg for ECP		-	✓ Baxter
, -		1 mg	
OMUSTINE – PCT – Retail pharmacy-Specialist	400 50	00	
Cap 10 mg		20	✓ CeeNU
Cap 40 mg		20	CeeNU
1ELPHALAN			
Tab 2 mg – PCT – Retail pharmacy-Specialist		25	 Alkeran
Inj 50 mg – PCT only – Specialist	67 80	1	 Alkeran

Subsidy acturer's Price \$) Su Per	Fully ubsidised	Generic
3.32	1	~	Oxaliccord
5.32	1	~	Oxaliplatin Actavis 50
5.00		1	Oxaliplatin Ebewe
5.01	1	~	Oxaliplatin Actavis 100
0.00		1	Oxaliplatin Ebewe
6.00	1		Oxaliccord
0.18	1 mg	1	Baxter
	•		
BS	1	1	Bedford S29
			THIO-TEPA S29
			Tepadina S29
DC	4		•
BS	1	•	Tepadina S29
elow 5.00	1		Vidaza Baxter
	0	0 1	0 1 🗸

⇒SA1467 Special Authority for Subsidy

Initial application only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 The patient has International Prognostic Scoring System (IPSS) intermediate-2 or high risk myelodysplastic syndrome; or
 - 1.2 The patient has chronic myelomonocytic leukaemia (10%-29% marrow blasts without myeloproliferative disorder); or
 - 1.3 The patient has acute myeloid leukaemia with 20-30% blasts and multi-lineage dysplasia, according to World Health Organisation Classification (WHO); and
- 2 The patient has performance status (WHO/ECOG) grade 0-2; and
- 3 The patient does not have secondary myelodysplastic syndrome resulting from chemical injury or prior treatment with chemotherapy and/or radiation for other diseases; and
- 4 The patient has an estimated life expectancy of at least 3 months.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

*Three months or six months, as applicable, dispensed all-at-once

2 The treatment remains appropriate and patient is benefitting from treatment.

‡ safety cap

	Subsidy		Fully	
	(Manufacturer's F \$	Price) Subs Per	idised	I Generic Manufacturer
	Ψ	1.61	-	Manufacturer
ALCIUM FOLINATE Tab 15 mg – PCT – Retail pharmacy-Specialist	104.26	10	1	DBL Leucovorin
	104.20	10	•	Calcium
Inj 3 mg per ml, 1 ml – PCT – Retail pharmacy-Specialist	17 10	5	1	Hospira
Inj 50 mg – PCT – Retail pharmacy-Specialist		5		Calcium Folinate
	10.25	5	•	Ebewe
Inj 100 mg – PCT only – Specialist	7 33	1	1	Calcium Folinate
		1	•	Ebewe
Inj 300 mg – PCT only – Specialist	22 51	1	1	Calcium Folinate
		I	•	Ebewe
Inj 1 g – PCT only – Specialist	67 51	1	1	Calcium Folinate
	07.51	I	•	Ebewe
Ini 1 ma for ECP PCT only Specialist	0.06	1 ma	1	Baxter
Inj 1 mg for ECP – PCT only – Specialist	0.00	1 mg	•	
PECITABINE – Retail pharmacy-Specialist				. .
Tab 150 mg		60		Brinov
Tab 500 mg		120	~	Brinov
ADRIBINE – PCT only – Specialist				
Inj 1 mg per ml, 10 ml		7		Leustatin
Inj 10 mg for ECP	749.96	10 mg OP	~	Baxter
/TARABINE				
Inj 20 mg per ml, 5 ml vial - PCT - Retail pharmacy-Specialis	st55.00	5	1	Pfizer
	80.00		1	Hospira
Inj 500 mg – PCT – Retail pharmacy-Specialist		1	1	Pfizer
	95.36	5	1	Hospira
Inj 100 mg per ml, 10 ml vial - PCT - Retail pharmacy-Specia	alist8.83	1	1	Pfizer
	42.65		~	Hospira
Inj 100 mg per ml, 20 ml vial – PCT – Retail				
pharmacy-Specialist	17.65	1	~	Pfizer
	34.47		~	Hospira
Inj 1 mg for ECP – PCT only – Specialist		10 mg		Baxter
Inj 100 mg intrathecal syringe for ECP - PCT only - Specialis	st11.00	100 mg OP	1	Baxter
fizer Inj 500 mg to be delisted 1 September 2017)				
UDARABINE PHOSPHATE				
Tab 10 mg - PCT - Retail pharmacy-Specialist	412.00	20	1	Fludara Oral
Inj 50 mg vial – PCT only – Specialist	525.00	5	1	Fludarabine Ebewe
Inj 50 mg for ECP – PCT only – Specialist	105.00	50 mg OP	1	Baxter
UOROURACIL				
Inj 50 mg per ml, 20 ml vial - PCT only - Specialist		1	1	Fluorouracil Ebewe
Inj 50 mg per ml, 50 ml vial - PCT only - Specialist		1	1	Fluorouracil Ebewe
Inj 50 mg per ml, 100 ml vial - PCT only - Specialist		1	1	Fluorouracil Ebewe
Inj 1 mg for ECP – PCT only – Specialist		100 mg	1	Baxter
EMCITABINE HYDROCHLORIDE - PCT only - Specialist		-		
Inj 1 g, 26.3 ml vial	62.50	1	1	DBL Gemcitabine
Inj 1 g		1		Gemcitabine Ebewe
	349.20	·		Gemzar
Inj 200 mg		1		Gemcitabine Ebewe
، · · · ن	78.00	-		Gemzar

	Subsidy (Manufacturer's Price) Sub Per	Fully Brand or osidised Generic
	\$	Fei	Manufacturer
RINOTECAN HYDROCHLORIDE – PCT only – Specialist Inj 20 mg per ml, 2 ml vial	11.50	1	 Irinotecan Actavis 40
	41.00		✓ Camptosar ✓ Irinotecan-Rex
Inj 20 mg per ml, 5 ml vial	17.80	1	✓ Irinotecan Actavis 100
	100.00		 ✓ Camptosar ✓ Irinotecan-Rex
Inj 1 mg for ECP	0.19	1 mg	✓ Baxter
MERCAPTOPURINE – PCT – Retail pharmacy-Specialist			
Tab 50 mg		25	 Puri-nethol
METHOTREXATE			
* Tab 2.5 mg - PCT - Retail pharmacy-Specialist		30	✓ Trexate
* Tab 10 mg – PCT – Retail pharmacy-Specialist		50	✓ Trexate
* Inj 2.5 mg per ml, 2 ml - PCT - Retail pharmacy-Specialist .		5	 Hospira
Inj 7.5 mg prefilled syringe	14.61	1	 Methotrexate Sandoz
* Inj 10 mg prefilled syringe	14.66	1	 Methotrexate Sandoz
* Inj 15 mg prefilled syringe	14.77	1	 Methotrexate Sandoz
* Inj 20 mg prefilled syringe	14.88	1	 Methotrexate Sandoz
* Inj 25 mg prefilled syringe	14.99	1	 Methotrexate Sandoz
* Inj 30 mg prefilled syringe	15.09	1	 Methotrexate Sandoz
* Inj 25 mg per ml, 2 ml vial – PCT – Retail pharmacy-Special	list30.00	5	✓ DBL Methotrexate Onco-Vial
Inj 25 mg per ml, 20 ml vial – PCT – Retail pharmacy-Specia	alist45.00	1	✓ DBL Methotrexate Onco-Vial
 Inj 100 mg per ml, 10 ml – PCT – Retail pharmacy-Specialis Inj 100 mg per ml, 50 ml vial – PCT – Retail 	st25.00	1	 Methotrexate Ebewe
pharmacy-Specialist Methotrexate Ebewe to be Sole Supply on 1 October 20	17	1	 Methotrexate Ebewe
Inj 1 mg for ECP – PCT only – Specialist		1 mg	 Baxter
Inj 5 mg intrathecal syringe for ECP – PCT only – Specialist THIOGUANINE – PCT – Retail pharmacy-Specialist	4.73	5 mg OP	 Baxter
Tab 40 mg	126.31	25	 Lanvis
Other Cytotoxic Agents			
AMSACRINE – PCT only – Specialist			
Inj 50 mg per ml, 1.5 ml ampoule	1,500.00	6	 Amsidine S29
Inj 75 mg	1,250.00	5	 AmsaLyo S29
ANAGRELIDE HYDROCHLORIDE – PCT – Retail pharmacy-Sp			
Cap 0.5 mg		100	 ✓ Agrylin S29 ✓ Teva S29

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy (Manufacturer's Pric	e) Sut	Fully	Brand or Generic
	\$	Per	✓	Manufacturer
ARSENIC TRIOXIDE – PCT only – Specialist				
Inj 10 mg	4,817.00	10	🗸 A	FT \$29
BLEOMYCIN SULPHATE – PCT only – Specialist				
Inj 15,000 iu, vial	150.48	1	✓ D	BL Bleomycin Sulfate
Inj 1,000 iu for ECP	11.64	1,000 iu	🗸 В	axter
BORTEZOMIB - PCT only - Specialist - Special Authority see S	A1576 below			
Inj 3.5 mg vial		1	🗸 V	elcade
Inj 1 mg for ECP	594.77	1 mg	🗸 В	axter

➡SA1576 Special Authority for Subsidy

Initial application — (Treatment naive multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 The patient has treatment-naive symptomatic multiple myeloma; or
 - 1.2 The patient has treatment-naive symptomatic systemic AL amyloidosis *; and
- 2 Maximum of 9 treatment cycles.
- Note: Indications marked with * are Unapproved Indications.

Initial application — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 The patient has relapsed or refractory multiple myeloma; or
 - 1.2 The patient has relapsed or refractory systemic AL amyloidosis *; and
- 2 The patient has received only one prior front line chemotherapy for multiple myeloma or amyloidosis; and
- 3 The patient has not had prior publicly funded treatment with bortezomib; and
- 4 Maximum of 4 treatment cycles.
- Note: Indications marked with * are Unapproved Indications.

Renewal — (Relapsed/refractory multiple myeloma/amyloidosis) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 8 months for applications meeting the following criteria: Both:

1 The patient's disease obtained at least a partial response from treatment with bortezomib at the completion of cycle 4; and

2 Maximum of 4 further treatment cycles (making a total maximum of 8 consecutive treatment cycles).

Notes: Responding relapsed/refractory multiple myeloma patients should receive no more than 2 additional cycles of treatment beyond the cycle at which a confirmed complete response was first achieved. A line of therapy is considered to comprise either:

a) a known therapeutic chemotherapy regimen and supportive treatments; or

b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments.

Refer to datasheet for recommended dosage and number of doses of bortezomib per treatment cycle.

Inj 10,000 iu Inj 10,000 iu	1 10,000 iu OP	✓ Leunase✓ Baxter
DACARBAZINE – PCT only – Specialist Inj 200 mg vial Inj 200 mg for ECP	1 200 mg OP	 DBL Dacarbazine Baxter
DACTINOMYCIN [ACTINOMYCIN D] – PCT only – Specialist Inj 0.5 mg vial Inj 0.5 mg for ECP	1 0.5 mg OP	✓ Cosmegen✓ Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's F		sidised	Generic
	\$	Per	1	Manufacturer
AUNORUBICIN – PCT only – Specialist				
Inj 2 mg per ml, 10 ml		1	✓	Pfizer
Inj 20 mg for ECP		20 mg OP	✓	Baxter
OCETAXEL – PCT only – Specialist		-		
Inj 10 mg per ml, 2 ml vial	12 40	1	1	DBL Docetaxel
Inj 20 mg		1		Docetaxel Sandoz
Inj 10 mg per ml, 8 ml vial		1		DBL Docetaxel
Inj 80 mg		1		Docetaxel Sandoz
Inj 1 mg for ECP		1 mg		Baxter
, .		19	-	Duxtor
OXORUBICIN HYDROCHLORIDE – PCT only – Specialist	10.00	4		Deverybiein Ebeure
Inj 2 mg per ml, 5 ml vial		1		Doxorubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Doxorubicin Ebewe
	17.00			Arrow-Doxorubicin
Inj 50 mg vial		1		DBL Doxorubicin
			•	DBL Doxorubicin
				S29 S29
Inj 2 mg per ml, 50 ml vial	23.00	1	✓	Doxorubicin Ebewe
Inj 2 mg per ml, 100 ml vial		1	✓	Doxorubicin Ebewe
	65.00		✓ .	Arrow-Doxorubicin
	150.00		✓ .	Adriamycin
Inj 1 mg for ECP	0.25	1 mg	✓	Baxter
PIRUBICIN HYDROCHLORIDE – PCT only – Specialist				
Inj 2 mg per ml, 5 ml vial		1	✓	Epirubicin Ebewe
Inj 2 mg per ml, 25 ml vial		1		Epirubicin Ebewe
	39.38	·		DBL Epirubicin
	00100			Hydrochloride
Inj 2 mg per ml, 50 ml vial	32 50	1	1	Epirubicin Ebewe
	58.20			DBL Epirubicin
	00.20		•	Hydrochloride
Inj 2 mg per ml, 100 ml vial	65.00	1		Epirubicin Ebewe
		I		DBL Epirubicin
	94.50		•	Hydrochloride
ini 1 mg for ECD	0.06	1		•
Inj 1 mg for ECP	0.36	1 mg	•	Baxter
TOPOSIDE				
Cap 50 mg – PCT – Retail pharmacy-Specialist		20		Vepesid
Cap 100 mg – PCT – Retail pharmacy-Specialist		10		Vepesid
Inj 20 mg per ml, 5 ml vial – PCT – Retail pharmacy-Specia		1		Rex Medical
Inj 1 mg for ECP – PCT only – Specialist	0.09	1 mg		Baxter
OPOSIDE PHOSPHATE – PCT only – Specialist				
Inj 100 mg (of etoposide base)		1	✓	Etopophos
Inj 1 mg (of etoposide base) for ECP		1 mg	✓	Baxter
YDROXYUREA – PCT – Retail pharmacy-Specialist		-		
Cap 500 mg	31.76	100	1	Hydrea
		100	-	iyaisa
	105.00			. .
Inj 5 mg vial – PCT only – Specialist		1		Zavedos
Inj 10 mg vial – PCT only – Specialist		1		Zavedos
Inj 1 mg for ECP – PCT only – Specialist	27.75	1 mg	v	Baxter

‡ safety cap

*Three months or six months, as applicable, dispensed all-at-once

Subsidy (Manufacturer's Price) \$		Subsidised	Generic
thority see SA1468 below			
	21	1	Revlimid
	21	✓	Revlimid
	21	✓	Revlimid
•		(Manufacturer's Price) Per \$ Per thority see SA1468 below	(Manufacturer's Price) Subsidised \$ Per ✓ thority see SA1468 below

⇒SA1468 Special Authority for Subsidy

Initial application — (Relapsed/refractory disease) only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Patient has relapsed or refractory multiple myeloma with progressive disease; and

2 Either:

2.1 Lenalidomide to be used as third line* treatment for multiple myeloma; or

- 2.2 Both:
 - 2.2.1 Lenalidomide to be used as second line treatment for multiple myeloma; and
 - 2.2.2 The patient has experienced severe (grade ≥ 3), dose limiting, peripheral neuropathy with either bortezomib or thalidomide that precludes further treatment with either of these treatments; and
- 3 Lenalidomide to be administered at a maximum dose of 25 mg/day in combination with dexamethasone.

Renewal only from a haematologist or medical practitioner on the recommendation of a haematologist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

1 No evidence of disease progression; and

2 The treatment remains appropriate and patient is benefitting from treatment.

Note: Indication marked with * is an Unapproved Indication (refer to Interpretations and Definitions). A line of treatment is considered to comprise either: a) a known therapeutic chemotherapy regimen and supportive treatments or b) a transplant induction chemotherapy regimen, stem cell transplantation and supportive treatments. Prescriptions must be written by a registered prescriber in the lenalidomide risk management programme operated by the supplier.

MESNA

Tab 400 mg - PCT - Retail pharmacy-Specialist273.00	50	 Uromitexan
Tab 600 mg – PCT – Retail pharmacy-Specialist407.50	50	 Uromitexan
Inj 100 mg per ml, 4 ml ampoule – PCT only – Specialist	15	 Uromitexan
Inj 100 mg per ml, 10 ml ampoule – PCT only – Specialist	15	 Uromitexan
Inj 1 mg for ECP – PCT only – Specialist2.69	100 mg	 Baxter
MITOMYCIN C – PCT only – Specialist		
Inj 5 mg vial	1	 Arrow
Inj 1 mg for ECP42.04	1 mg	✓ Baxter
MITOZANTRONE – PCT only – Specialist		
Inj 2 mg per ml, 10 ml vial	1	 Mitozantrone Ebewe
Inj 1 mg for ECP5.51	1 mg	 Baxter
PACLITAXEL – PCT only – Specialist		
Inj 30 mg45.00	5	Paclitaxel Ebewe
Inj 100 mg19.02	1	Paclitaxel Ebewe
91.67		Paclitaxel Actavis
Inj 150 mg26.69	1	Paclitaxel Ebewe
137.50		✓ Anzatax
		 Paclitaxel Actavis
Inj 300 mg	1	✓ Paclitaxel Ebewe
275.00	•	✓ Anzatax
210.00		 Paclitaxel Actavis
lni 600 mg 73 06	1	 Paclitaxel Ebewe
Inj 600 mg	•	 ✓ Pacifiaxer Ebewe ✓ Baxter
Inj 1 mg for ECP0.17	1 mg	- Darlei

	Subsidy (Manufacturer's Price) \$	S Per	Fully ubsidised	Brand or Generic Manufacturer
PEGASPARGASE - PCT only - Special Authority see SA1325 b				
Inj 3,750 IU per 5 ml	3,005.00	1	✓ 0	ncaspar S29
► SA1325 Special Authority for Subsidy				
Initial application only from a relevant specialist or medical prac Approvals valid for 12 months for applications meeting the followi		nendat	ion of a re	levant specialist.
All of the following:	ny chiena.			
1 The patient has newly diagnosed acute lymphoblastic leuk	aemia: and			
2 Pegaspargase to be used with a contemporary intensive n		apy tre	atment pr	otocol; and
3 Treatment is with curative intent.				
Renewal only from a relevant specialist or medical practitioner or	the recommendation	of a re	elevant spe	ecialist. Approvals valid
for 12 months for applications meeting the following criteria: All of the following:				
1 The patient has relapsed acute lymphoblastic leukaemia;	and			
2 Pegaspargase to be used with a contemporary intensive n		apy tre	atment pr	otocol; and
3 Treatment is with curative intent.	-			
PENTOSTATIN [DEOXYCOFORMYCIN] - PCT only - Specialis	t			
Inj 10 mg	CBS	1	🗸 N	ipent S29
PROCARBAZINE HYDROCHLORIDE - PCT - Retail pharmacy-	-Specialist			
Cap 50 mg		50	🗸 N	atulan S29
TEMOZOLOMIDE - Special Authority see SA1616 below - Reta	il pharmacy			
Cap 5 mg		5	✓ 0	<u>Prion</u>
0.00	10.00	-	()	Temozolomide
Cap 20 mg		5	• ₫	<u>Prion</u> Temozolomide
Cap 100 mg	40.20	5	✓ 0	
		U	<u> </u>	Temozolomide
Cap 250 mg		5	✓ 0	Prion
				Temozolomide
⇒SA1616 Special Authority for Subsidy				

Initial application — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Patient has newly diagnosed glioblastoma multiforme; or
 - 1.2 Patient has newly diagnosed anaplastic astrocytoma*; and
- 2 Temozolomide is to be (or has been) given concomitantly with radiotherapy; and
- 3 Following concomitant treatment temozolomide is to be used for a maximum of 5 days treatment per cycle, at a maximum dose of 200 mg/m² per day.

Initial application — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 Patient has been diagnosed with metastatic or unresectable well-differentiated neuroendocrine tumour*; and
- 2 Temozolomide is to be given in combination with capecitabine; and
- 3 Temozolomide is to be used in 28 day treatment cycles for a maximum of 5 days treatment per cycle at a maximum dose of 200 mg/m² per day; and
- 4 Temozolomide to be discontinued at disease progression.

*Three months or six months, as applicable, dispensed all-at-once

continued...

‡ safety cap

if endorsed "certified exemption" by the prescriber or pharmacist.

▲ Three months supply may be dispensed at one time

Subsi	dy Fu	ully Brand or	
(Manufacture	er's Price) Subsidis	sed Generic	
\$	Per	 Manufact 	turer

Renewal — (high grade gliomas) only from a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 Patient has glioblastoma multiforme; and
- 1.2 The treatment remains appropriate and the patient is benefitting from treatment; or
- 2 All of the following:
 - 2.1 Patient has anaplastic astrocytoma*; and
 - 2.2 The treatment remains appropriate and the patient is benefitting from treatment; and
 - 2.3 Adjuvant temozolomide is to be used for a maximum of 24 months.

Renewal — (neuroendocrine tumours) only from a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefitting from treatment.

Note: Indication marked with a * is an Unapproved Indication. Temozolomide is not subsidised for the treatment of relapsed high grade glioma.

THALIDOMIDE	- PCT only - Specialist - Special Authority see SA1124 below
Cap 50 mg	378.00

Cap 50 mg		28	 Thalomid
Cap 100 mg	756.00	28	 Thalomid

➡SA1124 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 The patient has multiple myeloma; or
- 2 The patient has systemic AL amyloidosis*.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid without further renewal unless notified where the patient has obtained a response from treatment during the initial approval period.

Notes: Prescription must be written by a registered prescriber in the thalidomide risk management programme operated by the supplier.

Maximum dose of 400 mg daily as monotherapy or in a combination therapy regimen.

Indication marked with * is an Unapproved Indication.

TRETINOIN

Cap 10 mg – PCT – Retail pharmacy-Specialist	100	 Vesanoid
VINBLASTINE SULPHATE		
Inj 1 mg per ml, 10 ml vial – PCT – Retail pharmacy-Specialist37.29	1	 Hospira
186.46	5	 Hospira
Inj 1 mg for ECP – PCT only – Specialist4.14	1 mg	 Baxter
VINCRISTINE SULPHATE		
Inj 1 mg per ml, 1 ml vial – PCT – Retail pharmacy-Specialist74.52	5	 DBL Vincristine Sulfate
Inj 1 mg per ml, 2 ml vial – PCT – Retail pharmacy-Specialist85.61	5	 DBL Vincristine Sulfate
Inj 1 mg for ECP – PCT only – Specialist11.30	1 mg	 Baxter

	Subsidy		Fully	Brand or
	(Manufacturer's Price)		Subsidised	Generic
	\$	Per		Manufacturer
/INORELBINE – PCT only – Specialist				
Inj 10 mg per ml, 1 ml vial		1	✓	Navelbine
	42.00			Vinorelbine Ebewe
Inj 10 mg per ml, 5 ml vial		1	 Image: A second s	Navelbine
	210.00		 Image: A second s	Vinorelbine Ebewe
Inj 1 mg for ECP	0.90	1 mg	✓	Baxter
Protein-tyrosine Kinase Inhibitors				
DASATINIB – Special Authority see SA0976 below – [Xpharm]				
Tab 20 mg	3,774.06	60	 Image: A second s	Sprycel
Tab 50 mg		60	1	Sprycel
Tab 70 mg		60	 Image: A second s	Sprycel
		30		Sprycel

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website http://www.pharmac.govt.nz, and prescriptions should be sent to:

The CML/GIST Co-ordinator	Phone: (04) 460 4990
PHARMAC	Facsimile: (04) 916 7571
PO Box 10 254	Email: cmlgistcoordinator@pharmac.govt.nz
Wellington	

Special Authority criteria for CML - access by application

- a) Funded for patients with diagnosis (confirmed by a haematologist) of a chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase,
- b) Maximum dose of 140 mg/day for accelerated or blast phase, and 100 mg/day for chronic phase CML.
- c) Subsidised for use as monotherapy only.
- d) Initial approvals valid seven months.
- e) Subsequent approval(s) are granted on application and are valid for six months. The first reapplication (after seven months) should provide details of the haematological response. The third reapplication should provide details of the cytogenetic response after 14-18 months from initiating therapy. All other reapplications should provide details of haematological response, and cytogenetic response if such data is available. Applications to be made and subsequent prescriptions can be written by a haematologist or an oncologist.

Note: Dasatinib is indicated for the treatment of adults with chronic, accelerated or blast phase CML with resistance or intolerance to prior therapy including imatinib.

Guideline on discontinuation of treatment for patients with CML

- a) Prescribers should consider discontinuation of treatment if, after 6 months from initiating therapy, a patient did not obtain a haematological response as defined as any one of the following three levels of response:
 - 1) complete haematologic response (as characterised by an absolute neutrophil count (ANC) > 1.5 × 10⁹/L, platelets > 100 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 2) no evidence of leukaemia (as characterised by an absolute neutrophil count (ANC) > 1.0 × 10⁹/L, platelets > 20 × 10⁹/L, absence of peripheral blood (PB) blasts, bone marrow (BM) blasts < 5% (or FISH Ph+ 0-35% metaphases), and absence of extramedullary disease); or
 - 3) return to chronic phase (as characterised by BM and PB blasts < 15%, BM and PB blasts and promyelocytes < 30%, PB basophils < 20% and absence of extramedullary disease other than spleen and liver).
- b) Prescribers should consider discontinuation of treatment if, after 18 months from initiating therapy, a patient did not obtain a major cytogenetic response defined as 0-35% Ph+ metaphases.

‡ safety cap

	Subsidy (Manufacturer's Price) \$		Fully Subsidised	Brand or Generic Manufacturer	
ERLOTINIB - Retail pharmacy-Specialist - Special Authority see	SA1653 below				
Tab 100 mg	764.00	30	🖌 Т	arceva	
Tab 150 mg	1,146.00	30	🖌 T	arceva	

➡SA1653 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has locally advanced or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and
- 2 There is documentation confirming that the disease expresses activating mutations of EGFR tyrosine kinase; and
- 3 Either:
 - 3.1 Patient is treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient has discontinued gefitinib due to intolerance; and
 - 3.2.2 The cancer did not progress while on gefitinib; and
- 4 Erlotinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

GEFITINIB - Retail pharmacy-Specialist - Special Authority see SA1654 below

Tab 250 mg 1,700.00 30 🗸 Iressa

⇒SA1654 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 4 months for applications meeting the following criteria: All of the following:

- 1 Patient has locally advanced, or metastatic, unresectable, non-squamous Non Small Cell Lung Cancer (NSCLC); and 2 Either:
 - 2.1 Patient is treatment naive; or
 - 2.2 Both:
 - 2.2.1 The patient has discontinued erlotinib due to intolerance; and
 - 2.2.2 The cancer did not progress whilst on erlotinib; and
- 3 There is documentation confirming that disease expresses activating mutations of EGFR tyrosine kinase; and
- 4 Gefitinib is to be given for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months where radiological assessment (preferably including CT scan) indicates NSCLC has not progressed.

IMATINIB MESILATE

Note: Imatinib-AFT is not a registered for the treatment of Gastro Intestinal Stromal Tumours (GIST). The Glivec brand of imatinib mesilate (supplied by Novartis) remains fully subsidised under Special Authority for patients with unresectable and/or metastatic malignant GIST, see SA1460 in Section B of the Pharmaceutical Schedule.

Tab 100 mg - Special Authority see SA1460 below -

	[Xpharm]	2,400.00	60	 Glivec
*	Cap 100 mg		60	Imatinib-AFT
*	Cap 400 mg		30	 Imatinib-AFT

⇒SA1460 Special Authority for Subsidy

Special Authority approved by the CML/GIST Co-ordinator

Notes: Application details may be obtained from PHARMAC's website <u>http://www.pharmac.govt.nz</u>, and prescriptions should be sent to:

continued...

		Subsidy (Manufacturer's Price) \$	Sub: Per	Fully sidised	Brand or Generic Manufacturer
continued					
The CML/GIST Co-ordinator	Phone: (04) 460 4990				
PHARMAC	Facsimile: (04) 916 7571				
PO Box 10 254	Email: cmlgistcoordinator@p	harmac.govt.nz			
Wellington					
Special Authority criteria for GI Funded for patients:	ST – access by application				
(GIST). b) Maximum dose of 400 mg			-	nt gastro	bintestinal stromal tumour
,	nd subsequent prescriptions ca lications are valid for one year. (prescriber determined).		•	an adeq	uate clinical response to
Ũ			70	✓ T	ykerb
SA1191 Special Authority fo					
Initial application — (metastation					on the recommendation
of a relevant specialist. Approval Either:	s valid for 12 months for applica	ations meeting the follo	owing crit	eria:	
1 All of the following:					
 The patient has me technology); and 	etastatic breast cancer expressi	ng HER-2 IHC 3+ or IS	SH+ (inclu	uding FI	SH or other current
1.2 The patient has no	t previously received trastuzum	ab treatment for HER	2 positive	metast	atic breast cancer; and
•	given in combination with traste				
	continued at disease progression	on; or			
2 All of the following:			"		
technology); and	etastatic breast cancer expressi	-		•	
•	trastuzumab for metastatic bre due to intolerance; and	ast cancer but discont	inued tra	stuzuma	b within 3 months of
	progress whilst on trastuzumat				
	given in combination with trast continued at disease progression				
Renewal — (metastatic breast of					ecommendation of a
relevant specialist. Approvals val	lid for 12 months for application	s meeting the following	g criteria:		
All of the following:					
and	breast cancer expressing HEF	· ·	0		077
	essed at any time point during the combination with trastuzumated at disease progression.		whilst or	n lapatin	ib; and
NILOTINIB – Special Authority se Wastage claimable – see rule		Retail pharmacy			
Cap 150 mg			120 120		asigna asigna

	Subsidy		Fully	Brand or
()	Manufacturer's Price)	Subs	idised	Generic
	\$	Per	1	Manufacturer

⇒SA1489 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

1 Patient has a diagnosis of chronic myeloid leukaemia (CML) in blast crisis, accelerated phase, or in chronic phase; and 2 Either

- 2 Either:
 - 2.1 Patient has documented CML treatment failure* with imatinib; or
 - 2.2 Patient has experienced treatment limiting toxicity with imatinib precluding further treatment with imatinib; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

Note: *treatment failure as defined by Leukaemia Net Guidelines.

Renewal only from a haematologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Lack of treatment failure while on nilotinib as defined by Leukaemia Net Guidelines; and
- 2 Nilotinib treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Maximum nilotinib dose of 800 mg/day; and
- 4 Subsidised for use as monotherapy only.

PAZOPANIB - Special Authority see SA1190 below - Retail pharmacy

Tab 200 mg	.1,334.70	30	 Votrient
Tab 400 mg	.2,669.40	30	 Votrient

SA1190 Special Authority for Subsidy

Initial application only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 Both:
 - 2.3.1 The patient has discontinued sunitinib within 3 months of starting treatment due to intolerance; and
 - 2.3.2 The cancer did not progress whilst on sunitinib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
 - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of \leq 70; or
 - 5.6 \geq 2 sites of organ metastasis; and
- 6 Pazopanib to be used for a maximum of 3 months.

Renewal only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Pazopanib treatment should be stopped if disease progresses.

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6.

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer		
SUNITINIB – Special Authority see SA1266 below – Retail pharmacy						
Cap 12.5 mg	2,315.38	28	✓	Sutent		
Cap 25 mg	4,630.77	28	✓	Sutent		
Cap 50 mg	9,261.54	28	1	Sutent		

⇒SA1266 Special Authority for Subsidy

Initial application — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic renal cell carcinoma; and
- 2 Any of the following:
 - 2.1 The patient is treatment naive; or
 - 2.2 The patient has only received prior cytokine treatment; or
 - 2.3 The patient has only received prior treatment with an investigational agent within the confines of a bona fide clinical trial which has Ethics Committee approval; or

2.4 Both:

- 2.4.1 The patient has discontinued pazopanib within 3 months of starting treatment due to intolerance; and
- 2.4.2 The cancer did not progress whilst on pazopanib; and
- 3 The patient has good performance status (WHO/ECOG grade 0-2); and
- 4 The disease is of predominant clear cell histology; and
 - The patient has intermediate or poor prognosis defined as:
- 5 Any of the following:
 - 5.1 Lactate dehydrogenase level > 1.5 times upper limit of normal; or
 - 5.2 Haemoglobin level < lower limit of normal; or
 - 5.3 Corrected serum calcium level > 10 mg/dL (2.5 mmol/L); or
 - 5.4 Interval of < 1 year from original diagnosis to the start of systemic therapy; or
 - 5.5 Karnofsky performance score of \leq 70; or
 - 5.6 ≥ 2 sites of organ metastasis; and
- 6 Sunitinib to be used for a maximum of 2 cycles.

Initial application — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

Both:

1 The patient has unresectable or metastatic malignant gastrointestinal stromal tumour (GIST); and

2 Either:

- 2.1 The patient's disease has progressed following treatment with imatinib; or
- 2.2 The patient has documented treatment-limiting intolerance, or toxicity to, imatinib.

Renewal — (RCC) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 No evidence of disease progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Notes: Sunitinib treatment should be stopped if disease progresses.

*Three months or six months, as applicable, dispensed all-at-once

Poor prognosis patients are defined as having at least 3 of criteria 5.1-5.6. Intermediate prognosis patients are defined as having 1 or 2 of criteria 5.1-5.6

Renewal — (GIST) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 6 months for applications meeting the following criteria: Both:

The patient has responded to treatment or has stable disease as determined by Choi's modified CT response evaluation criteria as follows:

continued...

‡ safety cap

Subsidy (Manufacturer's Price)	Ful Subsidise	,	
 \$	Per •	Manufacturer	

continued...

- 1 Any of the following:
 - 1.1 The patient has had a complete response (disappearance of all lesions and no new lesions); or
 - 1.2 The patient has had a partial response (a decrease in size of ≥ 10% or decrease in tumour density in Hounsfield Units (HU) of ≥ 15% on CT and no new lesions and no obvious progression of non measurable disease); or
 - 1.3 The patient has stable disease (does not meet criteria the two above) and does not have progressive disease and no symptomatic deterioration attributed to tumour progression; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: It is recommended that response to treatment be assessed using Choi's modified CT response evaluation criteria (J Clin Oncol, 2007, 25:1753-1759). Progressive disease is defined as either: an increase in tumour size of $\ge 10\%$ and not meeting criteria of partial response (PR) by tumour density (HU) on CT; or: new lesions, or new intratumoral nodules, or increase in the size of the existing intratumoral nodules.

Endocrine Therapy

For GnRH ANALOGUES - refer to HORMONE PREPARATIONS, Trophic Hormones, page 89

ABIRATERONE ACETATE - Retail pharmacy-Specialist - Special Authority see SA1515 below

Wastage claimable - see ru	ule 3.3.2 o	n page 13		
T-h 000			1070 10	

Tab 250 mg4,276.19 120 🗸 Zytiga

⇒SA1515 Special Authority for Subsidy

Initial application only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria: All of the following:

- 1 Patient has prostate cancer; and
- 2 Patient has metastases; and
- 3 Patient's disease is castration resistant; and
- 4 Either:
 - 4.1 All of the following:
 - 4.1.1 Patient is symptomatic; and
 - 4.1.2 Patient has disease progression (rising serum PSA) after second line anti-androgen therapy; and
 - 4.1.3 Patient has ECOG performance score of 0-1; and
 - 4.1.4 Patient has not had prior treatment with taxane chemotherapy; or
 - 4.2 All of the following:
 - 4.2.1 Patient's disease has progressed following prior chemotherapy containing a taxane; and
 - 4.2.2 Patient has ECOG performance score of 0-2; and
 - 4.2.3 Patient has not had prior treatment with abiraterone.

Renewal — (abiraterone acetate) only from a medical oncologist, radiation oncologist, urologist or medical practitioner on the recommendation of a medical oncologist, radiation oncologist or urologist. Approvals valid for 5 months for applications meeting the following criteria:

All of the following:

- 1 Significant decrease in serum PSA from baseline; and
- 2 No evidence of clinical disease progression; and
- $\ensuremath{\mathbf{3}}$ No initiation of taxane chemotherapy with abiraterone; and
- 4 The treatment remains appropriate and the patient is benefiting from treatment.

BICALUTAMIDE

Tab 50 mg	4.90	28	 Bicalaccord 	
FLUTAMIDE – Retail pharmacy-Specialist				
Tab 250 mg	16.50	30	✓ Flutamide	
	55.00	100	Mylan S29 Flutamin	
	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	
--	---	-------	---------------------	-----------------
MEGESTROL ACETATE – Retail pharmacy-Specialist				
Tab 160 mg	54.30	30	1	Apo-Megestrol
OCTREOTIDE				
Inj 50 mcg per ml, 1 ml vial		5	✓	DBL
Inj 100 mcg per ml, 1 ml vial	22.40	5	✓	DBL
Inj 500 mcg per ml, 1 ml vial		5	✓	DBL
OCTREOTIDE LAR (SOMATOSTATIN ANALOGUE) - Special A	Authority see SA1016	belov	v – Retail	pharmacy
Inj LAR 10 mg prefilled syringe		1	✓	Sandostatin LAR
Inj LAR 20 mg prefilled syringe		1	✓	Sandostatin LAR
Inj LAR 30 mg prefilled syringe	2,951.25	1	~	Sandostatin LAR

⇒SA1016 Special Authority for Subsidy

Initial application — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 2 months for applications meeting the following criteria:

All of the following:

- 1 The patient has nausea* and vomiting* due to malignant bowel obstruction*; and
- 2 Treatment with antiemetics, rehydration, antimuscarinic agents, corticosteroids and analgesics for at least 48 hours has failed; and
- 3 Octreotide to be given at a maximum dose 1500 mcg daily for up to 4 weeks.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Malignant Bowel Obstruction) from any relevant practitioner. Approvals valid for 3 months where the treatment remains appropriate and the patient is benefiting from treatment.

Initial application — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 3 months for applications meeting the following criteria: Both:

- 1 The patient has acromegaly; and
- 2 Any of the following:
 - 2.1 Treatment with surgery, radiotherapy and a dopamine agonist has failed; or
 - 2.2 Treatment with octreotide is for an interim period while awaiting the effects of radiotherapy and a dopamine agonist has failed; or
 - 2.3 The patient is unwilling, or unable, to undergo surgery and/or radiotherapy.

Renewal — (Acromegaly) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

- Both:
 - 1 IGF1 levels have decreased since starting octreotide; and
 - 2 The treatment remains appropriate and the patient is benefiting from treatment.

Note: In patients with Acromegaly octreotide treatment should be discontinued if IGF1 levels have not decreased after 3 months treatment. In patients treated with radiotherapy octreotide treatment should be withdrawn every 2 years, for 1 month, for assessment of remission. Octreotide treatment should be stopped where there is biochemical evidence of remission (normal IGF1 levels) following octreotide treatment withdrawal for at least 4 weeks

Initial application — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Any of the following:

- 1 VIPomas and Glucagonomas for patients who are seriously ill in order to improve their clinical state prior to definitive surgery; or
- 2 Both:
 - 2.1 Gastrinoma; and
 - 2.2 Either:
 - 2.2.1 Patient has failed surgery; or

*Three months or six months, as applicable, dispensed all-at-once

continued...

\$ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy	Fi	ılly	Brand or
(Manufacturer's Price)	Subsidis	ed	Generic
\$	Per	✓	Manufacturer

continued...

2.2.2 Patient in metastatic disease after H2 antagonists (or proton pump inhibitors) have failed; or

3 Both:

- 3.1 Insulinomas; and
- 3.2 Surgery is contraindicated or has failed; or
- 4 For pre-operative control of hypoglycaemia and for maintenance therapy; or
- 5 Both:
 - 5.1 Carcinoid syndrome (diagnosed by tissue pathology and/or urinary 5HIAA analysis); and
 - 5.2 Disabling symptoms not controlled by maximal medical therapy.

Note: The use of octreotide in patients with fistulae, oesophageal varices, miscellaneous diarrhoea and hypotension will not be funded as a Special Authority item

Renewal — (Other Indications) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 2 years where the treatment remains appropriate and the patient is benefiting from treatment. TAMOXIFEN CITRATE

*	Tab 10 mg		100	 Genox
*	Tab 20 mg	2.63	30	 Genox
	-	8.75	100	Genox

Aromatase Inhibitors

ANASTROZOLE * Tab 1 mg26.55	30	 ✓ Aremed ✓ Arimidex ✓ DP-Anastrozole
EXEMESTANE * Tab 25 mg14.50 Pfizer Exemestane to be Sole Supply on 1 October 2017	30	✓ Pfizer Exemestane
LETROZOLE * Tab 2.5 mg2.95	30	✓ Letrole

Immunosuppressants

Cytotoxic Immunosuppressants

AZATHIOPRINE – Retail pharmacy-Specialist			
* Tab 25 mg	5.80	60	🗸 Azamun
	9.66	100	🗸 Imuran
Imuran to be Sole Supply on 1 October 2017			
* Tab 50 mg – For azathioprine oral liquid formulation refer,			
page 221	10.58	100	🗸 Azamun
			🗸 Imuran
Imuran to be Sole Supply on 1 October 2017			
* Inj 50 mg vial	60.00	1	✓ Imuran
(Azamun Tab 25 mg to be delisted 1 October 2017)			
(Azamun Tab 50 mg to be delisted 1 October 2017)			
MYCOPHENOLATE MOFETIL			
Tab 500 mg		50	 Cellcept
Cap 250 mg		100	✓ Cellcept
Powder for oral lig 1 g per 5 ml - Subsidy by endorsement		165 ml OP	✓ Cellcept
Mycophenolate powder for oral liquid is subsidised only for			
the prescription is endorsed accordingly			

fully subsidised

[HP4] refer page 4

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
Fusion Proteins				
ETANERCEPT - Special Authority see SA1620 below - Retail	oharmacy			
Inj 25 mg	799.96	4	✓	Enbrel
Inj 50 mg autoinjector	1,599.96	4	✓	Enbrel
Inj 50 mg prefilled syringe	1,599.96	4	✓	Enbrel

⇒SA1620 Special Authority for Subsidy

Initial application — (iuvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for juvenile idiopathic arthritis (JIA); and 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for JIA: or
- 2 All of the following:
 - 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance: and
 - 2.2 Patient diagnosed with Juvenile Idiopathic Arthritis (JIA); and
 - 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
 - 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
 - 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Fither:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for rheumatoid arthritis; and
- 1.2 Fither:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for rheumatoid arthritis: or
- 2 All of the following:
 - 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
 - 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist. *Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and

2.6 Either:

- 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
- 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria: Either:

=itner:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for severe chronic plaque psoriasis; and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

Initial application — (ankylosing spondylitis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for adalimumab for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for ankylosing spondylitis; or
- 2 All of the following:
 - 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis present for more than six months; and
 - 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
 - 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
 - 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
 - 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the average normal values corrected for age and gender (see Notes); and
 - 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

*Three months or six months, as applicable, dispensed all-at-once

- 18-24 years Male: 7.0 cm; Female: 5.5 cm
- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm
- 65-74 years Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for adalimumab for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab; or
 - 1.2.2 The patient has received insufficient benefit from adalimumab to meet the renewal criteria for adalimumab for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and

continued...

Subs		ully Bran	nd or
(Manufactur	rer's Price) Subsidi	sed Gen	eric
\$	Per	 Man 	ufacturer

continued...

- 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
- 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.5 Any of the following:
 - 2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
 - 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporine, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Indications marked with * are Unapproved Indications (refer to Interpretations and Definitions).

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for adalimumab for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from adalimumab and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of adalimumab and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Subs	sidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior etanercept treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior etanercept treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior etanercept treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-treatment baseline value; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

*Three months or six months, as applicable, dispensed all-at-once

Note: A treatment course is defined as a minimum of 12 weeks of etanercept treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)	9	Subsidised	Generic
\$	Per	✓	Manufacturer

continued...

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and

2 Either:

- 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
- 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior etanercept treatment in the opinion of the treating physician; and
- 3 Etanercept to be administered at doses no greater than 50 mg every 7 days.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

Sotn:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with etanercept treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

Immune Modulators

ANTITHYMOCYTE GLOBULIN (EQUINE) - PCT only - Specialist		
Inj 50 mg per ml, 5 ml2,351.25	5	ATGAM
BACILLUS CALMETTE-GUERIN (BCG) VACCINE - PCT only - Specialist		
Subsidised only for bladder cancer.		
Inj 2-8 × 100 million CFU 149.37	1	 OncoTICE

	Subsidy (Manufacturer's Price) \$	Subsi Per	Fully dised	Brand or Generic Manufacturer
Monoclonal Antibodies				
ADALIMUMAB - Special Authority see SA1621 below - Retail p	harmacy			
Inj 10 mg per 0.2 ml prefilled syringe	1,599.96	2	🗸 Н	umira
Inj 20 mg per 0.4 ml prefilled syringe	1,599.96	2	🗸 Н	umira
Inj 40 mg per 0.8 ml prefilled pen		2	🗸 Н	umiraPen
Inj 40 mg per 0.8 ml prefilled syringe	1,599.96	2	🗸 Н	umira
(Humira Inj 10 mg per 0.2 ml prefilled syringe to be delisted 1 Au	gust 2017)			

⇒SA1621 Special Authority for Subsidy

Initial application — (rheumatoid arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for rheumatoid arthritis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for rheumatoid arthritis; or

2 All of the following:

- 2.1 Patient has had severe and active erosive rheumatoid arthritis (either confirmed by radiology imaging, or the patient is cyclic citrullinated peptide (CCP) antibody positive) for six months duration or longer; and
- 2.2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.3 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with sulphasalazine and hydroxychloroquine sulphate (at maximum tolerated doses); and
- 2.5 Any of the following:
 - 2.5.1 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with the maximum tolerated dose of ciclosporin; or
 - 2.5.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate in combination with intramuscular gold; or
 - 2.5.3 Patient has tried and not responded to at least three months of therapy at the maximum tolerated dose of leflunomide alone or in combination with oral or parenteral methotrexate; and
- 2.6 Either:
 - 2.6.1 Patient has persistent symptoms of poorly controlled and active disease in at least 20 swollen, tender joints; or
 - 2.6.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
- 2.7 Either:
 - 2.7.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or
 - 2.7.2 C-reactive protein levels not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (Crohn's disease) only from a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

1 Patient has severe active Crohn's disease; and

continued...

‡ safety cap

Three months supply may be dispensed at one time

Subsidy		Fully	Brand or
(Manufacturer's Price)	Su	Ibsidised	Generic
\$	Per	1	Manufacturer

continued...

- 2 Any of the following:
 - 2.1 Patient has a Crohn's Disease Activity Index (CDAI) score of greater than or equal to 300; or
 - 2.2 Patient has extensive small intestine disease affecting more than 50 cm of the small intestine; or
 - 2.3 Patient has evidence of short gut syndrome or would be at risk of short gut syndrome with further bowel resection; or
 - 2.4 Patient has an ileostomy or colostomy, and has intestinal inflammation; and
- 3 Patient has tried but had an inadequate response to, or has experienced intolerable side effects from, prior systemic therapy with immunomodulators at maximum tolerated doses (unless contraindicated) and corticosteroids; and
- 4 Surgery (or further surgery) is considered to be clinically inappropriate.

Initial application — (severe chronic plaque psoriasis) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for severe chronic plaque psoriasis; and 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for severe chronic plaque psoriasis; or
- 2 All of the following:
 - 2.1 Either:
 - 2.1.1 Patient has "whole body" severe chronic plaque psoriasis with a Psoriasis Area and Severity Index (PASI) score of greater than 15, where lesions have been present for at least 6 months from the time of initial diagnosis; or
 - 2.1.2 Patient has severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot, where the plaque or plaques have been present for at least 6 months from the time of initial diagnosis; and
 - 2.2 Patient has tried, but had an inadequate response (see Note) to, or has experienced intolerable side effects from, at least three of the following (at maximum tolerated doses unless contraindicated): phototherapy, methotrexate, ciclosporin, or acitretin; and
 - 2.3 A PASI assessment has been completed for at least the most recent prior treatment course (but preferably all prior treatment courses), preferably while still on treatment but no longer than 1 month following cessation of each prior treatment course; and
 - 2.4 The most recent PASI assessment is no more than 1 month old at the time of application.

Note: "Inadequate response" is defined as: for whole body severe chronic plaque psoriasis, a PASI score of greater than 15, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment; for severe chronic plaque psoriasis of the face, hand or foot, at least 2 of the 3 PASI symptom subscores for erythema, thickness and scaling are rated as severe or very severe, and the skin area affected is 30% or more of the face, palm of a hand or sole of a foot, as assessed preferably while still on treatment but no longer than 1 month following cessation of the most recent prior treatment. **Initial application — (ankylosing spondylitis)** only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either: 1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for ankylosing spondylitis; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for ankylosing spondylitis; or
- 2 All of the following:

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 2.1 Patient has a confirmed diagnosis of ankylosing spondylitis for more than six months; and
- 2.2 Patient has low back pain and stiffness that is relieved by exercise but not by rest; and
- 2.3 Patient has bilateral sacroiliitis demonstrated by plain radiographs, CT or MRI scan; and
- 2.4 Patient's ankylosing spondylitis has not responded adequately to treatment with two or more non-steroidal anti-inflammatory drugs (NSAIDs), in combination with anti-ulcer therapy if indicated, while patient was undergoing at least 3 months of a regular exercise regimen for ankylosing spondylitis; and
- 2.5 Either:
 - 2.5.1 Patient has limitation of motion of the lumbar spine in the sagittal and the frontal planes as determined by the following Bath Ankylosing Spondylitis Metrology Index (BASMI) measures: a modified Schober's test of less than or equal to 4 cm and lumbar side flexion measurement of less than or equal to 10 cm (mean of left and right); or
 - 2.5.2 Patient has limitation of chest expansion by at least 2.5 cm below the following average normal values corrected for age and gender (see Notes); and
- 2.6 A Bath Ankylosing Spondylitis Disease Activity Index (BASDAI) of at least 6 on a 0-10 scale.

Notes: The BASDAI must have been determined at the completion of the 3 month exercise trial, but prior to ceasing NSAID treatment. The BASDAI measure must be no more than 1 month old at the time of initial application.

Average normal chest expansion corrected for age and gender:

- 18-24 years Male: 7.0 cm; Female: 5.5 cm
- 25-34 years Male: 7.5 cm; Female: 5.5 cm
- 35-44 years Male: 6.5 cm; Female: 4.5 cm
- 45-54 years Male: 6.0 cm; Female: 5.0 cm
- 55-64 years Male: 5.5 cm; Female: 4.0 cm
- 65-74 years Male: 4.0 cm; Female: 4.0 cm

75+ years - Male: 3.0 cm; Female: 2.5 cm

Initial application — (psoriatic arthritis) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either:

- 1 Both:
 - 1.1 The patient has had an initial Special Authority approval for etanercept for psoriatic arthritis; and
 - 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for psoriatic arthritis; or
- 2 All of the following:
 - 2.1 Patient has had severe active psoriatic arthritis for six months duration or longer; and
 - 2.2 Patient has tried and not responded to at least three months of oral or parenteral methotrexate at a dose of at least 20 mg weekly or a maximum tolerated dose; and
 - 2.3 Patient has tried and not responded to at least three months of sulphasalazine at a dose of at least 2 g per day or leflunomide at a dose of up to 20 mg daily (or maximum tolerated doses); and
 - 2.4 Either:
 - 2.4.1 Patient has persistent symptoms of poorly controlled and active disease in at least 15 swollen, tender joints; or
 - 2.4.2 Patient has persistent symptoms of poorly controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, and either shoulder or hip; and
 - 2.5 Any of the following:

*Three months or six months, as applicable, dispensed all-at-once

2.5.1 Patient has a C-reactive protein level greater than 15 mg/L measured no more than one month prior to the date of this application; or

continued...

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	1	Manufacturer	

continued...

- 2.5.2 Patient has an elevated erythrocyte sedimentation rate (ESR) greater than 25 mm per hour; or
- 2.5.3 ESR and CRP not measured as patient is currently receiving prednisone therapy at a dose of greater than 5 mg per day and has done so for more than three months.

Initial application — (juvenile idiopathic arthritis) only from a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Either:

1 Both:

- 1.1 The patient has had an initial Special Authority approval for etanercept for juvenile idiopathic arthritis (JIA); and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept; or
 - 1.2.2 The patient has received insufficient benefit from etanercept to meet the renewal criteria for etanercept for juvenile idiopathic arthritis; or

2 All of the following:

- 2.1 To be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
- 2.2 Patient diagnosed with JIA; and
- 2.3 Patient has had severe active polyarticular course JIA for 6 months duration or longer; and
- 2.4 Patient has tried and not responded to at least three months of oral or parenteral methotrexate (at a dose of 10-20 mg/m² weekly or at the maximum tolerated dose) in combination with either oral corticosteroids (prednisone 0.25 mg/kg or at the maximum tolerated dose) or a full trial of serial intra-articular corticosteroid injections; and
- 2.5 Both:
 - 2.5.1 Either:
 - 2.5.1.1 Patient has persistent symptoms of poorly-controlled and active disease in at least 20 swollen, tender joints; or
 - 2.5.1.2 Patient has persistent symptoms of poorly-controlled and active disease in at least four joints from the following: wrist, elbow, knee, ankle, shoulder, cervical spine, hip; and
 - 2.5.2 Physician's global assessment indicating severe disease.

Initial application — (fistulising Crohn's disease) only from a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has confirmed Crohn's disease; and
- 2 Either:
 - 2.1 Patient has one or more complex externally draining enterocutaneous fistula(e); or
 - 2.2 Patient has one or more rectovaginal fistula(e); and
- 3 A Baseline Fistula Assessment has been completed and is no more than 1 month old at the time of application; and
- 4 The patient will be assessed for response to treatment after 4 months' adalimumab treatment (see Note).

Note: A maximum of 4 months' adalimumab will be subsidised on an initial Special Authority approval for fistulising Crohn's disease.

Initial application — (pyoderma gangrenosum) only from a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has pyoderma gangrenosum*; and
- 2 Patient has received three months of conventional therapy including a minimum of three pharmaceuticals (e.g. prednisone, ciclosporin, azathioprine, or methotrexate) and not received an adequate response; and
- 3 A maximum of 4 doses.

Note: Note: Indications marked with * are Unapproved Indications (refer to (Interpretations and Definitions).

Subsidy		Fully	Brand or
(Manufacturer's Price)	Sub	osidised	Generic
\$	Per	1	Manufacturer

continued...

Initial application — (adult-onset Still's disease) only from a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

Either: 1 Both:

- 1.1 Either:
 - 1.1.1 The patient has had an initial Special Authority approval for etanercept for adult-onset Still's disease (AOSD); or
 - 1.1.2 The patient has been started on tocilizumab for AOSD in a DHB hospital in accordance with the HML rules; and
- 1.2 Either:
 - 1.2.1 The patient has experienced intolerable side effects from etanercept and/or tocilizumab; or
 - 1.2.2 The patient has received insufficient benefit from at least a three-month trial of etanercept and/or tocilizumab such that they do not meet the renewal criteria for AOSD; or
- 2 All of the following:
 - 2.1 Patient diagnosed with AOSD according to the Yamaguchi criteria (J Rheumatol 1992;19:424-430); and
 - 2.2 Patient has tried and not responded to at least 6 months of glucocorticosteroids at a dose of at least 0.5 mg/kg, non-steroidal anti-inflammatory drugs (NSAIDs) and methotrexate; and
 - 2.3 Patient has persistent symptoms of disabling poorly controlled and active disease.

Renewal — (rheumatoid arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
 - 2 Treatment is to be used as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and
 - 3 Either:
 - 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; and
 - 4 Either:
 - 4.1 Adalimumab to be administered at doses no greater than 40 mg every 14 days; or
 - 4.2 Patient cannot take concomitant methotrexate and requires doses of adalimumab higher than 40 mg every 14 days to maintain an adequate response.

Renewal — (Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or

*Three months or six months, as applicable, dispensed all-at-once

- 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Either:
 - 2.1.1 CDAI score has reduced by 100 points from the CDAI score when the patient was initiated on adalimumab; or

continued...

Subsidy		Fully	Brand or
(Manufacturer's Pr	rice) Subs	sidised	Generic
\$	Per	1	Manufacturer

continued...

2.1.2 CDAI score is 150 or less; or

2.2 Both:

- 2.2.1 The patient has demonstrated an adequate response to treatment but CDAI score cannot be assessed; and
- 2.2.2 Applicant to indicate the reason that CDAI score cannot be assessed; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (severe chronic plaque psoriasis) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a dermatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a dermatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Both:
 - 2.1.1 Patient had "whole body" severe chronic plaque psoriasis at the start of treatment; and
 - 2.1.2 Following each prior adalimumab treatment course the patient has a PASI score which is reduced by 75% or more, or is sustained at this level, when compared with the pre-adalimumab treatment baseline value; or
 - 2.2 Both:
 - 2.2.1 Patient had severe chronic plaque psoriasis of the face, or palm of a hand or sole of a foot at the start of treatment; and
 - 2.2.2 Either:
 - 2.2.2.1 Following each prior adalimumab treatment course the patient has a reduction in the PASI symptom subscores for all 3 of erythema, thickness and scaling, to slight or better, or sustained at this level, as compared to the treatment course baseline values; or
 - 2.2.2.2 Following each prior adalimumab treatment course the patient has a reduction of 75% or more in the skin area affected, or sustained at this level, as compared to the pre-adalimumab treatment baseline value; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.
- Note: A treatment course is defined as a minimum of 12 weeks adalimumab treatment

Renewal — (ankylosing spondylitis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Following 12 weeks' initial treatment and for subsequent renewals, treatment has resulted in an improvement in BASDAI of 4 or more points from pre-treatment baseline on a 10 point scale, or an improvement in BASDAI of 50%, whichever is less; and
- 3 Physician considers that the patient has benefited from treatment and that continued treatment is appropriate; and
- 4 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (psoriatic arthritis) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

- All of the following:
 - 1 Either:
 - 1.1 Applicant is a rheumatologist; or

Subsidy (Manufacturer's Price)	Subsi	Fully dised	Brand or Generic
 \$	Per	1	Manufacturer

continued...

- 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count from baseline and a clinically significant response to treatment in the opinion of the physician; or
 - 2.2 The patient demonstrates at least a continuing 30% improvement in active joint count from baseline and a clinically significant response to prior adalimumab treatment in the opinion of the treating physician; and
- 3 Adalimumab to be administered at doses no greater than 40 mg every 14 days.

Renewal — (juvenile idiopathic arthritis) only from a named specialist, rheumatologist or Practitioner on the recommendation of a named specialist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Either:
 - 1.1 Applicant is a named specialist or rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a named specialist or rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Subsidised as an adjunct to methotrexate therapy or monotherapy where use of methotrexate is limited by toxicity or intolerance; and

3 Either:

- 3.1 Following 3 to 4 months' initial treatment, the patient has at least a 50% decrease in active joint count and an improvement in physician's global assessment from baseline; or
- 3.2 On subsequent reapplications, the patient demonstrates at least a continuing 30% improvement in active joint count and continued improvement in physician's global assessment from baseline.

Renewal — (fistulising Crohn's disease) only from a gastroenterologist or Practitioner on the recommendation of a gastroenterologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Applicant is a gastroenterologist; or
 - 1.2 Applicant is a Practitioner and confirms that a gastroenterologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 Either:
 - 2.1 The number of open draining fistulae have decreased from baseline by at least 50%; or
 - 2.2 There has been a marked reduction in drainage of all fistula(e) from baseline as demonstrated by a reduction in the Fistula Assessment score, together with less induration and patient-reported pain.

Renewal — (pyoderma gangrenosum) only from a dermatologist or Practitioner on the recommendation of a dermatologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has shown clinical improvement; and
- 2 Patient continues to require treatment; and
- 3 A maximum of 4 doses.

Renewal — (adult-onset Still's disease) only from a rheumatologist or Practitioner on the recommendation of a rheumatologist. Approvals valid for 6 months for applications meeting the following criteria: Both:

- 1 Either:
 - 1.1 Applicant is a rheumatologist; or
 - 1.2 Applicant is a Practitioner and confirms that a rheumatologist has provided a letter, email or fax recommending that the patient continues with adalimumab treatment; and
- 2 The patient has a sustained improvement in inflammatory markers and functional status.

	Subsidy		Fully	Brand or
	(Manufacturer's Price)	Su	ubsidised	Generic
	\$	Per	1	Manufacturer
OBINUTUZUMAB - PCT only - Specialist - Special Authority se	e SA1627 below			
Inj 25 mg per ml, 40 ml vial	5,910.00	1	✓ (Gazyva
Inj 1 mg for ECP	6.21	1 mg	🗸 E	Baxter
- CA1607 Encodel Authority for Subsidy				

⇒SA1627 Special Authority for Subsidy

Initial application — (chronic lymphocytic leukaemia) only from a haematologist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has progressive Binet stage A, B or C CD20+ chronic lymphocytic leukaemia requiring treatment; and
- 2 The patient is obinutuzumab treatment naive; and
- 3 The patient is not eligible for full dose FCR due to comorbidities with a score > 6 on the Cumulative Illness Rating Scale (CIRS) or reduced renal function (creatinine clearance < 70mL/min); and
- 4 Patient has adequate neutrophil and platelet counts* unless the cytopenias are a consequence of marrow infiltration by CLL; and
- 5 Patient has good performance status; and
- 6 Obinutuzumab to be administered at a maximum cumulative dose of 8,000 mg and in combination with chlorambucil for a maximum of 6 cycles.

Notes: Chronic lymphocytic leukaemia includes small lymphocytic lymphoma. Comorbidity refers only to illness/impairment other than CLL induced illness/impairment in the patient. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with obinutuzumab is expected to improve symptoms and improve ECOG score to < 2.

* Neutrophil $\ge 1.5 \times 10^{9}$ /L and platelets $\ge 75 \times 10^{9}$ /L.

OMALIZUMAB – Special Authority see SA1490 below – Retail pharmacy

Inj 150 mg vial	500.00	1	🖌 Xolair
-----------------	--------	---	----------

⇒SA1490 Special Authority for Subsidy

Initial application only from a respiratory specialist. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 Patient is over the age of 6; and
- 2 Patient has a diagnosis of severe, life threatening asthma; and
- 3 Past or current evidence of atopy, documented by skin prick testing or RAST; and
- 4 Total serum human immunoglobulin E (IgE) between 76 IU/mL and 1300 IU/ml at baseline; and
- 5 Proven compliance with optimal inhaled therapy including high dose inhaled corticosteroid (budesonide 1600 micrograms per day or fluticasone propionate 1000 micrograms per day or equivalent), plus long-acting beta-2 agonist therapy (at least salmeterol 50 micrograms bd or eformoterol 12 micrograms bd) for at least 12 months, unless contraindicated or not tolerated; and
- 6 Patient has received courses of systemic corticosteroids equivalent to at least 28 days treatment in the past 12 months, unless contraindicated or not tolerated; and
- 7 At least four admissions to hospital for a severe asthma exacerbation over the previous 24 months with at least one of those being in the previous 12 months; and
- 8 An Asthma Control Questionnaire (ACQ-5) score of at least 3.0 as assessed in the previous month .

Renewal only from a respiratory specialist. Approvals valid for 2 years for applications meeting the following criteria: All of the following:

- 1 Hospital admissions have been reduced as a result of treatment; and
- 2 A reduction in the Asthma Control Questionnaire (ACQ-5) score of at least 1.0 from baseline; and
- 3 A reduction in the maintenance oral corticosteroid dose of at least 50% from baseline.

PERTUZUMAB – PCT only – Specialist – Special Authority see SA1606 on the next page

Inj 30 mg per ml, 14 ml vial		1	🗸 Perjeta
Inj 1 mg for ECP	9.82	1 mg	 Baxter

Subsidy		Fully	Brand or
(Manufacturer's Price)) Subsid	lised	Generic
\$	Per	1	Manufacturer

⇒SA1606 Special Authority for Subsidy

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and

- 2 Either:
 - 2.1 Patient is chemotherapy treatment naïve; or
 - 2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
- 3 The patient has good performance status (ECOG grade 0-1); and
- 4 Pertuzumab to be administered in combination with trastuzumab; and
- 5 Pertuzumab maximum first dose of 840 mg, followed by maximum of 420 mg every 3 weeks; and
- 6 Pertuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on pertuzumab and trastuzumab.

RITUXIMAB - PCT only - Specialist - Special Authority see SA1655 below

Inj 100 mg per 10 ml vial		2	 Mabthera
Inj 500 mg per 50 ml vial	2,688.30	1	 Mabthera
Inj 1 mg for ECP	5.64	1 mg	 Baxter

⇒SA1655 Special Authority for Subsidy

Initial application — (Post-transplant) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 2 To be used for a maximum of 8 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Initial application — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

Either:

1 Both:

- The patient has indolent low grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 1.2 To be used for a maximum of 6 treatment cycles; or

2 Both:

- 2.1 The patient has indolent, low grade lymphoma or hairy cell leukaemia* requiring first-line systemic chemotherapy; and
- 2.2 To be used for a maximum of 6 treatment cycles.

*Three months or six months, as applicable, dispensed all-at-once

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Initial application - (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the

continued...

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🖌	Manufacturer

continued...

recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: Either:

- 1 All of the following:
 - 1.1 The patient has treatment naive aggressive CD20 positive NHL; and
 - 1.2 To be used with a multi-agent chemotherapy regimen given with curative intent; and
 - 1.3 To be used for a maximum of 8 treatment cycles; or
- 2 Both:
 - 2.1 The patient has aggressive CD20 positive NHL with relapsed disease following prior chemotherapy; and
 - 2.2 To be used for a maximum of 6 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia **Initial application — (Chronic Lymphocytic Leukaemia)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has progressive Binet stage A, B or C chronic lymphocytic leukaemia (CLL) requiring treatment; and
- 2 The patient is rituximab treatment naive; and
- 3 Either:
 - 3.1 The patient is chemotherapy treatment naive; or
 - 3.2 Both:
 - 3.2.1 The patient's disease has relapsed following no more than three prior lines of chemotherapy treatment; and
 - 3.2.2 The patient has had a treatment-free interval of 12 months or more if previously treated with fludarabine and cyclophosphamide chemotherapy; and
- 4 The patient has good performance status; and
- 5 The patient does not have chromosome 17p deletion CLL; and
- 6 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles; and
- 7 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments. 'Good performance status' means ECOG score of 0-1, however, in patients temporarily debilitated by their CLL disease symptoms a higher ECOG (2 or 3) is acceptable where treatment with rituximab is expected to improve symptoms and improve ECOG score to < 2. **Renewal — (Post-transplant)** only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria:

All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has B-cell post-transplant lymphoproliferative disorder*; and
- 3 To be used for no more than 6 treatment cycles.

Note: Indications marked with * are Unapproved Indications.

Renewal — (Indolent, Low-grade lymphomas or hairy cell leukaemia*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 9 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has indolent, low-grade NHL or hairy cell leukaemia* with relapsed disease following prior chemotherapy; and
- 3 To be used for no more than 6 treatment cycles.

Note: 'Indolent, low-grade lymphomas' includes follicular, mantle, marginal zone and lymphoplasmacytic/Waldenstrom macroglobulinaemia. *Hairy cell leukaemia includes hairy cell leukaemia variant *Unapproved indication.

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

Renewal — (Aggressive CD20 positive NHL) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has had a rituximab treatment-free interval of 12 months or more; and
- 2 The patient has relapsed refractory/aggressive CD20 positive NHL; and
- 3 To be used with a multi-agent chemotherapy regimen given with curative intent; and
- 4 To be used for a maximum of 4 treatment cycles.

Note: 'Aggressive CD20 positive NHL' includes large B-cell lymphoma and Burkitt's lymphoma/leukaemia

Renewal — (Chronic Lymphocytic Leukaemia) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient's disease has relapsed following no more than one prior line of treatment with rituximab for CLL; and
- 2 The patient has had a rituximab treatment-free interval of 36 months or more; and
- 3 The patient does not have chromosome 17p deletion CLL; and
- 4 It is planned that the patient receives full dose fludarabine and cyclophosphamide (orally or dose equivalent intravenous administration) or bendamustine; and
- 5 Rituximab to be administered in combination with fludarabine and cyclophosphamide or bendamustine for a maximum of 6 treatment cycles.

Note: 'Chronic lymphocytic leukaemia (CLL)' includes small lymphocytic lymphoma. A line of chemotherapy treatment is considered to comprise a known standard therapeutic chemotherapy regimen and supportive treatments.

SILTUXIMAB – Special Authority see SA1596 below – Retail pharmacy

Note: Siltuximab is to be administered at doses no gre	ater than 11 mg/kg every	3 weeks.	
Inj 100 mg vial	770.57	1	 Sylvant
Inj 400 mg vial		1	 Sylvant

⇒SA1596 Special Authority for Subsidy

Initial application only from a haematologist or rheumatologist. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 Patient has severe HHV-8 negative idiopathic multicentric Castleman's Disease; and
- 2 Treatment with an adequate trial of corticosteroids has proven ineffective; and

.

3 Siltuximab is to be administered at doses no greater than 11 mg/kg every 3 weeks.

Renewal only from a haematologist or rheumatologist. Approvals valid for 12 months where the treatment remains appropriate and the patient has sustained improvement in inflammatory markers and functional status.

		TRASTUZUMAB – PCT only – Specialist – Special Authority see SA1632 below
 Herceptin 	1	Inj 150 mg vial1,350.00
✓ Herceptin	1	Inj 440 mg vial
 Baxter 	1 mg	Inj 1 mg for ECP

➡SA1632 Special Authority for Subsidy

*Three months or six months, as applicable, dispensed all-at-once

Initial application — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and

2 Either:

2.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or 2.2 Both:

continued...

Subsidy (Manufacturer's Price)	Sul	Fully	Brand or Generic
 \$	Per	1	Manufacturer

continued...

- 2.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
- 2.2.2 The cancer did not progress whilst on lapatinib; and
- 3 Either:
 - 3.1 Trastuzumab will not be given in combination with pertuzumab; or
 - 3.2 All of the following:
 - 3.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 3.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 3.2.3 The patient has good performance status (ECOG grade 0-1); and
- 4 Trastuzumab not to be given in combination with lapatinib; and
- 5 Trastuzumab to be discontinued at disease progression.

Renewal — (metastatic breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria:

All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and
- 3 Trastuzumab not to be given in combination with lapatinib; and
- 4 Trastuzumab to be discontinued at disease progression.

Initial application — (early breast cancer) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 15 months for applications meeting the following criteria:

All of the following:

- 1 The patient has early breast cancer expressing HER 2 IHC 3+ or ISH + (including FISH or other current technology); and
- 2 Maximum cumulative dose of 106 mg/kg (12 months' treatment); and
- 3 Any of the following:
 - 3.1 9 weeks' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.2 12 months' concurrent treatment with adjuvant chemotherapy is planned; or
 - 3.3 12 months' sequential treatment following adjuvant chemotherapy is planned; or
 - 3.4 12 months' treatment with neoadjuvant and adjuvant chemotherapy is planned; or
 - 3.5 Other treatment regimen, in association with adjuvant chemotherapy, is planned.

Renewal — (early breast cancer*) only from a relevant specialist or medical practitioner on the recommendation of a relevant specialist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 The patient has metastatic breast cancer expressing HER-2 IHC 3+ or ISH+ (including FISH or other current technology); and
- 2 The patient received prior adjuvant trastuzumab treatment for early breast cancer; and
- 3 Any of the following:
 - 3.1 The patient has not previously received lapatinib treatment for HER-2 positive metastatic breast cancer; or
 - 3.2 Both:
 - 3.2.1 The patient started lapatinib treatment for metastatic breast cancer but discontinued lapatinib within 3 months of starting treatment due to intolerance; and
 - 3.2.2 The cancer did not progress whilst on lapatinib; or
- 3.3 The cancer has not progressed at any time point during the previous 12 months whilst on trastuzumab; and

4 Either:

4.1 Trastuzumab will not be given in combination with pertuzumab; or

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

continued...

- 4.2 All of the following:
 - 4.2.1 Trastuzumab to be administered in combination with pertuzumab; and
 - 4.2.2 Patient has not received prior treatment for their metastatic disease and has had a treatment-free interval of at least 12 months between prior (neo)adjuvant chemotherapy treatment and diagnosis of metastatic breast cancer; and
 - 4.2.3 The patient has good performance status (ECOG grade 0-1); and
- 5 Trastuzumab not to be given in combination with lapatinib; and
- 6 Trastuzumab to be discontinued at disease progression.

Note: * For patients with relapsed HER-2 positive disease who have previously received adjuvant trastuzumab for early breast cancer.

Programmed Cell Death-1 (PD-1) Inhibitors

NIVOLUMAB - PCT only - Specialist - Special Authority see SA1656 below

Inj 10 mg per ml, 4 ml vial	1,051.98	1	 Opdivo
Inj 10 mg per ml, 10 ml vial	2,629.96	1	 Opdivo
Inj 1 mg for ECP		1 mg	 Baxter

➡SA1656 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and

*Three months or six months, as applicable, dispensed all-at-once

- 4 Either:
 - 4.1 Patient has not received funded pembrolizumab; or
 - 4.2 Both:
 - 4.2.1 Patient has received an initial Special Authority approval for pembrolizumab and has discontinued pembrolizumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the patient was on pembrolizumab; and
- 5 Nivolumab is to be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of nivolumab will not be continued beyond 12 weeks (6 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and
- 5 Nivolumab will be used at a maximum dose of 3 mg/kg every 2 weeks for a maximum of 12 weeks (6 cycles).

Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version

continued...

‡ safety cap

Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

Subsidy	F	ully	Brand or	
(Manufacturer's Price)	Subsid	ised	Generic	
\$	Per	1	Manufacturer	

continued...

1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target)
 must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

PEMBROLIZUMAB - PCT only - Specialist - Special Authority see SA1657 below

Inj 50 mg vial	2,340.00	1	🗸 Keytruda
Inj 1 mg for ECP		1 mg	 Baxter

► SA1657 Special Authority for Subsidy

Initial application — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Patient has metastatic or unresectable melanoma stage III or IV; and
- 2 Patient has measurable disease as defined by the presence of at least one CT or MRI measurable lesion; and
- 3 The patient has ECOG performance score of 0-2; and
- 4 Either:
 - 4.1 Patient has not received funded nivolumab; or
 - 4.2 Both:
 - 4.2.1 Patient has received an initial Special Authority approval for nivolumab and has discontinued nivolumab within 12 weeks of starting treatment due to intolerance; and
 - 4.2.2 The cancer did not progress while the patient was on nivolumab; and
- 5 Pembrolizumab is to be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles); and
- 6 Baseline measurement of overall tumour burden is documented (see Note); and
- 7 Documentation confirming that the patient has been informed and acknowledges that the initial funded treatment period of pembrolizumab will not be continued beyond 12 weeks (4 cycles) if their disease progresses during this time.

Renewal — (unresectable or metastatic melanoma) only from a medical oncologist. Approvals valid for 4 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - 1.1 Patient's disease has had a complete response to treatment according to RECIST criteria (see Note; or
 - 1.2 Patient's disease has had a partial response to treatment according to RECIST criteria (see Note); or
 - 1.3 Patient has stable disease according to RECIST criteria (see Note); and
- 2 Response to treatment in target lesions has been determined by radiologic assessment (CT or MRI scan) following the most recent treatment period; and
- 3 No evidence of progressive disease according to RECIST criteria (see Note); and
- 4 The treatment remains clinically appropriate and the patient is benefitting from the treatment; and

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	ubsidised	Generic	
\$	Per	1	Manufacturer	

continued...

5 Pembrolizumab will be used at a maximum dose of 2 mg/kg every 3 weeks for a maximum of 12 weeks (4 cycles). Notes: Disease responses to be assessed according to the Response Evaluation Criteria in Solid Tumours (RECIST) version 1.1 (Eisenhauer EA, et al. Eur J Cancer 2009;45:228-47). Assessments of overall tumour burden and measurable disease to be undertaken on a minimum of one lesion and maximum of 5 target lesions (maximum two lesions per organ). Target lesions should be selected on the basis of their size (lesions with the longest diameter), be representative of all involved organs, and suitable for reproducible repeated measurements. Target lesion measurements should be assessed using CT or MRI imaging with the same method of assessment and the same technique used to characterise each identified and reported lesion at baseline and every 12 weeks. Response definitions as follows:

- Complete Response: Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to < 10 mm.
- Partial Response: At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters.
- Progressive Disease: At least a 20% increase in the sum of diameters of target lesions, taking as reference the smallest sum on study (this includes the baseline sum if that is the smallest on study). In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm. (Note: the appearance of one or more new lesions is also considered progression).
- Stable Disease: Neither sufficient shrinkage to qualify for partial response nor sufficient increase to qualify for progressive disease.

Other Immunosuppressants

CICLOSPORIN

Cap 25 mg		50	 Neoral
Cap 50 mg		50	Neoral
Cap 100 mg		50	Neoral
Oral liq 100 mg per ml	198.13	50 ml OP	 Neoral
EVEROLIMUS - Special Authority see SA1491 below - Re	tail pharmacy		
Wastage claimable – see rule 3.3.2 on page 13			
Tab 5 mg	4,555.76	30	 Afinitor
Tab 10 mg	6,512.29	30	 Afinitor

➡SA1491 Special Authority for Subsidy

Initial application only from a neurologist or oncologist. Approvals valid for 3 months for applications meeting the following criteria:

Both:

- 1 Patient has tuberous sclerosis; and
- 2 Patient has progressively enlarging sub-ependymal giant cell astrocytomas (SEGAs) that require treatment.

Renewal only from a neurologist or oncologist. Approvals valid for 12 months for applications meeting the following criteria: All of the following:

- 1 Documented evidence of SEGA reduction or stabilisation by MRI within the last 3 months; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 Everolimus to be discontinued at progression of SEGAs.

Note: MRI should be performed at minimum once every 12 months, more frequent scanning should be performed with new onset of symptoms such as headaches, visual complaints, nausea or vomiting, or increase in seizure activity.

, ronning, or moree		iou rugi
e – Retail pharmacy	1	
749.99	100	 Rapamune
1,499.99	100	 Rapamune
	60 ml OP	 Rapamune
	e – Retail pharmacy 749.99 1,499.99	1,499.99 100

Subs	sidy F	ully	Brand or
(Manufactur	rer's Price) Subsidi	sed	Generic
\$	Per	✓	Manufacturer

⇒SA0866 Special Authority for Subsidy

Initial application from any medical practitioner. Approvals valid without further renewal unless notified where the drug is to be used for rescue therapy for an organ transplant recipient.

Notes: Rescue therapy defined as unresponsive to calcineurin inhibitor treatment as defined by refractory rejection; or intolerant to calcineurin inhibitor treatment due to any of the following:

- GFR< 30 ml/min; or
- · Rapidly progressive transplant vasculopathy; or
- Rapidly progressive obstructive bronchiolitis; or
- · HUS or TTP; or
- · Leukoencepthalopathy; or
- Significant malignant disease

TACROLIMUS – Special Authority see SA1540 below – Retail pharmacy

Cap 0.5 mg	 100	 Tacrolimus Sandoz
Cap 1 mg	 100	Tacrolimus Sandoz
Cap 5 mg - For tacrolimus oral liquid formulation refer,		
page 221	 50	Tacrolimus Sandoz

➡SA1540 Special Authority for Subsidy

Initial application — (organ transplant) only from a relevant specialist. Approvals valid without further renewal unless notified where the patient is an organ transplant recipient.

Initial application — (steroid-resistant nephrotic syndrome*) only from a relevant specialist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient is a child with steroid-resistant nephrotic syndrome* (SRNS) where ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; or
- 2 All of the following:
 - 2.1 The patient is an adult with SRNS; and
 - 2.2 Ciclosporin has been trialled in combination with prednisone and discontinued because of unacceptable side effects or inadequate clinical response; and
 - 2.3 Cyclophosphamide or mycophenolate have been trialled and discontinued because of unacceptable side effects or inadequate clinical response, or these treatments are contraindicated.
- Note: Indications marked with * are Unapproved Indications
- Note: Subsidy applies for either primary or rescue therapy.

	Subsidy (Manufacturer's Price)	Subsi	Fully	Brand or Generic
	(Manulacturer's Frice) \$	Per	viseu 🗸	Manufacturer
Antiallergy Preparations				
Allergic Emergencies				
ICATIBANT – Special Authority see SA1558 below – Retail phar	macy			
Inj 10 mg per ml, 3 ml prefilled syringe	•	1	🖌 Fi	irazyr
➡SA1558 Special Authority for Subsidy				-
Initial application only from a clinical immunologist or relevant s the following criteria: Both:	pecialist. Approvals v	alid for 12	month	s for applications meeting
 Supply for anticipated emergency treatment of laryngeal/o angioedema (HAE) for patients with confirmed diagnosis of 				
2 The patient has undergone product training and has agree				
Renewal from any relevant practitioner. Approvals valid for 12 m is benefiting from treatment.	onths where the treat	ment rema	ains app	propriate and the patient
Allergy Desensitisation				
SA1367 Special Authority for Subsidy				
Initial application only from a relevant specialist. Approvals vali Both:	d for 2 years for applic	cations me	eting th	he following criteria:
1 RAST or skin test positive; and				
2 Patient has had severe generalised reaction to the sensiti	00	nt romain		priote and the nations is
Renewal only from a relevant specialist. Approvals valid for 2 ye benefiting from treatment.	ars where the treatme	ent remains	s appro	priate and the patient is
BEE VENOM ALLERGY TREATMENT – Special Authority see S	A1367 above – Retai	l pharmac	v	
Maintenance kit - 6 vials 120 mcg freeze dried venom, with		•	,	
diluent		I OP	🗸 Ve	enomil S29
Treatment kit - 1 vial 550 mcg freeze dried venom, 1 diluent	205.00	I OP	✓ A	lbov
9 ml, 3 diluent 1.8 ml WASP VENOM ALLERGY TREATMENT – Special Authority see				шеу
Treatment kit (Paper wasp venom) - 1 vial 550 mcg freeze		ali phattia	109	
dried polister venom, 1 diluent 9 ml, 1 diluent 1.8 ml		I OP	🗸 A	lbey
Treatment kit (Paper wasp venom) - 6 vials 120 mcg freeze				
dried venom, with diluent		I OP	V Ve	enomil S29
Treatment kit (Yellow jacket venom) - 1 vial 550 mcg freeze dried vespula venom, 1 diluent 9 ml, 1 diluent 1.8 ml	305.00	I OP	🗸 A	lbev
Treatment kit (Yellow jacket venom) - 6 vials 120 mcg freeze			• •	шеу
dried venom, with diluent		I OP	🗸 Ve	enomil S29
Antihistamines				
CETIRIZINE HYDROCHLORIDE				
* Tab 10 mg		100	✓ <u>Zi</u>	
*‡ Oral liq 1 mg per ml		00 ml	✓ Hi	istaclear
CHLORPHENIRAMINE MALEATE *+ Oral liq 2 mg per 5 ml	9.06	00 ml	./ L	istafen
			• п	Istaicii

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully Brand or
	(Manufacturer's \$	Price) Subs Per	idised Generic Manufacturer
DEXTROCHLORPHENIRAMINE MALEATE			
* Tab 2 mg	2.02	40	
	(8.40)		Polaramine
	1.01	20	
	(5.99)		Polaramine
* + Oral lig 2 mg per 5 ml		100 ml	
	(10.29)		Polaramine
FEXOFENADINE HYDROCHLORIDE	(/		
* Tab 60 mg	1 34	20	
	(11.53)	20	Telfast
* Tab 120 mg	· · · ·	30	Tellast
* Tab 120 mg	(29.81)	00	Telfast
	4.74	10	Tellast
	(11.53)	10	Telfast
	(11.00)		Tondot
	1.00	100	
* Tab 10 mg		100	✓ <u>Lorafix</u>
* Oral liq 1 mg per ml	2.15	120 ml	 Lorfast
PROMETHAZINE HYDROCHLORIDE			
* Tab 10 mg	1.78	50	 <u>Allersoothe</u>
* Tab 25 mg		50	 <u>Allersoothe</u>
*+ Oral liq 1 mg per 1 ml		100 ml	 <u>Allersoothe</u>
 Inj 25 mg per ml, 2 ml ampoule – Up to 5 inj available 	on a PSO 15.54	5	✓ Hospira
TRIMEPRAZINE TARTRATE			
‡ Oral liq 30 mg per 5 ml	2.79	100 ml OP	
	(8.06)		Vallergan Forte
	, ,		č
Inhaled Corticosteroids			
BECLOMETHASONE DIPROPIONATE			
Aerosol inhaler, 50 mcg per dose	0 20	200 dose OP	✓ Qvar
Aerosol inhaler, 50 mcg per dose CFC-free		200 dose OP	✓ Beclazone 50
Aerosol inhaler, 100 mcg per dose		200 dose OP	✓ Qvar
Aerosol inhaler, 100 mcg per dose CFC-free		200 dose OP	 Gval Beclazone 100
Acrosof initialei, 100 micg per dose Of O-free		200 0036 OF	

BUDESONIDE

 Powder for inhalation, 100 mcg per dose
 200

 Powder for inhalation, 200 mcg per dose
 19.00

 200

FLUTICASONE

206

Aerosol inhaler, 50 mcg per dose7.50	120 dose OP
Aerosol inhaler, 50 mcg per dose CFC-free	120 dose OP
Powder for inhalation, 50 mcg per dose7.50	60 dose OP
Powder for inhalation, 100 mcg per dose7.50	60 dose OP
Aerosol inhaler, 125 mcg per dose13.60	120 dose OP
Aerosol inhaler, 125 mcg per dose CFC-free	120 dose OP
Aerosol inhaler, 250 mcg per dose27.20	120 dose OP
Aerosol inhaler, 250 mcg per dose CFC-free	120 dose OP
Powder for inhalation, 250 mcg per dose	60 dose OP

200 dose OP 200 dose OP 200 dose OP 200 dose OP	 Beclazone 50 Qvar Beclazone 100 Beclazone 250
200 dose OP	✓ Pulmicort Turbuhaler
200 dose OP	 Pulmicort
200 dose OP	Turbuhaler ✔ Pulmicort Turbuhaler
120 dose OP 120 dose OP 60 dose OP 120 dose OP 120 dose OP 120 dose OP 120 dose OP 120 dose OP	 Floair Flixotide Flixotide Accuhaler Flixotide Accuhaler Floair Flixotide Floair Flixotide Flixotide Flixotide Flixotide
ou dose OP	 Flixoliue Accunaler

Subsic		Fully Brand or dised Generic
(Manufacture \$	r's Price) Subsi Per	Manufacturer
Ψ	101	- Manufacturor
Inhaled Long-acting Beta-adrenoceptor Agonists		
EFORMOTEROL FUMARATE		
Powder for inhalation, 6 mcg per dose, breath activated		
(16.90)	,	Oxis Turbuhaler
Powder for inhalation, 12 mcg per dose, and monodose device20.64		E a una all'I
(35.80))	Foradil
INDACATEROL		
Powder for inhalation 150 mcg61.00		 Onbrez Breezhaler
Powder for inhalation 300 mcg61.00	30 dose OP	 Onbrez Breezhaler
SALMETEROL		
Aerosol inhaler CFC-free, 25 mcg per dose	120 dose OP	 Serevent
Aerosol inhaler 25 mcg per dose26.46		 Meterol
Powder for inhalation, 50 mcg per dose, breath activated25.00	60 dose OP	 Serevent Accuhaler
Inhaled Corticosteroids with Long-Acting Beta-Adrenoce	ptor Agonists	
BUDESONIDE WITH EFORMOTEROL		
Aerosol inhaler 100 mcg with eformoterol fumarate 6 mcg	120 dose OP	🗸 Vannair
Powder for inhalation 100 mcg with eformoterol fumarate 6 mcg33.74		✓ Symbicort
r owder for initialiation foo mog with clothiotor initialiate o mogoo.r +	120 0000 01	Turbuhaler 100/6
Aerosol inhaler 200 mcg with eformoterol fumarate 6 mcg21.40	120 dose OP	✓ Vannair
Powder for inhalation 200 mcg with eformoterol fumarate 6 mcg44.08		✓ Symbicort
	120 0000 01	Turbuhaler 200/6
Powder for inhalation 400 mcg with eformoterol fumarate		
12 mcg – No more than 2 dose per day	60 dose OP	 Symbicort
		Turbuhaler 400/12
FLUTICASONE FUROATE WITH VILANTEROL		
Powder for inhalation 100 mcg with vilanterol 25 mcg	30 dose OP	✓ Breo Ellipta
	00 0030 01	• Breo Empla
FLUTICASONE WITH SALMETEROL		
Aerosol inhaler 50 mcg with salmeterol 25 mcg		 ✓ Seretide ✓ RexAir
Acrosol inholor 125 mag with colmotoral 25 mag		 ✓ RexAir ✓ Seretide
Aerosol inhaler 125 mcg with salmeterol 25 mcg44.08 49.69		✓ Serende ✓ RexAir
Powder for inhalation 100 mcg with salmeterol 50 mcg – No more than 2 dose per day	60 dose OP	 Seretide Accuhaler
	00 005e OF	• Seletite Accultate
Powder for inhalation 250 mcg with salmeterol 50 mcg – No more than 2 dose per day	60 dose OP	 Seretide Accuhaler
1101e than 2 dose per day	00 UUSE OF	• Selellue Accultatei
Beta-Adrenoceptor Agonists		
SALBUTAMOL		
Cral liq 400 mcg per ml2.06		 Ventolin
Infusion 1 mg per ml, 5 ml118.38	10	
(130.21)		Ventolin
Inj 500 mcg per ml, 1 ml – Up to 5 inj available on a PSO	5	 Ventolin

	Subsidy (Manufacturer's \$	Price) Sul Per	Fully Brand or Ibsidised Generic Manufacturer
Inhaled Beta-Adrenoceptor Agonists			
SALBUTAMOL Aerosol inhaler, 100 mcg per dose CFC free – Up to 1000 dose available on a PSO		200 dose Of	P ✔ Respigen ✔ SalAir
Nebuliser soln, 1 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO		20	✓ <u>Asthalin</u>
Nebuliser soln, 2 mg per ml, 2.5 ml ampoule – Up to 30 neb available on a PSO		20	✓ Asthalin
TERBUTALINE SULPHATE Powder for inhalation, 250 mcg per dose, breath activated	22.00	200 dose OF	P 🖌 Bricanyl Turbuhaler
Anticholinergic Agents			
IPRATROPIUM BROMIDE Aerosol inhaler, 20 mcg per dose CFC-free – Up to 400 dose available on a PSO Nebuliser soln, 250 mcg per ml, 1 ml ampoule – Up to 40 ne		200 dose OF	P 🗸 Atrovent
available on a PSO Nebuliser soln, 250 mcg per ml, 2 ml ampoule – Up to 40 ne available on a PSO	3.35 b	20 20	 ✓ <u>Univent</u> ✓ <u>Univent</u>
Inhaled Beta-Adrenoceptor Agonists with Antic	holinergic /	Agents	
SALBUTAMOL WITH IPRATROPIUM BROMIDE Aerosol inhaler, 100 mcg with ipratropium bromide, 20 mcg p dose CFC-free Nebuliser soln, 2.5 mg with ipratropium bromide 0.5 mg per vial, 2.5 ml ampoule – Up to 20 neb available on a PSO	12.19	200 dose Of 20	P ✓ Duolin HFA ✓ <u>Duolin</u>
Long-Acting Muscarinic Antagonists			
 GLYCOPYRRONIUM – Subsidy by endorsement a) Inhaled glycopyrronium treatment will not be subsidised if umeclidinium. b) Glycopyrronium powder for inhalation 50 mcg per dose is having COPD using spirometry, and the prescription is en Powder for inhalation 50 mcg per dose. 	subsidised onl	y for patients v	who have been diagnosed as
TIOTROPIUM BROMIDE – Special Authority see SA1568 below Tiotropium treatment will not be subsidised if patient is also r umeclidinium.	– Retail pharm	nacy	
Powder for inhalation, 18 mcg per dose Soln for inhalation 2.5 mcg per dose		30 dose 60 dose OP	 ✓ Spiriva ✓ Spiriva Respimat
SA1568 Special Authority for Subsidy Initial application only from a general practitioner or relevant spe following criteria:	ecialist. Appro	vals valid for 2	years for applications meeting the

	Subsidy	Ful	y Brand or	
(M	lanufacturer's Price)	Subsidise	d Generic	
	\$	Per 🖌	 Manufacturer 	

continued...

- All of the following:
 - 1 To be used for the long-term maintenance treatment of bronchospasm and dyspnoea associated with COPD; and
 - 2 In addition to standard treatment, the patient has trialled a short acting bronchodilator dose of at least 40 µg ipratropium g.i.d for one month; and
 - 3 Either:
 - The patient's breathlessness according to the Medical Research Council (UK) dyspnoea scale is:
 - 3.1 Grade 3 (stops for breath after walking about 100 meters or after a few minutes on the level); or
 - 3.2 Grade 4 (too breathless to leave the house, or breathless when dressing or undressing); and
 - 4 All of the following:
 - Applicant must state recent measurement of:
 - 4.1 Actual FEV₁ (litres); and
 - 4.2 Predicted FEV₁ (litres); and
 - 4.3 Actual FEV, as a % of predicted (must be below 60%); and
 - 5 Either:
 - 5.1 Patient is not a smoker (for reporting purposes only); or
 - 5.2 Patient is a smoker and has been offered smoking cessation counselling; and
 - 6 The patient has been offered annual influenza immunisation.

Renewal only from a general practitioner or relevant specialist. Approvals valid for 2 years for applications meeting the following criteria:

Both:

- 1 Patient is compliant with the medication; and
- 2 Patient has experienced improved COPD symptom control (prescriber determined).

UMECLIDINIUM - Subsidy by endorsement

- a) Umeclidinium will not be subsidised if patient is also receiving treatment with subsidised inhaled glycopyrronium or tiotropium bromide.
- b) Umeclidinium powder for inhalation 62.5 mcg per dose is subsidised only for patients who have been diagnosed as having COPD using spirometry, and the prescription is endorsed accordingly.

Long-Acting Muscarinic Antagonists with Long-Acting Beta-Adrenoceptor Agonists

Combination long acting muscarinic antagonist and long acting beta-2 agonist will not be subsidised if patient is also receiving treatment with a combination inhaled corticosteroid and long acting beta-2 agonist.

⇒SA1584 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria: Both:

- 1 Patient has been stabilised on a long acting muscarinic antagonist; and
- 2 The prescriber considers that the patient would receive additional benefit from switching to a combination product.

Renewal from any relevant practitioner. Approvals valid for 2 years for applications meeting the following criteria:

- Both:
 - 1 Patient is compliant with the medication; and
 - 2 Patient has experienced improved COPD symptom control (prescriber determined).

GLYCOPYRRONIUM WITH INDACATEROL - Special Authority see SA1584 ab	ove – Retail pha	armacy
Powder for Inhalation 50 mcg with indacaterol 110 mcg81.00	30 dose OP	 Ultibro Breezhaler
TIOTROPIUM BROMIDE WITH OLODATEROL - Special Authority see SA1584	above - Retail	pharmacy
Soln for inhalation 2.5 mcg with olodaterol 2.5 mcg	60 dose OP	 Spiolto Respimat

	Subsidy (Manufacturer's Pric \$	ce) Sub Per	Fully Brand or sidised Generic Manufacturer	
UMECLIDINIUM WITH VILANTEROL – Special Authority see Powder for inhalation 62.5 mcg with vilanterol 25 mcg		ous page – 30 dose OP		
Antifibrotics				
PIRFENIDONE – Retail pharmacy-Specialist – Special Authori Cap 267 mg – Wastage claimable – see rule 3.3.2 on				
page 13		270	 Esbriet 	
SA1628 Special Authority for Subsidy Initial application — (idiopathic pulmonary fibrosis) only free applications meeting the following criteria: All of the following:	om a respiratory spe	cialist. App	rovals valid for 12 month	s for
 Patient has been diagnosed with idiopathic pulmonary fi Forced vital capacity is between 50% and 80% predicter Pirfenidone is to be discontinued at disease progression 	d; and	by histology	, CT or biopsy; and	
Renewal — (idiopathic pulmonary fibrosis) only from a resp meeting the following criteria: Both:	iratory specialist. A	pprovals val	id for 12 months for appl	ications
1 Treatment remains clinically appropriate and patient is b	enefitting from and t	olerating tre	atment; and	
2 Pirfenidone is to be discontinued at disease progression	` '			
Note: disease progression is defined as a decline in percent pr	edicted FVC of 10%	or more wit	hin any 12 month period	
Leukotriene Receptor Antagonists				
MONTELUKAST – Special Authority see SA1421 below – Reta Prescribing Guideline: Clinical evidence indicates that the used in short treatment courses.		ntelukast is s	strongest when monteluk	ast is
Tab 4 mg		28	✓ Apo-Montelukas	
Tab 5 mg		28	✓ <u>Apo-Montelukas</u>	
Tab 10 mg	5.65	28	 Apo-Montelukas 	t
SA1421 Special Authority for Subsidy Initial application — (Pre-school wheeze) from any relevant	practitioner Approv	ale valid for	1 year for applications n	nooting
the following criteria: Both:		ais valid for	r year for applications in	leeting
 To be used for the treatment of intermittent severe whee The patient has had at least three episodes in the previo attention. 				nedical
Renewal — (Pre-school wheeze) from any relevant practition appropriate and the patient is benefiting from treatment.	er. Approvals valid	for 2 years v	where the treatment remain	ains

Initial application — (exercise-induced asthma) from any relevant practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

All of the following:

- 1 Patient has been trialled with maximal asthma therapy, including inhaled corticosteroids and long-acting beta-adrenoceptor agonists; and
- 2 Patient continues to receive optimal inhaled corticosteroid therapy; and
- 3 Patient continues to experience frequent episodes of exercise-induced bronchoconstriction.

Initial application — (aspirin desensitisation) only from a clinical immunologist or allergist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

	Subsidy (Manufacturer's	Price) Subs	Fully Brand or sidised Generic
	\$	Per	✓ Manufacturer
 continued All of the following: Patient is undergoing aspirin desensitisation Patient has moderate to severe aspirin-exace Nasal polyposis, confirmed radiologically or s Documented aspirin or NSAID allergy confirm NSAID where challenge would be considered 	erbated respiratory disease or urgically; and ned by aspirin challenge or a	or Samter's triad	; and
Mast Cell Stabilisers			
NEDOCROMIL			
Aerosol inhaler, 2 mg per dose CFC-free		112 dose OP	 Tilade
SODIUM CROMOGLYCATE Powder for inhalation, 20 mg per dose Aerosol inhaler, 5 mg per dose CFC-free (Intal Spincaps Powder for inhalation, 20 mg per dos		50 dose 112 dose OP 2018)	 ✓ Intal Spincaps ✓ Intal Forte CFC Free
Methylxanthines			
AMINOPHYLLINE Inj 25 mg per ml, 10 ml ampoule – Up to 5 inj av PSO		5	✓ DBL Aminophylline
HEOPHYLLINE ₭ Tab long-acting 250 mg ҟ‡ Oral lig 80 mg per 15 ml	21.51	100 500 ml	✓ Nuelin-SR ✓ Nuelin
Mucolytics	13.30	500 m	• Nueim
•	alau. Datail sharmaan		
DORNASE ALFA – Special Authority see SA0611 b Nebuliser soln, 2.5 mg per 2.5 ml ampoule		6	 Pulmozyme
⇒SA0611 Special Authority for Subsidy Special Authority approved by the Cystic Fibrosis Act Notes: Application details may be obtained from PH		w.pharmac.govt	<u>.nz</u> or:
The Co-ordinator, Cystic Fibrosis Advisory Panel	Phone: (04) 460 4990		
PHARMAC, PO Box 10 254	Facsimile: (04) 916 757		
Wellington Prescriptions for patients approved for treatment mu and expertise in treating cystic fibrosis. SODIUM CHLORIDE	Email: <u>CFPanel@pharm</u> st be written by respiratory p		ediatricians who have exper
Not funded for use as a nasal drop. Soln 7%		90 ml OP	✓ Biomed
Nasal Preparations			
Allergy Prophylactics			
BECLOMETHASONE DIPROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose		200 dose OP	Alanase
Metered aqueous nasal spray, 100 mcg per dos		200 dose OP	Alanase

*Three months or six months, as applicable, dispensed all-at-once

if endorsed "certified exemption" by the prescriber or pharmacist.

	Subsidy (Manufacturer's \$	Price) Subs Per	Fully Brand or idised Generic ✓ Manufacturer
BUDESONIDE			
Metered aqueous nasal spray, 50 mcg per dose	2.35	200 dose OP	
	(5.26)		Butacort Aqueous
Metered aqueous nasal spray, 100 mcg per dose		200 dose OP	
	(6.00)		Butacort Aqueous
FLUTICASONE PROPIONATE			
Metered aqueous nasal spray, 50 mcg per dose	2.18	120 dose OP	 Flixonase Hayfever <u>& Allergy</u>
PRATROPIUM BROMIDE			
Aqueous nasal spray, 0.03%	3.95	15 ml OP	 Univent
Respiratory Devices			
MASK FOR SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
c) Only for children aged six years and under			
Small	2.20	1	 <u>e-chamber Mask</u>
PEAK FLOW METER			
a) Up to 10 dev available on a PSO			
b) Only on a PSO			
Low range	9.54	1	 Mini-Wright AFS
			Low Range
Normal range	9.54	1	 Mini-Wright
			Standard
SPACER DEVICE			
a) Up to 20 dev available on a PSO			
b) Only on a PSO			
220 ml (single patient)		1	 <u>e-chamber Turbo</u>
510 ml (single patient)	5.12	1	🗸 e-chamber La
			Grande
800 ml	6.50	1	 Volumatic
Respiratory Stimulants			
CAFFEINE CITBATE			
Oral liq 20 mg per ml (10 mg base per ml)	1/ 95	25 ml OP	 Biomed
Oral lig 20 mg per mi (10 mg base per mi)	14.00	20 mi OF	• Diomeu

SENSORY ORGANS

Subsidy	() () () () () () () () () () () () () (Fully Brand or
(Manulacturer's P	Per	idised Generic Manufacturer
	ge 224	
6.97	35 ml OP	✓ Vosol
4.46	7.5 ml OP	✓ Locacorten-Viaform ED's
IN AND NYSTAT	ĪN	 Locorten-Vioform
5.16	7.5 ml OP	✓ Kenacomb
4.50 (9.27)	8 ml OP	Sofradex
4.13 (8.65)	8 ml OP	Soframycin
citly stated other	wise.	
14.92	4.5 g OP	✓ <u>ViruPOS</u>
	4 g OP 10 ml OP	 ✓ <u>Chlorsig</u> ✓ <u>Chlorafast</u>
	5 ml OP ant to chloramp	Ciloxan bhenicol.
	5 g OP	 Fucithalmic
11.40	5 ml OP	✓ Genoptic
2.97 (7.99)	10 ml OP	Brolene
, , , , , , , , , , , , , , , , , , ,	2.5 ~ OD	✓ Tobrex
	(Manufacturer's F S ENZETHONIUM ard Formulae, pa 	(Manufacturer's Price) Subs ENZETHONIUM ard Formulae, page 224

‡ safety cap

▲ Three months supply may be dispensed at one time

*Three months or six months, as applicable, dispensed all-at-once

	Subsidy		Fully Brand or
	(Manufacturer's Pi \$	rice) Su Per	ubsidised Generic Manufacturer
Corticosteroids and Other Anti-Inflammatory Pre		1.61	• Manuacturer
PEXAMETHASONE			
₭ Eye oint 0.1%		3.5 g OP 5 ml OP	 Maxidex Maxidex
DEXAMETHASONE WITH NEOMYCIN SULPHATE AND POLYM			
Eye oint 0.1% with neomycin sulphate 0.35% and polymyxin t sulphate 6,000 u per g		3.5 g OP	✓ Maxitrol
Eye drops 0.1% with neomycin sulphate 0.35% and polymyxir b sulphate 6,000 u per ml	n	5 ml OP	✓ Maxitrol
DICLOFENAC SODIUM ≰ Eye drops 0.1%		5 ml OP	 Voltaren Ophtha
LUOROMETHOLONE		•	
₭ Eye drops 0.1%	3.09	5 ml OP	✓ <u>FML</u>
EVOCABASTINE Eye drops 0.5 mg per ml	8.71 (10.34)	4 ml OP	Livostin
ODOXAMIDE			
Eye drops 0.1%	8.71	10 ml OP	 Lomide
PREDNISOLONE ACETATE ₭ Eye drops 1%		10 ml OP	Prednisolone-AFT
PREDNISOLONE SODIUM PHOSPHATE – Special Authority see Eye drops 0.5%, single dose (preservative free)	e SA1547 below	 Retail phate 20 dose 	armacy ✓ Minims Prednisolone
⇒SA1547 Special Authority for Subsidy nitial application only from an ophthalmologist. Approvals valid both:	for 6 months for	application	s meeting the following criteria:
Patient has severe inflammation; and Patient has a confirmed allergic reaction to preservative in	eve drops.		
Renewal from any relevant practitioner. Approvals valid for 6 more enefiting from treatment.	•	reatment rer	mains appropriate and the patient
ODIUM CROMOGLYCATE Eye drops 2%	0.85	5 ml OP	✓ <u>Rexacrom</u>
Glaucoma Preparations - Beta Blockers			
ETAXOLOL			
₭ Eye drops 0.25%		5 ml OP	 Betoptic S Betoptic
€ Eye drops 0.5% EVOBUNOLOL		5 ml OP	 Betoptic
E voBonoLoL ≰ Eye drops 0.5%	7.00	5 ml OP	✓ Betagan
IMOLOL			-
Eye drops 0.25% Arrow-Timolol to be Sole Supply on 1 October 2017	1.43	5 ml OP	 Arrow-Timolol
Eye drops 0.25%, gel forming		2.5 ml OP	
Figure 4 Eye drops 0.5%	1.43	5 ml OP	 Arrow-Timolol

	Subsidy (Manufacturer's I \$	Price) Subs Per	Fully Brand or idised Generic ✔ Manufacturer
Glaucoma Preparations - Carbonic Anhydrase Ir	hibitors		
ACETAZOLAMIDE			
 Tab 250 mg – For acetazolamide oral liquid formulation refer page 221 Diamox to be Sole Supply on 1 October 2017 	, 17.03	100	 Diamox
BRINZOLAMIDE ¥ Eye drops 1%	9.77	5 ml OP	✓ Azopt
DORZOLAMIDE HYDROCHLORIDE ₩ Eye drops 2%	0 77	5 ml OP	
	(17.44)	5111101	Trusopt
DORZOLAMIDE WITH TIMOLOL 兼 Eye drops 2% with timolol 0.5%	3.45	5 ml OP	✓ Arrow-Dortim
Glaucoma Preparations - Prostaglandin Analogu	ies		
BIMATOPROST	0.05	0 ml 00	
¥ Eye drops 0.03% ATANOPROST		3 ml OP	 Bimatoprost Actavis
₭ Eye drops 0.005%	1.50	2.5 ml OP	✓ <u>Hysite</u>
TRAVOPROST	40.50	0.5	
* Eye drops 0.004%		2.5 ml OP	 Travatan
Glaucoma Preparations - Other			
	4.00		
✤ Eye drops 0.2%		5 ml OP	 Arrow-Brimonidine
 Eye drops 0.2% with timolol maleate 0.5% 		5 ml OP	 Combigan
PILOCARPINE HYDROCHLORIDE			_
₭ Eye drops 1%		15 ml OP	Isopto Carpine
₭ Eye drops 2% ₭ Eye drops 4%		15 ml OP 15 ml OP	 ✓ Isopto Carpine ✓ Isopto Carpine
Subsidised for oral use pursuant to the Standard Formula		15 MI OP	 Isopio Carpine
✤ Eye drops 2% single dose – Special Authority see SA0895			
below – Retail pharmacy		20 dose	 Minims Pilocarpine
 SA0895 Special Authority for Subsidy nitial application from any relevant practitioner. Approvals valid Either: Patient has to use an unpreserved solution due to an allergy 	for 2 years for		eeting the following criteria:
2 Patient wears soft contact lenses.	trade" and are	not approved a	a chooial authority itama
Note: Minims for a general practice are considered to be "tools of Renewal from any relevant practitioner. Approvals valid for 2 yea benefiting from treatment.			
Maddatian and Analysis at a			

Mydriatics and Cycloplegics

ATROPINE SULPHATE

*	Eye drops 1%	15 ml OP	 Atropt 	
	Atropt to be Sole Supply on 1 October 2017			

‡ safety cap

▲ Three months supply may be dispensed at one time if endorsed "certified exemption" by the prescriber or pharmacist.

215

SENSORY ORGANS

*Three months or six months, as applicable, dispensed all-at-once if er

SENSORY ORGANS

	Subsidy (Manufacturer's Pri \$	ice) Subsi Per	Fully Brand or idised Generic ✓ Manufacturer
CYCLOPENTOLATE HYDROCHLORIDE * Eye drops 1% TROPICAMIDE	8.76	15 ml OP	✓ Cyclogyl
 * Eye drops 0.5% * Eye drops 1% 	7.15 8.66	15 ml OP 15 ml OP	MydriacylMydriacyl
Preparations for Tear Deficiency			
For acetylcysteine eye drops refer Standard Formulae, page 224 HYPROMELLOSE			
* Eye drops 0.5%	2.00 (3.92)	15 ml OP	Methopt
HYPROMELLOSE WITH DEXTRAN * Eye drops 0.3% with dextran 0.1% POLYVINYL ALCOHOL	2.30	15 ml OP	✓ Poly-Tears
* Eye drops 1.4% * Eye drops 3%	2.62 3.68	15 ml OP 15 ml OP	 ✓ <u>Vistil</u> ✓ <u>Vistil Forte</u>
Presenting Free Original states			

Preservative Free Ocular Lubricants

⇒SA1388 Special Authority for Subsidy

Initial application from any relevant practitioner. Approvals valid for 12 months for applications meeting the following criteria: Both:

- 1 Confirmed diagnosis by slit lamp of severe secretory dry eye; and
- 2 Either:
 - 2.1 Patient is using eye drops more than four times daily on a regular basis; or
 - 2.2 Patient has had a confirmed allergic reaction to preservative in eye drop.

Renewal from any relevant practitioner. Approvals valid for 24 months where the patient continues to require lubricating eye drops and has benefited from treatment.

	CARBOMER - Special Au	thority see SA1388 ab	ove – Retail pharmacy
--	-----------------------	-----------------------	-----------------------

	Ophthalmic gel 0.3%, 0.5	g8.25	30
--	--------------------------	-------	----

MACROGOL 400 AND PROPYLENE GLYCOL - Special Authority see SA1388 above - Retail pharmacy

SODIUM HYALURONATE [HYALURONIC ACID] - Special Authority see SA1388 above - Retail pharmacy

Other Eye Preparations

NAPHAZOLINE HYDROCHLORIDE * Eye drops 0.1%4.15	15 ml OP	 Naphcon Forte
OLOPATADINE Eye drops 0.1%13.60	5 ml OP	✓ Patanol
PARAFFIN LIQUID WITH SOFT WHITE PARAFFIN * Eye oint with soft white paraffin3.63	3.5 g OP	✓ Refresh Night Time
PARAFFIN LIQUID WITH WOOL FAT * Eye oint 3% with wool fat 3%	3.5 g OP	 Poly-Visc

Polv-Gel

	Subsidy (Manufactureria Driv	aa) <u>Cu</u>	Fully	Brand or
	(Manufacturer's Prio \$	ce) Su Per	bsidised ✓	Generic Manufacturer
Various				
PHARMACY SERVICES May only be claimed once per patient.		1 fee	✔ В	SF Apo-Paroxetine
(BSF Apo-Paroxetine Brand switch fee to be delisted 1 October	2017)			
Agents Used in the Treatment of Poisonings				
Antidotes				
ACETYLCYSTEINE – Retail pharmacy-Specialist Inj 200 mg per ml, 10 ml ampoule NALOXONE HYDROCHLORIDE a) Up to 5 inj available on a PSO	78.34	10	✓ <u>D</u>	BL Acetylcysteine
 b) Only on a PSO * Inj 400 mcg per ml, 1 ml ampoule 	18.81	5	∡ н	ospira
		5	• 11	ospila
Removal and Elimination				
CHARCOAL * Oral liq 50 g per 250 ml a) Up to 250 ml available on a PSO b) Only on a PSO	43.50	250 ml OP	√ c	arbosorb-X
DEFERASIROX – Special Authority see SA1492 below – Retai Wastage claimable – see rule 3.3.2 on page 13 Tab 125 mg dispersible		28	✓ E	xjade
Tab 250 mg dispersible	552.00	28	🗸 E	xjade
Tab 500 mg dispersible	1,105.00	28	✓ E	xjade
SA1492 Special Authority for Subsidy Initial application only from a haematologist. Approvals valid f All of the following:	for 2 years for applic	cations mee	eting the f	ollowing criteria:
 The patient has been diagnosed with chronic iron overlo Deferasirox is to be given at a daily dose not exceeding Any of the following: 		al inherited a	anaemia;	and
 3.1 Treatment with maximum tolerated doses of defection combination therapy have proven ineffective as no 3.2 Treatment with deferiprone has resulted in several 3.3 Treatment with deferiprone has resulted in arthrit 3.4 Treatment with deferiprone is contraindicated due count (ANC) of < 0.5 cells per μL) or recurrent eperation 	neasured by serum e persistent vomiting is; or e to a history of agra	ferritin leve g or diarrho anulocytosis	ls, liver or ea; or s (defined	cardiac MRI T2*; or as an absolute neutrophil
0.5 - 1.0 cells per μL).				
Renewal only from a haematologist. Approvals valid for 2 year: Either:	s for applications m	eeting the f	ollowing c	criteria:
 For the first renewal following 2 years of therapy, the treat improvement in all three parameters namely serum ferrit For subsequent renewals, the treatment has been tolera in all three parameters namely serum ferritin, cardiac MF 	in, cardiac MRI T2* ted and has resulted	and liver M d in clinical	IRI T2* lev stability o	vels; or
DEFERIPRONE – Special Authority see SA1480 on the next p	•			
Tab 500 mg Oral liq 100 mg per 1 ml		100 250 ml OP	-	erriprox erriprox
218 ✓ fully subsidised	©29 Unappro	oved medicin	e supplied	under Section 29

 Subsidy (Manufacturer's Price)	Subs	Fully sidised	Brand or Generic
 `\$	Per	1	Manufacturer

► SA1480 Special Authority for Subsidy

Initial application only from a haematologist. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Either:

- 1 The patient has been diagnosed with chronic iron overload due to congenital inherited anaemia; or
- 2 The patient has been diagnosed with chronic iron overload due to acquired red cell aplasia.

DESFERRIOXAMINE MESILATE

* Inj 500 mg vial	51.52	10	 Desferal
SODIUM CALCIUM EDETATE			
* Inj 200 mg per ml, 5 ml	53.31	6	
	(156.71)		Calcium Disodium Versenate

INTRODUCTION

The following extemporaneously compounded products are eligible for subsidy:

- The "Standard Formulae".
- Oral liquid mixtures for patients unable to swallow subsidised solid dose oral formulations.
- The preparation of syringe drivers when prescribed by a general practitioner.
- Dermatological preparations
 - a) One or more subsidised dermatological galenical(s) in a subsidised dermatological base.
 - b) Dilution of proprietary Topical Corticosteroid-Plain preparations with a dermatological base (Retail pharmacy-Specialist).

Glossary

Dermatological base: The products listed in the Barrier creams and Emollients section and the Topical Corticosteroids-Plain section of the Pharmaceutical Schedule are classified as dermatological bases for the purposes of extemporaneous compounding and are the bases to which the dermatological galenicals can be added. Also the dermatological bases in the Barrier Creams and Emollients section of the Pharmaceutical Schedule can be used for diluting proprietary Topical Corticosteroid-Plain preparations. The following products are dermatological bases:

- Aqueous cream
- Cetomacrogol cream BP
- Collodion flexible
- Emulsifying ointment BP
- · Hydrocortisone with wool fat and mineral oil lotion
- Oil in water emulsion
- Urea cream 10%
- White soft paraffin
- Wool fat with mineral oil lotion
- · Zinc and castor oil ointment BP
- Proprietary Topical Corticosteroid-Plain preparations

Dermatological galenical: Dermatological galenicals will only be subsidised when added to a dermatological base. More than one dermatological galenical can be added to a dermatological base.

The following are dermatological galenicals:

- Coal tar solution up to 10%
- Hydrocortisone powder up to 5%
- Menthol crystals
- Salicylic acid powder
- Sulphur precipitated powder

Standard formulae: Standard formulae are a list of fomulae for ECPs that are subsidised. Their ingredients are listed under the appropriate therapeutic heading in Section B of the Pharmaceutical Schedule and also in Section C.

Explanatory notes

Oral liquid mixtures

Oral liquid mixtures are subsidised for patients unable to swallow subsidised solid oral dose forms where no suitable alternative proprietary formulation is subsidised. Suitable alternatives include dispersible and sublingual formulations, oral liquid formulations or rectal formulations. Before extemporaneously compounding an oral liquid mixture, other alternatives such as dispersing the solid dose form (if appropriate) or crushing the solid dose form in jam, honey or soft foods such as voghurt should be explored. The Emixt website www.pharminfotech.co.nz has evidence-based formulations which are intended to standardise compounded oral liquids within New Zealand.

Pharmaceuticals with standardised formula for compounding in Ora products

- Acetazolamide 25 mg/ml Allopurinol 20 mg/ml Amlodipine 1 mg/ml Azathioprine 50 mg/ml Baclofen 10 mg/ml Carvedilol 1 mg/ml Clopidogrel 5 mg/ml Diltiazem hydrochloride 12 mg/ml Dipyridamole 10 mg/ml Domperidone 1 mg/ml Enalapril 1 mg/ml
- Flecainide 20 mg/ml Gabapentin 100 mg/ml Hydrocortisone 1 mg/ml Labetolol 10 mg/ml Levetiracetam 100 mg/ml Levodopa with carbidopa (5 mg levodopa + 1.25 mg carbidopa)/ml Metoclopramide 1 mg/ml Metoprolol tartrate 10 mg/ml Nitrofurantoin 10 mg/ml Pyrazinamide 100 mg/ml
- Rifabutin 20 mg/ml Sildenafil 2 mg/ml Sotalol 5 mg/ml Sulphasalazine 100 mg/ml Tacrolimus 1 mg/ml Terbinafine 25 mg/ml Tramadol 10 mg/ml Ursodeoxycholic acid 50 mg/ml Valganciclovir 60 mg/ml* Verapamil hydrochloride 50 mg/ml

qs

*Note this is a DCS formulation

PHARMAC endorses the recommendations of the Emixt website and encourages New Zealand pharmacists to use these formulations when compounding is appropriate. The Emixt website also provides stability and expiry data for compounded products. For the majority of products compounded with Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet or Ora-Sweet SF a four week expiry is appropriate.

Please note that no oral liquid mixture will be eligible for Subsidy unless all the requirements of Section B and C of the Schedule applicable to that pharmaceutical are met.

Some community pharmacies may not have appropriate equipment to compound all of the listed products, please use appropriate clinical iudgement.

Subsidy for extemporaneously compounded oral liquid mixtures is based on:

Solid dose form	qs
Preservative	qs
Suspending agent	qs
Water	to 100%

or

Solid dose form Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF to 100%

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients such as flavouring and colouring agents, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

The majority of extemporaneously compounded oral liquid mixtures should contain a preservative and suspending agent.

- Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and Ora-Sweet SF when used correctly are an appropriate preservative and suspending agent.
- Methylcellulose 3% is considered a suitable suspending agent and compound hydroxybenzoate solution or methyl hydroxybenzoate 10% solution are considered to be suitable preservatives. Usually 1 ml of these preservative solutions is added to 100 ml of oral liquid mixture.

Some solid oral dose forms are not appropriate for compounding into oral liquid mixtures and should therefore not be used/considered for extemporaneously compounded oral liquid mixtures. This includes long-acting solid dose formulations, enteric coated tablets or capsules, sugar coated tablets, hard gelatin capsules and chemotherapeutic agents.

The following practices will not be subsidised:

- Where a Standard Formula exists in the Pharmaceutical Schedule for a solid dose form, compounding the solid dose form in Ora-Blend, Ora-Blend SF, Ora-Plus, Ora-Sweet and/or Ora-Sweet SF.
- Mixing one or more proprietary oral liquids (eg an antihistamine with pholcodine linctus).
- Extemporaneously compounding an oral liquid with more than one solid dose chemical.
- · Mixing more than one extemporaneously compounded oral liquid mixture.
- · Mixing one or more extemporaneously compounded oral liquid mixtures with one or more proprietary oral liquids.
- The addition of a chemical/powder/agent/solution to a proprietary oral liquid or extemporaneously compounded oral mixture.

Standard formulae

A list of standard formulae is contained in this section. All ingredients associated with a standard formula will be subsidised and an appropriate compounding fee paid.

Prescribers may prescribe or pharmacists may add extra non-subsidised ingredients, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid.

Dermatological Preparations

Proprietary topical corticosteroid preparations may be diluted with a dermatological base (see page 220) from the Barrier Creams and Emollients section of the Pharmaceutical Schedule (Retail pharmacy-Specialist). Dilution of proprietary topical corticosteroid preparations should only be prescribed for withdrawing patients off higher strength proprietary topical corticosteroid products where there is no suitable proprietary product of a lower strength available or an extemporaneously compounded product with up to 5% hydrocortisone is not appropriate. (In general proprietary topical corticosteroid preparations should not be diluted because dilution effects can be unpredictable and may not be linear, and usually there is no stability data available for diluted products). One or more dermatological galenicals may be added to a dermatological base (including proprietary, but these extra ingredients will not be reimbursed. The subsidised ingredients in the formula will be reimbursed and a compounding fee paid. The addition of dermatological galenicals to diluted proprietary Topical Corticosteroids-Plain will not be subsidised. The flow diagram on the next page may assist you in deciding whether or not a dermatological ECP is subsidised.





Standard Formulae

ACETYLCYSTEINE EYE DROPS Acetylcysteine inj 200 mg per ml, 10 ml Suitable eye drop base	qs qs	PHENOBARBITONE ORAL LIQUID Phenobarbitone Sodium Glycerol BP Water	1 g 70 ml to 100 ml
ASPIRIN AND CHLOROFORM APPLICATION Aspirin Soluble tabs 300 mg Chloroform	12 tabs to 100 ml	PHENOBARBITONE SODIUM PAEDIATRIC ORAL mg per ml) Phenobarbitone Sodium	LIQUID (10 400 mg
CODEINE LINCTUS PAEDIATRIC (3 mg per 5 ml) Codeine phosphate Glycerol Preservative	60 mg 40 ml qs	Glycerol BP Water PILOCARPINE ORAL LIQUID	4 ml to 40 ml
Water CODEINE LINCTUS DIABETIC (15 mg per 5 ml) Codeine phosphate Glycerol Preservative	to 100 ml 300 mg 40 ml	Pilocarpine 4% eye drops Preservative Water (Preservative should be used if quantity supplied is than 5 days.)	qs qs to 500 ml for more
Water	qs to 100 ml	SALIVA SUBSTITUTE FORMULA Methylcellulose	5 g
FOLINIC MOUTHWASH Calcium folinate 15 mg tab Preservative Water	1 tab qs to 500 ml	Preservative Water (Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	qs to 500 ml for more
(Preservative should be used if quantity supplied is than 5 days. Maximum 500 ml per prescription.)	for more	SODIUM CHLORIDE ORAL LIQUID Sodium chloride inj 23.4%, 20 ml	qs
MAGNESIUM HYDROXIDE 8% MIXTURE Magnesium hydroxide paste 29% Methyl hydroxybenzoate	275 g 1.5 g	Water (Only funded if prescribed for treatment of hyponatra	qs
Water METHADONE MIXTURE Methadone powder	to 1,000 m qs	I VANCOMYCIN ORAL SOLUTION (50 mg per ml) Vancomycin 500 mg injection Glycerol BP Water	10 vials 40 ml to 100 ml
Glycerol Water	qs to 100 ml	(Only funded if prescribed for treatment of Clostridiu following metronidazole failure)	
METHYL HYDROXYBENZOATE 10% SOLUTION Methyl hydroxybenzoate Propylene glycol (Use 1 ml of the 10% solution per 100 ml of oral liqu	10 g to 100 ml id mixture)	VOSOL EAR DROPS WITH HYDROCORTISONE POWDER 1% Hydrocortisone powder Vosol Ear Drops	1% to 35 ml
OMEPRAZOLE SUSPENSION Omeprazole capules or powder Sodium bicarbonate powder BP Water	qs 8.4 g to 100 ml		

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy		Fully Brand or
	(Manufacturer's P	rice) Sub: Per	sidised Generic Manufacturer
	φ	rei	
Extemporaneously Compounded Preparations	and Galenica	ls	
BENZOIN			
Tincture compound BP	24.42	500 ml	
	(39.90)		Pharmacy Health
	2.44	50 ml	Dharmany Llasth
	(5.10)		Pharmacy Health
CHLOROFORM – Only in combination			
Only in aspirin and chloroform application. Chloroform BP	25 50	500 ml	✓ PSM
			V PSW
CODEINE PHOSPHATE – Safety medicine; prescriber may det			
Powder – Only in combination	(90.09)	25 g	Douglas
a) Only in extemporaneously compounded codeine linc	· · ·	daina linctus r	v
b)‡ Safety cap for extemporaneously compounded codeline inc			
COLLODION FLEXIBLE			
Collodion flexible		100 ml	✓ PSM
COMPOUND HYDROXYBENZOATE – Only in combination			
Only in extemporaneously compounded oral mixtures.			
Soln		100 ml	✓ Midwest
	34.18		 David Craig
GLYCERIN WITH SODIUM SACCHARIN - Only in combination			-
Only in combination with Ora-Plus.			
Suspension		473 ml	 Ora-Sweet SF
GLYCERIN WITH SUCROSE - Only in combination			
Only in combination with Ora-Plus.			
Suspension		473 ml	 Ora-Sweet
GLYCEROL			
* Liquid – Only in combination	3.28	500 ml	 healthE Glycerol BP
 a) Only in extemporaneously compounded oral liquid p 			
b) healthE Glycerol BP to be Sole Supply on 1 October	2017		
MAGNESIUM HYDROXIDE			
Paste 29%	22.61	500 g	✓ PSM
METHADONE HYDROCHLORIDE			
 a) Only on a controlled drug form 			
b) No patient co-payment payable			
c) Safety medicine; prescriber may determine dispensing fr			a a sea a tha sea a sea lla bha
 d) Extemporaneously compounded methadone will only be (methadone powder, not methadone tablets). 	reimbursed at the	e rate of the cr	leapest form available
Powder	7 84	1 g	🗸 AFT
‡ Safety cap for extemporaneously compounded oral liqu		' y	
METHYL HYDROXYBENZOATE			
Powder		25 g	✓ PSM
	8.98		✓ Midwest
METHYLCELLULOSE			
Powder		100 g	✓ MidWest
Suspension – Only in combination		473 ml	✓ Ora-Plus
-			

*Three months or six months, as applicable, dispensed all-at-once

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

	Subsidy (Manufacturer's Pric \$	e) Sul Per	Fully bsidised	Brand or Generic Manufacturer
METHYLCELLULOSE WITH GLYCERIN AND SODIUM SACCH.	ARIN - Only in co	mbination		
Suspension	32.50	473 ml	√ 0	ra-Blend SF
METHYLCELLULOSE WITH GLYCERIN AND SUCROSE - Onl	y in combination			
Suspension		473 ml	√ 0	ra-Blend
PHENOBARBITONE SODIUM				
Powder – Only in combination		10 g	🗸 М	idWest
	325.00	100 g	🗸 М	idWest
 a) Only in children up to 12 years b)‡ Safety cap for extemporaneously compounded oral I 	iquid preparations.			
PROPYLENE GLYCOL				
Only in extemporaneously compounded methyl hydroxybenz	oate 10% solution.			
Liq		500 ml	🗸 М	idwest
SODIUM BICARBONATE				
Powder BP – Only in combination	8.95 9.80	500 g	✔ М	idwest
	(29.50)		D	avid Craig
Only in extemporaneously compounded omeprazole and	l lansoprazole susp	pension.		-
SYRUP (PHARMACEUTICAL GRADE) – Only in combination Only in extemporaneously compounded oral liquid preparation	ons.			
Liq WATER		2,000 ml	✓ M	idwest
Tap – Only in combination	0.00	1 ml	🗸 Ta	ap water

EXPLANATORY NOTES

The list of special foods to which Subsidies apply is contained in this section. The list of available products, guidelines for use, subsidies and charges is reviewed as required. Applications for new listings and changes to subsidies and access criteria will be considered by the special foods sub-committee of PTAC which meets as and when required. In all cases, subsidies are available by Special Authority only. This means that, unless a patient has a valid Special Authority number for their special food requirements, they must pay the full cost of the products themselves.

Eligibility for Special Authority

Special Authorities will be approved for patients meeting conditions specified under the *Conditions and Guidelines* for each product. In some cases there are also limits to how products can be prescribed (for example quantity, use or duration). Only those brands, presentations and flavours of special foods listed in this section are subsidised.

Who can apply for Special Authority?

 Initial Applications:
 Only from a dietitian, relevant specialist or a vocationally registered general practitioner.

 Reapplications:
 Only from a dietitian, relevant specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or a vocationally registered general practitioners.

 with the specialist or a vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioners.

 with the specialist or a vocationally registered general practitioner or the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

All applications must be made on an official form available from the PHARMAC website www.pharmac.govt.nz. All applications must include specific details as requested on the form relating to the application. Applications must be forwarded to:

Ministry of Health Sector Services Private Bag 3015 WHANGANUI 4540 Freefax 0800 100 131

Subsidies and manufacturer's surcharges

The Subsidies for some special foods are based on the lowest priced product within each group. Where this is so, or where special foods are otherwise not fully subsidised, a manufacturer's surcharge may be payable by the patient. The manufacturer's surcharge is the difference between the price of the product and the subsidy attached to it and may be subject to mark-ups applied at a pharmacy level. As a result the manufacturer's surcharge may vary. Fully subsidised alternatives are available in most cases (as indicated by a tick in the left hand column). Patients should only have to pay a co-payment on these products.

Where are special foods available from?

Distribution arrangements for special foods vary from region to region. Special foods are available from hospital pharmacies providing an outpatient dispensing service as well as retail pharmacies in the Northern, Midland and Central (including Nelson and Blenheim) regions.

Definitions

 Failure to thrive
 An inability to gain or maintain weight resulting in physiological impairment.

 Growth deficiency
 Where the weight of the child is less than the fifth or possibly third percentile for their age, with evidence of malnutrition.

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	✓	Manufacturer

Nutrient Modules

Carbohydrate

⇒SA1522 Special Authority for Subsidy

Initial application — (Cystic fibrosis or kidney disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Fither:

- 1 cystic fibrosis; or
- 2 chronic kidney disease.

Initial application — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 cancer in children; or
- 2 cancers affecting alimentary tract where there are malabsorption problems in patients over the age of 20 years; or
- 3 faltering growth in an infant/child; or
- 4 bronchopulmonary dysplasia; or
- 5 premature and post premature infant; or
- 6 inborn errors of metabolism; or
- 7 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Cystic fibrosis or renal failure)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis or renal failure) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Carbohydrate And Fat

⇒SA1376 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Both:

continued...

 Subsidy (Manufacturer's Price)	Ful Subsidise		Brand or Generic
\$	Per •	/	Manufacturer

- 1 Infant or child aged four years or under; and
- 2 cystic fibrosis.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 infant or child aged four years or under; and
- 2 Any of the following:
 - 2.1 cancer in children; or
 - 2.2 faltering growth; or

2.3 bronchopulmonary dysplasia; or

2.4 premature and post premature infants.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CARBOHYDRATE AND FAT SU	UPPLEMENT - Special Author	ity see SA1376 on t	he previous pag	ge -	Hospital pharmacy [HP3]
Powder (neutral)			400 g OP	1	Duocal Super
			-		Soluble Powder

Fat

⇒SA1523 Special Authority for Subsidy

Initial application — (Inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient has inborn errors of metabolism.

Initial application — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 faltering growth in an infant/child; or
- 2 bronchopulmonary dysplasia; or
- 3 fat malabsorption; or
- 4 lymphangiectasia; or
- 5 short bowel syndrome; or
- 6 infants with necrotising enterocolitis; or
- 7 biliary atresia; or
- 8 for use in a ketogenic diet; or
- 9 chyle leak; or

continued...

Subsidy	Fully		Brand or
(Manufacturer's Price)	Subsidised		Generic
 \$	Per	1	

- 10 ascites; or
- 11 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal — (Inborn errors of metabolism)** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: Patho

- Both:
 - 1 The treatment remains appropriate and the patient is benefiting from treatment; and
 - 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than inborn errors of metabolism) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Emulsion (neutral)		200 ml OP	 Calogen
	30.75	500 ml OP	 Calogen
Emulsion (strawberry)		200 ml OP	 Calogen
Oil		500 ml OP	 MCT oil (Nutricia)
Oil, 250 ml	114.92	4 OP	🗸 Liquigen

Protein

⇒SA1524 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 protein losing enteropathy; or
- 2 high protein needs; or
- 3 for use as a component in a modular formula made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule or breast milk.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PROTEIN SUPPLEMENT - Special Authority see SA1524 above -	Hospital pha	rmacy [HP3]	
Powder	7.90	225 g OP	🗸 Pro
	8.95	227 g OP	🗸 Res
		U U	

Protifar
 Resource
 Beneprotein

Subsidy (Manufacturer's Price)

¢

Fully Subsidised

Per

Generic Manufacturer

Brand or

Oral Supplements/Complete Diet (Nasogastric/Gastrostomy Tube Feed)

Respiratory Products

⇒SA1094 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has CORD and hypercapnia, defined as a CO2 value exceeding 55 mmHg.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

CORD ORAL FEED 1.5KCAL/ML - Special Authority	see SA1094 above – Hosp	ital pharmacy [I	HP3]
Liquid	1.66	237 ml OP	Pulmocare

Diabetic Products

⇒SA1095 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is a type I or and II diabetic who is suffering weight loss and malnutrition that requires nutritional support. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

DIABETIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1095 above – Liquid	- Hospital pharm 1,000 ml OP	nacy [HP3] ✓ Diason RTH ✓ Glucerna Select RTH
DIABETIC ORAL FEED 1KCAL/ML - Special Authority see SA1095 above - Hot	spital pharmacy	[HP3]
Liquid (strawberry)1.50	200 ml OP	✓ Diasip
Liquid (vanilla)	200 ml OP	✓ Diasip
1.88	250 ml OP	 Glucerna Select
1.78	237 ml OP	
(2.10)		Resource Diabetic
(2.10)		Sustagen Diabetic

(Ma	Subsidy anufacturer's Price)	Subs	Fully	Brand or Generic
Υ.	\$	Per	1	Manufacturer

Fat Modified Products

⇒SA1525 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Any of the following:

- 1 Patient has metabolic disorders of fat metabolism; or
- 2 Patient has a chyle leak; or
- 3 Modified as a modular feed, made from at least one nutrient module and at least one further product listed in Section D of the Pharmaceutical Schedule, for adults.

Note: Patients are required to meet any Special Authority criteria associated with all of the products used in the modular formula. **Renewal** only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

FAT MODIFIED FEED	- Special Authority see SA1525	above - Hospital pharma	acy [HP3]		
Powder		60.48	400 g OP	 I 	Monogen

Paediatric Products For Children Awaiting Liver Transplant

⇒SA1098 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) who requires a liver transplant.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Paediatric Products For Children With Chronic Renal Failure

⇒SA1099 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years where the patient is a child (up to 18 years) with acute or chronic kidney disease.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy		Fully	Brand or	
	(Manufacturer's Price)	Subsidised	Generic	
	\$	Per	· 1	Manufacturer	
ENTERAL/ORAL FEED 1KCAL/ML - Special Authority see SA10					
Liquid		100 g (ор 🗸	Kindergen	

SPECIAL FOODS

Paediatric Products

⇒SA1379 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 Child is aged one to ten years; and
- 2 Any of the following:
 - 2.1 the child is being fed via a tube or a tube is to be inserted for the purposes of feeding; or
 - 2.2 any condition causing malabsorption; or
 - 2.3 faltering growth in an infant/child; or
 - 2.4 increased nutritional requirements; or
 - 2.5 the child is being transitioned from TPN or tube feeding to oral feeding.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED 1.5KCAL/ML – Special Authority see SA137 Liquid		acy [HP3] Nutrini Energy RTH
PAEDIATRIC ENTERAL FEED 1KCAL/ML – Special Authority see SA1379 Liquid	8 500 ml OP 🖌 🗸 I	cy [HP3] Nutrini RTH Pediasure RTH
PAEDIATRIC ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Author Liquid		lospital pharmacy [HP3] Nutrini Energy Multi Fibre
PAEDIATRIC ORAL FEED – Special Authority see SA1379 above – Hospita Powder (vanilla)		Pediasure
PAEDIATRIC ORAL FEED 1.5KCAL/ML – Special Authority see SA1379 at Liquid (strawberry)	0 200 ml OP 🖌 l	[HP3] Fortini Fortini
PAEDIATRIC ORAL FEED 1KCAL/ML – Special Authority see SA1379 abo Liquid (chocolate)	ve – Hospital pharmacy [H 7 200 ml OP ✓ I 7 200 ml OP ✓ I 7 200 ml OP ✓ I 7 200 ml OP ✓ I	IP3] Pediasure Pediasure Pediasure Pediasure
PAEDIATRIC ORAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority s Liquid (chocolate)	0 200 ml OP ✓ l 0 200 ml OP ✓ l	tal pharmacy [HP3] Fortini Multi Fibre Fortini Multi Fibre Fortini Multi Fibre
PEPTIDE-BASED ORAL FEED – Special Authority see SA1379 above – Ho Powder		Peptamen Junior

	Subsidy (Manufacturer's Price) \$	Subsidis	ully Brand or ed Generic Manufacturer
Renal Products			
SA1101 Special Authority for Subsidy nitial application only from a dietitian, relevant specialist or rears where the patient has acute or chronic kidney disease. Renewal only from a dietitian, relevant specialist, vocationally ecommendation of a dietitian, relevant specialist or vocational applications meeting the following criteria: Both:	/ registered general prac	titioner or gen	eral practitioner on the
 The treatment remains appropriate and the patient is the General Practitioners must include the name of the die practitioner and date contacted. 	0	,	ly registered general
RENAL ENTERAL FEED 1.8 KCAL/ML – Special Authority s			
Liquid			Nepro HP RTH
Liquid RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see S Liquid		20 ml OP	•
RENAL ORAL FEED 1.8 KCAL/ML – Special Authority see S	2.67 2: 1101 above – Hospital p	20 ml OP	P3] Vepro HP (strawberry) Vepro HP (vanilla)

Specialised And Elemental Products

⇒SA1377 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 malabsorption; or
- 2 short bowel syndrome; or
- 3 enterocutaneous fistulas; or
- 4 eosinophilic oesophagitis; or
- 5 inflammatory bowel disease; or
- 6 patients with multiple food allergies requiring enteral feeding.

Notes: Each of these products is highly specialised and would be prescribed only by an expert for a specific disorder. The alternative is hospitalisation.

Elemental 028 Extra is more expensive than other products listed in this section and should only be used where the alternatives have been tried first and/or are unsuitable.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

	Subsidy (Manufacturer's \$		Fully dised	Brand or Generic Manufacturer
ENTERAL/ORAL ELEMENTAL FEED 1KCAL/ML – Special Aut [HP3] Powder	2	77 on the previou 76 g OP	ıs page ✔ AI	
ENTERAL/ORAL SEMI-ELEMENTAL FEED 1.5KCAL/ML – Spe pharmacy [HP3] Liquid		ee SA1377 on the 1,000 ml OP	e previc ✓ Vi	
ORAL ELEMENTAL FEED 0.8KCAL/ML – Special Authority see Liquid (grapefruit), 250 ml carton Liquid (pineapple & orange), 250 ml carton Liquid (summer fruits), 250 ml carton	171.00 171.00	previous page – 18 OP 18 OP 18 OP 18 OP	✓ EI ✓ EI	al pharmacy [HP3] emental 028 Extra emental 028 Extra emental 028 Extra
ORAL ELEMENTAL FEED 1KCAL/ML – Special Authority see Powder (unflavoured)		revious page – H 80 g OP	· · ·	pharmacy [HP3] vonex TEN
SEMI-ELEMENTAL ENTERAL FEED 1KCAL/ML – Special Aut [HP3] Liquid		77 on the previou 1,000 ml OP		– Hospital pharmacy eptisorb

Paediatric Products For Children With Low Energy Requirements

⇒SA1196 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 Child aged one to eight years; and
- 2 The child has a low energy requirement but normal protein and micronutrient requirements.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

PAEDIATRIC ENTERAL FEED WITH FIBRE 0.76 KCAL/ML	- Special Authority	see SA1196 a	above -	- Hospital pharmacy [HP3]
Liquid	4.00	500 ml OP	✓	Nutrini Low Energy
				Multi Fibre

Standard Supplements

⇒SA1554 Special Authority for Subsidy

Initial application — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

All of the following:

- 1 The patient is under 18 years of age; and
- 2 Any of the following:

continued...

SPECIAL FOODS

fully subsidised

Subsidy		Fully	Brand or	
(Manufacturer's Price)	S	Subsidised	Generic	
\$	Per	1	Manufacturer	

- 2.1 The patient has a condition causing malabsorption; or
- 2.2 The patient has failure to thrive; or
- 2.3 The patient has increased nutritional requirements; and
- 3 Nutrition goal has been set (eg reach a specific weight or BMI).

Renewal — (Children - indications other than exclusive enteral nutrition for Crohn's disease) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 The treatment remains appropriate and the patient is benefiting from treatment; and
- 3 A nutrition goal has been set (eg reach a specific weight or BMI).

Initial application — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist or dietitian on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 Dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Renewal — (Children - exclusive enteral nutrition for Crohn's disease) only from a gastroenterologist, dietitian on the recommendation of a gastroenterologist or vocationally registered general practitioner on the recommendation of a gastroenterologist. Approvals valid for 3 months for applications meeting the following criteria: All of the following:

- 1 The patient is under 18 years of age; and
- 2 It is to be used as exclusive enteral nutrition for the treatment of Crohn's disease; and
- 3 General Practitioners and dietitians must include the name of the gastroenterologist recommending treatment and the date the gastroenterologist was contacted.

Initial application — (Adults) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 months for applications meeting the following criteria:

All of the following:

- 1 Any of the following:
 - Patient is Malnourished
 - 1.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
 - 1.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
 - 1.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months; and
- 2 Any of the following:
 - Patient has not responded to first-line dietary measures over a 4 week period by:
 - 2.1 Increasing their food intake frequency (eg snacks between meals); or
 - 2.2 Using high-energy foods (e.g. milkshakes, full fat milk, butter, cream, cheese, sugar etc); or
 - 2.3 Using over the counter supplements (e.g. Complan); and
- 3 A nutrition goal has been set (e.g. to reach a specific weight or BMI).

Renewal — (Adults) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

- 1 A nutrition goal has been set (eg reach a specific weight or BMI); and
- 2 Any of the following:

Subsidy		Fully	Brand or	
(Manufacturer's Price)	Sub	sidised	Generic	
\$	Per	~	Manufacturer	

- Patient is Malnourished
- 2.1 Patient has a body mass index (BMI) of less than 18.5 kg/m²; or
- 2.2 Patient has unintentional weight loss greater than 10% within the last 3-6 months; or
- 2.3 Patient has a BMI of less than 20 kg/m² and unintentional weight loss greater than 5% within the last 3-6 months.

Initial application — (Short-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- - 1 Is being fed via a nasogastric tube or a nasogastric tube is to be inserted for feeding; or
 - 2 Malignancy and is considered likely to develop malnutrition as a result; or
 - 3 Is undergoing a bone marrow transplant; or
 - 4 Tempomandibular surgery or glossectomy; or
 - 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Renewal — (Short-term medical condition) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a nasogastric tube; or
- 2 Malignancy and is considered likely to develop malnutrition as a result; or
- 3 Has undergone a bone marrow transplant; or
- 4 Tempomandibular surgery or glossectomy; or
- 5 Both:
 - 5.1 Pregnant; and
 - 5.2 Any of the following:
 - 5.2.1 Patient is in early pregnancy (< 13 weeks) and has severe clinical hyperemesis gravidarum requiring admission to hospital and is unlikely to meet her nutritional requirements due to continuing hyperemesis gravidarum; or</p>
 - 5.2.2 Patient has clinical hyperemesis gravidarum continuing past 13 weeks and either there is concern that the patient is unlikely to meet the Institute of Medicine's (1990) recommended weight gain guidelines for pregnancy or the patient's weight has not increased past her booking/pre-pregnancy weight; or
 - 5.2.3 Patient is having multiple births and is under the care of an obstetric team who consider the nutritional needs of the patient are not being met.

Initial application — (Long-term medical condition) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria: Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or

continued...

Subsidy (Manufacturer's Price)	Sub	Fully	Brand or Generic
\$	Per	1	Manufacturer

- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions; or
- 10 Epidermolysis bullosa; or
- 11 AIDS (CD4 count < 200 cells/mm³); or
- 12 Chronic pancreatitis.

Renewal - (Chronic disease OR tube feeding for patients who have previously been funded under Special Authority

forms SA0702 or SA0583) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Is being fed via a tube or a tube is to be inserted for the purpose of feeding (not nasogastric tube refer to specific medical condition criteria); or
- 2 Cystic Fibrosis; or
- 3 Liver disease; or
- 4 Chronic Renal failure; or
- 5 Inflammatory bowel disease; or
- 6 Chronic obstructive pulmonary disease with hypercapnia; or
- 7 Short bowel syndrome; or
- 8 Bowel fistula; or
- 9 Severe chronic neurological conditions.

9 Severe chronic neurological conditions.		
ENTERAL FEED 1.5KCAL/ML – Special Authority see SA1554 on page Liquid	ospital pharmac 1,000 ml OP	y [HP3] ✓ Nutrison Energy
ENTERAL FEED 1KCAL/ML – Special Authority see SA1554 on page 2 Liquid	pital pharmacy 250 ml OP 1,000 ml OP	✓ Isosource Standard
ENTERAL FEED WITH FIBRE 0.83 KCAL/ML – Special Authority see S Liquid	n page 235 – Ho 1,000 ml OP	ospital pharmacy [HP3] Vutrison 800 Complete Multi Fibre
ENTERAL FEED WITH FIBRE 1 KCAL/ML – Special Authority see SA1 Liquid	 age 235 – Hosp 1,000 ml OP	ital pharmacy [HP3] ✓ Jevity RTH ✓ Nutrison Multi Fibre
ENTERAL FEED WITH FIBRE 1.5KCAL/ML – Special Authority see SA Liquid	page 235 – Hos 250 ml OP 1,000 ml OP	 Ensure Plus HN

			-	
	Subsidy		Fully	Brand or
	(Manufacturer's I \$	Price) S Per	ubsidised	Generic Manufacturer
	*	-		Manulacturei
ORAL FEED (POWDER) – Special Authority see SA1554 on page Note: Higher subsidy for Sustagen Hospital Formula will only number and an appropriately endorsed prescription.				a valid Special Authority
Powder (chocolate) – Higher subsidy of up to \$26.00 per 850	Эg			
with Endorsement		850 g OF 840 g OF		Ensure
	(14.90)	040 9 01		Sustagen Hospital Formula
Additional subsidy by endorsement is available for patier prescription must be endorsed accordingly.	its with fat mala	bsorption, fa	t intolerar	
Powder (vanilla) – Higher subsidy of up to \$26.00 per 850 g				
with Endorsement		350 g OP	• √ F	Fortisip
	26.00	850 g OP	✓ E	Ensure
	9.54	840 g OP)	
	(14.90)	-	ę	Sustagen Hospital Formula
Additional subsidy by endorsement is available for patier prescription must be endorsed accordingly.	its with fat mala	bsorption, fa	t intolerar	
ORAL FEED 1.5KCAL/ML – Special Authority see SA1554 on pa Additional subsidy by endorsement is available for patients by	eing bolus fed tl	hrough a fee	ding tube,	
epidermolysis bullosa, or as exclusive enteral nutrition in child	dren under the a	age of 18 yea	ars for the	treatment of Cronn's
disease. The prescription must be endorsed accordingly. Liquid (banana) – Higher subsidy of \$1.26 per 200 ml with				
Elquid (barlana) – Higher subsidy of \$1.26 per 200 mil with Endorsement	0.72	200 ml Of	5	
	(1.26)	200 111 01		Ensure Plus
	(1.26)		-	Fortisip
Liquid (chocolate) - Higher subsidy of \$1.26 per 200 ml with	· · ·			oracip
Endorsement		200 ml Of	c	
	(1.26)		E	Ensure Plus
	(1.26)		F	Fortisip
Liquid (fruit of the forest) – Higher subsidy of \$1.26 per 200 r	ml			
with Endorsement		200 ml Of	C	
	(1.26)		E	Ensure Plus
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with	า			
Endorsement	0.72	200 ml Of	D	
	(1.26) (1.26)			Ensure Plus Fortisip
Liquid (vanilla) - Higher subsidy of up to \$1.33 per 237 ml w				
Endorsement		237 ml Of	c	
	(1.33)			Ensure Plus
	0.72	200 ml Of		
	(1.26)		E	Ensure Plus
	(1.26)		F	Fortisip

SPECIAL FOODS

	Subsidy (Manufacturer's F \$	Price) Sub Per	Fully osidised	Brand or Generic Manufacturer
ORAL FEED WITH FIBRE 1.5 KCAL/ML – Special Authority see Additional subsidy by endorsement is available for patients b epidermolysis bullosa. The prescription must be endorsed av Liguid (chocolate) – Higher subsidy of \$1.26 per 200 ml with	eing bolus fed th ccordingly.			
Endorsement		200 ml OP	F	ortisip Multi Fibre
Liquid (strawberry) – Higher subsidy of \$1.26 per 200 ml with Endorsement		200 ml OP		
Liquid (vanilla) – Higher subsidy of \$1.26 per 200 ml with	(1.26)		F	ortisip Multi Fibre
Endorsement	0.72 (1.26)	200 ml OP	F	ortisip Multi Fibre

High Calorie Products

⇒SA1195 Special Authority for Subsidy

Initial application — (Cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria: All of the following:

- 1 Cystic fibrosis; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements.

Initial application — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: All of the following:

- 1 Any of the following:
 - 1.1 any condition causing malabsorption; or
 - 1.2 faltering growth in an infant/child; or
 - 1.3 increased nutritional requirements; or
 - 1.4 fluid restricted; and
- 2 other lower calorie products have been tried; and
- 3 patient has substantially increased metabolic requirements or is fluid restricted.

Renewal — (Cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 3 years for applications meeting the following criteria:

Both:

240

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Renewal — (Indications other than cystic fibrosis) only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

ENTERAL FEED 2 KCAL/ML – Special Authority see SA1195 a	bove – Hospital	pharmacy [HP3]	
Liquid	5.50	500 ml OP	 Nutrison
			Concentrated
	11.00	1.000 ml OP	🖌 Two Cal HN RTH
		,	

no longer considering the listing of new products, or making subsidy anticipate that the range of funded items will reduce over time. Man	, or other ch	anges to the existir	ng listings. As a result we
necessary for good outcomes. A range of gluten free options are av	0		
► SA1107 Special Authority for Subsidy			
Initial application only from a dietitian, relevant specialist or vocation further renewal unless notified for applications meeting the following Either:		ered general practit	ioner. Approvais valid with
 Gluten enteropathy has been diagnosed by biopsy; or Patient suffers from dermatitis herpetiformis. 			
GLUTEN FREE BAKING MIX - Special Authority see SA1107 abov	e – Hospita	l pharmacy [HP3]	
Powder		1,000 g OP	
	(5.15)		Healtheries Simple Baking Mix
GLUTEN FREE BREAD MIX - Special Authority see SA1107 above	– Hospital	pharmacy [HP3]	
Powder	3.93	1,000 g OP	
	(7.32)		NZB Low Gluten Bread Mix
	3.51		
	(10.87)		Horleys Bread Mix
GLUTEN FREE FLOUR - Special Authority see SA1107 above - H	ospital phar	macy [HP3]	
Powder	5.62	2,000 g OP	
	(18.10)		Horleys Flour

SPECIAL FOODS

	Subsidy (Manufacturer's Pr \$	rice) Sul Per	Fully osidised	Brand or Generic Manufacturer			
ORAL FEED 2 KCAL/ML – Special Authority see SA1195 on the previous page – Hospital pharmacy [HP3] Additional subsidy by endorsement is available for patients being bolus fed through a feeding tube, or who have severe epidermolysis bullosa. The prescription must be endorsed accordingly. Liquid (vanilla) – Higher subsidy of \$1.90 per 200 ml with							
Endorsement	0.96 (1.90)	200 ml OP	Tv	vo Cal HN			
Food Thickeners							
 SA1106 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient has motor neurone disease with swallowing disorder. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria: Both: 1 The treatment remains appropriate and the patient is benefiting from treatment; and 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted. 							
FOOD THICKENER – Special Authority see SA1106 above – Ho Powder		[HP3] 300 g OP 380 g OP		utilis sed Thickener Karicare Aptamil			
The funding of gluten free foods is no longer being actively managed by PHARMAC from 1 April 2011. This means that we are							

	Subsidy (Manufacturer's Pric \$		Fully Brand or dised Generic ✓ Manufacturer
GLUTEN FREE PASTA - Special Authority see SA1107 on the	previous page - H	ospital pharma	acy [HP3]
Buckwheat Spirals		250 g OP	
	(3.11)	0	Orgran
Corn and Vegetable Shells	2.00	250 g OP	-
-	(2.92)	-	Orgran
Corn and Vegetable Spirals	2.00	250 g OP	-
	(2.92)		Orgran
Rice and Corn Lasagne Sheets	1.60	200 g OP	
	(3.82)		Orgran
Rice and Corn Macaroni	2.00	250 g OP	
	(2.92)		Orgran
Rice and Corn Penne	2.00	250 g OP	
	(2.92)		Orgran
Rice and Maize Pasta Spirals	2.00	250 g OP	
	(2.92)		Orgran
Rice and Millet Spirals	2.00	250 g OP	
	(3.11)		Orgran
Rice and corn spaghetti noodles	2.00	375 g OP	
	(2.92)		Orgran
Vegetable and Rice Spirals	2.00	250 g OP	
	(2.92)		Orgran
Italian long style spaghetti	2.00	220 g OP	
	(3.11)		Orgran

Foods And Supplements For Inborn Errors Of Metabolism

⇒SA1108 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid without further renewal unless notified for applications meeting the following criteria:

Any of the following:

- 1 Dietary management of homocystinuria; or
- 2 Dietary management of maple syrup urine disease; or
- 3 Dietary management of phenylketonuria (PKU); or
- 4 For use as a supplement to the Ketogenic diet in patients diagnosed with epilepsy.

Supplements For Homocystinuria

AMINOACID FORMULA WITHOUT METHIONINE	- Special Authority see SA1108	8 above – Hospita	al pharmacy [HP3]
Powder		500 g OP 🔹	XMET Maxamum

Supplements For MSUD

✓ PKU Lophlex LQ 10

✓ PKU Lophlex LQ 20

✓ PKU Lophlex LQ 20

✓ PKU Lophlex LQ 20

60 OP

30 OP

30 OP

30 OP

	Subsidy (Manufacturer's F \$	Price) Subs Per	Fully idised	Brand or Generic Manufacturer
Supplements For PKU				
AMINOACID FORMULA WITHOUT PHENYLALANINE – Speci pharmacy [HP3]	al Authority see S	A1108 on the p	oreviou	s page – Hospital
Tabs		75 OP	🗸 Р	hlexy 10
Powder (unflavoured) 36 g sachets		30	🗸 Р	KU Anamix Junior
Infant formula		400 g OP	🗸 Р	KU Anamix Infant
Powder (orange)		500 g OP	✓ X	P Maxamaid
	320.00	5 5 5	✓ X	P Maxamum
Powder (unflavoured)	221.00	500 g OP		P Maxamaid
	320.00	000 g 0.		P Maxamum
Liquid (berry)		125 ml OP		KU Anamix Junior
Liquid (orange)	13.10	125 ml OP	✓ P	KU Anamix Junior LQ
Liquid (unflavoured)	13.10	125 ml OP	✓ P	KU Anamix Junior LQ
Liquid (forest berries), 250 ml carton		18 OP	✓ E	asiphen Liquid
Liquid (juicy berries) 62.5 ml.		60 OP		KU Lophlex LQ 10
Liquid (juicy citrus) 62.5 ml		60 OP		KU Lophlex LQ 10

Foods

LOW PROTEIN BAKING MIX - Special Authority see SA1108 on	the previous pa	<mark>age</mark> – Hospital ı	oharmacy [HP3]
Powder	8.22	500 g OP	🗸 Loprofin Mix
LOW PROTEIN PASTA - Special Authority see SA1108 on the p	revious page -	Hospital pharm	acy [HP3]
Animal shapes		500 g OP	 Loprofin
Lasagne	5.95	250 g OP	 Loprofin
Low protein rice pasta		500 g OP	 Loprofin
Macaroni	5.95	250 g OP	 Loprofin
Penne	11.91	500 g OP	 Loprofin
Spaghetti	11.91	500 g OP	 Loprofin
Spirals	11.91	500 g OP	 Loprofin

Liquid (juicy berries) 125 ml......936.00

Infant Formulae

For Premature Infants

PRETERM POST-DISCHARGE INFANT FORMULA - Special Au	uthority see SA1	1198 below – H	Hospital pharmacy [HP3]
Powder		400 g OP	 S-26 Gold Premgro

SA1198 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: Both:

continued...

Subsidy		Fully	Brand or
(Manufacturer's Price)		Subsidised	Generic
\$	Per	1	Manufacturer

- 1 The infant was born before 33 weeks gestation or weighed less than 1.5 kg at birth; and
- 2 Either:
 - 2.1 The infant has faltering growth (downward crossing of percentiles); or
 - 2.2 The infant is not maintaining, or is considered unlikely to maintain, adequate growth on standard infant formula.

For Williams Syndrome

⇒SA1110 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year where the patient is an infant suffering from Williams Syndrome and associated hypercalcaemia.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 1 year for applications meeting the following criteria:

Both:

- 1 The treatment remains appropriate and the patient is benefiting from treatment; and
- 2 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

LOW CALCIUM INFANT FORMULA	- Special Authority see SA1110 above - Hospital pharmacy [[HP3]
Powder	11 10 a OP	• 1 00000

Powder	0 400 g OP	 Locasol

Gastrointestinal and Other Malabsorptive Problems

Powder	.43.60	400 g OP	 Alfamino Junior
	53.00	Ū	Neocate LCP
Powder (unflavoured)	.53.00	400 g OP	 Elecare
		Ū	 Elecare LCP
			Neocate Advance
			Neocate Gold
Powder (vanilla)	.53.00	400 g OP	 Elecare
		5	Neocate Advance

⇒SA1219 Special Authority for Subsidy

Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

Any of the following:

- 1 Extensively hydrolysed formula has been reasonably trialled and is inappropriate due to documented severe intolerance or allergy or malabsorption; or
- 2 History of anaphylaxis to cows milk protein formula or dairy products; or
- 3 Eosinophilic oesophagitis.
- Note: A reasonable trial is defined as a 2-4 week trial.

Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria:

All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein, soy, or extensively hydrolysed infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an amino acid infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and date contacted.

Subsidy Fully Brand or (Manufacturer's Price) Subsidised Generic Per Manufacturer \$ EXTENSIVELY HYDROLYSED FORMULA - Special Authority see SA1557 below - Hospital pharmacy [HP3] 450 g OP ✓ Aptamil Gold+ Pepti Junior ■ SA1557 Special Authority for Subsidy Initial application only from a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: Any of the following: 1 Both: 1.1 Cows milk formula is inappropriate due to severe intolerance or allergy to its protein content; and 1.2 Either: 1.2.1 Soy milk formula has been reasonably trialled without resolution of symptoms; or 1.2.2 Soy milk formula is considered clinically inappropriate or contraindicated; or 2 Severe malabsorption; or 3 Short bowel syndrome: or 4 Intractable diarrhoea; or 5 Biliarv atresia: or 6 Cholestatic liver diseases causing malsorption; or 7 Cystic fibrosis: or 8 Proven fat malabsorption; or 9 Severe intestinal motility disorders causing significant malabsorption; or 10 Intestinal failure: or 11 All of the following: 11.1 For step down from Amino Acid Formula: and 11.2 The infant is currently receiving funded amino acid formula; and 11.3 The infant is to be trialled on, or transitioned to, an extensively hydrolysed formula; and 11.4 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted. Note: A reasonable trial is defined as a 2-4 week trial, or signs of an immediate IgE mediated allergic reaction. Renewal only from a dietitian, relevant specialist, vocationally registered general practitioner or general practitioner on the recommendation of a dietitian, relevant specialist or vocationally registered general practitioner. Approvals valid for 6 months for applications meeting the following criteria: All of the following:

- 1 An assessment as to whether the infant can be transitioned to a cows milk protein or soy infant formula has been undertaken; and
- 2 The outcome of the assessment is that the infant continues to require an extensively hydrolysed infant formula; and
- 3 General Practitioners must include the name of the dietitian, relevant specialist or vocationally registered general practitioner and the date contacted.

Ketogenic Diet

⇒SA1197 Special Authority for Subsidy

Initial application only from a metabolic physician or paediatric neurologist. Approvals valid for 3 months where the patient has intractable epilepsy, pyruvate dehydrogenase deficiency or glucose transported type-1 deficiency and other conditions requiring a ketogenic diet.

Renewal only from a metabolic physician or paediatric neurologist. Approvals valid for 2 years where the patient is on a ketogenic diet and the patient is benefiting from the diet.

HIGH FAT LOW CARBOHYDRATE FORMULA – Special Authority see SA1197 above – Retail pharmacy

Powder (unflavoured)	300 g OP	 KetoCal 4:1
		 Ketocal 3:1
Powder (vanilla)	300 g OP	 KetoCal 4:1

SPECIAL FOODS

Pharmaceuticals and quantities that may be obtained on a Practitioner's Supply Order

ADRENALINE
✓ Inj 1 in 1,000, 1 ml ampoule5
✓ Inj 1 in 10,000, 10 ml ampoule5
AMINOPHYLLINE
✓ Inj 25 mg per ml, 10 ml ampoule5
AMIODARONE HYDROCHLORIDE
✓ Inj 50 mg per ml, 3 ml ampoule5
AMOXICILLIN
✓ Cap 250 mg
✓ Cap 500 mg
✓ Grans for oral liq 125 mg per 5 ml 200 ml
✓ Grans for oral liq 250 mg per 5 ml 300 ml
✓ Inj 1 g vial5
AMOXICILLIN WITH CLAVULANIC ACID
✓ Tab 500 mg with clavulanic acid 125 mg
 Grans for oral liq amoxicillin 25 mg with clavulanic
acid 6.25 mg per ml 200 ml
 Grans for oral liq amoxicillin 50 mg with clavulanic
acid 12.5 mg per ml
 Grans for oral liquid amoxicillin 50 mg with
clavulanic acid 12.5 mg per ml 200 ml
ASPIRIN
✓ Tab dispersible 300 mg
ATROPINE SULPHATE
✓ Inj 600 mcg per ml, 1 ml ampoule5
AZITHROMYCIN
✓ Tab 500 mg – See note on page 968
BENDROFLUMETHIAZIDE [BENDROFLUAZIDE]
✓ Tab 2.5 mg – See note on page 61
BENZATHINE BENZYLPENICILLIN
✓ Inj 900 mg (1.2 million units) in 2.3 ml syringe
BENZATROPINE MESYLATE
✓ Inj 1 mg per ml, 2 ml
BENZYLPENICILLIN SODIUM [PENICILLIN G]
✓ Inj 600 mg (1 million units) vial5
BLOOD GLUCOSE DIAGNOSTIC TEST METER
 Meter with 50 lancets, a lancing device and
10 diagnostic test strips – Subsidy by
endorsement – See note on page 261
BLOOD GLUCOSE DIAGNOSTIC TEST STRIP
 Blood glucose test strips – See note on
page 26 50 test
BLOOD KETONE DIAGNOSTIC TEST METER
✓ Meter – See note on page 251
CEFTRIAXONE
 Inj 500 mg vial – Subsidy by endorsement – See
note on page 955
 Inj 1 g vial – Subsidy by endorsement – See note
on page 955
CHARCOAL
✓ Oral liq 50 g per 250 ml

CHLORPROMAZINE HYDROCHLORIDE
✓ Tab 10 mg
✓ Tab 25 mg
✓ Tab 100 mg
✓ Inj 25 mg per ml, 2 ml5
CIPROFLOXACIN
Tab 250 mg – See note on page 100
Tab 500 mg – See note on page 100
CO-TRIMOXAZOLE
 Tab trimethoprim 80 mg and sulphamethoxazole
400 mg
 Oral lig trimethoprim 40 mg and
sulphamethoxazole 200 mg per 5 ml
COMPOUND ELECTROLYTES
 Powder for oral soln
CONDOMS
✓ 49 mm
✓ 53 mm
✓ 53 mm (chocolate) 144
✓ 53 mm (strawberry)144
✓ 56 mm
✓ 56 mm, shaped144
✓ 60 mm
CYPROTERONE ACETATE WITH ETHINYLOESTRADIOL
 Tab 2 mg with ethinyloestradiol 35 mcg and
7 inert tabs168
DEXAMETHASONE
 Tab 0.5 mg – Retail pharmacy-Specialist60
 Tab 4 mg – Retail pharmacy-Specialist
DEXAMETHASONE PHOSPHATE
✓ Inj 4 mg per ml, 1 ml ampoule – See note on page 855
 Inj 4 mg per ml, 2 ml ampoule – See note on page 85 5
DIAZEPAM
 Inj 5 mg per ml, 2 ml ampoule – Subsidy by
endorsement - See note on page 1365
✓ Rectal tubes 5 mg5
 Rectal tubes 10 mg5
DICLOFENAC SODIUM
 Inj 25 mg per ml, 3 ml ampoule5
 Suppos 50 mg10
DIGOXIN
✓ Tab 62.5 mcg30
✓ Tab 250 mcg
DOXYCYCLINE
Tab 50 mg
✓ Tab 100 mg30
ERGOMETRINE MALEATE
✓ Inj 500 mcg per ml, 1 ml ampoule5
continued

fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

(continued)
ERYTHROMYCIN ETHYL SUCCINATE
✓ Tab 400 mg20
 Grans for oral liq 200 mg per 5 ml
✓ Grans for oral liq 400 mg per 5 ml 200 ml
ERYTHROMYCIN STEARATE
Tab 250 mg30
ETHINYLOESTRADIOL WITH DESOGESTREL
Tab 20 mcg with desogestrel 150 mcg and 7 inert tab 84
Tab 30 mcg with desogestrel 150 mcg and 7 inert tab84
ETHINYLOESTRADIOL WITH LEVONORGESTREL
 Tab 20 mcg with levonorgestrel 100 mcg and
7 inert tab84
 Tab 50 mcg with levonorgestrel 125 mcg and
7 inert tab84
Tab 30 mcg with levonorgestrel 150 mcg63
 Tab 30 mcg with levonorgestrel 150 mcg and
7 inert tab84
ETHINYLOESTRADIOL WITH NORETHISTERONE
✓ Tab 35 mcg with norethisterone 1 mg63
✓ Tab 35 mcg with norethisterone 1 mg and 7 inert tab84
✓ Tab 35 mcg with norethisterone 500 mcg
 Tab 35 mcg with norethisterone 500 mcg and
7 inert tab84
FLUCLOXACILLIN
✓ Cap 250 mg
✓ Grans for oral lig 25 mg per ml
✓ Grans for oral lig 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml
 Grans for oral liq 25 mg per ml

GLYCERYL TRINITRATE

 Tab 600 mcg 	100
 Oral pump spray, 400 mcg per dose 	
 Oral spray, 400 mcg per dose 	
GLYCOPYRRONIUM BROMIDE	
 Inj 200 mcg per ml, 1 ml ampoule 	10
HALOPERIDOL	
✓ Tab 500 mcg	
✓ Tab 1.5 mg	
✓ Tab 5 mg	
 Oral liq 2 mg per ml 	200 ml
 Inj 5 mg per ml, 1 ml ampoule 	5
HALOPERIDOL DECANOATE	
 Inj 50 mg per ml, 1 ml 	5
✓ Inj 100 mg per ml, 1 ml	5
HYDROCORTISONE	
✓ Inj 100 mg vial	5
HYDROXOCOBALAMIN	
✓ Inj 1 mg per ml, 1 ml ampoule	6
HYOSCINE N-BUTYLBROMIDE	
✓ Inj 20 mg, 1 ml	5
INTRA-UTERINE DEVICE	
✓ IUD 29.1 mm length × 23.2 mm width	40
✓ IUD 33.6 mm length × 29.9 mm width	
✓ IUD 35.5 mm length × 19.6 mm width	
IPRATROPIUM BROMIDE	
 Aerosol inhaler, 20 mcg per dose CFC-free 	400 dose
 Aerosof minaler, 20 mcg per dose of 0-nee	
 Nebuliser soln, 250 mcg per ml, 2 ml ampoule 	
IVERMECTIN	
 Tab 3 mg – See note on page 73 	100
KETONE BLOOD BETA-KETONE ELECTRODES	
✓ Test strip	10
	10
LEVONORGESTREL	
Tab 30 mcg	
 Tab 1.5 mg Subdermal implant (2 × 75 mg rods) 	
LIDOCAINE [LIGNOCAINE]	
✓ Gel 2%, 10 ml urethral syringe – Subsidy by	F
endorsement - See note on page 129	Э
LIDOCAINE [LIGNOCAINE] HYDROCHLORIDE	
Inj 1%, 5 ml ampoule	25
✓ Inj 2%, 5 ml ampoule	
 ✓ Inj 1%, 20 ml ampoule ✓ Inj 1%, 20 ml vial 	5 F
 Inj 1%, 20 ml viai	
 Inj 2%, 20 ml ampoule Inj 2%, 20 ml vial 	
-	ontinued

✓ fully subsidised brand available

Please refer to Section A for a definition, and conditions of supply, of Practitioner's Supply Orders.

(continued)

LIDOCAINE [LIGNOCAINE] WITH CHLORHEXIDINE
✓ Gel 2% with chlorhexidine 0.05%, 10 ml urethral
syringes – Subsidy by endorsement – See
note on page 130
LOPERAMIDE HYDROCHLORIDE ✓ Tab 2 mg
✓ Tab 2 mg
MASK FOR SPACER DEVICE
✓ Small – See note on page 212
MEDROXYPROGESTERONE ACETATE
✓ Inj 150 mg per ml, 1 ml syringe
METOCLOPRAMIDE HYDROCHLORIDE
✓ Inj 5 mg per ml, 2 ml ampoule
METRONIDAZOLE
✓ Tab 200 mg
MIDAZOLAM
 Inj 1 mg per ml, 5 ml plastic ampoule – See note
on page 15710
 Inj 5 mg per ml, 3 ml plastic ampoule – See note
on page 1575
MORPHINE SULPHATE
Inj 5 mg per ml, 1 ml ampoule – Only on a
controlled drug form5
✓ Inj 10 mg per ml, 1 ml ampoule – Only on a controlled drug form
✓ Inj 15 mg per ml, 1 ml ampoule – Only on a
controlled drug form
✓ Inj 30 mg per ml, 1 ml ampoule – Only on a
controlled drug form
NALOXONE HYDROCHLORIDE
 Inj 400 mcg per ml, 1 ml ampoule
NICOTINE
✓ Patch 7 mg – See note on page 163
 Patch 14 mg – See note on page 163
Patch 21 mg – See note on page 163
Lozenge 1 mg – See note on page 163
 Lozenge 2 mg – See note on page 163
 Gum 2 mg (Fruit) – See note on page 163
✓ Gum 4 mg (Fruit) – See note on page 163
✓ Gum 4 mg (Mint) – See note on page 163
NORETHISTERONE
✓ Tab 350 mcg
✓ Tab 5 mg
OXYTOCIN
 Inj 5 iu per ml, 1 ml ampoule
✓ Inj 10 iu per ml, 1 ml ampoule5
OXYTOCIN WITH ERGOMETRINE MALEATE
✓ Inj 5 iu with ergometrine maleate 500 mcg per ml, 1 ml5

PARACETAMOL

✓ Tab 500 mg	
 Oral lig 120 mg per 5 ml 	200 ml
 Oral lig 250 mg per 5 ml 	
PEAK FLOW METER	
✓ Low range	10
 Low range Normal range 	
PETHIDINE HYDROCHLORIDE	
✓ Inj 50 mg per ml, 1 ml ampoule – Only on a	-
controlled drug form	5
 Inj 50 mg per ml, 2 ml ampoule – Only on a 	
controlled drug form	5
PHENOXYMETHYLPENICILLIN (PENICILLIN V)	
✓ Cap 250 mg	
 Cap 500 mg 	
 Grans for oral liq 125 mg per 5 ml 	200 ml
 Grans for oral liq 250 mg per 5 ml 	300 ml
PHENYTOIN SODIUM	
 Inj 50 mg per ml, 2 ml ampoule 	5
 Inj 50 mg per ml, 5 ml ampoule 	5
PHYTOMENADIONE	
 Inj 2 mg per 0.2 ml 	5
✓ Inj 10 mg per ml, 1 ml	
PIPOTHIAZINE PALMITATE	
 Inj 50 mg per ml, 1 ml – Subsidy by endorseme 	nt
- See note on page 147	5
✓ Inj 50 mg per ml, 2 ml – Subsidy by endorseme	
- See note on page 147	
PREDNISOLONE	
✓ Oral lig 5 mg per ml – See note on page 85	30 ml
PREDNISONE	
 Tab 5 mg 	
PREGNANCY TESTS - HCG URINE	
✓ Cassette	200 test
PROCAINE PENICILLIN	
 Inj 1.5 g in 3.4 ml syringe 	5
PROCHLORPERAZINE	
 Tab 5 mg 	30
 Inj 12.5 mg per ml, 1 ml 	
PROMETHAZINE HYDROCHLORIDE	
 Inj 25 mg per ml, 2 ml ampoule 	5
SALBUTAMOL	
 ✓ Inj 500 mcg per ml, 1 ml 	5
 Aerosol inhaler, 100 mcg per dose CFC 	
free	1000 dose
 Nebuliser soln, 1 mg per ml, 2.5 ml ampoule 	
 Nebuliser soln, 2 mg per ml, 2.5 ml ampoule 	
SALBUTAMOL WITH IPRATROPIUM BROMIDE	
 Nebuliser soln, 2.5 mg with ipratropium bromide 	د د
0.5 mg per vial, 2.5 ml ampoule	
	continued
	continueu

fully subsidised brand available

248

(continued)

SUDIUM DICARDUNATE	
✓ Inj 8.4%, 50 ml	5
✓ Inj 8.4%, 100 ml	5

SODIUM CHLORIDE

 ✓ Inj 0.9%, bag – See note on page 53
SPACER DEVICE
 220 ml (single patient)
✓ 510 ml (single patient)20 ✓ 800 ml20
SULPHADIAZINE SILVER

1	Crm 1%	.250	g
---	--------	------	---

✓ Tab 300 mg	30
VERAPAMIL HYDROCHLORIDE ✓ Inj 2.5 mg per ml, 2 ml ampoule	5
 WATER ✓ Inj 5 ml ampoule – See note on page 53 ✓ Inj 10 ml ampoule – See note on page 53 ✓ Inj 20 ml ampoule – See note on page 53 	5
ZUCLOPENTHIXOL DECANOATE Inj 200 mg per ml, 1 ml	5

Rural Areas for Practitioner's Supply Orders

NORTH ISLAND

Northland DHB Dargaville Hikurangi Kaeo Kaikohe Kaitaia Kawakawa Kerikeri Mangonui Maungaturoto Moerewa Ngunguru Paihia Rawene Ruakaka Russell Tutukaka Waipu Whangaroa

Waitemata DHB

Helensville Huapai Kumeu Snells Beach Waimauku Warkworth Wellsford

Auckland DHB

Great Barrier Island Oneroa Ostend

Counties Manukau DHB

Tuakau Waiuku

Waikato DHB

Coromandel Huntly Kawhia Matamata Morrinsville Ngatea Otorohanga Paeroa Pauanui Beach Putaruru Raglan Tairua Taumarunui Te Aroha Te Kauwhata Te Kuiti Tokoroa Waihi Whangamata Whitianga

Bay of Plenty DHB

Edgecumbe Katikati Kawerau Murupara Opotiki Taneatua Te Kaha Waihi Beach Whakatane

Lakes DHB

Mangakino Turangi

Tairawhiti DHB

Ruatoria Te Araroa Te Karaka Te Puia Springs Tikitiki Tokomaru Bay Tolaga Bay

Taranaki DHB

Eltham Inglewood Manaia Oakura Okato Opunake Patea Stratford Waverley

Hawkes Bay DHB

Waipawa Waipukurau Wairoa Whanganui DHB Bulls

Marton Ohakune Raetihi Taihape Waiouru MidCentral DHB

MidCentral DHB

Dannevirke Foxton Levin Otaki Pahiatua Shannon Woodville

Wairarapa DHB

Carteron Featherston Greytown Martinborough

SOUTH ISLAND

Nelson/Marlborough DHB

Havelock Mapua Motueka Murchison Picton Takaka Wakefield

West Coast DHB

Dobson Greymouth Hokitika Karamea Reefton South Westland Westport Whataroa

Canterbury DHB

Akaroa Amberley Amuri Chatham Islands Cheviot Darfield

Diamond Harbour Hanmer Springs Kaikoura Leeston I incoln Methven Oxford Rakaia **Bolleston** Rotherham Templeton Waikari South Canterbury DHB Fairlie Geraldine Pleasant Point Temuka Twizel Waimate Southern DHB Alexandra Balclutha Cromwell Gore Kurow I awrence Lumsden Mataura Milton Oamaru Oban Otautau Outram Owaka Palmerston Queenstown Ranfurlv Riverton Roxburah Tapanui Te Anau Tokonui Tuatapere Wanaka

Winton

SECTION F: PART I

A Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 90 Day Lot unless it is under the Dispensing Frequency Rule.

A Community Pharmaceutical that is an oral contraceptive and that is identified with a * within the other sections of the Pharmaceutical Schedule:

- a) is exempt from any requirement to dispense in Monthly Lots;
- b) will only be subsidised if it is dispensed in a 180 Day Lot unless it is under the Dispensing Frequency Rule.

SECTION F: PART II: CERTIFIED EXEMPTIONS AND ACCESS EXEMPTIONS TO MONTHLY DISPENSING

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a * within the other sections of the Pharmaceutical Schedule, may be dispensed in a 90 Day Lot if:

a) the Community Pharmaceutical is identified with a ▲ within the other sections of the Pharmaceutical Schedule and the prescriber/pharmacist has endorsed/annotated the Prescription item(s) on the Prescription to which the exemption applies "certified exemption".

In endorsing/annotating the Prescription items for a certified exemption, the prescriber/pharmacist is certifying that:

- i) the patient wished to have the medicine dispensed in a quantity greater than a Monthly Lot; and
- ii) the patient has been stabilised on the same medicine for a reasonable period of time; and
- iii) the prescriber/pharmacist has reason to believe the patient will continue on the medicine and is compliant.
- b) a patient, who has difficulty getting to and from a pharmacy, signs the back of the Prescription to qualify for an Access Exemption. In signing the Prescription, the patient or his or her nominated representative must also certify which of the following criteria they meet:
 - i) have limited physical mobility;
 - ii) live and work more than 30 minutes from the nearest pharmacy by their normal form of transport;
 - iii) are relocating to another area;
 - iv) are travelling extensively and will be out of town when the repeat prescriptions are due.

SECTION F: PART III: FLEXIBLE AND VARIABLE DISPENSING PERIODS FOR PHARMACY

A Community Pharmaceutical, other than a Community Pharmaceutical identified with a ***** within the other sections of the Pharmaceutical Schedule, may be dispensed in variable dispensing periods under the following conditions:

- a) for stock management where the original pack(s) result in dispensing greater than 30 days supply,
- b) to synchronise a patients medication where multiple medicines result in uneven supply periods, note if dispensing a medicine other than a Pharmaceutical identified with a * please refer to Section F; Part II
- Note the total quantity and dispensing period can not exceed the total quantity and period prescribed on the prescription.

COMMUNITY PHARMACEUTICALS DISPENSING PERIOD EXEMPTIONS

The following Community Pharmaceuticals are identified with a ▲ within the other sections of the Pharmaceutical Schedule and may be dispensed in a 90 Day Lot if endorsed as a certified exemption in accordance with paragraph (a) in Section F Part II above.

ALIMENTARY TRACT AND METABOLISM PROPAFENONE HYDROCHLORIDE INSULIN ASPART HORMONE PREPARATIONS - SYSTEMIC EXCLUDING INSULIN ASPART WITH INSULIN ASPART PROTAMINE CONTRACEPTIVE HORMONES DESMOPRESSIN ACETATE INSULIN GLARGINE Nasal drops 100 mcg Minirin per ml INSULIN GLULISINE Nasal spray 10 mcg Desmopressin-PH&T INSULIN ISOPHANE per dose INSULIN ISOPHANE WITH INSULIN NEUTRAL MUSCULOSKELETAL SYSTEM PYRIDOSTIGMINE BROMIDE INSULIN LISPRO NERVOUS SYSTEM INSULIN LISPRO WITH INSULIN LISPRO PROTAMINE AMANTADINE HYDROCHLORIDE INSULIN NEUTRAL APOMORPHINE HYDROCHLORIDE CARDIOVASCULAR SYSTEM ENTACAPONE AMIODARONE HYDROCHLORIDE Tab 100 mg Cordarone-X GABAPENTIN Tab 200 mg Cordarone-X I ACOSAMIDE DISOPYRAMIDE PHOSPHATE I AMOTRIGINE FI ECAINIDE ACETATE Tambocor PRAMIPEXOLE HYDROCHLORIDE Tab 50 mg Cap long-acting Tambocor CR **BOPINIBOLE HYDBOCHLOBIDE** 100 ma Cap long-acting Tambocor CR TOI CAPONE 200 ma TOPIRAMATE MEXILETINE HYDROCHLOBIDE VIGABATRIN MINOXIDII

NICORANDIL
SECTION G: SAFETY CAP MEDICINES

Pharmacists are required, under the Code of Ethics of the Pharmacy Council of New Zealand, to endeavour to use safety caps when dispensing any of the medicines listed in Section G in an oral liquid formulation pursuant to a prescription or Practitioner's Supply Order. This includes all proprietary and extemporaneously compounded oral liquid preparations of those pharmaceuticals listed in Section G of the Pharmaceutical Schedule. These medicines will be identified throughout Section B of the Pharmaceutical Schedule with the symbol '‡'.

Exemptions

Oral liquid preparations of the pharmaceuticals listed in Section G of the Pharmaceutical Schedule will be dispensed in a container with a safety cap unless:

- the practitioner has endorsed the Prescription or Practitioner's Supply Order, stating that, the Pharmaceutical is not to be dispensed in a container with a safety cap; or
- the Contractor has annotated the Prescription or Practitioner's Supply Order stating that, because of infirmity of the
 particular person, the Pharmaceutical to be used by that person should not be dispensed in a container with a safety cap; or
- the Pharmaceutical is packaged in an Original Pack so designed that on the professional judgement of the Contractor, transfer to a container with a safety cap would be inadvisable or a retrograde procedure.

Reimbursement

Pharmacists will be reimbursed according to their agreement. Where an additional fee is paid on safety caps it will be paid on all dispensings of oral liquid preparations for those pharmaceuticals listed in Section G of the Pharmaceutical Schedule unless the practitioner has endorsed or the contractor has annotated the Prescription or Practitioner's Supply Order that a safety cap has not been supplied.

Safety Caps (NZS 5825:1991)

20 mm	Clic-Loc, United Closures & Plastics PLC, England
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
24 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
28 mm	Clic-Loc, United Closures & Plastics PLC, England
	Clic-Loc, ACI Closures under license to Owens-Illinois
	Kerr, Cormack Packaging, Sydney, under licence to Kerr USA
	PDL Squeezlok
	PDL FG

SAFETY CAP MEDICI	NES		
ALIMENTARY TRACT AND META FERROUS SULPHATE		CARBAMAZEPINE Oral liq 20 mg per ml	Tegretol
Oral liq 30 mg (6 mg elemental) per 1 ml	Ferodan	CLOBAZAM Tab 10 mg	Frisium
CARDIOVASCULAR SYSTEM		(Extemporaneously compounded o	oral liquid preparations)
AMILORIDE HYDROCHLORIDE	:	CLONAZEPAM	
Oral liq 1 mg per ml	Biomed	Oral drops 2.5 mg per ml	Rivotril
CAPTOPRIL		DIAZEPAM	
Oral liq 5 mg per ml	Capoten	Tab 2 mg	Arrow-Diazepam
1 31		Tab 5 mg	Arrow-Diazepam
CHLOROTHIAZIDE Oral lig 50 mg per ml	Biomed	(Extemporaneously compounded c	oral liquid preparations)
	21011104	ETHOSUXIMIDE	
DIGOXIN		Oral lig 250 mg per 5 ml	Zarontin
Oral lig 50 mcg per ml	Lanoxin	3100	
1		LORAZEPAM	
FUROSEMIDE [FRUSEMIDE]		Tab 1 mg	Ativan
Oral liq 10 mg per ml	Lasix	Tab 2.5 mg	Ativan
		(Extemporaneously compounded c	oral liquid preparations)
SPIRONOLACTONE			
Oral liq 5 mg per ml	Biomed	LORMETAZEPAM	
		Tab 1 mg	Noctamid
		(Extemporaneously compounded c	oral liquid preparations)
HORMONE PREPARATIONS - SY	STEMIC EXCLUDING		
CONTRACEPTIVE HORMONES		METHADONE HYDROCHLORI	
LEVOTHYROXINE		Oral liq 2 mg per ml	Biodone
Tab 25 mcg	Synthroid	Oral liq 5 mg per ml	Biodone Forte
Tab 50 mcg	Eltroxin	Oral liq 10 mg per ml	Biodone Extra Forte
	Mercury Pharma		_
T 400	Synthroid	MORPHINE HYDROCHLORIDE	
Tab 100 mcg	Eltroxin	Oral liq 1 mg per ml	RA-Morph
	Mercury Pharma	Oral liq 2 mg per ml	RA-Morph
(Extemporaneously compounded o	Synthroid ral liguid preparations)	Oral liq 5 mg per ml Oral liq 10 mg per ml	RA-Morph RA-Morph
	,	NITRAZEPAM	·
INFECTIONS - AGENTS FOR SYS			Nitrados
QUININE SULPHATE	I EIVIIC USE	Tab 5 mg (Extemporaneously compounded of	
Tab 300 mg	Q 300		nai iiquiu preparaii0115)
(Extemporaneously compounded o		OXAZEPAM	
Languaneously compounded o	ιαι πομίο μισματατιοπό)	Tab 10 mg	Ox-Pam
		Tab 15 mg	Ox-Pam
MUSCULOSKELETAL SYSTEM		(Extemporaneously compounded of	
Oral lig 20 mg per ml	Fenpaed	OXYCODONE HYDROCHLORI	DF
	i chipaeu	Oral liq 5 mg per 5 ml	OxyNorm

PARACETAMOL

Oral liq 120 mg per 5 ml

Oral liq 250 mg per 5 ml

Paracare

Paracare Double

Strength

NERVOUS SYSTEM

ALPRAZOLAM Tab 250 mcg Xanax Tab 500 mcg Xanax Tab 1 mg Xanax (Extemporaneously compounded oral liquid preparations)

SAFETY CAP MEDICINES

Ventolin

PHENYTOIN SODIUM Oral liq 30 mg per 5 ml Dilantin

Oral lig 200 mg per 5 ml

SODIUM VALPROATE

Epilim S/F Liquid Epilim Syrup

TEMAZEPAM Tab 10 mg Normison (Extemporaneously compounded oral liquid preparations)

TRIAZOLAM Tab 125 mcg Hypam Tab 250 mcg Hypam (Extemporaneously compounded oral liquid preparations)

RESPIRATORY SYSTEM AND ALLERGIES

CETIRIZINE HYDROCHLORIDE Oral liq 1 mg per ml Histaclear

CHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Histafen

DEXTROCHLORPHENIRAMINE MALEATE Oral liq 2 mg per 5 ml Polaramine PROMETHAZINE HYDROCHLORIDE

Oral liq 1 mg per 1 ml Allersoothe

SALBUTAMOL

Oral liq 400 mcg per ml

THEOPHYLLINE Oral liq 80 mg per 15 ml Nuelin

TRIMEPRAZINE TARTRATE Oral liq 30 mg per 5 ml Vallergan Forte

EXTEMPORANEOUSLY COMPOUNDED PREPARATIONS AND GALENICALS

CODEINE PHOSPHATE Powder Douglas (Extemporaneously compounded oral liquid preparations)

METHADONE HYDROCHLORIDE Powder AFT (Extemporaneously compounded oral liquid preparations)

PHENOBARBITONE SODIUM Powder MidWest (Extemporaneously compounded oral liquid preparations)

	Subsidy (Manufacturer's Price) \$	l Subsid Per	Fully Brand or lised Generic Manufacturer	
Vaccinations				
 ADULT DIPHTHERIA AND TETANUS VACCINE – [Xpharm] Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid in 0.5 ml Any of the following: For vaccination of patients aged 45 and 65 years old For vaccination of previously unimmunised or partia For revaccination following immunosuppression; or For use in testing for primary immunodeficiency dise or paediatrician. 	d; or Ily immunised patien or		✓ <u>ADT Booster</u>	e physician
 Note: Please refer to the Immunisation Handbook for app BACILLUS CALMETTE-GUERIN VACCINE – [Xpharm] For infants at increased risk of tuberculosis. Increased risk is living in a house or family with a person with current or p having one or more household members or carers who v equal to 40 per 100,000 for 6 months or longer; or during their first 5 years will be living 3 months or longer 	defined as: ast history of TB; or within the last 5 years	s lived in a	country with a rate of	
Note a list of countries with high rates of TB are available at w www.bcgatlas.org/index.php. Inj Mycobacterium bovis BCG (Bacillus Calmette-Guerin), Danish strain 1331, live attenuated, vial with diluent DIPHTHERIA, TETANUS AND PERTUSSIS VACCINE – [Xpharm	0.00	berculosis 10	(search for download	s) or
 Funded for any of the following criteria: A single vaccine for pregnant woman between gestation A course of up to four vaccines is funded for children fro primary immunisation; or An additional four doses (as appropriate) are funded for transplantation or chemotherapy; pre or post splenectom severely immunosuppressive regimens. 	m age 7 up to the ag (re-)immunisation for	e of 18 yea r patients p	ost haematopoietic st	tem cell
 Notes: Tdap is not registered for patients aged less than 10 y appropriate schedule for catch up programmes. Inj 2 IU diphtheria toxoid with 20 IU tetanus toxoid, 8 mcg pertussis toxoid, 8 mcg pertussis filamentous haemagluttinin and 2.5 mcg pertactin in 0.5 ml syringe Boostrix to be Sole Supply on 1 September 2017 		o the Immu 10 1	nisation Handbook fo ✓ Boostrix ✓ Boostrix	r

Subsidy	F	ully	Brand or
(Manufacturer's Price)	Subsid Per	ised	Generic Manufacturer
Ψ	1.01		Manulacturei

DIPHTHERIA, TETANUS, PERTUSSIS AND POLIO VACCINE - [Xpharm]

Funded for any of the following:

- 1) A single dose for children up to the age of 7 who have completed primary immunisation; or
- A course of four vaccines is funded for catch up programmes for children (to the age of 10 years) to complete full primary immunisation; or
- An additional four doses (as appropriate) are funded for (re-)immunisation for patients post HSCT, or chemotherapy; pre- or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens; or
- 4) Five doses will be funded for children requiring solid organ transplantation.

Note: Please refer to the Immunisation Handbook for appropriate schedule for catch up programmes.

Inj 30 IU diphtheria toxoid with 40 IU tetanus toxoid, 25 mcg

pertussis toxoid, 25 mcg pertussis filamentous haemagluttinin, 8 mcg pertactin and 80 D-antigen units poliomyelitis virus in 0.5ml syringe0.00 10 Infanrix IPV Infanrix IPV to be Sole Supply on 1 September 2017

DIPHTHERIA, TETANUS, PERTUSSIS, POLIO, HEPATITIS B AND HAEMOPHILUS INFLUENZAE TYPE B VACCINE – [Xpharm]

- Funded for patients meeting any of the following criteria:
 - 1) Up to four doses for children up to and under the age of 10 for primary immunisation; or
 - 2) An additional four doses (as appropriate) are funded for (re-)immunisation for children up to and under the age of 10 who are patients post haematopoietic stem cell transplantation, or chemotherapy; pre or post splenectomy; pre- or post solid organ transplant, renal dialysis and other severely immunosuppressive regimens; or
 - 3) Up to five doses for children up to and under the age of 10 receiving solid organ transplantation.

Note: A course of up-to four vaccines is funded for catch up programmes for children (up to and under the age of 10 years) to complete full primary immunisation. Please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes.

Inj 30IU diphtheriatoxoid with 40IU tetanustoxoid, 25mcg pertussistoxoid, 25mcg pertussisfilamentoushaemagluttinin, 8 mcgpertactin, 80 D-AgUpoliovirus, 10mcghepatitisBsurfaceantigen in 0.5ml syringe0.00 10 ✓ Infanrix-hexa Infanrix-hexa to be Sole Supply on 1 September 2017

HAEMOPHILUS INFLUENZAE TYPE B VACCINE - [Xpharm]

- One dose for patients meeting any of the following:
 - 1) For primary vaccination in children; or
 - 2) An additional dose (as appropriate) is funded for (re-)immunisation for patients post haematopoietic stem cell transplantation, or chemotherapy; functional asplenic; pre or post splenectomy; pre- or post solid organ transplant, preor post cochlear implants, renal dialysis and other severely immunosuppressive regimens; or
 - 3) For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Haemophilus Influenzae type B polysaccharide 10 mcg conjugated to tetanus toxoid as carrier protein 20-40 mcg;		
prefilled syringe plus vial 0.5 ml0.00	1	 Hiberix
Hiberix to be Sole Supply on 1 September 2017		
Inj 10 mcg vial with diluent syringe0.00	1	 Act-HIB
(Act-HIB Inj 10 mcg vial with diluent syringe to be delisted 1 October 2017)		

‡ safety cap

		Subsidy		Fully	Brand or
		(Manufacturer's Price) \$	Per	Subsidised	Generic Manufacturer
	1	Ψ	1 61		Manufacturer
HEPATITIS A VACCINE – [Xpharm] Funded for patients meeting any					
 Two vaccinations for use in 	v				
 Two vaccinations for use in 		disease: or			
 One dose of vaccine for closed 					
Inj 1440 ELISA units in 1 ml syri	200	0.00	1	. / u	avrix
Havrix to be Sole Supply on	•	0.00	1	• 1	aviik
Inj 720 ELISA units in 0.5 ml syri		0.00	1	✔ Н	avrix Junior
Havrix Junior to be Sole Sur					
HEPATITIS B RECOMBINANT VAC	CINF – [Xpharm]				
lnj 5 mcg per 0.5 ml vial	• • •	0.00	1	🗸 Н	BvaxPRO
Funded for patients meeting				_	
 for household or sexual 	al contacts of known acute I	hepatitis B patients or I	hepat	itis B carrier	s; or
 for children born to mo 	others who are hepatitis B s	urface antigen (HBsAg) pos	itive; or	
for children up to and u	under the age of 18 years ir	nclusive who are consi	dered	I not to have	achieved a positive
	dditional vaccination or req	uire a primary course of	of vac	cination; or	
for HIV positive patient					
5) for hepatitis C positive					
	ion-consensual sexual inter	course; or			
 for patients following in 					
 8) for solid organ transpla 0) for post boomstansisti 		T) notionto, or			
10) following needle stick i	ic stem cell transplant (HSC	r) patients; or			
To) Tollowing needle slick	njury.				
Inj 10 mcg per 1 ml vial		0.00	1	✓ н	BvaxPRO
Funded for patients meeting			-		
	al contacts of known acute I		hepat	itis B carrier	s: or
	others who are hepatitis B s				- / -
	under the age of 18 years ir				achieved a positive
	dditional vaccination or req				
for HIV positive patient	ts; or				
5) for hepatitis C positive	patients; or				
	on-consensual sexual inter	course; or			
for patients following ir					
for solid organ transpla					
	ic stem cell transplant (HSC	I) patients; or			
following needle stick i	njury.				
Inj 40 mcg per 1 ml vial		0.00	1	. – –	BvaxPRO
Funded for any of the follow		0.00	1	• <u>n</u>	
1) for dialysis patients; or					
2) for liver or kidney trans					
z_j to live of kulley lians	spiain pallent.				

	Subsidy (Manufacturer's Price) \$	Subsi Per	Fully dised	Brand or Generic Manufacturer
 HUMAN PAPILLOMAVIRUS (6, 11, 16 AND 18) VACCINE [HPV Funded for patient meeting either of the following criteria: 1) Maximum of 3 doses for people aged 9 to 26 years incl 2) Maximum of four doses for people aged 9 to 26 years i 	lusive; or	therapy.		
Inj 120 mcg in 0.5 ml syringe	0.00	10 1	-	ardasil ardasil
(Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October 2 (Gardasil Inj 120 mcg in 0.5 ml syringe to be delisted 1 October 2	,			
HUMAN PAPILLOMAVIRUS (6, 11, 16, 18, 31, 33, 45, 52 AND 5 Any of the following:	8) VACCINE [HPV] -	- [Xpharm]		
 Maximum of two doses for children aged 14 years and Maximum of three doses for patients meeting any of the 				
 People aged 15 to 26 years inclusive; or Either: 				
People aged 9 to 26 years inclusive 1) Confirmed HIV infection; or				
2) Transplant (including stem cell) patients: or				
 Maximum of four doses for people aged 9 to 26 years i 	nciusive post chemot	nerapy		
Inj 270 mcg in 0.5 ml syringe	0.00	10	✓ <u>G</u>	ardasil 9

259

Subsidy	Fully	Brand or
(Manufacturer's Price)	Subsidised	Generic
\$	Per 🗸	Manufacturer

INFLUENZA VACCINE

- a) Only on a prescription
- b) No patient co-payment payable
- C)

A) is available each year for patients who meet the following criteria, as set by PHARMAC:

- a) all people 65 years of age and over; or
- b) people under 65 years of age who:
 - i) have any of the following cardiovascular diseases:
 - a) ischaemic heart disease, or
 - b) congestive heart failure, or
 - c) rheumatic heart disease, or
 - d) congenital heart disease, or
 - e) cerebo-vascular disease; or
 - ii) have either of the following chronic respiratory diseases:
 - a) asthma, if on a regular preventative therapy, or
 - b) other chronic respiratory disease with impaired lung function; or
 - iii) have diabetes; or
 - iv) have chronic renal disease; or
 - v) have any cancer, excluding basal and squamous skin cancers if not invasive; or
 - vi) have any of the following other conditions:
 - a) autoimmune disease, or
 - b) immune suppression or immune deficiency, or
 - c) HIV, or
 - d) transplant recipients, or
 - e) neuromuscular and CNS diseases/disorders, or
 - f) haemoglobinopathies, or
 - g) are children on long term aspirin, or
 - h) have a cochlear implant, or
 - i) errors of metabolism at risk of major metabolic decompensation, or
 - j) pre and post splenectomy, or
 - k) down syndrome, or
 - vii) are pregnant; or
- c) children aged four years and under who have been hospitalised for respiratory illness or have a history of significant respiratory illness;
- d) people under 18 years of age living in the Seddon/Ward and rural Eastern Marlborough region (within the Nelson Marlborough District Health Board) and Kaikoura and Hurunui areas (within the Canterbury District Health Board);
- People under 18 years of age who have been displaced from their homes in Edgecumbe and the surrounding region;

Unless meeting the criteria set out above, the following conditions are excluded from funding:

- a) asthma not requiring regular preventative therapy,
- b) hypertension and/or dyslipidaemia without evidence of end-organ disease.
- B) Contractors will be entitled to claim payment from the Funder for the supply of influenza vaccine to patients eligible under the above criteria pursuant to their contract with their DHB for subsidised immunisation, and they may only do so in respect of the influenza vaccine listed in the Pharmaceutical Schedule.
- C) Contractors may only claim for patient populations within the criteria that are covered by their contract, which may be a sub-set of the population described in paragraph A above.
- D) Stock of the seasonal influenza vaccine is typically available from February until late July with suppliers being required to ensure supply until at least 30 June. Exact start and end dates for each season will be notified each year.

 MEASLES, MUMPS AND RUBELLA VACCINE – [Xpharm] A maximum of two doses for any patient meeting the following criteria: For primary vaccination in children; or	e for catch 1(1	up progran	M-M-R II
 For primary vaccination in children; or For revaccination following immunosuppression; or For any individual susceptible to measles, mumps or rubella; or A maximum of three doses for children who have had their first dose Note: Please refer to the Immunisation Handbook for appropriate schedul Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 rubella vial with diluent 0.5 ml vial0.00 Injection, measles virus 1,000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml0.00 Priorix to be Sole Supply on 1 September 2017 M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 October 2017) M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 Doctober 2017) MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial	e for catch 1(1	up progran	M-M-R II
 2) For revaccination following immunosuppression; or 3) For any individual susceptible to measles, mumps or rubella; or 4) A maximum of three doses for children who have had their first dose Note: Please refer to the Immunisation Handbook for appropriate schedulinj 1000 TCID50 rubella vial with diluent 0.5 ml vial	e for catch 1(1	up progran	M-M-R II
 Sor any individual susceptible to measles, mumps or rubella; or A maximum of three doses for children who have had their first dose Note: Please refer to the Immunisation Handbook for appropriate schedul Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 rubella vial with diluent 0.5 ml vial0.00 Injection, measles virus 1,000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml0.00 Priorix to be Sole Supply on 1 September 2017 <i>M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50</i> Dotober 2017) <i>M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50</i> Dotober 2017) <i>MINGOCOCCAL</i> (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE Any of the following: 1) Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or 4) A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal oplysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial0.00 IENINGOCOCCAL C CONJUGATE VACCINE – [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher per 0.5 ml vial0.00 	e for catch 1(1	up progran	M-M-R II
 4) A maximum of three doses for children who have had their first dose Note: Please refer to the Immunisation Handbook for appropriate schedul Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 rubella vial with diluent 0.5 ml vial0.00 Injection, measles virus 1,000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml	e for catch 1(1	up progran	M-M-R II
 Note: Please refer to the Immunisation Handbook for appropriate scheduling 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 rubella vial with diluent 0.5 ml vial0.00 Injection, measles virus 1,000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml	e for catch 1(1	up progran	M-M-R II
 Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 rubella vial with diluent 0.5 ml vial0.00 Injection, measles virus 1,000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml	1(1	0 🗸	M-M-R II
 Injection, measles virus 1,000 CCID50, mumps virus 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml	1		
 5,012 CCID50, Rubella virus 1,000 CCID50; prefilled syringe/ampoule of diluent 0.5 ml			M-M-R II
 syringe/ampoule of diluent 0.5 ml			
 Priorix to be Sole Supply on 1 September 2017 M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 Detober 2017) M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 Detober 2017) MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inherely) One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial			
 M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 Detober 2017) M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 Detober 2017) MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial	1(0 🖌	Priorix
 Detober 2017) M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 Detober 2017) IENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial			
 M-M-R II Inj 1000 TCID50 measles, 12500 TCID50 mumps and 1000 TCID50 Dctober 2017) IENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial	rubella via	ıl with diluer	nt 0.5 ml vial to be delisted
 Dctober 2017) MENINGOCOCCAL (GROUPS A, C, Y AND W-135) CONJUGATE VACCINE Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial			
 Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial	ubella via	l with dilue	nt 0.5 ml vial to be delisted
 Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or A maximum of two doses for patients following immunosuppression*. Note: children under seven years of age require two doses 8 weeks apart series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial	– [Xpharm	1]	
 series and then five yearly. *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial000 ININGOCOCCAL C CONJUGATE VACCINE – [Xpharm] Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or 			
 *Immunosuppression due to steroid or other immunosuppressive therapy r Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial000 ININGOCOCCAL C CONJUGATE VACCINE – [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or 	a booster	dose three	e years after the primary
 Inj 4 mcg of each meningococcal polysaccharide conjugated to a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial0.00 ININGOCOCCAL C CONJUGATE VACCINE – [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or 			
 a total of approximately 48 mcg of diphtheria toxoid carrier per 0.5 ml vial0.00 IENINGOCOCCAL C CONJUGATE VACCINE – [Xpharm] Any of the following: Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inherical) One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or 	lust be for	a period of	f greater than 28 days.
per 0.5 ml vial0.00 MENINGOCOCCAL C CONJUGATE VACCINE – [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or			
 MENINGOCOCCAL C CONJUGATE VACCINE – [Xpharm] Any of the following: 1) Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inhere) 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or 			/ Manaatua
 Any of the following: 1) Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or 			Menactra
 Up to three doses and a booster every five years for patients pre- and or anatomic asplenia, HIV, complement deficiency (acquired or inher One dose for close contacts of meningococcal cases; or A maximum of two doses for bone marrow transplant patients; or 	1		
or anatomic asplenia, HIV, complement deficiency (acquired or inher 2) One dose for close contacts of meningococcal cases; or 3) A maximum of two doses for bone marrow transplant patients; or	1		
2) One dose for close contacts of meningococcal cases; or3) A maximum of two doses for bone marrow transplant patients; or	1		nd for nationts with function
	l post sple		
 A maximum of two doses for patients following immunosuppression*. 	l post sple		
	l post sple		
Note: children under seven years of age require two doses 8 weeks apart series and then five yearly.	l post sple		
*Immunosuppression due to steroid or other immunosuppressive therapy r	l post sple ted), or pre	e or post so	olid organ transplant; or
Inj 10 mcg in 0.5 ml syringe0.00	l post sple ted), or pre a booster	e or post so dose three	olid organ transplant; or e years after the primary

\$ safety cap
*Three months or six months, as applicable, dispensed all-at-once

Subsidy	Fully Brand or
(Manufacturer's Pr	ice) Subsidised Generic
\$	Per 🖌 Manufacturer

PNEUMOCOCCAL (PCV10) CONJUGATE VACCINE - [Xpharm]

Either:

- 1) A primary course of four doses for previously unvaccinated individuals up to the age of 59 months inclusive; or
- Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV10; or
- 3) Up to three doses as appropriate to complete the primary course of immunisation for individuals under the age of 59 months who have received one to three doses of PCV13.

Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes

Inj 1 mcg of pneumococcal polysaccharide serotypes 1, 5, 6B,

 7F, 9V, 14 and 23F; 3 mcg of pneumococcal polysaccharide serotypes 4, 18C and 19F in 0.5 ml prefilled syringe0.00
 10
 ✓ Synflorix

 Synflorix to be Sole Supply on 1 September 2017
 10
 ✓

PNEUMOCOCCAL (PCV13) CONJUGATE VACCINE - [Xpharm]

Any of the following:

- 1) One dose is funded for high risk children (over the age of 17 months and under 18 years) who have previously received four doses of PCV10; or
- 2) Up to an additional four doses (as appropriate) are funded for high risk children aged under 5 years for (re-)immunisation of patients with any of the following:
 - a) on immunosuppressive therapy or radiation therapy, vaccinate when there is expected to be a sufficient immune response; or
 - b) with primary immune deficiencies; or
 - c) with HIV infection; or
 - d) with renal failure, or nephrotic syndrome; or
 - e) who are immune-suppressed following organ transplantation (including haematopoietic stem cell transplant); or
 - f) with cochlear implants or intracranial shunts; or
 - g) with cerebrospinal fluid leaks; or
 - h) receiving corticosteroid therapy for more than two weeks, and who are on an equivalent daily dosage of prednisone of 2 mg/kg per day or greater, or children who weigh more than 10 kg on a total daily dosage of 20 mg or greater; or
 - i) with chronic pulmonary disease (including asthma treated with high-dose corticosteroid therapy); or
 - j) pre term infants, born before 28 weeks gestation; or
 - k) with cardiac disease, with cyanosis or failure; or
 - I) with diabetes; or
 - m) with Down syndrome; or
 - n) who are pre-or post-splenectomy, or with functional asplenia.
- 3) Up to an additional four doses (as appropriate) are funded for (re-)immunisation of patients 5 years and over with HIV, for patients pre or post haematopoietic stem cell transplantation, or chemotherapy; pre- or post splenectomy; functional asplenia, pre- or post- solid organ transplant, renal dialysis, complement deficiency (acquired or inherited), cochlear implants, or primary immunodeficiency; or
- For use in testing for primary immunodeficiency diseases, on the recommendation of an internal medicine physician or paediatrician.

Note: please refer to the Immunisation Handbook for the appropriate schedule for catch up programmes Inj 30.8 mcg of pneumococcal polysaccharide serotypes 1, 3, 4,

5, 6A, 6B, 7F, 9V, 14, 18C, 19A, 19F and 23F in 0.5ml		
syringe0.00	10	 Prevenar 13
	1	Prevenar 13

	Subsidy (Manufacturer's Price) \$	Fu Subsidis Per	,
PNEUMOCOCCAL (PPV23) POLYSACCHARIDE VACCINE – [Either:	Xpharm]		
 Up to three doses (as appropriate) for patients with HIV chemotherapy; pre- or post-splenectomy or with function complement deficiency (acquired or inherited), cochlear All of the following: a) Patient is a child under 18 years for (re-)immunisi 	nal asplenia, pre- or primary	oost-solid org	an transplant, renal dialysis,
 b) Treatment is for a maximum of two doses; and c) Any of the following: 			
 i) on immunosuppressive therapy or radiation immune response; or ii) with primary immune deficiencies; or iii) with HIV infection; or iv) with renal failure, or nephrotic syndrome; or 		nen there is e	xpected to be a sufficient
v) who are immune-suppressed following orga		uding haema	topoietic stem cell transplant);
 vi) with cochlear implants or intracranial shunts vii) with cerebrospinal fluid leaks; or 	; or		
viii) receiving corticosteroid therapy for more that prednisone of 2 mg/kg per day or greater, o 20 mg or greater; or			
 ix) with chronic pulmonary disease (including a x) pre term infants, born before 28 weeks gest xi) with cardiac disease, with cyanosis or failur xii) with diabetes; or xiii) with Down syndrome; or xiv) who are pre-or post-splenectomy, or with fu 	ation; or 9; or	gh-dose cortic	costeroid therapy); or
Inj 575 mcg in 0.5 ml prefilled syringe (25 mcg of each			
 POLIOMYELITIS VACCINE – [Xpharm] Up to three doses for patients meeting either of the following 1) For partially vaccinated or previously unvaccinated indi 2) For revaccination following immunosuppression. 	:	1 •	Pneumovax 23
Note: Please refer to the Immunisation Handbook for appro Inj 80D antigen units in 0.5 ml syringe			mmes. ✓ IPOL
 ROTAVIRUS LIVE REASSORTANT ORAL VACCINE – [Xpharm Maximum of three doses for patients meeting the following: 1) first dose to be administered in infants aged under 15 v 2) no vaccination being administered to children aged 8 m 	veeks of age; and		_
Oral susp G1, G2, G3, G4, P1(8)11.5 million CCID50 units p 2 ml, tube	0.00		RotaTeq October 2017)

	Subsidy (Manufacturer's Price) \$	Per	Fully Subsidised	Brand or Generic Manufacturer
 ROTAVIRUS ORAL VACCINE – [Xpharm] Maximum of two doses for patients meeting the following: 1) first dose to be administered in infants aged under 14 v 2) no vaccination being administered to children aged 24 				
Oral susp live attenuated human rotavirus 1,000,000 CCID50 per dose, prefilled oral applicator Rotarix to be Sole Supply on 1 September 2017	0.00	10	✔ R	otarix
VARICELLA VACCINE [CHICKENPOX VACCINE] - [Xpharm]				
Either: 1) Maximum of one dose for primary vaccination for eithe	<i>v</i> .			
a) Any infant born on or after 1 April 2016	1.			
 b) For previously unvaccinated children turning 11 y varicella injection (chickenpox), or 	vears old on or after 1	July	2017, who ha	ave not previously had a
2) Maximum of two doses for any of the following:				
a) Any of the following for non-immune patients:				
 i) with chronic liver disease who may in future ii) with detaileration read function before to an 		nspla	intation; or	
ii) with deteriorating renal function before transiii) prior to solid organ transplant; or	splantation; or			
iv) prior to any elective immunosuppression*, c	or			
v) for post exposure prophylaxis who are imm		ents.;	or	
b) For patients at least 2 years after bone marrow tr				
c) For patients at least 6 months after completion of				
 d) For HIV positive non immune to varicella with mil e) For patients with inborn errors of metabolism at rivaricella, or 				
f) For household contacts of paediatric patients who	o are immunocompror	nisec	l, or undergo	ing a procedure leading to
immune compromise where the household conta				
g) For household contacts of adult patients who hav				
immunocompromised, or undergoing a procedure has no clinical history of varicella.	e leading to immune c	ompr	omise where	the nousehold contact
* immunosuppression due to steroid or other immunosuppre 28 days	ssive therapy must be	e for a	a treatment p	eriod of greater than
Inj 2000 PFU prefilled syringe plus vial	0.00	1	-	arilrix
Varilrix to be Sole Supply on 1 September 2017		10	✓ V	arilrix

Diagnostic Agents TUBERCULIN PPD [MANTOUX] TEST – [Xpharm] Inj 5 TU per 0.1 ml, 1 ml vial......0.00 1 ✓ Tubersol

- Symbols -

3TC114
50X 3.0 Reservoir
- A -
A-Scabies
Abacavir sulphate
Abacavir sulphate with
lamivudine 114
lamivudine 114
Abilify143
Abiraterone acetate 180
Acarbose
Accu-Chek Ketur-Test
Accu-Chek Performa26
Accuretic 1056
Accuretic 2056
Acetazolamide215
Acetic acid with 1, 2- propanediol
diacetate and
benzethonium
Acetic acid with hydroxyquinoline and
ricinoleic acid 81
Acetylcysteine218
Aci-Jel
Aciclovir
Infection109
Sensory213
Acidex
Acipimox
Acitretin
Active III
Aclasta124 Aclin119
Act-HIB
Actinomycin D 170
Actrapid
Actrapid Penfill
Acupan130
Adalat 10 59
Adalimumab189
Adapalene67
Adefin XL59
Adefovir dipivoxil107
Adenuric 127
ADR Cartridge 1.8
Adrenaline64
Adriamycin171
ADT Booster256
Adult diphtheria and tetanus
vaccine 256
Advantan
Advate
Afinitor
AFT Carbimazole
AFT SLS-free
AFT-Pyrazinamide 106

AFT-Pyrazinamide S29 106
Agents Affecting the
Renin-Angiotensin System 55
Agents for Parkinsonism and Related
Disorders 128
Agents Used in the Treatment of
Poisonings218
Agrylin169
Alanase211
Albendazole
Albey
Albustix
Alendronate sodium122
Alendronate sodium with
colecalciferol
Alfacalcidol
Alfamino Junior
Alginic acid20
Alglucosidase alfa
Alitrag
Alkeran
Allersoothe
Allopurinol
Allopurinol-Apotex
Alpha Adrenoceptor Blockers
Alpha-Keri Lotion
Alprazolam
Alu-Tab
Aluminium hydroxide
Amantadine hydrochloride
Ambrisentan
Amiloride hydrochloride
Amiloride hydrochloride with
furosemide
Amiloride hydrochloride with
hydrochlorothiazide
Aminophylline
Amiodarone hydrochloride56
Amisulpride143
Amitriptyline
Amlodipine
Amorolfine
Amoxicillin
Amoxicillin Actavis
Amoxicillin with clavulanic acid
Amphotericin B
Amsacrine
AmsaLyo
Amsidine
Amyl nitrite
Amzoate
Anaesthetics
Anagrelide hydrochloride
Analgesics 130
กาณycolco

Anastrozole	
Andriol Testocaps	
Androderm	86
Animas Battery Cap	33
Animas Cartridge	36
Animas Vibe	28
Anoro Ellipta	210
Antabuse	162
Antacids and Antiflatulants	20
Anten	134
Anthelmintics	. 95
Antiacne Preparations	67
Antiallergy Preparations	205
Antianaemics	46
Antiandrogen Oral	
Contraceptives	. 80
Antiarrhythmics	
Antibacterials	
Antibacterials Topical	68
Anticholinergic Agents	208
Anticholinesterases	
Antidepressants	133
Antidiarrhoeals	20
Antiepilepsy Drugs	136
Antifibrinolytics, Haemostatics and	
Local Sclerosants	47
Antifibrotics	210
Antifungals	103
Antifungals Topical	68
Antihistamines	205
Antihypotensives	57
Antimalarials	105
Antimigraine Preparations	141
Antinaus	143
Antinausea and Vertigo Agents	141
Antiparasitics	105
Antipruritic Preparations	69
Antipsychotics	
Antiretrovirals	112
Antirheumatoid Agents	120
Antispasmodics and Other Agents	
Altering Gut Motility	22
Antithrombotic Agents	49
Antithymocyte globulin	
(equine)	188
Antitrichomonal Agents	105
Antituberculotics and	
Antileprotics	106
Antiulcerants	.00
Antivirals	107
Anxiolytics	148
Anzatax	172
Apidra	24
Apidra SoloStar	24

Apo-Amiloride61
Apo-Amlodipine
Apo-Amoxi98
Apo-Azithromycin96
Apo-Bromocriptine128
Apo-Ciclopirox68
Apo-Cilazapril55
Apo-Cilazapril/
Hydrochlorothiazide
Apo-Clarithromycin
Alimentary
Infection
Apo-Clomipramine134
Apo-Diclo SR 119
Apo-Diltiazem CD60
Apo-Doxazosin55
Apo-Folic Acid47
Apo-Imiquimod Cream 5%76
Apo-Leflunomide 120
Apo-Megestrol
Apo-Metoprolol
Apo-Mirtazapine
Apo-Moclobemide134
Apo-Montelukast
Apo-Nadolol58
Apo-Nicotinic Acid62
Apo-Ondansetron142
Apo-Oxybutynin82
Apo-Paroxetine135
Apo-Perindopril55
Apo-Pindolol
Apo-Prazosin
Apo-Prednisone
Apo-Primidone
Apo-Propranolol
Apo-Pyridoxine
Apo-Ropinirole
Apo-Selegiline S29128
Apo-Sumatriptan141
Apo-Terazosin55
Apo-Thiamine43
Apo-Timol59
Apo-Trifluoperazine 145
Apomorphine hydrochloride128
Aprepitant141
Apresoline64
Aptamil Gold+ Pepti Junior245
Aqueous cream
Arava
Aremed
Arimidex
Aripiprazole143
Aristocort
Arrow - Clopid
Arrow-Amitriptyline
Arrow-Bendrofluazide61

Arrow-Brimonidine215
Arrow-Calcium44
Arrow-Diazepam148
Arrow-Dortim215
Arrow-Doxorubicin171
Arrow-Etidronate122
Arrow-Fluoxetine135
Arrow-Gabapentin137
Arrow-Lamotrigine139
Arrow-Losartan &
Hydrochlorothiazide56
Arrow-Meloxicam120
Arrow-Morphine LA132
Arrow-Norfloxacin118
Arrow-Ornidazole105
Arrow-Quinapril 1055
Arrow-Quinapril 2055
Arrow-Quinapril 555
Arrow-Roxithromycin97
Arrow-Sertraline135
Arrow-Simva 10mg62
Arrow-Simva 20mg62
Arrow-Simva 40mg62
Arrow-Simva 80mg62
Arrow-Sumatriptan141
Arrow-Timolol
Arrow-Tolterodine82
Arrow-Topiramate140
Arrow-Tramadol133
Arrow-Venlafaxine XR136
Arsenic trioxide 170
Asacol21
Asamax21
Ascorbic acid43
Aspen Adrenaline64
Aspirin
Blood
Nervous130
Asthalin208
Atazanavir sulphate115
Atenolol57
Atenolol AFT57
ATGAM188
Ativan148
Atomoxetine158
Atorvastatin62
Atripla114
Atropine sulphate
Cardiovascular56
Sensory215
Atropt
Atrovent
Aubagio153
Augmentin
Auranofin
Ava 20 ED79
4Va ZU ED / 3

Ava 30 ED	
Avelox	
Avomine	.143
Avonex	.156
Avonex Pen	
Azacitidine	167
Azamun	
Azathioprine	182
Azithromycin	. 102
Aziu110111y0111	90
Azol	
Azopt	.215
AZT	.115
-B-	
B-D Micro-Fine	
B-D Ultra Fine	
B-D Ultra Fine II	27
Bacillus Calmette-Guerin (BCG)	
vaccine	. 188
Bacillus Calmette-Guerin	
vaccine	. 256
Baclofen	.127
Bactroban	
Baraclude	
Barrier Creams and Emollients	. 100
BCG Vaccine	
Beclazone 100	
Beclazone 250	
Beclazone 50	.206
Beclomethasone	
dipropionate 206	, 211
Bee venom allergy treatment	. 205
Bendamustine hydrochloride	.165
Bendrofluazide	61
Bendroflumethiazide	
[Bendrofluazide]	61
BeneFIX	48
Benzathine benzylpenicillin	98
Benzatropine mesylate	
Benzbromaron AL 100	120
Benzbromarone	. 120
Benzoin	
Benztrop	. 128
Benzydamine hydrochloride	41
Benzylpenicillin sodium [Penicillin	
G]	98
Beta Adrenoceptor Blockers	
Beta Cream	70
Beta Ointment	
Beta Scalp	
Beta-Adrenoceptor Agonists	
Betadine	
Betadine Skin Prep	
Betaferon	
Betagan	.214
Betahistine dihydrochloride	
Betaloc CR	58

Betamethasone dipropionate70 Betamethasone dipropionate with
calcipotriol75
Betamethasone sodium phosphate
with betamethasone acetate
Betamethasone valerate70, 76
Betamethasone valerate with
clioquinol71
Betamethasone valerate with fusidic
acid71
Betaxolol214
Betnovate
Betnovate-C71
Betoptic
Betoptic S214
Bezafibrate
Bezalip
Bezalip Retard
Bicalaccord 180
Bicalutamide
Bicillin LA
BiCNU
Bile and Liver Therapy
Biltricide
Dimatoprost Actoria
Bimatoprost Actavis
Biodone Extra Forte
Biodone Forte
Bisacodyl
Bisoprolol fumarate
BK Lotion
Bleomycin sulphate
Blood Colony-stimulating
Factors
Blood glucose diagnostic test
meter
Blood glucose diagnostic test
strip
Blood glucose test strips (visually
impaired)27
Blood ketone diagnostic test
meter 25
Bonjela42
Boostrix
Bortezomib 170
Bosentan65
Bosvate57
Bplex43
Breo Ellipta 207
Brevinor 1/21 79
Brevinor 1/28 79
Brevinor 2179
Bricanyl Turbuhaler 208
Brilinta50
Brimonidine tartrate215

Brimonidine tartrate with timolol	
maleate2	215
Brinov1	68
Brinzolamide2	215
Brolene	213
Bromocriptine mesylate1	28
Brufen SR 1	19
BSF Apo-Paroxetine	218
Buccastem1	43
Budesonide	
Alimentary	20
Respiratory206, 2	12
Budesonide with eformoterol	07
Bumetanide	60
Buprenorphine with naloxone	
Bupropion hydrochloride1	62
Burinex	
Buscopan	
Buspirone hydrochloride1	10
Busulfan1	
Butacort Aqueous	
- C -	. 12
Cabergoline	٥ı
Cafergot1	11
Cafergot S29 1	/1
Caffeine citrate	11 10
Calamine	
Calcipotriol	
Calcitonin	84
Calcitriol	12
Calcitriol-AFT	43
Calcium carbonate	44
Calcium Channel Blockers	
Calcium Disodium Versenate	
Calcium folinate 1	
Calcium Folinate Ebewe1	88
Calcium gluconate	11
Calcium Homeostasis	
Calcium polystyrene sulphonate	54
Calcium Resonium	
Calogen	30
Calsource	
Camptosar1	60
Candesartan cilexetil	56
Candestar	
Canesten	
Capecitabine1	88
Capoten	
Capsaicin	00
Musculoskeletal1	20
Nervous1	
Captopril	
Carafate	
Carbaccord1	
Carbamazepine1	
Carbimazepine	
	00

Carbomer216
Carboplatin 166
Carboplatin Ebewe 166
Carbosorb-X218
Cardinol LA58
Cardizem CD60
CareSens26
CareSens II26
CareSens N26
CareSens N POP
Carmellose sodium with gelatin and
pectin 42
Carmustine
Carvedilol57
Catapres60
Catapres-TTS-160
Catapres-TTS-260
Catapres-TTS-360
CeeNU166
Cefaclor monohydrate95
Cefalexin
Cefalexin Sandoz
Cefazolin
Ceftriaxone
Cefuroxime axetil
Celecoxib
Celestone Chronodose
Celiprolol
Cellcept
Celol
Centrally-Acting Agents
Cephalexin ABM
Cerezyme
Cetirizine hydrochloride
Cetomacrogol
Cetomacrogol with glycerol72
Champix
Charcoal
Chemotherapeutic Agents
Chickenpox vaccine
Chlorafast
Chlorambucil166
Chloramphenicol213
Chlorhexidine gluconate
Alimentary
Dermatological
Chloroform
Chlorothiazide
Chlorpheniramine maleate
Chlorpromazine hydrochloride
Chlorsig
Chlortalidone [Chlorthalidone]
Chlorthalidone
Chlorvescent
Choice Load 375

Choice TT380 Standard78
Cholestyramine62
Choline salicylate with cetalkonium
chloride
Cholvastin
Ciclopirox olamine
Ciclosporin
Cilazapril
Cilazapril with
hydrochlorothiazide
Cilicaine
Cilicaine VK
Ciloxan
Cinacalcet
Cipflox100
Ciprofloxacin
Infection 100
Sensory213
Circadin
Cisplatin166
Cisplatin Ebewe166
Citalopram hydrobromide 134
Cladribine 168
Clarithromycin
Alimentary22
Infection96
Clexane51
Clindamycin100
Clindamycin ABM 100
Clinicians Renal Vit43
Clobazam
Clobetasol propionate70, 76
Clobetasone butyrate70
Clofazimine
Clomazol
Dermatological
Genito-Urinary
Clomifene citrate
Clomipramine hydrochloride
Clonazepam
Clonidine
Clonidine BNM
Clonidine hydrochloride
Clopidogrel
Clopine
Clopixol
Clotrimazole
Dermatological
Genito-Urinary
Clozapine144
Clozaril144
Clustran141
Co-trimoxazole 100
Coal tar75
Coal tar with allantoin, menthol,
phenol and sulphur75

Coal tar with salicylic acid and	
sulphur7	5
Coco-Scalp7	5
Codeine phosphate	
Extemporaneous22	5
Nervous	1
Cogentin 12	
Colaspase [L-asparaginase]17	0
Colchicine	7
Colecalciferol	
Colestid	
Colestipol hydrochloride	
Colgout	
Colifoam	
Colistin sulphomethate 10	'n
Colistin-Link	
Collodion flexible	5
Colloidal bismuth subcitrate	2
Colofac	
Coloxyl	2 ٥
Combigan	0
Comfort	
Comfort Short	
Compound electrolytes	
Compound hydroxybenzoate	
Concerta16	
Condoms	
Condyline7	6
Contact-D	3
Contraceptives - Hormonal7	8
Contraceptives - Non-hormonal7	8
Copaxone 15	6
Cordarone-X 5	6
Corticosteroids and Related Agents	
for Systemic Use84	4
Corticosteroids Topical7	0
Cosmegen 17	
Coumadin	
Creon 10000	
Creon 250003	
Crixivan11	
Crotamiton6	~
Crystaderm6	
Curam9	8
0.44	8
Cvite4	8 8 3
Cyclizine hydrochloride14	8 8 3 2
	8 8 3 2
Cyclizine hydrochloride14 Cyclizine lactate14	8 8 3 2 2
Cyclizine hydrochloride	8 8 3 2 6
Cyclizine hydrochloride	8 8 3 2 6 6
Cyclizine hydrochloride	8 8 3 2 2 6 6 6
Cyclizine hydrochloride	8 3 2 2 6 6 6 6
Cyclizine hydrochloride	8 8 3 2 2 6 6 6 9
Cyclizine hydrochloride	8 8 3 2 2 6 6 6 9
Cyclizine hydrochloride	88322666696
Cyclizine hydrochloride	883226666960

Cytotec	.22
Cytoxan	66
- D -	
D-Penamine	120
Dabigatran	
Dacarbazine	170
Dactinomycin [Actinomycin D]	170
Daivobet	75
Daivonex	75
Daktarin	60
Dalacin C	
Dalteparin sodium	
Danazol	
Dantrium1	94 197
Dantrium S29	127
Dantrolene	
Daonil	21
Dapa-Tabs	61
Dapsone 1	
Daraprim	
Darunavir	102
Dasatinib	
Daunorubicin	173
DBL Acetylcysteine) / I) 1 0
DBL Aminophylline	211
DBL Bleomycin Sulfate	170
DBL Carboplatin1	
DBL Cisplatin	166
DBL Dacarbazine1	
DBL Docetaxel	171
DBL Doxorubicin	71
DBL Doxorubicin S29	71
DBL Epirubicin Hydrochloride1	171
DBL Ergometrine	81
DBL Gemcitabine1	
DBL Leucovorin Calcium	68
DBL Methotrexate Onco-Vial	69
DBL Morphine Sulphate 1	132
DBL Morphine Tartrate	32
DBL Pethidine Hydrochloride1	133
DBL Vincristine Sulfate1	74
De-Worm	95
Decozol	42
Deferasirox	218
Deferiprone	218
Deoxycoformycin1	173
Depo-Medrol	85
Depo-Medrol with Lidocaine	85
Depo-Provera	
Depo-Testosterone	86
Deprim	00
DermAssist	70
Dermol70,	
Desferal	
Desferrioxamine mesilate	219
Desmopressin acetate	93

Desmopressin-PH&T93
Detection of Substances in
Urine 83
Dexamethasone
Hormone85
Sensory214
Dexamethasone phosphate85
Dexamethasone with framycetin and
gramicidin
Dexamethasone with neomycin
sulphate and polymyxin B
sulphate
Dexamfetamine sulfate
Dexmethsone
Dextrochlorpheniramine
maleate
Dextrose
Dextrose with electrolytes
DHC Continus131
Diabetes23
Diabetes Management25
Diacomit139
Diagnostic Agents264
Diamide Relief20
Diamox215
Diasip231
Diason RTH231
Diazepam 136, 148
Diazoxide
Dicarz
Diclofenac Sandoz119
Diclofenac sodium
Musculoskeletal 119
Sensory
Differin
Difflam
Diflucan
Diflucan S29 103
Diflucortolone valerate
Digestives Including Enzymes
Digoxin
Dihydrocodeine tartrate
Dilantin
Dilantin Infatab
Diltiazem hydrochloride
Dilzem
Dimethicone72–73
Dimethyl fumarate 148
Dipentum21
Diphtheria, tetanus and pertussis
vaccine 256
Diphtheria, tetanus, pertussis and
polio vaccine 257
Diphtheria, tetanus, pertussis, polio,
hepatitis B and haemophilus
influenzae type B vaccine 257

Diprosone
Diprosone OV
Dipyridamole49
Disinfecting and Cleansing
Agents 7
Disopyramide phosphate57
Disulfiram162
Diuretics
Diurin 406
Docetaxel17
Docetaxel Sandoz 17
Docusate sodium
Docusate sodium with
sennosides 38
Dolutegravir 115
Domperidone142
Donepezil hydrochloride16
Donepezil-Rex16
Dopress
Dornase alfa21
Dorzolamide hydrochloride215
Dorzolamide with timolol218
Dostinex
Dosulepin [Dothiepin]
hydrochloride 134
Dothiepin134
Doxazosin
Doxepin hydrochloride134
Doxine
Doxorubicin Ebewe17
Doxorubicin hydrochloride 17
Doxy-50
Doxycycline
DP Fusidic Acid Cream
DP Lotion
DP Lotn HC
DP-Anastrozole
Dr Reddy's Omeprazole
Dr Reddy's Ondansetron
Dr Reddy's Terbinafine104 Drugs Affecting Bone
Metaboliam 10
Metabolism
Duolin
Duolin HFA
Durex Confidence
Durex Extra Safe
Duride
Duro-K
Dynacirc-SRO
- E -
e-chamber La Grande212
e-chamber Mask
e-chamber Turbo
E-Mycin
Ear Preparations213
-

Ear/Eye Preparations213
Easiphen Liquid243
EasyCheck
Econazole nitrate69
Efavirenz114
Efavirenz with emtricitabine and
tenofovir disoproxil
fumarate 114
Efexor XR 136
Effient
Eformoterol fumarate
Efudix
Egopsoryl TA75
Elaprase
Elecare
Elecare LCP
Elemental 028 Extra
Elocon
Elocon Alcohol Free71
Eltrombopag
Eltroxin
Emend141
Emend Tri-Pack141
EMLA
Emtricitabine114
Emtricitabine with tenofovir disoproxil
fumarate 114
Emtriva 114
Emulsifying ointment72
Enalapril maleate55
Enbrel
Endocrine Therapy 180
Endoxan
Enerlyte
Enlafax XR
Enoxaparin sodium
Ensure
Ensure Plus
Ensure Plus HN
Ensure Plus RTH
Entacapone 128
Entapone 128
Entecavir108
Entocort CIR 20
Epilim139
Epilim Crushable
Epilim IV 139
Epilim S/F Liquid139
Epilim Syrup 139
Epirubicin Ebewe
Epirubicin hydrochloride
Epoetin alfa [Erythropoietin alfa]
Eprex
Eptacog alfa [Recombinant factor
VIIa]
ERA
EDA

Ergometrine maleate81
Ergotamine tartrate with
caffeine 141
Erlotinib176
Erythrocin IV97
Erythromycin ethyl succinate97
Erythromycin lactobionate97
Erythromycin stearate97
Erythropoietin alfa47
Esbriet
Escitalopram134
Eskazole95
Estradot
Estradot 50 mcg86
Estrofem
Etanercept 183
Ethambutol hydrochloride106
Ethics Aspirin130
Ethics Aspirin EC49
Ethics Enalapril55
Ethics Lisinopril55
Ethinyloestradiol
Ethinyloestradiol with desogestrel
desogestrel 79
Ethinyloestradiol with
levonorgestrel 79
Ethinyloestradiol with
norethisterone79
Ethosuximide 137
Etidronate disodium122
Etopophos 171
Etoposide171
Etoposide phosphate171
Etravirine
Eumovate70
Everet 139
Everolimus
Evista
Exelon161
Exemestane
Exjade218
Extemporaneously Compounded
Prenarations and
Galenicals
Eye Preparations
Ezemibe62
Ezetimibe62
Ezetimibe with simvastatin63
-F-
Factor eight inhibitor bypassing
fraction
Febuxostat127
Feed Thickener Karicare
Aptamil
FEIBA NF
Felodipine

Fenpaed	110
Fentanyl	
Fentanyl Sandoz	131
Ferodan	
Ferriprox	218
Ferro-F-Tabs	2 10
	44
Ferro-tab	44
Ferrograd	44
Ferrograd F	44
Ferrous fumarate	44
Ferrous fumarate with folic acid	····· · · ·
Ferrous sulphate	44
Ferrous sulphate with folic acid	44
Ferrum H	44
Fexofenadine hydrochloride	
Fibro-vein	
Filgrastim	40
Finasteride	
Fingolimod	150
Finpro	
Firazyr	
Flagyl	105
FlagyI-S	
Flamazine	
Flecainide acetate	57
Fleet Phosphate Enema	
Flixonase Hayfever & Allergy	212
Flixotide	212
Flixotide Accuhaler	206
Flixotide Accuhaler Floair	206 206
Flixotide Accuhaler Floair	206 206
Flixotide Accuhaler Floair Florinef	206 206 85
Flixotide Accuhaler Floair Florinef Fluanxol	206 206 85 145
Flixotide Accuhaler Floair Florinef Fluanxol Flucil	206 206 85 145 99
Flixotide Accuhaler Floair Florinef Fluanxol Flucil Flucil	206 206 85 145 99 99
Flixotide Accuhaler Floair Florinef Fluanxol Flucil Flucloxacillin Flucloxin	206 206 85 145 99 99 99
Flixotide Accuhaler Floair Florinef Fluanxol Flucil Flucil	206 206 85 145 99 99 99
Flixotide Accuhaler Floair Florinef Fluanxol Flucil Flucloxacillin Flucloxin Fluconazole	206 206 85 145 99 99 99 99
Flixotide Accuhaler Floair Florinef Fluanxol Flucil Flucloxacillin Flucloxin Fluconazole Fludara Oral	206 85 145 99 99 99 99 103 168
Flixotide Accuhaler Floair Florinef Fluanxol Flucin Flucloxacillin Flucloxin Fluconazole Fludara Oral Fludarabine Ebewe	206 206 85 145 99 99 99 99 103 168 168
Flixotide Accuhaler Floair Florinef Fluanxol Flucil Flucioxacillin Flucloxacillin Flucloxin Flucara Oral Fludarabine Ebewe Fludarabine phosphate	206 206 85 145 99 99 99 99 99 103 168 168
Flixotide Accuhaler Floair Florinef Fluanxol Flucil Flucioxacillin Flucloxacillin Fluconazole Fludara Oral Fludarabine Ebewe Fludarabine phosphate Fludarocortisone acetate	206 85 145 99 99 99 99 99 103 168 168 168
Flixotide Accuhaler Floair	206 206 85 145 99 99 99 99 103 168 168 85 53
Flixotide Accuhaler Floair	206 206 85 145 99 99 99 99 103 168 168 85 53
Flixotide Accuhaler Floair Florinef Fluanxol Flucil Flucloxacillin Flucloxacillin Fluconazole Fludara Oral Fludarabine Ebewe Fludarabine phosphate Fludarabine phosphate Fludracotrisone acetate Fluids and Electrolytes Flumetasone pivalate	206 206 85 145 99 99 99 99 103 168 168 85 53
Flixotide Accuhaler Floair	206 206 85 145 99 99 99 99 103 168 168 85 53
Flixotide Accuhaler Floair	206 206 85 145 99 103 168 168 168 168 168 168 103 103 168 168 103 104
Flixotide Accuhaler Floair	206 206 85 99 99 99 99 99 99 99
Flixotide Accuhaler Floair	206 206 206
Flixotide Accuhaler Floair	206 206 206
Flixotide Accuhaler Floair	206 206 206
Flixotide Accuhaler	206 206 206
Flixotide Accuhaler	206 206 85 99 99 99 99 99 99 99 99 99 99 99 99 99
Flixotide Accuhaler	206 206 85 99 99 99 103 168 168 53 213 213 214 168 168 85 53 213 213 168 168 168 168 168 168 168 168 168 177 777 145 145 145 145 145 145 145 145 145 145
Flixotide Accuhaler	206 206 85 99 99 99 99 99 103 168 168 168 213 214 168 213 214 168 168 168 168 168 168 168 168 168 168
Flixotide Accuhaler	206 206 85 99 99 99 99 103 168 168 168 213 214 168 213 214 168 168 168 168 168 168 168 168 168 168

Fluticasone furoate with	
vilanterol	
Fluticasone propionate	212
Fluticasone with salmeterol	207
FML	214
Foban	68
Folic acid	47
Food Thickeners	
Foods And Supplements For Inborn	
Errors Of Metabolism	242
Foradil	207
Forteo	123
Fortini	223
Fortini Multi Fibre	
Fortisip	200
Fortisip Multi Fibre	209
Fosamax	
Fosamax Plus	
Fragmin	50
Framycetin sulphate	
Freestyle Optium	26
Freestyle Optium Ketone	25
Freestyle Optium Neo	25
Frisium	
Frumil	
Frusemide	61
Frusemide-Claris	61
Fucicort	71
Fucidin	
Fucithalmic	
Fungilin	42
Furosemide [Frusemide]	61
Fusidic acid	
Dermatological	60
Infection	100
Sensory	213
- G -	407
Gabapentin	137
Gacet	
Galsulfase	
Gardasil	259
Gardasil 9	
Gastrodenol	
Gastrosoothe	22
Gaviscon Double Strength	20
Gaviscon Infant	20
Gazyva	196
Gefitinib	176
Gemcitabine Ebewe	168
Gemcitabine hydrochloride	168
Gemfibrozil	62
Gemzar	
Genoptic	
Genox	182
Gentamicin sulphate	102
Infection	101
	IUI

Sensory213
Gilenya 150
Ginet
Glatiramer acetate 156
Glibenclamide25
Gliclazide25
Glipizide25
Glivec176
Glizide25
Glucagen Hypokit23
Glucagon hydrochloride23
Glucerna Select
Glucerna Select RTH231
Glucobay25
Glucose [Dextrose]53
Gluten Free Foods
Glycerin with sodium saccharin 225
Glycerin with sucrose
Glycerol
Alimentary
Extemporaneous
Glyceryl trinitrate
Alimentary
Cardiovascular
Glycopyrronium
Glycopyrronium bromide
Glycopyrronium with
indacaterol
Glytrin
Goserelin
Granirex
Granisetron
Gutron
Gynaecological Anti-infectives
Habitrol 163
Haemophilus influenzae type B
vaccine
Haldol
Haldol
Haldol Decanoas
Haloperidol
Haloperidol decanoate
Hamilton Sunscreen
Harvoni
Havrix
Havrix Junior
HBvaxPRO
healthE Dimethicone 10%
healthE Dimethicone 4% Lotion73
healthE Dimethicone 5%72
healthE Glycerol BP 225
healthE Urea Cream72
Healtheries Simple Baking Mix241
Hemastix83

Heparin sodium51
Heparinised saline52
Heparon Junior 232
Hepatitis A vaccine258
Hepatitis B recombinant
vaccine
Hepsera107
Herceptin 199
Hexamine hippurate 118
Hiberix
Hiprex
Histaclear
Histafen
Holoxan
Horleys Bread Mix
Horleys Flour
Hormone Replacement Therapy -
Systemic
HPV259
Humalog24
Humalog Mix 2524
Humalog Mix 5024
Human papillomavirus (6, 11, 16, 18,
31, 33, 45, 52 and 58) vaccine
[HPV]
Human papillomavirus (6, 11, 16 and
18) vaccine [HPV]
10) vaccine [m v]
Humatin 101
Humatin
Humatin 101 Humira 189 HumiraPen 189
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 516 Hydralazine 64 Hydralazine hydrochloride 64
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 171
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydrea 171 Hydrocortisone Dermatological 70 70
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydrea 171 Hydrocortisone 20 Dermatological 70 Hormone 85
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin 30/70 24 Humulin NPH 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 70 Dermatological 70 Hydrocortisone acetate 21
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin 30/70 24 Humulin NPH 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 70 Dermatological 70 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid 21
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hydruonic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 70 Dermatological 70 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid and lanolin 70
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin 30/70 24 Humulin NPH 24 Hydronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 55 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid and lanolin 70 Hydrocortisone butyrate 70, 76
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 21 Dermatological 70 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid 31 and lanolin 70 Hydrocortisone with cinchocaine 21
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 21 Dermatological 70 Hydrocortisone acetate 21 Hydrocortisone and paraffin liquid 31 and lanolin 70 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 21 Dermatological 70 Hydrocortisone acetate 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone with cinchocaine 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone with cinchocaine 21 Hydrocortisone with natamycin and 70
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 21 Dermatological 70 Hormone 85 Hydrocortisone and paraffin liquid 30 and lanolin 70 Hydrocortisone with cinchocaine 21 Hydrocortisone with miconazole 71 Hydrocortisone with micona
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 21 Dermatological 70 Hormone 85 Hydrocortisone and paraffin liquid 30 and lanolin 70 Hydrocortisone with cinchocaine 21 Hydrocortisone with miconazole 71 Hydrocortisone with miconazole 71 Hydrocortisone with natamycin and neomycin neomycin 71 Hydrogen peroxide 71
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hydralazine 64 Hydralazine hydrochloride 64 Hydra 171 Hydrocortisone 21 Dermatological 70 Hormone 85 Hydrocortisone acetate 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone with niconazole 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone peroxide Alimentary Alimentary 42
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 21 Dermatological 70 Hormone 85 Hydrocortisone acetate 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone with miconazole 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone peroxide Alimentary Alimentary 42 Dermatological 68
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 20 Dermatological 70 Hormone 85 Hydrocortisone acetate 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone with niconazole 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone with atamycin and neomycin 71 Hydrocortisone with atamycin and neomycin 68 Hydrocortisone with atamycin and neomycin 71 Hydrocortisone with atamycin and neomycin 68 Hydrocortisone with atamycin and neomycin 68 Hydrocortisone with natamycin and neom
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 21 Dermatological 70 Hormone 85 Hydrocortisone acetate 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone with miconazole 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone peroxide Alimentary Alimentary 42 Dermatological 68
Humatin 101 Humira 189 HumiraPen 189 Humulin 30/70 24 Humulin NPH 24 Humulin R 24 Hyaluronic acid 216 Hybloc 58 Hydralazine 64 Hydralazine hydrochloride 64 Hydrea 171 Hydrocortisone 20 Dermatological 70 Hormone 85 Hydrocortisone acetate 21 Hydrocortisone butyrate 70, 76 Hydrocortisone with cinchocaine 21 Hydrocortisone with niconazole 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone with natamycin and neomycin 71 Hydrocortisone with atamycin and neomycin 71 Hydrocortisone with atamycin and neomycin 68 Hydrocortisone with atamycin and neomycin 71 Hydrocortisone with atamycin and neomycin 68 Hydrocortisone with atamycin and neomycin 68 Hydrocortisone with natamycin and neom

Hylo-Fresh	216
Hyoscine hydrobromide	142
Hyoscine N-butylbromide	
Hypam	
Hyperuricaemia and Antigout	126
Hypnovel	157
Hypromellose	
Hypromellose with dextran	
Hysite	
-1-	
Ibiamox	98
Ibugesic	119
Ibuprofen	119
Icatibant	
Idarubicin hydrochloride	171
Idursulfase	
Ifosfamide	
lkorel	
lloprost	
Imatinib mesilate	176
Imatinib-AFT	
Imiglucerase	
Imipramine hydrochloride	134
Imiquimod	
Immune Modulators	
Immunosuppressants	
Imuran	
Incruse Ellipta	
Indacaterol	
Indapamide	
Indinavir	
Infanrix IPV	
Infanrix-hexa	
Infant Formulae	243
Influenza vaccine	260
Influvac	
Inhaled Corticosteroids	206
Inhaled Long-acting	
Beta-adrenoceptor Agonists	207
Inset 30	
Inset II	.35
Insulin aspart	.24
Insulin aspart with insulin aspart	
protamine	24
Insulin glargine	.24
Insulin glulisine	
Insulin isophane	.24
Insulin isophane with insulin	
neutral	24
Insulin lispro	.24
Insulin lispro with insulin lispro	
protamine	24
Insulin neutral	
Insulin pen needles	
Insulin pump	.28
Insulin pump accessories	.33

Insulin pump infusion set (steel
cannula)
Insulin pump infusion set (teflon
cannula, angle insertion with
insertion device) 34
Insulin pump infusion set (teflon
cannula, angle insertion) 34
Insulin pump infusion set (teflon
cannula, straight insertion with
insertion device)35
Insulin pump infusion set (teflon
cannula, straight insertion)
Insulin pump reservoir36
Insulin syringes, disposable with
attached needle 27
Intal Forte CFC Free211
Intal Spincaps211
Intelence 114
Interferon alfa-2a 116
Interferon alfa-2b 116
Interferon beta-1-alpha156
Interferon beta-1-beta156
Intra-uterine device78
Intron-A116
Invega Sustenna146
IPOL
Ipratropium bromide208, 212
Iressa176
Irinotecan Actavis 100 169
Irinotecan Actavis 40 169
Irinotecan hydrochloride169
Irinotecan-Rex 169
Iron polymaltose44
Isentress115
lsmo 2064
Ismo 40 Retard 64
Isoniazid 106
Isoprenaline64
Isoptin60
Isopto Carpine215
Isosorbide mononitrate64
Isosource Standard238
Isosource Standard RTH 238
Isotane 1067
Isotane 2067
Isotretinoin67
Ispaghula (psyllium) husk
Isradipine59
Isuprel64
Itch-Soothe69
Itraconazole103
Itrazole103
Ivermectin
- J -
Jadelle
Jevity HiCal RTH238

Jevity RTH - K -	238
- K -	
Kaletra	115
Kemadrin	
Kenacomb	213
Kenacort-A 10	
Kenacort-A 40	86
Kenalog in Orabase	
Ketocal 3:1	245
KetoCal 4:1	245
Ketoconazole	
Dermatological	
Infection	104
Ketogenic Diet	245
Ketone blood beta-ketone	
electrodes	25
Ketoprofen	110
Ketostix	
Keytruda	
Kindergen	
Kinson	128
Kivexa	
Klacid	
Kliogest	
Kliovance	
Kogenate FS	
Konakion MM	
Konsyl-D	38
- L -	
L-asparaginase	170
Labetalol	
Lacosamide	
Lactulose	<mark>38</mark>
Laevolac	
Lamictal	139
Lamivudine	108.114
Lamivudine Alphapharm	
Lamotrigine	
Lamprene	
Lanoxin	
Lanoxin PG	
Lansoprazole	22
Lantus	
Lantus SoloStar	
Lanvis	
Lanzol Relief	
Lapatinib ditosylate	
Largactil	
Lasix	
Latanoprost	
Lax-Sachets	
Lax-Suppositories	39
Lax-Tab	
Laxatives	
Laxsol	
Ledipasvir with sofosbuvir	112

Leflunomide	
Lenalidomide	
Letrole	182
Letrozole	182
Leukeran FC	
Leukotriene Receptor	
Antagonists	. 210
Leunase	170
Leuprorelin	93
Leustatin	168
Levetiracetam	130
Levobunolol	21/
Levocabastine	01/
Levodopa with benserazide	100
Levodopa with parhidana	100
Levodopa with carbidopa	120
Levomepromazine hydrochloride	
nyarochioride	144
Levomepromazine maleate	144
Levonorgestrel	
Genito-Urinary	
Hormone	87
Levothyroxine	<mark>8</mark> 9
Lidocaine [Lignocaine]129)-130
Lidocaine [Lignocaine]	
hydrochloride	129
Lidocaine [Lignocaine] with	
chlorhexidine	130
Lidocaine [Lignocaine] with	
prilocaine	130
Lidocaine-Claris	129
Lignocaine	
Hormone	85
Nervous129	2_130
Lioresal Intrathecal	100
Lipazil	
Lipid-Modifying Agents	02
Liput-woonlying Agents	02
Liquigen	230
Lisinopril	
Lithicarb FC	144
Lithium carbonate	144
Livostin	214
LMX4	130
Locacorten-Viaform ED's	213
Local preparations for Anal and	
Rectal Disorders	
Locasol	244
Locoid	70, 76
Locoid Crelo	70
Locoid Lipocream	70
Locorten-Vioform	
Lodi	
Lodoxamide	
Logem	
Lomide	214
Lomustine	
Loniten	

Loperamide hydrochloride 20
Loperannue nyurochionue
Lopinavir with ritonavir115
Lopresor
Loprofin243
Loprofin Mix243
Lorafix
Loratadine
Lorazepam148
Lorfast
Lormetazepam
Lorstat
Losartan Actavis
Losartan potassium56
Losartan potassium with
hydrochlorothiazide 56
Lovir
Lucrin Depot 1-month93
Lucrin Depot 3-month
Lucrin Depot 6-month
Ludiomil
Lycinate64
Lyderm74
- M -
m-Eslon
M-M-R II
m-Nystatin42
Mabthera 197
Macrogol 3350 with potassium
chlorida, codium hicarhonata and
chloride, sodium bicarbonate and
sodium chloride38
sodium chloride
sodium chloride 38 Macrogol 400 and propylene glycol glycol 216 Madopar 125 128 Madopar 250 128 Madopar 62.5 128 Madopar Rapid 128 Madopar Rapid 128 Madopar Rapid 128 Magnesium hydroxide 226 Magnesium sulphate 44 Mantoux 264 Maprotiline hydrochloride 134 Marevan 52 Marine Blue Lotion SPF 50+ 76 Maxk for spacer device 212 Mask for spacer device 212 Maxitrol 214 MCT oil (Nutricia) 230 Measles, mumps and rubella 261
sodium chloride
sodium chloride
sodium chloride
sodium chloride

Hormone
Mefenamic acid119
Megestrol acetate 181
Melatonin156
Meloxicam120
Melphalan166
Menactra
Meningococcal (groups A, C, Y and
W-135) conjugate vaccine 261
Meningococcal C conjugate
vaccine 261
Menthol69
Mercaptopurine169
Mercilon 2879
Mesalazine21
Mesna172
Mestinon119
Metabolic Disorder Agents
Metamide142
Metchek25
Meterol207
Metformin hydrochloride25
Metformin Mylan25
Methadone hydrochloride
Extemporaneous
Nervous131
Methatabs131
Methopt216
Methotrexate169
Methotrexate Ebewe169
Methotrexate Sandoz 169
Methyl hydroxybenzoate225
Methylcellulose 225
Methylcellulose with glycerin and
sodium saccharin 226
Methylcellulose with glycerin and
sucrose 226
Methyldopa 60
Methyldopa Mylan 60
Methylphenidate hydrochloride 159
Methylphenidate hydrochloride
extended-release 160
Methylprednisolone85
Methylprednisolone (as sodium
succinate) 85
Methylprednisolone aceponate70
Methylprednisolone acetate85
Methylprednisolone acetate with
lidocaine [Lignocaine]85
Methylxanthines
Metoclopramide hydrochloride 142
Metolazone
Metopirone
Metoprolol - AFT CR
Metoprolol succinate
Metoprolol tartrate58

Metronidazole	105
Metyrapone	94
Mexiletine hydrochloride	57
Mexiletine Hydrochloride USP	57
Miacalcic	84
Micolette	
Miconazole	42
Miconazole nitrate	
Dermatological	69
Genito-Urinary	
Micreme	
Micreme H	
Microgynon 30	
Microgynon 50 ED	
Microlut	80
Midazolam	
Midazolam-Claris	157
Midodrine	57
Minerals	44
Mini-Wright AFS Low Range	212
Mini-Wright Standard	
Minidiab	
Minims Pilocarpine	
Minims Prednisolone	213 214
Minirin	
Mino-tabs	00
Minocycline hydrochloride	
Minomycin	
Minor Skin Infections	
Minoxidil	
Mirena	
Mirtazapine	135
Misoprostol	100 00
Mitomycin C	170
Mitozantrone	172
Mitozantrone Ebewe	170
Mixtard 30	۲۱ ۸۵
Moclobemide	
Modafinil	
Modavigil	101
Modecate	
Modecate S29	
Moduretic	
Mometasone furoate	
Monogen	
Montelukast	202
Moroctocog alfa [Recombinant fac	210 tor
VIII]	
Morphine hydrochloride	الان م₀∔
Morphine sulphate	
Morphine tartrate	
Motetis	
Motrig	139
Mouth and Throat	
Movapo	
Moxifloxacin	101

MSUD Maxamum
Mucilaginous laxatives with
stimulants 38
Mucolytics211
Multiple Sclerosis Treatments 148
Multivitamin renal
Multivitamins
Mupirocin
Muscle Relaxants 127
Mvite
Myambutol
Mycobutin
MycoNail
Mycophenolate mofetil
Mycostatin
Mydriacyl
Mylan Atenolol
Mylan Clomiphen
Mylan-Bosentan
Myleran
Myloc CR
Myocrisin 121
Myometrial and Vaginal Hormone
Preparations
Myozyme
- N - Nadolol
Naglazyme
Nalazaria Of
Nalcrom21
Nalcrom21 Naloxone hydrochloride218
Nalcrom
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphazoline hydrochloride 216
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphazoline hydrochloride 216 Naphcon Forte 216
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Naproxen 119
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphzoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Naproxen 119 Nardii 134
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphzoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Naproxen 119 Nardil 134 Nasal Preparations 211
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 216 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nahtracord 163 Naphazoline hydrochloride 216 Naphon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Naproxen 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nahtraccord 163 Naphazoline hydrochloride 216 Naphon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nausicalm 142
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naphazoline hydrochloride 216 Naphazoline hydrochloride 216 Naphoron Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nausicalm 142 Nauzene 142
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nathraccord 163 Naphazoline hydrochloride 216 Naphorn Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 173 Nausicalm 142 Nauzene 142 Navelbine 175
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nathrexone hydrochloride 216 Naphazoline hydrochloride 216 Naphoron Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nauscalm 142 Nauzene 142 Navelbine 175 Nedocromil 211
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nathraccord 163 Naphazoline hydrochloride 216 Naphazoline hydrochloride 216 Naphosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nauscalm 142 Navelbine 175 Nedocromil 211 Nefopam hydrochloride 130
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nathraccord 163 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Naproxen 119 Nadil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nauscalm 142 Nauzene 142 Navelbine 171 Nedocromil 211 Nefopam hydrochloride 130 Neisvac-C 261
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Naproxen 119 Nadall 134 Nasal Preparations 211 Natulan 173 Nauzene 142 Navelbine 175 Nedocromil 211 Neforam hydrochloride 130 Neisvac-C 261
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nagrosyn SR 750 119 Nadril 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nausicalm 142 Navelbine 175 Nedocromil 211 Neforam hydrochloride 130 Neisvac-C 261 Neo-B12 42
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 163 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nausicalm 142 Navelbine 175 Nedocromil 211 Neforam hydrochloride 130 Neisvac-C 261 Neo-B12 42 Neo-Brcazole 88 Neocate Advance 244
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 216 Naphazoline hydrochloride 216 Naphoon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nausicalm 142 Navelbine 175 Nedocoromil 211 Neisvac-C 261 Neo-B12 42 Neo-B12 42 Neocate Advance 244
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Naltrexone hydrochloride 216 Naphazoline hydrochloride 216 Naphcon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nausicalm 142 Navene 142 Navene 142 Navelbine 175 Nedocromil 211 Nefopam hydrochloride 130 Neisvac-C 261 Neo-B12 42 Neo-Cate Advance 244 Neocate Gold 244
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nahtraccord 163 Naphazoline hydrochloride 216 Naphon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natulan 173 Nausicalm 142 Navelbine 175 Nedocromil 211 Neisvac-C 261 Neo-B12 42 Neocate Advance 244 Neocate Gold 244 Neocate LCP 244
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nahtraccord 163 Naphazoline hydrochloride 216 Naphon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natalizumab 151 Natulan 173 Nausicalm 142 Navelbine 175 Nedocromil 211 Neisvac-C 261 Neo-B12 42 Neocate Advance 244 Neocate Gold 244 Neorate Gold 244 Neorate LCP 244 Neostigmine metilsulfate 119
Nalcrom 21 Naloxone hydrochloride 218 Naltraccord 163 Nahtraccord 163 Naphazoline hydrochloride 216 Naphon Forte 216 Naprosyn SR 1000 119 Naprosyn SR 750 119 Nardil 134 Nasal Preparations 211 Natulan 173 Nausicalm 142 Navelbine 175 Nedocromil 211 Neisvac-C 261 Neo-B12 42 Neocate Advance 244 Neocate Gold 244 Neocate LCP 244

Nepro HP RTH	
Nerisone	
Neulactil	144
Neulastim	53
Neurontin	137
NeuroTabs	. 44
Nevirapine	114
Nevirapine Alphapharm	
Nicorandil	
Nicotine	
Nicotinic acid	
Nifedipine	50
Nifuran	118
Nilotinib	177
Nilstat	
Genito-Urinary	01
Infection	
Intection	104
Nipent	1/3
Nitrados	
Nitrates	
Nitrazepam	157
Nitroderm TTS	
Nitrofurantoin	118
Nitrolingual Pump Spray	64
Nivolumab	
Nizoral	
Noctamid	
Nodia	
Noflam 250	119
Noflam 500	119
Non-Steroidal Anti-Inflammatory	
Drugs	119
Nonacog alfa [Recombinant factor	
IX]	. 48
Nonacog gamma, [Recombinant	
Factor IX]	. 48
Norethisterone	
Genito-Urinary	. 80
Hormone	
Norflex	
Norfloxacin	
Noriday 28	80
Norimin	
Normacol Plus	
Normison	
Norpress	
Nortriptyline hydrochloride	104
Norvir	
NovaSource Renal	
Novatretin	
NovoMix 30 FlexPen	
NovoRapid	
NovoRapid FlexPen	
NovoRapid Penfill	
NovoSeven RT	
Noxafil	104

Nozinan	144
Nuelin	211
Nuelin-SR	
Nupentin	137
Nutilis	241
Nutrient Modules	228
Nutrini Energy Multi Fibre	
Nutrini Energy RTH	233
Nutrini Low Energy Multi Fibre	235
Nutrini RTH	233
Nutrison 800 Complete Multi	
Fibre	238
Nutrison Concentrated	
Nutrison Energy	
Nutrison Energy Multi Fibre	238
Nutrison Multi Fibre	238
Nutrison Standard RTH	
Nyefax Retard	59
Nystatin	
Alimentary	42
Dermatological	
Genito-Urinary	81
Infection	104
NZB Low Gluten Bread Mix	241
- 0 -	
O/W Fatty Emulsion Cream	
Obinutuzumab	196
Octocog alfa [Recombinant factor	
VIII] (Advate)	48
Octocog alfa [Recombinant factor	
VIII] (Kogenate FS)	49
Octreotide	181
Octreotide LAR (somatostatin	
analogue)	
Oestradiol	
Oestradiol valerate	
Oestradiol with norethisterone	87
Oestriol	
Genito-Urinary	
Hormone	8/
Oestrogens	8/
Oestrogens with	07
medroxyprogesterone	8/
Oil in water emulsion	72
Olanzapine	140
Olbetam	
Olopatadine	
Olsalazine	
Omalizumab	
Omeprazole	
Omezol Relief	23
Omnitrope Onbrez Breezhaler	
	20/
Oncaspar OncoTICE	
Onco I ICE	
UIUalisellUII	. 142

Ondansetron ODT-DRLA	142
One-Alpha	
Onrex	142
Opdivo	
Ora-Blend	
Ora-Blend SF	
Ora-Plus	220
Ora-Sweet	
Ora-Sweet SF	.220
Orabase	42
Oral Supplements/Complete Diet	
(Nasogastric/Gastrostomy Tube	
Feed)	. 231
Oratane	
Orgran	
Orion Temozolomide	
Ornidazole	
Orphenadrine citrate	
Ortho-tolidine	
Oruvail SR	
Osmolite RTH	.238
Ospamox	98
Other Endocrine Agents	94
Other Oestrogen Preparations	87
Other Progestogen	
Preparations	87
Other Skin Preparations	77
Ovestin	
Genito-Urinary	81
Hormone	
Ox-Pam	
Oxaliccord	
Oxaliplatin	
Oxaliplatin Actavis 100	
Oxaliplatin Actavis 50	
Oxaliplatin Ebewe	167
Oxazepam	148
Oxis Turbuhaler	207
Oxpentifylline	
Oxybutynin	
Oxycodone hydrochloride	122
OxyNorm	
Oxytocin	. 100
	01
Oxytocin BNM	01
Oxytocin with ergometrine maleate	~
Ozole	.103
- P -	
Pacifen	
Paclitaxel	
Paclitaxel Actavis	
Paclitaxel Ebewe	
Paediatric Seravit	
Paliperidone	
Pamidronate disodium	
Pamisol	.123

Pancreatic enzyme	37
Pantoprazole	23
Panzop Relief	23
Panzytrat	37
Papaverine hydrochloride	
Para-amino salicylic acid1	06
Paracare1	
Paracare Double Strength1	30
Paracetamol1	30
Paracetamol + Codeine	
(Relieve) 1	33
Paracetamol with codeine1	33
Paradigm 1.8 Reservoir	
Paradigm 3.0 Reservoir	
Paradigm 522	
Paradigm 722	28
Paradigm Mio MMT-921	35
Paradigm Mio MMT-923	
Paradigm Mio MMT-925	35
Paradigm Mio MMT-941	35
Paradigm Mio MMT-943	
Paradigm Mio MMT-945	35
Paradigm Mio MMT-965	
Paradigm Mio MMT-975	
Paradigm Quick-Set MMT-386	36
Paradigm Quick-Set MMT-387	36
Paradigm Quick-Set MMT-396	36
Paradigm Quick-Set MMT-397	36
Paradigm Quick-Set MMT-398	20
Paradigm Quick-Set MMT-399	00 06
Paradigm Silhouette MMT-368	
Paradigm Silhouette MMT-377	
Paradigm Silhouette MMT-378 Paradigm Silhouette MMT-381	34
Paradigm Silhouette MMT 000	34
Paradigm Silhouette MMT-382 Paradigm Silhouette MMT-383	34
Paradigm Silhouette MMT-384	
Paradigm Sure-T MMT-864	
Paradigm Sure-T MMT-866	
Paradigm Sure-T MMT-874	
Paradigm Sure-T MMT-876	33
Paradigm Sure-T MMT-884	33
Paradigm Sure-T MMT-886	
Paraffin	12
Paraffin liquid with soft white paraffin	
Paraffin liquid with wool fat	10
Paraldehyde1	
Parasidose	15
Parasiticidal Preparations	73
Paritaprevir, ritonavir and ombitasvir	40
with dasabuvir	12
Paritaprevir, ritonavir and ombitasvir	40
with dasabuvir and ribavirin1	
Parnate	
Paromomycin1	U1

Paroxetine	.135
Paser	.106
Patanol	.216
Paxam	
Pazopanib	.178
Peak flow meter	
Pedialyte - Bubblegum	54
Pediasure	233
Pediasure RTH	
Pegaspargase	
Pegasys	116
Pegasys RBV Combination	
Pack	116
Pegfilgrastim	53
Pegylated interferon alfa-2a	116
Pembrolizumab	
Penicillamine	
Penicillin G	
PenMix 30	
PenMix 30	
PenMix 40 PenMix 50	24
Pentasa	
Pentostatin [Deoxycoformycin]	170
Pentoxifylline [Oxpentifylline]	. 173
Peptamen Junior	
Peptisoothe	
Peptisorb	22
Perhexiline maleate	
Pericyazine	
Perindopril	. 144
Perjeta	100
Permethrin	. 190
Permeunini	100
Pertuzumab Peteha	100
Pethidine hydrochloride	100
Pevaryl	
Pevaryi Pexsig	
Pexsig	100
Pfizer Exemestane Pharmacare	102
Pharmacare Pharmacy Health Sorbolene with	. 130
	70
Glycerin	
Pharmacy Services	
Pheburane	41
Phenelzine sulphate	. 134
Phenobarbitone	. 139
Phenobarbitone sodium	
Extemporaneous	
Nervous	. 157
Phenothrin	/5
Phenoxybenzamine	
hydrochloride	55
Phenoxymethylpenicillin (Penicillin	~~
V)	99
Phenytoin sodium 137	
Phlexy 10	
Phosphate-Sandoz	54

Phosphorus54
Phytomenadione49
Pilocarpine hydrochloride215
Pimafucort
Pindolol
Pine tar with trolamine laurilsulfate
and fluorescein76
Pinetarsol
Pioglitazone
Piportil
Pipothiazine palmitate 147
Pirfenidone
Pizotifen141
PKU Anamix Infant
PKU Anamix Junior
PKU Anamix Junior LQ
PKU Lophlex LQ 10
PKU Lophlex LQ 20
Plaquenil
Plendil ER
Pneumococcal (PCV10) conjugate
vaccine
Pneumococcal (PCV13) conjugate
vaccine
Pneumococcal (PPV23)
polysaccharide vaccine
Pneumovax 23
Podophyllotoxin
Polaramine
Poliomyelitis vaccine
Poloxamer
Poly-Gel
Poly-Tears
Poly-Visc
Polycal
Polyvinyl alcohol
Ponstan
Posaconazole
Postinor-180
Potassium chloride
Potassium citrate
Potassium iodate
Povidone iodine
Pradaxa
Pramipexole hydrochloride
Prasugrel
Pravastatin
Praziguantel
Prazosin
Prednisolone
Prednisolone acetate
Prednisolone sodium
phosphate214 Prednisolone-AFT214
Prednisone
Pregnancy Tests - hCG Urine

Premarin	87
Premia 2.5 Continuous	87
Premia 5 Continuous	
Prevenar 13	
Prezista	
Priadel	.144
Primacin	105
Primaquine phosphate	.105
Primidone	139
Primolut N	
Priorix	
Probenecid	
Probenecid-AFT	127
Procaine penicillin	99
Procarbazine hydrochloride	173
Prochlorperazine	
Proctosedyl	
Procur	
Procyclidine hydrochloride	
Procytox	
Prodopa	
Progesterone	88
Proglicem	
Proglycem	23
Progynova	
Prokinex	142
Promethazine hydrochloride	206
Promethazine theoclate	
Propafenone hydrochloride	
Propamidine isethionate	
Propranolol	
Propylene glycol	
Propylthiouracil	
Protamine sulphate	
Protaphane	
Protaphane Penfill	24
Protifar	.230
Protionamide	
Provera	
Provera HD	
PSM Citalopram	
Peoriasis and Eczema	
Preparations	75
PTU	
Pulmicort Turbuhaler	
Pulmocare	
Pulmozyme	
Puri-nethol	
Pyrazinamide	. 106
Pyridostigmine bromide	.119
Pyridoxine hydrochloride	42
Pyrimethamine	
Pytazen SR	49
- Q -	
Q 300	
Questran-Lite	62

Quetapel	.145
Quetiapine	.145
Quick-Set MMT-390	36
Quick-Set MMT-391	
Quick-Set MMT-392	36
Quick-Set MMT-393	36
Quinapril	55
Quinapril with	
hydrochlorothiazide	
Quinine sulphate	
Qvar	.206
- R -	
RA-Morph	.131
Raloxifene hydrochloride	.123
Raltegravir potassium	.115
Ramipex	128
Ranbaxy-Cefaclor	95
Ranitidine	
Ranitidine Relief	
	22
Rapamune	
Reandron 1000	86
Recombinant factor IX	48
Recombinant factor VIIa	
Recombinant factor VIII 4	8–49
Rectogesic	22
Redipred	85
Refresh Night Time	216
Renilon 7.5	
Resonium-A	
Resource Beneprotein	
Resource Diabetic	
Resource Diabelic	.231
Respigen	
Respiratory Devices	
Respiratory Stimulants	.212
Retinol palmitate	.217
ReTrieve	
Retrovir	
Revlimid	.172
Revolade	47
Rexacrom	
RexAir	
Reyataz	
Ribomustin	
Ridaura s29	120
Rifabutin	
Dife dia	107
Rifadin	. 107
Rifampicin	
Rifaximin	
Rifinah	
Rilutek	. 129
Riluzole	. 129
Riodine	73
Risedronate Sandoz	.123
Risedronate sodium	.123
Risperdal Consta	
Risperidone	
1 10ponuono	, /

Risperon145
Ritalin159
Ritalin LA 160
Ritalin SR159
Ritonavir115
Rituximab197
Rivaroxaban52
Rivastigmine 161
Rivotril
RIXUBIS
Rizamelt141
Rizatriptan 141
Roferon-A 116
Ropinirole hydrochloride128
Rotarix
RotaTeq263
Rotavirus live reassortant oral
vaccine 263
Rotavirus oral vaccine
Roxane
Alimentary20
Cardiovascular58
Roxithromycin
Rubifen
Rubifen SR 159
Rulide D
Rythmodan
Bytmonorm
Rytmonorm
- S -
- S - S-26 Gold Premgro243
- S - S-26 Gold Premgro

Serophene	94
Sertraline	135
Sevredol	132
Sex Hormones Non	
Contraceptive	. 86
Shield 49	
Shield Blue	
Shield XL	78
Sildenafil	65
Silhouette MMT-371	
Silhouette MMT-373	
Siltuximab	100
Simvastatin	62
Sinemet	
Sinemet CR	120
Sirolimus	120
Slow-K	203
	54
Slow-Lopresor	58
Sodibic	54
Sodium acid phosphate	
Sodium alginate	20
Sodium aurothiomalate	121
Sodium benzoate	41
Sodium bicarbonate	
Blood53	3–54
Extemporaneous	
Sodium calcium edetate	219
Sodium chloride	
Blood	53
Respiratory	211
Sodium citrate with sodium lauryl	
sulphoacetate	39
Sodium citro-tartrate	82
Sodium cromoglycate	
Alimentary	21
AIIIIIeiiiaiy	211
Respiratory	
Respiratory	214
Respiratory Sensory	214
Respiratory Sensory Sodium fluoride	214 44
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic	44
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid]	44 216
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside	44 216 25
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate	44 216 25 41
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate Sodium polystyrene sulphonate	44 216 25 41 54
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate Sodium polystyrene sulphonate Sodium tetradecyl sulphate	44 216 25 41 54 49
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium polystyrene sulphonate Sodium polystyrene sulphonate Sodium tetradecyl sulphate Sodium valproate	44 216 25 41 54 49 139
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium polystyrene sulphonate Sodium polystyrene sulphonate Sodium tetradecyl sulphate Sodium valproate Sofradex	44 216 25 41 54 49 139 213
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium polystyrene sulphonate Sodium polystyrene sulphonate Sodium tetradecyl sulphate Sodium valproate Sodiradex Sofradex	44 216 25 41 54 139 213 213
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium polystyrene sulphonate Sodium polystyrene sulphonate Sodium tetradecyl sulphate Sodium valproate Sofradex Soframycin Solian	44 216 25 41 54 139 213 213 213 143
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate Sodium polystyrene sulphonate Sodium tetradecyl sulphate Sodium valproate Sofradex Soframycin Solian Solian	44 216 25 41 54 139 213 213 213 82
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate Sodium polystyrene sulphonate Sodium tetradecyl sulphate Sodium valproate Sofradex Sofradex Soframycin Solian Solian Solienacin succinate Solu-Cortef	44 216 25 41 54 49 139 213 213 213 82 85
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate Sodium phenylbutyrate Sodium polystyrene sulphonate Sodium tetradecyl sulphate Sodium valproate Sofradex Sofradex Solar Solifenacin succinate Solu-Cortef Solu-Medrol.	44 216 25 41 54 139 213 213 213 143 82 85 85
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate Sodium phenylbutyrate Sodium polystyrene sulphonate Sodium valproate Sodium valproate Sofradex Soframycin Solifenacin succinate Solu-Cortef Solu-Cortef Solu-Medrol Somatropin (Omnitrope)	44 216 25 41 54 139 213 213 213 213 89 85 89
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate Sodium phenylbutyrate Sodium polystyrene sulphonate Sodium valproate Sodium valproate Sofradex Soframycin Solian Solifenacin succinate Solu-Cortef Solu-Medrol Somatropin (Omnitrope)Sotacor	44 216 25 41 54 139 213 213 213 143 82 85 85 85 59
Respiratory Sensory. Sodium fluoride. Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate. Sodium polystyrene sulphonate Sodium polystyrene sulphonate Sodium valproate Sodium valproate Sofradex. Sofradex. Soframycin. Solian. Solian. Solian. Solian. Solian. Solian. Solian. Solian. Solu-Cortef. Solu-Medrol. Somatropin (Omnitrope). Sotacor.	44 216 25 41 54 49 213 213 213 213 85 85 85 89 59 59
Respiratory Sensory Sodium fluoride Sodium hyaluronate [Hyaluronic acid] Sodium nitroprusside Sodium phenylbutyrate Sodium phenylbutyrate Sodium polystyrene sulphonate Sodium valproate Sodium valproate Sofradex Soframycin Solian Solifenacin succinate Solu-Cortef Solu-Medrol Somatropin (Omnitrope)Sotacor	44 216 25 41 54 139 213 213 213 213 82 82 85 89 59 212

Spiolto Respinat 200 Spiractin 61 Spiriva 200 Spiriva Respinat 200 Spironolactone 61 Spironolactone 61 Spironolactone 61 Spironolactone 61 Spironolactone 61 Sporanox 100 Sprycel 175 Staphlex 96 Stesolid 133 Stesolid 134 Stesolid 135 Stimulants/ADHD Treatments 156 Stiripentol 133 Stocrin 114 Stomahesive 44 Strattera 156 Stromectol 77 Subcone 166 Sulphadiazine Solum 102 Sulfadiazine Solum 102 Sulphadiazine Silver 167 Sulphadiazine Silver 167 Sulphadiazine Silver 167 Sulphasalazine 27 Sulphatiazine Silver 176 <
Spiriva. 206 Spiriva Respimat 206 Spironolactone 61 Sporanox 100 Sprycel 176 Staphlex 96 Stemetil 143 Stesolid 136 Stimulants/ADHD Treatments 156 Stiripentol 136 Stocrin 114 Stomahesive 44 Strattera 156 Stromectol 77 Suboxone 166 Sucraffate 22 Sulfadiazine sodium 106 Sulphadiazine Silver 66 Sulphadiazine Silver 66 Sulphasalazine 27 Sulphatizine Silver 76 Sulprix 144 Sunitinib 176 Sunscreens, proprietary 77 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sustagen Diabetic 237
Spiriva Respinat 200 Spironolactone 61 Sporanox 100 Sprycel 177 Staphlex 99 Stemetil 143 Stesolid 136 Stimulants/ADHD Treatments 156 Stocrin 114 Stomahesive 44 Strattera 156 Stromectol 73 Suboxone 166 Sucralfate 20 Sulfadiazine sodium 106 Sulphasalazine 27 Sulphadiazine Silver 66 Sulphasalazine 27 Sulphasalazine 27 Sulphasalazine 27 Sulphur 76 Sulphur 77 Sulphur 77 S
Spironolactone 6 Sporanox 100 Sprycel 176 Staphlex 99 Stemetil 140 Stesolid 136 Stimulants/ADHD Treatments 156 Stiripentol 136 Storrin 111 Stomahesive 44 Strattera 156 Stromectol 77 Suboxone 162 Sucralfate 22 Sulfadiazine sodium 102 Sulphadiazine Silver 66 Sulphasalazine 27 Sulphur 76 Sulphur 76 Sulphur 76 Sulphur 147 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-863 33 Sure-T MMT-875 33 Sure-T MMT-883 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-865 35 Sustagen Diab
Sporanox 100 Sprycel. 175 Staphlex. 99 Stemetil. 140 Stesolid. 136 Stimulants/ADHD Treatments 156 Stiripentol. 136 Storrin 111 Stomahesive 44 Strattera 156 Stromectol 76 Suboxone 162 Sucralfate 22 Sulfadiazine sodium 102 Sulphadiazine Silver 66 Sulphasalazine 27 Sulphur 76 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-875 35 Sustagen Diabetic 237 Sylvant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler
Sprycel. 175 Staphlex. 96 Stemetil. 144 Stesolid. 136 Stimulants/ADHD Treatments 156 Stiripentol. 138 Stocrin 114 Storabelia 162 Strattera. 156 Stromectol 73 Suboxone 162 Sucralfate 22 Sulfadiazine sodium 102 Sulphadiazine Silver 66 Sulphasalazine 27 Sulphatiazine Silver 76 Sulprix. 144 Sunitinib 176 Sunscreens. 76 Sure-T MMT-863 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-875 33 Sustagen Diabetic 23 Sustagen Diabetic 23 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 100/6 <
Staphlex
Stemetil. 143 Stesolid. 136 Stimulants/ADHD Treatments 156 Stiripentol. 136 Storrin 114 Stomahesive. 44 Strattera. 156 Stromectol 166 Sucralfate 22 Sulfadiazine sodium 102 Sulphadiazine Silver. 66 Sulphasalazine 21 Sulphasalazine 21 Sulphasalazine 26 Sulphasiazine 27 Sulphasalazine 27 Sulphasalazine 27 Sulphasiazine 27 Surer 30 Surer T MMT-863 33 Sure T MMT-885
Stesolid. 136 Stimulants/ADHD Treatments 156 Stiripentol. 133 Stocrin 114 Stomahesive 44 Strattera 156 Stromectol 77 Suboxone 166 Suralfate 20 Sulfadiazine sodium 106 Sulphadiazine soliver 66 Sulphadiazine Silver 66 Sulphadiazine Silver 66 Sulphasalazine 27 Sulphur 76 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sustagen Diabetic 237 Sustagen Hospital Formula 238 Sustagen Hospital Formula 236 Sutent 177 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 66 Synacthen 246 Synacthen 246 Synacthen<
Stiripentol. 133 Stocrin 114 Storahesive 44 Strattera 156 Stromectol 73 Suboxone 166 Sucralfate 22 Sulfadiazine sodium 102 Sulfadiazine solium 102 Sulfadiazine solium 102 Sulphadiazine Silver 66 Sulphadiazine Silver 167 Sulphadiazine Silver 166 Sulphasalazine 22 Sulphur 76 Sulphur 76 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sustagen Diabetic 237 Sustagen Hospital Formula 236 Sustagen Hospital Formula 236 Sutent 176 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 266 Synacthen
Stiripentol. 133 Stocrin 114 Storahesive 44 Strattera 156 Stromectol 73 Suboxone 166 Sucralfate 22 Sulfadiazine sodium 102 Sulfadiazine solium 102 Sulfadiazine solium 102 Sulphadiazine Silver 66 Sulphadiazine Silver 167 Sulphadiazine Silver 166 Sulphasalazine 22 Sulphur 76 Sulphur 76 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sustagen Diabetic 237 Sustagen Hospital Formula 236 Sustagen Hospital Formula 236 Sutent 176 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 266 Synacthen
Stocrin 114 Stomahesive 44 Strattera 156 Stromectol 73 Suboxone 166 Sucralfate 22 Sulfadiazine sodium 102 Sulfadiazine solium 102 Sulfadiazine solium 102 Sulphadiazine Silver 66 Sulphadiazine Silver 167 Sulphadiazine Silver 167 Sulphadiazine Silver 167 Sulphasalazine 27 Sulphur 76 Sulprix 143 Sumatriptan 144 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sustagen Diabetic 233 Sustagen Hospital Formula 236 Sustagen Hospital Formula 236 Subicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 66 Synacthen 36
Stomahesive 44 Strattera 156 Stromectol 73 Suboxone 166 Sucralfate 20 Sulfadiazine sodium 106 Sulindac 116 Sulphadiazine Silver 66 Sulphadiazine Silver 67 Sulphadiazine Silver 67 Sulphadiazine Silver 67 Sulphasalazine 27 Sulphasiazine 27 Sulphur 76 Sulprix 144 Sumatriptan 144 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sustagen Diabetic 237 Sustagen Hospital Formula 238 Sustagen Hospital Formula 236 Suphicort Turbuhaler 100/6 207 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207
Strattera
Stromectol 73 Suboxone 162 Sucralfate 23 Sulfadiazine sodium 102 Sulindac 116 Sulphadiazine sodium 102 Sulphadiazine soliver 66 Sulphadiazine Silver 21 Sulphadiazine 21 Sulphur 76 Sulprix 144 Sumatriptan 147 Sunscreens 76 Surscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-883 33 Sure-T MMT-883 33 Sustagen Diabetic 233 Sustagen Diabetic 233 Sustagen Orightal Formula 236 Sustanon Ampoules 86 Sutent 175 Sylvant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 64 Synacthen <t< td=""></t<>
Suboxone 162 Sucralfate 23 Sulfadiazine sodium 102 Sulindac 113 Sulphadiazine sodium 102 Sulphadiazine Silver 66 Sulphasalazine 21 Sulphasalazine 21 Sulphasalazine 21 Sulphasalazine 21 Sulphur 76 Sulprix 144 Sunatriptan 144 Sunitinib 175 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-875 33 Sure-T MMT-883 35 Sustagen Diabetic 23 Sustagen Hospital Formula 236 Sustanon Ampoules 86 Sutent 175 Sylvant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 64
Suboxone 162 Sucralfate 23 Sulfadiazine sodium 102 Sulindac 113 Sulphadiazine sodium 102 Sulphadiazine Silver 66 Sulphasalazine 21 Sulphasalazine 21 Sulphasalazine 21 Sulphasalazine 21 Sulphur 76 Sulprix 144 Sunatriptan 144 Sunitinib 175 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-875 33 Sure-T MMT-883 35 Sustagen Diabetic 23 Sustagen Hospital Formula 236 Sustanon Ampoules 86 Sutent 175 Sylvant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 64
Sucralfate 22 Sulfadiazine sodium 102 Sulphadiazine Silver 66 Sulphasalazine 21 Sulphasalazine 22 Sulphasalazine 21 Sulphasalazine 21 Sumatriptan 143 Sunitinib 176 Sure-T MMT-863 33 Sure-T MMT-875 33 Sure-T MMT-885 33 Sustagen Diabetic 235 Sustagen Dabetic 236 Sustagen Dabetic 236 Sustagen Aspital Formula 236 Symbicort Turbuhaler 100/6 207 <td< td=""></td<>
Sulfadiazine sodium 102 Sulphadiazine Silver 66 Sulphasalazine 21 Suntriban 141 Sumatriptan 141 Sunscreens 76 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-875 33 Sure-T MMT-885 33 Sure-T MMT-885 33 Sustagen Diabetic 23 Sustagen Diabetic 23 Sustagen Ampoules 86 Sutent 175 Sylvant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 64 Synacthen 86
Sulindac
Sulphadiazine Silver 66 Sulphasalazine 21 Sulphur 76 Sulprix 144 Sumatriptan 147 Sunscreens 76 Surscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-883 33 Sure-T MMT-885 33 Sustagen Diabetic 237 Sustagen Hospital Formula 236 Sutent 177 Sylwant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 66 Synacthen 86 Synacthen
Sulphasalazine 21 Sulphur 76 Sulprix 143 Sumatriptan 144 Sunitinib 175 Sunscreens 76 Surscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-875 33 Sure-T MMT-883 33 Sure-T MMT-885 33 Sustagen Diabetic 237 Sustagen Hospital Formula 238 Sustanon Ampoules 86 Sutent 177 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 66 Synacthen 86 Synacthen 86 Synacthen 86 Synacthen 86 Synathonimetics 66 Synathonimetics 266 Synathonimetics 266 Synathonimetics 266
Sulphur 76 Sulprix. 143 Sumatriptan 144 Sunscreens. 76 Sunscreens. 76 Surscreens. 76 Surscreens. 76 Surscreens. 76 Surscreens. 76 Sure-T MMT-863 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-883 33 Sustagen Diabetic 237 Sustagen Hospital Formula 238 Sustanon Ampoules 86 Sutent 177 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symathomimetics 64 Synacthen 86 Synacthen 86 Synacthen Depot 86 Synthroid 86
Sulprix
Sumatriptan 141 Sunitinib 175 Sunscreens 76 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-885 33 Sure-T MMT-885 33 Sustagen Diabetic 237 Sustagen Hospital Formula 236 Sustanon Ampoules 86 Sutent 176 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 66 Synacthen 86 Synacthen 86 Synathen 8
Sunitinib 175 Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-873 33 Sure-T MMT-885 33 Sustagen Diabetic 233 Sustagen Hospital Formula 236 Sustanon Ampoules 86 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 64 Synacthen 86 Synacthen 86 Synflorix 266 Synthroid 86
Sunscreens. 76 Surscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-865 33 Sure-T MMT-873 33 Sure-T MMT-885 33 Sure-T MMT-883 33 Sure-T MMT-885 33 Sustagen Diabetic 233 Sustagen Hospital Formula 236 Sustanon Ampoules 86 Sutent 175 Sylvant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 64 Synacthen 86 Synacthen 86 Synflorix 266 Synthroid 86
Sunscreens, proprietary 76 Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-885 33 Sure-T MMT-885 33 Sure-T MMT-885 33 Sustagen Diabetic 23 Sustagen Hospital Formula 233 Sustanon Ampoules 86 Sutent 175 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 64 Synacthen 86 Synacthen 86 Synacthen 86 Synflorix 266 Synthroid 86
Sure-T MMT-863 33 Sure-T MMT-865 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-875 33 Sure-T MMT-885 33 Sure-T MMT-885 33 Sustagen Diabetic 233 Sustagen Hospital Formula 233 Sustanon Ampoules 86 Sutent 175 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 64 Synacthen 86 Synacthen Depot 86 Synflorix 266 Synthroid 86
Sure-T MMT-865 33 Sure-T MMT-873 33 Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-883 33 Sure-T MMT-885 33 Sustagen Diabetic 23 Sustagen Hospital Formula 233 Sustagen Hospital Formula 236 Sustanon Ampoules 86 Sutent 175 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 66 Synacthen 126 Synacthen 86 Synacthen Depot 86 Synflorix 266 Synthroid 86
Sure-T MMT-873 33 Sure-T MMT-875 33 Sure-T MMT-883 33 Sure-T MMT-883 33 Sure-T MMT-885 33 Sustagen Diabetic 23 Sustagen Hospital Formula 233 Sustagen Hospital Formula 236 Sustanon Ampoules 86 Sutent 175 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 66 Synacthen 86 Synacthen Depot 86 Synflorix 266 Synthroid 86
Sure-T MMT-875 33 Sure-T MMT-883 33 Sure-T MMT-883 33 Sustagen Diabetic 23 Sustagen Hospital Formula 23 Sustagen Hospital Formula 23 Sustanon Ampoules 86 Sutent 17 Sylwant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 66 Synacthen 86 Synacthen 86 Synacthen Depot 86 Synflorix 266 Synthroid 86
Sure-T MMT-883 33 Sure-T MMT-885 33 Sustagen Diabetic 23 Sustagen Hospital Formula 23 Sustagen Hospital Formula 23 Sustagen Hospital Formula 23 Sustanon Ampoules 86 Sutent 17 Sylwant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 66 Synacthen 86 Synacthen Depot 86 Synflorix 266 Synthroid 86
Sure-T MMT-885 33 Sustagen Diabetic 231 Sustagen Hospital Formula 233 Sustanon Ampoules 86 Sutent 175 Sylwant 196 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Sympathomimetics 66 Synacthen 86 Synacthen Depot 86 Synflorix 266 Synthroid 86
Sustagen Diabetic 23 Sustagen Hospital Formula 23 Sustanon Ampoules 86 Sutent 17 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Symmetrel 126 Sympathomimetics 66 Synacthen 86 Synflorix 266 Synthroid 86
Sustagen Hospital Formula 23 Sustanon Ampoules 86 Sutent 177 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Symbetrel 128 Sympathomimetics 66 Synacthen 86 Synflorix 266 Synthroid 86
Sustagen Hospital Formula 23 Sustanon Ampoules 86 Sutent 177 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Symbetrel 128 Sympathomimetics 66 Synacthen 86 Synflorix 266 Synthroid 86
Sustanon Ampoules 86 Sutent 175 Sylvant 199 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Sympthomimetics 66 Synacthen 86 Synacthen Depot 86 Synflorix 266 Synthroid 86
Sutent 175 Sylvant 195 Symbicort Turbuhaler 100/6 207 Symbicort Turbuhaler 200/6 207 Symbicort Turbuhaler 400/12 207 Symbicort Turbuhaler 400/12 207 Sympthomimetics 64 Synacthen 86 Synacthen Depot 86 Synflorix 266 Synthroid 86
Sylvant
Symbicort Turbuhaler 100/6
Symbicort Turbuhaler 200/6
Symbicort Turbuhaler 400/12 207 Symmetrel 126 Sympathomimetics 64 Synacthen 86 Synacthen Depot 86 Synflorix 262 Synthroid 86
Symmetrel 126 Sympathomimetics 64 Synacthen 86 Synacthen Depot 86 Synflorix 262 Synthroid 86
Sympathomimetics
Synacthen
Synacthen Depot
Synflorix
Synthroid89
Syntometrine8
Syrup (pharmaceutical grade) 226
Systane Unit Dose216
-T-
Tacrolimus 204
Tacrolimus Sandoz204
Tambocor
Tambocor CR

Tamoxifen citrate 182
Tamsulosin hydrochloride82
Tamsulosin-Rex82
Tap water226
Tarceva176
Tasigna177
Tasmar
Tecfidera148
Tegretol
Tegretol CR 137
Telfast
Temazepam157
Temozolomide 173
Tenofovir disoproxil fumarate 110
Tenoxicam119
Tepadina167
Terazosin55
Terbinafine104
Terbutaline sulphate 208
Teriflunomide153
Teriparatide 123
Testosterone86
Testosterone cypionate86
Testosterone esters
Testosterone undecanoate86
Tetrabenazine129
Tetrabromophenol83
Tetracosactrin85
Tetracyclin Wolff
Tetracycline
Teva
Thalidomide 174
Thalomid174
Theophylline
Thiamine hydrochloride
THIO-TEPA
Thioguanine
Thiotepa
Thymol glycerin
Thyroid and Antithyroid Agents
Ticagrelor
Tilade
Tilcotil
Cardiovascular
Sensory
Timoptol XE214
Tiotropium bromide
Tiotropium bromide with
olodaterol
Tivicay
TMP
TOBI
Tobramycin
Infection
Sensory213
0011001 y 2 10

Fobramycin Mylan	102
Fobrex	213
Fofranil	
Fofranil s29	
Folcapone	128
Folterodine	
Горатах	140
Fopical Products for Joint and	
Muscular Pain	
Fopiramate	
Fopiramate Actavis	140
Total parenteral nutrition (TPN)	53
TPN	53
Tramadol hydrochloride	
Tramal SR 100	
Framal SR 150	
Tramal SR 200	133
Frandate	58
Tranexamic acid	
Franylcypromine sulphate	
Trastuzumab	
Fravatan	
Fravoprost	215
Freatments for Dementia	161
Treatments for Substance	400
Dependence	
Frental 400 Fretinoin	65
Dermatological	67
Oncology	174
Trexate	1/4
Friamcinolone acetonide	109
Alimentary	10
Dermatological	42
Hormone	
Friamcinolone acetonide with	00
gramicidin, neomycin and nystatir	h
grannolani, neoniyoni ana nyotan	
Dermatological	71
Dermatological	
Sensory	213
Sensory Triazolam	213 158
Sensory Triazolam Frichozole	213 158 105
Sensory Friazolam Frichozole Friclosan	213 158 105 71
Sensory Triazolam Frichozole	213 158 105 71 145
Sensory Friazolam Frichozole Friclosan Frifluoperazine hydrochloride Frimeprazine tartrate	213 158 105 71 145 206
Sensory Friazolam Frichozole Friclosan Frifluoperazine hydrochloride	213 158 105 71 145 206 102
Sensory Friazolam Frichozole Friclosan Frifluoperazine hydrochloride Frimeprazine tartrate Frimethoprim Frisequens	213 158 105 71 145 206 102 87
Sensory Friazolam Frichozole Friclosan Frifluoperazine hydrochloride Frimeprazine tartrate Frimethoprim	213 158 105 71 145 206 102 87 100
Sensory Triazolam Trichozole Trichosan Trifluoperazine hydrochloride Trimetprazine tartrate Trimethoprim Trisequens Trisul	213 158 105 71 145 206 102 87 100 89
Sensory Friazolam Frichozole Frichozole Frifluoperazine hydrochloride Frimetprazine tartrate Frimethoprim Frisequens Frisul Frophic Hormones	213 158 105 71 145 206 102 87 100 89 216
Sensory Friazolam Frichozole Frichozole Friclosan Friduoperazine hydrochloride Frimethoprim Frisequens Frisequens Froshic Hormones Frophic Hormones Fropicamide Frusopt Fruvada	213 158 105 71 145 206 102 87 100 89 216 215 114
Sensory Friazolam Frichozole Frichosan Frifluoperazine hydrochloride Frimeprazine tartrate Frimethoprim Frisequens Frisequens Frisul Frophic Hormones Fropicamide Frusopt	213 158 105 71 145 206 102 87 100 89 216 215 114
Sensory Friazolam Frichozole Frichozole Frichozole Frichozole Fridupperazine tartrate Frimeprazine tartrate Frisequens Frisequens Frisequens Frophic Hormones Frophic Hormones Frophic Hormones Frophic Hormones Frophic Hormones Fruppic Fusopt	213 158 105 71 145 206 102 87 100 89 216 215 114 264 264
Sensory Friazolam Frichozole Frichosan Fridloperazine hydrochloride Frimeprazine tartrate Frimeprazine tartrate Frisequens Frisequens Frophic Hormones Frophic Hormones Fropicamide Fropicamide Fruvada Fuvada Fuvada Fuberculin PPD [Mantoux] test Fubersol Fwo Cal HN	213 158 105 71 145 206 102 87 100 89 216 215 114 264 264 264 241
Sensory Friazolam Frichozole Frichozole Frichosan Friduoperazine tartrate Frimethoprim Frisequens Frisul Frophic Hormones Frophic Hormones Fropicamide Frusopt Fruvada Fuberculin PPD [Mantoux] test	213 158 105 71 145 206 102 87 100 89 216 215 114 264 264 241 240

Tysabri15	1
Ultibro Breezhaler	9
Ultraproct	
Umeclidinium	9
Umeclidinium with vilanterol	
Univent	2
Ural	
Urea72	
Urex Forte6	
Urinary Agents8	1
Urinary Tract Infections 118	B
Uromitexan 172	2
Ursodeoxycholic acid37	7
Ursosan	7
Utrogestan88	8
- V -	
Vaccinations256	ô
Vaclovir	9
Valaciclovir 109	9
Valcyte109	9
Valganciclovir 109	9
Vallergan Forte 206	6
Vancomycin 102	2
Vannair	7
Varenicline tartrate 163	3
Varicella vaccine [Chickenpox	
vaccine] 264	4
Varilrix	4
Various	3
Vasodilators	4
Vasopressin Agonists	
Vedafil68	
Velcade)
Venlafaxine136	2
Venomil	2
Ventavis	
Ventolin	
Vepesid	
Verapamil hydrochloride	J 0
Vermox	
Verniox	
Verpannin Sh	ן ע
Vesicare	†
Vesicale	
Viend	
Viaderm KC	
Vidaza	
Viekira Pak112	
Viekira Pak-RBV112	
Vigabatrin	
Vimpat	
Vinblastine sulphate	
Vincristine sulphate	
Vinorelbine	

Vinorelbine Ebewe175
Viramune Suspension114
Viread 110
ViruPOS213
Vistil216
Vistil Forte216
Vit.D343
VitA-POS
Vitabdeck
Vitadol C42
Vital235
Vitamin A with vitamins D and C 42
Vitamin B complex43
Vitamin B6 25
Vitamins
Vivonex TEN
Volibris65
Voltaren 119
Voltaren D119
Voltaren Ophtha214
Volumatic
Voriconazole104
Vosol
Votrient178
Vttack104
- W -
Warfarin sodium
Wart Preparations76
Wasp venom allergy treatment
Wasp venom allergy treatment205 Water
Wasp venom allergy treatment205 Water
Wasp venom allergy treatment205 Water Blood
Wasp venom allergy treatment205 Water Blood
Wasp venom allergy treatment
Wasp venom allergy treatment205 Water Blood53 Extemporaneous226 Wool fat with mineral oil72 - X -
Wasp venom allergy treatment
Wasp venom allergy treatment205 Water Blood53 Extemporaneous226 Wool fat with mineral oil72 - X -
Wasp venom allergy treatment

Zimybe63
Zinc and castor oil72
Zinc sulphate45
Zincaps45
Zinnat
Ziprasidone145
Zista205
Zithromax96
Zoladex
Zoledronic acid
Hormone84
Musculoskeletal 124
Zoledronic acid Mylan84
Zometa84
Zopiclone 158
Zopiclone Actavis 158
Zostrix120
Zostrix HP130
Zuclopenthixol decanoate147
Zuclopenthixol hydrochloride145
Zusdone145
Zyban162
Zypine144
Zypine ODT 144
Zyprexa Relprevv 146
Zytiga180









